

Main Board Quotation

Issue Date :

Monday May 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.70	0.10	911	6.68	RS	24.50	(1.00)	87,692	24.81
NFC	-	-	-	-	HUMAN	12.90	0.40	36,583	12.76	SE-ED	3.42	(0.02)	31	3.44
POMPUI	-	-	-	-	ILINK	9.25	(0.05)	7,149	9.27	SMM	0.92	0.02	11,203	0.92
SAFARI	-	-	-	-	INET	3.98	-	2,180	3.97	SPORT	0.60	(0.01)	691	0.60
VI	-	-	-	-	INTUCH	56.00	-	46,572	56.34	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	6.20	(0.05)	336,811	6.25	TH	0.61	0.01	1,118	0.61
WR	-	-	-	-	JASIF	11.60	0.10	60,121	11.57	TKS	10.20	-	900	10.21
Agribusiness					JMART	11.50	-	19,170	11.60	TRITN	0.33	(0.01)	396,037	0.32
CHOTI	151.50	(2.00)	17	152.32	JTS	1.65	(0.02)	13,597	1.69	VGI	7.70	-	41,185	7.68
EE	0.69	0.01	32,044	0.69	MFEC	4.50	0.02	55	4.47	WAVE	3.16	-	1,640	3.16
GFPT	12.10	(0.10)	10,420	12.11	MSC	6.00	-	1,564	5.96	WORK	64.00	2.00	18,118	63.62
LEE	2.86	(0.02)	8,663	2.88	PT	6.70	(0.05)	2,748	6.74	Finance & Securities				
STA	11.80	(0.10)	15,620	11.95	SAMART	9.20	0.65	118,706	8.91	AEC	0.53	0.02	1,500	0.53
TLUXE	6.35	0.05	5,113	6.29	SAMTEL	10.30	0.10	139	10.29	AEONTS	168.00	2.00	5,288	168.42
TRUBB	1.79	0.01	1,153	1.77	SDC	0.27	(0.02)	23,566	0.27	AMANAH	1.78	(0.10)	77,533	1.82
TWPC	10.50	-	5,425	10.62	SIS	9.00	0.40	8,101	9.07	ASAP	8.65	0.05	6,957	8.55
UPOIC	4.42	(0.18)	408	4.41	SVOA	1.69	(0.03)	18,778	1.70	ASK	22.40	-	1,249	22.41
UVAN	8.25	0.10	15,029	8.28	SYMC	7.55	(0.50)	3,550	7.55	ASP	3.82	0.02	10,142	3.83
VPO	0.79	0.01	1,606	0.78	SYNEX	14.20	0.40	8,502	14.07	BFIT	32.75	(0.75)	963	32.89
Banking					THCOM	9.25	0.05	15,152	9.25	CGH	1.24	0.01	9,239	1.24
BAY	39.00	(0.25)	537	39.10	TRUE	7.95	-	1,311,797	7.97	CNS	2.72	0.02	574	2.71
BBL	189.00	(2.00)	41,066	189.39	TWZ	0.13	-	64,783	0.13	ECL	2.24	-	13,155	2.24
CIMBT	1.02	(0.02)	22,998	1.02	Electronic Componer					FNS	4.42	(0.12)	774	4.42
KBANK	192.50	3.50	25,544	191.31	CCET	2.10	-	6,908	2.10	FSS	2.68	-	425	2.68
KKP	68.00	(1.75)	71,990	68.57	DELTA	64.25	(0.25)	14,660	64.53	GBX	0.71	-	7,801	0.69
KTB	17.70	(0.60)	303,802	17.70	EIC	0.07	-	26,206	0.07	GL	7.10	0.05	10,019	7.11
LHFG	1.60	(0.01)	20,098	1.61	HANA	35.50	-	14,632	35.71	IFS	3.10	-	1,382	3.10
SCB	132.50	1.50	48,871	132.48	KCE	68.50	(1.00)	10,651	69.04	JMT	32.25	(0.50)	1,144	32.50
TCAP	50.25	(0.25)	17,508	50.51	METCO	199.00	(1.00)	8	199.31	KCAR	15.10	0.20	667	15.00
TISCO	84.75	(2.00)	89,000	85.05	SMT	3.14	(0.04)	27,905	3.18	KGI	4.44	-	13,471	4.44
TMB	2.30	0.04	1,505,769	2.28	SPPT	5.40	0.05	25,035	5.41	KTC	362.00	(6.00)	12,774	366.71
Construction Materia					SVI	4.42	-	9,424	4.45	MBKET	18.70	(0.10)	275	18.79
CCP	0.42	(0.01)	18,706	0.42	TEAM	1.47	0.11	346,419	1.45	MFC	15.70	0.10	351	15.64
DCC	2.68	-	11,223	2.70	Energy & Utilities					ML	1.21	(0.01)	1,782	1.20
DCON	0.61	(0.01)	14,097	0.62	ABPIF	8.65	0.05	463	8.61	MTC	37.50	0.25	47,246	37.85
DRT	5.75	-	76	5.75	AI	-	-	-	-	PE	0.42	0.01	2	0.42
EPG	7.50	0.25	295,054	7.53	AKR	1.10	0.02	124,409	1.10	PL	3.68	(0.20)	10,122	3.68
GEL	0.35	-	52,777	0.35	BAFS	37.50	(0.50)	2,334	37.57	S11	7.30	-	200	7.30
PPP	4.50	0.02	208	4.48	BANPU	20.10	-	258,920	20.21	SAWAD	51.00	-	16,822	50.95
Q-CON	6.65	-	399	6.65	BCP	36.00	(0.25)	14,121	36.22	THANI	8.00	(0.15)	53,825	8.04
RCI	2.24	(0.04)	2,572	2.27	BCPG	19.90	0.10	69,162	19.95	TK	12.60	0.10	3,442	12.61
SCC	466.00	4.00	27,676	465.10	BGRIM	29.25	1.00	287,117	28.96	TNITY	6.05	0.10	973	6.06
SCCC	248.00	(1.00)	407	248.68	BPP	24.70	0.10	14,896	24.60	UOBKH	4.08	(0.04)	55	4.11
SCP	8.05	-	1,359	7.96	BRRGIF	10.50	0.10	10,122	10.40	ZMICO	1.12	(0.01)	827	1.12
SKN	6.20	(0.05)	929	6.22	CKP	4.06	0.12	201,500	4.04	Food & Beverage				
TASCO	18.10	-	7,503	18.19	DEMCO	5.00	(0.05)	701	5.01	APURE	1.69	(0.02)	19,571	1.68
TCMC	2.92	(0.04)	56,659	2.96	EA	35.25	(1.25)	268,741	36.19	ASIAN	6.90	-	9,347	6.96
TGCI	2.62	0.06	4,145	2.60	EARTH	-	-	-	-	BR	6.80	0.05	6,493	6.80
TOA	40.00	0.25	9,665	39.89	EASTW	11.30	0.10	7,939	11.26	BRR	8.20	(0.25)	1,790	8.13
TPIPL	1.88	(0.02)	113,813	1.89	EGATIF	11.10	0.10	6,451	11.09	CBG	56.75	(1.25)	23,819	56.78
UMI	1.54	(0.02)	2,286	1.53	EGCO	229.00	1.00	5,584	228.21	CFRESH	4.96	(0.02)	133	4.97
VNG	9.00	(0.05)	2,110	9.02	ESSO	17.50	0.20	57,001	17.51	CM	4.98	0.02	415	4.98
WIJK	2.60	(0.02)	6,899	2.62	GLOW	82.50	(0.50)	6,003	82.63	CPF	23.60	(0.30)	150,562	23.64
Petrochemicals & Ch					GPSC	78.75	1.00	77,247	78.87	CPI	2.36	0.04	567	2.34
CMAN	3.84	0.04	23,038	3.78	GULF	72.25	(0.25)	49,407	72.50	F&D	18.50	(0.10)	150	18.40
GC	5.15	-	126	5.13	GUNKUL	3.04	0.02	122,008	3.04	HTC	22.20	(0.30)	2,048	22.47
GGC	13.00	(1.00)	120,718	13.34	IEC	-	-	-	-	ICHI	7.85	0.05	3,835	7.84
GIFT	5.35	0.05	3,040	5.32	IFEC	-	-	-	-	KBS	4.52	0.10	4,617	4.53
IVL	61.00	0.50	155,495	60.99	IRPC	6.85	-	1,632,794	6.90	KSL	3.24	0.06	40,133	3.25
PATO	15.60	-	232	15.57	LANNA	16.20	0.50	12,341	16.09	KTIS	6.05	(0.05)	568	6.05
PMTA	17.80	0.10	26	17.80	MDX	4.42	0.02	1,750	4.44	LST	5.15	(0.15)	1,204	5.12
PTTGC	97.50	1.50	129,201	97.19	PTG	17.60	(0.60)	55,121	17.90	M	78.00	(0.75)	1,746	77.90
SUTHA	4.74	(0.04)	1,546	4.71	PTT	56.75	-	1,076,378	56.91	MALEE	20.20	(0.40)	3,579	20.25
TCB	56.00	0.50	382	55.63	PTTEP	137.50	-	156,500	138.53	MINT	39.75	(0.25)	71,384	39.80
TCCC	38.25	(0.25)	183	38.42	RATCH	52.25	0.25	9,721	52.20	OISHI	123.00	(0.50)	21	123.14
TPA	7.05	-	590	7.00	RPC	0.63	0.01	2,769	0.63	PB	62.00	(0.50)	39	61.84
UP	-	-	-	-	SCG	4.80	-	59	4.85	PM	11.20	-	1,764	11.20
VNT	28.25	-	24,923	28.08	SCI	4.40	0.08	484,863	4.64	PRG	-	-	-	-
WG	148.00	(2.00)	50	148.00	SCN	3.74	(0.06)	3,695	3.77	SAPPE	24.10	0.10	7,361	24.14
YCI	-	-	-	-	SGP	29.25	(0.50)	52,995	29.61	SAUCE	22.20	0.20	140	22.17
Commerce					SKE	1.45	0.04	21,822	1.45	SFP	-	-	-	-
BEAUTY	22.70	(0.10)	75,164	22.74	SOLAR	3.10	0.04	34,325	3.15	SNP	21.10	(0.10)	96	21.11
BIG	2.66	(0.02)	36,071	2.68	SPCG	21.40	0.10	2,860	21.42	SORKON	-	-	-	-
BJC	61.00	0.25	46,450	61.19	SPRC	16.30	0.20	183,474	16.36	SSC	52.75	0.50	5	52.55
COL	27.00	(0.25)	2,267	26.78	SUPER	1.21	-	1,608,043	1.22	SSF	-	-	-	-
COM7	19.20	0.20	78,438	19.26	SUSCO	3.56	(0.02)	2,630	3.56	SST	6.60	-	89	6.64
CPALL	88.25	0.75	93,621	88.20	TAE	2.22	0.04	14,089	2.23	TC	2.82	(0.10)	366	2.81
CSS	2.44	0.02	17,824	2.45	TCC	0.38	(0.01)	5,258	0.39	TFG	4.88	0.02	2,956	4.87
FN	3.88	(0.02)	4,079	3.91	TOP	96.25	2.00	43,756	95.91	TFMAMA	170.50	-	58	170.47
FTE	2.70	(0.06)	25,854	2.71	TPIPP	6.80	0.15	263,646	6.75	TIPCO	12.60	-	8,832	12.60
GLOBAL	16.00	(0.50)	73,235	16.20	TTW	12.60	0.20	40,331	12.41	TKN	15.60	(0.10)	18,983	15.66
HMPRO	14.60	-	276,040	14.60	WHAUP	6.30	-	9,469	6.35	TU	18.00	(0.30)	192,010	18.48
IT	4.62	(0.10)	5,131	4.64	WP	7.95	(0.15)	18,818	8.05	TVO	33.75	(0.75)	10,224	33.87
KAMART	6.70	0.10	1,863	6.61	Media & Publishing					Health Care Services				
LOXLEY	2.42	0.06	83,250	2.43	AMARIN	5.90	-	1,263	5.91	AHC	20.80	0.10	38	20.47
MAKRO	47.00	(0.50)	8,939	47.56	AQUA	0.50	(0.01)	36,868	0.50	BCH	17.00	(0.30)	95,551	17.20
MC	11.90	0.40	30,162	12.04	AS	1.75	(0.04)	7,885	1.76	BDMS	22.30	(0.50)	459,482	22.39
MEGA	41.75	-	8,390	41.99	BEC	10.30	0.10	105,814	10.43	BH	190.00	(2.00)	15,282	190.83
MIDA	0.58	-	162	0.59	EPCO	3.20	0.02	3,820	3.22	CHG	1.99	(0.01)	74,638	2.00
ROBINS	66.00	(0.50)	20,457	65.87	FE	-	-	-	-	CMR	3.28	-	476	3.28
RSP	6.50	0.10	5,214	6.52	GPI	3.12	0.04	1,230	3.09	EKH	5.50	0.10	33,029	5.49
SINGER	9.00	-	124	9.04	GRAMMY	9.05	0.05	140	9.05	KDH	90.75	0.25	21	91.94
SPC	53													

Main Board Quotation

Issue Date :

Monday May 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	8.60	0.20	4,844	8.57	MK	3.42	(0.02)	18,070	3.45	CTW	8.40	(0.15)	1,462	8.41
WPH	2.76	(0.02)	2,840	2.76	NCH	1.01	-	1,177	1.01	FMT	27.25	1.50	62	26.75
Tourism & Leisure					NNCL	1.69	-	15,632	1.69	HTECH	7.30	-	6,348	7.26
ASIA	69.50	0.25	24	69.65	NOBLE	10.70	(0.10)	1,598	10.62	KKC	1.79	(0.01)	767	1.80
CENTEL	48.75	(1.25)	66,112	48.78	NUSA	0.32	-	26,377	0.31	PK	5.35	0.05	50,842	5.39
CSR	66.50	0.50	4	66.31	ORI	19.40	(0.40)	65,995	19.65	SNC	16.10	-	20,662	16.18
DTC	10.40	(0.30)	63	10.50	PACE	0.43	(0.01)	236,387	0.43	TCJ	7.65	(0.10)	456	7.52
ERW	8.10	(0.20)	128,036	8.10	PF	0.86	-	120,199	0.86	VARO	-	-	-	-
GRAND	0.98	(0.01)	4,075	0.98	PLAT	8.15	-	3,511	8.09	Property Fund & REIT				
LRH	38.50	-	66	38.48	POLAR	-	-	-	-	AIMIRT	10.00	-	1,160	9.99
MANRIN	-	-	-	-	PRECHA	1.77	0.04	720	1.74	AMATAR	10.50	0.10	182	10.40
OHTL	-	-	-	-	PRIN	1.76	(0.02)	12,089	1.76	B-WORK	10.20	(0.10)	2,071	10.20
ROH	40.75	0.25	8	40.53	PRINC	5.80	0.05	5,574	5.76	BKKCP	11.50	(0.20)	57	11.50
SHANG	68.75	(1.75)	9	67.92	PSH	22.20	-	11,350	22.21	BOFFICE	13.10	-	1,308	13.10
Home & Office Prod.					QH	3.04	(0.04)	333,836	3.06	CPNCG	14.90	0.20	2,889	14.80
ACC	0.50	-	1,899	0.50	RICHY	1.76	(0.03)	12,928	1.79	CPNREIT	22.80	0.20	5,492	22.78
AJA	0.51	-	45,624	0.51	RML	1.17	(0.03)	48,803	1.18	CPTGF	12.90	0.10	284	12.80
DTCI	26.75	-	12	26.90	ROJNA	6.50	(0.10)	12,755	6.51	CRYSTAL	10.80	-	2,600	10.80
FANCY	1.15	(0.05)	82,508	1.18	S	3.54	-	43,869	3.56	CTARAF	4.84	(0.04)	1,013	4.84
KYE	452.00	(6.00)	92	454.89	SAMCO	2.40	0.02	256	2.40	DREIT	5.05	-	615	5.05
L&E	2.84	(0.04)	1,980	2.83	SC	3.72	(0.02)	14,640	3.73	ERWPF	6.05	-	520	6.02
MODERN	5.20	(0.05)	7,343	5.25	SENA	3.78	(0.52)	22,616	3.72	FUTUREPF	21.20	-	3,101	21.20
OGC	40.00	0.25	25	39.99	SF	9.00	(0.05)	28,872	8.99	GAHREIT	9.85	-	836	9.85
ROCK	-	-	-	-	SIRI	1.73	(0.01)	472,179	1.74	GLANDRT	11.90	-	14,238	11.98
SIAM	2.02	-	2,326	1.99	SPALI	23.30	(0.20)	64,329	23.60	GOLDPF	7.40	(0.05)	1,002	7.40
TSR	2.50	0.02	331	2.50	TICON	17.80	-	13,806	17.80	GVREIT	14.60	0.10	175	14.54
Insurance					U	0.03	-	1,731,998	0.03	HPF	5.45	(0.05)	746	5.48
AYUD	42.00	(0.50)	850	42.34	UV	8.95	0.05	82,463	9.02	HREIT	7.55	0.05	1,760	7.51
BKI	358.00	-	13	357.85	WHA	4.08	0.08	2,393,779	4.11	IMPACT	18.00	(0.10)	6,562	18.00
BLA	35.25	(1.25)	17,683	35.53	WIN	0.61	0.01	5,591	0.61	KPNPF	-	-	-	-
BUI	-	-	-	-	Paper & Printing Mat					LHHOTEL	15.60	0.10	1,162	15.53
CHARAN	-	-	-	-	UTP	11.10	(0.50)	54,475	11.10	LHPF	8.65	(0.10)	444	8.70
INSURE	-	-	-	-	Fashion					LHSC	15.50	0.30	1,546	15.47
MTI	132.00	-	37	131.81	AFC	9.00	(0.15)	261	8.97	LUXF	-	-	-	-
NKI	-	-	-	-	BTNC	-	-	-	-	M-II	-	-	-	-
NSI	79.25	0.25	2	79.25	CPH	5.90	(0.10)	1	5.90	M-PAT	10.10	0.10	20	10.10
SMK	42.50	-	149	42.55	CPL	3.24	-	1	3.24	M-STOR	10.40	-	19	10.40
THRE	1.69	(0.01)	12,635	1.69	DIGI	0.56	(0.02)	21,594	0.57	MIPF	-	-	-	-
THREL	9.95	0.05	3,421	9.87	ICC	39.00	0.50	123	39.10	MIT	5.05	-	1	5.05
TIC	32.25	(0.25)	104	32.02	LTX	75.25	(0.75)	5	75.95	MJLF	12.60	-	311	12.50
TIP	25.50	-	2,777	25.55	NC	15.50	0.10	2	15.50	MNIT	-	-	-	-
TSI	0.60	(0.01)	4,634	0.59	PAF	1.22	(0.01)	13,316	1.24	MNIT2	5.40	(0.30)	2	5.40
TVI	3.44	(0.04)	330	3.44	PDJ	2.86	(0.04)	8,450	2.85	MNRF	-	-	-	-
Mining					PG	7.45	-	62	7.45	MONTRI	6.00	0.05	7	5.96
PDI	21.40	(0.50)	10,998	21.60	SABINA	25.00	0.10	57	24.98	POPF	14.20	0.20	3,057	14.17
THL	-	-	-	-	SAWANG	-	-	-	-	PPF	-	-	-	-
Packaging					SUC	42.75	0.25	275	42.58	QHHR	8.80	0.05	2,637	8.79
AJ	13.20	0.20	11,869	13.29	TNL	-	-	-	-	QHOP	3.86	(0.02)	78	3.86
ALUCON	234.00	(1.00)	25	234.12	TPCORP	17.20	0.10	2	17.20	QHPF	11.80	-	15,998	11.76
CSC	47.50	0.25	12	47.42	TR	51.00	(1.50)	804	51.28	SBPF	3.16	-	35	3.05
NEP	0.43	-	4,025	0.43	TTI	-	-	-	-	SHREIT	-	-	-	-
NPP	1.36	(0.14)	173,331	1.42	TTL	-	-	-	-	SIRIP	11.10	(0.10)	10	11.16
PTL	17.30	0.20	127,489	17.37	TTTM	124.50	-	2	126.00	SPF	23.60	0.20	1,040	23.50
SITHAI	1.44	(0.06)	7,133	1.45	UPF	75.25	0.25	2	75.25	SRIPANWA	11.20	(0.10)	3,370	11.20
SLP	1.00	(0.02)	4,016	1.01	UT	-	-	-	-	SSPF	10.10	-	40	10.10
SMPC	13.80	(0.10)	559	13.82	WACOAL	46.25	0.50	21	46.31	SSTPF	-	-	-	-
SPACK	-	-	-	-	Transportation & Log					SSTRT	6.55	-	591	6.47
TCOAT	-	-	-	-	AAV	5.95	0.05	368,216	5.99	TIF1	8.60	-	28	8.60
TFI	0.42	(0.01)	132	0.42	AOT	71.00	-	104,695	71.22	TLGF	19.20	0.30	18,573	19.00
THIP	36.25	0.25	58	36.19	ASIMAR	2.90	-	4,187	2.92	TLHPF	11.40	-	1	11.40
TMD	20.70	(0.20)	141	20.66	B	0.83	(0.01)	15,394	0.84	TNPF	4.30	0.02	367	4.24
TOPP	226.00	-	2	226.00	BA	15.10	(0.10)	16,602	15.23	TPRIME	11.80	(0.20)	4,935	11.90
TPBI	11.20	(0.50)	654	11.32	BEM	7.80	0.05	187,131	7.79	TREIT	11.30	-	7,214	11.26
TPP	20.00	0.40	6	19.98	BTS	9.20	(0.05)	433,056	9.15	TTLPF	24.70	0.20	11	24.70
Personal Products &					BTSGIF	12.20	0.10	19,223	12.12	TU-PF	-	-	-	-
DDD	91.00	0.25	1,269	91.60	III	7.10	0.05	35,020	7.21	URBNPF	-	-	-	-
JCT	-	-	-	-	JUTHA	2.14	-	116	2.12	WHABT	-	-	-	-
OCC	17.30	-	66	17.30	JWD	8.35	(0.25)	41,411	8.45	WHART	10.60	0.10	24,677	10.50
S & J	-	-	-	-	KWC	-	-	-	-	Steel				
STHAI	-	-	-	-	NOK	3.02	-	4,031	3.02	AMC	2.62	-	392	2.62
TNR	16.00	(0.10)	840	16.08	NYT	5.75	(0.30)	17,115	5.75	BSBM	1.24	0.01	3,316	1.23
TOG	5.80	(0.15)	4,090	5.90	PRM	8.60	(0.10)	12,759	8.66	CEN	1.36	(0.02)	4,909	1.36
Professional Service					PSL	12.90	0.10	44,669	12.94	CITY	2.74	(0.02)	1,702	2.74
BWG	1.32	0.02	116,736	1.31	RCL	7.70	(0.10)	2,538	7.77	CSP	1.57	-	244	1.57
GENCO	0.86	(0.02)	9,636	0.87	THAI	17.00	(0.30)	44,390	17.13	GJS	0.40	-	202,878	0.41
PRO	-	-	-	-	TSTE	-	-	-	-	GSTEL	0.14	-	559,542	0.14
Property Developmei					TTA	8.40	0.05	16,036	8.43	INOX	1.18	-	825	1.18
A	6.70	-	801	6.70	WICE	5.05	-	11,573	5.08	LHK	5.00	(0.05)	6,432	5.03
AMATA	21.00	0.20	137,805	21.05	Automotive					MAX	0.03	0.01	154,358	0.03
AMATAV	7.35	-	595	7.37	AH	35.25	-	938	35.38	MCS	7.90	0.10	6,546	7.87
ANAN	3.90	0.02	73,352	3.92	APCS	5.90	0.10	1,906	5.91	MILL	1.56	(0.01)	790	1.57
AP	8.60	(0.05)	43,493	8.62	BAT-3K	-	-	-	-	PAP	4.40	(0.04)	1,076	4.42
APEX	0.22	(0.01)	244,186	0.22	CWT	3.48	0.02	15,030	3.47	PERM	2.38	-	653	2.38
AQ	0.04	-	288,421	0.04	EASON	3.48	(0.02)	856	3.48	RICH	-	-	-	-
BLAND	1.90	-	353,154	1.90	GYT	394.00	(4.00)	3	393.33	SAM	0.79	(0.01)	7,080	0.79
BROCK	2.58	-	225	2.58	HFT	3.66	(0.08)	2,530	3.69	SMIT	6.20	0.05	8,600	6.21
CGD	1.50	(0.04)	144,367	1.52	IHL	8.80	(0.05)	3,502	8.86	SSI	-	-	-	-
CI	1.64	(0.01)	3,641	1.65	INGRS	0.98	-	4,777	0.98	SSSC	3.54	(0.08)	21,913	3.50
CPN	77.25	(1.75)	73,841	78.29	IRC	20.70	0.10	78	20.70	TGPRO	0.24	-	39,276	0.24
ESTAR	0.80	(0.01)	123,573	0.80	PCSGH	6.85	(0.10)	3,314	6.90	THE	3.34	0.10	160,009	3.29
EVER	0.39	-	10,837	0.39	SAT	21.50	0.70	5,956	21.20	TIW	452.00	(4.00)	32	455.00
GLAND	2.36	0.22	275,128	2.36	SPG	17.80	-	8	17.80	TMT	15.10	0.10	632	15.13
GOLD	9.95	0.05	14,672	9.96	STANLY	229.00	3.00	530	230.92	TSTH	0.81	-	4,399	0.81
GREEN	1.13	(0.03)	2,423	1.14	TKT	1.75	-	652	1.75	TUCC	-	-	-	-
J	1.78	0.01	382	1.76	TNCP	1.60	0.04	307	1.55	TWP	4.32	-	111	4.30
JCK	1.66	(0.01)	2,186	1.67	TRU	4.74	-	1,951	4.68	TYCN	3.20	-	15,037	3.27
KC	-	-	-	-	TSC	12.70	0.40	3	12.37	Construction Service				
KWG	2.44	(0.02)	5,393	2.45										

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday May 07, 2018

Main Board Quotation					Main Board Quotation					Issue Date :				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TSE	3.74	(0.04)	3,182	3.00	ADVA11C1807A	0.32	0.02	12,880	-
ABICO	7.70	(0.15)	483	7.00	UMS	1.12	(0.02)	80	1.00	ADVA11P1807A	0.23	(0.01)	10,340	-
AU	12.20	(0.10)	4,307	12.00	UWC	0.10	-	115,417	-	ADVA13C1805A	-	-	-	-
FC	0.49	-	43,541	-	Services (MAI)	-	-	-	-	ADVA13C1809A	0.32	0.02	67,198	-
HOTPOT	2.20	0.02	33,576	2.00	ADAM	-	-	-	-	ADVA13P1805A	-	-	-	-
KASET	2.50	-	2,265	2.00	AKP	1.89	-	1,135	1.00	ADVA13P1809A	0.32	(0.02)	17,260	-
MM	4.32	0.14	11,450	4.00	AMA	10.00	(0.10)	3,435	10.00	ADVA16C1812A	-	-	-	-
SUN	4.56	-	3,683	4.00	ARIP	0.59	-	1,312	-	ADVA18C1808A	1.01	(0.01)	5,774	1.00
TACC	4.90	0.02	6,183	4.00	ATP30	1.76	(0.01)	7,829	1.00	ADVA23C1806A	0.84	0.03	4,000	-
TMILL	3.38	-	3,948	3.00	AUCT	5.20	-	641	5.00	ADVA24C1810A	-	-	-	-
XO	6.85	0.15	3,738	6.00	BOL	2.06	-	763	2.00	ADVA24P1810A	0.29	(0.01)	2,600	-
Consumer Products														
APCO	5.80	0.05	528	5.00	CHUO	-	-	-	-	ADVA27P1805A	-	-	-	-
BGT	1.35	-	790	1.00	CMO	1.91	(0.01)	11,255	1.00	ADVA28C1805A	-	-	-	-
BIZ	3.18	-	959	3.00	D	9.85	0.25	11,567	9.00	ADVA28C1808A	0.25	0.01	50,112	-
ECF	6.70	(0.10)	24,892	6.00	DCORP	2.58	(0.04)	2,526	2.00	AMAT01C1806A	0.07	-	11,850	-
HPT	1.59	(0.01)	21,904	1.00	DNA	0.56	(0.01)	13,527	-	AMAT01C1810A	0.89	0.01	39,007	-
JUBILE	24.40	(0.10)	741	24.00	EFORL	0.08	-	359,971	-	AMAT01C1810B	0.82	0.01	43,072	-
MOONG	5.05	(0.20)	1,538	5.00	ETE	2.46	0.10	38,435	2.00	AMAT01P1806A	0.68	(0.01)	3,894	-
NPK	26.50	-	15	26.00	FSMART	9.70	(0.10)	15,917	9.00	AMAT06C1809A	0.20	0.01	200	-
OCEAN	0.93	-	181,232	-	FVC	1.79	(0.03)	5,099	1.00	AMAT08C1807A	0.01	-	11	-
TM	2.36	(0.02)	1,230	2.00	HARN	2.86	(0.06)	784	2.00	AMAT08C1809A	0.28	-	25,100	-
Financials (MAI)														
ACAP	11.00	0.10	15,811	11.00	JKN	13.50	(0.10)	6,804	13.00	AMAT11C1805A	0.54	0.01	14,720	-
AF	0.90	-	2,080	-	KIAT	0.46	(0.01)	15,901	-	AMAT13C1805A	-	-	-	-
AIRA	2.10	-	1,586	2.00	KOOL	2.24	(0.06)	8,169	2.00	AMAT13C1806A	0.01	-	9,100	-
ASN	3.90	(0.22)	60	3.00	LDC	1.26	(0.01)	2,517	1.00	AMAT13C1809A	0.27	0.01	106,609	-
BROOK	0.64	-	16,948	-	MPG	0.28	(0.01)	9,846	-	AMAT23C1810A	0.38	(0.01)	29,622	-
CHAYO	3.20	0.08	84,617	3.00	NBC	0.79	(0.05)	2,924	-	AMAT24C1805A	0.01	(0.01)	30	-
GCAP	5.55	0.05	9,642	5.00	NCL	1.49	0.03	4,409	1.00	AMAT24C1807A	-	-	-	-
LIT	10.10	-	2,554	10.00	NEWS	0.01	-	116,809	-	AMAT28C1806A	-	-	-	-
SGF	0.13	-	43,250	-	NINE	1.41	(0.02)	2,152	1.00	AMAT28C1808A	0.23	0.01	48,968	-
Industrials (MAI)														
2S	3.66	(0.02)	4,388	3.00	OTO	3.56	0.02	4,873	3.00	AMAT42C1806A	0.51	0.01	3,416	-
ADB	1.48	0.11	253,887	1.00	PHOL	2.22	0.14	26,820	2.00	ANAN01C1807A	0.04	0.01	1	-
BM	3.86	0.08	136,529	3.00	PICO	6.25	-	60	6.00	ANAN08C1808A	-	-	-	-
CHO	1.41	0.01	9,745	1.00	PORT	6.90	0.15	4,405	6.00	ANAN08C1810A	0.42	0.01	30,163	-
CHOW	5.45	-	4,009	5.00	QLT	5.20	(0.05)	956	5.00	ANAN23C1806A	-	-	-	-
CIG	0.40	-	2,086	-	RP	4.28	(0.02)	434	4.00	ANAN24C1807A	0.01	-	10	-
COLOR	1.30	0.06	17,639	1.00	SE	2.64	0.06	3,214	2.00	ANAN24C1811A	0.38	0.02	1,000	-
CPR	5.55	-	651	5.00	SPA	18.30	(0.20)	1,789	18.00	ANAN28C1806A	-	-	-	-
FPI	3.64	0.04	921	3.00	THMUI	1.79	0.02	2,894	1.00	ANAN28C1809A	0.25	(0.01)	19,523	-
GTB	0.94	(0.03)	1,885	-	TNDT	6.45	(0.05)	477	6.00	AOT01C1808A	0.61	(0.01)	63,198	-
KCM	1.43	(0.04)	373,917	1.00	TNH	40.75	(0.25)	202	41.00	AOT01C1808B	0.23	-	42,960	-
LVT	-	-	-	-	TNP	2.14	0.04	39,703	2.00	AOT01C1810A	0.67	-	34,821	-
MBAX	4.50	0.02	351	4.00	TSF	0.06	-	434,239	-	AOT01P1808A	0.68	(0.01)	32,035	-
MGT	2.30	0.02	4,703	2.00	TVD	1.74	-	5,813	1.00	AOT01P1808B	0.29	-	17,898	-
NDR	2.94	0.02	685	2.00	TVT	1.15	0.01	7,058	1.00	AOT06C1806A	1.73	0.01	4,600	1.00
PDG	3.88	0.12	5,099	3.00	WINNER	3.72	(0.04)	788	3.00	AOT06C1809A	0.40	-	9,003	-
PIMO	2.58	-	5,112	2.00	Technology (MAI)	-	-	-	-	AOT08C1806A	0.61	(0.04)	10	-
PJW	2.12	0.02	1,202	2.00	COMAN	5.70	(0.05)	663	5.00	AOT08C1807A	0.19	0.02	22,796	-
PPM	1.60	0.02	201	2.00	ICN	2.56	0.14	151,549	2.00	AOT11C1808A	0.88	(0.01)	12,881	-
RWI	2.78	0.03	10,239	1.00	IRCP	1.63	(0.03)	25,271	1.00	AOT11P1808A	0.08	0.01	300	-
SALEE	1.18	(0.01)	1,081	1.00	ITEL	4.28	(0.12)	5,294	4.00	AOT13C1805A	0.51	0.04	1	-
SANKO	1.23	0.01	4,749	1.00	NETBAY	45.50	0.75	10,070	45.00	AOT13C1806A	0.15	(0.02)	27,119	-
SELIC	2.08	0.04	869	2.00	PLANET	2.04	-	1,322	2.00	AOT13C1807A	0.11	(0.02)	13,946	-
SWC	22.30	-	903	22.00	SIMAT	3.16	(0.02)	17,428	3.00	AOT13C1809A	0.38	(0.01)	41,003	-
TAPAC	10.80	0.10	3,268	11.00	SKY	17.10	0.30	19,086	17.00	AOT13P1806A	-	-	-	-
TMC	1.13	0.11	384,393	1.00	SPVI	1.50	-	50,753	1.00	AOT13P1810A	0.48	-	4,910	-
TMI	0.86	-	49,946	-	UPA	0.43	(0.03)	114,823	-	AOT19C1809A	0.54	0.01	24,500	-
TMW	65.00	0.75	273	65.00	VCOM	3.48	0.02	9,067	3.00	AOT23C1807A	0.74	-	7,000	-
TPAC	13.80	(0.20)	753	13.00	Unit Trust	-	-	-	-	AOT23P1807A	0.01	-	1,001	-
UAC	5.10	0.14	11,867	5.00	MGE	-	-	-	-	AOT24C1804A	-	-	-	-
UBIS	5.00	0.02	531	4.00	SCBSET	-	-	-	-	AOT24C1806A	0.41	(0.02)	2,050	-
UEC	1.98	-	497	1.00	ETF	-	-	-	-	AOT24C1807A	0.13	(0.01)	60	-
UKEM	0.98	-	56,879	-	IDIV	12.61	-	252	12.00	AOT24P1809A	-	-	-	-
UREKA	0.54	0.02	11,746	-	ABFTH	-	-	-	-	AOT28C1807A	0.15	-	13,867	-
YUASA	17.40	0.10	68	17.00	BMSCG	9.73	0.04	607	9.00	AOT28C1809A	0.39	(0.01)	69,216	-
ZIGA	3.20	-	53,706	3.00	BMSCITH	13.91	0.07	2,788	13.00	AOT28P1806A	0.14	(0.02)	106	-
Property & Construc														
ARROW	12.30	0.10	1,641	12.00	BSET100	11.40	0.03	1,931	11.00	AP01C1809A	0.40	(0.01)	4,119	-
BKD	3.24	-	4,481	3.00	CHINA	6.03	-	20	6.00	AP08C1810A	0.37	0.01	3,028	-
BSM	0.72	-	3,682	-	EBANK	5.46	(0.04)	56	5.00	AP23C1805A	-	-	-	-
BTW	2.04	-	3,697	2.00	ECOMM	9.53	0.01	42	9.00	AP24C1805A	-	-	-	-
CHEWA	1.15	-	49,811	1.00	EFOOD	6.02	(0.03)	6	6.00	BA01C1805A	0.05	(0.01)	204,104	-
CRD	1.23	-	9,417	1.00	EICT	-	-	-	-	BA01P1805A	0.69	0.02	37,795	-
DIMET	1.29	(0.04)	55,912	1.00	ENGY	6.96	0.04	18	7.00	BA11C1804A	-	-	-	-
FLOYD	2.66	0.48	423,672	2.00	ENY	8.05	0.07	62	8.00	BA11C1902A	0.29	-	59,334	-
FOCUS	1.02	0.01	4,727	1.00	ESET50	-	-	-	-	BA23C1806A	-	-	-	-
HYDRO	1.38	(0.05)	29,801	1.00	GLD	1.78	-	374	1.00	BA24C1804A	-	-	-	-
JSP	0.72	-	8,200	-	TDEX	11.57	0.03	450	11.00	BA24C1810A	0.68	(0.07)	3,400	-
K	4.38	(0.36)	885	4.00	TGOLDETF	3.91	0.03	104	3.00	BA28C1809A	0.13	(0.01)	37,104	-
NVD	4.76	0.02	2,132	4.00	TH100	-	-	-	-	BA42C1806A	-	-	-	-
PPS	1.47	(0.04)	64,731	1.00	Warrant Foreign	-	-	-	-	BANP01C1806A	0.68	0.03	113,828	-
SMART	0.74	(0.01)	2,029	-	AAV01C1808A	0.31	(0.01)	73,512	-					

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price
BANP28C1809A	0.05	0.01	351	-
BBL06C1806A	0.06	-	180	-
BBL08C1805A	0.07	-	2,000	-
BBL08C1808A	0.12	(0.03)	10,564	-
BBL08C1809A	0.15	(0.02)	3,981	-
BBL08P1810A	0.58	0.04	24,810	-
BBL11C1805A	0.96	(0.09)	5,571	-
BBL11C1903A	-	-	-	-
BBL11P1805A	0.04	-	6,524	-
BBL11P1903A	0.84	(0.16)	1,220	-
BBL13C1807A	0.12	(0.01)	33,979	-
BBL13C1810A	0.59	(0.05)	19,088	-
BBL23C1811A	0.26	(0.02)	17,050	-
BBL24C1809A	-	-	-	-
BBL24P1810A	0.46	0.04	2	-
BBL27C1809A	0.21	(0.01)	600	-
BBL28C1808A	0.08	(0.01)	720	-
BCH01C1808A	0.52	(0.03)	38,370	-
BCH01C1808B	0.29	(0.04)	28,581	-
BCH01P1808A	0.36	0.04	19,509	-
BCH06C1806A	0.82	(0.01)	7,400	-
BCH08C1806A	0.13	(0.03)	26,483	-
BCH11C1807A	0.28	(0.05)	5,408	-
BCH13C1805A	-	-	-	-
BCH13C1810A	0.24	(0.02)	15,912	-
BCH19C1809A	0.23	(0.05)	6,000	-
BCH23C1811A	0.41	(0.04)	19,612	-
BCH24C1805A	-	-	-	-
BCH28C1807A	0.15	(0.03)	53,357	-
BCH42C1806A	0.47	(0.05)	2,126	-
BCP01C1805A	0.19	0.01	5,270	-
BCP01P1805A	0.31	-	26,853	-
BCP07C1806A	-	-	-	-
BCP08C1806A	0.03	-	402	-
BCP11C1811A	0.23	-	7,056	-
BCP13C1805A	-	-	-	-
BCP13C1810A	0.16	(0.01)	37,506	-
BCP23C1805A	-	-	-	-
BCP24C1808A	0.04	(0.01)	150	-
BCP28C1807A	-	-	-	-
BCP28C1809A	0.14	-	10,254	-
BCP28C1809B	0.14	-	15,210	-
BCPG01C1806A	0.16	0.01	66,989	-
BCPG01C1806B	0.04	-	8,494	-
BCPG06C1807A	-	-	-	-
BCPG07C1806A	0.09	(0.02)	9	-
BCPG08C1805A	0.01	-	3,600	-
BCPG08C1806A	0.01	-	10,940	-
BCPG08C1810A	0.49	0.02	79,831	-
BCPG11C1807A	0.81	0.03	22,584	-
BCPG11C1902A	0.33	0.02	27,927	-
BCPG13C1805A	0.02	(0.01)	3,050	-
BCPG13C1806A	0.01	(0.01)	550	-
BCPG13C1807A	0.02	-	9,000	-
BCPG13C1810A	0.46	(0.01)	170,082	-
BCPG23C1806A	0.40	(0.01)	63,060	-
BCPG24C1804A	-	-	-	-
BCPG24C1806A	-	-	-	-
BCPG24C1807A	-	-	-	-
BCPG24C1810A	-	-	-	-
BCPG28C1805A	-	-	-	-
BCPG28C1806A	0.01	-	11,660	-
BCPG28C1808A	0.15	0.01	45,984	-
BCPG28C1809A	0.46	0.01	121,005	-
BDM501C1806A	0.46	(0.07)	283,119	-
BDM501C1806B	0.15	(0.06)	79,065	-
BDM501P1806A	0.37	0.05	108,301	-
BDM508C1807A	0.25	(0.05)	79,737	-
BDM511C1811A	0.42	(0.08)	25,067	-
BDM513C1807A	0.28	(0.06)	6,001	-
BDM513C1810A	0.27	(0.04)	99,613	-
BDM516C1812A	0.59	(0.06)	367	-
BDM523C1810A	0.26	(0.05)	38,860	-
BDM524C1805A	0.06	(0.06)	20,000	-
BDM528C1806A	0.09	(0.04)	29,477	-
BEAU01C1807A	0.87	(0.01)	53,708	-
BEAU01C1807B	0.56	(0.02)	37,352	-
BEAU01P1807A	0.50	-	30,343	-
BEAU06C1809A	0.69	(0.01)	17,000	-
BEAU07C1809A	-	-	-	-
BEAU08C1805A	0.83	(0.02)	18,378	-
BEAU08C1808A	0.38	(0.01)	8,688	-
BEAU11C1804A	-	-	-	-
BEAU11C1902A	0.73	(0.02)	7,443	-
BEAU13C1805A	-	-	-	-
BEAU13C1806A	0.32	(0.02)	49,655	-
BEAU13C1811A	0.51	(0.01)	49,476	-
BEAU23C1805A	1.37	(0.02)	6,503	1.00
BEAU24C1807A	0.29	(0.02)	3,230	-
BEAU28C1806A	0.24	(0.03)	16,241	-
BEC01C1808A	0.14	-	315,991	-
BEC01C1808B	0.06	-	14,474	-
BEC07C1806A	0.01	-	1,000	-
BEC07C1808A	-	-	-	-
BEC08C1805A	-	-	-	-
BEC08C1807A	0.01	(0.01)	602	-
BEC08C1809A	0.08	0.01	41,500	-
BEC13C1805A	-	-	-	-
BEC13C1806A	0.01	-	3,100	-
BEC13C1808A	0.07	-	101,950	-
BEC19C1809A	0.08	-	8,000	-
BEC23C1807A	-	-	-	-
BEC23C1809A	0.12	0.01	16,150	-

Securities	Close	Change	Volume (Lot)	Average Price
BEC24C1804A	-	-	-	-
BEC24C1809A	0.09	-	201	-
BEC28C1805A	-	-	-	-
BEC28C1806A	-	-	-	-
BEC28C1808A	0.09	0.01	31,595	-
BEC28C1809A	0.03	-	19,145	-
BEM01C1808A	0.38	-	11,482	-
BEM01C1808B	0.17	-	10,636	-
BEM01P1808A	0.33	(0.01)	10,907	-
BEM08C1809A	0.29	0.02	22,089	-
BEM11C1805A	0.18	0.01	3,500	-
BEM11C1903A	-	-	-	-
BEM13C1806A	-	-	-	-
BEM13C1809A	0.30	0.02	28,760	-
BEM23C1805A	-	-	-	-
BEM24C1804A	-	-	-	-
BEM24C1809A	-	-	-	-
BEM28C1805A	-	-	-	-
BEM28C1807A	0.09	-	2,522	-
BEM28C1808A	0.25	-	31,672	-
BEM42C1806A	0.20	-	4,036	-
BEM42P1806A	0.50	-	1,147	-
BH01C1806A	0.68	(0.06)	179,395	-
BH01C1806B	0.19	(0.03)	91,503	-
BH01P1806A	0.84	0.04	33,289	-
BH07C1810A	0.10	(0.01)	7,567	-
BH08C1811A	0.16	(0.01)	64,913	-
BH11C1804A	-	-	-	-
BH11C1902A	0.15	(0.02)	49,080	-
BH13C1805A	-	-	-	-
BH23C1805A	-	-	-	-
BH24C1806A	0.01	(0.01)	3,000	-
BH24C1809A	0.35	(0.04)	22,132	-
BH24C1811A	0.14	(0.02)	4,150	-
BIG08C1807A	0.08	(0.02)	10,109	-
BIG13C1808A	0.15	(0.01)	19,079	-
BIG23C1805A	-	-	-	-
BIG24C1808A	-	-	-	-
BIG28C1807A	0.09	-	13,712	-
BJC01C1807A	0.59	(0.01)	61,462	-
BJC01C1807B	0.30	(0.01)	29,590	-
BJC01P1807A	0.59	-	17,775	-
BJC06C1807A	0.36	0.03	3,844	-
BJC07C1809A	0.25	(0.02)	1,515	-
BJC08C1807A	0.16	-	33,484	-
BJC08C1809A	0.37	-	47,954	-
BJC11C1807A	0.75	(0.01)	6,615	-
BJC13C1805A	0.09	0.01	1,000	-
BJC13C1807A	0.10	-	5,702	-
BJC13C1808A	0.39	-	27,402	-
BJC13C1810A	0.57	-	37,385	-
BJC19C1809A	0.55	-	7,005	-
BJC23C1806A	0.36	(0.01)	7,700	-
BJC24C1808A	-	-	-	-
BJC27C1807A	0.35	(0.02)	10,409	-
BJC28C1805A	-	-	-	-
BJC28C1808A	0.39	(0.03)	33,907	-
BLA01C1812A	0.37	(0.04)	41,319	-
BLA07C1806A	0.01	(0.01)	100	-
BLA08C1811A	0.17	(0.02)	11,788	-
BLA13C1805A	-	-	-	-
BLA13C1809A	0.10	(0.02)	8,988	-
BLA13P1805A	-	-	-	-
BLA23C1806A	-	-	-	-
BLA24C1804A	-	-	-	-
BLA27C1806A	0.08	-	1,000	-
BLA28C1810A	0.14	(0.01)	1,000	-
BLAN01C1809A	0.58	-	10,100	-
BLAN01P1809A	-	-	-	-
BLAN08C1810A	0.30	-	5,480	-
BLAN11C1804A	-	-	-	-
BLAN11C1902A	0.28	(0.01)	2,000	-
BLAN23C1807A	0.07	0.01	1,500	-
BPP01C1806A	0.17	-	67,002	-
BPP01C1806B	-	-	-	-
BPP06C1809A	0.54	(0.01)	2,400	-
BPP07C1806A	0.01	(0.01)	6,840	-
BPP08C1807A	-	-	-	-
BPP08C1810A	0.42	(0.02)	15,010	-
BPP11C1807A	-	-	-	-
BPP13C1805A	0.01	-	1	-
BPP13C1806A	0.02	-	5,700	-
BPP13C1808A	0.50	(0.02)	16,287	-
BPP23C1806A	-	-	-	-
BPP24C1809A	-	-	-	-
BPP28C1805A	-	-	-	-
BPP28C1807A	-	-	-	-
BPP28C1808A	0.41	-	21,613	-
BTS01C1806A	0.47	(0.01)	49,478	-
BTS01P1806A	0.19	-	121,439	-
BTS06C1903A	-	-	-	-
BTS06C1903B	-	-	-	-
BTS06C1903C	-	-	-	-
BTS08C1810A	0.36	(0.01)	12,068	-
BTS11C1806A	0.30	(0.01)	12,000	-
BTS23C1905A	1.52	(0.02)	9,800	1.00
BTS24C1808A	0.20	(0.02)	3,100	-
BTS28C1809A	0.31	(0.02)	12,529	-
CBG01C1806A	0.04	(0.01)	2,001	-
CBG01C1806B	0.02	-	2	-
CBG01C1809A	0.18	(0.03)	36,014	-
CBG01P1806A	2.62	0.10	21,254	2.00
CBG06C1807A	0.59	(0.06)	5,962	-

Issue Date :

Monday May 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price
CBG06C1809A	0.35	(0.05)	25,705	-
CBG06P1809A	1.04	0.08	15,112	1.00
CBG07C1806A	-	-	-	-
CBG08C1805A	-	-	-	-
CBG08C1805B	-	-	-	-
CBG08C1808A	0.03	(0.01)	12,651	-
CBG08C1810A	0.28	(0.03)	35,400	-
CBG11C1804A	-	-	-	-
CBG11C1902A	0.39	(0.02)	13,510	-
CBG13C1805A	-	-	-	-
CBG13C1806A	-	-	-	-
CBG13C1808A	0.08	(0.02)	5,651	-
CBG13C1809A	0.19	(0.03)	89,850	-
CBG13C1811A	0.53	(0.06)	63,467	-
CBG13P1805A	-	-	-	-
CBG13P1806A	1.39	0.18	1,040	1.00
CBG18C1808A	-	-	-	-
CBG23C1806A	-	-	-	-
CBG24C1804A	-	-	-	-
CBG24C1807A	0.02	-	2	-
CBG24C1809A	0.30	(0.01)	5,000	-
CBG28C1805A	-	-	-	-
CBG28C1808A	0.04	(0.01)	600	-
CBG28C1808B	0.13	(0.04)	9,070	-
CBG42C1806A	-	-	-	-
CENT01C1805A	0.26	(0.05)	93,269	-
CENT01P1805A	0.42	0.04	64,190	-
CENT08C1809A	0.21	(0.04)	51,469	-
CENT11C1806A	0.55	(0.03)	22,644	-
CENT13C1811A	0.29	(0.04)	118,277	-
CENT23C1806A	0.20	(0.04)	43,989	-
CENT24C1807A	0.08	(0.02)	15,143	-
CENT24C1810A	0.26	(0.04)	11,800	-
CENT28C1808A	0.15	(0.04)	72,033	-
CHG01C1809A	0.26	0.01	1,603	-
CHG01P1809A	0.48	-	1,201	-
CHG08C1807A	-	-	-	-
CHG11C1807A	-	-	-	-
CHG13C1805A	-	-	-	-
CHG13C1807A	0.06	-	2,250	

Main Board Quotation

Main Board Quotation					Main Board Quotation					Issue Date : Monday May 07, 2018				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF01C1809B	-	-	-	-	EPG11C1805A	-	-	-	-	IRPC01C1810A	0.26	(0.01)	60,542	-
CPF01C1810A	0.20	(0.01)	1	-	EPG11C1903A	0.39	(0.61)	3,926	-	IRPC01C1810B	0.15	(0.01)	40,359	-
CPF01P1809A	0.60	0.04	19,605	-	EPG13C1808A	0.07	0.01	31,301	-	IRPC01P1808A	0.42	-	51,015	-
CPF06C1809A	0.44	(0.07)	1,000	-	EPG23C1808A	-	-	-	-	IRPC08C1808A	0.14	0.01	42,856	-
CPF07C1810A	0.08	(0.03)	1,125	-	EPG24C1807A	-	-	-	-	IRPC11C1804A	-	-	-	-
CPF08C1805A	0.01	-	5,090	-	EPG24C1808A	-	-	-	-	IRPC11C1902A	0.14	(0.01)	2,548	-
CPF08C1809A	0.34	(0.05)	15,380	-	EPG24C1810A	0.47	0.05	12,183	-	IRPC13C1806A	0.15	(0.01)	61,035	-
CPF11C1804A	-	-	-	-	EPG28C1808A	0.09	0.01	32,757	-	IRPC13C1808A	0.05	(0.01)	69,842	-
CPF11C1902A	-	-	-	-	ESS001C1807A	0.39	0.02	15,247	-	IRPC23C1810A	0.19	(0.01)	6,000	-
CPF11P1804A	-	-	-	-	ESS001C1807B	0.17	-	19,699	-	IRPC24C1805A	0.12	(0.01)	40,000	-
CPF11P1902A	0.45	0.02	8,336	-	ESS001P1807A	0.75	(0.03)	15,529	-	IRPC24C1808A	-	-	-	-
CPF13C1809A	0.42	(0.04)	12,025	-	ESS008C1807A	0.29	(0.01)	30,042	-	IRPC24C1809A	0.13	(0.01)	461	-
CPF13C1810A	0.13	(0.03)	4,892	-	ESS013C1807A	0.29	0.01	36,403	-	IRPC27C1809A	0.18	-	12,485	-
CPF23C1810A	0.38	(0.03)	9,000	-	ESS023C1809A	0.33	-	8,676	-	IRPC28C1807A	0.10	(0.01)	15,264	-
CPF24C1805A	-	-	-	-	ESS024C1806A	-	-	-	-	ITD01C1808A	0.11	-	83	-
CPF24C1809A	0.24	(0.10)	100	-	ESS028C1807A	0.18	-	24,576	-	ITD01C1808B	0.03	-	320	-
CPF28C1806A	-	-	-	-	GFPT01C1807A	0.17	-	15,331	-	ITD01P1808A	0.95	-	18,234	-
CPF28C1808A	-	-	-	-	GFPT08C1807A	-	-	-	-	ITD08C1806A	-	-	-	-
CPF42C1805A	-	-	-	-	GFPT11C1806A	0.02	0.01	2,521	-	ITD08C1810A	0.28	-	6,231	-
CPN01C1805A	0.21	(0.04)	50,861	-	GFPT23C1806A	-	-	-	-	ITD11C1805A	-	-	-	-
CPN01C1808A	0.51	(0.07)	71,332	-	GFPT24C1806A	-	-	-	-	ITD11C1903A	-	-	-	-
CPN01C1808B	0.21	(0.04)	33,353	-	GLOB6C1805A	0.01	-	817	-	ITD13C1809A	0.11	-	11,994	-
CPN01P1805A	0.83	0.10	36,213	-	GLOB01C1809A	0.45	(0.03)	81,798	-	ITD23C1808A	-	-	-	-
CPN08C1809A	0.22	(0.03)	43,717	-	GLOB06C1809A	0.32	(0.04)	10,070	-	ITD28C1807A	-	-	-	-
CPN11C1805A	0.29	(0.09)	27,488	-	GLOB08C1807A	0.17	(0.03)	60,528	-	ITD24C1810A	-	-	-	-
CPN11C1903A	0.45	(0.55)	6,250	-	GLOB11C1808A	0.27	(0.02)	8,640	-	ITD28C1808A	-	-	-	-
CPN11P1805A	-	-	-	-	GLOB13C1807A	0.07	(0.02)	3,182	-	ITD28C1808B	0.17	-	12,072	-
CPN11P1903A	-	-	-	-	GLOB23C1811A	0.47	(0.05)	14,970	-	IVL01C1806A	0.80	0.04	149,952	-
CPN13C1807A	0.18	(0.04)	32,322	-	GLOB24C1805A	-	-	-	-	IVL01C1808A	0.62	0.01	136,759	-
CPN23C1810A	0.45	(0.07)	47,000	-	GLOB27C1809A	0.17	(0.02)	44,986	-	IVL01C1808B	0.39	0.02	195,129	-
CPN24C1806A	0.12	(0.05)	6,800	-	GLOB28C1807A	-	-	-	-	IVL01P1806A	0.20	(0.01)	67,667	-
CPN28C1807A	0.08	(0.02)	3,070	-	GLOB28C1808A	0.17	(0.04)	68,896	-	IVL01P1808A	0.78	(0.02)	45,654	-
CPN42C1805A	0.37	(0.09)	4,444	-	GLOB42C1805A	0.23	(0.06)	7,584	-	IVL01P1808B	0.40	(0.03)	59,723	-
DELTO1C1805A	0.02	(0.01)	18,385	-	GLOW08C1806A	0.05	(0.01)	3,233	-	IVL06C1807A	0.46	0.03	43,687	-
DELTO8C1811A	0.22	-	14,933	-	GLOW08C1811A	0.47	(0.01)	18,079	-	IVL07C1811A	0.64	-	31,960	-
DELTI1C1804A	-	-	-	-	GLOW11C1807A	0.38	(0.01)	8,581	-	IVL08C1806A	0.51	-	53,828	-
DELTI1C1809A	0.21	-	6,053	-	GLOW23C1806A	0.13	(0.01)	4,000	-	IVL08P1809A	0.12	(0.01)	40,856	-
DELTI24C1805A	-	-	-	-	GLOW27C1812A	0.29	(0.02)	2,154	-	IVL11C1808A	1.04	0.01	32,514	1.00
DELTI27C1812A	0.20	(0.01)	3,502	-	GLOW42C1805A	0.08	(0.01)	200	-	IVL11P1808A	-	-	-	-
DTACO1C1808A	0.61	0.01	64,711	-	GPSC01C1808A	0.84	0.05	262,915	-	IVL13C1805A	0.19	(0.05)	2,375	-
DTACO1C1808B	0.39	0.01	24,903	-	GPSC01C1808B	0.45	0.04	122,707	-	IVL13C1806A	0.13	0.01	187,355	-
DTACO1C1810A	0.82	(0.01)	51,415	-	GPSC01P1808A	0.93	(0.05)	75,216	-	IVL13C1809A	0.62	0.01	1,786	-
DTACO1P1808A	0.63	(0.01)	48,185	-	GPSC08C1805A	1.10	0.10	36	1.00	IVL13C1810A	0.49	0.01	148,853	-
DTAC06C1806A	0.41	0.01	26,091	-	GPSC08C1808A	0.33	0.04	84,122	-	IVL13P1805A	-	-	-	-
DTAC06P1809A	0.32	(0.02)	698	-	GPSC11C1808A	1.45	0.07	16,460	1.00	IVL13P1809A	0.19	(0.02)	7,146	-
DTAC07C1809A	-	-	-	-	GPSC11C1902A	0.70	0.04	49,248	-	IVL19C1809A	0.80	0.04	18,160	-
DTAC08C1809A	0.48	0.01	45,500	-	GPSC13C1805A	-	-	-	-	IVL23C1810A	0.81	0.04	17,100	-
DTAC08P1807A	0.23	-	29,421	-	GPSC13C1806A	-	-	-	-	IVL24C1808A	0.44	0.02	12,443	-
DTAC11C1806A	0.21	-	13,440	-	GPSC13C1807A	0.52	0.03	298,232	-	IVL28C1805A	-	-	-	-
DTAC13C1805A	0.03	-	50	-	GPSC13C1808A	0.35	0.02	235,041	-	IVL28C1806A	0.07	(0.01)	6,934	-
DTAC13C1806A	0.37	-	10,400	-	GPSC23C1805A	2.58	0.12	6,200	2.00	IVL28C1807A	0.65	-	114,245	-
DTAC13C1811A	0.50	(0.01)	46,226	-	GPSC24C1807A	0.86	0.07	2,860	-	IVL28C1808A	0.33	0.01	368,918	-
DTAC13P1806A	0.07	(0.01)	22,064	-	GPSC24C1808A	0.33	0.06	2,400	-	IVL28P1806A	-	-	-	-
DTAC13P1811A	0.58	(0.01)	35,548	-	GPSC28C1806A	1.02	0.08	28,474	1.00	IVL28P1806B	0.05	(0.01)	4,000	-
DTAC23C1807A	0.09	-	3,300	-	GPSC28C1807A	0.64	0.03	132,837	-	IVL42C1805A	1.21	-	5,058	1.00
DTAC23P1807A	-	-	-	-	GPSC28C1807B	0.10	-	500	-	KBAN01C1808A	0.21	0.03	104,738	-
DTAC24C1804A	-	-	-	-	GPSC42C1806A	1.59	0.06	5,452	1.00	KBAN01C1808B	0.05	0.01	21,558	-
DTAC24C1809A	-	-	-	-	GUNK01C1808A	0.10	-	17,357	-	KBAN01C1810A	0.98	0.07	95,399	-
DTAC27C1809A	0.35	(0.01)	14,172	-	GUNK01C1808B	0.03	-	285	-	KBAN01P1808A	1.13	(0.05)	7,924	1.00
DTAC27P1809A	0.19	-	4,000	-	GUNK08C1807A	-	-	-	-	KBAN01P1808B	0.74	(0.05)	14,592	-
DTAC28C1805A	-	-	-	-	GUNK11C1805A	-	-	-	-	KBAN01P1810A	0.82	(0.06)	24,668	-
DTAC28C1806A	0.33	(0.02)	51,090	-	GUNK11C1903A	0.26	(0.74)	1	-	KBAN07C1811A	-	-	-	-
DTAC42C1806A	0.20	-	23,705	-	GUNK23C1806A	-	-	-	-	KBAN08C1805A	-	-	-	-
DTAC42P1806A	0.65	(0.02)	3,292	-	GUNK24C1807A	-	-	-	-	KBAN08P1805A	-	-	-	-
EA01C1806A	0.05	-	39,782	-	GUNK28C1806A	-	-	-	-	KBAN13C1807A	0.04	(0.01)	3,151	-
EA01C1806B	0.01	(0.01)	53,461	-	GUNK28C1808A	0.05	-	1,276	-	KBAN13C1810A	0.21	0.01	9,241	-
EA01C1809A	0.81	(0.04)	111,432	-	GUNK28C1810A	0.44	-	126,653	-	KBAN13C1811A	0.85	0.08	104,467	-
EA01C1809B	0.67	(0.04)	168,690	-	HANA01C1806A	0.02	(0.01)	2,757	-	KBAN23C1806A	0.01	-	13,473	-
EA01P1806A	3.08	0.08	61,244	3.00	HANA01C1806B	0.02	-	1,500	-	KBAN24C1806A	-	-	-	-
EA06C1809A	0.03	(0.01)	457	-	HANA08C1806A	-	-	-	-	KBAN24P1811A	0.70	(0.05)	20	-
EA07C1810A	0.13	(0.03)	200	-	HANA08C1809A	0.23	0.01	19,398	-	KBAN27C1809A	0.13	0.01	7,434	-
EA08C1807A	0.01	-	2,200	-	HANA13C1806A	-	-	-	-	KBAN27P1809A	0.70	(0.03)	6,000	-
EA08C1809A	0.05	-	100	-	HANA13C1809A	0.27	(0.01)	78,498	-	KBAN28C1806A	0.02	-	13,670	-
EA08C1810A	0.32	(0.04)	94,905	-	HANA23C1811A	0.50	0.02	12,700	-	KBAN28C1809A	0.07	-	40	-
EA11C1804A	-	-	-	-	HANA24C1808A	-	-	-	-	KBAN28P1807A	0.92	(0.03)	19,400	-
EA11C1902A	0.15	(0.03)	73,887	-	HANA28C1807A	-	-	-	-	KBAN42C1805A	-	-	-	-
EA13C1805A	-	-	-	-	HANA28C1808A	0.20	-	10,916	-	KCE01C1805A	0.07	-	26,604	-
EA13C1806A	-	-	-	-	HMPR01C1808A	0.40	(0.01)	72,250	-	KCE01C1805B	0.02	0.01	1	-
EA13C1807A	0.01	-	9,169	-	HMPR01C1808B	0.23	(0.01)	28,810	-	KCE06C1809A	0.44	(0.03)	15,227	-
EA13C1808A	0.02	(0.01)	6,756	-	HMPR01P1808A	0.37	-	31,994	-	KCE07C1808A	0.11	(0.03)	2,011	-
EA13C1808B	0.21	(0.03)	213,996	-	HMPR08C1810A	0.25	-	53,588	-	KCE08C1805A	-	-	-	-
EA13C1809A	0.05	(0.01)	34,939	-	HMPR11C1808A	0.42	-	15,264	-	KCE08C1809A	0.38	(0.06)	16,429	-
EA13C1810A	0.13	(0.01)	423,498	-	HMPR11P1808A	-	-	-	-	KCE11C1808A	-	-	-	-
EA13P1809A	1.10	0.08	10,081	1.00	HMPR13C1807A	0.13	(0.01)	153,501	-	KCE13C1805A	-	-	-	-
EA23C1806A	0.04	(0.02)	45,201	-	HMPR23C1805A	0.52	(0.01)	10,000	-	KCE13C1808A	0.29	(0.04)	93,855	-
EA24C1805A	-	-	-	-	HMPR23P1805A	-	-	-	-	KCE23C1807A	0.01	-	11,000	-
EA24C1807A	0.01	-	10,460	-	HMPR24C1804A	-	-	-	-	KCE24C1808A	0.17	(0.04)	2,005	-
EA28C1805A	-	-	-	-	HMPR24C1808A	0.22	(0.02)	8,000	-	KCE28C1805A	-	-</		

Main Board Quotation

Issue Date :

Monday May 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KKP42C1805A	0.53	(0.10)	2,522	-	MINT23C1810A	0.29	-	17,000	-	PTT28C1808A	0.36	(0.01)	199,729	-
KT801C1808A	0.24	-	2,646	-	MINT24C1807A	-	-	-	-	PTT28C1808B	0.15	-	197,159	-
KT801C1810A	0.37	(0.01)	10,159	-	MINT28C1806A	0.04	(0.04)	1,196	-	PTT28C1811A	0.30	-	99,732	-
KT801P1808A	0.64	-	6,088	-	MINT28C1808A	0.20	(0.01)	29,644	-	PTT28P1805A	-	-	-	-
KT808C1809A	0.13	-	6,384	-	MONO08C1808A	0.14	-	11,968	-	PTT28P1808A	0.24	(0.02)	202,342	-
KT811C1811A	0.24	-	6,864	-	MONO13C1808A	0.07	-	11,204	-	PTT28P1808B	0.40	(0.02)	62,805	-
KT813C1809A	0.14	(0.01)	13,010	-	MONO23C1809A	0.11	-	4,515	-	PTT42C1805A	-	-	-	-
KT823C1811A	0.30	0.01	10,000	-	MONO24C1807A	0.02	-	20,000	-	PTTE01C1808A	1.19	(0.02)	122,148	1.00
KT824C1808A	-	-	-	-	MONO28C1807A	-	-	-	-	PTTE01C1808B	0.84	(0.03)	95,726	-
KT824P1901A	-	-	-	-	MONO28C1808A	-	-	-	-	PTTE01P1808A	0.26	0.01	45,019	-
KT828C1806A	-	-	-	-	MTC06C1806A	0.49	-	24,283	-	PTTE07C1809A	0.53	(0.03)	33,515	-
KT828C1809A	0.11	-	22,506	-	MTC07C1806A	0.03	(0.01)	3,706	-	PTTE08C1805A	3.08	0.12	1,170	3.00
KT842C1805A	-	-	-	-	MTC08C1807A	0.11	0.01	88,977	-	PTTE08C1807A	0.95	(0.01)	17,806	-
KT842P1805A	-	-	-	-	MTC11C1806A	0.35	0.01	41,403	-	PTTE08C1811A	0.64	(0.37)	1,100	-
KTC01C1806A	5.45	(0.10)	1,867	5.00	MTC13C1805A	0.01	(0.01)	3,919	-	PTTE08P1805A	0.01	-	1	-
KTC01C1806B	7.55	(0.20)	1,734	7.00	MTC13C1809A	0.21	-	171,797	-	PTTE08P1809A	0.19	0.01	36,605	-
KTC01C1808A	1.75	(0.04)	66,786	1.00	MTC23C1808A	0.19	0.02	28,000	-	PTTE11C1806A	3.42	(0.04)	28,280	3.00
KTC01C1808B	1.38	(0.07)	292,362	1.00	MTC24C1808A	-	-	-	-	PTTE11C1902A	0.79	(0.01)	43,832	-
KTC06C1807A	2.36	(0.22)	12,248	2.00	MTC27C1807A	0.19	0.03	3,958	-	PTTE13C1805A	-	-	-	-
KTC08C1807A	6.90	(0.30)	540	7.00	MTC28C1806A	0.01	(0.07)	3,675	-	PTTE13C1806A	-	-	-	-
KTC08C1808A	1.93	(0.09)	3,158	1.00	MTC28C1808A	0.15	0.01	15,840	-	PTTE13C1807A	0.71	(0.03)	10,792	-
KTC11C1804A	-	-	-	-	MTC28C1809A	0.43	0.02	81,498	-	PTTE13C1811A	0.56	(0.01)	213,362	-
KTC11C1902A	1.89	(0.04)	9,633	1.00	MTC42C1806A	0.36	0.02	5,652	-	PTTE13P1805A	-	-	-	-
KTC13C1805A	-	-	-	-	ORI08C1807A	0.27	(0.02)	28,588	-	PTTE13P1807A	0.06	(0.01)	5,600	-
KTC13C1806A	8.50	0.15	654	8.00	ORI11C1811A	0.36	(0.01)	23,563	-	PTTE13P1811A	0.49	(0.01)	83,127	-
KTC13C1807A	-	-	-	-	ORI13C1806A	0.07	(0.01)	6,917	-	PTTE23C1805A	0.91	(0.06)	4,181	-
KTC13C1808A	2.24	(0.06)	102	2.00	ORI13C1810A	0.69	(0.05)	86,573	-	PTTE23P1805A	-	-	-	-
KTC13C1809A	1.37	(0.11)	38,441	1.00	ORI23C1809A	0.29	(0.02)	12,018	-	PTTE24C1805A	-	-	-	-
KTC13C1809B	1.34	(0.06)	83,379	1.00	ORI24C1806A	-	-	-	-	PTTE24C1807A	0.67	(0.03)	44,827	-
KTC13P1807A	0.36	(0.02)	114,614	-	ORI28C1806A	-	-	-	-	PTTE24P1804A	-	-	-	-
KTC23C1806A	-	-	-	-	ORI28C1808A	0.27	(0.05)	65,072	-	PTTE24P1809A	0.10	(0.01)	73,106	-
KTC23C1809A	1.96	(0.12)	830	2.00	PLAN08C1811A	0.20	0.02	22,278	-	PTTE27C1809A	0.94	0.05	13,898	-
KTC24C1804A	-	-	-	-	PLAN11C1805A	0.20	0.04	13,872	-	PTTE27P1809A	0.17	-	28,174	-
KTC24C1808A	2.34	(0.18)	305	2.00	PLAN13C1809A	0.14	0.01	20,186	-	PTTE28C1807A	0.74	(0.01)	81,281	-
KTC24P1807A	0.32	(0.01)	63,047	-	PLAN23C1806A	0.02	-	1	-	PTTE28C1810A	0.49	(0.01)	103,566	-
KTC27C1806A	-	-	-	-	PLAN28C1805A	-	-	-	-	PTTE28P1805A	-	-	-	-
KTC28C1806A	8.25	-	13,000	8.00	PLAN28C1810A	0.18	0.02	39,675	-	PTTG01C1805A	1.30	0.04	102,519	1.00
KTC28C1806B	-	-	-	-	PSH01C1805A	0.23	(0.01)	30,032	-	PTTG01C1808A	0.94	0.05	204,440	-
KTC28C1808A	-	-	-	-	PSH01P1805A	0.57	0.02	10,307	-	PTTG01C1810A	0.93	0.04	104,505	-
KTC28C1808B	1.77	(0.04)	87,078	1.00	PSH08C1805A	-	-	-	-	PTTG01C1810B	0.54	0.04	91,948	-
KTC28C1809A	1.40	(0.08)	40,666	1.00	PSH08C1811A	0.30	(0.01)	14,347	-	PTTG01P1805A	0.05	(0.01)	10,606	-
LH01C1809A	0.25	(0.01)	1,430	-	PSH11C1804A	-	-	-	-	PTTG01P1808A	0.62	(0.03)	35,626	-
LH01P1809A	-	-	-	-	PSH11C1902A	0.47	(0.02)	3,042	-	PTTG06C1809A	0.64	0.03	38,379	-
LH06C1809A	-	-	-	-	PSH23C1811A	0.54	0.01	3,000	-	PTTG07C1806A	0.93	0.04	2,544	-
LH07C1810A	-	-	-	-	PSH42C1806A	0.20	(0.01)	434	-	PTTG08C1805A	0.65	0.08	43,962	-
LH11C1808A	0.14	(0.01)	17	-	PSL01C1807A	0.46	0.01	128,692	-	PTTG08P1805A	0.01	-	1	-
LH13C1808A	0.18	-	1,100	-	PSL23C1809A	0.24	0.02	31,295	-	PTTG11C1804A	-	-	-	-
LH23C1806A	-	-	-	-	PSL24C1807A	-	-	-	-	PTTG11C1902A	0.67	0.04	28,942	-
LH24C1806A	-	-	-	-	PTG01C1805A	0.02	(0.01)	9,160	-	PTTG13C1805A	-	-	-	-
LH24C1809A	-	-	-	-	PTG01C1806A	0.17	(0.03)	29,208	-	PTTG13C1808A	0.51	0.04	158,538	-
LH28C1808A	-	-	-	-	PTG01C1806B	0.04	(0.03)	5,110	-	PTTG23C1805A	0.47	0.05	21,620	-
LHFG42C1806A	-	-	-	-	PTG01P1805A	1.47	0.11	13,342	1.00	PTTG24C1808A	0.37	0.02	39,788	-
LPN01C1809A	0.16	(0.03)	6,005	-	PTG06C1810A	0.20	(0.01)	280	-	PTTG24P1808A	0.12	(0.03)	1,202	-
LPN01P1809A	0.56	0.02	2,839	-	PTG06C1904A	-	-	-	-	PTTG27C1807A	0.89	0.03	14,000	-
LPN08C1807A	-	-	-	-	PTG07C1806A	-	-	-	-	PTTG27P1807A	0.07	(0.02)	12,000	-
LPN08C1810A	0.16	(0.01)	1,555	-	PTG08C1807A	0.02	(0.01)	13,086	-	PTTG28C1807A	0.09	-	31,192	-
LPN11C1806A	0.09	-	10,144	-	PTG11C1805A	0.08	(0.01)	4,206	-	PTTG28C1807B	0.40	0.04	98,827	-
LPN23C1806A	-	-	-	-	PTG11C1903A	0.41	(0.59)	600	-	QH01C1807A	0.31	-	2,256	-
LPN24C1808A	-	-	-	-	PTG13C1805A	-	-	-	-	QH01P1807A	0.42	0.03	6,550	-
LPN27C1807A	-	-	-	-	PTG13C1806A	0.03	-	990	-	QH08C1808A	0.20	-	1,168	-
LPN42C1805A	-	-	-	-	PTG13C1809A	0.25	(0.05)	35,336	-	QH11C1804A	-	-	-	-
MAJO11C1804A	-	-	-	-	PTG23C1808A	0.02	(0.01)	100	-	QH11C1902A	0.32	-	1,056	-
MAJO11C1902A	0.25	(0.01)	1,335	-	PTG24C1805A	-	-	-	-	QH23C1808A	0.27	-	1,000	-
MAJO23C1806A	-	-	-	-	PTG24C1809A	0.34	(0.02)	500	-	QH28C1808A	-	-	-	-
MAJO24C1809A	0.13	(0.01)	6,590	-	PTG27C1809A	-	-	-	-	QH42C1805A	0.43	(0.03)	214	-
MAJO42C1806A	0.09	-	10	-	PTG28C1805A	-	-	-	-	RATC23C1806A	-	-	-	-
MALE01C1812A	0.10	(0.01)	5,652	-	PTG28C1806A	-	-	-	-	RATC27C1812A	-	-	-	-
MALE08C1805A	-	-	-	-	PTG28C1808A	0.20	(0.04)	5,522	-	ROBI01C1809A	0.60	-	20,189	-
MALE08C1811A	-	-	-	-	PTL08C1811A	0.71	0.02	37,910	-	ROBI06C1809A	0.57	(0.03)	10,000	-
MALE13C1805A	-	-	-	-	PTL13C1809A	0.48	0.01	152,197	-	ROBI08C1808A	0.16	(0.02)	9,158	-
MALE13C1809A	0.05	(0.02)	76	-	PTL23C1807A	0.22	0.01	25,450	-	ROBI11C1808A	0.26	(0.01)	4,245	-
MALE23C1806A	-	-	-	-	PTL24C1806A	0.49	0.07	21,000	-	ROBI13C1807A	0.11	(0.02)	12,886	-
MALE24C1804A	-	-	-	-	PTL28C1810A	0.63	0.02	99,054	-	ROBI23C1805A	-	-	-	-
MALE27C1812A	-	-	-	-	PTT01C1808A	1.14	0.02	216,741	1.00	ROBI24C1805A	-	-	-	-
MALE28C1805A	-	-	-	-	PTT01C1808B	0.85	0.02	179,297	-	ROBI27C1806A	-	-	-	-
MALE28C1810A	0.02	-	144	-	PTT01C1810A	0.56	0.02	115,269	-	S1000C1811A	0.86	-	1,210	-
MC23C1809A	0.12	0.02	10,400	-	PTT01P1808A	0.34	(0.01)	167,503	-	S23C1805A	-	-	-	-
MC24C1807A	-	-	-	-	PTT01P1808B	0.10	(0.01)	76,738	-	S42C1806A	0.04	-	10	-
MEGA01C1806A	0.34	-	15,527	-	PTT01P1810A	0.78	-	34,474	-	S5001C1805A	0.94	-	52,465	-
MEGA01C1806B	0.15	(0.01)	7,318	-	PTT07C1811A	-	-	-	-	S5001C1805B	0.68	0.01	340,671	-
MEGA08C1805A	0.05	(0.01)	13,302	-	PTT08C1805A	-	-	-	-	S5001C1806F	1.07	-	1,060,777	1.00
MEGA11C1806A	0.70	0.02	6,328	-	PTT08C1807A	0.79	0.01	1,144	-	S5001C1806G	0.43	-	1,235,097	-
MEGA11C1902A	0.36	-	5,256	-	PTT08C1809A	0.32	0.01	112,769	-	S5001C1806H	0.71	-	1,027,497	-
MEGA13C1805A	-	-	-	-	PTT08P1805A	-	-	-	-	S5001C1806I	0.21	-	135,523	-
MEGA13C1809A	0.26	0.01	7,542	-	PTT08P1809A	0.37	(0.02)	47,334	-	S5001C1807A	0.93	0.01	125,156	-
MEGA23C1806A	0.47	0.01	8,360	-	PTT11C1806A	3.06	0.04	13,800	3.00	S5001P1805A	0.60	(0.01)	34,900	-
MEGA24C1805A	0.02	(0.03)	60	-	PTT11C1902A	0.55	0.01	121,457	-	S5001P1805B	0.76	(0.01)	185,314	-
MEGA27C1807A	0.13	(0.01)	10,833	-	PTT13C1807A	0.71	-	78,910	-	S5001P1806F	0.97			

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday May 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5013C1806D	0.74	-	2,033,356	-	SPRC08C1808A	0.24	0.03	9,318	-	TISC13C1807A	0.33	(0.07)	72,587	-
S5013C1806E	0.93	0.01	976,369	-	SPRC11C1804A	-	-	-	-	TISC24C1806A	0.54	(0.30)	14,000	-
S5013P1806A	0.50	(0.03)	3,653,797	-	SPRC11C1902A	0.30	0.02	18,206	-	TISC27C1807A	0.35	(0.09)	8,100	-
S5013P1806B	0.49	(0.05)	1,365,210	-	SPRC13C1805A	-	-	-	-	TISC28C1807A	0.25	(0.07)	41,297	-
S5013P1806C	0.86	(0.03)	1,225,163	-	SPRC13C1808A	0.26	0.03	66,961	-	TISC42C1806A	0.91	(0.13)	3,400	-
S5013P1806D	0.15	(0.02)	340,203	-	SPRC23C1810A	0.37	0.02	22,500	-	TKN01C1805A	-	-	-	-
S5013P1806E	0.64	(0.06)	2,021,106	-	SPRC24C1808A	-	-	-	-	TKN01C1808A	0.20	-	12,065	-
S5028C1806A	0.21	(0.01)	671,424	-	SPRC28C1806A	0.08	(0.03)	32,288	-	TKN01C1808B	0.08	(0.01)	8,712	-
S5028C1806B	0.46	-	1,719,893	-	SPRC42C1805A	0.40	0.03	6,552	-	TKN06C1806A	-	-	-	-
S5028C1806C	0.70	(0.02)	273,371	-	STA01C1807A	0.10	(0.02)	10,386	-	TKN08C1805A	-	-	-	-
S5028P1806A	0.55	(0.04)	889,500	-	STA01C1807B	0.03	(0.01)	2,207	-	TKN08C1808A	-	-	-	-
S5028P1806B	0.25	(0.02)	1,211,916	-	STA08C1807A	-	-	-	-	TKN11C1804A	-	-	-	-
S5028P1806C	-	-	-	-	STA13C1807A	0.03	-	500	-	TKN11C1902A	0.28	-	1,617	-
SAMA13C1806A	0.01	-	3	-	STA13C1808A	0.18	0.01	25,342	-	TKN13C1805A	-	-	-	-
SAWA01C1808A	0.34	-	80,274	-	STA23C1809A	0.24	0.01	7,000	-	TKN13C1808A	0.05	(0.01)	995	-
SAWA01C1808B	0.14	(0.01)	14,113	-	STA24C1808A	-	-	-	-	TKN13C1810A	0.23	(0.01)	21,201	-
SAWA01P1808A	1.09	-	15,985	1.00	STA28C1807A	-	-	-	-	TKN23C1806A	-	-	-	-
SAWA06C1807A	-	-	-	-	STEC01C1809A	0.14	(0.04)	45,822	-	TKN24C1807A	-	-	-	-
SAWA08C1805A	0.01	-	4	-	STEC01P1809A	1.62	0.11	29,394	1.00	TKN28C1806A	-	-	-	-
SAWA08C1808A	0.08	-	2,000	-	STEC06C1809A	-	-	-	-	TKN28C1808A	0.07	(0.01)	11,072	-
SAWA11C1808A	0.09	(0.01)	6,965	-	STEC08C1809A	0.13	(0.01)	20,598	-	TKN42C1805A	-	-	-	-
SAWA13C1807A	0.05	(0.01)	1	-	STEC11C1805A	0.01	-	269	-	TMB01C1807A	0.03	-	26,260	-
SAWA13C1810A	0.20	-	14,624	-	STEC11C1903A	0.31	(0.69)	2,500	-	TMB01P1807A	0.93	(0.03)	4,492	-
SAWA13C1811A	0.37	(0.01)	26,802	-	STEC13C1809A	0.11	(0.02)	44,410	-	TMB06C1809A	0.06	-	40	-
SAWA23C1807A	0.10	(0.01)	10,500	-	STEC23C1808A	0.01	-	30	-	TMB07C1811A	-	-	-	-
SAWA24C1804A	-	-	-	-	STEC24C1804A	-	-	-	-	TMB08C1808A	0.02	(0.01)	1,589	-
SAWA24C1808A	0.13	(0.01)	2,070	-	STEC24C1808A	-	-	-	-	TMB11C1806A	0.11	-	13,481	-
SAWA28C1805A	0.01	-	3,000	-	STEC28C1806A	0.01	-	6,950	-	TMB13C1811A	0.14	0.01	111,087	-
SAWA28C1807A	-	-	-	-	STEC28C1808A	0.09	(0.01)	3,042	-	TMB23C1810A	-	-	-	-
SAWA28C1809A	0.19	-	32,372	-	STEC42C1805A	-	-	-	-	TMB24C1809A	-	-	-	-
SCB01C1808A	0.27	0.02	124,445	-	STPI08C1811A	0.15	0.02	1,510	-	TMB28C1806A	-	-	-	-
SCB01C1808B	0.06	-	14,836	-	STPI11C1804A	-	-	-	-	TMB28C1808A	0.02	-	1,000	-
SCB01C1810A	0.50	0.03	90,402	-	STPI23C1805A	-	-	-	-	TMB28C1809A	0.08	0.01	2,500	-
SCB01P1808A	1.39	(0.04)	37,876	1.00	STPI23C1806A	0.01	(0.01)	1,012	-	TMB42C1805A	-	-	-	-
SCB01P1808B	0.86	(0.05)	26,342	-	STPI24C1804A	-	-	-	-	TOP01C1805A	0.21	0.03	12,856	-
SCB08C1806A	0.04	0.01	9,140	-	STPI28C1807A	0.03	-	500	-	TOP01C1808A	0.43	0.03	29,210	-
SCB11C1901A	0.29	0.02	22,008	-	SUPE06C1806A	0.14	(0.03)	100	-	TOP01C1808B	0.18	0.02	19,802	-
SCB11P1901A	0.78	(0.04)	23,920	-	SUPE08C1808A	0.21	(0.02)	29,528	-	TOP01P1805A	0.45	(0.06)	38,326	-
SCB13C1805A	-	-	-	-	SUPE13C1805A	-	-	-	-	TOP01P1808A	0.71	(0.05)	34,389	-
SCB13C1809A	0.19	0.01	81,247	-	SUPE13C1806A	0.10	-	3,415	-	TOP06C1809A	0.57	0.05	6,307	-
SCB24C1806A	0.01	-	2,600	-	SUPE13C1811A	0.38	0.02	61,199	-	TOP08C1805A	0.01	-	1,800	-
SCB24P1811A	-	-	-	-	SUPE23C1811A	0.59	-	23,801	-	TOP11C1808A	0.22	0.02	2,504	-
SCB28C1808A	0.07	0.01	4,000	-	SUPE24C1804A	-	-	-	-	TOP13C1805A	-	-	-	-
SCB28C1809A	0.18	0.01	100,064	-	SUPE28C1806A	0.08	(0.03)	157,779	-	TOP13C1806A	-	-	-	-
SCB28P1808A	0.49	(0.05)	88,400	-	SUPE28C1807A	0.20	(0.01)	43,041	-	TOP13C1811A	0.74	0.07	61,111	-
SCC01C1808A	0.35	0.01	243,910	-	TASCO1C1806A	0.19	(0.01)	6,224	-	TOP18C1808A	0.22	0.01	505	-
SCC01C1808B	0.11	(0.01)	28,734	-	TASCO1C1809A	-	-	-	-	TOP23C1811A	0.83	0.07	19,000	-
SCC01P1808A	0.59	(0.03)	30,090	-	TASCO1P1806A	0.98	-	12,720	-	TOP24C1805A	0.06	0.02	1,000	-
SCC06C1809A	0.26	0.02	4,402	-	TASCO1P1809A	1.29	-	3,824	1.00	TOP24C1806A	-	-	-	-
SCC08C1809A	0.21	-	36,892	-	TASC07C1811A	-	-	-	-	TOP28C1805A	-	-	-	-
SCC11C1811A	0.30	0.01	22,586	-	TASC08C1808A	-	-	-	-	TOP28C1810A	0.20	0.02	57,970	-
SCC11P1811A	0.37	(0.02)	10,702	-	TASC11C1806A	-	-	-	-	TOP42C1806A	0.21	0.02	3,822	-
SCC13C1805A	-	-	-	-	TASC13C1805A	-	-	-	-	TOP42P1806A	0.49	(0.05)	4,586	-
SCC13C1809A	0.24	0.01	5,258	-	TASC13C1810A	0.33	-	15,988	-	TP101C1807A	0.10	0.03	51,350	-
SCC23C1811A	0.28	-	100,042	-	TASC23C1806A	-	-	-	-	TP101C1807B	0.02	-	74	-
SCC24C1806A	-	-	-	-	TASC24C1804A	-	-	-	-	TP108C1807A	0.03	-	120	-
SCC24P1901A	-	-	-	-	TASC24C1810A	-	-	-	-	TP113C1809A	0.15	0.03	82,982	-
SCC27C1809A	0.23	(0.02)	10,406	-	TASC28C1805A	-	-	-	-	TP123C1809A	-	-	-	-
SCC27P1809A	0.45	(0.01)	19,300	-	TASC28C1808A	0.18	-	14,264	-	TP124C1808A	-	-	-	-
SCC28C1807A	0.07	-	24,500	-	TCAP01C1807A	0.17	-	12,214	-	TP128C1808A	-	-	-	-
SCC42C1805A	0.04	(0.06)	200	-	TCAP01C1807B	0.04	0.01	5,050	-	TP1P01C1805A	0.07	(0.02)	902	-
SCCC08C1811A	0.17	-	1,582	-	TCAP01P1807A	1.00	0.02	20,635	-	TP1P01P1805A	0.43	0.01	22,051	-
SCCC13C1809A	-	-	-	-	TCAP08C1810A	0.22	(0.02)	18,742	-	TP1P07C1806A	-	-	-	-
SCCC23C1806A	0.01	-	1	-	TCAP11C1811A	0.22	-	13,714	-	TP1P08C1808A	-	-	-	-
SCCC27C1812A	0.21	(0.01)	4,000	-	TCAP13C1809A	0.16	-	35,628	-	TP1P11C1811A	0.18	-	23,984	-
SGP08C1808A	0.29	(0.02)	56,252	-	TCAP23C1807A	0.25	(0.02)	20,555	-	TP1P13C1805A	-	-	-	-
SGP13C1806A	-	-	-	-	TCAP24C1807A	-	-	-	-	TP1P13C1811A	0.42	-	18,730	-
SGP13C1807A	0.87	(0.07)	12,980	-	TCAP27C1807A	-	-	-	-	TP1P23C1808A	-	-	-	-
SGP13C1808A	0.29	(0.03)	272,852	-	TCAP42C1805A	0.27	(0.01)	3,036	-	TP1P24C1901A	0.53	(0.01)	138	-
SGP23C1805A	2.00	(0.10)	4,000	2.00	THAI01C1806A	0.31	(0.01)	19,690	-	TP1P27C1812A	-	-	-	-
SGP24C1806A	0.14	(0.02)	45,201	-	THAI01C1808A	0.49	(0.02)	41,590	-	TP1P28C1805A	-	-	-	-
SGP24C1808A	0.17	(0.01)	67,572	-	THAI01C1808B	0.25	(0.02)	64,742	-	TRUE01C1808A	0.76	0.01	55,917	-
SGP28C1808A	0.24	(0.01)	47,997	-	THAI01P1806A	0.58	0.01	38,830	-	TRUE01C1808B	0.56	-	63,487	-
SGP28C1809A	0.15	(0.01)	63,137	-	THAI01P1808A	0.52	0.02	7,533	-	TRUE01P1808A	0.16	(0.02)	40,310	-
SIRI01C1808A	0.06	-	4,314	-	THAI06C1809A	0.61	(0.02)	4,800	-	TRUE06C1806A	0.76	0.02	6,200	-
SIRI01C1808B	0.02	-	24,700	-	THAI07C1811A	0.50	(0.01)	3,346	-	TRUE06P1806A	0.12	0.03	1	-
SIRI01P1808A	0.52	-	6,112	-	THAI08C1808A	0.31	(0.01)	14,552	-	TRUE07C1806A	-	-	-	-
SIRI08C1808A	0.04	-	10,364	-	THAI11C1808A	0.22	(0.02)	6,064	-	TRUE08C1809A	0.59	0.02	23,185	-
SIRI08C1810A	0.33	0.01	13,642	-	THAI13C1811A	0.40	(0.60)	6,719	-	TRUE08P1809A	0.09	(0.01)	6,500	-
SIRI11C1804A	-	-	-	-	THAI23C1805A	-	-	-	-	TRUE11C1807A	0.43	0.01	18,105	-
SIRI11C1902A	0.30	0.01	8,424	-	THAI24C1808A	0.32	(0.03)	68,470	-	TRUE13C1807A	0.45	0.01	24,122	-
SIRI13C1809A	-	-	-	-	THAI27C1809A	0.33	(0.03)	4,150	-	TRUE13C1810A	0.41	(0.01)	110,066	-
SIRI23C1811A	0.41	(0.01)	2,125	-	THAI28C1808A	0.24	(0.02)	30,494	-	TRUE16C1812A	0.64	0.04	50	-
SIRI24C1809A	-	-	-	-	THAN01C1812A	0.57	(0.03)	9,268	-	TRUE23C1806A	0.66	0.04	400	-
SIRI28C1807A	-	-	-	-	THAN13C1809A	0.15	(0.01)	7,072	-	TRUE27C1809A	0.57	0.01	5,393	-
SIRI28C1809A	0.22	(0.01)	38,827	-	THAN23C1807A	-	-	-	-	TRUE27P1809A	0.20	(0.01)	9,547	-
SIRI42C1805A	-	-	-	-	THAN28C1810A	0.23	(0.02)	20,480	-	TRUE28C1807A	0.42	0.01	150,703	-
SPAL01C1805A	0.22	0.03	3,730	-	THCO01C1809A	0.18	-	9,828	-	TRUE28C1808A	0.21	0.01	43,308	-
SPAL01C1808														

Main Board Quotation

Issue Date :

Monday May 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Monday May 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU01P1808A	0.74	0.03	52,138	-	Warrant	-	-	-	-	WHA-W1	7.55	0.55	46,064	7.00
TU08C1805A	0.01	(0.01)	10	-	7UP-W2	-	-	-	-	WIJK-W1	0.01	-	125,237	-
TU11C1804A	-	-	-	-	ACC-W1	0.05	-	10,966	-	WORK-W1	26.50	0.50	53	26.00
TU11C1902A	0.14	(0.02)	63,010	-	AEC-W4	-	-	-	-	Preferred Shares	-	-	-	-
TU13C1809A	0.07	(0.01)	6,461	-	AJA-W1	0.25	-	1,203	-	BH-P	-	-	-	-
TU23C1806A	-	-	-	-	ALT-W1	1.35	(0.02)	414	1.00	CSC-P	-	-	-	-
TU24C1808A	-	-	-	-	AQ-W4	0.01	-	3,265	-	JUTHA-P	-	-	-	-
TU27C1807A	0.13	(0.02)	14,080	-	AS-W1	0.80	(0.03)	21,657	-	KT8-P	-	-	-	-
TVO01C1809A	0.42	(0.04)	26,618	-	B-W3	-	-	-	-	SCB-P	-	-	-	-
TVO08C1808A	0.21	(0.03)	30,792	-	BLAND-W4	0.04	-	296,114	-	TCAP-P	-	-	-	-
TVO11C1805A	0.30	(0.03)	2,658	-	BROCK-W1	-	-	-	-	TIC-P	-	-	-	-
TVO11C1903A	-	-	-	-	BTS-W3	0.07	(0.01)	265,818	-	TISCO-P	-	-	-	-
TVO13C1809A	0.14	(0.02)	8,609	-	BWG-W4	0.11	-	10,313	-	U-P	0.03	-	195,827	-
TVO23C1808A	0.23	(0.03)	13,310	-	CEN-W4	0.12	0.01	5,115	-	Warrant (MAI)	-	-	-	-
TVO24C1804A	-	-	-	-	CGH-W2	0.01	-	60,229	-	2S-W1	0.34	0.01	23,746	-
TVO24C1810A	0.25	(0.04)	3,300	-	CI-W1	0.51	(0.01)	5,548	-	ACAP-W1	10.20	0.95	42	9.00
TVO28C1808A	0.11	(0.02)	22,524	-	CKP-W1	0.38	0.01	33,634	-	ACAP-W2	5.60	0.30	746	5.00
UNI001C1809A	0.20	(0.03)	9,372	-	CRANE-W1	-	-	-	-	AIRA-W1	0.08	-	10	-
UNI001P1809A	0.64	0.03	5,168	-	DCON-W1	-	-	-	-	AIRA-W2	0.10	-	421	-
UNI008C1808A	-	-	-	-	DIGI-W1	0.06	(0.01)	45,606	-	ATP30-W1	0.87	-	987	-
UNI008C1810A	-	-	-	-	DIGI-W2	0.02	(0.01)	6,130	-	BSM-W2	0.26	-	546	-
UNI011C1811A	-	-	-	-	EARTH-W4	-	-	-	-	CIG-W6	-	-	-	-
UNI013C1805A	-	-	-	-	EIC-W2	-	-	-	-	CIG-W7	0.04	-	3,408	-
UNI013C1807A	0.01	-	2,645	-	EIC-W3	-	-	-	-	DNA-W1	1.69	(0.04)	215	1.00
UNI013C1809A	0.19	(0.01)	6,753	-	EIC-W4	0.01	-	200	-	ECF-W2	3.40	-	1,377	3.00
UNI023C1806A	-	-	-	-	EVER-W3	-	-	-	-	ECF-W3	2.58	-	1,270	2.00
UNI024C1806A	-	-	-	-	GJS-W3	0.05	-	3	-	EFORL-W3	0.01	(0.01)	2,418	-
UNI024C1811A	0.13	(0.02)	500	-	GL-W4	0.57	(0.05)	23,218	-	EFORL-W4	0.03	0.01	19,208	-
UNI028C1805A	-	-	-	-	GLAND-W4	1.39	0.32	5,970	1.00	FC-W1	0.10	(0.02)	27,582	-
UNI028C1807A	-	-	-	-	GREEN-W4	0.12	(0.01)	29,431	-	FC-W2	0.06	(0.01)	2,102	-
UNI028C1809A	0.16	-	3,500	-	GSTEL-W1	-	-	-	-	FOCUS-W2	0.63	-	1,418	-
UNI042C1805A	-	-	-	-	GSTEL-W2	-	-	-	-	FPI-W1	1.36	0.02	246	1.00
UV01C1807A	0.50	-	62,162	-	IEC-W2	-	-	-	-	FVC-W1	-	-	-	-
UV08C1807A	0.26	-	31,118	-	IFEC-W2	-	-	-	-	FVC-W2	0.91	0.08	3	-
UV13C1807A	0.18	-	63,623	-	IHL-W1	5.20	(0.10)	4	5.00	LIT-W1	2.90	0.08	3,413	2.00
UV13C1808A	0.07	-	4,329	-	ITD-W1	0.08	-	221,591	-	MOONG-W1	3.80	(0.04)	620	3.00
UV23C1809A	-	-	-	-	IVL-W2	17.30	0.20	84,958	17.00	MPG-W1	-	-	-	-
UV24C1807A	0.26	-	12,500	-	JAS-W3	2.68	(0.08)	89,473	2.00	NBC-W1	0.01	(0.01)	504,674	-
UV28C1807A	0.15	-	12,169	-	JCK-W4	0.01	-	1	-	NCL-W2	0.21	(0.02)	13,786	-
UV28C1808A	-	-	-	-	JCK-W5	0.49	0.02	461	-	NDR-W1	0.39	(0.01)	3,869	-
VGI01C1812A	0.74	-	44,606	-	JMART-W2	2.64	-	30,235	2.00	NEWS-W4	-	-	-	-
VGI06C1904A	-	-	-	-	JMT-W1	12.70	(0.70)	541	13.00	NEWS-W5	-	-	-	-
VGI06C1904B	-	-	-	-	MIDA-W2	0.04	-	603	-	NINE-W1	0.02	(0.02)	344,026	-
VGI06C1904C	-	-	-	-	MILL-W3	0.04	(0.01)	5,541	-	OCEAN-W2	0.01	-	5,516	-
VGI08C1811A	0.76	0.02	1	-	MILL-W4	0.30	0.01	458	-	PHOL-W1	0.31	0.02	24,811	-
VGI23C1905A	-	-	-	-	ML-W2	0.05	(0.01)	851	-	PIMO-W1	1.49	0.02	19,096	1.00
VGI23C1911A	-	-	-	-	MONO-W1	1.78	0.03	4,403	1.00	PPS-W1	1.25	(0.07)	452	1.00
VGI27C1812A	-	-	-	-	NEP-W3	0.16	-	2	-	PSTC-W1	0.36	-	6,950	-
VGI28C1810A	0.49	(0.01)	10,190	-	NMG-W3	-	-	-	-	QTC-W1	-	-	-	-
VGI42C1805A	-	-	-	-	NOK-W1	1.27	(0.01)	652	1.00	RWI-W1	0.11	-	72,392	-
VIBH08C1806A	-	-	-	-	NPP-W3	0.59	(0.13)	173,305	-	SIMAT-W2	0.88	0.02	2,305	-
VIBH13C1806A	-	-	-	-	NUSA-W3	-	-	-	-	SIMAT-W3	0.91	(0.06)	5,890	-
VIBH24C1805A	-	-	-	-	ORI-W1	3.14	(0.30)	40,572	3.00	SKY-W1	14.80	(0.20)	103	14.00
VNG13C1806A	-	-	-	-	PACE-W1	0.02	-	11,094	-	STAR-W3	2.14	(0.10)	3,570	2.00
WHA01C1807A	0.23	0.03	190,197	-	PACE-W2	0.06	-	12,328	-	T-W3	0.01	-	80,815	-
WHA01C1807B	0.08	0.01	130,139	-	PDJ-W2	1.76	0.01	26	1.00	TAKUNI-W	0.23	0.01	67,121	-
WHA06C1809A	0.33	0.04	134,287	-	PDJ-W3	1.68	(0.01)	6	1.00	TAPAC-W3	5.85	0.05	1,235	5.00
WHA07C1810A	0.34	0.03	11,823	-	PDJ-W4	1.68	(0.02)	10	1.00	TMILL-W1	1.39	(0.01)	10,510	1.00
WHA08C1805A	0.17	0.01	72,464	-	PL-W1	0.12	(0.04)	32,675	-	TSF-W4	0.01	-	1,258	-
WHA11C1805A	0.64	0.05	118,225	-	PLE-W3	0.47	(0.01)	67,849	-	TSF-W5	0.03	-	34,091	-
WHA13C1805A	0.37	0.05	24,657	-	PSL-W1	0.10	(0.06)	47,654	-	TVB-W2	0.80	(0.05)	145,131	-
WHA13C1808A	0.27	0.03	286,038	-	RICH-W1	-	-	-	-	TVT-W1	-	-	-	-
WHA23C1810A	0.44	0.02	39,052	-	RICHY-W1	0.35	-	11,972	-	UKEM-W2	0.64	-	61,043	-
WHA24C1805A	0.27	0.04	42,020	-	RICHY-W2	0.21	0.02	2,533	-	UWC-W2	0.02	-	35,295	-
WHA24C1807A	0.10	0.02	5,506	-	RML-W4	-	-	-	-	VTE-W2	0.25	(0.01)	2,377	-
WHA28C1807A	0.08	-	3,418	-	RS-W3	16.50	0.90	111	16.00	XO-W1	4.52	-	29,367	4.00
WHA28C1808A	0.12	0.01	78,756	-	S-W1	0.22	-	13,981	-	Preferred Shares	-	-	-	-
WHA28C1808B	0.21	0.02	221,798	-	SAWAD-W1	10.10	-	99	10.00	SGF-P1	-	-	-	-
WHA28C1809A	0.59	0.05	89,175	-	SMM-W4	0.25	(0.01)	6,989	-	-	-	-	-	-
WHA42C1806A	0.44	0.03	9,508	-	SMT-W1	0.25	(0.02)	45,511	-	-	-	-	-	-
WHA42P1806A	0.17	(0.03)	38,184	-	SPALI-W4	19.10	-	778	19.00	-	-	-	-	-
WORK01C1806A	0.13	0.01	3,127	-	SPORT-W5	0.18	0.01	321	-	-	-	-	-	-
WORK01C1806B	0.03	(0.01)	801	-	SPORT-W6	0.06	(0.02)	3,525	-	-	-	-	-	-
WORK08C1805A	-	-	-	-	SUPER-W4	0.29	(0.01)	84,875	-	-	-	-	-	-
WORK08C1809A	0.12	0.01	163,561	-	SUSCO-W1	0.40	-	8,241	-	-	-	-	-	-
WORK11C1805A	0.37	0.06	43,039	-	SVI-W3	1.61	0.01	2	1.00	-	-	-	-	-
WORK11C1903A	-	-	-	-	TCC-W3	0.56	-	8	-	-	-	-	-	-
WORK13C1805A	-	-	-	-	TCC-W4	0.23	-	3,104	-	-	-	-	-	-
WORK13C1806A	0.01	(0.03)	335	-	T CJ-W2	1.59	(0.01)	271	1.00	-	-	-	-	-
WORK13C1809A	0.19	0.02	65,583	-	TCMC-W2	0.59	(0.02)	34,110	-	-	-	-	-	-
WORK13C1810A	0.51	0.06	76,345	-	TFG-W1	2.26	(0.22)	170	2.00	-	-	-	-	-
WORK23C1807A	0.10	0.01	37,510	-	TFG-W2	0.89	(0.01)	1,946	-	-	-	-	-	-
WORK24C1805A	-	-	-	-	TGPRO-W2	-	-	-	-	-	-	-	-	-
WORK27C1806A	-	-	-	-	TH-W2	0.15	-	1,930	-	-	-	-	-	-
WORK28C1806A	-	-	-	-	THE-W2	0.08	0.01	511,330	-	-	-	-	-	-
WORK28C1808A	0.09	-	4,666	-	TNITY-W1	1.37	-	48,815	1.00	-	-	-	-	-
WORK28C1809A	0.52	0.05	57,894	-	TNPC-W1	0.50	0.01	1,000	-	-	-	-	-	-
WORK42C1806A	0.20	0.02	944	-	TPOLY-W2	0.10	(0.02)	60,793	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	TSI-W2	0.01	-	23,565	-	-	-	-	-	-
BH-Q	-	-	-	-	TSR-W1	0.65	(0.02)	920	-	-	-	-	-	-
CSC-Q	-	-	-	-	TTA-W5	1.05	0.06	127,526	1.00	-	-	-	-	-

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Monday May 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
JUTHA-Q	-	-	-	-	TWZ-W4	-	-	-	-	-	-	-	-	-
KTB-Q	-	-	-	-	U-W1	-	-	-	-	-	-	-	-	-
SCB-Q	-	-	-	-	U-W4	0.01	-	5,139	-	-	-	-	-	-
TCAP-Q	-	-	-	-	VGI-W1	0.37	-	53,289	-	-	-	-	-	-
TIC-Q	-	-	-	-	VIBHA-W2	1.48	(0.02)	1,404	1.00	-	-	-	-	-
TISCO-Q	-	-	-	-	VIBHA-W3	0.36	(0.01)	24,039	-	-	-	-	-	-
U-Q	-	-	-	-	WAVE-W1	0.77	-	2,952	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-