

Main Board Quotation

Issue Date :

Tuesday May 15, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	7.00	-	1,854	6.96	RS	23.60	(0.60)	42,206	23.96
NFC	-	-	-	-	HUMAN	12.70	(0.10)	28,025	12.70	SE-ED	3.38	(0.02)	103	3.40
POMPUI	-	-	-	-	ILINK	6.30	0.20	13,888	6.31	SMM	0.87	(0.02)	739	0.88
SAFARI	-	-	-	-	INET	3.98	-	3,361	3.98	SPORT	0.58	-	2,338	0.57
VI	-	-	-	-	INTUCH	56.00	(0.25)	44,793	56.09	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	6.30	0.10	615,818	6.34	TH	0.61	-	2,203	0.61
WR	-	-	-	-	JASIF	11.30	(0.10)	336,602	11.38	TKS	11.10	-	13,323	11.02
Agribusiness	-	-	-	-	JMART	10.80	0.40	139,583	10.11	TRITN	0.31	-	133,803	0.31
CHOTI	-	-	-	-	JTS	1.65	-	9,641	1.68	VGI	7.70	-	29,986	7.70
EE	0.74	0.10	426,990	0.73	MFEC	4.36	(0.08)	4,989	4.34	WAVE	3.12	-	510	3.12
GFPT	11.90	0.50	33,934	11.67	MSC	5.90	-	1,064	5.86	WORK	52.00	(3.50)	76,572	53.49
LEE	2.80	(0.06)	10,548	2.80	PT	6.90	(0.05)	5,221	6.93	Finance & Securities	-	-	-	-
STA	12.40	0.50	103,640	12.39	SAMART	8.25	0.05	6,395	8.15	AEC	0.51	-	5,444	0.51
TLUXE	6.10	(0.10)	3,643	6.17	SAMTEL	10.10	0.15	390	9.98	AEONTS	160.00	(6.00)	5,796	160.12
TRUBB	1.84	-	5,484	1.84	SDC	0.28	(0.02)	5,737	0.28	AMANAH	2.02	(0.04)	347,023	2.06
TWPC	10.10	-	2,588	10.01	SIS	9.00	0.05	5,779	9.00	ASAP	6.80	(0.10)	39,918	6.82
UPOIC	4.48	0.02	124	4.46	SVOA	1.62	(0.01)	11,411	1.63	ASK	22.00	(0.20)	2,118	22.10
UVAN	8.05	-	3,977	8.05	SYMC	6.95	(0.15)	2,555	6.81	ASP	3.84	(0.02)	18,253	3.84
VPO	0.78	(0.01)	2,114	0.78	SYNEX	15.80	0.30	17,483	15.61	BFIT	32.00	-	871	32.21
Banking	-	-	-	-	THCOM	9.30	0.15	39,846	9.33	CGH	1.21	(0.04)	9,251	1.21
BAY	39.00	-	1,439	39.00	TRUE	7.70	0.15	1,733,313	7.56	CNS	2.60	-	2,543	2.60
BBL	191.50	(0.50)	9,802	191.20	TWZ	0.13	0.01	235,207	0.13	ECL	2.02	(0.06)	108,946	2.03
CIMBT	1.01	-	11,376	1.01	Electronic Componen	-	-	-	-	FNS	4.40	0.02	1,113	4.42
KBANK	194.00	(1.00)	26,226	194.11	CCET	2.02	(0.04)	83,998	2.03	FSS	2.68	(0.04)	3,378	2.65
KKP	67.75	(0.75)	29,052	67.87	DELTA	64.75	(0.25)	18,022	64.44	GBX	0.70	(0.01)	681	0.70
KTB	17.20	(0.10)	320,809	17.22	EIC	0.06	-	3,954	0.06	GL	7.00	(0.05)	4,680	7.01
LHFG	1.60	0.01	21,870	1.59	HANA	35.75	(0.75)	26,614	35.92	IFS	3.10	(0.04)	1,608	3.11
SCB	134.50	(2.00)	48,558	134.75	KCE	67.50	(2.00)	65,590	67.35	JMT	31.00	0.25	2,167	30.99
TCAP	50.75	(0.50)	20,535	50.84	METCO	200.00	-	1	200.00	KCAR	14.10	-	433	14.19
TISCO	88.25	0.25	25,832	88.14	SMT	2.88	0.06	4,564	2.84	KGI	4.24	(0.08)	121,807	4.25
TMB	2.42	0.04	524,257	2.40	SPPT	5.60	(0.10)	3,991	5.65	KTC	366.00	(14.00)	34,107	370.43
Construction Materia	-	-	-	-	SVI	4.26	(0.06)	12,461	4.26	MBKET	18.70	0.30	340	18.58
CCP	0.42	(0.01)	10,328	0.42	TEAM	1.30	(0.01)	20,704	1.31	MFC	15.60	(0.10)	356	15.66
DCC	2.58	-	12,059	2.58	Energy & Utilities	-	-	-	-	ML	1.17	0.01	1,966	1.14
DCON	0.61	-	23,526	0.61	ABPIF	8.50	(0.10)	1,581	8.55	MTC	37.75	(1.75)	102,178	38.52
DRT	5.80	0.05	6,655	5.84	AI	-	-	-	-	PE	0.41	-	3	0.41
EPG	7.25	(0.25)	170,148	7.24	AKR	1.17	-	97,713	1.16	PL	3.54	(0.08)	6,685	3.56
GEL	0.35	0.01	29,416	0.35	BAFS	37.75	-	1,747	38.01	S11	7.20	0.10	4,089	7.26
PPP	4.00	(0.12)	2,567	3.99	BANPU	20.90	0.40	1,373,980	20.96	SAWAD	43.75	(3.00)	326,756	43.57
O-CON	6.05	-	480	6.08	BCP	35.25	(0.25)	13,043	35.13	THANI	7.70	(0.20)	51,855	7.73
RCI	2.18	-	8,363	2.18	BCPG	19.10	(0.10)	43,237	19.19	TK	12.70	0.10	3,727	12.63
SCC	470.00	-	19,061	469.75	BGRIM	28.50	-	52,500	28.47	TNITY	6.05	0.05	626	6.00
SCCC	241.00	1.00	1,167	240.06	BPP	24.80	0.10	38,865	24.77	UOBKH	4.12	(0.02)	150	4.08
SCP	8.35	0.35	29,217	8.37	BRRGIF	10.40	-	2,914	10.34	ZMICO	1.12	-	4,641	1.12
SKN	6.30	0.15	3,692	6.27	CKP	4.06	(0.02)	82,560	4.07	Food & Beverage	-	-	-	-
TASCO	17.70	(0.10)	31,007	17.76	DEMCO	4.52	0.06	2,124	4.53	APURE	1.59	(0.04)	10,066	1.60
TCMC	2.94	0.04	15,620	2.92	EA	36.00	(0.50)	252,856	36.57	ASIAN	5.75	(0.05)	14,101	5.80
TGCI	2.56	0.02	1,659	2.56	EARTH	-	-	-	-	BR	6.60	0.05	21,062	6.55
TOA	38.50	(1.00)	78,576	38.17	EASTW	11.20	-	9,758	11.19	BRR	8.10	-	789	8.10
TPPL	1.94	0.03	721,568	1.95	EGATIF	11.40	0.10	21,033	11.33	CBG	54.50	(1.25)	18,149	54.95
UMI	1.47	-	215	1.47	EGCO	231.00	1.00	11,059	230.79	CFRESH	4.94	0.02	703	4.92
VNG	8.55	(0.50)	52,487	8.56	ESSO	14.60	0.20	179,770	14.64	CM	4.46	(0.16)	14,834	4.49
WHK	2.32	(0.06)	17,200	2.33	GLOW	83.75	(0.50)	18,820	83.70	CPF	25.00	1.50	876,613	24.51
Petrochemicals & Che	-	-	-	-	GPSC	76.00	(1.00)	20,911	75.88	CPI	2.02	0.02	6,055	2.02
CMAN	3.98	(0.08)	33,157	4.00	GULF	70.00	(3.00)	201,493	70.63	F&D	17.70	(0.30)	77	17.71
GC	5.15	0.05	3,496	5.15	GUNKUL	3.04	0.10	334,944	2.94	HTC	21.00	0.40	5,831	21.11
GGC	13.20	(0.10)	6,003	13.22	IEC	-	-	-	-	ICHI	5.85	(1.40)	299,040	5.86
GIFT	5.00	(0.20)	6,075	5.00	IFEC	-	-	-	-	KBS	4.88	0.08	2,103	4.83
IVL	60.75	(1.50)	211,610	61.13	IRPC	6.75	(0.15)	912,498	6.78	KSL	3.20	0.02	7,468	3.19
PATO	15.30	-	496	15.32	LANNA	16.60	-	5,815	16.58	KTIS	6.10	0.05	4,127	6.02
PMTA	17.30	(0.20)	367	17.41	MDX	4.48	(0.02)	2,753	4.50	LST	4.88	(0.02)	3,468	4.90
PTTGC	94.50	-	132,531	94.96	PTG	19.40	0.60	153,467	19.27	M	79.75	0.75	3,877	79.16
SUTHA	4.50	(0.04)	491	4.51	PTT	56.50	(0.50)	800,060	56.42	MALEE	17.10	(0.60)	18,844	17.28
TCB	55.50	(0.50)	493	55.77	PTTEP	136.50	1.50	104,268	135.80	MINT	37.50	(0.25)	148,744	37.38
TCCC	37.25	(0.50)	142	37.49	RATCH	51.75	(0.50)	51,303	52.01	OISHI	112.00	(9.50)	770	114.96
TPA	6.50	(0.20)	410	6.62	RPC	0.62	0.01	1,642	0.62	PB	62.00	-	84	61.85
UP	25.50	(0.50)	20	25.50	SCG	4.70	-	1,356	4.70	PM	10.90	0.10	5,621	10.87
VNT	27.00	-	40,476	27.04	SCI	3.20	(0.12)	27,636	3.21	PRG	13.80	(0.10)	5	13.80
WG	148.00	-	192	146.46	SCN	3.88	(0.04)	9,533	3.90	SAPPE	26.00	1.80	44,629	26.10
YCI	-	-	-	-	SGP	23.70	(0.30)	36,009	23.82	SAUCE	22.10	-	53	22.03
Commerce	-	-	-	-	SKE	1.33	(0.01)	12,999	1.34	SFP	-	-	-	-
BEAUTY	20.80	(0.50)	464,751	20.82	SOLAR	2.78	(0.12)	28,999	2.79	SNP	21.20	0.10	111	21.17
BIG	2.32	(0.08)	254,649	2.33	SPCG	22.20	(0.10)	7,901	22.26	SORKON	72.25	(0.50)	25	74.19
BJC	59.00	(1.00)	36,922	59.15	SPRC	15.60	0.10	189,999	15.69	SSC	53.50	0.50	1	53.50
COL	26.50	(0.50)	4,175	26.70	SUPER	1.16	(0.01)	1,408,119	1.17	SSF	8.35	-	115	8.31
COM7	19.70	-	52,244	19.65	SUSCO	3.68	-	16,384	3.69	SST	6.50	0.05	160	6.45
CPALL	85.25	(1.25)	147,792	85.56	TAE	2.30	-	6,278	2.29	TC	2.88	0.02	420	2.83
CSS	2.28	-	7,150	2.29	TCC	0.42	-	11,503	0.42	TFG	4.46	(0.14)	17,609	4.47
FN	3.28	(0.16)	13,734	3.32	TOP	88.50	(1.50)	66,063	88.88	TFMAMA	168.00	(0.50)	166	168.64
FTE	2.34	(0.06)	8,099	2.35	TPIPP	6.80	0.05	129,882	6.81	TIPCO	10.30	(1.90)	182,072	10.47
GLOBAL	16.40	(0.20)	27,345	16.43	TTW	12.30	-	13,542	12.35	TKN	18.50	0.90	188,955	18.34
HMPRO	14.20	(0.10)	161,546	14.18	WHAUP	6.20	0.05	37,994	6.14	TU	18.20	-	96,025	18.16
IT	4.56	0.06	10,074	4.59	WP	8.20	0.05	37,643	8.19	TVO	32.00	0.75	26,419	31.91
KAMART	5.95	(0.65)	45,294	5.95	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.24	(0.06)	58,869	2.26	AMARIN	5.45	-	2,164	5.47	AHC	22.00	1.00	1,664	22.10
MAKRO	45.25	(0.50)	15,489	45.26	AQUA	0.48	(0.01)	34,135	0.49	BCH	16.60	(1.10)	459,756	16.65
MC	12.90	0.10	25,364	13.03	AS	1.71	(0.02)	11,576	1.69	BDMS	24.80	1.20	1,701,338	24.72
MEGA	42.50	1.00	54,403	42.63	BEC	10.10	1.05	290,883	9.61	BH	190.00	-	11,681	189.37
MIDA	0.58	-	6,044	0.58	EPCO	3.08	-	22,645	3.04	CHG	2.28	(0.02)	681,646	2.27
ROBINS	63.25	(1.25)	12,633	63.46	FE	-	-	-	-	CMR	3.58	0.14	36,943	3.58
RSP	6.25	-	4,371	6.24	GPI	3.22	-	3,628	3.23	EKH	5.55	(0.15)	16,33	

Main Board Quotation

Issue Date :

Tuesday May 15, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	9.30	0.30	20,143	9.49	MJD	3.56	-	11,611	3.54	CRANE	2.66	0.02	4,572	2.64
WPH	3.08	0.04	12,504	3.08	MK	3.32	-	35,110	3.32	CTW	8.55	(0.10)	834	8.59
Tourism & Leisure					NCH	1.02	-	1,622	1.02	FMT	27.00	(0.25)	13	27.06
ASIA	6.70	0.05	2,069	6.74	NNCL	1.81	0.09	245,569	1.78	HTECH	7.30	0.50	37,626	7.29
CENDEL	50.00	1.00	19,384	49.88	NOBLE	10.00	-	2,265	9.96	KKC	1.75	(0.02)	1,035	1.76
CSR	-	-	-	-	NUSA	0.32	0.01	26,950	0.32	PK	3.82	(0.06)	11,927	3.85
DTC	11.90	0.80	10,907	11.60	ORI	19.20	0.20	40,059	19.16	SNC	15.90	0.10	17,235	15.90
ERW	8.20	0.25	134,703	8.18	PACE	0.44	-	291,789	0.44	TCJ	7.40	-	569	7.38
GRAND	0.97	-	18,649	0.98	PF	0.83	-	38,529	0.83	VARO	7.95	-	50	7.95
LRH	35.50	(0.25)	10	35.55	PLAT	8.05	-	11,652	8.02	Property Fund & REIT				
MANRIN	36.00	-	47	35.57	POLAR	-	-	-	-	AIMIRT	10.10	-	2,854	10.12
OHTL	796.00	-	1	796.00	PRECHA	1.71	(0.03)	127	1.71	AMATAR	10.60	-	270	10.64
ROH	40.75	0.50	56	40.59	PRIN	1.64	0.03	7,464	1.62	B-WORK	10.30	0.10	959	10.26
SHANG	70.00	-	74	70.34	PRINC	5.60	-	14,414	5.52	BKCCP	11.60	(0.20)	354	11.65
Home & Office Produ					PSH	21.70	(0.10)	33,616	21.75	BOFFICE	13.00	(0.10)	4,686	13.10
ACC	0.51	-	11,150	0.51	QH	3.22	0.02	792,362	3.20	CPNGC	14.80	(0.20)	3,990	14.77
AJA	0.51	(0.02)	154,370	0.52	RICHY	1.82	(0.05)	28,476	1.84	CPNREIT	23.50	0.40	14,185	23.33
DTCI	27.00	1.00	9	26.33	RML	1.17	-	60,831	1.16	CPTGF	12.90	-	247	12.80
FANCY	1.14	(0.05)	53,443	1.20	ROJINA	6.50	(0.25)	26,241	6.46	CRYSTAL	10.70	(0.20)	1,016	10.65
KYE	442.00	-	25	442.24	S	3.56	-	21,147	3.57	CTARAF	4.88	-	486	4.87
L&E	2.90	(0.02)	1,199	2.92	SAMCO	2.34	-	548	2.34	DREIT	5.35	-	1,504	5.34
MODERN	4.84	0.02	6,224	4.83	SC	3.78	-	67,482	3.82	ERWPF	5.90	(0.20)	1,082	5.92
OGC	39.50	(0.25)	40	39.50	SENA	3.82	(0.04)	7,561	3.83	FUTUREPF	21.50	0.10	1,149	21.50
ROCK	-	-	-	-	SF	8.75	(0.20)	13,728	8.84	GAHREIT	9.85	-	724	9.87
SIAM	1.96	0.01	1,491	1.95	SIRI	1.68	(0.01)	907,298	1.69	GLANDRT	12.20	-	1,000	12.15
TSR	2.54	-	970	2.53	SPALI	24.20	(0.30)	53,651	24.23	GOLDFP	7.45	-	1,001	7.45
Insurance					TICON	17.50	-	1,342	17.43	GVREIT	14.80	0.10	21	14.80
AYUD	42.75	0.25	148	42.74	U	0.03	-	13,268,393	0.03	HPF	5.45	0.05	205	5.45
BKI	363.00	3.00	13	362.38	UV	8.55	0.05	61,905	8.54	HREIT	7.50	(0.05)	306	7.55
BLA	35.00	-	24,956	34.98	WHA	4.22	-	1,165,582	4.20	IMPACT	17.90	-	4,816	17.82
BUI	-	-	-	-	WIN	0.61	-	5,602	0.60	KPNPF	9.65	(0.10)	1	9.65
CHARAN	-	-	-	-	Paper & Printing Mat					LHHOTEL	15.50	-	3,129	15.50
INSURE	-	-	-	-	UTP	12.20	0.20	39,841	12.18	LHPF	8.65	-	4,104	8.60
MTI	126.00	-	2	126.00	Fashion					LHSC	15.50	(0.10)	713	15.51
NKI	-	-	-	-	AFC	-	-	-	-	LUXF	8.05	0.05	1,051	8.05
NSI	80.50	1.50	56	80.80	BTNC	-	-	-	-	M-II	-	-	-	-
SMK	42.50	-	45	42.29	CPH	5.90	-	11	5.90	M-PAT	10.10	(0.10)	38	10.11
THRE	1.28	-	42,087	1.28	CPL	-	-	-	-	M-STOR	-	-	-	-
THREL	8.50	(0.15)	9,315	8.57	DIGI	0.59	(0.02)	22,404	0.59	MIPF	-	-	-	-
TIC	34.25	(0.25)	409	34.69	ICC	39.50	(0.25)	1	39.50	MIT	-	-	-	-
TIP	26.00	0.25	5,100	25.96	LTX	75.00	0.75	12	75.17	MJLF	12.60	-	1,377	12.60
TSI	0.59	-	6,122	0.58	NC	-	-	-	-	MNIT	1.80	(0.07)	20	1.80
TVI	4.04	(0.16)	35,504	4.02	PAF	1.11	(0.04)	4,511	1.11	MNIT2	-	-	-	-
Mining					PDJ	2.94	(0.04)	919	2.92	MNRF	-	-	-	-
PDI	19.60	0.20	7,247	19.57	PG	7.40	0.10	219	7.20	MONTRI	-	-	-	-
THL	-	-	-	-	SABINA	27.50	0.75	4,476	27.32	POPF	14.00	(0.30)	1,116	13.99
Packaging					SAWANG	-	-	-	-	PPF	11.40	(0.10)	3	11.40
AJ	11.50	(1.10)	25,522	11.10	SUC	42.50	(0.25)	312	42.52	QHHR	8.80	-	383	8.80
ALUCON	223.00	(2.00)	7	224.57	TNL	-	-	-	-	QHOP	-	-	-	-
CSC	45.75	0.25	37	45.55	TPCORP	17.00	(0.10)	3	17.07	QHPF	11.80	(0.10)	11,417	11.89
NEP	0.44	-	1,726	0.43	TR	50.50	0.50	159	50.31	SBPF	3.12	0.02	11	3.10
NPP	1.33	(0.07)	67,433	1.36	TTI	29.00	1.00	1	29.00	SHREIT	9.65	-	520	9.65
PTL	16.50	(0.40)	39,397	16.40	TTL	-	-	-	-	SIRIP	11.30	(0.20)	11	11.30
SITHAI	1.33	-	10,074	1.32	TTTT	126.00	-	70	127.88	SPF	23.50	-	2,021	23.52
SLP	0.98	-	4,655	0.99	UPF	73.25	0.75	5	73.25	SRIPANWA	11.20	-	558	11.20
SMPC	13.20	(0.10)	1,408	13.19	UT	-	-	-	-	SSPF	-	-	-	-
SPACK	2.06	-	536	2.06	WACOAL	45.50	(1.75)	86	45.09	SSTPF	6.70	(0.10)	2	6.75
TCOAT	27.75	1.00	2	27.50	Transportation & Log					SSTRT	6.50	0.05	551	6.48
TFI	0.43	-	816	0.39	AAV	5.80	(0.05)	167,609	5.77	TIF1	8.60	-	410	8.63
THIP	37.25	(0.50)	322	37.60	AOT	71.00	(0.50)	91,892	70.98	TLGF	19.10	-	5,095	19.06
TMD	21.00	-	7	21.03	ASIMAR	2.98	0.04	11,215	2.95	TLHPF	-	-	-	-
TOPP	215.00	(11.00)	10	218.50	B	0.74	-	15,174	0.74	TNPF	4.46	0.12	1,214	4.47
TPBI	10.60	(0.20)	1,226	10.55	BA	14.80	0.20	43,525	14.87	TPRIME	-	-	-	-
TPP	-	-	-	-	BEM	8.10	0.10	1,019,678	8.00	TREIT	11.20	(0.10)	13,784	11.19
Personal Products &					BTS	9.50	0.05	353,189	9.43	TTLPF	24.70	(0.10)	8	24.75
APCO	5.95	-	1,634	5.93	BTSGIF	12.30	-	16,336	12.30	TU-PF	1.99	(0.01)	3	1.99
DDD	91.00	(3.00)	10,230	91.36	III	5.50	(0.10)	13,500	5.48	URBNPF	5.10	(0.25)	11	5.12
JCT	-	-	-	-	JUTHA	1.99	(0.01)	407	1.98	WHABT	10.10	-	3,970	10.10
OCC	17.20	-	170	17.33	JWD	7.95	0.05	33,392	7.87	WHART	10.50	-	15,389	10.41
S & J	24.00	-	4	23.85	KWC	-	-	-	-	Steel	-	-	-	-
STHAI	-	-	-	-	NOK	3.02	-	7,054	3.00	AMC	2.68	(0.02)	3,399	2.70
TNR	15.80	(0.30)	897	15.86	NYT	5.75	(0.05)	6,815	5.76	BSBM	1.20	-	328	1.20
TOG	5.25	0.05	2,335	5.16	PRM	9.10	0.15	76,227	9.13	CEN	1.37	0.01	922	1.37
Professional Service					PSL	13.10	-	17,353	13.04	CITY	2.74	-	289	2.72
BWG	1.25	(0.06)	785,543	1.26	RCL	6.50	(0.30)	33,951	6.59	CSP	1.51	(0.07)	2,944	1.53
GENCO	0.88	-	11,530	0.88	THAI	17.00	-	61,225	16.91	GJS	0.38	(0.02)	518,813	0.38
PRO	-	-	-	-	TSST	7.55	(0.05)	15	7.58	GSTEL	0.13	(0.01)	185,533	0.13
Property Developer					TTA	8.20	(0.05)	31,041	8.15	INOX	1.17	0.01	2,818	1.18
A	6.70	-	972	6.70	WICE	4.64	0.02	24,907	4.65	LHK	5.00	-	4,689	5.04
AMATA	21.00	0.20	193,422	21.10	Automotive					MAX	0.02	-	278,303	0.02
AMATAV	7.30	0.05	20,305	7.36	AH	38.50	-	26,147	38.99	MCS	8.15	(0.10)	15,740	8.12
ANAN	3.96	-	107,686	3.98	APCS	5.95	0.15	3,502	5.95	MILL	1.51	(0.03)	13,424	1.53
AP	8.90	0.05	160,252	8.88	BAT-3K	-	-	-	-	PAP	4.42	0.06	1,631	4.40
APEX	0.22	(0.01)	58,980	0.22	CWT	3.84	(0.10)	33,124	3.88	PERM	2.60	0.16	57,943	2.65
AQ	0.04	-	289,581	0.04	EASON	3.48	0.04	536	3.43	RICH	-	-	-	-
BLAND	1.99	(0.03)	1,764,796	1.99	GYT	398.00	3.00	17	397.00	SAM	0.76	(0.02)	7,156	0.76
BROCK	2.54	(0.04)	1,502	2.56	HFT	3.26	0.04	8,241	3.24	SMIT	6.05	(0.10)	3,329	6.08
CGD	1.48	(0.02)	46,153	1.48	IHL	8.70	0.20	14,575	8.35	SSI	-	-	-	-
CI	1.64	-	643	1.64	INGRS	1.01	0.01	1,770	1.01	SSSC	3.26	(0.02)	2,048	3.24
CPN	78.00	(0.50)	49,715	77.39	IRC	20.50	0.40	225	20.48	TGPRO	0.23	(0.01)	73,893	0.24
ESTAR	0.71	(0.03)	124,479	0.71	PCSGH	7.95	(0.25)	19,378	8.02	THE	3.24	-	99,635	3.24
EVER	0.39	(0.01)	19,536	0.39	SAT	22.40	(0.30)	19,505	22.41	TIW	460.00	-	11	458.55
GLAND	2.34	(0.04)	30,291	2.37	SPG	17.40	(0.10)	50	17.40	TMT	15.00	-	877	14.96
GOLD	10.70	0.20	76,685	10.56	STANLY	236.00	(4.00)	744	235.67	TSTH	0.81	0.01	3,649	0.80
GREEN	1.06	-	2,013	1.05	TKT	1.69	(0.01)	1,813	1.67	TUCC	-	-	-	-
J	1.67	(0.01)	415	1.67	TNPC	1.53	(0.01)	1,352	1.53	TWP	4.36	0.02	865	4.29
JCK	1.69	-	3,969	1.68										

Main Board Quotation

Issue Date :

Tuesday May 15, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UMS	1.10	(0.09)	399	1.00	ADVA11P1807A	0.33	0.03	12,100	-
ABICO	7.10	-	259	7.00	UWC	0.09	-	39,333	-	ADVA13C1809A	0.19	(0.02)	20,248	-
AU	11.80	0.10	38,607	11.00	Services (MAI)	-	-	-	-	ADVA13C1811A	0.78	(0.22)	16,085	-
FC	0.44	-	55,986	-	ADAM	-	-	-	-	ADVA13P1809A	0.44	0.03	19,156	-
HOTPOT	1.52	(0.10)	119,861	1.00	AKP	1.88	(0.01)	229	1.00	ADVA16C1812A	0.53	(0.04)	230	-
KASET	2.38	(0.06)	4,061	2.00	AMA	7.75	(0.35)	20,233	7.00	ADVA18C1808A	0.69	(0.06)	11,876	-
MM	4.26	(0.04)	4,129	4.00	ARIP	0.58	-	4,619	-	ADVA23C1806A	0.41	(0.10)	20,620	-
SUN	4.12	(0.06)	11,199	4.00	ATP30	1.82	0.02	45,000	1.00	ADVA24C1810A	0.64	-	100	-
TACC	4.84	-	4,138	4.00	AUCT	5.65	-	13,825	5.00	ADVA24P1810A	-	-	-	-
TMILL	3.34	0.04	2,516	3.00	BOL	2.06	-	669	2.00	ADVA27P1805A	-	-	-	-
XO	9.30	0.85	86,089	9.00	CHUO	-	-	-	-	ADVA28C1808A	0.14	(0.02)	28,041	-
Consumer Products														
BGT	1.19	(0.13)	17,012	1.00	D	10.30	(0.20)	3,570	10.00	AMAT01C1810A	0.07	0.01	32,705	-
BIZ	3.18	-	1,842	3.00	DCORP	2.38	(0.08)	5,267	2.00	AMAT01C1810B	0.85	0.04	100,257	-
ECF	6.75	-	23,837	6.00	DNA	0.49	(0.01)	40,861	-	AMAT01P1806A	0.64	(0.02)	10,356	-
HPT	1.26	(0.45)	349,178	1.00	EFORL	0.08	-	343,723	-	AMAT06C1809A	0.20	0.01	2,000	-
JUBILE	25.50	-	1,530	25.00	ETE	2.40	(0.12)	16,719	2.00	AMAT08C1807A	0.01	(0.01)	10,085	-
MOONG	6.25	(0.10)	29,183	6.00	FSMART	9.75	(0.05)	23,639	9.00	AMAT08C1809A	0.30	0.02	72,860	-
NPK	26.75	(0.50)	20	26.00	FVC	1.74	(0.01)	3,455	1.00	AMAT11C1805A	0.61	0.04	20,872	-
OCEAN	0.83	(0.03)	11,396	-	HARN	2.74	0.04	554	2.00	AMAT11C1903A	0.51	0.03	26,160	-
TM	2.34	(0.02)	2,163	2.00	JKN	12.40	0.50	30,060	12.00	AMAT13C1805A	0.01	-	100	-
Financials (MAI)														
ACAP	8.80	-	7,005	8.00	KIAT	0.45	(0.01)	53,824	-	AMAT13C1806A	0.01	-	33,250	-
AF	0.97	0.07	44,663	-	KOOL	2.00	(0.10)	68,163	1.00	AMAT13C1809A	0.28	0.01	146,029	-
AIRA	2.10	0.02	150	2.00	LDC	1.23	(0.01)	4,921	1.00	AMAT23C1810A	0.42	0.05	48,995	-
ASN	3.90	0.08	223	3.00	MPG	0.27	0.02	26,122	-	AMAT24C1805A	-	-	-	-
BROOK	0.61	-	24,941	-	NBC	0.74	0.01	682	-	AMAT24C1807A	-	-	-	-
CHAYO	3.16	-	41,617	3.00	NCL	1.49	(0.02)	7,495	1.00	AMAT24C1811A	0.54	0.01	10,000	-
GCAP	5.70	0.35	45,207	5.00	NEWS	0.01	-	180,165	-	AMAT28C1806A	0.01	-	2,000	-
LIT	9.25	(0.10)	5,482	9.00	NINE	1.40	(0.04)	30	1.00	AMAT28C1808A	0.23	0.01	135,756	-
SGF	0.14	(0.01)	722,907	-	OTO	3.28	(0.10)	960	3.00	AMAT42C1806A	0.56	0.05	7,083	-
Industrials (MAI)														
2S	3.64	-	1,461	3.00	PIC0	6.70	-	129	6.00	ANAN08C1808A	-	-	-	-
ADB	1.37	(0.03)	32,138	1.00	PORT	7.55	-	55,858	7.00	ANAN08C1810A	0.44	0.02	27,144	-
BM	3.60	(0.04)	7,933	3.00	QLT	5.20	-	296	5.00	ANAN23C1806A	-	-	-	-
CHO	1.43	-	5,293	1.00	RP	4.16	(0.08)	782	4.00	ANAN24C1807A	0.01	-	1	-
CHOW	5.35	(0.40)	10,663	5.00	SE	2.34	(0.06)	1,079	2.00	ANAN24C1811A	0.37	-	8,500	-
CIG	0.39	-	7,021	-	SPA	18.10	(0.10)	8,619	18.00	ANAN28C1806A	-	-	-	-
COLOR	1.16	(0.04)	7,336	1.00	THMUI	1.70	(0.01)	908	1.00	ANAN28C1809A	0.26	0.01	20,341	-
CPR	5.30	(0.20)	2,214	5.00	TNDT	6.00	(0.50)	2,879	5.00	AOT01C1808A	0.60	(0.02)	40,879	-
FPI	3.38	(0.02)	517	3.00	TNH	41.00	0.25	874	40.00	AOT01C1808B	0.20	(0.01)	9,322	-
GTB	0.88	(0.02)	6,156	-	TNP	2.10	(0.04)	5,161	2.00	AOT01C1810A	0.63	(0.03)	18,873	-
KCM	1.35	0.05	98,854	1.00	TSF	0.07	-	116,206	-	AOT01P1808A	0.68	0.02	111,006	-
LVT	-	-	-	-	TVD	1.65	(0.02)	4,470	1.00	AOT01P1808B	0.27	-	54,349	-
MBAX	4.22	(0.16)	873	4.00	TVT	1.13	(0.01)	24,549	1.00	AOT06C1806A	1.73	-	4,600	1.00
MGT	2.34	-	2,209	2.00	WINNER	3.26	(0.20)	73,514	3.00	AOT06C1809A	0.36	(0.03)	18,833	-
NDR	2.42	-	5,019	2.00	Technology (MAI)					-	-	-	-	-
PDG	3.70	(0.06)	6,639	3.00	COMAN	4.72	(0.22)	3,407	4.00	AOT08C1807A	0.16	-	7,726	-
PIMO	2.58	0.02	3,528	2.00	ICN	2.72	(0.04)	35,778	2.00	AOT11C1808A	0.86	(0.03)	13,540	-
PJW	1.83	(0.10)	13,710	1.00	IRCP	1.62	(0.01)	1,323	1.00	AOT11P1808A	0.07	-	4,269	-
PPM	2.62	0.12	1,328	2.00	ITEL	3.94	0.06	17,428	3.00	AOT13C1805A	-	-	-	-
RWI	1.77	(0.02)	16,653	1.00	NETBAY	44.75	(0.50)	1,500	44.00	AOT13C1806A	0.11	(0.02)	19,021	-
SALÉE	1.14	(0.01)	2,260	1.00	PLANET	2.04	0.02	1,436	2.00	AOT13C1807A	0.09	(0.01)	5,004	-
SANKO	1.40	(0.03)	41,929	1.00	SIMAT	3.18	-	6,120	3.00	AOT13C1809A	0.35	(0.03)	23,229	-
SELIC	1.81	(0.06)	5,799	1.00	SKY	16.80	(0.20)	7,962	17.00	AOT13P1806A	-	-	-	-
SWC	23.00	0.40	526	22.00	SPVI	1.52	(0.03)	13,366	1.00	AOT13P1810A	0.46	0.02	10,350	-
TAPAC	10.90	0.10	1,910	10.00	UPA	0.47	(0.01)	33,551	-	AOT19C1809A	0.51	(0.01)	29,057	-
TMC	1.00	0.01	4,878	1.00	VCOM	3.26	-	6,943	3.00	AOT23C1807A	0.69	(0.04)	3,000	-
TMI	0.85	(0.01)	8,891	-	Unit Trust	-	-	-	-	AOT23P1807A	0.01	-	499	-
TMW	68.50	(0.50)	359	68.00	MGE	-	-	-	-	AOT24C1806A	0.34	(0.03)	200	-
TPAC	13.20	(0.20)	981	13.00	SCBSET	-	-	-	-	AOT24C1807A	-	-	-	-
UAC	5.10	(0.10)	7,767	5.00	ETF	-	-	-	-	AOT24P1809A	0.18	(0.04)	200	-
UBIS	4.86	(0.14)	746	4.00	1DIV	12.53	(0.02)	6	12.00	AOT28C1807A	0.12	(0.01)	1,530	-
UEC	1.77	0.01	1,262	1.00	ABFTH	-	-	-	-	AOT28C1809A	0.37	(0.02)	10,431	-
UKEM	0.96	-	9,968	-	BMSCG	9.49	(0.06)	5,336	9.00	AOT28P1806A	0.10	-	56,943	-
UREKA	0.54	(0.01)	16,727	-	BMSCITH	13.80	(0.04)	2,588	13.00	AP01C1809A	0.54	0.01	15,164	-
YUASA	17.50	(0.20)	375	17.00	BSET100	11.32	(0.03)	2,112	11.00	AP08C1810A	0.51	0.02	20,329	-
ZIGA	2.80	(0.12)	26,344	2.00	CHINA	6.24	(0.03)	295	6.00	AP23C1805A	-	-	-	-
Property & Construc														
ARROW	11.50	(0.10)	1,058	11.00	EBANK	5.54	0.02	130	5.00	AP24C1805A	-	-	-	-
BKD	3.28	-	4,564	3.00	ECOMM	9.22	(0.08)	18	9.00	BA01C1805A	0.01	(0.01)	14,879	-
BSM	0.76	-	15,013	-	EFOOD	5.97	0.04	210	5.00	BA01P1805A	0.76	(0.06)	39,884	-
BTW	1.96	(0.04)	2,468	1.00	EICT	4.96	0.04	1	4.00	BA11C1902A	0.25	0.03	39,059	-
CHEWA	1.15	-	20,275	1.00	ENGY	6.74	(0.06)	606	6.00	BA23C1806A	0.01	-	1	-
CRD	1.22	(0.01)	3,081	1.00	ENY	7.97	-	1	7.00	BA24C1810A	0.60	0.06	5,750	-
DIMET	1.28	(0.03)	16,865	1.00	ESET50	6.07	-	1	6.00	BA24C1901A	0.25	0.03	6,837	-
FLOYD	2.48	0.04	28,625	2.00	GLD	1.80	-	1,788	1.00	BA28C1809A	0.09	0.01	80,886	-
FOCUS	0.99	0.01	94	-	TDEX	11.47	(0.03)	556	11.00	BA42C1806A	-	-	-	-
HYDRO	1.36	-	18,787	1.00	TGOLDEF	3.91	(0.01)	27	3.00	BANP01C1806A	0.76	0.05	353,519	-
JSP	0.70	-	12,706	-	TH100	-	-	-	-	BANP01C1808A	0.40	0.03	219,229	-
K	3.16	(0.60)	30,041	3.00	Warrant Foreign					BANP01C1808B	0.17	0.02	147,426	-
NVD	4.52	-	721	4.00	AAV01C1808A	0.27	(0.02)	175,058	-	BANP01P1806A	0.11	(0.02)	136,395	-
PPS	1.28	(0.06)	56,645	1.00	AAV01C1808B	0.12	(0.01)	52,618	-	BANP01P1808A	0.64	(0.05)	120,641	-
SMART	0.77	(0.01)	1,302	-	AAV01P1808A	0.32	0.01	27,478	-	BANP06C1810A	0.42	0.03	22,597	-
STAR	5.													

Main Board Quotation

Issue Date :

Tuesday May 15, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BBL08C1805A	0.03	(0.01)	3,334	-	BEM01C1808B	0.21	0.02	31,335	-	CBG24C1807A	-	-	-	-
BBL08C1808A	0.13	-	2,000	-	BEM01P1808A	0.28	(0.02)	4,984	-	CBG24C1809A	-	-	-	-
BBL08C1809A	0.16	-	7,935	-	BEM08C1809A	0.35	0.04	50,977	-	CBG28C1808A	-	-	-	-
BBL08P1810A	0.52	0.01	14,423	-	BEM11C1805A	0.22	0.03	21,854	-	CBG28C1808B	0.09	(0.01)	18,154	-
BBL11C1805A	1.02	(0.02)	2,800	1.00	BEM11C1903A	0.31	0.03	32,317	-	CBG42C1806A	-	-	-	-
BBL11C1903A	0.55	(0.01)	5,200	-	BEM13C1806A	-	-	-	-	CENT01C1805A	0.32	0.03	40,596	-
BBL11P1805A	-	-	-	-	BEM13C1809A	0.35	0.01	99,259	-	CENT01P1805A	0.31	(0.06)	19,088	-
BBL11P1903A	0.81	0.01	13,218	-	BEM23C1805A	0.01	-	10,000	-	CENT08C1809A	0.24	0.01	35,509	-
BBL13C1807A	0.11	(0.01)	2,409	-	BEM24C1809A	-	-	-	-	CENT11C1806A	0.61	0.04	18,028	-
BBL13C1810A	0.61	(0.01)	20,104	-	BEM28C1807A	0.11	0.01	43,496	-	CENT13C1811A	0.33	0.02	52,787	-
BBL23C1811A	0.28	-	1,000	-	BEM28C1808A	0.31	0.02	105,585	-	CENT23C1806A	0.25	0.04	20,286	-
BBL24C1809A	-	-	-	-	BEM42C1806A	0.23	0.01	9,096	-	CENT24C1807A	0.08	-	2,001	-
BBL24P1810A	0.42	-	2	-	BEM42P1806A	0.37	(0.06)	1,144	-	CENT24C1810A	0.30	0.02	4,800	-
BBL27C1809A	0.20	-	2,000	-	BH01C1806A	0.66	(0.01)	115,073	-	CENT28C1808A	0.17	0.01	62,678	-
BBL28C1808A	0.08	-	10	-	BH01C1806B	0.15	-	54,660	-	CHG01C1809A	0.42	(0.03)	66,754	-
BBL28C1811A	0.53	(0.01)	15,196	-	BH01P1806A	0.83	-	56,665	-	CHG01P1809A	0.29	-	152,570	-
BCH01C1808A	0.47	(0.13)	229,952	-	BH07C1810A	-	-	-	-	CHG08C1807A	0.12	(0.03)	48,481	-
BCH01C1808B	0.25	(0.11)	110,859	-	BH08C1811A	0.14	(0.01)	66,992	-	CHG11C1807A	-	-	-	-
BCH01P1808A	0.37	0.09	75,878	-	BH11C1902A	0.15	-	22,642	-	CHG13C1805A	-	-	-	-
BCH06C1806A	0.73	(0.14)	59,711	-	BH23C1805A	0.01	-	1	-	CHG13C1807A	0.14	(0.02)	98,532	-
BCH08C1806A	0.10	(0.07)	46,580	-	BH24C1806A	-	-	-	-	CHG13C1809A	0.72	(0.05)	34,379	-
BCH11C1807A	0.25	(0.11)	33,756	-	BH24C1809A	0.32	-	16,489	-	CHG23C1811A	0.91	(0.10)	10,000	-
BCH13C1805A	-	-	-	-	BH24C1811A	0.14	0.01	1	-	CHG24C1808A	0.07	(0.01)	13,100	-
BCH13C1810A	0.20	(0.09)	106,057	-	BIG08C1807A	0.03	(0.01)	8,250	-	CHG28C1806A	-	-	-	-
BCH19C1809A	0.20	(0.10)	23,000	-	BIG13C1808A	0.06	(0.01)	4,671	-	CHG28C1807A	0.17	(0.01)	22,895	-
BCH23C1811A	0.37	(0.12)	60,770	-	BIG23C1805A	-	-	-	-	CHG28C1808A	0.62	(0.03)	25,749	-
BCH24C1805A	0.04	(0.04)	15,000	-	BIG24C1808A	-	-	-	-	CK01C1809A	0.21	0.01	38,656	-
BCH28C1807A	0.11	(0.07)	189,087	-	BIG28C1807A	0.02	(0.01)	11	-	CK01P1809A	0.41	(0.02)	8,478	-
BCH42C1806A	0.44	(0.13)	15,846	-	BJC01C1807A	0.49	(0.04)	22,761	-	CK08C1805A	-	-	-	-
BCP01C1805A	0.12	(0.01)	4,101	-	BJC01C1807B	0.21	(0.03)	6,976	-	CK08C1809A	0.32	0.03	49,333	-
BCP01P1805A	0.36	-	42,901	-	BJC01P1807A	0.66	0.03	24,503	-	CK11C1806A	-	-	-	-
BCP07C1806A	-	-	-	-	BJC06C1807A	0.25	(0.03)	18,681	-	CK13C1806A	-	-	-	-
BCP08C1806A	-	-	-	-	BJC07C1809A	0.21	(0.01)	130	-	CK13C1809A	0.13	0.01	59,910	-
BCP11C1811A	0.19	(0.01)	2,501	-	BJC08C1807A	0.10	(0.02)	21,128	-	CK16C1812A	-	-	-	-
BCP13C1805A	-	-	-	-	BJC08C1809A	0.30	(0.03)	24,896	-	CK23C1808A	-	-	-	-
BCP13C1810A	0.13	-	9,250	-	BJC11C1807A	0.63	(0.04)	6,200	-	CK24C1806A	-	-	-	-
BCP23C1805A	-	-	-	-	BJC13C1805A	0.02	-	12,000	-	CK24C1808A	0.29	0.02	80	-
BCP24C1808A	-	-	-	-	BJC13C1807A	-	-	-	-	CK28C1806A	-	-	-	-
BCP28C1807A	-	-	-	-	BJC13C1808A	0.29	(0.04)	38,465	-	CK28C1809A	0.42	0.03	104,515	-
BCP28C1809A	0.10	(0.01)	2,428	-	BJC13C1810A	0.46	(0.05)	25,408	-	CKP11C1807A	0.53	(0.01)	12,188	-
BCP28C1809B	0.10	-	10,716	-	BJC19C1809A	0.45	(0.04)	12,100	-	CKP13C1810A	0.47	(0.02)	30,456	-
BCPG01C1806A	0.10	(0.01)	10,909	-	BJC23C1806A	0.27	(0.03)	12,020	-	CKP23C1810A	0.52	(0.02)	11,000	-
BCPG01C1806B	0.02	-	1,054	-	BJC24C1808A	0.31	(0.01)	1,200	-	CKP24C1811A	-	-	-	-
BCPG06C1807A	-	-	-	-	BJC27C1807A	0.29	(0.01)	3,980	-	CKP27C1806A	-	-	-	-
BCPG07C1806A	-	-	-	-	BJC28C1808A	0.31	(0.02)	21,224	-	CKP28C1809A	0.25	(0.02)	35,454	-
BCPG08C1805A	-	-	-	-	BLA01C1812A	0.37	0.01	24,364	-	CKP28C1809B	0.53	(0.01)	5,640	-
BCPG08C1806A	-	-	-	-	BLA07C1806A	-	-	-	-	CKP42C1806A	0.28	(0.01)	1,860	-
BCPG08C1810A	0.40	-	35,682	-	BLA08C1811A	0.16	0.01	13,806	-	COM701C1806A	0.88	-	49,570	-
BCPG11C1807A	0.69	-	4,927	-	BLA13C1809A	0.09	-	5,000	-	COM701C1806B	0.61	(0.01)	38,850	-
BCPG11C1902A	0.27	-	13,792	-	BLA23C1806A	-	-	-	-	COM706C1809A	0.55	(0.01)	15,430	-
BCPG13C1805A	-	-	-	-	BLA27C1806A	0.05	(0.03)	1,000	-	COM708C1805A	0.62	(0.03)	301	-
BCPG13C1806A	-	-	-	-	BLA28C1810A	0.12	-	17,146	-	COM708C1811A	0.39	(0.01)	11,312	-
BCPG13C1807A	0.01	-	25,000	-	BLAN01C1809A	0.72	(0.01)	48,251	-	COM711C1811A	0.67	(0.01)	40,709	-
BCPG13C1810A	0.38	-	40,212	-	BLAN01P1809A	0.14	-	11,979	-	COM713C1805A	0.41	(0.02)	4,000	-
BCPG23C1806A	0.31	0.02	3,700	-	BLAN08C1810A	0.38	(0.04)	39,291	-	COM713C1809A	0.34	(0.01)	87,791	-
BCPG24C1806A	-	-	-	-	BLAN11C1902A	0.37	(0.02)	29,603	-	COM723C1806A	0.95	-	13,250	-
BCPG24C1807A	-	-	-	-	BLAN23C1807A	0.09	(0.02)	13,818	-	COM724C1806A	0.27	(0.04)	2,040	-
BCPG24C1810A	-	-	-	-	BPP01C1806A	0.17	0.01	20,094	-	COM728C1806A	0.17	(0.02)	62,414	-
BCPG28C1806A	0.01	-	5,608	-	BPP01C1806B	0.05	-	20,000	-	COM728C1808A	0.13	(0.01)	12,488	-
BCPG28C1808A	0.10	-	9,620	-	BPP06C1809A	0.54	0.02	24,000	-	CPAL01C1806A	0.87	(0.06)	123,498	-
BCPG28C1809A	0.36	(0.01)	44,912	-	BPP07C1806A	-	-	-	-	CPAL01C1808A	0.98	(0.05)	103,263	1.00
BDMS01C1806A	0.79	0.17	120,989	-	BPP08C1807A	-	-	-	-	CPAL01C1808B	0.55	(0.04)	111,649	-
BDMS01C1806B	0.45	0.19	147,704	-	BPP08C1810A	0.41	0.01	25,600	-	CPAL01P1806A	0.27	0.02	10,596	-
BDMS01P1806A	0.14	(0.10)	460,911	-	BPP11C1807A	-	-	-	-	CPAL01P1808A	0.58	0.02	53,297	-
BDMS08C1807A	0.51	0.17	75,569	-	BPP13C1805A	-	-	-	-	CPAL06C1811A	1.42	(0.05)	29,490	1.00
BDMS11C1811A	0.77	0.22	96,714	-	BPP13C1806A	-	-	-	-	CPAL08C1807A	0.57	(0.07)	32,096	-
BDMS13C1807A	0.56	0.17	7,697	-	BPP13C1808A	0.49	0.01	30,255	-	CPAL08P1810A	0.66	0.03	26,634	-
BDMS13C1810A	0.47	0.11	268,422	-	BPP23C1806A	-	-	-	-	CPAL11C1805A	1.71	(0.12)	8,000	1.00
BDMS16C1812A	0.83	0.12	593	-	BPP24C1809A	-	-	-	-	CPAL11C1903A	0.55	(0.04)	18,510	-
BDMS23C1810A	0.48	0.14	120,564	-	BPP28C1807A	-	-	-	-	CPAL11P1805A	-	-	-	-
BDMS24C1805A	-	-	-	-	BPP28C1808A	0.39	-	12,788	-	CPAL11P1903A	0.64	0.02	16,791	-
BDMS28C1806A	0.27	0.12	242,895	-	BTS01C1806A	0.55	0.01	32,848	-	CPAL13C1807A	0.60	(0.07)	38,938	-
BEAU01C1807A	0.61	(0.08)	154,402	-	BTS01P1806A	0.14	-	16,314	-	CPAL23C1810A	0.53	(0.05)	32,058	-
BEAU01C1807B	0.33	(0.05)	99,996	-	BTS06C1903A	-	-	-	-	CPAL24C1808A	0.48	(0.06)	2,835	-
BEAU01P1807A	0.66	0.06	415,372	-	BTS06C1903B	-	-	-	-	CPAL24C1811A	0.42	(0.03)	6,527	-
BEAU06C1809A	0.44	(0.06)	52,440	-	BTS06C1903C	-	-	-	-	CPAL24P1901A	-	-	-	-
BEAU07C1809A	0.20	(0.05)	12,320	-	BTS08C1810A	0.43	-	16,856	-	CPAL28C1809A	0.32	(0.03)	76,386	-
BEAU08C1805A	0.45	(0.14)	8,450	-	BTS11C1806A	0.35	(0.01)	4,930	-	CPAL42C1805A	1.34	(0.03)	6,058	1.00
BEAU08C1808A	0.23	(0.03)	34,612	-	BTS23C1905A	1.57	-	2,053	1.00	CPAL42P1805A	-	-	-	-
BEAU11C1902A	0.56	(0.05)	48,011	-	BTS24C1808A	0.24	-	3,760	-	CPF01C1809A	0.84	0.20	239,799	-
BEAU13C1806A	0.12	(0.03)	139,302	-	BTS28C1809A	0.38	0.01	27,446	-	CPF01C1809B	0.23	0.09	90,839	-
BEAU13C1811A	0.34	(0.04)	265,253	-	CBG01C1806A	0.02	(0.01)	58,750	-	CPF01C1810A	0.25	0.06	83,652	-
BEAU23C1805A	1.09	(0.02)	250	1.00	CBG01C1806B	0.01	(0.01)	7,051	-	CPF01P1809A	0.46	(0.14)	97,297	-
BEAU24C1807A	0.14	(0.04)	4,801	-	CBG01C1809A	0.14	(0.02)	27,897	-	CPF06C1809A	0.60	0.19	65,244	-
BEAU28C1806A	0.08	(0.04)	110,566	-	CBG01P1806A	2.74	0.08	21,599	2.00	CPF07C1810A	0.10	0.03	1,003	-
BEC01C1808A	0.11	0.05	320,591	-	CBG06C1807A	0.50	(0.03)	7,784	-	CPF08C1805A	-	-	-	-
BEC01C1808B	0.05	0.04	224,678	-	CBG06C1809A	0.28	(0							

Main Board Quotation

Issue Date :

Tuesday May 15, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPN11C1903A	0.45	(0.02)	28,156	-	GLOB24C1810A	0.28	0.06	4,000	-	IVL01C1808A	0.62	(0.03)	158,004	-
CPN11P1805A	-	-	-	-	GLOB27C1809A	0.17	(0.02)	6,000	-	IVL01C1808B	0.38	(0.02)	106,980	-
CPN11P1903A	0.67	0.03	13,200	-	GLOB28C1807A	-	-	-	-	IVL01P1806A	0.16	0.01	77,833	-
CPN13C1807A	0.16	(0.02)	5,484	-	GLOB28C1808A	0.18	(0.01)	24,514	-	IVL01P1808A	0.74	0.02	135,667	-
CPN23C1810A	0.43	(0.03)	37,220	-	GLOB42C1805A	0.23	(0.03)	2,570	-	IVL01P1808B	0.36	0.01	95,694	-
CPN24C1806A	0.11	(0.03)	100	-	GLOW08C1806A	0.04	(0.02)	4,010	-	IVL06C1807A	0.45	(0.04)	38,473	-
CPN28C1807A	0.06	(0.01)	1,760	-	GLOW08C1811A	0.47	(0.04)	17,368	-	IVL07C1811A	0.68	0.01	400	-
CPN42C1805A	0.32	(0.03)	6,426	-	GLOW11C1807A	0.38	(0.05)	11,367	-	IVL08C1806A	0.51	(0.06)	105,915	-
DELT01C1805A	-	-	-	-	GLOW23C1806A	0.12	(0.03)	5,750	-	IVL08P1809A	0.11	0.01	77,411	-
DELT08C1811A	0.21	(0.01)	21,920	-	GLOW27C1812A	0.30	(0.02)	8,968	-	IVL11C1808A	1.06	(0.04)	28,106	1.00
DELT13C1809A	0.20	-	11,088	-	GLOW42C1805A	-	-	-	-	IVL11P1808A	0.07	-	3,040	-
DELT24C1805A	-	-	-	-	GPSC01C1808A	0.70	(0.06)	31,673	-	IVL13C1805A	-	-	-	-
DELT27C1812A	0.19	(0.01)	4,548	-	GPSC01C1808B	0.33	(0.04)	29,159	-	IVL13C1806A	0.10	(0.03)	43,558	-
DTAC01C1808A	0.41	(0.03)	45,427	-	GPSC01P1808A	1.04	0.05	41,368	1.00	IVL13C1809A	0.62	(0.05)	6,253	-
DTAC01C1808B	0.21	(0.04)	30,829	-	GPSC08C1805A	-	-	-	-	IVL13C1810A	0.49	(0.03)	260,852	-
DTAC01C1810A	0.61	(0.03)	51,431	-	GPSC08C1808A	0.23	(0.03)	29,854	-	IVL13P1805A	-	-	-	-
DTAC01P1808A	0.82	0.06	49,962	-	GPSC11C1808A	1.26	(0.08)	10,090	1.00	IVL13P1809A	0.16	-	9,797	-
DTAC06C1806A	0.17	(0.06)	49,958	-	GPSC11C1902A	0.58	(0.04)	10,304	-	IVL19C1809A	0.80	(0.04)	15,313	-
DTAC06P1809A	-	-	-	-	GPSC13C1805A	-	-	-	-	IVL23C1810A	0.81	(0.04)	24,000	-
DTAC07C1809A	0.18	(0.06)	1,000	-	GPSC13C1806A	0.90	(0.10)	2,000	-	IVL24C1808A	0.43	(0.05)	20,400	-
DTAC08C1809A	0.28	(0.03)	43,584	-	GPSC13C1807A	0.36	(0.05)	79,502	-	IVL28C1806A	0.05	(0.02)	710	-
DTAC08P1807A	0.33	0.03	14,978	-	GPSC13C1808A	0.25	(0.03)	76,495	-	IVL28C1807A	0.65	(0.05)	64,488	-
DTAC11C1806A	0.09	(0.03)	6,340	-	GPSC23C1805A	2.32	(0.10)	1,800	2.00	IVL28C1808A	0.31	(0.04)	311,922	-
DTAC13C1805A	-	-	-	-	GPSC24C1807A	0.65	(0.08)	400	-	IVL28P1806A	-	-	-	-
DTAC13C1806A	0.15	(0.03)	16,830	-	GPSC24C1808A	-	-	-	-	IVL28P1806B	-	-	-	-
DTAC13C1811A	0.32	(0.04)	57,434	-	GPSC28C1806A	0.76	(0.10)	9,276	-	IVL42C1805A	-	-	-	-
DTAC13P1806A	0.11	0.01	28,674	-	GPSC28C1807A	0.49	(0.05)	70,345	-	KBAN01C1808A	0.21	(0.01)	15,886	-
DTAC13P1811A	0.74	0.04	50,795	-	GPSC28C1807B	0.08	(0.01)	100	-	KBAN01C1808B	0.04	(0.01)	78,733	-
DTAC23C1807A	0.03	(0.02)	14,478	-	GPSC42C1806A	1.40	(0.08)	1,258	1.00	KBAN01C1810A	1.01	-	70,835	1.00
DTAC23P1807A	0.05	-	6,081	-	GUNK01C1808A	0.10	0.02	77,949	-	KBAN01P1808A	1.08	(0.01)	35,628	1.00
DTAC24C1809A	0.32	(0.04)	480	-	GUNK01C1808B	0.02	-	1,500	-	KBAN01P1808B	0.67	0.01	23,137	-
DTAC27C1809A	0.20	(0.04)	12,102	-	GUNK08C1807A	-	-	-	-	KBAN01P1810A	0.73	-	41,019	-
DTAC27P1809A	0.25	0.01	4,669	-	GUNK11C1805A	-	-	-	-	KBAN07C1811A	-	-	-	-
DTAC28C1806A	0.12	(0.05)	63,026	-	GUNK11C1903A	0.23	0.01	39,710	-	KBAN08C1805A	-	-	-	-
DTAC42C1806A	0.08	(0.01)	790	-	GUNK23C1806A	-	-	-	-	KBAN08P1805A	-	-	-	-
DTAC42P1806A	0.92	0.08	3,434	-	GUNK24C1807A	-	-	-	-	KBAN13C1807A	0.02	-	14,007	-
EA01C1806A	0.04	-	17,926	-	GUNK24C1812A	-	-	-	-	KBAN13C1810A	0.21	(0.01)	9,254	-
EA01C1806B	0.01	(0.01)	3,445	-	GUNK28C1806A	-	-	-	-	KBAN13C1811A	0.84	(0.02)	79,592	-
EA01C1809A	0.82	(0.01)	86,782	-	GUNK28C1808A	0.04	0.01	201	-	KBAN23C1806A	-	-	-	-
EA01C1809B	0.66	(0.03)	210,195	-	GUNK28C1810A	0.42	0.04	117,305	-	KBAN24C1806A	-	-	-	-
EA01P1806A	3.02	0.02	27,186	3.00	HANA01C1806A	0.01	(0.02)	14,940	-	KBAN24C1902A	-	-	-	-
EA06C1809A	0.03	-	100	-	HANA01C1806B	-	-	-	-	KBAN24P1811A	-	-	-	-
EA07C1810A	0.15	0.01	10	-	HANA08C1806A	-	-	-	-	KBAN27C1809A	0.13	(0.01)	100	-
EA08C1807A	0.01	-	10	-	HANA08C1809A	0.22	(0.03)	18,694	-	KBAN27P1809A	0.67	0.01	5,600	-
EA08C1809A	0.05	-	20,180	-	HANA13C1806A	-	-	-	-	KBAN28C1806A	0.01	-	2,000	-
EA08C1810A	0.34	-	87,986	-	HANA13C1809A	0.27	(0.03)	36,503	-	KBAN28C1809A	0.08	-	1,375	-
EA11C1902A	0.16	(0.01)	60,327	-	HANA23C1811A	0.48	(0.05)	4,733	-	KBAN28C1811A	0.65	(0.01)	49,666	-
EA13C1805A	-	-	-	-	HANA24C1808A	-	-	-	-	KBAN28P1807A	0.81	0.01	70,661	-
EA13C1806A	-	-	-	-	HANA28C1807A	-	-	-	-	KBAN42C1805A	-	-	-	-
EA13C1807A	-	-	-	-	HANA28C1808A	0.19	(0.03)	24,371	-	KCE01C1805A	0.02	(0.03)	96,198	-
EA13C1808A	0.03	-	2,885	-	HMPR01C1808A	0.36	-	54,951	-	KCE01C1805B	0.01	-	5,973	-
EA13C1808B	0.20	(0.02)	154,210	-	HMPR01C1808B	0.18	(0.01)	14,966	-	KCE06C1809A	0.37	(0.08)	51,350	-
EA13C1809A	0.04	-	14,839	-	HMPR01P1808A	0.40	-	18,609	-	KCE07C1808A	0.10	(0.02)	2,190	-
EA13C1810A	0.12	(0.01)	212,783	-	HMPR08C1810A	0.20	-	13,000	-	KCE08C1805A	-	-	-	-
EA13P1809A	1.00	0.02	13,723	-	HMPR11C1808A	0.35	(0.01)	11,948	-	KCE08C1809A	0.31	(0.09)	33,514	-
EA23C1806A	0.04	(0.01)	35,010	-	HMPR11P1808A	-	-	-	-	KCE11C1808A	-	-	-	-
EA24C1805A	0.01	-	1	-	HMPR13C1807A	0.09	(0.01)	13,205	-	KCE13C1805A	-	-	-	-
EA24C1807A	-	-	-	-	HMPR13C1812A	0.33	(0.67)	16,200	-	KCE13C1808A	0.24	(0.06)	191,290	-
EA28C1806A	0.01	-	6,895	-	HMPR23C1805A	0.39	(0.06)	3,000	-	KCE23C1807A	-	-	-	-
EA28C1809A	0.53	(0.02)	115,621	-	HMPR23P1805A	-	-	-	-	KCE24C1808A	0.13	(0.05)	43,764	-
EA28C1809B	0.17	(0.01)	159,849	-	HMPR24C1808A	0.17	(0.02)	330	-	KCE28C1808A	0.11	(0.05)	121,450	-
EGCO01C1809A	0.62	0.01	23,663	-	HMPR27C1807A	0.26	(0.01)	2,000	-	KCE42C1805A	-	-	-	-
EGCO08C1809A	0.19	-	31,001	-	HMPR28C1807A	0.07	(0.01)	20,672	-	KKP01C1808A	0.27	(0.02)	39,421	-
EGCO13C1809A	0.19	-	83,039	-	ICHI08C1806A	0.01	-	1,239	-	KKP01C1808B	0.07	(0.01)	1,615	-
EGCO23C1811A	0.45	0.01	16,100	-	INTU01C1809A	0.49	(0.01)	18,895	-	KKP07C1806A	-	-	-	-
EGCO24C1808A	-	-	-	-	INTU01C1809B	0.21	(0.01)	23,172	-	KKP08C1805A	0.02	(0.01)	38,104	-
EGCO28C1808A	0.23	0.01	75,272	-	INTU01P1809A	0.48	0.01	19,913	-	KKP11C1805A	0.19	(0.06)	18,085	-
EGCO42C1806A	0.24	-	2,554	-	INTU11C1807A	0.17	(0.01)	8,548	-	KKP11C1903A	0.32	(0.02)	46,580	-
EPG01C1809A	0.13	(0.03)	177,052	-	INTU1P1807A	0.38	0.01	7,392	-	KKP13C1807A	0.05	(0.01)	4,000	-
EPG01P1809A	1.11	0.10	21,141	1.00	INTU13C1806A	0.04	-	51	-	KKP13C1811A	0.35	(0.03)	177,152	-
EPG07C1811A	0.29	(0.09)	260	-	INTU13C1810A	0.30	(0.01)	58,912	-	KKP23C1807A	-	-	-	-
EPG08C1810A	-	-	-	-	INTU23C1806A	0.12	(0.02)	9,490	-	KKP24C1807A	-	-	-	-
EPG08C1810B	0.37	(0.06)	63,038	-	INTU24C1807A	-	-	-	-	KKP28C1807A	-	-	-	-
EPG11C1805A	-	-	-	-	INTU28C1809A	0.25	-	51,200	-	KKP28C1810A	0.26	(0.02)	98,358	-
EPG11C1903A	0.31	(0.05)	25,886	-	IRPC01C1808A	0.25	(0.03)	142,659	-	KKP42C1805A	0.51	(0.04)	440	-
EPG13C1808A	0.05	(0.02)	5,688	-	IRPC01C1810A	0.24	(0.02)	25,024	-	KTB01C1808A	0.19	-	35,205	-
EPG13C1811A	0.25	(0.05)	40,554	-	IRPC01C1810B	0.12	(0.01)	16,307	-	KTB01C1810A	0.33	-	34,492	-
EPG23C1808A	-	-	-	-	IRPC01P1808A	0.44	0.03	35,241	-	KTB01P1808A	0.70	0.02	5,530	-
EPG24C1807A	-	-	-	-	IRPC08C1808A	0.11	(0.02)	22,613	-	KTB08C1809A	0.09	(0.01)	4,481	-
EPG24C1808A	-	-	-	-	IRPC11C1902A	0.12	(0.02)	24,765	-	KTB11C1811A	0.19	(0.03)	18,304	-
EPG24C1810A	0.40	(0.05)	4,437	-	IRPC13C1806A	0.11	(0.04)	41,973	-	KTB13C1809A	0.10	(0.01)	55,600	-
EPG28C1808A	0.05	(0.03)	7,930	-	IRPC13C1808A	0.05	-	6,669	-	KTB23C1811A	0.25	-	14,200	-
ESSO01C1807A	0.13	0.01	571,887	-	IRPC13C1811A	0.26	(0.74)	15,402	-	KTB24C1808A	-	-	-	-
ESSO01C1807B	0.03	(0.01)	39,101	-	IRPC23C1810A	0.16	(0.02)	33,000	-	KTB24P1901A	-	-	-	-
ESSO01P1807A	1.21	(0.03)	11,437	1.00	IRPC24C1805A	0.06	(0.03)	3,000	-	KTB28C1806A	-	-	-	-
ESSO08C1807A	0.09	0.01	10,630	-	IRPC24C1808A	-	-	-	-	KTB28C1809A	0.07	(0.01)	6,000	-
ESSO13C1807A	0.07	0.01	50,825	-	IRPC24C									

Main Board Quotation

Issue Date :

Tuesday May 15, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTC23C1809A	2.00	(0.24)	56,576	2.00	ORI28C1806A	-	-	-	-	PTTG01C1810A	0.81	(0.01)	75,034	-
KTC24C1808A	2.46	(0.14)	50	2.00	ORI28C1808A	0.28	0.01	56,418	-	PTTG01C1810B	0.43	0.01	62,792	-
KTC24C1810A	1.12	(0.12)	12,002	1.00	PLAN08C1811A	0.23	0.01	34,712	-	PTTG01P1805A	0.04	(0.01)	8,100	-
KTC24P1807A	0.20	0.03	34,050	-	PLAN11C1805A	0.26	(0.01)	22,716	-	PTTG01P1808A	0.68	(0.01)	58,674	-
KTC27C1806A	-	-	-	-	PLAN13C1809A	0.18	0.01	41,040	-	PTTG06C1809A	0.51	-	80,928	-
KTC28C1806A	-	-	-	-	PLAN23C1806A	0.02	-	2,000	-	PTTG07C1806A	0.69	(0.01)	40	-
KTC28C1806B	-	-	-	-	PLAN28C1810A	0.21	(0.01)	30,420	-	PTTG08C1805A	0.42	(0.02)	52,838	-
KTC28C1808A	-	-	-	-	PSH01C1805A	0.16	(0.01)	11,694	-	PTTG08P1805A	0.01	-	1	-
KTC28C1808B	1.81	(0.08)	125,520	1.00	PSH01P1805A	0.61	0.01	23,388	-	PTTG11C1902A	0.55	-	47,522	-
KTC28C1809A	1.39	(0.20)	91,331	1.00	PSH08C1805A	-	-	-	-	PTTG13C1805A	0.20	(0.02)	2,760	-
KTC28C1810A	1.23	(0.14)	152,406	1.00	PSH08C1811A	0.26	(0.03)	22,780	-	PTTG13C1808A	0.37	-	96,979	-
LH01C1809A	0.32	0.03	27,964	-	PSH11C1902A	0.42	(0.01)	9,264	-	PTTG23C1805A	0.29	-	33,540	-
LH01P1809A	0.22	(0.03)	2,593	-	PSH23C1811A	0.44	(0.04)	8,600	-	PTTG24C1808A	0.27	-	45,866	-
LH06C1809A	0.24	0.03	270	-	PSH42C1806A	0.14	(0.02)	1,690	-	PTTG24P1808A	0.13	(0.02)	1,830	-
LH07C1810A	-	-	-	-	PSL01C1807A	0.49	-	8,702	-	PTTG27C1807A	0.74	-	18,000	-
LH11C1808A	0.21	0.04	47,404	-	PSL23C1809A	0.24	(0.01)	14,457	-	PTTG27P1807A	0.08	-	6,000	-
LH13C1808A	0.22	0.02	62,975	-	PSL24C1807A	0.36	(0.02)	1,784	-	PTTG28C1807A	0.06	-	13,350	-
LH23C1806A	0.10	0.04	23,265	-	PTG01C1805A	0.03	0.02	42,201	-	PTTG28C1807B	0.25	(0.01)	130,192	-
LH24C1806A	0.23	0.04	1,125	-	PTG01C1806A	0.26	0.05	152,551	-	QH01C1807A	0.37	-	57,420	-
LH24C1809A	0.12	0.02	2,502	-	PTG01C1806B	0.07	0.01	12,220	-	QH01P1807A	0.32	-	17,283	-
LH28C1808A	0.13	0.02	40,196	-	PTG01P1805A	1.18	(0.13)	33,288	1.00	QH08C1808A	0.24	-	30,210	-
LHFG42C1806A	-	-	-	-	PTG06C1810A	0.25	0.03	25,650	-	QH11C1902A	0.37	0.01	34,262	-
LPN01C1809A	0.15	0.01	8,069	-	PTG06C1904A	0.86	0.11	1,509	-	QH23C1808A	0.32	0.01	20,505	-
LPN01P1809A	0.56	(0.02)	4,336	-	PTG07C1806A	-	-	-	-	QH28C1808A	0.16	-	5,042	-
LPN08C1807A	-	-	-	-	PTG08C1807A	-	-	-	-	QH42C1805A	0.55	-	842	-
LPN08C1810A	0.14	0.01	15,360	-	PTG11C1805A	0.13	0.03	35,862	-	RATC23C1806A	0.02	-	1	-
LPN11C1806A	0.07	0.01	3,054	-	PTG11C1903A	0.55	0.05	32,990	-	RATC27C1812A	-	-	-	-
LPN23C1806A	-	-	-	-	PTG13C1805A	-	-	-	-	ROBI01C1809A	0.49	(0.04)	15,132	-
LPN24C1808A	0.02	0.01	1	-	PTG13C1806A	0.04	0.01	8,028	-	ROBI06C1809A	0.45	(0.04)	14,400	-
LPN27C1807A	-	-	-	-	PTG13C1809A	0.38	0.05	355,013	-	ROBI08C1808A	0.11	(0.01)	8,482	-
LPN42C1805A	-	-	-	-	PTG23C1808A	0.03	0.01	1,550	-	ROBI11C1808A	0.19	(0.01)	3,514	-
MAJ08C1811A	-	-	-	-	PTG24C1805A	-	-	-	-	ROBI13C1807A	0.07	(0.01)	4,000	-
MAJ011C1902A	0.22	-	2,632	-	PTG24C1809A	0.44	0.06	15,260	-	ROBI23C1805A	-	-	-	-
MAJ023C1806A	-	-	-	-	PTG27C1809A	-	-	-	-	ROBI24C1805A	-	-	-	-
MAJ024C1809A	0.09	(0.01)	4,490	-	PTG28C1806A	0.04	0.01	200	-	ROBI24C1901A	0.44	(0.04)	1,200	-
MAJ042C1806A	0.06	-	349	-	PTG28C1808A	0.31	0.06	220,794	-	ROBI27C1806A	-	-	-	-
MALE01C1812A	0.05	(0.01)	21,007	-	PTL08C1811A	0.59	(0.06)	74,023	-	S10001C1811A	0.81	(0.02)	950	-
MALE08C1805A	-	-	-	-	PTL13C1809A	0.37	(0.06)	91,913	-	S23C1805A	-	-	-	-
MALE08C1811A	0.01	-	173	-	PTL23C1807A	0.15	(0.03)	15,000	-	S42C1806A	0.04	(0.01)	100	-
MALE13C1805A	-	-	-	-	PTL24C1806A	-	-	-	-	S5001C1805A	0.87	(0.02)	87,564	-
MALE13C1809A	-	-	-	-	PTL28C1810A	0.52	(0.05)	82,994	-	S5001C1805B	0.57	(0.05)	612,441	-
MALE23C1806A	-	-	-	-	PTT01C1808A	1.10	(0.05)	173,326	1.00	S5001C1806F	0.98	(0.05)	1,383,551	-
MALE27C1812A	-	-	-	-	PTT01C1808B	0.78	(0.06)	143,293	-	S5001C1806G	0.31	(0.04)	972,206	-
MALE28C1810A	0.01	-	8,199	-	PTT01C1810A	0.52	(0.03)	110,291	-	S5001C1806H	0.57	(0.06)	1,108,972	-
MC23C1809A	0.17	0.01	24,963	-	PTT01P1808A	0.33	0.01	137,653	-	S5001C1806I	0.13	(0.01)	46,210	-
MC24C1807A	0.05	(0.11)	10,004	-	PTT01P1808B	0.10	0.01	75,387	-	S5001C1807A	0.85	(0.02)	173,662	-
MEGA01C1806A	0.36	0.05	73,373	-	PTT01P1810A	0.77	0.03	73,237	-	S5001P1805A	0.68	0.03	26,719	-
MEGA01C1806B	0.17	0.04	40,684	-	PTT07C1811A	0.52	0.01	38	-	S5001P1805B	0.85	0.03	115,109	-
MEGA08C1805A	0.04	0.01	20,091	-	PTT08C1805A	-	-	-	-	S5001P1806F	1.00	0.03	1,198,187	1.00
MEGA11C1806A	0.74	0.06	38,616	-	PTT08C1807A	0.76	(0.03)	4	-	S5001P1806G	0.24	-	944,158	-
MEGA11C1902A	0.38	0.04	19,140	-	PTT08C1809A	0.30	(0.02)	102,228	-	S5001P1806H	1.59	0.04	911,243	1.00
MEGA13C1805A	-	-	-	-	PTT08P1805A	-	-	-	-	S5001P1806I	0.66	0.03	1,639,095	-
MEGA13C1809A	0.25	0.03	95,161	-	PTT08P1809A	0.36	0.01	50,377	-	S5001P1807A	1.06	0.03	137,841	1.00
MEGA23C1806A	0.47	0.04	41,610	-	PTT11C1806A	3.00	(0.10)	15,500	2.00	S5006C1806A	0.17	(0.03)	23,801	-
MEGA24C1805A	-	-	-	-	PTT11C1902A	0.52	(0.03)	44,891	-	S5006C1806B	0.14	(0.01)	15,946	-
MEGA27C1807A	0.14	0.03	22,730	-	PTT13C1807A	0.66	(0.05)	82,145	-	S5006P1806A	0.05	0.02	631	-
MEGA28C1808A	0.12	0.02	75,819	-	PTT13C1808A	0.27	(0.02)	457,329	-	S5006P1806B	-	-	-	-
MINT01C1805A	0.02	(0.01)	38,607	-	PTT13C1810A	0.34	(0.01)	104,941	-	S5008C1806A	0.23	(0.03)	53,869	-
MINT01C1808A	0.13	(0.01)	87,809	-	PTT13P1805A	-	-	-	-	S5008C1806B	0.24	(0.02)	86,060	-
MINT01C1808B	0.03	-	9,501	-	PTT13P1807A	0.05	-	10,120	-	S5008P1806A	0.38	0.01	65,844	-
MINT01P1805A	0.75	-	36,434	-	PTT13P1808A	0.31	0.01	236,210	-	S5008P1806B	0.40	0.01	72,848	-
MINT01P1808A	0.66	0.01	51,420	-	PTT19C1809A	0.46	(0.03)	30,400	-	S5013C1806A	0.30	(0.03)	1,400,326	-
MINT06C1809A	0.14	(0.01)	7,831	-	PTT23C1805A	0.73	(0.08)	24,000	-	S5013C1806B	0.23	(0.03)	1,842,584	-
MINT07C1810A	0.13	-	100	-	PTT23P1805A	-	-	-	-	S5013C1806C	0.59	(0.04)	724,767	-
MINT08C1809A	0.12	(0.01)	26,206	-	PTT24C1806A	1.05	(0.07)	501	-	S5013C1806D	0.59	(0.06)	3,071,728	-
MINT11C1902A	0.22	-	74,176	-	PTT24C1809A	0.46	0.03	302	-	S5013C1806E	0.77	(0.06)	774,374	-
MINT11P1902A	0.34	0.02	14,744	-	PTT24P1808A	-	-	-	-	S5013P1806A	0.47	0.02	4,839,745	-
MINT13C1805A	-	-	-	-	PTT27C1809A	-	-	-	-	S5013P1806B	0.41	0.01	1,182,135	-
MINT13C1810A	0.22	(0.01)	121,864	-	PTT27P1809A	0.17	0.01	27,197	-	S5013P1806C	0.87	0.03	1,238,696	-
MINT23C1810A	0.18	-	2,001	-	PTT28C1807A	0.57	(0.04)	44,232	-	S5013P1806D	0.11	(0.01)	382,360	-
MINT24C1807A	0.01	(0.01)	10,001	-	PTT28C1808A	0.32	(0.03)	140,000	-	S5013P1806E	0.58	0.03	3,010,871	-
MINT24C1812A	-	-	-	-	PTT28C1808B	0.13	(0.01)	92,947	-	S5028C1806A	0.15	(0.02)	64,241	-
MINT28C1806A	-	-	-	-	PTT28C1811A	0.27	(0.02)	101,902	-	S5028C1806B	0.33	(0.04)	1,199,585	-
MINT28C1808A	0.12	(0.01)	28,776	-	PTT28P1808A	0.22	0.01	318,807	-	S5028C1806C	0.58	(0.05)	929,406	-
MONO08C1808A	0.03	-	42,643	-	PTT28P1808B	0.40	0.04	21,146	-	S5028P1806A	0.52	0.01	1,255,312	-
MONO13C1808A	0.03	0.02	8,640	-	PTT42C1805A	1.28	(0.05)	408	1.00	S5028P1806B	0.22	0.02	1,036,884	-
MONO13C1811A	0.33	(0.67)	18,571	-	PTTE01C1808A	1.16	0.05	138,873	1.00	S5028P1806C	-	-	-	-
MONO23C1809A	0.04	-	10,761	-	PTTE01C1808B	0.80	0.06	109,412	-	SAMA13C1806A	-	-	-	-
MONO24C1807A	-	-	-	-	PTTE01P1808A	0.25	(0.02)	20,452	-	SAWA01C1808A	0.24	(0.02)	50,046	-
MONO24C1812A	0.16	0.01	107,959	-	PTTE07C1809A	0.48	0.13	6,360	-	SAWA01C1808B	0.05	(0.02)	152,181	-
MONO28C1807A	0.02	-	3,370	-	PTTE08C1805A	-	-	-	-	SAWA01P1808A	1.54	0.20	298,122	1.00
MONO28C1808A	0.02	-	6,000	-	PTTE08C1807A	0.90	0.02	108	-	SAWA06C1807A	-	-	-	-
MTC06C1806A	0.51	(0.09)	37,635	-	PTTE08C1811A	0.55	0.02	74,050	-	SAWA08C1805A	-	-	-	-
MTC07C1806A	-	-	-	-	PTTE08P1805A	0.01	-	1	-	SAWA08C1808A	0.02	(0.02)	6	-
MTC08C1807A	0.11	(0.03)	75,458	-	PTTE08P1809A	0.18	(0.01)	38,293	-	SAWA08C1811A	0.1			

Main Board Quotation

Issue Date :

Tuesday May 15, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB13C1809A	0.19	(0.03)	54,258	-	SUPE28C1807A	0.20	-	9,161	-	TOP24C1805A	-	-	-	-
SCB24C1806A	-	-	-	-	TASC01C1806A	0.15	-	19,022	-	TOP24C1806A	-	-	-	-
SCB24C1902A	-	-	-	-	TASC01C1809A	0.18	(0.01)	8,745	-	TOP28C1810A	0.11	(0.02)	40,560	-
SCB24P1811A	-	-	-	-	TASC01P1806A	1.05	-	67,118	1.00	TOP42C1806A	0.09	(0.02)	428	-
SCB28C1808A	0.07	(0.01)	12,000	-	TASC01P1809A	1.36	0.02	41,654	1.00	TOP42P1806A	0.70	0.05	7,724	-
SCB28C1809A	0.19	(0.03)	59,392	-	TASC07C1811A	-	-	-	-	TP101C1807A	0.09	-	10,201	-
SCB28P1808A	0.39	0.02	93,924	-	TASC08C1808A	0.06	-	1	-	TP101C1807B	0.02	0.01	1	-
SCC01C1808A	0.36	-	164,568	-	TASC11C1806A	0.05	-	1,000	-	TP108C1807A	-	-	-	-
SCC01C1808B	0.11	(0.01)	29,263	-	TASC13C1805A	0.01	-	200	-	TP13C1809A	0.14	0.01	10,657	-
SCC01P1808A	0.56	0.01	17,301	-	TASC13C1810A	0.28	-	57,488	-	TP123C1809A	-	-	-	-
SCC06C1809A	-	-	-	-	TASC23C1806A	-	-	-	-	TP124C1808A	-	-	-	-
SCC08C1809A	0.21	(0.01)	18,024	-	TASC24C1810A	-	-	-	-	TP128C1808A	-	-	-	-
SCC11C1811A	0.31	-	16,612	-	TASC28C1808A	0.14	-	77,777	-	TP1P01C1805A	0.07	0.02	6,280	-
SCC11P1811A	0.34	-	13,350	-	TCAP01C1807A	0.17	(0.01)	1,044	-	TP1P01P1805A	0.39	(0.05)	56,096	-
SCC13C1809A	0.24	(0.01)	1,738	-	TCAP01C1807B	0.03	-	2,000	-	TP1P07C1806A	-	-	-	-
SCC23C1811A	0.29	-	78,000	-	TCAP01P1807A	0.96	0.03	17,082	-	TP1P08C1808A	0.09	0.02	22	-
SCC24C1806A	-	-	-	-	TCAP08C1810A	0.22	(0.03)	14,322	-	TP1P11C1811A	0.19	0.02	38,793	-
SCC24C1812A	-	-	-	-	TCAP11C1811A	0.22	(0.01)	1,902	-	TP1P13C1805A	-	-	-	-
SCC24P1901A	0.37	(0.01)	120	-	TCAP13C1809A	0.15	(0.01)	6,664	-	TP1P13C1811A	0.45	0.05	64,341	-
SCC27C1809A	0.24	-	8,000	-	TCAP23C1807A	0.24	(0.03)	18,450	-	TP1P23C1808A	-	-	-	-
SCC27P1809A	0.42	0.01	4,000	-	TCAP24C1807A	-	-	-	-	TP1P24C1901A	0.57	0.04	602	-
SCC28C1807A	0.06	-	544	-	TCAP27C1807A	-	-	-	-	TP1P27C1812A	0.12	0.01	1,448	-
SCC42C1805A	-	-	-	-	TCAP42C1805A	0.25	(0.03)	420	-	TRUE01C1808A	0.67	0.01	125,406	-
SCC08C1811A	0.12	-	14,176	-	THAI01C1806A	0.27	(0.01)	137,146	-	TRUE01C1808B	0.47	0.03	82,785	-
SCCC13C1809A	0.13	-	1,000	-	THAI01C1808A	0.46	-	51,741	-	TRUE01P1808A	0.19	(0.01)	73,235	-
SCCC23C1806A	0.01	-	1	-	THAI01C1808B	0.22	-	63,716	-	TRUE06C1806A	0.68	0.01	44,422	-
SCCC27C1812A	0.18	0.01	1	-	THAI01P1806A	0.58	(0.01)	30,832	-	TRUE06P1806A	-	-	-	-
SGP08C1808A	0.08	(0.01)	7,273	-	THAI01P1808A	0.50	(0.02)	16,445	-	TRUE07C1806A	-	-	-	-
SGP13C1806A	1.43	(0.09)	1,000	1.00	THAI06C1809A	0.58	0.02	17,256	-	TRUE08C1809A	0.50	0.02	30,982	-
SGP13C1807A	0.17	(0.03)	133,304	-	THAI07C1811A	0.47	0.01	500	-	TRUE08P1809A	0.11	-	17,126	-
SGP13C1808A	0.08	(0.01)	85,003	-	THAI08C1808A	0.28	(0.01)	30,400	-	TRUE11C1807A	0.35	0.03	50,908	-
SGP23C1805A	-	-	-	-	THAI11C1808A	0.20	0.01	11,160	-	TRUE13C1807A	0.34	-	87,947	-
SGP24C1806A	0.01	-	9,440	-	THAI13C1811A	0.39	-	41,134	-	TRUE13C1810A	0.33	0.01	140,200	-
SGP24C1808A	0.05	0.02	715	-	THAI23C1805A	-	-	-	-	TRUE16C1812A	0.53	(0.01)	150	-
SGP28C1808A	-	-	-	-	THAI24C1808A	0.29	-	34,808	-	TRUE23C1806A	0.50	0.01	40,950	-
SGP28C1809A	0.04	(0.01)	32,451	-	THAI27C1809A	0.30	-	7,035	-	TRUE27C1809A	0.49	0.01	13,898	-
SIRI01C1808A	0.05	-	64	-	THAI28C1808A	0.21	(0.01)	89,864	-	TRUE27P1809A	0.22	(0.01)	24,051	-
SIRI01C1808B	0.02	-	1	-	THAN01C1812A	0.52	(0.03)	31,236	-	TRUE28C1807A	0.32	0.02	114,468	-
SIRI01P1808A	0.56	-	11,596	-	THAN13C1809A	0.12	(0.02)	6,071	-	TRUE28C1808A	0.15	0.01	171,281	-
SIRI08C1808A	0.03	-	10,000	-	THAN23C1807A	0.92	(0.14)	331	-	TTA01C1807A	0.20	(0.01)	147,173	-
SIRI08C1810A	0.27	(0.01)	61,386	-	THAN28C1810A	0.19	(0.02)	51,200	-	TTA01P1807A	0.69	-	15,522	-
SIRI11C1902A	0.25	-	33,504	-	THCO01C1809A	0.19	0.02	12,028	-	TTA08C1808A	0.10	(0.02)	46,459	-
SIRI13C1809A	-	-	-	-	THCO01P1809A	0.61	(0.02)	5,934	-	TTA11C1806A	-	-	-	-
SIRI23C1811A	0.36	-	16,000	-	THCO11C1902A	0.22	0.01	3,900	-	TTA13C1805A	-	-	-	-
SIRI24C1809A	0.15	(0.01)	3	-	THCO13C1805A	-	-	-	-	TTA13C1809A	0.15	(0.01)	99,753	-
SIRI28C1807A	0.01	(0.01)	2	-	THCO23C1808A	-	-	-	-	TTA18C1808A	-	-	-	-
SIRI28C1809A	0.17	-	62,908	-	THCO24C1805A	-	-	-	-	TTA23C1808A	-	-	-	-
SIRI42C1805A	0.01	(0.10)	200	-	THCO24C1807A	0.03	-	2,800	-	TTA24C1809A	-	-	-	-
SPAL01C1805A	0.23	(0.02)	7,450	-	THCO24C1810A	0.43	0.01	1,200	-	TTA28C1806A	-	-	-	-
SPAL01C1808A	0.54	(0.03)	12,258	-	THCO28C1806A	-	-	-	-	TTCL13C1806A	0.01	-	100	-
SPAL01C1808B	0.21	(0.02)	23,534	-	THCO28C1808A	0.10	0.02	11,244	-	TU01C1808A	0.20	(0.01)	27,982	-
SPAL01P1805A	0.48	0.03	25,361	-	TISCO01C1808A	0.81	-	44,486	-	TU01C1808B	0.04	(0.01)	369	-
SPAL06C1809A	0.60	(0.02)	4,800	-	TISCO01C1808B	0.42	-	39,798	-	TU01P1808A	0.71	-	9,427	-
SPAL08C1808A	0.21	(0.02)	25,366	-	TISCO8C1808A	0.46	-	64,034	-	TU08C1805A	-	-	-	-
SPAL11C1807A	0.34	(0.02)	10,630	-	TISC11C1805A	1.23	(0.02)	23,138	1.00	TU11C1902A	0.14	(0.01)	13,777	-
SPAL23C1811A	0.74	(0.05)	13,000	-	TISC11C1903A	0.60	-	47,804	-	TU13C1809A	0.07	-	5,000	-
SPAL24C1808A	0.09	(0.01)	44,000	-	TISC13C1807A	0.40	-	85,997	-	TU23C1806A	-	-	-	-
SPCG13C1806A	0.24	(0.01)	9,379	-	TISC24C1806A	0.65	(0.03)	71,000	-	TU24C1808A	-	-	-	-
SPRC01C1805A	0.26	0.03	71,117	-	TISC27C1807A	0.41	(0.01)	20,000	-	TU27C1807A	0.12	(0.01)	12,111	-
SPRC01C1808A	0.36	0.01	82,820	-	TISC28C1807A	0.32	(0.01)	85,083	-	TVO01C1809A	0.33	0.03	96,949	-
SPRC01C1808B	0.15	0.01	60,720	-	TISC42C1806A	1.08	(0.02)	6,906	1.00	TVO08C1808A	0.14	0.01	48,443	-
SPRC01P1805A	0.27	(0.02)	72,245	-	TKN01C1805A	0.01	-	697	-	TVO11C1805A	0.14	0.02	14,096	-
SPRC06C1809A	-	-	-	-	TKN01C1808A	0.39	0.06	256,961	-	TVO11C1903A	0.21	0.01	18,136	-
SPRC08C1808A	0.17	0.01	28,632	-	TKN01C1808B	0.18	0.02	115,407	-	TVO13C1809A	0.09	0.01	17,690	-
SPRC11C1902A	0.24	0.01	15,396	-	TKN06C1806A	-	-	-	-	TVO23C1808A	0.16	0.02	21,870	-
SPRC13C1805A	-	-	-	-	TKN08C1805A	-	-	-	-	TVO24C1810A	0.17	0.01	15,000	-
SPRC13C1808A	0.19	0.01	82,715	-	TKN08C1808A	0.07	0.02	33,718	-	TVO28C1808A	0.06	0.01	10,312	-
SPRC23C1810A	0.31	0.03	21,000	-	TKN11C1902A	0.47	0.08	46,231	-	UNIQ01C1809A	0.21	(0.01)	24,231	-
SPRC24C1808A	-	-	-	-	TKN13C1805A	0.01	-	2,000	-	UNIQ01P1809A	0.60	0.01	10,743	-
SPRC28C1806A	-	-	-	-	TKN13C1808A	0.14	0.03	73,766	-	UNIQ08C1808A	-	-	-	-
SPRC42C1805A	0.32	0.04	828	-	TKN13C1810A	0.48	0.09	267,120	-	UNIQ08C1810A	0.23	0.01	31,486	-
STA01C1807A	0.12	0.02	27,193	-	TKN23C1806A	0.02	-	4,450	-	UNIQ11C1811A	0.20	-	4,064	-
STA01C1807B	0.04	0.01	2,200	-	TKN24C1807A	0.06	0.01	10,006	-	UNIQ13C1807A	0.01	-	500	-
STA08C1807A	0.07	0.01	110	-	TKN24C1811A	0.73	0.11	27,455	-	UNIQ13C1809A	0.20	-	67,551	-
STA13C1807A	0.03	0.01	1	-	TKN28C1806A	-	-	-	-	UNIQ23C1806A	-	-	-	-
STA13C1808A	0.20	0.03	79,866	-	TKN28C1808A	0.18	0.05	223,843	-	UNIQ24C1806A	-	-	-	-
STA23C1809A	0.26	0.03	95,127	-	TKN42C1805A	0.05	0.03	55,270	-	UNIQ24C1811A	-	-	-	-
STA24C1808A	-	-	-	-	TMB01C1807A	0.04	-	22,291	-	UNIQ28C1807A	-	-	-	-
STA28C1807A	-	-	-	-	TMB01P1807A	0.85	-	3,524	-	UNIQ28C1809A	0.14	(0.01)	19,002	-
STEC01C1809A	0.24	0.02	118,773	-	TMB06C1809A	0.07	(0.02)	59	-	UNIQ42C1805A	-	-	-	-
STEC01P1809A	1.30	(0.05)	11,978	1.00	TMB07C1811A	-	-	-	-	UV01C1807A	0.40	0.01	79,659	-
STEC06C1809A	-	-	-	-	TMB08C1808A	0.03	-	200	-	UV08C1807A	0.19	0.01	38,790	-
STEC08C1809A	0.19	0.02	20,575	-	TMB11C1806A	0.16	0.01	11,420	-	UV13C1807A	0.11	-	24,403	-
STEC11C1805A	0.01	-	8,170	-	TMB13C1811A	0.17	-	2,610	-	UV13C1808A	0.04	-	2,342	-
STEC11C1903A	0.42	0.04	46,452	-	TMB23C1810A	-	-	-	-	UV23C1809A	0.06	-	13,000	-
STEC13C1809A	0.17	0.01	45,463	-	TMB24C1809A	-	-	-	-	UV24C1807A	0.18	-	6,000	-
STEC23C1808A	0.01	-	16,000	-	TMB28C1806A	-	-	-	-	UV28C1807A	0.09	0.01	18,252	-
STEC24C1808A	0.14	0.06	628	-	TMB28C1808A	0.02	-							

Main Board Quotation

Issue Date :

Tuesday May 15, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SUPE28C1806A	0.06	(0.01)	20,840	-	TOP23C1811A	0.51	(0.06)	2,090	-	WHA01C1807A	0.29	(0.02)	119,654	-

Main Board Quotation

Issue Date :

Tuesday May 15, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA01C1807B	0.11	(0.01)	118,046	-	ORI-W1	3.20	-	43,810	3.00	STAR-W3	1.84	(0.07)	4,963	1.00
WHA06C1809A	0.43	(0.01)	8,898	-	PACE-W1	0.03	0.01	7,999	-	T-W3	0.01	-	70	-
WHA07C1810A	0.43	(0.01)	100	-	PACE-W2	0.06	-	71,200	-	TAKUNI-W	0.24	-	45,417	-
WHA08C1805A	0.27	(0.01)	9,503	-	PDJ-W2	1.63	(0.02)	607	1.00	TAPAC-W3	5.65	-	269	5.00
WHA08C1811A	0.43	(0.57)	5,763	-	PDJ-W3	1.61	(0.10)	274	1.00	TMILL-W1	1.32	-	882	1.00
WHA11C1805A	0.86	-	17,467	-	PDJ-W4	1.59	(0.03)	328	1.00	TSF-W4	0.02	-	361	-
WHA11C1903A	0.40	-	27,399	-	PL-W1	0.01	(0.03)	31,538	-	TSF-W5	0.03	-	9,740	-
WHA13C1805A	0.54	-	21,786	-	PLE-W3	0.46	(0.02)	13,040	-	TVD-W2	0.79	(0.02)	15,088	-
WHA13C1808A	0.35	-	273,274	-	PSL-W1	0.02	-	36,108	-	TVT-W1	-	-	-	-
WHA23C1810A	0.54	-	3,160	-	RICH-W1	-	-	-	-	UKEM-W2	0.56	(0.01)	2,285	-
WHA24C1805A	-	-	-	-	RICHY-W1	0.36	(0.02)	9,658	-	LWC-W2	0.02	-	20,815	-
WHA24C1807A	0.13	-	600	-	RICHY-W2	0.22	0.01	3,101	-	VTE-W2	0.28	0.03	146,812	-
WHA28C1807A	0.14	-	2	-	RML-W4	-	-	-	-	XO-W1	6.25	(0.05)	159,538	6.00
WHA28C1808A	0.15	(0.01)	23,323	-	RS-W3	14.40	(0.60)	56	14.00	Preferred Shares	-	-	-	-
WHA28C1808B	0.30	-	183,939	-	S-W1	0.23	-	16,513	-	SGF-P1	-	-	-	-
WHA28C1809A	0.70	-	30,702	-	SAWAD-W1	9.70	(0.10)	554	9.00	-	-	-	-	-
WHA42C1806A	0.57	(0.01)	9,560	-	SMM-W4	0.21	(0.02)	1,323	-	-	-	-	-	-
WHA42P1806A	0.09	(0.01)	7,587	-	SMT-W1	0.22	(0.01)	4,244	-	-	-	-	-	-
WORK01C1806A	0.02	(0.01)	39,130	-	SPALI-W4	19.70	(0.10)	1,818	19.00	-	-	-	-	-
WORK01C1806B	0.02	-	6,352	-	SPORT-W5	0.18	0.01	2,452	-	-	-	-	-	-
WORK08C1805A	-	-	-	-	SPORT-W6	0.03	(0.01)	74,255	-	-	-	-	-	-
WORK08C1809A	0.03	(0.02)	367,723	-	SUPER-W4	0.25	(0.01)	201,112	-	-	-	-	-	-
WORK11C1805A	0.04	(0.04)	20,934	-	SUSCO-W1	0.41	0.01	22,491	-	-	-	-	-	-
WORK11C1903A	0.35	(0.11)	62,347	-	SVI-W3	1.45	(0.05)	37	1.00	-	-	-	-	-
WORK13C1805A	-	-	-	-	TCC-W3	0.57	(0.01)	22	-	-	-	-	-	-
WORK13C1806A	-	-	-	-	TCC-W4	0.22	-	1,561	-	-	-	-	-	-
WORK13C1809A	0.05	(0.03)	238,576	-	TCJ-W2	1.55	(0.04)	358	1.00	-	-	-	-	-
WORK13C1810A	0.16	(0.08)	262,403	-	TCMC-W2	0.56	(0.01)	4,437	-	-	-	-	-	-
WORK23C1807A	0.02	(0.01)	10,007	-	TFG-W1	1.95	(0.07)	550	1.00	-	-	-	-	-
WORK24C1805A	-	-	-	-	TFG-W2	0.88	0.01	3,555	-	-	-	-	-	-
WORK24C1810A	0.19	(0.08)	75,088	-	TGPRO-W2	-	-	-	-	-	-	-	-	-
WORK27C1806A	0.01	-	10	-	TH-W2	0.14	-	47	-	-	-	-	-	-
WORK28C1806A	-	-	-	-	THE-W2	0.07	(0.01)	46,337	-	-	-	-	-	-
WORK28C1808A	0.02	(0.01)	7,000	-	TNITY-W1	1.22	(0.02)	9,730	1.00	-	-	-	-	-
WORK28C1809A	0.18	(0.07)	65,956	-	TNPC-W1	0.49	0.01	254	-	-	-	-	-	-
WORK42C1806A	0.03	(0.03)	6,550	-	TPOLY-W2	0.05	(0.03)	42,252	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	TSI-W2	-	-	-	-	-	-	-	-	-
BH-Q	-	-	-	-	TSR-W1	0.68	0.03	3,838	-	-	-	-	-	-
CSC-Q	-	-	-	-	TTA-W5	1.05	(0.02)	9,687	1.00	-	-	-	-	-
JUTHA-Q	-	-	-	-	TWZ-W4	-	-	-	-	-	-	-	-	-
KTB-Q	-	-	-	-	U-W1	0.01	-	60,000	-	-	-	-	-	-
SCB-Q	-	-	-	-	U-W4	0.01	-	12,433,706	-	-	-	-	-	-
TCAP-Q	-	-	-	-	VGI-W1	0.40	0.02	101,866	-	-	-	-	-	-
TIC-Q	-	-	-	-	VIBHA-W2	1.52	(0.04)	680	1.00	-	-	-	-	-
TISCO-Q	-	-	-	-	VIBHA-W3	0.38	(0.01)	26,199	-	-	-	-	-	-
U-Q	-	-	-	-	WAVE-W1	0.58	(0.03)	2,468	-	-	-	-	-	-
Warrant	-	-	-	-	WHA-W1	7.70	-	10,783	7.00	-	-	-	-	-
7UP-W2	0.21	0.01	47	-	WIHK-W1	-	-	-	-	-	-	-	-	-
ACC-W1	0.05	-	668	-	WORK-W1	21.00	(1.50)	96	21.00	-	-	-	-	-
AEC-W4	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
AJA-W1	0.25	0.01	3,544	-	BH-P	-	-	-	-	-	-	-	-	-
ALT-W1	1.27	(0.05)	5,717	1.00	CSC-P	-	-	-	-	-	-	-	-	-
AQ-W4	0.01	-	445	-	JUTHA-P	-	-	-	-	-	-	-	-	-
AS-W1	0.73	(0.03)	9,574	-	KTB-P	-	-	-	-	-	-	-	-	-
B-W3	0.01	-	1	-	SCB-P	-	-	-	-	-	-	-	-	-
BLAND-W4	0.06	(0.01)	588,424	-	TCAP-P	-	-	-	-	-	-	-	-	-
BROCK-W1	-	-	-	-	TIC-P	-	-	-	-	-	-	-	-	-
BTS-W3	0.10	0.01	267,949	-	TISCO-P	-	-	-	-	-	-	-	-	-
BWG-W4	0.10	(0.01)	17,322	-	U-P	0.03	-	3,779,725	-	-	-	-	-	-
CEN-W4	0.08	(0.01)	6,252	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
CGH-W2	-	-	-	-	2S-W1	0.31	(0.02)	7,731	-	-	-	-	-	-
CI-W1	0.51	-	1,415	-	ACAP-W1	-	-	-	-	-	-	-	-	-
CKP-W1	0.38	(0.01)	12,685	-	ACAP-W2	3.44	(0.04)	2,113	3.00	-	-	-	-	-
CRANE-W1	1.87	(0.05)	102	1.00	AIRA-W1	0.06	-	7,727	-	-	-	-	-	-
DCON-W1	-	-	-	-	AIRA-W2	0.09	-	9,700	-	-	-	-	-	-
DIGI-W1	0.07	-	4,512	-	ATP30-W1	0.89	0.02	4,559	-	-	-	-	-	-
DIGI-W2	0.03	0.01	16	-	BSM-W2	0.27	-	1,180	-	-	-	-	-	-
EARTH-W4	-	-	-	-	CIG-W6	-	-	-	-	-	-	-	-	-
EIC-W2	0.01	(0.01)	157,110	-	CIG-W7	0.03	(0.01)	2,092	-	-	-	-	-	-
EIC-W3	-	-	-	-	DNA-W1	1.62	0.03	1	1.00	-	-	-	-	-
EIC-W4	0.01	-	200	-	ECF-W2	3.32	(0.02)	3,571	3.00	-	-	-	-	-
EVER-W3	-	-	-	-	ECF-W3	2.48	(0.02)	2,770	2.00	-	-	-	-	-
GJS-W3	0.04	-	3,635	-	EFORL-W3	0.01	(0.01)	88,986	-	-	-	-	-	-
GL-W4	0.43	(0.05)	9,299	-	EFORL-W4	0.01	(0.01)	76,567	-	-	-	-	-	-
GLAND-W4	1.31	(0.03)	1,616	1.00	FC-W1	0.10	-	305	-	-	-	-	-	-
GREEN-W4	0.04	-	13,205	-	FC-W2	0.06	-	1,500	-	-	-	-	-	-
GSTEL-W1	-	-	-	-	FOCUS-W2	0.60	0.01	231	-	-	-	-	-	-
GSTEL-W2	-	-	-	-	FPI-W1	1.19	(0.01)	1,101	1.00	-	-	-	-	-
IEC-W2	-	-	-	-	FVC-W2	0.79	(0.01)	77	-	-	-	-	-	-
IFEC-W2	-	-	-	-	LIT-W1	2.42	(0.04)	10,727	2.00	-	-	-	-	-
IHL-W1	4.94	(0.11)	964	4.00	MOONG-W1	-	-	-	-	-	-	-	-	-
ITD-W1	0.08	-	24,396	-	MPG-W1	-	-	-	-	-	-	-	-	-
IVL-W2	17.20	(0.50)	148,669	17.00	NBC-W1	0.01	-	200	-	-	-	-	-	-
JAS-W3	2.68	0.08	87,884	2.00	NCL-W2	0.16	-	20,999	-	-	-	-	-	-
JCK-W4	-	-	-	-	NDR-W1	0.29	(0.01)	5,532	-	-	-	-	-	-
JCK-W5	0.50	0.01	217	-	NEWS-W4	0.01	-	400	-	-	-	-	-	-
JMART-W2	2.38	0.16	136,429	2.00	NEWS-W5	-	-	-	-	-	-	-	-	-
JMT-W1	12.80	-	30	12.00	NINE-W1	0.01	-	587	-	-	-	-	-	-
MIDA-W2	0.03	(0.01)	79,790	-	OCEAN-W2	-	-	-	-	-	-	-	-	-
MILL-W3	0.04	-	3,917	-	PHOL-W1	0.24	0.04	100,129	-	-	-	-	-	-

