

## Main Board Quotation

Issue Date :

Wednesday May 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	7.00	-	837	6.97	RS	23.60	-	76,931	23.87
NFC	-	-	-	-	HUMAN	12.40	(0.30)	22,952	12.53	SE-ED	3.40	0.02	228	3.42
POMPUI	-	-	-	-	ILINK	6.35	0.05	12,628	6.36	SMM	0.88	0.01	1,584	0.88
SAFARI	-	-	-	-	INET	3.98	-	9,936	3.95	SPORT	0.58	-	1,585	0.56
VI	-	-	-	-	INTUCH	55.25	(0.75)	38,173	55.64	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	6.15	(0.15)	326,249	6.22	TH	0.61	-	1,119	0.61
WR	-	-	-	-	JASIF	10.60	(0.70)	1,810,200	10.69	TKS	11.10	-	24,973	11.22
Agribusiness	-	-	-	-	JMART	11.20	0.40	96,620	11.17	TRITN	0.30	(0.01)	88,060	0.31
CHOTI	146.00	(1.00)	2	146.00	JTS	1.62	(0.03)	1,830	1.64	VGI	7.70	-	51,862	7.68
EE	0.74	-	211,165	0.74	MFEC	4.34	(0.02)	3,522	4.32	WAVE	3.12	-	517	3.12
GFPT	12.00	0.10	21,175	11.94	MSC	5.85	(0.05)	1,212	5.88	WORK	49.75	(2.25)	64,555	50.13
LEE	2.80	-	10,086	2.78	PT	6.90	-	2,178	6.85	Finance & Securities	-	-	-	-
STA	12.10	(0.30)	31,152	12.21	SAMART	8.15	(0.10)	4,036	8.17	AEC	0.51	-	7,151	0.51
TLUXE	6.20	0.10	2,122	6.11	SAMTEL	9.85	(0.25)	299	9.96	AEONTS	153.00	(7.00)	9,570	154.25
TRUBB	1.84	-	10,151	1.85	SDC	0.27	(0.01)	20,036	0.27	AMANAH	2.02	-	132,634	2.02
TWPC	10.10	-	1,584	9.99	SIS	9.05	0.05	3,860	9.00	ASAP	6.90	0.10	37,785	7.01
UPOIC	4.46	(0.02)	229	4.46	SVOA	1.62	-	19,804	1.62	ASK	22.00	-	1,719	21.97
UVAN	8.00	(0.05)	7,538	8.01	SYMC	6.25	(0.70)	5,162	6.44	ASP	3.82	(0.02)	27,552	3.83
VPO	0.78	-	5,388	0.78	SYNEX	15.90	0.10	53,845	16.15	BFIT	28.00	(4.00)	7,042	29.48
Banking	-	-	-	-	THCOM	9.25	(0.05)	69,332	9.42	CGH	1.22	0.01	1,049	1.22
BAY	39.00	-	1,970	38.90	TRUE	7.30	(0.40)	1,938,975	7.44	CNS	2.60	-	2,119	2.60
BBL	191.00	(0.50)	15,462	191.17	TWZ	0.13	-	18,779	0.13	ECL	2.10	0.08	88,993	2.05
CIMBT	1.00	(0.01)	7,648	1.01	Electronic Componen	-	-	-	-	FNS	4.40	-	450	4.40
KBANK	192.50	(1.50)	36,526	192.80	CCET	1.87	(0.15)	111,162	1.90	FSS	2.64	(0.04)	2,828	2.63
KKP	67.25	(0.50)	21,807	67.41	DELTA	64.25	(0.50)	14,541	64.67	GBX	0.71	0.01	704	0.71
KTB	17.10	(0.10)	207,532	17.19	EIC	0.07	0.01	90,464	0.06	GL	6.80	(0.20)	21,914	6.88
LHFG	1.59	(0.01)	13,515	1.59	HANA	35.50	(0.25)	24,160	35.69	IFS	3.06	(0.04)	4,853	3.08
SCB	133.50	(1.00)	33,950	133.45	KCE	67.75	0.25	40,599	68.29	JMT	30.75	(0.25)	3,697	31.05
TCAP	50.75	-	16,549	50.75	METCO	-	-	-	-	KCAR	14.10	-	508	14.08
TISCO	87.00	(1.25)	19,017	87.24	SMT	2.86	(0.02)	6,351	2.86	KGI	4.26	0.02	24,013	4.26
TMB	2.38	(0.04)	796,663	2.38	SPPT	4.92	(0.68)	52,569	4.98	KTC	345.00	(21.00)	35,359	353.16
Construction Materia	-	-	-	-	SVI	4.26	-	9,646	4.26	MBKET	18.80	0.10	602	18.63
CCP	0.42	-	35,216	0.42	TEAM	1.29	(0.01)	6,508	1.29	MFC	15.50	(0.10)	1,508	15.55
DCC	2.56	(0.02)	25,919	2.55	Energy & Utilities	-	-	-	-	ML	1.15	(0.02)	4,073	1.14
DCON	0.62	0.01	35,464	0.61	ABPIF	8.60	0.10	1,208	8.53	MTC	37.25	(0.50)	243,413	36.68
DRT	5.80	-	2,293	5.80	AI	-	-	-	-	PE	0.40	(0.01)	25	0.40
EPG	7.25	-	72,544	7.21	AKR	1.16	(0.01)	44,842	1.16	PL	3.54	-	2,425	3.55
GEL	0.33	(0.02)	100,805	0.33	BAFS	37.50	(0.25)	1,133	37.66	S11	7.25	0.05	315	7.25
PPP	3.98	(0.02)	4,643	3.90	BANPU	21.40	0.50	1,069,342	21.29	SAWAD	34.25	(9.50)	1,309,202	36.57
O-CON	5.95	(0.10)	564	5.84	BCP	35.00	(0.25)	26,981	35.02	THANI	7.65	(0.05)	36,657	7.64
RCI	2.26	0.08	34,232	2.27	BCPG	19.10	-	46,155	19.13	TK	12.70	-	3,549	12.76
SCC	464.00	(6.00)	27,814	466.35	BGRIM	27.50	(1.00)	73,112	27.79	TNITY	6.00	(0.05)	447	6.04
SCCC	240.00	(1.00)	1,866	239.80	BPP	24.60	(0.20)	20,898	24.69	UOBKH	-	-	-	-
SCP	8.45	0.10	3,511	8.34	BRRGIF	10.30	(0.10)	926	10.30	ZMICO	1.12	-	5,200	1.12
SKN	6.20	(0.10)	1,773	6.21	CKP	4.08	0.02	74,405	4.08	Food & Beverage	-	-	-	-
TASCO	17.90	0.20	46,797	17.88	DEMCO	4.60	0.08	13,195	4.63	APURE	1.58	(0.01)	10,207	1.59
TCMC	2.40	(0.54)	314,830	2.45	EA	35.25	(0.75)	155,786	35.39	ASIAN	5.50	(0.25)	37,898	5.61
TGCI	2.54	(0.02)	1,425	2.55	EARTH	-	-	-	-	BR	6.20	(0.40)	101,246	6.30
TOA	38.00	(0.50)	21,393	38.10	EASTW	11.20	-	12,795	11.21	BRR	7.95	(0.15)	1,934	8.00
TPPL	1.90	(0.04)	332,442	1.91	EGATIF	11.30	(0.10)	14,697	11.36	CBG	54.25	(0.25)	25,311	54.36
UMI	1.48	0.01	366	1.49	EGCO	228.00	(3.00)	11,374	229.09	CFRESH	4.88	(0.06)	1,202	4.92
VNG	8.70	0.15	8,253	8.57	ESSO	14.30	(0.30)	110,439	14.39	CM	4.36	(0.10)	8,177	4.40
WIIK	2.34	0.02	17,050	2.35	GLOW	83.00	(0.75)	7,907	82.93	CPF	25.00	-	544,657	25.01
Petrochemicals & Che	-	-	-	-	GPSC	75.25	(0.75)	13,826	75.62	CPI	2.00	(0.02)	5,655	2.00
CMAN	3.90	(0.08)	43,839	3.89	GULF	70.00	-	83,969	70.19	F&D	17.80	0.10	212	17.09
GC	5.15	-	639	5.15	GUNKUL	3.04	-	239,165	3.03	HTC	20.80	(0.20)	1,515	20.73
GGC	13.00	(0.20)	10,174	13.04	IEC	-	-	-	-	ICHI	5.90	0.05	58,615	5.98
GIFT	4.96	(0.04)	2,658	4.98	IFEC	-	-	-	-	KBS	5.15	0.27	22,366	5.19
IVL	60.00	(0.75)	136,573	60.32	IRPC	6.85	0.10	1,493,601	6.85	KSL	3.08	(0.12)	42,840	3.10
PATO	14.40	(0.90)	6,316	14.55	LANNA	16.30	(0.30)	7,040	16.46	KTIS	6.00	(0.10)	798	6.00
PMTA	17.00	(0.30)	816	16.99	MDX	4.80	0.32	69,374	4.89	LST	4.86	(0.02)	3,403	4.88
PTTGC	93.25	(1.25)	131,769	93.86	PTG	19.20	(0.20)	84,033	19.32	M	78.00	(1.75)	2,506	78.18
SUTHA	4.50	-	164	4.50	PTT	56.50	-	557,801	56.53	MALEE	16.50	(0.60)	21,224	16.71
TCB	55.00	(0.50)	106	55.00	PTTEP	138.50	2.00	165,303	137.29	MINT	38.00	0.50	84,162	37.85
TCCC	35.00	(2.25)	873	35.05	RATCH	52.25	0.50	7,531	52.09	OISHI	111.00	(1.00)	336	111.43
TPA	6.65	0.15	183	6.72	RPC	0.62	-	3,243	0.62	PB	62.00	-	194	61.83
UP	26.75	1.25	183	26.42	SCG	4.72	0.02	124	4.72	PM	10.90	-	2,258	10.96
VNT	26.75	(0.25)	17,119	26.83	SCI	3.28	0.08	10,347	3.27	PRG	13.80	-	66	13.82
WG	146.50	(1.50)	106	146.54	SCN	4.04	0.16	42,849	4.00	SAPPE	25.75	(0.25)	9,313	26.13
YCI	-	-	-	-	SGP	24.50	0.80	194,739	24.25	SAUCE	21.90	(0.20)	81	21.95
Commerce	-	-	-	-	SKE	1.34	0.01	5,018	1.35	SFP	230.00	-	1	230.00
BEAUTY	19.40	(1.40)	953,004	19.82	SOLAR	2.78	-	18,831	2.76	SNP	21.20	-	77	21.22
BIG	2.32	-	51,089	2.32	SPCG	22.20	-	26,816	22.49	SORKON	73.75	1.50	310	73.90
BJC	58.00	(1.00)	51,149	58.14	SPRC	15.60	-	107,545	15.64	SSC	-	-	-	-
COL	26.00	(0.50)	10,312	25.74	SUPER	1.16	-	955,025	1.16	SSF	8.50	0.15	165	8.39
COM7	19.10	(0.60)	114,322	19.25	SUSCO	3.68	-	5,758	3.68	SST	6.40	(0.10)	372	6.46
CPALL	83.50	(1.75)	377,437	83.77	TAE	2.26	(0.04)	2,825	2.27	TC	2.84	(0.04)	54	2.84
CSS	2.26	(0.02)	15,045	2.25	TCC	0.42	-	9,149	0.42	TFG	4.42	(0.04)	8,454	4.43
FN	3.32	0.04	20,304	3.29	TOP	85.50	(3.00)	122,591	86.15	TFMAMA	167.00	(1.00)	149	167.20
FTE	2.40	0.06	8,122	2.37	TPIPP	6.65	(0.15)	108,336	6.71	TIPCO	10.40	0.10	31,652	10.36
GLOBAL	16.10	(0.30)	18,405	16.11	TTW	12.30	-	21,726	12.29	TKN	18.50	-	81,717	18.48
HMPRO	14.40	0.20	142,008	14.30	WHAUP	6.05	(0.15)	67,174	6.06	TU	17.70	(0.50)	199,626	17.81
IT	4.54	(0.02)	2,624	4.55	WP	8.55	0.35	141,427	8.46	TVO	31.50	(0.50)	23,301	31.45
KAMART	5.75	(0.20)	13,791	5.82	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.24	-	7,696	2.25	AMARIN	5.30	(0.15)	2,039	5.36	AHC	21.90	(0.10)	43	21.90
MAKRO	45.50	0.25	4,453	45.38	AQUA	0.53	0.05	890,947	0.52	BCH	16.30	(0.30)	107,599	16.35
MC	13.40	0.50	59,646	13.32	AS	1.67	(0.04)	4,765	1.67	BDMS	24.50	(0.30)	614,997	24.60
MEGA	42.25	(0.25)	16,184	41.98	BEC	9.75	(0.35)	75,231	9.82	BH	194.00	4.00	24,614	192.91
MIDA	0.59	0.01	10,547	0.59	EPCO	4.00	0.92	238,544	3.90	CHG	2.30	0.02	672,954	2.29
ROBINS	62.25	(1.00)	13,380	62.37	FE	206.00	(14.00)	3	204.67	CMR	3.48	(0.10)	10,122	3.51
RSP	6.15	(0.10)	1,781	6.17	GPI	3.18	(0.04)	7,425	3.20	EKH	5.50	(0.		

## Main Board Quotation

Issue Date :

Wednesday May 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	9.20	(0.10)	6,536	9.21	MJD	3.20	(0.36)	22,491	3.13	CRANE	2.58	(0.08)	4,301	2.60
WPH	3.30	0.22	71,388	3.25	MK	3.32	-	35,962	3.32	CTW	8.40	(0.15)	1,449	8.45
Tourism & Leisure					NCH	1.02	-	1,160	1.01	FMT	26.50	(0.50)	2	26.50
ASIA	6.70	-	184	6.72	NNCL	1.76	(0.05)	63,870	1.78	HTECH	7.15	(0.15)	11,356	7.21
CENDEL	48.25	(1.75)	20,871	48.73	NOBLE	9.85	(0.15)	2,036	9.84	KKC	1.75	-	801	1.76
CSR	-	-	-	-	NUSA	0.31	(0.01)	27,427	0.31	PK	3.76	(0.06)	9,616	3.78
DTC	11.80	(0.10)	13,722	11.89	ORI	19.30	0.10	33,716	19.20	SNC	15.70	(0.20)	33,296	15.76
ERW	8.00	(0.20)	33,239	8.05	PACE	0.44	-	245,389	0.44	TCJ	6.80	(0.60)	5,505	6.87
GRAND	0.98	0.01	3,129	0.97	PF	0.82	(0.01)	38,511	0.82	VARO	-	-	-	-
LRH	35.00	(0.50)	32	35.12	PLAT	8.00	(0.05)	7,843	7.99	Property Fund & REIT	-	-	-	-
MANRIN	34.75	(1.25)	14	33.98	POLAR	-	-	-	-	AIMIRT	10.10	-	2,930	10.09
OHTL	-	-	-	-	PRECHA	1.72	0.01	1,275	1.71	AMATAR	10.60	-	297	10.59
ROH	40.50	(0.25)	45	40.50	PRIN	1.65	0.01	3,522	1.64	B-WORK	10.20	(0.10)	1,857	10.16
SHANG	71.50	1.50	27	70.09	PRINC	5.50	(0.10)	14,805	5.51	BKKCP	11.80	0.20	439	11.80
Home & Office Produ					PSH	21.50	(0.20)	43,969	21.61	BOFFICE	12.80	(0.20)	2,426	12.82
ACC	0.51	-	1,376	0.51	QH	3.18	(0.04)	439,107	3.17	CPNGC	14.80	-	1,832	14.83
AJA	0.51	-	46,320	0.51	RICHY	1.82	-	19,456	1.82	CPNREIT	23.30	(0.20)	11,072	23.31
DTCI	28.00	1.00	350	28.00	RML	1.17	-	8,844	1.16	CPTGF	12.90	-	571	12.80
FANCY	1.11	(0.03)	34,960	1.12	ROJINA	6.10	(0.40)	79,661	6.09	CRYSTAL	10.70	-	2,540	10.70
KYE	438.00	(4.00)	66	440.09	S	3.54	(0.02)	23,268	3.55	CTARAF	4.84	(0.04)	1,701	4.89
L&E	2.86	(0.04)	1,992	2.87	SAMCO	2.32	(0.02)	193	2.33	DREIT	5.35	-	988	5.35
MODERN	4.84	-	3,212	4.83	SC	3.80	0.02	30,424	3.80	ERWPF	5.90	-	116	5.90
OGC	39.50	-	5	39.50	SENA	3.78	(0.04)	6,686	3.77	FUTUREPF	21.50	-	1,175	21.60
ROCK	-	-	-	-	SF	8.80	0.05	28,508	8.81	GAHREIT	9.85	-	1,060	9.85
SIAM	1.96	-	677	1.96	SIRI	1.67	(0.01)	404,879	1.68	GLANDRT	12.20	-	1,075	12.13
TSR	2.52	(0.02)	2,245	2.52	SPALI	24.00	(0.20)	58,886	24.02	GOLDPF	7.45	-	1,000	7.45
Insurance					TICON	17.40	(0.10)	483	17.54	GVREIT	14.60	(0.20)	7,377	14.52
AYUD	42.75	-	123	42.74	U	0.03	-	1,353,325	0.03	HPF	5.45	-	1,406	5.40
BKI	361.00	(2.00)	7	362.00	UV	8.50	(0.05)	42,907	8.57	HREIT	7.50	-	2,614	7.51
BLA	35.50	0.50	22,571	35.27	WHA	4.20	(0.02)	2,042,412	4.22	IMPACT	18.00	0.10	6,694	17.83
BUI	-	-	-	-	WIN	0.61	-	4,735	0.60	KPNPF	-	-	-	-
CHARAN	36.50	(0.25)	1	36.50	Paper & Printing Mat	-	-	-	-	LHHOTEL	15.50	-	4,681	15.51
INSURE	-	-	-	-	UTP	12.50	0.30	51,016	12.43	LHPF	8.60	(0.05)	1,086	8.60
MTI	125.50	(0.50)	38	125.50	Fashion	-	-	-	-	LHSC	15.50	-	200	15.50
NKI	-	-	-	-	AFC	-	-	-	-	LUXF	8.05	-	30	8.05
NSI	81.00	0.50	14	80.98	BTNC	-	-	-	-	M-II	8.50	-	3	8.50
SMK	42.25	(0.25)	62	42.17	CPH	5.90	-	19	5.90	M-PAT	10.10	-	11	10.10
THRE	1.28	-	46,281	1.29	CPL	3.02	(0.28)	7,213	3.04	M-STOR	-	-	-	-
THREL	8.50	-	3,250	8.53	DIGI	0.58	(0.01)	12,544	0.58	MIPF	-	-	-	-
TIC	33.75	(0.50)	311	33.90	ICC	39.25	(0.25)	1	39.25	MIT	-	-	-	-
TIP	25.75	(0.25)	2,394	25.77	LTX	-	-	-	-	MJLF	12.60	-	2,178	12.60
TSI	0.58	(0.01)	5,260	0.58	NC	-	-	-	-	MNIT	-	-	-	-
TVI	4.14	0.10	52,109	4.08	PAF	1.12	0.01	566	1.11	MNIT2	-	-	-	-
Mining					PDJ	2.86	(0.08)	646	2.88	MNRF	3.66	0.04	2	3.63
PDI	19.50	(0.10)	3,745	19.50	PG	-	-	-	-	MONTRI	-	-	-	-
THL	-	-	-	-	SABINA	30.50	3.00	4,737	29.55	POPF	14.00	-	1,347	13.90
Packaging					SAWANG	-	-	-	-	PPF	11.30	(0.10)	43	11.30
AJ	11.20	(0.30)	9,035	11.10	SUC	42.75	0.25	131	42.61	QHHR	8.75	(0.05)	2,466	8.80
ALUCON	221.00	(2.00)	11	221.09	TNL	-	-	-	-	QHOP	3.84	0.02	16	3.80
CSC	-	-	-	-	TPCORP	16.40	(0.60)	45	16.70	QHPF	11.90	0.10	12,433	11.90
NEP	0.43	(0.01)	6,823	0.44	TR	49.50	(1.00)	386	49.58	SBPF	3.12	-	51	3.06
NPP	1.34	0.01	53,538	1.36	TTI	-	-	-	-	SHREIT	9.65	-	713	9.57
PTL	15.60	(0.90)	28,671	15.87	TTL	-	-	-	-	SIRIP	11.20	(0.10)	2	11.25
SITHAI	1.33	-	7,966	1.32	TTTT	127.50	1.50	52	127.49	SPF	23.30	(0.20)	3,429	23.39
SLP	0.99	0.01	4,367	0.99	UPF	74.00	0.75	5	74.00	SRIPANWA	11.20	-	120	11.20
SMPC	13.30	0.10	5,106	13.24	UT	-	-	-	-	SSPF	-	-	-	-
SPACK	2.04	(0.02)	1,059	2.05	WACOAL	46.00	0.50	3	46.00	SSTPF	6.65	(0.05)	1	6.65
TCOAT	32.25	4.50	4	28.81	Transportation & Log	-	-	-	-	SSTRT	6.40	(0.10)	558	6.43
TFI	0.40	(0.03)	1,932	0.39	AAV	5.75	(0.05)	94,919	5.78	TIF1	8.65	0.05	318	8.64
THIP	37.25	-	80	37.19	AOT	70.00	(1.00)	138,554	70.39	TLGF	19.50	0.40	11,734	19.25
TMD	21.10	0.10	33	20.98	ASIMAR	2.90	(0.08)	8,703	2.92	TLHPF	11.40	-	1	11.40
TOPP	215.00	-	5	215.40	B	0.74	-	10,871	0.74	TNPF	4.48	0.02	47	4.47
TPBI	10.70	0.10	579	10.54	BA	14.70	(0.10)	13,511	14.67	TPRIME	11.90	-	227	11.92
TPP	-	-	-	-	BEM	8.05	(0.05)	331,374	8.01	TREIT	11.20	-	16,704	11.17
Personal Products &					BTS	9.40	(0.10)	297,193	9.40	TTLPF	-	-	-	-
APCO	5.90	(0.05)	2,471	5.90	BTSGIF	12.30	-	57,814	12.32	TU-PF	1.98	(0.01)	1	1.98
DDD	86.00	(5.00)	7,200	88.57	III	5.20	(0.30)	31,753	5.25	URBNPF	5.40	0.30	5	5.40
JCT	88.25	(1.75)	45	89.92	JUTHA	1.97	(0.02)	426	1.97	WHABT	10.10	-	28	10.10
OCC	17.30	0.10	40	17.24	JWD	7.80	(0.15)	41,187	7.94	WHART	10.50	-	15,367	10.40
S & J	-	-	-	-	KWC	270.00	-	1	270.00	Steel	-	-	-	-
STHAI	-	-	-	-	NOK	2.96	(0.06)	12,186	2.99	AMC	2.66	(0.02)	2,462	2.68
TNR	16.00	0.20	959	15.88	NYT	5.70	(0.05)	9,501	5.70	BSBM	1.20	-	437	1.20
TOG	5.25	-	327	5.23	PRM	9.00	(0.10)	29,763	9.02	CEN	1.38	0.01	20,341	1.42
Professional Service					PSL	12.60	(0.50)	49,040	12.69	CITY	2.72	(0.02)	432	2.73
BWG	1.26	0.01	123,909	1.26	RCL	6.30	(0.20)	21,635	6.31	CSP	1.51	-	845	1.53
GENCO	0.88	-	16,742	0.89	THAI	15.40	(1.60)	181,197	15.90	GJS	0.37	(0.01)	232,919	0.37
PRO	-	-	-	-	TSTE	-	-	-	-	GSTEL	-	-	-	-
Property Developer					TTA	7.90	(0.30)	80,851	7.84	INOX	1.17	-	1,606	1.18
A	6.70	-	717	6.70	WICE	4.60	(0.04)	64,861	4.69	LHK	4.98	(0.02)	2,289	5.01
AMATA	21.50	0.50	399,331	21.52	Automotive	-	-	-	-	MAX	0.03	0.01	230,225	0.03
AMATAV	7.35	0.05	7,741	7.34	AH	37.25	(1.25)	12,459	37.55	MCS	8.65	0.50	49,881	8.47
ANAN	3.98	0.02	136,839	3.96	APCS	5.85	(0.10)	3,448	5.90	MILL	1.49	(0.02)	19,043	1.49
AP	8.90	-	44,179	8.85	BAT-3K	215.00	1.00	1	215.00	PAP	4.40	(0.02)	1,097	4.41
APEX	0.23	0.01	32,483	0.22	CWT	3.82	(0.02)	16,916	3.86	PERM	2.60	-	11,538	2.61
AQ	0.04	-	233,500	0.03	EASON	3.48	-	203	3.48	RICH	-	-	-	-
BLAND	1.98	(0.01)	782,909	1.98	GYT	393.00	(5.00)	12	390.50	SAM	0.75	(0.01)	4,432	0.75
BROCK	2.68	0.14	1	2.68	HFT	3.24	(0.02)	15,825	3.24	SMIT	6.00	(0.05)	3,716	6.02
CGD	1.48	-	50,384	1.47	IHL	8.55	(0.15)	3,816	8.57	SSI	-	-	-	-
CI	1.63	(0.01)	1,504	1.63	INGRS	1.00	(0.01)	5,788	1.01	SSSC	3.22	(0.04)	1,329	3.23
CPN	77.25	(0.75)	44,033	77.35	IRC	20.20	(0.30)	122	20.32	TGPRO	0.23	-	28,236	0.23
ESTAR	0.71	-	42,037	0.71	PCSGH	7.75	(0.20)	19,498	7.86	THE	3.24	-	113,614	3.24
EVER	0.39	-	50,982	0.39	SAT	22.40	-	10,928	22.34	TIW	460.00	-	37	457.57
GLAND	2.30	(0.04)	44,720	2.27	SPG	17.30	(0.10)	53	17.32	TMT	14.90	(0.10)	917	14.92
GOLD	10.40	(0.30)	56,657	10.62	STANLY	236.00	-	1,687	239.29	TSTH	0.82	0.01	2,182	0.81
GREEN	1.08	0.02	8,591	1.08	TKT	1.64	(0.05)	237	1.67	TUCC	-	-	-	-
J	1.66	(0.01)	3,439	1.65	TNPC	1.68	0.15	70,520	1.70	TWP	4.40	0.04	220	4.35
JCK	1.67	(0.02)	7,504											

## Main Board Quotation

Issue Date :

Wednesday May 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	UMS	1.07	(0.03)	160	1.00	ADVA11P1807A	0.37	0.04	34,200	-
ABICO	6.95	(0.15)	220	6.00	UWC	0.08	(0.01)	589,130	-	ADVA13C1809A	0.16	(0.03)	39,382	-
AU	11.70	(0.10)	7,492	11.00	Services (MAI)	-	-	-	-	ADVA13C1811A	0.68	(0.10)	67,168	-
FC	0.44	-	26,730	-	ADAM	-	-	-	-	ADVA13P1809A	0.49	0.05	31,521	-
JCKH	1.57	0.05	369,447	1.00	AKP	1.87	(0.01)	594	1.00	ADVA16C1812A	0.51	(0.02)	13	-
KASET	2.34	(0.04)	2,454	2.00	AMA	7.30	(0.45)	13,798	7.00	ADVA18C1808A	0.64	(0.05)	3,680	-
MM	4.20	(0.06)	5,580	4.00	ARIP	0.58	-	1,359	-	ADVA23C1806A	0.33	(0.08)	21,500	-
SUN	4.02	(0.10)	10,439	4.00	ATP30	1.80	(0.02)	11,321	1.00	ADVA24C1810A	0.58	(0.06)	470	-
TACC	4.78	(0.06)	6,092	4.00	AUCT	5.90	0.25	36,160	5.00	ADVA24P1810A	-	-	-	-
TMILL	3.32	(0.02)	3,712	3.00	BOL	2.00	(0.06)	1,907	2.00	ADVA27P1805A	-	-	-	-
XO	9.00	(0.30)	20,747	9.00	CHUO	-	-	-	-	ADVA28C1808A	0.11	(0.03)	50,526	-
Consumer Products	-	-	-	-	CMO	1.55	(0.04)	14,729	1.00	AMAT01C1806A	0.08	0.01	28,028	-
BGT	1.11	(0.08)	16,964	1.00	D	10.30	-	5,143	10.00	AMAT01C1810A	0.99	0.05	90,594	-
BIZ	3.24	0.06	337	3.00	DCORP	2.44	0.06	6,175	2.00	AMAT01C1810B	0.93	0.08	132,055	-
ECF	6.75	-	23,375	6.00	DNA	0.52	0.03	112,580	-	AMAT01P1806A	0.59	(0.05)	28,909	-
HPT	1.18	(0.08)	120,714	1.00	EFORL	0.10	0.02	3,936,750	-	AMAT06C1809A	0.24	0.04	3,446	-
JUBILE	25.00	(0.50)	1,313	25.00	ETE	2.46	0.06	15,465	2.00	AMAT08C1807A	0.02	0.01	603	-
MOONG	6.05	(0.20)	16,256	6.00	FSMART	9.65	(0.10)	15,056	9.00	AMAT08C1809A	0.32	0.02	54,058	-
NPK	-	-	-	-	FVC	1.72	(0.02)	1,934	1.00	AMAT11C1805A	0.71	0.10	19,922	-
OCEAN	0.84	0.01	6,158	-	HARN	2.74	-	987	2.00	AMAT11C1903A	0.55	0.04	20,624	-
TM	2.32	(0.02)	2,419	2.00	JKN	12.20	(0.20)	11,040	12.00	AMAT13C1805A	0.01	-	20,930	-
Financials (MAI)	-	-	-	-	KIAT	0.45	-	15,021	-	AMAT13C1806A	0.01	-	27,151	-
ACAP	8.50	(0.30)	8,692	8.00	KOOL	1.97	(0.03)	28,371	1.00	AMAT13C1809A	0.31	0.03	277,819	-
AF	0.97	-	5,995	-	LDC	1.22	(0.01)	6,602	1.00	AMAT23C1810A	0.46	0.04	47,919	-
AIRA	2.08	(0.02)	5,611	2.00	MPG	0.26	(0.01)	5,854	-	AMAT24C1805A	-	-	-	-
ASN	-	-	-	-	NBC	0.73	(0.01)	328	-	AMAT24C1807A	-	-	-	-
BROOK	0.60	(0.01)	10,519	-	NCL	1.48	(0.01)	5,843	1.00	AMAT24C1811A	0.62	0.08	5,564	-
CHAYO	3.10	(0.06)	44,555	3.00	NEWS	0.01	-	164,695	-	AMAT28C1806A	0.01	-	201	-
GCAP	5.40	(0.30)	36,829	5.00	NINE	1.40	-	100	1.00	AMAT28C1808A	0.26	0.03	223,752	-
LIT	9.20	(0.05)	3,489	9.00	OTO	3.32	0.04	2,472	3.00	AMAT42C1806A	0.62	0.06	8,024	-
SGF	0.13	(0.01)	228,312	-	PHOL	2.32	0.02	5,678	2.00	ANAN01C1807A	0.04	-	10	-
Industrials (MAI)	-	-	-	-	PICO	6.90	0.20	229	6.00	ANAN08C1808A	-	-	-	-
2S	3.62	(0.02)	2,961	3.00	PORT	7.50	(0.05)	39,495	7.00	ANAN08C1810A	0.41	(0.03)	38,486	-
ADB	1.37	-	25,916	1.00	QLT	5.20	-	979	5.00	ANAN23C1806A	-	-	-	-
BM	3.66	0.06	23,461	3.00	RP	4.14	(0.02)	567	4.00	ANAN24C1807A	-	-	-	-
CHO	1.40	(0.03)	9,360	1.00	SE	2.34	-	2,274	2.00	ANAN24C1811A	0.36	(0.01)	8,000	-
CHOW	5.15	(0.20)	12,341	5.00	SPA	18.10	-	1,632	18.00	ANAN28C1806A	0.01	-	4,000	-
CIG	0.39	-	185	-	THMUI	1.70	-	2,333	1.00	ANAN28C1809A	0.25	(0.01)	6,392	-
COLOR	1.15	(0.01)	3,416	1.00	TNDT	4.94	(1.06)	12,935	5.00	AOT01C1808A	0.55	(0.05)	56,045	-
CPR	5.25	(0.05)	3,555	5.00	TNH	40.75	(0.25)	410	40.00	AOT01C1808B	0.17	(0.03)	46,869	-
FPI	3.38	-	584	3.00	TNP	2.08	(0.02)	3,843	2.00	AOT01C1810A	0.61	(0.02)	36,125	-
GTB	0.88	-	4,635	-	TSF	0.06	(0.01)	853,619	-	AOT01P1808A	0.70	0.02	84,607	-
KCM	1.32	(0.03)	23,891	1.00	TVD	1.63	(0.02)	687	1.00	AOT01P1808B	0.29	0.02	26,151	-
LVT	-	-	-	-	TVT	1.11	(0.02)	3,651	1.00	AOT06C1806A	1.67	(0.06)	180	1.00
MBAX	4.22	-	760	4.00	WINNER	3.26	-	7,636	3.00	AOT06C1809A	0.32	(0.04)	7,809	-
MGT	2.32	(0.02)	958	2.00	Technology (MAI)	-	-	-	-	AOT08C1806A	-	-	-	-
NDR	2.34	(0.08)	2,848	2.00	COMAN	4.74	0.02	1,506	4.00	AOT08C1807A	0.14	(0.02)	18,844	-
PDG	3.72	0.02	775	3.00	ICN	2.54	(0.18)	60,016	2.00	AOT11C1808A	0.81	(0.05)	8,872	-
PIMO	2.56	(0.02)	1,304	2.00	IRCP	1.61	(0.01)	4,242	1.00	AOT11P1808A	-	-	-	-
PJW	1.84	0.01	7,446	1.00	ITEL	3.98	0.04	8,352	3.00	AOT13C1805A	-	-	-	-
PPM	2.62	-	2	2.00	NETBAY	44.50	(0.25)	3,079	44.00	AOT13C1806A	0.09	(0.02)	20,897	-
RWI	1.61	(0.16)	30,258	1.00	PLANET	2.02	(0.02)	456	2.00	AOT13C1807A	0.08	(0.01)	9,169	-
SALÉE	1.13	(0.01)	2,713	1.00	SIMAT	3.08	(0.10)	8,753	3.00	AOT13C1809A	0.32	(0.03)	32,089	-
SANKO	1.37	(0.03)	29,184	1.00	SKY	16.80	-	8,408	16.00	AOT13P1806A	-	-	-	-
SELIC	1.82	0.01	6,547	1.00	SPVI	1.50	(0.02)	7,960	1.00	AOT13P1810A	0.50	0.04	18,447	-
SWC	22.60	(0.40)	520	22.00	UPA	-	-	-	-	AOT19C1809A	0.46	(0.05)	24,230	-
TAPAC	10.90	-	1,016	10.00	VCOM	3.10	(0.16)	14,098	3.00	AOT23C1807A	0.65	(0.04)	7,000	-
TMC	1.00	-	10,000	1.00	Unit Trust	-	-	-	-	AOT23P1807A	0.01	-	159	-
TMI	0.84	(0.01)	3,515	-	MGE	-	-	-	-	AOT24C1806A	-	-	-	-
TMW	65.75	(2.75)	1,002	66.00	SCBSET	-	-	-	-	AOT24C1807A	-	-	-	-
TPAC	13.00	(0.20)	4,334	12.00	ETF	-	-	-	-	AOT24P1809A	0.19	0.01	300	-
UAC	4.98	(0.12)	8,000	5.00	1DIV	12.46	(0.07)	72	12.00	AOT28C1807A	0.10	(0.02)	10,478	-
UBIS	4.96	0.10	507	4.00	ABFTH	-	-	-	-	AOT28C1809A	0.34	(0.03)	58,578	-
UEC	1.76	(0.01)	885	1.00	BMSCG	9.46	(0.03)	830	9.00	AOT28P1806A	0.12	0.02	96,984	-
UKEM	0.95	(0.01)	21,694	-	BMSCITH	13.67	(0.13)	7,564	13.00	AP01C1809A	0.52	(0.02)	13,730	-
UREKA	0.53	(0.01)	15,829	-	BSET100	11.21	(0.11)	2,845	11.00	AP08C1810A	0.48	(0.03)	26,540	-
YUASA	17.60	0.10	199	17.00	CHINA	6.24	-	30	6.00	AP23C1805A	-	-	-	-
ZIGA	2.64	(0.16)	28,501	2.00	EBANK	-	-	-	-	AP24C1805A	-	-	-	-
Property & Construc	-	-	-	-	ECOMM	9.09	(0.13)	312	9.00	BA01C1805A	0.22	0.01	680	-
ARROW	11.50	-	858	11.00	EFOOD	5.95	(0.02)	20	5.00	BA01P1805A	0.80	0.04	14,641	-
BKD	3.28	-	3,924	3.00	EICT	4.85	(0.11)	19	4.00	BA11C1902A	0.23	(0.02)	54,511	-
BSM	0.76	-	15,094	-	ENGY	-	-	-	-	BA23C1806A	0.01	-	3,000	-
BTW	1.95	(0.01)	5,322	1.00	ENY	-	-	-	-	BA24C1810A	0.56	(0.04)	1,800	-
CHEWA	1.14	(0.01)	36,425	1.00	ESET50	6.04	(0.03)	9	6.00	BA24C1901A	-	-	-	-
CRD	1.21	(0.01)	2,547	1.00	GLD	1.78	(0.02)	174	1.00	BA28C1809A	0.08	(0.01)	34,391	-
DIMET	1.28	-	10,653	1.00	TDEX	11.37	(0.10)	3,582	11.00	BA42C1806A	0.01	-	2,000	-
FLOYD	2.50	0.02	14,465	2.00	TGOLDEF	3.89	(0.02)	125	3.00	BANP01C1806A	0.82	0.06	220,105	-
FOCUS	0.99	-	1,836	1.00	TH100	5.16	(0.01)	10	5.00	BANP01C1808A	0.45	0.05	196,531	-
HYDRO	1.36	-	12,134	1.00	Warrant Foreign	-	-	-	-	BANP01C1808B	0.20	0.03	85,376	-
JSP	0.69	(0.01)	2,394	-	AAV01C1808A	0.26	(0.01)	79,396	-	BANP01P1806A	0.09	(0.02)	45,914	-
K	3.20	0.04	7,812	3.00	AAV01C1808B	0.12	-	157,450	-	BANP01P1808A	0.58	(0.06)	104,314	-
NVD	4.54	0.02	291											

## Main Board Quotation

Issue Date :

Wednesday May 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BBL08C1805A	-	-	-	-	BEM01C1808A	0.43	(0.02)	16,699	-	CBG23C1806A	-	-	-	-
BBL08C1808A	0.12	(0.01)	5,070	-	BEM01C1808B	0.19	(0.02)	8,089	-	CBG23C1901A	0.31	(0.01)	16,100	-
BBL08C1809A	0.15	(0.01)	16,216	-	BEM01P1808A	0.28	-	2,054	-	CBG24C1807A	-	-	-	-
BBL08P1810A	0.51	(0.01)	33,261	-	BEM08C1809A	0.33	(0.02)	3,030	-	CBG24C1809A	-	-	-	-
BBL11C1805A	1.02	-	3,134	1.00	BEM11C1805A	0.20	(0.02)	700	-	CBG28C1808A	-	-	-	-
BBL11C1903A	0.55	-	6,500	-	BEM11C1903A	0.30	(0.01)	1,700	-	CBG28C1808B	0.09	-	17,406	-
BBL11P1805A	0.01	(0.05)	3,502	-	BEM13C1806A	-	-	-	-	CBG42C1806A	-	-	-	-
BBL11P1903A	0.80	(0.01)	6,620	-	BEM13C1809A	0.33	(0.02)	13,023	-	CENT01C1805A	0.27	(0.05)	63,483	-
BBL13C1807A	0.11	-	10,223	-	BEM23C1805A	-	-	-	-	CENT01P1805A	0.37	0.06	26,257	-
BBL13C1810A	0.59	(0.02)	12,214	-	BEM24C1809A	-	-	-	-	CENT08C1809A	0.21	(0.03)	19,561	-
BBL23C1811A	0.27	(0.01)	1,000	-	BEM28C1807A	0.11	-	800	-	CENT11C1806A	0.53	(0.08)	18,000	-
BBL24C1809A	-	-	-	-	BEM28C1808A	0.28	(0.03)	35,143	-	CENT11C1811A	0.29	(0.04)	26,364	-
BBL24P1810A	-	-	-	-	BEM42C1806A	0.22	(0.01)	5,048	-	CENT23C1806A	0.19	(0.06)	47,704	-
BBL27C1809A	0.19	(0.01)	2,802	-	BEM42P1806A	0.40	0.03	784	-	CENT24C1807A	0.07	(0.01)	1,500	-
BBL28C1808A	0.07	(0.01)	6,010	-	BH01C1806A	0.77	0.11	129,660	-	CENT24C1810A	0.26	(0.04)	15,000	-
BBL28C1811A	0.53	-	28,004	-	BH01C1806B	0.19	0.04	177,230	-	CENT28C1808A	0.15	(0.02)	51,112	-
BCH01C1808A	0.43	(0.04)	78,356	-	BH01P1806A	0.72	(0.11)	89,411	-	CHG01C1809A	0.42	-	29,503	-
BCH01C1808B	0.22	(0.03)	55,679	-	BH07C1810A	0.10	-	2,994	-	CHG01P1809A	0.30	0.01	79,758	-
BCH01P1808A	0.41	0.04	28,771	-	BH08C1811A	0.17	0.03	54,551	-	CHG08C1807A	0.13	0.01	5,252	-
BCH06C1806A	-	-	-	-	BH11C1902A	0.16	0.01	34,543	-	CHG11C1807A	0.05	(0.01)	5,400	-
BCH08C1806A	0.07	(0.03)	19,500	-	BH23C1805A	0.01	-	10	-	CHG13C1805A	-	-	-	-
BCH11C1807A	0.21	(0.04)	19,385	-	BH24C1806A	-	-	-	-	CHG13C1807A	0.14	-	92,056	-
BCH13C1805A	0.11	(0.21)	150	-	BH24C1809A	0.37	0.05	17,172	-	CHG13C1809A	0.72	-	34,400	-
BCH13C1810A	0.19	(0.01)	25,209	-	BH24C1811A	0.16	0.02	101	-	CHG23C1811A	0.90	(0.01)	12,609	-
BCH19C1809A	0.18	(0.02)	29,030	-	BIG08C1807A	-	-	-	-	CHG24C1808A	0.06	(0.01)	2,312	-
BCH23C1811A	0.32	(0.05)	30,722	-	BIG13C1808A	0.06	-	150	-	CHG28C1806A	-	-	-	-
BCH24C1805A	0.02	(0.02)	15,000	-	BIG23C1805A	-	-	-	-	CHG28C1807A	0.17	-	47,174	-
BCH28C1807A	0.09	(0.02)	56,731	-	BIG24C1808A	-	-	-	-	CHG28C1808A	0.62	-	24,593	-
BCH42C1806A	0.39	(0.05)	4,338	-	BIG28C1807A	0.02	-	5,070	-	CK01C1809A	0.23	0.02	271,242	-
BCP01C1805A	0.12	-	5,598	-	BJC01C1807A	0.45	(0.04)	61,662	-	CK01P1809A	0.38	(0.03)	7,588	-
BCP01P1805A	0.36	-	81,759	-	BJC01C1807B	0.18	(0.03)	53,276	-	CK08C1805A	-	-	-	-
BCP07C1806A	-	-	-	-	BJC01P1807A	0.70	0.04	27,159	-	CK08C1809A	0.38	0.06	58,294	-
BCP08C1806A	-	-	-	-	BJC06C1807A	0.20	(0.05)	4,124	-	CK11C1806A	-	-	-	-
BCP11C1811A	0.18	(0.01)	11,806	-	BJC07C1809A	-	-	-	-	CK13C1806A	-	-	-	-
BCP13C1805A	0.01	-	740	-	BJC08C1807A	0.09	(0.01)	8,160	-	CK13C1809A	0.14	0.01	69,685	-
BCP13C1810A	0.13	-	17,768	-	BJC08C1809A	0.26	(0.04)	77,828	-	CK16C1812A	0.20	0.02	270	-
BCP23C1805A	-	-	-	-	BJC11C1807A	0.56	(0.07)	15,190	-	CK23C1808A	0.03	-	2,211	-
BCP24C1808A	-	-	-	-	BJC13C1805A	0.01	(0.01)	2,800	-	CK24C1806A	-	-	-	-
BCP28C1807A	-	-	-	-	BJC13C1807A	0.05	(0.02)	5,014	-	CK24C1808A	-	-	-	-
BCP28C1809A	0.10	-	16,224	-	BJC13C1808A	0.26	(0.03)	46,090	-	CK28C1806A	-	-	-	-
BCP28C1809B	0.10	-	39,477	-	BJC13C1810A	0.43	(0.03)	54,819	-	CK28C1809A	0.46	0.04	251,677	-
BCPG01C1806A	0.10	-	14,567	-	BJC19C1809A	0.40	(0.05)	24,700	-	CKP11C1807A	0.52	(0.01)	12,000	-
BCPG01C1806B	0.02	-	1	-	BJC23C1806A	0.22	(0.05)	21,050	-	CKP13C1810A	0.48	0.01	30,334	-
BCPG06C1807A	-	-	-	-	BJC24C1808A	0.26	(0.05)	30,000	-	CKP23C1810A	0.53	0.01	11,500	-
BCPG07C1806A	-	-	-	-	BJC27C1807A	0.24	(0.05)	7,244	-	CKP24C1811A	0.54	(0.01)	252	-
BCPG08C1805A	-	-	-	-	BJC28C1808A	0.26	(0.05)	45,631	-	CKP27C1806A	-	-	-	-
BCPG08C1806A	-	-	-	-	BLA01C1812A	0.38	0.01	16,008	-	CKP28C1809A	0.26	0.01	54,720	-
BCPG08C1810A	0.39	(0.01)	21,380	-	BLA07C1806A	-	-	-	-	CKP28C1809B	0.54	0.01	8,460	-
BCPG11C1807A	0.69	-	8,875	-	BLA08C1811A	0.17	0.01	8,456	-	CKP42C1806A	0.28	-	3,808	-
BCPG11C1902A	0.26	(0.01)	13,066	-	BLA13C1809A	0.10	0.01	1,450	-	COM701C1806A	0.77	(0.11)	75,381	-
BCPG13C1805A	-	-	-	-	BLA23C1806A	-	-	-	-	COM701C1806B	0.48	(0.13)	62,606	-
BCPG13C1806A	-	-	-	-	BLA27C1806A	-	-	-	-	COM706C1809A	0.48	(0.07)	13,900	-
BCPG13C1807A	0.01	-	1,415	-	BLA28C1810A	0.13	0.01	7,826	-	COM708C1805A	0.58	(0.04)	7,000	-
BCPG13C1810A	0.37	(0.01)	36,364	-	BLAN01C1809A	0.69	(0.03)	35,105	-	COM708C1811A	0.32	(0.07)	41,683	-
BCPG23C1806A	0.28	(0.03)	11,660	-	BLAN01P1809A	0.14	-	9,246	-	COM711C1811A	0.57	(0.10)	33,121	-
BCPG24C1806A	-	-	-	-	BLAN08C1810A	0.38	-	10,962	-	COM713C1805A	-	-	-	-
BCPG24C1807A	-	-	-	-	BLAN11C1902A	0.35	(0.02)	6,018	-	COM713C1809A	0.29	(0.05)	153,947	-
BCPG24C1810A	-	-	-	-	BLAN23C1807A	0.10	0.01	3,606	-	COM723C1806A	0.81	(0.14)	14,700	-
BCPG28C1806A	0.01	-	10,200	-	BPP01C1806A	-	-	-	-	COM724C1806A	0.19	(0.08)	3,480	-
BCPG28C1808A	0.09	(0.01)	4,000	-	BPP01C1806B	-	-	-	-	COM728C1806A	0.12	(0.05)	72,384	-
BCPG28C1809A	0.36	-	36,672	-	BPP06C1809A	0.53	(0.01)	11,500	-	COM728C1808A	0.10	(0.03)	15,160	-
BDMS01C1806A	0.73	(0.06)	119,254	-	BPP07C1806A	0.01	-	8,350	-	CPAL01C1806A	0.77	(0.10)	188,680	-
BDMS01C1806B	0.39	(0.06)	73,598	-	BPP08C1807A	-	-	-	-	CPAL01C1808A	0.88	(0.10)	198,652	-
BDMS01P1806A	0.15	0.01	271,950	-	BPP08C1810A	0.40	(0.01)	10,180	-	CPAL01C1808B	0.44	(0.11)	181,312	-
BDMS08C1807A	0.45	(0.06)	55,719	-	BPP11C1807A	0.05	-	3,201	-	CPAL01P1806A	0.32	0.05	121,019	-
BDMS11C1811A	0.70	(0.07)	42,975	-	BPP13C1805A	-	-	-	-	CPAL01P1808A	0.64	0.06	97,985	-
BDMS13C1807A	0.52	(0.04)	200	-	BPP13C1806A	0.01	-	351	-	CPAL06C1811A	1.34	(0.08)	30,509	1.00
BDMS13C1810A	0.44	(0.03)	218,205	-	BPP13C1808A	0.48	(0.01)	24,268	-	CPAL08C1807A	0.48	(0.09)	50,205	-
BDMS16C1812A	0.81	(0.02)	355	-	BPP23C1806A	-	-	-	-	CPAL08P1810A	0.73	0.07	67,354	-
BDMS23C1810A	0.45	(0.03)	47,512	-	BPP24C1809A	-	-	-	-	CPAL11C1805A	1.55	(0.16)	35,800	1.00
BDMS24C1805A	0.25	0.16	4,000	-	BPP28C1807A	-	-	-	-	CPAL11C1903A	0.49	(0.06)	44,270	-
BDMS28C1806A	0.22	(0.05)	147,172	-	BPP28C1808A	0.39	-	19,032	-	CPAL11P1805A	-	-	-	-
BEAU01C1807A	0.45	(0.16)	341,367	-	BTS01C1806A	0.53	(0.02)	41,975	-	CPAL11P1903A	0.71	0.07	59,310	-
BEAU01C1807B	0.21	(0.12)	223,822	-	BTS01P1806A	0.14	-	64,460	-	CPAL13C1807A	0.51	(0.09)	86,330	-
BEAU01P1807A	0.83	0.17	462,111	-	BTS06C1903A	-	-	-	-	CPAL23C1810A	0.45	(0.08)	57,760	-
BEAU06C1809A	0.30	(0.14)	60,725	-	BTS06C1903B	-	-	-	-	CPAL24C1808A	0.39	(0.09)	24,228	-
BEAU07C1809A	0.14	(0.06)	21,367	-	BTS06C1903C	-	-	-	-	CPAL24C1811A	0.34	(0.08)	7,030	-
BEAU08C1805A	0.22	(0.23)	23,189	-	BTS08C1810A	0.41	(0.02)	14,872	-	CPAL24P1901A	0.34	0.02	1,010	-
BEAU08C1808A	0.14	(0.09)	55,361	-	BTS11C1806A	0.33	(0.02)	4,020	-	CPAL28C1809A	0.27	(0.05)	136,978	-
BEAU11C1902A	0.43	(0.13)	57,515	-	BTS23C1905A	1.56	(0.01)	2,486	1.00	CPAL42C1805A	-	-	-	-
BEAU13C1806A	0.05	(0.07)	203,145	-	BTS24C1808A	0.22	(0.02)	4,220	-	CPAL42P1805A	-	-	-	-
BEAU13C1811A	0.25	(0.09)	475,455	-	BTS28C1809A	0.36	(0.02)	26,951	-	CPF01C1809A	0.85	0.01	96,551	-
BEAU23C1805A	0.82	(0.27)	24,610	-	CBG01C1806A	0.02	-	2,155	-	CPF01C1809B	0.24	0.01	54,001	-
BEAU24C1807A	0.08	(0.06)	11,301	-	CBG01C1806B	0.02	0.01	81,970	-	CPF01C1810A	0.25	-	76,979	-
BEAU28C1806A	0.03	(0.05)	84,169	-	CBG01C1809A	0.13	(0.01)	12,946	-	CPF01P1809A	0.45	(0.01)	74,776	-
BEAU28C1810A	0.18	(0.82)	37,638	-	CBG01P1806A	2.74	-	30,974	2.00	CPF06C1809A	0.60	-	19,500	-
BEC01C1808A	0.09	(0.02)	176,584	-	CBG06C1807A	0.49	(0.01)	8,2						

## Main Board Quotation

Issue Date :

Wednesday May 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPN08C1809A	0.18	(0.01)	35,344	-	GLOB13C1807A	-	-	-	-	ITD24C1810A	0.14	(0.01)	52	-
CPN11C1805A	0.20	(0.04)	8,030	-	GLOB23C1811A	0.46	(0.02)	2,060	-	ITD28C1808A	-	-	-	-
CPN11C1903A	0.45	-	25,674	-	GLOB24C1805A	-	-	-	-	ITD28C1808B	0.21	0.05	67,068	-
CPN11P1805A	-	-	-	-	GLOB24C1810A	0.25	(0.03)	4,000	-	IVL01C1806A	0.76	(0.03)	117,420	-
CPN11P1903A	0.67	-	9,624	-	GLOB27C1809A	0.15	(0.02)	3,963	-	IVL01C1808A	0.59	(0.03)	97,745	-
CPN13C1807A	0.16	-	6,084	-	GLOB28C1807A	-	-	-	-	IVL01C1808B	0.34	(0.04)	149,467	-
CPN23C1810A	0.40	(0.03)	35,049	-	GLOB28C1808A	0.15	(0.03)	16,244	-	IVL01P1806A	0.17	0.01	43,576	-
CPN24C1806A	-	-	-	-	GLOB42C1805A	0.18	(0.05)	1,144	-	IVL01P1808A	0.78	0.04	49,423	-
CPN28C1807A	0.06	-	840	-	GLOW08C1806A	-	-	-	-	IVL01P1808B	0.38	0.02	45,798	-
CPN42C1805A	0.28	(0.04)	800	-	GLOW08C1811A	0.45	(0.02)	3,152	-	IVL06C1807A	0.42	(0.03)	4,234	-
DELTO1C1805A	0.01	(0.01)	10,033	-	GLOW11C1807A	0.36	(0.02)	2,107	-	IVL07C1811A	0.62	(0.06)	1,011	-
DELT08C1811A	0.22	0.01	8,160	-	GLOW23C1806A	0.10	(0.02)	3,500	-	IVL08C1806A	0.47	(0.04)	28,794	-
DELT13C1809A	0.18	(0.02)	22,131	-	GLOW27C1812A	0.28	(0.02)	3,673	-	IVL08P1809A	0.11	-	2,280	-
DELT24C1805A	-	-	-	-	GLOW42C1805A	-	-	-	-	IVL11C1808A	1.00	(0.06)	36,049	1.00
DELT27C1812A	0.19	-	9,548	-	GPSC01C1808A	0.66	(0.04)	27,391	-	IVL11P1808A	0.07	-	70	-
DTAC01C1808A	0.37	(0.04)	110,722	-	GPSC01C1808B	0.32	(0.01)	16,216	-	IVL13C1805A	-	-	-	-
DTAC01C1808B	0.19	(0.02)	39,465	-	GPSC01P1808A	1.05	0.01	36,475	1.00	IVL13C1806A	0.09	(0.01)	53,945	-
DTAC01C1810A	0.55	(0.06)	71,532	-	GPSC08C1805A	-	-	-	-	IVL13C1809A	0.57	(0.05)	7,300	-
DTAC01P1808A	0.85	0.03	48,105	-	GPSC08C1808A	0.22	(0.01)	30,711	-	IVL13C1810A	0.45	(0.04)	99,454	-
DTAC06C1806A	0.12	(0.05)	7,487	-	GPSC11C1808A	1.23	(0.03)	13,200	1.00	IVL13P1805A	-	-	-	-
DTAC06P1809A	-	-	-	-	GPSC11C1902A	0.55	(0.03)	18,414	-	IVL13P1809A	0.17	0.01	19,817	-
DTAC07C1809A	-	-	-	-	GPSC13C1805A	2.02	(0.12)	3,000	2.00	IVL19C1809A	0.75	(0.05)	9,500	-
DTAC08C1809A	0.25	(0.03)	54,901	-	GPSC13C1806A	0.86	(0.04)	4,000	-	IVL23C1810A	0.76	(0.05)	14,000	-
DTAC08P1807A	0.36	0.03	41,294	-	GPSC13C1807A	0.33	(0.03)	84,140	-	IVL24C1808A	-	-	-	-
DTAC11C1806A	0.07	(0.02)	8,720	-	GPSC13C1808A	0.23	(0.02)	38,656	-	IVL28C1806A	0.04	(0.01)	21,005	-
DTAC13C1805A	-	-	-	-	GPSC23C1805A	2.28	(0.04)	2,200	2.00	IVL28C1807A	0.61	(0.04)	35,751	-
DTAC13C1806A	0.12	(0.03)	24,800	-	GPSC24C1807A	0.62	(0.03)	4	-	IVL28C1808A	0.28	(0.03)	208,010	-
DTAC13C1811A	0.30	(0.02)	73,344	-	GPSC24C1808A	-	-	-	-	IVL28P1806A	-	-	-	-
DTAC13P1806A	0.13	0.02	35,093	-	GPSC28C1806A	0.74	(0.02)	12,168	-	IVL28P1806B	-	-	-	-
DTAC13P1811A	0.78	0.04	45,067	-	GPSC28C1807A	0.46	(0.03)	32,861	-	IVL42C1805A	-	-	-	-
DTAC23C1807A	0.03	-	3,101	-	GPSC28C1807B	-	-	-	-	KBAN01C1808A	0.20	(0.01)	14,626	-
DTAC23P1807A	0.07	0.02	2,076	-	GPSC42C1806A	1.38	(0.02)	852	1.00	KBAN01C1808B	0.04	-	31,546	-
DTAC24C1809A	0.28	(0.04)	1,350	-	GUNK01C1808A	0.09	(0.01)	25,555	-	KBAN01C1810A	0.96	(0.05)	42,410	-
DTAC27C1809A	0.18	(0.02)	12,010	-	GUNK01C1808B	0.02	-	5,000	-	KBAN01P1808A	1.11	0.03	20,356	1.00
DTAC27P1809A	0.25	-	27,847	-	GUNK08C1807A	0.01	-	200	-	KBAN01P1808B	0.69	0.02	11,550	-
DTAC28C1806A	0.10	(0.02)	60,605	-	GUNK11C1805A	-	-	-	-	KBAN01P1810A	0.75	0.02	24,573	-
DTAC28C1810A	-	-	-	-	GUNK11C1903A	0.23	-	21,780	-	KBAN07C1811A	0.33	(0.03)	100	-
DTAC42C1806A	0.06	(0.02)	26,869	-	GUNK23C1806A	-	-	-	-	KBAN08C1805A	-	-	-	-
DTAC42P1806A	-	-	-	-	GUNK24C1807A	-	-	-	-	KBAN08P1805A	-	-	-	-
EA01C1806A	0.03	(0.01)	7,597	-	GUNK24C1812A	-	-	-	-	KBAN13C1807A	0.02	-	18,927	-
EA01C1806B	0.01	-	8,650	-	GUNK28C1806A	-	-	-	-	KBAN13C1810A	0.19	(0.02)	2,307	-
EA01C1809A	0.78	(0.04)	28,837	-	GUNK28C1808A	-	-	-	-	KBAN13C1811A	0.80	(0.04)	104,970	-
EA01C1809B	0.61	(0.05)	36,032	-	GUNK28C1810A	0.43	0.01	62,005	-	KBAN23C1806A	-	-	-	-
EA01P1806A	3.12	0.10	18,603	3.00	HANA01C1806A	0.01	-	1,190	-	KBAN24C1806A	-	-	-	-
EA06C1809A	0.02	(0.01)	18,751	-	HANA01C1806B	-	-	-	-	KBAN24C1902A	-	-	-	-
EA07C1810A	-	-	-	-	HANA08C1806A	-	-	-	-	KBAN24P1811A	-	-	-	-
EA08C1807A	-	-	-	-	HANA08C1809A	0.21	(0.01)	27,536	-	KBAN27C1809A	0.13	-	2,200	-
EA08C1809A	0.03	(0.02)	3,906	-	HANA13C1806A	-	-	-	-	KBAN27P1809A	0.68	0.01	18,400	-
EA08C1810A	0.30	(0.04)	22,399	-	HANA13C1809A	0.25	(0.02)	64,980	-	KBAN28C1806A	-	-	-	-
EA11C1902A	0.15	(0.01)	40,740	-	HANA23C1811A	0.46	(0.02)	11,750	-	KBAN28C1809A	0.07	(0.01)	7,672	-
EA13C1805A	-	-	-	-	HANA24C1808A	0.06	-	2,560	-	KBAN28C1811A	0.62	(0.03)	86,292	-
EA13C1806A	-	-	-	-	HANA28C1807A	-	-	-	-	KBAN28P1807A	0.85	0.04	68,512	-
EA13C1807A	0.01	-	40	-	HANA28C1808A	0.19	-	10,964	-	KBAN42C1805A	-	-	-	-
EA13C1808A	0.02	(0.01)	23,022	-	HMPR01C1808A	0.37	0.01	40,084	-	KCE01C1805A	0.03	0.01	40,550	-
EA13C1808B	0.17	(0.03)	117,381	-	HMPR01C1808B	0.19	0.01	27,867	-	KCE01C1805B	0.01	-	20,000	-
EA13C1809A	0.03	(0.01)	9,885	-	HMPR01P1808A	0.40	-	28,319	-	KCE06C1809A	0.38	0.01	54,985	-
EA13C1810A	0.11	(0.01)	360,671	-	HMPR08C1810A	0.20	-	29,840	-	KCE07C1808A	0.10	-	1,854	-
EA13P1809A	1.04	0.04	20,687	1.00	HMPR11C1808A	0.38	0.03	13,069	-	KCE08C1805A	-	-	-	-
EA23C1806A	0.03	(0.01)	60,999	-	HMPR11P1808A	-	-	-	-	KCE08C1809A	0.35	0.04	14,232	-
EA24C1805A	-	-	-	-	HMPR13C1807A	0.10	0.01	14,380	-	KCE11C1808A	-	-	-	-
EA24C1807A	0.01	-	20	-	HMPR13C1812A	0.35	0.02	126,558	-	KCE13C1805A	-	-	-	-
EA28C1806A	0.01	-	6,832	-	HMPR23C1805A	0.41	0.02	7,000	-	KCE13C1808A	0.24	-	176,812	-
EA28C1809A	0.50	(0.03)	63,652	-	HMPR23P1805A	-	-	-	-	KCE23C1807A	0.01	-	3,351	-
EA28C1809B	0.16	(0.01)	58,000	-	HMPR24C1808A	0.19	0.02	400	-	KCE24C1808A	0.14	0.01	102,804	-
EGCO01C1809A	0.57	(0.05)	21,949	-	HMPR27C1807A	0.27	0.01	5,694	-	KCE28C1808A	0.13	0.02	98,096	-
EGCO08C1809A	0.17	(0.02)	11,623	-	HMPR28C1807A	0.07	-	16,000	-	KCE42C1805A	-	-	-	-
EGCO13C1809A	0.18	(0.01)	27,368	-	HMPR28C1811A	0.21	(0.79)	26,432	-	KKP01C1808A	0.25	(0.02)	19,682	-
EGCO23C1811A	0.43	(0.02)	29,620	-	ICHIO8C1806A	-	-	-	-	KKP01C1808B	0.06	(0.01)	8,954	-
EGCO24C1808A	0.21	(0.01)	3,001	-	INTU01C1809A	0.46	(0.03)	38,240	-	KKP07C1806A	-	-	-	-
EGCO28C1808A	0.20	(0.03)	55,760	-	INTU01C1809B	0.18	(0.03)	30,858	-	KKP08C1805A	-	-	-	-
EGCO42C1806A	0.21	(0.03)	4,544	-	INTU01P1809A	0.50	0.02	15,962	-	KKP11C1805A	0.17	(0.02)	4,050	-
EPG01C1809A	0.12	(0.01)	37,672	-	INTU11C1807A	0.15	(0.02)	9,980	-	KKP11C1903A	0.31	(0.01)	8,220	-
EPG01P1809A	1.12	0.01	14,020	1.00	INTU11P1807A	0.40	0.02	11,088	-	KKP13C1807A	-	-	-	-
EPG07C1811A	0.29	-	230	-	INTU13C1806A	0.03	(0.01)	2,001	-	KKP13C1811A	0.33	(0.02)	32,517	-
EPG08C1810A	-	-	-	-	INTU13C1810A	0.28	(0.02)	42,208	-	KKP23C1807A	0.06	(0.01)	11,000	-
EPG08C1810B	0.37	-	13,002	-	INTU23C1806A	0.10	(0.02)	9,000	-	KKP24C1807A	-	-	-	-
EPG11C1805A	-	-	-	-	INTU24C1807A	-	-	-	-	KKP28C1807A	-	-	-	-
EPG11C1903A	0.31	-	6,300	-	INTU28C1809A	0.22	(0.03)	73,065	-	KKP28C1810A	0.25	(0.01)	12,168	-
EPG13C1808A	0.04	(0.01)	11,553	-	IRPC01C1808A	0.27	0.02	234,265	-	KKP42C1805A	-	-	-	-
EPG13C1811A	0.24	(0.01)	14,872	-	IRPC01C1810A	0.26	0.02	86,664	-	KTBO1C1808A	0.19	-	36,298	-
EPG23C1808A	-	-	-	-	IRPC01C1810B	0.13	0.01	67,648	-	KTBO1C1810A	0.33	-	24,507	-
EPG24C1807A	-	-	-	-	IRPC01P1808A	0.42	(0.02)	50,530	-	KTBO1P1808A	0.69	(0.01)	11,366	-
EPG24C1808A	-	-	-	-	IRPC08C1808A	0.12	0.01	49,460	-	KTBO8C1809A	0.09	-	11,061	-
EPG24C1810A	0.41	0.01	2,102	-	IRPC11C1902A	0.13	0.01	50,284	-	KTB11C1811A	0.18	(0.01)	6,864	-
EPG28C1808A	-	-	-	-	IRPC13C1806A	0.14	0.03	132,089	-	KTB13C1809A	0.11	0.01	12,316	-
ESSO01C1807A	0.11	(0.02)	109,172	-	IRPC13C1808A	0.05	-	21,305	-	KTB23C1811A	-	-	-	-
ESSO01C1807B	0.02	(0.01)	27,501	-	IRPC13C1811A	0.28	0.02	134,440	-	KTB24C1808A	-	-	-	-
ESSO01P1807A	1.24													

## Main Board Quotation

Issue Date :

Wednesday May 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTC13C1809A	1.28	(0.21)	25,681	1.00	ORI13C1810A	0.73	0.01	73,487	-	PTTE28C1807A	0.74	0.04	104,559	-
KTC13C1809B	1.06	(0.24)	198,174	1.00	ORI23C1809A	0.29	-	6,000	-	PTTE28C1810A	0.48	0.03	252,876	-
KTC13P1807A	0.18	-	244,644	-	ORI24C1806A	-	-	-	-	PTTG01C1805A	1.09	(0.07)	64,168	1.00
KTC23C1806A	-	-	-	-	ORI24C1810A	-	-	-	-	PTTG01C1808A	0.76	(0.05)	140,128	-
KTC23C1809A	1.71	(0.29)	100,795	1.00	ORI28C1806A	-	-	-	-	PTTG01C1810A	0.76	(0.05)	63,636	-
KTC24C1808A	2.20	(0.26)	5,001	2.00	ORI28C1808A	0.28	-	43,824	-	PTTG01C1810B	0.37	(0.06)	32,378	-
KTC24C1810A	0.94	(0.18)	9,970	1.00	PLAN08C1811A	0.23	-	3,524	-	PTTG01P1805A	0.04	-	4,000	-
KTC24P1807A	0.25	0.05	144,605	-	PLAN11C1805A	0.26	-	3,786	-	PTTG01P1808A	0.72	0.04	45,285	-
KTC27C1806A	-	-	-	-	PLAN13C1809A	0.17	(0.01)	6,370	-	PTTG06C1809A	0.45	(0.06)	46,693	-
KTC28C1806A	7.95	(0.65)	10,000	7.00	PLAN23C1806A	0.02	-	4,500	-	PTTG07C1806A	0.67	(0.02)	70	-
KTC28C1806B	-	-	-	-	PLAN28C1810A	0.22	0.01	2,028	-	PTTG08C1805A	0.32	(0.10)	29,702	-
KTC28C1808A	1.77	(0.39)	20,948	1.00	PSH01C1805A	0.15	(0.01)	1,017	-	PTTG08P1805A	-	-	-	-
KTC28C1808B	1.62	(0.19)	202,464	1.00	PSH01P1805A	0.64	0.03	21,997	-	PTTG11C1902A	0.51	(0.04)	50,142	-
KTC28C1809A	1.14	(0.25)	111,873	1.00	PSH08C1805A	-	-	-	-	PTTG13C1805A	0.12	(0.08)	10,015	-
KTC28C1810A	1.03	(0.20)	194,488	1.00	PSH08C1811A	0.24	(0.02)	39,922	-	PTTG13C1808A	0.33	(0.04)	116,720	-
LH01C1809A	0.31	(0.01)	39,529	-	PSH11C1902A	0.40	(0.02)	9,426	-	PTTG23C1805A	0.22	(0.07)	18,800	-
LH01P1809A	0.22	-	21,180	-	PSH23C1811A	0.44	-	10,000	-	PTTG24C1808A	0.23	(0.04)	11,090	-
LH06C1809A	0.25	0.01	7,716	-	PSH42C1806A	-	-	-	-	PTTG24P1808A	0.15	0.02	1	-
LH07C1810A	-	-	-	-	PSL01C1807A	0.42	(0.07)	17,012	-	PTTG27C1807A	0.73	(0.01)	8,000	-
LH11C1808A	0.20	(0.01)	69,446	-	PSL23C1809A	0.19	(0.05)	17,152	-	PTTG27P1807A	0.08	-	16,000	-
LH13C1808A	0.21	(0.01)	17,477	-	PSL24C1807A	-	-	-	-	PTTG28C1807A	0.05	(0.01)	4,177	-
LH23C1806A	0.11	0.01	11,000	-	PTG01C1805A	0.02	(0.01)	2,488	-	PTTG28C1807B	0.21	(0.04)	63,824	-
LH24C1806A	-	-	-	-	PTG01C1806A	0.26	-	139,498	-	QH01C1807A	0.36	(0.01)	41,702	-
LH24C1809A	0.12	-	2,002	-	PTG01C1806B	0.06	(0.01)	5,402	-	QH01P1807A	0.33	0.01	26,892	-
LH28C1808A	0.13	-	42,892	-	PTG01P1805A	1.20	0.02	14,326	1.00	QH08C1808A	0.23	(0.01)	25,642	-
LHFG42C1806A	-	-	-	-	PTG06C1810A	0.24	(0.01)	6,168	-	QH11C1902A	0.36	(0.01)	28,988	-
LPN01C1809A	0.15	-	23,701	-	PTG06C1904A	-	-	-	-	QH23C1808A	0.31	(0.01)	17,000	-
LPN01P1809A	0.56	-	5,804	-	PTG07C1806A	-	-	-	-	QH28C1808A	0.14	(0.02)	11,254	-
LPN08C1807A	-	-	-	-	PTG08C1807A	-	-	-	-	QH42C1805A	0.54	(0.01)	1,000	-
LPN08C1810A	0.14	-	22,308	-	PTG11C1805A	0.11	(0.02)	13,420	-	RATC23C1806A	0.02	-	250	-
LPN11C1806A	0.07	-	9,162	-	PTG11C1903A	0.53	(0.02)	24,747	-	RATC27C1812A	-	-	-	-
LPN23C1806A	-	-	-	-	PTG13C1805A	-	-	-	-	ROBI01C1809A	0.44	(0.05)	28,177	-
LPN24C1808A	0.02	-	3	-	PTG13C1806A	-	-	-	-	ROBI06C1809A	0.43	(0.02)	17,840	-
LPN27C1807A	-	-	-	-	PTG13C1809A	0.36	(0.02)	201,268	-	ROBI08C1808A	0.09	(0.02)	7,211	-
LPN42C1805A	-	-	-	-	PTG23C1808A	-	-	-	-	ROBI11C1808A	0.17	(0.02)	2,108	-
MAJO08C1811A	0.18	(0.82)	16,716	-	PTG24C1805A	-	-	-	-	ROBI13C1807A	0.06	(0.01)	1,352	-
MAJO11C1902A	0.22	-	7,896	-	PTG24C1809A	0.42	(0.02)	10,230	-	ROBI23C1805A	-	-	-	-
MAJO23C1806A	-	-	-	-	PTG27C1809A	0.04	0.01	11	-	ROBI24C1805A	-	-	-	-
MAJO24C1809A	0.10	0.01	5,490	-	PTG28C1806A	-	-	-	-	ROBI24C1901A	0.41	(0.03)	200	-
MAJO42C1806A	-	-	-	-	PTG28C1808A	0.30	(0.01)	83,471	-	ROBI27C1806A	-	-	-	-
MALE01C1812A	0.05	-	29,350	-	PTL08C1811A	0.49	(0.10)	40,017	-	S10001C1811A	0.77	(0.04)	4,736	-
MALE08C1805A	0.01	-	200	-	PTL13C1809A	0.29	(0.08)	42,542	-	S23C1805A	-	-	-	-
MALE08C1811A	0.01	-	4,905	-	PTL23C1807A	0.11	(0.04)	10,000	-	S42C1806A	-	-	-	-
MALE13C1805A	-	-	-	-	PTL24C1806A	-	-	-	-	S5001C1805A	0.77	(0.10)	90,473	-
MALE13C1809A	0.05	0.02	10	-	PTL28C1810A	0.41	(0.11)	65,653	-	S5001C1805B	0.47	(0.10)	837,031	-
MALE23C1806A	-	-	-	-	PTT01C1808A	1.09	(0.01)	98,170	1.00	S5001C1806F	0.85	(0.13)	1,501,382	-
MALE27C1812A	-	-	-	-	PTT01C1808B	0.77	(0.01)	93,171	-	S5001C1806G	0.21	(0.10)	1,200,684	-
MALE28C1810A	0.01	-	5,000	-	PTT01C1810A	0.52	-	77,092	-	S5001C1806H	0.42	(0.15)	1,279,056	-
MC23C1809A	0.21	0.04	19,308	-	PTT01P1808A	0.32	(0.01)	11,111	-	S5001C1806I	0.12	(0.01)	20,178	-
MC24C1807A	0.06	0.01	2,004	-	PTT01P1808B	0.09	(0.01)	3,082	-	S5001C1807A	0.77	(0.08)	179,420	-
MEGA01C1806A	0.34	(0.02)	34,801	-	PTT01P1810A	0.78	0.01	32,954	-	S5001P1805A	0.77	0.09	26,282	-
MEGA01C1806B	0.14	(0.03)	42,814	-	PTT07C1811A	-	-	-	-	S5001P1805B	0.98	0.13	205,188	-
MEGA08C1805A	-	-	-	-	PTT08C1805A	-	-	-	-	S5001P1806F	1.17	0.17	1,936,910	1.00
MEGA11C1806A	0.70	(0.04)	8,299	-	PTT08C1807A	0.77	0.01	5	-	S5001P1806G	0.34	0.10	1,087,386	-
MEGA11C1902A	0.36	(0.02)	5,392	-	PTT08C1809A	0.28	(0.02)	56,599	-	S5001P1806H	1.79	0.20	995,740	1.00
MEGA13C1805A	-	-	-	-	PTT08P1805A	-	-	-	-	S5001P1806I	0.86	0.20	1,535,828	-
MEGA13C1809A	0.24	(0.01)	35,891	-	PTT08P1809A	0.36	-	26,826	-	S5001P1807A	1.16	0.10	129,053	1.00
MEGA23C1806A	0.46	(0.01)	11,100	-	PTT11C1806A	3.06	0.06	11,111	3.00	S5006C1806A	0.11	(0.06)	30,243	-
MEGA24C1805A	-	-	-	-	PTT11C1902A	0.51	(0.01)	34,204	-	S5006C1806B	0.09	(0.05)	17,414	-
MEGA27C1807A	0.12	(0.02)	3,331	-	PTT13C1807A	0.66	-	48,866	-	S5006P1806A	0.03	(0.02)	9,837	-
MEGA28C1808A	0.11	(0.01)	25,511	-	PTT13C1808A	0.26	(0.01)	327,467	-	S5006P1806B	0.27	0.07	13,313	-
MINT01C1805A	0.02	-	8,995	-	PTT13C1810A	0.33	(0.01)	37,821	-	S5008C1806A	0.17	(0.06)	83,122	-
MINT01C1808A	0.14	0.01	73,122	-	PTT13P1805A	-	-	-	-	S5008C1806B	0.17	(0.07)	70,732	-
MINT01C1808B	0.03	-	10,000	-	PTT13P1807A	0.05	-	12,070	-	S5008P1806A	0.49	0.11	117,577	-
MINT01P1805A	0.74	(0.01)	14,223	-	PTT13P1808A	0.31	-	120,729	-	S5008P1806B	0.50	0.10	71,154	-
MINT01P1808A	0.62	(0.04)	14,433	-	PTT19C1809A	0.46	-	37,946	-	S5013C1806A	0.21	(0.09)	1,400,455	-
MINT06C1809A	0.15	0.01	738	-	PTT23C1805A	0.75	0.02	14,000	-	S5013C1806B	0.15	(0.08)	2,592,807	-
MINT07C1810A	0.14	0.01	250	-	PTT23P1805A	-	-	-	-	S5013C1806C	0.47	(0.12)	990,374	-
MINT08C1809A	0.13	0.01	14,219	-	PTT24C1806A	1.01	(0.04)	1	1.00	S5013C1806D	0.44	(0.15)	2,789,104	-
MINT11C1902A	0.22	-	98,116	-	PTT24C1809A	0.45	(0.01)	500	-	S5013C1806E	0.58	(0.19)	1,030,105	-
MINT11P1902A	0.31	(0.03)	8,380	-	PTT24P1808A	-	-	-	-	S5013P1806A	0.60	0.13	4,737,293	-
MINT13C1805A	-	-	-	-	PTT27C1809A	0.92	(0.03)	2,000	-	S5013P1806B	0.58	0.17	1,204,551	-
MINT13C1810A	0.23	0.01	78,520	-	PTT27P1809A	0.17	-	5,937	-	S5013P1806C	1.04	0.17	1,421,377	-
MINT23C1810A	-	-	-	-	PTT28C1807A	0.57	-	26,612	-	S5013P1806D	0.17	0.06	121,022	-
MINT24C1807A	-	-	-	-	PTT28C1808A	0.31	(0.01)	89,484	-	S5013P1806E	0.77	0.19	2,700,015	-
MINT24C1812A	-	-	-	-	PTT28C1808B	0.13	-	80,919	-	S5028C1806A	0.13	(0.02)	8,563	-
MINT28C1806A	0.02	(0.01)	20	-	PTT28C1811A	0.26	(0.01)	140,067	-	S5028C1806B	0.24	(0.09)	1,734,474	-
MINT28C1808A	0.13	0.01	73,326	-	PTT28P1808A	0.22	-	98,228	-	S5028C1806C	0.45	(0.13)	983,474	-
MONO08C1808A	0.02	(0.01)	25,642	-	PTT28P1808B	0.38	(0.02)	24,773	-	S5028P1806A	0.66	0.14	1,299,588	-
MONO13C1808A	0.02	(0.01)	2,097	-	PTT42C1805A	-	-	-	-	S5028P1806B	0.29	0.07	1,429,504	-
MONO13C1811A	0.32	(0.01)	22,800	-	PTTE01C1808A	1.21	0.05	222,539	1.00	S5028P1806C	-	-	-	-
MONO23C1809A	0.03	(0.01)	8,151	-	PTTE01C1808B	0.84	0.04	97,664	-	SAMA13C1806A	-	-	-	-
MONO24C1807A	0.01	-	20	-	PTTE01P1808A	0.23	(0.02)	58,752	-	SAWA01C1808A	0.15	(0.09)	267,420	-
MONO24C1812A	0.15	(0.01)	61,068	-	PTTE07C1809A	0.51	0.03	5,755	-	SAWA01C1808B	0.03	(0.02)	126,616	-
MONO28C1807A	-	-	-	-	PTTE08C1805A	-	-	-	-	SAWA01P1808A	2.36	0.82	369,440	2.00
MONO28C1808A	0.02	-	508	-										

## Main Board Quotation

Issue Date :

Wednesday May 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB01P1808B	0.81	0.06	22,396	-	SUPE13C1805A	-	-	-	-	TOP08C1805A	-	-	-	-
SCB08C1806A	0.03	(0.01)	8,000	-	SUPE13C1806A	-	-	-	-	TOP08C1811A	0.35	(0.66)	63,874	-
SCB11C1901A	0.29	(0.01)	34,040	-	SUPE13C1810A	0.26	-	132,481	-	TOP11C1808A	0.10	(0.03)	14,625	-
SCB11P1901A	0.74	0.02	5,370	-	SUPE13C1811A	0.33	(0.01)	81,112	-	TOP13C1806A	0.01	-	1,000	-
SCB13C1805A	-	-	-	-	SUPE23C1811A	0.57	(0.01)	686	-	TOP13C1811A	0.37	(0.07)	73,498	-
SCB13C1809A	0.18	(0.01)	40,841	-	SUPE28C1806A	0.05	(0.01)	64,250	-	TOP18C1808A	-	-	-	-
SCB24C1806A	0.01	(0.01)	1,330	-	SUPE28C1807A	0.21	0.01	1,000	-	TOP23C1811A	0.50	(0.01)	300	-
SCB24C1902A	-	-	-	-	SUPE28C1810A	0.22	(0.78)	900,101	-	TOP24C1805A	-	-	-	-
SCB24P1811A	-	-	-	-	TASCO1C1806A	0.16	0.01	151,713	-	TOP24C1806A	-	-	-	-
SCB28C1808A	0.06	(0.01)	6,000	-	TASCO1C1809A	0.20	0.02	10,044	-	TOP28C1810A	0.09	(0.02)	15,697	-
SCB28C1809A	0.17	(0.02)	54,092	-	TASCO1P1806A	1.00	(0.05)	74,351	1.00	TOP42C1806A	-	-	-	-
SCB28P1808A	0.42	0.03	39,868	-	TASCO1P1809A	1.29	(0.07)	35,185	1.00	TOP42P1806A	0.82	0.12	4,297	-
SCC01C1808A	0.33	(0.03)	285,401	-	TASCO7C1811A	-	-	-	-	TP101C1807A	0.07	(0.02)	15,540	-
SCC01C1808B	0.10	(0.01)	55,474	-	TASCO8C1808A	0.05	(0.01)	1,000	-	TP101C1807B	-	-	-	-
SCC01P1808A	0.58	0.02	15,017	-	TASCO11C1806A	0.05	-	1,000	-	TP108C1807A	-	-	-	-
SCC06C1809A	0.22	(0.03)	2	-	TASCO13C1805A	0.01	-	1,500	-	TP113C1809A	0.12	(0.02)	14,526	-
SCC08C1809A	0.19	(0.02)	19,686	-	TASCO13C1810A	0.30	0.02	150,783	-	TP123C1809A	-	-	-	-
SCC11C1811A	0.28	(0.03)	7,270	-	TASCO23C1806A	-	-	-	-	TP124C1808A	-	-	-	-
SCC11P1811A	0.36	0.02	11,100	-	TASCO24C1810A	-	-	-	-	TP128C1808A	-	-	-	-
SCC13C1809A	0.23	(0.01)	31,574	-	TASCO28C1808A	0.15	0.01	60,272	-	TPIP01C1805A	0.06	(0.01)	18,900	-
SCC23C1811A	0.28	(0.01)	32,000	-	TCAP01C1807A	0.16	(0.01)	5,416	-	TPIP01P1805A	0.41	0.02	27,540	-
SCC24C1806A	-	-	-	-	TCAP01C1807B	0.03	-	6,073	-	TPIP07C1806A	-	-	-	-
SCC24C1812A	-	-	-	-	TCAP01P1807A	0.97	0.01	4,562	-	TPIP08C1808A	0.07	(0.02)	2	-
SCC24P1901A	0.38	0.01	10	-	TCAP08C1810A	0.22	-	2,610	-	TPIP11C1811A	0.18	(0.01)	2,791	-
SCC27C1809A	0.23	(0.01)	2,600	-	TCAP11C1811A	0.22	-	3,693	-	TPIP13C1805A	-	-	-	-
SCC27P1809A	0.42	-	5,000	-	TCAP13C1809A	0.15	-	28,414	-	TPIP13C1811A	0.41	(0.04)	41,585	-
SCC28C1807A	0.06	-	12,100	-	TCAP23C1807A	0.24	-	5,000	-	TPIP23C1808A	-	-	-	-
SCC42C1805A	-	-	-	-	TCAP24C1807A	-	-	-	-	TPIP24C1901A	-	-	-	-
SCCO08C1811A	0.12	-	3,386	-	TCAP27C1807A	0.10	(0.01)	4,072	-	TPIP27C1812A	-	-	-	-
SCCC13C1809A	0.13	-	306	-	TCAP42C1805A	-	-	-	-	TRUE01C1808A	0.59	(0.08)	98,625	-
SCCC23C1806A	-	-	-	-	THAI01C1806A	0.16	(0.11)	33,200	-	TRUE01C1808B	0.38	(0.09)	82,603	-
SCCC27C1812A	-	-	-	-	THAI01C1808A	0.31	(0.15)	176,978	-	TRUE01P1808A	0.22	0.03	52,787	-
SGP08C1808A	0.10	0.02	43,385	-	THAI01C1808B	0.12	(0.10)	69,003	-	TRUE06C1806A	0.59	(0.09)	20,185	-
SGP13C1806A	1.56	0.13	1,358	1.00	THAI01P1806A	0.78	0.20	69,481	-	TRUE06P1806A	-	-	-	-
SGP13C1807A	0.23	0.06	530,997	-	THAI01P1808A	0.67	0.17	27,040	-	TRUE07C1806A	0.12	(0.05)	1,301	-
SGP13C1808A	0.09	0.01	101,844	-	THAI06C1809A	0.39	(0.19)	13,268	-	TRUE08C1809A	0.40	(0.10)	23,068	-
SGP23C1805A	-	-	-	-	THAI07C1811A	0.37	(0.10)	3,600	-	TRUE08P1809A	0.12	0.01	9,874	-
SGP24C1806A	0.01	-	7,100	-	THAI08C1808A	0.17	(0.11)	44,376	-	TRUE11C1807A	0.29	(0.06)	20,108	-
SGP24C1808A	0.04	(0.01)	430	-	THAI11C1808A	0.12	(0.08)	19,674	-	TRUE13C1807A	0.29	(0.05)	25,080	-
SGP28C1808A	0.07	0.01	29,400	-	THAI13C1811A	0.26	(0.13)	70,779	-	TRUE13C1810A	0.28	(0.05)	164,593	-
SGP28C1809A	0.04	-	30,594	-	THAI23C1805A	-	-	-	-	TRUE16C1812A	0.56	0.03	2	-
SIRI01C1808A	0.04	(0.01)	8,202	-	THAI24C1808A	0.16	(0.13)	333,630	-	TRUE23C1806A	0.45	(0.05)	14,700	-
SIRI01C1808B	-	-	-	-	THAI27C1809A	0.20	(0.10)	12,495	-	TRUE27C1809A	0.46	(0.03)	9,896	-
SIRI01P1808A	0.57	0.01	6,572	-	THAI28C1808A	0.11	(0.10)	102,785	-	TRUE27P1809A	0.25	0.03	17,885	-
SIRI08C1808A	-	-	-	-	THAN01C1812A	0.49	(0.03)	16,695	-	TRUE28C1807A	0.27	(0.05)	19,149	-
SIRI08C1810A	0.27	-	41,975	-	THAN13C1809A	0.10	(0.02)	15,734	-	TRUE28C1808A	0.10	(0.05)	138,114	-
SIRI11C1902A	0.24	(0.01)	14,772	-	THAN23C1807A	-	-	-	-	TTA01C1807A	0.15	(0.05)	97,286	-
SIRI13C1809A	-	-	-	-	THAN28C1810A	-	-	-	-	TTA01P1807A	0.79	0.10	31,872	-
SIRI23C1811A	0.35	(0.01)	11,020	-	THCO01C1809A	0.18	(0.01)	40,076	-	TTA08C1808A	0.07	(0.03)	26,217	-
SIRI24C1809A	-	-	-	-	THCO01P1809A	0.62	0.01	21,575	-	TTA11C1806A	-	-	-	-
SIRI28C1807A	-	-	-	-	THCO11C1902A	0.20	(0.02)	36,159	-	TTA13C1805A	-	-	-	-
SIRI28C1809A	0.16	(0.01)	33,114	-	THCO13C1805A	-	-	-	-	TTA13C1809A	0.10	(0.05)	130,660	-
SIRI42C1805A	-	-	-	-	THCO23C1808A	-	-	-	-	TTA18C1808A	-	-	-	-
SPAL01C1805A	0.20	(0.03)	34,646	-	THCO24C1805A	-	-	-	-	TTA23C1808A	0.01	(0.02)	4,000	-
SPAL01C1808A	0.52	(0.02)	29,061	-	THCO24C1807A	0.03	-	2,000	-	TTA24C1809A	-	-	-	-
SPAL01C1808B	0.19	(0.02)	33,082	-	THCO24C1810A	0.40	(0.03)	9,700	-	TTA28C1806A	-	-	-	-
SPAL01P1805A	0.49	0.01	59,018	-	THCO28C1806A	-	-	-	-	TTCL13C1806A	-	-	-	-
SPAL06C1809A	0.57	(0.03)	23,402	-	THCO28C1808A	0.09	(0.01)	56,214	-	TU01C1808A	0.17	(0.03)	163,739	-
SPAL08C1808A	0.20	(0.01)	54,100	-	TISCO1C1808A	0.74	(0.07)	20,949	-	TU01C1808B	-	-	-	-
SPAL11C1807A	0.33	(0.01)	25,784	-	TISCO1C1808B	0.36	(0.06)	15,958	-	TU01P1808A	0.80	0.09	32,657	-
SPAL23C1811A	0.73	(0.01)	35,000	-	TISCO8C1808A	0.40	(0.06)	26,832	-	TU08C1805A	-	-	-	-
SPAL24C1808A	-	-	-	-	TISC11C1805A	1.11	(0.12)	8,048	1.00	TU11C1902A	0.12	(0.02)	44,310	-
SPCG13C1806A	0.23	(0.01)	12,452	-	TISC11C1903A	0.55	(0.05)	12,674	-	TU13C1809A	0.05	(0.02)	15,000	-
SPRC01C1805A	0.25	(0.01)	29,938	-	TISC13C1807A	0.34	(0.06)	24,890	-	TU23C1806A	-	-	-	-
SPRC01C1808A	0.35	(0.01)	69,133	-	TISC24C1806A	-	-	-	-	TU24C1808A	-	-	-	-
SPRC01C1808B	0.15	-	9,340	-	TISC27C1807A	0.38	(0.03)	8,000	-	TU27C1807A	0.12	-	1,351	-
SPRC01P1805A	0.26	(0.01)	73,142	-	TISC28C1807A	0.28	(0.04)	25,538	-	TV001C1809A	0.30	(0.03)	20,012	-
SPRC06C1809A	-	-	-	-	TISC42C1806A	1.00	(0.08)	2,404	1.00	TV008C1808A	0.12	(0.02)	10,051	-
SPRC08C1808A	0.16	(0.01)	56,622	-	TKN01C1805A	-	-	-	-	TV011C1805A	0.11	(0.03)	3,540	-
SPRC11C1902A	0.24	-	16,740	-	TKN01C1808A	0.40	0.01	73,390	-	TV011C1903A	0.20	(0.01)	5,932	-
SPRC13C1805A	-	-	-	-	TKN01C1808B	0.20	0.02	22,251	-	TV013C1809A	0.08	(0.01)	7,046	-
SPRC13C1808A	0.18	(0.01)	131,679	-	TKN06C1806A	-	-	-	-	TV023C1808A	0.14	(0.02)	27,800	-
SPRC23C1810A	0.30	(0.01)	33,885	-	TKN08C1805A	-	-	-	-	TV024C1810A	0.15	(0.02)	15,002	-
SPRC24C1808A	-	-	-	-	TKN08C1808A	0.07	-	28,000	-	TV028C1808A	0.05	(0.01)	2,300	-
SPRC28C1806A	-	-	-	-	TKN11C1902A	0.46	(0.01)	39,552	-	UNIQ01C1809A	0.28	0.07	264,472	-
SPRC42C1805A	-	-	-	-	TKN13C1805A	-	-	-	-	UNIQ01P1809A	0.52	(0.08)	38,039	-
STA01C1807A	0.10	(0.02)	2,603	-	TKN13C1808A	0.13	(0.01)	126,079	-	UNIQ08C1808A	0.05	0.01	300	-
STA01C1807B	-	-	-	-	TKN13C1810A	0.48	-	107,644	-	UNIQ08C1810A	0.30	0.07	170,881	-
STA08C1807A	-	-	-	-	TKN23C1806A	-	-	-	-	UNIQ11C1811A	0.26	0.06	44,708	-
STA13C1807A	0.01	(0.02)	10,000	-	TKN24C1807A	-	-	-	-	UNIQ13C1807A	0.01	-	2,300	-
STA13C1808A	0.18	(0.02)	32,335	-	TKN24C1811A	0.72	(0.01)	15,300	-	UNIQ13C1809A	0.27	0.07	428,038	-
STA23C1809A	0.24	(0.02)	21,436	-	TKN28C1806A	-	-	-	-	UNIQ23C1806A	-	-	-	-
STA24C1808A	0.12	(0.03)	250	-	TKN28C1808A	0.18	-	7,563	-	UNIQ24C1806A	-	-	-	-
STA28C1807A	-	-	-	-	TKN42C1805A	0.03	(0.02)	15,000	-	UNIQ24C1811A	0.18	0.05	6,800	-
STEC01C1809A	0.31	0.07	268,197	-	TMB01C1807A	0.04	-	12,735	-	UNIQ28C1807A	0.01	-	3,000	-
STEC01P1809A	1.17	(0.13)	40,574	1.00	TMB01P1807A	0.88	0.03	9,120	-	UNIQ28C1809A	0.21	0.07	221,745	-
STEC06C1809A	0.37	0.17	6,552	-	TMB06C1809A	0.08	0.01	15	-	UNIQ28C1811A	0.29	(0.71)	173,068	-
STEC08C1809A	0.28	0.09	47,254	-	TMB07C1811									

## Main Board Quotation

Issue Date :

Wednesday May 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SUPE08C1808A	0.22	0.01	9,571	-	TOP06C1809A	0.23	(0.08)	10,381	-	VGI23C1911A	-	-	-	-



## Main Board Quotation

Issue Date :

Wednesday May 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VGI27C1812A	-	-	-	-	MILL-W4	0.32	0.01	11,605	-	PIMO-W1	1.55	0.03	2,438	1.00
VGI28C1810A	0.47	(0.01)	9,956	-	ML-W2	0.05	0.01	14,320	-	PPS-W1	1.11	(0.06)	131	1.00
VGI42C1805A	0.70	(0.01)	1,000	-	MONO-W1	1.21	-	46,840	1.00	PSTC-W1	0.36	-	13,768	-
VIBH08C1806A	-	-	-	-	NEP-W3	0.15	-	2	-	QTC-W1	-	-	-	-
VIBH13C1806A	-	-	-	-	NMG-W3	-	-	-	-	RWI-W1	0.02	(0.04)	245,040	-
VIBH24C1805A	-	-	-	-	NOK-W1	1.32	-	561	1.00	SIMAT-W2	0.81	(0.02)	1,285	-
VNG13C1806A	-	-	-	-	NPP-W3	0.54	(0.01)	81,628	-	SIMAT-W3	0.89	(0.02)	2,395	-
WHA01C1807A	0.29	-	193,245	-	NUSA-W3	-	-	-	-	SKY-W1	14.60	(0.10)	50	14.00
WHA01C1807B	0.12	0.01	138,465	-	ORI-W1	3.12	(0.08)	10,193	3.00	STAR-W3	1.93	0.09	56,069	1.00
WHA06C1809A	0.42	(0.01)	13,752	-	PACE-W1	0.02	(0.01)	6,587	-	T-W3	-	-	-	-
WHA07C1810A	0.41	(0.02)	113	-	PACE-W2	0.05	(0.01)	112,290	-	TAKUNI-W	0.25	0.01	9,360	-
WHA08C1805A	0.24	(0.03)	31,570	-	PDJ-W2	1.58	(0.05)	132	1.00	TAPAC-W3	5.50	(0.15)	220	5.00
WHA08C1811A	0.43	-	120,378	-	PDJ-W3	1.60	(0.01)	214	1.00	TMILL-W1	1.31	(0.01)	431	1.00
WHA11C1805A	0.87	0.01	25,617	-	PDJ-W4	1.55	(0.04)	428	1.00	TSF-W4	0.02	-	2,104	-
WHA11C1903A	0.39	(0.01)	35,514	-	PL-W1	0.01	-	32,212	-	TSF-W5	0.03	-	5,490	-
WHA13C1805A	0.57	0.03	27,502	-	PLE-W3	0.43	(0.03)	17,658	-	TVD-W2	0.76	(0.03)	8,499	-
WHA13C1808A	0.34	(0.01)	305,605	-	PSL-W1	0.02	-	70,317	-	TVT-W1	-	-	-	-
WHA23C1810A	0.57	0.03	6,700	-	RICH-W1	-	-	-	-	UKEM-W2	0.55	(0.01)	4,127	-
WHA24C1805A	-	-	-	-	RICHY-W1	0.35	(0.01)	1,881	-	UWC-W2	0.02	-	192,887	-
WHA24C1807A	0.12	(0.01)	1,152	-	RICHY-W2	0.21	(0.01)	2,183	-	VTE-W2	0.26	(0.02)	33,344	-
WHA28C1807A	0.11	(0.03)	1,302	-	RML-W4	-	-	-	-	XO-W1	6.00	(0.25)	32,446	6.00
WHA28C1808A	0.16	0.01	30,464	-	RS-W3	14.60	0.20	99	15.00	Preferred Shares	-	-	-	-
WHA28C1808B	0.28	(0.02)	337,132	-	S-W1	0.22	(0.01)	3,760	-	SGF-P1	-	-	-	-
WHA28C1809A	0.70	-	48,994	-	SAWAD-W1	6.90	(2.80)	2,119	8.00	-	-	-	-	-
WHA42C1806A	0.55	(0.02)	3,989	-	SMM-W4	0.21	-	7,014	-	-	-	-	-	-
WHA42P1806A	0.09	-	23,338	-	SMT-W1	0.24	0.02	56,623	-	-	-	-	-	-
WORK01C1806A	0.02	-	18,156	-	SPALI-W4	19.50	(0.20)	239	19.00	-	-	-	-	-
WORK01C1806B	0.02	-	30,926	-	SPORT-W5	-	-	-	-	-	-	-	-	-
WORK08C1805A	-	-	-	-	SPORT-W6	0.03	-	2,098	-	-	-	-	-	-
WORK08C1809A	0.02	(0.01)	162,640	-	SUPER-W4	0.25	-	85,925	-	-	-	-	-	-
WORK11C1805A	0.02	(0.02)	3,552	-	SUSCO-W1	0.39	(0.02)	10,177	-	-	-	-	-	-
WORK11C1903A	0.31	(0.04)	56,787	-	SVI-W3	1.44	(0.01)	153	1.00	-	-	-	-	-
WORK13C1805A	-	-	-	-	TCC-W3	0.58	0.01	8	-	-	-	-	-	-
WORK13C1806A	0.01	-	6,893	-	TCC-W4	0.23	0.01	462	-	-	-	-	-	-
WORK13C1809A	0.04	(0.01)	92,552	-	TCJ-W2	1.55	-	13,905	1.00	-	-	-	-	-
WORK13C1810A	0.12	(0.04)	259,440	-	TCMC-W2	0.40	(0.16)	113,448	-	-	-	-	-	-
WORK23C1807A	0.01	(0.01)	10,007	-	TFG-W1	1.94	(0.01)	168	1.00	-	-	-	-	-
WORK24C1805A	-	-	-	-	TFG-W2	0.85	(0.03)	1,431	-	-	-	-	-	-
WORK24C1810A	0.13	(0.06)	32,562	-	TGPRO-W2	-	-	-	-	-	-	-	-	-
WORK27C1806A	-	-	-	-	TH-W2	0.14	-	165	-	-	-	-	-	-
WORK28C1806A	0.01	-	770	-	THE-W2	0.07	-	159,327	-	-	-	-	-	-
WORK28C1808A	0.02	-	200	-	TNITY-W1	1.19	(0.03)	25,112	1.00	-	-	-	-	-
WORK28C1809A	0.13	(0.05)	100,959	-	TNPC-W1	0.75	0.26	446,499	-	-	-	-	-	-
WORK42C1806A	-	-	-	-	TPOLY-W2	0.05	-	58,420	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	TSI-W2	-	-	-	-	-	-	-	-	-
BH-Q	-	-	-	-	TSR-W1	0.64	(0.04)	16,899	-	-	-	-	-	-
CSC-Q	-	-	-	-	TTA-W5	0.98	(0.07)	33,656	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	TWZ-W4	-	-	-	-	-	-	-	-	-
KTB-Q	-	-	-	-	U-W1	0.01	-	3,000	-	-	-	-	-	-
SCB-Q	-	-	-	-	U-W4	0.01	-	1,453	-	-	-	-	-	-
TCAP-Q	-	-	-	-	VGI-W1	0.39	(0.01)	87,278	-	-	-	-	-	-
TIC-Q	-	-	-	-	VIBHA-W2	1.53	0.01	939	1.00	-	-	-	-	-
TISCO-Q	-	-	-	-	VIBHA-W3	0.39	0.01	5,761	-	-	-	-	-	-
U-Q	-	-	-	-	WAVE-W1	0.60	0.02	2,260	-	-	-	-	-	-
Warrant	-	-	-	-	WHA-W1	7.55	(0.15)	14,880	7.00	-	-	-	-	-
7UP-W2	-	-	-	-	WIHK-W1	0.01	-	8,200	-	-	-	-	-	-
ACC-W1	0.05	-	29,300	-	WORK-W1	18.30	(2.70)	68	18.00	-	-	-	-	-
AEC-W4	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
AJA-W1	0.23	(0.02)	2,940	-	BH-P	-	-	-	-	-	-	-	-	-
ALT-W1	1.26	(0.01)	790	1.00	CSC-P	-	-	-	-	-	-	-	-	-
AQ-W4	0.01	-	417	-	JUTHA-P	-	-	-	-	-	-	-	-	-
AS-W1	0.74	0.01	8,850	-	KTB-P	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	SCB-P	-	-	-	-	-	-	-	-	-
BLAND-W4	0.06	-	545,366	-	TCAP-P	-	-	-	-	-	-	-	-	-
BROCK-W1	-	-	-	-	TIC-P	-	-	-	-	-	-	-	-	-
BTS-W3	0.09	(0.01)	104,860	-	TISCO-P	-	-	-	-	-	-	-	-	-
BWG-W4	0.11	0.01	3,204	-	U-P	0.03	-	3,665,565	-	-	-	-	-	-
CEN-W4	0.09	0.01	108,219	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
CGH-W2	-	-	-	-	2S-W1	0.31	-	7,237	-	-	-	-	-	-
CI-W1	0.50	(0.01)	4,408	-	ACAP-W1	7.60	0.50	2	7.00	-	-	-	-	-
CKP-W1	0.38	-	12,503	-	ACAP-W2	3.20	(0.24)	1,009	3.00	-	-	-	-	-
CRANE-W1	1.88	0.01	200	1.00	AIRA-W1	0.05	(0.01)	14,863	-	-	-	-	-	-
DCON-W1	-	-	-	-	AIRA-W2	0.08	(0.01)	696	-	-	-	-	-	-
DIGI-W1	0.07	-	26,491	-	ATP30-W1	0.88	(0.01)	9,415	-	-	-	-	-	-
DIGI-W2	0.03	-	25,004	-	BSM-W2	0.27	-	2,501	-	-	-	-	-	-
EARTH-W4	-	-	-	-	CIG-W6	-	-	-	-	-	-	-	-	-
EIC-W2	0.02	0.01	1,010	-	CIG-W7	0.04	0.01	2,048	-	-	-	-	-	-
EIC-W3	0.05	(0.01)	317	-	DNA-W1	1.72	0.10	4,716	1.00	-	-	-	-	-
EIC-W4	0.01	-	420	-	ECF-W2	3.40	0.08	4,930	3.00	-	-	-	-	-
EVER-W3	0.04	(0.01)	1,553	-	ECF-W3	2.48	-	2,213	2.00	-	-	-	-	-
GJS-W3	-	-	-	-	EFORL-W3	0.03	0.02	494,188	-	-	-	-	-	-
GL-W4	0.31	(0.12)	53,444	-	EFORL-W4	0.03	0.02	155,454	-	-	-	-	-	-
GLAND-W4	1.28	(0.03)	2,524	1.00	FC-W1	0.10	-	100	-	-	-	-	-	-
GREEN-W4	0.04	-	59,126	-	FC-W2	-	-	-	-	-	-	-	-	-
GSTEL-W1	-	-	-	-	FOCUS-W2	0.59	(0.01)	7,077	-	-	-	-	-	-
GSTEL-W2	-	-	-	-	FPI-W1	-	-	-	-	-	-	-	-	-
IEC-W2	-	-	-	-	FVC-W2	0.83	0.04	1	-	-	-	-	-	-
IFEC-W2	-	-	-	-	LIT-W1	2.44	0.02	1,775	2.00	-	-	-	-	-
IHL-W1	4.96	0.02	151	4.00	MOONG-W1	-	-	-	-	-	-	-	-	-
ITD-W1	0.09	0.01	154,414	-	MPG-W1	-	-	-	-	-	-	-	-	-

