

## Main Board Quotation

Issue Date :

Thursday May 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	7.00	-	1,078	6.93	RS	23.50	(0.10)	73,939	23.73
NFC	-	-	-	-	HUMAN	12.20	(0.20)	16,923	12.31	SE-ED	3.40	-	771	3.40
POMPUI	-	-	-	-	ILINK	6.35	-	3,618	6.36	SMM	0.88	-	313	0.89
SAFARI	-	-	-	-	INET	3.96	(0.02)	5,633	3.95	SPORT	0.58	-	260	0.58
VI	-	-	-	-	INTUCH	54.00	(1.25)	129,688	54.37	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	5.90	(0.25)	356,264	6.00	TH	0.61	-	1,537	0.61
WR	-	-	-	-	JASIF	10.70	0.10	475,226	10.68	TKS	11.30	0.20	6,034	11.21
Agribusiness	-	-	-	-	JMART	12.00	0.80	84,225	11.72	TRITN	0.31	0.01	83,543	0.31
CHOTI	-	-	-	-	JTS	1.62	-	176	1.63	VGI	7.95	0.25	227,339	7.84
EE	0.74	-	87,295	0.74	MFEF	4.34	-	555	4.34	WAVE	3.12	-	1,190	3.11
GFPT	12.00	-	7,700	11.96	MSC	5.90	0.05	349	5.89	WORK	46.00	(3.75)	87,665	47.77
LEE	2.80	-	1,595	2.80	PT	6.90	-	690	6.87	Finance & Securities	-	-	-	-
STA	12.00	(0.10)	15,257	12.09	SAMART	8.10	(0.05)	53,096	7.99	AEC	0.49	(0.02)	11,890	0.50
TLUXE	6.25	0.05	7,517	6.27	SAMTEL	10.00	0.15	242	9.91	AEONTS	151.00	(2.00)	7,682	150.24
TRUBB	1.83	(0.01)	3,896	1.84	SDC	0.28	0.01	23,662	0.28	AMANAH	2.20	0.18	593,811	2.18
TWPC	9.85	(0.25)	2,039	9.88	SIS	9.05	-	3,991	9.01	ASAP	6.95	0.05	8,871	6.92
UPOIC	4.56	0.10	111	4.47	SVOA	1.59	(0.03)	31,319	1.60	ASK	22.00	-	1,815	21.92
UVAN	8.00	-	3,238	8.01	SYMC	6.10	(0.15)	3,823	6.12	ASP	3.84	0.02	11,956	3.82
VPO	0.79	0.01	905	0.79	SYNEX	15.60	(0.30)	14,821	15.55	BFIT	29.50	1.50	5,842	29.13
Banking	-	-	-	-	THCOM	9.20	(0.05)	34,076	9.27	CGH	1.23	0.01	2,953	1.22
BAY	38.50	(0.50)	1,243	38.66	TRUE	6.80	(0.50)	5,650,439	7.03	CNS	2.60	-	2,056	2.59
BBL	187.00	(4.00)	27,052	188.41	TWZ	0.13	-	112,412	0.13	ECL	2.12	0.02	65,167	2.12
CIMBT	1.00	-	9,646	1.00	Electronic Componer	-	-	-	-	FNS	4.42	0.02	997	4.42
KBANK	189.00	(3.50)	59,601	190.22	CCET	1.86	(0.01)	29,211	1.87	FSS	2.62	(0.02)	1,454	2.62
KKP	67.25	-	16,624	67.23	DELTA	63.50	(0.75)	10,360	63.96	GBX	0.71	-	208	0.70
KTB	17.10	-	165,660	17.15	EIC	0.07	-	47,267	0.07	GL	7.00	0.20	28,924	7.00
LHFG	1.59	-	29,108	1.58	HANA	35.50	-	16,246	35.52	IFS	3.06	-	943	3.07
SCB	132.00	(1.50)	45,136	132.37	KCE	68.00	0.25	10,744	68.10	JMT	31.00	0.25	1,799	30.89
TCAP	50.75	-	22,456	50.73	METCO	198.50	(1.50)	20	198.58	KCAR	14.10	-	930	14.03
TISCO	86.00	(1.00)	21,609	86.21	SMT	2.90	0.04	5,353	2.92	KGI	4.26	-	21,021	4.26
TMB	2.30	(0.08)	1,989,576	2.33	SPPT	4.92	-	8,008	4.97	KTC	363.00	18.00	23,892	355.60
Construction Materia	-	-	-	-	SVI	4.26	-	8,491	4.24	MBKET	18.60	(0.20)	373	18.53
CCP	0.42	-	35,428	0.41	TEAM	1.32	0.03	29,882	1.32	MFC	15.50	-	2,130	15.48
DCC	2.50	(0.06)	32,632	2.51	Energy & Utilities	-	-	-	-	ML	1.15	-	1,067	1.15
DCON	0.61	(0.01)	14,782	0.61	ABPIF	8.55	(0.05)	473	8.55	MTC	36.00	(1.25)	171,602	35.90
DRT	5.80	-	1,227	5.80	AI	-	-	-	-	PE	0.42	0.02	12	0.42
EPG	7.10	(0.15)	37,210	7.18	AKR	1.18	0.02	103,522	1.17	PL	3.56	0.02	5,395	3.55
GEL	0.33	-	13,262	0.34	BAFS	37.50	-	857	37.52	S11	7.20	(0.05)	67	7.24
PPP	3.96	(0.02)	594	3.93	BANPU	21.60	0.20	1,033,901	21.57	SAWAD	35.75	1.50	510,467	35.73
O-CON	5.85	(0.10)	481	5.74	BCP	35.25	0.25	24,243	35.22	THANI	7.55	(0.10)	38,378	7.56
RCI	2.24	(0.02)	5,333	2.24	BCPG	19.30	0.20	70,758	19.35	TK	12.50	(0.20)	5,774	12.60
SCC	464.00	-	16,819	464.74	BGRIM	28.00	0.50	64,772	28.01	TNITY	6.00	-	1,309	6.00
SCCC	239.00	(1.00)	759	239.01	BPP	24.80	0.20	36,261	24.79	UOBKH	4.00	(0.12)	145	4.02
SCP	8.40	(0.05)	927	8.41	BRRGIF	10.30	-	5,675	10.30	ZMICO	1.12	-	4,787	1.11
SKN	6.00	(0.20)	5,047	6.10	CKP	4.12	0.04	373,542	4.12	Food & Beverage	-	-	-	-
TASCO	17.90	-	13,009	17.95	DEMCO	4.82	0.22	22,163	4.78	APURE	1.57	(0.01)	2,553	1.57
TCMC	2.44	0.04	54,719	2.42	EA	36.25	1.00	200,031	35.97	ASIAN	5.45	(0.05)	10,857	5.44
TGCI	2.54	-	2,651	2.55	EARTH	-	-	-	-	BR	6.15	(0.05)	12,385	6.19
TOA	38.50	0.50	11,675	38.42	EASTW	11.20	-	4,916	11.22	BRR	7.90	(0.05)	1,664	7.92
TPIPL	1.90	-	97,612	1.91	EGATIF	11.40	0.10	10,242	11.37	CBG	54.50	0.25	22,136	54.63
UMI	1.48	-	134	1.47	EGCO	232.00	4.00	10,707	229.92	CFRESH	4.88	-	129	4.88
VNG	8.75	0.05	3,477	8.71	ESSO	14.30	-	113,472	14.22	CM	4.36	-	5,669	4.37
WIHK	2.30	(0.04)	11,242	2.31	GLOW	80.75	(2.25)	28,580	81.48	CPF	24.90	(0.10)	357,707	24.92
Petrochemicals & Ch	-	-	-	-	GPSC	76.25	1.00	14,933	75.91	CPI	2.00	-	1,383	2.00
CMAN	3.92	0.02	9,719	3.90	GULF	70.75	0.75	50,114	70.53	F&D	17.50	(0.30)	10	17.50
GC	5.10	(0.05)	2,295	5.14	GUNKUL	3.08	0.04	158,428	3.04	HTC	20.50	(0.30)	3,380	20.49
GGC	13.00	-	6,572	13.05	IEC	-	-	-	-	ICHI	5.50	(0.40)	137,240	5.59
GIFT	4.90	(0.06)	4,504	4.91	IFEC	-	-	-	-	KBS	4.94	(0.21)	4,233	5.04
IVL	59.75	(0.25)	245,667	59.80	IRPC	6.95	0.10	1,686,065	6.90	KSL	3.14	0.06	12,605	3.11
PATO	14.50	0.10	451	14.51	LANNA	16.50	0.20	3,613	16.37	KTIS	6.05	0.05	726	6.06
PMTA	16.80	(0.20)	248	16.92	MDX	4.74	(0.06)	15,656	4.83	LST	4.84	(0.02)	2,911	4.85
PTTGC	96.50	3.25	270,723	95.47	PTG	19.00	(0.20)	38,205	19.13	M	78.00	-	4,744	76.74
SUTHA	4.50	-	125	4.50	PTT	57.25	0.75	1,195,695	57.09	MALEE	16.60	0.10	26,136	16.76
TCB	54.00	(1.00)	1,360	53.81	PTTEP	147.50	9.00	429,490	144.45	MINT	37.50	(0.50)	136,007	37.42
TCCC	35.25	0.25	252	35.12	RATCH	52.25	-	6,395	52.10	OISHI	108.50	(2.50)	322	109.45
TPA	6.80	0.15	156	6.69	RPC	0.62	-	3,962	0.62	PB	62.00	-	7	61.86
UP	26.25	(0.50)	12	26.67	SCG	4.76	0.04	253	4.76	PM	11.10	0.20	4,299	10.99
VNT	26.75	-	11,526	26.57	SCI	3.30	0.02	24,469	3.33	PRG	13.90	0.10	75	14.06
WG	147.00	0.50	47	147.00	SCN	4.14	0.10	107,239	4.15	SAPPE	26.00	0.25	6,604	25.93
YCI	-	-	-	-	SGP	11.50	(0.75)	351,951	12.07	SAUCE	22.10	0.20	16	22.13
Commerce	-	-	-	-	SKE	1.35	0.01	5,760	1.34	SFP	-	-	-	-
BEAUTY	19.50	0.10	560,392	19.34	SOLAR	2.78	-	36,767	2.87	SNP	21.20	-	907	21.20
BIG	2.32	-	37,306	2.32	SPCG	21.90	(0.30)	10,903	22.00	SORKON	73.50	(0.25)	5	73.60
BJC	57.75	(0.25)	27,066	57.73	SPRC	15.70	0.10	54,099	15.67	SSC	-	-	-	-
COL	26.00	-	1,449	25.85	SUPER	1.15	(0.01)	1,781,337	1.16	SSF	-	-	-	-
COM7	18.80	(0.30)	195,821	18.69	SUSCO	3.64	(0.04)	9,196	3.66	SST	6.45	0.05	36	6.45
CPALL	81.75	(1.75)	388,244	82.20	TAE	2.22	(0.04)	2,892	2.24	TC	2.86	0.02	12	2.84
CSS	2.24	(0.02)	6,381	2.25	TCC	0.42	-	20,612	0.42	TFG	4.38	(0.04)	7,670	4.40
FN	3.32	-	13,866	3.32	TOP	88.00	2.50	93,818	87.76	TFMAMA	164.50	(2.50)	239	165.88
FTE	2.38	(0.02)	2,802	2.37	TPIPP	6.70	0.05	73,447	6.66	TIPCO	10.20	(0.20)	14,855	10.37
GLOBAL	16.50	0.40	85,873	16.44	TTW	12.20	(0.10)	29,486	12.20	TKN	18.60	0.10	105,897	18.90
HMPRO	14.30	(0.10)	144,573	14.32	WHAUP	6.05	-	20,442	6.06	TU	17.80	0.10	49,823	17.76
IT	4.52	(0.02)	1,361	4.54	WP	8.65	0.10	155,442	8.69	TVO	31.50	-	12,050	31.69
KAMART	5.45	(0.30)	24,444	5.54	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.26	0.02	15,354	2.26	AMARIN	5.30	-	1,256	5.31	AHC	21.90	-	65	21.75
MAKRO	44.50	(1.00)	12,821	44.70	AQUA	0.53	-	205,628	0.53	BCH	16.60	0.30	105,603	16.49
MC	13.00	(0.40)	18,446	13.25	AS	1.70	0.03	1,310	1.69	BDMS	25.50	1.00	692,603	24.93
MEGA	42.00	(0.25)	20,521	41.89	BEC	9.75	-	57,733	9.80	BH	191.00	(3.00)	14,959	191.22
MIDA	0.60	0.01	6,274	0.59	EPCO	3.96	(0.04)	273,785	4.16	CHG	2.28	(0.02)	430,700	2.26
ROBINS	61.25	(1.00)	16,778	61.58	FE	-	-	-	-	CMR	3.50	0.02	3,439	3.50
RSP	6.20	0.05	2,244	6.17	GPI	3.16	(0.02)	5,039	3.18	EKH	5.55	0.05	1,478	5.53
SINGER	7.80	0.25	5,578	7.66	GRAMMY	8.85	(0.10)	64	8.89	KDH	94.00	2.25		

## Main Board Quotation

Issue Date :

Thursday May 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	9.00	(0.20)	14,491	9.07	MJD	3.20	-	1,677	3.17	CRANE	2.58	-	1,320	2.59
WPH	3.28	(0.02)	56,007	3.31	MK	3.32	-	50,857	3.32	CTW	8.35	(0.05)	934	8.33
Tourism & Leisure					NCH	1.01	(0.01)	2,128	1.00	FMT	26.50	-	1	26.50
ASIA	6.85	0.15	1,800	6.82	NNCL	1.76	-	58,895	1.76	HTECH	7.15	-	9,264	7.13
CENTEL	45.75	(2.50)	94,736	46.33	NOBLE	9.85	-	1,830	9.90	KKC	1.78	0.03	186	1.78
CSR	-	-	-	-	NUSA	0.31	-	13,360	0.31	PK	3.80	0.04	3,796	3.79
DTC	14.20	2.40	260,581	13.72	ORI	19.00	(0.30)	22,205	19.08	SNC	15.80	0.10	3,975	15.72
ERW	7.90	(0.10)	43,677	7.92	PACE	0.45	0.01	309,922	0.46	TCJ	6.55	(0.25)	6,830	6.55
GRAND	0.97	(0.01)	3,710	0.97	PF	0.83	0.01	100,781	0.83	VARO	-	-	-	-
LRH	36.00	1.00	14	35.86	PLAT	8.00	-	10,836	7.98	Property Fund & REI	-	-	-	-
MANRIN	34.75	-	7	34.75	POLAR	-	-	-	-	AIMIRT	10.10	-	140	10.09
OHTL	-	-	-	-	PRECHA	1.74	0.02	10	1.74	AMATAR	10.60	-	257	10.60
ROH	-	-	-	-	PRIN	1.66	0.01	3,764	1.65	B-WORK	10.30	0.10	171	10.21
SHANG	72.00	0.50	44	71.45	PRINC	5.60	0.10	2,936	5.57	BKKCP	11.90	0.10	47	11.89
Home & Office Prod.					PSH	21.50	-	44,586	21.53	BOFFICE	12.80	-	4,266	12.80
ACC	0.52	0.01	2,249	0.51	QH	3.16	(0.02)	417,110	3.20	CPNCG	14.70	(0.10)	1,263	14.69
AJA	0.51	-	38,687	0.51	RICHY	1.82	-	20,372	1.82	CPNREIT	23.30	-	5,150	23.33
DTCI	28.00	-	20	27.50	RML	1.15	(0.02)	9,823	1.16	CPTGF	12.80	(0.10)	1,439	12.80
FANCY	1.10	(0.01)	9,238	1.11	ROJNA	6.05	(0.05)	14,256	6.05	CRYSTAL	10.70	-	3,892	10.68
KYE	442.00	4.00	2	442.00	S	3.50	(0.04)	42,679	3.54	CTARAF	4.86	0.02	196	4.86
L&E	2.90	0.04	4,140	2.96	SAMCO	2.34	0.02	78	2.34	DREIT	5.30	(0.05)	1,632	5.33
MODERN	4.82	(0.02)	3,827	4.82	SC	3.74	(0.06)	40,469	3.77	ERWPF	5.95	0.05	397	5.89
OGC	39.50	-	20	39.50	SENA	3.76	(0.02)	5,651	3.75	FUTUREPF	21.50	-	1,940	21.50
ROCK	-	-	-	-	SF	8.80	-	22,911	8.71	GAHREIT	9.85	-	50	9.85
SIAM	1.96	-	385	1.95	SIRI	1.70	0.03	591,820	1.70	GLANDRT	12.20	-	2,501	12.20
TSR	2.52	-	57	2.52	SPALI	23.80	(0.20)	45,404	23.85	GOLDFP	7.45	-	1,000	7.45
Insurance					TICON	17.50	0.10	337	17.51	GVREIT	14.80	0.20	510	14.75
AYUD	42.50	(0.25)	78	42.16	U	0.03	-	1,427,257	0.03	HPF	5.45	-	125	5.38
BKI	360.00	(1.00)	23	361.57	UV	8.50	-	37,824	8.52	HREIT	7.50	-	4,879	7.49
BLA	34.75	(0.75)	35,664	34.79	WHA	4.24	0.04	1,222,017	4.22	IMPACT	17.90	(0.10)	4,734	17.88
BUI	-	-	-	-	WIN	0.61	-	3,592	0.60	KPNPF	9.80	0.15	10	9.80
CHARAN	-	-	-	-	Paper & Printing Mat	-	-	-	-	LHHOTEL	15.60	0.10	450	15.51
INSURE	-	-	-	-	UTP	12.30	(0.20)	14,578	12.30	LHPF	8.60	-	525	8.60
MTI	125.50	-	4	125.50	Fashion	-	-	-	-	LHSC	15.60	0.10	3,603	15.50
NKI	-	-	-	-	AFC	8.80	(0.20)	21	8.80	LUXF	-	-	-	-
NSI	81.00	-	42	80.76	BTNC	-	-	-	-	M-II	8.50	-	2	8.50
SMK	42.50	0.25	148	42.50	CPH	-	-	-	-	M-PAT	10.00	(0.10)	44	10.05
THRE	1.28	-	37,102	1.28	CPL	3.16	0.14	4	3.11	M-STOR	10.50	0.10	10	10.50
THREL	8.50	-	4,772	8.47	DIGI	0.57	(0.01)	16,327	0.58	MIPF	-	-	-	-
TIC	34.00	0.25	74	34.17	ICC	39.50	0.25	25	39.43	MIT	-	-	-	-
TIP	25.75	-	1,308	25.86	LTX	75.00	-	20	75.13	MJLF	12.60	-	451	12.60
TSI	0.58	-	12,394	0.57	NC	-	-	-	-	MNIT	1.80	-	393	1.80
TVI	3.98	(0.16)	10,328	4.05	PAF	1.10	(0.02)	551	1.11	MNIT2	-	-	-	-
Mining					PDJ	2.90	0.04	286	2.88	MNRF	-	-	-	-
PDI	19.20	(0.30)	3,452	19.34	PG	-	-	-	-	MONTRI	6.10	0.10	9	6.11
THL	-	-	-	-	SABINA	30.50	-	4,054	30.49	POPF	13.90	(0.10)	1,211	13.91
Packaging					SAWANG	-	-	-	-	PPF	11.40	0.10	186	11.40
AJ	11.40	0.20	2,914	11.28	SUC	43.00	0.25	389	43.00	QHHR	8.75	-	2,072	8.77
ALUCON	223.00	2.00	7	223.00	TNL	-	-	-	-	QHOP	3.84	-	60	3.74
CSC	46.00	0.25	6	46.00	TPCORP	16.40	-	6	16.40	QHFP	12.00	0.10	8,122	11.90
NEP	0.43	-	9,490	0.44	TR	49.50	-	194	49.67	SBPF	-	-	-	-
NPP	1.32	(0.02)	46,652	1.31	TTI	-	-	-	-	SHREIT	9.60	(0.05)	50	9.60
PTL	15.50	(0.10)	22,803	15.50	TTL	-	-	-	-	SIRIP	-	-	-	-
SITHAI	1.32	(0.01)	8,609	1.32	TTTM	-	-	-	-	SPF	23.50	0.20	3,899	23.44
SLP	0.98	(0.01)	1,245	0.98	UPF	72.50	(1.50)	10	71.78	SRIPANWA	-	-	-	-
SMPG	13.40	0.10	578	13.38	UT	-	-	-	-	SSPF	10.20	-	14	10.07
SPACK	-	-	-	-	WACOAL	-	-	-	-	SSTPF	6.90	0.25	1	6.90
TCOAT	29.00	(3.25)	25	28.72	Transportation & Log	-	-	-	-	SSTRT	6.40	-	680	6.40
TFI	0.38	(0.02)	645	0.38	AAV	5.80	0.05	41,614	5.80	TIF1	8.65	-	360	8.65
THIP	37.00	(0.25)	109	37.07	AOT	70.50	0.50	155,742	70.53	TLGF	19.10	(0.40)	11,656	19.17
TMD	21.10	-	26	21.01	ASIMAR	2.92	0.02	5,531	2.90	TLHPF	-	-	-	-
TOPP	-	-	-	-	B	0.74	-	4,411	0.75	TNPF	4.46	(0.02)	820	4.45
TPBI	10.80	0.10	660	10.77	BA	14.40	(0.30)	35,103	14.32	TPRIME	11.90	-	502	11.90
TPP	-	-	-	-	BEM	7.90	(0.15)	297,346	7.94	TREIT	11.20	-	12,085	11.19
Personal Products &					BTS	9.30	(0.10)	353,928	9.27	TTLPF	24.50	(0.20)	51	24.51
APCO	5.90	-	1,811	5.89	BTS GIF	12.30	-	22,733	12.36	TU-PF	1.90	(0.08)	5	1.90
DDD	79.00	(7.00)	35,004	78.92	III	5.40	0.20	39,612	5.42	URBNPF	-	-	-	-
JCT	-	-	-	-	JUTHA	1.98	0.01	398	1.97	WHABT	10.10	-	3,500	10.10
OCC	17.10	(0.20)	6	17.10	JWD	7.90	0.10	37,574	7.98	WHART	10.40	(0.10)	11,115	10.49
S & J	23.80	(0.20)	20	23.80	KWC	272.00	2.00	2	271.00	Steel	-	-	-	-
STHAI	-	-	-	-	NOK	2.94	(0.02)	6,774	2.95	AMC	2.68	0.02	8,369	2.70
TNR	15.10	(0.90)	7,049	15.31	NYT	5.60	(0.10)	17,398	5.62	BSBM	1.20	-	1,311	1.20
TOG	5.15	(0.10)	3,174	5.16	PRM	9.05	0.05	24,521	9.03	CEN	1.39	0.01	2,420	1.40
Professional Service					PSL	12.00	(0.60)	106,353	12.25	CITY	2.74	0.02	141	2.75
BWG	1.26	-	85,013	1.27	RCL	6.45	0.15	8,424	6.43	CSP	1.51	-	231	1.51
GENCO	0.88	-	4,051	0.89	THAI	15.30	(0.10)	61,543	15.40	GJS	0.38	0.01	142,979	0.37
PRO	-	-	-	-	TSTE	7.10	(0.45)	61	7.10	GSTEL	-	-	-	-
Property Developme					TTA	7.75	(0.15)	43,847	7.80	INOX	1.17	-	2,391	1.18
A	6.70	-	813	6.70	WICE	4.64	0.04	24,245	4.64	LHK	5.05	0.07	1,302	5.00
AMATA	22.80	1.30	476,426	22.25	Automotive	-	-	-	-	MAX	0.02	(0.01)	323,313	0.02
AMATAV	7.35	-	3,210	7.36	AH	38.00	0.75	2,684	37.78	MCS	8.55	(0.10)	31,748	8.57
ANAN	4.40	0.42	1,763,455	4.28	APCS	6.25	0.40	9,913	6.08	MILL	1.50	0.01	4,886	1.48
AP	8.70	(0.20)	89,409	8.74	BAT-3K	-	-	-	-	PAP	4.42	0.02	816	4.42
APEX	0.23	-	21,641	0.22	CWT	3.84	0.02	11,423	3.83	PERM	2.62	0.02	16,373	2.65
AQ	0.03	(0.01)	231,516	0.03	EASON	3.48	-	60	3.48	RICH	-	-	-	-
BLAND	1.96	(0.02)	709,153	1.97	GYT	393.00	-	4	393.00	SAM	0.77	0.02	2,947	0.75
BROCK	2.54	(0.14)	151	2.54	HFT	3.26	0.02	2,424	3.25	SMIT	5.95	(0.05)	1,283	5.97
CGD	1.50	0.02	123,520	1.48	IHL	8.60	0.05	4,827	8.56	SSI	-	-	-	-
CI	1.65	0.02	7,384	1.64	INGRS	1.00	-	8,882	1.00	SSSC	3.26	0.04	609	3.22
CPN	77.25	-	44,906	77.60	IRC	20.40	0.20	272	20.36	TGPRO	0.23	-	37,522	0.23
ESTAR	0.70	(0.01)	66,718	0.70	PCSGH	7.90	0.15	5,715	7.83	THE	3.16	(0.08)	43,911	3.20
EVER	0.38	(0.01)	40,590	0.39	SAT	23.00	0.60	30,640	22.85	TIW	454.00	(6.00)	92	447.33
GLAND	2.32	0.02	9,629	2.31	SPG	18.20	0.90	9	17.83	TMT	14.80	(0.10)	1,094	14.90
GOLD	10.70	0.30	98,509	10.73	STANLY	236.00	-	461	238.13	TSSTH	0.81	(0.01)	2,487	0.81
GREEN	1.06	(0.02)	1,241	1.06	TKT	1.64	-	384	1.65	TUCC	-	-	-	-
J	1.61	(0.05)	8,213	1.61	TNPC	1.62	(0.06)	14,243	1.65	TWP	4.38	(0.02)	73	4.39
JCK	1.70	0.03	9,219	1.69	TRU	4.54	-	440	4.53	TYCN	3.02	0.02	757	3.02
KC	-	-	-	-	TSC	13.40	0.40	9	13.					

## Main Board Quotation

Issue Date :

Thursday May 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	UMS	1.05	(0.02)	230	1.00	ADVA11P1807A	0.41	0.04	69,770	-
ABICO	6.95	-	325	6.00	UWC	0.08	-	133,516	-	ADVA13C1809A	0.14	(0.02)	76,023	-
AU	11.50	(0.20)	23,993	11.00	Services (MAI)	-	-	-	-	ADVA13C1811A	0.61	(0.07)	121,121	-
FC	0.44	-	11,453	-	ADAM	-	-	-	-	ADVA13P1809A	0.51	0.02	63,460	-
JCKH	1.46	(0.11)	45,001	1.00	AKP	1.86	(0.01)	427	1.00	ADVA16C1812A	0.46	(0.05)	1,224	-
KASET	2.32	(0.02)	4,601	2.00	AMA	7.30	-	9,461	7.00	ADVA18C1808A	0.55	(0.09)	14,482	-
MM	4.26	0.06	8,387	4.00	ARIP	0.58	-	1,601	-	ADVA23C1806A	0.26	(0.07)	52,540	-
SUN	4.02	-	6,297	4.00	ATP30	1.77	(0.03)	17,859	1.00	ADVA24C1810A	0.48	(0.10)	20,980	-
TACC	4.74	(0.04)	3,962	4.00	AUCT	5.80	(0.10)	10,249	5.00	ADVA24P1810A	-	-	-	-
TMILL	3.34	0.02	813	3.00	BOL	2.00	-	2,764	1.00	ADVA27P1805A	-	-	-	-
XO	9.15	0.15	28,885	9.00	CHUO	-	-	-	-	ADVA28C1808A	0.10	(0.01)	25,702	-
Consumer Products	-	-	-	-	CMO	1.56	0.01	5,301	1.00	AMAT01C1806A	0.12	0.04	132,258	-
BGT	1.13	0.02	6,845	1.00	D	10.30	-	2,500	10.00	AMAT01C1810A	1.11	0.12	129,161	1.00
BIZ	3.20	(0.04)	424	3.00	DCORP	2.46	0.02	1,860	2.00	AMAT01C1810B	1.07	0.14	133,594	1.00
ECF	6.85	0.10	33,324	6.00	DNA	0.51	(0.01)	197,618	-	AMAT01P1806A	0.51	(0.08)	30,211	-
HPT	1.15	(0.03)	112,354	1.00	EFORL	0.09	(0.01)	2,412,562	-	AMAT06C1809A	0.30	0.06	2,819	-
JUBILE	25.00	-	211	24.00	ETE	2.44	(0.02)	4,391	2.00	AMAT08C1807A	0.03	0.01	114,801	-
MOONG	5.95	(0.10)	13,848	6.00	FSMART	9.65	-	32,657	9.00	AMAT08C1809A	0.41	0.09	82,365	-
NPX	27.75	1.00	1	27.00	FVC	1.71	(0.01)	13,550	1.00	AMAT11C1805A	0.85	0.14	26,214	-
OCEAN	0.83	(0.01)	16,736	-	HARN	2.74	-	856	2.00	AMAT11C1903A	0.65	0.10	31,554	-
TM	2.30	(0.02)	2,007	2.00	JKN	11.90	(0.30)	32,805	12.00	AMAT13C1805A	0.01	-	6,948	-
Financials (MAI)	-	-	-	-	KIAT	0.45	-	8,603	-	AMAT13C1806A	0.01	-	21,707	-
ACAP	8.45	(0.05)	7,255	8.00	KOOL	2.00	0.03	29,586	2.00	AMAT13C1809A	0.40	0.09	366,448	-
AF	0.96	(0.01)	14,801	-	LDC	1.20	(0.02)	4,881	1.00	AMAT23C1810A	0.56	0.10	42,950	-
AIRA	2.08	-	25,759	2.00	MPG	0.26	-	1,813	-	AMAT24C1805A	0.02	0.01	10,150	-
ASN	3.90	-	8	3.00	NBC	0.73	-	226	-	AMAT24C1807A	-	-	-	-
BROOK	0.60	-	2,994	-	NCL	1.48	-	3,945	1.00	AMAT24C1811A	0.66	0.04	820	-
CHAYO	3.12	0.02	47,698	3.00	NEWS	0.01	-	195,168	-	AMAT28C1806A	0.01	-	3,200	-
GCAP	5.50	0.10	11,554	5.00	NINE	1.41	0.01	184	1.00	AMAT28C1808A	0.36	0.10	220,249	-
LIT	9.15	(0.05)	2,039	9.00	OTO	3.26	(0.06)	579	3.00	AMAT42C1806A	0.73	0.11	7,984	-
SGF	0.14	0.01	131,115	-	PHOL	2.32	-	4,624	2.00	ANAN01C1807A	0.06	0.02	775,897	-
Industrials (MAI)	-	-	-	-	PICO	6.90	-	386	6.00	ANAN08C1808A	0.03	0.01	58,700	-
2S	3.60	(0.02)	2,104	3.00	PORT	7.10	(0.40)	42,609	7.00	ANAN08C1810A	0.68	0.27	244,833	-
ADB	1.36	(0.01)	42,844	1.00	QLT	5.20	-	89	5.00	ANAN23C1806A	-	-	-	-
BM	3.68	0.02	5,441	3.00	RP	4.02	(0.12)	1,740	4.00	ANAN24C1807A	0.01	-	1	-
CHO	1.40	-	5,470	1.00	SE	2.38	0.04	605	2.00	ANAN24C1811A	0.59	0.23	124,703	-
CHOW	5.10	(0.05)	3,441	5.00	SPA	18.00	(0.10)	11,747	18.00	ANAN28C1806A	-	-	-	-
CIG	0.38	(0.01)	25,078	-	THMUJ	1.64	(0.06)	6,410	1.00	ANAN28C1809A	0.44	0.19	333,595	-
COLOR	1.16	0.01	1,374	1.00	TNDT	5.00	0.06	1,278	5.00	AOT01C1808A	0.57	0.02	124,183	-
CPR	5.30	0.05	654	5.00	TNH	40.75	-	103	40.00	AOT01C1808B	0.17	-	87,885	-
FPI	3.36	(0.02)	768	3.00	TNP	2.08	-	940	2.00	AOT01C1810A	0.62	0.01	94,227	-
GTB	0.89	0.01	3,374	-	TSF	0.06	-	79,569	-	AOT01P1808A	0.69	(0.01)	61,647	-
KCM	1.30	(0.02)	43,994	1.00	TVD	1.63	-	11,437	1.00	AOT01P1808B	0.27	(0.02)	7,955	-
LVT	-	-	-	-	TVT	1.11	-	8,795	1.00	AOT06C1806A	1.70	0.03	18,403	1.00
MBAX	4.18	(0.04)	605	4.00	WINNER	3.30	0.04	9,501	3.00	AOT06C1809A	0.34	0.02	24,774	-
MGT	2.32	-	453	2.00	Technology (MAI)	-	-	-	-	AOT08C1806A	-	-	-	-
NDR	2.24	(0.10)	6,436	2.00	COMAN	4.64	(0.10)	2,268	4.00	AOT08C1807A	0.14	-	27,586	-
PDG	3.72	-	324	3.00	ICN	2.54	-	25,510	2.00	AOT11C1808A	0.82	0.01	35,900	-
PIMO	2.66	0.10	11,088	2.00	IRCP	1.61	-	2,231	1.00	AOT11P1808A	0.07	-	2,440	-
PJW	1.84	-	1,718	1.00	ITEL	4.02	0.04	7,218	4.00	AOT13C1805A	0.33	(0.10)	400	-
PPM	2.64	0.02	1,038	2.00	NETBAY	43.50	(1.00)	8,025	43.00	AOT13C1806A	0.10	0.01	28,806	-
RWI	1.61	-	4,678	1.00	PLANET	2.02	-	257	2.00	AOT13C1807A	0.08	-	8,609	-
SALEE	1.14	0.01	5,448	1.00	SIMAT	3.00	(0.08)	10,909	3.00	AOT13C1809A	0.33	0.01	128,558	-
SANKO	1.38	0.01	12,779	1.00	SKY	16.80	-	3,816	16.00	AOT13P1806A	-	-	-	-
SELIC	1.82	-	708	1.00	SPVI	1.52	0.02	26,920	1.00	AOT13P1810A	0.47	(0.03)	17,426	-
SWC	22.60	-	289	22.00	UPA	-	-	-	-	AOT19C1809A	0.48	0.02	45,775	-
TAPAC	11.30	0.40	13,197	11.00	VCOM	3.04	(0.06)	14,639	3.00	AOT23C1807A	0.67	0.02	23,789	-
TMC	0.99	(0.01)	16,400	1.00	Unit Trust	-	-	-	-	AOT23P1807A	0.01	-	11	-
TMI	0.85	0.01	6,557	-	MGE	-	-	-	-	AOT24C1806A	0.31	(0.03)	4,440	-
TMW	66.75	1.00	122	66.00	SCBSET	-	-	-	-	AOT24C1807A	-	-	-	-
TPAC	13.20	0.20	376	13.00	ETF	-	-	-	-	AOT24P1809A	-	-	-	-
UAC	4.94	(0.04)	4,206	4.00	1DIV	12.49	0.03	20	12.00	AOT28C1807A	0.10	-	31,648	-
UBIS	4.98	0.02	426	4.00	ABFTH	-	-	-	-	AOT28C1809A	0.35	0.01	202,520	-
UEC	1.77	0.01	698	1.00	BMSCG	9.42	(0.04)	1,189	9.00	AOT28P1806A	0.10	(0.02)	65,796	-
UKEM	0.94	(0.01)	18,315	-	BMSCITH	13.69	0.02	4,590	13.00	AP01C1809A	0.48	(0.04)	8,106	-
UREKA	0.53	-	5,978	-	BSET100	11.22	0.01	2,935	11.00	AP08C1810A	0.44	(0.04)	6,000	-
YUASA	17.50	(0.10)	347	17.00	CHINA	-	-	-	-	AP23C1805A	-	-	-	-
ZIGA	2.62	(0.02)	6,044	2.00	EBANK	5.44	(0.10)	202	5.00	AP24C1805A	0.02	-	466	-
Property & Construc	-	-	-	-	ECOMM	8.98	(0.11)	5	9.00	BA01C1805A	0.01	(0.01)	1,597	-
ARROW	11.40	(0.10)	361	11.00	EFOOD	5.90	(0.05)	1	5.00	BA01P1805A	0.83	0.03	29,983	-
BKD	3.28	-	1,939	3.00	EICT	4.74	(0.11)	62	4.00	BA11C1902A	0.21	(0.02)	34,775	-
BSM	0.75	(0.01)	11,546	-	ENGY	6.79	0.05	50	6.00	BA23C1806A	-	-	-	-
BTW	1.90	(0.05)	5,494	1.00	ENY	8.10	0.13	183	8.00	BA24C1810A	0.50	(0.06)	1,400	-
CHEWA	1.14	-	26,485	1.00	ESET50	-	-	-	-	BA24C1901A	0.20	(0.05)	7,270	-
CRD	1.23	0.02	6,817	1.00	GLD	1.78	-	3,286	1.00	BA28C1809A	0.07	(0.01)	79,707	-
DIMET	1.30	0.02	13,147	1.00	TDEX	11.40	0.03	1,555	11.00	BA42C1806A	-	-	-	-
FLOYD	2.48	(0.02)	8,068	2.00	TGOLDEF	3.89	-	93	3.00	BANP01C1806A	0.85	0.03	254,767	-
FOCUS	0.99	-	3,421	-	TH100	-	-	-	-	BANP01C1808A	0.47	0.02	219,086	-
HYDRO	1.37	0.01	16,284	1.00	Warrant Foreign	-	-	-	-	BANP01C1808B	0.21	0.01	145,831	-
JSP	0.70	0.01	9,840	-	AAV01C1808A	0.28	0.02	59,741	-	BANP01P1806A	0.08	(0.01)	33,529	-
K	3.18	(0.02)	395	3.00	AAV01C1808B	0.12	-	25,490	-	BANP01P1808A</				

## Main Board Quotation

Issue Date :

Thursday May 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BBL08C1805A	0.02	(0.01)	2,000	-	BEC28C1809A	0.02	0.01	10	-	CBG19C1810A	0.27	-	64,233	-
BBL08C1808A	0.10	(0.02)	200	-	BEM01C1808A	0.41	(0.02)	26,231	-	CBG23C1806A	-	-	-	-
BBL08C1809A	0.13	(0.02)	6,115	-	BEM01C1808B	0.17	(0.02)	12,626	-	CBG23C1901A	0.31	-	28,000	-
BBL08P1810A	0.58	0.07	33,242	-	BEM01P1808A	0.29	0.01	23,989	-	CBG24C1807A	0.01	(0.01)	1	-
BBL11C1805A	0.92	(0.10)	2,815	-	BEM08C1809A	0.31	(0.02)	32,432	-	CBG24C1809A	-	-	-	-
BBL11C1903A	0.49	(0.06)	9,000	-	BEM11C1805A	0.18	(0.02)	2,800	-	CBG28C1808A	-	-	-	-
BBL11P1805A	-	-	-	-	BEM11C1903A	0.29	(0.01)	6,800	-	CBG28C1808B	0.09	-	9	-
BBL11P1903A	0.86	0.06	13,955	-	BEM13C1806A	-	-	-	-	CBG42C1806A	-	-	-	-
BBL13C1807A	0.10	(0.01)	4,100	-	BEM13C1809A	0.31	(0.02)	96,441	-	CENT01C1805A	0.16	(0.11)	95,337	-
BBL13C1810A	0.52	(0.07)	16,110	-	BEM23C1805A	-	-	-	-	CENT01P1805A	0.54	0.17	48,850	-
BBL23C1811A	0.24	(0.03)	4,100	-	BEM24C1809A	-	-	-	-	CENT08C1809A	0.15	(0.06)	76,682	-
BBL24C1809A	-	-	-	-	BEM28C1807A	0.09	(0.02)	300	-	CENT11C1806A	0.41	(0.12)	36,696	-
BBL24P1810A	-	-	-	-	BEM28C1808A	0.26	(0.02)	86,272	-	CENT13C1811A	0.21	(0.08)	154,434	-
BBL27C1809A	0.17	(0.02)	6,000	-	BEM42C1806A	0.21	(0.01)	18,154	-	CENT23C1806A	0.10	(0.09)	95,641	-
BBL28C1808A	0.06	(0.01)	4,130	-	BEM42P1806A	0.41	0.01	2,546	-	CENT24C1807A	0.03	(0.04)	4,722	-
BBL28C1811A	0.47	(0.06)	18,880	-	BH01C1806A	0.66	(0.11)	134,644	-	CENT24C1810A	0.18	(0.08)	19,151	-
BCH01C1808A	0.45	0.02	40,897	-	BH01C1806B	0.15	(0.04)	57,643	-	CENT28C1808A	0.09	(0.06)	103,854	-
BCH01C1808B	0.23	0.01	45,365	-	BH01P1806A	0.82	0.10	28,148	-	CHG01C1809A	0.41	(0.01)	57,762	-
BCH01P1808A	0.38	(0.03)	18,784	-	BH07C1810A	0.09	(0.01)	1,001	-	CHG01P1809A	0.30	-	45,210	-
BCH06C1806A	0.72	(0.01)	7,348	-	BH08C1811A	0.15	(0.02)	20,733	-	CHG08C1807A	0.12	(0.01)	10,812	-
BCH08C1806A	0.09	0.02	19,956	-	BH11C1902A	0.16	-	1,131	-	CHG11C1807A	0.05	-	150	-
BCH11C1807A	0.24	0.03	23,584	-	BH23C1805A	0.01	-	200	-	CHG13C1805A	-	-	-	-
BCH13C1805A	0.10	(0.01)	400	-	BH24C1806A	-	-	-	-	CHG13C1807A	0.14	-	110,941	-
BCH13C1810A	0.20	0.01	76,314	-	BH24C1809A	0.34	(0.03)	560	-	CHG13C1809A	0.72	-	38,688	-
BCH19C1809A	0.20	0.02	12,010	-	BH24C1811A	-	-	-	-	CHG23C1811A	0.90	-	11,000	-
BCH23C1811A	0.37	0.05	36,150	-	BIG08C1807A	0.02	(0.01)	901	-	CHG24C1808A	0.07	0.01	10,000	-
BCH24C1805A	-	-	-	-	BIG13C1808A	0.05	(0.01)	12,405	-	CHG28C1806A	0.01	-	507	-
BCH28C1807A	0.10	0.01	71,378	-	BIG23C1805A	-	-	-	-	CHG28C1807A	0.15	(0.02)	50,686	-
BCH42C1806A	0.43	0.04	6,637	-	BIG24C1808A	-	-	-	-	CHG28C1808A	0.62	-	18,776	-
BCP01C1805A	0.12	-	22,652	-	BIG28C1807A	0.02	-	12,112	-	CK01C1809A	0.23	-	97,213	-
BCP01P1805A	0.35	(0.01)	17,996	-	BJC01C1807A	0.45	-	41,499	-	CK01P1809A	0.37	(0.01)	10,788	-
BCP07C1806A	-	-	-	-	BJC01C1807B	0.17	(0.01)	16,468	-	CK08C1805A	-	-	-	-
BCP08C1806A	-	-	-	-	BJC01P1807A	0.71	0.01	10,441	-	CK08C1809A	0.35	(0.03)	37,934	-
BCP11C1811A	0.19	0.01	2,480	-	BJC06C1807A	0.19	(0.01)	4,244	-	CK11C1806A	-	-	-	-
BCP13C1805A	0.01	-	90	-	BJC07C1809A	-	-	-	-	CK13C1806A	-	-	-	-
BCP13C1810A	0.14	0.01	10,500	-	BJC08C1807A	0.09	-	10	-	CK13C1809A	0.14	-	66,464	-
BCP23C1805A	-	-	-	-	BJC08C1809A	0.25	(0.01)	21,514	-	CK16C1812A	0.20	-	10	-
BCP24C1808A	-	-	-	-	BJC11C1807A	0.56	-	4,360	-	CK23C1808A	0.03	-	591	-
BCP28C1807A	-	-	-	-	BJC13C1805A	-	-	-	-	CK24C1806A	-	-	-	-
BCP28C1809A	0.11	0.01	3,042	-	BJC13C1807A	0.05	-	500	-	CK24C1808A	-	-	-	-
BCP28C1809B	0.10	-	18,104	-	BJC13C1808A	0.25	(0.01)	24,913	-	CK28C1806A	-	-	-	-
BCPG01C1806A	0.10	-	26,534	-	BJC13C1810A	0.41	(0.02)	15,146	-	CK28C1809A	0.45	(0.01)	83,998	-
BCPG01C1806B	0.02	-	2,005	-	BJC19C1809A	0.40	-	17,268	-	CKP11C1807A	0.55	0.03	22,653	-
BCPG06C1807A	-	-	-	-	BJC23C1806A	0.21	(0.01)	1,000	-	CKP13C1810A	0.50	0.02	47,645	-
BCPG07C1806A	-	-	-	-	BJC24C1808A	0.25	(0.01)	10,000	-	CKP23C1810A	0.53	-	7,260	-
BCPG08C1805A	-	-	-	-	BJC27C1807A	0.23	(0.01)	756	-	CKP24C1811A	0.56	0.02	31,412	-
BCPG08C1806A	-	-	-	-	BJC28C1808A	0.26	-	20,274	-	CKP27C1806A	-	-	-	-
BCPG08C1810A	0.42	0.03	122,308	-	BLA01C1812A	0.35	(0.03)	23,138	-	CKP28C1809A	0.28	0.02	84,496	-
BCPG11C1807A	0.72	0.03	21,309	-	BLA07C1806A	0.01	-	1,000	-	CKP28C1809B	0.56	0.02	12,860	-
BCPG11C1902A	0.27	0.01	26,164	-	BLA08C1811A	0.15	(0.02)	18,108	-	CKP24C1806A	0.30	0.02	2,242	-
BCPG13C1805A	-	-	-	-	BLA13C1809A	0.08	(0.02)	2,900	-	COM701C1806A	0.74	(0.03)	116,526	-
BCPG13C1806A	-	-	-	-	BLA23C1806A	-	-	-	-	COM701C1806B	0.46	(0.02)	270,268	-
BCPG13C1807A	0.01	-	311,632	-	BLA27C1806A	-	-	-	-	COM706C1809A	0.44	(0.04)	38,198	-
BCPG13C1810A	0.39	0.02	147,838	-	BLA28C1810A	0.11	(0.02)	6,000	-	COM708C1805A	0.47	(0.11)	14,243	-
BCPG23C1806A	0.31	0.03	23,907	-	BLAN01C1809A	0.66	(0.03)	16,352	-	COM708C1811A	0.32	-	33,065	-
BCPG24C1806A	0.01	(0.01)	100	-	BLAN01P1809A	0.15	0.01	1,263	-	COM711C1811A	0.57	-	77,340	-
BCPG24C1807A	-	-	-	-	BLAN08C1810A	0.35	(0.03)	16,473	-	COM713C1805A	-	-	-	-
BCPG24C1810A	-	-	-	-	BLAN11C1902A	0.33	(0.02)	4,103	-	COM713C1809A	0.27	(0.02)	153,569	-
BCPG28C1806A	0.01	-	20,800	-	BLAN23C1807A	0.08	(0.02)	2,005	-	COM723C1806A	0.80	(0.01)	38,600	-
BCPG28C1808A	0.10	0.01	38,720	-	BPP01C1806A	0.16	(0.01)	27,278	-	COM724C1806A	0.18	(0.01)	3,080	-
BCPG28C1809A	0.38	0.02	120,344	-	BPP01C1806B	0.05	-	3	-	COM728C1806A	0.10	(0.02)	34,453	-
BDMS01C1806A	0.89	0.16	374,811	-	BPP06C1809A	0.52	(0.01)	5,600	-	COM728C1808A	0.09	(0.01)	46,517	-
BDMS01C1806B	0.58	0.19	165,043	-	BPP07C1806A	-	-	-	-	CPAL01C1806A	0.70	(0.07)	106,476	-
BDMS01P1806A	0.10	(0.05)	234,284	-	BPP08C1807A	-	-	-	-	CPAL01C1808A	0.80	(0.08)	78,774	-
BDMS08C1807A	0.61	0.16	104,496	-	BPP08C1810A	0.42	0.02	11,580	-	CPAL01C1808B	0.38	(0.06)	86,068	-
BDMS11C1811A	0.85	0.15	64,634	-	BPP11C1807A	-	-	-	-	CPAL01P1806A	0.37	0.05	191,206	-
BDMS13C1807A	0.53	0.01	250	-	BPP13C1805A	-	-	-	-	CPAL01P1808A	0.70	0.06	219,706	-
BDMS13C1810A	0.54	0.10	379,573	-	BPP13C1806A	-	-	-	-	CPAL06C1811A	1.24	(0.10)	11,492	1.00
BDMS16C1812A	0.90	0.09	1,824	-	BPP13C1808A	0.50	0.02	71,150	-	CPAL08C1807A	0.39	(0.09)	50,862	-
BDMS23C1810A	0.54	0.09	33,460	-	BPP23C1806A	-	-	-	-	CPAL08P1810A	0.79	0.06	20,868	-
BDMS24C1805A	0.27	0.02	6,000	-	BPP24C1809A	-	-	-	-	CPAL11C1805A	1.44	(0.11)	6,630	1.00
BDMS28C1806A	0.35	0.13	263,755	-	BPP28C1807A	-	-	-	-	CPAL11C1903A	0.44	(0.05)	23,283	-
BEAU01C1807A	0.46	0.01	294,210	-	BPP28C1808A	0.40	0.01	32,714	-	CPAL11P1805A	-	-	-	-
BEAU01C1807B	0.22	0.01	295,731	-	BTS01C1806A	0.49	(0.04)	35,552	-	CPAL11P1903A	0.77	0.06	39,672	-
BEAU01P1807A	0.81	(0.02)	545,232	-	BTS01P1806A	0.17	0.03	72,538	-	CPAL13C1807A	0.43	(0.08)	58,320	-
BEAU06C1809A	0.32	0.02	46,228	-	BTS06C1903A	-	-	-	-	CPAL23C1810A	0.39	(0.06)	28,920	-
BEAU07C1809A	0.13	(0.01)	3,361	-	BTS06C1903B	-	-	-	-	CPAL24C1808A	0.31	(0.08)	4,388	-
BEAU08C1805A	0.23	0.01	56,610	-	BTS06C1903C	-	-	-	-	CPAL24C1811A	0.29	(0.05)	920	-
BEAU08C1808A	0.15	0.01	36,322	-	BTS08C1810A	0.36	(0.05)	4,141	-	CPAL24P1901A	0.34	-	1,000	-
BEAU11C1902A	0.44	0.01	48,608	-	BTS11C1806A	0.30	(0.03)	7,306	-	CPAL28C1809A	0.22	(0.05)	55,849	-
BEAU13C1806A	0.05	-	266,579	-	BTS23C1905A	1.53	(0.03)	5,346	1.00	CPAL42C1805A	1.21	(0.13)	2,012	1.00
BEAU13C1811A	0.25	-	454,719	-	BTS24C1808A	0.21	(0.01)	7,530	-	CPAL42P1805A	-	-	-	-
BEAU23C1805A	0.84	0.02	35,890	-	BTS28C1809A	0.32	(0.04)	22,338	-	CPF01C1809A	0.81	(0.04)	73,033	-
BEAU24C1807A	0.08	-	15,800	-	CBG01C1806A	0.02	-	4,151	-	CPF01C1809B	0.22	(0.02)	72,957	-
BEAU28C1806A	0.03	-	59,550	-	CBG01C1806B	0.01	(0.01)	20,002	-	CPF01C1810A	0.24	(0.01)	85,294	-
BEAU28C1810A	0.18	-	80,602	-	CBG01C1809A	0.14	0.01	35,578	-	CPF01P1809A	0.46	0.01	40,528	-
BEC01C1808A	0.09	-	132,558	-	CBG01P1806A	2.76	0.02	23,548	2.00					

## Main Board Quotation

Issue Date :

Thursday May 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPN01P1805A	0.80	(0.03)	13,872	-	GLOB08C1807A	0.18	0.03	60,852	-	ITD23C1808A	0.01	-	111,782	-
CPN08C1809A	0.18	-	22,840	-	GLOB11C1808A	0.29	0.03	26,610	-	ITD24C1807A	-	-	-	-
CPN11C1805A	0.22	0.02	11,330	-	GLOB13C1807A	0.05	-	6,611	-	ITD24C1810A	0.21	0.07	1,500	-
CPN11C1903A	0.45	-	22,100	-	GLOB23C1811A	0.51	0.05	31,820	-	ITD28C1808A	-	-	-	-
CPN11P1805A	-	-	-	-	GLOB24C1805A	-	-	-	-	ITD28C1808B	0.20	(0.01)	43,536	-
CPN11P1903A	0.67	-	13,928	-	GLOB24C1810A	0.27	0.02	3,500	-	IVL01C1806A	0.75	(0.01)	182,069	-
CPN13C1807A	0.15	(0.01)	12,574	-	GLOB27C1809A	0.18	0.03	13,965	-	IVL01C1808A	0.57	(0.02)	134,858	-
CPN23C1810A	0.42	0.02	33,550	-	GLOB28C1807A	0.04	(0.03)	2	-	IVL01C1808B	0.33	(0.01)	116,294	-
CPN24C1806A	0.08	(0.03)	100	-	GLOB28C1808A	0.19	0.04	84,944	-	IVL01P1806A	0.17	-	138,137	-
CPN28C1807A	0.05	(0.01)	560	-	GLOB42C1805A	0.23	0.05	1,872	-	IVL01P1808A	0.79	0.01	74,931	-
CPN42C1805A	0.31	0.03	5,122	-	GLOW08C1806A	0.03	(0.01)	1,000	-	IVL01P1808B	0.39	0.01	71,312	-
DELTO1C1805A	0.01	-	600	-	GLOW08C1811A	0.40	(0.05)	6,540	-	IVL06C1807A	0.40	(0.02)	23,036	-
DELTO8C1811A	0.19	(0.03)	16,924	-	GLOW11C1807A	0.29	(0.07)	3,710	-	IVL07C1811A	0.61	(0.01)	11,100	-
DELTI13C1809A	0.17	(0.01)	15,416	-	GLOW23C1806A	-	-	-	-	IVL08C1806A	0.44	(0.03)	86,141	-
DELTI24C1805A	-	-	-	-	GLOW27C1812A	0.27	(0.01)	527	-	IVL08P1809A	0.11	-	22,506	-
DELTI27C1812A	0.19	-	9,184	-	GLOW42C1805A	-	-	-	-	IVL11C1808A	1.00	-	36,408	1.00
DTACO1C1808A	0.34	(0.03)	168,560	-	GPSC01C1808A	0.70	0.04	55,947	-	IVL11P1808A	-	-	-	-
DTACO1C1808B	0.17	(0.02)	111,596	-	GPSC01C1808B	0.34	0.02	35,892	-	IVL13C1805A	-	-	-	-
DTACO1C1810A	0.53	(0.02)	160,765	-	GPSC01P1808A	1.02	(0.03)	17,942	1.00	IVL13C1806A	0.08	(0.01)	39,993	-
DTACO1P1808A	0.87	0.02	120,264	-	GPSC08C1805A	0.86	(0.10)	900	-	IVL13C1809A	0.56	(0.01)	7,596	-
DTACO6C1806A	0.14	0.02	1,000	-	GPSC08C1808A	0.22	-	54,144	-	IVL13C1810A	0.45	-	150,407	-
DTACO6P1809A	-	-	-	-	GPSC11C1808A	1.29	0.06	8,680	1.00	IVL13P1805A	-	-	-	-
DTACO7C1809A	0.15	(0.03)	1,000	-	GPSC11C1902A	0.58	0.03	32,556	-	IVL13P1809A	0.17	-	22,079	-
DTACO8C1809A	0.22	(0.03)	61,642	-	GPSC13C1805A	2.02	-	5,000	2.00	IVL19C1809A	0.74	(0.01)	19,500	-
DTACO8P1807A	0.37	0.01	50,348	-	GPSC13C1806A	0.87	0.01	6,000	-	IVL23C1810A	0.75	(0.01)	31,500	-
DTAC11C1806A	0.05	(0.02)	22,480	-	GPSC13C1807A	0.36	0.03	105,789	-	IVL24C1808A	0.39	(0.04)	3,300	-
DTAC13C1805A	-	-	-	-	GPSC13C1808A	0.24	0.01	47,212	-	IVL28C1806A	0.03	(0.01)	16,241	-
DTAC13C1806A	0.10	(0.02)	8,112	-	GPSC23C1805A	2.32	0.04	3,800	2.00	IVL28C1807A	0.59	(0.02)	87,749	-
DTAC13C1811A	0.27	(0.03)	89,182	-	GPSC24C1807A	-	-	-	-	IVL28C1808A	0.27	(0.01)	363,631	-
DTAC13P1806A	0.14	0.01	79,017	-	GPSC24C1808A	-	-	-	-	IVL28P1806A	-	-	-	-
DTAC13P1811A	0.81	0.03	110,810	-	GPSC28C1806A	0.77	0.03	22,308	-	IVL28P1806B	0.03	0.01	12,100	-
DTAC23C1807A	0.02	(0.01)	1,156	-	GPSC28C1807A	0.48	0.02	58,764	-	IVL42C1805A	-	-	-	-
DTAC23P1807A	0.07	-	6,001	-	GPSC28C1807B	-	-	-	-	KBAN01C1808A	0.17	(0.03)	77,185	-
DTAC24C1809A	0.27	(0.01)	6,100	-	GPSC42C1806A	1.39	0.01	2,522	1.00	KBAN01C1808B	0.04	-	17,501	-
DTAC27C1809A	0.17	(0.01)	18,420	-	GUNK01C1808A	0.11	0.02	19,976	-	KBAN01C1810A	0.88	(0.08)	39,586	-
DTAC27P1809A	0.26	0.01	20,003	-	GUNK01C1808B	0.02	-	1,000	-	KBAN01P1808A	1.16	0.05	45,056	1.00
DTAC28C1806A	0.07	(0.03)	50,082	-	GUNK08C1807A	0.01	-	1,100	-	KBAN01P1808B	0.75	0.06	25,350	-
DTAC28C1810A	0.19	(0.81)	179,576	-	GUNK11C1805A	0.01	(0.03)	210	-	KBAN01P1810A	0.83	0.08	36,548	-
DTAC42C1806A	0.05	(0.01)	2	-	GUNK11C1903A	0.25	0.02	3,240	-	KBAN07C1811A	0.32	(0.01)	80	-
DTAC42P1806A	1.01	0.09	464	-	GUNK23C1806A	-	-	-	-	KBAN08C1805A	-	-	-	-
EA01C1806A	0.03	-	10,030	-	GUNK24C1807A	-	-	-	-	KBAN08P1805A	-	-	-	-
EA01C1806B	0.02	0.01	6,122	-	GUNK24C1812A	0.43	0.06	5,530	-	KBAN13C1807A	-	-	-	-
EA01C1809A	0.82	0.04	114,774	-	GUNK28C1806A	0.01	-	49	-	KBAN13C1810A	0.17	(0.02)	12,583	-
EA01C1809B	0.65	0.04	141,878	-	GUNK28C1808A	0.04	-	20	-	KBAN13C1811A	0.74	(0.06)	117,613	-
EA01P1806A	3.02	(0.10)	36,023	3.00	GUNK28C1810A	0.45	0.02	22,245	-	KBAN23C1806A	-	-	-	-
EA06C1809A	0.03	0.01	1	-	HANA01C1806A	0.02	0.01	430	-	KBAN24C1806A	-	-	-	-
EA07C1810A	0.13	(0.02)	1,000	-	HANA01C1806B	-	-	-	-	KBAN24C1902A	-	-	-	-
EA08C1807A	-	-	-	-	HANA08C1806A	-	-	-	-	KBAN24P1811A	-	-	-	-
EA08C1809A	0.05	0.02	2,012	-	HANA08C1809A	0.20	(0.01)	3,158	-	KBAN27C1809A	0.11	(0.02)	4,000	-
EA08C1810A	0.32	0.02	66,008	-	HANA13C1806A	-	-	-	-	KBAN27P1809A	0.70	0.02	12,000	-
EA11C1902A	0.16	0.01	104,114	-	HANA13C1809A	0.25	-	20,214	-	KBAN28C1806A	-	-	-	-
EA13C1805A	-	-	-	-	HANA23C1811A	0.47	0.01	3,600	-	KBAN28C1809A	0.06	(0.01)	11,072	-
EA13C1806A	0.01	-	1,300	-	HANA24C1808A	-	-	-	-	KBAN28C1811A	0.56	(0.06)	71,880	-
EA13C1807A	-	-	-	-	HANA28C1807A	0.02	(0.03)	406	-	KBAN28P1807A	0.92	0.07	80,708	-
EA13C1808A	0.02	-	23,400	-	HANA28C1808A	0.18	(0.01)	994	-	KBAN42C1805A	-	-	-	-
EA13C1808B	0.20	0.03	187,746	-	HMPR01C1808A	0.37	-	24,101	-	KCE01C1805A	0.03	-	11,702	-
EA13C1809A	0.04	0.01	38,500	-	HMPR01C1808B	0.19	-	16,859	-	KCE01C1805B	0.01	-	1,510	-
EA13C1810A	0.12	0.01	299,955	-	HMPR01P1808A	0.38	(0.02)	18,360	-	KCE06C1809A	0.38	-	14,093	-
EA13P1809A	0.98	(0.06)	30,726	1.00	HMPR08C1810A	0.21	0.01	2,997	-	KCE07C1808A	0.10	-	150	-
EA23C1806A	-	-	-	-	HMPR11C1808A	0.37	(0.01)	7,732	-	KCE08C1805A	-	-	-	-
EA24C1805A	-	-	-	-	HMPR11P1808A	-	-	-	-	KCE08C1809A	0.36	0.01	19,558	-
EA24C1807A	-	-	-	-	HMPR13C1807A	0.09	(0.01)	25,894	-	KCE11C1808A	-	-	-	-
EA28C1806A	0.01	-	18,037	-	HMPR13C1812A	0.34	(0.01)	38,837	-	KCE13C1805A	-	-	-	-
EA28C1809A	0.53	0.03	229,802	-	HMPR23C1805A	0.40	(0.01)	3,000	-	KCE13C1808A	0.26	0.02	61,783	-
EA28P1809B	0.16	-	146,572	-	HMPR23P1805A	-	-	-	-	KCE23C1807A	0.01	-	10	-
EGCO01C1809A	0.61	0.04	20,453	-	HMPR24C1808A	0.19	-	1,210	-	KCE24C1808A	0.15	0.01	5	-
EGCO08C1809A	0.19	0.02	22,294	-	HMPR27C1807A	0.27	-	2,000	-	KCE28C1809A	0.12	(0.01)	25,019	-
EGCO13C1809A	0.20	0.02	49,436	-	HMPR28C1807A	0.07	-	7,072	-	KCE42C1805A	-	-	-	-
EGCO23C1811A	0.44	0.01	44,300	-	HMPR28C1811A	0.21	-	19,456	-	KKP01C1808A	0.25	-	45,108	-
EGCO24C1808A	0.21	-	16,400	-	ICH108C1806A	-	-	-	-	KKP01C1808B	0.05	(0.01)	2,260	-
EGCO28C1808A	0.22	0.02	33,852	-	INTU01C1809A	0.40	(0.06)	29,769	-	KKP07C1806A	-	-	-	-
EGCO42C1806A	0.23	0.02	1,714	-	INTU01C1809B	0.14	(0.04)	23,221	-	KKP08C1805A	-	-	-	-
EPG01C1809A	0.12	-	22,785	-	INTU01P1809A	0.56	0.06	43,609	-	KKP11C1805A	0.15	(0.02)	10,530	-
EPG01P1809A	1.12	-	11,425	1.00	INTU11C1807A	0.11	(0.04)	6,868	-	KKP11C1903A	0.30	(0.01)	20,180	-
EPG07C1811A	0.30	0.01	700	-	INTU11P1807A	0.48	-	19,940	-	KKP13C1807A	-	-	-	-
EPG08C1810A	-	-	-	-	INTU13C1806A	0.01	(0.02)	1,501	-	KKP13C1811A	0.33	-	80,442	-
EPG08C1810B	0.34	(0.03)	22,097	-	INTU13C1810A	0.23	(0.05)	67,008	-	KKP23C1807A	-	-	-	-
EPG11C1805A	-	-	-	-	INTU23C1806A	0.07	(0.03)	12,000	-	KKP24C1807A	-	-	-	-
EPG11C1903A	0.31	-	16,680	-	INTU24C1807A	-	-	-	-	KKP28C1807A	-	-	-	-
EPG13C1808A	0.04	-	5,000	-	INTU28C1809A	0.19	(0.03)	74,295	-	KKP28C1810A	0.24	(0.01)	49,954	-
EPG13C1811A	0.22	(0.02)	25,476	-	IRPC01C1808A	0.28	0.01	264,826	-	KKP42C1805A	-	-	-	-
EPG23C1808A	-	-	-	-	IRPC01C1810A	0.26	-	19,193	-	KTBO1C1808A	0.19	-	520	-
EPG24C1807A	-	-	-	-	IRPC01C1810B	0.13	-	68,517	-	KTBO1C1810A	-	-	-	-
EPG24C1808A	-	-	-	-	IRPC01P1808A	0.41	(0.01)	59,336	-	KTBO1P1808A	0.70	0.01	1,250	-
EPG24C1810A	0.37	(0.04)	3,735	-	IRPC08C1808A	0.13	0.01	123,807	-	KTBO8C1809A	-	-	-	-
EPG28C1808A	-	-	-	-	IRPC11C1902A	0.13	-	34,134	-	KTBI1C1811A	-	-	-	-
ESSO01C1807A	0.10	(0.01)	109,187	-	IRPC13C1806A	0.15	0.01	101,388	-	KTBI3C1809A	0.11	-	50	-
ESSO01C1807B	0.02	-	12,410	-	IRPC13C1808A	0								

## Main Board Quotation

Issue Date :

Thursday May 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTC13C1807A	6.65	(0.95)	20	6.00	ORI11C1811A	0.35	(0.02)	12,816	-	PTTE27C1809A	1.16	0.23	8,161	1.00
KTC13C1808A	1.96	0.28	2,801	1.00	ORI13C1806A	-	-	-	-	PTTE27P1809A	0.11	(0.03)	18,076	-
KTC13C1809A	1.37	0.09	9,806	1.00	ORI13C1810A	0.68	(0.05)	96,378	-	PTTE28C1807A	1.03	0.29	152,132	-
KTC13C1809B	1.25	0.19	109,079	1.00	ORI23C1809A	0.28	(0.01)	19,000	-	PTTE28C1810A	0.66	0.18	635,349	-
KTC13P1807A	0.16	(0.02)	79,992	-	ORI24C1806A	-	-	-	-	PTTG01C1805A	1.26	0.17	114,580	1.00
KTC23C1806A	-	-	-	-	ORI24C1810A	0.53	(0.02)	11,500	-	PTTG01C1808A	0.89	0.13	228,069	-
KTC23C1809A	1.99	0.28	2,252	1.00	ORI28C1806A	-	-	-	-	PTTG01C1810A	0.89	0.13	109,308	-
KTC24C1808A	2.10	(0.10)	5,000	2.00	ORI28C1808A	0.26	(0.02)	187,909	-	PTTG01C1810B	0.47	0.10	95,240	-
KTC24C1810A	1.07	0.13	10,305	1.00	PLAN08C1811A	0.17	(0.06)	62,191	-	PTTG01P1805A	0.02	(0.02)	8,510	-
KTC24P1807A	0.19	(0.06)	100,188	-	PLAN11C1805A	0.13	(0.13)	25,606	-	PTTG01P1808A	0.61	(0.11)	49,411	-
KTC27C1806A	-	-	-	-	PLAN13C1809A	0.12	(0.05)	39,985	-	PTTG06C1809A	0.58	0.13	30,616	-
KTC28C1806A	-	-	-	-	PLAN23C1806A	0.01	(0.01)	7,000	-	PTTG07C1806A	0.82	0.15	2,180	-
KTC28C1806B	-	-	-	-	PLAN28C1810A	0.16	(0.06)	81,793	-	PTTG08C1805A	0.49	0.17	40,080	-
KTC28C1808A	1.75	(0.02)	6,897	1.00	PSH01C1805A	0.13	(0.02)	80,528	-	PTTG08P1805A	-	-	-	-
KTC28C1808B	1.72	0.10	137,549	1.00	PSH01P1805A	0.64	-	21,933	-	PTTG11C1902A	0.61	0.10	82,308	-
KTC28C1809A	1.34	0.20	14,036	1.00	PSH08C1805A	-	-	-	-	PTTG13C1805A	0.23	0.11	3,008	-
KTC28C1810A	1.18	0.15	142,372	1.00	PSH08C1811A	0.24	-	38,310	-	PTTG13C1808A	0.42	0.09	204,608	-
LH01C1809A	0.30	(0.01)	23,041	-	PSH11C1902A	0.40	-	8,112	-	PTTG23C1805A	0.34	0.12	38,000	-
LH01P1809A	0.23	0.01	11,665	-	PSH23C1811A	0.42	(0.02)	77,817	-	PTTG24C1808A	0.31	0.08	15,709	-
LH06C1809A	0.23	(0.02)	11,574	-	PSH42C1806A	0.12	(0.02)	3,364	-	PTTG24P1808A	0.11	(0.04)	1,961	-
LH07C1810A	0.16	(0.84)	5,000	-	PSL01C1807A	0.35	(0.07)	96,351	-	PTTG27C1807A	0.80	0.07	10,878	-
LH11C1808A	0.18	(0.02)	34,189	-	PSL23C1809A	0.15	(0.04)	98,529	-	PTTG27P1807A	0.07	(0.01)	2,000	-
LH13C1808A	0.20	(0.01)	12,470	-	PSL24C1807A	0.23	(0.13)	200	-	PTTG28C1807A	0.07	0.02	14,121	-
LH23C1806A	0.09	(0.02)	1,000	-	PTG01C1805A	-	-	-	-	PTTG28C1807B	0.30	0.09	90,758	-
LH24C1806A	0.18	(0.05)	12,025	-	PTG01C1806A	0.23	(0.03)	31,952	-	QH01C1807A	0.35	(0.01)	43,249	-
LH24C1809A	-	-	-	-	PTG01C1806B	-	-	-	-	QH01P1807A	0.34	0.01	12,792	-
LH28C1808A	0.11	(0.02)	67,010	-	PTG01P1805A	1.24	0.04	14,417	1.00	QH08C1808A	0.22	(0.01)	23,672	-
LHFG42C1806A	-	-	-	-	PTG06C1810A	0.24	-	3,583	-	QH11C1902A	0.35	(0.01)	22,086	-
LPN01C1809A	0.16	0.01	6,594	-	PTG06C1904A	0.82	(0.04)	350	-	QH23C1808A	0.32	0.01	12,000	-
LPN01P1809A	0.55	(0.01)	4,313	-	PTG07C1806A	-	-	-	-	QH28C1808A	0.15	0.01	14,462	-
LPN08C1807A	-	-	-	-	PTG08C1807A	0.03	-	7,780	-	QH42C1805A	-	-	-	-
LPN08C1810A	0.14	-	2,000	-	PTG11C1805A	0.10	(0.01)	804	-	RATC23C1806A	-	-	-	-
LPN11C1806A	0.07	-	2,000	-	PTG11C1903A	0.51	(0.02)	14,857	-	RATC27C1812A	-	-	-	-
LPN23C1806A	-	-	-	-	PTG13C1805A	-	-	-	-	ROBI01C1809A	0.41	(0.03)	17,120	-
LPN24C1808A	-	-	-	-	PTG13C1806A	0.03	(0.01)	5,000	-	ROBI06C1809A	0.39	(0.04)	4,020	-
LPN27C1807A	-	-	-	-	PTG13C1809A	0.34	(0.02)	166,267	-	ROBI08C1808A	0.08	(0.01)	5,552	-
LPN42C1805A	-	-	-	-	PTG23C1808A	0.02	(0.01)	600	-	ROBI11C1808A	0.14	(0.03)	4,914	-
MAJ008C1811A	0.18	-	9,114	-	PTG24C1805A	-	-	-	-	ROBI13C1807A	0.05	(0.01)	9,300	-
MAJ011C1902A	0.23	0.01	9,212	-	PTG24C1809A	0.41	(0.01)	1,450	-	ROBI23C1805A	-	-	-	-
MAJ023C1806A	-	-	-	-	PTG27C1809A	-	-	-	-	ROBI24C1805A	-	-	-	-
MAJ024C1809A	0.10	-	40,800	-	PTG28C1806A	-	-	-	-	ROBI24C1901A	0.37	(0.04)	7,400	-
MAJ042C1806A	0.06	-	412	-	PTG28C1808A	0.28	(0.02)	71,187	-	ROBI27C1806A	-	-	-	-
MALE01C1812A	0.05	-	22,862	-	PTL08C1811A	0.49	-	67,815	-	S10001C1811A	0.78	0.01	3,644	-
MALE08C1805A	-	-	-	-	PTL13C1809A	0.28	(0.01)	46,231	-	S23C1805A	-	-	-	-
MALE08C1811A	0.01	-	800	-	PTL23C1807A	0.11	-	12,000	-	S42C1806A	-	-	-	-
MALE13C1805A	-	-	-	-	PTL24C1806A	0.22	(0.19)	3,750	-	S5001C1805A	0.81	0.04	40,563	-
MALE13C1809A	-	-	-	-	PTL28C1810A	0.41	-	65,920	-	S5001C1805B	0.51	0.04	822,886	-
MALE23C1806A	-	-	-	-	PTT01C1808A	1.16	0.07	275,790	1.00	S5001C1806F	0.89	0.04	1,710,628	-
MALE27C1812A	-	-	-	-	PTT01C1808B	0.83	0.06	238,371	-	S5001C1806G	0.23	0.02	1,291,878	-
MALE28C1810A	-	-	-	-	PTT01C1810A	0.55	0.03	224,532	-	S5001C1806H	0.46	0.04	1,742,470	-
MC23C1809A	0.18	(0.03)	11,703	-	PTT01P1808A	0.31	(0.01)	128,926	-	S5001C1806I	0.11	(0.01)	13,197	-
MC24C1807A	0.05	(0.01)	2,000	-	PTT01P1808B	0.08	(0.01)	37,823	-	S5001C1807A	0.79	0.02	135,951	-
MEGA01C1806A	0.33	(0.01)	61,163	-	PTT01P1810A	0.74	(0.04)	42,705	-	S5001P1805A	0.74	(0.03)	32,985	-
MEGA01C1806B	0.14	-	20,853	-	PTT07C1811A	0.54	0.02	203	-	S5001P1805B	0.95	(0.03)	72,118	-
MEGA08C1805A	0.02	(0.02)	278	-	PTT08C1805A	-	-	-	-	S5001P1806F	1.10	(0.07)	2,011,161	1.00
MEGA11C1806A	0.69	(0.01)	13,628	-	PTT08C1807A	0.82	0.05	3,427	-	S5001P1806G	0.28	(0.06)	1,207,520	-
MEGA11C1902A	0.35	(0.01)	14,019	-	PTT08C1809A	0.32	0.04	66,233	-	S5001P1806H	1.71	(0.08)	1,169,347	1.00
MEGA13C1805A	-	-	-	-	PTT08P1805A	-	-	-	-	S5001P1806I	0.75	(0.11)	2,352,404	-
MEGA13C1809A	0.23	(0.01)	28,596	-	PTT08P1809A	0.33	(0.03)	29,098	-	S5001P1807A	1.13	(0.03)	180,833	1.00
MEGA23C1806A	0.45	(0.01)	14,100	-	PTT11C1806A	3.14	0.08	13,660	3.00	S5006C1806A	0.13	0.02	35,060	-
MEGA24C1805A	-	-	-	-	PTT11C1902A	0.57	0.06	90,301	-	S5006C1806B	0.09	-	7,981	-
MEGA27C1807A	0.12	-	14,737	-	PTT13C1807A	0.71	0.05	95,993	-	S5006P1806A	0.03	-	270	-
MEGA28C1808A	0.10	(0.01)	35,723	-	PTT13C1808A	0.29	0.03	548,719	-	S5006P1806B	-	-	-	-
MINT01C1805A	0.01	(0.01)	900	-	PTT13C1810A	0.36	0.03	222,522	-	S5008C1806A	0.18	0.01	66,213	-
MINT01C1808A	0.13	(0.01)	74,189	-	PTT13P1805A	-	-	-	-	S5008C1806B	0.17	-	53,951	-
MINT01C1808B	0.03	-	600	-	PTT13P1807A	0.04	(0.01)	2,950	-	S5008P1806A	0.44	(0.05)	116,977	-
MINT01P1805A	0.75	0.01	43,076	-	PTT13P1808A	0.27	(0.04)	164,124	-	S5008P1806B	0.45	(0.05)	130,532	-
MINT01P1808A	0.66	0.04	20,509	-	PTT19C1809A	0.49	0.03	52,019	-	S5013C1806A	0.22	0.01	1,852,793	-
MINT06C1809A	0.13	(0.02)	3,150	-	PTT23C1805A	0.81	0.06	18,060	-	S5013C1806B	0.16	0.01	2,694,317	-
MINT07C1810A	0.13	(0.01)	600	-	PTT23P1805A	-	-	-	-	S5013C1806C	0.50	0.03	888,965	-
MINT08C1809A	0.12	(0.01)	26,279	-	PTT24C1806A	1.11	0.10	100	1.00	S5013C1806D	0.47	0.03	3,466,344	-
MINT11C1902A	0.21	(0.01)	92,035	-	PTT24C1809A	0.48	0.03	1,750	-	S5013C1806E	0.62	0.04	1,353,917	-
MINT11P1902A	0.33	0.02	36,307	-	PTT24P1808A	0.02	-	500	-	S5013P1806A	0.55	(0.05)	5,299,775	-
MINT13C1805A	0.01	-	1,250	-	PTT27C1809A	0.96	0.04	6,200	-	S5013P1806B	0.50	(0.08)	927,515	-
MINT13C1810A	0.21	(0.02)	69,955	-	PTT27P1809A	0.16	(0.01)	8,000	-	S5013P1806C	0.98	(0.06)	1,614,244	-
MINT23C1810A	0.18	-	2,001	-	PTT28C1807A	0.62	0.05	84,047	-	S5013P1806D	0.14	(0.03)	201,835	-
MINT24C1807A	-	-	-	-	PTT28C1808A	0.35	0.04	274,909	-	S5013P1806E	0.69	(0.08)	3,044,437	-
MINT24C1812A	-	-	-	-	PTT28C1808B	0.14	0.01	229,256	-	S5028C1806A	0.11	(0.02)	11,187	-
MINT28C1806A	-	-	-	-	PTT28C1811A	0.29	0.03	394,032	-	S5028C1806B	0.24	-	1,756,633	-
MINT28C1808A	0.12	(0.01)	12,288	-	PTT28P1808A	0.19	(0.03)	67,678	-	S5028C1806C	0.46	0.01	1,274,470	-
MONO08C1808A	0.03	0.01	1,060	-	PTT28P1808B	0.34	(0.04)	11,403	-	S5028P1806A	0.60	(0.06)	1,461,653	-
MONO13C1808A	0.01	(0.01)	8,479	-	PTT42C1805A	-	-	-	-	S5028P1806B	0.25	(0.04)	1,397,591	-
MONO13C1811A	0.33	0.01	83,761	-	PTTE01C1808A	1.47	0.26	426,438	1.00	S5028P1806C	-	-	-	-
MONO23C1809A	0.03	-	7,821	-	PTTE01C1808B	1.16	0.32	186,412	1.00	SAMA13C1806A	-	-	-	-
MONO24C1807A	0.01	-	20	-	PTTE01P1808A	0.16	(0.07)	4						

## Main Board Quotation

Issue Date :

Thursday May 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB01C1810A	0.48	(0.01)	55,169	-	STPI28C1807A	0.03	-	1,000	-	TOP01P1805A	0.69	(0.09)	49,480	-
SCB01P1808A	1.39	0.03	12,859	1.00	SUPE06C1806A	-	-	-	-	TOP01P1808A	0.97	(0.11)	51,086	-
SCB01P1808B	0.82	0.01	7,121	-	SUPE08C1808A	0.21	(0.01)	6,519	-	TOP06C1809A	0.29	0.06	16,692	-
SCB08C1806A	0.02	(0.01)	270	-	SUPE13C1805A	-	-	-	-	TOP08C1805A	-	-	-	-
SCB11C1901A	0.27	(0.02)	8,750	-	SUPE13C1806A	0.02	(0.03)	16,520	-	TOP08C1811A	0.44	0.09	34,164	-
SCB11P1901A	0.78	0.04	13,256	-	SUPE13C1810A	0.24	(0.02)	1,019,675	-	TOP11C1808A	0.12	0.02	5,012	-
SCB13C1805A	-	-	-	-	SUPE13C1811A	0.34	0.01	157,045	-	TOP13C1806A	-	-	-	-
SCB13C1809A	0.17	(0.01)	58,417	-	SUPE23C1811A	0.57	-	66,150	-	TOP13C1811A	0.43	0.06	58,248	-
SCB24C1806A	0.01	-	1,130	-	SUPE28C1806A	0.03	(0.02)	29,499	-	TOP18C1808A	-	-	-	-
SCB24C1902A	0.49	(0.07)	4,000	-	SUPE28C1807A	0.20	(0.01)	7,001	-	TOP23C1811A	0.50	-	26,005	-
SCB24P1811A	-	-	-	-	SUPE28C1810A	0.23	0.01	9,900	-	TOP24C1805A	-	-	-	-
SCB28C1808A	0.05	(0.01)	2,000	-	TASC01C1806A	0.15	(0.01)	6,926	-	TOP24C1806A	-	-	-	-
SCB28C1809A	0.15	(0.02)	72,857	-	TASC01C1809A	0.20	-	3,778	-	TOP28C1810A	0.10	0.01	16,056	-
SCB28P1808A	0.45	0.03	56,528	-	TASC01P1806A	1.00	-	35,166	-	TOP42C1806A	-	-	-	-
SCC01C1808A	0.33	-	51,996	-	TASC01P1809A	1.31	0.02	11,363	1.00	TOP42P1806A	0.70	(0.12)	3,754	-
SCC01C1808B	0.09	(0.01)	14,555	-	TASC07C1811A	-	-	-	-	TP101C1807A	-	-	-	-
SCC01P1808A	0.59	0.01	11,812	-	TASC08C1808A	0.05	-	100	-	TP101C1807B	-	-	-	-
SCC06C1809A	0.22	-	3	-	TASC11C1806A	-	-	-	-	TP108C1807A	-	-	-	-
SCC08C1809A	0.19	-	14,678	-	TASC13C1805A	-	-	-	-	TP113C1809A	0.11	(0.01)	5,500	-
SCC11C1811A	0.29	0.01	14,983	-	TASC13C1810A	0.30	-	80,008	-	TP123C1809A	-	-	-	-
SCC11P1811A	0.36	-	2,000	-	TASC23C1806A	-	-	-	-	TP124C1808A	-	-	-	-
SCC13C1809A	0.21	(0.02)	31,308	-	TASC24C1810A	-	-	-	-	TP128C1808A	-	-	-	-
SCC23C1811A	0.27	(0.01)	17,980	-	TASC28C1808A	0.15	-	9,216	-	TPIP01C1805A	0.05	(0.01)	100	-
SCC24C1806A	-	-	-	-	TCAP01C1807A	0.16	-	20,550	-	TPIP01P1805A	0.41	-	9,000	-
SCC24C1812A	0.24	(0.04)	1,505	-	TCAP01C1807B	0.03	-	1	-	TPIP07C1806A	-	-	-	-
SCC24P1901A	0.39	0.01	1,500	-	TCAP01P1807A	0.98	0.01	9,945	-	TPIP08C1808A	-	-	-	-
SCC27C1809A	0.22	(0.01)	3,172	-	TCAP08C1810A	0.21	(0.01)	12,746	-	TPIP11C1811A	0.17	(0.01)	8,406	-
SCC27P1809A	0.42	-	3,002	-	TCAP11C1811A	0.21	(0.01)	10,289	-	TPIP13C1805A	-	-	-	-
SCC28C1807A	0.05	(0.01)	8,000	-	TCAP13C1809A	-	-	-	-	TPIP13C1811A	0.41	-	6,635	-
SCC42C1805A	-	-	-	-	TCAP23C1807A	0.24	-	15,500	-	TPIP23C1808A	-	-	-	-
SCC08C1811A	0.11	(0.01)	3,398	-	TCAP24C1807A	-	-	-	-	TPIP24C1901A	-	-	-	-
SCCC13C1809A	0.12	(0.01)	4,692	-	TCAP27C1807A	0.10	-	11,360	-	TPIP27C1812A	-	-	-	-
SCCC23C1806A	-	-	-	-	TCAP42C1805A	-	-	-	-	TRUE01C1808A	0.47	(0.12)	197,335	-
SCCC27C1812A	0.16	(0.02)	4,000	-	THAI01C1806A	0.15	(0.01)	32,736	-	TRUE01C1808B	0.26	(0.12)	221,737	-
SGP08C1808A	0.06	(0.04)	90,292	-	THAI01C1808A	0.30	(0.01)	198,049	-	TRUE01P1808A	0.30	0.08	272,422	-
SGP13C1806A	1.43	(0.13)	830	1.00	THAI01C1808B	0.12	-	38,461	-	TRUE06C1806A	0.48	(0.11)	8,934	-
SGP13C1807A	0.15	(0.08)	371,319	-	THAI01P1806A	0.81	0.03	63,573	-	TRUE06P1806A	0.07	(0.11)	1,991	-
SGP13C1808A	0.07	(0.02)	123,322	-	THAI01P1808A	0.66	(0.01)	16,160	-	TRUE07C1806A	0.06	(0.06)	5,460	-
SGP13C1811A	0.20	(0.80)	212,085	-	THAI06C1809A	0.38	(0.01)	150	-	TRUE08C1809A	0.29	(0.11)	53,104	-
SGP23C1805A	0.95	(0.05)	400	1.00	THAI07C1811A	0.32	(0.05)	900	-	TRUE08P1809A	0.17	0.05	24,085	-
SGP24C1806A	-	-	-	-	THAI08C1808A	0.16	(0.01)	37,786	-	TRUE11C1807A	0.18	(0.11)	91,712	-
SGP24C1808A	0.04	-	2,082	-	THAI11C1808A	0.12	-	11,230	-	TRUE13C1807A	0.18	(0.11)	116,245	-
SGP28C1808A	0.05	(0.02)	54,425	-	THAI13C1811A	0.25	(0.01)	35,854	-	TRUE13C1810A	0.20	(0.08)	228,661	-
SGP28C1809A	0.03	(0.01)	21,850	-	THAI23C1805A	-	-	-	-	TRUE16C1812A	0.43	(0.13)	2,440	-
SIRI01C1808A	0.05	0.01	305	-	THAI24C1808A	0.17	0.01	5,552	-	TRUE23C1806A	0.24	(0.21)	44,934	-
SIRI01C1808B	-	-	-	-	THAI27C1809A	0.20	-	19,132	-	TRUE27C1809A	0.37	(0.09)	6,126	-
SIRI01P1808A	0.56	(0.01)	11,282	-	THAI28C1808A	0.10	(0.01)	39,028	-	TRUE27P1809A	0.30	0.05	18,786	-
SIRI08C1808A	-	-	-	-	THAN01C1812A	0.49	-	12,112	-	TRUE28C1807A	0.16	(0.11)	178,132	-
SIRI08C1810A	0.25	(0.02)	32,895	-	THAN13C1809A	0.12	0.02	13,537	-	TRUE28C1808A	0.06	(0.04)	66,640	-
SIRI11C1902A	0.25	0.01	23,060	-	THAN23C1807A	0.88	(0.04)	51	-	TTA01C1807A	0.14	(0.01)	204,835	-
SIRI13C1809A	-	-	-	-	THAN28C1810A	0.18	(0.01)	18,360	-	TTA01P1807A	0.79	-	8,646	-
SIRI23C1811A	0.36	0.01	23,440	-	THCO01C1809A	0.16	(0.02)	9,676	-	TTA08C1808A	0.07	-	8,000	-
SIRI24C1809A	0.16	0.01	1,421	-	THCO01P1809A	0.64	0.02	8,928	-	TTA11C1806A	-	-	-	-
SIRI28C1807A	0.01	-	1,001	-	THCO11C1902A	0.20	-	8,949	-	TTA13C1805A	-	-	-	-
SIRI28C1809A	0.18	0.02	64,556	-	THCO13C1805A	-	-	-	-	TTA13C1809A	0.10	-	25,779	-
SIRI42C1805A	-	-	-	-	THCO23C1808A	-	-	-	-	TTA18C1808A	-	-	-	-
SPAL01C1805A	0.17	(0.03)	7,522	-	THCO24C1805A	-	-	-	-	TTA23C1808A	-	-	-	-
SPAL01C1808A	0.49	(0.03)	14,737	-	THCO24C1807A	-	-	-	-	TTA24C1809A	-	-	-	-
SPAL01C1808B	0.17	(0.02)	32,332	-	THCO24C1810A	0.42	0.02	3,000	-	TTA28C1806A	-	-	-	-
SPAL01P1805A	0.54	0.05	18,986	-	THCO28C1806A	-	-	-	-	TTCL13C1806A	-	-	-	-
SPAL06C1809A	0.54	(0.03)	12,600	-	THCO28C1808A	0.09	-	68,740	-	TU01C1808A	0.18	0.01	135,785	-
SPAL08C1808A	0.17	(0.03)	42,088	-	TISCO1C1808A	0.70	(0.04)	21,171	-	TU01C1808B	0.03	(0.01)	9,980	-
SPAL11C1807A	0.30	(0.03)	14,533	-	TISCO1C1808B	0.33	(0.03)	7,462	-	TU01P1808A	0.77	(0.03)	2,124	-
SPAL23C1811A	0.68	(0.05)	9,500	-	TISCO8C1808A	0.37	(0.03)	16,646	-	TU08C1805A	-	-	-	-
SPAL24C1808A	-	-	-	-	TISC11C1805A	1.07	(0.04)	3,402	1.00	TU11C1902A	0.12	-	2,210	-
SPCG13C1806A	0.20	(0.03)	1,556	-	TISC11C1903A	0.52	(0.03)	8,528	-	TU13C1809A	-	-	-	-
SPRC01C1805A	0.26	0.01	12,730	-	TISC13C1807A	0.32	(0.02)	29,117	-	TU23C1806A	-	-	-	-
SPRC01C1808A	0.36	0.01	33,170	-	TISC24C1806A	0.54	(0.11)	9,600	-	TU24C1808A	0.06	(0.05)	500	-
SPRC01C1808B	0.15	-	28,907	-	TISC27C1807A	0.34	(0.04)	11,064	-	TU27C1807A	-	-	-	-
SPRC01P1805A	0.24	(0.02)	17,662	-	TISC28C1807A	0.24	(0.04)	48,408	-	TVO01C1809A	0.31	0.01	13,473	-
SPRC06C1809A	-	-	-	-	TISC42C1806A	0.97	(0.03)	2,100	-	TVO08C1808A	0.13	0.01	13,680	-
SPRC08C1808A	0.16	-	2,000	-	TKN01C1805A	0.01	-	9,384	-	TVO11C1805A	0.13	0.02	3,814	-
SPRC11C1902A	0.24	-	4,232	-	TKN01C1808A	0.42	0.02	74,983	-	TVO11C1903A	0.21	0.01	7,220	-
SPRC13C1805A	-	-	-	-	TKN01C1808B	0.20	-	39,351	-	TVO13C1809A	0.09	0.01	1,000	-
SPRC13C1808A	0.18	-	16,818	-	TKN06C1806A	0.07	0.05	2	-	TVO23C1808A	0.15	0.01	8,400	-
SPRC23C1810A	0.30	-	9,000	-	TKN08C1805A	-	-	-	-	TVO24C1810A	-	-	-	-
SPRC24C1808A	-	-	-	-	TKN08C1808A	0.07	-	21,076	-	TVO28C1808A	0.05	-	10,200	-
SPRC28C1806A	-	-	-	-	TKN11C1902A	0.46	-	56,885	-	UNIQ01C1809A	0.25	(0.03)	56,349	-
SPRC42C1805A	0.30	(0.02)	436	-	TKN13C1805A	-	-	-	-	UNIQ01P1809A	0.54	0.02	14,706	-
STA01C1807A	0.09	(0.01)	100	-	TKN13C1808A	0.15	0.02	94,801	-	UNIQ08C1808A	-	-	-	-
STA01C1807B	-	-	-	-	TKN13C1810A	0.48	-	208,565	-	UNIQ08C1810A	0.27	(0.03)	43,384	-
STA08C1807A	-	-	-	-	TKN23C1806A	0.03	0.01	273,000	-	UNIQ11C1811A	0.23	(0.03)	18,956	-
STA13C1807A	0.01	-	500	-	TKN24C1807A	0.08	0.02	2,000	-	UNIQ13C1807A	0.01	-	100	-
STA13C1808A	0.17	(0.01)	21,314	-	TKN24C1811A	0.73	0.01	20	-	UNIQ13C1809A	0.22	(0.05)	167,781	-
STA23C1809A	0.23	(0.01)	1,100	-	TKN28C1806A	-	-	-	-	UNIQ23C1806A	-	-	-	-
STA24C1808A	0.12	-	550	-	TKN28C1808A	0.19	0.01	126,972	-	UNIQ23C1806A	-	-	-	-
STA28C1807A	-	-	-	-	TKN42C1805A	0.07	0.04	9	-	UNIQ24C1811A	0.16	(0.02)	3,600	-
STEC01C1809A	0.32	0.01	148,802	-	TMB01C1807A	0.03	(0.01)	14,611	-	UNIQ28C1807A	-	-	-	-
STEC01P1809A	1.12	(0.05)	30,9											

## Main Board Quotation

Issue Date :

Thursday May 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VGI08C1811A	0.76	0.05	22,489	-	JMT-W1	12.90	(0.10)	872	12.00	NINE-W1	0.01	-	427	-
VGI23C1905A	1.41	0.04	4,400	1.00	MIDA-W2	0.03	(0.01)	87,997	-	OCEAN-W2	-	-	-	-
VGI23C1911A	-	-	-	-	MILL-W3	0.04	-	34,245	-	PHOL-W1	0.20	(0.02)	40,817	-
VGI27C1812A	0.51	0.04	9,010	-	MILL-W4	0.30	(0.02)	3,342	-	PIMO-W1	1.66	0.11	20,523	1.00
VGI28C1810A	0.54	0.07	102,188	-	ML-W2	0.05	-	12,483	-	PPS-W1	1.13	0.02	1	1.00
VGI42C1805A	0.72	0.02	1,600	-	MONO-W1	1.24	0.03	66,660	1.00	PSTC-W1	0.36	-	1,789	-
VIBH08C1806A	-	-	-	-	NEP-W3	0.14	(0.01)	690	-	QTC-W1	-	-	-	-
VIBH13C1806A	-	-	-	-	NMG-W3	-	-	-	-	RWI-W1	0.02	-	31,225	-
VIBH24C1805A	-	-	-	-	NOK-W1	1.28	(0.04)	55	1.00	SIMAT-W2	0.80	(0.01)	112	-
VNG13C1806A	-	-	-	-	NPP-W3	0.49	(0.05)	44,852	-	SIMAT-W3	0.86	(0.03)	10,675	-
WHA01C1807A	0.31	0.02	116,018	-	NUSA-W3	0.10	(0.04)	58	-	SKY-W1	14.50	(0.10)	150	14.00
WHA01C1807B	0.11	(0.01)	82,608	-	ORI-W1	3.08	(0.04)	6,660	3.00	STAR-W3	1.93	-	11,785	1.00
WHA06C1809A	0.44	0.02	31,527	-	PACE-W1	0.02	-	10,675	-	T-W3	-	-	-	-
WHA07C1810A	0.44	0.03	200	-	PACE-W2	0.05	-	5,833	-	TAKUNI-W	0.24	(0.01)	13,494	-
WHA08C1805A	0.25	0.01	9,160	-	PDJ-W2	1.60	0.02	125	1.00	TAPAC-W3	5.60	0.10	677	5.00
WHA08C1811A	0.45	0.02	164,170	-	PDJ-W3	1.59	(0.01)	7	1.00	TMILL-W1	1.29	(0.02)	640	1.00
WHA11C1805A	0.88	0.01	25,033	-	PDJ-W4	1.57	0.02	29	1.00	TSF-W4	0.02	-	15,116	-
WHA11C1903A	0.40	0.01	22,568	-	PL-W1	0.01	-	6,465	-	TSF-W5	0.03	-	24,221	-
WHA13C1805A	0.55	(0.02)	30,528	-	PLE-W3	0.40	(0.03)	25,942	-	TVD-W2	0.75	(0.01)	11,204	-
WHA13C1808A	0.35	0.01	231,128	-	PSL-W1	0.02	-	26,061	-	UKEM-W2	0.55	-	4,832	-
WHA23C1810A	-	-	-	-	RICH-W1	-	-	-	-	UWC-W2	0.02	-	100,725	-
WHA24C1805A	-	-	-	-	RICHY-W1	0.36	0.01	646	-	VTE-W2	0.36	0.10	576,238	-
WHA24C1807A	0.12	-	200	-	RICHY-W2	0.22	0.01	24	-	XO-W1	6.00	-	43,908	5.00
WHA28C1807A	0.10	(0.01)	2	-	RML-W4	-	-	-	-	Preferred Shares	-	-	-	-
WHA28C1808A	0.15	(0.01)	33,679	-	RS-W3	14.60	-	79	14.00	SGF-P1	-	-	-	-
WHA28C1808B	0.30	0.02	343,737	-	S-W1	0.22	-	2,850	-	-	-	-	-	-
WHA28C1809A	0.71	0.01	36,790	-	SAWAD-W1	6.80	(0.10)	7,238	6.00	-	-	-	-	-
WHA42C1806A	0.59	0.04	4,534	-	SMM-W4	0.20	(0.01)	23,893	-	-	-	-	-	-
WHA42P1806A	0.09	-	756	-	SMT-W1	0.23	(0.01)	18,232	-	-	-	-	-	-
WORK01C1806A	0.02	-	37,231	-	SPALI-W4	19.30	(0.20)	430	19.00	-	-	-	-	-
WORK01C1806B	0.02	-	1,201	-	SPORT-W5	0.18	-	300	-	-	-	-	-	-
WORK08C1805A	-	-	-	-	SPORT-W6	0.03	-	2,494	-	-	-	-	-	-
WORK08C1809A	0.01	(0.01)	46,939	-	SUPER-W4	0.25	-	103,514	-	-	-	-	-	-
WORK11C1805A	0.02	-	2,557	-	SUSCO-W1	0.38	(0.01)	4,153	-	-	-	-	-	-
WORK11C1903A	0.24	(0.07)	77,881	-	SVI-W3	1.39	(0.05)	46	1.00	-	-	-	-	-
WORK13C1805A	-	-	-	-	TCC-W3	0.60	0.02	8	-	-	-	-	-	-
WORK13C1806A	-	-	-	-	TCC-W4	0.24	0.01	201	-	-	-	-	-	-
WORK13C1809A	0.04	-	21,973	-	TCJ-W2	1.46	(0.09)	874	1.00	-	-	-	-	-
WORK13C1810A	0.09	(0.03)	440,997	-	TCCM-W2	0.41	0.01	31,820	-	-	-	-	-	-
WORK23C1807A	0.01	-	11,000	-	TFG-W1	1.99	0.05	885	1.00	-	-	-	-	-
WORK24C1805A	-	-	-	-	TFG-W2	0.85	-	246	-	-	-	-	-	-
WORK24C1810A	0.09	(0.04)	39,511	-	TGPRO-W2	-	-	-	-	-	-	-	-	-
WORK27C1806A	-	-	-	-	TH-W2	0.13	(0.01)	2,343	-	-	-	-	-	-
WORK28C1806A	0.01	-	1,233	-	THE-W2	0.07	-	60,014	-	-	-	-	-	-
WORK28C1808A	0.02	-	20	-	TNITY-W1	1.22	0.03	62,700	1.00	-	-	-	-	-
WORK28C1809A	0.08	(0.05)	136,710	-	TNPC-W1	0.65	(0.10)	93,542	-	-	-	-	-	-
WORK42C1806A	0.02	(0.01)	200	-	TPOLY-W2	0.03	(0.02)	90,745	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	TSI-W2	-	-	-	-	-	-	-	-	-
BH-Q	-	-	-	-	TSR-W1	0.60	(0.04)	3,717	-	-	-	-	-	-
CSC-Q	-	-	-	-	TTA-W5	0.97	(0.01)	2,621	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	TWZ-W4	-	-	-	-	-	-	-	-	-
KTB-Q	-	-	-	-	U-W1	-	-	-	-	-	-	-	-	-
SCB-Q	-	-	-	-	U-W4	0.01	-	65	-	-	-	-	-	-
TCAP-Q	-	-	-	-	VGI-W1	0.43	0.04	463,470	-	-	-	-	-	-
TIC-Q	-	-	-	-	VIBHA-W2	1.53	-	310	1.00	-	-	-	-	-
TISCO-Q	-	-	-	-	VIBHA-W3	0.37	(0.02)	4,638	-	-	-	-	-	-
U-Q	-	-	-	-	WAVE-W1	0.60	-	412	-	-	-	-	-	-
Warrant	-	-	-	-	WHA-W1	7.95	0.40	13,565	7.00	-	-	-	-	-
7UP-W2	-	-	-	-	WIIK-W1	-	-	-	-	-	-	-	-	-
ACC-W1	0.06	0.01	3,407	-	WORK-W1	18.40	0.10	49	17.00	-	-	-	-	-
AEC-W4	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
AJA-W1	0.23	-	1,721	-	BH-P	-	-	-	-	-	-	-	-	-
ALT-W1	1.26	-	1,434	1.00	CSC-P	-	-	-	-	-	-	-	-	-
AQ-W4	0.01	-	412	-	JUTHA-P	-	-	-	-	-	-	-	-	-
AS-W1	0.76	0.02	16,443	-	KTB-P	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	SCB-P	-	-	-	-	-	-	-	-	-
BLAND-W4	0.04	(0.02)	1,916,041	-	TCAP-P	-	-	-	-	-	-	-	-	-
BROCK-W1	-	-	-	-	TIC-P	-	-	-	-	-	-	-	-	-
BTS-W3	0.09	-	49,063	-	TISCO-P	-	-	-	-	-	-	-	-	-
BWG-W4	0.10	(0.01)	11,030	-	U-P	0.03	-	77,450	-	-	-	-	-	-
CEN-W4	0.09	-	9,245	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
CGH-W2	-	-	-	-	2S-W1	0.28	(0.03)	5,949	-	-	-	-	-	-
CI-W1	0.54	0.04	1,927	-	ACAP-W1	7.60	-	2	7.00	-	-	-	-	-
CKP-W1	0.39	0.01	17,185	-	ACAP-W2	3.02	(0.18)	5,537	3.00	-	-	-	-	-
CRANE-W1	-	-	-	-	AIRA-W1	0.05	-	1,618	-	-	-	-	-	-
DCON-W1	-	-	-	-	AIRA-W2	0.09	0.01	3,755	-	-	-	-	-	-
DIGI-W1	0.08	0.01	4,224	-	ATP30-W1	0.87	(0.01)	3,459	-	-	-	-	-	-
DIGI-W2	0.03	-	21,748	-	BSM-W2	0.26	(0.01)	2,420	-	-	-	-	-	-
EARTH-W4	-	-	-	-	CIG-W6	-	-	-	-	-	-	-	-	-
EIC-W2	0.02	-	27	-	CIG-W7	0.04	-	5,006	-	-	-	-	-	-
EIC-W3	-	-	-	-	DNA-W1	1.73	0.01	14,208	1.00	-	-	-	-	-
EIC-W4	0.01	-	105	-	ECF-W2	3.46	0.06	5,586	3.00	-	-	-	-	-
EVER-W3	0.06	0.02	7,905	-	ECF-W3	2.48	-	1,299	2.00	-	-	-	-	-
GJS-W3	-	-	-	-	EFORL-W3	0.02	(0.01)	57,445	-	-	-	-	-	-
GL-W4	0.36	0.05	144,229	-	EFORL-W4	0.04	0.01	489,303	-	-	-	-	-	-
GLAND-W4	1.30	0.02	538	1.00	FC-W1	0.10	-	21,032	-	-	-	-	-	-
GREEN-W4	0.02	(0.02)	47,894	-	FC-W2	0.05	(0.01)	1,890	-	-	-	-	-	-
GSTEL-W1	-	-	-	-	FOCUS-W2	0.59	-	803	-	-	-	-	-	-
GSTEL-W2	-	-	-	-	FPI-W1	-	-	-	-	-	-	-	-	-
IEC-W2	-	-	-	-	FVC-W2	0.83	-	32	-	-	-	-	-	-
IFEC-W2	-	-	-	-	LIT-W1	2.44	-	4,645	2.00	-	-	-	-	-
IHL-W1	5.00	0.04	40	4.00	MOONG-W1	-	-	-	-	-	-	-	-	-
ITD-W1	0.09	-	69,041	-	MPG-W1	-	-	-	-	-	-	-	-	-
IVL-W2	16.10	(0.30)	184,813	16.00	NBC-W1	0.01	-	180	-	-	-	-	-	-
JAS-W3	2.52	(0.10)	25,214	2.00	NCL-W2	0.15	-	11,511	-	-	-	-	-	-
JCK-W4	-	-	-	-	NDR-W1	0.26	-	18,554	-	-	-	-	-	-
JCK-W5	-	-	-	-	NEWS-W4	-	-	-	-	-	-	-	-	-
JMART-W2	2.58	0.14	71,009	2.00	NEWS-W5	0.01	-	30,000	-	-	-	-	-	-



