

Main Board Quotation

Issue Date :

Wednesday May 23, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	7.00	-	472	6.98	RS	22.30	0.40	120,842	22.11
NFC	-	-	-	-	HUMAN	11.50	0.10	19,642	11.53	SE-ED	-	-	-	-
POMPUI	-	-	-	-	ILINK	7.05	0.25	17,419	7.00	SMM	0.90	-	925	0.89
SAFARI	-	-	-	-	INET	3.92	(0.02)	1,180	3.92	SPORT	0.61	-	1,628	0.61
VI	-	-	-	-	INTUCH	55.25	(0.25)	26,799	55.10	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	5.90	-	237,901	5.92	TH	0.62	0.01	1,906	0.61
WR	-	-	-	-	JASIF	10.70	-	427,445	10.67	TKS	11.30	0.20	7,212	11.19
Agribusiness	-	-	-	-	JMART	11.80	0.30	22,892	11.73	TRITN	0.31	-	85,160	0.30
CHOTI	-	-	-	-	JTS	1.63	(0.01)	762	1.64	VGI	8.40	0.30	623,075	8.34
EE	0.87	0.03	277,391	0.86	MFEC	4.32	-	751	4.32	WAVE	3.12	-	352	3.13
GFPT	11.90	(0.10)	7,691	11.95	MSC	5.95	-	92	5.92	WORK	48.50	(0.50)	75,384	49.77
LEE	2.84	0.04	2,703	2.83	PT	6.95	0.15	2,322	6.87	Finance & Securities	-	-	-	-
STA	12.90	(0.30)	54,366	12.98	SAMART	8.15	(0.05)	3,388	8.14	AEC	0.51	0.01	3,314	0.50
TLUXE	6.25	(0.05)	26,370	6.22	SAMTEL	10.00	(0.20)	205	9.98	AEONTS	165.50	1.50	2,771	164.81
TRUBB	1.87	(0.02)	3,229	1.87	SDC	0.31	(0.01)	25,047	0.31	AMANAH	2.28	-	174,921	2.29
TWPC	9.65	(0.05)	1,120	9.67	SIS	9.25	0.20	6,514	9.19	ASAP	7.35	(0.15)	29,233	7.46
UPOIC	4.46	(0.04)	152	4.48	SVOA	1.59	(0.01)	16,622	1.60	ASK	22.60	0.20	955	22.53
UVAN	8.15	0.05	1,198	8.13	SYMC	6.05	(0.05)	665	5.95	ASP	3.82	(0.02)	14,485	3.82
VPO	0.78	-	571	0.78	SYNEX	15.30	(0.30)	6,074	15.41	BFIT	30.25	-	1,601	29.98
Banking	-	-	-	-	THCOM	9.40	-	28,954	9.41	CGH	1.23	0.03	2,141	1.21
BAY	38.75	-	3,060	38.78	TRUE	7.20	0.10	971,830	7.14	CNS	2.70	0.06	1,834	2.69
BBL	193.50	(0.50)	35,555	193.95	TWZ	0.13	-	11,270	0.13	ECL	2.20	0.14	229,124	2.17
CIMBT	1.00	(0.01)	14,904	1.01	Electronic Componen	-	-	-	-	FNS	4.50	0.06	3,084	4.49
KBANK	194.50	(0.50)	43,806	194.32	CCET	1.91	0.02	6,564	1.90	FSS	2.66	0.02	148	2.65
KKP	67.25	(0.25)	22,961	67.24	DELTA	64.75	-	7,080	64.82	GBX	0.70	-	102	0.70
KTB	17.60	(0.10)	445,729	17.67	EIC	0.06	-	6,255	0.06	GL	6.95	(0.05)	7,497	6.99
LHFG	1.58	(0.01)	37,021	1.57	HANA	36.25	-	10,250	36.06	IFS	3.08	-	1,641	3.08
SCB	136.50	0.50	64,326	136.20	KCE	36.75	-	24,078	36.53	JMT	30.00	(0.50)	3,880	30.07
TCAP	51.00	(0.50)	17,985	51.18	METCO	191.50	1.00	1	191.50	KCAR	14.10	-	1,525	14.10
TISCO	86.50	0.75	29,508	86.43	SMT	2.92	0.02	4,919	2.91	KGI	4.30	-	10,048	4.29
TMB	2.46	(0.02)	1,530,102	2.45	SPPT	4.92	-	9,125	4.89	KTC	361.00	-	9,066	361.38
Construction Materia	-	-	-	-	SVI	4.18	(0.02)	6,952	4.19	MBKET	18.70	-	57	18.69
CCP	0.43	-	4,635	0.42	TEAM	1.30	-	6,280	1.30	MFC	15.30	(0.10)	3,346	15.33
DCC	2.34	(0.10)	68,868	2.41	Energy & Utilities	-	-	-	-	ML	1.12	-	5,995	1.11
DCON	0.60	(0.01)	67,606	0.60	ABPIF	8.50	-	1,246	8.48	MTC	36.75	-	82,635	36.80
DRT	5.75	(0.10)	1,497	5.78	AI	-	-	-	-	PE	0.42	0.01	352	0.41
EPG	7.50	-	66,616	7.48	AKR	1.19	-	51,124	1.19	PL	3.64	(0.02)	3,191	3.64
GEL	0.34	0.01	68,807	0.34	BAFS	37.00	-	4,586	37.23	S11	7.30	0.05	4,245	7.29
PPP	3.98	-	922	3.94	BANPU	21.40	0.10	594,116	21.46	SAWAD	37.50	(0.50)	159,427	37.69
O-CON	5.80	(0.05)	380	5.82	BCP	35.50	-	51,633	35.23	THANI	7.80	0.10	34,396	7.73
RCI	2.06	(0.14)	14,979	2.13	BPCG	20.10	0.40	198,637	20.03	TK	13.80	1.30	86,427	13.86
SCC	462.00	(8.00)	34,805	464.83	BGRIM	27.00	-	101,736	26.83	TNITY	6.00	-	4,975	6.02
SCCC	238.00	(1.00)	164	238.06	BPP	25.75	0.25	14,454	25.55	UOBKH	-	-	-	-
SCP	8.35	0.05	3,229	8.32	BRRGIF	10.30	(0.10)	903	10.31	ZMICO	1.14	0.01	10,459	1.14
SKN	6.10	-	849	6.13	CKP	4.04	(0.04)	111,271	4.05	Food & Beverage	-	-	-	-
TASCO	17.90	(0.50)	112,889	18.10	DEMCO	4.78	(0.02)	4,311	4.78	APURE	1.57	(0.01)	2,768	1.57
TCMC	2.40	(0.02)	26,940	2.39	EA	38.75	1.00	373,707	38.44	ASIAN	5.95	-	34,676	6.02
TGCI	2.64	0.06	3,997	2.64	EARTH	-	-	-	-	BR	6.25	(0.05)	10,761	6.26
TOA	40.00	1.25	48,155	40.11	EASTW	11.60	0.20	8,569	11.54	BRR	7.95	(0.05)	986	7.91
TIPL	1.92	0.02	66,535	1.92	EGATIF	11.60	-	27,297	11.59	CBG	54.25	0.50	20,600	54.19
UMI	1.48	(0.01)	331	1.48	EGCO	232.00	-	5,987	231.83	CFRESH	4.84	0.02	214	4.83
VNG	9.25	(0.15)	8,115	9.31	ESSO	15.00	0.60	435,024	15.04	CM	4.24	-	2,337	4.25
WIIK	2.42	0.08	32,979	2.40	GLOW	84.75	0.25	18,510	84.77	CPF	24.80	(0.10)	129,421	24.85
Petrochemicals & Che	-	-	-	-	GPSC	75.75	(0.50)	12,947	76.06	CPI	2.02	-	4,991	2.01
CMAN	3.96	-	6,251	3.95	GULF	70.75	(0.50)	44,727	70.97	F&D	-	-	-	-
GC	5.10	-	378	5.12	GUNKUL	3.20	0.08	185,435	3.19	HTC	21.90	0.20	1,767	21.56
GGC	14.00	1.00	215,954	13.99	IEC	-	-	-	-	ICHI	5.55	-	36,353	5.59
GIFT	4.90	(0.02)	1,188	4.92	IFEC	-	-	-	-	KBS	4.92	(0.02)	1,606	4.94
IVL	61.50	0.25	226,931	61.40	IRPC	6.85	-	488,278	6.85	KSL	3.20	-	18,577	3.21
PATO	14.60	0.10	435	14.60	LANNA	16.30	0.10	3,149	16.13	KTIS	6.10	0.05	40	6.06
PMTA	16.80	0.10	97	16.80	MDX	4.70	(0.02)	427	4.70	LST	4.94	-	333	4.93
PTTGC	95.50	0.25	81,251	95.69	PTG	18.70	(0.50)	85,058	18.74	M	77.00	0.25	3,683	76.95
SUTHA	4.52	0.06	1,200	4.48	PTT	53.50	(1.75)	2,733,022	53.51	MALEE	16.70	(0.10)	15,980	16.67
TCB	55.00	(0.25)	113	55.03	PTTPE	144.50	(5.00)	227,016	145.35	MINT	36.00	(1.75)	330,234	36.47
TCCC	35.25	(0.25)	121	35.27	RATCH	52.25	-	18,407	52.23	OISHI	109.00	1.00	39	108.01
TPA	6.85	0.10	81	6.87	RPC	0.61	0.01	5,901	0.61	PB	61.75	(0.25)	12	61.77
UP	-	-	-	-	SCG	4.72	(0.06)	36	4.76	PM	11.10	-	4,851	11.07
VNT	26.50	(0.25)	11,444	26.70	SCI	3.36	(0.02)	10,421	3.40	PRG	13.70	-	50	13.70
WG	147.00	(1.00)	37	147.00	SCN	4.20	(0.02)	17,696	4.20	SAPPE	27.75	0.25	16,954	27.96
YCI	-	-	-	-	SGP	11.40	0.10	128,143	11.37	SAUCE	22.10	-	28	22.10
Commerce	-	-	-	-	SKE	1.46	(0.04)	94,618	1.50	SFP	-	-	-	-
BEAUTY	19.40	(0.40)	437,132	19.58	SOLAR	2.70	(0.06)	15,512	2.71	SNP	21.30	0.10	102	21.20
BIG	2.44	0.10	157,241	2.39	SPCG	21.90	(0.10)	5,398	21.96	SORKON	73.00	-	7	73.00
BJC	58.00	-	30,688	57.95	SPRC	15.60	-	117,154	15.75	SSC	52.00	-	5	52.00
COL	25.75	(0.25)	3,721	25.71	SUPER	1.29	0.06	7,133,768	1.27	SSF	-	-	-	-
COM7	18.40	-	44,569	18.43	SUSCO	3.52	(0.10)	25,449	3.55	SST	6.50	-	115	6.48
CPALL	80.75	(0.75)	354,085	81.13	TAE	2.30	0.02	2,158	2.27	TC	2.82	(0.06)	265	2.82
CSS	2.30	-	1,664	2.30	TCC	0.41	-	12,855	0.41	TFG	4.28	(0.02)	4,017	4.29
FN	3.38	-	9,851	3.37	TOP	87.50	(1.00)	38,651	87.89	TFMAMA	164.00	-	41	164.78
FTE	2.36	-	4,598	2.37	TPIPP	6.70	0.05	128,191	6.64	TIPCO	10.30	(0.10)	8,462	10.31
GLOBAL	16.50	(0.20)	37,723	16.54	TTW	12.20	(0.10)	29,621	12.15	TKN	18.30	-	23,338	18.42
HMPRO	14.40	0.10	79,497	14.34	WHAUP	6.10	-	41,618	6.10	TU	17.70	-	98,353	17.66
IT	4.46	(0.04)	3,382	4.46	WP	8.60	(0.05)	41,913	8.62	TVO	31.50	0.25	24,915	31.60
KAMART	5.45	-	12,009	5.45	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.32	-	8,730	2.33	AMARIN	5.45	0.10	1,091	5.42	AHC	21.50	(0.10)	114	21.49
MAKRO	43.50	(0.25)	1,660	43.47	AQUA	0.56	0.03	572,379	0.55	BCH	16.40	0.10	78,747	16.44
MC	13.20	0.20	10,832	13.17	AS	10.72	0.01	3,560	1.73	BDMS	26.25	-	597,669	26.50
MEGA	41.50	(0.25)	6,459	41.56	BEC	1.50	-	302,498	10.47	BH	189.50	(0.50)	12,399	189.52
MIDA	0.59	(0.01)	2,359	0.59	EPCO	4.24	-	52,765	4.24	CHG	2.34	0.08	1,467,859	2.33
ROBINS	62.50	0.25	22,859	62.77	FE	193.50	(6.50)	5	191.30	CMR	3.48	-	423	3.48
RSP	6.00	-	8,181	6.02	GPI	3.14	(0.04)	19,189	3.16	EKH	5.55	(0.05)	3,211	5.55
SINGER	7.60	0.05	739	7.58	GRAMMY	9.00	0.05	257	9.01	KDH	-	-	-	-
SPC	55.75	-	30	55.96	MACO	1.99	0							

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Wednesday May 23, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	9.20	-	4,286	9.22	MJD	3.20	-	1,210	3.18	CRANE	2.50	-	2,744	2.47
WPH	3.28	(0.02)	16,129	3.27	MK	3.30	0.04	12,106	3.28	CTW	8.30	-	1,658	8.30
Tourism & Leisure					NCH	1.00	(0.01)	33	1.00	FMT	27.00	-	4	27.00
ASIA	6.75	0.05	97	6.75	NNCL	1.78	(0.01)	20,358	1.78	HTECH	7.90	0.20	28,001	7.80
CENTEL	46.25	-	8,171	46.40	NOBLE	9.55	-	2,764	9.56	KKC	1.78	0.01	204	1.77
CSR	65.50	-	5	65.50	NUSA	0.31	-	22,348	0.31	PK	3.74	(0.02)	5,639	3.77
DTC	16.60	-	61,670	16.47	ORI	19.90	-	23,692	19.84	SNC	16.20	(0.10)	8,137	16.18
ERW	7.95	(0.15)	61,549	7.98	PACE	0.43	(0.02)	309,353	0.44	TCJ	6.80	0.15	1,099	6.77
GRAND	0.97	(0.01)	20,979	0.98	PF	0.93	0.01	328,785	0.92	VARO	6.90	(1.10)	43	7.06
LRH	35.00	-	2	35.00	PLAT	7.95	-	7,215	7.91	Property Fund & REIT				
MANRIN	31.25	(2.25)	24	31.33	POLAR	-	-	-	-	AIMIRT	10.10	-	4,537	10.10
OHTL	-	-	-	-	PRECHA	1.72	(0.01)	372	1.72	AMATAR	10.60	-	958	10.60
ROH	40.50	-	6	40.50	PRIN	1.65	0.02	15,352	1.64	B-WORK	10.30	-	657	10.30
SHANG	71.75	(0.25)	7	70.46	PRINC	5.90	0.10	6,866	5.85	BKKCP	12.10	0.10	71	12.09
Home & Office Produ					PSH	21.60	0.10	20,287	21.59	BOFFICE	12.50	-	902	12.57
ACC	0.52	0.01	1,342	0.52	QH	3.16	(0.02)	320,950	3.17	CPNGC	14.60	-	2,040	14.60
AJA	0.51	-	12,845	0.51	RICHY	1.79	0.01	36,190	1.80	CPNREIT	23.00	(0.10)	9,117	23.09
DTCI	-	-	-	-	RML	1.15	-	14,759	1.15	CPTGF	12.90	-	1,841	12.88
FANCY	1.23	0.02	149,634	1.29	ROJINA	6.20	0.15	14,003	6.11	CRYSTAL	10.50	-	1,197	10.50
KYE	442.00	4.00	15	442.00	S	3.48	(0.02)	27,784	3.49	CTARAF	4.90	0.04	11	4.85
L&E	2.92	0.02	88	2.87	SAMCO	2.32	(0.02)	971	2.32	DREIT	5.50	0.05	167	5.47
MODERN	4.78	(0.02)	10,297	4.79	SC	3.70	0.04	41,977	3.67	ERWPF	5.90	-	245	5.85
OGC	39.50	-	20	39.50	SENA	3.76	-	4,812	3.74	FUTUREPF	21.60	0.10	2,067	21.50
ROCK	17.20	(0.50)	1	17.20	SF	8.85	0.05	18,167	8.85	GAHREIT	-	-	-	-
SIAM	1.99	(0.01)	371	1.98	SIRI	1.69	(0.01)	669,269	1.68	GLANDRT	12.40	0.10	3	12.40
TSR	2.72	0.02	7,178	2.74	SPALI	24.30	-	30,761	24.40	GOLDPF	7.40	-	1,004	7.40
Insurance					TPAL	17.10	-	2,250	16.99	GVREIT	14.90	-	1,177	14.90
AYUD	44.00	0.50	1,486	43.77	U	0.03	0.01	17,644,588	0.03	HPF	5.40	-	236	5.40
BKI	362.00	1.00	38	362.00	UV	8.30	(0.10)	57,575	8.35	HREIT	7.30	(0.05)	4,529	7.26
BLA	34.75	(0.25)	3,361	34.91	WHA	4.40	0.10	2,206,774	4.35	IMPACT	18.20	(0.10)	3,010	18.29
BUI	-	-	-	-	WIN	0.59	(0.02)	6,150	0.60	KPNPF	9.75	-	750	9.75
CHARAN	36.00	(0.50)	1	36.00	Paper & Printing Mat					LHHOTEL	15.80	-	1,012	15.80
INSURE	-	-	-	-	UTP	12.30	0.20	27,524	12.29	LHPF	8.65	0.05	330	8.65
MTI	125.50	-	49	125.95	Fashion					LHSC	15.80	-	1,001	15.80
NKI	-	-	-	-	AFC	-	-	-	-	LUXF	8.10	-	46	8.10
NSI	82.00	0.25	7	82.00	BTNC	-	-	-	-	M-II	8.60	0.10	1	8.60
SMK	42.75	0.75	51	41.68	CPH	-	-	-	-	M-PAT	-	-	-	-
THRE	1.34	0.05	135,176	1.33	CPL	-	-	-	-	M-STOR	10.40	-	31	10.40
THREL	8.35	(0.10)	8,278	8.37	DIGI	0.64	0.07	340,072	0.63	MIPF	-	-	-	-
TIC	34.75	-	42	34.75	ICC	39.75	(0.25)	1	39.75	MIT	5.05	-	2	5.05
TIP	25.75	(0.25)	2,652	25.75	LTX	74.50	-	20	73.84	MJLF	12.60	-	7	12.60
TSI	0.58	0.02	18,848	0.56	NC	-	-	-	-	MNIT	1.80	(0.02)	600	1.80
TVI	3.92	-	4,753	3.90	PAF	1.11	0.01	1,114	1.11	MNIT2	-	-	-	-
Mining					PDJ	2.90	0.04	861	2.86	MNRF	3.54	(0.06)	1,302	3.54
PDI	18.20	(0.50)	13,286	18.42	PG	7.15	-	2	7.15	MONTRI	6.00	-	2,005	5.51
THL	-	-	-	-	SABINA	30.00	-	405	29.75	POPF	13.90	0.10	351	13.90
Packaging					SAWANG	-	-	-	-	PPF	-	-	-	-
AJ	11.40	0.10	659	11.31	SUC	43.25	0.25	228	43.27	QHHR	8.80	-	1,356	8.80
ALUCON	221.00	(2.00)	4	221.25	TNL	-	-	-	-	QHOP	3.88	-	39	3.85
CSC	45.00	-	28	45.03	TPCORP	16.70	0.30	1	16.70	QHPF	12.00	(0.10)	26,694	12.08
NPP	0.44	-	2,815	0.44	TR	49.50	-	33	49.58	SBPF	3.10	(0.02)	225	3.10
NEP	1.44	-	134,067	1.45	TTI	-	-	-	-	SHREIT	9.60	0.05	301	9.57
PTL	16.40	0.10	9,330	16.32	TTL	-	-	-	-	SIRIP	11.50	-	1	11.50
SIITHAI	1.32	-	9,318	1.32	TTTT	129.50	1.00	2	129.50	SPF	23.70	0.10	3,197	23.66
SLP	0.97	-	3,271	0.98	UPF	73.25	0.25	10	73.25	SRIPANWA	11.20	(0.10)	120	11.22
SMPC	13.90	0.10	1,514	13.80	UT	13.90	0.20	21	13.27	SSPF	10.20	(0.10)	119	10.22
SPACK	2.02	-	7	2.05	WACOAL	45.75	0.25	10	45.75	SSTPF	6.70	(0.30)	9	6.87
TCOAT	27.75	(0.75)	1	27.75	Transportation & Log					SSTRT	6.35	(0.05)	100	6.35
TFI	0.37	0.01	258	0.36	AAV	5.85	0.05	105,949	5.82	TIF1	8.70	0.05	99	8.70
THIP	37.00	-	91	37.19	AOT	68.75	(0.25)	117,520	68.88	TLGF	19.10	-	7,040	19.09
TMD	21.10	-	49	21.00	ASIMAR	2.86	0.02	2,075	2.86	TLHPF	11.30	-	1	11.30
TOPP	-	-	-	-	B	0.73	(0.01)	8,088	0.74	TNPF	4.50	0.02	40	4.50
TPBI	10.60	-	746	10.50	BA	14.90	-	12,805	14.86	TPRIME	11.80	(0.20)	1,434	12.00
TPP	-	-	-	-	BEM	7.85	(0.10)	179,625	7.89	TREIT	11.30	-	10,911	11.30
Personal Products &					BTS	9.45	-	273,705	9.43	TTLPF	24.80	0.10	5	24.80
APCO	5.75	(0.05)	425	5.75	BTSGIF	12.50	0.10	28,000	12.49	TU-PF	1.99	0.10	40	1.85
DDD	73.00	(0.25)	8,541	73.38	III	5.50	0.05	4,214	5.45	URBNPF	-	-	-	-
JCT	-	-	-	-	JUTHA	1.98	(0.01)	67	1.98	WHABT	-	-	-	-
OCC	17.10	(0.10)	25	17.10	JWD	8.15	0.10	27,468	8.11	WHART	10.40	-	1,181	10.38
S & J	23.70	0.20	50	23.70	KWC	-	-	-	-	Steel	-	-	-	-
STHAI	-	-	-	-	NOK	2.98	-	2,436	2.98	AMC	2.76	-	3,538	2.78
TNR	15.40	0.40	788	15.10	NYT	5.85	0.15	10,938	5.77	BSBM	1.20	-	295	1.20
TOG	4.90	-	12,759	4.93	PRM	8.70	(0.20)	44,203	8.81	CEN	1.38	(0.01)	3,903	1.38
Professional Service					PSL	12.30	(0.10)	13,612	12.36	CITY	2.76	(0.02)	970	2.79
BWG	1.24	-	65,513	1.24	RCL	6.15	(0.05)	13,513	6.18	CSP	1.52	-	1,933	1.47
GENCO	0.89	0.01	5,534	0.88	THAI	15.80	-	19,181	15.84	GJS	0.38	-	408,054	0.37
PRO	-	-	-	-	TSTE	7.50	-	27	7.21	GSTEL	-	-	-	-
Property Developer					TTA	7.80	0.25	29,773	7.73	INOX	1.19	0.02	435	1.18
A	6.70	-	825	6.70	WICE	4.36	(0.22)	55,765	4.44	LHK	5.10	-	1,083	5.06
AMATA	23.20	-	234,479	23.09	Automotive					MAX	0.03	0.01	230,544	0.03
AMATAV	7.30	0.05	1,866	7.29	AH	39.00	(0.50)	4,492	39.12	MCS	8.40	(0.15)	14,403	8.38
ANAN	4.24	(0.02)	102,585	4.27	APCS	6.20	-	1,228	6.26	MILL	1.48	-	3,889	1.48
AP	9.10	-	46,848	9.09	BAT-3K	-	-	-	-	PAP	4.40	-	2,258	4.38
APEX	0.21	(0.02)	11,327	0.21	CWT	3.94	0.08	35,245	3.91	PERM	2.66	0.02	3,110	2.63
AQ	0.04	-	255,853	0.04	EASON	3.48	(0.02)	91	3.49	RICH	-	-	-	-
BLAND	1.96	0.03	1,162,765	1.95	GYT	38								

Main Board Quotation

Issue Date :

Wednesday May 23, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UMS	1.04	-	48	1.00	ADVA11P1807A	0.30	(0.02)	10,800	-
ABICO	6.85	(0.10)	430	6.00	UWC	0.08	-	174,470	-	ADVA13C1809A	0.16	(0.01)	13,724	-
AU	11.70	(0.20)	14,532	11.00	Services (MAI)	-	-	-	-	ADVA13C1811A	0.73	-	69,390	-
FC	0.48	(0.01)	38,667	-	ADAM	-	-	-	-	ADVA13P1809A	0.44	0.01	1,986	-
JCKH	1.49	0.02	14,755	1.00	AKP	1.85	0.01	838	1.00	ADVA16C1812A	0.52	0.01	7	-
KASET	2.40	-	827	2.00	AMA	7.25	0.05	4,589	7.00	ADVA18C1808A	0.65	0.01	11,918	-
MM	4.28	(0.02)	3,165	4.00	ARIP	0.57	(0.01)	1,282	-	ADVA23C1806A	0.36	-	29,716	-
SUN	4.00	-	6,171	4.00	ATP30	1.81	0.04	45,752	1.00	ADVA24C1810A	0.58	0.01	253	-
TACC	4.62	(0.02)	6,732	4.00	AUCT	5.85	-	1,900	5.00	ADVA24P1810A	-	-	-	-
TMILL	3.28	0.02	2,163	3.00	BOL	2.00	-	387	1.00	ADVA27P1805A	-	-	-	-
XO	8.65	(0.20)	7,437	8.00	CHUO	-	-	-	-	ADVA28C1808A	0.12	-	59,200	-
Consumer Products	-	-	-	-	CMO	1.57	-	3,129	1.00	AMAT01C1806A	0.13	-	53,654	-
BGT	1.13	0.01	1,675	1.00	D	10.30	-	2,114	10.00	AMAT01C1810A	1.19	0.01	71,382	1.00
BIZ	3.16	-	1,346	3.00	DCORP	2.50	0.16	8,959	2.00	AMAT01C1810B	1.15	-	69,888	1.00
ECF	6.95	0.15	30,547	6.00	DNA	0.51	(0.02)	140,624	-	AMAT01P1806A	0.46	(0.01)	29,616	-
HPT	1.15	0.01	51,276	1.00	EFORL	0.08	(0.01)	417,857	-	AMAT06C1809A	0.33	(0.02)	31,181	-
JUBILE	24.60	(0.10)	609	24.00	ETE	2.34	(0.04)	5,390	2.00	AMAT08C1807A	0.02	-	8,495	-
MOONG	6.60	0.20	24,863	6.00	FSMART	9.25	-	17,215	9.00	AMAT08C1809A	0.45	-	40,317	-
NPK	26.75	(0.25)	3	26.00	FVC	1.69	0.09	17,107	1.00	AMAT11C1805A	0.97	0.02	14,774	-
OCEAN	0.91	0.02	17,826	-	HARN	2.70	-	998	2.00	AMAT11C1903A	0.68	-	36,014	-
TM	2.20	0.02	2,502	2.00	JKN	11.40	-	11,271	11.00	AMAT13C1805A	-	-	-	-
Financials (MAI)	-	-	-	-	KIAT	0.47	-	21,361	-	AMAT13C1806A	0.01	-	10,000	-
ACAP	8.40	(0.05)	3,192	8.00	KOOL	2.00	0.02	43,539	2.00	AMAT13C1809A	0.43	-	175,988	-
AF	0.92	(0.01)	658	-	LDC	1.20	-	1,668	1.00	AMAT23C1810A	0.60	(0.01)	33,117	-
AIRA	2.08	(0.06)	132	2.00	MPG	0.27	-	37,514	-	AMAT24C1805A	-	-	-	-
ASN	4.06	0.26	14	3.00	NBC	0.72	0.02	1,320	-	AMAT24C1807A	-	-	-	-
BROOK	0.60	(0.01)	25,878	-	NCL	1.48	(0.02)	8,429	1.00	AMAT24C1811A	-	-	-	-
CHAYO	3.04	(0.08)	74,712	3.00	NEWS	0.01	-	194,426	-	AMAT28C1806A	0.01	-	300	-
GCAP	5.45	0.05	4,313	5.00	NINE	1.38	-	1,566	1.00	AMAT28C1808A	0.39	0.01	137,089	-
LIT	9.30	0.10	843	9.00	OTO	3.18	(0.06)	2,822	3.00	AMAT42C1806A	0.84	0.03	6,061	-
SGF	0.14	(0.01)	63,213	-	PHOL	2.28	-	314	2.00	ANANO1C1807A	0.04	(0.01)	12,121	-
Industrials (MAI)	-	-	-	-	PICO	6.95	0.05	300	6.00	ANANO1C1810A	0.66	(0.34)	17,080	-
2S	3.64	0.04	3,448	3.00	PORT	7.35	0.20	15,506	7.00	ANANO1C1810B	0.52	(0.05)	15,678	-
ADB	1.33	0.01	55,210	1.00	QLT	5.05	(0.10)	529	5.00	ANANO8C1808A	0.02	-	70,392	-
BM	3.74	(0.04)	3,913	3.00	RP	3.92	(0.06)	739	3.00	ANANO8C1810A	0.57	(0.04)	23,855	-
CHO	1.43	0.03	35,510	1.00	SE	2.38	-	455	2.00	ANAN23C1806A	-	-	-	-
CHOW	5.45	0.20	7,145	5.00	SPA	16.40	-	4,013	16.00	ANAN24C1807A	0.01	-	1	-
CIG	0.37	(0.01)	9,585	-	THMUI	1.59	(0.02)	1,538	1.00	ANAN24C1811A	0.50	(0.02)	9,100	-
COLOR	1.13	(0.04)	24,688	1.00	TNDT	5.00	0.06	1,140	4.00	ANAN28C1806A	-	-	-	-
CPR	5.40	-	2,844	5.00	TNH	41.75	0.75	497	41.00	ANAN28C1809A	0.35	-	55,868	-
FPI	3.22	0.02	20,136	3.00	TNP	2.16	0.02	3,805	2.00	AOT01C1808A	0.49	(0.01)	93,271	-
GTB	0.87	(0.01)	4,158	-	TSF	0.06	-	57,837	-	AOT01C1808B	0.13	-	117,776	-
KCM	1.22	(0.03)	17,913	1.00	TVD	1.69	0.01	8,128	1.00	AOT01C1810A	0.55	-	53,331	-
LVT	-	-	-	-	TVT	1.13	0.01	2,064	1.00	AOT01P1808A	0.75	0.01	89,105	-
MBAX	4.12	(0.04)	741	4.00	WINNER	3.36	0.06	1,586	3.00	AOT01P1808B	0.31	-	36,123	-
MGT	2.32	-	1,600	2.00	Technology (MAI)	-	-	-	-	AOT06C1806A	1.62	(0.01)	9,019	1.00
NDR	2.20	-	2,435	2.00	COMAN	4.90	-	808	4.00	AOT06C1809A	0.27	(0.03)	9,601	-
PDG	3.74	(0.02)	1,121	3.00	ICN	2.64	0.02	9,044	2.00	AOT08C1806A	0.43	(0.01)	124	-
PIMO	2.80	(0.06)	83,477	2.00	IRCP	1.60	(0.02)	5,396	1.00	AOT08C1807A	0.10	(0.01)	23,849	-
PJW	1.77	0.01	1,659	1.00	ITEL	3.94	(0.04)	4,216	3.00	AOT11C1808A	0.73	-	29,180	-
PPM	2.56	-	656	2.00	NETBAY	41.50	(1.25)	28,196	40.00	AOT11P1808A	0.08	-	9,860	-
RWI	1.59	(0.01)	5,245	1.00	PLANET	2.02	-	1	2.00	AOT13C1805A	-	-	-	-
SALEE	1.12	-	5,137	1.00	SIMAT	2.92	-	7,000	2.00	AOT13C1806A	0.05	0.01	100,777	-
SANKO	1.39	(0.01)	28,450	1.00	SKY	16.50	-	2,807	16.00	AOT13C1807A	0.04	(0.01)	10,177	-
SELIC	1.82	0.04	2,083	1.00	SPVI	1.44	-	8,520	1.00	AOT13C1809A	0.25	(0.02)	31,103	-
SWC	22.70	-	101	22.00	UPA	-	-	-	-	AOT13P1806A	-	-	-	-
TAPAC	12.10	0.20	24,689	12.00	VCOM	3.12	-	4,201	3.00	AOT13P1810A	0.51	0.01	33,527	-
TMC	0.97	(0.01)	5,475	-	Unit Trust	-	-	-	-	AOT19C1809A	0.40	-	61,176	-
TMI	0.84	-	3,364	-	MGE	-	-	-	-	AOT23C1807A	0.57	(0.01)	15,000	-
TMW	66.00	(0.50)	302	65.00	SCBSSET	-	-	-	-	AOT23P1807A	0.02	-	50	-
TPAC	13.50	0.10	194	13.00	ETF	-	-	-	-	AOT24C1806A	-	-	-	-
UAC	5.10	-	12,725	5.00	1DIV	12.41	(0.08)	448	12.00	AOT24C1807A	-	-	-	-
UBIS	5.00	0.08	186	4.00	ABFTH	-	-	-	-	AOT24P1809A	-	-	-	-
UEC	1.76	(0.01)	3,267	1.00	BMSCG	9.48	0.04	1,624	9.00	AOT28C1807A	0.07	-	2,425	-
UKEM	0.95	(0.01)	24,493	-	BMSCITH	13.63	(0.12)	10,265	13.00	AOT28C1809A	0.28	(0.02)	38,920	-
UREKA	0.52	0.02	80,011	-	BSET100	11.23	(0.07)	2,199	11.00	AOT28P1806A	0.10	-	192,086	-
YUASA	17.80	0.10	346	17.00	CHINA	6.22	(0.06)	225	6.00	AP01C1809A	0.57	(0.01)	4,480	-
ZIGA	2.58	(0.02)	6,821	2.00	EBANK	5.58	0.03	42	5.00	AP01C1809B	0.39	(0.01)	4,250	-
Property & Construc	-	-	-	-	ECOMM	8.93	(0.10)	1	8.00	AP08C1810A	0.53	(0.02)	5,520	-
ARROW	11.00	(0.30)	2,662	11.00	EFOOD	5.88	(0.01)	20	5.00	AP23C1805A	-	-	-	-
BKD	3.30	0.02	9,579	3.00	EICT	-	-	-	-	AP24C1805A	-	-	-	-
BSM	0.74	(0.01)	13,410	-	ENGY	6.68	(0.12)	78	6.00	AP24C1901A	-	-	-	-
BTW	1.80	(0.03)	5,000	1.00	ENY	7.89	(0.15)	1	7.00	BA01C1805A	-	-	-	-
CHEWA	1.08	(0.04)	61,079	1.00	ESET50	-	-	-	-	BA01P1805A	0.74	(0.02)	79,848	-
CRD	1.21	(0.01)	2,560	1.00	GLD	1.77	(0.01)	415	1.00	BA11C1902A	0.24	(0.01)	17,870	-
DIMET	1.25	(0.02)	7,243	1.00	TDEX	11.41	(0.04)	3,978	11.00	BA23C1806A	-	-	-	-
FLOYD	2.46	0.04	2,359	2.00	TGOLDEF	3.90	-	314	3.00	BA24C1810A	0.61	0.04	470	-
FOCUS	1.01	(0.01)	260	1.00	TH100	5.17	0.04	2	5.00	BA24C1901A	0.25	0.02	18,010	-
HYDRO	1.66	-	156,873	1.00	Warrant Foreign	-	-	-	-	BA28C1809A	0.09	-	6,086	-
JSP	0.71	-	14,205	-	AAV01C1808A	0.27	-	36,595	-	BA42C1806A	-	-	-	-
K	3.26	(0.02)	427	3.00	AAV01C1808B	0.12	0.01	2,863	-	BANP01C1806A	0.83	0.02	178,765	-
META	2.18	(0.06)	355,687	2.00	AAV01P1808A	0.31	0.01	10,908	-	BANP01C1808A	0.44	0.01	160,483	-
NVD	4.60	0.02	508	4.00	AAV06C1809A	0.23	-	9,098	-	BANP01C1808B	0.19	0.01	114,516	-
PPS	1.23	(0.01)	20,916	1.00	AAV11C1807A	-	-	-	-	BANP01P1806A	0.08	(0.01)	200	-
SMART	0.82	-	218	-	AAV13C1805A	-	-	-	-	BANP01P1808A	0.56	(0.02)	34,766	-
STAR	5.80	(0.20)	5,165	5.00	AAV13C1811A	0.26	-	9,784	-	BANP06C1810A	0.46	0.01	3,115	-
T	0.05	-	95,856	-	AAV23C1806A	-	-	-	-	BANP07C1810A	0.32	0.02	40	-
THANA	2.26	-	5,408	2.00	AAV23C1811A	0.38	-	6,144	-	BANP08C1805A	0.32	0.05	20,200	-
TITLE	6.00	-	3,925	5.00	AAV24C1807A	-	-	-	-	BANP08C1808A	0.19	0.01	51,395	-
Resources (MAI)	-	-	-	-	AAV24C1809A	-	-	-	-	BANP08P1806A	-	-	-	-
ABM	1.22	-	20,338	1.00	AAV28C1807A	-	-	-	-	BANP11C1806A	0.80	0.05	15,900	-
AGE	1.63	0.04	38,545	1.00	AAV28C1810A	0.17	-	40,273	-	BANP11C1902A	0.32	-	24,077	-
AIE	-	-	-	-	ADVA01C1808A	0.97	0.01	43,688	-	BANP13C1807A	0.26	0.02		

Main Board Quotation

Issue Date :

Wednesday May 23, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP28C1807A	0.12	-	77,532	-	BEC08C1807A	0.01	-	635	-	CBG06C1807A	0.48	0.02	37,915	-
BANP28C1809A	0.06	-	2,890	-	BEC08C1809A	0.07	-	39,501	-	CBG06C1809A	0.25	0.01	25,000	-
BANP28C1810A	0.49	0.02	211,254	-	BEC13C1805A	-	-	-	-	CBG06P1809A	1.13	(0.05)	5,470	1.00
BBL06C1806A	0.04	-	1,190	-	BEC13C1806A	0.01	-	100	-	CBG07C1806A	-	-	-	-
BBL08C1805A	0.01	(0.01)	2,051	-	BEC13C1808A	0.06	-	281,346	-	CBG08C1805A	-	-	-	-
BBL08C1808A	0.12	(0.01)	4,120	-	BEC13C1811A	0.70	-	108,384	-	CBG08C1805B	-	-	-	-
BBL08C1809A	0.16	-	19,343	-	BEC19C1809A	0.07	-	24,016	-	CBG08C1808A	0.02	0.01	3,065	-
BBL08P1810A	0.45	(0.02)	52,869	-	BEC23C1807A	-	-	-	-	CBG08C1810A	0.19	0.01	58,980	-
BBL11C1805A	1.09	-	5,961	1.00	BEC23C1809A	0.10	(0.02)	59,533	-	CBG11C1902A	0.30	0.01	30,979	-
BBL11C1903A	0.57	(0.01)	8,148	-	BEC24C1809A	0.10	0.01	13,103	-	CBG13C1806A	-	-	-	-
BBL11P1805A	0.03	-	1	-	BEC28C1806A	0.02	-	100	-	CBG13C1808A	0.04	-	5,470	-
BBL11P1903A	0.73	(0.01)	7,320	-	BEC28C1808A	0.07	0.01	24,518	-	CBG13C1809A	0.11	-	10,251	-
BBL13C1807A	0.11	-	10,228	-	BEC28C1809A	0.02	-	32,288	-	CBG13C1811A	0.41	0.02	82,567	-
BBL13C1810A	0.62	(0.01)	41,083	-	BEM01C1808A	0.40	-	16,628	-	CBG13P1806A	1.36	(0.19)	1,120	1.00
BBL23C1811A	0.28	(0.01)	13,900	-	BEM01C1808B	0.16	-	8,728	-	CBG18C1808A	-	-	-	-
BBL24C1809A	-	-	-	-	BEM01P1808A	0.29	-	4,360	-	CBG19C1810A	0.25	-	37,032	-
BBL24P1810A	0.36	(0.02)	600	-	BEM08C1809A	0.28	(0.01)	23,994	-	CBG23C1806A	-	-	-	-
BBL27C1809A	0.19	-	4,091	-	BEM11C1805A	0.13	(0.02)	2,100	-	CBG23C1901A	0.30	0.01	19,450	-
BBL28C1808A	0.07	-	2,021	-	BEM11C1903A	0.26	(0.02)	15,500	-	CBG24C1807A	-	-	-	-
BBL28C1811A	0.55	(0.01)	39,339	-	BEM13C1806A	-	-	-	-	CBG24C1809A	-	-	-	-
BCH01C1808A	0.43	0.01	48,562	-	BEM13C1809A	0.28	(0.02)	22,632	-	CBG28C1808A	0.02	0.01	10,000	-
BCH01C1808B	0.21	0.01	61,457	-	BEM23C1805A	-	-	-	-	CBG28C1808B	0.07	0.01	23,087	-
BCH01P1808A	0.37	(0.02)	7,217	-	BEM24C1809A	-	-	-	-	CBG42C1806A	-	-	-	-
BCH06C1806A	0.72	0.04	22,290	-	BEM28C1807A	-	-	-	-	CENT01C1805A	0.13	(0.01)	17,094	-
BCH06C1811A	-	-	-	-	BEM28C1808A	0.25	(0.01)	20,884	-	CENT01C1810A	0.47	-	7,448	-
BCH08C1806A	0.07	0.01	12,500	-	BEM42C1806A	0.18	(0.01)	8,656	-	CENT01C1810B	0.33	(0.01)	6,934	-
BCH11C1807A	0.22	0.02	8,540	-	BEM42P1806A	0.42	(0.02)	210	-	CENT01P1805A	0.52	-	47,342	-
BCH13C1805A	-	-	-	-	BH01C1806A	0.61	-	279,733	-	CENT01P1810A	0.94	(0.06)	8,062	-
BCH13C1810A	0.18	0.01	35,801	-	BH01C1806B	0.11	-	69,319	-	CENT08C1809A	0.14	(0.01)	28,860	-
BCH19C1809A	0.20	0.02	13,806	-	BH01P1806A	0.83	-	69,660	-	CENT11C1806A	0.42	0.01	2,050	-
BCH23C1811A	0.34	0.02	13,200	-	BH07C1810A	0.09	0.01	2,747	-	CENT13C1811A	0.21	(0.01)	23,708	-
BCH24C1805A	-	-	-	-	BH08C1811A	0.13	(0.01)	33,222	-	CENT23C1806A	0.09	(0.01)	10,189	-
BCH24C1811A	0.21	0.02	402	-	BH11C1902A	0.14	-	7,886	-	CENT24C1807A	-	-	-	-
BCH28C1807A	0.08	-	21,816	-	BH23C1805A	-	-	-	-	CENT24C1810A	0.19	-	4,000	-
BCH42C1806A	0.41	0.03	5,088	-	BH24C1806A	-	-	-	-	CENT28C1808A	0.08	(0.01)	18,190	-
BCP01C1805A	0.11	(0.02)	18,300	-	BH24C1809A	0.29	-	15,350	-	CHG01C1809A	0.45	0.05	164,266	-
BCP01C1810A	0.28	(0.72)	14,748	-	BH24C1811A	-	-	-	-	CHG01C1809B	0.82	0.10	2,720	-
BCP01C1810B	0.20	(0.02)	12,326	-	BIG08C1807A	-	-	-	-	CHG01P1809A	0.26	(0.03)	25,737	-
BCP01P1805A	0.36	0.03	7,912	-	BIG13C1808A	0.06	0.01	68,375	-	CHG08C1807A	0.13	0.02	84,649	-
BCP01P1810A	0.47	0.02	11,193	-	BIG23C1805A	-	-	-	-	CHG11C1807A	0.05	0.01	3,745	-
BCP07C1806A	-	-	-	-	BIG24C1808A	-	-	-	-	CHG13C1805A	-	-	-	-
BCP08C1806A	-	-	-	-	BIG28C1807A	0.02	0.01	23,421	-	CHG13C1807A	0.16	0.04	188,467	-
BCP11C1811A	0.18	(0.01)	13,276	-	BJC01C1807A	0.43	(0.01)	74,476	-	CHG13C1809A	0.79	0.11	51,749	-
BCP13C1805A	-	-	-	-	BJC01C1807B	0.16	-	30,023	-	CHG23C1811A	0.98	0.09	9,000	-
BCP13C1810A	0.13	(0.01)	37,838	-	BJC01P1807A	0.69	(0.02)	24,305	-	CHG24C1808A	0.07	-	803	-
BCP23C1805A	-	-	-	-	BJC06C1807A	-	-	-	-	CHG24C1811A	0.26	0.03	20	-
BCP24C1808A	-	-	-	-	BJC07C1809A	0.17	0.01	100	-	CHG28C1806A	-	-	-	-
BCP28C1807A	-	-	-	-	BJC08C1807A	0.08	-	100	-	CHG28C1807A	0.18	0.04	97,141	-
BCP28C1809A	0.10	(0.01)	18,196	-	BJC08C1809A	0.25	0.01	57,518	-	CHG28C1808A	0.66	0.08	34,308	-
BCP28C1809B	-	-	-	-	BJC11C1807A	0.56	(0.03)	15,324	-	CK01C1809A	0.29	0.05	206,699	-
BCPG01C1806A	0.13	0.02	157,613	-	BJC13C1805A	-	-	-	-	CK01C1809B	0.62	0.12	561	-
BCPG01C1806B	0.02	-	10,000	-	BJC13C1807A	0.05	-	3,951	-	CK01P1809A	0.31	(0.04)	14,008	-
BCPG06C1807A	-	-	-	-	BJC13C1808A	0.24	-	58,316	-	CK08C1805A	-	-	-	-
BCPG06C1811A	-	-	-	-	BJC13C1810A	0.41	(0.01)	44,900	-	CK08C1809A	0.44	0.07	7,234	-
BCPG07C1806A	0.07	-	60	-	BJC19C1809A	0.39	(0.02)	23,521	-	CK11C1806A	0.06	0.02	1	-
BCPG08C1805A	-	-	-	-	BJC23C1806A	0.20	(0.01)	13,550	-	CK13C1806A	-	-	-	-
BCPG08C1806A	-	-	-	-	BJC24C1808A	0.24	-	30,000	-	CK13C1809A	0.17	0.02	129,017	-
BCPG08C1810A	0.49	0.04	142,746	-	BJC27C1807A	0.22	-	16,000	-	CK16C1812A	0.25	0.04	2,301	-
BCPG11C1807A	0.83	0.08	25,760	-	BJC28C1808A	0.25	(0.01)	43,836	-	CK23C1808A	0.05	0.01	14,979	-
BCPG11C1902A	0.31	0.01	53,065	-	BLA01C1812A	0.35	-	9,957	-	CK24C1806A	-	-	-	-
BCPG13C1806A	-	-	-	-	BLA07C1806A	-	-	-	-	CK24C1808A	-	-	-	-
BCPG13C1807A	0.01	-	3,377	-	BLA08C1811A	-	-	-	-	CK28C1806A	-	-	-	-
BCPG13C1810A	0.46	0.04	341,837	-	BLA13C1809A	-	-	-	-	CK28C1809A	0.58	0.08	62,890	-
BCPG23C1806A	0.39	0.04	119,527	-	BLA23C1806A	-	-	-	-	CKP11C1807A	0.50	(0.02)	11,400	-
BCPG24C1806A	-	-	-	-	BLA27C1806A	-	-	-	-	CKP13C1810A	0.44	(0.03)	24,222	-
BCPG24C1807A	-	-	-	-	BLA28C1810A	-	-	-	-	CKP23C1810A	0.49	(0.01)	6,500	-
BCPG24C1810A	-	-	-	-	BLAN01C1809A	0.66	0.04	61,959	-	CKP24C1811A	-	-	-	-
BCPG28C1806A	0.01	-	2,001	-	BLAN01C1809B	0.32	(0.68)	43,643	-	CKP27C1806A	-	-	-	-
BCPG28C1808A	0.12	0.01	79,456	-	BLAN01P1809A	0.16	(0.01)	9,719	-	CKP28C1809A	0.23	(0.02)	26,377	-
BCPG28C1809A	0.45	0.04	197,034	-	BLAN08C1810A	0.35	0.04	53,849	-	CKP28C1809B	0.50	(0.02)	4,030	-
BDMS01C1806A	1.03	-	30,534	1.00	BLAN11C1902A	0.33	0.03	36,108	-	CKP42C1806A	0.24	(0.01)	4,900	-
BDMS01C1806B	0.77	(0.01)	13,779	-	BLAN23C1807A	0.07	-	27,790	-	COM701C1806A	0.67	(0.01)	84,402	-
BDMS01P1806A	0.06	-	56,724	-	BPP01C1806A	0.20	-	4,118	-	COM701C1806B	0.38	(0.01)	44,048	-
BDMS06C1811A	-	-	-	-	BPP01C1806B	-	-	-	-	COM706C1809A	0.39	(0.01)	15,905	-
BDMS08C1807A	0.78	0.03	340	-	BPP06C1809A	-	-	-	-	COM708C1805A	0.38	(0.01)	284	-
BDMS11C1811A	1.07	0.05	4,609	1.00	BPP07C1806A	-	-	-	-	COM708C1811A	0.27	0.01	38,012	-
BDMS13C1807A	0.84	0.07	5	-	BPP08C1807A	-	-	-	-	COM711C1811A	0.49	(0.03)	52,897	-
BDMS13C1810A	0.62	-	10,645	-	BPP08C1810A	-	-	-	-	COM713C1809A	0.22	(0.01)	233,212	-
BDMS13C1812A	0.20	-	83,122	-	BPP11C1807A	-	-	-	-	COM723C1806A	0.71	(0.02)	13,880	-
BDMS16C1812A	1.02	0.01	10,023	1.00	BPP13C1805A	-	-	-	-	COM724C1806A	0.12	(0.01)	1,500	-
BDMS23C1810A	0.71	0.07	4,000	-	BPP13C1806A	-	-	-	-	COM728C1806A	0.05	(0.01)	22,432	-
BDMS24C1805A	-	-	-	-	BPP13C1808A	0.59	-	4,901	-	COM728C1808A	0.07	-	12,448	-
BDMS24C1811A	-	-	-	-	BPP13C1811A	0.18	(0.82)	120	-	CPAL01C1806A	0.64	(0.04)	220,898	-
BDMS28C1806A	0.44	(0.01)	38,774	-	BPP23C1806A	-	-	-	-	CPAL01C1808A	0.76	(0.03)	183,469	-
BEAU01C1807A	0.43	(0.05)	227,681	-	BPP24C1809A	0.38	-	8,000	-	CPAL01C1808B	0.32	(0.04)	190,205	-
BEAU01C1807B	0.19	(0.03)	72,329	-	BPP28C1807A	-	-	-	-	CPAL01P1806A	0.37	0.02	197,171	-
BEAU01P1807A	0.81	0.04	238,800	-	BPP28C1808A	0.45	(0.03)	3,072	-	CPAL01P1808A	0.74	0.03	154,344	-
BEAU06C1809A	0.29	(0.04)	52,115	-	BTS01C1806A	0.55	0.01	21,648	-	CPAL06C1811A	1.20	(0.05)	32,700	1.00
BEAU07C1809A	0.12	(0.02)	1,75											

Main Board Quotation

Issue Date :

Wednesday May 23, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF01C1809A	0.79	(0.03)	6,368	-	EPG11C1903A	0.35	-	14,471	-	INTU01P1809A	0.50	0.01	13,638	-
CPF01C1809B	0.21	-	68,764	-	EPG13C1808A	0.05	-	190	-	INTU01P1809B	0.32	(0.68)	9,537	-
CPF01C1810A	0.23	(0.02)	14,500	-	EPG13C1811A	0.28	-	43,582	-	INTU11C1807A	0.13	(0.01)	50	-
CPF01P1809A	0.45	-	43,460	-	EPG23C1808A	-	-	-	-	INTU11P1807A	0.41	0.03	7,404	-
CPF06C1809A	0.55	(0.02)	2,400	-	EPG24C1807A	-	-	-	-	INTU13C1806A	-	-	-	-
CPF07C1810A	-	-	-	-	EPG24C1808A	-	-	-	-	INTU13C1810A	0.26	(0.01)	42,485	-
CPF08C1805A	-	-	-	-	EPG24C1810A	0.45	0.04	2,100	-	INTU23C1806A	0.08	(0.01)	7,000	-
CPF08C1809A	0.44	-	20,000	-	EPG28C1808A	-	-	-	-	INTU24C1807A	-	-	-	-
CPF11C1902A	-	-	-	-	ESSO01C1807A	0.14	0.02	177,743	-	INTU28C1809A	0.21	(0.01)	33,040	-
CPF11P1902A	0.37	-	7,644	-	ESSO01C1807B	0.04	0.02	92,842	-	IRPC01C1808A	0.26	0.01	161,820	-
CPF13C1809A	0.50	(0.02)	27,724	-	ESSO01P1807A	1.10	(0.10)	26,449	1.00	IRPC01C1810A	0.25	0.01	34,412	-
CPF13C1810A	0.15	(0.01)	1,169	-	ESSO08C1807A	0.08	0.01	44,174	-	IRPC01C1810B	0.12	-	510	-
CPF23C1810A	0.47	(0.02)	4,000	-	ESSO13C1807A	0.08	0.02	20,613	-	IRPC01P1808A	0.41	(0.01)	58,673	-
CPF24C1805A	-	-	-	-	ESSO13C1811A	0.38	0.05	163,038	-	IRPC01P1810A	0.36	-	34,492	-
CPF24C1809A	0.31	(0.01)	24,300	-	ESSO23C1809A	0.13	0.02	45,421	-	IRPC01P1810B	0.22	-	19,554	-
CPF28C1806A	-	-	-	-	ESSO24C1806A	0.01	(0.07)	4,400	-	IRPC08C1808A	0.12	0.01	6,912	-
CPF28C1808A	0.40	(0.01)	66,371	-	ESSO28C1807A	0.03	0.01	2,516	-	IRPC11C1902A	0.13	-	90,175	-
CPF42C1805A	-	-	-	-	GFPT01C1807A	0.13	(0.01)	8,566	-	IRPC13C1806A	0.11	-	59,456	-
CPN01C1805A	0.11	-	12,012	-	GFPT08C1807A	-	-	-	-	IRPC13C1808A	0.04	-	61,232	-
CPN01C1808A	0.49	0.03	25,997	-	GFPT11C1806A	0.01	-	2,000	-	IRPC13C1811A	0.27	-	282,936	-
CPN01C1808B	0.17	0.01	1,885	-	GFPT23C1806A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPN01P1805A	0.81	(0.04)	9,928	-	GFPT24C1806A	-	-	-	-	IRPC24C1805A	-	-	-	-
CPN06C1811A	-	-	-	-	GFPT24C1812A	0.30	(0.02)	5,020	-	IRPC24C1808A	-	-	-	-
CPN08C1809A	0.17	0.01	9,016	-	GGC01C1810A	0.48	0.12	111,340	-	IRPC27C1809A	0.11	(0.01)	1,200	-
CPN11C1805A	0.16	0.01	7,780	-	GGC01C1810B	0.39	0.12	83,810	-	IRPC28C1807A	0.16	0.01	1,458	-
CPN11C1903A	0.44	0.03	13,810	-	GLOB6C1805A	0.01	-	2,000	-	IRPC28C1807A	0.07	(0.01)	68,030	-
CPN11P1805A	-	-	-	-	GLOB01C1809A	0.47	(0.03)	23,547	-	ITD01C1808A	0.16	0.01	198,090	-
CPN11P1903A	0.63	(0.02)	8,323	-	GLOB01C1809B	0.33	(0.67)	16,858	-	ITD01C1808B	0.05	0.01	11,377	-
CPN13C1807A	0.13	0.01	1,030	-	GLOB06C1809A	0.33	(0.01)	10,680	-	ITD01P1808A	0.71	(0.04)	43,269	-
CPN23C1810A	0.40	-	17,000	-	GLOB08C1807A	0.16	(0.01)	38,217	-	ITD08C1806A	-	-	-	-
CPN24C1806A	-	-	-	-	GLOB11C1808A	0.27	(0.02)	11,880	-	ITD08C1810A	0.39	0.02	93,254	-
CPN28C1807A	0.04	-	560	-	GLOB13C1807A	-	-	-	-	ITD11C1805A	0.01	-	1,000	-
CPN42C1805A	0.26	0.02	700	-	GLOB23C1811A	0.49	(0.02)	13,500	-	ITD11C1903A	0.42	0.02	36,700	-
DELTO1C1805A	0.01	-	5,000	-	GLOB24C1805A	-	-	-	-	ITD13C1809A	0.16	0.02	156,438	-
DELTO8C1811A	0.20	-	15,459	-	GLOB24C1810A	0.27	(0.02)	10,400	-	ITD23C1808A	-	-	-	-
DELT13C1809A	0.18	0.01	6,407	-	GLOB27C1809A	0.17	(0.01)	10,900	-	ITD24C1807A	0.01	-	50	-
DELT24C1805A	-	-	-	-	GLOB28C1807A	0.03	(0.02)	500	-	ITD24C1810A	0.25	0.03	8,200	-
DELT27C1812A	0.19	-	3,193	-	GLOB28C1808A	0.16	(0.01)	32,720	-	ITD28C1808A	0.11	0.01	49,528	-
DTAC01C1808A	0.42	(0.01)	45,976	-	GLOB42C1805A	-	-	-	-	ITD28C1808B	0.25	0.03	73,508	-
DTAC01C1808B	0.21	(0.01)	45,056	-	GLOW08C1806A	0.03	-	2,000	-	IVL01C1806A	0.82	0.01	197,800	-
DTAC01C1810A	0.60	(0.03)	49,759	-	GLOW08C1811A	0.50	0.04	8,174	-	IVL01C1808A	0.63	(0.01)	169,210	-
DTAC01C1810B	0.33	(0.67)	18,894	-	GLOW11C1807A	0.42	0.03	15,655	-	IVL01C1808B	0.37	0.01	114,818	-
DTAC01P1808A	0.76	0.01	29,752	-	GLOW23C1806A	0.11	0.01	10,500	-	IVL01P1806A	0.12	(0.01)	38,848	-
DTAC01P1810A	1.06	0.06	15,998	1.00	GLOW27C1812A	0.31	0.01	4,000	-	IVL01P1808A	0.69	(0.01)	66,242	-
DTAC01P1810B	0.75	(0.25)	14,410	-	GLOW42C1805A	-	-	-	-	IVL01P1808B	0.31	(0.01)	49,919	-
DTAC06C1806A	-	-	-	-	GPSCO1C1808A	0.66	(0.04)	81,294	-	IVL06C1807A	0.45	-	21,711	-
DTAC06P1809A	0.42	-	490	-	GPSCO1C1808B	0.32	-	41,288	-	IVL07C1811A	-	-	-	-
DTAC07C1809A	-	-	-	-	GPSCO1P1808A	1.00	-	26,432	1.00	IVL08C1806A	0.51	0.01	118,637	-
DTAC08C1809A	0.27	(0.02)	41,739	-	GPSCO6C1811A	-	-	-	-	IVL08P1809A	0.09	-	15,166	-
DTAC08P1807A	0.28	-	46,031	-	GPSCO8C1805A	-	-	-	-	IVL11C1808A	1.10	0.01	29,370	1.00
DTAC11C1806A	0.08	-	6,721	-	GPSCO8C1808A	0.21	(0.01)	36,733	-	IVL11P1808A	-	-	-	-
DTAC13C1806A	0.13	(0.01)	10,811	-	GPSC11C1808A	1.26	(0.02)	22,640	1.00	IVL13C1806A	0.07	(0.01)	88,111	-
DTAC13C1811A	0.32	(0.02)	53,057	-	GPSC11C1902A	0.56	(0.01)	18,800	-	IVL13C1809A	0.63	0.02	6,102	-
DTAC13P1806A	0.06	(0.01)	6,986	-	GPSC13C1805A	-	-	-	-	IVL13C1810A	0.49	(0.01)	134,539	-
DTAC13P1811A	0.70	0.02	42,320	-	GPSC13C1806A	0.87	(0.01)	9,000	-	IVL13P1809A	0.13	(0.01)	42,444	-
DTAC23C1807A	0.03	-	14,002	-	GPSC13C1807A	0.31	(0.03)	97,607	-	IVL19C1809A	0.81	0.02	46,394	-
DTAC23P1807A	0.03	-	6,006	-	GPSC13C1808A	0.21	(0.02)	76,949	-	IVL23C1810A	0.82	0.01	29,017	-
DTAC24C1809A	0.30	(0.02)	664	-	GPSC23C1805A	-	-	-	-	IVL24C1808A	0.45	0.02	4,200	-
DTAC27C1809A	0.19	(0.02)	12,638	-	GPSC24C1807A	0.60	(0.01)	4,240	-	IVL28C1806A	0.03	-	33,446	-
DTAC27P1809A	0.22	0.01	15,897	-	GPSC24C1808A	-	-	-	-	IVL28C1807A	0.67	0.01	4,500	-
DTAC28C1806A	0.09	(0.01)	14,668	-	GPSC28C1806A	0.73	(0.03)	600	-	IVL28C1808A	0.31	-	364,357	-
DTAC28C1810A	0.23	(0.01)	46,972	-	GPSC28C1807A	0.44	(0.02)	35,235	-	IVL28P1806A	-	-	-	-
DTAC42C1806A	-	-	-	-	GPSC28C1807B	0.03	(0.05)	8,190	-	IVL28P1806B	-	-	-	-
DTAC42P1806A	0.86	0.01	1,286	-	GPSC42C1806A	1.39	-	2,862	1.00	IVL42C1805A	-	-	-	-
EA01C1806A	0.05	-	51,304	-	GUNK01C1808A	0.13	0.02	35,597	-	KBAN01C1808A	0.19	(0.01)	25,800	-
EA01C1806B	0.02	0.01	3,182	-	GUNK01C1808B	0.03	-	18,047	-	KBAN01C1808B	0.04	(0.01)	15,353	-
EA01C1809A	0.93	0.06	185,470	-	GUNK08C1807A	-	-	-	-	KBAN01C1810A	0.99	-	81,064	-
EA01C1809B	0.77	0.06	124,888	-	GUNK11C1805A	-	-	-	-	KBAN01P1808A	1.07	-	16,671	1.00
EA01P1806A	2.78	(0.12)	37,433	2.00	GUNK11C1903A	0.29	0.04	10,061	-	KBAN01P1808B	0.63	(0.01)	24,733	-
EA01P1809A	0.94	(0.05)	36,294	-	GUNK23C1806A	-	-	-	-	KBAN01P1810A	0.69	-	80,383	-
EA06C1809A	0.02	-	5,500	-	GUNK24C1807A	-	-	-	-	KBAN07C1811A	-	-	-	-
EA07C1810A	0.17	0.02	82	-	GUNK24C1812A	0.47	0.04	18,352	-	KBAN08C1805A	-	-	-	-
EA08C1807A	-	-	-	-	GUNK28C1806A	-	-	-	-	KBAN08P1805A	-	-	-	-
EA08C1809A	0.06	0.02	25,231	-	GUNK28C1808A	0.05	0.01	381	-	KBAN13C1807A	0.01	-	18,538	-
EA08C1810A	0.40	0.03	70,096	-	GUNK28C1810A	0.49	0.03	62,832	-	KBAN13C1810A	0.20	-	2,945	-
EA11C1902A	0.20	0.02	50,824	-	HANA01C1806A	0.02	-	50	-	KBAN13C1811A	0.82	-	91,966	-
EA13C1806A	0.01	-	2	-	HANA01C1806B	0.01	-	195	-	KBAN23C1806A	-	-	-	-
EA13C1807A	-	-	-	-	HANA08C1806A	-	-	-	-	KBAN24C1806A	-	-	-	-
EA13C1808A	0.03	-	525	-	HANA08C1809A	0.22	-	23,070	-	KBAN24C1902A	0.75	(0.01)	5,000	-
EA13C1808B	0.25	0.03	446,180	-	HANA13C1806A	-	-	-	-	KBAN24P1811A	-	-	-	-
EA13C1809A	0.07	0.01	22,231	-	HANA13C1809A	0.27	-	34,996	-	KBAN27C1809A	0.12	(0.01)	300	-
EA13C1810A	0.15	0.01	369,753	-	HANA23C1811A	0.49	-	4,200	-	KBAN27P1809A	0.65	-	14,000	-
EA13P1809A	0.80	(0.07)	18,300	-	HANA24C1808A	-	-	-	-	KBAN28C1806A	0.01	-	3,478	-
EA23C1806A	-	-	-	-	HANA24C1810A	-	-	-	-	KBAN28C1809A	0.07	-	21,216	-
EA24C1805A	-	-	-	-	HANA28C1807A	-	-	-	-	KBAN28C1811A	0.63	-	111,874	-
EA24C1807A	-	-	-	-	HANA28C1808A	0.19	0.01	27,161	-	KBAN28P1807A	0.78	(0.01)	33,968	-
EA24C1809A	0.55	0.04	8,351	-	HMPR01C1808A	0.36	0.01	40,314	-	KBAN42C1805A	-	-	-	-
EA28C1806A	-	-	-	-	HMPR01C1808B	0.18	0.01	22,517	-					

Main Board Quotation

Issue Date :

Wednesday May 23, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KKP08C1805A	-	-	-	-	MINT01P1805A	0.84	0.10	84,931	-	PTT11C1806A	2.50	(0.28)	21,710	2.00
KKP11C1805A	0.12	(0.02)	8,910	-	MINT01P1808A	0.73	0.10	175,564	-	PTT11C1902A	0.40	(0.05)	108,579	-
KKP11C1903A	0.30	-	16,440	-	MINT06C1809A	-	-	-	-	PTT13C1807A	0.45	(0.11)	200,645	-
KKP13C1807A	-	-	-	-	MINT07C1810A	-	-	-	-	PTT13C1808A	0.14	(0.06)	1,653,239	-
KKP13C1811A	0.32	(0.01)	135,611	-	MINT08C1809A	0.09	(0.04)	91,513	-	PTT13C1810A	0.24	(0.04)	691,395	-
KKP23C1807A	0.05	(0.01)	5,000	-	MINT11C1902A	0.17	(0.04)	111,446	-	PTT13P1807A	0.07	0.02	28,845	-
KKP24C1807A	-	-	-	-	MINT11P1902A	0.40	0.07	103,251	-	PTT13P1808A	0.42	0.08	774,559	-
KKP28C1807A	-	-	-	-	MINT13C1805A	-	-	-	-	PTT19C1809A	0.31	(0.07)	159,601	-
KKP28C1810A	0.23	-	54,602	-	MINT13C1810A	0.17	(0.05)	158,421	-	PTT23C1805A	0.31	(0.19)	88,163	-
KKP42C1805A	-	-	-	-	MINT23C1810A	0.15	(0.05)	23,111	-	PTT23P1805A	-	-	-	-
KTB01C1808A	0.22	(0.01)	48,178	-	MINT24C1807A	-	-	-	-	PTT24C1806A	0.65	(0.15)	85,258	-
KTB01C1810A	0.38	0.01	79,564	-	MINT24C1812A	-	-	-	-	PTT24C1809A	0.28	(0.08)	7,869	-
KTB01C1810B	0.27	-	72,192	-	MINT28C1806A	-	-	-	-	PTT24P1808A	0.03	0.01	2,618	-
KTB01P1808A	0.62	(0.01)	60,619	-	MINT28C1808A	0.09	(0.03)	120,309	-	PTT27C1809A	0.71	(0.25)	2,532	-
KTB08C1809A	0.11	-	22,212	-	MONO01C1810A	0.32	0.02	96,957	-	PTT27P1809A	0.19	0.01	15,310	-
KTB11C1811A	0.21	(0.01)	27,456	-	MONO01C1810B	0.27	0.02	102,530	-	PTT28C1807A	0.36	(0.11)	108,217	-
KTB13C1809A	0.11	(0.01)	47,092	-	MONO08C1808A	0.02	-	14,174	-	PTT28C1808A	0.18	(0.07)	346,220	-
KTB23C1811A	0.29	0.02	62,140	-	MONO13C1808A	0.01	-	909	-	PTT28C1808B	0.10	-	13,843	-
KTB24C1808A	-	-	-	-	MONO13C1811A	0.27	0.01	129,042	-	PTT28C1811A	0.19	(0.04)	353,067	-
KTB24P1901A	-	-	-	-	MONO23C1809A	0.03	-	377	-	PTT28P1808A	0.30	0.07	500,475	-
KTB28C1806A	-	-	-	-	MONO24C1807A	-	-	-	-	PTT28P1808B	0.52	0.11	81,489	-
KTB28C1809A	0.09	-	17,000	-	MONO24C1812A	0.13	0.01	24,710	-	PTT42C1805A	-	-	-	-
KTB42C1805A	-	-	-	-	MONO28C1807A	-	-	-	-	PTTE01C1808A	1.37	(0.15)	187,512	1.00
KTB42P1805A	0.61	(0.04)	410	-	MONO28C1808A	-	-	-	-	PTTE01C1808B	1.02	(0.18)	86,515	1.00
KTC01C1806A	5.40	(0.10)	1,397	5.00	MTC06C1806A	0.45	(0.01)	27,208	-	PTTE01P1808A	0.16	0.02	145,386	-
KTC01C1806B	7.45	(0.10)	1,738	7.00	MTC07C1806A	0.02	-	1,500	-	PTTE06C1811A	0.88	(0.13)	5	-
KTC01C1808A	1.68	(0.04)	58,322	1.00	MTC08C1807A	-	-	-	-	PTTE07C1809A	0.66	(0.13)	10,454	-
KTC01C1808B	1.24	(0.03)	90,753	1.00	MTC11C1806A	0.27	-	22,260	-	PTTE08C1805A	3.30	0.22	200	3.00
KTC06C1807A	-	-	-	-	MTC13C1805A	-	-	-	-	PTTE08C1807A	1.14	(0.19)	3,318	1.00
KTC08C1807A	6.95	(0.15)	25	6.00	MTC13C1809A	0.16	-	251,936	-	PTTE08C1811A	0.69	(0.12)	51,355	-
KTC08C1808A	1.80	(0.10)	356	1.00	MTC23C1806A	0.14	-	24,100	-	PTTE08P1805A	-	-	-	-
KTC11C1902A	1.82	(0.04)	14,397	1.00	MTC24C1808A	0.03	(0.02)	70	-	PTTE08P1809A	0.11	0.02	65,508	-
KTC13C1806A	-	-	-	-	MTC24C1810A	0.31	-	6,499	-	PTTE11C1806A	3.88	(0.34)	16,282	3.00
KTC13C1807A	-	-	-	-	MTC27C1807A	0.12	-	8,345	-	PTTE11C1902A	0.94	(0.15)	46,427	-
KTC13C1808A	-	-	-	-	MTC28C1806A	0.01	-	20,000	-	PTTE13C1806A	-	-	-	-
KTC13C1809A	1.27	(0.04)	1,133	1.00	MTC28C1808A	0.09	(0.01)	18,000	-	PTTE13C1807A	0.88	(0.16)	631	-
KTC13C1809B	1.18	(0.01)	81,692	1.00	MTC28C1809A	0.36	-	118,240	-	PTTE13C1811A	0.66	(0.11)	429,027	-
KTC13P1807A	0.13	(0.02)	42,963	-	MTC42C1806A	0.28	0.01	3,630	-	PTTE13P1807A	0.03	-	140	-
KTC23C1806A	-	-	-	-	ORI08C1807A	0.29	-	21,213	-	PTTE13P1811A	0.35	0.05	196,484	-
KTC23C1809A	1.98	-	1,500	1.00	ORI11C1811A	0.40	-	8,388	-	PTTE23C1805A	-	-	-	-
KTC24C1808A	2.12	(0.10)	120	2.00	ORI13C1806A	0.04	-	3,000	-	PTTE23P1805A	-	-	-	-
KTC24C1810A	1.00	-	5,650	1.00	ORI13C1810A	0.79	-	59,497	-	PTTE24C1805A	-	-	-	-
KTC24P1807A	0.17	(0.01)	4,536	-	ORI23C1809A	0.33	-	5,500	-	PTTE24C1807A	0.85	(0.18)	1,640	-
KTC27C1806A	-	-	-	-	ORI24C1806A	-	-	-	-	PTTE24P1809A	0.05	0.01	46,830	-
KTC28C1806A	-	-	-	-	ORI24C1810A	0.60	(0.02)	470	-	PTTE27C1809A	-	-	-	-
KTC28C1806B	-	-	-	-	ORI28C1806A	-	-	-	-	PTTE27P1809A	0.11	0.02	18,788	-
KTC28C1808A	-	-	-	-	ORI28C1808A	0.32	(0.01)	46,248	-	PTTE28C1807A	0.90	(0.21)	2,706	-
KTC28C1808B	1.72	(0.03)	122,116	1.00	PLAN08C1811A	0.23	-	17,352	-	PTTE28C1810A	0.58	(0.11)	266,902	-
KTC28C1809A	1.31	(0.01)	1,474	1.00	PLAN11C1805A	0.24	0.01	3,336	-	PTTG01C1805A	1.22	0.02	63,538	1.00
KTC28C1810A	1.14	-	148,975	1.00	PLAN13C1809A	0.17	0.01	28,506	-	PTTG01C1808A	0.83	-	108,714	-
LH01C1809A	0.32	0.01	82,031	-	PLAN23C1806A	-	-	-	-	PTTG01C1810A	0.83	-	67,554	-
LH01C1809B	0.21	(0.79)	33,439	-	PLAN28C1810A	0.21	0.01	35,730	-	PTTG01C1810B	0.42	-	38,146	-
LH01P1809A	0.22	-	1,110	-	PSH01C1805A	0.12	0.01	946	-	PTTG01P1805A	-	-	-	-
LH06C1809A	0.25	0.02	11,328	-	PSH01C1810A	0.54	(0.46)	6,892	-	PTTG01P1808A	0.61	(0.02)	41,061	-
LH07C1810A	0.17	0.01	5,000	-	PSH01C1810B	0.32	0.01	1,960	-	PTTG01P1811A	1.06	(0.16)	16,865	1.00
LH11C1808A	0.19	-	39,544	-	PSH01P1805A	0.61	(0.02)	17,661	-	PTTG06C1809A	0.52	(0.02)	19,058	-
LH13C1808A	0.22	0.01	36,410	-	PSH01P1810A	0.74	(0.26)	5,912	-	PTTG07C1806A	-	-	-	-
LH23C1806A	0.09	0.01	5,800	-	PSH08C1805A	-	-	-	-	PTTG08C1805A	0.39	(0.04)	19,924	-
LH24C1806A	0.22	0.02	42	-	PSH08C1811A	0.24	-	20,462	-	PTTG08P1805A	-	-	-	-
LH24C1809A	-	-	-	-	PSH11C1902A	0.41	0.01	13,282	-	PTTG11C1902A	0.57	0.01	25,257	-
LH28C1808A	0.13	0.01	45,110	-	PSH23C1811A	0.43	0.01	26,123	-	PTTG13C1805A	-	-	-	-
LHFG42C1806A	-	-	-	-	PSH42C1806A	-	-	-	-	PTTG13C1808A	0.36	-	88,649	-
LPN01C1809A	0.13	(0.01)	32,845	-	PSL01C1807A	0.38	(0.01)	18,890	-	PTTG23C1805A	0.24	-	10,000	-
LPN01C1811A	0.37	(0.63)	61,956	-	PSL23C1809A	0.17	0.01	11,612	-	PTTG24C1808A	0.24	(0.01)	2,301	-
LPN01C1811B	0.25	(0.03)	20,918	-	PSL24C1807A	0.25	(0.03)	11,015	-	PTTG24P1808A	0.10	-	130	-
LPN01P1809A	0.61	0.04	5,434	-	PTG01C1805A	0.01	-	8,950	-	PTTG27C1807A	0.74	0.02	2,000	-
LPN08C1807A	-	-	-	-	PTG01C1806A	0.19	(0.04)	65,852	-	PTTG27P1807A	0.06	-	4,600	-
LPN08C1810A	0.12	(0.01)	54,894	-	PTG01C1806B	0.03	(0.02)	6,000	-	PTTG28C1807A	0.04	(0.01)	4,750	-
LPN11C1806A	0.05	(0.02)	1,018	-	PTG01P1805A	1.29	0.07	24,824	1.00	PTTG28C1807B	1.24	0.01	34,600	-
LPN23C1806A	-	-	-	-	PTG06C1810A	0.22	(0.02)	6,318	-	QH01C1807A	0.33	(0.01)	7,009	-
LPN24C1808A	-	-	-	-	PTG06C1904A	0.78	(0.04)	7,206	-	QH01C1810A	0.41	(0.01)	6,000	-
LPN24C1812A	0.35	(0.05)	20	-	PTG07C1806A	-	-	-	-	QH01C1810B	0.30	(0.04)	5,001	-
LPN27C1807A	-	-	-	-	PTG08C1807A	0.02	(0.01)	5,000	-	QH01P1807A	0.33	0.01	25	-
LPN42C1805A	-	-	-	-	PTG11C1805A	-	-	-	-	QH08C1808A	-	-	-	-
MAJ08C1811A	-	-	-	-	PTG11C1903A	0.48	(0.04)	36,785	-	QH11C1902A	0.34	(0.01)	11,840	-
MAJ011C1902A	-	-	-	-	PTG13C1806A	-	-	-	-	QH23C1808A	-	-	-	-
MAJ023C1806A	-	-	-	-	PTG13C1809A	0.30	(0.04)	221,571	-	QH28C1808A	0.14	0.01	501	-
MAJ024C1809A	-	-	-	-	PTG23C1808A	0.02	(0.01)	360	-	QH42C1805A	-	-	-	-
MAJ042C1806A	-	-	-	-	PTG24C1805A	-	-	-	-	RATC23C1806A	-	-	-	-
MALE01C1812A	0.05	-	84	-	PTG24C1809A	0.37	(0.04)	10,450	-	RATC27C1812A	0.17	-	2,000	-
MALE08C1805A	-	-	-	-	PTG27C1809A	-	-	-	-	ROBI01C1809A	0.44	0.02	22,476	-
MALE08C1811A	0.01	(0.01)	3,361	-	PTG28C1806A	0.01	(0.03)	2,000	-	ROBI06C1809A	0.41	-	20,900	-
MALE13C1805A	-	-	-	-	PTG28C1808A	0.23	(0.04)	116,096	-	ROBI08C1808A	0.09	-	18,000	-
MALE13C1809A	0.03	-	510	-	PTL08C1811A	0.57	-	16,112	-	ROBI11C1808A	0.16	(0.01)	5,522	-
MALE23C1806A	-	-	-	-	PTL13C1809A	0.35	-	22,343	-	ROBI13C1807A	0.04	(0.01)	2,000	-
MALE27C1812A	0.01	-	200	-	PTL23C1807A	0.13	(0.01)	7,000	-	ROBI23C1805A	-	-	-	-
MALE28C1810A	0.01	-	10,885	-	PTL24C1806A	-	-	-	-	ROBI24C1805A	-	-	-	-
MC23C1809A	0.18	0.02	5,021	-	PTL28C1810A	0.48	-	26,112	-	ROBI2				

Main Board Quotation

Issue Date :

Wednesday May 23, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001P1806G	0.23	0.03	672,940	-	SIRI13C1809A	-	-	-	-	THAN01C1812A	0.53	0.03	39,778	-
S5001P1806H	1.72	0.09	767,835	1.00	SIRI23C1811A	0.35	(0.01)	17,060	-	THAN13C1809A	0.12	0.01	5,315	-
S5001P1806I	0.69	0.08	1,546,461	-	SIRI24C1809A	-	-	-	-	THAN23C1807A	0.89	0.05	50	-
S5001P1807A	1.15	0.06	252,059	1.00	SIRI28C1807A	-	-	-	-	THAN28C1810A	0.19	0.02	9,246	-
S5001P1807B	0.78	0.05	14,109	-	SIRI28C1809A	0.16	(0.01)	21,432	-	THCO01C1809A	0.18	-	26,570	-
S5006C1806A	0.10	(0.02)	41,872	-	SIRI42C1805A	-	-	-	-	THCO01P1809A	0.59	(0.01)	10,030	-
S5006C1806B	0.07	(0.02)	29,978	-	SPAL01C1805A	0.22	-	10,572	-	THCO11C1902A	0.21	-	9,970	-
S5006P1806A	0.02	-	71,328	-	SPAL01C1808A	0.55	-	15,307	-	THCO13C1805A	-	-	-	-
S5006P1806B	0.20	0.02	22	-	SPAL01C1808B	-	-	-	-	THCO23C1808A	-	-	-	-
S5008C1806A	0.14	(0.03)	63,533	-	SPAL01P1805A	0.41	(0.01)	37,407	-	THCO24C1805A	-	-	-	-
S5008C1806B	0.13	(0.04)	72,093	-	SPAL06C1809A	0.61	-	8,786	-	THCO24C1807A	-	-	-	-
S5008P1806A	0.40	0.05	91,731	-	SPAL08C1808A	0.19	-	28,860	-	THCO24C1810A	0.41	(0.02)	3,940	-
S5008P1806B	0.39	0.04	105,942	-	SPAL11C1807A	0.35	0.01	7,812	-	THCO28C1806A	-	-	-	-
S5013C1806A	0.18	(0.04)	1,247,821	-	SPAL23C1811A	0.75	-	10,800	-	THCO28C1808A	0.09	-	17,767	-
S5013C1806B	0.11	(0.04)	1,559,780	-	SPAL24C1808A	-	-	-	-	TISCO1C1809A	0.72	0.04	38,033	-
S5013C1806C	0.46	(0.06)	1,080,882	-	SPAL24C1812A	-	-	-	-	TISCO1C1808B	0.33	0.03	26,726	-
S5013C1806D	0.39	(0.08)	2,918,023	-	SPCG13C1806A	0.17	(0.02)	30	-	TISCO8C1808A	0.36	0.02	19,658	-
S5013C1806E	0.55	(0.09)	1,935,943	-	SPRC01C1805A	0.25	0.02	67,236	-	TISCI1C1805A	1.06	0.04	2,502	1.00
S5013P1806A	0.49	0.05	5,855,481	-	SPRC01C1808A	0.36	0.01	60,276	-	TISCI1C1903A	0.52	0.01	18,981	-
S5013P1806B	0.40	0.05	771,334	-	SPRC01C1808B	0.14	0.01	60,831	-	TISC13C1807A	0.30	0.01	48,979	-
S5013P1806C	0.96	0.08	961,321	-	SPRC01P1805A	0.22	(0.02)	39,570	-	TISC24C1806A	0.52	0.04	2,000	-
S5013P1806D	0.11	0.02	196,405	-	SPRC06C1809A	-	-	-	-	TISC27C1807A	0.32	0.02	16,000	-
S5013P1806E	0.60	0.07	2,300,548	-	SPRC08C1808A	0.15	-	14,102	-	TISC28C1807A	0.23	0.02	31,434	-
S5028C1806A	0.11	-	7,118	-	SPRC11C1902A	0.23	0.01	10,094	-	TISC24C1806A	0.97	0.04	1,864	-
S5028C1806B	0.20	(0.03)	538,763	-	SPRC13C1808A	0.17	-	67,348	-	TKN01C1805A	0.01	-	890	-
S5028C1806C	0.42	(0.05)	901,987	-	SPRC23C1810A	0.29	-	21,986	-	TKN01C1808A	0.37	-	38,652	-
S5028C1807A	0.57	(0.05)	244,099	-	SPRC24C1808A	0.08	(0.07)	2	-	TKN01C1808B	0.18	-	12,759	-
S5028P1806A	0.55	0.05	1,280,740	-	SPRC28C1806A	-	-	-	-	TKN06C1806A	-	-	-	-
S5028P1806B	0.21	0.03	1,039,239	-	SPRC42C1805A	-	-	-	-	TKN08C1805A	-	-	-	-
S5028P1806C	0.05	(0.01)	2,550	-	STA01C1807A	0.14	(0.01)	9,478	-	TKN08C1808A	0.06	-	8,379	-
S5028P1807A	0.95	0.06	213,862	-	STA01C1807B	0.05	-	3,556	-	TKN11C1902A	0.44	0.01	24,511	-
SAMA13C1806A	-	-	-	-	STA08C1807A	-	-	-	-	TKN13C1805A	-	-	-	-
SAWA01C1808A	0.14	-	15,260	-	STA13C1807A	-	-	-	-	TKN13C1808A	0.12	-	34,096	-
SAWA01C1808B	0.02	-	22,272	-	STA13C1808A	0.24	(0.03)	113,174	-	TKN13C1810A	0.46	0.02	2,339	-
SAWA01P1808A	2.04	0.02	21,019	2.00	STA23C1809A	0.31	(0.03)	53,866	-	TKN13C1811A	0.38	(0.01)	66,061	-
SAWA06C1807A	-	-	-	-	STA24C1808A	-	-	-	-	TKN23C1806A	-	-	-	-
SAWA08C1805A	-	-	-	-	STA28C1807A	-	-	-	-	TKN24C1807A	0.05	(0.02)	2,500	-
SAWA08C1808A	-	-	-	-	STEC01C1809A	0.42	(0.01)	180,331	-	TKN24C1811A	0.70	0.01	10,100	-
SAWA08C1811A	0.08	-	34,845	-	STEC01C1809B	1.39	0.02	36,251	1.00	TKN28C1806A	-	-	-	-
SAWA11C1808A	0.02	-	3,939	-	STEC01P1809A	0.90	(0.03)	89,082	-	TKN28C1808A	0.15	-	54,887	-
SAWA13C1807A	-	-	-	-	STEC06C1809A	-	-	-	-	TKN42C1805A	0.01	-	2,000	-
SAWA13C1810A	0.04	-	203	-	STEC08C1809A	0.40	0.01	118,263	-	TMB01C1807A	0.04	-	59,589	-
SAWA13C1811A	0.07	-	23,749	-	STEC11C1805A	-	-	-	-	TMB01C1810A	0.37	(0.01)	33,562	-
SAWA13C1812A	0.35	(0.02)	115,079	-	STEC11C1903A	0.66	(0.01)	47,485	-	TMB01C1810B	0.30	0.01	17,028	-
SAWA23C1807A	-	-	-	-	STEC13C1809A	0.33	-	145,224	-	TMB01P1807A	0.80	-	8,857	-
SAWA24C1808A	-	-	-	-	STEC23C1808A	0.02	-	15	-	TMB06C1809A	0.10	0.01	45	-
SAWA28C1805A	-	-	-	-	STEC24C1808A	0.32	0.03	910	-	TMB07C1811A	-	-	-	-
SAWA28C1807A	-	-	-	-	STEC28C1806A	-	-	-	-	TMB08C1808A	0.04	-	510	-
SAWA28C1809A	0.03	-	26,706	-	STEC28C1808A	0.28	-	111,428	-	TMB11C1806A	0.17	(0.02)	35,396	-
SAWA28C1810A	0.07	(0.01)	203,282	-	STEC28C1810A	0.63	-	132,302	-	TMB13C1811A	0.18	(0.01)	8,682	-
SCB01C1808A	0.31	0.02	116,749	-	STEC42C1805A	-	-	-	-	TMB23C1810A	-	-	-	-
SCB01C1808B	0.07	0.01	21,190	-	STPI08C1811A	0.17	(0.01)	26,435	-	TMB24C1809A	0.04	-	2,942	-
SCB01C1810A	0.56	0.02	91,527	-	STPI23C1805A	-	-	-	-	TMB28C1806A	-	-	-	-
SCB01P1808A	1.23	(0.06)	47,816	1.00	STPI23C1806A	-	-	-	-	TMB28C1808A	0.02	-	1	-
SCB01P1808B	0.64	(0.05)	37,944	-	STPI28C1807A	-	-	-	-	TMB28C1809A	0.12	-	128,311	-
SCB06C1811A	0.67	(0.33)	150	-	SUPE06C1806A	0.18	0.05	4,200	-	TMB42C1805A	-	-	-	-
SCB08C1806A	0.02	(0.01)	10	-	SUPE08C1808A	0.24	0.03	13,333	-	TOP01C1805A	0.03	(0.01)	9,016	-
SCB11C1901A	0.33	0.02	40,290	-	SUPE13C1806A	0.06	-	3	-	TOP01C1808A	0.25	(0.01)	36,258	-
SCB11P1901A	0.66	(0.02)	19,760	-	SUPE13C1810A	0.33	0.06	233,492	-	TOP01C1808B	0.08	0.01	18,682	-
SCB13C1805A	-	-	-	-	SUPE13C1811A	0.40	0.04	2,965	-	TOP01P1805A	0.70	0.01	19,221	-
SCB13C1809A	0.21	0.01	103,324	-	SUPE23C1811A	0.63	0.06	2	-	TOP01P1808A	0.97	0.01	24,296	-
SCB24C1806A	-	-	-	-	SUPE28C1806A	0.06	0.02	15,480	-	TOP06C1809A	-	-	-	-
SCB24C1902A	-	-	-	-	SUPE28C1807A	0.23	0.04	82,166	-	TOP08C1805A	-	-	-	-
SCB24P1811A	-	-	-	-	SUPE28C1810A	0.32	0.08	1	-	TOP08C1811A	0.43	-	63,150	-
SCB28C1808A	0.07	-	17,216	-	SUPE28C1811A	0.32	0.04	16,936	-	TOP11C1808A	0.10	(0.01)	3,006	-
SCB28C1809A	0.21	0.02	78,328	-	TASC01C1806A	0.14	(0.02)	71,484	-	TOP13C1806A	-	-	-	-
SCB28P1808A	0.31	(0.02)	108,352	-	TASC01C1809A	0.18	(0.03)	46,820	-	TOP13C1811A	0.41	(0.02)	62,072	-
SCC01C1808A	0.32	(0.02)	48,630	-	TASC01C1810A	0.50	(0.04)	28,084	-	TOP18C1808A	-	-	-	-
SCC01C1808B	0.08	(0.01)	32,937	-	TASC01C1810B	0.36	(0.04)	59,618	-	TOP23C1811A	0.48	(0.01)	23,000	-
SCC01P1808A	0.58	0.03	26,448	-	TASC01P1806A	0.98	0.05	27,765	-	TOP24C1805A	-	-	-	-
SCC06C1809A	0.20	(0.02)	1	-	TASC01P1809A	1.30	0.06	29,821	1.00	TOP24C1806A	-	-	-	-
SCC08C1809A	0.18	(0.02)	30,540	-	TASC07C1811A	-	-	-	-	TOP24C1901A	-	-	-	-
SCC11C1811A	0.27	(0.03)	38,432	-	TASC08C1808A	0.05	(0.01)	7,026	-	TOP28C1810A	0.10	-	24,290	-
SCC11P1811A	0.35	(0.01)	24,378	-	TASC11C1806A	-	-	-	-	TOP42C1806A	-	-	-	-
SCC13C1809A	0.21	(0.02)	35,508	-	TASC13C1805A	-	-	-	-	TOP42P1806A	0.72	0.04	4,979	-
SCC23C1811A	0.26	(0.02)	62,638	-	TASC13C1810A	0.29	(0.04)	166,758	-	TPIO1C1807A	-	-	-	-
SCC24C1806A	-	-	-	-	TASC23C1806A	-	-	-	-	TPIO1C1807B	-	-	-	-
SCC24C1812A	0.22	(0.03)	3,180	-	TASC24C1810A	-	-	-	-	TPIO8C1807A	-	-	-	-
SCC24P1901A	0.37	(0.02)	500	-	TASC28C1808A	0.14	(0.02)	23,912	-	TPI13C1809A	-	-	-	-
SCC27C1809A	0.20	(0.01)	8,848	-	TCAP01C1807A	-	-	-	-	TPI23C1809A	-	-	-	-
SCC27P1809A	0.43	0.01	2,600	-	TCAP01C1807B	-	-	-	-	TPI24C1808A	-	-	-	-
SCC28C1807A	0.04	(0.01)	28,090	-	TCAP01P1807A	0.94	0.01	8,906	-	TPI28C1808A	-	-	-	-
SCC42C1805A	-	-	-	-	TCAP08C1810A	0.22	(0.01)	24,766	-	TPIPO1C1805A	-	-	-	-
SCC08C1811A	-	-	-	-	TCAP11C1811A	0.22	(0.01)	5,707	-	TPIPO1C1810A	0.56	(0.44)	6,734	-
SCCC13C1809A	-	-	-	-	TCAP13C1809A	0.15	-	12,296	-	TPIPO1C1810B	0.38	(0.62)	6,744	-
SCCC23C1806A	-	-	-	-	TCAP23C1807A	0.25	(0.01)	7,000	-	TPIPO1P1805A	0.40	(0.01)	3,396	-
SCCC27C1812A	0.16	-	2,000	-	TCAP24C1807A	-	-	-	-	TPIPO1P1810A	0.63	(0.01)	3,890	-
SGP08C1808A	0.06	0.01	112,364	-	TCAP27C1807A	0.09	-	2,000	-	TPIP07C1806A	-	-	-	-
SGP13C1806A	1.30	0.01	49	1.0										

Main Board Quotation

Issue Date :

Wednesday May 23, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SIRI11C1902A	-	-	-	-	THAI28C1808A	0.12	0.01	42,428	-	TRUE08C1809A	0.36	0.03	56,008	-

Main Board Quotation

Issue Date :

Wednesday May 23, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE08P1809A	0.13	(0.01)	79,114	-	WORK01C1806A	0.01	(0.01)	13,664	-	SAWAD-W1	6.25	(0.05)	2,739	6.00
TRUE11C1807A	0.26	0.02	36,306	-	WORK01C1806B	-	-	-	-	SMM-W4	0.21	-	4,102	-
TRUE13C1807A	0.24	0.02	120,877	-	WORK08C1805A	-	-	-	-	SMT-W1	0.22	(0.01)	3,277	-
TRUE13C1810A	0.24	0.01	172,450	-	WORK08C1809A	0.02	-	28,936	-	SPALI-W4	19.90	-	792	19.00
TRUE16C1812A	0.47	0.01	5,170	-	WORK11C1805A	0.01	(0.01)	2,271	-	SPORT-W5	0.17	0.01	4,331	-
TRUE23C1806A	0.34	0.03	23,700	-	WORK11C1903A	0.27	(0.01)	98,852	-	SPORT-W6	0.03	-	1,159	-
TRUE27C1809A	0.39	(0.01)	1	-	WORK13C1805A	-	-	-	-	SUPER-W4	0.31	0.03	1,106,875	-
TRUE27P1809A	0.25	(0.01)	8,224	-	WORK13C1806A	0.01	-	2	-	SUSCO-W1	0.37	(0.01)	8,058	-
TRUE28C1807A	0.19	0.01	228,321	-	WORK13C1809A	0.03	(0.01)	10,725	-	SVI-W3	1.19	0.02	211	1.00
TRUE28C1808A	0.08	0.01	29,658	-	WORK13C1810A	0.10	(0.01)	196,813	-	TCC-W3	0.60	-	9	-
TTA01C1807A	0.14	0.03	125,733	-	WORK13C1811A	0.43	(0.03)	153,578	-	TCC-W4	0.23	-	479	-
TTA01P1807A	0.81	(0.08)	10,001	-	WORK23C1807A	0.01	-	700	-	TCJ-W2	1.23	0.04	10,841	1.00
TTA08C1808A	0.06	0.01	17,015	-	WORK24C1805A	-	-	-	-	TCMC-W2	0.40	(0.01)	18,713	-
TTA11C1806A	-	-	-	-	WORK24C1810A	0.11	-	21,717	-	TFG-W1	1.78	0.01	10	1.00
TTA13C1809A	0.10	0.02	36,622	-	WORK27C1806A	-	-	-	-	TFG-W2	0.80	(0.01)	1,576	-
TTA18C1808A	-	-	-	-	WORK28C1806A	-	-	-	-	TGPRO-W2	-	-	-	-
TTA23C1808A	0.01	-	40,000	-	WORK28C1808A	-	-	-	-	TH-W2	0.14	-	515	-
TTA24C1809A	-	-	-	-	WORK28C1809A	0.10	(0.01)	80,881	-	THE-W2	0.07	0.01	113,300	-
TTA28C1806A	-	-	-	-	WORK42C1806A	0.02	-	50	-	TNITY-W1	1.33	(0.04)	61,350	1.00
TTCL13C1806A	0.01	-	1	-	Preferred/Foreign	-	-	-	-	TNPC-W1	0.67	(0.06)	54,465	-
TU01C1808A	0.16	-	34,572	-	BH-Q	-	-	-	-	TPOLY-W2	0.03	-	25,087	-
TU01C1808B	-	-	-	-	CSC-Q	-	-	-	-	TSI-W2	-	-	-	-
TU01P1808A	0.78	-	7,686	-	JUTHA-Q	-	-	-	-	TSR-W1	0.84	(0.02)	103,610	-
TU08C1805A	-	-	-	-	KTB-Q	-	-	-	-	TTA-W5	0.98	0.03	8,376	-
TU11C1902A	0.11	(0.01)	6,851	-	SCB-Q	-	-	-	-	TWZ-W4	-	-	-	-
TU13C1809A	-	-	-	-	TCAP-Q	-	-	-	-	U-W1	0.01	-	1	-
TU23C1806A	-	-	-	-	TIC-Q	-	-	-	-	U-W4	0.01	-	171,629	-
TU24C1808A	-	-	-	-	TISCO-Q	-	-	-	-	VGI-W1	0.44	0.01	2,237,090	-
TU27C1807A	0.08	(0.03)	4,000	-	U-Q	-	-	-	-	VIBHA-W2	1.51	0.01	83	1.00
TVO01C1809A	0.31	-	16,650	-	Warrant	-	-	-	-	VIBHA-W3	0.37	(0.01)	11,378	-
TVO01C1809B	0.15	(0.85)	14,812	-	7UP-W2	0.38	0.16	511	-	WAVE-W1	0.59	(0.01)	646	-
TVO08C1808A	0.12	(0.01)	9,054	-	ACC-W1	0.04	(0.01)	5,909	-	WHA-W1	9.40	0.80	49,462	9.00
TVO11C1805A	0.12	0.02	1,748	-	AEC-W4	-	-	-	-	WIHK-W1	-	-	-	-
TVO11C1903A	0.20	(0.01)	10,432	-	AJA-W1	0.23	-	6,220	-	WORK-W1	17.30	(0.10)	120	17.00
TVO13C1809A	0.07	-	8,390	-	ALT-W1	1.29	-	1,807	1.00	Preferred Shares	-	-	-	-
TVO23C1808A	0.14	(0.01)	18,800	-	AQ-W4	0.01	-	751	-	BH-P	-	-	-	-
TVO24C1810A	-	-	-	-	AS-W1	0.71	-	26,967	-	CSC-P	-	-	-	-
TVO28C1808A	0.05	-	4,056	-	AYUD-W1	7.30	(1.20)	72,538	7.00	JUTHA-P	-	-	-	-
UNIQ01C1809A	0.36	0.02	104,540	-	B-W3	-	-	-	-	KTB-P	-	-	-	-
UNIQ01C1810A	0.54	0.04	45,431	-	BLAND-W4	0.03	(0.01)	623,936	-	SCB-P	135.00	2.00	1	135.00
UNIQ01C1810B	0.46	0.04	94,480	-	BROCK-W1	-	-	-	-	TCAP-P	-	-	-	-
UNIQ01P1809A	0.39	(0.03)	47,492	-	BTS-W3	0.11	-	133,867	-	TIC-P	-	-	-	-
UNIQ08C1808A	0.07	-	278	-	BWG-W4	0.11	-	3,747	-	TISCO-P	-	-	-	-
UNIQ08C1810A	0.40	0.03	106,908	-	CEN-W4	0.08	(0.01)	11,291	-	U-P	0.03	-	635,059	-
UNIQ11C1811A	0.32	0.01	37,373	-	CGH-W2	-	-	-	-	Warrant (MAI)	-	-	-	-
UNIQ13C1807A	0.02	0.01	9,015	-	CI-W1	0.51	-	58	-	2S-W1	0.23	-	51,363	-
UNIQ13C1809A	0.35	0.02	222,347	-	CKP-W1	0.39	-	5,458	-	ACAP-W1	-	-	-	-
UNIQ23C1806A	-	-	-	-	CRANE-W1	-	-	-	-	ACAP-W2	3.02	(0.10)	941	3.00
UNIQ24C1806A	-	-	-	-	DCC-W1	0.81	0.81	1,402,329	-	AIRA-W1	0.06	(0.01)	4,691	-
UNIQ24C1811A	0.25	0.02	184	-	DCON-W1	-	-	-	-	AIRA-W2	0.09	-	1,186	-
UNIQ28C1807A	0.02	-	1,500	-	DIGI-W1	0.07	-	41,613	-	ATP30-W1	0.88	0.02	25,376	-
UNIQ28C1809A	0.28	0.02	106,018	-	DIGI-W2	0.03	-	501	-	BSM-W2	0.25	(0.02)	3,367	-
UNIQ28C1811A	0.36	0.02	179,186	-	EARTH-W4	-	-	-	-	CIG-W6	-	-	-	-
UNIQ42C1805A	-	-	-	-	EIC-W2	0.02	0.01	1,800	-	CIG-W7	0.04	-	3,398	-
UV01C1807A	0.34	(0.03)	30,103	-	EIC-W3	0.05	-	6	-	DNA-W1	1.68	(0.04)	855	1.00
UV08C1807A	0.14	(0.01)	36,918	-	EIC-W4	0.01	-	530	-	ECF-W2	3.44	(0.06)	1,422	3.00
UV13C1807A	0.07	(0.02)	19,310	-	EVER-W3	-	-	-	-	ECF-W3	2.84	(0.06)	6,450	2.00
UV13C1808A	0.03	(0.01)	5,149	-	GJS-W3	0.04	-	35,023	-	EFORL-W3	0.02	-	98,681	-
UV23C1809A	-	-	-	-	GL-W4	0.32	(0.05)	50,662	-	EFORL-W4	0.03	(0.01)	51,750	-
UV24C1807A	-	-	-	-	GLAND-W4	1.36	0.05	5,659	1.00	FC-W1	0.11	-	10	-
UV28C1807A	0.05	(0.03)	10,140	-	GREEN-W4	-	-	-	-	FC-W2	0.05	-	2,882	-
UV28C1808A	-	-	-	-	GSTEL-W1	-	-	-	-	FOCUS-W2	0.60	(0.01)	460	-
VGI01C1812A	0.89	0.07	106,913	-	GSTEL-W2	-	-	-	-	FPI-W1	-	-	-	-
VGI06C1904A	-	-	-	-	IEC-W2	-	-	-	-	FVC-W2	0.88	0.06	18,959	-
VGI06C1904B	-	-	-	-	IFEC-W2	-	-	-	-	LIT-W1	2.46	0.04	450	2.00
VGI06C1904C	-	-	-	-	IHL-W1	5.10	0.10	165	5.00	META-W2	0.30	(0.03)	62,768	-
VGI08C1811A	0.93	0.09	32,892	-	ITD-W1	0.14	0.02	422,881	-	MOONG-W1	-	-	-	-
VGI23C1905A	1.49	0.03	5,200	1.00	IVL-W2	17.70	0.10	136,523	17.00	MPG-W1	-	-	-	-
VGI23C1911A	1.46	0.05	6,354	1.00	JAS-W3	2.50	(0.02)	6,239	2.00	NBC-W1	0.01	-	12,000	-
VGI27C1812A	0.61	0.07	8,000	-	JCK-W4	-	-	-	-	NCL-W2	0.02	(0.01)	56,414	-
VGI28C1810A	0.64	0.07	242,330	-	JCK-W5	0.49	0.02	803	-	NDR-W1	0.25	0.01	5,420	-
VGI42C1805A	-	-	-	-	JMART-W2	2.44	0.04	6,219	2.00	NEWS-W4	0.01	-	50	-
VIBH08C1806A	-	-	-	-	JMT-W1	11.60	(0.30)	2,508	11.00	NEWS-W5	0.01	-	2,001	-
VIBH13C1806A	-	-	-	-	MIDA-W2	0.03	-	108	-	NINE-W1	0.01	-	146,557	-
VIBH24C1805A	-	-	-	-	MILL-W3	0.05	0.01	9,051	-	OCEAN-W2	-	-	-	-
VNG13C1806A	-	-	-	-	MILL-W4	0.30	(0.01)	1,725	-	PHOL-W1	0.19	-	1,157	-
WHA01C1807A	0.38	0.04	133,571	-	ML-W2	0.05	-	5	-	PIMO-W1	1.86	(0.36)	142,018	2.00
WHA01C1807B	0.14	0.02	254,650	-	MONO-W1	1.15	0.08	323,622	1.00	PPS-W1	1.01	(0.04)	307	1.00
WHA06C1809A	0.53	0.05	44,320	-	NEP-W3	-	-	-	-	PSTC-W1	0.35	-	13,050	-
WHA07C1810A	0.50	0.01	30	-	NMG-W3	-	-	-	-	QTC-W1	-	-	-	-
WHA08C1805A	0.35	0.07	1,030	-	NOK-W1	1.30	-	765	1.00	RWI-W1	0.01	-	35,772	-
WHA08C1811A	0.53	0.05	116,979	-	NPP-W3	0.52	(0.05)	88,189	-	SIMAT-W2	0.73	(0.04)	1,767	-
WHA11C1805A	1.04	0.08	21,982	1.00	NUSA-W3	-	-	-	-	SIMAT-W3	0.85	(0.03)	1,041	-
WHA11C1903A	0.45	0.02	41,172	-	ORI-W1	3.18	(0.02)	12,761	3.00	SKY-W1	14.20	0.20	100	14.00
WHA13C1805A	-	-	-	-	PACE-W1	0.01	-	1,890	-	STAR-W3	1.91	(0.06)	36,599	1.00
WHA13C1808A	0.42	0.05	258,371	-	PACE-W2	0.05	-	11,861	-	T-W3	0.01	-	2,001	-
WHA23C1810A	0.63	0.03	500	-	PDJ-W2	1.61	-	5	1.00	TAKUNI-W	0.23	-	5,095	-
WHA24C1805A	-	-	-	-	PDJ-W3	1.56	-	4	1.00	TAPAC-W3	6.05	(0.15)	4,844	6.00
WHA24C1807A	0.17	0.03	1,600	-	PDJ-W4	1.56	-	7	1.00	TMILL-W1	1.28	0.02	1,664	1.00
WHA24C1811A	0.44	0.04	100	-	PL-W1	-	-	-	-	TSF-W4	0.02	-	576	-

