

Main Board Quotation

Issue Date :

Thursday May 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	7.00	-	1,009	6.95	RS	20.00	(2.30)	188,200	21.06
NFC	-	-	-	-	HUMAN	11.60	0.10	12,175	11.59	SE-ED	3.36	(0.06)	160	3.42
POMPUI	-	-	-	-	ILINK	6.85	(0.20)	10,381	6.91	SMM	0.92	0.02	40,153	0.93
SAFARI	-	-	-	-	INET	3.90	(0.02)	5,411	3.90	SPORT	0.63	0.02	3,722	0.62
VI	-	-	-	-	INTUCH	55.00	(0.25)	44,946	54.74	TBSP	15.70	(0.60)	9	15.70
WORLD	-	-	-	-	JAS	5.75	(0.15)	419,492	5.79	TH	0.61	(0.01)	2,960	0.61
WR	-	-	-	-	JASIF	10.40	(0.30)	362,129	10.42	TKS	11.10	(0.20)	7,497	11.13
Agribusiness	-	-	-	-	JMART	11.50	(0.30)	9,538	11.58	TRITN	0.31	-	67,964	0.30
CHOTI	-	-	-	-	JTS	1.63	-	1,628	1.64	VGI	8.40	-	325,549	8.43
EE	0.92	0.05	347,660	0.90	MFEC	4.30	(0.02)	1,825	4.29	WAVE	3.14	0.02	1,694	3.12
GFPT	11.90	-	9,962	11.90	MSC	5.95	-	1,223	5.90	WORK	45.00	(3.50)	88,226	45.92
LEE	2.82	(0.02)	3,182	2.82	PT	6.85	(0.10)	5,580	6.93	Finance & Securities	-	-	-	-
STA	13.00	0.10	44,242	12.87	SAMART	8.10	(0.05)	5,384	8.07	AEC	0.50	(0.01)	56	0.51
TLUXE	6.20	(0.05)	2,275	6.25	SAMTEL	10.00	-	113	10.00	AEONTS	163.00	(2.50)	2,836	164.30
TRUBB	1.83	(0.04)	12,253	1.85	SDC	0.30	(0.01)	24,234	0.30	AMANAH	2.16	(0.12)	233,719	2.21
TPWC	9.60	(0.05)	1,803	9.62	SIS	9.10	(0.15)	1,260	9.16	ASAP	7.25	(0.10)	40,485	7.30
UPOIC	4.46	-	428	4.46	SVOA	1.54	(0.05)	52,701	1.57	ASK	22.50	(0.10)	2,475	22.48
UVAN	8.10	(0.05)	1,451	8.11	SYMC	5.90	(0.15)	439	5.97	ASP	3.80	(0.02)	43,607	3.81
VPO	0.77	(0.01)	3,605	0.78	SYNEX	14.90	(0.40)	10,560	15.11	BFIT	29.50	(0.75)	1,145	29.57
Banking	-	-	-	-	THCOM	9.25	(0.15)	16,819	9.32	CGH	1.21	(0.02)	1,163	1.22
BAY	38.75	-	5,340	38.51	TRUE	7.00	(0.20)	2,036,962	7.00	CNS	2.66	(0.04)	503	2.67
BBL	192.00	(1.50)	26,507	192.43	TWZ	0.12	(0.01)	15,425	0.12	ECL	2.18	(0.02)	106,003	2.19
CIMBT	1.00	-	41,218	1.00	Electronic Componer	-	-	-	-	FNS	4.44	(0.06)	3,847	4.45
KBANK	191.50	(3.00)	59,659	192.31	CCET	1.91	-	9,308	1.92	FSS	2.60	(0.06)	1,516	2.62
KKP	67.25	-	31,881	67.17	DELTA	66.25	1.50	22,951	65.69	GBX	0.71	0.01	506	0.70
KTB	17.40	(0.20)	342,888	17.53	EIC	0.06	-	148,478	0.06	GL	6.85	(0.10)	14,892	6.93
LHFG	1.57	(0.01)	38,637	1.57	HANA	35.75	(0.50)	11,771	35.81	IFS	3.06	(0.02)	1,029	3.08
SCB	136.00	(0.50)	45,672	135.83	KCE	36.25	(0.50)	36,140	36.23	JMT	29.50	(0.50)	5,693	29.27
TCAP	51.25	0.25	10,015	51.08	METCO	190.50	(1.00)	16	191.28	KCAR	14.10	-	647	14.09
TISCO	86.00	(0.50)	19,470	86.00	SMT	2.92	-	8,837	2.90	KGI	4.28	(0.02)	27,444	4.29
TMB	2.40	(0.06)	1,169,911	2.42	SPPT	4.76	(0.16)	6,184	4.80	KTC	350.00	(11.00)	17,055	356.43
Construction Materia	-	-	-	-	SVI	4.16	(0.02)	9,559	4.18	MBKET	18.80	0.10	283	18.72
CCP	0.42	(0.01)	6,221	0.42	TEAM	1.28	(0.02)	9,173	1.29	MFC	15.20	(0.10)	873	15.28
DCC	2.32	(0.02)	51,418	2.35	Energy & Utilities	-	-	-	-	ML	1.10	(0.02)	4,584	1.11
DCON	0.60	-	48,171	0.60	ABPIF	8.50	-	2,469	8.51	MTC	36.25	(0.50)	44,905	36.32
DRT	5.70	(0.05)	2,952	5.75	AI	-	-	-	-	PE	0.41	(0.01)	862	0.41
EPG	7.40	(0.10)	51,987	7.46	AKR	1.26	0.07	325,274	1.23	PL	3.60	(0.04)	4,205	3.62
GEL	0.33	(0.01)	51,801	0.33	BAFS	37.25	0.25	1,121	37.10	S11	7.30	-	2,793	7.31
PPP	3.98	-	84	3.97	BANPU	20.30	(1.10)	1,347,026	20.70	SAWAD	37.25	(0.25)	120,740	37.38
Q-CON	5.80	-	60	5.80	BCP	35.00	(0.50)	24,645	35.04	THANI	7.70	(0.10)	34,234	7.72
RCI	2.04	(0.02)	4,357	2.08	BCPG	19.40	(0.70)	131,225	19.72	TK	13.20	(0.60)	25,315	13.40
SCC	462.00	-	23,598	462.15	BGRIM	25.00	(2.00)	564,053	24.92	TNITY	5.95	(0.05)	1,765	5.93
SCCC	239.00	1.00	1,021	237.65	BPP	25.00	(0.75)	46,705	25.06	UOBKH	3.98	(0.10)	581	4.00
SCP	8.25	(0.10)	1,277	8.30	BRRGIF	10.30	-	2,672	10.30	ZMICO	1.14	-	9,942	1.15
SKN	6.10	-	2,334	6.14	CKP	3.96	(0.08)	178,019	3.99	Food & Beverage	-	-	-	-
TASCO	17.60	(0.30)	43,274	17.72	DEMCO	4.76	(0.02)	1,732	4.74	APURE	1.57	-	1,043	1.57
TCMC	2.34	(0.06)	23,982	2.36	EA	39.50	0.75	461,758	39.21	ASIAN	5.65	(0.30)	47,469	5.75
TGCI	2.60	(0.04)	3,952	2.61	EARTH	-	-	-	-	BR	6.25	-	7,741	6.24
TOA	39.75	(0.25)	14,253	40.23	EASTW	11.50	(0.10)	15,675	11.53	BRR	7.85	(0.10)	1,222	7.92
TPIPL	1.91	(0.01)	86,444	1.91	EGATIF	11.60	-	22,523	11.58	CBG	53.75	(0.50)	22,162	53.98
UMI	1.47	(0.01)	1,660	1.48	EGCO	235.00	3.00	18,750	233.24	CFRESH	4.80	(0.04)	179	4.82
VNG	9.20	(0.05)	6,693	9.24	ESSO	14.70	(0.30)	167,969	14.84	CM	4.24	-	4,365	4.24
WIHK	2.40	(0.02)	13,941	2.40	GLOW	84.50	(0.25)	9,240	84.51	CPF	24.50	(0.30)	245,622	24.57
Petrochemicals & Ch	-	-	-	-	GPSC	76.25	0.50	34,671	75.61	CPI	2.02	-	994	2.01
CMAN	3.98	0.02	10,972	3.96	GULF	70.25	(0.50)	58,104	70.25	F&D	17.50	-	1	17.50
GC	5.15	0.05	473	5.11	GUNKUL	3.24	0.04	427,804	3.28	HTC	21.30	(0.60)	4,558	21.34
GGC	14.20	0.20	79,375	14.05	IEC	-	-	-	-	ICHI	5.35	(0.20)	65,171	5.41
GIFT	4.86	(0.04)	2,690	4.83	IFEC	-	-	-	-	KBS	4.82	(0.10)	3,743	4.88
IVL	60.50	(1.00)	199,882	60.83	IRPC	6.75	(0.10)	767,882	6.77	KSL	3.24	0.04	19,569	3.23
PATO	14.50	(0.10)	285	14.52	LANNA	16.10	(0.20)	2,033	16.00	KTIS	6.05	(0.05)	2,615	6.00
PMTA	16.80	-	61	16.80	MDX	4.66	(0.04)	3,420	4.66	LST	4.90	(0.04)	6,853	4.86
PTTGC	92.50	(3.00)	165,385	93.43	PTG	18.70	-	42,916	18.86	M	77.00	-	1,295	76.76
SUTHA	4.50	(0.02)	218	4.50	PTT	50.75	(2.75)	2,352,618	51.93	MALEE	16.50	(0.20)	23,777	16.60
TCB	54.50	(0.50)	275	54.71	PTTEP	140.00	(4.50)	171,495	141.26	MINT	34.75	(1.25)	356,320	34.95
TCCC	35.00	(0.25)	127	35.06	RATCH	52.00	(0.25)	18,288	52.05	OISHI	106.00	(3.00)	132	106.24
TPA	6.80	(0.05)	153	6.70	RPC	0.65	0.04	160,986	0.65	PB	61.75	-	24	61.31
UP	30.00	1.25	52	27.79	SCG	4.80	0.08	234	4.76	PM	10.90	(0.20)	10,997	10.92
VNT	26.50	-	7,791	26.44	SCI	3.28	(0.08)	4,837	3.31	PRG	13.70	-	50	13.70
WG	147.00	-	50	147.00	SCN	4.16	(0.04)	8,637	4.17	SAPPE	27.50	(0.25)	14,095	27.21
YCI	-	-	-	-	SGP	11.70	0.30	249,968	11.51	SAUCE	21.90	(0.20)	39	21.96
Commerce	-	-	-	-	SKE	1.43	(0.03)	49,364	1.46	SFP	-	-	-	-
BEAUTY	19.10	(0.30)	487,865	19.24	SOLAR	2.70	-	9,553	2.71	SNP	21.20	(0.10)	115	21.21
BIG	2.44	-	81,676	2.44	SPCG	21.60	(0.30)	13,375	21.55	SORKON	72.25	(0.75)	14	72.25
BJC	57.00	(1.00)	55,648	57.00	SPRC	15.30	(0.30)	212,465	15.23	SSC	51.00	(1.00)	2	51.13
COL	25.25	(0.50)	2,503	25.25	SUPER	1.27	(0.02)	3,564,548	1.28	SSF	-	-	-	-
COM7	18.10	(0.30)	142,639	18.04	SUSCO	3.46	(0.06)	37,069	3.48	SST	6.45	(0.05)	79	6.43
CPALL	80.25	(0.50)	327,813	80.47	TAE	2.28	(0.02)	820	2.27	TC	2.76	(0.06)	2,158	2.74
CSS	2.30	-	8,274	2.29	TCC	0.42	0.01	7,162	0.41	TFG	4.30	0.02	7,189	4.33
FN	3.36	(0.02)	5,599	3.35	TOP	86.00	(1.50)	49,688	86.49	TFMAMA	162.00	(2.00)	77	162.81
FTE	2.36	-	5,861	2.38	TPIPP	6.60	(0.10)	156,050	6.60	TIPCO	10.20	(0.10)	9,215	10.20
GLOBAL	16.10	(0.40)	41,089	16.09	TTW	12.20	-	33,763	12.10	TKN	18.80	0.50	151,794	18.76
HMPRO	14.50	0.10	244,291	14.44	WHAUP	6.10	-	27,912	6.09	TU	17.50	(0.20)	77,839	17.61
IT	4.46	-	859	4.46	WP	8.40	(0.20)	27,883	8.43	TVO	31.00	(0.50)	17,561	31.19
KAMART	5.45	-	10,312	5.45	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.30	(0.02)	11,784	2.31	AMARIN	5.40	(0.05)	1,848	5.36	AHC	21.50	-	271	21.44
MAKRO	42.75	(0.75)	5,751	42.95	AQUA	0.56	-	175,254	0.55	BCH	16.50	0.10	111,558	16.56
MC	13.00	(0.20)	15,038	13.26	AS	1.72	-	2,282	1.72	BDMS	26.75	0.50	583,998	26.60
MEGA	41.50	-	16,981	41.51	BEC	10.20	(0.30)	74,945	10					

Main Board Quotation

Issue Date :

Thursday May 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	8.90	(0.30)	10,216	9.01	MJD	3.16	(0.04)	1,509	3.17	CPT	2.16	(0.08)	125,532	2.22
WPH	3.22	(0.06)	17,866	3.22	MK	3.28	(0.02)	4,121	3.28	CRANE	2.46	(0.04)	913	2.50
Tourism & Leisure					NCH	1.00	-	204	1.00	CTW	8.30	-	1,428	8.30
ASIA	6.70	(0.05)	2,657	6.71	NNCL	1.77	(0.01)	22,476	1.78	FMT	-	-	-	-
CENTEL	45.75	(0.50)	26,888	46.03	NOBLE	9.50	(0.05)	4,345	9.42	HTECH	7.70	(0.20)	20,745	7.79
CSR	65.00	(0.50)	20	65.00	NUSA	0.31	-	4,682	0.31	KKC	1.76	(0.02)	11,989	1.78
DTC	16.90	0.30	119,428	16.80	NVD	4.60	-	518	4.59	PK	3.70	(0.04)	6,372	3.72
ERW	7.95	-	47,695	7.84	ORI	19.90	-	67,809	20.08	SNC	16.00	(0.20)	11,691	16.01
GRAND	0.96	(0.01)	32,821	0.97	PACE	0.45	0.02	247,063	0.45	TCJ	6.75	(0.05)	194	6.75
LRH	35.00	-	320	35.00	PF	0.94	0.01	302,260	0.94	VARO	-	-	-	-
MANRIN	-	-	-	-	PLAT	7.95	-	12,091	7.91	Property Fund & REI	-	-	-	-
OHTL	790.00	(8.00)	6	791.45	POLAR	-	-	-	-	AIMIRT	10.10	-	1,150	10.08
ROH	40.50	-	100	40.50	PRECHA	1.72	-	1,012	1.72	AMATAR	10.50	(0.10)	1,113	10.43
SHANG	-	-	-	-	PRIN	1.64	(0.01)	2,233	1.64	B-WORK	10.20	(0.10)	2,945	10.30
Home & Office Prod.					PRINC	5.85	(0.05)	5,191	5.85	BKKCP	12.00	(0.10)	9	12.00
ACC	0.52	-	323	0.51	PSH	21.60	-	32,531	21.65	BOFFICE	12.50	-	651	12.50
AJA	0.49	(0.02)	152,371	0.50	QH	3.18	0.02	345,062	3.17	CPNCG	14.50	(0.10)	1,327	14.50
DTCI	-	-	-	-	RICHY	1.80	0.01	12,587	1.79	CPNREIT	23.10	0.10	14,891	23.05
FANCY	1.21	(0.02)	50,778	1.24	RML	1.15	-	22,395	1.15	CPTGF	13.00	0.10	437	12.90
KYE	416.00	(26.00)	556	410.14	ROJNA	6.05	(0.15)	8,604	6.08	CRYSTAL	10.50	-	543	10.50
L&E	2.86	(0.06)	1,140	2.86	S	3.46	(0.02)	8,111	3.48	CTARAF	4.86	(0.04)	871	4.89
MODERN	4.78	-	5,885	4.76	SAMCO	2.34	0.02	657	2.24	DREIT	5.60	0.10	503	5.60
OGC	39.50	-	2	39.50	SC	3.64	(0.06)	16,299	3.67	ERWPF	-	-	-	-
ROCK	-	-	-	-	SENA	3.76	-	11,373	3.74	FUTUREPF	21.20	(0.40)	784	21.30
SIAM	1.99	-	992	1.96	SF	8.80	(0.05)	10,202	8.77	GAHREIT	9.85	-	1,350	9.85
TSR	2.66	(0.06)	3,163	2.71	SIRI	1.71	0.02	1,151,289	1.72	GLANDRT	-	-	-	-
Insurance					SPALI	24.50	0.20	35,037	24.39	GOLDPF	7.40	-	1,010	7.40
AYUD	44.00	-	838	43.98	TICON	17.10	-	104	17.07	GVREIT	14.90	-	4,727	14.90
BKI	359.00	(3.00)	31	359.58	U	0.03	-	6,093,702	0.03	HPF	5.40	-	78	5.40
BLA	35.00	0.25	7,849	34.89	UV	8.30	-	45,668	8.37	HREIT	7.25	(0.05)	3,618	7.25
BUI	-	-	-	-	WHA	4.34	(0.06)	1,006,206	4.35	IMPACT	18.20	-	2,398	18.26
CHARAN	-	-	-	-	WIN	0.60	0.01	3,272	0.60	KPNPF	9.75	-	750	9.75
INSURE	36.00	(6.00)	6	35.17	Paper & Printing Mat	-	-	-	-	LHHOTEL	15.80	-	670	15.80
MTI	127.00	1.50	29	126.52	UTP	12.10	(0.20)	8,936	12.14	LHPF	8.60	(0.05)	1,792	8.60
NKI	57.00	1.00	13	57.00	Fashion	-	-	-	-	LHSC	15.80	-	1,000	15.80
NSI	82.00	-	21	81.73	AFC	8.95	-	5	8.95	LUXF	8.10	-	100	8.09
SMK	42.25	(0.50)	177	42.33	BTNC	-	-	-	-	M-II	8.40	(0.20)	21	8.40
THRE	1.31	(0.03)	47,247	1.31	CPH	-	-	-	-	M-PAT	10.20	-	6	10.20
THREL	8.35	-	5,193	8.41	CPL	-	-	-	-	M-STOR	-	-	-	-
TIC	34.75	-	125	34.50	DIGI	0.61	(0.03)	144,061	0.63	MIPF	-	-	-	-
TIP	25.75	-	1,488	25.68	ICC	-	-	-	-	MIT	5.05	-	1	5.05
TSI	0.57	(0.01)	10,088	0.56	LTX	74.50	-	9	74.50	MJLF	12.70	0.10	444	12.70
TVI	3.80	(0.12)	8,148	3.82	NC	-	-	-	-	MNIT	-	-	-	-
Mining					PAF	1.07	(0.04)	2,105	1.08	MNIT2	5.30	(0.10)	4	5.30
PDI	18.10	(0.10)	7,603	18.25	PDJ	2.88	(0.02)	594	2.88	MNRF	3.58	0.04	221	3.54
THL	-	-	-	-	PG	-	-	-	-	MONTRI	-	-	-	-
Packaging					SABINA	29.50	(0.50)	72	29.43	POPF	13.80	(0.10)	1,262	13.83
AJ	11.30	(0.10)	2,593	11.26	SAWANG	-	-	-	-	PPF	11.30	-	10	11.30
ALUCON	221.00	-	10	221.50	SUC	43.25	-	63	43.16	QHHR	8.80	-	2,133	8.80
CSC	45.25	0.25	8	45.25	TNL	-	-	-	-	QHOP	3.88	-	130	3.88
NEP	0.45	0.01	1,014	0.44	TPCORP	16.40	(0.30)	80	16.41	QHPF	12.10	0.10	20,787	12.00
NPP	1.35	(0.09)	72,979	1.37	TR	50.00	0.50	36	49.94	SBPF	3.10	-	31	3.08
PTL	16.50	0.10	13,463	16.45	TTI	-	-	-	-	SHREIT	9.70	0.10	232	9.61
SITHAI	1.30	(0.02)	9,957	1.31	TTL	-	-	-	-	SIRIP	-	-	-	-
SLP	0.97	-	4,335	0.97	TTTM	128.50	(1.00)	18	128.50	SPF	23.40	(0.30)	2,099	23.30
SMPC	13.80	(0.10)	3,593	13.76	UPF	70.75	(2.50)	91	70.52	SRIPANWA	11.20	-	102	11.20
SPACK	2.00	(0.02)	350	2.00	UT	-	-	-	-	SSPF	10.20	-	88	10.20
TCOAT	28.25	0.50	7	27.18	WACOAL	45.50	(0.25)	1	45.50	SSTPF	-	-	-	-
TFI	0.36	(0.01)	848	0.36	Transportation & Log	-	-	-	-	SSTRT	6.35	-	307	6.35
THIP	37.00	-	48	36.92	AAV	5.75	(0.10)	128,080	5.76	TIF1	8.60	(0.10)	13	8.59
TMD	21.10	-	72	21.00	AOT	69.00	0.25	119,944	68.79	TLGF	19.20	0.10	3,424	19.10
TOPP	-	-	-	-	ASIMAR	2.84	(0.02)	6,072	2.84	TLHPF	-	-	-	-
TPBI	10.50	(0.10)	537	10.44	B	0.74	0.01	4,428	0.74	TNPF	-	-	-	-
TPP	-	-	-	-	BA	15.00	0.10	45,674	15.16	TPRIME	11.90	0.10	420	11.90
Personal Products &					BEM	8.00	0.15	461,489	7.93	TREIT	11.30	-	64,777	11.30
APCO	5.75	-	1,800	5.66	BTS	9.55	0.10	433,223	9.51	TTLPF	24.90	0.10	46	24.74
DDD	70.00	(3.00)	16,091	70.43	BTSGIF	12.50	-	20,457	12.49	TU-PF	-	-	-	-
JCT	90.25	(2.75)	3	90.67	IH	5.40	(0.10)	9,942	5.36	URBNPF	5.40	(0.20)	36	5.40
OCC	17.10	-	7	17.07	JUTHA	1.99	0.01	14	1.99	WHABT	-	-	-	-
S & J	23.80	0.10	2	23.80	JWD	8.25	0.10	69,470	8.33	WHART	10.40	-	6,695	10.40
STHAI	-	-	-	-	KWC	-	-	-	-	Steel	-	-	-	-
TNR	15.00	(0.40)	262	15.00	NOK	2.94	(0.04)	4,502	2.97	AMC	2.80	0.04	940	2.78
TOG	5.00	0.10	7,830	4.93	NYT	5.80	(0.05)	5,627	5.80	BSBM	1.19	(0.01)	707	1.19
Professional Service					PRM	8.55	(0.15)	41,669	8.60	CEN	1.37	(0.01)	1,292	1.37
BWG	1.25	0.01	180,645	1.25	PSL	12.20	(0.10)	23,915	12.22	CITY	2.78	0.02	279	2.76
GENCO	0.88	(0.01)	3,822	0.88	RCL	6.05	(0.10)	8,507	6.11	CSP	1.52	-	7,641	1.52
PRO	-	-	-	-	THAI	15.50	(0.30)	45,598	15.67	GJS	0.37	(0.01)	278,435	0.36
Property Developme					TSTE	7.40	(0.10)	24	7.40	GSTEL	-	-	-	-
A	6.70	-	1,075	6.70	TTA	7.70	(0.10)	34,670	7.67	INOX	1.18	(0.01)	4,910	1.19
AMATA	22.70	(0.50)	143,520	22.82	WICE	4.16	(0.20)	65,435	4.23	LHK	5.05	(0.05)	1,781	5.09
AMATAV	7.20	(0.10)	1,701	7.23	Automotive	-	-	-	-	MAX	0.02	(0.01)	194,804	0.02
ANAN	4.22	(0.02)	124,712	4.25	AH	38.00	(1.00)	16,311	38.17	MCS	8.30	(0.10)	12,287	8.32
AP	9.00	(0.10)	42,726	8.99	APCS	6.10	(0.10)	1,321	6.14	MILL	1.55	0.07	3,311	1.54
APEX	0.21	-	43,777	0.21	BAT-3K	-	-	-	-	PAP	4.38	(0.02)	2,286	4.38
AQ	0.03	(0.01)	502,797	0.04	CWT	3.82	(0.12)	20,238	3.87	PERM	2.64	(0.02)	2,448	2.63
BLAND	1.97	0.01	1,042,682	1.96	EASON	3.44	(0.04)	800	3.42	RICH	-	-	-</	

Main Board Quotation

Issue Date :

Thursday May 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	UWC	0.08	-	187,374	-	ADVA11P1807A	0.32	0.02	12,100	-
ABICO	6.80	(0.05)	1,004	6.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.16	-	29,797	-
AU	11.70	-	11,476	11.00	ADAM	-	-	-	-	ADVA13C1811A	0.70	(0.03)	88,141	-
FC	0.46	(0.02)	61,063	-	AKP	1.82	(0.03)	3,498	1.00	ADVA13P1809A	0.44	-	30,743	-
JCKH	1.44	(0.05)	15,792	1.00	AMA	7.15	(0.10)	2,736	7.00	ADVA16C1812A	-	-	-	-
KASET	2.36	(0.04)	113	2.00	ARIP	0.56	(0.01)	1,908	-	ADVA18C1808A	0.61	(0.04)	4,854	-
MM	4.30	0.02	706	4.00	ATP30	1.78	(0.03)	26,771	1.00	ADVA23C1806A	0.32	(0.04)	22,200	-
SUN	3.94	(0.06)	11,674	3.00	AUCT	5.75	(0.10)	3,819	5.00	ADVA24C1810A	0.55	(0.03)	8,005	-
TACC	4.56	(0.06)	1,638	4.00	BOL	1.98	(0.02)	410	1.00	ADVA24P1810A	-	-	-	-
TMILL	3.20	(0.08)	2,555	3.00	CHUO	-	-	-	-	ADVA27P1805A	-	-	-	-
XO	8.50	(0.15)	24,737	8.00	CMO	1.56	(0.01)	3,392	1.00	ADVA28C1808A	0.11	(0.01)	54,401	-
Consumer Products	-	-	-	-	D	10.20	(0.10)	5,903	10.00	AMAT01C1806A	0.11	(0.02)	5,299	-
BGT	1.11	(0.02)	2,299	1.00	DCORP	2.42	(0.08)	2,372	2.00	AMAT01C1810A	1.12	(0.07)	48,446	1.00
BIZ	3.14	(0.02)	749	3.00	DNA	0.49	(0.02)	138,392	-	AMAT01C1810B	1.09	(0.06)	43,600	1.00
ECF	6.95	-	30,622	6.00	EFORL	0.08	-	502,697	-	AMAT01P1806A	0.49	0.03	33,144	-
HPT	1.22	0.07	263,623	1.00	ETE	2.28	(0.06)	5,111	2.00	AMAT06C1809A	0.31	(0.02)	610	-
JUBILE	24.60	-	718	24.00	FSMART	9.25	-	23,807	9.00	AMAT08C1807A	0.02	-	2,300	-
MOONG	6.25	(0.35)	17,289	6.00	FVC	1.66	(0.03)	5,389	1.00	AMAT08C1809A	0.40	(0.05)	33,166	-
NPK	26.75	-	1	26.00	HARN	2.70	-	2,512	2.00	AMAT11C1805A	0.88	(0.09)	11,648	-
OCEAN	0.89	(0.02)	17,579	-	JKN	10.70	(0.70)	32,460	10.00	AMAT11C1903A	0.64	(0.04)	25,984	-
TM	2.12	(0.08)	8,109	2.00	KIAT	0.46	(0.01)	8,279	-	AMAT13C1805A	-	-	-	-
Financials (MAI)	-	-	-	-	KOOL	2.00	-	9,442	2.00	AMAT13C1806A	0.01	-	200	-
ACAP	8.05	(0.35)	4,346	8.00	LDC	1.20	-	872	1.00	AMAT13C1809A	0.40	(0.03)	158,146	-
AF	0.89	(0.03)	2,669	-	MPG	0.27	-	9,837	-	AMAT23C1810A	0.56	(0.04)	25,453	-
AIRA	2.10	0.02	1,537	2.00	NBC	0.93	0.21	53,820	-	AMAT24C1805A	-	-	-	-
ASN	-	-	-	-	NCL	1.48	-	1,520	1.00	AMAT24C1807A	-	-	-	-
BROOK	0.60	-	71,226	-	NEWS	0.01	-	216,731	-	AMAT24C1811A	-	-	-	-
CHAYO	2.96	(0.08)	50,783	2.00	NINE	1.59	0.21	202,468	1.00	AMAT28C1806A	0.01	-	10,480	-
GCAP	5.25	(0.20)	10,165	5.00	OTO	3.18	-	559	3.00	AMAT28C1808A	0.34	(0.05)	149,356	-
LIT	9.20	(0.10)	3,262	9.00	PHOL	2.32	0.04	1,600	2.00	AMAT42C1806A	0.77	(0.07)	5,329	-
SGF	0.14	-	317,581	-	PICO	6.85	(0.10)	29	6.00	ANAN01C1807A	0.05	0.01	12,121	-
Industrials (MAI)	-	-	-	-	PORT	7.25	(0.10)	10,565	7.00	ANAN01C1810A	0.64	(0.02)	25,550	-
2S	3.60	(0.04)	2,603	3.00	QLT	5.00	(0.05)	572	5.00	ANAN01C1810B	0.51	(0.01)	25,734	-
ADB	1.32	(0.01)	37,030	1.00	RP	3.92	-	613	3.00	ANAN08C1808A	0.02	-	11,182	-
BM	3.74	-	10,644	3.00	SE	2.38	-	1,239	2.00	ANAN08C1810A	0.56	(0.01)	29,098	-
CHO	1.43	-	12,069	1.00	SPA	16.60	0.20	4,403	16.00	ANAN23C1806A	-	-	-	-
CHOW	5.40	(0.05)	1,783	5.00	THMUJ	1.58	(0.01)	1,272	1.00	ANAN24C1807A	-	-	-	-
CIG	0.38	0.01	5,632	-	TNDT	4.98	(0.02)	694	4.00	ANAN24C1811A	0.48	(0.02)	11,950	-
COLOR	1.13	-	657	1.00	TNH	41.25	(0.50)	385	41.00	ANAN28C1806A	0.01	-	4	-
CPR	5.25	(0.15)	1,499	5.00	TNP	2.10	(0.06)	7,207	2.00	ANAN28C1809A	0.34	(0.01)	62,815	-
FPI	3.16	(0.06)	5,870	3.00	TSF	0.06	-	47,223	-	AOT01C1808A	0.48	(0.01)	109,601	-
GTB	0.86	(0.01)	2,797	-	TVD	1.65	(0.04)	1,104	1.00	AOT01C1808B	0.13	-	128,614	-
KCM	1.25	0.03	33,945	1.00	TVT	1.16	0.03	194,150	1.00	AOT01C1810A	0.54	(0.01)	87,499	-
LVT	-	-	-	-	WINNER	3.32	(0.04)	2,818	3.00	AOT01P1808A	0.75	-	50,848	-
MBAX	4.12	-	456	4.00	Technology (MAI)	-	-	-	-	AOT01P1808B	0.30	(0.01)	23,813	-
MGT	2.30	(0.02)	522	2.00	COMAN	4.76	(0.14)	1,224	4.00	AOT06C1806A	1.62	-	9,305	1.00
NDR	2.24	0.04	2,060	2.00	ICN	2.58	(0.06)	10,209	2.00	AOT06C1809A	0.26	(0.01)	4,801	-
PDG	3.70	(0.04)	2,224	3.00	IRCP	1.59	(0.01)	869	1.00	AOT08C1806A	0.40	(0.03)	1,165	-
PIMO	2.74	(0.06)	10,762	2.00	ITEL	3.92	(0.02)	3,309	3.00	AOT08C1807A	0.10	-	58,698	-
PJW	1.79	0.02	2,559	1.00	NETBAY	41.50	-	11,931	41.00	AOT11C1808A	0.73	-	22,049	-
PPM	2.54	(0.02)	70	2.00	PLANET	2.04	0.02	148	2.00	AOT11P1808A	0.07	(0.01)	9,170	-
RWI	1.57	(0.02)	13,495	1.00	SIMAT	2.86	(0.06)	9,584	2.00	AOT13C1805A	-	-	-	-
SALEE	1.12	-	299	1.00	SKY	16.50	-	3,106	16.00	AOT13C1806A	0.04	(0.01)	33,645	-
SANKO	1.36	(0.03)	5,250	1.00	SPVI	1.41	(0.03)	7,697	1.00	AOT13C1807A	0.04	-	7,703	-
SELIC	1.77	(0.05)	715	1.00	UPA	-	-	-	-	AOT13C1809A	0.26	0.01	55,491	-
SWC	22.60	(0.10)	124	22.00	VCOM	3.10	(0.02)	1,081	3.00	AOT13P1806A	-	-	-	-
TAPAC	12.00	(0.10)	12,445	11.00	Unit Trust	-	-	-	-	AOT13P1810A	0.50	(0.01)	22,834	-
TMC	0.98	0.01	5,033	-	MGE	-	-	-	-	AOT19C1809A	0.39	(0.01)	43,501	-
TMI	0.84	-	3,574	-	SCBSET	-	-	-	-	AOT23C1807A	0.55	(0.02)	14,130	-
TMW	66.75	0.75	256	66.00	ETF	-	-	-	-	AOT23P1807A	0.02	-	101	-
TPAC	13.40	(0.10)	8,189	13.00	1DIV	12.21	(0.20)	964	12.00	AOT24C1806A	0.19	(0.03)	2,000	-
UAC	5.05	(0.05)	1,538	5.00	ABFTH	-	-	-	-	AOT24C1807A	-	-	-	-
UBIS	5.00	-	96	5.00	BMSCG	9.43	(0.05)	855	9.00	AOT24P1809A	-	-	-	-
UEC	1.74	(0.02)	1,098	1.00	BMSCITH	13.40	(0.23)	20,491	13.00	AOT28C1807A	0.06	(0.01)	590	-
UKEM	0.96	0.01	117,069	-	BSET100	11.07	(0.16)	6,046	11.00	AOT28C1809A	0.28	-	178,249	-
UREKA	0.51	(0.01)	27,496	-	CHINA	6.14	(0.08)	1,225	6.00	AOT28P1806A	0.10	-	1	-
YUASA	17.50	(0.30)	892	17.00	EBANK	-	-	-	-	AP01C1809A	0.54	(0.03)	2,904	-
ZIGA	2.56	(0.02)	9,522	2.00	ECOMM	8.86	(0.07)	86	8.00	AP01C1809B	0.35	(0.04)	3,902	-
Property & Construc	-	-	-	-	EFOOD	-	-	-	-	AP08C1810A	0.50	(0.03)	13,513	-
ARROW	11.10	0.10	1,813	11.00	EICT	4.83	-	7	4.00	AP23C1805A	-	-	-	-
BKD	3.30	-	13,648	3.00	ENGY	6.53	(0.15)	123	6.00	AP24C1805A	-	-	-	-
BSM	0.74	-	10,530	-	ENY	-	-	-	-	AP24C1901A	-	-	-	-
BTW	1.78	(0.02)	1,629	1.00	ESET50	6.00	(0.04)	52	6.00	BA01C1805A	0.01	-	12,560	-
CHEWA	1.09	0.01	55,600	1.00	GLD	1.77	-	485	1.00	BA01P1805A	0.73	(0.01)	26,102	-
CRD	1.20	(0.01)	23,852	1.00	TDEX	11.24	(0.17)	6,143	11.00	BA11C1902A	0.26	0.02	21,110	-
DIMET	1.25	-	2,543	1.00	TGOLDEF	3.90	-	11	3.00	BA23C1806A	0.01	-	1	-
FLOYD	2.42	(0.04)	5,612	2.00	TH100	5.11	(0.06)	138	5.00	BA24C1810A	0.61	-	4,400	-
FOCUS	1.00	(0.01)	935	1.00	Warrant Foreign	-	-	-	-	BA24C1901A	0.27	0.02	6,900	-
HYDRO	1.67	0.01	29,961	1.00	AAV01C1808A	0.26	(0.01)	9,988	-	BA28C1809A	0.10	0.01	45,473	-
JSP	0.71	-	22,426	-	AAV01C1808B	0.11	(0.01)	14,735	-	BA42C1806A	-	-	-	-
K	3.28	0.02	3,323	3.00	AAV01P1808A	0.32	0.01	4,892	-	BANP01C1806A	0.67	(0.16)	249,522	-
META	2.18	-	279,490											

Main Board Quotation

Issue Date :

Thursday May 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP28C1806A	-	-	-	-	BEC08C1805A	-	-	-	-	CBG01P1806A	2.80	0.02	24,580	2.00
BANP28C1807A	0.06	(0.06)	56,252	-	BEC08C1807A	-	-	-	-	CBG06C1807A	0.47	(0.01)	10,450	-
BANP28C1809A	0.05	(0.01)	370	-	BEC08C1809A	0.05	(0.02)	800	-	CBG06C1809A	-	-	-	-
BANP28C1810A	0.39	(0.10)	372,653	-	BEC13C1805A	-	-	-	-	CBG06P1809A	1.17	0.04	9,310	1.00
BBL06C1806A	0.03	(0.01)	100	-	BEC13C1806A	-	-	-	-	CBG07C1806A	-	-	-	-
BBL08C1805A	-	-	-	-	BEC13C1808A	0.05	(0.01)	11,016	-	CBG08C1805A	-	-	-	-
BBL08C1808A	0.11	(0.01)	6,054	-	BEC13C1811A	0.62	(0.08)	32,750	-	CBG08C1805B	-	-	-	-
BBL08C1809A	0.15	(0.01)	30,384	-	BEC19C1809A	0.06	(0.01)	9,708	-	CBG08C1808A	0.01	(0.01)	10,815	-
BBL08P1810A	0.47	0.02	46,448	-	BEC23C1807A	-	-	-	-	CBG08C1810A	0.19	-	77,512	-
BBL11C1805A	1.05	(0.04)	9,500	1.00	BEC23C1809A	0.09	(0.01)	10,071	-	CBG11C1902A	0.29	(0.01)	18,200	-
BBL11C1903A	0.55	(0.02)	8,103	-	BEC24C1809A	0.07	(0.03)	5,906	-	CBG13C1806A	0.01	-	338,177	-
BBL11P1805A	-	-	-	-	BEC28C1806A	-	-	-	-	CBG13C1808A	0.04	-	6,200	-
BBL11P1903A	0.76	0.03	17,170	-	BEC28C1808A	-	-	-	-	CBG13C1809A	0.11	-	25,511	-
BBL13C1807A	0.10	(0.01)	18,095	-	BEC28C1809A	0.02	-	12	-	CBG13C1811A	0.40	(0.01)	84,770	-
BBL13C1810A	0.58	(0.04)	39,160	-	BEM01C1808A	0.41	0.01	31,892	-	CBG13P1806A	-	-	-	-
BBL23C1811A	0.27	(0.01)	18,600	-	BEM01C1808B	0.17	0.01	17,548	-	CBG18C1808A	-	-	-	-
BBL24C1809A	-	-	-	-	BEM01P1808A	0.29	-	13,716	-	CBG19C1810A	0.25	-	25,567	-
BBL24P1810A	0.38	0.02	100	-	BEM08C1809A	0.30	0.02	43,656	-	CBG23C1806A	-	-	-	-
BBL27C1809A	0.19	-	10,600	-	BEM11C1805A	0.15	0.02	2,800	-	CBG23C1901A	0.29	(0.01)	15,000	-
BBL28C1808A	0.07	-	4,000	-	BEM11C1903A	0.29	0.03	6,840	-	CBG24C1807A	-	-	-	-
BBL28C1811A	0.53	(0.02)	176,400	-	BEM13C1806A	-	-	-	-	CBG24C1809A	-	-	-	-
BCH01C1808A	0.46	0.03	65,591	-	BEM13C1809A	0.31	0.03	27,152	-	CBG28C1808A	0.01	(0.01)	3,000	-
BCH01C1808B	0.23	0.02	60,924	-	BEM23C1805A	-	-	-	-	CBG28C1808B	-	-	-	-
BCH01P1808A	0.36	(0.01)	8,207	-	BEM24C1809A	-	-	-	-	CBG42C1806A	-	-	-	-
BCH06C1806A	0.75	0.03	33,444	-	BEM28C1807A	0.08	(0.01)	31,300	-	CENT01C1805A	0.12	(0.01)	35,656	-
BCH06C1811A	0.28	(0.72)	9,956	-	BEM28C1808A	0.25	-	142,689	-	CENT01C1810A	0.45	(0.02)	17,641	-
BCH08C1806A	0.08	0.01	6,400	-	BEM42C1806A	0.20	0.02	12,454	-	CENT01C1810B	0.31	(0.02)	29,587	-
BCH11C1807A	0.22	-	13,100	-	BEM42P1806A	0.40	(0.02)	210	-	CENT01P1805A	0.56	0.04	35,623	-
BCH13C1805A	-	-	-	-	BH01C1806A	0.66	0.05	112,254	-	CENT01P1810A	0.98	0.04	13,779	-
BCH13C1810A	0.18	-	64,858	-	BH01C1806B	0.12	0.01	44,095	-	CENT08C1809A	0.14	-	17,373	-
BCH19C1809A	0.20	-	15,154	-	BH01P1806A	0.76	(0.07)	94,269	-	CENT11C1806A	0.36	(0.06)	104,315	-
BCH23C1811A	0.35	0.01	24,070	-	BH07C1810A	0.09	-	2,324	-	CENT13C1811A	0.20	(0.01)	33,144	-
BCH24C1805A	-	-	-	-	BH08C1811A	0.14	0.01	72,342	-	CENT23C1806A	0.08	(0.01)	17,214	-
BCH24C1811A	0.21	-	1,010	-	BH11C1902A	0.15	0.01	16,029	-	CENT24C1807A	-	-	-	-
BCH28C1807A	0.09	0.01	58,858	-	BH23C1805A	0.01	-	1	-	CENT24C1810A	0.19	-	300	-
BCH42C1806A	0.44	0.03	5,452	-	BH24C1806A	-	-	-	-	CENT28C1808A	0.08	-	59,080	-
BCP01C1805A	0.10	(0.01)	100	-	BH24C1809A	0.30	0.01	17,000	-	CHG01C1809A	0.48	0.03	120,103	-
BCP01C1810A	-	-	-	-	BH24C1811A	0.12	-	500	-	CHG01C1809B	0.85	0.03	33,517	-
BCP01C1810B	0.20	-	500	-	BIG08C1807A	0.02	-	5,241	-	CHG01P1809A	0.24	(0.02)	32,620	-
BCP01P1805A	0.36	-	2	-	BIG13C1808A	0.07	0.01	35,707	-	CHG08C1807A	0.13	-	6,332	-
BCP01P1810A	0.47	-	1,317	-	BIG23C1805A	-	-	-	-	CHG11C1807A	0.06	0.01	10,122	-
BCP07C1806A	-	-	-	-	BIG24C1808A	0.04	0.01	3,000	-	CHG13C1805A	-	-	-	-
BCP08C1806A	-	-	-	-	BIG28C1807A	0.02	-	8	-	CHG13C1807A	0.18	0.02	128,528	-
BCP11C1811A	0.18	-	36	-	BJCO1C1807A	0.39	(0.04)	76,097	-	CHG13C1809A	0.82	0.03	30,726	-
BCP13C1805A	-	-	-	-	BJCO1C1807B	0.13	(0.03)	16,929	-	CHG23C1811A	1.02	0.04	15,000	1.00
BCP13C1810A	0.12	(0.01)	690	-	BJCO1P1807A	0.74	0.05	43,096	-	CHG24C1808A	0.08	0.01	800	-
BCP23C1805A	-	-	-	-	BJCO6C1807A	0.18	-	60	-	CHG24C1811A	0.26	-	222,700	-
BCP24C1808A	0.02	(0.01)	2,000	-	BJCO7C1809A	0.14	(0.03)	1,598	-	CHG28C1806A	-	-	-	-
BCP28C1807A	-	-	-	-	BJCO8C1807A	0.05	(0.03)	4,222	-	CHG28C1807A	0.20	0.02	139,699	-
BCP28C1809A	-	-	-	-	BJCO8C1809A	0.22	(0.03)	56,608	-	CHG28C1808A	0.70	0.04	30,446	-
BCP28C1809B	-	-	-	-	BJCI1C1807A	0.50	(0.06)	12,260	-	CK01C1809A	0.27	(0.02)	173,293	-
BCPG01C1806A	-	-	-	-	BJCI3C1805A	-	-	-	-	CK01C1809B	0.57	(0.05)	46,138	-
BCPG01C1806B	-	-	-	-	BJCI3C1807A	0.04	(0.01)	55	-	CK01P1809A	0.32	0.01	23,510	-
BCPG06C1807A	-	-	-	-	BJCI3C1808A	0.20	(0.04)	49,556	-	CK08C1805A	-	-	-	-
BCPG06C1811A	0.46	(0.54)	30,724	-	BJCI3C1810A	0.37	(0.04)	53,101	-	CK08C1809A	0.44	-	1,637	-
BCPG07C1806A	-	-	-	-	BJCI9C1809A	0.36	(0.03)	22,849	-	CK11C1806A	0.05	(0.01)	400	-
BCPG08C1805A	-	-	-	-	BJC23C1806A	0.17	(0.03)	14,660	-	CK13C1806A	-	-	-	-
BCPG08C1806A	0.01	-	130	-	BJC24C1808A	0.20	(0.04)	64,500	-	CK13C1809A	0.17	-	106,599	-
BCPG08C1810A	0.41	(0.08)	191,988	-	BJC27C1807A	0.19	(0.03)	12,296	-	CK16C1812A	0.23	(0.02)	3,220	-
BCPG11C1807A	0.74	(0.09)	34,799	-	BJC28C1808A	0.22	(0.03)	86,078	-	CK23C1808A	0.04	(0.01)	490	-
BCPG11C1902A	0.28	(0.03)	41,706	-	BLA01C1812A	0.35	-	14,570	-	CK24C1806A	-	-	-	-
BCPG13C1806A	-	-	-	-	BLA07C1806A	-	-	-	-	CK24C1808A	-	-	-	-
BCPG13C1807A	0.01	-	2,000	-	BLA08C1811A	0.15	-	7,741	-	CK28C1806A	0.01	(0.01)	600	-
BCPG13C1810A	0.39	(0.07)	299,273	-	BLA13C1809A	-	-	-	-	CK28C1809A	0.55	(0.03)	64,952	-
BCPG23C1806A	0.33	(0.06)	6,646	-	BLA23C1806A	-	-	-	-	CKP1C1807A	0.47	(0.03)	10,990	-
BCPG24C1806A	-	-	-	-	BLA27C1806A	-	-	-	-	CKP13C1810A	0.40	(0.04)	39,192	-
BCPG24C1807A	-	-	-	-	BLA28C1810A	0.11	-	19,684	-	CKP23C1810A	0.45	(0.04)	13,500	-
BCPG24C1810A	0.49	-	7,000	-	BLAN01C1809A	0.65	(0.01)	42,719	-	CKP24C1811A	-	-	-	-
BCPG28C1806A	0.01	-	6,100	-	BLAN01C1809B	0.31	(0.01)	24,739	-	CKP27C1806A	-	-	-	-
BCPG28C1808A	0.09	(0.03)	164,956	-	BLAN01P1809A	0.15	(0.01)	1,240	-	CKP28C1809A	0.21	(0.02)	58,823	-
BCPG28C1809A	0.38	(0.07)	299,560	-	BLAN08C1810A	0.33	(0.02)	49,234	-	CKP28C1809B	0.47	(0.03)	6,630	-
BDM501C1806A	1.06	0.03	37,484	1.00	BLAN11C1902A	0.32	(0.01)	25,568	-	CKP42C1806A	0.21	(0.03)	5,686	-
BDM501C1806B	0.83	0.06	17,048	-	BLAN23C1807A	0.08	0.01	4,802	-	COM701C1806A	0.63	(0.04)	98,605	-
BDM501P1806A	0.05	(0.01)	34,172	-	BPP01C1806A	0.17	(0.03)	62,210	-	COM701C1806B	0.33	(0.05)	101,427	-
BDM506C1811A	-	-	-	-	BPP01C1806B	-	-	-	-	COM706C1809A	0.35	(0.04)	25,023	-
BDM508C1807A	-	-	-	-	BPP06C1809A	-	-	-	-	COM708C1805A	-	-	-	-
BDM511C1811A	1.12	0.05	4,535	1.00	BPP07C1806A	-	-	-	-	COM708C1811A	0.25	(0.02)	111,697	-
BDM513C1807A	-	-	-	-	BPP08C1807A	-	-	-	-	COM711C1811A	0.47	(0.02)	80,580	-
BDM513C1810A	0.67	0.05	15,183	-	BPP08C1810A	0.45	(0.07)	210	-	COM713C1809A	0.20	(0.02)	123,016	-
BDM513C1812A	0.22	0.02	106,714	-	BPP11C1807A	-	-	-	-	COM723C1806A	0.66	(0.05)	34,852	-
BDM516C1812A	1.05	0.03	23	1.00	BPP13C1805A	-	-	-	-	COM724C1806A	0.09	(0.03)	12,071	-
BDM523C1810A	0.67	(0.04)	12,163	-	BPP13C1806A	0.01	(0.01)	341	-	COM728C1806A	0.04	(0.01)	700	-
BDM524C1805A	-	-	-	-	BPP13C1808A	0.50	(0.09)	17,651	-	COM728C1808A	0.06	(0.01)	40,905	-
BDM524C1811A	-	-	-	-	BPP13C1811A	0.15	(0.03)	33,220	-	CPAL01C1806A	0.60	(0.04)	206,422	-
BDM528C1806A	0.53	0.09	1,220	-	BPP23C1806A	-	-	-	-	CPAL01C1808A	0.72	(0.04)	138,269	-
BEAU01C1807A	0.38	(0.05)	123,183	-	BPP24C1809A	0.32	(0.06)	6,650	-	CPAL01C1808B	0.30	(0.02)	161,386	-
BEAU01C1807B	0.16	(0.03)	99,052	-	BPP28C1807A	-	-	-	-	CPAL01P1806A	0.39	0.02	61,175	-
BEAU01P1807A	0.86	0.05	329,481	-	BPP28C1808A	0.40	(0.05)	80,440	-	CPAL01P1808A	0.76	0.02	60,822	-
BEAU06C1809A	0.25	(0.04)	7,852	-	B									

Main Board Quotation

Issue Date :

Thursday May 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL42P1805A	-	-	-	-	EPG11C1805A	-	-	-	-	INTU01C1809B	0.15	(0.01)	25,668	-
CPF01C1809A	0.75	(0.04)	61,120	-	EPG11C1903A	0.35	-	5,000	-	INTU01P1809A	0.50	-	18,464	-
CPF01C1809B	0.17	(0.04)	34,776	-	EPG13C1808A	0.05	-	2,000	-	INTU01P1809B	0.32	-	12,984	-
CPF01C1810A	0.22	(0.01)	13,791	-	EPG13C1811A	0.27	(0.01)	14,850	-	INTU11C1807A	0.11	(0.02)	20,624	-
CPF01P1809A	0.48	0.03	72,073	-	EPG23C1808A	-	-	-	-	INTU11P1807A	0.40	(0.01)	13,728	-
CPF06C1809A	0.51	(0.04)	28,192	-	EPG24C1807A	-	-	-	-	INTU13C1806A	0.01	(0.01)	1,500	-
CPF07C1810A	-	-	-	-	EPG24C1808A	-	-	-	-	INTU13C1810A	0.24	(0.02)	70,858	-
CPF08C1805A	-	-	-	-	EPG24C1810A	0.43	(0.02)	3,296	-	INTU23C1806A	0.07	(0.01)	2,000	-
CPF08C1809A	0.39	(0.05)	53,532	-	EPG28C1808A	0.06	(0.01)	130	-	INTU24C1807A	-	-	-	-
CPF11C1902A	0.11	(0.01)	10,048	-	ESS001C1807A	0.13	(0.01)	52,291	-	INTU28C1809A	0.20	(0.01)	233,700	-
CPF11P1902A	0.39	0.02	26,658	-	ESS001C1807B	0.03	(0.01)	6,560	-	IRPC01C1808A	0.23	(0.03)	39,135	-
CPF13C1809A	0.47	(0.03)	50,996	-	ESS001P1807A	1.15	0.05	4,716	1.00	IRPC01C1810A	0.23	(0.02)	20,596	-
CPF13C1810A	0.14	(0.01)	20,561	-	ESS008C1807A	0.08	-	6,690	-	IRPC01C1810B	0.11	(0.01)	501	-
CPF23C1810A	0.45	(0.02)	31,708	-	ESSO13C1807A	0.07	(0.01)	5,219	-	IRPC01P1808A	0.44	0.03	18,751	-
CPF24C1805A	-	-	-	-	ESSO13C1811A	0.35	(0.03)	94,067	-	IRPC01P1810A	0.38	0.02	26,252	-
CPF24C1809A	0.30	(0.01)	300	-	ESSO23C1809A	0.11	(0.02)	5,562	-	IRPC01P1810B	0.23	0.01	15,082	-
CPF28C1806A	-	-	-	-	ESSO24C1806A	-	-	-	-	IRPC08C1808A	0.10	(0.02)	19,718	-
CPF28C1808A	0.37	(0.03)	267,422	-	ESSO28C1807A	0.03	-	3,139	-	IRPC11C1902A	0.11	(0.02)	14,806	-
CPF42C1805A	-	-	-	-	GFPT01C1807A	0.13	-	8,227	-	IRPC13C1806A	0.09	(0.02)	21,886	-
CPN01C1805A	0.06	(0.05)	6,456	-	GFPT08C1807A	-	-	-	-	IRPC13C1808A	0.04	-	505	-
CPN01C1808A	0.41	(0.08)	41,186	-	GFPT11C1806A	-	-	-	-	IRPC13C1811A	0.25	(0.02)	34,846	-
CPN01C1808B	0.14	(0.03)	35,497	-	GFPT23C1806A	-	-	-	-	IRPC23C1810A	0.14	(0.02)	12,100	-
CPN01P1805A	0.92	0.11	22,895	-	GFPT24C1806A	-	-	-	-	IRPC24C1805A	-	-	-	-
CPN06C1811A	0.55	(0.45)	9,862	-	GFPT24C1812A	0.31	0.01	5,500	-	IRPC24C1808A	-	-	-	-
CPN08C1809A	0.14	(0.03)	10,294	-	GGC01C1810A	0.48	-	67,150	-	IRPC24C1809A	0.09	(0.02)	6,000	-
CPN11C1805A	0.09	(0.07)	13,270	-	GGC01C1810B	0.40	0.01	81,618	-	IRPC27C1809A	0.14	(0.02)	6,564	-
CPN11C1903A	0.39	(0.05)	25,136	-	GLO6C1805A	0.01	-	16,444	-	IRPC28C1807A	0.05	(0.02)	24,240	-
CPN11P1805A	-	-	-	-	GLOB01C1809A	0.43	(0.04)	25,391	-	ITD01C1808A	0.14	(0.02)	152,819	-
CPN11P1903A	0.68	0.05	15,799	-	GLOB01C1809B	0.29	(0.04)	38,782	-	ITD01C1808B	0.04	(0.01)	15,000	-
CPN13C1807A	0.11	(0.02)	3,799	-	GLOB06C1809A	0.28	(0.05)	25,000	-	ITD01P1808A	0.73	0.02	13,233	-
CPN23C1810A	0.35	(0.05)	7,000	-	GLOB08C1807A	0.13	(0.03)	39,276	-	ITD08C1806A	-	-	-	-
CPN24C1806A	-	-	-	-	GLOB11C1808A	0.23	(0.04)	12,016	-	ITD08C1810A	0.37	(0.02)	36,874	-
CPN28C1807A	0.03	(0.01)	8,000	-	GLOB13C1807A	0.04	(0.01)	1,000	-	ITD11C1805A	-	-	-	-
CPN42C1805A	-	-	-	-	GLOB23C1811A	0.45	(0.04)	12,150	-	ITD11C1903A	0.40	(0.02)	26,883	-
DELTO1C1805A	-	-	-	-	GLOB24C1805A	-	-	-	-	ITD13C1809A	0.15	(0.01)	31,778	-
DELT08C1811A	0.23	0.03	15,385	-	GLOB24C1810A	0.22	(0.05)	500	-	ITD23C1808A	-	-	-	-
DELT13C1809A	0.20	0.02	23,337	-	GLOB27C1809A	0.14	(0.03)	12,946	-	ITD24C1807A	-	-	-	-
DELT24C1805A	-	-	-	-	GLOB28C1807A	-	-	-	-	ITD24C1810A	0.24	(0.01)	660	-
DELT27C1812A	0.20	0.01	7,108	-	GLOB28C1808A	0.13	(0.03)	33,752	-	ITD28C1808A	0.10	(0.01)	63,488	-
DTACO1C1808A	0.37	(0.05)	59,447	-	GLOB42C1805A	-	-	-	-	ITD28C1808B	0.23	(0.02)	105,830	-
DTACO1C1808B	0.19	(0.02)	31,200	-	GLOW08C1806A	0.03	-	4,000	-	IVL01C1806A	0.77	(0.05)	101,927	-
DTACO1C1810A	0.56	(0.04)	40,200	-	GLOW08C1811A	0.47	(0.03)	10,911	-	IVL01C1808A	0.60	(0.03)	132,921	-
DTACO1C1810B	0.28	(0.05)	18,494	-	GLOW11C1807A	0.40	(0.02)	9,090	-	IVL01C1808B	0.34	(0.03)	70,291	-
DTACO1P1808A	0.80	0.04	42,728	-	GLOW23C1806A	0.10	(0.01)	3,500	-	IVL01P1806A	0.13	0.01	72,360	-
DTACO1P1810A	1.11	0.05	31,449	1.00	GLOW27C1812A	0.30	(0.01)	6,000	-	IVL01P1808A	0.73	0.04	66,949	-
DTACO1P1810B	0.82	0.07	27,341	-	GLOW42C1805A	-	-	-	-	IVL01P1808B	0.34	0.03	70,976	-
DTACO6C1806A	-	-	-	-	GPSC01C1808A	0.66	-	93,760	-	IVL06C1807A	0.40	(0.05)	25,826	-
DTACO6P1809A	0.45	0.03	950	-	GPSC01C1808B	0.29	(0.03)	98,894	-	IVL07C1811A	0.64	(0.03)	390	-
DTACO7C1809A	-	-	-	-	GPSC01P1808A	1.02	0.02	54,754	1.00	IVL08C1806A	0.45	(0.06)	30,962	-
DTACO8C1809A	0.24	(0.03)	38,752	-	GPSC06C1811A	0.62	(0.38)	5,400	-	IVL08P1809A	0.10	0.01	2,008	-
DTACO8P1807A	0.31	0.03	36,240	-	GPSC08C1805A	0.75	(0.17)	2,000	-	IVL11C1808A	1.05	(0.05)	30,915	1.00
DTAC11C1806A	0.06	(0.02)	3,360	-	GPSC08C1808A	0.20	(0.01)	40,116	-	IVL11P1808A	-	-	-	-
DTAC13C1806A	0.10	(0.03)	10,308	-	GPSC11C1808A	1.26	-	13,510	1.00	IVL13C1806A	0.06	(0.01)	83,574	-
DTAC13C1811A	0.29	(0.03)	63,532	-	GPSC11C1902A	0.52	(0.04)	18,580	-	IVL13C1809A	0.56	(0.07)	11,691	-
DTAC13P1806A	0.08	0.02	6,022	-	GPSC13C1805A	-	-	-	-	IVL13C1810A	0.45	(0.04)	147,512	-
DTAC13P1811A	0.74	0.04	61,017	-	GPSC13C1806A	-	-	-	-	IVL13P1809A	0.14	0.01	6,983	-
DTAC23C1807A	0.02	(0.01)	10	-	GPSC13C1807A	0.32	0.01	112,175	-	IVL19C1809A	0.76	(0.05)	48,668	-
DTAC23P1807A	0.05	0.02	2,001	-	GPSC13C1808A	0.22	0.01	151,005	-	IVL23C1810A	0.77	(0.05)	22,580	-
DTAC24C1809A	0.27	(0.03)	459	-	GPSC23C1805A	2.24	(0.08)	200	2.00	IVL24C1808A	0.38	(0.07)	7,000	-
DTAC27C1809A	0.17	(0.02)	5,041	-	GPSC24C1807A	0.61	0.01	700	-	IVL28C1806A	0.02	(0.01)	10,170	-
DTAC27P1809A	0.24	0.02	8,815	-	GPSC24C1808A	-	-	-	-	IVL28C1807A	0.64	(0.03)	50	-
DTAC28C1806A	-	-	-	-	GPSC28C1806A	-	-	-	-	IVL28C1808A	0.27	(0.04)	253,605	-
DTAC28C1810A	0.20	(0.03)	51,700	-	GPSC28C1807A	0.40	(0.04)	121,732	-	IVL28P1806A	-	-	-	-
DTAC42C1806A	-	-	-	-	GPSC28C1807B	-	-	-	-	IVL28P1806B	-	-	-	-
DTAC42P1806A	0.93	0.07	822	-	GPSC42C1806A	1.34	(0.05)	3,590	1.00	IVL42C1805A	-	-	-	-
EA01C1806A	0.05	-	67,955	-	GUNK01C1808A	0.13	-	27,712	-	KBAN01C1808A	0.18	(0.01)	24,664	-
EA01C1806B	0.02	-	1,483	-	GUNK01C1808B	0.05	0.02	4,536	-	KBAN01C1808B	0.03	(0.01)	13,468	-
EA01C1809A	0.95	0.02	134,882	-	GUNK08C1807A	0.01	-	23,790	-	KBAN01C1810A	0.94	(0.05)	72,242	-
EA01C1809B	0.79	0.02	145,997	-	GUNK11C1805A	-	-	-	-	KBAN01P1808A	1.11	0.04	26,303	1.00
EA01P1806A	2.76	(0.02)	46,106	2.00	GUNK11C1903A	0.31	0.02	26,433	-	KBAN01P1808B	0.68	0.05	28,164	-
EA01P1809A	0.92	(0.02)	35,290	-	GUNK23C1806A	-	-	-	-	KBAN01P1810A	0.73	0.04	80,530	-
EA06C1809A	0.03	0.01	24,672	-	GUNK24C1807A	-	-	-	-	KBAN07C1811A	0.32	-	1	-
EA07C1810A	0.18	0.01	65,726	-	GUNK24C1812A	0.51	0.04	15,849	-	KBAN08C1805A	-	-	-	-
EA08C1807A	0.01	-	201	-	GUNK28C1806A	0.01	-	1,300	-	KBAN08C1811A	0.56	(0.44)	250	-
EA08C1809A	0.05	(0.01)	2,053	-	GUNK28C1808A	0.06	0.01	784	-	KBAN08P1805A	-	-	-	-
EA08C1810A	0.42	0.02	68,891	-	GUNK28C1810A	0.54	0.05	79,977	-	KBAN08P1811A	-	-	-	-
EA11C1902A	0.22	0.02	84,489	-	HANA01C1806A	0.02	-	7,394	-	KBAN13C1807A	0.01	-	1,600	-
EA13C1806A	0.01	-	1	-	HANA01C1806B	0.02	0.01	100	-	KBAN13C1810A	0.18	(0.02)	45,794	-
EA13C1807A	0.01	-	100	-	HANA08C1806A	0.01	-	120	-	KBAN13C1811A	0.76	(0.06)	117,923	-
EA13C1808A	0.03	-	14,521	-	HANA08C1809A	0.21	(0.01)	4,304	-	KBAN23C1806A	-	-	-	-
EA13C1808B	0.27	0.02	546,966	-	HANA13C1806A	0.01	-	100	-	KBAN24C1806A	-	-	-	-
EA13C1809A	0.06	(0.01)	9,470	-	HANA13C1809A	0.25	(0.02)	9,547	-	KBAN24C1902A	-	-	-	-
EA13C1810A	0.16	0.01	564,228	-	HANA23C1811A	0.48	(0.01)	1,020	-	KBAN24P1811A	-	-	-	-
EA13P1809A	0.77	(0.03)	48,562	-	HANA24C1808A	0.05	0.01	40	-	KBAN27C1809A	-	-	-	-
EA23C1806A	0.06	0.01	2,395	-	HANA24C1810A	-	-	-	-	KBAN27P1809A	0.68	0.03	18,812	-
EA24C1805A	-	-	-	-	HANA28C1807A	-	-	-	-	KBAN28C1806A	0.01	-	5,000	-
EA24C1807A	-	-	-	-	HANA28C1808A	0.18	(0.01)	301	-	KBAN28C18				

Main Board Quotation

Issue Date :

Thursday May 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KKP01C1808A	0.23	(0.01)	2,883	-	MEGA27C1807A	0.10	-	12,200	-	PTT06C1811A	0.18	(0.09)	34,359	-
KKP01C1808B	0.05	-	1,700	-	MEGA28C1808A	0.08	(0.02)	46,403	-	PTT07C1811A	0.33	(0.21)	2	-
KKP07C1806A	-	-	-	-	MINT01C1805A	0.01	-	1,000	-	PTT08C1805A	0.30	(0.32)	3,170	-
KKP08C1805A	-	-	-	-	MINT01C1808A	0.06	(0.04)	168,115	-	PTT08C1807A	0.34	(0.18)	6,378	-
KKP08C1811A	-	-	-	-	MINT01C1808B	0.02	-	5,090	-	PTT08C1809A	0.12	(0.06)	178,500	-
KKP11C1805A	-	-	-	-	MINT01P1805A	0.94	0.10	46,436	-	PTT08P1805A	-	-	-	-
KKP11C1903A	0.28	(0.02)	2	-	MINT01P1808A	0.83	0.10	75,002	-	PTT08P1809A	0.55	0.10	69,511	-
KKP13C1807A	-	-	-	-	MINT06C1809A	0.07	(0.08)	8,001	-	PTT11C1806A	2.00	(0.50)	16,695	2.00
KKP13C1811A	0.32	-	511	-	MINT07C1810A	-	-	-	-	PTT11C1902A	0.28	(0.12)	119,292	-
KKP23C1807A	-	-	-	-	MINT08C1809A	0.06	(0.03)	27,480	-	PTT13C1807A	0.30	(0.15)	163,394	-
KKP24C1807A	-	-	-	-	MINT11C1902A	0.13	(0.04)	172,308	-	PTT13C1808A	0.08	(0.06)	1,206,062	-
KKP28C1807A	-	-	-	-	MINT11P1902A	0.43	0.03	40,299	-	PTT13C1810A	0.16	(0.08)	496,847	-
KKP28C1810A	-	-	-	-	MINT13C1805A	-	-	-	-	PTT13P1807A	0.11	0.04	48,582	-
KKP42C1805A	-	-	-	-	MINT13C1810A	0.13	(0.04)	181,938	-	PTT13P1808A	0.59	0.17	485,749	-
KTB01C1808A	0.20	(0.02)	30,064	-	MINT23C1810A	0.10	(0.05)	2,377	-	PTT19C1809A	0.21	(0.10)	187,001	-
KTB01C1810A	0.35	(0.03)	24,138	-	MINT24C1807A	-	-	-	-	PTT23C1805A	0.08	(0.23)	102,270	-
KTB01C1810B	0.25	(0.02)	42,878	-	MINT24C1812A	-	-	-	-	PTT23P1805A	-	-	-	-
KTB01P1808A	0.64	0.02	45,870	-	MINT28C1806A	0.01	-	2,200	-	PTT24C1806A	0.39	(0.26)	11,095	-
KTB08C1809A	0.10	(0.01)	14,026	-	MINT28C1808A	0.06	(0.03)	142,964	-	PTT24C1809A	0.17	(0.11)	20,875	-
KTB11C1811A	0.20	(0.01)	6,120	-	MON00C1810A	0.26	(0.06)	29,348	-	PTT24P1808A	0.05	0.02	7,901	-
KTB13C1809A	0.11	-	14,790	-	MON00C1810B	0.21	(0.06)	40,236	-	PTT27C1809A	0.61	(0.10)	4,532	-
KTB23C1811A	0.26	(0.03)	22,153	-	MON008C1808A	0.01	(0.01)	5,536	-	PTT27P1809A	0.25	0.06	32,000	-
KTB24C1808A	-	-	-	-	MON008C1906A	-	-	-	-	PTT28C1807A	0.22	(0.14)	84,431	-
KTB24P1901A	-	-	-	-	MON013C1808A	0.01	-	601	-	PTT28C1808A	0.11	(0.07)	431,227	-
KTB28C1806A	0.01	-	1,423	-	MON013C1811A	0.23	(0.04)	105,461	-	PTT28C1808B	0.09	(0.01)	3,877	-
KTB28C1809A	0.07	(0.02)	19,000	-	MONO23C1809A	-	-	-	-	PTT28C1811A	0.14	(0.05)	152,936	-
KTB42C1805A	-	-	-	-	MONO24C1807A	-	-	-	-	PTT28P1808A	0.42	0.12	449,812	-
KTB42P1805A	0.63	0.02	438	-	MONO24C1812A	0.09	(0.04)	63,188	-	PTT28P1808B	0.65	0.13	104,918	-
KTC01C1806A	5.20	(0.20)	1,499	5.00	MONO28C1807A	-	-	-	-	PTT42C1805A	-	-	-	-
KTC01C1806B	7.10	(0.35)	2,565	7.00	MONO28C1808A	-	-	-	-	PTTE01C1808A	1.26	(0.11)	132,134	1.00
KTC01C1808A	1.57	(0.11)	105,853	1.00	MTC06C1806A	0.43	(0.02)	13,547	-	PTTE01C1808B	0.87	(0.15)	84,614	-
KTC01C1808B	1.10	(0.14)	98,275	1.00	MTC07C1806A	-	-	-	-	PTTE01P1808A	0.19	0.03	376,774	-
KTC06C1807A	2.20	(0.14)	6,500	2.00	MTC08C1807A	0.06	(0.02)	2,450	-	PTTE06C1811A	0.73	(0.15)	5,624	-
KTC08C1807A	6.65	(0.30)	203	6.00	MTC08C1811A	0.23	(0.78)	20	-	PTTE07C1809A	0.54	(0.12)	786	-
KTC08C1808A	1.62	(0.18)	45	1.00	MTC11C1806A	0.24	(0.03)	6,404	-	PTTE08C1805A	-	-	-	-
KTC11C1902A	1.70	(0.12)	18,325	1.00	MTC13C1805A	-	-	-	-	PTTE08C1807A	1.00	(0.14)	550	1.00
KTC13C1806A	-	-	-	-	MTC13C1809A	0.15	(0.01)	139,884	-	PTTE08C1811A	0.60	(0.09)	158,647	-
KTC13C1807A	-	-	-	-	MTC23C1808A	0.13	(0.01)	11,000	-	PTTE08P1805A	-	-	-	-
KTC13C1808A	1.91	(0.09)	7	1.00	MTC24C1808A	0.03	-	2,100	-	PTTE08P1809A	0.13	0.02	30,225	-
KTC13C1809A	1.15	(0.12)	1,301	1.00	MTC24C1810A	0.29	(0.02)	3,016	-	PTTE08P1811A	-	-	-	-
KTC13C1809B	1.06	(0.12)	104,531	1.00	MTC27C1807A	0.11	(0.01)	3,198	-	PTTE11C1806A	3.58	(0.30)	15,540	3.00
KTC13P1807A	0.12	(0.01)	46,148	-	MTC28C1806A	0.01	-	27,920	-	PTTE11C1902A	0.82	(0.12)	32,918	-
KTC23C1806A	-	-	-	-	MTC28C1808A	0.08	(0.01)	18,130	-	PTTE13C1806A	-	-	-	-
KTC23C1809A	1.80	(0.18)	18,768	1.00	MTC28C1809A	0.35	(0.01)	58,228	-	PTTE13C1807A	0.74	(0.14)	653	-
KTC24C1808A	-	-	-	-	MTC42C1806A	0.25	(0.03)	1,410	-	PTTE13C1811A	0.55	(0.11)	330,053	-
KTC24C1810A	0.95	(0.05)	811	-	OR10C1807A	0.28	(0.01)	31,055	-	PTTE13P1807A	0.03	-	4,155	-
KTC24P1807A	0.18	0.01	38,025	-	OR11C1811A	0.40	-	24,989	-	PTTE13P1811A	0.40	0.05	200,018	-
KTC27C1806A	-	-	-	-	OR11C1806A	0.05	0.01	1,600	-	PTTE23C1805A	0.93	(0.57)	102	1.00
KTC28C1806A	-	-	-	-	OR13C1810A	0.80	0.01	91,649	-	PTTE23P1805A	0.01	-	1	-
KTC28C1806B	-	-	-	-	OR123C1809A	0.34	0.01	8,002	-	PTTE24C1805A	-	-	-	-
KTC28C1808A	-	-	-	-	OR124C1806A	-	-	-	-	PTTE24C1807A	0.65	(0.20)	20,708	-
KTC28C1808B	1.65	(0.07)	84,124	1.00	OR124C1810A	0.60	-	4,000	-	PTTE24P1809A	0.06	0.01	96,739	-
KTC28C1809A	1.18	(0.13)	3,420	1.00	OR128C1806A	-	-	-	-	PTTE27C1809A	-	-	-	-
KTC28C1810A	1.05	(0.09)	110,520	1.00	OR128C1808A	0.33	0.01	75,892	-	PTTE27P1809A	0.12	0.01	7,438	-
LH01C1809A	0.34	0.02	90,402	-	PLAN08C1811A	0.22	(0.01)	55,121	-	PTTE28C1807A	0.84	(0.06)	98	-
LH01C1809B	0.22	0.01	57,901	-	PLAN11C1805A	0.19	(0.05)	20,532	-	PTTE28C1810A	0.49	(0.09)	748,138	-
LH01P1809A	0.22	-	10	-	PLAN13C1809A	0.14	(0.03)	178,770	-	PTTG01C1805A	1.08	(0.14)	69,686	1.00
LH06C1809A	0.26	0.01	5,664	-	PLAN23C1806A	0.02	-	2,349	-	PTTG01C1808A	0.71	(0.12)	146,239	-
LH07C1810A	-	-	-	-	PLAN28C1810A	0.19	(0.02)	133,570	-	PTTG01C1810A	0.72	(0.11)	60,828	-
LH11C1808A	0.22	0.03	8,066	-	PSH01C1805A	0.10	(0.02)	7,760	-	PTTG01C1810B	0.32	(0.10)	33,316	-
LH13C1808A	0.22	-	13,981	-	PSH01C1810A	0.52	(0.02)	84,820	-	PTTG01P1805A	-	-	-	-
LH23C1806A	0.09	-	25,420	-	PSH01C1810B	0.31	(0.01)	11,425	-	PTTG01P1808A	0.72	0.11	87,975	-
LH24C1806A	0.19	(0.03)	52	-	PSH01P1805A	0.63	0.02	31,988	-	PTTG01P1811A	1.18	0.12	44,627	1.00
LH24C1809A	-	-	-	-	PSH01P1810A	0.74	-	11,071	-	PTTG06C1809A	0.42	(0.10)	7,700	-
LH28C1808A	0.14	0.01	46,481	-	PSH08C1805A	-	-	-	-	PTTG07C1806A	0.57	(0.20)	80	-
LHFG42C1806A	-	-	-	-	PSH08C1811A	0.24	-	30,758	-	PTTG08C1805A	0.19	(0.20)	28,204	-
LPN01C1809A	0.13	-	3,120	-	PSH11C1902A	0.40	(0.01)	10,932	-	PTTG08C1811A	-	-	-	-
LPN01C1811A	0.36	(0.01)	5,510	-	PSH23C1811A	0.41	(0.02)	38,309	-	PTTG08P1805A	-	-	-	-
LPN01C1811B	0.25	-	1,890	-	PSH42C1806A	0.10	-	1,666	-	PTTG08P1811A	0.69	(0.32)	100	-
LPN01P1809A	0.60	(0.01)	5,617	-	PSL01C1807A	0.35	(0.03)	27,119	-	PTTG11C1902A	0.47	(0.10)	42,433	-
LPN08C1807A	-	-	-	-	PSL23C1809A	0.15	(0.02)	34,525	-	PTTG13C1805A	-	-	-	-
LPN08C1810A	-	-	-	-	PSL24C1807A	0.26	0.01	4,980	-	PTTG13C1808A	0.28	(0.08)	90,752	-
LPN11C1806A	0.05	-	5,018	-	PTG01C1805A	0.01	-	17,341	-	PTTG23C1805A	0.11	(0.13)	6,200	-
LPN23C1806A	-	-	-	-	PTG01C1806A	0.18	(0.01)	92,468	-	PTTG24C1808A	0.18	(0.06)	25,785	-
LPN24C1808A	-	-	-	-	PTG01C1806B	0.03	-	100	-	PTTG24P1808A	0.10	-	210	-
LPN24C1812A	-	-	-	-	PTG01P1805A	1.29	-	8,138	1.00	PTTG27C1807A	-	-	-	-
LPN27C1807A	-	-	-	-	PTG06C1810A	0.24	0.02	43	-	PTTG27P1807A	0.07	0.01	12,000	-
LPN42C1805A	-	-	-	-	PTG06C1904A	0.79	0.01	8,800	-	PTTG28C1807A	0.04	-	2,817	-
MAJ008C1811A	0.17	-	1,786	-	PTG07C1806A	-	-	-	-	PTTG28C1807B	0.16	(0.08)	123,061	-
MAJ01C1902A	0.21	(0.01)	1,316	-	PTG08C1807A	0.02	-	11,000	-	QH01C1807A	0.34	0.01	14,805	-
MAJ023C1806A	-	-	-	-	PTG11C1805A	-	-	-	-	QH01C1810A	0.42	0.01	13,183	-
MAJ024C1809A	0.10	-	500	-	PTG11C1903A	0.47	(0.01)	10,724	-	QH01C1810B	0.33	0.03	13,814	-
MAJ042C1806A	-	-	-	-	PTG13C1806A	-	-	-	-	QH01P1807A	0.32	(0.01)	10,736	-
MALE01C1812A	-	-	-	-	PTG13C1809A	0.30	-	114,597	-	QH08C1808A	0.22	-	26,800	-
MALE08C1805A	-	-	-	-	PTG23C1808A	0.03	0.01	300	-	QH11C1902A	0.35	0.01	12,923	-
MALE08C1811A	-	-	-	-	PTG24C1805A	-	-	-	-	QH23C1808A	0.31	(0.01)	5	-
MALE13C1805A	-	-	-	-	PTG24C1809A	0.35	(0.02)	1,127	-	QH28C1808A	0.13	(0.01)	14,777	-
MALE13C1809A	-	-	-											

Main Board Quotation

Issue Date :

Thursday May 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001C1805B	0.31	(0.16)	1,221,126	-	SGP13C1811A	0.21	0.02	131,538	-	THAI01C1808A	0.31	(0.03)	315,991	-
S5001C1806F	0.66	(0.20)	2,804,643	-	SGP23C1805A	-	-	-	-	THAI01C1808B	0.12	(0.02)	29,070	-
S5001C1806G	0.09	(0.10)	809,912	-	SGP24C1806A	-	-	-	-	THAI01P1806A	0.75	0.03	34,956	-
S5001C1806H	0.23	(0.17)	593,217	-	SGP24C1808A	0.03	-	543	-	THAI01P1808A	0.63	0.02	17,257	-
S5001C1806I	0.03	(0.02)	26,698	-	SGP28C1808A	0.04	-	6,840	-	THAI06C1809A	0.40	(0.02)	3,946	-
S5001C1807A	0.64	(0.12)	323,744	-	SGP28C1809A	0.03	0.01	12,453	-	THAI07C1811A	0.34	(0.02)	600	-
S5001C1807B	0.56	(0.14)	131,495	-	SIRI01C1808A	0.05	0.01	1,850	-	THAI08C1808A	0.17	(0.01)	29,590	-
S5001P1805A	0.90	0.16	14,794	-	SIRI01C1808B	0.02	0.01	106	-	THAI11C1808A	0.12	(0.01)	13,392	-
S5001P1805B	1.10	0.15	3,671	1.00	SIRI01P1808A	0.52	(0.03)	2,139	-	THAI13C1811A	0.26	(0.01)	30,082	-
S5001P1806F	1.34	0.24	2,470,658	1.00	SIRI08C1808A	-	-	-	-	THAI23C1805A	-	-	-	-
S5001P1806G	0.39	0.16	1,366,410	-	SIRI08C1810A	0.28	0.02	12,648	-	THAI24C1808A	0.16	(0.02)	42,068	-
S5001P1806H	1.97	0.25	1,153,604	1.00	SIRI11C1902A	0.25	-	14,786	-	THAI27C1809A	0.20	(0.01)	16,504	-
S5001P1806I	1.03	0.34	2,151,264	-	SIRI13C1809A	-	-	-	-	THAI28C1808A	0.10	(0.02)	20,688	-
S5001P1807A	1.30	0.15	192,162	1.00	SIRI23C1811A	0.37	0.02	46,892	-	THAN01C1812A	0.50	(0.03)	15,192	-
S5001P1807B	0.92	0.14	101,495	-	SIRI24C1809A	0.15	-	2,200	-	THAN13C1809A	0.10	(0.02)	5,704	-
S5006C1806A	0.06	(0.04)	85,100	-	SIRI28C1807A	-	-	-	-	THAN23C1807A	-	-	-	-
S5006C1806B	0.04	(0.03)	130,906	-	SIRI28C1809A	0.17	0.01	42,978	-	THAN28C1810A	0.18	(0.01)	29,514	-
S5006P1806A	0.04	0.02	102,409	-	SIRI42C1805A	-	-	-	-	THC001C1809A	0.18	-	5,906	-
S5006P1806B	0.31	0.11	1,511	-	SPAL01C1805A	0.20	(0.02)	1,400	-	THC001P1809A	0.60	0.01	6,366	-
S5008C1806A	0.08	(0.06)	38,709	-	SPAL01C1808A	0.54	(0.01)	7,020	-	THC011C1902A	0.22	0.01	1,301	-
S5008C1806B	0.06	(0.07)	90,724	-	SPAL01C1808B	0.19	(0.01)	7,137	-	THC03C1805A	-	-	-	-
S5008P1806A	0.55	0.15	105,993	-	SPAL01P1805A	0.40	(0.01)	13,956	-	THC02C1808A	-	-	-	-
S5008P1806B	0.57	0.18	172,699	-	SPAL06C1809A	0.61	-	4,600	-	THC024C1805A	-	-	-	-
S5013C1806A	0.10	(0.08)	1,552,164	-	SPAL08C1808A	0.20	0.01	10,910	-	THC024C1807A	-	-	-	-
S5013C1806B	0.06	(0.05)	1,846,194	-	SPAL11C1807A	0.34	(0.01)	7,812	-	THC024C1810A	0.39	(0.02)	2,398	-
S5013C1806C	0.32	(0.14)	501,788	-	SPAL23C1811A	0.76	0.01	6,000	-	THC028C1806A	-	-	-	-
S5013C1806D	0.24	(0.15)	3,751,543	-	SPAL24C1808A	-	-	-	-	THC028C1808A	0.08	(0.01)	5,149	-
S5013C1806E	0.36	(0.19)	2,487,380	-	SPAL24C1812A	-	-	-	-	TISCO1C1808A	0.70	(0.02)	35,811	-
S5013C1809A	0.59	(0.41)	145,399	-	SPCG13C1806A	0.14	(0.03)	4,581	-	TISCO1C1808B	0.31	(0.02)	11,906	-
S5013P1806A	0.69	0.20	2,879,812	-	SPRC01C1805A	0.18	(0.07)	34,616	-	TISCO8C1808A	0.35	(0.01)	22,862	-
S5013P1806B	0.61	0.21	970,537	-	SPRC01C1808A	0.30	(0.06)	22,975	-	TISCC11C1805A	1.06	-	3,614	1.00
S5013P1806C	1.18	0.22	451,003	1.00	SPRC01C1808B	0.11	(0.03)	4,800	-	TISCC11C1903A	0.51	(0.01)	29,526	-
S5013P1806D	0.17	0.06	184,686	-	SPRC01P1805A	0.27	0.05	37,519	-	TISCC13C1807A	0.27	(0.03)	45,910	-
S5013P1806E	0.86	0.26	2,140,184	-	SPRC06C1809A	-	-	-	-	TISC24C1806A	-	-	-	-
S5013P1809A	1.40	(1.60)	48,810	1.00	SPRC08C1808A	0.13	(0.02)	14,236	-	TISC27C1807A	0.30	(0.02)	18,000	-
S5028C1806A	0.07	(0.04)	21,483	-	SPRC11C1902A	0.19	(0.04)	2,302	-	TISC28C1807A	0.21	(0.02)	192,471	-
S5028C1806B	0.11	(0.09)	661,761	-	SPRC13C1808A	0.14	(0.03)	3,000	-	TISC42C1806A	0.95	(0.02)	3,410	-
S5028C1806C	0.26	(0.16)	1,999,743	-	SPRC23C1810A	0.25	(0.04)	10,000	-	TKN01C1805A	0.01	-	5,000	-
S5028C1807A	0.41	(0.16)	682,670	-	SPRC24C1808A	0.07	(0.01)	1	-	TKN01C1808A	0.42	0.05	178,353	-
S5028P1806A	0.75	0.20	2,214,871	-	SPRC28C1806A	-	-	-	-	TKN01C1808B	0.19	0.01	113,799	-
S5028P1806B	0.32	0.11	2,353,720	-	SPRC42C1805A	-	-	-	-	TKN06C1806A	-	-	-	-
S5028P1806C	0.07	0.02	70	-	STA01C1807A	0.14	-	67,494	-	TKN08C1805A	-	-	-	-
S5028P1807A	1.12	0.17	441,964	1.00	STA01C1807B	-	-	-	-	TKN08C1808A	0.07	0.01	30,049	-
SAMA13C1806A	-	-	-	-	STA08C1807A	-	-	-	-	TKN08C1811A	0.50	(0.50)	1,000	-
SAWA01C1808A	0.13	(0.01)	7,572	-	STA13C1807A	-	-	-	-	TKN11C1902A	0.46	0.02	84,448	-
SAWA01C1808B	0.03	0.01	1,430	-	STA13C1808A	0.25	0.01	77,725	-	TKN13C1805A	-	-	-	-
SAWA01P1808A	2.08	0.04	27,954	2.00	STA23C1809A	0.31	-	1,500	-	TKN13C1808A	0.14	0.02	66,273	-
SAWA06C1807A	-	-	-	-	STA24C1808A	-	-	-	-	TKN13C1810A	0.49	0.03	7,356	-
SAWA08C1805A	-	-	-	-	STA28C1807A	-	-	-	-	TKN13C1811A	0.42	0.04	96,886	-
SAWA08C1808A	-	-	-	-	STEC01C1809A	0.39	(0.03)	59,251	-	TKN23C1806A	0.02	(0.01)	300	-
SAWA08C1811A	0.08	-	29,467	-	STEC01C1809B	1.30	(0.09)	23,962	1.00	TKN24C1807A	-	-	-	-
SAWA11C1808A	-	-	-	-	STEC01P1809A	0.96	0.06	78,820	-	TKN24C1811A	0.75	0.05	15,700	-
SAWA13C1807A	-	-	-	-	STEC06C1809A	0.49	(0.04)	14,320	-	TKN28C1806A	-	-	-	-
SAWA13C1810A	0.04	-	1,512	-	STEC08C1809A	0.35	(0.05)	89,210	-	TKN28C1808A	0.19	0.04	254,576	-
SAWA13C1811A	0.06	(0.01)	48,847	-	STEC11C1805A	0.01	-	2,000	-	TKN42C1805A	-	-	-	-
SAWA13C1812A	0.33	(0.02)	106,600	-	STEC11C1903A	0.62	(0.04)	24,265	-	TMB01C1807A	0.04	-	10,619	-
SAWA23C1807A	-	-	-	-	STEC13C1809A	0.30	(0.03)	167,304	-	TMB01C1810A	0.34	(0.03)	22,619	-
SAWA24C1808A	-	-	-	-	STEC23C1808A	0.02	-	2,596	-	TMB01C1810B	0.27	(0.03)	34,034	-
SAWA28C1805A	-	-	-	-	STEC24C1808A	0.28	(0.04)	400	-	TMB01P1807A	0.85	0.05	12,730	-
SAWA28C1807A	-	-	-	-	STEC28C1806A	-	-	-	-	TMB06C1809A	0.08	(0.02)	4	-
SAWA28C1809A	0.03	-	24,300	-	STEC28C1808A	0.24	(0.04)	94,890	-	TMB07C1811A	0.12	(0.01)	1,000	-
SAWA28C1810A	0.06	(0.01)	57,170	-	STEC28C1810A	0.59	(0.04)	103,037	-	TMB08C1808A	0.03	(0.01)	3,166	-
SCB01C1808A	0.29	(0.02)	66,165	-	STEC42C1805A	-	-	-	-	TMB11C1806A	0.15	(0.02)	31,420	-
SCB01C1808B	0.06	(0.01)	18,204	-	STPI08C1811A	0.15	(0.02)	7,268	-	TMB13C1811A	0.17	(0.01)	28,984	-
SCB01C1810A	0.54	(0.02)	68,838	-	STPI23C1805A	-	-	-	-	TMB23C1810A	-	-	-	-
SCB01P1808A	1.27	0.04	30,497	1.00	STPI23C1806A	-	-	-	-	TMB24C1809A	-	-	-	-
SCB01P1808B	0.68	0.04	35,926	-	STPI28C1807A	-	-	-	-	TMB28C1806A	-	-	-	-
SCB06C1811A	0.65	(0.02)	18,124	-	SUPE06C1806A	-	-	-	-	TMB28C1808A	0.01	(0.01)	1	-
SCB08C1806A	0.02	-	60	-	SUPE08C1808A	0.24	-	11,259	-	TMB28C1809A	-	-	-	-
SCB11C1901A	0.31	(0.02)	14,380	-	SUPE08C1811A	0.43	(0.57)	69,721	-	TMB42C1805A	-	-	-	-
SCB11P1901A	0.67	0.01	17,680	-	SUPE13C1806A	-	-	-	-	TOP01C1805A	0.02	(0.01)	4,000	-
SCB13C1805A	-	-	-	-	SUPE13C1810A	0.31	(0.02)	39,677	-	TOP01C1808A	0.22	(0.03)	39,125	-
SCB13C1809A	0.19	(0.02)	52,878	-	SUPE13C1811A	-	-	-	-	TOP01C1808B	0.05	(0.03)	4,730	-
SCB24C1806A	-	-	-	-	SUPE23C1811A	-	-	-	-	TOP01P1805A	0.76	0.06	29,113	-
SCB24C1902A	0.55	(0.01)	410	-	SUPE28C1806A	0.04	(0.02)	21,200	-	TOP01P1808A	1.04	0.07	22,166	1.00
SCB24P1811A	-	-	-	-	SUPE28C1807A	0.21	(0.02)	14,541	-	TOP06C1809A	0.22	(0.07)	1,000	-
SCB28C1808A	0.06	(0.01)	16,600	-	SUPE28C1810A	0.35	0.03	7,002	-	TOP08C1805A	-	-	-	-
SCB28C1809A	0.19	(0.02)	156,754	-	SUPE28C1811A	0.35	0.03	6,341	-	TOP08C1811A	0.36	(0.07)	41,354	-
SCB28P1808A	0.33	0.02	183,542	-	TASC01C1806A	0.11	(0.03)	18,663	-	TOP11C1808A	0.09	(0.01)	2,004	-
SCC01C1808A	0.31	(0.01)	41,042	-	TASC01C1809A	0.17	(0.01)	1,120	-	TOP13C1806A	-	-	-	-
SCC01C1808B	0.08	-	16,407	-	TASC01C1810A	0.46	(0.04)	38,203	-	TOP13C1811A	0.37	(0.04)	26,334	-
SCC01P1808A	0.59	0.01	14,912	-	TASC01C1810B	0.32	(0.04)	23,326	-	TOP18C1808A	-	-	-	-
SCC06C1809A	-	-	-	-	TASC01P1806A	1.03	0.05	68,978	1.00	TOP23C1811A	0.42	(0.06)	14,900	-
SCC08C1809A	0.18	-	10,421	-	TASC01P1809A	1.34	0.04	17,062	1.00	TOP24C1805A	-	-	-	-
SCC11C1811A	0.26	(0.01)	8,318	-	TASC07C1811A	-	-	-	-	TOP24C1806A	-	-	-	-
SCC11P1811A	0.35	-	7,800	-	TASC08C1808A	-	-	-	-	TOP24C1901A	0.50	(0		

Main Board Quotation

Issue Date :

Thursday May 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TP11C1811A	0.18	0.01	2,000	-	WHA11C1903A	0.43	(0.02)	9,590	-	ORI-W1	3.10	(0.08)	22,410	3.00
TP13C1805A	-	-	-	-	WHA13C1805A	-	-	-	-	PACE-W1	0.02	0.01	8,307	-
TP13C1811A	0.40	(0.01)	7,953	-	WHA13C1808A	0.38	(0.04)	170,192	-	PACE-W2	0.05	-	6,273	-
TP123C1808A	-	-	-	-	WHA23C1810A	0.59	(0.04)	500	-	PDJ-W2	1.57	(0.04)	79	1.00
TP124C1901A	0.52	(0.02)	1,000	-	WHA24C1805A	-	-	-	-	PDJ-W3	1.56	-	132	1.00
TP127C1812A	0.11	-	1,598	-	WHA24C1807A	0.14	(0.03)	600	-	PDJ-W4	1.55	(0.01)	241	1.00
TRUE01C1808A	0.47	(0.06)	209,335	-	WHA24C1811A	-	-	-	-	PL-W1	-	-	-	-
TRUE01C1808B	0.26	(0.07)	154,157	-	WHA28C1807A	-	-	-	-	PLE-W3	0.37	(0.02)	13,897	-
TRUE01P1808A	0.28	0.04	169,226	-	WHA28C1808A	0.17	(0.03)	31,767	-	PSL-W1	-	-	-	-
TRUE06C1806A	0.50	(0.04)	33,330	-	WHA28C1808B	0.33	(0.03)	165,108	-	RICH-W1	-	-	-	-
TRUE06C1811A	0.28	(0.72)	19,470	-	WHA28C1809A	0.78	(0.04)	23,634	-	RICHY-W1	0.36	(0.01)	10,939	-
TRUE06P1806A	0.05	-	240	-	WHA42C1806A	0.62	(0.06)	4,066	-	RICHY-W2	0.19	0.01	2	-
TRUE07C1806A	-	-	-	-	WHA42P1806A	0.05	0.01	3,162	-	RML-W4	-	-	-	-
TRUE08C1809A	0.31	(0.05)	57,634	-	WHAU01C1810A	0.28	(0.01)	10,505	-	RS-W3	12.70	(0.80)	32	13.00
TRUE08P1809A	0.15	0.02	78,258	-	WHAU01C1810B	0.15	-	2,600	-	S-W1	0.19	(0.02)	27,311	-
TRUE11C1807A	0.18	(0.08)	30,200	-	WORK01C1806A	0.01	-	30,942	-	SAWAD-W1	6.05	(0.20)	1,832	6.00
TRUE13C1807A	0.20	(0.04)	184,047	-	WORK01C1806B	0.02	-	10,001	-	SMM-W4	0.22	0.01	25,759	-
TRUE13C1810A	0.21	(0.03)	242,877	-	WORK08C1805A	-	-	-	-	SMT-W1	0.23	0.01	7,185	-
TRUE16C1812A	0.43	(0.04)	4,734	-	WORK08C1809A	0.01	(0.01)	87,140	-	SPALI-W4	20.00	0.10	988	19.00
TRUE23C1806A	0.27	(0.07)	33,742	-	WORK11C1805A	0.01	-	2,438	-	SPORT-W5	0.18	0.01	43,444	-
TRUE27C1809A	-	-	-	-	WORK11C1903A	0.21	(0.06)	40,892	-	SPORT-W6	0.04	0.01	1,223	-
TRUE27P1809A	0.28	0.03	16,121	-	WORK13C1805A	-	-	-	-	SUPER-W4	0.29	(0.02)	250,167	-
TRUE28C1807A	0.15	(0.04)	342,578	-	WORK13C1806A	-	-	-	-	SUSCO-W1	0.36	(0.01)	4,598	-
TRUE28C1808A	0.05	(0.03)	52,625	-	WORK13C1809A	0.03	-	12,422	-	SVI-W3	1.16	(0.03)	124	1.00
TTA01C1807A	0.11	(0.03)	55,494	-	WORK13C1810A	0.07	(0.03)	172,048	-	TCC-W3	0.60	-	6	-
TTA01P1807A	0.87	0.06	8,797	-	WORK13C1811A	0.31	(0.12)	105,681	-	TCC-W4	0.23	-	1,196	-
TTA08C1808A	0.05	(0.01)	1,000	-	WORK23C1807A	-	-	-	-	TCJ-W2	1.22	(0.01)	12,827	1.00
TTA11C1806A	-	-	-	-	WORK24C1805A	-	-	-	-	TCMC-W2	0.40	-	8,835	-
TTA13C1809A	0.08	(0.02)	24,340	-	WORK24C1810A	0.07	(0.04)	16,012	-	TFG-W1	1.78	-	100	1.00
TTA18C1808A	-	-	-	-	WORK27C1806A	-	-	-	-	TFG-W2	0.80	-	1,788	-
TTA23C1808A	-	-	-	-	WORK28C1806A	0.01	-	200	-	TGPRO-W2	-	-	-	-
TTA24C1809A	-	-	-	-	WORK28C1808A	-	-	-	-	TH-W2	-	-	-	-
TTA28C1806A	-	-	-	-	WORK28C1809A	0.06	(0.04)	80,716	-	THE-W2	0.06	(0.01)	6,476	-
TTCL13C1806A	-	-	-	-	WORK42C1806A	-	-	-	-	TNITY-W1	1.25	(0.08)	76,218	1.00
TU01C1808A	0.16	-	29,206	-	Preferred/Foreign	-	-	-	-	TNPC-W1	0.63	(0.04)	35,078	-
TU01C1808B	-	-	-	-	BH-Q	-	-	-	-	TPOLY-W2	0.03	-	44,122	-
TU01P1808A	0.81	0.03	26,782	-	CSC-Q	-	-	-	-	TSI-W1	-	-	-	-
TU08C1805A	-	-	-	-	JUTHA-Q	-	-	-	-	TSR-W2	0.79	(0.05)	28,422	-
TU08C1811A	-	-	-	-	KTB-Q	-	-	-	-	TTA-W5	0.95	(0.03)	3,395	-
TU11C1902A	0.10	(0.01)	19,680	-	SCB-Q	-	-	-	-	TWZ-W4	-	-	-	-
TU13C1809A	-	-	-	-	TCAP-Q	-	-	-	-	U-W1	0.01	-	7,000	-
TU23C1806A	-	-	-	-	TIC-Q	-	-	-	-	U-W4	0.01	-	642,347	-
TU24C1808A	-	-	-	-	TISCO-Q	-	-	-	-	VGI-W1	0.44	-	606,179	-
TU27C1807A	0.09	0.01	4,000	-	U-Q	0.04	0.01	100	-	VIBHA-W2	1.46	(0.05)	7,192	1.00
TV001C1809A	0.28	(0.03)	10,149	-	Warrant	-	-	-	-	VIBHA-W3	0.36	(0.01)	52,064	-
TV001C1809B	0.13	(0.02)	5,250	-	7UP-W2	0.39	0.01	2,778	-	WAVE-W1	0.60	0.01	4,707	-
TV008C1808A	0.11	(0.01)	11,683	-	ACC-W1	0.05	0.01	2,002	-	WHA-W1	8.75	(0.65)	25,277	9.00
TVO11C1805A	0.06	(0.06)	7,979	-	AEC-W4	-	-	-	-	WIJK-W1	-	-	-	-
TVO11C1903A	0.19	(0.01)	1,504	-	AJ-A1	0.21	(0.02)	15,538	-	WORK-W1	16.70	(0.60)	18	16.00
TVO13C1809A	0.07	-	7,339	-	ALT-W1	1.23	(0.06)	5,221	1.00	Preferred Shares	-	-	-	-
TVO23C1808A	0.12	(0.02)	19,390	-	AQ-W4	0.01	-	3,176	-	BH-P	-	-	-	-
TVO24C1810A	-	-	-	-	AS-W1	0.63	(0.08)	14,416	-	CSC-P	-	-	-	-
TVO28C1808A	-	-	-	-	AYUD-W1	6.20	(1.10)	75,122	6.00	JUTHA-P	-	-	-	-
UNIQ01C1809A	0.36	-	29,190	-	B-W3	0.01	-	1	-	KTB-B	-	-	-	-
UNIQ01C1810A	0.52	(0.02)	6,707	-	BLAND-W4	0.02	(0.01)	451,966	-	SCB-P	-	-	-	-
UNIQ01C1810B	0.43	(0.03)	200,481	-	BROCK-W1	-	-	-	-	TCAP-P	-	-	-	-
UNIQ01P1809A	0.40	0.01	32,821	-	BTS-W3	0.13	0.02	741,176	-	TIC-P	-	-	-	-
UNIQ08C1808A	-	-	-	-	BWG-W4	0.11	-	6,216	-	TISCO-P	-	-	-	-
UNIQ08C1810A	0.37	(0.03)	33,586	-	CEN-W4	0.08	-	12,829	-	U-P	0.04	0.01	438,623	-
UNIQ11C1811A	0.30	(0.02)	18,432	-	CGH-W2	-	-	-	-	Warrant (MAI)	-	-	-	-
UNIQ13C1807A	0.02	-	1,000	-	CI-W1	0.52	0.01	1,212	-	2S-W1	0.22	(0.01)	9,058	-
UNIQ13C1809A	0.32	(0.03)	77,281	-	CKP-W1	0.38	(0.01)	14,550	-	ACAP-W1	-	-	-	-
UNIQ23C1806A	-	-	-	-	CRANE-W1	1.85	-	35	1.00	ACAP-W2	2.94	(0.08)	1,312	2.00
UNIQ24C1806A	-	-	-	-	DCC-W1	0.71	(0.10)	307,992	-	AIRA-W1	0.06	-	2,717	-
UNIQ24C1811A	0.23	(0.02)	13,396	-	DCON-W1	-	-	-	-	AIRA-W2	0.08	(0.01)	80	-
UNIQ28C1807A	-	-	-	-	DIGI-W1	0.06	(0.01)	47,120	-	ATP30-W1	0.86	(0.02)	5,485	-
UNIQ28C1809A	0.26	(0.02)	65,812	-	DIGI-W2	0.02	(0.01)	8,373	-	BSM-W2	0.26	0.01	1,820	-
UNIQ28C1811A	0.34	(0.02)	121,765	-	EARTH-W4	-	-	-	-	CIG-W6	-	-	-	-
UNIQ42C1805A	-	-	-	-	EIC-W2	0.02	-	40	-	CIG-W7	0.03	(0.01)	7,736	-
UV01C1807A	0.33	(0.01)	39,850	-	EIC-W3	0.05	-	6	-	DNA-W1	1.61	(0.07)	267	1.00
UV08C1807A	0.13	(0.01)	32,366	-	EIC-W4	0.01	-	500	-	ECF-W2	3.44	-	1,214	3.00
UV13C1807A	0.07	-	10,101	-	EVER-W3	0.04	(0.01)	2,950	-	ECF-W3	2.86	0.02	18,313	2.00
UV13C1808A	-	-	-	-	GJS-W3	0.04	-	47,404	-	EFORL-W3	0.02	-	23,552	-
UV23C1809A	0.05	-	4,000	-	GL-W4	0.33	0.01	92,426	-	EFORL-W4	0.03	-	3,917	-
UV24C1807A	-	-	-	-	GLAND-W4	1.36	-	14,716	1.00	FC-W1	0.10	(0.01)	44,050	-
UV28C1807A	0.06	0.01	8,056	-	GREEN-W4	-	-	-	-	FC-W2	0.05	-	10,300	-
UV28C1808A	-	-	-	-	GSTEL-W1	-	-	-	-	FOCUS-W2	0.61	0.01	4,269	-
VGI01C1812A	0.91	0.02	38,489	-	GSTEL-W2	-	-	-	-	FPI-W1	-	-	-	-
VGI06C1904A	-	-	-	-	IEC-W2	-	-	-	-	FVC-W2	0.81	(0.07)	30,249	-
VGI06C1904B	-	-	-	-	IFEC-W2	-	-	-	-	LIT-W1	2.42	(0.04)	810	2.00
VGI06C1904C	-	-	-	-	IHL-W1	5.05	(0.05)	12	5.00	META-W2	0.30	-	62,008	-
VGI08C1811A	0.95	0.02	8,189	-	ITD-W1	0.17	0.03	716,874	-	MOONG-W1	-	-	-	-
VGI23C1905A	1.51	0.02	1,200	1.00	IVL-W2	17.00	(0.70)	135,665	17.00	MPG-W1	-	-	-	-
VGI23C1911A	1.47	0.01	6,801	1.00	JAS-W3	2.48	(0.02)	15,563	2.00	NBC-W1	0.01	-	63,982	-
VGI27C1812A	0.60	(0.01)	4,000	-	JCK-W4	0.01	-	130	-	NCL-W2	0.02	-	21,134	-
VGI28C1810A	0.64	-	129,410	-	JCK-W5	0.48	(0.01)	2,253	-	NDR-W1	0.26	0.01	64,576	-
VGI42C1805A	0.93	0.13	900	-	JMART-W2	2.34	(0.10)	4,026	2.00	NEWS-W4	-	-	-	-
VIBH08C1806A	-	-	-	-	JMT-W1	11.60	-	150	11.00	NEWS-W5	-	-	-	-
VIBH13C1806A	-	-	-	-	MIDA-W2	0.03	-	4,155	-	NINE-W1	0.01	-	22,077	-
VIBH24C1805A	-	-	-	-	MILL-W3	0.04	(0.01)	14,000	-	OCEAN-W2	-	-	-	-
VNG13C1806A	-	-	-	-	MILL-W4	0.29	(0.01)	5	-	PHOL-W1	0.17	(0.02)	53,600	-
WHA01C1807A	0.35	(0.03)	132,494	-	ML-W2	0.05	-	237	-	PIMO-W1	1.78	(0.08)	59,936	1.00
WHA01C1807B	0.12	(0.02)	75,589	-	MONO-W1	1.04	(0.11)	187,467	1.00	PPS-W1	1.01	-	34	1.00
WHA06C1809A	0.47	(0.06)	37,403	-	NEP-W3	-	-	-	-	PSTC-W1	0.33	(0.02)	24,633	-
WHA07C1810A	0.50	-	250	-	NGM-W3	-	-	-	-	QTC-W1	-	-	-	-
WHA08C1805A	0.28	(0.07)	1,200	-	NOK-W1	1.31	0.01	412	1.00	RWI-W1	0.01	-	34,263	-
WHA08C1811A	0.49	(0.04)	52,101	-	NPP-W3	0.46	(0.06)	61,175	-	SIMAT-W2	0.72	(0.01)		

