

Main Board Quotation

Issue Date :

Friday May 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	7.00	-	326	6.97	RS	20.10	0.10	130,310	20.25
NFC	-	-	-	-	HUMAN	11.50	(0.10)	11,806	11.67	SE-ED	-	-	-	-
POMPUI	-	-	-	-	ILINK	6.90	0.05	5,778	6.87	SMM	0.92	-	7,247	0.92
SAFARI	-	-	-	-	INET	3.92	0.02	4,028	3.90	SPORT	0.64	0.01	5,637	0.64
VI	-	-	-	-	INTUCH	55.00	-	20,003	54.93	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	5.85	0.10	1,055,507	5.94	TH	0.61	-	7,500	0.61
WR	-	-	-	-	JASIF	10.40	-	118,923	10.41	TKS	11.10	-	6,172	11.10
Agribusiness	-	-	-	-	JMART	11.60	0.10	14,237	11.58	TRITN	0.31	-	431,891	0.29
CHOTI	147.00	1.00	1	147.00	JTS	1.63	-	1,259	1.65	VGI	8.40	-	238,759	8.29
EE	0.90	(0.02)	203,245	0.90	MFEC	4.28	(0.02)	1,007	4.29	WAVE	3.10	(0.04)	207	3.10
GFPT	11.90	-	5,699	11.90	MSC	5.95	-	1,843	5.86	WORK	45.25	0.25	22,199	45.40
LEE	2.80	(0.02)	2,422	2.81	PT	6.85	-	1,809	6.89	Finance & Securities	-	-	-	-
STA	12.50	(0.50)	62,806	12.55	SAMART	8.10	-	4,588	8.06	AEC	0.52	0.02	17,686	0.52
TLUXE	6.05	(0.15)	4,516	6.05	SAMTEL	9.90	(0.10)	221	9.90	AEONTS	162.50	(0.50)	1,833	161.52
TRUBB	1.83	-	2,892	1.80	SDC	0.30	-	32,624	0.29	AMANAH	2.16	-	135,920	2.13
TWPC	9.50	(0.10)	1,883	9.53	SIS	9.25	0.15	1,434	9.13	ASAP	7.15	(0.10)	11,213	7.15
UPOIC	4.46	-	101	4.46	SVOA	1.54	-	15,150	1.54	ASK	22.60	0.10	1,689	22.60
UVAN	8.10	-	6,043	8.06	SYMC	6.00	0.10	900	5.91	ASP	3.80	-	20,177	3.80
VPO	0.78	0.01	491	0.77	SYNEX	14.70	(0.20)	7,365	14.77	BFIT	29.50	-	755	29.50
Banking	-	-	-	-	THCOM	9.40	0.15	11,025	9.39	CGH	1.21	-	4,137	1.22
BAY	39.00	0.25	2,626	38.75	TRUE	7.10	0.10	941,145	7.03	CNS	2.64	(0.02)	475	2.64
BBL	193.50	1.50	27,463	192.90	TWZ	0.13	0.01	8,588	0.13	ECL	2.14	(0.04)	77,916	2.18
CIMBT	1.00	-	10,066	1.00	Electronic Componer	-	-	-	-	FNS	4.40	(0.04)	4,836	4.42
KBANK	192.00	0.50	58,459	191.71	CCET	1.92	0.01	6,869	1.92	FSS	2.62	0.02	308	2.60
KKP	67.25	-	12,333	67.40	DELTA	67.25	1.00	25,763	66.73	GBX	0.70	(0.01)	787	0.70
KTB	17.60	0.20	317,293	17.50	EIC	0.06	-	73,625	0.06	GL	6.80	(0.05)	13,632	6.87
LHFG	1.56	(0.01)	84,522	1.55	HANA	34.75	(1.00)	41,341	35.03	IFS	3.10	0.04	1,469	3.08
SCB	137.50	1.50	38,743	136.70	KCE	35.00	(1.25)	48,571	35.47	JMT	29.75	0.25	1,361	29.30
TCAP	51.50	0.25	20,294	51.48	METCO	190.00	(0.50)	24	189.46	KCAR	14.10	-	587	14.07
TISCO	85.25	(0.75)	26,694	85.31	SMT	2.92	-	3,085	2.90	KGI	4.30	0.02	12,687	4.29
TMB	2.44	0.04	655,256	2.42	SPPT	4.84	0.08	7,689	4.83	KTC	348.00	(2.00)	22,504	344.14
Construction Materia	-	-	-	-	SVI	4.16	-	10,968	4.17	MBKET	18.80	-	328	18.75
CCP	0.43	0.01	4,048	0.43	TEAM	1.26	(0.02)	9,577	1.26	MFC	15.20	-	795	15.27
DCC	2.28	(0.04)	30,533	2.31	Energy & Utilities	-	-	-	-	ML	1.11	0.01	4,140	1.10
DCON	0.60	-	26,308	0.60	ABPIF	8.50	-	451	8.52	MTC	35.50	(0.75)	108,379	35.47
DRT	5.80	0.10	1,146	5.78	AI	-	-	-	-	PE	0.36	(0.05)	5,776	0.38
EPG	7.20	(0.20)	68,062	7.25	AKR	1.36	0.10	498,595	1.32	PL	3.58	(0.02)	2,314	3.60
GEL	0.34	0.01	12,591	0.33	BAFS	37.50	0.25	1,242	37.35	S11	7.40	0.10	1,366	7.36
PPP	4.00	0.02	2,211	3.97	BANPU	20.50	0.20	486,656	20.48	SAWAD	37.50	0.25	87,633	37.57
Q-CON	5.90	0.10	104	5.71	BCP	35.25	0.25	38,816	35.02	THANI	7.70	-	23,892	7.64
RCI	2.20	0.16	12,575	2.16	BCPG	19.50	0.10	47,417	19.42	TK	13.40	0.20	10,989	13.46
SCC	466.00	4.00	16,088	464.16	BGRIM	25.00	-	272,367	25.26	TNITY	5.95	-	560	5.95
SCCC	239.00	-	2,087	238.73	BPP	24.90	(0.10)	32,397	24.86	UOBKH	3.80	(0.18)	1,512	3.84
SCP	8.30	0.05	853	8.29	BRRGIF	10.30	-	378	10.26	ZMICO	1.16	0.02	11,460	1.15
SKN	6.05	(0.05)	1,499	6.09	CKP	3.96	-	75,018	3.97	Food & Beverage	-	-	-	-
TASCO	17.70	0.10	19,496	17.65	DEMCO	4.72	(0.04)	3,337	4.71	APURE	1.56	(0.01)	1,094	1.56
TCMC	2.34	-	5,826	2.36	EA	39.25	(0.25)	415,976	39.67	ASIAN	5.55	(0.10)	21,504	5.65
TGCI	2.66	0.06	6,408	2.64	EARTH	-	-	-	-	BR	6.25	-	7,070	6.24
TOA	40.00	0.25	7,904	39.95	EASTW	11.60	0.10	8,380	11.54	BRR	7.90	0.05	2,942	7.88
TPIPL	1.91	-	60,958	1.92	EGATIF	11.50	(0.10)	27,649	11.54	CBG	52.25	(1.50)	36,398	52.57
UMI	1.46	(0.01)	802	1.47	EGCO	240.00	5.00	20,689	237.54	CFRESH	4.86	0.06	468	4.82
VNG	9.20	-	3,381	9.16	ESSO	14.60	(0.10)	79,033	14.65	CM	4.22	(0.02)	4,280	4.21
WIJK	2.40	-	11,724	2.41	GLOW	84.75	0.25	10,329	83.91	CPF	24.80	0.30	110,726	24.69
Petrochemicals & Ch	-	-	-	-	GPSC	76.75	0.50	23,842	76.06	CPI	2.04	0.02	1,054	2.03
CMAN	3.90	(0.08)	20,048	3.92	GULF	70.25	-	23,666	70.22	F&D	17.70	0.20	3	17.23
GC	5.15	-	498	5.14	GUNKUL	3.34	0.10	355,043	3.30	HTC	21.30	-	892	21.29
GGC	14.00	(0.20)	21,645	14.05	IEC	-	-	-	-	ICHI	5.45	0.10	28,069	5.43
GIFT	4.86	-	598	4.86	IFEC	-	-	-	-	KBS	4.82	-	280	4.83
IVL	60.75	0.25	144,617	60.41	IRPC	6.65	(0.10)	1,398,160	6.65	KSL	3.26	0.02	14,531	3.25
PATO	14.60	0.10	782	14.64	LANNA	16.10	-	1,017	16.02	KTIS	6.05	-	104	6.02
PMTA	17.00	0.20	97	16.93	MDX	4.62	(0.04)	1,557	4.61	LST	4.88	(0.02)	450	4.90
PTTGC	91.25	(1.25)	221,120	91.34	PTG	18.40	(0.30)	37,128	18.49	M	78.00	1.00	2,853	76.84
SUTHA	4.48	(0.02)	311	4.48	PTT	52.00	1.25	1,422,508	51.39	MALEE	16.90	0.40	19,873	16.82
TCB	54.75	0.25	135	54.71	PTTEP	140.50	0.50	120,713	140.35	MINT	35.00	0.25	278,363	35.25
TCCC	35.25	0.25	146	35.01	RATCH	52.25	0.25	1,759	52.10	OISHI	108.00	2.00	78	106.42
TPA	6.70	(0.10)	182	6.70	RPC	0.63	(0.02)	32,201	0.64	PB	61.75	-	52	61.50
UP	27.50	(2.50)	2	27.63	SCG	4.78	(0.02)	558	4.78	PM	10.90	-	3,067	10.91
VNT	27.00	0.50	9,390	26.54	SCI	3.02	(0.26)	70,354	3.01	PRG	13.70	-	50	13.70
WG	-	-	-	-	SCN	4.18	0.02	9,320	4.19	SAPPE	27.75	0.25	3,273	27.72
YCI	-	-	-	-	SGP	11.40	(0.30)	136,512	11.54	SAUCE	22.10	0.20	230	22.28
Commerce	-	-	-	-	SKE	1.41	(0.02)	25,668	1.42	SFP	-	-	-	-
BEAUTY	17.30	(1.80)	1,511,440	17.91	SOLAR	2.68	(0.02)	8,636	2.68	SNP	21.10	(0.10)	35	21.19
BIG	2.44	-	34,083	2.44	SPCG	21.60	-	4,084	21.55	SORKON	72.25	-	1	72.25
BIC	57.75	0.75	49,825	57.20	SPRC	15.30	-	207,129	15.13	SSC	50.50	(0.50)	2	50.50
COL	24.90	(0.35)	6,049	24.91	SUPER	1.35	0.08	5,954,876	1.31	SSF	-	-	-	-
COM7	17.80	(0.30)	112,876	17.93	SUSCO	3.48	0.02	3,892	3.48	SST	6.35	(0.10)	135	6.40
CPALL	80.50	0.25	274,050	80.23	TAE	2.28	-	1,055	2.28	TC	2.88	0.12	251	2.86
CSS	2.30	-	6,041	2.30	TCC	0.41	(0.01)	7,380	0.41	TFG	4.30	-	17,889	4.32
FN	3.40	0.04	3,690	3.37	TOP	88.50	2.50	71,932	87.96	TFMAMA	162.50	0.50	1	162.50
FTE	2.38	0.02	1,963	2.38	TPIP	6.70	0.10	70,144	6.66	TIPCO	10.20	-	2,750	10.20
GLOBAL	16.10	-	20,648	16.07	TTW	12.20	-	17,527	12.16	TKN	18.20	(0.60)	66,381	18.44
HMPRO	14.70	0.20	307,115	14.67	WHAUP	6.10	-	19,425	6.09	TU	17.70	0.20	46,692	17.62
IT	4.42	(0.04)	1,201	4.44	WP	8.20	(0.20)	23,963	8.26	TVO	30.25	(0.75)	31,282	30.42
KAMART	5.50	0.05	10,399	5.53	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.32	0.02	4,323	2.31	AMARIN	5.15	(0.25)	4,495	5.23	AHC	21.30	(0.20)	260	21.30
MAKRO	42.75	-	2,533	42.62	AQUA	0.58	0.02	302,106	0.57	BCH	16.60	0.10	76,029	16.56
MC	13.00	-	3,466	12.95	AS	1.71	(0.01)	3,942	1.71	BDMS	27.00	0.25	595,880	26.61
MEGA	41.75	0.25	12,953	41.36	BEC	9.85	(0.35)	90,653	9.95	BH	194.00	2.00	15,637	192.99
MIDA	0.60	0.01	13,323	0.61	EPCO	4.34	0.04	41,239	4.29	CHG	2.34	(0.04)	281,587	2.35
ROBINS	62.75	0.25	10,949	62.62	FE	190.00	-	11	194.36	CMR	3.46	(0.02)	5,453	3.44
RSP	6.00	0.05	5,171	6.02	GPI	2.98	-	2,750	2.97	EKH	5.55	0.05	794	5.50
SINGER	7.40	(0.10)	630	7.46	GRAMMY	8.95	-	148	8.95	KDH	94.50	-	46	94.

Main Board Quotation

Issue Date :

Friday May 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	8.80	(0.10)	7,426	8.82	MJD	3.20	0.04	1,645	3.15	CPT	2.18	0.02	35,138	2.21
WPH	3.18	(0.04)	6,345	3.19	MK	3.26	(0.02)	12,160	3.25	CRANE	2.46	-	473	2.46
Tourism & Leisure					NCH	1.00	-	1,676	1.00	CTW	8.30	-	1,126	8.30
ASIA	6.75	0.05	1,252	6.71	NNCL	1.81	0.04	36,170	1.80	FMT	-	-	-	-
CENTEL	44.25	(1.50)	49,140	44.71	NOBLE	9.40	(0.10)	2,996	9.42	HTECH	7.65	(0.05)	30,513	7.57
CSR	64.50	(0.50)	6	64.50	NUSA	0.31	-	19,625	0.31	KKC	1.73	(0.03)	3,141	1.75
DTC	16.60	(0.30)	43,496	16.78	NVD	4.58	(0.02)	566	4.55	PK	3.70	-	2,838	3.71
ERW	8.00	0.05	29,975	8.01	ORI	19.90	-	27,526	20.01	SNC	16.00	-	3,815	16.01
GRAND	0.97	0.01	3,847	0.97	PACE	0.45	-	104,020	0.45	TCJ	6.65	(0.10)	805	6.63
LRH	35.00	-	10	35.00	PF	0.93	(0.01)	166,117	0.94	VARO	-	-	-	-
MANRIN	-	-	-	-	PLAT	8.05	0.10	6,661	7.99	Property Fund & REI				
OHTL	788.00	(2.00)	2	788.50	POLAR	-	-	-	-	AIMIRT	10.10	-	2,267	10.10
ROH	40.50	-	1	40.50	PRECHA	1.71	(0.01)	215	1.71	AMATAR	10.40	(0.10)	90	10.48
SHANG	-	-	-	-	PRIN	1.63	(0.01)	5,790	1.64	B-WORK	10.30	0.10	2,578	10.30
Home & Office Prod.					PRINC	5.90	0.05	9,677	5.89	BKCP	-	-	-	-
ACC	0.51	(0.01)	436	0.52	PSH	21.50	(0.10)	9,791	21.59	BOFFICE	12.40	(0.10)	408	12.42
AJA	0.50	0.01	32,952	0.50	QH	3.30	0.12	1,606,341	3.26	CPNCG	14.50	-	382	14.55
DTCI	27.25	0.25	33	26.17	RICHY	1.80	-	10,730	1.80	CPNREIT	23.10	-	3,719	23.10
FANCY	1.15	(0.06)	54,623	1.18	RML	1.15	-	12,444	1.15	CPTGF	13.00	-	984	12.91
KYE	422.00	6.00	64	418.00	ROJNA	6.10	0.05	8,863	6.10	CRYSTAL	10.50	-	451	10.50
L&E	2.86	-	491	2.84	S	3.46	-	11,306	3.46	CTARAF	4.90	0.04	417	4.89
MODERN	4.76	(0.02)	1,998	4.78	SAMCO	2.36	0.02	114	2.35	DREIT	5.60	-	307	5.63
OGC	39.75	0.25	1	39.75	SC	3.76	0.12	44,236	3.71	ERWPF	5.90	-	50	5.90
ROCK	16.00	(1.20)	18	16.11	SENA	3.74	(0.02)	29,091	3.72	FUTUREPF	21.30	0.10	171	21.21
SIAM	1.99	-	176	1.98	SF	8.80	-	7,174	8.77	GAHREIT	-	-	-	-
TSR	2.70	0.04	3,370	2.70	SIRI	1.71	-	634,041	1.72	GLANDRT	-	-	-	-
Insurance					SPALI	24.70	0.20	74,399	24.45	GOLDPF	7.40	-	1,015	7.39
AYUD	44.00	-	1,537	44.03	TICON	17.20	0.10	844	17.07	GVREIT	15.00	0.10	5	15.00
BKI	359.00	-	21	359.19	U	0.03	-	918,680	0.03	HPF	5.45	0.05	593	5.39
BLA	35.00	-	4,380	34.79	UV	8.50	0.20	50,537	8.42	HREIT	7.25	-	5,952	7.20
BUI	-	-	-	-	WHA	4.38	0.04	872,258	4.34	IMPACT	17.60	(0.60)	11,116	17.80
CHARAN	-	-	-	-	WIN	0.60	-	3,525	0.60	KPNPF	9.75	-	822	9.75
INSURE	-	-	-	-	Paper & Printing Mat					LHHOTEL	15.80	-	2,611	15.80
MTI	126.50	(0.50)	28	126.50	UTP	12.00	(0.10)	3,768	12.01	LHPF	8.65	0.05	249	8.63
NKI	-	-	-	-	Fashion					LHSC	15.90	0.10	514	15.80
NSI	81.50	(0.50)	2	81.75	AFC	9.00	0.05	486	9.00	LUXF	8.10	-	340	8.14
SMK	42.25	-	10	42.25	BTNC	-	-	-	-	M-II	9.70	1.30	1	9.70
THRE	1.29	(0.02)	89,383	1.29	CPH	-	-	-	-	M-PAT	-	-	-	-
THREL	8.35	-	5,271	8.35	CPL	3.18	0.08	6	3.13	M-STOR	10.40	-	76	10.40
TIC	34.75	-	78	34.61	DIGI	0.61	-	54,455	0.61	MIPF	-	-	-	-
TIP	25.50	(0.25)	1,094	25.59	ICC	-	-	-	-	MIT	5.00	(0.05)	49	5.00
TSI	0.55	(0.02)	34,174	0.55	LTX	74.50	-	262	74.50	MJLF	12.70	-	2,177	12.69
TVI	3.82	0.02	1,027	3.83	NC	15.90	0.70	10	15.87	MNIT	1.80	-	380	1.80
Mining					PAF	1.09	0.02	1,219	1.08	MNIT2	-	-	-	-
PDI	18.10	-	4,004	18.16	PDJ	2.88	-	1,208	2.87	MNRF	3.58	-	201	3.54
THL	-	-	-	-	PG	7.25	0.10	16	7.19	MONTRI	-	-	-	-
Packaging					SABINA	28.75	(0.75)	203	28.54	POPF	13.70	(0.10)	2,364	13.77
AJ	11.40	0.10	1,593	11.39	SAWANG	-	-	-	-	PPF	11.30	-	201	11.30
ALUCON	221.00	-	8	221.13	SUC	43.50	0.25	100	43.50	QHHR	8.80	-	284	8.78
CSC	45.50	0.25	6	45.50	TNL	-	-	-	-	QHOP	3.88	-	110	3.87
NEP	0.44	(0.01)	1,961	0.44	TPCORP	16.50	0.10	8	16.65	QHPF	12.10	-	20,969	12.10
NPP	1.36	0.01	16,908	1.37	TR	50.00	-	475	50.24	SBPF	3.08	(0.02)	50	3.08
PTL	16.70	0.20	6,730	16.57	TTI	-	-	-	-	SHREIT	9.60	(0.10)	447	9.56
SITHAI	1.31	0.01	5,433	1.30	TTL	-	-	-	-	SIRIP	11.40	(0.10)	18	11.40
SLP	0.98	0.01	3,882	0.98	TTMT	128.50	-	16	128.53	SPF	23.20	(0.20)	948	23.30
SMPC	13.60	(0.20)	4,085	13.86	UPF	-	-	-	-	SRIPANWA	-	-	-	-
SPACK	2.00	-	407	2.00	UT	13.10	(0.80)	51	13.20	SSPF	-	-	-	-
TCOAT	-	-	-	-	WACOAL	45.50	-	12	45.50	SSTPF	-	-	-	-
TFI	0.37	0.01	1,283	0.36	Transportation & Log					SSTRT	6.40	0.05	19	6.38
THIP	37.00	-	53	36.92	AAV	5.60	(0.15)	92,183	5.56	TIF1	8.65	0.05	53	8.60
TMD	-	-	-	-	AOT	69.00	-	316,100	68.38	TLGF	19.00	(0.20)	5,008	19.09
TOPP	-	-	-	-	ASIMAR	2.84	-	3,130	2.84	TLHPF	11.20	(0.10)	11	11.20
TPBI	10.20	(0.30)	1,282	10.25	B	0.75	0.01	806	0.74	TNPF	4.40	(0.10)	1,806	4.41
TPP	19.00	(0.40)	104	19.00	BA	14.90	(0.10)	6,852	14.89	TPRIME	11.80	(0.10)	8,372	11.81
Personal Products &					BEM	8.00	-	246,616	7.94	TREIT	11.20	(0.10)	12,147	11.20
APCO	5.70	(0.05)	466	5.70	BTS	9.50	(0.05)	376,907	9.50	TTLPF	24.80	(0.10)	66	24.88
DDD	71.00	1.00	8,075	70.99	BTSIGIF	12.50	-	18,899	12.48	TU-PF	-	-	-	-
JCT	90.00	(0.25)	36	90.00	III	5.45	0.05	2,261	5.40	URBNPF	-	-	-	-
OCC	17.00	(0.10)	1	17.00	JUTHA	1.98	(0.01)	295	1.96	WHABT	10.30	0.20	209	10.35
S & J	23.50	(0.30)	100	23.50	JWD	8.15	(0.10)	23,617	8.12	WHART	10.40	-	432	10.40
STHAI	-	-	-	-	KWC	-	-	-	-	Steel				
TNR	15.20	0.20	1,348	14.93	NOK	2.94	-	3,697	2.95	AMC	2.78	(0.02)	668	2.78
TOG	4.90	(0.10)	9,440	4.88	NYT	5.75	(0.05)	2,277	5.78	BSBM	1.19	-	1,740	1.19
Professional Service					PRM	8.60	0.05	13,429	8.57	CEN	1.38	0.01	875	1.38
BWG	1.25	-	64,423	1.25	PRL	12.30	0.10	8,758	12.22	CITY	2.76	(0.02)	562	2.76
GENCO	0.87	(0.01)	8,820	0.87	RCL	6.05	-	13,456	6.08	CSP	1.51	(0.01)	410	1.51
PRO	-	-	-	-	THAI	15.60	0.10	18,167	15.65	GJS	0.36	(0.01)	33,027	0.36
Property Developme					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	848	6.70	TTA	7.75	0.05	29,185	7.65	INOX	1.15	(0.03)	23,178	1.19
AMATA	23.10	0.40	106,541	22.83	WICE	4.24	0.08	42,690	4.25	LHK	5.10	0.05	1,195	5.06
AMATAV	7.20	-	824	7.21	Automotive					MAX	0.02	-	183,629	0.02
ANAN	4.24	0.02	75,263	4.25	AH	37.25	(0.75)	13,539	37.12	MCS	8.35	0.05	3,564	8.31
AP	9.10	0.10	58,532	9.01	APCS	6.20	0.10	1,295	6.14	MILL	1.58	0.03	9,005	1.55
APEX	0.22	0.01	10,156	0.22	BAT-3K	-	-	-	-	PAP	4.40	0.02	353	4.40
AQ	0.04	0.01	262,307	0.04	CWT	3.78	(0.04)	11,881	3.78	PERM	2.62	(0.02)	4,203	2.62
BLAND	1.97	-	770,766	1.97	EASON	-	-	-	-	RICH	-	-	-	-
BROCK	2.50	(0.02)	763	2.52	GYT	389.00	(1.00)	6	389.17	SAM	0.73	0.01	3,680	0.73
CGD	1.47	-	55,337	1.47	HFT	3.28	0.02	2,095	3.26	SMIT	5.70	(0.20)	20,735	5.72
CI	1.66	0.02	1,272	1.65	IHL	8.85	-	1,639	8.85	SSI	-	-	-	-
CPN	77.50	1.25	55,931	77.34	INGRS	1.05	(0.02)	44,562	1.05	SSSC	3.28	(0.02)	548	3.29
ESTAR	0.70	-	12,610	0.70	IRC	20.40	(0.10)	14	20.41	TGPRO	0.24	0.01	6,883	0.23
EVER	0.39	0.01	34,012	0.39	PCSGH	8.05	0.15	9,374	8.00	THE	2.92	(0.08)	19,883	2.93
GLAND	2.50	-	53,792	2.51	SAT	22.60	0.30	6,269	22.61	TIW	446.00	8.00	14	441.29
GOLD	10.80	0.60	145,417	10.66	SPG	-	-	-	-	TMT	15.10	0.10	1,026	15.10
GREEN	1													

Main Board Quotation

Issue Date :

Friday May 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	UWC	0.08	-	16,000	-	ADVA11P1807A	0.31	(0.01)	29,500	-
ABICO	6.45	(0.35)	5,352	6.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.17	0.01	20,762	-
AU	11.80	0.10	5,316	11.00	ADAM	-	-	-	-	ADVA13C1811A	0.71	0.01	76,470	-
FC	0.46	-	11,877	-	AKP	1.80	(0.02)	3,402	1.00	ADVA13P1809A	0.43	(0.01)	41,058	-
JCKH	1.42	(0.02)	12,179	1.00	AMA	7.00	(0.15)	5,576	7.00	ADVA16C1812A	-	-	-	-
KASET	2.44	0.08	584	2.00	ARIP	0.57	0.01	1,824	-	ADVA18C1808A	0.62	0.01	8,160	-
MM	4.36	0.06	1,680	4.00	ATP30	1.78	-	8,808	1.00	ADVA23C1806A	0.32	-	13,000	-
SUN	3.84	(0.10)	11,165	3.00	AUCT	5.80	0.05	15,975	5.00	ADVA24C1810A	-	-	-	-
TACC	4.52	(0.04)	3,155	4.00	BOL	1.98	-	1	1.00	ADVA24P1810A	-	-	-	-
TMILL	3.18	(0.02)	2,117	3.00	CHUO	-	-	-	-	ADVA27P1805A	-	-	-	-
XO	8.80	0.30	12,966	8.00	CMO	1.58	0.02	2,281	1.00	ADVA28C1808A	0.10	(0.01)	218,288	-
Consumer Products	-	-	-	-	D	10.10	(0.10)	10,367	10.00	AMAT01C1806A	0.11	-	20,434	-
BGT	1.12	0.01	828	1.00	DCORP	2.38	(0.04)	2,532	2.00	AMAT01C1810A	1.15	0.03	51,381	1.00
BIZ	3.08	(0.06)	1,693	3.00	DNA	0.49	-	49,289	-	AMAT01C1810B	1.11	0.02	85,890	1.00
ECF	7.15	0.20	61,411	7.00	EFORL	0.08	-	895,772	-	AMAT01P1806A	0.48	(0.01)	28,836	-
HPT	1.14	(0.08)	84,792	1.00	ETE	2.34	0.06	3,737	2.00	AMAT06C1809A	0.30	(0.01)	4,662	-
JUBILE	24.90	0.30	9,837	24.00	FSMART	9.20	(0.05)	24,957	9.00	AMAT08C1807A	0.02	-	5,300	-
MOONG	6.30	0.05	6,898	6.00	FVC	1.62	(0.04)	2,348	1.00	AMAT08C1809A	0.44	0.04	40,598	-
NPK	-	-	-	-	HARN	2.68	(0.02)	2,671	2.00	AMAT11C1805A	0.95	0.07	15,332	-
OCEAN	0.87	(0.02)	20,652	-	JKN	10.70	-	29,693	10.00	AMAT11C1903A	0.67	0.03	26,496	-
TM	2.18	0.06	1,211	2.00	KIAT	0.47	0.01	4,486	-	AMAT13C1806A	0.01	-	625	-
Financials (MAI)	-	-	-	-	KOOL	1.97	(0.03)	15,473	1.00	AMAT13C1809A	0.42	0.02	233,243	-
ACAP	7.80	(0.25)	9,605	7.00	LDC	1.20	-	244	1.00	AMAT23C1810A	0.59	0.03	30,502	-
AF	0.91	0.02	672	-	MPG	0.27	-	32,040	-	AMAT24C1805A	-	-	-	-
AIRA	2.12	0.02	13	2.00	NBC	0.80	(0.13)	90,527	-	AMAT24C1807A	-	-	-	-
ASN	3.80	(0.26)	4,379	3.00	NCL	1.48	-	1,889	1.00	AMAT24C1811A	-	-	-	-
BROOK	0.60	-	9,452	-	NEWS	0.01	-	239,581	-	AMAT28C1806A	-	-	-	-
CHAYO	2.96	-	25,065	2.00	NINE	1.44	(0.15)	47,259	1.00	AMAT28C1808A	0.37	0.03	287,680	-
GCAP	5.05	(0.20)	15,712	5.00	OTO	3.16	(0.02)	1,070	3.00	AMAT42C1806A	0.78	0.01	7,641	-
LIT	9.25	0.05	2,064	9.00	PHOL	2.32	-	3,122	2.00	ANAN01C1807A	0.05	-	95	-
SGF	0.14	-	591,022	-	PICO	6.85	-	71	6.00	ANAN01C1810A	0.65	0.01	5,811	-
Industrials (MAI)	-	-	-	-	PORT	7.20	(0.05)	5,621	7.00	ANAN01C1810B	0.50	(0.01)	14,512	-
ZS	3.62	0.02	604	3.00	QLT	5.00	-	528	5.00	ANAN08C1808A	-	-	-	-
ADB	1.31	(0.01)	19,282	1.00	RP	3.96	0.04	115	3.00	ANAN08C1810A	0.58	0.02	11,527	-
BM	3.74	-	11,639	3.00	SE	2.38	-	78	2.00	ANAN23C1806A	-	-	-	-
CHO	1.42	(0.01)	3,480	1.00	SPA	16.70	0.10	3,898	16.00	ANAN24C1807A	-	-	-	-
CHOW	5.30	(0.10)	1,456	5.00	THMUI	1.58	-	1,653	1.00	ANAN24C1811A	0.49	0.01	10,768	-
CIG	0.37	(0.01)	3,893	-	TNDT	4.98	-	533	4.00	ANAN28C1806A	-	-	-	-
COLOR	1.12	(0.01)	693	1.00	TNH	41.25	-	236	41.00	ANAN28C1809A	0.35	0.01	28,354	-
CPR	5.30	0.05	1,175	5.00	TNP	2.10	-	1,957	2.00	AOT01C1808A	0.48	-	161,432	-
FPI	3.08	(0.08)	16,350	3.00	TSF	0.06	-	62,043	-	AOT01C1808B	0.11	(0.02)	82,737	-
GTB	0.87	0.01	1,346	-	TVD	1.65	-	992	1.00	AOT01C1810A	0.54	-	69,349	-
KCM	1.20	(0.05)	38,646	1.00	TVT	1.12	(0.04)	47,510	1.00	AOT01P1808A	0.75	-	215,390	-
LVT	-	-	-	-	WINNER	3.30	(0.02)	1,422	3.00	AOT01P1808B	0.30	-	73,976	-
MBAX	4.08	(0.04)	344	4.00	Technology (MAI)	-	-	-	-	AOT06C1806A	1.61	(0.01)	9,230	1.00
MGT	2.28	(0.02)	1,591	2.00	COMAN	4.84	0.08	328	4.00	AOT06C1809A	0.25	(0.01)	60,385	-
NDR	2.16	(0.08)	2,401	2.00	ICN	2.58	-	6,883	2.00	AOT08C1806A	0.38	(0.02)	7,232	-
PDG	3.74	0.04	199	3.00	IRCP	1.59	-	1,414	1.00	AOT08C1807A	0.09	(0.01)	9,410	-
PIMO	2.70	(0.04)	13,433	2.00	ITEL	3.90	(0.02)	7,358	3.00	AOT11C1808A	0.71	(0.02)	47,320	-
PJW	1.79	-	1,462	1.00	NETBAY	42.00	0.50	3,460	41.00	AOT11P1808A	0.08	0.01	100	-
PPM	2.60	0.06	133	2.00	PLANET	2.04	-	226	1.00	AOT13C1806A	0.03	(0.01)	50,677	-
RWI	1.57	-	5,496	1.00	SIMAT	2.86	-	5,931	2.00	AOT13C1807A	0.04	-	30,852	-
SALEE	1.12	-	395	1.00	SKY	16.40	(0.10)	4,035	16.00	AOT13C1809A	0.26	-	79,308	-
SANKO	1.37	0.01	1,927	1.00	SPVI	1.41	-	6,588	1.00	AOT13P1806A	-	-	-	-
SELIC	1.75	(0.02)	358	1.00	UPA	0.48	0.01	168,049	-	AOT13P1810A	0.49	(0.01)	33,866	-
SWC	22.50	(0.10)	104	22.00	VCOM	3.08	(0.02)	4,196	3.00	AOT19C1809A	0.38	(0.01)	56,550	-
TAPAC	11.80	(0.20)	4,039	11.00	Unit Trust	-	-	-	-	AOT23C1807A	0.55	-	10,150	-
TMC	0.97	(0.01)	2,337	-	MGE	-	-	-	-	AOT23P1807A	0.02	-	100	-
TMI	0.84	-	6,177	-	SCBSET	-	-	-	-	AOT24C1806A	-	-	-	-
TMW	66.50	(0.25)	217	66.00	ETF	-	-	-	-	AOT24C1807A	-	-	-	-
TPAC	13.30	(0.10)	3,161	13.00	IDIV	12.27	0.06	495	12.00	AOT24P1809A	-	-	-	-
UAC	5.00	(0.05)	1,869	4.00	ABFTH	-	-	-	-	AOT28C1807A	0.06	-	34,810	-
UBIS	4.96	(0.04)	86	4.00	BMSCG	9.44	0.01	752	9.00	AOT28C1809A	0.28	-	133,881	-
UEC	1.77	0.03	1,384	1.00	BMSCITH	13.51	0.11	5,072	13.00	AOT28P1806A	0.10	-	1	-
UKEM	0.96	-	18,140	-	BSET100	11.13	0.06	3,521	11.00	AP01C1809A	0.57	0.03	20,626	-
UREKA	0.50	(0.01)	21,111	-	CHINA	6.12	(0.02)	127	6.00	AP01C1809B	0.38	0.03	11,878	-
YUASA	17.50	-	476	17.00	EBANK	-	-	-	-	AP08C1810A	0.52	0.02	13,275	-
ZIGA	2.52	(0.04)	8,963	2.00	ECOMM	-	-	-	-	AP23C1805A	-	-	-	-
Property & Construc	-	-	-	-	EFOOD	-	-	-	-	AP24C1805A	-	-	-	-
ARROW	11.00	(0.10)	564	11.00	EICT	-	-	-	-	AP24C1901A	-	-	-	-
BKD	3.32	0.02	12,911	3.00	ENGY	6.55	0.02	48	6.00	BA01C1805A	0.01	-	11,588	-
BSM	0.74	-	7,299	-	ENY	-	-	-	-	BA01P1805A	0.74	0.01	4,008	-
BTW	1.74	(0.04)	3,456	1.00	ESET50	-	-	-	-	BA11C1902A	0.24	(0.02)	8,100	-
CHEWA	1.09	-	31,270	1.00	GLD	1.78	0.01	460	1.00	BA23C1806A	-	-	-	-
CRD	1.20	-	1,252	1.00	TDEX	11.27	0.03	3,435	11.00	BA24C1810A	0.61	-	2,630	-
DIMET	1.25	-	10,890	1.00	TGOLDETF	3.91	0.01	130	3.00	BA24C1901A	-	-	-	-
FLOYD	2.58	0.16	36,102	2.00	TH100	5.08	(0.03)	13	5.00	BA28C1809A	0.09	(0.01)	31,904	-
FOCUS	0.99	(0.01)	705	-	Warrant Foreign	-	-	-	-	BA42C1806A	-	-	-	-
HYDRO	1.67	-	194,238	1.00	AAV01C1808A	0.26	-	75,794	-	BANP01C1806A	0.70	0.03	172,302	-
JSP	0.71	-	12,691	-	AAV01C1808B	0.10	(0.01)	29,006	-	BANP01C1808A	0.35	0.02	150,255	-
K	3.26	(0.02)	414	3.00	AAV01P1808A	0.31	(0.01)	42,973	-	BANP01C1808B	0.14	0.02	63,460	-
META	2.18	-	491,732	2.00	AAV06C1809A	0.21	-	6,000	-	BANP01P1806A	0.11	(0.01)	52,998	-
PPS</														

Main Board Quotation

Issue Date :

Friday May 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP28C1809A	0.05	-	30	-	BEC13C1806A	-	-	-	-	CBG07C1806A	-	-	-	-
BANP28C1810A	0.41	0.02	326,305	-	BEC13C1808A	0.04	(0.01)	55,647	-	CBG08C1805A	-	-	-	-
BBL06C1806A	-	-	-	-	BEC13C1811A	0.54	(0.08)	18,007	-	CBG08C1805B	-	-	-	-
BBL08C1805A	-	-	-	-	BEC19C1809A	0.06	-	3,000	-	CBG08C1808A	0.01	-	33,542	-
BBL08C1808A	0.11	-	4,926	-	BEC23C1807A	-	-	-	-	CBG08C1810A	0.15	(0.04)	27,596	-
BBL08C1809A	0.15	-	6,136	-	BEC23C1809A	0.08	(0.01)	48,750	-	CBG11C1902A	0.25	(0.04)	47,560	-
BBL08P1810A	0.45	(0.02)	14,845	-	BEC24C1809A	0.06	(0.01)	5,768	-	CBG13C1806A	-	-	-	-
BBL11C1805A	1.09	0.04	7,800	1.00	BEC28C1806A	-	-	-	-	CBG13C1808A	0.03	(0.01)	5,000	-
BBL11C1903A	0.57	0.02	10,575	-	BEC28C1808A	0.05	(0.02)	4,000	-	CBG13C1809A	0.08	(0.03)	21,685	-
BBL11P1805A	-	-	-	-	BEC28C1809A	-	-	-	-	CBG13C1811A	0.34	(0.06)	170,787	-
BBL11P1903A	0.73	(0.03)	12,818	-	BEM01C1808A	0.41	-	44,428	-	CBG13P1806A	1.51	0.15	400	1.00
BBL13C1807A	0.10	-	2,554	-	BEM01C1808B	0.16	(0.01)	14,864	-	CBG18C1808A	-	-	-	-
BBL13C1810A	0.60	0.02	33,474	-	BEM01P1808A	0.28	(0.01)	5,959	-	CBG19C1810A	0.21	(0.04)	40,149	-
BBL23C1811A	0.27	-	11,000	-	BEM08C1809A	0.28	(0.02)	38,884	-	CBG23C1806A	-	-	-	-
BBL24C1809A	-	-	-	-	BEM11C1805A	0.16	0.01	5,200	-	CBG23C1901A	0.25	(0.04)	43,000	-
BBL24P1810A	0.36	(0.02)	1,090	-	BEM11C1903A	0.27	(0.02)	12,615	-	CBG24C1807A	-	-	-	-
BBL27C1809A	0.19	-	4,000	-	BEM13C1806A	-	-	-	-	CBG24C1809A	-	-	-	-
BBL28C1808A	-	-	-	-	BEM13C1809A	0.32	0.01	49,160	-	CBG28C1808A	-	-	-	-
BBL28C1811A	0.55	0.02	143,421	-	BEM23C1805A	-	-	-	-	CBG28C1808B	0.05	(0.02)	39,670	-
BCH01C1808A	0.45	(0.01)	236,101	-	BEM24C1809A	-	-	-	-	CBG42C1806A	-	-	-	-
BCH01C1808B	0.20	(0.03)	51,189	-	BEM28C1807A	0.08	-	4,300	-	CENT01C1805A	0.05	(0.07)	32,719	-
BCH01P1808A	0.35	(0.01)	11,929	-	BEM28C1808A	0.26	0.01	47,791	-	CENT01C1810A	0.40	(0.05)	30,199	-
BCH06C1806A	0.73	(0.02)	40,220	-	BEM42C1806A	0.19	(0.01)	14,480	-	CENT01C1810B	0.27	(0.04)	63,118	-
BCH06C1811A	0.27	(0.01)	24,244	-	BEM42P1806A	0.38	(0.02)	648	-	CENT01P1805A	0.65	0.09	23,552	-
BCH08C1806A	0.07	(0.01)	24,300	-	BH01C1806A	0.72	0.06	79,363	-	CENT01P1810A	1.03	0.05	41,002	1.00
BCH11C1807A	0.23	0.01	19,136	-	BH01C1806B	0.13	0.01	59,849	-	CENT08C1809A	0.11	(0.03)	20,002	-
BCH13C1810A	0.18	-	47,687	-	BH01P1806A	0.69	(0.07)	65,382	-	CENT11C1806A	0.29	(0.07)	71,950	-
BCH19C1809A	0.20	-	14,470	-	BH07C1810A	0.09	-	2,364	-	CENT13C1811A	0.17	(0.03)	51,379	-
BCH23C1811A	0.35	-	28,160	-	BH08C1811A	0.15	0.01	37,170	-	CENT23C1806A	0.05	(0.03)	40,891	-
BCH24C1805A	-	-	-	-	BH11C1902A	0.15	-	28,642	-	CENT24C1807A	-	-	-	-
BCH24C1811A	0.21	-	50,000	-	BH23C1805A	0.01	-	10	-	CENT24C1810A	0.13	(0.06)	200	-
BCH28C1807A	0.08	(0.01)	34,551	-	BH24C1806A	-	-	-	-	CENT28C1808A	0.06	(0.02)	34,600	-
BCH42C1806A	0.42	(0.02)	5,502	-	BH24C1809A	0.34	0.04	7,710	-	CHG01C1809A	0.45	(0.03)	13,025	-
BCP01C1805A	0.09	(0.01)	3,400	-	BH24C1811A	0.13	0.01	260	-	CHG01C1809B	0.81	(0.04)	6,246	-
BCP01C1810A	0.27	(0.01)	910	-	BIG08C1807A	0.03	0.01	22,521	-	CHG01P1809A	0.26	0.02	10,218	-
BCP01C1810B	0.18	(0.02)	11,971	-	BIG13C1808A	0.07	-	47,130	-	CHG08C1807A	0.13	-	21,881	-
BCP01P1805A	0.38	0.02	4,000	-	BIG23C1805A	-	-	-	-	CHG11C1807A	-	-	-	-
BCP01P1810A	0.47	-	59,400	-	BIG24C1808A	-	-	-	-	CHG13C1805A	-	-	-	-
BCP07C1806A	-	-	-	-	BIG28C1807A	0.02	-	16,145	-	CHG13C1807A	0.15	(0.03)	42,806	-
BCP08C1806A	-	-	-	-	BJC01C1807A	0.42	0.03	76,884	-	CHG13C1809A	0.76	(0.06)	12,180	-
BCP11C1811A	0.17	(0.01)	5,261	-	BJC01C1807B	0.14	0.01	12,241	-	CHG23C1811A	1.01	(0.01)	2,000	1.00
BCP13C1810A	0.12	-	22,450	-	BJC01P1807A	0.71	(0.03)	32,344	-	CHG24C1808A	-	-	-	-
BCP23C1805A	-	-	-	-	BJC06C1807A	0.16	(0.02)	30,220	-	CHG24C1811A	0.27	0.01	500	-
BCP24C1808A	-	-	-	-	BJC07C1809A	0.15	0.01	100	-	CHG28C1806A	-	-	-	-
BCP28C1807A	-	-	-	-	BJC08C1807A	0.06	0.01	10,200	-	CHG28C1807A	0.18	(0.02)	44,409	-
BCP28C1809A	0.09	(0.01)	4,000	-	BJC08C1809A	0.22	-	47,422	-	CHG28C1808A	0.68	(0.02)	6,144	-
BCP28C1809B	0.09	(0.01)	4,000	-	BJC11C1807A	0.51	0.01	9,011	-	CK01C1809A	0.29	0.02	127,927	-
BCPG01C1806A	0.09	(0.01)	18,162	-	BJC13C1805A	-	-	-	-	CK01C1809B	0.63	0.06	57,143	-
BCPG01C1806B	0.02	-	1	-	BJC13C1807A	0.04	-	6	-	CK01P1809A	0.31	(0.01)	11,632	-
BCPG06C1807A	-	-	-	-	BJC13C1808A	0.22	0.02	42,103	-	CK08C1805A	-	-	-	-
BCPG06C1811A	0.45	(0.01)	16,516	-	BJC13C1810A	0.39	0.02	23,424	-	CK08C1809A	0.49	0.05	987	-
BCPG07C1806A	-	-	-	-	BJC19C1809A	0.38	0.02	54,501	-	CK11C1806A	-	-	-	-
BCPG08C1805A	-	-	-	-	BJC23C1806A	0.18	0.01	8,500	-	CK13C1806A	-	-	-	-
BCPG08C1806A	-	-	-	-	BJC24C1808A	0.20	-	20,000	-	CK13C1809A	0.17	-	42,351	-
BCPG08C1810A	0.41	-	67,620	-	BJC27C1807A	0.19	-	11,477	-	CK16C1812A	0.24	0.01	601	-
BCPG11C1807A	0.72	(0.02)	18,893	-	BJC28C1808A	0.22	-	93,680	-	CK23C1808A	-	-	-	-
BCPG11C1902A	0.28	-	8,407	-	BLA01C1812A	0.35	-	300	-	CK24C1806A	-	-	-	-
BCPG13C1806A	-	-	-	-	BLA07C1806A	-	-	-	-	CK24C1808A	-	-	-	-
BCPG13C1807A	-	-	-	-	BLA08C1811A	0.14	(0.01)	1,645	-	CK28C1806A	-	-	-	-
BCPG13C1810A	0.39	-	117,858	-	BLA13C1809A	-	-	-	-	CK28C1809A	0.59	0.04	198,734	-
BCPG23C1806A	0.30	(0.03)	8,735	-	BLA23C1806A	-	-	-	-	CKP11C1807A	0.46	(0.01)	10,402	-
BCPG24C1806A	-	-	-	-	BLA27C1806A	-	-	-	-	CKP13C1810A	0.40	-	35,146	-
BCPG24C1807A	-	-	-	-	BLA28C1810A	-	-	-	-	CKP23C1810A	0.43	(0.02)	12,000	-
BCPG24C1810A	-	-	-	-	BLAN01C1809A	0.67	0.02	43,434	-	CKP24C1811A	0.46	(0.06)	1,850	-
BCPG28C1806A	-	-	-	-	BLAN01C1809B	0.32	0.01	33,724	-	CKP27C1806A	0.01	(0.01)	1,600	-
BCPG28C1808A	0.09	-	36,300	-	BLAN01P1809A	0.15	-	3,054	-	CKP28C1809A	0.20	(0.01)	82,648	-
BCPG28C1809A	0.38	-	132,891	-	BLAN08C1810A	0.35	0.02	24,377	-	CKP28C1809B	0.46	(0.01)	28,392	-
BDMS01C1806A	1.14	0.08	17,652	1.00	BLAN11C1902A	0.33	0.01	8,012	-	CKP42C1806A	0.20	(0.01)	3,812	-
BDMS01C1806B	0.89	0.06	18,444	-	BLAN23C1807A	0.07	(0.01)	24,800	-	COM70C1806A	0.59	(0.04)	121,087	-
BDMS01P1806A	0.04	(0.01)	53,149	-	BPP01C1806A	0.15	(0.02)	6,051	-	COM70C1806B	0.29	(0.04)	54,208	-
BDMS06C1811A	-	-	-	-	BPP01C1806B	-	-	-	-	COM706C1809A	0.33	(0.02)	20,720	-
BDMS08C1807A	-	-	-	-	BPP06C1809A	0.52	(0.11)	2,182	-	COM708C1805A	0.29	(0.09)	5,000	-
BDMS11C1811A	1.17	0.05	16,464	1.00	BPP07C1806A	-	-	-	-	COM708C1811A	0.22	(0.03)	28,724	-
BDMS13C1807A	0.88	0.04	91	-	BPP08C1807A	-	-	-	-	COM711C1811A	0.45	(0.02)	33,751	-
BDMS13C1810A	0.70	0.03	33,210	-	BPP08C1810A	0.39	(0.06)	300	-	COM713C1809A	0.17	(0.03)	111,698	-
BDMS13C1812A	0.23	0.01	206,976	-	BPP11C1807A	0.05	-	100	-	COM723C1806A	0.62	(0.04)	17,510	-
BDMS16C1812A	1.04	(0.01)	80	1.00	BPP13C1805A	-	-	-	-	COM724C1806A	0.08	(0.01)	1,100	-
BDMS23C1810A	0.74	0.07	17,700	-	BPP13C1806A	-	-	-	-	COM728C1806A	-	-	-	-
BDMS24C1805A	-	-	-	-	BPP13C1808A	0.46	(0.04)	27,173	-	COM728C1808A	0.05	(0.01)	22,980	-
BDMS24C1811A	-	-	-	-	BPP13C1811A	0.15	-	6,945	-	CPAL01C1806A	0.59	(0.01)	150,171	-
BDMS28C1806A	0.65	0.12	700	-	BPP23C1806A	-	-	-	-	CPAL01C1808A	0.71	(0.01)	234,202	-
BEAU01C1807A	0.22	(0.16)	503,369	-	BPP24C1809A	0.30	(0.02)	400	-	CPAL01C1808B	0.30	-	155,536	-
BEAU01C1807B	0.08	(0.08)	370,664	-	BPP28C1807A	-	-	-	-	CPAL01P1806A	0.40	0.01	138,046	-
BEAU01P1807A	1.13	0.27	1,095,817	1.00	BPP28C1808A	0.37	(0.03)	81,560	-	CPAL01P1808A	0.76	-	58,727	-
BEAU06C1809A	0.14	(0.11)	155,293	-	BTS01C1806A	0.56	-	32,415	-	CPAL06C1811A	1.17	-	21,513	1.00
BEAU07C1809A	0.05	(0.07)	23,657	-	BTS01C1810A	0.49	-	4,898	-	CPAL06C1811B	-	-	-	-
BEAU08C1805A	0.01	(0.13)	51,520	-	BTS01C1810B	0.22	(0.01)	7,287	-	CPAL08C1807A	0.31	-	127,462	-
BEAU08C1808A	0.06	(0.06)	86,661	-	BTS01P1806A	0.10	(0.01)	34,622	-	CPAL08P1810A	0.86	-	53,690	-
BEAU11C1902A	0.26	(0.13)	210,795	-	B									

Main Board Quotation

Issue Date :

Friday May 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF01P1809A	0.46	(0.02)	19,034	-	EPG23C1808A	-	-	-	-	INTU11P1807A	0.40	-	3,168	-
CPF06C1809A	0.53	0.02	8,124	-	EPG24C1807A	-	-	-	-	INTU13C1806A	0.02	0.01	1	-
CPF07C1810A	-	-	-	-	EPG24C1808A	-	-	-	-	INTU13C1810A	0.25	0.01	5,866	-
CPF08C1805A	-	-	-	-	EPG24C1810A	0.38	(0.05)	900	-	INTU23C1806A	0.07	-	2,000	-
CPF08C1809A	0.41	0.02	31,044	-	EPG28C1808A	-	-	-	-	INTU24C1807A	-	-	-	-
CPF11C1902A	0.11	-	23,328	-	ESS001C1807A	0.11	(0.02)	63,744	-	INTU28C1809A	0.20	-	35,166	-
CPF11P1902A	0.37	(0.02)	10,920	-	ESS001C1807B	0.03	-	5,600	-	IRPC01C1808A	0.22	(0.01)	171,358	-
CPF13C1809A	0.49	0.02	27,314	-	ESS001P1807A	1.17	0.02	4,847	1.00	IRPC01C1810A	0.21	(0.02)	46,300	-
CPF13C1810A	0.15	0.01	931	-	ESS008C1807A	-	-	-	-	IRPC01C1810B	0.08	(0.03)	32,553	-
CPF23C1810A	0.46	0.01	16,500	-	ESS013C1807A	0.05	(0.02)	984	-	IRPC01P1808A	0.47	0.03	48,805	-
CPF24C1805A	-	-	-	-	ESS013C1811A	0.34	(0.01)	66,303	-	IRPC01P1810A	0.40	0.02	72,068	-
CPF24C1809A	0.29	(0.01)	800	-	ESS023C1809A	0.11	-	1,570	-	IRPC01P1810B	0.25	0.02	76,186	-
CPF28C1806A	-	-	-	-	ESS024C1806A	-	-	-	-	IRPC06C1811A	-	-	-	-
CPF28C1808A	0.39	0.02	5,624	-	ESS028C1807A	-	-	-	-	IRPC08C1808A	0.08	(0.02)	21,050	-
CPF42C1805A	-	-	-	-	GFPT01C1807A	0.12	(0.01)	1,242	-	IRPC11C1902A	0.11	-	32,238	-
CPN01C1805A	0.08	0.02	27,556	-	GFPT08C1807A	-	-	-	-	IRPC13C1806A	0.07	(0.02)	78,970	-
CPN01C1808A	0.47	0.06	59,866	-	GFPT11C1806A	0.01	-	2,261	-	IRPC13C1808A	0.03	(0.01)	14,966	-
CPN01C1808B	0.15	0.01	22,284	-	GFPT23C1806A	-	-	-	-	IRPC13C1811A	0.23	(0.02)	115,805	-
CPN01P1805A	0.82	(0.10)	35,718	-	GFPT24C1806A	-	-	-	-	IRPC23C1810A	0.13	(0.01)	41,000	-
CPN06C1811A	0.61	0.06	20,156	-	GFPT24C1812A	-	-	-	-	IRPC24C1805A	-	-	-	-
CPN08C1809A	0.16	0.02	41,247	-	GGC01C1810A	0.48	-	15,344	-	IRPC24C1808A	0.70	(0.21)	8,000	-
CPN11C1805A	0.11	0.02	13,832	-	GGC01C1810B	0.38	(0.02)	16,315	-	IRPC24C1809A	0.08	(0.01)	5,656	-
CPN11C1903A	0.43	0.04	42,788	-	GLOB6C1805A	0.01	-	15,600	-	IRPC27C1809A	0.11	(0.03)	12,879	-
CPN11P1805A	-	-	-	-	GLOB01C1809A	0.41	(0.02)	68,672	-	IRPC28C1807A	0.04	(0.01)	12,000	-
CPN11P1903A	0.63	(0.05)	20,661	-	GLOB01C1809B	0.27	(0.02)	84,502	-	ITD01C1808A	0.15	0.01	19,305	-
CPN13C1807A	0.12	0.01	13,158	-	GLOB06C1809A	0.27	(0.01)	10,200	-	ITD01C1808B	-	-	-	-
CPN23C1810A	0.40	0.05	41,700	-	GLOB08C1807A	0.13	-	14,793	-	ITD01P1808A	0.72	(0.01)	11,651	-
CPN24C1806A	-	-	-	-	GLOB11C1808A	0.22	(0.01)	5,400	-	ITD08C1806A	-	-	-	-
CPN28C1807A	0.04	0.01	8,000	-	GLOB13C1807A	-	-	-	-	ITD08C1810A	0.38	0.01	33,396	-
CPN42C1805A	-	-	-	-	GLOB23C1811A	0.43	(0.02)	9,201	-	ITD11C1805A	-	-	-	-
DELTO1C1805A	-	-	-	-	GLOB24C1805A	-	-	-	-	ITD11C1903A	0.41	0.01	33,480	-
DELTO8C1811A	0.24	0.01	17,534	-	GLOB24C1810A	-	-	-	-	ITD13C1809A	0.15	-	19,666	-
DEL13C1809A	0.20	-	29,803	-	GLOB27C1809A	0.14	-	6,000	-	ITD23C1808A	-	-	-	-
DEL124C1805A	-	-	-	-	GLOB28C1807A	-	-	-	-	ITD24C1807A	-	-	-	-
DEL127C1812A	0.22	0.02	15,493	-	GLOB28C1808A	0.13	-	43,860	-	ITD24C1810A	-	-	-	-
DTACO1C1808A	0.37	-	56,750	-	GLOB42C1805A	-	-	-	-	ITD28C1808A	0.09	(0.01)	20,480	-
DTACO1C1808B	0.18	(0.01)	23,660	-	GLOW08C1806A	-	-	-	-	ITD28C1808B	0.23	-	100,110	-
DTACO1C1810A	0.57	0.01	38,045	-	GLOW08C1811A	0.47	-	2,293	-	IVL01C1806A	0.76	(0.01)	206,979	-
DTACO1C1810B	0.29	0.01	57,515	-	GLOW11C1807A	0.38	(0.02)	9,592	-	IVL01C1808A	0.60	-	118,088	-
DTACO1P1808A	0.80	-	39,111	-	GLOW23C1806A	0.09	(0.01)	5,000	-	IVL01C1808B	0.33	(0.01)	59,196	-
DTACO1P1810A	1.11	-	33,513	1.00	GLOW27C1812A	0.27	(0.03)	5,741	-	IVL01P1806A	0.13	-	22,912	-
DTACO1P1810B	0.80	(0.02)	24,210	-	GLOW42C1805A	-	-	-	-	IVL01P1808A	0.73	-	206,814	-
DTACO6C1806A	-	-	-	-	GPSC01C1808A	0.69	0.03	90,961	-	IVL01P1808B	0.34	-	76,277	-
DTACO6P1809A	-	-	-	-	GPSC01C1808B	0.31	0.02	31,700	-	IVL06C1807A	0.39	(0.01)	33,832	-
DTACO7C1809A	-	-	-	-	GPSC01P1808A	0.98	(0.04)	39,856	1.00	IVL07C1811A	0.64	-	40	-
DTACO8C1809A	0.24	-	18,260	-	GPSC06C1811A	0.61	(0.01)	14,000	-	IVL08C1806A	0.46	0.01	74,257	-
DTACO8P1807A	0.30	(0.01)	52,392	-	GPSC08C1805A	0.89	0.14	410	-	IVL08P1809A	0.09	(0.01)	20,400	-
DTAC11C1806A	0.05	(0.01)	1,001	-	GPSC08C1808A	0.21	0.01	35,914	-	IVL11C1808A	1.02	(0.03)	31,222	1.00
DTAC13C1806A	0.09	(0.01)	6,487	-	GPSC11C1808A	1.30	0.04	16,570	1.00	IVL11P1808A	-	-	-	-
DTAC13C1811A	0.30	0.01	10,284	-	GPSC11C1902A	0.56	0.04	25,850	-	IVL13C1806A	0.05	(0.01)	54,304	-
DTAC13P1806A	-	-	-	-	GPSC13C1806A	0.83	(0.04)	7,004	-	IVL13C1809A	0.57	0.01	6,661	-
DTAC13P1811A	0.72	(0.02)	31,504	-	GPSC13C1807A	0.34	0.02	115,174	-	IVL13C1810A	0.46	0.01	152,143	-
DTAC23C1807A	-	-	-	-	GPSC13C1808A	0.22	-	94,869	-	IVL13P1809A	0.14	-	23,231	-
DTAC23P1807A	-	-	-	-	GPSC23C1805A	-	-	-	-	IVL19C1809A	0.74	(0.02)	32,186	-
DTAC24C1809A	0.27	-	31	-	GPSC24C1807A	0.56	(0.05)	600	-	IVL23C1810A	0.75	(0.02)	19,700	-
DTAC27C1809A	0.17	-	16,595	-	GPSC24C1808A	0.21	(0.06)	5,000	-	IVL24C1808A	0.39	0.01	146,100	-
DTAC27P1809A	0.23	(0.01)	19,620	-	GPSC28C1806A	-	-	-	-	IVL28C1806A	0.02	-	1	-
DTAC28C1806A	0.06	(0.03)	4,000	-	GPSC28C1807A	0.43	0.03	69,614	-	IVL28C1807A	-	-	-	-
DTAC28C1810A	0.21	0.01	148,320	-	GPSC28C1807B	-	-	-	-	IVL28C1808A	0.28	0.01	281,152	-
DTAC42C1806A	-	-	-	-	GPSC42C1806A	1.39	0.05	3,814	1.00	IVL28P1806A	0.02	-	800	-
DTAC42P1806A	0.91	(0.02)	740	-	GUNK01C1808A	0.17	0.04	16,626	-	IVL28P1806B	-	-	-	-
EA01C1806A	0.03	(0.02)	84,705	-	GUNK01C1808B	0.05	-	500	-	IVL42C1805A	-	-	-	-
EA01C1806B	0.01	(0.01)	13,514	-	GUNK08C1807A	0.01	-	3,000	-	KBAN01C1808A	0.17	(0.01)	50,181	-
EA01C1809A	0.95	-	166,658	-	GUNK11C1805A	-	-	-	-	KBAN01C1808B	0.04	0.01	5,479	-
EA01C1809B	0.78	(0.01)	94,751	-	GUNK11C1903A	0.33	0.02	14,650	-	KBAN01C1810A	0.93	(0.01)	89,685	-
EA01P1806A	2.74	(0.02)	30,231	2.00	GUNK23C1806A	-	-	-	-	KBAN01P1808A	1.11	-	45,423	1.00
EA01P1809A	0.91	(0.01)	25,755	-	GUNK24C1807A	-	-	-	-	KBAN01P1808B	0.67	(0.01)	33,611	-
EA06C1809A	0.03	-	5,467	-	GUNK24C1812A	0.56	0.05	8,291	-	KBAN01P1810A	0.72	(0.01)	39,179	-
EA07C1810A	0.18	-	36,850	-	GUNK28C1806A	-	-	-	-	KBAN06C1811A	0.60	(0.42)	300	-
EA08C1807A	-	-	-	-	GUNK28C1808A	0.07	0.01	4,095	-	KBAN07C1811A	-	-	-	-
EA08C1809A	0.06	0.01	13,070	-	GUNK28C1810A	0.57	0.03	22,980	-	KBAN08C1805A	-	-	-	-
EA08C1810A	0.41	(0.01)	74,777	-	HANA01C1806A	0.02	-	2,139	-	KBAN08C1811A	0.54	(0.02)	92,114	-
EA11C1902A	0.21	(0.01)	116,876	-	HANA01C1806B	0.01	(0.01)	3,235	-	KBAN08P1805A	-	-	-	-
EA13C1806A	-	-	-	-	HANA08C1806A	-	-	-	-	KBAN08P1811A	0.73	(0.27)	73,070	-
EA13C1807A	-	-	-	-	HANA08C1809A	0.18	(0.03)	29,966	-	KBAN13C1807A	-	-	-	-
EA13C1808A	0.02	(0.01)	15,000	-	HANA13C1806A	-	-	-	-	KBAN13C1810A	0.18	-	19,473	-
EA13C1808B	0.26	(0.01)	461,153	-	HANA13C1809A	0.21	(0.04)	105,582	-	KBAN13C1811A	0.76	-	154,036	-
EA13C1809A	0.05	(0.01)	14,249	-	HANA23C1811A	0.43	(0.05)	20,500	-	KBAN23C1806A	-	-	-	-
EA13C1810A	0.16	-	374,841	-	HANA24C1808A	-	-	-	-	KBAN24C1806A	-	-	-	-
EA13P1809A	0.78	0.01	36,569	-	HANA24C1810A	0.21	(0.05)	1,000	-	KBAN24C1902A	-	-	-	-
EA23C1806A	0.06	-	160,615	-	HANA28C1807A	-	-	-	-	KBAN24P1811A	-	-	-	-
EA24C1805A	0.01	-	2	-	HANA28C1808A	0.14	(0.04)	30,617	-	KBAN27C1809A	0.11	(0.01)	6,000	-
EA24C1807A	-	-	-	-	HMPR01C1808A	0.39	0.01	39,957	-	KBAN27P1809A	0.67	(0.01)	19,700	-
EA24C1809A	0.57	-	461	-	HMPR01C1808B	0.20	0.01	19,619	-	KBAN28C1806A	-	-	-	-
EA28C1806A	-	-	-	-	HMPR01P1808A	0.33	(0.02)	18,474	-	KBAN28C1809A	0.06	-	28,000	-
EA28C1809A	0.63	(0.01)	68,600	-	HMPR06C1811A	0.26	(0.74)	1	-	KBAN28C1811A	0.58	0.01	284,744	-
EA28C1809B	0.22	(0.01)	104,348	-	HMPR08C1810A	0.22	0.01	38,209	-	KBAN28P1807A	0.83	-	127,298	-
EGCO01C1809A	0.71	0.06	28,925	-	HMPR11C1808A	0.41	0.02	15,264	-	KBAN42C1805A	-	-	-	-
EGCO08C1809A	0.23	0.02												

Main Board Quotation

Issue Date :

Friday May 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KKP07C1806A	-	-	-	-	MINT01C1805A	0.01	-	49,062	-	PTT08C1807A	0.37	0.03	5,912	-
KKP08C1805A	-	-	-	-	MINT01C1808A	0.07	0.01	155,347	-	PTT08C1809A	0.13	0.01	116,121	-
KKP08C1811A	0.35	(0.66)	11,894	-	MINT01C1808B	0.02	-	5,013	-	PTT08P1805A	-	-	-	-
KKP11C1805A	0.09	(0.03)	810	-	MINT01P1805A	0.92	(0.02)	56,628	-	PTT08P1809A	0.51	(0.04)	21,881	-
KKP11C1903A	0.29	0.01	1,370	-	MINT01P1808A	0.80	(0.03)	119,612	-	PTT11C1806A	2.12	0.12	11,972	2.00
KKP13C1807A	0.03	-	400	-	MINT06C1809A	0.07	-	1,302	-	PTT11C1902A	0.31	0.03	118,245	-
KKP13C1811A	0.31	(0.01)	20,271	-	MINT07C1810A	-	-	-	-	PTT13C1807A	0.35	0.05	216,820	-
KKP23C1807A	-	-	-	-	MINT08C1809A	0.06	-	52,581	-	PTT13C1808A	0.10	0.02	1,213,163	-
KKP24C1807A	-	-	-	-	MINT11C1902A	0.13	-	150,419	-	PTT13C1810A	0.19	0.03	376,402	-
KKP28C1807A	-	-	-	-	MINT11P1902A	0.43	-	91,285	-	PTT13P1807A	0.09	(0.02)	28,628	-
KKP28C1810A	0.23	-	13,240	-	MINT13C1810A	0.14	0.01	122,028	-	PTT13P1808A	0.50	(0.09)	420,351	-
KKP42C1805A	-	-	-	-	MINT23C1810A	0.11	0.01	45,135	-	PTT19C1809A	0.24	0.03	178,494	-
KTB01C1808A	0.20	-	35,423	-	MINT24C1807A	-	-	-	-	PTT23C1805A	0.10	0.02	43,565	-
KTB01C1810A	0.36	0.01	38,396	-	MINT24C1812A	-	-	-	-	PTT23P1805A	-	-	-	-
KTB01C1810B	0.25	-	30,435	-	MINT28C1806A	-	-	-	-	PTT24C1806A	0.40	0.01	13,507	-
KTB01P1808A	0.62	(0.02)	22,645	-	MINT28C1808A	0.06	-	53,600	-	PTT24C1809A	0.20	0.03	14,103	-
KTB08C1809A	0.10	-	11,860	-	MONO01C1810A	0.23	(0.03)	40,924	-	PTT24P1808A	-	-	-	-
KTB11C1811A	0.21	0.01	22,868	-	MONO01C1810B	0.18	(0.03)	41,284	-	PTT27C1809A	0.62	0.01	4,000	-
KTB13C1809A	0.12	0.01	12,952	-	MONO08C1808A	0.01	-	25,324	-	PTT27P1809A	0.26	0.01	14,455	-
KTB23C1811A	0.27	0.01	25,001	-	MONO08C1906A	0.29	(0.71)	98,220	-	PTT28C1807A	0.27	0.05	116,133	-
KTB24C1808A	0.06	(0.06)	200	-	MONO13C1808A	-	-	-	-	PTT28C1808A	0.14	0.03	398,317	-
KTB24P1901A	-	-	-	-	MONO13C1811A	0.19	(0.04)	16,251	-	PTT28C1808B	0.08	(0.01)	26,182	-
KTB28C1806A	-	-	-	-	MONO23C1809A	0.03	-	225	-	PTT28C1811A	0.15	0.01	140,880	-
KTB28C1809A	0.08	0.01	4,000	-	MONO24C1807A	0.01	-	100	-	PTT28P1808A	0.37	(0.05)	147,319	-
KTB42C1805A	-	-	-	-	MONO24C1812A	0.08	(0.01)	67,379	-	PTT28P1808B	0.66	0.01	91,238	-
KTB42P1805A	0.67	0.04	420	-	MONO28C1807A	-	-	-	-	PTT42C1805A	-	-	-	-
KTC01C1806A	4.88	(0.32)	2,987	4.00	MONO28C1808A	-	-	-	-	PTTE01C1808A	1.25	(0.01)	127,684	1.00
KTC01C1806B	6.50	(0.60)	7,186	6.00	MTC06C1806A	0.40	(0.03)	54,856	-	PTTE01C1808B	0.87	-	80,012	-
KTC01C1808A	1.52	(0.05)	151,174	1.00	MTC07C1806A	0.02	-	2,000	-	PTTE01P1808A	0.19	-	111,693	-
KTC01C1808B	1.02	(0.08)	157,114	-	MTC08C1807A	0.05	(0.01)	2,511	-	PTTE06C1811A	0.75	0.02	11,915	-
KTC06C1807A	1.89	(0.31)	11,200	1.00	MTC08C1811A	0.21	(0.02)	27,063	-	PTTE07C1809A	0.53	(0.01)	8,008	-
KTC08C1807A	5.95	(0.70)	280	5.00	MTC11C1806A	0.21	(0.03)	19,104	-	PTTE08C1805A	-	-	-	-
KTC08C1808A	1.50	(0.12)	512	1.00	MTC13C1805A	-	-	-	-	PTTE08C1807A	0.94	(0.06)	161	-
KTC11C1902A	1.65	(0.05)	33,733	1.00	MTC13C1809A	0.13	(0.02)	211,450	-	PTTE08C1811A	0.60	-	87,427	-
KTC13C1806A	-	-	-	-	MTC23C1808A	0.10	(0.03)	33,290	-	PTTE08P1805A	-	-	-	-
KTC13C1807A	6.00	(0.95)	56	5.00	MTC24C1808A	0.03	-	700	-	PTTE08P1809A	0.13	-	42,557	-
KTC13C1808A	1.57	(0.34)	760	1.00	MTC24C1810A	0.27	(0.02)	1,760	-	PTTE08P1811A	0.44	(0.58)	62,623	-
KTC13C1809A	1.06	(0.09)	14,113	1.00	MTC27C1807A	0.10	(0.01)	2,721	-	PTTE11C1806A	3.62	0.04	11,840	3.00
KTC13C1809B	1.02	(0.04)	250,032	1.00	MTC28C1806A	-	-	-	-	PTTE11C1902A	0.83	0.01	31,667	-
KTC13P1807A	0.12	-	120,056	-	MTC28C1808A	0.07	(0.01)	14,580	-	PTTE13C1806A	-	-	-	-
KTC23C1806A	-	-	-	-	MTC28C1809A	0.31	(0.04)	121,182	-	PTTE13C1807A	0.69	(0.05)	1,796	-
KTC23C1809A	1.78	(0.02)	20,910	1.00	MTC42C1806A	0.23	(0.02)	7,580	-	PTTE13C1811A	0.57	0.02	243,912	-
KTC24C1808A	1.78	(0.34)	600	1.00	ORI08C1807A	0.28	-	25,658	-	PTTE13P1807A	-	-	-	-
KTC24C1810A	0.88	(0.07)	6,944	-	ORI11C1811A	0.40	-	17,481	-	PTTE13P1811A	0.39	(0.01)	178,600	-
KTC24P1807A	0.20	0.02	123,775	-	ORI13C1806A	0.04	(0.01)	4,430	-	PTTE23C1805A	0.96	0.03	102	1.00
KTC27C1806A	-	-	-	-	ORI13C1810A	0.80	-	121,818	-	PTTE23P1805A	-	-	-	-
KTC28C1806A	-	-	-	-	ORI23C1809A	0.33	(0.01)	13,000	-	PTTE24C1805A	-	-	-	-
KTC28C1806B	-	-	-	-	ORI24C1806A	-	-	-	-	PTTE24C1807A	0.65	-	31,178	-
KTC28C1808A	-	-	-	-	ORI24C1810A	0.61	0.01	2,488	-	PTTE24P1809A	0.06	-	58,204	-
KTC28C1808B	1.51	(0.14)	117,424	1.00	ORI28C1806A	-	-	-	-	PTTE27C1809A	1.00	(0.18)	10	1.00
KTC28C1809A	1.11	(0.07)	10,164	1.00	ORI28C1808A	0.31	(0.02)	36,174	-	PTTE27P1809A	0.11	(0.01)	13,252	-
KTC28C1810A	1.01	(0.04)	144,485	-	PLAN08C1811A	0.22	-	18,678	-	PTTE28C1807A	0.81	(0.03)	200	-
LH01C1809A	0.33	(0.01)	38,431	-	PLAN11C1805A	0.23	0.04	5,512	-	PTTE28C1810A	0.50	0.01	458,468	-
LH01C1809B	0.20	(0.02)	83,872	-	PLAN13C1809A	0.16	0.02	98,113	-	PTTG01C1805A	1.00	(0.08)	129,150	-
LH01P1809A	0.20	(0.02)	7,136	-	PLAN23C1806A	-	-	-	-	PTTG01C1808A	0.65	(0.06)	258,025	-
LH06C1809A	0.24	(0.02)	10,448	-	PLAN28C1810A	0.20	0.01	13,348	-	PTTG01C1810A	0.68	(0.04)	159,565	-
LH07C1810A	-	-	-	-	PSH01C1805A	0.10	-	8,186	-	PTTG01C1810B	0.29	(0.03)	103,720	-
LH11C1808A	0.20	(0.02)	5,848	-	PSH01C1810A	0.53	0.01	17,864	-	PTTG01P1805A	0.01	(0.01)	5,000	-
LH13C1808A	0.22	-	53,588	-	PSH01C1810B	0.31	-	9,590	-	PTTG01P1808A	0.76	0.04	136,253	-
LH23C1806A	0.09	-	10,300	-	PSH01P1805A	0.62	(0.01)	24,217	-	PTTG01P1811A	1.23	0.05	82,672	1.00
LH24C1806A	-	-	-	-	PSH01P1810A	0.74	-	10,967	-	PTTG06C1809A	0.36	(0.06)	30,289	-
LH24C1809A	-	-	-	-	PSH08C1805A	-	-	-	-	PTTG07C1806A	0.36	(0.21)	5,035	-
LH28C1808A	0.12	(0.02)	25,149	-	PSH08C1811A	0.23	(0.01)	3,024	-	PTTG08C1805A	0.10	(0.09)	47,378	-
LHFG42C1806A	-	-	-	-	PSH11C1902A	0.40	-	10,140	-	PTTG08C1811A	0.43	(0.58)	83,490	-
LPN01C1809A	0.13	-	511	-	PSH23C1811A	0.42	0.01	24,386	-	PTTG08P1805A	-	-	-	-
LPN01C1811A	0.36	-	5,570	-	PSH42C1806A	-	-	-	-	PTTG08P1811A	0.73	0.04	64,343	-
LPN01C1811B	0.24	(0.01)	7,581	-	PSL01C1807A	0.37	0.02	15,147	-	PTTG11C1902A	0.43	(0.04)	40,471	-
LPN01P1809A	0.60	-	2,969	-	PSL23C1809A	0.15	-	2,000	-	PTTG13C1805A	-	-	-	-
LPN08C1807A	-	-	-	-	PSL24C1807A	-	-	-	-	PTTG13C1808A	0.24	(0.04)	180,456	-
LPN08C1810A	-	-	-	-	PTG01C1805A	0.01	-	70,400	-	PTTG23C1805A	0.06	(0.05)	11,850	-
LPN11C1806A	-	-	-	-	PTG01C1806A	0.16	(0.02)	254,004	-	PTTG24C1808A	0.16	(0.02)	52,201	-
LPN23C1806A	-	-	-	-	PTG01C1806B	0.02	(0.01)	7,000	-	PTTG24P1808A	0.15	0.05	462	-
LPN24C1808A	-	-	-	-	PTG01P1805A	1.36	0.07	14,900	1.00	PTTG27C1807A	-	-	-	-
LPN24C1812A	-	-	-	-	PTG06C1810A	0.21	(0.03)	3,066	-	PTTG27P1807A	0.08	0.01	14,000	-
LPN27C1807A	-	-	-	-	PTG06C1904A	0.75	(0.04)	9,800	-	PTTG28C1807A	0.03	(0.01)	15,000	-
LPN42C1805A	-	-	-	-	PTG07C1806A	-	-	-	-	PTTG28C1807B	0.13	(0.03)	338,255	-
MAJO08C1811A	-	-	-	-	PTG08C1807A	0.02	-	4,000	-	QH01C1807A	0.41	0.07	49,806	-
MAJO11C1902A	0.21	-	1	-	PTG11C1805A	-	-	-	-	QH01C1810A	0.48	0.06	46,343	-
MAJO23C1806A	-	-	-	-	PTG11C1903A	0.44	(0.03)	8,118	-	QH01C1810B	0.40	0.07	27,837	-
MAJO24C1809A	0.09	(0.01)	1	-	PTG13C1806A	-	-	-	-	QH01P1807A	0.25	(0.07)	8,346	-
MAJO42C1806A	-	-	-	-	PTG13C1809A	0.27	(0.03)	101,676	-	QH08C1808A	0.28	0.06	32,930	-
MALE01C1812A	0.05	-	10,500	-	PTG23C1808A	-	-	-	-	QH11C1902A	0.41	0.06	26,544	-
MALE08C1805A	-	-	-	-	PTG24C1805A	-	-	-	-	QH23C1808A	0.36	0.05	6,520	-
MALE08C1811A	0.01	-	4,047	-	PTG24C1809A	0.32	(0.03)	5,197	-	QH28C1808A	0.18	0.05	57,362	-
MALE13C1805A	-	-	-	-	PTG27C1809A	-	-	-	-	QH42C1805A	-	-	-	-
MALE13C1809A	-	-	-	-	PTG28C1806A	-	-	-	-	RATC23C1806A	-	-	-	-
MALE23C1806A	-	-	-	-	PTG28C1808A	0.20	(0.02)	63,990	-	RATC27C1812A	-	-	-	-
MALE27C1812A	-	-	-	-	PTL08C1811A	0.59	0.01							

Main Board Quotation

Issue Date :

Friday May 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001C1806H	0.27	0.04	555,818	-	SGP13C1808A	0.05	-	20,130	-	THAI01C1806A	0.15	0.01	24,095	-
S5001C1806I	0.03	-	42,877	-	SGP13C1811A	0.19	(0.02)	70,485	-	THAI01C1808A	0.31	-	181,811	-
S5001C1807A	0.68	0.04	179,983	-	SGP23C1805A	0.76	(0.19)	1	-	THAI01C1808B	0.12	-	17,660	-
S5001C1807B	0.61	0.05	111,328	-	SGP24C1806A	-	-	-	-	THAI01P1806A	0.73	(0.02)	26,222	-
S5001P1805A	0.86	(0.04)	23,131	-	SGP24C1808A	0.02	(0.01)	1,399	-	THAI01P1808A	0.63	-	10,346	-
S5001P1805B	1.19	0.09	23,868	1.00	SGP28C1808A	0.03	(0.01)	7,341	-	THAI06C1809A	0.40	-	10,120	-
S5001P1806F	1.27	(0.07)	1,994,842	1.00	SGP28C1809A	0.02	(0.01)	1,130	-	THAI07C1811A	0.34	-	300	-
S5001P1806G	0.32	(0.07)	1,666,057	-	SIRI01C1808A	0.04	(0.01)	6,300	-	THAI08C1808A	0.17	-	10,634	-
S5001P1806H	1.91	(0.06)	999,848	1.00	SIRI01C1808B	0.02	-	110	-	THAI11C1808A	0.12	-	5,580	-
S5001P1806I	0.90	(0.13)	2,233,155	-	SIRI01P1808A	0.53	0.01	4,972	-	THAI13C1811A	0.25	(0.01)	20,390	-
S5001P1807A	1.25	(0.05)	479,979	1.00	SIRI08C1808A	-	-	-	-	THAI23C1805A	-	-	-	-
S5001P1807B	0.88	(0.04)	111,111	-	SIRI08C1810A	0.28	-	5,404	-	THAI24C1808A	-	-	-	-
S5006C1806A	0.06	-	4,533	-	SIRI11C1902A	0.25	-	15,444	-	THAI27C1809A	0.21	0.01	11,050	-
S5006C1806B	0.03	(0.01)	5,982	-	SIRI13C1809A	-	-	-	-	THAI28C1808A	0.11	0.01	47,870	-
S5006C1809A	0.69	(0.31)	25	-	SIRI23C1811A	0.36	(0.01)	7,100	-	THAN01C1812A	0.49	(0.01)	2,392	-
S5006C1809B	0.48	(0.55)	10	-	SIRI24C1809A	0.15	-	700	-	THAN13C1809A	0.10	-	2,607	-
S5006P1806A	0.03	(0.01)	74,799	-	SIRI28C1807A	-	-	-	-	THAN23C1807A	-	-	-	-
S5006P1806B	0.25	(0.06)	1,886	-	SIRI28C1809A	0.18	0.01	50,860	-	THAN28C1810A	0.17	(0.01)	8,112	-
S5006P1809A	-	-	-	-	SIRI42C1805A	-	-	-	-	THCO01C1809A	0.17	(0.01)	3,466	-
S5006P1809B	-	-	-	-	SPAL01C1805A	0.23	0.03	15,740	-	THCO01P1809A	0.58	(0.02)	3,610	-
S5008C1806A	0.08	-	16,478	-	SPAL01C1808A	0.57	0.03	21,080	-	THCO11C1902A	0.21	(0.01)	600	-
S5008C1806B	0.08	0.02	13,851	-	SPAL01C1808B	0.21	0.02	6,910	-	THCO13C1805A	-	-	-	-
S5008P1806A	0.49	(0.06)	117,437	-	SPAL01P1805A	0.35	(0.05)	21,477	-	THCO23C1808A	-	-	-	-
S5008P1806B	0.50	(0.07)	150,608	-	SPAL06C1809A	0.64	0.03	19,010	-	THCO24C1805A	-	-	-	-
S5013C1806A	0.12	0.02	783,210	-	SPAL08C1808A	0.21	0.01	9,464	-	THCO24C1807A	-	-	-	-
S5013C1806B	0.06	-	2,195,522	-	SPAL11C1807A	0.36	0.02	13,161	-	THCO24C1810A	0.42	0.03	2,700	-
S5013C1806C	0.36	0.04	192,397	-	SPAL23C1811A	0.78	0.02	12,503	-	THCO28C1806A	-	-	-	-
S5013C1806D	0.27	0.03	2,278,951	-	SPAL24C1808A	-	-	-	-	THCO28C1808A	0.09	0.01	3,049	-
S5013C1806E	0.41	0.05	2,808,321	-	SPAL24C1812A	0.40	0.01	10	-	TISCO01C1808A	0.66	(0.04)	21,118	-
S5013C1809A	0.63	0.04	1,085,659	-	SPGC13C1806A	0.12	(0.02)	3,553	-	TISCO1C1808B	0.28	(0.03)	33,636	-
S5013P1806A	0.58	(0.11)	1,584,494	-	SPRC01C1805A	0.18	-	43,869	-	TISCO8C1808A	0.32	(0.03)	9,930	-
S5013P1806B	0.49	(0.12)	1,165,115	-	SPRC01C1808A	0.30	-	74,571	-	TISCO11C1805A	0.98	(0.08)	1,668	-
S5013P1806C	1.10	(0.08)	1,778	1.00	SPRC01C1808B	0.10	(0.01)	55,678	-	TISCO11C1903A	0.49	(0.02)	5,624	-
S5013P1806D	0.14	(0.03)	205,189	-	SPRC01P1805A	0.28	0.01	72,936	-	TISCO13C1807A	0.25	(0.02)	21,333	-
S5013P1806E	0.71	(0.15)	1,295,779	-	SPRC06C1809A	-	-	-	-	TISCO24C1806A	0.42	(0.10)	1,800	-
S5013P1809A	1.33	(0.07)	826,431	1.00	SPRC08C1808A	0.12	(0.01)	36,106	-	TISCO27C1807A	0.27	(0.03)	6,000	-
S5028C1806A	0.05	(0.02)	21,031	-	SPRC11C1902A	0.19	-	7,970	-	TISCO28C1807A	0.19	(0.02)	87,794	-
S5028C1806B	0.13	0.02	230,050	-	SPRC13C1808A	0.14	-	104,032	-	TISCO42C1806A	0.91	(0.04)	3,178	-
S5028C1806C	0.30	0.04	1,786,873	-	SPRC23C1810A	0.25	-	33,000	-	TKN01C1805A	0.01	-	12,273	-
S5028C1807A	0.45	0.04	818,392	-	SPRC24C1808A	0.06	(0.01)	2	-	TKN01C1808A	0.37	(0.05)	300,286	-
S5028P1806A	0.64	(0.11)	1,670,386	-	SPRC28C1806A	0.02	-	500	-	TKN01C1808B	0.16	(0.03)	56,448	-
S5028P1806B	0.26	(0.06)	1,920,361	-	SPRC42C1805A	0.22	(0.08)	200	-	TKN06C1806A	-	-	-	-
S5028P1806C	-	-	-	-	STA01C1807A	0.11	(0.03)	19,692	-	TKN08C1805A	-	-	-	-
S5028P1807A	1.04	(0.08)	273,095	1.00	STA01C1807B	0.03	(0.02)	1,000	-	TKN08C1808A	0.05	(0.02)	6,500	-
SAMA13C1806A	-	-	-	-	STA08C1807A	0.08	(0.02)	1	-	TKN08C1811A	0.44	(0.06)	100,934	-
SAWA01C1808A	0.12	(0.01)	5,218	-	STA13C1807A	0.02	(0.01)	1,100	-	TKN11C1902A	0.43	(0.03)	42,117	-
SAWA01C1808B	0.02	(0.01)	12,625	-	STA13C1808A	0.20	(0.05)	185,058	-	TKN13C1805A	-	-	-	-
SAWA01P1808A	2.04	(0.04)	5,307	2.00	STA23C1809A	0.26	(0.05)	150	-	TKN13C1808A	0.11	(0.03)	40,612	-
SAWA06C1807A	-	-	-	-	STA24C1808A	0.14	(0.06)	500	-	TKN13C1810A	0.42	(0.07)	7,560	-
SAWA06C1811A	-	-	-	-	STA28C1807A	-	-	-	-	TKN13C1811A	0.37	(0.05)	89,784	-
SAWA08C1805A	-	-	-	-	STEC01C1809A	0.41	0.02	84,797	-	TKN23C1806A	0.02	-	500	-
SAWA08C1808A	0.01	-	1,600	-	STEC01C1809B	1.34	0.04	37,487	1.00	TKN24C1807A	-	-	-	-
SAWA08C1811A	0.07	(0.01)	6,199	-	STEC01P1809A	0.91	(0.05)	35,013	-	TKN24C1811A	0.72	(0.03)	13,700	-
SAWA11C1808A	-	-	-	-	STEC06C1809A	0.50	0.01	4,596	-	TKN28C1806A	-	-	-	-
SAWA13C1807A	-	-	-	-	STEC08C1809A	0.38	0.03	105,517	-	TKN28C1808A	0.14	(0.05)	173,210	-
SAWA13C1810A	0.04	-	4,877	-	STEC11C1805A	-	-	-	-	TKN42C1805A	-	-	-	-
SAWA13C1811A	0.06	-	71,398	-	STEC11C1903A	0.64	0.02	18,105	-	TMB01C1807A	0.03	(0.01)	2,217	-
SAWA13C1812A	0.35	0.02	59,487	-	STEC13C1809A	0.33	0.03	111,970	-	TMB01C1810A	0.34	-	21,664	-
SAWA23C1807A	-	-	-	-	STEC23C1808A	0.02	-	552	-	TMB01C1810B	0.26	(0.01)	34,848	-
SAWA24C1808A	-	-	-	-	STEC24C1808A	0.31	0.03	2,150	-	TMB01P1807A	0.83	(0.02)	6,405	-
SAWA28C1805A	-	-	-	-	STEC28C1806A	-	-	-	-	TMB06C1809A	-	-	-	-
SAWA28C1807A	-	-	-	-	STEC28C1808A	0.27	0.03	161,183	-	TMB07C1811A	-	-	-	-
SAWA28C1809A	0.03	-	17,420	-	STEC28C1810A	0.63	0.04	122,581	-	TMB08C1808A	0.03	-	4,074	-
SAWA28C1810A	0.07	0.01	23,298	-	STEC42C1805A	-	-	-	-	TMB11C1806A	0.15	-	34,770	-
SCB01C1808A	0.30	0.01	32,497	-	STPI08C1811A	0.15	-	1,643	-	TMB13C1811A	0.17	-	10,462	-
SCB01C1808B	0.06	-	12,984	-	STPI23C1805A	-	-	-	-	TMB23C1810A	-	-	-	-
SCB01C1810A	0.55	0.01	42,748	-	STPI23C1806A	-	-	-	-	TMB24C1809A	-	-	-	-
SCB01P1808A	1.23	(0.04)	26,291	1.00	STPI28C1807A	-	-	-	-	TMB28C1806A	-	-	-	-
SCB01P1808B	0.63	(0.05)	22,593	-	SUPE06C1806A	0.21	0.03	1,903	-	TMB28C1808A	-	-	-	-
SCB06C1811A	0.67	0.02	21,132	-	SUPE08C1808A	0.30	0.06	9,241	-	TMB28C1809A	0.11	(0.01)	26,474	-
SCB08C1806A	0.02	-	2,160	-	SUPE08C1811A	0.49	0.06	39,530	-	TMB42C1805A	-	-	-	-
SCB11C1901A	0.32	0.01	17,040	-	SUPE13C1806A	0.09	0.03	58,415	-	TOP01C1805A	0.03	0.01	18,140	-
SCB11P1901A	0.66	(0.01)	11,480	-	SUPE13C1810A	0.39	0.08	101,247	-	TOP01C1808A	0.26	0.04	38,788	-
SCB13C1809A	0.21	0.02	66,992	-	SUPE13C1811A	0.45	0.05	4,242	-	TOP01C1808B	0.07	0.02	15,494	-
SCB24C1806A	0.01	-	1,000	-	SUPE23C1811A	0.71	0.08	2,156	-	TOP01P1805A	0.67	(0.09)	11,626	-
SCB24C1902A	-	-	-	-	SUPE28C1806A	0.11	0.07	24,302	-	TOP01P1808A	0.92	(0.12)	39,622	-
SCB24P1811A	-	-	-	-	SUPE28C1807A	0.27	0.06	47,973	-	TOP06C1809A	0.27	0.05	1,150	-
SCB28C1808A	0.06	-	20,000	-	SUPE28C1810A	0.30	(0.05)	203	-	TOP08C1805A	-	-	-	-
SCB28C1809A	0.20	0.01	148,080	-	SUPE28C1811A	0.39	0.04	4,650	-	TOP08C1811A	0.44	0.08	24,818	-
SCB28P1808A	0.31	(0.02)	181,530	-	TASO01C1806A	0.12	0.01	7,448	-	TOP11C1808A	0.11	0.02	38,928	-
SCC01C1808A	0.32	0.01	30,551	-	TASO01C1809A	0.16	(0.01)	7,322	-	TOP13C1806A	-	-	-	-
SCC01C1808B	0.07	(0.01)	2,530	-	TASO01C1810A	0.46	-	14,502	-	TOP13C1811A	0.44	0.07	84,661	-
SCC01P1808A	0.56	(0.03)	14,982	-	TASO01C1810B	0.31	(0.01)	14,450	-	TOP18C1808A	-	-	-	-
SCC06C1809A	0.20	-	1	-	TASO01P1806A	1.03	-	8,508	1.00	TOP23C1811A	0.51	0.09	40,865	-
SCC08C1809A	0.18	-	275	-	TASO01P1809A	1.34	-	12,240	1.00	TOP24C1805A	-	-	-	-
SCC11C1811A	0.27	0.01	7,818	-	TASO07C1811A	-	-	-	-	TOP24C1806A	-	-	-	-</

Main Board Quotation

Issue Date :

Friday May 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Friday May 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TPIP08C1808A	-	-	-	-	WHA11C1903A	0.44	0.01	23,051	-	PACE-W1	0.01	(0.01)	56,732	-
TPIP11C1811A	0.17	(0.01)	5,612	-	WHA13C1808A	0.39	0.01	162,410	-	PACE-W2	0.06	0.01	9,946	-
TPIP13C1811A	0.41	0.01	14,613	-	WHA23C1810A	0.60	0.01	1,000	-	PDJ-W2	1.57	-	62	1.00
TPIP23C1808A	-	-	-	-	WHA24C1805A	-	-	-	-	PDJ-W3	1.56	-	39	1.00
TPIP24C1901A	0.52	-	1,100	-	WHA24C1807A	-	-	-	-	PDJ-W4	1.54	(0.01)	207	1.00
TPIP27C1812A	-	-	-	-	WHA24C1811A	-	-	-	-	PL-W1	-	-	-	-
TRUE01C1808A	0.49	0.02	66,380	-	WHA28C1807A	0.14	(0.01)	1,063	-	PLE-W3	0.36	(0.01)	27,300	-
TRUE01C1808B	0.28	0.02	50,903	-	WHA28C1808A	0.17	-	139,415	-	PSL-W1	-	-	-	-
TRUE01P1808A	0.27	(0.01)	27,916	-	WHA28C1808B	0.35	0.02	158,028	-	RICH-W1	-	-	-	-
TRUE06C1806A	0.52	0.02	6,996	-	WHA28C1809A	0.78	-	32,300	-	RICHY-W1	0.34	(0.02)	7,203	-
TRUE06C1811A	0.29	0.01	50	-	WHA42C1806A	0.64	0.02	5,744	-	RICHY-W2	0.19	-	154	-
TRUE06P1806A	-	-	-	-	WHA42P1806A	0.05	-	20	-	RML-W4	-	-	-	-
TRUE07C1806A	-	-	-	-	WHAU01C1810A	0.28	-	11,909	-	RS-W3	11.90	(0.80)	136	12.00
TRUE08C1809A	0.31	-	16,454	-	WHAU01C1810B	0.15	-	150	-	S-W1	0.20	0.01	25,997	-
TRUE08P1809A	0.14	(0.01)	9,272	-	WORK01C1806A	0.01	-	10,592	-	SAWAD-W1	6.05	-	1,018	6.00
TRUE11C1807A	0.18	-	11,088	-	WORK01C1806B	-	-	-	-	SMM-W4	0.21	(0.01)	1,350	-
TRUE13C1807A	0.21	0.01	44,735	-	WORK08C1805A	-	-	-	-	SMT-W1	0.22	(0.01)	11,497	-
TRUE13C1810A	0.22	0.01	71,307	-	WORK08C1809A	0.01	-	92,379	-	SPALI-W4	20.10	0.10	1,875	19.00
TRUE16C1812A	-	-	-	-	WORK11C1805A	0.01	-	2,119	-	SPORT-W5	0.18	-	13,931	-
TRUE23C1806A	0.28	0.01	9,000	-	WORK11C1903A	0.20	(0.01)	32,345	-	SPORT-W6	0.04	-	3,471	-
TRUE27C1809A	0.33	(0.06)	3,897	-	WORK13C1805A	-	-	-	-	SUPER-W4	0.31	0.02	470,615	-
TRUE27P1809A	0.24	(0.04)	3,493	-	WORK13C1806A	-	-	-	-	SUSCO-W1	0.36	-	5,330	-
TRUE28C1807A	0.18	0.03	107,886	-	WORK13C1809A	0.03	-	3,188	-	SVI-W3	1.04	(0.12)	2,688	1.00
TRUE28C1808A	0.07	0.02	11,947	-	WORK13C1810A	0.07	-	49,621	-	TCC-W3	0.57	(0.03)	24	-
TTA01C1807A	0.11	-	99,084	-	WORK13C1811A	0.31	-	64,239	-	TCC-W4	0.24	0.01	5	-
TTA01P1807A	0.85	(0.02)	5,181	-	WORK23C1807A	-	-	-	-	TCJ-W2	1.26	0.04	14,003	1.00
TTA08C1808A	0.05	-	2,000	-	WORK24C1805A	-	-	-	-	TCMC-W2	0.40	-	5,645	-
TTA11C1806A	-	-	-	-	WORK24C1810A	0.07	-	18,701	-	TFG-W1	-	-	-	-
TTA13C1809A	0.09	0.01	20,553	-	WORK27C1806A	0.01	-	10	-	TFG-W2	0.79	(0.01)	1,239	-
TTA18C1808A	-	-	-	-	WORK28C1806A	-	-	-	-	TGPRO-W2	-	-	-	-
TTA23C1808A	-	-	-	-	WORK28C1808A	0.01	-	20	-	TH-W2	0.14	-	161	-
TTA24C1809A	-	-	-	-	WORK28C1809A	0.06	-	27,921	-	THE-W2	0.06	-	223,888	-
TTA28C1806A	-	-	-	-	WORK42C1806A	-	-	-	-	TNITY-W1	1.23	(0.02)	18,328	1.00
TTCL13C1806A	-	-	-	-	Preferred/Foreign	-	-	-	-	TNPC-W1	0.62	(0.01)	9,150	-
TU01C1808A	0.16	-	76,415	-	BH-Q	-	-	-	-	TPOLY-W2	0.09	0.06	264,124	-
TU01C1808B	0.02	(0.01)	1,219	-	CSC-Q	-	-	-	-	TSI-W2	-	-	-	-
TU01P1808A	0.78	(0.03)	16,864	-	JUTHA-Q	-	-	-	-	TSR-W1	0.78	(0.01)	7,206	-
TU08C1805A	-	-	-	-	KTB-Q	-	-	-	-	TTA-W5	0.94	(0.01)	4,253	-
TU08C1811A	0.19	(0.82)	2,727	-	SCB-Q	-	-	-	-	TWZ-W4	-	-	-	-
TU11C1902A	0.11	0.01	30,772	-	TCAP-Q	-	-	-	-	U-W1	0.01	-	4,300	-
TU13C1809A	0.04	(0.01)	5,501	-	TIC-Q	-	-	-	-	U-W4	0.01	-	76,172	-
TU23C1806A	-	-	-	-	TISCO-Q	-	-	-	-	VGI-W1	0.42	(0.02)	628,426	-
TU24C1808A	-	-	-	-	U-Q	-	-	-	-	VIBHA-W2	1.46	-	526	1.00
TU27C1807A	-	-	-	-	Warrant	-	-	-	-	VIBHA-W3	0.36	-	17,535	-
TV001C1809A	0.25	(0.03)	14,345	-	7UP-W2	-	-	-	-	WAVE-W1	0.59	(0.01)	405	-
TV001C1809B	0.11	(0.02)	19,560	-	ACC-W1	0.05	-	729	-	WHA-W1	8.85	0.10	13,741	8.00
TV008C1808A	0.09	(0.02)	8,435	-	AEC-W4	-	-	-	-	WIJK-W1	-	-	-	-
TVO11C1805A	0.03	(0.03)	3,866	-	AJA-W1	0.23	0.02	1,673	-	WORK-W1	16.80	0.10	2	16.00
TVO11C1903A	0.17	(0.02)	2,808	-	ALT-W1	1.25	0.02	3,839	1.00	Preferred Shares	-	-	-	-
TVO13C1809A	0.05	(0.02)	8,782	-	AQ-W4	0.01	-	100	-	BH-P	-	-	-	-
TVO23C1808A	0.11	(0.01)	15,500	-	AS-W1	0.58	(0.05)	11,726	-	CSC-P	-	-	-	-
TVO24C1810A	-	-	-	-	AYUD-W1	5.45	(0.75)	102,613	6.00	JUTHA-P	-	-	-	-
TVO28C1808A	-	-	-	-	B-W3	0.01	-	100	-	KTB-P	-	-	-	-
UNIQ01C1809A	0.35	(0.01)	25,074	-	BLAND-W4	0.03	0.01	455,380	-	SCB-P	-	-	-	-
UNIQ01C1810A	0.51	(0.01)	20,012	-	BROCK-W1	-	-	-	-	TCAP-P	-	-	-	-
UNIQ01C1810B	0.42	(0.01)	19,280	-	BTS-W3	0.12	(0.01)	718,868	-	TIC-P	-	-	-	-
UNIQ01P1809A	0.40	-	18,852	-	BWG-W4	0.10	(0.01)	13,029	-	TISCO-P	-	-	-	-
UNIQ08C1808A	-	-	-	-	CEN-W4	0.08	-	3,537	-	U-P	0.03	(0.01)	427,110	-
UNIQ08C1810A	0.37	-	59,012	-	CGH-W2	-	-	-	-	Warrant (MAI)	-	-	-	-
UNIQ11C1811A	0.30	-	27,560	-	CI-W1	0.52	-	1,020	-	2S-W1	0.23	0.01	3,431	-
UNIQ13C1807A	0.02	-	3,760	-	CKP-W1	0.38	-	5,692	-	ACAP-W1	-	-	-	-
UNIQ13C1809A	0.35	0.03	148,161	-	CRANE-W1	1.80	(0.05)	356	1.00	ACAP-W2	2.66	(0.28)	1,566	2.00
UNIQ23C1806A	-	-	-	-	DCC-W1	0.70	(0.01)	357,449	-	AIRA-W1	0.07	0.01	504	-
UNIQ24C1806A	-	-	-	-	DCON-W1	-	-	-	-	AIRA-W2	0.08	-	1,665	-
UNIQ24C1811A	0.23	-	14,796	-	DIGI-W1	0.07	0.01	44,456	-	ATP30-W1	0.85	(0.01)	4,993	-
UNIQ28C1807A	-	-	-	-	DIGI-W2	0.03	0.01	9,049	-	BSM-W2	0.27	0.01	838	-
UNIQ28C1809A	0.26	-	170,360	-	EARTH-W4	-	-	-	-	CIG-W6	-	-	-	-
UNIQ28C1811A	0.35	0.01	356,765	-	EIC-W2	0.02	-	3,241	-	CIG-W7	0.02	(0.01)	3,380	-
UNIQ42C1805A	-	-	-	-	EIC-W3	0.05	-	8	-	DNA-W1	1.65	0.04	265	1.00
UV01C1807A	0.36	0.03	37,251	-	EIC-W4	-	-	-	-	ECF-W2	3.50	0.06	2,754	3.00
UV08C1807A	0.14	0.01	17,440	-	EVER-W3	0.05	0.01	12,161	-	ECF-W3	3.00	0.14	23,462	2.00
UV13C1807A	0.08	0.01	19,111	-	GJS-W3	0.03	(0.01)	64,361	-	EFORL-W3	0.02	-	2,556	-
UV13C1808A	0.03	-	43,400	-	GL-W4	0.31	(0.02)	48,570	-	EFORL-W4	0.02	(0.01)	3,512	-
UV23C1809A	0.04	(0.01)	12,045	-	GLAND-W4	1.43	0.07	3,910	1.00	FC-W1	0.10	-	100	-
UV24C1807A	-	-	-	-	GREEN-W4	-	-	-	-	FC-W2	0.05	-	589	-
UV28C1807A	0.06	-	16,000	-	GSTEL-W1	-	-	-	-	FOCUS-W2	0.61	-	936	-
UV28C1808A	-	-	-	-	GSTEL-W2	-	-	-	-	FPI-W1	-	-	-	-
VGI01C1812A	0.89	(0.02)	40,047	-	IEC-W2	-	-	-	-	FVC-W2	0.84	0.03	1,421	-
VGI06C1904A	-	-	-	-	IFEC-W2	-	-	-	-	JKN-W1	2.34	2.34	522,887	3.00
VGI06C1904B	-	-	-	-	IHL-W1	5.10	0.05	202	5.00	LIT-W1	2.44	0.02	1,651	2.00
VGI06C1904C	-	-	-	-	ITD-W1	0.20	0.03	582,102	-	META-W2	0.30	-	103,268	-
VGI08C1811A	0.95	-	4,160	-	IVL-W2	17.00	-	147,074	16.00	MOONG-W1	-	-	-	-
VGI23C1905A	1.51	-	2,000	1.00	JAS-W3	2.52	0.04	67,451	2.00	MPG-W1	-	-	-	-
VGI23C1911A	1.47	-	2,808	1.00	JCK-W4	-	-	-	-	NBC-W1	0.01	-	20,000	-
VGI27C1812A	0.59	(0.01)	4,000	-	JCK-W5	0.48	-	1,202	-	NCL-W2	0.03	0.01	118,419	-
VGI28C1810A	0.63	(0.01)	233,422	-	JMART-W2	2.32	(0.02)	4,383	2.00	NDR-W1	0.26	-	28,187	-
VGI42C1805A	-	-	-	-	JMT-W1	11.50	(0.10)	1,570	11.00	NEWS-W4	-	-	-	-
VIBH08C1806A	-	-	-	-	MIDA-W2	0.03	-	81,590	-	NEWS-W5	-	-	-	-
VIBH13C1806A	-	-	-	-	MILL-W3	0.05	0.01	6,810	-	NINE-W1	0.01	-	2	-
VIBH24C1805A	-	-	-	-	MILL-W4	0.30	0.01	21	-	OCEAN-W2	-	-	-	-
VNG13C1806A	-	-	-	-	ML-W2	0.05	-	5,005	-	PHOL-W1	0.17	-	-	-

