

Main Board Quotation

Issue Date :

Monday May 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.95	(0.05)	65	6.95	RS	20.10	-	40,755	20.19
NFC	-	-	-	-	HUMAN	11.90	0.40	20,501	11.87	SE-ED	3.38	0.02	1,108	3.40
POMPUI	-	-	-	-	ILINK	6.90	-	1,984	6.85	SMM	0.91	(0.01)	3,769	0.92
SAFARI	-	-	-	-	INET	3.96	0.04	4,481	3.91	SPORT	0.68	0.04	2,984	0.66
VI	-	-	-	-	INTUCH	55.00	-	16,616	55.09	TBSP	17.00	1.30	3	16.80
WORLD	-	-	-	-	JAS	5.80	(0.05)	274,980	5.83	TH	0.62	0.01	9,379	0.61
WR	-	-	-	-	JASIF	10.30	(0.10)	163,953	10.35	TKS	11.00	(0.10)	10,387	10.97
Agribusiness	-	-	-	-	JMART	11.50	(0.10)	3,904	11.55	TRITN	0.30	(0.01)	129,963	0.30
CHOTI	146.00	(1.00)	4	146.50	JTS	1.63	-	626	1.63	VGI	8.40	-	269,755	8.32
EE	0.88	(0.02)	104,241	0.89	MFEC	4.26	(0.02)	820	4.25	WAVE	3.18	0.08	126	3.07
GFPT	12.20	0.30	9,653	12.03	MSC	5.95	-	245	5.92	WORK	45.75	0.50	8,999	45.56
LEE	2.82	0.02	789	2.82	PT	6.85	-	1,772	6.83	Finance & Securities	-	-	-	-
STA	12.60	0.10	16,643	12.56	SAMART	8.05	(0.05)	4,236	8.01	AEC	0.50	(0.02)	1,051	0.51
TLUXE	6.15	0.10	1,890	6.07	SAMTEL	9.95	0.05	45	9.99	AEONTS	161.00	(1.50)	1,016	160.37
TRUBB	1.81	(0.02)	2,043	1.81	SDC	0.30	-	20,438	0.29	AMANAH	2.14	(0.02)	75,400	2.14
TWPC	9.55	0.05	5,485	9.55	SIS	9.15	(0.10)	1,669	9.13	ASAP	6.95	(0.20)	17,026	7.00
UPOIC	4.78	0.32	290	4.52	SVOA	1.55	0.01	4,097	1.55	ASK	22.70	0.10	959	22.64
UVAN	8.15	0.05	2,599	8.10	SYMC	5.80	(0.20)	1,106	5.79	ASP	3.84	0.04	19,404	3.81
VPO	0.78	-	725	0.78	SYNEX	15.00	0.30	7,132	14.85	BFIT	30.00	0.50	1,545	29.87
Banking	-	-	-	-	THCOM	9.35	(0.05)	4,800	9.38	CGH	1.22	0.01	110	1.22
BAY	39.00	-	2,731	38.91	TRUE	7.10	-	454,863	7.13	CNS	2.66	0.02	829	2.65
BBL	195.50	2.00	37,760	195.20	TWZ	0.12	(0.01)	15,550	0.12	ECL	2.08	(0.06)	35,143	2.11
CIMBT	1.01	0.01	77,211	1.02	Electronic Componer	-	-	-	-	FNS	4.38	(0.02)	864	4.41
KBANK	195.50	3.50	67,969	194.60	CCET	1.91	(0.01)	2,707	1.92	FSS	2.62	-	42	2.62
KKP	68.50	1.25	21,720	68.10	DELTA	65.75	(1.50)	8,029	65.95	GBX	0.71	0.01	223	0.70
KTB	17.80	0.20	547,202	17.82	EIC	0.06	-	8,082	0.06	GL	6.75	(0.05)	16,120	6.80
LHFG	1.55	(0.01)	56,335	1.56	HANA	35.25	0.50	23,050	35.06	IFS	3.06	(0.04)	1,924	3.09
SCB	138.00	0.50	34,570	137.70	KCE	34.50	(0.50)	74,218	34.68	JMT	29.75	-	924	29.60
TCAP	51.75	0.25	10,727	51.60	METCO	188.50	(1.50)	13	188.88	KCAR	14.00	(0.10)	967	14.03
TISCO	87.25	2.00	44,462	86.39	SMT	2.90	(0.02)	6,073	2.91	KGI	4.30	-	15,704	4.28
TMB	2.52	0.08	3,215,720	2.52	SPPT	4.84	-	4,471	4.82	KTC	368.00	20.00	19,411	357.16
Construction Materia	-	-	-	-	SVI	4.18	0.02	4,735	4.17	MBKET	18.80	-	279	18.76
CCP	0.43	-	1,046	0.43	TEAM	1.25	(0.01)	4,678	1.26	MFC	15.30	0.10	1,416	15.34
DCC	2.14	(0.14)	37,936	2.20	Energy & Utilities	-	-	-	-	ML	1.11	-	1,583	1.10
DCON	0.60	-	18,213	0.60	ABPIF	8.55	0.05	501	8.53	MTC	34.00	(1.50)	183,638	34.42
DRT	5.75	(0.05)	350	5.80	AI	-	-	-	-	PE	0.37	0.01	13,127	0.37
EPG	7.20	-	25,035	7.22	AKR	1.38	0.02	408,684	1.35	PL	3.60	0.02	3,549	3.57
GEL	0.34	-	3,089	0.34	BAFS	37.25	(0.25)	3,250	37.12	S11	7.45	0.05	1,313	7.44
PPP	3.98	(0.02)	669	3.96	BANPU	20.70	0.20	317,571	20.63	SAWAD	38.50	1.00	275,452	38.44
Q-CON	5.80	(0.10)	39	5.82	BCP	35.50	0.25	18,258	35.22	THANI	7.75	0.05	29,757	7.76
RCI	2.12	(0.08)	2,817	2.11	BCPG	19.40	(0.10)	20,911	19.47	TK	12.80	(0.60)	11,347	13.00
SCC	464.00	(2.00)	12,427	464.45	BGRIM	23.60	(1.40)	424,679	24.11	TNITY	5.95	-	893	5.95
SCCC	238.00	(1.00)	2,507	238.35	BPP	24.70	(0.20)	23,698	24.70	UOBKH	3.80	-	1,346	3.81
SCP	8.20	(0.10)	753	8.21	BRRGIF	10.30	-	354	10.29	ZMICO	1.16	-	9,969	1.14
SKN	6.10	0.05	486	6.10	CKP	3.92	(0.04)	93,012	3.94	Food & Beverage	-	-	-	-
TASCO	17.80	0.10	18,391	17.83	DEMCO	4.74	0.02	1,282	4.74	APURE	1.56	-	1,451	1.56
TCMC	2.38	0.04	26,200	2.38	EA	40.50	1.25	440,797	40.03	ASIAN	5.55	-	10,942	5.58
TGCI	2.74	0.08	13,154	2.73	EARTH	-	-	-	-	BR	6.25	-	3,664	6.24
TOA	39.00	(1.00)	8,894	39.21	EASTW	11.50	(0.10)	15,417	11.56	BRR	7.90	-	912	7.85
TPIPL	1.93	0.02	301,401	1.93	EGATIF	11.40	(0.10)	10,184	11.37	CBG	52.50	0.25	19,304	52.71
UMI	1.47	0.01	278	1.47	EGCO	237.00	(3.00)	5,071	237.36	CFRESH	4.80	(0.06)	876	4.83
VNG	9.20	-	2,527	9.18	ESSO	15.00	0.40	66,751	14.80	CM	4.20	(0.02)	3,941	4.21
WIJK	2.40	-	2,736	2.40	GLOW	83.50	(1.25)	10,240	84.15	CPF	24.60	(0.20)	120,339	24.77
Petrochemicals & Ch	-	-	-	-	GPSC	76.00	(0.75)	11,262	76.11	CPI	2.02	(0.02)	4,742	2.00
CMAN	3.90	-	49,726	3.94	GULF	71.00	0.75	57,406	71.11	F&D	-	-	-	-
GC	5.10	(0.05)	2,329	5.14	GUNKUL	3.26	(0.08)	184,848	3.30	HTC	21.50	0.20	1,197	21.54
GGC	14.20	0.20	38,131	14.23	IEC	-	-	-	-	ICHI	5.50	0.05	11,298	5.50
GIFT	4.84	(0.02)	3,080	4.84	IFEC	-	-	-	-	KBS	4.84	0.02	85	4.84
IVL	60.25	(0.50)	76,531	60.58	IRPC	6.60	(0.05)	744,750	6.59	KSL	3.34	0.08	24,935	3.32
PATO	14.70	0.10	120	14.76	LANNA	15.70	(0.40)	4,514	15.81	KTIS	6.05	-	921	6.01
PMTA	17.00	-	85	16.99	MDX	4.62	-	499	4.60	LST	4.94	0.06	1,140	4.92
PTTGC	88.00	(3.25)	283,643	88.64	PTG	18.80	0.40	28,720	18.55	M	76.75	(1.25)	1,888	76.91
SUTHA	4.48	-	87	4.48	PTT	50.25	(1.75)	1,070,895	50.50	MALEE	17.00	0.10	16,587	16.79
TCB	54.75	-	291	54.86	PTTEP	131.00	(9.50)	263,262	132.41	MINT	35.00	-	143,466	34.96
TCCC	35.25	-	75	35.07	RATCH	52.25	-	7,051	52.12	OISHI	106.00	(2.00)	130	106.05
TPA	6.70	-	124	6.72	RPC	0.63	-	2,510	0.63	PB	61.75	-	128	61.36
UP	27.25	(0.25)	2	27.25	SCG	4.78	-	44	4.77	PM	10.90	-	3,352	10.84
VNT	25.75	(1.25)	17,096	26.05	SCI	2.96	(0.06)	10,043	2.98	PRG	13.70	-	50	13.70
WG	149.00	2.00	28	149.36	SCN	4.10	(0.08)	5,410	4.12	SAPPE	28.25	0.50	9,042	28.07
YCI	-	-	-	-	SGP	11.40	-	35,326	11.39	SAUCE	22.00	(0.10)	35	22.00
Commerce	-	-	-	-	SKE	1.43	0.02	7,500	1.42	SFP	-	-	-	-
BEAUTY	18.00	0.70	569,559	17.86	SOLAR	2.68	-	5,951	2.70	SNP	21.20	0.10	41	21.12
BIG	2.44	-	16,814	2.43	SPCG	21.60	-	4,941	21.55	SORKON	69.25	(3.00)	229	70.09
BIC	58.00	0.25	31,821	58.07	SPRC	15.90	0.60	271,724	15.73	SSC	50.00	(0.50)	4	50.00
COL	24.80	(0.10)	2,030	24.76	SUPER	1.43	0.08	8,710,936	1.41	SSF	-	-	-	-
COM7	17.50	(0.30)	189,067	17.44	SUSCO	3.48	-	4,894	3.50	SST	6.40	0.05	112	6.41
CPALL	81.00	0.50	219,248	81.32	TAE	2.30	0.02	2,424	2.28	TC	2.90	0.02	45	2.86
CSS	2.32	0.02	2,148	2.30	TCC	0.39	(0.02)	16,372	0.39	TFG	4.34	0.04	7,153	4.39
FN	3.36	(0.04)	2,466	3.36	TOP	90.00	1.50	85,082	90.36	TFMAMA	163.50	1.00	4	163.50
FTE	2.34	(0.04)	3,558	2.35	TPIPP	6.70	-	44,332	6.68	TIPCO	10.20	-	5,153	10.29
GLOBAL	16.60	0.50	56,480	16.43	TTW	12.20	-	13,550	12.15	TKN	18.50	0.30	53,486	18.36
HMPRO	14.90	0.20	246,641	14.87	WHAUP	6.15	0.05	22,780	6.11	TU	17.40	(0.30)	124,299	17.38
IT	4.40	(0.02)	597	4.41	WP	8.10	(0.10)	13,224	8.14	TVO	31.00	0.75	4,646	30.77
KAMART	5.45	(0.05)	3,564	5.46	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.34	0.02	9,789	2.34	AMARIN	5.15	-	1,053	5.17	AHC	21.30	-	260	21.34
MAKRO	44.00	1.25	5,899	43.77	AQUA	0.56	(0.02)	171,042	0.57	BCH	16.70	0.10	77,827	16.59
MC	12.90	(0.10)	2,506	13.00	AS	1.71	-	737	1.71	BDM5	27.25	0.25	189,869	27.12
MEGA	42.00	0.25	10,657	41.99	BEC	9.65	(0.20)	92,002	9.80	BH	193.50	(0.50)	9,789	193.25
MIDA	0.61	0.01	3,431	0.61	EPCO	4.50	0.16	135,957	4.42	CHG	2.34	-	206,603	2.34
ROBINS	64.00	1.25	14,228	63.62	FE	-	-	-	-	CMR	3.42	(0.04)	162	3.42
RSP	5.95	(0.05)	1,089	5.98	GPI	3.00	0.02	726	2.99	EKH	5.55	-	1,705	5.52
SINGER	7.55	0.15	722	7.56	GRAMMY	8.95	-	333	8.94	KDH	94.50	-		

Main Board Quotation

Issue Date :

Monday May 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	8.90	0.10	1,846	8.87	MJD	3.20	-	1,140	3.17	CPT	2.18	-	16,581	2.19
WPH	3.18	-	6,374	3.19	MK	3.22	(0.04)	20,757	3.23	CRANE	2.50	0.04	657	2.48
Tourism & Leisure					NCH	1.00	-	11	1.00	CTW	8.30	-	741	8.30
ASIA	6.70	(0.05)	540	6.75	NNCL	1.89	0.08	248,525	1.87	FMT	26.25	(0.75)	9	26.72
CENTEL	47.00	2.75	41,501	46.14	NOBLE	9.45	0.05	1,252	9.41	HTECH	7.50	(0.15)	17,125	7.52
CSR	-	-	-	-	NUSA	0.31	-	12,204	0.31	KKC	1.74	0.01	409	1.75
DTC	15.90	(0.70)	33,770	16.16	NVD	4.54	(0.04)	237	4.56	PK	3.70	-	2,576	3.71
ERW	7.95	(0.05)	21,566	7.92	ORI	19.80	(0.10)	17,679	19.92	SNC	16.10	0.10	2,528	16.05
GRAND	0.98	0.01	4,758	0.97	PACE	0.44	(0.01)	51,020	0.44	TCJ	6.70	0.05	680	6.62
LRH	35.00	-	32	34.54	PF	0.97	0.04	440,702	0.96	VARO	7.05	0.15	270	7.02
MANRIN	-	-	-	-	PLAT	8.05	-	6,300	8.05	Property Fund & REI				
OHTL	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.00	(0.10)	4,101	9.97
ROH	40.50	-	1	40.50	PRECHA	1.70	(0.01)	461	1.70	AMATAR	10.50	0.10	34	10.41
SHANG	70.50	(1.25)	45	69.48	PRIN	1.64	0.01	4,653	1.64	B-WORK	10.30	-	1,976	10.30
Home & Office Prod.					PRINC	5.90	-	8,092	5.91	BKKCP	12.00	-	23	12.04
ACC	0.51	-	3,594	0.51	PSH	21.90	0.40	20,419	21.79	BOFFICE	12.40	-	148	12.41
AJA	0.49	(0.01)	13,332	0.50	QH	3.36	0.06	1,113,326	3.34	CPNCG	14.60	0.10	97	14.53
DTCI	27.50	0.25	6	27.58	RICHY	1.79	(0.01)	7,969	1.79	CPNREIT	23.40	0.30	1,093	23.20
FANCY	1.11	(0.04)	33,015	1.13	RML	1.14	(0.01)	16,573	1.15	CPTGF	12.80	(0.20)	320	12.80
KYE	422.00	-	82	423.93	ROJNA	6.30	0.20	56,739	6.27	CRYSTAL	10.50	-	436	10.50
L&E	2.84	(0.02)	1,139	2.84	S	3.48	0.02	14,137	3.47	CTARAF	4.88	(0.02)	188	4.86
MODERN	4.72	(0.04)	3,357	4.75	SAMCO	2.34	(0.02)	516	2.36	DREIT	5.55	(0.05)	394	5.52
OGC	39.75	-	3	39.75	SC	3.80	0.04	55,230	3.79	ERWPF	5.85	(0.05)	220	5.84
ROCK	-	-	-	-	SENA	3.76	0.02	9,754	3.74	FUTUREPF	21.20	(0.10)	81	21.25
SIAM	1.99	-	115	1.98	SF	8.85	0.05	10,219	8.80	GAHREIT	9.85	-	600	9.85
TSR	2.78	0.08	7,524	2.76	SIRI	1.78	0.07	2,355,218	1.77	GLANDREIT	12.20	(0.20)	2,303	12.17
Insurance					SPALI	24.90	0.20	63,356	24.86	GOLDPF	7.40	-	1,000	7.40
AYUD	44.00	-	1,060	44.07	TICON	17.20	-	591	17.11	GVREIT	14.80	(0.20)	1,525	14.71
BKI	359.00	-	7	359.29	U	0.02	(0.01)	1,004,645	0.02	HPF	-	-	-	-
BLA	35.00	-	1,360	34.91	UV	8.55	0.05	66,494	8.59	HREIT	7.25	-	3,410	7.27
BUI	-	-	-	-	WHA	4.36	(0.02)	473,524	4.35	IMPACT	16.90	(0.70)	15,993	17.08
CHARAN	-	-	-	-	WIN	0.61	0.01	800	0.61	KPNPF	9.70	(0.05)	746	9.71
INSURE	-	-	-	-	Paper & Printing Mat					LHHOTEL	15.80	-	4,586	15.80
MTI	127.00	0.50	2	126.50	UTP	12.10	0.10	5,994	12.09	LHPF	8.50	(0.15)	1,833	8.50
NKI	58.00	1.00	10	58.00	Fashion	-	-	-	-	LHSC	15.90	-	445	15.90
NSI	82.00	0.50	5	82.05	AFC	-	-	-	-	LUXF	8.10	-	222	8.10
SMK	42.25	-	99	41.94	BTNC	-	-	-	-	M-II	8.50	(1.20)	254	8.50
THRE	1.29	-	18,400	1.28	CPH	5.85	(0.05)	50	5.85	M-PAT	10.20	-	1	10.20
THREL	8.45	0.10	6,818	8.38	CPL	3.26	0.08	82	3.26	M-STOR	10.30	(0.10)	118	10.30
TIC	34.75	-	100	34.58	DIGI	0.62	0.01	46,775	0.61	MIPF	-	-	-	-
TIP	25.50	-	1,739	25.51	ICC	-	-	-	-	MIT	-	-	-	-
TSI	0.46	(0.09)	60,685	0.50	LTX	74.50	-	12	74.50	MJLF	12.60	(0.10)	3	12.67
TVI	3.82	-	173	3.82	NC	-	-	-	-	MNIT	1.78	(0.02)	215	1.78
Mining					PAF	1.10	0.01	1,963	1.08	MNIT2	-	-	-	-
PDI	18.10	-	3,167	18.18	PDJ	2.88	-	988	2.85	MNRF	3.54	(0.04)	200	3.54
THL	-	-	-	-	PG	7.25	-	1	7.25	MONTRI	-	-	-	-
Packaging					SABINA	29.00	0.25	107	29.15	POPF	13.80	0.10	1,687	13.80
AJ	11.40	-	1,325	11.35	SAWANG	-	-	-	-	PPF	11.30	-	514	11.23
ALUCON	221.00	-	5	220.40	SUC	43.25	(0.25)	241	43.15	QHHR	8.80	-	2,900	8.77
CSC	45.25	(0.25)	77	45.18	TNL	19.90	0.20	113	19.90	QHOP	3.86	(0.02)	3	3.86
NEP	0.45	0.01	4,116	0.45	TPCORP	16.50	-	46	16.50	QHPF	12.00	(0.10)	13,976	12.10
NPP	1.40	0.04	57,222	1.41	TR	49.50	(0.50)	278	50.15	SBPF	-	-	-	-
PTL	16.20	(0.50)	8,514	16.19	TTI	-	-	-	-	SHREIT	9.65	0.05	110	9.60
SITHAI	1.32	0.01	3,015	1.31	TTL	-	-	-	-	SIRIP	11.30	(0.10)	133	11.31
SLP	0.98	-	4,563	0.98	TTTM	125.00	(3.50)	38	128.22	SPF	23.20	-	913	23.23
SMPC	13.70	0.10	488	13.57	UPF	70.00	(0.75)	39	70.12	SRIPANWA	11.20	-	65	11.24
SPACK	2.00	-	128	2.00	UT	13.40	0.30	26	13.04	SSPF	10.30	0.10	47	10.30
TCOAT	-	-	-	-	WACOAL	45.75	0.25	2	45.75	SSTPF	-	-	-	-
TFI	0.39	0.02	5,710	0.37	Transportation & Log					SSTRT	7.05	0.65	20	6.42
THIP	36.00	(1.00)	197	36.17	AAV	5.70	0.10	80,164	5.69	TIF1	8.60	(0.05)	34	8.64
TMD	21.00	(0.10)	19	20.96	AOT	68.25	(0.75)	149,435	68.41	TLGF	19.10	0.10	9,627	18.96
TOPP	-	-	-	-	ASIMAR	2.84	-	4,627	2.81	TLHPF	-	-	-	-
TPBI	10.20	-	116	10.11	B	0.75	-	7,926	0.75	TNPF	4.40	-	1,001	4.40
TPP	-	-	-	-	BA	15.20	0.30	34,710	15.23	TPRIME	11.80	-	2,083	11.81
Personal Products &					BEM	8.10	0.10	727,893	8.06	TREIT	11.20	-	19,324	11.20
APCO	5.70	-	1,693	5.66	BTS	9.50	-	163,301	9.48	TTLPF	24.70	(0.10)	6	24.70
DDD	70.75	(0.25)	11,651	70.43	BTSIGIF	12.40	(0.10)	25,983	12.49	TU-PF	-	-	-	-
JCT	-	-	-	-	III	5.35	(0.10)	3,236	5.37	URBNPF	-	-	-	-
OCC	-	-	-	-	JUTHA	1.97	(0.01)	21	1.97	WHABT	10.30	-	223	10.29
S & J	23.90	0.40	30	23.93	JWD	8.15	-	7,159	8.16	WHART	10.50	0.10	81	10.49
STHAI	-	-	-	-	KWC	-	-	-	-	Steel				
TNR	14.90	(0.30)	395	14.93	NOK	2.94	-	3,213	2.95	AMC	2.80	0.02	1,474	2.79
TOG	4.80	(0.10)	8,480	4.80	NYT	5.70	(0.05)	1,307	5.70	BSBM	1.19	-	4,592	1.19
Professional Service					PRM	8.80	0.20	34,037	8.73	CEN	1.36	(0.02)	1,085	1.37
BWG	1.24	(0.01)	30,302	1.25	PCL	12.10	(0.20)	9,366	12.21	CITY	2.76	-	7	2.76
GENCO	0.87	-	6,728	0.87	RCL	6.15	0.10	3,613	6.16	CSP	1.51	-	78	1.51
PRO	-	-	-	-	THAI	15.80	0.20	23,713	15.83	GJS	0.35	(0.01)	992,569	0.35
Property Developmei					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	700	6.70	TTA	7.70	(0.05)	19,761	7.62	INOX	1.17	0.02	637	1.18
AMATA	23.10	-	117,608	23.01	WICE	4.26	0.02	45,155	4.27	LHK	5.15	0.05	5,530	5.14
AMATAV	7.20	-	1,813	7.22	Automotive					MAX	0.02	-	240,121	0.02
ANAN	4.42	0.18	467,919	4.40	AH	36.75	(0.50)	1,814	37.18	MCS	8.30	(0.05)	3,973	8.29
AP	9.20	0.10	132,001	9.17	APCS	6.05	(0.15)	7,336	5.99	MILL	1.59	0.01	3,451	1.59
APEX	0.21	(0.01)	16,203	0.21	BAT-3K	-	-	-	-	PAP	4.36	(0.04)	714	4.39
AQ	0.04	-	530,275	0.04	CWT	3.74	(0.04)	5,366	3.76	PERM	2.62	-	6,574	2.64
BLAND	1.97	-	718,951	1.97	EASON	3.40	(0.04)	832	3.40	RICH	-	-	-	-
BROCK	2.54	0.04	261	2.52	GYT	388.00	(1.00)	10	389.20	SAM	0.72	(0.01)	3,854	0.72
CGD	1.47	-	46,690	1.46	HFT	3.30	0.02	4,805	3.32	SMIT	5.65	(0.05)	5,846	5.63
CI	1.64	(0.02)	579	1.65	IHL	8.95	0.10	1,696	8.92	SSI	-	-	-	-
CPN	78.25	0.75	33,712	77.95	INGRS	1.05	-	11,630	1.05	SSSC	3.26	(0.02)	1,327	3.28
ESTAR	0.71	0.01	113,350	0.72	IRC	20.50	0.10	206	20.37	TGPRO	0.23	(0.01)	14,026	0.23
EVER	0.39	-	34,783	0.39	PCSGH	8.00	(0.05)	17,355	8.09	THE	2.88	(0.04)	11,368	2.90
GLAND	2.52	0.02	23,365	2.51	SAT	22.40	(0.20)	8,877	22.53	TIW	440.00	(6.00)	12	440.00
GOLD	10.90	0.10	84,499	10.92	SPG	19.90	2.50	102	19.85	TMT	15.10	-	441	15.10
GREEN	1.01	-	6,639	1.01	STANLY	247.00	1.00	242	246.31	TSTH	0.80	(0.01)	9,756	0.81
J	1.62	0.02	1,377	1.61	TKT	1.72	0.04	4	1.72	TUCC	-	-	-	-
JCK	1.66	0.01	3,229	1.66	TNPC	1.63	(0.01)	2,468	1.62	TWP	4.32	0.02	485	4.29
KC	-	-	-	-	TRU	4.46</								

Main Board Quotation

Issue Date :

Monday May 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	UWC	0.08	-	39,520	-	ADVA11P1807A	0.31	-	8,800	-
ABICO	6.45	-	105	6.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.15	(0.02)	14,338	-
AU	11.80	-	4,359	11.00	ADAM	-	-	-	-	ADVA13C1811A	0.68	(0.03)	48,151	-
FC	0.45	(0.01)	16,218	-	AKP	1.82	0.02	5,585	1.00	ADVA13P1809A	0.43	-	21,598	-
JCKH	1.39	(0.03)	17,625	1.00	AMA	7.10	0.10	7,355	7.00	ADVA16C1812A	0.48	(0.04)	16	-
KASET	2.42	(0.02)	301	2.00	ARIP	0.57	-	2,116	-	ADVA18C1808A	0.59	(0.03)	6,380	-
MM	4.32	(0.04)	2,073	4.00	ATP30	1.79	0.01	5,770	1.00	ADVA23C1806A	0.30	(0.02)	12,050	-
SUN	3.86	0.02	1,627	3.00	AUCT	5.85	0.05	1,661	5.00	ADVA24C1810A	0.54	(0.01)	154	-
TACC	4.52	-	3,906	4.00	BOL	1.99	0.01	437	1.00	ADVA24P1810A	-	-	-	-
TMILL	3.16	(0.02)	2,768	3.00	CHUO	-	-	-	-	ADVA27P1805A	-	-	-	-
XO	9.00	0.20	16,315	9.00	CMO	1.61	0.03	6,885	1.00	ADVA28C1808A	-	-	-	-
Consumer Products														
BGT	1.14	0.02	290	1.00	D	10.00	(0.10)	1,860	10.00	ADVA28P1810A	0.55	(0.45)	60,276	-
BIZ	3.12	0.04	1,078	3.00	DCORP	2.38	-	2,389	2.00	AMAT01C1806A	0.11	-	39,064	-
ECF	7.10	(0.05)	49,136	7.00	DNA	0.49	-	33,641	-	AMAT01C1810A	1.16	0.01	58,535	1.00
HPT	1.13	(0.01)	27,028	1.00	EFORL	0.08	-	461,497	-	AMAT01C1810B	1.13	0.02	48,704	1.00
JUBILE	24.80	(0.10)	1,439	24.00	ETE	2.32	(0.02)	4,372	2.00	AMAT01P1806A	0.46	(0.02)	31,111	-
MOONG	6.20	(0.10)	3,557	6.00	FSMART	9.20	-	10,878	9.00	AMAT06C1809A	0.33	0.03	4,043	-
NPK	26.75	-	1	26.00	FVC	1.63	0.01	1,924	1.00	AMAT08C1807A	0.02	-	231	-
OCEAN	0.85	(0.02)	27,173	-	HARN	2.70	0.02	713	2.00	AMAT08C1809A	0.44	-	26,899	-
TM	2.18	-	1,021	2.00	JKN	9.75	(0.95)	83,428	10.00	AMAT11C1805A	0.95	-	20,505	-
Financials (MAI)														
ACAP	7.85	0.05	10,835	7.00	KIAT	0.46	(0.01)	63,261	-	AMAT11C1903A	0.67	-	31,663	-
AF	0.90	(0.01)	1,316	-	KOOL	1.97	-	3,473	1.00	AMAT13C1806A	0.01	-	11,022	-
AIRA	2.08	(0.04)	9,406	2.00	LDC	1.17	(0.03)	2,039	1.00	AMAT13C1809A	0.39	(0.03)	200,236	-
ASN	-	-	-	-	MPG	0.28	0.01	1,133	-	AMAT23C1810A	0.57	(0.02)	27,901	-
BROOK	0.60	-	8,111	-	NBC	0.75	(0.05)	7,126	-	AMAT24C1805A	-	-	-	-
CHAYO	2.98	0.02	11,293	2.00	NCL	1.48	-	2,361	1.00	AMAT24C1807A	-	-	-	-
GCAP	5.00	(0.05)	2,863	5.00	NEWS	0.02	0.01	169,458	-	AMAT24C1811A	-	-	-	-
LIT	9.20	(0.05)	2,113	9.00	NINE	1.41	(0.03)	4,938	1.00	AMAT28C1806A	-	-	-	-
SGF	0.14	-	124,767	-	OTO	3.14	(0.02)	406	3.00	AMAT28C1808A	0.35	(0.02)	228,264	-
Industrials (MAI)														
2S	3.60	(0.02)	1,473	3.00	PHOL	2.38	0.06	6,357	2.00	AMAT42C1806A	0.80	0.02	4,251	-
ADB	1.30	(0.01)	7,805	1.00	PICO	6.50	(0.35)	225	6.00	ANAN01C1807A	0.06	0.01	180,612	-
BM	3.80	0.06	12,422	3.00	PORT	7.05	(0.15)	5,014	7.00	ANAN01C1810A	0.74	0.09	91,432	-
CHO	1.42	-	1,679	1.00	QLT	5.05	0.05	433	5.00	ANAN01C1810B	0.62	0.12	71,321	-
CHOW	5.25	(0.05)	2,784	5.00	RP	3.90	(0.06)	717	3.00	ANAN08C1808A	0.03	0.01	11	-
CIG	0.41	0.04	16,930	-	SE	2.36	(0.02)	126	2.00	ANAN08C1810A	0.68	0.10	75,007	-
COLOR	1.13	0.01	1,016	1.00	SPA	16.70	-	3,988	16.00	ANAN23C1806A	-	-	-	-
CPR	5.25	(0.05)	1,626	5.00	THMUI	1.59	0.01	1,045	1.00	ANAN24C1807A	-	-	-	-
FPI	3.02	(0.06)	16,215	3.00	TNDT	4.98	-	982	4.00	ANAN24C1811A	0.58	0.09	13,331	-
GTB	0.85	(0.02)	666	-	TNH	41.50	0.25	361	41.00	ANAN28C1806A	-	-	-	-
KCM	1.18	(0.02)	15,724	1.00	TNP	2.12	0.02	1,307	2.00	ANAN28C1809A	0.42	0.07	170,208	-
LVT	-	-	-	-	TSF	0.06	-	58,047	-	AOT01C1808A	0.46	(0.02)	156,773	-
MBAX	4.06	(0.02)	1,349	4.00	TVD	1.66	0.01	1,853	1.00	AOT01C1808B	0.10	(0.01)	67,908	-
MGT	2.26	(0.02)	892	2.00	TVT	1.12	-	7,393	1.00	AOT01C1810A	0.50	(0.04)	54,955	-
NDR	2.14	(0.02)	418	2.00	WINNER	3.26	(0.04)	1,065	3.00	AOT01P1808A	0.78	0.03	92,833	-
PDG	3.74	-	181	3.00	Technology (MAI)									
PIMO	2.70	-	8,030	2.00	COMAN	4.84	-	534	4.00	AOT06C1806A	1.59	(0.02)	14,100	1.00
PJW	1.79	-	380	1.00	ICN	2.58	-	3,016	2.00	AOT06C1809A	0.23	(0.02)	11,531	-
PPM	2.52	(0.08)	260	2.00	IRCP	1.59	-	749	1.00	AOT08C1806A	-	-	-	-
RWI	1.57	-	7,091	1.00	ITEL	3.86	(0.04)	5,976	3.00	AOT08C1807A	0.09	-	100	-
SALEE	1.11	(0.01)	3,967	1.00	NETBAY	40.75	(1.25)	3,090	41.00	AOT11C1808A	0.68	(0.03)	27,869	-
SANKO	1.36	(0.01)	1,155	1.00	PLANET	2.00	(0.04)	577	2.00	AOT11P1808A	0.08	-	6,520	-
SELIC	1.75	-	677	1.00	SIMAT	2.82	(0.04)	3,273	2.00	AOT13C1806A	0.02	(0.01)	20,440	-
SWC	22.50	-	256	22.00	SKY	16.20	(0.20)	2,079	16.00	AOT13C1807A	0.04	-	3,000	-
TAPAC	11.80	-	2,696	11.00	SPVI	1.42	0.01	2,637	1.00	AOT13C1809A	0.23	(0.03)	36,981	-
TMC	0.96	(0.01)	3,271	-	UPA	0.49	0.01	116,115	-	AOT13P1806A	-	-	-	-
TMI	0.84	-	1,757	-	VCOM	3.04	(0.04)	1,559	3.00	AOT13P1810A	0.52	0.03	58,469	-
TMW	68.25	1.75	348	67.00	Unit Trust	-	-	-	-	AOT19C1809A	0.36	(0.02)	19,473	-
TPAC	13.40	0.10	532	13.00	MGE	-	-	-	-	AOT23C1807A	0.52	(0.03)	18,023	-
UAC	4.96	(0.04)	1,728	4.00	SCBSET	-	-	-	-	AOT23P1807A	-	-	-	-
UBIS	4.98	0.02	138	5.00	ETF	-	-	-	-	AOT24C1806A	0.17	(0.02)	3,000	-
UEC	1.74	(0.03)	1,166	1.00	IDIV	12.25	(0.02)	293	12.00	AOT24C1807A	-	-	-	-
UKEM	0.96	-	18,697	-	ABFTH	-	-	-	-	AOT24P1809A	-	-	-	-
UREKA	0.49	(0.01)	10,103	-	BMSGC	9.42	(0.02)	1,366	9.00	AOT28C1807A	0.05	(0.01)	17,304	-
YUASA	17.50	-	252	17.00	BMSCG	13.42	(0.09)	2,079	13.00	AOT28C1809A	0.26	(0.02)	32,584	-
ZIGA	2.56	0.04	10,342	2.00	BSET100	11.09	(0.04)	1,421	11.00	AOT28P1806A	-	-	-	-
Property & Construc														
ARROW	11.10	0.10	315	11.00	CHINA	6.22	0.10	46	6.00	AP01C1809A	0.59	0.02	18,556	-
BKD	3.34	0.02	7,866	3.00	EBANK	-	-	-	-	AP01C1809B	0.40	0.02	11,598	-
BSM	0.73	(0.01)	5,922	-	ECOMM	-	-	-	-	AP08C1810A	0.57	0.05	21,332	-
BTW	1.72	(0.02)	2,035	1.00	EFOOD	-	-	-	-	AP23C1805A	-	-	-	-
CHEWA	1.08	(0.01)	4,817	1.00	EICT	-	-	-	-	AP24C1805A	0.01	(0.01)	1,660	-
CRD	1.20	-	3,066	1.00	ENY	7.59	(0.30)	22	7.00	AP24C1901A	0.41	0.01	1,201	-
DIMET	1.23	(0.02)	2,786	1.00	ESET50	-	-	-	-	BA01C1805A	0.01	-	14,967	-
FLOYD	2.64	0.06	39,183	2.00	GLD	1.77	(0.01)	541	1.00	BA01P1805A	0.69	(0.05)	22,461	-
FOCUS	1.00	0.01	685	-	TDEX	11.24	(0.03)	1,131	11.00	BA11C1902A	0.27	0.03	20,680	-
HYDRO	1.64	(0.03)	18,412	1.00	TGOLDETF	3.89	(0.02)	176	3.00	BA23C1806A	0.01	-	2	-
JSP	0.70	(0.01)	23,219	-	TH100	5.10	0.02	1	5.00	BA24C1810A	-	-	-	-
K	3.16	(0.10)	1,063	3.00	Warrant Foreign									
META	1.97	(0.21)	654,646	2.00	AAV01C1808A	0.30	0.04	50,634	-	BA28C1809A	0.10	0.01	65,878	-
PPS	1.31	0.08	106,201	1.00	AAV01C1808B	0.11	0.01	34,230	-	BA42C1806A	-	-	-	-
SMART	0.81	0.01	183	-	AAV01P1808A	0.29	(0.02)	2,962	-	BANP01C1806A	0.72	0.02	162,553	-
STAR	5.80	-	3,030	5.00	AAV06C1809A	0.24	0.03	7,898	-	BANP01C1808A	0.36	0.01	113,585	-
T	0.05	-	22,502	-	AAV08C1811A	0.26	0.03	15,660	-	BANP01C1808B	0.13			

Main Board Quotation

Issue Date :

Monday May 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP28C1807A	0.07	(0.01)	10,066	-	BEC08C1809A	0.04	(0.01)	27,182	-	CBG06C1809A	-	-	-	-
BANP28C1809A	0.04	(0.01)	5,130	-	BEC13C1805A	-	-	-	-	CBG06P1809A	1.24	(0.02)	50	1.00
BANP28C1810A	0.41	-	205,753	-	BEC13C1806A	-	-	-	-	CBG07C1806A	-	-	-	-
BBL06C1806A	-	-	-	-	BEC13C1808A	0.04	-	15,263	-	CBG08C1805A	-	-	-	-
BBL08C1805A	0.01	-	100	-	BEC13C1811A	0.50	(0.04)	61,078	-	CBG08C1805B	-	-	-	-
BBL08C1808A	0.13	0.02	4,002	-	BEC19C1809A	0.04	(0.02)	3,010	-	CBG08C1808A	0.01	-	39,761	-
BBL08C1809A	0.17	0.02	22,278	-	BEC23C1807A	-	-	-	-	CBG08C1810A	0.16	0.01	29,188	-
BBL08P1810A	0.41	(0.04)	54,586	-	BEC23C1809A	0.08	-	13,014	-	CBG11C1902A	0.26	0.01	23,170	-
BBL11C1805A	1.17	0.08	8,400	1.00	BEC24C1809A	-	-	-	-	CBG13C1806A	-	-	-	-
BBL11C1903A	0.61	0.04	27,970	-	BEC28C1806A	-	-	-	-	CBG13C1808A	0.03	-	66	-
BBL11P1805A	0.03	-	151	-	BEC28C1808A	0.04	(0.01)	8,001	-	CBG13C1809A	0.08	-	7,111	-
BBL11P1903A	0.71	(0.02)	8,700	-	BEC28C1809A	-	-	-	-	CBG13C1811A	0.34	-	57,199	-
BBL13C1807A	0.11	0.01	16,894	-	BEM01C1808A	0.43	0.02	117,759	-	CBG13P1806A	-	-	-	-
BBL13C1810A	0.63	0.03	71,607	-	BEM01C1808B	0.19	0.03	20,201	-	CBG18C1808A	-	-	-	-
BBL23C1811A	0.30	0.03	15,086	-	BEM01P1808A	0.25	(0.03)	7,194	-	CBG19C1810A	0.21	-	24,807	-
BBL24C1809A	-	-	-	-	BEM08C1809A	0.32	0.04	64,904	-	CBG23C1806A	-	-	-	-
BBL24P1810A	0.33	(0.03)	800	-	BEM11C1805A	0.17	0.01	8,900	-	CBG23C1901A	0.26	0.01	27,034	-
BBL27C1809A	0.20	0.01	12,410	-	BEM11C1903A	0.29	0.02	27,603	-	CBG24C1807A	-	-	-	-
BBL28C1808A	0.07	-	8,050	-	BEM13C1806A	-	-	-	-	CBG24C1809A	-	-	-	-
BBL28C1811A	0.57	0.02	226,997	-	BEM13C1809A	0.34	0.02	268,991	-	CBG28C1808A	-	-	-	-
BCH01C1808A	0.46	0.01	155,868	-	BEM23C1805A	-	-	-	-	CBG28C1808B	0.05	-	4,307	-
BCH01C1808B	0.22	0.02	23,206	-	BEM24C1809A	-	-	-	-	CBG42C1806A	-	-	-	-
BCH01P1808A	0.34	(0.01)	8,512	-	BEM28C1807A	-	-	-	-	CENT01C1805A	0.15	0.10	33,332	-
BCH06C1806A	0.73	-	26,592	-	BEM28C1808A	0.28	0.02	166,699	-	CENT01C1810A	0.49	0.09	91,087	-
BCH06C1811A	0.27	-	1,600	-	BEM42C1806A	0.22	0.03	10,094	-	CENT01C1810B	0.35	0.08	74,578	-
BCH08C1806A	0.06	(0.01)	8,000	-	BEM42P1806A	0.37	(0.01)	408	-	CENT01P1805A	0.47	(0.18)	50,832	-
BCH11C1807A	0.23	-	59,984	-	BH01C1806A	0.70	(0.02)	72,682	-	CENT01P1810A	0.92	(0.11)	40,792	-
BCH13C1810A	0.19	0.01	38,481	-	BH01C1806B	0.12	(0.01)	18,343	-	CENT08C1809A	0.15	0.04	36,741	-
BCH19C1809A	0.20	-	18,278	-	BH01P1806A	0.71	0.02	109,998	-	CENT11C1806A	0.43	0.14	58,941	-
BCH23C1811A	0.35	-	18,500	-	BH07C1810A	-	-	-	-	CENT13C1811A	0.23	0.06	113,324	-
BCH24C1805A	-	-	-	-	BH08C1811A	0.15	-	32,781	-	CENT23C1806A	0.10	0.05	59,866	-
BCH24C1811A	0.21	-	50,000	-	BH11C1902A	0.15	-	5,408	-	CENT24C1807A	0.03	(0.01)	1,000	-
BCH28C1807A	0.08	-	17,000	-	BH23C1805A	-	-	-	-	CENT24C1810A	0.19	0.06	600	-
BCH42C1806A	0.42	-	3,802	-	BH24C1806A	-	-	-	-	CENT28C1808A	0.10	0.04	27,501	-
BCP01C1805A	0.10	0.01	12,860	-	BH24C1809A	0.32	(0.02)	1,300	-	CHG01C1809A	0.45	-	89,986	-
BCP01C1810A	0.27	-	681	-	BH24C1811A	0.14	0.01	1	-	CHG01C1809B	0.80	(0.01)	5,235	-
BCP01C1810B	0.19	0.01	8,951	-	BIG08C1807A	-	-	-	-	CHG01P1809A	0.26	-	9,085	-
BCP01P1805A	0.36	(0.02)	4,000	-	BIG13C1808A	-	-	-	-	CHG08C1807A	0.13	-	33,919	-
BCP01P1810A	0.47	-	23,467	-	BIG23C1805A	-	-	-	-	CHG11C1807A	0.05	(0.01)	2,198	-
BCP07C1806A	-	-	-	-	BIG24C1808A	-	-	-	-	CHG13C1805A	-	-	-	-
BCP08C1806A	-	-	-	-	BIG28C1807A	0.02	-	6,000	-	CHG13C1807A	0.15	-	67,358	-
BCP11C1811A	0.18	0.01	9,868	-	BJC01C1807A	0.43	0.01	34,533	-	CHG13C1809A	0.78	0.02	19,660	-
BCP13C1810A	0.13	0.01	3,265	-	BJC01C1807B	0.15	0.01	10,939	-	CHG23C1811A	1.01	-	5,200	1.00
BCP23C1805A	-	-	-	-	BJC01P1807A	0.67	(0.04)	11,833	-	CHG24C1808A	-	-	-	-
BCP24C1808A	-	-	-	-	BJC06C1807A	-	-	-	-	CHG24C1811A	0.26	(0.01)	220	-
BCP28C1807A	-	-	-	-	BJC07C1809A	0.16	0.01	900	-	CHG28C1806A	-	-	-	-
BCP28C1809A	0.09	-	4,000	-	BJC08C1807A	0.07	0.01	5,000	-	CHG28C1807A	0.17	(0.01)	129,220	-
BCP28C1809B	0.09	-	4,000	-	BJC08C1809A	0.24	0.02	41,234	-	CHG28C1808A	0.67	(0.01)	20,480	-
BCPG01C1806A	0.08	(0.01)	8,786	-	BJC11C1807A	0.55	0.04	6,681	-	CK01C1809A	0.29	-	108,820	-
BCPG01C1806B	0.01	(0.01)	8,997	-	BJC13C1805A	-	-	-	-	CK01C1809B	0.64	0.01	51,915	-
BCPG06C1807A	-	-	-	-	BJC13C1807A	-	-	-	-	CK01P1809A	0.29	(0.02)	13,097	-
BCPG06C1811A	0.44	(0.01)	5,544	-	BJC13C1808A	0.22	-	20,426	-	CK08C1805A	-	-	-	-
BCPG07C1806A	-	-	-	-	BJC13C1810A	0.40	0.01	21,195	-	CK08C1809A	-	-	-	-
BCPG08C1805A	-	-	-	-	BJC19C1809A	0.39	0.01	20,124	-	CK11C1806A	-	-	-	-
BCPG08C1806A	-	-	-	-	BJC23C1806A	0.19	0.01	6,080	-	CK13C1806A	-	-	-	-
BCPG08C1810A	0.41	-	16,335	-	BJC24C1808A	-	-	-	-	CK13C1809A	0.17	-	65,036	-
BCPG11C1807A	0.74	0.02	4,362	-	BJC27C1807A	0.20	0.01	11,383	-	CK16C1812A	0.25	0.01	1,501	-
BCPG11C1902A	0.27	(0.01)	10,051	-	BJC28C1808A	0.24	0.02	84,520	-	CK23C1808A	0.03	(0.01)	15	-
BCPG13C1806A	-	-	-	-	BLA01C1812A	-	-	-	-	CK24C1806A	-	-	-	-
BCPG13C1807A	-	-	-	-	BLA07C1806A	-	-	-	-	CK24C1808A	-	-	-	-
BCPG13C1810A	0.39	-	28,809	-	BLA08C1811A	-	-	-	-	CK28C1806A	-	-	-	-
BCPG23C1806A	0.32	0.02	495	-	BLA13C1809A	-	-	-	-	CK28C1809A	0.56	(0.03)	64,500	-
BCPG24C1806A	-	-	-	-	BLA23C1806A	-	-	-	-	CKP11C1807A	0.44	(0.02)	17,602	-
BCPG24C1807A	-	-	-	-	BLA27C1806A	-	-	-	-	CKP13C1810A	0.38	(0.02)	49,178	-
BCPG24C1810A	-	-	-	-	BLA28C1810A	-	-	-	-	CKP23C1810A	0.42	(0.01)	21,000	-
BCPG28C1806A	-	-	-	-	BLAN01C1809A	0.66	(0.01)	35,308	-	CKP24C1811A	0.42	(0.04)	3,500	-
BCPG28C1808A	-	-	-	-	BLAN01C1809B	0.30	(0.02)	51,512	-	CKP27C1806A	-	-	-	-
BCPG28C1809A	0.37	(0.01)	59,723	-	BLAN01P1809A	0.15	-	2,299	-	CKP28C1809A	0.19	(0.01)	78,871	-
BDMS01C1806A	1.14	-	2,001	1.00	BLAN08C1810A	0.35	-	13,989	-	CKP28C1809B	0.43	(0.03)	71,736	-
BDMS01C1806B	0.95	0.06	3,999	-	BLAN11C1902A	0.33	-	12,036	-	CKP42C1806A	0.18	(0.02)	7,604	-
BDMS01P1806A	0.05	0.01	25,120	-	BLAN23C1807A	0.08	0.01	3,302	-	COM701C1806A	0.54	(0.05)	174,106	-
BDMS06C1811A	-	-	-	-	BPP01C1806A	0.15	-	20,265	-	COM701C1806B	0.26	(0.03)	115,444	-
BDMS08C1807A	-	-	-	-	BPP01C1806B	-	-	-	-	COM706C1809A	0.30	(0.03)	42,334	-
BDMS11C1811A	1.16	(0.01)	1,319	1.00	BPP06C1809A	0.50	(0.02)	1,550	-	COM708C1805A	0.20	(0.09)	15,100	-
BDMS13C1807A	-	-	-	-	BPP07C1806A	-	-	-	-	COM708C1811A	0.20	(0.02)	55,937	-
BDMS13C1810A	0.73	0.03	55	-	BPP08C1807A	-	-	-	-	COM711C1811A	0.42	(0.03)	119,493	-
BDMS13C1812A	0.24	0.01	14,086	-	BPP08C1810A	0.39	-	2,860	-	COM713C1809A	0.16	(0.01)	135,853	-
BDMS16C1812A	1.07	0.03	10,000	1.00	BPP11C1807A	-	-	-	-	COM723C1806A	0.57	(0.05)	32,750	-
BDMS23C1810A	0.78	0.04	2,501	-	BPP13C1805A	-	-	-	-	COM724C1806A	0.05	(0.03)	2,800	-
BDMS24C1805A	-	-	-	-	BPP13C1806A	-	-	-	-	COM728C1806A	-	-	-	-
BDMS24C1811A	-	-	-	-	BPP13C1808A	0.46	-	14,934	-	COM728C1808A	0.04	(0.01)	7,522	-
BDMS28C1806A	0.58	(0.07)	113	-	BPP13C1811A	0.14	(0.01)	9,116	-	CPAL01C1806A	0.64	0.05	280,530	-
BDMS28C1811A	0.17	(0.83)	1,410	-	BPP23C1806A	-	-	-	-	CPAL01C1808A	0.76	0.05	284,742	-
BEAU01C1807A	0.28	0.06	431,649	-	BPP24C1809A	-	-	-	-	CPAL01C1808B	0.33	0.03	204,728	-
BEAU01C1807B	0.10	0.02	84,649	-	BPP28C1807A	-	-	-	-	CPAL01P1806A	0.35	(0.05)	65,296	-
BEAU01P1807A	0.99	(0.14)	335,271	1.00	BPP28C1808A	0.36	(0.01)	40,260	-	CPAL01P1808A	0.72	(0.04)	89,826	-
BEAU06C1809A	0.18	0.04	45,550	-	BTS01C1806A	0.55	(0.01)	68,648	-	CPAL06C1811A	1.21	0.04	27,894	1.00
BEAU07C1809A	0.07	0.02	2,287	-	BTS01C1810A	0.48	(0.01)	28,705	-	CPAL06C1811B	0.41	0.04	3,000	-
BEAU08C1805A	0.01	-	117,014	-	BTS01C1810B	0.22	-	25,242	-	CPAL08C1807A	0.33	0.02	30,242	-
BEAU08C1808A	0.07	0.01	52,712	-	BTS01P1806A	0.11	0							

Main Board Quotation

Issue Date :

Monday May 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF01C1809B	0.19	-	19,856	-	EPG11C1903A	0.31	-	6,670	-	INTU01C1809B	0.15	0.01	9,822	-
CPF01C1810A	0.23	-	8,497	-	EPG13C1808A	-	-	-	-	INTU01P1809A	0.49	(0.01)	6,168	-
CPF01P1809A	0.46	-	10,075	-	EPG13C1811A	0.23	(0.01)	8,146	-	INTU01P1809B	0.31	(0.01)	7,550	-
CPF06C1809A	0.53	-	9,848	-	EPG23C1808A	-	-	-	-	INTU11C1807A	0.12	0.01	13,930	-
CPF07C1810A	-	-	-	-	EPG24C1807A	-	-	-	-	INTU11P1807A	0.39	(0.01)	2,112	-
CPF08C1805A	-	-	-	-	EPG24C1808A	-	-	-	-	INTU13C1806A	0.01	(0.01)	2,000	-
CPF08C1809A	0.39	(0.02)	34,704	-	EPG24C1810A	0.36	(0.02)	1,170	-	INTU13C1810A	0.25	-	45,270	-
CPF11C1902A	0.11	-	3,768	-	EPG28C1808A	0.04	(0.02)	4,000	-	INTU23C1806A	0.07	-	2,000	-
CPF11P1902A	0.38	0.01	5,285	-	ESS001C1807A	0.13	0.02	58,039	-	INTU24C1807A	-	-	-	-
CPF13C1809A	0.48	(0.01)	10,632	-	ESS001C1807B	0.03	-	3,005	-	INTU28C1809A	0.20	-	28,644	-
CPF13C1810A	0.15	-	4,262	-	ESS001P1807A	1.13	(0.04)	5,137	1.00	IRPC01C1808A	0.21	(0.01)	115,495	-
CPF23C1810A	0.45	(0.01)	20,000	-	ESS008C1807A	0.07	(0.01)	8,000	-	IRPC01C1810A	0.21	-	58,568	-
CPF24C1805A	-	-	-	-	ESS013C1807A	0.06	0.01	1,513	-	IRPC01C1810B	0.09	0.01	19,028	-
CPF24C1809A	-	-	-	-	ESS013C1811A	0.37	0.03	45,447	-	IRPC01P1808A	0.48	0.01	30,292	-
CPF28C1806A	-	-	-	-	ESS023C1809A	0.12	0.01	8,111	-	IRPC01P1810A	0.41	0.01	58,155	-
CPF28C1808A	0.37	(0.02)	66,543	-	ESS024C1806A	-	-	-	-	IRPC01P1810B	0.25	-	36,874	-
CPF42C1805A	-	-	-	-	ESS028C1807A	-	-	-	-	IRPC06C1811A	0.27	(0.73)	2,750	-
CPN01C1805A	0.08	-	13,601	-	ESS028C1811A	0.33	(0.67)	61,392	-	IRPC08C1808A	0.08	-	26,700	-
CPN01C1808A	0.50	0.03	34,579	-	GFPT01C1807A	0.14	0.02	2,952	-	IRPC11C1902A	0.10	(0.01)	58,451	-
CPN01C1808B	0.16	0.01	8,796	-	GFPT08C1807A	-	-	-	-	IRPC13C1806A	0.05	(0.02)	5,015	-
CPN01P1805A	0.76	(0.06)	25,662	-	GFPT11C1806A	0.01	-	2,500	-	IRPC13C1808A	0.03	-	5,840	-
CPN06C1811A	0.61	-	150	-	GFPT23C1806A	-	-	-	-	IRPC13C1811A	0.22	(0.01)	83,018	-
CPN08C1809A	0.17	0.01	53,018	-	GFPT24C1806A	-	-	-	-	IRPC23C1810A	0.13	-	59,000	-
CPN11C1805A	0.11	-	10,350	-	GFPT24C1812A	-	-	-	-	IRPC24C1805A	-	-	-	-
CPN11C1903A	0.44	0.01	31,160	-	GGC01C1810A	0.49	0.01	31,973	-	IRPC24C1808A	-	-	-	-
CPN11P1805A	-	-	-	-	GGC01C1810B	0.41	0.03	102,630	-	IRPC24C1809A	-	-	-	-
CPN11P1903A	0.60	(0.03)	19,101	-	GLO6C1805A	0.01	-	30,899	-	IRPC27C1809A	0.12	0.01	30,723	-
CPN13C1807A	0.13	0.01	10,008	-	GLOB01C1809A	0.48	0.07	48,953	-	IRPC28C1807A	0.04	-	5,000	-
CPN23C1810A	0.41	0.01	26,100	-	GLOB01C1809B	0.32	0.05	31,553	-	IRPC28C1811A	0.16	(0.84)	44,276	-
CPN24C1806A	-	-	-	-	GLOB06C1809A	0.32	0.05	8,800	-	ITD01C1808A	0.16	0.01	60,691	-
CPN28C1807A	-	-	-	-	GLOB08C1807A	0.15	0.02	47,877	-	ITD01C1808B	0.05	0.01	200	-
CPN28C1810A	0.38	(0.62)	34,000	-	GLOB11C1808A	0.26	0.04	10,471	-	ITD01P1808A	0.70	(0.02)	2	-
CPN42C1805A	-	-	-	-	GLOB13C1807A	0.04	-	2,100	-	ITD08C1806A	-	-	-	-
DELTO1C1805A	0.01	-	79	-	GLOB23C1811A	0.49	0.06	21,220	-	ITD08C1810A	0.40	0.02	35,432	-
DELTO8C1811A	0.20	(0.04)	2,960	-	GLOB24C1805A	-	-	-	-	ITD11C1805A	-	-	-	-
DELTI13C1809A	0.18	(0.02)	28,600	-	GLOB24C1810A	-	-	-	-	ITD11C1903A	0.43	0.02	21,274	-
DELTI24C1805A	-	-	-	-	GLOB27C1809A	0.15	0.01	6,856	-	ITD13C1809A	0.15	-	55,457	-
DELTI27C1812A	0.20	(0.02)	14,000	-	GLOB28C1807A	-	-	-	-	ITD23C1808A	0.01	-	500	-
DTACO1C1808A	0.37	-	8,732	-	GLOB28C1808A	0.16	0.03	110,718	-	ITD23C1807A	-	-	-	-
DTACO1C1808B	0.17	(0.01)	17,475	-	GLOB42C1805A	-	-	-	-	ITD24C1810A	0.25	0.01	3,960	-
DTACO1C1810A	0.57	-	5,141	-	GLOW08C1806A	-	-	-	-	ITD28C1808A	0.10	0.01	40,960	-
DTACO1C1810B	0.28	(0.01)	4,590	-	GLOW08C1811A	0.45	(0.02)	20,853	-	ITD28C1808B	0.24	0.01	86,880	-
DTACO1P1808A	0.80	-	12,550	-	GLOW11C1807A	0.38	-	6,760	-	IVL01C1806A	0.75	(0.01)	143,296	-
DTACO1P1810A	1.11	-	9,698	1.00	GLOW23C1806A	0.08	(0.01)	3,750	-	IVL01C1808A	0.58	(0.02)	84,770	-
DTACO1P1810B	0.81	0.01	3,983	-	GLOW27C1812A	0.30	0.03	4,259	-	IVL01C1808B	0.31	(0.02)	57,593	-
DTACO6C1806A	-	-	-	-	GLOW42C1805A	-	-	-	-	IVL01P1806A	0.13	-	10,364	-
DTACO6P1809A	-	-	-	-	GPSC01C1808A	0.67	(0.02)	65,008	-	IVL01P1808A	0.74	0.01	36,424	-
DTACO7C1809A	-	-	-	-	GPSC01C1808B	0.29	(0.02)	30,074	-	IVL01P1808B	0.34	-	23,335	-
DTACO8C1809A	0.23	(0.01)	19,382	-	GPSC01P1808A	0.99	0.01	14,155	-	IVL06C1807A	0.39	-	44,296	-
DTACO8P1807A	0.30	-	8,290	-	GPSC06C1811A	0.63	0.02	13,816	-	IVL07C1811A	-	-	-	-
DTAC11C1806A	-	-	-	-	GPSC08C1805A	-	-	-	-	IVL08C1806A	0.42	(0.04)	61,541	-
DTAC13C1806A	0.08	(0.01)	1,060	-	GPSC08C1808A	0.20	(0.01)	30,640	-	IVL08P1809A	0.09	-	4,000	-
DTAC13C1811A	0.28	(0.02)	29,050	-	GPSC11C1808A	1.26	(0.04)	5,280	1.00	IVL11C1808A	1.00	(0.02)	20,589	1.00
DTAC13P1806A	0.06	(0.02)	4,000	-	GPSC11C1902A	0.56	-	6,300	-	IVL11P1808A	-	-	-	-
DTAC13P1811A	0.73	0.01	11,406	-	GPSC13C1806A	0.88	0.05	1,000	-	IVL13C1806A	0.04	(0.01)	20,184	-
DTAC23C1807A	0.02	-	30	-	GPSC13C1807A	0.30	(0.04)	84,487	-	IVL13C1809A	0.55	(0.02)	270	-
DTAC23P1807A	0.04	(0.01)	6,000	-	GPSC13C1808A	0.20	(0.02)	44,332	-	IVL13C1810A	0.44	(0.02)	64,595	-
DTAC24C1809A	0.28	0.01	50	-	GPSC23C1805A	-	-	-	-	IVL13P1809A	0.14	-	4,076	-
DTAC27C1809A	0.16	(0.01)	7,022	-	GPSC24C1807A	0.59	0.03	1,000	-	IVL19C1809A	0.72	(0.02)	38,030	-
DTAC27P1809A	0.23	-	5,069	-	GPSC24C1808A	-	-	-	-	IVL23C1810A	0.75	-	15,350	-
DTAC28C1806A	-	-	-	-	GPSC28C1806A	-	-	-	-	IVL24C1808A	0.36	(0.03)	56,540	-
DTAC28C1810A	0.20	(0.01)	19,060	-	GPSC28C1807A	0.41	(0.02)	27,266	-	IVL28C1806A	0.01	(0.01)	1,321	-
DTAC42C1806A	-	-	-	-	GPSC28C1807B	-	-	-	-	IVL28C1807A	-	-	-	-
DTAC42P1806A	0.90	(0.01)	643	-	GPSC42C1806A	1.37	(0.02)	3,002	1.00	IVL28C1808A	0.25	(0.03)	205,978	-
EA01C1806A	0.05	0.02	185,194	-	GUNK01C1808A	0.15	(0.02)	22,423	-	IVL28P1806A	-	-	-	-
EA01C1806B	0.02	0.01	10,619	-	GUNK01C1808B	0.05	-	1,000	-	IVL28P1806B	-	-	-	-
EA01C1809A	1.01	0.06	353,830	-	GUNK08C1807A	-	-	-	-	IVL28P1811A	0.51	(0.49)	4,031	-
EA01C1809B	0.84	0.06	116,366	-	GUNK11C1805A	0.01	-	104	-	IVL42C1805A	-	-	-	-
EA01P1806A	2.66	(0.08)	18,307	2.00	GUNK11C1903A	0.32	(0.01)	34,400	-	KBAN01C1808A	0.20	0.03	135,316	-
EA01P1809A	0.85	(0.06)	33,052	-	GUNK23C1806A	-	-	-	-	KBAN01C1808B	0.05	0.01	3,265	-
EA06C1809A	0.04	0.01	422	-	GUNK24C1807A	-	-	-	-	KBAN01C1810A	0.99	0.06	102,324	-
EA07C1810A	0.20	0.02	6,090	-	GUNK24C1812A	0.52	(0.04)	11,155	-	KBAN01P1808A	1.06	(0.05)	21,640	1.00
EA08C1807A	0.01	-	1	-	GUNK28C1806A	-	-	-	-	KBAN01P1808B	0.61	(0.06)	10,739	-
EA08C1809A	0.06	-	5,086	-	GUNK28C1808A	0.05	(0.02)	8,350	-	KBAN01P1810A	0.66	(0.06)	16,395	-
EA08C1810A	0.45	0.04	39,181	-	GUNK28C1810A	0.54	(0.03)	75,260	-	KBAN06C1811A	0.64	0.04	53,998	-
EA11C1902A	0.23	0.02	83,797	-	HANA01C1806A	0.01	(0.01)	2,768	-	KBAN07C1811A	0.34	0.02	2	-
EA13C1806A	0.01	-	3	-	HANA01C1806B	0.01	-	145	-	KBAN08C1805A	-	-	-	-
EA13C1807A	0.01	-	140	-	HANA08C1806A	0.01	-	1	-	KBAN08C1811A	0.59	0.05	55,524	-
EA13C1808A	0.02	-	4,361	-	HANA08C1809A	0.17	(0.01)	22,818	-	KBAN08P1805A	-	-	-	-
EA13C1808B	0.29	0.03	498,818	-	HANA13C1806A	-	-	-	-	KBAN08P1811A	0.66	(0.07)	46,710	-
EA13C1809A	0.07	0.02	10,223	-	HANA13C1809A	0.22	0.01	48,654	-	KBAN13C1807A	0.01	-	1,920	-
EA13C1810A	0.18	0.02	228,291	-	HANA23C1811A	0.44	0.01	18,031	-	KBAN13C1810A	0.19	0.01	70,167	-
EA13P1809A	0.71	(0.07)	38,974	-	HANA24C1808A	0.03	(0.02)	2,350	-	KBAN13C1811A	0.82	0.06	172,177	-
EA23C1806A	-	-	-	-	HANA24C1810A	-	-	-	-	KBAN23C1806A	-	-	-	-
EA24C1805A	0.01	-	1	-	HANA28C1807A	0.03	0.01	30	-	KBAN24C1806A	-	-	-	-
EA24C1807A	-	-	-	-	HANA28C1808A	0.15	0.01	22,440	-	KBAN24C1902A	0.73	(0.02)	30,000	-
EA24C1809A	0.60	0.03	11,019	-	HMPR01C1808A	0.43	0.04	49,284	-	KBAN24P1811A	-	-	-	-
EA28C1806A	-	-	-	-	HMPR01C1808B	0.23	0.03	385	-	KBAN27C1809A	0.12	0.01	9,	

Main Board Quotation

Issue Date :

Monday May 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE23C1807A	0.01	-	410	-	MEGA13C1809A	0.21	-	12,876	-	PTT01P1808A	0.53	0.06	211,328	-
KCE24C1808A	0.13	(0.04)	23,700	-	MEGA23C1806A	0.41	0.01	8,600	-	PTT01P1808B	0.19	0.03	145,525	-
KCE28C1808A	0.13	(0.01)	59,399	-	MEGA24C1805A	-	-	-	-	PTT01P1810A	1.06	0.08	69,214	1.00
KCE42C1805A	-	-	-	-	MEGA24C1812A	-	-	-	-	PTT01P1810B	0.73	0.09	77,363	-
KKP01C1808A	0.26	0.02	31,781	-	MEGA27C1807A	0.09	-	5,586	-	PTT06C1811A	0.16	(0.06)	11,951	-
KKP01C1808B	0.05	-	12,601	-	MEGA28C1808A	0.08	-	11,584	-	PTT07C1811A	0.26	(0.03)	1,100	-
KKP07C1806A	-	-	-	-	MINT01C1805A	0.01	-	40,323	-	PTT08C1805A	0.22	(0.20)	25,490	-
KKP08C1805A	-	-	-	-	MINT01C1808A	0.07	-	16,582	-	PTT08C1807A	0.29	(0.08)	2,280	-
KKP08C1811A	0.37	0.02	15,202	-	MINT01C1808B	0.02	-	10	-	PTT08C1809A	0.09	(0.04)	54,927	-
KKP11C1805A	0.10	0.01	2,430	-	MINT01P1805A	0.92	-	24,940	-	PTT08P1805A	-	-	-	-
KKP11C1903A	0.31	0.02	4,110	-	MINT01P1808A	0.80	-	31,644	-	PTT08P1809A	0.60	0.09	22,066	-
KKP13C1807A	0.03	-	28,542	-	MINT06C1809A	0.06	(0.01)	1,401	-	PTT11C1806A	1.85	(0.27)	4,460	1.00
KKP13C1811A	0.35	0.04	10,314	-	MINT07C1810A	-	-	-	-	PTT11C1902A	0.26	(0.05)	89,423	-
KKP23C1807A	0.05	-	2,000	-	MINT08C1809A	0.07	0.01	14,120	-	PTT13C1807A	0.26	(0.09)	194,249	-
KKP24C1807A	-	-	-	-	MINT11C1902A	0.13	-	74,650	-	PTT13C1808A	0.07	(0.03)	753,480	-
KKP28C1807A	-	-	-	-	MINT11P1902A	0.42	(0.01)	22,354	-	PTT13C1810A	0.15	(0.04)	308,803	-
KKP28C1810A	0.24	0.01	61,138	-	MINT13C1810A	0.14	-	62,495	-	PTT13P1807A	0.13	0.04	122,465	-
KKP42C1805A	-	-	-	-	MINT23C1810A	0.11	-	16,484	-	PTT13P1808A	0.61	0.11	194,628	-
KTB01C1808A	0.23	0.03	50,414	-	MINT24C1807A	-	-	-	-	PTT19C1809A	0.18	(0.06)	65,878	-
KTB01C1810A	0.38	0.02	79,839	-	MINT24C1812A	-	-	-	-	PTT23C1805A	-	-	-	-
KTB01C1810B	0.28	0.03	87,585	-	MINT28C1806A	-	-	-	-	PTT23P1805A	-	-	-	-
KTB01P1808A	0.59	(0.03)	26,129	-	MINT28C1808A	0.06	-	10,000	-	PTT24C1806A	0.25	(0.15)	26,460	-
KTB08C1809A	0.11	0.01	30,330	-	MONO01C1810A	0.22	(0.01)	34,154	-	PTT24C1809A	0.17	(0.03)	6,125	-
KTB11C1811A	0.22	0.01	12,412	-	MONO01C1810B	0.16	(0.02)	8,683	-	PTT24P1808A	0.05	-	5,000	-
KTB13C1809A	0.12	-	17,899	-	MONO08C1808A	0.01	-	7,005	-	PTT27C1809A	-	-	-	-
KTB23C1811A	0.28	0.01	38,003	-	MONO08C1906A	0.28	(0.01)	15,916	-	PTT27P1809A	0.26	-	6,411	-
KTB24C1808A	0.06	-	200	-	MONO13C1808A	0.01	-	137	-	PTT28C1807A	0.18	(0.09)	52,694	-
KTB24P1901A	-	-	-	-	MONO13C1811A	0.18	(0.01)	58,103	-	PTT28C1808A	0.10	(0.04)	77,617	-
KTB28C1806A	-	-	-	-	MONO23C1809A	-	-	-	-	PTT28C1808B	0.06	(0.02)	13,831	-
KTB28C1809A	0.09	0.01	16,000	-	MONO24C1807A	-	-	-	-	PTT28C1811A	0.12	(0.03)	74,161	-
KTB42C1805A	-	-	-	-	MONO24C1812A	0.08	-	3,037	-	PTT28P1808A	0.43	0.06	231,608	-
KTB42P1805A	-	-	-	-	MONO28C1807A	-	-	-	-	PTT28P1808B	0.69	0.03	102,472	-
KTC01C1806A	5.45	0.57	3,318	5.00	MONO28C1808A	0.02	-	500	-	PTT42C1805A	-	-	-	-
KTC01C1806B	7.60	1.10	649	6.00	MONO28C1811A	0.16	(0.84)	20,544	-	PTTE01C1808A	1.01	(0.24)	213,432	1.00
KTC01C1808A	1.73	0.21	123,481	1.00	MTC06C1806A	0.34	(0.06)	59,559	-	PTTE01C1808B	0.60	(0.27)	340,185	-
KTC01C1808B	1.24	0.22	196,118	1.00	MTC07C1806A	0.02	-	1,000	-	PTTE01P1808A	0.27	0.08	233,955	-
KTC06C1807A	2.50	0.61	8,678	1.00	MTC08C1807A	0.04	(0.01)	621	-	PTTE06C1811A	0.53	(0.22)	31,458	-
KTC08C1807A	6.85	0.90	205	6.00	MTC08C1811A	0.17	(0.04)	84,242	-	PTTE07C1809A	0.32	(0.21)	37,003	-
KTC08C1808A	1.89	0.39	9,794	1.00	MTC11C1806A	0.15	(0.06)	43,752	-	PTTE08C1805A	-	-	-	-
KTC11C1902A	1.90	0.25	18,892	1.00	MTC13C1805A	-	-	-	-	PTTE08C1807A	-	-	-	-
KTC13C1806A	7.55	(0.15)	3	7.00	MTC13C1809A	0.09	(0.04)	451,077	-	PTTE08C1811A	0.42	(0.18)	106,451	-
KTC13C1807A	7.00	1.00	29	6.00	MTC23C1808A	0.08	(0.02)	58,600	-	PTTE08P1805A	-	-	-	-
KTC13C1808A	1.90	0.33	166	1.00	MTC24C1808A	0.02	(0.01)	501	-	PTTE08P1809A	0.18	0.05	52,500	-
KTC13C1809A	1.30	0.24	16,541	1.00	MTC24C1810A	0.20	(0.07)	3,901	-	PTTE08P1811A	0.59	0.15	95,650	-
KTC13C1809B	1.22	0.20	128,938	1.00	MTC27C1807A	-	-	-	-	PTTE11C1806A	3.00	(0.62)	8,757	3.00
KTC13P1807A	0.11	(0.01)	47,773	-	MTC28C1806A	-	-	-	-	PTTE11C1902A	0.59	(0.24)	73,389	-
KTC23C1806A	-	-	-	-	MTC28C1808A	0.05	(0.02)	12,586	-	PTTE13C1806A	0.87	(0.53)	1	-
KTC23C1809A	1.97	0.19	10,361	1.00	MTC28C1809A	0.25	(0.06)	259,012	-	PTTE13C1807A	0.47	(0.22)	5,263	-
KTC24C1808A	2.04	0.26	2	2.00	MTC24C1806A	0.16	(0.07)	4,440	-	PTTE13C1811A	0.40	(0.17)	424,606	-
KTC24C1810A	1.01	0.13	7,208	-	ORI08C1807A	0.26	(0.02)	13,404	-	PTTE13P1807A	0.03	-	4,435	-
KTC24P1807A	0.13	(0.07)	54,152	-	ORI11C1811A	0.40	-	6,408	-	PTTE13P1811A	0.53	0.14	167,784	-
KTC27C1806A	-	-	-	-	ORI13C1806A	0.03	(0.01)	3,333	-	PTTE23C1805A	0.43	(0.53)	11,018	-
KTC28C1806A	-	-	-	-	ORI13C1810A	0.78	(0.02)	109,416	-	PTTE23P1805A	0.01	-	6	-
KTC28C1806B	-	-	-	-	ORI23C1809A	0.32	(0.01)	8,001	-	PTTE24C1805A	-	-	-	-
KTC28C1808A	-	-	-	-	ORI24C1806A	-	-	-	-	PTTE24C1807A	0.35	(0.30)	72,634	-
KTC28C1808B	1.73	0.22	84,815	1.00	ORI24C1810A	0.60	(0.01)	380	-	PTTE24P1809A	0.10	0.04	64,110	-
KTC28C1809A	1.35	0.24	6,977	1.00	ORI28C1806A	-	-	-	-	PTTE27C1809A	0.75	(0.25)	1,400	-
KTC28C1810A	1.15	0.14	244,534	1.00	ORI28C1808A	0.29	(0.02)	54,806	-	PTTE27P1809A	0.17	0.06	7,216	-
LH01C1809A	0.33	-	37,250	-	PLAN08C1811A	0.22	-	26,304	-	PTTE28C1807A	0.50	(0.31)	929	-
LH01C1809B	0.21	0.01	58,968	-	PLAN11C1805A	0.21	(0.02)	4,229	-	PTTE28C1810A	0.33	(0.17)	491,203	-
LH01P1809A	0.20	-	10,434	-	PLAN13C1809A	0.15	(0.01)	45,908	-	PTTE28C1811A	0.23	(0.77)	286,307	-
LH06C1809A	0.25	0.01	27,296	-	PLAN23C1806A	-	-	-	-	PTTE28P1811A	0.54	(0.46)	387,444	-
LH07C1810A	-	-	-	-	PLAN28C1810A	0.19	(0.01)	128,640	-	PTTG01C1805A	0.81	(0.19)	57,618	-
LH11C1808A	0.21	0.01	22,559	-	PSH01C1805A	0.11	0.01	70,495	-	PTTG01C1808A	0.53	(0.12)	204,788	-
LH13C1808A	0.23	0.01	38,864	-	PSH01C1810A	0.55	0.02	15,854	-	PTTG01C1810A	0.54	(0.14)	169,508	-
LH23C1806A	0.09	-	10,000	-	PSH01C1810B	0.32	0.01	11,351	-	PTTG01C1810B	0.21	(0.08)	78,785	-
LH24C1806A	-	-	-	-	PSH01P1805A	0.59	(0.03)	8,239	-	PTTG01P1805A	0.03	0.02	30,532	-
LH24C1809A	-	-	-	-	PSH01P1810A	0.71	(0.03)	8,321	-	PTTG01P1808A	0.91	0.15	160,755	-
LH28C1808A	0.13	0.01	47,204	-	PSH08C1805A	-	-	-	-	PTTG01P1811A	1.39	0.16	52,228	1.00
LHFG42C1806A	-	-	-	-	PSH08C1811A	0.25	0.02	6,696	-	PTTG06C1809A	0.28	(0.08)	58	-
LPN01C1809A	0.14	0.01	10,095	-	PSH11C1902A	0.41	0.01	1,014	-	PTTG07C1806A	0.22	(0.14)	4,453	-
LPN01C1811A	0.38	0.02	22,350	-	PSH23C1811A	0.44	0.02	19,724	-	PTTG08C1805A	0.01	(0.09)	12,700	-
LPN01C1811B	0.26	0.02	18,795	-	PSH42C1806A	0.10	-	430	-	PTTG08C1811A	0.32	(0.11)	119,712	-
LPN01P1809A	0.56	(0.04)	7,875	-	PSL01C1807A	0.35	(0.02)	20,001	-	PTTG08P1805A	-	-	-	-
LPN08C1807A	-	-	-	-	PSL23C1809A	0.15	-	13,000	-	PTTG08P1811A	0.87	0.14	128,166	-
LPN08C1810A	0.12	-	12,800	-	PSL24C1807A	-	-	-	-	PTTG11C1902A	0.34	(0.09)	106,285	-
LPN11C1806A	0.05	-	10,072	-	PTG01C1805A	0.01	-	64,500	-	PTTG13C1805A	-	-	-	-
LPN23C1806A	-	-	-	-	PTG01C1806A	0.17	0.01	432,638	-	PTTG13C1808A	0.17	(0.07)	119,483	-
LPN24C1808A	-	-	-	-	PTG01C1806B	0.02	-	12,000	-	PTTG23C1805A	-	-	-	-
LPN24C1812A	-	-	-	-	PTG01P1805A	1.35	(0.01)	14,457	1.00	PTTG24C1808A	0.10	(0.06)	47,131	-
LPN27C1807A	0.02	(0.04)	51	-	PTG06C1810A	0.21	-	9,000	-	PTTG24P1808A	0.20	0.05	1,372	-
LPN42C1805A	-	-	-	-	PTG06C1904A	0.76	0.01	8,800	-	PTTG27C1807A	0.40	(0.34)	10,619	-
MAJ008C1811A	0.16	(0.01)	5,040	-	PTG07C1806A	-	-	-	-	PTTG27P1807A	0.10	0.02	20,000	-
MAJ011C1902A	0.20	(0.01)	3,949	-	PTG08C1807A	-	-	-	-	PTTG28C1807A	0.02	(0.01)	3,503	-
MAJ023C1806A	-	-	-	-	PTG11C1805A	-	-	-	-	PTTG28C1807B	0.06	(0.07)	76,325	-
MAJ024C1809A	0.09	-	20	-	PTG11C1903A	0.45	0.01	12,628	-	QH01C1807A	0.46	0.05	58,180	-
MA														

Main Board Quotation

Issue Date :

Monday May 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ROBI24C1901A	0.43	0.06	200	-	SCC27P1809A	0.41	(0.01)	7,900	-	TASC28C1808A	0.11	(0.01)	13,314	-
ROBI27C1806A	-	-	-	-	SCC28C1807A	0.04	-	2,611	-	TCAP01C1807A	0.17	-	1,280	-
S10001C1811A	0.71	(0.01)	2,029	-	SCC42C1805A	-	-	-	-	TCAP01C1807B	-	-	-	-
S23C1805A	-	-	-	-	SCCC08C1811A	-	-	-	-	TCAP01P1807A	0.92	-	13,263	-
S42C1806A	-	-	-	-	SCCC13C1809A	-	-	-	-	TCAP08C1810A	0.22	-	34,744	-
S5001C1805A	0.65	(0.05)	80,517	-	SCCC23C1806A	-	-	-	-	TCAP11C1811A	0.22	-	24,976	-
S5001C1805B	0.30	(0.03)	303,029	-	SCCC27C1812A	-	-	-	-	TCAP13C1809A	0.14	(0.01)	400	-
S5001C1806F	0.66	(0.05)	970,464	-	SGP08C1808A	0.05	-	80,833	-	TCAP23C1807A	0.25	-	20,090	-
S5001C1806G	0.08	(0.03)	414,656	-	SGP13C1806A	-	-	-	-	TCAP24C1807A	-	-	-	-
S5001C1806H	0.23	(0.04)	324,798	-	SGP13C1807A	0.09	-	6,861	-	TCAP27C1807A	0.09	-	12,000	-
S5001C1806I	0.03	-	4,217	-	SGP13C1808A	0.06	0.01	28,849	-	TCAP42C1805A	-	-	-	-
S5001C1807A	0.65	(0.03)	78,825	-	SGP13C1811A	0.18	(0.01)	25,665	-	THAI01C1806A	0.15	-	10,731	-
S5001C1807B	0.57	(0.04)	116,448	-	SGP23C1805A	-	-	-	-	THAI01C1808A	0.32	0.01	109,825	-
S5001P1805A	0.89	0.03	17,784	-	SGP24C1806A	-	-	-	-	THAI01C1808B	0.13	0.01	18,972	-
S5001P1805B	1.13	(0.06)	4,220	1.00	SGP24C1808A	-	-	-	-	THAI01P1806A	0.71	(0.02)	34,884	-
S5001P1806F	1.34	0.07	986,778	1.00	SGP28C1808A	0.04	0.01	32,180	-	THAI01P1808A	0.60	(0.03)	5,492	-
S5001P1806G	0.33	0.01	1,027,493	-	SGP28C1809A	-	-	-	-	THAI06C1809A	0.41	0.01	10,480	-
S5001P1806H	1.97	0.06	464,610	1.00	SGP28C1811A	0.16	(0.84)	48,530	-	THAI07C1811A	-	-	-	-
S5001P1806I	0.95	0.05	1,396,158	-	SIRI01C1808A	0.05	0.01	31,514	-	THAI08C1808A	0.17	-	36,150	-
S5001P1807A	1.28	0.03	135,503	1.00	SIRI01C1808B	0.01	(0.01)	1,282	-	THAI11C1808A	0.13	0.01	2,232	-
S5001P1807B	0.91	0.03	366,468	-	SIRI01P1808A	0.48	(0.05)	8,848	-	THAI13C1811A	0.26	0.01	19,475	-
S5006C1806A	0.05	(0.01)	18,084	-	SIRI08C1808A	0.04	0.01	76	-	THAI23C1805A	-	-	-	-
S5006C1806B	0.03	-	1,632	-	SIRI08C1810A	0.33	0.05	70,362	-	THAI24C1808A	-	-	-	-
S5006C1809A	0.65	(0.04)	481	-	SIRI11C1902A	0.29	0.04	16,476	-	THAI27C1809A	0.21	-	10,300	-
S5006C1809B	0.49	0.01	1	-	SIRI13C1809A	-	-	-	-	THAI28C1808A	0.11	-	76,609	-
S5006P1806A	0.03	-	11,645	-	SIRI23C1811A	0.44	0.08	63,755	-	THAN01C1812A	0.52	0.03	10,495	-
S5006P1806B	0.26	0.01	772	-	SIRI24C1809A	0.18	0.03	5,463	-	THAN13C1809A	0.11	0.01	11,619	-
S5006P1809A	1.30	0.28	56	1.00	SIRI28C1807A	-	-	-	-	THAN23C1807A	-	-	-	-
S5006P1809B	-	-	-	-	SIRI28C1809A	0.23	0.05	341,124	-	THAN28C1810A	0.18	0.01	29,199	-
S5008C1806A	0.07	(0.01)	3,782	-	SIRI42C1805A	-	-	-	-	THCO01C1809A	0.17	-	4,545	-
S5008C1806B	0.06	(0.02)	1,361	-	SPAL01C1805A	0.25	0.02	57,022	-	THCO01P1809A	0.59	0.01	5,476	-
S5008P1806A	0.51	0.02	121,061	-	SPAL01C1808A	0.59	0.02	160,579	-	THCO11C1902A	0.20	(0.01)	452	-
S5008P1806B	0.52	0.02	103,764	-	SPAL01C1808B	0.22	0.01	25,512	-	THCO13C1805A	-	-	-	-
S5013C1806A	0.09	(0.03)	710,217	-	SPAL01P1805A	0.33	(0.02)	24,770	-	THCO23C1808A	-	-	-	-
S5013C1806B	0.04	(0.02)	400,491	-	SPAL06C1809A	0.65	0.01	16,448	-	THCO24C1805A	-	-	-	-
S5013C1806C	0.32	(0.04)	498,272	-	SPAL08C1808A	0.22	0.01	24,904	-	THCO24C1807A	-	-	-	-
S5013C1806D	0.22	(0.05)	1,707,656	-	SPAL11C1807A	0.37	0.01	15,114	-	THCO24C1810A	-	-	-	-
S5013C1806E	0.33	(0.08)	2,490,529	-	SPAL23C1811A	0.81	0.03	11,000	-	THCO28C1806A	-	-	-	-
S5013C1809A	0.57	(0.06)	827,604	-	SPAL24C1808A	0.10	0.01	12	-	THCO28C1808A	-	-	-	-
S5013P1806A	0.63	0.05	6,050,422	-	SPAL24C1812A	0.41	0.01	10	-	TISCO1C1808A	0.75	0.09	64,758	-
S5013P1806B	0.52	0.03	761,490	-	SPCG13C1806A	0.12	-	1,110	-	TISCO13C1808A	0.33	0.05	28,171	-
S5013P1806C	1.15	0.05	23,246	1.00	SPRC01C1805A	0.27	0.09	120,341	-	TISCO8C1808A	0.37	0.05	21,936	-
S5013P1806D	0.13	(0.01)	48,004	-	SPRC01C1808A	0.36	0.06	104,631	-	TISCI11C1805A	1.12	0.14	5,282	1.00
S5013P1806E	0.78	0.07	1,759,655	-	SPRC01C1808B	0.14	0.04	67,705	-	TISCI1C1903A	0.54	0.05	20,075	-
S5013P1809A	1.38	0.05	1,682,500	1.00	SPRC01P1805A	0.17	(0.11)	68,463	-	TISCI3C1807A	0.30	0.05	65,057	-
S5028C1806A	0.05	-	5,197	-	SPRC06C1809A	-	-	-	-	TISC24C1806A	0.44	0.02	4,000	-
S5028C1806B	0.09	(0.04)	220,281	-	SPRC08C1808A	0.16	0.04	46,178	-	TISC27C1807A	0.30	0.03	12,000	-
S5028C1806C	0.23	(0.07)	743,903	-	SPRC11C1902A	0.24	0.05	24,535	-	TISC28C1807A	0.22	0.03	137,552	-
S5028C1807A	0.40	(0.05)	523,898	-	SPRC13C1808A	0.18	0.04	117,696	-	TISC42C1806A	0.99	0.08	2,894	-
S5028P1806A	0.68	0.04	1,220,018	-	SPRC23C1810A	0.31	0.06	29,700	-	TKN01C1805A	0.01	-	10,646	-
S5028P1806B	0.27	0.01	1,356,349	-	SPRC24C1808A	0.08	0.02	5	-	TKN01C1808A	0.37	-	274,195	-
S5028P1806C	-	-	-	-	SPRC28C1806A	-	-	-	-	TKN01C1808B	0.17	0.01	41,260	-
S5028P1807A	1.08	0.04	138,378	1.00	SPRC42C1805A	-	-	-	-	TKN06C1806A	-	-	-	-
SAMA13C1806A	-	-	-	-	STA01C1807A	0.11	-	4,907	-	TKN08C1805A	-	-	-	-
SAWA01C1808A	0.14	0.02	88,487	-	STA01C1807B	-	-	-	-	TKN08C1808A	0.05	-	23,300	-
SAWA01C1808B	0.02	-	12,446	-	STA08C1807A	0.42	-	-	-	TKN08C1811A	0.45	0.01	73,912	-
SAWA01P1808A	1.98	(0.06)	48,032	1.00	STA13C1807A	-	-	-	-	TKN11C1902A	0.46	0.03	32,323	-
SAWA06C1807A	-	-	-	-	STA13C1808A	0.20	-	61,031	-	TKN13C1805A	-	-	-	-
SAWA06C1811A	0.14	(0.86)	45,362	-	STA23C1809A	0.28	0.02	1,250	-	TKN13C1808A	0.12	0.01	39,112	-
SAWA08C1805A	-	-	-	-	STA24C1808A	0.14	-	180	-	TKN13C1810A	0.43	0.01	1,060	-
SAWA08C1808A	-	-	-	-	STA28C1807A	-	-	-	-	TKN13C1811A	0.38	0.01	56,542	-
SAWA08C1811A	0.08	0.01	73,537	-	STEC01C1809A	0.42	0.01	90,106	-	TKN23C1806A	-	-	-	-
SAWA11C1808A	0.02	-	390	-	STEC01C1809B	1.36	0.02	15,206	1.00	TKN24C1807A	-	-	-	-
SAWA13C1807A	0.01	-	54	-	STEC01P1809A	0.92	0.01	24,619	-	TKN24C1811A	0.68	(0.04)	17,100	-
SAWA13C1810A	0.04	-	13,958	-	STEC06C1809A	0.51	0.01	33,888	-	TKN28C1806A	-	-	-	-
SAWA13C1811A	0.07	0.01	231,208	-	STEC08C1809A	0.37	(0.01)	43,996	-	TKN28C1808A	0.15	0.01	265,665	-
SAWA13C1812A	0.38	0.03	287,854	-	STEC11C1805A	0.01	-	2,200	-	TKN42C1805A	-	-	-	-
SAWA23C1807A	-	-	-	-	STEC11C1903A	0.65	0.01	20,682	-	TMB01C1807A	0.06	0.03	136,947	-
SAWA24C1808A	-	-	-	-	STEC13C1809A	0.31	(0.02)	174,403	-	TMB01C1810A	0.41	0.07	115,033	-
SAWA28C1805A	-	-	-	-	STEC23C1808A	0.03	0.01	5,614	-	TMB01C1810B	0.33	0.07	120,147	-
SAWA28C1807A	-	-	-	-	STEC24C1808A	-	-	-	-	TMB01P1807A	0.73	(0.10)	17,779	-
SAWA28C1809A	0.04	0.01	4,090	-	STEC28C1806A	-	-	-	-	TMB06C1809A	0.11	0.03	5,675	-
SAWA28C1810A	0.08	0.01	92,363	-	STEC28C1808A	0.26	(0.01)	221,809	-	TMB07C1811A	-	-	-	-
SAWA28C1811A	0.41	(0.59)	305,956	-	STEC28C1810A	0.62	(0.01)	174,499	-	TMB08C1808A	0.05	0.02	20,372	-
SCB01C1808A	0.32	0.02	29,772	-	STEC42C1805A	-	-	-	-	TMB11C1806A	0.21	0.06	138,051	-
SCB01C1808B	0.07	0.01	8,446	-	STPI08C1811A	-	-	-	-	TMB13C1811A	0.21	0.04	40,698	-
SCB01C1810A	0.57	0.02	38,251	-	STPI23C1805A	-	-	-	-	TMB23C1810A	0.10	0.04	16,000	-
SCB01P1808A	1.20	(0.03)	45,480	1.00	STPI23C1806A	-	-	-	-	TMB24C1809A	0.05	0.01	100	-
SCB01P1808B	0.60	(0.03)	28,135	-	STPI28C1807A	0.02	(0.01)	3,000	-	TMB28C1806A	0.01	-	1,000	-
SCB06C1811A	0.69	0.02	22,371	-	SUPE06C1806A	0.26	0.05	200	-	TMB28C1808A	0.02	0.01	7,271	-
SCB08C1806A	0.02	-	638	-	SUPE08C1808A	0.40	0.10	1,562	-	TMB28C1809A	0.14	0.03	204,255	-
SCB11C1901A	0.33	0.01	6,740	-	SUPE08C1811A	0.62	0.13	37,850	-	TMB42C1805A	-	-	-	-
SCB11P1901A	0.63	(0.03)	8,320	-	SUPE13C1806A	0.19	0.10	42,665	-	TOP01C1805A	0.04	0.01	18,488	-
SCB13C1809A	0.21	-	55,138	-	SUPE13C1810A	0.45	0.06	283,222	-	TOP01C1808A	0.29	0.03	58,524	-
SCB24C1806A	-	-	-	-	SUPE13C1811A	0.57	0.12	7,643	-	TOP01C1808B	0.09	0.02	8,129	-
SCB24C1902A	0.59	0.04	2,000	-	SUPE23C1811A	0.80	0.09	300	-	TOP01P1805A	0.61	(0.06)	37,727	-
SCB24P1811														

Main Board Quotation

Issue Date :

Monday May 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Monday May 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TP108C1807A	-	-	-	-	VGI42C1805A	-	-	-	-	JMT-W1	10.80	(0.70)	422	11.00
TP113C1809A	0.10	-	6,160	-	VIBH08C1806A	-	-	-	-	MIDA-W2	0.02	(0.01)	2,108	-
TP123C1809A	-	-	-	-	VIBH13C1806A	-	-	-	-	MILL-W3	0.04	(0.01)	6,360	-
TP124C1808A	-	-	-	-	VIBH24C1805A	-	-	-	-	MILL-W4	0.30	-	746	-
TP128C1808A	-	-	-	-	VNG13C1806A	-	-	-	-	ML-W2	0.04	(0.01)	713	-
TP1P01C1805A	0.03	(0.01)	50	-	WHA01C1807A	0.35	(0.02)	96,731	-	MONO-W1	0.94	(0.04)	101,509	-
TP1P01C1810A	0.57	0.01	17,832	-	WHA01C1807B	0.12	-	34,095	-	NBP-W3	0.15	(0.01)	1,277	-
TP1P01C1810B	0.38	-	33,267	-	WHA06C1809A	0.49	(0.02)	5,710	-	NMG-W3	-	-	-	-
TP1P01P1805A	0.39	(0.01)	12,000	-	WHA07C1810A	0.49	(0.01)	50	-	NOK-W1	1.31	-	305	1.00
TP1P01P1810A	0.61	(0.02)	1,990	-	WHA08C1805A	0.29	0.02	5,800	-	NPP-W3	0.48	0.02	52,461	-
TP1P07C1806A	-	-	-	-	WHA08C1811A	0.49	(0.02)	33,617	-	NUSA-W3	0.11	(0.06)	1,020	-
TP1P08C1808A	-	-	-	-	WHA11C1805A	1.00	-	4,170	1.00	ORI-W1	3.10	0.02	3,559	3.00
TP1P11C1811A	0.17	-	4,623	-	WHA11C1903A	0.44	-	31,790	-	PACE-W1	0.01	-	1,735	-
TP1P13C1811A	0.42	0.01	14,254	-	WHA13C1808A	0.38	(0.01)	68,920	-	PACE-W2	0.05	(0.01)	792	-
TP1P23C1808A	-	-	-	-	WHA23C1810A	0.61	0.01	100	-	PDJ-W2	1.58	0.01	15	1.00
TP1P24C1901A	0.54	0.02	2,501	-	WHA24C1805A	-	-	-	-	PDJ-W3	1.55	(0.01)	19	1.00
TP1P27C1812A	0.11	-	1,598	-	WHA24C1807A	0.13	(0.01)	400	-	PDJ-W4	1.54	-	32	1.00
TRUE01C1808A	0.51	0.02	90,900	-	WHA24C1811A	0.42	(0.02)	100	-	PL-W1	-	-	-	-
TRUE01C1808B	0.30	0.02	42,392	-	WHA28C1807A	-	-	-	-	PLE-W3	0.32	(0.04)	36,840	-
TRUE01P1808A	0.24	(0.03)	19,963	-	WHA28C1808A	0.17	-	50,176	-	PSL-W1	-	-	-	-
TRUE06C1806A	0.55	0.03	10,548	-	WHA28C1808B	0.32	(0.03)	102,116	-	RICH-W1	-	-	-	-
TRUE06C1811A	-	-	-	-	WHA28C1809A	0.78	-	18,608	-	RICHY-W1	0.35	0.01	991	-
TRUE06P1806A	-	-	-	-	WHA42C1806A	0.64	-	2,930	-	RICHY-W2	0.19	-	268	-
TRUE07C1806A	0.05	(0.03)	1	-	WHA42P1806A	0.03	(0.02)	1,503	-	RML-W4	-	-	-	-
TRUE08C1809A	0.33	0.02	22,084	-	WHAU01C1810A	0.28	-	40,970	-	RS-W3	12.20	0.30	27	13.00
TRUE08P1809A	0.13	(0.01)	18,546	-	WHAU01C1810B	0.15	-	5,577	-	S-W1	0.20	-	4,458	-
TRUE11C1807A	0.20	0.02	7,248	-	WORK01C1806A	0.02	0.01	2	-	SAWAD-W1	6.20	0.15	6,144	6.00
TRUE13C1807A	0.21	-	32,260	-	WORK01C1806B	0.02	-	1	-	SMM-W4	0.20	(0.01)	7,162	-
TRUE13C1810A	0.23	0.01	80,511	-	WORK08C1805A	0.01	-	5,000	-	SMT-W1	0.21	(0.01)	7,989	-
TRUE16C1812A	0.46	0.03	1,494	-	WORK08C1809A	0.01	-	62,923	-	SPALL-W4	20.20	0.10	2,459	20.00
TRUE23C1806A	0.33	0.05	6,000	-	WORK11C1805A	0.01	-	2,270	-	SPORT-W5	0.20	0.02	15,639	-
TRUE27C1809A	0.38	0.05	1,897	-	WORK11C1903A	0.21	0.01	4,741	-	SPORT-W6	0.04	-	3,755	-
TRUE27P1809A	0.24	-	3,006	-	WORK13C1805A	-	-	-	-	SUPER-W4	0.29	(0.02)	1,175,569	-
TRUE28C1807A	0.17	(0.01)	99,876	-	WORK13C1806A	-	-	-	-	SUSCO-W1	0.36	-	3,369	-
TRUE28C1808A	0.06	(0.01)	15,906	-	WORK13C1809A	0.03	-	56,502	-	SVI-W3	1.05	0.01	123	1.00
TRUE28C1810A	0.21	(0.79)	8,030	-	WORK13C1810A	0.08	0.01	17,279	-	TCC-W3	0.58	0.01	1	-
TTA01C1807A	0.11	-	27,040	-	WORK13C1811A	0.32	0.01	41,024	-	TCC-W4	0.22	(0.02)	558	-
TTA01P1807A	0.85	-	13,916	-	WORK23C1807A	-	-	-	-	TCJ-W2	1.24	(0.02)	795	1.00
TTA08C1808A	-	-	-	-	WORK24C1805A	-	-	-	-	TCMC-W2	0.39	(0.01)	24,435	-
TTA11C1806A	-	-	-	-	WORK24C1810A	-	-	-	-	TFG-W1	1.80	0.02	13	1.00
TTA13C1809A	0.08	(0.01)	11,500	-	WORK27C1806A	-	-	-	-	TFG-W2	0.80	0.01	2,949	-
TTA18C1808A	-	-	-	-	WORK28C1806A	-	-	-	-	TGPRO-W2	-	-	-	-
TTA23C1808A	-	-	-	-	WORK28C1808A	-	-	-	-	TH-W2	0.14	-	165	-
TTA24C1809A	-	-	-	-	WORK28C1809A	0.07	0.01	24,616	-	THE-W2	0.06	-	50	-
TTA28C1806A	-	-	-	-	WORK28C1811A	0.32	(0.68)	11,154	-	TNTY-W1	1.21	(0.02)	11,571	1.00
TTCL13C1806A	-	-	-	-	WORK42C1806A	-	-	-	-	TNPC-W1	0.60	(0.02)	5,556	-
TU01C1808A	0.13	(0.03)	156,424	-	Warrant	-	-	-	-	TPOLY-W2	0.09	-	160,437	-
TU01C1808B	-	-	-	-	BH-Q	-	-	-	-	TSI-W2	-	-	-	-
TU01P1808A	0.83	0.05	14,753	-	CSC-Q	-	-	-	-	TSR-W1	0.86	0.08	84,072	-
TU08C1805A	-	-	-	-	JUTHA-Q	-	-	-	-	TTA-W5	0.92	(0.02)	2,024	-
TU08C1811A	0.16	(0.03)	6,727	-	KTB-Q	-	-	-	-	TWZ-W4	-	-	-	-
TU11C1902A	0.10	(0.01)	6,555	-	SCB-Q	-	-	-	-	U-W1	0.01	-	1	-
TU13C1809A	-	-	-	-	TCAP-Q	-	-	-	-	U-W4	0.01	-	1,110	-
TU23C1806A	-	-	-	-	TIC-Q	-	-	-	-	VGI-W1	0.43	0.01	329,486	-
TU24C1808A	-	-	-	-	TISCO-Q	-	-	-	-	VIBHA-W2	1.48	0.02	210	1.00
TU27C1807A	0.06	(0.03)	2,000	-	U-Q	-	-	-	-	VIBHA-W3	0.36	-	9,916	-
TVO01C1809A	0.27	0.02	10,713	-	Warrant	-	-	-	-	WAVE-W1	0.59	-	229	-
TVO01C1809B	0.11	-	3,900	-	7UP-W2	-	-	-	-	WHA-W1	8.70	(0.15)	4,487	8.00
TVO08C1808A	0.09	-	2,000	-	ACC-W1	0.05	-	780	-	WIJK-W1	-	-	-	-
TVO11C1805A	0.04	0.01	1,946	-	AJA-W1	0.21	(0.02)	3,582	-	WORK-W1	16.00	(0.80)	27	16.00
TVO11C1903A	0.18	0.01	2,608	-	ALT-W1	1.22	(0.03)	4,140	1.00	Preferred Shares	-	-	-	-
TVO13C1809A	0.06	0.01	1,048	-	AQ-W4	0.01	-	13,747	-	BH-P	-	-	-	-
TVO23C1808A	0.11	-	6,000	-	AS-W1	0.57	(0.01)	2,954	-	CSC-P	-	-	-	-
TVO24C1810A	-	-	-	-	AYUD-W1	5.15	(0.30)	56,720	5.00	JUTHA-P	-	-	-	-
TVO28C1808A	-	-	-	-	B-W3	0.01	-	80	-	KTB-P	-	-	-	-
UNIQ01C1809A	0.38	0.03	63,966	-	BLAND-W4	0.02	(0.01)	296,746	-	SCB-P	-	-	-	-
UNIQ01C1810A	0.55	0.04	43,767	-	BROCK-W1	-	-	-	-	TCAP-P	-	-	-	-
UNIQ01C1810B	0.47	0.05	39,082	-	BTS-W3	0.12	-	236,322	-	TIC-P	-	-	-	-
UNIQ01P1809A	0.37	(0.03)	19,820	-	BWG-W4	0.10	-	27,027	-	TISCO-P	-	-	-	-
UNIQ08C1808A	0.08	0.01	400	-	CEN-W4	0.09	0.01	5,569	-	U-P	0.03	-	189,722	-
UNIQ08C1810A	0.41	0.04	106,472	-	CGH-W2	-	-	-	-	Warrant (MAD)	-	-	-	-
UNIQ11C1811A	0.33	0.03	30,888	-	CI-W1	0.52	-	1,064	-	2S-W1	0.21	(0.02)	1,708	-
UNIQ13C1807A	0.02	-	3,000	-	CKP-W1	0.36	(0.02)	49,986	-	ACAP-W1	6.20	(1.30)	32	6.00
UNIQ13C1809A	0.37	0.02	169,515	-	CRANE-W1	1.80	-	20	1.00	ACAP-W2	2.80	0.14	6,592	2.00
UNIQ23C1806A	-	-	-	-	DCC-W1	0.62	(0.08)	482,133	-	AIRA-W1	0.06	(0.01)	2,275	-
UNIQ24C1806A	-	-	-	-	DCON-W1	4.90	(0.20)	2	4.00	AIRA-W2	0.08	-	279	-
UNIQ24C1811A	0.26	0.03	1,300	-	DIGI-W1	0.07	-	43,783	-	ATP30-W1	0.85	-	1,610	-
UNIQ28C1807A	-	-	-	-	DIGI-W2	0.02	(0.01)	3,631	-	BSM-W2	0.27	-	1,311	-
UNIQ28C1809A	0.30	0.04	217,763	-	EARTH-W4	-	-	-	-	CIG-W6	-	-	-	-
UNIQ28C1811A	0.36	0.01	251,036	-	EIC-W2	0.02	-	24,000	-	CIG-W7	0.03	0.01	327	-
UNIQ42C1805A	-	-	-	-	EIC-W3	0.05	-	233	-	DNA-W1	1.63	(0.02)	5,142	1.00
UV01C1807A	0.38	0.02	43,406	-	EIC-W4	-	-	-	-	ECF-W2	3.50	-	2,278	3.00
UV08C1807A	0.15	0.01	15,376	-	EVER-W3	0.04	(0.01)	50	-	ECF-W3	3.00	-	11,227	3.00
UV13C1807A	0.09	0.01	3,100	-	GJS-W3	0.04	0.01	128,743	-	EFORL-W3	0.02	-	18,517	-
UV13C1808A	0.03	-	400	-	GL-W4	0.29	(0.02)	22,578	-	EFORL-W4	0.02	-	2,831	-
UV23C1809A	0.05	0.01	31,045	-	GLAND-W4	1.42	(0.01)	526	1.00	FC-W1	0.09	(0.01)	12,857	-
UV24C1807A	0.16	0.01	3,000	-	GREEN-W4	-	-	-	-	FC-W2	0.05	-	1,480	-
UV28C1807A	0.06	-	58,000	-	GSTEL-W1	-	-	-	-	FOCUS-W2	0.60	(0.01)	669	-
UV28C1808A	-	-	-	-	GSTEL-W2	-	-	-	-	FPI-W1	-	-	-	-
VGI01C1812A	0.87	(0.02)	34,994	-	IEC-W2	-	-	-	-	FVC-W2	0.82	(0.02)	71	-
VGI06C1904A	-	-	-	-	IFEC-W2	-	-	-	-	JKN-W1	2.88	0.54	95,336	2.00

