

## Main Board Quotation

Issue Date :

Thursday May 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	7.00	0.05	2,290	6.99	RS	18.80	0.80	136,850	18.64
NFC	-	-	-	-	HUMAN	12.00	0.20	25,743	12.00	SE-ED	3.40	-	1,137	3.40
POMPUI	-	-	-	-	ILINK	6.35	(0.45)	27,302	6.45	SMM	0.93	0.01	2,975	0.93
SAFARI	-	-	-	-	INET	3.92	-	2,131	3.93	SPORT	0.73	0.03	13,068	0.72
VI	-	-	-	-	INTUCH	55.25	0.50	50,790	54.79	TBSP	16.90	(0.10)	1	16.90
WORLD	-	-	-	-	JAS	5.80	-	493,036	5.82	TH	0.61	(0.01)	3,961	0.61
WR	-	-	-	-	JASIF	10.30	(0.10)	126,043	10.31	TKS	10.80	(0.10)	7,997	10.84
Agribusiness	-	-	-	-	JMART	11.50	-	10,067	11.58	TRITN	0.30	-	58,443	0.30
CHOTI	145.00	(1.00)	8	145.88	JTS	1.62	-	654	1.62	VGI	7.75	(0.65)	1,235,676	7.76
EE	0.85	0.01	88,487	0.85	MFEC	4.26	0.02	655	4.24	WAVE	3.14	0.10	9	3.14
GFPT	12.00	(0.10)	11,631	12.03	MSC	5.90	(0.05)	486	5.91	WORK	43.00	(2.00)	49,853	43.41
LEE	2.80	-	731	2.81	PT	6.80	(0.05)	2,711	6.83	Finance & Securities	-	-	-	-
STA	12.50	0.10	22,242	12.38	SAMART	7.60	(0.55)	58,908	7.66	AEC	0.50	-	539	0.50
TLUXE	6.10	0.05	6,301	6.13	SAMTEL	9.85	0.05	41	9.85	AEONTS	158.00	-	3,688	158.57
TRUBB	1.84	0.03	2,174	1.83	SDC	0.28	(0.01)	4,737	0.28	AMANAH	1.95	0.01	250,959	1.98
TPWC	9.50	0.10	9,246	9.51	SIS	9.15	0.10	2,349	9.05	ASAP	6.95	0.05	26,587	6.90
UPOIC	4.54	0.02	123	4.54	SVOA	1.55	0.02	3,114	1.54	ASK	22.70	(0.10)	1,150	22.72
UVAN	8.00	(0.05)	5,622	8.01	SYMC	5.80	0.10	273	5.75	ASP	3.82	-	12,467	3.82
VPO	0.76	(0.02)	2,339	0.76	SYNEX	15.30	0.40	21,177	15.33	BFIT	28.50	(0.75)	2,445	28.24
Banking	-	-	-	-	THCOM	9.35	(0.05)	12,613	9.33	CGH	1.23	0.02	461	1.22
BAY	39.25	-	2,396	39.15	TRUE	7.15	0.05	1,575,551	7.16	CNS	2.64	-	2,333	2.62
BBL	189.00	(3.50)	80,780	189.77	TWZ	0.13	-	161,172	0.13	ECL	2.06	-	58,525	2.07
CIMBT	1.00	(0.01)	18,265	1.00	Electronic Componer	-	-	-	-	FNS	4.40	0.02	1,565	4.44
KBANK	191.50	(2.00)	87,693	191.52	CCET	1.96	0.06	40,893	1.95	FSS	2.60	-	1,816	2.61
KKP	68.75	0.25	50,986	68.33	DELTA	64.50	-	20,630	64.55	GBX	0.71	-	1,044	0.70
KTB	17.50	(0.30)	1,088,059	17.54	EIC	0.06	-	27,279	0.06	GL	6.35	(0.35)	39,229	6.43
LHFG	1.54	(0.02)	313,733	1.54	HANA	34.25	(0.25)	18,904	34.01	IFS	3.08	-	864	3.07
SCB	133.00	(3.50)	129,711	134.17	KCE	32.50	-	638,495	32.45	JMT	28.50	-	2,332	28.41
TCAP	51.50	0.50	35,782	51.00	METCO	187.00	1.00	20	186.35	KCAR	14.10	0.10	743	14.10
TISCO	83.00	(2.50)	69,807	83.74	SMT	2.74	(0.04)	5,147	2.75	KGI	4.28	-	13,419	4.28
TMB	2.48	(0.04)	1,924,682	2.50	SPPT	4.76	(0.02)	2,330	4.74	KTC	349.00	(17.00)	33,380	354.70
Construction Materia	-	-	-	-	SVI	4.16	-	9,720	4.16	MBKET	18.50	(0.30)	615	18.54
CCP	0.43	-	34,186	0.43	TEAM	1.20	(0.03)	10,690	1.22	MFC	15.30	-	2,844	15.30
DCC	2.08	(0.06)	49,731	2.12	Energy & Utilities	-	-	-	-	ML	1.12	0.01	1,985	1.11
DCON	0.59	0.01	43,339	0.59	ABPIF	8.50	(0.05)	297	8.52	MTC	31.25	(0.75)	191,652	31.40
DRT	5.75	-	5,095	5.71	AI	-	-	-	-	PE	0.38	-	29,100	0.39
EPG	7.40	(0.15)	114,199	7.45	AKR	1.33	0.01	285,810	1.32	PL	3.60	-	753	3.59
GEL	0.33	(0.01)	10,942	0.33	BAFS	37.50	0.50	12,277	37.29	S11	7.45	-	3,882	7.47
PPP	4.00	-	126	3.98	BANPU	21.00	0.40	828,801	21.05	SAWAD	35.25	(1.25)	179,415	35.78
Q-CON	5.90	0.05	259	5.86	BCP	36.25	1.00	31,698	35.85	THANI	7.75	-	71,950	7.64
RCI	2.12	-	3,702	2.12	BCPG	19.60	0.40	47,381	19.45	TK	12.30	(0.30)	24,879	12.47
SCC	446.00	(6.00)	191,744	447.15	BGRIM	24.00	(0.50)	124,514	24.19	TNITY	5.90	-	494	5.90
SCCC	235.00	-	1,005	234.39	BPP	25.25	0.25	38,168	25.19	UOBKH	3.86	(0.02)	4	3.89
SCP	8.35	0.05	1,392	8.28	BRRGIF	10.30	-	1,050	10.21	ZMICO	1.14	(0.01)	4,741	1.14
SKN	5.90	(0.20)	9,319	5.97	CKP	3.98	0.04	143,840	3.95	Food & Beverage	-	-	-	-
TASCO	17.70	-	12,793	17.70	DEMCO	4.64	(0.02)	2,632	4.67	APURE	1.53	-	4,830	1.53
TCMC	2.36	0.02	14,622	2.35	EA	38.75	0.25	330,230	38.74	ASIAN	5.55	(0.10)	7,307	5.58
TGCI	2.66	(0.04)	1,250	2.68	EARTH	-	-	-	-	BR	6.20	-	4,984	6.19
TOA	38.50	0.25	29,260	38.85	EASTW	11.10	(0.20)	72,283	11.15	BRR	7.95	0.15	4,340	7.86
TPIPL	1.89	(0.03)	822,961	1.89	EGATIF	11.30	-	6,681	11.20	CBG	53.50	(0.50)	13,781	53.54
UMI	1.42	(0.02)	1,758	1.43	EGCO	241.00	7.00	23,668	240.47	CFRESH	4.78	(0.02)	856	4.80
VNG	8.65	(0.15)	13,061	8.69	ESSO	14.70	(0.20)	74,681	14.77	CM	4.14	-	2,860	4.13
WIHK	2.36	-	1,055	2.35	GLOW	85.00	3.00	33,125	84.30	CPF	25.00	-	498,025	24.93
Petrochemicals & Ch	-	-	-	-	GPSC	73.00	(2.75)	105,730	73.05	CPI	2.04	0.02	401	2.04
CMAN	3.78	(0.08)	32,908	3.83	GULF	68.00	(2.00)	87,983	68.46	F&D	17.50	0.40	10	17.50
GC	5.20	0.05	515	5.15	GUNKUL	3.26	(0.02)	66,027	3.25	HTC	21.60	-	6,325	21.62
GGC	13.90	-	11,930	13.98	IEC	-	-	-	-	ICHI	5.50	-	14,172	5.50
GIFT	4.82	0.04	1,149	4.82	IFEC	-	-	-	-	KBS	4.86	-	207	4.88
IVL	58.25	0.75	266,418	57.89	IRPC	6.60	-	2,005,740	6.57	KSL	3.30	0.04	19,175	3.31
PATO	14.90	-	1,657	14.63	LANNA	15.80	0.20	2,377	15.62	KTIS	6.05	0.05	135	6.01
PMTA	16.80	-	3	16.80	MDX	4.60	(0.02)	1,317	4.60	LST	4.88	-	138	4.90
PTTGC	89.25	0.25	185,445	89.19	PTG	18.90	0.40	72,157	18.55	M	77.50	(0.25)	2,222	77.16
SUTHA	4.48	-	6	4.46	PTT	52.25	0.75	2,067,121	52.47	MALEE	15.80	(0.80)	42,390	16.05
TCB	55.00	2.25	1,511	53.62	PTTEP	134.50	2.00	214,531	134.64	MINT	32.50	(1.50)	700,410	32.99
TCCC	34.75	(0.50)	85	34.89	RATCH	51.75	(0.50)	16,245	51.92	OISHI	104.00	(1.00)	60	104.04
TPA	6.15	0.05	1,163	6.07	RPC	0.63	0.01	1,904	0.62	PB	61.75	-	115	61.39
UP	29.75	2.25	2	29.75	SCG	4.78	0.02	191	4.77	PM	10.60	(0.20)	6,457	10.74
VNT	26.50	-	6,545	26.49	SCI	2.96	-	3,033	2.97	PRG	13.70	-	10	13.70
WG	149.00	(0.50)	44	149.14	SCN	4.14	0.04	6,352	4.11	SAPPE	29.00	-	9,676	28.86
YCI	-	-	-	-	SGP	9.95	(1.25)	469,581	10.25	SAUCE	21.90	(0.10)	22	21.91
Commerce	-	-	-	-	SKE	1.39	(0.01)	15,405	1.41	SFP	-	-	-	-
BEAUTY	17.50	(0.20)	298,125	17.52	SOLAR	2.54	(0.14)	23,966	2.58	SNP	21.40	0.20	175	21.32
BIG	2.30	(0.12)	100,372	2.32	SPCG	21.40	(0.10)	9,079	21.39	SORKON	-	-	-	-
BJC	57.00	-	50,213	57.05	SPRC	15.50	0.20	118,185	15.46	SSC	49.25	(0.75)	10	49.38
COL	25.00	(0.25)	849	25.02	SUPER	1.48	0.04	4,487,551	1.47	SSF	-	-	-	-
COM7	18.30	0.30	104,160	18.23	SUSCO	3.48	0.02	2,213	3.48	SST	6.45	-	147	6.44
CPALL	80.75	0.25	347,605	80.74	TAE	2.28	0.02	711	2.28	TC	2.92	0.02	6	2.85
CSS	2.28	-	4,951	2.28	TCC	0.40	-	70,382	0.41	TFG	4.78	0.46	10,320	4.55
FN	3.32	(0.04)	2,206	3.33	TOP	92.00	1.00	102,313	91.44	TFMAMA	164.00	-	12	163.79
FTE	2.26	(0.02)	4,578	2.27	TPIPP	6.75	0.05	74,570	6.69	TIPCO	10.20	(0.10)	5,654	10.23
GLOBAL	16.60	0.30	56,264	16.37	TTW	12.40	0.30	126,198	12.30	TKN	19.90	1.10	247,278	19.55
HMPRO	14.60	(0.30)	290,154	14.68	WHAUP	6.40	0.25	119,418	6.34	TU	17.30	0.10	169,971	17.19
IT	4.42	0.02	1,321	4.42	WP	7.85	(0.25)	28,543	7.96	TVO	31.00	0.25	22,558	30.87
KAMART	5.35	-	4,527	5.35	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.30	(0.04)	26,937	2.33	AMARIN	5.10	0.05	187	5.10	AHC	21.20	-	3	21.20
MAKRO	45.00	0.50	16,544	44.70	AQUA	0.56	-	94,377	0.57	BCH	16.40	-	159,921	16.30
MC	13.30	0.60	27,119	13.08	AS	1.70	-	692	1.70	BDMS	26.75	0.75	480,977	26.76
MEGA	41.50	0.50	35,480	40.54	BEC	9.45	(0.15)	70,562	9.51	BH	192.50	1.00	17,399	192.42
MIDA	0.62	0.01												

## Main Board Quotation

Issue Date :

Thursday May 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	8.60	(0.15)	3,867	8.68	MJD	3.18	(0.02)	420	3.18	CPT	2.20	0.04	19,192	2.20
WPH	3.12	(0.04)	2,585	3.14	MK	3.16	-	5,688	3.16	CRANE	2.40	(0.04)	1,541	2.42
Tourism & Leisure	-	-	-	-	NCH	1.00	-	4,371	1.00	CTW	8.00	(0.20)	6,251	8.08
ASIA	6.80	0.05	618	6.80	NNCL	1.85	0.01	60,157	1.86	FMT	25.75	(0.25)	130	26.03
CENTEL	45.25	-	18,520	45.28	NOBLE	9.45	0.15	6,337	9.39	HTECH	7.65	0.30	29,855	7.54
CSR	-	-	-	-	NUSA	0.31	(0.01)	43,241	0.31	KKC	1.75	0.02	824	1.74
DTC	14.70	(0.20)	71,279	15.25	NVD	4.54	-	164	4.56	PK	3.42	(0.12)	6,949	3.45
ERW	8.15	0.15	51,988	8.10	ORI	20.00	0.30	22,703	19.84	SNC	16.00	(0.20)	4,433	16.08
GRAND	0.97	(0.01)	7,498	0.97	PACE	0.44	-	141,995	0.45	TCJ	6.75	0.15	364	6.71
LRH	35.00	-	32	34.61	PF	0.96	-	386,607	0.94	VARO	7.10	0.10	1	7.10
MANRIN	-	-	-	-	PLAT	8.10	0.05	7,564	8.08	Property Fund & REI	-	-	-	-
OHTL	782.00	(6.00)	1	782.00	POLAR	-	-	-	-	AIMIRT	10.10	0.10	1,640	10.00
ROH	-	-	-	-	PRECHA	1.74	0.05	18	1.74	AMATAR	10.60	0.10	2,628	10.56
SHANG	71.25	1.25	1	71.25	PRIN	1.64	-	4,966	1.64	B-WORK	10.30	-	4,242	10.30
Home & Office Prod.	-	-	-	-	PRINC	6.00	0.10	30,464	5.99	BKKCP	12.00	-	230	12.00
ACC	0.52	-	8,699	0.51	PSH	22.30	0.40	24,701	22.09	BOFFICE	12.40	-	169	12.40
AJA	0.50	0.01	51,797	0.49	QH	3.26	-	728,189	3.26	CPNCG	14.50	-	655	14.50
DTCI	-	-	-	-	RICHY	1.77	(0.02)	5,301	1.78	CPNREIT	23.30	-	3,691	23.41
FANCY	1.07	0.01	32,303	1.09	RML	1.14	0.01	15,038	1.13	CPTGF	12.80	-	6,855	12.80
KYE	424.00	-	54	424.00	ROJNA	6.25	(0.10)	4,830	6.28	CRYSTAL	10.50	-	296	10.40
L&E	2.84	-	136	2.84	S	3.42	(0.02)	28,285	3.43	CTARAF	4.90	-	156	4.88
MODERN	4.84	0.10	5,925	4.78	SAMCO	2.36	-	390	2.36	DREIT	5.50	-	313	5.50
OGC	39.50	(0.25)	10	39.50	SC	3.68	(0.06)	47,975	3.71	ERWPF	5.90	0.05	997	5.82
ROCK	-	-	-	-	SENA	3.82	0.06	17,945	3.76	FUTUREPF	21.20	-	96	21.20
SIAM	1.96	(0.02)	223	1.98	SF	8.80	(0.05)	34,100	8.77	GAHREIT	9.85	-	82	9.85
TSR	2.74	(0.12)	19,742	2.80	SIRI	1.74	(0.01)	527,804	1.75	GLANDRT	11.90	(0.20)	1,047	12.09
Insurance	-	-	-	-	SPALI	25.25	0.55	86,100	24.97	GOLDPF	7.35	-	1,000	7.35
AYUD	43.25	(0.50)	891	43.87	TICON	17.00	(0.30)	1,212	17.10	GVREIT	14.80	-	2,558	14.80
BKI	358.00	(1.00)	68	359.13	U	0.03	-	3,020,844	0.03	HPF	5.45	(0.05)	112	5.45
BLA	34.50	(0.50)	2,246	34.67	UV	8.65	0.15	63,773	8.60	HREIT	7.25	-	559	7.25
BUI	-	-	-	-	WHA	4.40	0.16	1,402,338	4.32	IMPACT	17.20	(0.20)	7,338	17.19
CHARAN	-	-	-	-	WIN	0.60	(0.01)	4,074	0.60	KPNPF	9.70	0.15	25	9.70
INSURE	-	-	-	-	Paper & Printing Mat	-	-	-	-	LHHOTEL	15.80	0.20	2,114	15.59
MTI	125.00	-	70	125.00	UTP	12.20	0.10	3,827	12.14	LHPF	8.40	-	688	8.37
NKI	58.00	-	16	58.09	Fashion	-	-	-	-	LHSC	15.90	-	510	15.90
NSI	81.25	1.25	16	80.91	AFC	-	-	-	-	LUXF	8.10	-	1,514	8.08
SMK	42.50	0.25	179	42.03	BTNC	-	-	-	-	M-II	8.40	(0.10)	50	8.46
THRE	1.28	-	22,827	1.29	CPH	6.05	0.20	10	6.05	M-PAT	-	-	-	-
THREL	8.35	-	4,507	8.36	CPL	3.12	(0.14)	9	3.08	M-STOR	-	-	-	-
TIC	34.00	(0.50)	27	34.38	DIGI	0.58	(0.01)	39,828	0.59	MIPF	-	-	-	-
TIP	25.00	-	1,371	25.16	ICC	39.25	-	51	39.25	MIT	5.00	(0.05)	10	5.00
TSI	0.55	0.04	210,043	0.57	LTX	74.75	0.50	68	75.42	MJLF	12.70	0.20	287	12.62
TVI	3.70	0.02	1,401	3.72	NC	15.70	(0.20)	10	15.70	MNIT	-	-	-	-
Mining	-	-	-	-	PAF	1.07	-	2,785	1.08	MNIT2	-	-	-	-
PDI	17.40	(0.60)	11,092	17.70	PDJ	2.86	(0.02)	938	2.86	MNRF	3.52	-	604	3.52
THL	-	-	-	-	PG	-	-	-	-	MONTRI	6.05	0.05	4	5.95
Packaging	-	-	-	-	SABINA	29.75	(0.25)	55	29.85	POPF	13.80	-	1,692	13.80
AJ	10.80	(0.30)	4,040	10.98	SAWANG	-	-	-	-	PPF	11.30	-	1	11.30
ALUCON	222.00	1.00	10	221.20	SUC	43.25	-	15	43.25	QHHR	8.75	0.05	801	8.78
CSC	45.50	0.25	10	45.08	TNL	19.80	0.20	9	19.80	QHOP	3.86	0.02	51	3.84
NEP	0.45	-	11,011	0.44	TPCORP	16.20	(0.20)	164	15.74	QHPP	12.00	(0.10)	34,113	12.08
NPP	1.39	(0.01)	21,314	1.40	TR	50.25	-	278	50.16	SBPF	3.12	0.04	178	3.10
PTL	16.00	(0.10)	10,297	15.96	TTI	-	-	-	-	SHREIT	9.65	-	3,054	9.65
SITHAI	1.31	0.01	10,245	1.32	TTL	-	-	-	-	SIRIP	11.60	0.30	1	11.60
SLP	0.98	(0.01)	9,965	0.99	TTTM	126.50	-	7	127.57	SPF	23.20	(0.10)	218	23.30
SMPC	13.40	-	383	13.41	UPF	71.00	(1.00)	3	70.33	SRIANWA	11.20	0.10	22	11.01
SPACK	2.00	-	472	2.00	UT	-	-	-	-	SSPF	10.30	-	40	10.30
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SSTPF	-	-	-	-
TFI	0.43	-	3,937	0.43	Transportation & Log	-	-	-	-	SSTRT	6.50	(0.55)	28	6.46
THIP	35.75	(0.25)	288	36.14	AAV	5.50	(0.10)	190,344	5.51	TIF1	8.60	-	45	8.60
TMD	21.00	(0.10)	14	20.82	AOT	68.50	1.00	401,540	68.12	TLGF	18.90	(0.10)	32,607	18.90
TOPP	214.00	2.00	1	214.00	ASIMAR	2.72	(0.04)	15,751	2.71	TLHPF	11.30	0.10	21	11.11
TPBI	10.10	-	304	10.00	B	0.72	(0.02)	14,599	0.73	TNPF	-	-	-	-
TPP	-	-	-	-	BA	15.10	(0.30)	17,720	15.18	TPRIME	11.90	0.20	5	11.90
Personal Products &	-	-	-	-	BEM	8.20	0.25	1,307,113	8.13	TREIT	11.10	(0.10)	47,615	11.19
APCO	5.65	(0.05)	3,146	5.61	BTS	9.70	0.30	1,170,877	9.62	TTLPF	24.50	(0.10)	136	24.50
DDD	67.00	(2.25)	25,330	67.99	BTSGIF	12.50	-	53,115	12.60	TU-PF	-	-	-	-
JCT	88.00	(2.00)	4	88.00	IH	5.30	-	1,843	5.25	URBNPF	-	-	-	-
OCC	17.50	0.50	71	17.50	JUTHA	1.95	(0.02)	354	1.96	WHABT	10.30	0.10	252	10.24
S & J	-	-	-	-	JWD	7.70	(0.15)	32,575	7.79	WHART	10.50	0.10	11,541	10.40
STHAI	-	-	-	-	KWC	-	-	-	-	Steel	-	-	-	-
TNR	14.90	(0.10)	354	14.91	NOK	2.92	(0.06)	5,192	2.94	AMC	2.76	(0.02)	958	2.76
TOG	4.68	0.08	1,232	4.67	NYT	5.60	(0.10)	2,045	5.62	BSBM	1.20	0.01	1,700	1.19
Professional Service	-	-	-	-	PRM	8.40	(0.30)	71,613	8.46	CEN	1.35	-	2,999	1.36
BWG	1.24	-	32,412	1.24	PSL	11.90	(0.10)	77,471	11.88	CITY	2.78	0.02	40	2.77
GENCO	0.87	(0.01)	4,259	0.88	RCL	6.10	-	11,883	6.04	CSP	1.50	(0.01)	307	1.51
PRO	-	-	-	-	THAI	15.70	(0.10)	51,106	15.73	GJS	0.34	(0.01)	188,696	0.34
Property Developme	-	-	-	-	TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	600	6.70	TTA	7.85	0.20	73,119	7.78	INOX	1.17	-	1,130	1.16
AMATA	23.00	0.40	205,102	22.97	WICE	4.20	0.04	22,377	4.19	LHK	5.15	(0.05)	3,228	5.18
AMATAV	7.25	0.05	17,213	7.29	Automotive	-	-	-	-	MAX	0.03	-	220,485	0.03
ANAN	4.36	-	149,729	4.36	AH	37.75	1.50	9,463	37.52	MCS	8.30	(0.05)	4,285	8.28
AP	9.20	0.30	173,674	9.09	APCS	6.10	0.05	839	6.05	MILL	1.59	(0.03)	5,822	1.61
APEX	0.21	-	48,856	0.21	BAT-3K	-	-	-	-	PAP	4.40	-	464	4.41
AQ	0.04	-	463,367	0.04	CWT	3.84	0.02	11,818	3.84	PERM	2.62	-	1,023	2.62
BLAND	2.00	0.04	3,208,414	1.99										

## Main Board Quotation

Issue Date :

Thursday May 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	UWC	0.09	-	144,789	-	ADVA13C1809A	0.14	0.01	30,649	-
ABICO	6.30	(0.10)	1,246	6.00	Services (MAI)	-	-	-	-	ADVA13C1811A	0.61	(0.02)	99,802	-
AU	11.10	(0.50)	33,336	11.00	ADAM	-	-	-	-	ADVA13P1809A	0.44	(0.01)	40,610	-
FC	0.45	-	39,096	-	AKP	1.80	-	1,145	1.00	ADVA16C1812A	0.47	0.01	200	-
JCKH	1.40	(0.01)	5,830	1.00	AMA	6.55	(0.40)	8,086	6.00	ADVA18C1808A	0.52	(0.02)	5,370	-
KASET	2.38	-	1,633	2.00	ARIP	0.57	0.01	4,822	-	ADVA23C1806A	0.24	0.03	38,000	-
MM	4.28	-	1,686	4.00	ATP30	1.77	(0.01)	6,633	1.00	ADVA24C1810A	0.49	(0.05)	9,000	-
SUN	3.88	0.04	3,125	3.00	AUCT	6.15	0.25	52,555	6.00	ADVA24P1810A	-	-	-	-
TACC	4.66	(0.02)	3,371	4.00	BOL	1.94	(0.05)	10,316	1.00	ADVA27P1805A	-	-	-	-
TMILL	3.10	(0.08)	5,176	3.00	CHUO	-	-	-	-	ADVA28C1808A	0.08	-	48,000	-
XO	9.90	1.10	72,562	9.00	CMO	1.60	0.01	599	1.00	ADVA28P1810A	0.56	(0.04)	305,280	-
Consumer Products	-	-	-	-	D	10.20	0.10	3,813	10.00	AMAT01C1806A	0.11	0.01	7,865	-
BGT	1.12	-	6,768	1.00	DCORP	2.38	0.02	2,481	2.00	AMAT01C1810A	1.16	0.05	91,039	1.00
BIZ	3.06	(0.02)	1,008	3.00	DNA	0.46	(0.03)	122,532	-	AMAT01C1810B	1.11	0.08	72,800	1.00
ECF	7.10	(0.05)	28,673	7.00	EFORL	0.08	-	198,334	-	AMAT01P1806A	0.46	(0.05)	17,490	-
HPT	1.07	(0.04)	35,632	1.00	ETE	2.28	(0.02)	3,137	2.00	AMAT06C1809A	0.32	0.04	5,902	-
JUBILE	24.10	(0.30)	219	24.00	FSMART	9.05	(0.15)	37,102	9.00	AMAT08C1807A	0.02	-	1	-
MOONG	6.15	(0.05)	9,432	6.00	FVC	1.64	0.02	1,007	1.00	AMAT08C1809A	0.42	0.04	21,156	-
NPK	27.00	(0.25)	5	27.00	HARN	2.70	-	7,735	2.00	AMAT11C1805A	0.93	0.09	16,717	-
OCEAN	0.86	0.01	11,044	-	JKN	9.45	0.10	54,626	9.00	AMAT11C1903A	0.65	0.04	30,372	-
TM	2.18	-	352	2.00	KIAT	0.46	-	13,528	-	AMAT13C1806A	0.01	-	12,030	-
Financials (MAI)	-	-	-	-	KOOL	1.96	(0.01)	23,678	1.00	AMAT13C1809A	0.40	0.04	161,628	-
ACAP	7.75	-	3,003	7.00	LDC	1.16	-	1,859	1.00	AMAT23C1810A	0.56	0.04	13,652	-
AF	0.90	-	540	-	MPG	0.25	-	10,254	-	AMAT24C1805A	-	-	-	-
AIRA	2.06	(0.02)	14,482	2.00	NBC	0.80	(0.02)	8,361	-	AMAT24C1807A	0.02	0.01	1	-
ASN	-	-	-	-	NCL	1.48	0.02	1,191	1.00	AMAT24C1811A	0.73	0.05	20,000	-
BROOK	0.60	-	12,415	-	NEWS	0.01	(0.01)	185,180	-	AMAT28C1806A	0.01	-	5,224	-
CHAYO	3.18	0.22	233,357	3.00	NINE	1.39	-	1,822	1.00	AMAT28C1808A	0.32	0.02	230,395	-
GCAP	4.94	(0.02)	1,977	4.00	OTO	3.16	-	257	3.00	AMAT42C1806A	0.79	0.09	3,988	-
LIT	9.10	-	2,152	9.00	PHOL	2.50	-	6,699	2.00	ANAN01C1807A	0.05	-	2,660	-
SGF	0.15	-	67,524	-	PICO	6.80	0.05	192	6.00	ANAN01C1810A	0.72	0.01	21,814	-
Industrials (MAI)	-	-	-	-	PORT	7.05	-	1,973	7.00	ANAN01C1810B	0.58	(0.01)	25,503	-
2S	3.50	(0.08)	556	3.00	QLT	5.00	0.02	243	5.00	ANAN08C1808A	0.02	-	2,146	-
ADB	1.28	(0.01)	9,473	1.00	RP	3.90	-	235	3.00	ANAN08C1810A	0.62	(0.01)	12,889	-
BM	3.72	(0.02)	2,015	3.00	SE	2.32	(0.02)	1,016	2.00	ANAN23C1806A	-	-	-	-
CHO	1.40	-	5,851	1.00	SPA	16.50	-	1,805	16.00	ANAN24C1807A	-	-	-	-
CHOW	5.10	(0.05)	1,905	5.00	THMUJ	1.56	(0.05)	2,308	1.00	ANAN24C1811A	0.53	-	4,200	-
CIG	0.41	(0.02)	40,744	-	TNDT	4.98	0.02	142	4.00	ANAN28C1806A	-	-	-	-
COLOR	1.12	(0.01)	863	1.00	TNH	41.00	(0.50)	106	41.00	ANAN28C1809A	0.39	-	24,666	-
CPR	5.30	-	838	5.00	TNP	2.12	0.02	1,820	2.00	AOT01C1808A	0.47	0.06	445,187	-
FPI	3.02	-	5,006	2.00	TSF	0.06	-	41,044	-	AOT01C1808B	0.12	0.04	104,046	-
GTB	0.86	0.01	1,583	-	TVD	1.64	0.01	552	1.00	AOT01C1810A	0.53	0.05	155,582	-
KCM	1.18	(0.02)	7,925	1.00	TVT	1.11	-	6,945	1.00	AOT01P1808A	0.75	(0.09)	46,411	-
LVT	-	-	-	-	WINNER	3.42	0.12	8,737	3.00	AOT01P1808B	0.29	(0.07)	65,070	-
MBAX	4.02	(0.04)	181	4.00	Technology (MAI)	-	-	-	-	AOT06C1806A	1.61	0.07	50,560	1.00
MGT	2.20	(0.04)	3,647	2.00	COMAN	4.88	0.04	351	4.00	AOT06C1809A	0.23	0.03	5,981	-
NDR	2.14	-	1,536	2.00	ICN	2.44	(0.08)	16,203	2.00	AOT08C1806A	0.31	(0.07)	16	-
PDG	3.74	-	414	3.00	IRCP	1.58	-	1,168	1.00	AOT08C1807A	0.09	0.02	7,800	-
PIMO	2.76	0.02	2,136	2.00	ITEL	3.86	-	6,477	3.00	AOT11C1808A	0.69	0.06	79,280	-
PJW	1.77	(0.02)	2,608	1.00	NETBAY	40.00	0.75	4,646	39.00	AOT11P1808A	0.08	(0.02)	1,710	-
PPM	2.52	0.04	37	2.00	PLANET	2.00	0.01	84	2.00	AOT13C1806A	0.01	-	36,642	-
RWI	1.50	(0.04)	17,595	1.00	SIMAT	2.82	-	1,243	2.00	AOT13C1807A	0.03	-	2,211	-
SALEE	1.10	(0.01)	1,489	1.00	SKY	16.20	0.40	3,654	16.00	AOT13C1809A	0.23	0.02	173,366	-
SANKO	1.27	(0.03)	7,411	1.00	SPVI	1.41	0.01	3,665	1.00	AOT13P1806A	-	-	-	-
SELIC	1.75	0.02	1,186	1.00	UPA	0.48	(0.02)	39,452	-	AOT13P1810A	0.49	(0.05)	17,676	-
SWC	22.40	(0.10)	465	22.00	VCOM	3.04	0.02	4,682	3.00	AOT19C1809A	0.37	0.05	35,724	-
TAPAC	11.70	(0.10)	4,565	11.00	Unit Trust	-	-	-	-	AOT23C1807A	0.53	0.07	36,670	-
TMC	0.96	-	2,872	-	MGE	-	-	-	-	AOT23P1807A	0.01	(0.01)	857	-
TMI	0.84	-	8,603	-	SCBSET	-	-	-	-	AOT24C1806A	0.14	0.03	6,000	-
TMW	66.00	(1.50)	2,771	66.00	ETF	-	-	-	-	AOT24C1807A	-	-	-	-
TPAC	12.90	-	2,606	12.00	1DIV	12.40	0.22	117	12.00	AOT24C1811A	0.35	(0.65)	30	-
UAC	4.88	-	2,983	4.00	ABFTH	-	-	-	-	AOT24P1809A	0.18	(0.04)	565	-
UBIS	5.00	-	41	5.00	BMSCG	9.37	(0.02)	815	9.00	AOT28C1807A	0.04	0.01	15,490	-
UEC	1.53	(0.07)	15,371	1.00	BMSCITH	13.38	0.04	2,401	13.00	AOT28C1809A	0.26	0.03	231,980	-
UKEM	0.95	-	13,442	-	BSET100	11.03	0.02	2,595	11.00	AOT28P1806A	-	-	-	-
UREKA	0.49	(0.01)	10,187	-	CHINA	6.08	0.02	183	6.00	AP01C1809A	0.61	0.08	50,467	-
YUASA	17.50	0.10	149	17.00	EBANK	-	-	-	-	AP01C1809B	0.41	0.08	55,236	-
ZIGA	2.58	0.02	4,322	2.00	ECOMM	8.92	0.02	10	8.00	AP08C1810A	0.56	0.07	21,782	-
Property & Construc	-	-	-	-	EFOOD	5.78	(0.10)	10	5.00	AP23C1805A	-	-	-	-
ARROW	11.00	-	617	11.00	EICT	4.82	(0.01)	11	4.00	AP24C1805A	-	-	-	-
BKD	3.32	0.02	7,662	3.00	ENGY	6.54	0.07	23	6.00	AP24C1901A	0.40	0.06	1,470	-
BSM	0.74	0.01	5,989	-	ENY	7.74	0.15	106	7.00	BA01C1805A	-	-	-	-
BTW	1.69	(0.02)	2,419	1.00	ESET50	-	-	-	-	BA01P1805A	-	-	-	-
CHEWA	1.08	-	16,149	1.00	GLD	1.79	-	4,244	1.00	BA11C1902A	0.27	(0.02)	3,120	-
CRD	1.18	(0.01)	4,089	1.00	TDEX	11.20	0.06	1,036	11.00	BA23C1806A	-	-	-	-
DIMET	1.19	-	1,740	1.00	TGOLDEF	3.90	0.01	103	3.00	BA24C1810A	0.64	(0.02)	20	-
FLOYD	2.30	(0.32)	74,930	2.00	TH100	5.08	0.04	3	5.00	BA24C1901A	0.27	-	751	-
FOCUS	0.98	-	1,192	-	Warrant Foreign	-	-	-	-	BA28C1809A	0.09	(0.03)	13,534	-
HYDRO	1.55	-	14,025	1.00	AAV01C1808A	0.23	(0.02)	55,780	-	BA42C1806A	-	-	-	-
JSP	0.70	(0.01)	15,291	-	AAV01C1808B	0.09	(0.02)	24,800	-	BANP01C1806A	0.77	0.07	267,018	-
K	3.12	(0.04)	1,382	3.00	AAV01P1808A	0.34	0.03	17,303	-	BANP01C1808A	0.40	0.05	237,455	-
META														

## Main Board Quotation

Issue Date :

Thursday May 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP28C1807A	0.08	0.02	8,000	-	BEC08C1809A	0.03	(0.01)	2,879	-	CBG06P1809A	1.17	0.01	100	1.00
BANP28C1809A	-	-	-	-	BEC13C1805A	-	-	-	-	CBG07C1806A	0.01	-	6,500	-
BANP28C1810A	0.45	0.06	482,538	-	BEC13C1806A	-	-	-	-	CBG08C1805A	-	-	-	-
BBL06C1806A	-	-	-	-	BEC13C1808A	0.03	-	24,550	-	CBG08C1805B	-	-	-	-
BBL08C1805A	-	-	-	-	BEC13C1811A	0.44	(0.03)	48,846	-	CBG08C1808A	0.01	-	1,090	-
BBL08C1808A	0.09	(0.01)	17,682	-	BEC19C1809A	0.03	0.01	1,296	-	CBG08C1810A	0.16	-	6,145	-
BBL08C1809A	0.12	(0.02)	2,300	-	BEC23C1807A	-	-	-	-	CBG11C1902A	0.27	(0.03)	20,353	-
BBL08P1810A	0.49	0.02	132,804	-	BEC23C1809A	0.06	(0.01)	5,500	-	CBG13C1806A	-	-	-	-
BBL11C1805A	0.96	(0.07)	14,000	-	BEC24C1809A	0.04	(0.01)	11,150	-	CBG13C1808A	-	-	-	-
BBL11C1903A	0.48	(0.06)	32,159	-	BEC28C1806A	-	-	-	-	CBG13C1809A	0.09	-	20,695	-
BBL11P1805A	0.01	(0.02)	3,980	-	BEC28C1808A	0.02	-	4,000	-	CBG13C1811A	0.37	(0.02)	47,485	-
BBL11P1903A	0.79	0.03	25,553	-	BEC28C1809A	-	-	-	-	CBG13P1806A	1.33	(0.06)	21	1.00
BBL13C1807A	0.08	(0.01)	1,900	-	BEM01C1808A	0.44	0.03	175,003	-	CBG18C1808A	-	-	-	-
BBL13C1810A	0.50	(0.06)	52,536	-	BEM01C1808B	0.18	0.02	29,255	-	CBG19C1810A	0.23	-	7,178	-
BBL23C1811A	0.24	(0.03)	45,572	-	BEM01P1808A	0.25	(0.02)	3,274	-	CBG23C1806A	-	-	-	-
BBL24C1809A	-	-	-	-	BEM08C1809A	0.34	0.05	88,884	-	CBG23C1901A	0.27	-	18,000	-
BBL24P1810A	0.40	0.02	23	-	BEM11C1805A	0.18	0.04	8,900	-	CBG24C1807A	-	-	-	-
BBL27C1809A	-	-	-	-	BEM11C1903A	0.30	0.02	21,500	-	CBG24C1809A	-	-	-	-
BBL28C1808A	0.05	(0.01)	111	-	BEM13C1806A	-	-	-	-	CBG28C1808A	-	-	-	-
BBL28C1811A	0.46	(0.06)	119,416	-	BEM13C1809A	0.35	0.05	195,931	-	CBG28C1808B	0.04	(0.01)	33,925	-
BCH01C1808A	0.42	-	159,913	-	BEM23C1805A	-	-	-	-	CBG24C1806A	-	-	-	-
BCH01C1808B	0.20	0.01	40,593	-	BEM24C1809A	-	-	-	-	CENT01C1805A	-	-	-	-
BCH01P1808A	0.38	0.01	41,658	-	BEM28C1807A	-	-	-	-	CENT01C1810A	0.42	(0.01)	32,132	-
BCH06C1806A	0.70	(0.01)	49,140	-	BEM28C1808A	0.30	0.06	236,616	-	CENT01C1810B	0.29	-	28,302	-
BCH06C1811A	-	-	-	-	BEM42C1806A	0.21	0.01	3,028	-	CENT01P1805A	-	-	-	-
BCH08C1806A	0.04	(0.02)	13,300	-	BEM42P1806A	0.32	(0.03)	422	-	CENT01P1810A	0.97	-	21,884	-
BCH11C1807A	0.19	-	83,510	-	BH01C1806A	0.68	0.01	80,804	-	CENT08C1809A	0.12	-	49,651	-
BCH13C1810A	0.17	-	62,789	-	BH01C1806B	0.10	-	15,209	-	CENT11C1806A	0.33	(0.02)	12,840	-
BCH19C1809A	0.17	-	30,408	-	BH01P1806A	0.70	(0.03)	71,172	-	CENT13C1811A	0.17	(0.01)	11,158	-
BCH23C1811A	0.32	-	52,000	-	BH07C1810A	0.08	-	300	-	CENT23C1806A	0.05	(0.01)	13,595	-
BCH24C1805A	-	-	-	-	BH08C1811A	0.14	-	12,537	-	CENT24C1807A	0.03	-	1	-
BCH24C1811A	0.19	(0.02)	20,050	-	BH11C1902A	0.14	(0.01)	3,004	-	CENT24C1810A	0.15	(0.04)	1,075	-
BCH28C1807A	0.06	(0.01)	12,182	-	BH23C1805A	-	-	-	-	CENT28C1808A	0.06	(0.01)	16,801	-
BCH42C1806A	0.37	(0.02)	3,006	-	BH24C1806A	-	-	-	-	CHG01C1809A	0.43	-	115,122	-
BCP01C1805A	-	-	-	-	BH24C1809A	0.30	-	3,000	-	CHG01C1809B	0.75	(0.01)	14,742	-
BCP01C1810A	0.30	0.03	19,171	-	BH24C1811A	-	-	-	-	CHG01P1809A	0.26	-	15,179	-
BCP01C1810B	0.21	0.01	20,004	-	BIG08C1807A	-	-	-	-	CHG08C1807A	0.11	-	39,764	-
BCP01P1805A	-	-	-	-	BIG13C1808A	0.04	(0.02)	4,201	-	CHG11C1807A	0.04	-	3,000	-
BCP01P1810A	0.45	(0.02)	10,280	-	BIG23C1805A	-	-	-	-	CHG13C1807A	0.13	-	103,648	-
BCP07C1806A	0.01	(0.05)	200	-	BIG24C1808A	-	-	-	-	CHG13C1809A	0.72	-	25,516	-
BCP08C1806A	-	-	-	-	BIG28C1807A	-	-	-	-	CHG23C1811A	0.94	-	9,486	-
BCP11C1811A	0.19	0.02	20,280	-	BJC01C1807A	0.40	-	24,999	-	CHG24C1808A	-	-	-	-
BCP13C1810A	0.13	0.01	14,612	-	BJC01C1807B	0.13	0.01	1,897	-	CHG24C1811A	0.24	0.01	135,500	-
BCP23C1805A	-	-	-	-	BJC01P1807A	0.71	(0.02)	13,407	-	CHG28C1806A	-	-	-	-
BCP24C1808A	-	-	-	-	BJC06C1807A	0.14	(0.01)	390	-	CHG28C1807A	0.15	-	204,881	-
BCP28C1807A	-	-	-	-	BJC07C1809A	0.14	-	240	-	CHG28C1808A	0.64	0.02	18,336	-
BCP28C1809A	-	-	-	-	BJC08C1807A	0.06	-	730	-	CK01C1809A	0.30	0.03	121,765	-
BCP28C1809B	0.10	0.01	6,084	-	BJC08C1809A	0.22	0.01	38,119	-	CK01C1809B	0.67	0.08	20,430	-
BCPG01C1806A	0.08	-	4,306	-	BJC11C1807A	0.49	(0.01)	9,000	-	CK01P1809A	0.27	(0.04)	17,032	-
BCPG01C1806B	0.01	(0.01)	4,401	-	BJC13C1805A	-	-	-	-	CK08C1805A	-	-	-	-
BCPG06C1807A	0.01	-	4,586	-	BJC13C1807A	0.04	-	72	-	CK08C1809A	-	-	-	-
BCPG06C1811A	0.44	0.02	16,348	-	BJC13C1808A	0.19	(0.01)	8,000	-	CK11C1806A	-	-	-	-
BCPG07C1806A	-	-	-	-	BJC13C1810A	0.35	(0.01)	24,745	-	CK13C1806A	-	-	-	-
BCPG08C1805A	-	-	-	-	BJC19C1809A	0.35	-	15,101	-	CK13C1809A	0.19	0.03	145,772	-
BCPG08C1806A	-	-	-	-	BJC23C1806A	0.15	(0.01)	1,000	-	CK16C1812A	0.25	0.03	2,900	-
BCPG08C1810A	0.43	0.03	29,652	-	BJC24C1808A	0.19	(0.01)	6,000	-	CK23C1808A	0.04	0.01	550	-
BCPG11C1807A	0.75	0.06	19,604	-	BJC27C1807A	0.16	(0.01)	4,000	-	CK24C1806A	-	-	-	-
BCPG11C1902A	0.27	0.01	19,074	-	BJC28C1808A	0.21	-	64,200	-	CK24C1808A	-	-	-	-
BCPG13C1806A	-	-	-	-	BLA01C1812A	0.34	(0.01)	2,326	-	CK28C1806A	-	-	-	-
BCPG13C1807A	-	-	-	-	BLA07C1806A	-	-	-	-	CK28C1809A	0.59	0.03	118,947	-
BCPG13C1810A	0.39	0.03	94,357	-	BLA08C1811A	-	-	-	-	CKP11C1807A	0.43	(0.02)	7,370	-
BCPG23C1806A	0.31	0.05	820	-	BLA13C1809A	-	-	-	-	CKP13C1810A	0.40	0.02	38,222	-
BCPG24C1806A	-	-	-	-	BLA23C1806A	-	-	-	-	CKP23C1810A	0.40	(0.01)	13,000	-
BCPG24C1807A	-	-	-	-	BLA27C1806A	-	-	-	-	CKP24C1811A	-	-	-	-
BCPG24C1810A	-	-	-	-	BLA28C1810A	0.10	-	1,000	-	CKP27C1806A	0.01	-	1,000	-
BCPG28C1806A	-	-	-	-	BLAN01C1809A	0.70	0.06	85,924	-	CKP28C1809A	0.19	0.02	10,736	-
BCPG28C1808A	0.08	-	13,000	-	BLAN01C1809B	0.37	0.07	125,352	-	CKP28C1809B	0.42	-	22,308	-
BCPG28C1809A	0.38	0.04	134,490	-	BLAN01P1809A	0.13	(0.03)	16,028	-	CKP42C1806A	0.17	(0.01)	2,544	-
BDMS01C1806A	1.10	0.11	10,956	1.00	BLAN08C1810A	0.37	0.04	55,178	-	COM701C1806A	0.62	0.02	73,309	-
BDMS01C1806B	0.88	0.19	18,165	-	BLAN11C1902A	0.34	0.03	44,716	-	COM701C1806B	0.31	0.03	57,668	-
BDMS01P1806A	0.04	(0.01)	10,780	-	BLAN23C1807A	0.09	0.01	15,889	-	COM706C1809A	0.34	0.01	14,781	-
BDMS06C1811A	0.94	0.12	105	-	BPP01C1806A	0.17	0.02	40,085	-	COM708C1805A	-	-	-	-
BDMS08C1807A	0.80	0.14	40	-	BPP01C1806B	-	-	-	-	COM708C1811A	0.23	0.01	24,592	-
BDMS11C1811A	1.10	0.14	4,548	1.00	BPP06C1809A	0.56	0.05	8,401	-	COM711C1811A	0.46	0.02	15,813	-
BDMS13C1807A	0.82	0.07	400	-	BPP07C1809A	-	-	-	-	COM713C1809A	0.19	0.01	51,625	-
BDMS13C1810A	0.66	0.05	14,252	-	BPP08C1807A	-	-	-	-	COM723C1806A	0.65	0.05	9,000	-
BDMS13C1812A	0.22	0.03	176,086	-	BPP08C1810A	0.42	0.05	1,921	-	COM724C1806A	0.08	-	1,000	-
BDMS16C1812A	1.05	0.09	30	1.00	BPP11C1807A	0.04	(0.01)	300	-	COM724C1811A	0.32	(0.68)	55	-
BDMS23C1810A	0.73	0.10	4,311	-	BPP13C1806A	-	-	-	-	COM728C1806A	0.01	(0.03)	150	-
BDMS24C1805A	-	-	-	-	BPP13C1808A	0.51	0.07	25,930	-	COM728C1808A	0.05	-	4,001	-
BDMS24C1811A	-	-	-	-	BPP13C1811A	0.16	0.02	21,039	-	CPAL01C1806A	0.61	(0.01)	169,320	-
BDMS28C1806A	-	-	-	-	BPP23C1806A	-	-	-	-	CPAL01C1808A	0.73	-	273,702	-
BDMS28C1811A	0.15	0.02	26,605	-	BPP24C1809A	-	-	-	-	CPAL01C1808B	0.29	-	126,160	-
BEAU01C1807A	0.23	(0.03)	139,282	-	BPP28C1807A	-	-	-	-	CPAL01P1806A	0.35	(0.02)	70,721	-
BEAU01C1807B	0.08	-	20,342	-	BPP28C1808A	0.40	0.02	36,240	-	CPAL01P1808A	0.73	(0.01)	42,610	-
BEAU01P1807A	1.09	0.04	284,082	1.00	BTS01C1806A	0.59	0.07	102,924	-	CPAL06C1811A	1.19	0.01	43,287	1.00
BEAU06C1809A	0.15	(0.01)	6,715	-	BTS01C1810A	0.52	0.05	131,593	-	CPAL06C1811B	0.36	(0.05)	3,000	-
BEAU07C1809A	0.06	-	5,002	-	BTS01C1810B	0.23	0.03	60,697	-	CPAL08C1807A	0.30	(0.01)	79,567	-
BEAU08C1805A	-	-	-	-	BTS01P1806A	0.09	(0.03)	45,118	-	CPAL08P1810A	0.81	(0.01)	27,004	-
BEAU08C180														

## Main Board Quotation

Issue Date :

Thursday May 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF01C1810A	0.24	0.01	23,028	-	EPG11C1903A	0.34	(0.02)	8,219	-	HMPR28C1811A	0.23	(0.01)	187,892	-
CPF01P1809A	0.43	-	38,121	-	EPG13C1808A	0.04	(0.01)	3,000	-	ICHI08C1806A	0.01	-	1,000	-
CPF06C1809A	0.56	0.01	15,144	-	EPG13C1811A	0.25	(0.03)	29,485	-	INTU01C1809A	0.43	0.02	36,180	-
CPF07C1810A	-	-	-	-	EPG23C1808A	-	-	-	-	INTU01C1809B	0.14	0.01	24,176	-
CPF08C1805A	-	-	-	-	EPG24C1807A	-	-	-	-	INTU01P1809A	0.50	(0.02)	12,800	-
CPF08C1809A	0.43	0.02	53,778	-	EPG24C1808A	-	-	-	-	INTU01P1809B	0.31	(0.03)	21,100	-
CPF11C1902A	0.12	0.01	17,068	-	EPG24C1810A	0.40	(0.05)	3,500	-	INTU11C1807A	0.11	0.01	13,886	-
CPF11P1902A	0.36	(0.01)	6,370	-	EPG28C1808A	0.05	(0.02)	2,300	-	INTU11P1807A	0.37	(0.05)	5,280	-
CPF13C1809A	0.50	-	162,553	-	ESS001C1807A	0.12	(0.01)	43,025	-	INTU13C1806A	-	-	-	-
CPF13C1810A	0.15	(0.01)	30,889	-	ESS001C1807B	0.03	-	500	-	INTU13C1810A	0.25	0.02	66,752	-
CPF23C1810A	-	-	-	-	ESS001P1807A	1.13	-	11,166	1.00	INTU23C1806A	0.06	-	2,000	-
CPF24C1805A	-	-	-	-	ESS008C1807A	0.07	-	30,000	-	INTU24C1807A	-	-	-	-
CPF24C1809A	0.30	(0.01)	17,695	-	ESS013C1807A	0.05	-	3,640	-	INTU24C1901A	0.34	(0.66)	240	-
CPF28C1806A	0.01	(0.01)	1,000	-	ESS013C1811A	0.34	(0.03)	141,090	-	INTU28C1809A	0.20	0.02	132,716	-
CPF28C1809A	0.39	-	331,222	-	ESS023C1809A	0.12	0.01	1,000	-	IRPC01C1808A	0.20	-	202,691	-
CPF42C1805A	-	-	-	-	ESS024C1806A	-	-	-	-	IRPC01C1810A	0.21	0.01	74,449	-
CPN01C1805A	-	-	-	-	ESS024C1812A	0.32	(0.68)	2	-	IRPC01C1810B	0.08	-	10,798	-
CPN01C1808A	0.44	(0.04)	61,141	-	ESS028C1807A	0.03	-	101	-	IRPC01P1808A	0.50	-	62,921	-
CPN01C1808B	0.14	(0.02)	11,852	-	ESS028C1811A	0.31	(0.01)	158,218	-	IRPC01P1810A	0.40	(0.02)	49,413	-
CPN01P1805A	-	-	-	-	GFPT01C1807A	0.13	-	25,851	-	IRPC01P1810B	0.26	(0.01)	55,564	-
CPN06C1811A	0.58	(0.03)	2,200	-	GFPT08C1807A	-	-	-	-	IRPC06C1811A	0.25	(0.01)	1,000	-
CPN08C1809A	0.14	(0.02)	42,364	-	GFPT11C1806A	0.01	-	5,000	-	IRPC08C1808A	0.08	-	59,300	-
CPN11C1805A	0.01	(0.06)	10	-	GFPT23C1806A	-	-	-	-	IRPC11C1902A	0.10	-	6,268	-
CPN11C1903A	0.41	(0.02)	30,100	-	GFPT24C1806A	-	-	-	-	IRPC13C1806A	0.04	(0.01)	88,824	-
CPN11P1805A	-	-	-	-	GFPT24C1812A	0.30	(0.01)	16	-	IRPC13C1808A	0.02	(0.01)	9,600	-
CPN11P1903A	0.64	0.01	15,633	-	GGC01C1810A	0.45	0.01	24,407	-	IRPC13C1811A	0.22	-	96,504	-
CPN13C1807A	0.09	(0.02)	15,454	-	GGC01C1810B	0.36	(0.01)	45,087	-	IRPC23C1810A	0.12	-	35,000	-
CPN23C1810A	0.37	(0.03)	22,700	-	GGC13C1811A	0.23	0.01	1	-	IRPC24C1805A	-	-	-	-
CPN24C1806A	-	-	-	-	GGC24C1812A	0.29	(0.71)	20	-	IRPC24C1808A	0.63	(0.07)	2,000	-
CPN24C1901A	0.51	(0.49)	111	-	GLOB6C1805A	0.01	-	22,062	-	IRPC24C1809A	-	-	-	-
CPN28C1807A	0.03	-	7,062	-	GLOB01C1809A	0.45	0.03	36,817	-	IRPC27C1809A	0.10	(0.02)	35,019	-
CPN28C1810A	0.35	(0.02)	315,210	-	GLOB01C1809B	0.31	0.04	36,764	-	IRPC28C1807A	0.04	-	4,000	-
CPN42C1805A	-	-	-	-	GLOB06C1809A	0.29	-	400	-	IRPC28C1811A	0.16	-	25,000	-
DELTO1C1805A	-	-	-	-	GLOB08C1807A	0.14	0.03	35,172	-	ITD01C1808A	0.18	0.03	32,737	-
DELTO8C1811A	0.19	(0.01)	7,004	-	GLOB11C1808A	0.25	0.04	10,800	-	ITD01C1808B	0.06	0.02	24,910	-
DELT13C1809A	0.16	-	26,184	-	GLOB13C1807A	0.03	(0.01)	200	-	ITD01P1808A	0.64	(0.07)	28,322	-
DELT24C1805A	-	-	-	-	GLOB23C1811A	0.47	0.05	22,200	-	ITD08C1806A	-	-	-	-
DELT27C1812A	0.18	-	5,164	-	GLOB24C1805A	-	-	-	-	ITD08C1810A	0.45	0.07	98,946	-
DTACO1C1808A	0.34	(0.06)	72,038	-	GLOB24C1810A	0.25	0.03	500	-	ITD11C1805A	-	-	-	-
DTACO1C1808B	0.16	(0.04)	54,324	-	GLOB27C1809A	0.14	0.01	8,821	-	ITD11C1903A	0.48	0.06	39,431	-
DTACO1C1810A	0.53	(0.06)	27,772	-	GLOB28C1807A	-	-	-	-	ITD13C1809A	0.18	0.04	56,786	-
DTACO1C1810B	0.25	(0.05)	59,548	-	GLOB28C1808A	0.15	0.03	96,619	-	ITD23C1808A	-	-	-	-
DTACO1P1808A	0.83	0.06	93,400	-	GLOB42C1805A	-	-	-	-	ITD24C1807A	-	-	-	-
DTACO1P1810A	1.13	0.05	92,725	1.00	GLOW08C1806A	0.02	(0.01)	100	-	ITD24C1810A	0.31	0.08	800	-
DTACO1P1810B	0.82	0.06	28,670	-	GLOW08C1811A	0.42	0.01	12,704	-	ITD28C1808A	0.11	0.01	30,720	-
DTACO6C1806A	-	-	-	-	GLOW11C1807A	0.40	0.09	7,360	-	ITD28C1808B	0.27	0.04	188,010	-
DTACO6P1809A	0.47	0.02	42	-	GLOW23C1806A	0.05	(0.03)	3,000	-	IVL01C1806A	0.63	0.04	266,427	-
DTACO7C1809A	-	-	-	-	GLOW27C1812A	0.27	-	4,000	-	IVL01C1808A	0.48	0.04	180,744	-
DTACO8C1809A	0.21	(0.03)	51,008	-	GLOW42C1805A	-	-	-	-	IVL01C1808B	0.23	0.02	88,327	-
DTACO8P1807A	0.32	0.05	34,246	-	GPSC01C1808A	0.54	(0.12)	262,817	-	IVL01P1806A	0.16	(0.04)	79,910	-
DTAC11C1806A	0.05	-	2,240	-	GPSC01C1808B	0.22	(0.06)	117,106	-	IVL01P1808A	0.83	(0.06)	117,556	-
DTAC13C1806A	0.05	(0.04)	7,804	-	GPSC01P1808A	1.12	0.11	173,377	1.00	IVL01P1808B	0.41	(0.05)	102,484	-
DTAC13C1811A	0.26	(0.05)	83,310	-	GPSC06C1811A	0.51	(0.08)	49,352	-	IVL06C1807A	0.27	0.05	3,464	-
DTAC13P1806A	0.06	0.01	6,000	-	GPSC08C1805A	-	-	-	-	IVL07C1811A	0.51	0.04	2,010	-
DTAC13P1811A	0.75	0.06	48,814	-	GPSC08C1808A	0.14	(0.05)	87,894	-	IVL08C1806A	0.31	0.05	120,106	-
DTAC23C1807A	0.02	-	800	-	GPSC11C1808A	1.09	(0.15)	35,329	1.00	IVL08P1809A	0.11	(0.02)	54,310	-
DTAC23P1807A	0.05	0.02	4,012	-	GPSC11C1902A	0.46	(0.08)	64,264	-	IVL11C1808A	0.87	0.03	34,487	-
DTAC24C1809A	-	-	-	-	GPSC13C1806A	0.58	(0.19)	5,502	-	IVL11P1808A	-	-	-	-
DTAC27C1809A	0.14	(0.03)	9,306	-	GPSC13C1807A	0.19	(0.09)	185,409	-	IVL13C1806A	0.02	-	4,971	-
DTAC27P1809A	0.23	0.03	8,003	-	GPSC13C1808A	0.14	(0.05)	173,893	-	IVL13C1809A	0.43	0.03	74,177	-
DTAC28C1806A	-	-	-	-	GPSC23C1805A	2.26	0.02	200	2.00	IVL13C1810A	0.36	0.02	117,969	-
DTAC28C1810A	0.18	(0.03)	42,660	-	GPSC24C1807A	0.42	(0.10)	20,300	-	IVL13P1809A	0.17	(0.02)	110,046	-
DTAC42C1806A	-	-	-	-	GPSC24C1808A	-	-	-	-	IVL19C1809A	0.61	0.04	82,169	-
DTAC42P1806A	0.97	0.13	420	-	GPSC28C1806A	-	-	-	-	IVL23C1810A	0.61	0.06	24,600	-
EA01C1806A	0.04	-	51,642	-	GPSC28C1807A	0.31	(0.08)	240,172	-	IVL24C1808A	0.28	0.04	25,642	-
EA01C1806B	0.01	-	11,834	-	GPSC28C1807B	-	-	-	-	IVL28C1806A	0.01	-	8,008	-
EA01C1809A	0.92	0.01	87,867	-	GPSC42C1806A	1.19	(0.16)	4,220	1.00	IVL28C1807A	-	-	-	-
EA01C1809B	0.74	0.02	78,427	-	GUNK01C1808A	0.14	-	2,625	-	IVL28C1808A	0.18	0.02	412,677	-
EA01P1806A	2.78	(0.06)	51,713	2.00	GUNK01C1808B	0.04	-	200	-	IVL28P1806A	-	-	-	-
EA01P1809A	0.91	(0.02)	37,421	-	GUNK08C1807A	-	-	-	-	IVL28P1806B	-	-	-	-
EA06C1809A	-	-	-	-	GUNK11C1805A	-	-	-	-	IVL28P1811A	0.59	(0.03)	176,364	-
EA07C1810A	0.16	0.01	21,230	-	GUNK11C1903A	0.30	(0.01)	7,812	-	IVL42C1805A	-	-	-	-
EA08C1807A	-	-	-	-	GUNK23C1806A	-	-	-	-	KBAN01C1808A	0.17	(0.01)	125,914	-
EA08C1809A	0.05	-	3,001	-	GUNK24C1807A	-	-	-	-	KBAN01C1808B	0.04	-	12,811	-
EA08C1810A	0.39	0.02	12,281	-	GUNK24C1812A	0.49	(0.03)	251	-	KBAN01C1810A	0.94	(0.02)	79,618	-
EA11C1902A	0.21	0.02	29,366	-	GUNK28C1806A	-	-	-	-	KBAN01P1808A	1.10	0.01	28,116	1.00
EA13C1806A	0.01	-	1	-	GUNK28C1808A	0.05	-	850	-	KBAN01P1808B	0.66	0.02	28,129	-
EA13C1807A	-	-	-	-	GUNK28C1810A	0.53	0.01	27,084	-	KBAN01P1810A	0.68	-	83,749	-
EA13C1808A	0.01	(0.02)	12,083	-	HANA01C1806A	0.01	(0.01)	22,289	-	KBAN06C1811A	0.54	(0.07)	5,149	-
EA13C1808B	0.20	-	174,951	-	HANA01C1806B	0.01	-	30,925	-	KBAN07C1811A	0.31	(0.03)	202	-
EA13C1809A	0.05	-	3,805	-	HANA08C1806A	0.01	-	1	-	KBAN08C1805A	-	-	-	-
EA13C1810A	0.14	0.01	193,205	-	HANA08C1809A	0.14	(0.01)	16,946	-	KBAN08C1811A	0.55	-	66,388	-
EA13P1809A	0.78	(0.02)	26,643	-	HANA13C1806A	-	-	-	-	KBAN08P1805A	-	-	-	-
EA23C1806A	-	-	-	-	HANA13C1809A	0.20	0.01	48,210	-	KBAN08P1811A	0.70	0.02	60,725	-
EA24C1805A	-	-	-	-	HANA23C1811A	0.38	(0.02)	10,001	-	KBAN13C1807A	0.01	-	20,374	-
EA24C1807A	-	-	-	-	HANA24C1808A	-	-	-	-	KBAN13C1810A	0.17	(0.01)	39,818	-
EA24C1809A	0.49	-	11	-	HANA24C1810A	0.17	(0.04)	5,005	-	KBAN13C1811A	0.77	-	97,074	-
EA28C1806A	0.01	-	100											

## Main Board Quotation

Issue Date :

Thursday May 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE08C1809A	0.21	0.01	25,649	-	MEGA01C1806B	0.06	(0.01)	22,995	-	PTT01C1808A	0.85	0.11	793,415	-
KCE11C1808A	-	-	-	-	MEGA08C1805A	-	-	-	-	PTT01C1808B	0.46	0.09	845,477	-
KCE13C1808A	0.14	(0.01)	232,066	-	MEGA08C1811A	0.35	(0.01)	39,276	-	PTT01C1810A	0.37	0.01	45,593	-
KCE13C1811A	0.26	(0.01)	114,988	-	MEGA11C1806A	0.60	-	22,396	-	PTT01C1810B	0.23	0.04	422,693	-
KCE23C1807A	0.01	-	800	-	MEGA11C1902A	0.30	-	12,264	-	PTT01P1808A	0.42	(0.06)	279,364	-
KCE24C1808A	0.07	-	116,930	-	MEGA13C1809A	0.19	0.01	39,264	-	PTT01P1808B	0.12	(0.04)	135,933	-
KCE28C1808A	0.06	-	176,252	-	MEGA23C1806A	0.34	(0.02)	31,650	-	PTT01P1810A	0.92	(0.08)	90,004	-
KCE42C1805A	-	-	-	-	MEGA24C1805A	-	-	-	-	PTT01P1810B	0.58	(0.09)	136,170	-
KKP01C1808A	0.26	-	76,379	-	MEGA24C1812A	0.31	(0.06)	50	-	PTT06C1811A	0.22	0.04	13,315	-
KKP01C1808B	0.05	-	16,822	-	MEGA27C1807A	0.07	-	8,000	-	PTT07C1811A	0.33	0.05	693	-
KKP07C1806A	-	-	-	-	MEGA28C1808A	0.06	-	30,112	-	PTT08C1805A	-	-	-	-
KKP08C1805A	-	-	-	-	MINT01C1805A	-	-	-	-	PTT08C1807A	0.46	0.17	32,020	-
KKP08C1811A	0.37	-	55,526	-	MINT01C1808A	0.03	(0.02)	461,693	-	PTT08C1809A	0.15	0.03	134,593	-
KKP11C1805A	0.04	(0.03)	4,860	-	MINT01C1808B	0.02	-	22,040	-	PTT08P1805A	-	-	-	-
KKP11C1903A	0.31	-	4,110	-	MINT01P1805A	-	-	-	-	PTT08P1809A	0.44	(0.08)	40,501	-
KKP13C1807A	0.03	-	14,003	-	MINT01P1808A	0.97	0.10	112,237	-	PTT11C1806A	2.34	0.26	17,280	2.00
KKP13C1811A	0.35	0.01	85,931	-	MINT06C1809A	0.03	(0.02)	11,710	-	PTT11C1902A	0.32	0.03	92,979	-
KKP23C1807A	-	-	-	-	MINT07C1810A	0.04	(0.09)	1,220	-	PTT13C1807A	0.37	0.05	388,780	-
KKP24C1807A	-	-	-	-	MINT08C1809A	0.03	(0.02)	43,496	-	PTT13C1808A	0.11	0.03	1,294,416	-
KKP28C1807A	-	-	-	-	MINT11C1902A	0.09	(0.02)	405,360	-	PTT13C1810A	0.20	0.03	585,141	-
KKP28C1810A	0.25	-	33,648	-	MINT11P1902A	0.54	0.07	89,957	-	PTT13C1811A	0.41	(0.59)	89,408	-
KKP42C1805A	-	-	-	-	MINT13C1810A	0.08	(0.04)	394,470	-	PTT13P1807A	0.06	(0.03)	30,813	-
KTB01C1808A	0.20	(0.02)	53,230	-	MINT23C1810A	0.07	(0.02)	48,902	-	PTT13P1808A	0.46	(0.05)	397,341	-
KTB01C1810A	0.34	(0.02)	51,110	-	MINT24C1807A	-	-	-	-	PTT19C1809A	0.25	0.04	195,875	-
KTB01C1810B	0.23	(0.03)	87,131	-	MINT24C1812A	0.05	(0.12)	1,330	-	PTT23C1805A	-	-	-	-
KTB01P1808A	0.63	0.04	41,669	-	MINT28C1806A	-	-	-	-	PTT23P1805A	-	-	-	-
KTB08C1809A	0.09	(0.01)	15,260	-	MINT28C1808A	0.03	(0.01)	21,500	-	PTT24C1806A	0.42	0.10	125,016	-
KTB11C1811A	0.21	-	3,432	-	MONO01C1810A	0.22	-	36,919	-	PTT24C1809A	0.20	0.02	27,125	-
KTB13C1809A	0.11	(0.01)	4,430	-	MONO01C1810B	0.17	0.02	20,393	-	PTT24P1808A	0.03	(0.01)	600	-
KTB23C1811A	0.24	(0.04)	48,000	-	MONO08C1808A	0.01	-	12,922	-	PTT27C1809A	0.69	0.11	7,740	-
KTB24C1808A	-	-	-	-	MONO08C1906A	0.29	0.02	30,344	-	PTT27P1809A	0.20	(0.03)	18,000	-
KTB24C1811A	0.24	(0.76)	5	-	MONO13C1808A	0.01	-	1,701	-	PTT28C1807A	0.26	0.04	167,939	-
KTB24P1901A	-	-	-	-	MONO13C1811A	0.18	0.01	59,447	-	PTT28C1808A	0.15	0.04	162,627	-
KTB28C1806A	-	-	-	-	MONO23C1809A	0.02	(0.01)	704	-	PTT28C1808B	0.07	-	9,488	-
KTB28C1809A	0.07	(0.01)	17,800	-	MONO24C1807A	-	-	-	-	PTT28C1811A	0.15	0.01	145,874	-
KTB42C1805A	-	-	-	-	MONO24C1812A	0.07	-	6,192	-	PTT28P1808A	0.32	(0.04)	164,005	-
KTB42P1805A	-	-	-	-	MONO28C1807A	-	-	-	-	PTT28P1808B	0.49	(0.17)	36,318	-
KTC01C1806A	5.55	0.10	630	5.00	MONO28C1808A	-	-	-	-	PTT42C1805A	-	-	-	-
KTC01C1806B	7.75	0.10	2,062	7.00	MONO28C1811A	0.16	-	20,066	-	PTTE01C1808A	1.11	0.08	194,970	1.00
KTC01C1808A	1.76	0.02	61,488	1.00	MTC06C1806A	0.19	(0.04)	48,471	-	PTTE01C1808B	0.70	0.05	246,787	-
KTC01C1808B	1.27	0.01	115,316	1.00	MTC07C1806A	0.01	-	4,010	-	PTTE01P1808A	0.23	(0.02)	106,693	-
KTC06C1807A	2.50	-	4,152	2.00	MTC08C1807A	0.02	-	8,824	-	PTTE06C1811A	0.61	0.07	3,323	-
KTC08C1807A	6.90	(0.15)	2	7.00	MTC08C1811A	0.11	(0.01)	91,812	-	PTTE07C1809A	0.39	0.05	1,096	-
KTC08C1808A	-	-	-	-	MTC11C1806A	0.07	(0.03)	8,700	-	PTTE08C1805A	-	-	-	-
KTC11C1902A	1.66	(0.20)	12,120	1.00	MTC13C1809A	0.05	(0.01)	273,754	-	PTTE08C1807A	0.81	0.17	301	-
KTC13C1806A	-	-	-	-	MTC23C1808A	0.04	(0.01)	58,321	-	PTTE08C1811A	0.50	0.07	104,746	-
KTC13C1807A	-	-	-	-	MTC24C1808A	0.01	-	19,100	-	PTTE08P1805A	-	-	-	-
KTC13C1808A	1.77	(0.25)	1,590	1.00	MTC24C1810A	0.11	(0.03)	28,506	-	PTTE08P1809A	0.15	(0.03)	25,244	-
KTC13C1809A	1.26	-	4,015	1.00	MTC27C1807A	-	-	-	-	PTTE08P1811A	0.53	(0.05)	29,976	-
KTC13C1809B	1.00	(0.18)	70,001	1.00	MTC28C1806A	-	-	-	-	PTTE11C1806A	3.28	0.24	6,660	3.00
KTC13P1807A	0.10	-	53,111	-	MTC28C1808A	0.02	(0.01)	8,460	-	PTTE11C1902A	0.67	0.05	75,150	-
KTC23C1806A	-	-	-	-	MTC28C1809A	0.16	(0.03)	118,552	-	PTTE13C1806A	1.00	0.13	1	1.00
KTC23C1809A	2.08	0.06	16	2.00	MTC42C1806A	-	-	-	-	PTTE13C1807A	0.55	0.07	2,923	-
KTC24C1808A	2.28	(0.16)	1	2.00	ORI08C1807A	0.26	0.02	26,611	-	PTTE13C1811A	0.45	0.02	251,482	-
KTC24C1810A	0.99	0.02	652	-	ORI11C1811A	0.40	0.02	26,831	-	PTTE13P1807A	-	-	-	-
KTC24P1807A	0.13	0.02	16,192	-	ORI13C1806A	-	-	-	-	PTTE13P1811A	0.46	(0.04)	80,767	-
KTC27C1806A	-	-	-	-	ORI13C1810A	0.79	0.04	177,381	-	PTTE23C1805A	-	-	-	-
KTC28C1806A	8.10	0.15	1,000	8.00	ORI23C1809A	0.30	0.01	21,500	-	PTTE23P1805A	-	-	-	-
KTC28C1806B	-	-	-	-	ORI24C1806A	-	-	-	-	PTTE24C1805A	-	-	-	-
KTC28C1808A	-	-	-	-	ORI24C1810A	-	-	-	-	PTTE24C1807A	0.43	0.05	110,953	-
KTC28C1808B	1.59	(0.16)	23,829	1.00	ORI28C1806A	-	-	-	-	PTTE24C1811A	0.33	(0.67)	20	-
KTC28C1809A	1.13	(0.20)	2,671	1.00	ORI28C1808A	0.30	0.03	32,746	-	PTTE24P1809A	0.08	(0.01)	30,370	-
KTC28C1810A	1.01	(0.12)	161,571	1.00	PLAN08C1811A	0.21	0.03	14,546	-	PTTE27C1809A	-	-	-	-
LH01C1809A	0.33	-	26,697	-	PLAN11C1805A	0.21	0.06	1,114	-	PTTE27P1809A	0.13	(0.02)	5,706	-
LH01C1809B	0.21	-	65,015	-	PLAN13C1809A	0.14	0.01	26,620	-	PTTE28C1807A	0.57	0.09	8	-
LH01P1809A	0.19	(0.01)	13,986	-	PLAN23C1806A	-	-	-	-	PTTE28C1810A	0.38	0.02	520,429	-
LH06C1809A	0.25	(0.02)	16,448	-	PLAN28C1810A	0.19	0.02	12,949	-	PTTE28C1811A	0.27	0.02	539,796	-
LH07C1810A	-	-	-	-	PSH01C1805A	-	-	-	-	PTTE28P1811A	0.47	(0.05)	231,150	-
LH11C1808A	0.21	-	34,708	-	PSH01C1810A	0.59	0.04	18,786	-	PTTG01C1805A	-	-	-	-
LH13C1808A	0.21	(0.02)	24,758	-	PSH01C1810B	0.36	0.04	14,136	-	PTTG01C1808A	0.57	0.01	241,075	-
LH23C1806A	0.08	(0.01)	25,210	-	PSH01P1805A	-	-	-	-	PTTG01C1810A	0.58	-	154,035	-
LH24C1806A	-	-	-	-	PSH01P1810A	0.66	(0.05)	9,910	-	PTTG01C1810B	0.23	0.01	41,390	-
LH24C1809A	-	-	-	-	PSH08C1805A	-	-	-	-	PTTG01P1805A	-	-	-	-
LH28C1808A	0.12	-	24,240	-	PSH08C1811A	0.27	0.02	21,918	-	PTTG01P1808A	0.84	(0.02)	65,197	-
LHFG42C1806A	-	-	-	-	PSH11C1902A	0.45	0.03	6,496	-	PTTG01P1811A	1.32	(0.02)	31,200	1.00
LPN01C1809A	0.13	-	1,254	-	PSH23C1811A	0.48	0.04	24,365	-	PTTG06C1809A	0.28	-	16,772	-
LPN01C1811A	0.37	(0.01)	2,850	-	PSH42C1806A	0.10	-	850	-	PTTG07C1806A	0.25	0.01	10,480	-
LPN01C1811B	0.25	(0.01)	9,896	-	PSLO1C1807A	0.31	(0.01)	36,404	-	PTTG08C1805A	-	-	-	-
LPN01P1809A	0.57	0.02	3,468	-	PSL23C1809A	0.12	(0.01)	51,378	-	PTTG08C1811A	0.34	(0.01)	72,228	-
LPN08C1807A	-	-	-	-	PSL24C1807A	-	-	-	-	PTTG08P1805A	-	-	-	-
LPN08C1810A	-	-	-	-	PTG01C1805A	-	-	-	-	PTTG08P1811A	0.81	(0.01)	110,472	-
LPN11C1806A	-	-	-	-	PTG01C1806A	0.15	0.01	390,633	-	PTTG11C1902A	0.37	0.01	61,599	-
LPN23C1806A	-	-	-	-	PTG01C1806B	-	-	-	-	PTTG13C1808A	0.17	(0.01)	93,457	-
LPN24C1808A	-	-	-	-	PTG01P1805A	-	-	-	-	PTTG23C1805A	-	-	-	-
LPN24C1812A	0.35	-	1	-	PTG06C1810A	0.20	(0.01)	2,600	-	PTTG24C1808A	0.11	-	22,500	-
LPN27C1807A	-	-	-	-	PTG06C1904A	0.79	0.02	12,600	-	PTTG24P1808A	0.16	(0.01)	3,120	-
LPN42C1805A	-	-	-	-	PTG07C1806A	-	-	-	-	PTTG27C1807A	0.43	-	16,380	-
MAJO08C1811A	0.12	(0.01)	2,460	-	PTG08C1									

## Main Board Quotation

Issue Date :

Thursday May 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ROBI08C1808A	0.07	(0.02)	14,000	-	SCC24C1806A	-	-	-	-	TASC11C1806A	-	-	-	-
ROBI11C1808A	0.14	(0.04)	8,032	-	SCC24C1812A	0.15	(0.03)	14,153	-	TASC13C1810A	0.26	-	45,090	-
ROBI13C1807A	0.03	(0.01)	3,999	-	SCC24P1901A	0.44	0.03	601	-	TASC23C1806A	-	-	-	-
ROBI23C1805A	-	-	-	-	SCC27C1809A	0.16	(0.01)	5,220	-	TASC24C1810A	-	-	-	-
ROBI24C1805A	-	-	-	-	SCC27P1809A	0.46	0.01	2,280	-	TASC28C1808A	-	-	-	-
ROBI24C1901A	0.39	(0.03)	354	-	SCC28C1807A	0.01	-	49,903	-	TCAP01C1807A	0.14	(0.01)	17,630	-
ROBI27C1806A	-	-	-	-	SCC42C1805A	-	-	-	-	TCAP01C1807B	0.02	-	5,000	-
S10001C1811A	0.72	0.04	1,944	-	SCCC08C1811A	0.08	(0.01)	3,312	-	TCAP01P1807A	0.94	(0.02)	13,384	-
S23C1805A	-	-	-	-	SCCC13C1809A	0.10	-	10,181	-	TCAP08C1810A	0.19	(0.01)	29,228	-
S42C1806A	-	-	-	-	SCCC23C1806A	-	-	-	-	TCAP11C1811A	0.21	0.01	9,991	-
S5001C1805A	-	-	-	-	SCCC27C1812A	0.12	(0.02)	7,030	-	TCAP13C1809A	0.13	0.01	13,915	-
S5001C1805B	-	-	-	-	SGP08C1808A	0.02	(0.02)	403,339	-	TCAP23C1807A	0.22	0.01	28,042	-
S5001C1806F	0.64	0.07	1,581,046	-	SGP13C1806A	0.88	(0.52)	5,205	-	TCAP24C1807A	-	-	-	-
S5001C1806G	0.06	-	170,107	-	SGP13C1807A	0.03	(0.04)	53,832	-	TCAP27C1807A	0.07	(0.01)	4,000	-
S5001C1806H	0.19	0.01	462,526	-	SGP13C1808A	0.03	(0.02)	188,415	-	TCAP42C1805A	-	-	-	-
S5001C1806I	0.02	-	11,792	-	SGP13C1811A	0.10	(0.07)	240,348	-	THAI01C1806A	0.13	(0.01)	119,665	-
S5001C1807A	0.64	0.05	191,906	-	SGP23C1805A	0.24	(0.52)	1,130	-	THAI01C1808A	0.30	(0.01)	161,541	-
S5001C1807B	0.55	0.05	302,080	-	SGP24C1806A	-	-	-	-	THAI01C1808B	0.11	(0.01)	11,697	-
S5001P1805A	-	-	-	-	SGP24C1808A	0.02	-	12,753	-	THAI01P1806A	0.74	-	37,436	-
S5001P1805B	-	-	-	-	SGP24C1811A	0.13	(0.87)	198	-	THAI01P1808A	0.62	-	31,814	-
S5001P1806F	1.34	(0.11)	1,700,354	1.00	SGP28C1808A	0.01	(0.02)	67,349	-	THAI06C1809A	0.39	0.02	13,620	-
S5001P1806G	0.31	(0.09)	1,287,261	-	SGP28C1809A	0.02	-	27,600	-	THAI07C1811A	-	-	-	-
S5001P1806H	1.97	(0.11)	368,237	2.00	SGP28C1811A	0.09	(0.06)	56,917	-	THAI08C1808A	0.16	-	66,826	-
S5001P1806I	0.91	(0.20)	1,108,219	1.00	SIRI01C1808A	0.05	0.01	413	-	THAI11C1808A	0.12	0.01	5,580	-
S5001P1807A	1.29	(0.07)	127,317	1.00	SIRI01C1808B	0.02	0.01	1	-	THAI13C1811A	0.24	(0.02)	48,507	-
S5001P1807B	0.92	(0.09)	635,175	-	SIRI01P1808A	0.49	-	1,292	-	THAI23C1805A	-	-	-	-
S5006C1806A	0.03	(0.01)	11,375	-	SIRI08C1808A	0.04	0.02	2,000	-	THAI24C1808A	-	-	-	-
S5006C1806B	0.02	-	8,503	-	SIRI08C1810A	0.30	(0.01)	35,068	-	THAI27C1809A	0.19	-	18,392	-
S5006C1809A	0.61	0.04	10,934	-	SIRI11C1902A	0.26	(0.02)	7,882	-	THAI28C1808A	0.09	-	38,480	-
S5006C1809B	0.43	0.04	509	-	SIRI13C1809A	0.06	-	100	-	THAN01C1812A	0.48	(0.03)	9,102	-
S5006P1806A	0.03	-	12,323	-	SIRI23C1811A	0.40	(0.01)	4,241	-	THAN13C1809A	0.09	(0.02)	9,870	-
S5006P1806B	0.25	(0.08)	577	-	SIRI24C1809A	0.17	-	641	-	THAN23C1807A	-	-	-	-
S5006P1809A	-	-	-	-	SIRI28C1807A	-	-	-	-	THAN28C1810A	0.16	(0.02)	37,448	-
S5006P1809B	0.72	(0.28)	212	-	SIRI28C1809A	0.20	(0.01)	47,160	-	THC001C1809A	0.17	-	2,300	-
S5008C1806A	0.05	-	1,346	-	SIRI42C1805A	-	-	-	-	THC001P1809A	0.60	0.01	4,610	-
S5008C1806B	0.05	0.01	3,550	-	SPAL01C1805A	-	-	-	-	THC01C1902A	0.20	-	300	-
S5008P1806A	0.52	(0.09)	111,068	-	SPAL01C1808A	0.64	0.07	115,000	-	THC023C1808A	-	-	-	-
S5008P1806B	0.51	(0.15)	122,009	-	SPAL01C1808B	0.24	0.04	27,627	-	THC024C1805A	-	-	-	-
S5013C1806A	0.08	0.02	392,352	-	SPAL01P1805A	-	-	-	-	THC024C1807A	-	-	-	-
S5013C1806B	0.03	0.01	377,378	-	SPAL06C1809A	0.67	0.04	34,684	-	THC024C1810A	-	-	-	-
S5013C1806C	0.27	0.01	966,101	-	SPAL08C1808A	0.22	0.02	36,470	-	THC028C1806A	-	-	-	-
S5013C1806D	0.17	0.01	975,726	-	SPAL11C1807A	0.39	0.04	35,994	-	THC028C1808A	0.07	(0.02)	2,308	-
S5013C1806E	0.28	0.03	1,966,857	-	SPAL23C1811A	0.82	0.05	22,000	-	TISCO01C1808A	0.56	(0.10)	81,744	-
S5013C1809A	0.53	0.03	1,401,602	-	SPAL24C1808A	-	-	-	-	TISCO01C1808B	0.22	(0.06)	49,024	-
S5013P1806A	0.63	(0.10)	4,884,549	-	SPAL24C1812A	-	-	-	-	TISCO08C1808A	0.25	(0.07)	38,504	-
S5013P1806B	0.48	(0.14)	673,679	-	SPCC13C1806A	0.09	(0.01)	3,790	-	TISCC1C1805A	0.81	(0.20)	4,170	-
S5013P1806C	1.20	(0.07)	614,511	1.00	SPRC01C1805A	-	-	-	-	TISCC11C1903A	0.43	(0.06)	18,233	-
S5013P1806D	0.12	(0.04)	468,229	-	SPRC01C1808A	0.31	-	132,566	-	TISCC13C1807A	0.17	(0.07)	77,701	-
S5013P1806E	0.77	(0.14)	2,800,669	-	SPRC01C1808B	0.11	-	28,608	-	TISCC24C1806A	0.28	(0.11)	5,916	-
S5013P1809A	1.41	(0.09)	1,368,253	1.00	SPRC01P1805A	-	-	-	-	TISCC24C1812A	0.50	(0.50)	410	-
S5028C1806A	0.04	-	8,992	-	SPRC06C1809A	-	-	-	-	TISCC27C1807A	0.21	(0.04)	18,414	-
S5028C1806B	0.06	-	54,696	-	SPRC08C1808A	0.13	(0.01)	26,404	-	TISCC28C1807A	0.12	(0.05)	84,257	-
S5028C1806C	0.20	0.03	1,010,965	-	SPRC11C1902A	0.21	0.01	5,580	-	TISCA42C1806A	0.77	(0.12)	2,512	-
S5028C1807A	0.37	0.03	739,347	-	SPRC13C1808A	0.15	0.01	82,697	-	TKN01C1805A	-	-	-	-
S5028P1806A	0.68	(0.09)	1,562,646	-	SPRC23C1810A	-	-	-	-	TKN01C1808A	0.49	0.08	259,677	-
S5028P1806B	0.26	(0.05)	1,593,908	-	SPRC24C1808A	-	-	-	-	TKN01C1808B	0.25	0.06	110,958	-
S5028P1806C	-	-	-	-	SPRC28C1806A	-	-	-	-	TKN06C1806A	-	-	-	-
S5028P1807A	1.06	(0.14)	200,576	1.00	SPRC42C1805A	-	-	-	-	TKN08C1805A	-	-	-	-
SAMA13C1806A	-	-	-	-	STA01C1807A	0.09	-	24,761	-	TKN08C1808A	0.09	0.03	42,074	-
SAWA01C1808A	0.10	(0.03)	34,753	-	STA01C1807B	-	-	-	-	TKN08C1811A	0.59	0.11	106,720	-
SAWA01C1808B	0.02	-	259	-	STA08C1807A	-	-	-	-	TKN11C1902A	0.52	0.06	102,986	-
SAWA01P1808A	2.22	0.06	82,881	2.00	STA13C1807A	0.02	-	2,202	-	TKN13C1808A	0.18	0.05	73,528	-
SAWA06C1807A	-	-	-	-	STA13C1808A	0.19	0.01	72,793	-	TKN13C1810A	0.60	0.13	52,178	-
SAWA06C1811A	0.09	(0.01)	1,002	-	STA23C1809A	0.24	(0.04)	500	-	TKN13C1811A	0.52	0.11	171,824	-
SAWA08C1805A	-	-	-	-	STA24C1808A	-	-	-	-	TKN23C1806A	-	-	-	-
SAWA08C1808A	-	-	-	-	STA28C1807A	-	-	-	-	TKN24C1807A	0.08	0.03	107,500	-
SAWA08C1811A	0.05	(0.01)	111,825	-	STEC01C1809A	0.46	0.02	91,920	-	TKN24C1811A	0.75	-	150	-
SAWA11C1808A	-	-	-	-	STEC01C1809B	1.53	0.21	32,818	1.00	TKN28C1806A	-	-	-	-
SAWA13C1807A	-	-	-	-	STEC01P1809A	0.82	(0.06)	24,957	-	TKN28C1808A	0.23	0.06	402,656	-
SAWA13C1810A	0.03	-	8,765	-	STEC06C1809A	0.58	0.09	33,718	-	TKN42C1805A	-	-	-	-
SAWA13C1811A	0.06	-	29,676	-	STEC08C1809A	0.42	0.01	38,024	-	TMB01C1807A	0.05	-	28,556	-
SAWA13C1812A	0.26	(0.04)	107,858	-	STEC11C1805A	0.01	-	1,500	-	TMB01C1810A	0.40	0.02	19,106	-
SAWA23C1807A	-	-	-	-	STEC11C1903A	0.71	-	20,926	-	TMB01C1810B	0.33	0.01	10,957	-
SAWA24C1808A	-	-	-	-	STEC13C1809A	0.35	0.01	82,582	-	TMB01P1807A	0.74	(0.02)	6,998	-
SAWA28C1807A	-	-	-	-	STEC23C1808A	0.02	-	13,729	-	TMB06C1809A	-	-	-	-
SAWA28C1809A	0.02	(0.01)	5,801	-	STEC24C1808A	0.33	0.03	7,832	-	TMB07C1811A	-	-	-	-
SAWA28C1810A	0.05	(0.01)	221,750	-	STEC28C1806A	-	-	-	-	TMB08C1808A	0.03	(0.01)	14,200	-
SAWA28C1811A	0.29	(0.04)	334,899	-	STEC28C1808A	0.29	0.03	92,605	-	TMB11C1806A	0.20	0.02	7,150	-
SCB01C1808A	0.25	(0.04)	87,934	-	STEC28C1810A	0.68	0.03	127,368	-	TMB13C1811A	0.20	-	18,110	-
SCB01C1808B	0.05	(0.01)	7,030	-	STEC42C1805A	-	-	-	-	TMB23C1810A	-	-	-	-
SCB01C1810A	0.50	(0.05)	34,764	-	STPI08C1811A	-	-	-	-	TMB24C1809A	-	-	-	-
SCB01P1808A	1.33	0.08	30,643	1.00	STPI23C1805A	-	-	-	-	TMB28C1806A	-	-	-	-
SCB01P1808B	0.72	0.06	24,758	-	STPI23C1806A	-	-	-	-	TMB28C1808A	-	-	-	-
SCB06C1811A	0.57	(0.08)	15,611	-	STPI28C1807A	-	-	-	-	TMB28C1809A	0.12	(0.01)	46,674	-
SCB08C1806A	-	-	-	-	SUPE06C1806A	0.32	0.04	6,139	-	TMB42C1805A	-	-	-	-
SCB11C1901A	0.28	(0.04)	9,300	-	SUPE08C1808A	0.42	0.01	9,054	-	TOP01C1805A	-	-	-	-
SCB11P1901A	0.70	0.05	13,570	-	SUPE08C1811A	0.65	0.01	58,030	-	TOP01C1808A	0.30	-	37,676	-
SCB13C1809A	0.15	(0.04)	58,053	-	SUPE									

## Main Board Quotation

Issue Date :

Thursday May 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP42P1806A	0.55	-	2,154	-	VGI23C1911A	1.35	(0.13)	7,210	1.00	JCK-W5	0.43	(0.05)	5,346	-
TP101C1807A	-	-	-	-	VGI27C1812A	0.45	(0.14)	4,021	-	JMART-W2	2.28	0.04	7,032	2.00
TP101C1807B	0.01	-	8,000	-	VGI28C1810A	0.48	(0.15)	289,667	-	JMT-W1	9.85	(0.55)	1,909	9.00
TP108C1807A	0.01	-	14,455	-	VGI42C1805A	-	-	-	-	MIDA-W2	0.03	-	2,093	-
TP113C1809A	-	-	-	-	VIBH08C1806A	-	-	-	-	MILL-W3	0.04	-	14,734	-
TP123C1809A	-	-	-	-	VIBH13C1806A	-	-	-	-	MILL-W4	0.29	(0.02)	538	-
TP124C1808A	-	-	-	-	VIBH24C1805A	-	-	-	-	ML-W2	0.05	-	4,431	-
TP128C1808A	-	-	-	-	VNG13C1806A	-	-	-	-	MONO-W1	0.96	0.01	50,785	-
TP1P01C1805A	-	-	-	-	WHA01C1807A	0.35	0.05	97,335	-	NEP-W3	0.15	0.01	1	-
TP1P01C1810A	0.52	(0.02)	28,748	-	WHA01C1807B	0.12	0.02	84,872	-	NMG-W3	-	-	-	-
TP1P01C1810B	0.33	(0.03)	25,713	-	WHA06C1809A	0.50	0.08	40,420	-	NOK-W1	1.31	0.06	277	1.00
TP1P01P1805A	-	-	-	-	WHA07C1810A	-	-	-	-	NPP-W3	0.47	(0.01)	48,364	-
TP1P01P1810A	0.64	0.02	26,771	-	WHA08C1805A	-	-	-	-	NUSA-W3	-	-	-	-
TP1P07C1806A	-	-	-	-	WHA08C1811A	0.51	0.08	99,344	-	ORI-W1	3.10	0.02	5,633	3.00
TP1P08C1808A	-	-	-	-	WHA11C1805A	1.00	0.10	5,668	-	PACE-W1	0.01	(0.01)	3,886	-
TP1P11C1811A	0.16	(0.01)	11,128	-	WHA11C1903A	0.44	0.04	40,322	-	PACE-W2	0.06	0.01	205,787	-
TP1P13C1811A	0.37	(0.05)	19,816	-	WHA13C1808A	0.40	0.08	141,361	-	PDJ-W2	1.54	-	103	1.00
TP1P23C1808A	-	-	-	-	WHA23C1810A	0.62	0.09	250	-	PDJ-W3	1.48	(0.18)	36	1.00
TP1P24C1901A	0.51	-	500	-	WHA24C1805A	-	-	-	-	PDJ-W4	1.48	-	109	1.00
TP1P27C1812A	-	-	-	-	WHA24C1807A	0.11	-	100	-	PL-W1	-	-	-	-
TRUE01C1808A	0.54	0.03	130,798	-	WHA24C1811A	0.41	(0.01)	900	-	PLE-W3	0.28	-	20,534	-
TRUE01C1808B	0.30	0.02	60,684	-	WHA28C1807A	-	-	-	-	PSL-W1	-	-	-	-
TRUE01P1808A	0.23	(0.02)	17,158	-	WHA28C1808A	0.18	0.04	64,094	-	RICH-W1	-	-	-	-
TRUE06C1806A	0.57	0.04	13,596	-	WHA28C1808B	0.34	0.07	248,277	-	RICHY-W1	0.34	(0.01)	768	-
TRUE06C1811A	-	-	-	-	WHA28C1809A	0.78	0.08	49,048	-	RICHY-W2	0.18	(0.01)	17	-
TRUE06P1806A	-	-	-	-	WHA42C1806A	0.64	0.08	4,513	-	RML-W4	-	-	-	-
TRUE07C1806A	0.05	-	1,000	-	WHA42P1806A	0.03	(0.01)	5,156	-	RS-W3	11.20	(0.20)	268	11.00
TRUE08C1809A	0.35	0.03	31,553	-	WHAU01C1810A	0.36	0.07	31,853	-	S-W1	0.19	-	2,787	-
TRUE08P1809A	0.13	-	5,000	-	WHAU01C1810B	0.20	0.05	24,636	-	SAMART-W2	0.38	0.38	1,470,006	-
TRUE11C1807A	0.21	0.02	24,193	-	WORK01C1806A	0.01	-	13,668	-	SAWAD-W1	6.00	0.10	844	5.00
TRUE13C1807A	0.22	0.02	83,970	-	WORK01C1806B	0.01	-	2,158	-	SMM-W4	0.21	0.01	1,006	-
TRUE13C1810A	0.23	0.01	58,213	-	WORK08C1805A	-	-	-	-	SMT-W1	0.20	-	7,520	-
TRUE16C1812A	0.48	0.02	5,230	-	WORK08C1809A	0.01	-	20,516	-	SPALI-W4	20.70	0.60	4,056	20.00
TRUE23C1806A	0.34	0.05	20,500	-	WORK11C1805A	0.01	-	3,655	-	SPORT-W5	0.21	0.01	65,416	-
TRUE27C1809A	0.37	(0.01)	5,000	-	WORK11C1903A	0.16	(0.03)	24,939	-	SPORT-W6	0.03	(0.01)	3,455	-
TRUE27P1809A	0.23	(0.02)	16,264	-	WORK13C1806A	-	-	-	-	SUPER-W4	0.28	-	1,053,307	-
TRUE28C1807A	0.17	-	193,275	-	WORK13C1809A	0.02	(0.01)	8,739	-	SUSCO-W1	0.36	-	3,984	-
TRUE28C1808A	0.06	-	9,554	-	WORK13C1810A	0.05	(0.02)	24,121	-	SVI-W3	1.05	-	173	1.00
TRUE28C1810A	0.21	0.01	145,470	-	WORK13C1811A	0.24	(0.06)	48,994	-	TCC-W3	0.59	0.01	15	-
TTA01C1807A	0.12	0.02	336,361	-	WORK23C1807A	-	-	-	-	TCC-W4	0.24	0.01	2,493	-
TTA01P1807A	0.82	(0.07)	16,534	-	WORK24C1805A	-	-	-	-	TCJ-W2	1.20	(0.02)	61	1.00
TTA08C1808A	0.05	-	31,000	-	WORK24C1810A	0.05	(0.01)	21,141	-	TCMC-W2	0.37	(0.01)	7,225	-
TTA11C1806A	-	-	-	-	WORK27C1806A	-	-	-	-	TFG-W1	1.80	0.08	130	1.00
TTA13C1809A	0.09	0.02	33,004	-	WORK28C1806A	-	-	-	-	TFG-W2	0.77	(0.02)	1,423	-
TTA18C1808A	-	-	-	-	WORK28C1808A	0.01	-	700	-	TGPRO-W2	0.01	-	1	-
TTA23C1808A	-	-	-	-	WORK28C1809A	0.05	(0.01)	32,726	-	TH-W2	-	-	-	-
TTA24C1809A	0.05	0.01	1,000	-	WORK28C1811A	0.25	(0.05)	47,658	-	THE-W2	0.06	-	33,904	-
TTA28C1806A	-	-	-	-	WORK42C1806A	-	-	-	-	TNITY-W1	1.21	(0.01)	2,496	1.00
TTC113C1806A	0.01	-	2,011	-	Preferred/Foreign	-	-	-	-	TNPC-W1	0.60	-	2,601	-
TU01C1808A	0.12	(0.01)	46,540	-	BH-Q	-	-	-	-	TPOLY-W2	0.03	(0.02)	64,559	-
TU01C1808B	0.02	-	6,000	-	CSC-Q	-	-	-	-	TSI-W2	-	-	-	-
TU01P1808A	0.88	0.01	15,216	-	JUTHA-Q	-	-	-	-	TSR-W1	0.91	(0.06)	110,996	-
TU08C1805A	-	-	-	-	KTB-Q	-	-	-	-	TTA-W5	0.93	0.03	4,234	-
TU08C1811A	0.15	(0.01)	6,107	-	SCB-Q	-	-	-	-	TWZ-W4	-	-	-	-
TU11C1902A	0.08	(0.01)	6,800	-	TCAP-Q	-	-	-	-	U-W1	0.01	-	300	-
TU13C1809A	0.03	(0.01)	18,000	-	TIC-Q	-	-	-	-	U-W4	0.01	-	11,003	-
TU23C1806A	-	-	-	-	TISCO-Q	-	-	-	-	VGI-W1	0.40	(0.09)	1,445,382	-
TU24C1808A	-	-	-	-	U-Q	-	-	-	-	VIBHA-W2	1.48	(0.01)	92	1.00
TU27C1807A	0.05	(0.01)	4,000	-	Warrant	-	-	-	-	VIBHA-W3	0.36	0.01	2,996	-
TVO01C1809A	0.28	0.02	17,040	-	7UP-W2	-	-	-	-	WAVE-W1	0.58	(0.01)	851	-
TVO01C1809B	0.11	-	20,332	-	ACC-W1	0.05	-	1,002	-	WHA-W1	8.65	0.50	17,416	8.00
TVO08C1808A	0.09	(0.01)	4,399	-	AJA-W1	0.21	-	1,201	-	WIK-W1	-	-	-	-
TVO11C1805A	0.01	(0.03)	1,000	-	ALT-W1	1.18	(0.04)	3,743	1.00	WORK-W1	13.30	(2.90)	76	13.00
TVO11C1903A	0.18	0.01	6,520	-	AQ-W4	0.01	-	2,019	-	Preferred Shares	-	-	-	-
TVO13C1809A	0.05	-	1,208	-	AS-W1	0.56	-	3,248	-	BH-P	-	-	-	-
TVO23C1808A	0.12	0.01	17,410	-	AYUD-W1	4.56	(0.49)	56,894	4.00	CSC-P	-	-	-	-
TVO24C1810A	-	-	-	-	B-W3	0.01	-	1	-	JUTHA-P	-	-	-	-
TVO28C1808A	-	-	-	-	BLAND-W4	0.02	-	5,910,361	-	KTB-P	-	-	-	-
UNIQ01C1809A	0.37	(0.01)	197,667	-	BROCK-W1	-	-	-	-	SCB-P	-	-	-	-
UNIQ01C1810A	0.54	-	77,656	-	BTS-W3	0.09	0.02	856,060	-	TCAP-P	-	-	-	-
UNIQ01C1810B	0.46	0.01	60,695	-	BWG-W4	0.09	(0.02)	15,778	-	TIC-P	-	-	-	-
UNIQ01P1809A	0.36	(0.02)	16,594	-	CEN-W4	0.09	0.01	20,322	-	TISCO-P	-	-	-	-
UNIQ08C1808A	-	-	-	-	CGH-W2	-	-	-	-	U-P	0.03	-	2,296,550	-
UNIQ08C1810A	0.40	0.01	148,353	-	CI-W1	0.51	-	30	-	Warrant (MAI)	-	-	-	-
UNIQ11C1811A	0.32	-	21,768	-	CKP-W1	0.35	(0.01)	31,344	-	2S-W1	0.18	-	4,169	-
UNIQ13C1807A	-	-	-	-	CRANE-W1	-	-	-	-	ACAP-W1	-	-	-	-
UNIQ13C1809A	0.34	(0.01)	190,058	-	DCC-W1	0.55	0.01	278,110	-	ACAP-W2	2.88	(0.02)	432	2.00
UNIQ23C1806A	-	-	-	-	DCON-W1	4.60	(0.30)	1	4.00	AIRA-W1	0.07	-	1,612	-
UNIQ24C1806A	-	-	-	-	DIGI-W1	0.07	0.01	27,853	-	AIRA-W2	0.07	(0.01)	6,740	-
UNIQ24C1811A	0.25	0.01	100	-	DIGI-W2	0.02	-	221,471	-	ATP30-W1	0.85	-	2,398	-
UNIQ28C1807A	-	-	-	-	EARTH-W4	-	-	-	-	BSM-W2	0.24	-	15,673	-
UNIQ28C1809A	0.27	(0.01)	329,326	-	EIC-W2	0.01	(0.01)	2,628	-	CIG-W6	-	-	-	-
UNIQ28C1811A	0.36	0.02	350,912	-	EIC-W3	-	-	-	-	CIG-W7	0.03	-	1,551	-
UNIQ42C1805A	-	-	-	-	EIC-W4	-	-	-	-	DNA-W1	1.50	(0.08)	1,846	1.00
UV01C1807A	0.38	0.02	48,949	-	EVER-W3	0.04	-	53,572	-	ECF-W2	3.58	0.06	7,654	3.00
UV08C1807A	0.15	0.01	4,054	-	GJS-W3	0.03	(0.01)	20,223	-	ECF-W3	2.96	(0.02)	11,137	3.00
UV13C1807A	0.08	0.01	3,150	-	GL-W4	0.26	0.01	112,814	-	EFORL-W3	0.02	-	10,239	-
UV13C1808A	0.04	0.01	5,000	-	GLAND-W4	1.40	(0.02)	851	1.00	EFORL-W4	0.03	-	3,606	-
UV23C1809A	-	-	-	-	GREEN-W4	-	-	-	-	FC-W1	0.10	0.01	6,553	-
UV24C1807A	-	-	-	-	GSTEL-W1	-	-	-	-	FC-W2	0.05	-	3,600	-
UV28C1807A	0.05	-	36,000	-	GSTEL-W2	-	-	-	-	FOCUS-W2	0.61	-	737	-
UV28C1808A	-	-	-	-	IEC-W2	-	-	-	-	FPI-W1	-	-	-	-
VGI01C1812A	0.74	(0.15)	51,263	-	IFEC-W2	-	-	-	-	FVC-W2	0.83	0.04	759	-
VGI06C1904A	-	-	-	-	IHL-W1	5.15	0.15	124	5.00	JKN-W1	2.60	(0.08)	126,524	2.00
VGI06C1904B	-	-	-	-	ITD-W1	0.30	0.01	706,828	-	LIT-W1	2.40	(0.02)	1,972	2.00
VGI06C1904C	-	-	-	-	IVL-W2	14.90	0.50	134,453	14.00	META-W2	0.25	-	23,517	-
VGI08C1811A	0.72	(0.20)	23,020	-	JAS-W3	2.46</								

