

Main Board Quotation

Issue Date :

Tuesday June 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.85	(0.05)	2,652	6.78	RS	18.00	(0.10)	267,261	17.46
NFC	-	-	-	-	HUMAN	12.30	0.30	26,917	12.27	SE-ED	3.40	0.02	16	3.38
POMPUI	-	-	-	-	ILINK	5.80	(0.25)	15,431	5.87	SMM	0.93	(0.02)	2,137	0.93
SAFARI	-	-	-	-	INET	3.94	-	9,120	3.95	SPORT	0.62	(0.07)	10,882	0.63
VI	-	-	-	-	INTUCH	55.25	0.75	67,059	54.87	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	6.00	0.10	569,347	6.00	TH	0.61	(0.01)	1,523	0.61
WR	-	-	-	-	JASIF	10.30	-	124,582	10.34	TKS	11.10	0.10	2,806	11.00
Agribusiness	-	-	-	-	JMART	10.80	(0.40)	31,950	10.88	TRITN	0.29	0.01	97,239	0.28
CHOTI	146.00	-	9	146.00	JTS	1.61	0.01	1,182	1.62	VGI	7.90	0.10	573,417	7.77
EE	0.88	0.03	193,505	0.87	MFEC	4.24	0.02	1,983	4.22	WAVE	3.10	-	885	3.01
GFPT	11.40	(0.30)	25,628	11.57	MSC	5.85	-	855	5.82	WORK	42.00	1.25	46,908	41.53
LEE	2.82	0.02	1,716	2.81	PT	6.80	-	2,054	6.87	Finance & Securities	-	-	-	-
STA	12.80	-	23,036	12.76	SAMART	7.85	(0.15)	21,433	7.92	AEC	0.49	-	2,615	0.49
TLUXE	6.10	-	1,795	6.12	SAMTEL	10.00	-	350	9.88	AEONTS	156.00	(3.00)	2,449	155.68
TRUBB	1.82	-	1,619	1.80	SDC	0.28	-	4,745	0.27	AMANAH	1.94	0.03	88,958	1.92
TWPC	9.40	0.05	11,248	9.22	SIS	9.10	-	1,282	9.09	ASAP	6.70	-	20,473	6.58
UPOIC	4.48	-	167	4.47	SVOA	1.53	-	5,346	1.53	ASK	22.60	(0.20)	2,667	22.49
UVAN	8.15	0.10	1,978	8.12	SYMC	5.05	(0.60)	12,658	5.05	ASP	3.82	0.02	36,688	3.81
VPO	0.76	(0.01)	2,132	0.76	SYNEX	14.90	(0.20)	11,278	14.95	BFIT	28.75	1.25	2,629	28.11
Banking	-	-	-	-	THCOM	9.30	(0.05)	6,487	9.27	CGH	1.23	0.02	116	1.22
BAY	40.50	1.25	13,543	40.04	TRUE	6.60	(0.25)	3,522,418	6.63	CNS	2.60	(0.04)	3,073	2.61
BBL	195.00	5.50	78,527	193.38	TWZ	0.16	0.01	643,867	0.16	ECL	1.99	-	72,701	1.99
CIMBT	0.99	-	30,569	0.99	Electronic Componen	-	-	-	-	FNS	4.46	-	835	4.45
KBANK	204.00	7.50	178,001	200.78	CCET	1.91	0.01	11,692	1.89	FSS	2.60	-	1,415	2.60
KKP	69.25	1.00	40,658	69.00	DELTA	64.75	(0.25)	8,997	64.65	GBX	0.69	-	728	0.70
KTB	18.00	0.40	686,860	17.93	EIC	0.06	-	19,241	0.06	GL	5.25	(0.55)	80,659	5.20
LHFG	1.55	-	27,605	1.55	HANA	34.00	0.25	14,435	33.77	IFS	3.08	0.02	3,051	3.06
SCB	139.50	5.00	125,659	137.73	KCE	34.75	-	17,093	34.63	JMT	28.75	0.25	3,044	28.78
TCAP	52.50	1.25	36,868	51.76	METCO	190.00	(1.00)	9	190.61	KCAR	14.30	-	505	14.27
TISCO	86.25	3.00	78,582	85.36	SMT	2.68	-	2,461	2.65	KGI	4.26	-	19,992	4.27
TMB	2.52	0.06	2,034,473	2.51	SPPT	4.70	(0.12)	9,598	4.74	KTC	352.00	5.00	11,888	350.97
Construction Materia	-	-	-	-	SVI	4.08	0.02	4,381	4.05	MBKET	14.30	(3.40)	1,437,918	13.51
CCP	0.43	0.01	35,706	0.43	TEAM	1.10	0.05	27,822	1.10	MFC	15.30	-	190	15.34
DCC	2.16	0.04	88,712	2.19	Energy & Utilities	-	-	-	-	ML	1.09	-	4,253	1.09
DCON	0.58	-	15,395	0.59	ABPIF	8.55	0.05	2,341	8.55	MTC	34.00	1.75	151,634	33.25
DRT	5.75	(0.05)	9,013	5.75	AI	-	-	-	-	PE	0.36	-	3,446	0.36
EPG	7.95	0.10	273,025	7.89	AKR	1.37	(0.03)	246,462	1.39	PL	3.58	(0.02)	6,017	3.58
GEL	0.34	0.01	79,604	0.34	BAFS	38.00	-	1,455	37.67	S11	7.45	0.05	814	7.41
PPP	3.96	-	848	3.92	BANPU	21.90	0.70	1,269,142	21.71	SAWAD	36.25	1.25	114,059	35.75
O-CON	5.90	-	17	5.91	BCP	35.25	(0.25)	26,662	35.28	THANI	7.80	0.15	39,873	7.72
RCI	2.08	(0.04)	11,970	2.06	BCPG	19.40	(0.20)	52,921	19.33	TK	12.50	0.40	3,761	12.30
SCC	458.00	6.00	21,639	454.11	BGRIM	23.90	0.30	197,546	23.52	TNITY	5.85	-	108	5.84
SCCC	232.00	(1.00)	1,508	230.76	BPP	24.70	(0.20)	52,950	24.53	UOBKH	-	-	-	-
SCP	8.30	0.05	950	8.23	BRRGIF	10.30	-	519	10.29	ZMICO	1.14	0.01	2,691	1.13
SKN	5.50	(0.25)	6,309	5.58	CKP	3.96	0.02	89,023	3.93	Food & Beverage	-	-	-	-
TASCO	17.20	(0.10)	28,859	17.29	DEMCO	4.50	(0.08)	7,489	4.52	APURE	1.50	(0.01)	4,850	1.49
TCMC	2.42	0.02	17,759	2.38	EA	39.50	1.25	275,387	39.12	ASIAN	5.50	0.10	6,014	5.45
TGCI	2.64	-	1,175	2.63	EARTH	-	-	-	-	BR	5.85	(0.30)	76,217	5.93
TOA	42.50	0.50	56,087	41.89	EASTW	11.30	(0.10)	20,838	11.31	BRR	7.70	(0.15)	1,711	7.73
TPPL	1.85	(0.03)	256,765	1.84	EGATIF	11.20	-	9,957	11.16	CBG	52.75	1.00	29,476	51.89
UMI	1.39	(0.03)	656	1.41	EGCO	241.00	4.00	19,268	240.91	CFRESH	4.72	(0.02)	411	4.73
VNG	8.15	(0.25)	8,147	8.30	ESSO	14.20	(0.30)	80,603	14.30	CM	4.20	(0.02)	1,957	4.19
WIIK	2.38	-	2,951	2.37	GLOW	83.75	(0.25)	13,013	83.65	CPF	25.00	(0.50)	218,026	25.16
Petrochemicals & Che	-	-	-	-	GPSC	72.50	0.50	41,435	71.80	CPI	2.04	-	174	2.05
CMAN	3.66	(0.02)	19,297	3.64	GULF	70.00	2.00	71,819	69.07	F&D	-	-	-	-
GC	5.20	0.05	466	5.15	GUNKUL	3.12	(0.02)	49,467	3.12	HTC	22.60	-	4,331	22.45
GGC	14.80	-	63,182	14.69	IEC	-	-	-	-	ICHI	5.60	-	13,387	5.53
GIFT	4.68	(0.06)	958	4.69	IFEC	-	-	-	-	KBS	4.70	(0.08)	413	4.75
IVL	59.25	1.00	177,904	58.35	IRPC	6.35	(0.15)	2,201,455	6.33	KSL	3.10	(0.10)	23,629	3.13
PATO	14.80	(0.10)	352	14.81	LANNA	16.70	0.30	12,144	16.64	KTIS	6.00	(0.05)	5,036	6.00
PMTA	17.00	0.20	31	16.96	MDX	4.54	(0.06)	911	4.55	LST	4.88	0.02	2,205	4.91
PTTGC	88.25	2.25	143,402	87.23	PTG	18.40	0.10	51,436	18.19	M	79.25	(1.00)	4,387	79.75
SUTHA	-	-	-	-	PTT	52.00	0.25	752,605	51.64	MALEE	15.40	0.10	5,847	15.29
TCB	55.00	(0.50)	506	54.96	PTTEP	136.00	(0.50)	136,568	135.57	MINT	33.75	0.50	266,260	33.64
TCCC	34.00	(0.25)	163	34.16	RATCH	52.00	-	6,462	52.00	OISHI	106.00	-	29	106.79
TPA	6.10	-	169	6.10	RPC	0.61	(0.01)	10,684	0.61	PB	61.75	-	226	61.46
UP	-	-	-	-	SCG	4.76	0.02	189	4.68	PM	10.90	-	15,674	10.74
VNT	28.75	(0.50)	19,029	28.55	SCI	2.92	-	1,820	2.92	PRG	-	-	-	-
WG	149.00	1.50	17	148.24	SCN	4.06	0.02	10,560	4.02	SAPPE	27.50	(0.25)	6,539	27.81
YCI	-	-	-	-	SGP	9.75	0.05	145,385	9.64	SAUCE	21.90	-	4	21.93
Commerce	-	-	-	-	SKE	1.37	0.01	7,242	1.36	SFP	-	-	-	-
BEAUTY	15.70	-	3,361,793	14.89	SOLAR	2.50	0.02	6,100	2.49	SNP	21.30	(0.10)	6	21.25
BIG	2.40	0.02	40,772	2.38	SPCG	21.60	0.20	4,701	21.54	SORKON	72.00	-	1	72.00
BJC	55.25	1.25	59,582	54.64	SPRC	15.00	(0.10)	161,178	15.09	SSC	49.50	0.25	11	49.34
COL	29.00	0.25	21,040	28.93	SUPER	1.11	0.02	12,838,690	1.11	SSF	8.30	-	2	8.30
COM7	17.80	0.20	143,846	17.55	SUSCO	3.44	(0.04)	8,684	3.45	SST	6.20	(0.30)	401	6.37
CPALL	79.75	1.25	392,268	78.94	TAE	2.26	(0.02)	420	2.26	TC	2.96	0.02	798	2.92
CSS	2.26	0.02	3,694	2.24	TCC	0.39	(0.01)	18,599	0.39	TFG	4.30	-	8,006	4.30
FN	3.28	(0.04)	1,956	3.28	TOP	86.50	(2.25)	95,163	86.22	TFMAMA	163.00	-	49	162.92
FTE	2.24	(0.04)	3,291	2.24	TPIPP	6.65	(0.05)	157,680	6.68	TIPCO	10.10	(0.10)	3,270	10.14
GLOBAL	16.30	0.10	64,930	16.20	TTW	12.30	-	22,905	12.22	TKN	19.10	-	74,894	19.19
HMPRO	14.10	0.30	393,212	14.04	WHAUP	6.60	0.05	90,968	6.58	TU	17.10	0.10	87,771	17.09
IT	4.48	-	5,377	4.49	WP	7.35	(0.05)	23,356	7.38	TVO	30.50	(0.50)	12,713	30.46
KAMART	5.05	0.07	9,104	4.99	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.34	0.02	11,482	2.33	AMARIN	5.10	-	929	5.13	AHC	21.10	(0.10)	87	21.10
MAKRO	43.75	(0.25)	2,809	43.67	AQUA	0.56	-	218,341	0.55	BCH	16.30	0.10	84,967	16.34
MC	13.90	0.30	24,765	13.53	AS	1.70	-	439	1.70	BDMS	26.25	(0.50)	575,448	26.81
MEGA	40.50	(0.25)	28,338	40.03	BEC	8.50	(0.20)	268,050	8.49	BH	193.50	(1.00)	10,020	194.21
MIDA	0.60	-	4,183	0.60	EPCO	4.28	0.06	36,710	4.26	CHG	2.38	0.06	1,002,635	2.34
ROBINS	63.25	0.50	6,920	63.09	FE	174.00	(3.00)	5	174.10	CMR	3.34	(0.04)	4,015	3.37
RSP	5.85	0.15	3,785	5.73	GPI	2.96	(0.02)	1,564	2.97	EKH	5.40	0.05	7,734	5.36
SINGER	7.55	-	627	7.51	GRAMMY	8.80	(0.05)	416	8.81	KDH	94.			

Main Board Quotation

Issue Date :

Tuesday June 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	8.55	(0.10)	6,039	8.53	MJD	3.24	-	1,866	3.24	CPT	2.24	-	37,903	2.24
WPH	3.14	0.02	3,536	3.12	MK	3.10	(0.02)	17,554	3.10	CRANE	2.38	0.02	1,850	2.36
Tourism & Leisure					NCH	0.98	(0.02)	5,892	0.98	CTW	8.00	(0.10)	2,194	8.03
ASIA	6.80	-	55	6.80	NNCL	1.73	-	70,373	1.70	FMT	25.75	(0.25)	40	25.75
CENTEL	45.25	0.50	73,258	45.38	NOBLE	9.65	0.25	11,788	9.49	HTECH	7.55	-	24,841	7.49
CSR	64.50	-	1	64.50	NUSA	0.29	-	91,615	0.29	KKC	1.74	-	587	1.73
DTC	15.40	0.90	68,269	15.02	NVD	4.54	(0.02)	315	4.55	PK	3.36	(0.04)	3,294	3.37
ERW	8.25	0.05	30,126	8.22	ORI	20.00	-	18,757	19.85	SNC	16.10	0.10	8,219	16.07
GRAND	0.97	0.01	2,674	0.96	PACE	0.43	-	271,426	0.43	T CJ	6.60	(0.10)	604	6.61
LRH	34.50	(0.50)	5	34.50	PF	0.92	-	168,533	0.91	VARO	7.00	-	200	7.01
MANRIN	-	-	-	-	PLAT	8.05	-	12,663	8.02	Property Fund & REIT	-	-	-	-
OHTL	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.20	0.10	3,685	10.20
ROH	40.50	-	60	40.50	PRECHA	1.68	0.02	771	1.70	AMATAR	10.60	-	112	10.60
SHANG	70.75	(0.50)	12	69.94	PRIN	1.64	(0.01)	2,548	1.65	B-WORK	10.40	-	302	10.40
Home & Office Produ					PRINC	6.05	(0.05)	18,717	6.09	BKCCP	-	-	-	-
ACC	0.51	(0.01)	14,772	0.51	PSH	21.80	0.10	25,159	21.65	BOFFICE	12.60	0.10	4,539	12.52
AJA	0.49	-	53,224	0.49	OH	3.30	(0.06)	854,851	3.31	CPNCG	14.40	-	1,291	14.40
DTCI	27.50	-	4	27.50	RICHY	1.68	(0.02)	20,204	1.70	CPNREIT	23.40	-	4,710	23.39
FANCY	1.06	-	5,863	1.08	RML	1.06	(0.01)	36,497	1.06	CPTGF	12.90	-	17	12.81
KYE	432.00	6.00	140	426.44	ROJNA	6.20	(0.15)	9,444	6.22	CRYSTAL	-	-	-	-
L&E	2.82	-	864	2.86	S	3.28	0.02	50,976	3.30	CTARAF	4.82	(0.08)	441	4.80
MODERN	4.78	(0.02)	1,160	4.79	SAMCO	2.34	0.04	137	2.28	DREIT	5.50	-	1,661	5.50
OGC	39.50	-	28	39.41	SC	3.68	-	24,351	3.69	ERWPF	5.80	(0.05)	230	5.82
ROCK	-	-	-	-	SENA	3.76	(0.04)	11,244	3.77	FUTUREPF	21.20	-	324	21.20
SIAM	1.98	-	1,210	1.99	SF	9.15	-	29,920	9.12	GAHREIT	9.90	-	59	9.90
TSR	2.48	0.02	10,477	2.46	SIRI	1.78	0.03	758,082	1.77	GLANDRT	12.30	0.10	3,096	12.20
Insurance					SPALI	24.80	(0.45)	66,318	24.75	GOLDPF	7.35	-	1,000	7.35
AYUD	42.50	0.25	98	42.53	TICON	17.10	0.30	676	17.08	GVREIT	14.90	0.10	614	14.84
BKI	358.00	(1.00)	34	359.00	U	0.03	-	1,930,845	0.03	HPF	5.45	0.05	61	5.45
BLA	35.25	-	9,698	35.26	UV	8.50	(0.10)	50,941	8.56	HREIT	7.20	-	1,782	7.20
BUI	-	-	-	-	WHA	4.36	0.06	974,407	4.29	IMPACT	17.70	0.20	9,788	17.63
CHARAN	-	-	-	-	WIN	0.61	0.01	1,450	0.60	KPNPF	9.60	(0.10)	111	9.63
INSURE	-	-	-	-	Paper & Printing Mat	-	-	-	-	LHHOTEL	15.90	0.10	401	15.82
MTI	125.00	-	27	124.07	UTP	11.90	(0.10)	13,435	11.93	LHPF	8.40	-	928	8.35
NKI	-	-	-	-	Fashion	-	-	-	-	LHSC	15.90	-	1,281	15.90
NSI	82.00	(0.25)	53	82.22	AFC	-	-	-	-	LUXF	8.05	(0.05)	20	8.08
SMK	42.00	-	37	42.19	BTNC	-	-	-	-	M-II	8.40	(0.15)	20	8.40
THRE	1.25	-	46,618	1.25	CPH	-	-	-	-	M-PAT	11.00	0.80	2	10.55
THREL	8.40	0.05	11,440	8.31	CPL	3.08	0.08	270	3.01	M-STOR	-	-	-	-
TIC	34.50	-	34	34.50	DIGI	0.54	(0.01)	12,414	0.54	MIPF	-	-	-	-
TIP	24.40	(0.60)	25,763	24.56	ICC	-	-	-	-	MIT	-	-	-	-
TSI	0.55	-	3,025	0.55	LTX	75.25	0.75	35	75.04	MJLF	12.50	(0.10)	827	12.41
TVI	3.76	0.04	397	3.70	NC	-	-	-	-	MNIT	1.82	-	1	1.82
Mining					PAF	1.06	0.01	19,395	1.09	MNIT2	-	-	-	-
PDI	17.00	0.30	7,732	16.65	PDJ	2.88	0.06	414	2.87	MNRF	3.54	-	51	3.52
THL	-	-	-	-	PG	7.15	-	116	7.16	MONTRI	6.15	0.10	1	6.15
Packaging					SABINA	31.25	(0.25)	507	31.61	POPF	13.70	-	75	13.70
AJ	10.80	(0.20)	2,494	10.91	SAWANG	-	-	-	-	PPF	11.30	-	41	11.23
ALUCON	-	-	-	-	SUC	43.00	-	5,197	43.00	QHHR	8.80	-	4,939	8.80
CSC	44.50	(0.50)	339	44.22	TNL	19.80	-	8	19.80	QHOP	3.84	0.06	92	3.83
NEP	0.45	-	1,331	0.44	TPCORP	16.00	-	43	15.90	QHPF	12.00	0.10	29,988	12.00
NPP	1.37	(0.02)	33,557	1.37	TR	50.00	(0.50)	56	50.11	SBPF	3.08	-	100	3.08
PTL	16.40	-	20,265	16.40	TTI	-	-	-	-	SHREIT	9.40	(0.05)	10	9.40
SITHAI	1.32	-	2,397	1.32	TTL	-	-	-	-	SIRIP	11.40	(0.20)	5	11.40
SLP	0.97	-	9,802	0.97	TTIM	128.50	0.50	62	129.73	SPF	23.20	-	5,252	23.21
SMPC	13.30	-	1,653	13.14	UPF	-	-	-	-	SRIPANWA	11.20	-	2	11.20
SPACK	2.00	(0.02)	121	2.00	UT	-	-	-	-	SSPF	10.30	-	147	10.30
TCOAT	29.50	(0.50)	50	29.50	WACOAL	45.75	-	5	45.80	SSTPF	-	-	-	-
TFI	0.38	(0.01)	1,755	0.38	Transportation & Log	-	-	-	-	SSSTR	6.25	-	291	6.29
THIP	36.50	(1.00)	51	37.01	AAV	5.65	-	79,741	5.65	TIF1	8.60	-	50	8.60
TMD	21.00	-	32	21.00	AOT	69.75	-	211,129	69.40	TLGF	19.10	0.20	1,269	19.06
TOPP	-	-	-	-	ASIMAR	2.76	0.02	2,535	2.75	TLHPF	11.20	(0.10)	44	11.20
TPBI	9.95	(0.05)	840	9.87	B	0.74	0.01	34,027	0.74	TNPF	-	-	-	-
TPP	-	-	-	-	BA	14.70	(0.30)	16,561	14.82	TPRIME	11.80	-	35,009	11.80
Personal Products &					BEM	8.00	-	448,223	7.91	TREIT	11.30	0.10	12,655	11.29
APCO	5.35	0.05	1,099	5.30	BTS	9.75	(0.10)	402,973	9.75	TTLPF	-	-	-	-
DDD	67.75	4.00	19,213	65.80	BTSGIF	12.40	-	26,224	12.46	TU-PF	-	-	-	-
JCT	-	-	-	-	III	5.20	0.05	3,654	5.16	URBNPF	5.50	(0.05)	3	5.50
OCC	-	-	-	-	JUTHA	1.98	0.02	64	1.96	WHABT	10.10	-	601	10.10
S & J	-	-	-	-	JWD	7.05	(0.05)	70,293	7.04	WHART	10.30	-	8,658	10.30
STHAI	-	-	-	-	KWC	280.00	8.00	2	282.00	Steel	-	-	-	-
TNR	14.60	(0.10)	377	14.62	NOK	2.92	(0.02)	7,710	2.91	AMC	2.76	-	1,728	2.74
TOG	4.72	0.04	1,601	4.69	NYT	5.45	-	2,813	5.45	BSBM	1.19	-	2,997	1.19
Professional Service					PRM	8.05	(0.10)	52,975	7.88	CEN	1.33	(0.01)	1,859	1.33
BWG	1.24	(0.01)	51,882	1.24	PSL	11.60	-	49,626	11.67	CITY	2.76	0.02	259	2.75
GENCO	0.85	-	5,002	0.85	RCL	6.00	(0.05)	12,775	6.05	CSP	1.51	(0.01)	7,755	1.52
PRO	-	-	-	-	THAI	15.70	0.20	20,107	15.62	GJS	0.34	-	55,128	0.34
Property Developer					TSTE	7.40	-	12	7.40	GSTEL	-	-	-	-
A	6.70	-	600	6.70	TTA	7.55	-	28,404	7.58	INOX	1.16	0.01	236	1.15
AMATA	23.10	0.70	224,023	22.67	WICE	3.96	(0.14)	74,932	3.92	LHK	5.15	0.05	6,075	5.12
AMATAV	6.90	(0.05)	5,193	6.96	Automotive	-	-	-	-	MAX	0.03	-	223,060	0.02
ANAN	4.48	0.12	530,080	4.48	AH	38.25	0.25	7,694	38.16	MCS	8.20	(0.05)	5,120	8.22
AP	9.25	(0.05)	132,092	9.23	APCS	5.85	0.05	3,332	5.75	MILL	1.50	-	5,204	1.51
APEX	0.17	(0.03)	566,590	0.17	BAT-3K	-	-	-	-	PAP	4.40	-	1,503	4.39
AQ	0.04	-	333,055	0.04	CWT	3.66	(0.04)	30,577	3.70	PERM	2.60	-	1,226	2.58
BLAND	1.96	0.01	609,728	1.97	EASON	3.44	(0.02)	570	3.41	RICH	-	-	-	-
BROCK	-	-	-	-	GYT	-	-	-	-	SAM	0.72	0.01	208	0.71
CGD	1.44	(0.01)	28,036	1.44	HFT	3.28	-	3,681	3.27	SMIT	5.90	0.10	1,561	5.85
CI	1.64	-	123	1.64	IHL	9.10	0.05	1,582	9.02	SSI	-	-	-	-
CPN	77.50	0.25	51,680	77.08	INGRS	0.98	(0.04)	85,442	0.98	SSSC	3.20	(0.06)	2,321	3.21
ESTAR	0.68	(0.01)	99,320	0.68	IRC	20.50	-	108	20.44	TGPRO	0.23	(0.01)	12,726	0.23
EVER	0.40	0.01	32,005	0.39	PCSGH	7.85	-	19,249	7.77	THE	2.74	(0.06)	16,323	2.79
GLAND	2.40	(0.06)	32,511	2.41	SAT	23.10	0.70	21,464	22.89	TIW	428.00	(6.00)	118	425.07
GOLD	11.20	0.10	56,399	11.22	SPG	17.30	(0.20)	3	17.30	TMT	15.30	0.20	810	15.24
GREEN	1.01	-	5,342	1.02	STANLY	262.00	-	25	261.48	TSTH	0.80	0.01	6,736	0.79
J	1.68	(0.01)	32,265	1.64	TKT	1.72	0.04	2,000	1.69	TUCC	-	-	-	-
JCK	1.68	-	5,501	1.66	TNPC	1.63	-	700	1.63	TWP	4.30	(0.06)	156	4.30
KC	-	-	-	-	TRU	4.50	(0.02)	101	4.46	TYCN	2.80	(0.08)	1,279	2.80
KWG	2.													

Main Board Quotation

Issue Date :

Tuesday June 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UWC	0.09	-	45,327	-	ADVA13C1809A	0.14	-	17,652	-
ABICO	6.15	0.05	147	6.00	Services (MAI)	-	-	-	-	ADVA13C1811A	0.65	(0.04)	102,443	-
AU	10.90	(0.20)	28,552	10.00	ADAM	-	-	-	-	ADVA13P1809A	0.40	-	60,331	-
FC	0.45	(0.01)	26,676	-	AKP	1.79	(0.02)	437	1.00	ADVA16C1812A	0.48	-	3,010	-
JCKH	1.36	(0.02)	53,601	1.00	AMA	6.10	(0.10)	3,580	6.00	ADVA18C1808A	0.54	0.02	12,610	-
KASET	2.38	0.04	192	2.00	ARIP	0.55	(0.02)	2,620	-	ADVA23C1806A	0.24	(0.04)	48,000	-
MM	4.22	(0.02)	5,112	4.00	ATP30	1.78	0.01	3,966	1.00	ADVA24C1810A	-	-	-	-
SUN	3.34	(0.10)	28,874	3.00	AUCT	5.95	(0.10)	32,218	5.00	ADVA24P1810A	0.37	(0.04)	300	-
TACC	4.54	(0.10)	4,962	4.00	BOL	1.96	0.04	1,550	1.00	ADVA28C1808A	0.08	(0.01)	16,011	-
TMILL	3.14	(0.02)	4,002	3.00	CHUO	-	-	-	-	ADVA28P1810A	0.52	0.01	224,495	-
XO	8.65	(0.15)	11,391	8.00	CMO	1.57	-	724	1.00	AMAT01C1806A	0.10	0.01	12,302	-
Consumer Products	-	-	-	-	D	10.30	-	6,820	10.00	AMAT01C1810A	1.16	0.10	43,563	1.00
BGT	1.10	0.01	3,745	1.00	DCORP	2.82	(0.06)	19,808	2.00	AMAT01C1810B	1.10	0.11	61,751	1.00
BIZ	3.06	-	893	3.00	DNA	0.40	(0.02)	114,092	-	AMAT01P1806A	0.45	(0.07)	15,684	-
ECF	7.10	0.10	72,919	7.00	EFORL	0.07	(0.01)	144,956	-	AMAT06C1809A	0.31	0.06	10,202	-
HPT	1.05	-	11,906	1.00	ETE	2.18	(0.04)	1,092	2.00	AMAT08C1807A	0.02	0.01	4,137	-
JUBILE	24.00	-	220	23.00	FSMART	8.45	(0.25)	96,436	8.00	AMAT08C1809A	0.42	0.04	23,022	-
MOONG	6.35	0.10	6,656	6.00	FVC	1.56	0.01	742	1.00	AMAT11C1805A	-	-	-	-
NPK	25.50	(1.50)	7	25.00	HARN	2.66	0.02	1,480	2.00	AMAT11C1903A	0.65	0.06	68,816	-
OCEAN	0.83	(0.01)	8,916	-	JKN	9.10	0.10	61,287	9.00	AMAT13C1806A	0.01	-	10,001	-
TM	2.12	(0.04)	2,317	2.00	KIAT	0.46	-	2,839	-	AMAT13C1809A	0.38	0.05	209,841	-
Financials (MAI)	-	-	-	-	KOOL	1.91	(0.03)	16,083	1.00	AMAT23C1810A	0.56	0.05	32,181	-
ACAP	7.70	(0.05)	1,669	7.00	LDC	1.16	0.01	2,555	1.00	AMAT24C1805A	-	-	-	-
AF	0.92	0.01	1,424	-	MPG	0.24	(0.01)	8,595	-	AMAT24C1807A	-	-	-	-
AIRA	2.10	-	182	2.00	NBC	0.81	0.08	22,605	-	AMAT24C1811A	-	-	-	-
ASN	3.82	0.20	644	3.00	NCL	1.48	0.01	703	1.00	AMAT28C1806A	0.01	-	1,000	-
BROOK	0.59	-	4,087	-	NEWS	0.01	-	215,590	-	AMAT28C1808A	0.32	0.05	250,179	-
CHAYO	3.30	-	150,334	3.00	NINE	1.38	0.01	1,582	1.00	AMAT42C1806A	0.77	0.05	17,188	-
GCAP	4.78	0.02	2,228	4.00	OTO	3.08	(0.02)	564	3.00	ANAN01C1807A	0.06	0.01	52,528	-
LIT	9.15	0.05	2,034	9.00	PHOL	2.50	(0.06)	242	2.00	ANAN01C1810A	0.77	0.07	112,431	-
SGF	0.14	(0.01)	283,698	-	PICO	6.55	(0.30)	127	6.00	ANAN01C1810B	0.66	0.09	91,481	-
Industrials (MAI)	-	-	-	-	PORT	7.30	0.05	10,643	7.00	ANAN08C1808A	0.03	0.01	12,772	-
2S	3.52	(0.02)	959	3.00	QLT	5.00	(0.05)	1,325	5.00	ANAN08C1810A	0.70	0.08	62,647	-
ADB	1.31	0.04	92,985	1.00	RP	3.80	(0.02)	199	3.00	ANAN23C1806A	-	-	-	-
BM	3.72	-	3,278	3.00	SE	2.36	-	1	2.00	ANAN24C1807A	-	-	-	-
CHO	1.39	-	9,120	1.00	SPA	17.10	0.10	6,420	16.00	ANAN24C1811A	0.59	0.06	11,808	-
CHOW	5.15	-	676	5.00	THMUI	1.49	(0.04)	4,755	1.00	ANAN28C1806A	-	-	-	-
CIG	0.40	(0.01)	9,048	-	TNDT	-	-	-	-	ANAN28C1809A	0.42	0.04	195,496	-
COLOR	1.12	-	384	1.00	TNH	40.50	(0.25)	196	40.00	AOT01C1808A	0.50	-	271,353	-
CPR	5.25	-	998	5.00	TNP	2.04	-	6,703	2.00	AOT01C1808B	0.11	-	105,005	-
FPI	2.84	(0.02)	2,828	2.00	TSF	0.06	-	37,670	-	AOT01C1810A	0.55	(0.01)	89,808	-
GTB	0.85	(0.01)	1,628	-	TVD	1.65	(0.03)	2,077	1.00	AOT01P1808A	0.71	0.01	120,719	-
KCM	1.11	0.04	25,449	1.00	TVT	1.11	-	7,698	1.00	AOT01P1808B	0.25	-	140,250	-
LVT	-	-	-	-	WINNER	3.30	(0.02)	1,371	3.00	AOT06C1806A	1.65	(0.02)	12,740	1.00
MBAX	4.04	-	509	4.00	Technology (MAI)	-	-	-	-	AOT06C1809A	0.26	(0.01)	12,992	-
MGT	2.18	(0.04)	1,655	2.00	COMAN	4.50	(0.26)	8,187	4.00	AOT08C1806A	-	-	-	-
NDR	2.14	(0.02)	1,953	2.00	ICN	2.50	-	3,624	2.00	AOT08C1807A	0.09	(0.01)	115	-
PDG	3.72	-	396	3.00	IRCP	1.46	(0.06)	6,529	1.00	AOT11C1808A	0.74	(0.04)	100,698	-
PIMO	2.78	-	5,988	2.00	ITEL	3.76	(0.04)	5,226	3.00	AOT11P1808A	0.05	(0.01)	6,700	-
PJW	1.73	(0.01)	2,100	1.00	NETBAY	39.25	(0.50)	5,256	38.00	AOT13C1806A	0.01	-	14,783	-
PPM	2.52	(0.02)	13	2.00	PLANET	1.97	(0.01)	191	1.00	AOT13C1807A	0.03	-	5,462	-
RWI	1.50	0.02	7,193	1.00	SIMAT	3.00	0.04	8,991	3.00	AOT13C1809A	0.25	-	33,237	-
SALEE	1.04	(0.01)	4,497	1.00	SKY	15.20	0.60	10,484	14.00	AOT13C1811A	0.48	-	91,858	-
SANKO	1.30	-	2,131	1.00	SPVI	1.38	0.01	7,801	1.00	AOT13P1806A	-	-	-	-
SELIC	1.72	(0.02)	646	1.00	UPA	0.47	-	23,599	-	AOT13P1810A	0.43	(0.01)	47,573	-
SWC	25.75	1.35	1,282	25.00	VCOM	2.98	0.04	6,468	2.00	AOT19C1809A	0.40	(0.01)	68,613	-
TAPAC	11.60	-	7,391	11.00	Unit Trust	-	-	-	-	AOT23C1807A	0.57	(0.01)	33,510	-
TMC	0.96	0.02	890	-	MGE	-	-	-	-	AOT23P1807A	0.02	0.01	601	-
TMI	0.83	-	1,175	-	SCBSET	-	-	-	-	AOT24C1806A	-	-	-	-
TMW	67.00	(0.50)	355	66.00	ETF	-	-	-	-	AOT24C1807A	-	-	-	-
TPAC	12.90	-	504	12.00	1DIV	12.55	-	23	12.00	AOT24C1811A	0.38	0.03	2,400	-
UAC	5.00	0.02	411	4.00	ABFTH	1,208.00	(7.00)	2	1,213.00	AOT24P1809A	0.16	0.01	700	-
UBIS	5.00	0.06	184	5.00	BMSCG	9.35	(0.05)	484	9.00	AOT28C1807A	-	-	-	-
UEC	1.53	(0.03)	3,725	1.00	BMSCITH	13.48	0.13	3,864	13.00	AOT28C1809A	0.29	0.01	605,491	-
UKEM	0.93	-	17,522	-	BSET100	11.07	0.09	1,498	10.00	AOT28P1806A	-	-	-	-
UREKA	0.48	-	3,981	-	CHINA	6.15	(0.03)	417	6.00	AP01C1809A	0.60	(0.02)	26,414	-
YUASA	17.70	-	440	17.00	EBANK	5.68	0.13	102	5.00	AP01C1809B	0.39	(0.04)	19,002	-
ZIGA	2.92	0.08	28,878	2.00	ECOMM	-	-	-	-	AP08C1810A	-	-	-	-
Property & Construc	-	-	-	-	EFOOD	5.73	0.02	10	5.00	AP23C1805A	-	-	-	-
ARROW	10.50	-	1,662	10.00	EICT	4.74	(0.10)	5	4.00	AP23C1901A	-	-	-	-
BKD	3.30	-	13,065	3.00	ENGY	6.46	(0.01)	112	6.00	AP24C1805A	-	-	-	-
BSM	0.72	0.01	14,404	-	ENY	7.66	0.03	77	7.00	AP24C1901A	0.39	(0.02)	1	-
BTW	1.69	-	598	1.00	ESET50	5.89	0.01	1	5.00	BA01C1805A	-	-	-	-
CHEWA	1.09	-	19,364	1.00	GLD	1.77	-	3,239	1.00	BA01P1805A	-	-	-	-
CRD	1.11	(0.04)	14,622	1.00	TDEX	11.21	0.05	3,844	11.00	BA11C1902A	0.24	(0.02)	5,230	-
DIMET	1.23	0.07	36,978	1.00	TGOLDEF	3.87	(0.01)	533	3.00	BA23C1806A	-	-	-	-
FLOYD	2.24	0.02	2,845	2.00	TH100	5.04	(0.01)	11	5.00	BA24C1810A	0.61	-	1	-
FOCUS	0.97	0.01	756	-	Warrant Foreign	-	-	-	-	BA24C1901A	0.24	-	2	-
HYDRO	1.56	0.02	19,906	1.00	AAV01C1808A	0.27	-	17,240	-	BA28C1809A	0.08	(0.01)	121	-
JSP	0.71	-	3,827	-	AAV01C1808B	0.11	-	1,004	-	BA42C1806A	-	-	-	-
K	3.06	(0.02)	485	3.00	AAV01P1808A	0.29	-	8,066	-	BANP01C1806A	0.89	0.10	273,182	-
META	2.06	(0.04)	164,990	2.00	AAV06C1809A	0.22	-	10,200	-	BANP01C1808A	0.48	0.08		

Main Board Quotation

Issue Date :

Tuesday June 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP27C1809A	0.39	0.05	15,026	-	BEC07C1808A	0.02	0.01	101	-	CBG06C1807A	0.40	0.03	55,790	-
BANP28C1806A	0.04	(0.01)	5,916	-	BEC08C1805A	-	-	-	-	CBG06C1809A	0.18	-	2,129	-
BANP28C1807A	0.09	0.01	3,535	-	BEC08C1807A	-	-	-	-	CBG06P1809A	1.26	(0.03)	2,300	1.00
BANP28C1809A	0.05	-	1,139	-	BEC08C1809A	0.02	-	3,040	-	CBG07C1806A	0.01	-	2,140	-
BANP28C1810A	0.52	0.06	486,263	-	BEC13C1806A	-	-	-	-	CBG08C1805A	-	-	-	-
BBL06C1806A	0.01	(0.02)	1,100	-	BEC13C1808A	0.03	-	15,237	-	CBG08C1805B	-	-	-	-
BBL08C1805A	-	-	-	-	BEC13C1811A	0.26	(0.03)	152,002	-	CBG08C1808A	0.01	-	300	-
BBL08C1808A	0.11	0.02	14,192	-	BEC19C1809A	0.02	(0.01)	3,000	-	CBG08C1810A	0.13	-	44,750	-
BBL08C1809A	0.15	0.03	26,048	-	BEC23C1807A	-	-	-	-	CBG11C1902A	0.25	0.02	21,019	-
BBL08P1810A	0.40	(0.07)	58,327	-	BEC23C1809A	0.03	(0.03)	2	-	CBG13C1806A	-	-	-	-
BBL11C1805A	-	-	-	-	BEC24C1809A	0.02	(0.01)	65,300	-	CBG13C1808A	-	-	-	-
BBL11C1903A	0.57	0.08	110,329	-	BEC28C1806A	-	-	-	-	CBG13C1809A	0.07	0.01	11,560	-
BBL11P1805A	-	-	-	-	BEC28C1808A	0.01	(0.01)	11,002	-	CBG13C1811A	0.32	0.01	215,442	-
BBL11P1903A	0.68	(0.09)	27,050	-	BEC28C1809A	-	-	-	-	CBG13P1806A	-	-	-	-
BBL13C1807A	0.09	0.02	5,890	-	BEM01C1808A	0.41	(0.01)	47,116	-	CBG18C1808A	-	-	-	-
BBL13C1810A	0.59	0.10	157,587	-	BEM01C1808B	0.15	(0.01)	21,173	-	CBG19C1810A	0.20	0.02	41,363	-
BBL23C1811A	0.28	0.04	39,601	-	BEM01P1808A	0.28	0.03	4,736	-	CBG23C1806A	-	-	-	-
BBL24C1809A	0.10	0.02	1,002	-	BEM08C1809A	0.27	(0.04)	30,572	-	CBG23C1901A	0.24	0.01	44,086	-
BBL24P1810A	0.32	(0.10)	110	-	BEM11C1805A	-	-	-	-	CBG24C1807A	-	-	-	-
BBL27C1809A	0.18	0.02	19,842	-	BEM11C1903A	0.26	(0.03)	6,800	-	CBG24C1809A	-	-	-	-
BBL28C1808A	0.05	0.01	500	-	BEM13C1806A	-	-	-	-	CBG28C1808A	0.01	-	7,000	-
BBL28C1811A	0.54	0.08	321,092	-	BEM13C1809A	0.30	(0.01)	63,927	-	CBG28C1808B	0.03	(0.01)	1,636	-
BCH01C1808A	0.42	0.02	79,851	-	BEM23C1805A	-	-	-	-	CBG42C1806A	-	-	-	-
BCH01C1808B	0.18	0.01	31,441	-	BEM23C1901A	0.23	(0.77)	10	-	CENT01C1805A	-	-	-	-
BCH01P1808A	0.36	(0.02)	27,197	-	BEM24C1809A	-	-	-	-	CENT01C1810A	0.42	0.02	87,129	-
BCH06C1806A	0.71	0.01	8,600	-	BEM28C1807A	-	-	-	-	CENT01C1810B	0.27	0.02	99,140	-
BCH06C1811A	-	-	-	-	BEM28C1808A	0.23	(0.01)	57,821	-	CENT01P1805A	-	-	-	-
BCH08C1806A	0.04	-	4,000	-	BEM42C1806A	0.17	(0.02)	4,050	-	CENT01P1810A	0.97	(0.05)	39,270	-
BCH11C1807A	0.19	0.01	8,320	-	BEM42P1806A	0.37	0.06	856	-	CENT08C1809A	0.11	0.01	20,585	-
BCH13C1810A	0.16	0.01	12,244	-	BH01C1806A	0.69	(0.03)	53,610	-	CENT11C1806A	0.32	0.03	53,540	-
BCH19C1809A	0.18	0.01	27,511	-	BH01C1806B	0.09	(0.02)	31,536	-	CENT13C1811A	0.17	0.01	38,545	-
BCH23C1811A	0.33	0.02	23,090	-	BH01P1806A	0.65	0.02	48,283	-	CENT23C1806A	0.05	0.02	2,929	-
BCH24C1805A	-	-	-	-	BH07C1810A	-	-	-	-	CENT24C1807A	-	-	-	-
BCH24C1811A	0.17	(0.02)	500	-	BH08C1811A	0.14	(0.02)	4,000	-	CENT24C1810A	0.15	0.03	9,405	-
BCH28C1807A	0.05	-	1	-	BH11C1902A	0.14	(0.01)	4,567	-	CENT28C1808A	0.06	0.01	12,734	-
BCH42C1806A	0.38	0.01	1,250	-	BH23C1805A	-	-	-	-	CHG01C1809A	0.46	0.04	39,359	-
BCP01C1805A	-	-	-	-	BH24C1806A	-	-	-	-	CHG01C1809B	0.84	0.06	7,720	-
BCP01C1810A	0.27	(0.01)	27,549	-	BH24C1809A	0.30	(0.02)	8,641	-	CHG01P1809A	0.24	(0.02)	2,150	-
BCP01C1810B	0.18	-	21,886	-	BH24C1811A	-	-	-	-	CHG08C1807A	0.12	0.01	21,901	-
BCP01P1805A	-	-	-	-	BIG08C1807A	-	-	-	-	CHG11C1807A	-	-	-	-
BCP01P1810A	0.45	-	12,694	-	BIG13C1808A	0.04	-	1,009	-	CHG13C1807A	0.15	0.03	105,518	-
BCP07C1806A	-	-	-	-	BIG23C1805A	-	-	-	-	CHG13C1809A	0.83	0.12	25,788	-
BCP08C1806A	-	-	-	-	BIG24C1808A	-	-	-	-	CHG23C1811A	1.03	0.07	8,000	-
BCP11C1811A	0.17	-	11,389	-	BIG28C1807A	0.01	(0.01)	8	-	CHG24C1808A	0.07	(0.01)	440	-
BCP13C1810A	0.12	-	12,846	-	BJC01C1807A	0.31	0.06	53,836	-	CHG24C1811A	-	-	-	-
BCP23C1805A	-	-	-	-	BJC01C1807B	0.07	0.01	5,054	-	CHG28C1806A	-	-	-	-
BCP24C1808A	-	-	-	-	BJC01P1807A	0.82	(0.10)	40,119	-	CHG28C1807A	0.18	0.03	176,084	-
BCP28C1807A	-	-	-	-	BJC06C1807A	0.09	0.03	284	-	CHG28C1808A	0.71	0.08	29,384	-
BCP28C1809A	-	-	-	-	BJC07C1809A	0.09	0.01	3,000	-	CK01C1809A	0.28	0.01	54,713	-
BCP28C1809B	-	-	-	-	BJC08C1807A	-	-	-	-	CK01C1809B	0.60	0.03	10,783	-
BCPG01C1806A	0.07	-	22,147	-	BJC08C1809A	0.15	0.02	52,304	-	CK01P1809A	0.28	(0.01)	8,814	-
BCPG01C1806B	0.01	(0.01)	12,100	-	BJC11C1807A	0.38	0.07	49,130	-	CK08C1805A	-	-	-	-
BCPG06C1807A	0.01	-	282	-	BJC13C1807A	0.04	0.01	1	-	CK08C1809A	0.46	0.01	1,100	-
BCPG06C1811A	0.44	0.01	13,542	-	BJC13C1808A	0.13	0.02	51,937	-	CK11C1806A	0.04	(0.01)	1	-
BCPG07C1806A	-	-	-	-	BJC13C1810A	0.28	0.03	98,221	-	CK13C1806A	-	-	-	-
BCPG08C1805A	-	-	-	-	BJC19C1809A	0.29	0.06	36,779	-	CK13C1809A	0.17	0.01	11,331	-
BCPG08C1806A	-	-	-	-	BJC23C1806A	0.07	0.01	1,000	-	CK16C1812A	0.23	0.01	1,220	-
BCPG08C1810A	0.41	-	40,062	-	BJC24C1808A	0.13	0.02	500	-	CK23C1808A	-	-	-	-
BCPG11C1807A	0.73	0.01	15,184	-	BJC27C1807A	0.11	0.02	12,912	-	CK24C1806A	-	-	-	-
BCPG11C1902A	0.27	-	12,552	-	BJC28C1808A	0.14	0.03	146,109	-	CK24C1808A	-	-	-	-
BCPG13C1806A	-	-	-	-	BLA01C1812A	0.36	0.01	70,244	-	CK28C1806A	-	-	-	-
BCPG13C1807A	-	-	-	-	BLA07C1806A	-	-	-	-	CK28C1809A	0.57	0.05	72,881	-
BCPG13C1810A	0.38	-	91,182	-	BLA08C1811A	-	-	-	-	CKP11C1807A	0.43	(0.01)	12,800	-
BCPG23C1806A	0.29	-	1	-	BLA13C1809A	-	-	-	-	CKP13C1810A	0.38	0.01	26,709	-
BCPG24C1806A	-	-	-	-	BLA23C1810A	-	-	-	-	CKP23C1810A	0.39	(0.01)	17,000	-
BCPG24C1807A	-	-	-	-	BLA27C1806A	-	-	-	-	CKP24C1811A	0.41	(0.02)	1,000	-
BCPG24C1810A	-	-	-	-	BLA28C1810A	0.10	-	2,000	-	CKP27C1806A	-	-	-	-
BCPG28C1806A	-	-	-	-	BLAN01C1809A	0.65	0.01	30,541	-	CKP28C1809A	0.17	-	34,438	-
BCPG28C1808A	0.07	-	12,400	-	BLAN01C1809B	0.28	0.01	12,280	-	CKP28C1809B	0.41	(0.01)	32,448	-
BCPG28C1809A	0.35	(0.02)	82,388	-	BLAN01P1809A	0.13	(0.02)	3,285	-	CKP42C1806A	0.14	-	6,126	-
BDMS01C1806A	1.06	(0.07)	6,544	1.00	BLAN08C1810A	0.32	(0.02)	16,958	-	COM701C1806A	0.57	-	134,343	-
BDMS01C1806B	0.86	(0.01)	14,039	-	BLAN11C1902A	0.32	0.01	23,629	-	COM701C1806B	0.26	0.02	113,883	-
BDMS01P1806A	0.03	-	47,780	-	BLAN23C1807A	0.07	-	3,994	-	COM706C1809A	0.30	-	23,350	-
BDMS06C1811A	-	-	-	-	BPP01C1806A	0.13	(0.02)	18,273	-	COM708C1805A	-	-	-	-
BDMS08C1807A	0.70	(0.10)	50	-	BPP01C1806B	-	-	-	-	COM708C1811A	0.20	-	42,093	-
BDMS11C1811A	1.04	(0.06)	2,254	1.00	BPP06C1809A	0.47	(0.03)	21,267	-	COM711C1811A	0.41	(0.01)	33,300	-
BDMS13C1807A	-	-	-	-	BPP07C1806A	-	-	-	-	COM713C1809A	0.15	-	89,469	-
BDMS13C1810A	0.62	(0.07)	4,200	-	BPP08C1807A	-	-	-	-	COM719C1811A	0.33	0.01	43,818	-
BDMS13C1812A	0.20	(0.02)	52,768	-	BPP08C1810A	-	-	-	-	COM723C1806A	0.57	(0.01)	42,900	-
BDMS16C1812A	-	-	-	-	BPP11C1807A	-	-	-	-	COM724C1806A	0.02	(0.03)	1,000	-
BDMS23C1810A	0.69	(0.04)	6,902	-	BPP13C1806A	-	-	-	-	COM724C1811A	-	-	-	-
BDMS24C1805A	-	-	-	-	BPP13C1808A	0.42	(0.03)	36,940	-	COM728C1806A	-	-	-	-
BDMS24C1811A	0.65	(0.04)	1	-	BPP13C1811A	0.13	(0.01)	33,463	-	COM728C1808A	0.03	(0.01)	800	-
BDMS28C1806A	-	-	-	-	BPP23C1806A	-	-	-	-	CPAL01C1806A	0.58	0.07	296,909	-
BDMS28C1811A	0.15	-	61,880	-	BPP24C1809A	-	-	-	-	CPAL01C1808A	0.69	0.07	427,318	-
BEAU01C1807A	0.12	-	1,188,949	-	BPP28C1807A	-	-	-	-	CPAL01C1808B	0.26	0.04	210,394	-
BEAU01C1807B	0.03	-	266,361	-	BPP28C1808A	0.33	(0.03)	124,380	-	CPAL01P1806A	0.37	(0.07)	120,810	-
BEAU01P1807A	1.41	0.01	1,088,763	1.00	BTS01C1806A	0.63	(0.04)	66,323	-	CPAL01P1808A	0.75	(0.07)	109,552	-
BEAU06C1809A	0.06	(0.01)	149,035	-	BTS01C1810A	0.55	(0.02)	57,182	-	CPAL06C1811A	1.15	0.07	81,443	1.00
BEAU07C1809A	0.03	-	34,421	-	BTS01C									

Main Board Quotation

Issue Date :

Tuesday June 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF01C1809B	0.20	(0.03)	12,920	-	EPG13C1808A	0.07	0.02	2,100	-	INTU01C1809A	0.42	0.02	43,329	-
CPF01C1810A	0.24	(0.01)	24,149	-	EPG13C1811A	0.34	0.01	65,261	-	INTU01C1809B	0.13	0.01	35,684	-
CPF01P1809A	0.40	-	19,124	-	EPG23C1808A	-	-	-	-	INTU01P1809A	0.50	-	14,891	-
CPF06C1809A	0.62	(0.01)	1,000	-	EPG24C1807A	-	-	-	-	INTU01P1809B	0.29	(0.03)	26,204	-
CPF07C1810A	-	-	-	-	EPG24C1808A	-	-	-	-	INTU11C1807A	0.10	0.01	8,336	-
CPF08C1805A	-	-	-	-	EPG24C1810A	0.52	0.02	27,528	-	INTU11P1807A	0.36	(0.04)	7,392	-
CPF08C1809A	0.41	(0.06)	256	-	EPG28C1808A	0.08	-	3,000	-	INTU13C1806A	-	-	-	-
CPF11C1902A	0.11	(0.03)	10,711	-	ESSO01C1807A	0.08	(0.02)	99,605	-	INTU13C1810A	0.24	0.02	66,536	-
CPF11P1902A	0.34	0.01	6,232	-	ESSO01C1807B	0.02	-	3,024	-	INTU23C1806A	-	-	-	-
CPF13C1809A	0.53	(0.03)	1,645	-	ESSO01P1807A	1.24	0.06	88,799	1.00	INTU24C1807A	-	-	-	-
CPF13C1810A	0.14	(0.02)	17,020	-	ESSO08C1807A	-	-	-	-	INTU24C1901A	-	-	-	-
CPF23C1810A	-	-	-	-	ESSO13C1807A	0.03	(0.01)	17,842	-	INTU28C1809A	0.18	0.01	127,325	-
CPF24C1805A	-	-	-	-	ESSO13C1811A	0.28	(0.04)	38,991	-	IRPC01C1808A	0.15	(0.03)	102,745	-
CPF24C1809A	0.32	(0.03)	1,500	-	ESSO23C1809A	0.09	(0.01)	1,020	-	IRPC01C1810A	0.16	(0.02)	25,813	-
CPF28C1806A	-	-	-	-	ESSO24C1806A	-	-	-	-	IRPC01C1810B	0.06	(0.01)	51,830	-
CPF28C1808A	0.39	(0.05)	54,865	-	ESSO24C1812A	0.27	(0.01)	5,000	-	IRPC01P1808A	0.55	0.04	70,335	-
CPN01C1805A	-	-	-	-	ESSO28C1807A	0.01	(0.01)	14,152	-	IRPC01P1810A	0.46	0.03	83,906	-
CPN01C1808A	0.46	0.01	42,193	-	ESSO28C1811A	0.25	(0.03)	40,975	-	IRPC01P1810B	0.30	0.02	102,625	-
CPN01C1808B	0.14	-	8,687	-	GFPT01C1807A	0.09	(0.04)	96,681	-	IRPC06C1811A	0.21	(0.03)	14,396	-
CPN01P1805A	-	-	-	-	GFPT08C1807A	-	-	-	-	IRPC08C1808A	0.05	(0.01)	4,460	-
CPN06C1811A	0.56	(0.01)	4,616	-	GFPT11C1806A	-	-	-	-	IRPC11C1902A	0.08	(0.01)	3,167	-
CPN08C1809A	0.15	-	24,304	-	GFPT23C1806A	-	-	-	-	IRPC13C1806A	0.02	-	20,000	-
CPN11C1805A	-	-	-	-	GFPT24C1806A	-	-	-	-	IRPC13C1808A	-	-	-	-
CPN11C1903A	0.41	-	24,840	-	GFPT24C1812A	0.25	(0.04)	2,227	-	IRPC13C1811A	0.16	(0.02)	174,488	-
CPN11P1805A	-	-	-	-	GGC01C1810A	0.54	0.01	79,380	-	IRPC23C1810A	0.09	(0.02)	33,000	-
CPN11P1903A	0.62	0.01	18,625	-	GGC01C1810B	0.47	-	177,261	-	IRPC24C1805A	-	-	-	-
CPN13C1807A	0.09	-	2,380	-	GGC13C1811A	0.29	-	80,338	-	IRPC24C1808A	0.44	(0.18)	150	-
CPN23C1810A	0.37	-	20,000	-	GGC24C1812A	0.35	(0.01)	30,322	-	IRPC24C1809A	-	-	-	-
CPN24C1806A	-	-	-	-	GLO6C1805A	-	-	-	-	IRPC27C1809A	0.09	(0.01)	5,228	-
CPN24C1901A	0.47	-	400	-	GLOB01C1809A	0.44	0.02	98,016	-	IRPC28C1807A	-	-	-	-
CPN28C1807A	0.01	(0.01)	3,441	-	GLOB01C1809B	0.27	0.01	52,351	-	IRPC28C1811A	0.12	(0.02)	323,516	-
CPN28C1810A	0.35	0.01	178,169	-	GLOB06C1809A	0.28	0.01	1,200	-	ITD01C1808A	0.15	-	169,165	-
DELT01C1805A	-	-	-	-	GLOB08C1807A	0.12	-	49,338	-	ITD01C1808B	0.04	-	800	-
DELT08C1811A	0.18	(0.01)	3,141	-	GLOB11C1808A	0.22	(0.01)	21,252	-	ITD01P1808A	0.69	(0.02)	22,535	-
DELT13C1809A	0.13	(0.02)	4,107	-	GLOB13C1807A	-	-	-	-	ITD08C1806A	-	-	-	-
DELT24C1805A	-	-	-	-	GLOB23C1811A	0.44	-	31,000	-	ITD08C1810A	0.38	0.02	82,088	-
DELT27C1812A	0.17	(0.01)	6,600	-	GLOB24C1805A	-	-	-	-	ITD11C1805A	-	-	-	-
DTAC01C1808A	0.36	-	78,948	-	GLOB24C1810A	0.22	(0.03)	500	-	ITD11C1903A	0.42	0.02	53,104	-
DTAC01C1808B	0.16	-	13,594	-	GLOB27C1809A	0.13	-	30,442	-	ITD13C1809A	0.14	0.02	73,294	-
DTAC01C1810A	0.56	(0.01)	17,156	-	GLOB28C1807A	-	-	-	-	ITD23C1808A	-	-	-	-
DTAC01C1810B	0.27	-	80,389	-	GLOB28C1808A	0.12	-	76,540	-	ITD24C1807A	-	-	-	-
DTAC01P1808A	0.76	(0.02)	53,189	-	GLOW08C1806A	0.01	(0.01)	1,777	-	ITD24C1810A	0.23	(0.01)	45,300	-
DTAC01P1810A	1.08	(0.02)	34,601	1.00	GLOW08C1811A	0.44	0.01	6,152	-	ITD28C1808A	0.08	(0.03)	800	-
DTAC01P1810B	0.75	(0.02)	37,652	-	GLOW11C1807A	0.34	(0.01)	2,380	-	ITD28C1808B	0.22	0.02	316,984	-
DTAC06C1806A	-	-	-	-	GLOW23C1806A	0.05	(0.02)	2,500	-	ITL01C1806A	0.69	0.05	194,731	-
DTAC06P1809A	0.42	(0.05)	48	-	GLOW27C1812A	0.28	-	5,052	-	ITL01C1808A	0.51	0.04	208,124	-
DTAC07C1809A	-	-	-	-	GPSC01C1808A	0.53	0.04	78,228	-	ITL01C1808B	0.25	0.03	103,759	-
DTAC08C1809A	0.22	(0.01)	25,242	-	GPSC01C1808B	0.19	-	31,126	-	ITL01P1806A	0.13	(0.02)	54,362	-
DTAC08P1807A	0.27	-	18,384	-	GPSC01P1808A	1.12	(0.05)	31,982	1.00	ITL01P1808A	0.77	(0.05)	198,376	-
DTAC11C1806A	-	-	-	-	GPSC06C1811A	0.48	0.04	2,022	-	ITL01P1808B	0.35	(0.04)	105,576	-
DTAC13C1806A	0.04	(0.03)	3,212	-	GPSC08C1805A	-	-	-	-	ITL06C1807A	0.27	0.03	4,400	-
DTAC13C1811A	0.27	(0.02)	32,114	-	GPSC08C1808A	0.12	0.01	16,113	-	ITL07C1811A	0.55	0.03	9,001	-
DTAC13P1806A	-	-	-	-	GPSC11C1808A	1.05	0.04	27,670	1.00	ITL08C1806A	0.33	0.05	39,953	-
DTAC13P1811A	0.69	-	46,951	-	GPSC11C1902A	0.43	0.02	16,200	-	ITL08P1809A	0.09	(0.02)	15,656	-
DTAC23C1807A	0.02	-	1	-	GPSC13C1806A	-	-	-	-	ITL11C1808A	0.96	0.06	37,870	-
DTAC23P1807A	-	-	-	-	GPSC13C1807A	0.16	0.02	88,503	-	ITL11P1808A	-	-	-	-
DTAC24C1809A	0.26	0.01	2,050	-	GPSC13C1808A	0.11	(0.01)	99,970	-	ITL13C1806A	0.01	-	39,895	-
DTAC27C1809A	0.15	-	13,686	-	GPSC23C1805A	-	-	-	-	ITL13C1809A	0.46	0.04	62,580	-
DTAC27P1809A	0.20	(0.02)	38,817	-	GPSC24C1807A	0.33	0.01	1,401	-	ITL13C1810A	0.38	0.03	136,078	-
DTAC28C1806A	-	-	-	-	GPSC24C1808A	-	-	-	-	ITL13P1809A	0.13	(0.03)	64,232	-
DTAC28C1810A	0.19	(0.01)	163,360	-	GPSC28C1806A	0.29	(0.44)	100	-	ITL19C1809A	0.63	0.04	117,141	-
DTAC28C1806A	-	-	-	-	GPSC28C1807A	0.25	-	71,830	-	ITL23C1810A	0.63	0.02	24,000	-
DTAC42P1806A	0.88	(0.09)	432	-	GPSC28C1807B	-	-	-	-	ITL24C1808A	0.29	0.02	15,020	-
EA01C1806A	0.03	0.01	11,896	-	GPSC42C1806A	1.16	0.06	4,194	1.00	ITL28C1806A	-	-	-	-
EA01C1806B	0.02	0.01	2,954	-	GUNK01C1808A	0.09	(0.01)	4,985	-	ITL28C1807A	0.43	0.03	2,500	-
EA01C1809A	0.94	0.06	146,452	-	GUNK01C1808B	0.02	-	4,050	-	ITL28C1808A	0.19	0.02	360,807	-
EA01C1809B	0.75	0.06	133,264	-	GUNK08C1807A	0.01	-	100	-	ITL28P1806A	-	-	-	-
EA01P1806A	2.78	(0.10)	26,668	2.00	GUNK11C1805A	-	-	-	-	ITL28P1806B	-	-	-	-
EA01P1809A	0.87	(0.05)	95,194	-	GUNK11C1903A	0.26	-	5,722	-	ITL28P1811A	0.54	(0.04)	98,499	-
EA06C1809A	0.03	0.01	1,001	-	GUNK23C1806A	-	-	-	-	KBAN01C1808A	0.25	0.06	281,628	-
EA07C1810A	0.16	0.02	20	-	GUNK24C1807A	-	-	-	-	KBAN01C1808B	0.04	0.01	50,372	-
EA08C1807A	-	-	-	-	GUNK24C1812A	0.43	-	49	-	KBAN01C1810A	1.19	0.19	349,310	1.00
EA08C1809A	0.05	-	3,290	-	GUNK28C1806A	-	-	-	-	KBAN01P1808A	0.91	(0.13)	26,838	-
EA08C1810A	0.41	0.05	106,635	-	GUNK28C1808A	0.03	(0.02)	80	-	KBAN01P1808B	0.46	(0.12)	54,661	-
EA11C1902A	0.22	0.04	55,782	-	GUNK28C1810A	0.44	(0.01)	38,118	-	KBAN01P1810A	0.48	(0.13)	74,484	-
EA13C1806A	0.01	-	1	-	HANA01C1806A	0.01	-	30	-	KBAN06C1811A	0.83	0.18	44,884	-
EA13C1807A	-	-	-	-	HANA01C1806B	0.01	-	16,375	-	KBAN07C1811A	0.41	0.08	1,102	-
EA13C1808A	0.01	(0.01)	17,381	-	HANA08C1806A	-	-	-	-	KBAN08C1805A	-	-	-	-
EA13C1808B	0.22	0.03	311,149	-	HANA08C1809A	0.14	0.02	16,877	-	KBAN08C1811A	0.73	0.13	137,207	-
EA13C1809A	0.04	-	2,666	-	HANA13C1806A	-	-	-	-	KBAN08P1805A	-	-	-	-
EA13C1810A	0.14	0.02	235,971	-	HANA13C1809A	0.17	0.01	81,778	-	KBAN08P1811A	0.50	(0.12)	46,842	-
EA13P1809A	0.72	(0.07)	35,910	-	HANA23C1811A	0.38	0.02	12,001	-	KBAN13C1807A	0.01	(0.01)	2,001	-
EA23C1806A	0.06	0.03	10	-	HANA24C1808A	-	-	-	-	KBAN13C1810A	0.24	0.04	58,147	-
EA24C1805A	-	-	-	-	HANA24C1810A	-	-	-	-	KBAN13C1811A	0.97	0.16	294,715	-
EA24C1807A	0.01	-	2	-	HANA28C1807A	-	-	-	-	KBAN23C1806A	-	-	-	-
EA24C1809A	0.51	0.09	2,805	-	HANA28C1808A	0.10	-	7,912	-	KBAN24C1806A	-	-	-	-
EA28C1806A	-	-	-	-	HMPR01C1808A	0.32	0.02	87,808	-	KBAN24C1902A	0.90	0.16	1,003	-
EA28C1809A	0.61	0.05	112,833	-	HMPR01C1808B	0.15	0.03	43,900	-	KBAN24P1811A</				

Main Board Quotation

Issue Date :

Tuesday June 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE23C1807A	-	-	-	-	MEGA27C1807A	-	-	-	-	PTT07C1811A	0.28	-	162	-
KCE23C1901A	-	-	-	-	MEGA28C1808A	0.04	(0.01)	9,056	-	PTT08C1805A	-	-	-	-
KCE24C1808A	0.12	-	6,115	-	MINT01C1805A	-	-	-	-	PTT08C1807A	0.36	0.01	4,945	-
KCE28C1808A	0.10	(0.01)	19,478	-	MINT01C1808A	0.04	-	215,698	-	PTT08C1809A	0.13	0.01	68,090	-
KKP01C1808A	0.27	0.02	21,555	-	MINT01C1808B	0.02	-	1,611	-	PTT08P1805A	-	-	-	-
KKP01C1808B	0.05	-	3,000	-	MINT01P1805A	-	-	-	-	PTT08P1809A	0.48	(0.02)	30,918	-
KKP07C1806A	-	-	-	-	MINT01P1808A	0.88	(0.03)	48,533	-	PTT11C1806A	2.16	0.04	15,596	2.00
KKP08C1805A	-	-	-	-	MINT06C1809A	0.04	0.01	25,860	-	PTT11C1902A	0.31	0.01	53,028	-
KKP08C1811A	0.38	0.01	30,004	-	MINT07C1810A	0.04	-	400	-	PTT13C1807A	0.32	0.01	172,410	-
KKP11C1805A	-	-	-	-	MINT08C1809A	0.03	-	7,580	-	PTT13C1808A	0.08	-	544,456	-
KKP11C1903A	0.32	0.02	6,850	-	MINT11C1902A	0.10	0.01	149,562	-	PTT13C1810A	0.18	0.01	399,664	-
KKP13C1807A	-	-	-	-	MINT11P1902A	0.47	(0.02)	30,256	-	PTT13C1811A	0.40	0.02	247,545	-
KKP13C1811A	0.35	0.02	21,735	-	MINT13C1810A	0.10	0.01	129,990	-	PTT13P1807A	0.07	-	13,130	-
KKP23C1807A	0.05	-	500	-	MINT23C1810A	0.08	0.03	199	-	PTT13P1808A	0.45	(0.02)	180,976	-
KKP24C1807A	-	-	-	-	MINT24C1807A	-	-	-	-	PTT19C1809A	0.22	-	103,749	-
KKP28C1807A	-	-	-	-	MINT24C1812A	0.06	-	250	-	PTT23C1805A	-	-	-	-
KKP28C1810A	0.25	0.01	67,520	-	MINT28C1806A	-	-	-	-	PTT23C1901A	-	-	-	-
KTB01C1808A	0.23	0.03	40,997	-	MINT28C1808A	0.04	0.01	7,007	-	PTT23P1805A	-	-	-	-
KTB01C1810A	0.39	0.03	116,242	-	MON001C1810A	0.16	-	47,383	-	PTT24C1806A	0.36	0.01	51	-
KTB01C1810B	0.29	0.05	229,293	-	MON001C1810B	0.11	0.01	25,970	-	PTT24C1809A	0.18	0.01	1,840	-
KTB01P1808A	0.55	(0.05)	48,035	-	MON008C1808A	-	-	-	-	PTT24P1808A	-	-	-	-
KTB08C1809A	0.12	0.03	1,610	-	MON008C1906A	0.22	0.01	22,022	-	PTT27C1809A	0.60	-	7,000	-
KTB11C1811A	0.22	0.02	48,429	-	MON013C1808A	0.02	0.01	500	-	PTT27P1809A	0.22	-	2,000	-
KTB13C1809A	0.12	0.01	83,142	-	MON013C1811A	0.13	0.02	49,165	-	PTT28C1807A	0.24	0.02	156,088	-
KTB23C1811A	0.29	0.03	82,000	-	MON023C1809A	0.01	-	2,116	-	PTT28C1808A	0.11	0.01	21,234	-
KTB24C1808A	-	-	-	-	MON024C1807A	-	-	-	-	PTT28C1808B	0.05	-	17,171	-
KTB24C1811A	0.26	0.02	1,485	-	MON024C1812A	0.05	-	22,275	-	PTT28C1811A	0.14	-	450,084	-
KTB24P1901A	0.45	(0.05)	260	-	MON028C1807A	-	-	-	-	PTT28P1808A	0.31	-	348,037	-
KTB28C1806A	-	-	-	-	MON028C1808A	-	-	-	-	PTT28P1808B	0.58	0.01	62,823	-
KTB28C1809A	0.09	0.01	26,670	-	MON028C1811A	0.11	0.01	49,948	-	PTTE01C1808A	1.14	0.01	237,705	1.00
KTC01C1806A	5.10	0.10	1,977	5.00	MTC06C1806A	0.31	0.08	44,243	-	PTTE01C1808B	0.73	0.01	237,145	-
KTC01C1806B	7.05	0.15	460	6.00	MTC07C1806A	0.01	-	1,001	-	PTTE01P1806A	0.20	(0.01)	81,231	-
KTC01C1808A	1.56	0.05	98,190	1.00	MTC08C1807A	0.03	0.01	6,030	-	PTTE06C1811A	0.58	(0.05)	51,382	-
KTC01C1808B	1.02	0.04	115,294	1.00	MTC08C1811A	0.15	0.04	186,065	-	PTTE07C1809A	0.40	(0.01)	2,180	-
KTC06C1807A	2.04	-	15,512	2.00	MTC11C1806A	0.13	0.04	25,788	-	PTTE08C1805A	-	-	-	-
KTC08C1807A	6.35	(0.60)	139	6.00	MTC13C1809A	0.08	0.02	254,606	-	PTTE08C1807A	-	-	-	-
KTC08C1808A	1.63	(0.12)	860	1.00	MTC23C1808A	0.07	0.02	20,600	-	PTTE08C1811A	0.49	(0.02)	81,095	-
KTC11C1902A	1.68	0.06	26,871	1.00	MTC24C1808A	0.01	-	3,968	-	PTTE08P1805A	-	-	-	-
KTC13C1806A	-	-	-	-	MTC24C1810A	0.18	0.05	6,380	-	PTTE08P1809A	0.13	(0.01)	59,732	-
KTC13C1807A	6.45	(0.50)	95	6.00	MTC27C1807A	-	-	-	-	PTTE08P1811A	0.49	0.01	70,172	-
KTC13C1808A	1.70	0.11	2,001	1.00	MTC28C1806A	0.01	-	200	-	PTTE11C1806A	3.34	(0.04)	14,430	3.00
KTC13C1809A	1.05	0.01	3,799	1.00	MTC28C1808A	0.04	0.01	1,854	-	PTTE11C1902A	0.64	(0.07)	53,492	-
KTC13C1809B	0.98	0.03	312,976	-	MTC28C1809A	0.24	0.05	627,275	-	PTTE13C1806A	-	-	-	-
KTC13P1807A	0.08	(0.01)	27,268	-	MTC42C1806A	0.12	0.03	44,914	-	PTTE13C1807A	0.58	0.01	3,115	-
KTC23C1806A	-	-	-	-	ORI08C1807A	0.24	(0.02)	17,610	-	PTTE13C1811A	0.46	(0.01)	154,072	-
KTC23C1809A	1.77	(0.02)	2,010	1.00	ORI11C1811A	0.39	-	14,826	-	PTTE13P1807A	-	-	-	-
KTC24C1808A	1.88	(0.14)	1,228	1.00	ORI13C1806A	0.01	-	2,606	-	PTTE13P1811A	0.44	0.02	124,884	-
KTC24C1810A	0.82	0.03	9,615	-	ORI13C1810A	0.78	-	178,308	-	PTTE23C1805A	-	-	-	-
KTC24P1807A	0.11	(0.01)	16,653	-	ORI23C1809A	-	-	-	-	PTTE23C1901A	-	-	-	-
KTC27C1806A	-	-	-	-	ORI24C1806A	-	-	-	-	PTTE23P1805A	-	-	-	-
KTC28C1806A	-	-	-	-	ORI24C1810A	0.58	0.01	550	-	PTTE24C1805A	-	-	-	-
KTC28C1806B	-	-	-	-	ORI28C1806A	-	-	-	-	PTTE24C1807A	0.44	(0.01)	440	-
KTC28C1808A	-	-	-	-	ORI28C1808A	0.27	(0.01)	23,746	-	PTTE24C1811A	-	-	-	-
KTC28C1808B	1.59	0.01	29,385	1.00	PLAN08C1811A	0.23	-	11,161	-	PTTE24P1809A	0.06	-	12,490	-
KTC28C1809A	1.12	0.08	800	1.00	PLAN11C1805A	-	-	-	-	PTTE27C1809A	-	-	-	-
KTC28C1810A	0.98	0.03	114,535	-	PLAN13C1809A	0.16	-	9,122	-	PTTE27P1809A	0.12	-	9,900	-
LH01C1809A	0.32	(0.01)	12,807	-	PLAN23C1806A	-	-	-	-	PTTE28C1807A	0.56	(0.04)	424	-
LH01C1809B	0.20	(0.01)	10,655	-	PLAN28C1810A	0.20	-	43,341	-	PTTE28C1810A	0.39	(0.01)	217,025	-
LH01P1809A	-	-	-	-	PSH01C1805A	-	-	-	-	PTTE28C1811A	0.27	(0.01)	211,941	-
LH06C1809A	0.25	-	15,672	-	PSH01C1810A	0.53	0.01	28,783	-	PTTE28P1811A	0.44	0.01	258,067	-
LH07C1810A	-	-	-	-	PSH01C1810B	0.29	(0.01)	14,039	-	PTTG01C1805A	-	-	-	-
LH11C1808A	0.22	0.02	8,108	-	PSH01P1805A	-	-	-	-	PTTG01C1808A	0.52	0.08	251,920	-
LH13C1808A	0.22	0.01	17,413	-	PSH01P1810A	0.72	-	12,696	-	PTTG01C1810A	0.54	0.07	143,806	-
LH23C1806A	0.07	(0.01)	10,010	-	PSH08C1805A	-	-	-	-	PTTG01C1810B	0.20	0.03	94,229	-
LH24C1806A	-	-	-	-	PSH08C1811A	0.23	(0.01)	14,232	-	PTTG01P1805A	-	-	-	-
LH24C1809A	-	-	-	-	PSH11C1902A	0.39	-	8,112	-	PTTG01P1808A	0.86	(0.12)	69,453	-
LH28C1808A	0.11	-	10,980	-	PSH23C1811A	0.42	0.01	10,880	-	PTTG01P1811A	1.38	(0.08)	30,455	1.00
LHFG42C1806A	-	-	-	-	PSH42C1806A	-	-	-	-	PTTG06C1809A	0.25	0.05	238,357	-
LPN01C1809A	0.11	(0.02)	3,683	-	PSL01C1807A	0.29	-	85,789	-	PTTG07C1806A	0.17	0.06	18,529	-
LPN01C1811A	0.35	(0.01)	13,938	-	PSL23C1809A	0.11	0.01	36,354	-	PTTG08C1805A	-	-	-	-
LPN01C1811B	0.22	(0.02)	15,130	-	PSL24C1807A	0.16	0.01	5,000	-	PTTG08C1811A	0.32	0.06	37,917	-
LPN01P1809A	0.60	0.01	12,295	-	PTG01C1805A	-	-	-	-	PTTG08P1805A	-	-	-	-
LPN08C1807A	-	-	-	-	PTG01C1806A	0.13	-	244,103	-	PTTG08P1811A	0.84	(0.10)	25,015	-
LPN08C1810A	0.11	0.01	2,000	-	PTG01C1806B	0.01	(0.01)	13,000	-	PTTG11C1902A	0.33	0.04	80,401	-
LPN11C1806A	0.03	(0.02)	218	-	PTG01P1805A	-	-	-	-	PTTG13C1808A	0.15	0.04	92,441	-
LPN23C1806A	-	-	-	-	PTG06C1810A	0.20	(0.01)	7,000	-	PTTG23C1805A	-	-	-	-
LPN24C1808A	-	-	-	-	PTG06C1904A	0.73	(0.02)	4,906	-	PTTG23C1901A	-	-	-	-
LPN24C1812A	0.32	(0.03)	30	-	PTG07C1806A	-	-	-	-	PTTG24C1808A	0.09	0.03	610,700	-
LPN27C1807A	-	-	-	-	PTG08C1807A	0.01	-	25,106	-	PTTG24P1808A	0.16	(0.04)	3,400	-
MAJO08C1811A	0.13	-	1,893	-	PTG11C1805A	-	-	-	-	PTTG27C1807A	0.37	0.06	18,152	-
MAJO11C1902A	-	-	-	-	PTG11C1903A	0.43	-	15,334	-	PTTG27P1807A	-	-	-	-
MAJO23C1806A	-	-	-	-	PTG13C1806A	-	-	-	-	PTTG28C1807A	0.01	-	4,500	-
MAJO24C1809A	-	-	-	-	PTG13C1809A	0.24	-	152,169	-	PTTG28C1807B	0.04	0.01	5,880	-
MAJO42C1806A	-	-	-	-	PTG23C1808A	-	-	-	-	QH01C1807A	0.41	(0.05)	23,798	-
MALE01C1812A	0.03	-	24,163	-	PTG24C1805A	-	-	-	-	QH01C1810A	0.47	(0.05)	61,459	-
MALE08C1805A	-	-	-	-	PTG24C1809A	0.26	(0.04)	1,000	-	QH01C1810B	0.39	(0.07)	27,379	-
MALE08C1811A	-	-	-	-	PTG27C1809A	-	-	-	-	QH01P1807A	0.24	0.03	33,958	-
MALE13C1809A	0.03	-	4,488	-	PTG28C1806A	-	-	-	-	QH08C1808A	0.26	(0.02)	14,775	-
MALE23C1806A	-	-	-	-	PTG28C1808A	0.16	-	146,839	-					

Main Board Quotation

Issue Date :

Tuesday June 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S23C1805A	-	-	-	-	SCCC08C1811A	-	-	-	-	TCAP11C1811A	0.23	0.02	19,250	-
S42C1806A	-	-	-	-	SCCC13C1809A	-	-	-	-	TCAP13C1809A	0.15	0.03	72,126	-
S5001C1805A	-	-	-	-	SCCC23C1806A	-	-	-	-	TCAP23C1807A	0.26	0.05	42,929	-
S5001C1805B	-	-	-	-	SCCC27C1812A	0.12	-	2,700	-	TCAP24C1807A	-	-	-	-
S5001C1806F	0.65	0.11	2,428,049	-	SGP08C1808A	0.02	0.01	35,842	-	TCAP27C1807A	-	-	-	-
S5001C1806G	0.06	0.03	462,712	-	SGP13C1806A	0.75	(0.04)	900	-	THAI01C1806A	0.12	-	13,472	-
S5001C1806H	0.19	0.05	514,725	-	SGP13C1807A	0.01	(0.01)	10	-	THAI01C1808A	0.30	0.01	11,250	-
S5001C1806I	0.02	0.01	12,760	-	SGP13C1808A	0.03	0.01	26,811	-	THAI01C1808B	0.10	(0.01)	15,946	-
S5001C1807A	0.64	0.06	218,331	-	SGP13C1811A	0.08	-	6,253	-	THAI01P1806A	0.71	(0.02)	20,011	-
S5001C1807B	0.55	0.06	661,748	-	SGP23C1805A	-	-	-	-	THAI01P1808A	0.59	(0.02)	13,375	-
S5001P1805A	-	-	-	-	SGP24C1806A	-	-	-	-	THAI06C1809A	0.37	-	9,190	-
S5001P1805B	-	-	-	-	SGP24C1808A	-	-	-	-	THAI07C1811A	-	-	-	-
S5001P1806F	1.29	(0.17)	1,880,239	1.00	SGP24C1811A	0.11	-	1,350	-	THAI08C1808A	0.15	0.01	20,542	-
S5001P1806G	0.24	(0.11)	1,646,756	-	SGP28C1808A	0.01	-	2,140	-	THAI11C1808A	-	-	-	-
S5001P1806H	1.93	(0.13)	331,776	2.00	SGP28C1809A	0.01	(0.01)	7	-	THAI13C1811A	0.24	-	10,725	-
S5001P1806I	0.80	(0.26)	1,238,811	1.00	SGP28C1811A	0.07	-	1,056	-	THAI23C1805A	-	-	-	-
S5001P1807A	1.27	(0.08)	97,490	1.00	SIRI01C1808A	0.05	-	43,343	-	THAI23C1901A	-	-	-	-
S5001P1807B	0.90	(0.09)	378,141	1.00	SIRI01C1808B	0.02	-	511	-	THAI24C1808A	-	-	-	-
S5006C1806A	0.02	-	4,200	-	SIRI01P1808A	0.45	(0.03)	10,510	-	THAI27C1809A	-	-	-	-
S5006C1806B	0.02	-	4	-	SIRI08C1808A	-	-	-	-	THAI28C1808A	-	-	-	-
S5006C1809A	0.62	0.07	37,645	-	SIRI08C1810A	0.32	0.01	61,596	-	THAN01C1812A	0.51	0.02	68,044	-
S5006C1809B	0.45	0.04	3,226	-	SIRI11C1902A	0.29	0.02	60,516	-	THAN13C1809A	0.09	-	11,542	-
S5006P1806A	0.02	(0.01)	2,358	-	SIRI13C1809A	0.05	-	112	-	THAN23C1807A	-	-	-	-
S5006P1806B	0.19	(0.09)	7,011	-	SIRI23C1811A	0.43	0.03	38,548	-	THAN28C1810A	0.17	0.01	48,518	-
S5006P1809A	1.29	(0.15)	6,064	1.00	SIRI24C1809A	0.17	(0.01)	2,211	-	THCO01C1809A	0.16	(0.01)	4,886	-
S5006P1809B	0.67	(0.09)	4,325	-	SIRI28C1807A	-	-	-	-	THCO01P1809A	0.59	-	21,491	-
S5008C1806A	0.05	0.02	31,538	-	SIRI28C1809A	0.21	0.01	184,556	-	THCO11C1902A	0.20	-	167	-
S5008C1806B	0.03	-	739	-	SPAL01C1805A	-	-	-	-	THCO23C1808A	-	-	-	-
S5008P1806A	0.43	(0.14)	134,811	-	SPAL01C1808A	0.57	(0.05)	108,101	-	THCO24C1805A	-	-	-	-
S5008P1806B	0.41	(0.15)	128,534	-	SPAL01C1808B	0.19	(0.06)	199,984	-	THCO24C1807A	-	-	-	-
S5013C1806A	0.05	0.01	233,823	-	SPAL01P1805A	-	-	-	-	THCO24C1810A	-	-	-	-
S5013C1806B	0.02	0.01	1,034,495	-	SPAL06C1809A	0.62	(0.08)	15,040	-	THCO28C1806A	-	-	-	-
S5013C1806C	0.27	0.04	879,350	-	SPAL08C1808A	0.19	(0.03)	23,828	-	THCO28C1808A	0.07	-	1,799	-
S5013C1806D	0.16	0.04	1,034,672	-	SPAL11C1807A	0.34	(0.06)	44,468	-	TISCO01C1808A	0.66	0.11	111,531	-
S5013C1806E	0.26	0.05	2,529,842	-	SPAL23C1811A	-	-	-	-	TISCO1C1808B	0.27	0.07	39,794	-
S5013C1809A	0.56	0.09	2,347,567	-	SPAL24C1808A	0.08	-	18	-	TISCO8C1808A	0.31	0.07	38,015	-
S5013C1809B	0.84	0.10	1,423,547	-	SPAL24C1812A	-	-	-	-	TISC11C1805A	-	-	-	-
S5013P1806A	0.50	(0.18)	4,607,878	-	SPCG13C1806A	0.08	0.01	1,200	-	TISC11C1903A	0.49	0.08	26,755	-
S5013P1806B	0.32	(0.18)	1,036,009	-	SPRC01C1805A	-	-	-	-	TISC13C1807A	0.23	0.07	70,433	-
S5013P1806C	1.08	(0.18)	216,997	1.00	SPRC01C1808A	0.28	0.01	59,095	-	TISC13C1811A	0.69	0.12	102,217	-
S5013P1806D	0.07	(0.05)	439,175	-	SPRC01C1808B	0.08	(0.01)	8,000	-	TISC24C1806A	0.29	0.04	1,000	-
S5013P1806E	0.59	(0.22)	1,199,155	-	SPRC01P1805A	-	-	-	-	TISC24C1812A	0.61	0.08	1,010	-
S5013P1809A	1.32	(0.16)	1,155,510	1.00	SPRC06C1809A	-	-	-	-	TISC27C1807A	0.25	0.07	21,382	-
S5013P1809B	0.77	(0.11)	1,432,350	-	SPRC08C1808A	0.11	-	2,000	-	TISC28C1807A	0.15	0.05	205,780	-
S5028C1806A	0.03	-	11,343	-	SPRC11C1902A	0.18	(0.01)	12,354	-	TISC42C1806A	0.89	0.11	5,528	-
S5028C1806B	0.06	0.02	26,671	-	SPRC13C1808A	0.11	(0.02)	14,058	-	TKN01C1805A	-	-	-	-
S5028C1806C	0.18	0.06	763,224	-	SPRC23C1810A	0.22	(0.02)	21,718	-	TKN01C1808A	0.42	(0.01)	161,542	-
S5028C1807A	0.35	0.05	796,317	-	SPRC24C1808A	-	-	-	-	TKN01C1808B	0.19	-	43,398	-
S5028P1806A	0.55	(0.17)	1,780,333	-	SPRC28C1806A	-	-	-	-	TKN06C1806A	-	-	-	-
S5028P1806B	0.18	(0.08)	1,969,888	-	STA01C1807A	0.11	-	603	-	TKN08C1805A	-	-	-	-
S5028P1806C	-	-	-	-	STA01C1807B	-	-	-	-	TKN08C1808A	0.06	(0.02)	970	-
S5028P1807A	0.99	(0.13)	255,999	1.00	STA08C1807A	0.06	-	1	-	TKN08C1811A	0.50	-	92,334	-
SAMA13C1806A	-	-	-	-	STA13C1807A	-	-	-	-	TKN11C1902A	0.48	-	36,188	-
SAWA01C1808A	0.09	0.01	24,558	-	STA13C1808A	0.21	-	41,805	-	TKN13C1808A	0.13	-	14,879	-
SAWA01C1808B	0.02	-	17,834	-	STA23C1809A	0.27	(0.02)	5,650	-	TKN13C1810A	0.52	(0.06)	1,481	-
SAWA01P1808A	2.18	(0.10)	71,975	2.00	STA24C1808A	-	-	-	-	TKN13C1811A	0.43	-	83,058	-
SAWA06C1807A	-	-	-	-	STA28C1807A	-	-	-	-	TKN19C1811A	0.47	(0.01)	46,314	-
SAWA06C1811A	-	-	-	-	STEC01C1809A	0.44	0.04	159,588	-	TKN23C1806A	-	-	-	-
SAWA08C1805A	-	-	-	-	STEC01C1809B	1.43	0.17	43,074	1.00	TKN24C1807A	-	-	-	-
SAWA08C1808A	-	-	-	-	STEC01P1809A	0.87	(0.05)	13,732	-	TKN24C1811A	-	-	-	-
SAWA08C1811A	0.05	-	27,841	-	STEC06C1809A	0.53	0.02	27,488	-	TKN28C1806A	-	-	-	-
SAWA11C1808A	-	-	-	-	STEC08C1809A	0.39	0.05	14,931	-	TKN28C1808A	0.17	-	207,127	-
SAWA13C1807A	-	-	-	-	STEC11C1805A	-	-	-	-	TMB01C1807A	0.05	0.01	43,890	-
SAWA13C1810A	0.02	0.01	2,423	-	STEC11C1903A	0.67	0.05	22,971	-	TMB01C1810A	0.39	0.03	74,493	-
SAWA13C1811A	0.05	-	4,686	-	STEC13C1809A	0.31	0.02	110,963	-	TMB01C1810B	0.32	0.04	53,552	-
SAWA13C1812A	0.28	0.04	194,949	-	STEC23C1808A	0.02	-	18,145	-	TMB01P1807A	0.74	(0.04)	12,716	-
SAWA23C1807A	-	-	-	-	STEC24C1808A	-	-	-	-	TMB06C1809A	0.09	-	700	-
SAWA24C1808A	-	-	-	-	STEC28C1806A	-	-	-	-	TMB07C1811A	-	-	-	-
SAWA28C1807A	-	-	-	-	STEC28C1808A	0.25	0.02	156,894	-	TMB08C1808A	0.04	0.01	15,331	-
SAWA28C1809A	-	-	-	-	STEC28C1810A	0.63	0.05	157,480	-	TMB11C1806A	0.19	0.02	69,706	-
SAWA28C1810A	0.04	-	56,082	-	STPI08C1811A	0.13	(0.01)	2,200	-	TMB13C1811A	0.20	0.02	90,463	-
SAWA28C1811A	0.30	0.03	386,449	-	STPI23C1805A	-	-	-	-	TMB23C1810A	-	-	-	-
SCB01C1808A	0.32	0.06	299,520	-	STPI23C1806A	-	-	-	-	TMB24C1809A	0.04	-	605	-
SCB01C1808B	0.06	0.02	4,550	-	STPI28C1807A	-	-	-	-	TMB28C1806A	-	-	-	-
SCB01C1810A	0.59	0.09	149,982	-	SUPE06C1806A	0.10	0.04	125,450	-	TMB28C1808A	0.01	-	12,112	-
SCB01P1808A	1.16	(0.13)	47,607	1.00	SUPE08C1808A	0.15	-	43,491	-	TMB28C1809A	0.13	0.01	187,579	-
SCB01P1808B	0.54	(0.13)	33,534	-	SUPE08C1811A	0.28	0.02	143,006	-	TOP01C1805A	-	-	-	-
SCB06C1811A	0.69	0.08	42,016	-	SUPE13C1806A	0.05	0.01	3,744	-	TOP01C1808A	0.20	(0.05)	40,794	-
SCB08C1806A	-	-	-	-	SUPE13C1810A	0.23	0.01	125,822	-	TOP01C1808B	0.05	(0.01)	11,726	-
SCB11C1901A	0.34	0.05	34,709	-	SUPE13C1811A	0.26	0.01	5,233	-	TOP01P1805A	-	-	-	-
SCB11P1901A	0.61	(0.06)	19,240	-	SUPE23C1811A	0.38	(0.04)	7,554	-	TOP01P1808A	1.01	0.10	25,742	1.00
SCB13C1809A	0.20	0.04	98,381	-	SUPE23C1901A	0.16	(0.84)	520	-	TOP06C1809A	-	-	-	-
SCB24C1806A	-	-	-	-	SUPE28C1806A	-	-	-	-	TOP08C1805A	-	-	-	-
SCB24C1902A	0.60	0.08	2	-	SUPE28C1807A	-	-	-	-	TOP08C1811A	0.35	(0.06)	23,704	-
SCB24P1811A	0.41	(0.10)	8,000	-	SUPE28C1810A	0.15	0.02	9,439	-	TOP11C1808A	0.08	(0.02)	1,013	-
SCB28C1808A	-	-	-	-	SUPE28C1811A	-	-	-	-	TOP13C1806A	-	-	-	-
SCB28C1809A	0.21	0.05	334,807	-	TASC01C1806A	0.08	-	7,018	-	TOP13C1811A	0.34	(0.06)	89,855	-
SCB28P1808A	0.22	(0.06)	242,916	-	TASC01C1809A	0.13	(0.01)	11,073	-	TOP18C1808A	-	-	-</	

Main Board Quotation

Issue Date :

Tuesday June 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCC28C1807A	-	-	-	-	TCAP08C1810A	0.22	0.02	36,076	-	TPIP01C1805A	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday June 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TPIP01C1810A	0.46	(0.05)	20,319	-	WHA07C1810A	0.44	(0.05)	700	-	NPP-W3	0.42	0.01	35,728	-
TPIP01C1810B	0.28	(0.04)	24,079	-	WHA08C1805A	-	-	-	-	NUSA-W3	0.14	-	20	-
TPIP01P1805A	-	-	-	-	WHA08C1811A	0.47	0.01	51,155	-	ORI-W1	3.00	(0.02)	8,062	3.00
TPIP01P1810A	0.69	0.04	31,984	-	WHA11C1805A	-	-	-	-	PACE-W1	0.01	(0.01)	13,143	-
TPIP07C1806A	-	-	-	-	WHA11C1903A	0.43	0.01	30,105	-	PACE-W2	0.06	-	7,256	-
TPIP08C1808A	-	-	-	-	WHA13C1808A	0.36	0.02	136,494	-	PDJ-W2	1.64	0.04	25	1.00
TPIP11C1811A	0.14	(0.01)	13,910	-	WHA23C1810A	0.59	-	15,204	-	PDJ-W3	1.46	(0.02)	16	1.00
TPIP13C1811A	0.32	(0.04)	27,442	-	WHA24C1805A	-	-	-	-	PDJ-W4	1.58	0.11	51	1.00
TPIP23C1808A	-	-	-	-	WHA24C1807A	0.10	(0.02)	200	-	PL-W1	-	-	-	-
TPIP24C1901A	0.42	(0.09)	6,000	-	WHA24C1811A	-	-	-	-	PLE-W3	0.21	(0.04)	9,928	-
TPIP27C1812A	-	-	-	-	WHA28C1807A	0.10	(0.04)	27	-	PSL-W1	-	-	-	-
TRUE01C1808A	0.38	(0.07)	397,913	-	WHA28C1808A	0.14	(0.02)	108,544	-	RICH-W1	-	-	-	-
TRUE01C1808B	0.18	(0.06)	269,786	-	WHA28C1808B	0.30	0.03	177,648	-	RICHY-W1	0.34	(0.01)	10,571	-
TRUE01P1808A	0.33	0.05	218,579	-	WHA28C1809A	0.77	0.03	61,587	-	RICHY-W2	0.17	(0.02)	2,401	-
TRUE06C1806A	0.42	(0.08)	300	-	WHA42C1806A	0.63	0.02	4,164	-	RML-W4	-	-	-	-
TRUE06C1811A	0.21	(0.06)	1,032	-	WHA42P1806A	0.02	-	1,591	-	RS-W3	9.40	(0.60)	252	9.00
TRUE06P1806A	0.06	0.02	5,384	-	WHAU01C1810A	0.37	-	24,131	-	S-W1	0.18	(0.01)	13,309	-
TRUE07C1806A	-	-	-	-	WHAU01C1810B	0.23	0.01	22,572	-	SAMART-W2	0.45	(0.01)	184,152	-
TRUE08C1809A	0.22	(0.06)	42,324	-	WORK01C1806A	0.01	-	12,651	-	SAWAD-W1	5.95	0.25	1,121	5.00
TRUE08P1809A	0.17	0.03	34,530	-	WORK01C1806B	0.01	-	700	-	SMM-W4	0.19	(0.02)	4,999	-
TRUE11C1807A	0.11	(0.05)	59,890	-	WORK08C1805A	-	-	-	-	SMT-W1	0.18	0.01	8,367	-
TRUE13C1807A	0.11	(0.05)	138,314	-	WORK08C1809A	0.01	-	12,200	-	SPALI-W4	20.30	(0.50)	1,318	20.00
TRUE13C1810A	0.15	(0.03)	226,751	-	WORK11C1805A	-	-	-	-	SPORT-W5	0.20	-	2,407	-
TRUE16C1812A	0.37	(0.06)	4,620	-	WORK11C1903A	0.16	0.02	25,635	-	SPORT-W6	0.01	(0.02)	53,791	-
TRUE23C1806A	0.17	(0.08)	53,005	-	WORK13C1806A	-	-	-	-	SUPER-W4	0.22	0.01	384,893	-
TRUE27C1809A	0.27	(0.10)	8,102	-	WORK13C1809A	0.02	-	15,776	-	SUSCO-W1	0.21	(0.08)	93,754	-
TRUE27P1809A	0.29	0.03	5,722	-	WORK13C1810A	0.05	0.01	22,302	-	SVI-W3	1.04	(0.01)	2	1.00
TRUE28C1807A	0.08	(0.04)	115,886	-	WORK13C1811A	0.20	0.02	123,105	-	TCC-W3	0.55	(0.05)	30	-
TRUE28C1808A	0.03	(0.01)	33,954	-	WORK23C1807A	-	-	-	-	TCC-W4	0.23	-	323	-
TRUE28C1810A	0.14	(0.03)	321,779	-	WORK24C1805A	-	-	-	-	TCJ-W2	1.22	0.02	177	1.00
TTA01C1807A	0.11	-	13,863	-	WORK24C1810A	0.03	-	2,101	-	TCMC-W2	0.39	-	19,142	-
TTA01P1807A	0.85	-	7,867	-	WORK27C1806A	-	-	-	-	TFG-W1	-	-	-	-
TTA08C1808A	-	-	-	-	WORK28C1806A	-	-	-	-	TFG-W2	0.77	-	379	-
TTA11C1806A	-	-	-	-	WORK28C1808A	-	-	-	-	TGPRO-W2	-	-	-	-
TTA13C1809A	0.06	(0.01)	17,479	-	WORK28C1809A	0.03	-	5,703	-	TH-W2	0.13	(0.01)	1,100	-
TTA18C1808A	-	-	-	-	WORK28C1811A	0.21	0.02	65,172	-	THE-W2	0.06	-	230,236	-
TTA23C1808A	-	-	-	-	WORK42C1806A	-	-	-	-	TNITY-W1	1.14	(0.01)	2,488	1.00
TTA24C1809A	-	-	-	-	Preferred/Foreign	-	-	-	-	TNPC-W1	0.58	(0.01)	26,992	-
TTA28C1806A	-	-	-	-	BH-Q	-	-	-	-	TPOLY-W2	-	-	-	-
TTCL13C1806A	-	-	-	-	CSC-Q	-	-	-	-	TSI-W2	-	-	-	-
TU01C1808A	0.12	-	111,187	-	JUTHA-Q	-	-	-	-	TSR-W1	0.63	0.01	28,300	-
TU01C1808B	0.02	-	1	-	KTB-Q	-	-	-	-	TTA-W5	0.94	0.01	3,396	-
TU01P1808A	0.86	(0.01)	10,132	-	SCB-Q	-	-	-	-	U-W1	-	-	-	-
TU08C1805A	-	-	-	-	TCAP-Q	-	-	-	-	U-W4	0.01	-	282,518	-
TU08C1811A	0.14	-	32,250	-	TIC-Q	-	-	-	-	VGI-W1	0.39	(0.01)	460,068	-
TU11C1902A	0.09	0.01	450	-	TISCO-Q	-	-	-	-	VIBHA-W2	1.46	0.01	783	1.00
TU13C1809A	0.03	-	1	-	U-Q	-	-	-	-	VIBHA-W3	0.36	0.01	3,501	-
TU23C1806A	-	-	-	-	Warrant	-	-	-	-	WAVE-W1	0.55	(0.02)	3,137	-
TU24C1808A	-	-	-	-	7UP-W2	-	-	-	-	WHA-W1	8.80	0.30	17,059	8.00
TU27C1807A	-	-	-	-	ACC-W1	0.05	-	444	-	WIHK-W1	-	-	-	-
TVO01C1809A	0.25	(0.01)	1,374	-	AJA-W1	0.20	(0.01)	1,028	-	WORK-W1	11.40	0.20	42	11.00
TVO01C1809B	-	-	-	-	ALT-W1	1.11	-	1,522	1.00	Preferred Shares	-	-	-	-
TVO08C1808A	-	-	-	-	AO-W4	0.01	-	5	-	BH-P	-	-	-	-
TVO11C1805A	-	-	-	-	AS-W1	0.55	(0.01)	3,779	-	CSC-P	-	-	-	-
TVO11C1903A	0.17	(0.01)	1,100	-	AYUD-W1	5.10	0.82	142,653	4.00	JUTHA-P	-	-	-	-
TVO13C1809A	-	-	-	-	B-W3	-	-	-	-	KTB-P	-	-	-	-
TVO23C1808A	0.10	(0.01)	1	-	BLAND-W4	0.01	-	256,206	-	SCB-P	137.00	2.00	1	137.00
TVO24C1810A	0.11	(0.01)	100	-	BTS-W3	0.10	(0.01)	309,108	-	TCAP-P	-	-	-	-
TVO28C1808A	-	-	-	-	BWG-W4	0.10	-	3,677	-	TIC-P	-	-	-	-
UNIQ01C1809A	0.34	0.04	293,185	-	CEN-W4	0.08	-	38,464	-	TISCO-P	-	-	-	-
UNIQ01C1810A	0.50	0.04	60,009	-	CGH-W2	-	-	-	-	U-P	0.03	-	117,650	-
UNIQ01C1810B	0.40	0.04	64,563	-	CI-W1	0.49	(0.04)	125	-	Warrant (MAI)	-	-	-	-
UNIQ01P1809A	0.40	(0.02)	28,784	-	CKP-W1	0.33	-	12,208	-	2S-W1	0.17	-	6,525	-
UNIQ08C1808A	-	-	-	-	CRANE-W1	-	-	-	-	ACAP-W1	-	-	-	-
UNIQ08C1810A	0.35	0.04	42,650	-	CWT-W4	0.94	0.01	460,986	-	ACAP-W2	2.72	(0.16)	310	2.00
UNIQ11C1811A	0.28	0.01	71,692	-	DCC-W1	0.81	0.06	586,476	-	AIRA-W1	0.08	0.01	28,273	-
UNIQ13C1807A	-	-	-	-	DCON-W1	-	-	-	-	AIRA-W2	0.07	-	1,019	-
UNIQ13C1809A	0.31	0.04	336,057	-	DIGI-W1	0.05	(0.01)	23,004	-	ATP30-W1	0.84	(0.01)	1,758	-
UNIQ23C1806A	-	-	-	-	DIGI-W2	0.02	-	16,967	-	BSM-W2	0.24	(0.01)	566	-
UNIQ24C1806A	-	-	-	-	EARTH-W4	-	-	-	-	CIG-W7	0.03	(0.01)	1,374	-
UNIQ24C1811A	0.18	(0.01)	3,098	-	EIC-W2	0.02	-	301	-	DNA-W1	1.42	(0.02)	650	1.00
UNIQ28C1807A	-	-	-	-	EIC-W3	0.05	-	2,001	-	ECF-W2	3.60	0.10	5,651	3.00
UNIQ28C1809A	0.25	0.04	317,132	-	EIC-W4	-	-	-	-	ECF-W3	2.86	0.04	7,361	2.00
UNIQ28C1811A	0.32	0.03	356,256	-	EVER-W3	0.04	(0.01)	210	-	EFORL-W3	0.01	(0.01)	8,629	-
UV01C1807A	0.36	(0.01)	48,084	-	GJS-W3	0.04	0.01	9,033	-	EFORL-W4	0.03	0.01	327	-
UV08C1807A	0.13	-	63,722	-	GL-W4	0.14	(0.04)	85,164	-	FC-W1	0.10	-	29,807	-
UV13C1807A	0.06	(0.02)	400	-	GLAND-W4	1.32	0.02	10,529	1.00	FC-W2	0.05	-	5,442	-
UV13C1808A	0.02	(0.01)	5,152	-	GREEN-W4	-	-	-	-	FOCUS-W2	0.60	0.02	1	-
UV23C1809A	-	-	-	-	GSTEL-W1	-	-	-	-	FPI-W1	-	-	-	-
UV24C1807A	-	-	-	-	GSTEL-W2	-	-	-	-	FVC-W2	0.73	-	1,100	-
UV28C1807A	-	-	-	-	IEC-W2	-	-	-	-	JKN-W1	2.30	0.18	22,791	2.00
UV28C1808A	-	-	-	-	IFEC-W2	-	-	-	-	LIT-W1	2.40	-	2,184	2.00
VGI01C1812A	0.77	0.03	47,762	-	IHL-W1	5.10	-	60	5.00	META-W2	0.24	(0.03)	28,108	-
VGI06C1904A	-	-	-	-	ITD-W1	0.21	0.05	691,074	-	NBC-W1	0.01	-	1	-
VGI06C1904B	-	-	-	-	IVL-W2	15.60	0.90	74,398	14.00	NCL-W2	0.01	-	4,827	-
VGI06C1904C	-	-	-	-	JAS-W3	2.52	0.02	26,856	2.00	NDR-W1	0.21	(0.03)	43,350	-
VGI08C1811A	0.72	0.01	15,028	-	JCK-W4	-	-	-	-	NEWS-W4	-	-	-	-
VGI23C1905A	-	-	-	-	JCK-W5	0.43	-	601	-	NEWS-W5	-	-	-	-
VGI23C1911A	1.35	-	2	1.00	JMART-W2	2.06	(0.14)	7,247	2.00	NINE-W1	0.01	-	7,235	-
VGI27C1812A	0.48	0.02	19	-	JMT-W1	10.20	0.20	3,198	10.00	PHOL-W1	0.16	(0.02)	74,025	-

