

## Main Board Quotation

Issue Date :

Monday June 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	7.05	0.05	1,028	7.01	RS	20.60	0.70	169,592	20.31
NFC	-	-	-	-	HUMAN	11.90	(0.10)	3,261	11.88	SE-ED	3.38	(0.02)	10	3.38
POMPUI	-	-	-	-	ILINK	6.00	(0.15)	2,134	6.04	SMM	0.91	0.01	1,715	0.90
SAFARI	-	-	-	-	INET	3.94	0.02	1,855	3.92	SPORT	0.65	(0.02)	5,218	0.67
VI	-	-	-	-	INTUCH	54.75	(0.50)	24,733	54.95	TBSP	16.30	-	13	16.30
WORLD	-	-	-	-	JAS	6.15	-	227,498	6.16	TH	-	-	-	-
WR	-	-	-	-	JASIF	10.50	0.10	50,352	10.50	TKS	12.00	0.30	60,276	11.99
Agribusiness	-	-	-	-	JMART	10.60	(0.10)	5,885	10.69	TRITN	0.28	-	158,219	0.29
CHOTI	-	-	-	-	JTS	1.64	0.02	10	1.64	VGI	7.75	-	174,281	7.74
EE	0.85	0.01	79,150	0.85	MFEC	4.26	0.02	267	4.26	WAVE	3.06	(0.02)	470	3.07
GFPT	11.80	(0.10)	2,572	11.82	MSC	5.80	(0.10)	800	5.81	WORK	43.00	(0.25)	20,971	42.91
LEE	2.80	(0.02)	8,445	2.79	PT	6.90	(0.05)	2,641	6.91	Finance & Securities	-	-	-	-
STA	12.60	-	7,784	12.61	SAMART	8.05	0.05	3,040	7.99	AEC	0.48	(0.01)	7,621	0.48
TLUXE	6.15	(0.05)	464	6.15	SAMTEL	10.00	0.05	2	10.00	AEONTS	156.00	(1.50)	1,869	155.26
TRUBB	1.80	(0.02)	1,828	1.80	SDC	0.27	-	13,631	0.26	AMANAH	2.04	0.07	233,867	2.02
TWPC	9.45	0.10	2,630	9.39	SIS	9.10	-	1,282	9.08	ASAP	6.50	(0.20)	21,297	6.46
UPOIC	4.44	-	159	4.44	SVOA	1.53	(0.01)	4,441	1.54	ASK	22.50	-	429	22.50
UVAN	7.80	(0.10)	14,479	7.81	SYMC	4.98	0.10	1,276	4.97	ASP	3.84	-	16,655	3.84
VPO	0.77	0.01	1,519	0.75	SYNEX	14.40	(0.40)	15,395	14.62	BFIT	30.00	(0.25)	1,041	30.18
Banking	-	-	-	-	THCOM	9.40	0.10	24,194	9.39	CGH	1.23	-	792	1.22
BAY	41.50	0.25	2,004	41.41	TRUE	6.90	0.10	747,243	6.89	CNS	2.62	-	108	2.62
BBL	196.50	1.00	23,699	195.41	TWZ	0.15	-	259,205	0.15	ECL	2.00	0.01	56,101	2.00
CIMBT	0.98	(0.01)	33,750	0.99	Electronic Componer	-	-	-	-	FNS	4.56	0.02	2,365	4.55
KBANK	197.50	3.00	69,845	197.07	CCET	1.95	(0.04)	20,832	1.97	FSS	2.58	(0.02)	1,380	2.60
KKP	68.50	(0.50)	14,534	68.64	DELTA	64.00	(1.50)	20,361	64.38	GBX	0.71	0.01	30	0.71
KTB	17.80	(0.10)	150,766	17.83	EIC	0.06	(0.01)	10,556	0.07	GL	5.65	0.15	13,527	5.66
LHFG	1.57	0.01	20,134	1.57	HANA	34.75	0.25	10,371	34.74	IFS	3.04	-	1,155	3.04
SCB	137.50	1.50	49,205	136.54	KCE	36.25	0.25	71,401	36.33	JMT	31.00	0.25	2,478	30.53
TCAP	52.25	0.75	7,257	51.97	METCO	191.00	1.00	5	190.10	KCAR	14.30	(0.10)	1,140	14.31
TISCO	87.50	1.00	23,129	86.88	SMT	2.76	0.06	2,974	2.74	KGI	4.26	(0.02)	12,769	4.27
TMB	2.48	0.02	732,873	2.47	SPPT	5.00	0.22	28,027	4.98	KTC	347.00	11.00	33,973	336.60
Construction Materia	-	-	-	-	SVI	4.10	0.02	15,428	4.10	MBKET	14.50	(0.20)	39,124	14.61
CCP	0.43	-	21,115	0.43	TEAM	1.14	(0.02)	10,390	1.15	MFC	15.20	(0.10)	2,551	15.28
DCC	2.24	(0.06)	36,206	2.25	Energy & Utilities	-	-	-	-	ML	1.07	(0.01)	1,529	1.08
DCON	0.59	-	5,526	0.59	ABPIF	8.55	-	421	8.54	MTC	33.75	(0.25)	61,536	33.70
DRT	5.75	(0.10)	1,440	5.78	AI	-	-	-	-	PE	0.36	0.01	251	0.36
EPG	8.20	0.10	48,413	8.11	AKR	1.40	0.07	214,203	1.38	PL	3.58	-	3,213	3.58
GEL	0.34	(0.01)	3,338	0.35	BAFS	36.75	(0.25)	4,656	36.99	S11	7.50	(0.05)	1,013	7.58
PPP	3.88	0.02	628	3.86	BANPU	21.40	(0.10)	445,611	21.42	SAWAD	35.50	(0.25)	42,620	35.60
Q-CON	5.85	0.05	109	5.86	BCP	36.00	0.50	17,845	35.77	THANI	7.65	(0.05)	19,934	7.69
RCI	2.10	(0.02)	1,658	2.12	BCPG	19.30	(0.10)	19,004	19.32	TK	12.10	(0.10)	3,153	12.20
SCC	450.00	4.00	18,632	447.94	BGRIM	24.00	(0.10)	28,861	24.02	TNITY	5.85	(0.10)	1,306	5.83
SCCC	229.00	(2.00)	890	229.65	BPP	24.60	-	6,435	24.60	UOBKH	3.96	0.02	2	3.95
SCP	8.25	(0.10)	2,872	8.28	BRRGIF	10.30	-	413	10.30	ZMICO	1.13	0.01	34,558	1.11
SKN	5.80	0.25	7,919	5.70	CKP	4.20	0.14	318,167	4.13	Food & Beverage	-	-	-	-
TASCO	17.30	0.10	9,564	17.25	DEMCO	4.48	(0.02)	2,201	4.47	APURE	1.49	(0.02)	996	1.50
TCMC	2.44	(0.02)	6,140	2.45	EA	38.75	-	62,482	38.82	ASIAN	5.60	(0.05)	3,359	5.63
TGCI	2.56	(0.02)	775	2.57	EARTH	-	-	-	-	BR	5.95	(0.05)	3,793	5.97
TOA	41.75	(0.75)	32,879	41.76	EASTW	11.30	-	15,361	11.30	BRR	7.55	(0.05)	2,770	7.60
TPIPL	1.84	0.01	65,239	1.84	EGATIF	11.10	0.10	417	11.06	CBG	56.50	-	33,438	56.89
UMI	1.43	(0.03)	537	1.43	EGCO	237.00	(4.00)	8,187	237.73	CFRESH	4.68	(0.02)	378	4.69
VNG	8.05	(0.05)	5,529	8.08	ESSO	14.50	-	61,440	14.54	CM	4.24	-	635	4.23
WIJK	2.38	-	1,948	2.35	GLOW	87.00	1.50	102,005	87.21	CPF	26.00	0.25	502,319	25.92
Petrochemicals & Ch	-	-	-	-	GPSC	71.00	-	12,922	70.86	CPI	1.94	(0.08)	30,448	1.96
CMAN	3.70	(0.02)	16,841	3.70	GULF	69.25	(0.50)	12,766	69.34	F&D	-	-	-	-
GC	5.15	(0.05)	304	5.18	GUNKUL	3.06	-	40,156	3.06	HTC	22.60	-	510	22.64
GGC	14.40	(0.20)	24,167	14.47	IEC	-	-	-	-	ICHI	5.75	(0.05)	10,084	5.75
GIFT	4.70	-	557	4.72	IFEC	-	-	-	-	KBS	4.50	(0.02)	423	4.49
IVL	60.75	1.25	141,760	60.38	IRPC	6.55	0.05	388,962	6.49	KSL	3.12	0.02	10,746	3.14
PATO	14.80	-	169	14.73	LANNA	16.30	(0.10)	927	16.33	KTIS	6.00	-	907	5.98
PMTA	16.80	-	4	16.83	MDX	4.44	(0.02)	993	4.44	LST	4.90	(0.02)	684	4.90
PTTGC	87.75	(1.75)	122,896	87.81	PTG	18.00	(0.20)	21,667	18.04	M	78.00	(1.00)	1,471	78.10
SUTHA	-	-	-	-	PTT	50.75	(0.25)	623,540	50.91	MALEE	15.50	-	2,433	15.53
TCB	54.50	0.50	345	54.21	PTTEP	135.50	(0.50)	68,964	136.10	MINT	35.25	-	65,877	35.34
TCCC	34.00	(0.25)	190	34.21	RATCH	52.00	-	8,147	52.11	OISHI	105.00	(0.50)	63	104.78
TPA	6.00	(0.10)	396	6.01	RPC	0.62	-	217	0.62	PB	61.75	-	396	61.39
UP	-	-	-	-	SCG	4.64	(0.10)	474	4.67	PM	10.80	-	3,661	10.82
VNT	27.75	(0.25)	3,109	27.92	SCI	2.98	0.02	2,178	2.98	PRG	-	-	-	-
WG	149.00	-	37	149.00	SCN	4.14	0.04	8,064	4.15	SAPPE	28.00	(0.75)	12,003	28.33
YCI	-	-	-	-	SGP	10.00	0.10	366,301	10.09	SAUCE	22.00	0.10	39	22.00
Commerce	-	-	-	-	SKE	1.38	-	4,141	1.39	SFP	225.00	-	1	225.00
BEAUTY	16.60	0.20	507,766	16.53	SOLAR	2.50	-	4,891	2.53	SNP	20.50	(0.30)	201	20.65
BIG	2.44	(0.02)	12,711	2.45	SPCG	21.60	(0.20)	2,564	21.68	SORKON	72.00	-	5	72.00
BJC	54.50	(1.00)	52,358	54.39	SPRC	14.90	(0.10)	117,545	14.95	SSC	49.50	0.25	4	49.50
COL	28.75	-	3,143	28.74	SUPER	1.06	-	1,563,096	1.07	SSF	8.50	-	220	8.50
COM7	17.80	-	27,311	17.82	SUSCO	3.42	0.02	2,347	3.43	SST	6.00	0.05	726	5.95
CPALL	79.50	0.25	97,236	79.60	TAE	2.24	(0.02)	3,031	2.23	TC	2.96	0.02	149	2.91
CSS	2.26	-	3,649	2.26	TCC	0.39	(0.01)	8,677	0.40	TFG	4.20	0.02	6,253	4.22
FN	3.28	0.02	1,839	3.23	TOP	88.00	0.50	15,509	87.78	TFMAMA	161.50	(0.50)	105	161.90
FTE	2.28	-	1,964	2.30	TPIPP	6.70	-	108,239	6.70	TIPCO	10.20	-	2,568	10.16
GLOBAL	16.70	-	34,723	16.76	TTW	12.00	-	24,776	12.00	TKN	18.60	(0.40)	83,649	18.64
HMPRO	14.30	-	72,714	14.31	WHAUP	6.55	-	40,221	6.59	TU	17.10	(0.10)	94,811	17.12
IT	4.70	0.02	6,328	4.73	WP	7.50	-	8,070	7.53	TVO	30.00	(0.25)	13,339	30.20
KAMART	5.15	(0.05)	3,557	5.20	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.36	0.02	6,502	2.33	AMARIN	5.90	0.60	31,684	5.78	AHC	21.40	(0.10)	38	21.40
MAKRO	42.75	(0.25)	2,122	42.75	AQUA	0.57	0.01	222,667	0.57	BCH	16.00	0.10	131,571	16.03
MC	13.30	-	3,012	13.35	AS	1.72	0.02	3,950	1.72	BDM5	25.25	0.25	262,343	25.07
MEGA	41.75	-	8,057	42.07	BEC	8.65	0.05	53,159	8.71	BH	192.50	1.50	5,358	191.77
MIDA	0.61	-	833	0.61	EPCO	4.78	(0.02)	257,561	4.84	CHG	2.38	0.04	183,828	2.36
ROBINS	63.50	0.25	8,222	63.15	FE	170.00	(9.00)	231	170.28	CMR	3.42	0.02	950	3.40
RSP	5.95	(0.15)	5,131	6.02	GPI	2.98	-	853	2.98	EKH	5.40	(0.05)	1,804	5.40
SINGER	7.50	(0.10)	82	7.56	GRAMMY	9.00	-	75	9.00	KDH	95.00	(0.75)	39	95.69
SPC	56.50	-												

## Main Board Quotation

Issue Date :

Monday June 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	8.65	0.05	2,022	8.58	MJD	3.30	-	1,487	3.30	CPT	2.46	0.06	316,541	2.45
WPH	3.04	-	4,922	3.01	MK	3.28	0.08	10,461	3.23	CRANE	2.32	-	1,715	2.32
Tourism & Leisure					NCH	0.98	-	721	0.99	CTW	8.05	0.05	118	8.09
ASIA	6.80	0.05	235	6.81	NNCL	1.73	0.05	53,841	1.72	FMT	-	-	-	-
CENTEL	45.50	-	4,688	45.47	NOBLE	11.20	0.60	28,570	11.21	HTECH	7.80	(0.35)	41,159	7.93
CSR	-	-	-	-	NUSA	0.29	-	42,666	0.29	KKC	1.77	(0.01)	363	1.77
DTC	14.90	0.40	38,314	14.91	NVD	4.58	-	214	4.54	PK	3.52	(0.04)	6,075	3.57
ERW	8.10	(0.20)	22,282	8.15	ORI	19.50	-	36,920	19.48	SNC	15.70	(0.10)	3,289	15.68
GRAND	0.96	-	1,526	0.96	PACE	0.42	-	64,485	0.42	TCJ	6.65	-	336	6.63
LRH	35.00	-	10	35.00	PF	0.89	-	164,995	0.88	VARO	-	-	-	-
MANRIN	-	-	-	-	PLAT	8.30	0.10	63,434	8.32	Property Fund & REI	-	-	-	-
OHTL	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.10	-	1,778	10.10
ROH	40.75	0.25	1	40.75	PRECHA	1.64	-	412	1.67	AMATAR	10.60	0.10	2	10.60
SHANG	70.00	-	72	69.93	PRIN	1.62	(0.01)	7,659	1.62	B-WORK	10.40	-	2,184	10.40
Home & Office Prod.					PRINC	6.45	0.15	81,464	6.39	BKKCP	12.20	0.10	3	12.20
ACC	0.51	0.01	737	0.51	PSH	21.80	0.10	8,138	21.78	BOFFICE	12.30	(0.10)	390	12.38
AJA	0.48	(0.01)	13,482	0.48	QH	3.26	(0.06)	771,354	3.27	CPNCG	14.60	0.20	1,367	14.49
DTCI	-	-	-	-	RICHY	1.68	(0.01)	10,037	1.68	CPNREIT	23.40	(0.10)	4,520	23.42
FANCY	1.09	(0.02)	30,712	1.10	RML	1.07	(0.02)	7,117	1.07	CPTGF	13.00	-	38	12.91
KYE	424.00	(2.00)	12	425.83	ROJNA	6.30	-	4,794	6.29	CRYSTAL	10.40	-	301	10.43
L&E	2.82	-	530	2.80	S	3.32	0.02	24,469	3.31	CTARAF	4.88	-	126	4.86
MODERN	4.72	(0.04)	4,049	4.71	SAMCO	2.28	(0.06)	282	2.30	DREIT	5.50	(0.05)	3,003	5.55
OGC	39.75	-	301	39.00	SC	3.64	-	40,646	3.66	ERWPF	5.85	0.05	140	5.85
ROCK	17.00	-	215	17.00	SENA	3.80	-	6,737	3.79	FUTUREPF	21.10	-	304	21.10
SIAM	1.97	-	198	1.96	SF	9.35	(0.10)	32,625	9.42	GAHREIT	9.90	-	73	9.90
TSR	2.54	-	1,778	2.56	SIRI	1.76	-	388,882	1.76	GLANDRT	12.10	-	307	12.17
Insurance					SPALI	24.70	0.10	43,250	24.63	GOLDPF	7.35	-	1,000	7.35
AYUD	43.00	-	954	42.77	TICON	17.00	-	387	16.85	GVREIT	14.80	-	289	14.79
BKI	359.00	(1.00)	29	359.00	U	0.03	0.01	1,771,332	0.03	HPF	5.50	-	14	5.50
BLA	35.00	(0.25)	2,971	35.01	UV	8.40	(0.15)	29,100	8.46	HREIT	7.20	-	1,384	7.20
BUI	-	-	-	-	WHA	4.24	(0.04)	718,514	4.25	IMPACT	17.60	-	1,809	17.57
CHARAN	35.00	(1.00)	4	35.00	WIN	0.61	-	550	0.61	KPNPF	9.50	-	100	9.50
INSURE	-	-	-	-	Paper & Printing Mat	-	-	-	-	LHHOTEL	15.60	(0.20)	705	15.66
MTI	124.50	-	6	124.67	UTP	11.90	0.10	45,373	12.06	LHPF	8.30	0.05	262	8.30
NKI	-	-	-	-	Fashion	-	-	-	-	LHSC	15.70	(0.20)	151	15.82
NSI	84.00	(0.50)	13	84.08	AFC	-	-	-	-	LUXF	-	-	-	-
SMK	42.00	-	45	41.91	BTNC	23.00	(0.20)	5	23.00	M-II	-	-	-	-
THRE	1.26	-	12,446	1.26	CPH	5.85	(0.20)	1	5.85	M-PAT	-	-	-	-
THREL	8.25	-	4,855	8.25	CPL	3.00	(0.02)	10	3.00	M-STOR	10.30	-	131	10.22
TIC	34.25	(0.25)	1,070	34.50	DIGI	0.46	(0.03)	57,324	0.47	MIPF	-	-	-	-
TIP	24.40	(0.10)	4,555	24.36	ICC	-	-	-	-	MIT	-	-	-	-
TSI	0.56	0.01	6,502	0.55	LTX	74.00	0.75	23	73.95	MJLF	12.40	-	1,015	12.40
TVI	3.64	(0.02)	800	3.65	NC	-	-	-	-	MNIT	1.82	0.02	130	1.84
Mining					PAF	1.08	0.01	11,568	1.10	MNIT2	-	-	-	-
PDI	17.90	-	5,024	18.01	PDJ	2.88	(0.10)	243	2.91	MNRF	3.50	(0.04)	20	3.50
THL	-	-	-	-	PG	7.20	0.15	20	7.19	MONTRI	-	-	-	-
Packaging					SABINA	30.50	0.50	84	30.32	POPF	13.80	-	132	13.80
AJ	10.90	-	190	10.90	SAWANG	-	-	-	-	PPF	11.30	-	15	11.30
ALUCON	221.00	-	3	219.67	SUC	43.00	-	265	43.00	QHHR	8.80	-	357	8.79
CSC	44.25	(1.00)	46	44.29	TNL	19.60	(0.40)	918	19.60	QHOP	-	-	-	-
NEP	0.43	(0.01)	20,147	0.43	TPCORP	15.40	0.10	1	15.40	QHPF	12.10	-	3,600	12.14
NPP	1.38	(0.04)	55,268	1.39	TR	49.25	(0.25)	320	49.11	SBPF	3.04	(0.04)	212	3.04
PTL	16.40	0.20	6,552	16.31	TTI	-	-	-	-	SHREIT	9.40	(0.05)	352	9.35
SITHAI	1.32	-	4,816	1.32	TTL	-	-	-	-	SIRIP	11.20	-	8	11.20
SLP	0.98	-	4,687	0.99	TTTM	128.50	2.50	5	128.60	SPF	23.30	-	1,185	23.30
SMPC	13.20	-	1,914	13.11	UPF	72.00	0.50	1	72.00	SRIPANWA	11.20	-	1	11.20
SPACK	2.02	-	38	2.02	UT	-	-	-	-	SSPF	10.40	0.10	2	10.40
TCOAT	-	-	-	-	WACOAL	45.50	-	22	45.51	SSTPF	6.55	(0.15)	115	6.60
TFI	0.40	0.01	13,211	0.42	Transportation & Log	-	-	-	-	SSTRT	6.40	0.05	15	6.36
THIP	36.25	(0.75)	148	36.60	AAV	5.60	(0.05)	22,448	5.61	TIF1	-	-	-	-
TMD	21.10	0.10	19	21.01	AOT	68.25	(0.25)	115,500	68.26	TLGF	19.00	(0.20)	7,446	19.02
TOPP	-	-	-	-	ASIMAR	2.84	-	1,737	2.85	TLHPF	-	-	-	-
TPBI	9.85	-	182	9.79	B	0.67	(0.03)	20,689	0.68	TNPF	4.60	0.10	5	4.52
TPP	-	-	-	-	BA	14.90	0.10	2,617	14.81	TPRIME	11.80	-	2,674	11.90
Personal Products &					BEM	7.80	-	79,517	7.80	TREIT	11.30	-	4,218	11.28
APCO	5.35	-	897	5.27	BTS	9.55	(0.10)	242,832	9.58	TTLPF	-	-	-	-
DDD	68.50	(0.75)	5,156	68.71	BTSIGIF	12.20	-	13,167	12.20	TU-PF	-	-	-	-
JCT	-	-	-	-	III	5.20	(0.05)	12,717	5.15	URBNPF	-	-	-	-
OCC	17.40	0.10	145	17.36	JUTHA	1.94	0.04	906	1.91	WHABT	10.20	-	2,214	10.20
S & J	23.80	0.30	20	23.80	JWD	7.20	0.15	53,957	7.20	WHART	10.10	(0.10)	17,052	10.10
STHAI	-	-	-	-	KWC	288.00	8.00	2	288.00	Steel	-	-	-	-
TNR	15.00	0.20	314	15.00	NOK	2.92	0.02	2,419	2.92	AMC	2.74	(0.02)	549	2.74
TOG	4.94	-	338	4.93	NYT	5.55	-	3,092	5.54	BSBM	1.18	(0.01)	2,547	1.18
Professional Service					PRM	8.05	-	3,392	8.07	CEN	1.34	0.02	1,378	1.33
BWG	1.23	(0.01)	31,471	1.24	PRL	12.00	(0.20)	36,471	11.92	CITY	2.76	0.02	907	2.74
GENCO	0.87	-	5,937	0.87	RCL	5.85	0.05	6,249	5.87	CSP	-	-	-	-
PRO	-	-	-	-	THAI	15.90	0.10	20,096	15.91	GJS	0.34	-	13,227	0.34
Property Developme					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	700	6.70	TTA	7.70	(0.20)	30,204	7.81	INOX	1.17	-	30	1.17
AMATA	22.40	(0.30)	97,367	22.49	WICE	4.10	(0.08)	10,405	4.13	LHK	5.15	0.05	3,150	5.14
AMATAV	6.90	-	1,038	6.91	Automotive	-	-	-	-	MAX	0.02	(0.01)	191,136	0.03
ANAN	4.34	(0.22)	360,645	4.39	AH	37.25	(0.75)	5,470	37.23	MCS	8.05	-	6,302	8.03
AP	9.00	-	93,101	9.02	APCS	5.75	(0.10)	7,502	5.72	MILL	1.50	-	1,266	1.51
APEX	0.19	-	13,341	0.19	BAT-3K	-	-	-	-	PAP	4.38	(0.02)	586	4.38
AQ	0.04	-	173,925	0.04	CWT	3.72	(0.02)	2,641	3.73	PERM	2.60	-	832	2.58
BLAND	1.95	(0.02)	216,737	1.96	EASON	3.40	(0.02)	1,000	3.40	RICH	-	-	-	-
BROCK	2.60	(0.08)	250	2.59	GYT	388.00	(4.00)	3	391.00	SAM	0.72	-	2,003	0.71
CGD	1.43	-	34,406	1.43	HFT	3.28	-	293	3.28	SMIT	5.85	-	2,021	5.83
CI	1.64	-	807	1.64	IHL	8.80	(0.20)	3,077	8.86	SSI	-	-	-	-
CPN	73.75	(0.50)	74,478	73.92	INGRS	1.00	-	11,420	1.00	SSSC	3.18	(0.02)	306	3.18
ESTAR	0.70	0.01	1,905	0.69	IRC	20.60	-	247	20.60	TGPRO	0.22	(0.01)	2,360	0.23
EVER	0.39	-	40,211	0.39	PCSGH	7.35	-	1,474	7.39	THE	2.64	-	13,830	2.60
GLAND	2.28	(0.10)	28,818	2.31	SAT	22.60	(0.60)	19,906	22.73	TIW	428.00	(2.00)	18	427.67
GOLD	10.90	-	17,982	10.91	SPG	17.40	(0.20)	20	17.40	TMT	15.00	(0.10)	362	15.05
GREEN	1.02	0.01	5,496	1.01	STANLY	260.00	(2.00)	187	259.72	TSTH	0.81	-	4,084	0.81
J	1.68	-	1,252	1.70	TKT	1.72	0.06	332	1.70	TUCC	-	-	-	-
JCK	1.64	(0.04)	8,369	1.65	TNPC	-	-	-	-	TWP	4.20	-	991	4.20
KC	-	-	-	-	TRU	4.50	0.02	3	4.49	TYCN	2.86	0.04	21,031	2.86
KWG	2.34	(0.02)	702	2.36	TSC	12.30	(0.10)	8	12.33	Construction Service	-	-		

## Main Board Quotation

Issue Date :

Monday June 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	UWC	0.09	-	67,247	-	ADVA11P1807A	0.29	0.03	13,500	-
ABICO	6.15	(0.05)	1,017	6.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.12	(0.02)	4,583	-
AU	11.30	0.10	4,808	11.00	ADAM	-	-	-	-	ADVA13C1811A	0.60	(0.04)	128,853	-
FC	0.45	0.01	16,774	-	AKP	1.80	-	2,530	1.00	ADVA13P1809A	0.42	0.03	26,270	-
JCKH	1.30	-	5,801	1.00	AMA	6.55	(0.10)	3,393	6.00	ADVA16C1812A	-	-	-	-
KASET	2.40	-	1,690	2.00	ARIP	0.55	(0.01)	343	-	ADVA18C1808A	0.51	(0.06)	16,540	-
MM	4.18	-	1,059	4.00	ATP30	1.78	0.01	1,505	1.00	ADVA23C1806A	0.15	(0.08)	54,380	-
SUN	3.62	0.12	23,729	3.00	AUCT	6.40	0.55	66,338	6.00	ADVA24C1810A	0.45	-	2,700	-
TACC	4.46	(0.04)	1,184	4.00	BOL	1.93	(0.02)	4,088	1.00	ADVA24P1810A	-	-	-	-
TMILL	3.18	0.06	2,185	3.00	CHUO	-	-	-	-	ADVA28C1808A	0.07	(0.02)	75,639	-
XO	9.00	0.15	7,872	8.00	CMO	1.57	(0.01)	295	1.00	ADVA28P1810A	0.52	0.02	201,484	-
Consumer Products	-	-	-	-	D	10.40	-	2,888	10.00	AMAT01C1806A	0.06	(0.02)	19,070	-
BGT	1.12	-	266	1.00	DCORP	3.50	0.46	429,597	3.00	AMAT01C1810A	1.05	(0.06)	25,309	1.00
BIZ	3.06	(0.02)	622	3.00	DNA	0.43	0.01	27,586	-	AMAT01C1810B	0.96	(0.08)	44,293	-
ECF	7.25	(0.05)	33,345	7.00	EFORL	0.07	(0.01)	393,318	-	AMAT01P1806A	0.51	0.04	15,709	-
HPT	1.12	0.04	31,639	1.00	ETE	2.30	0.04	3,150	2.00	AMAT01P1810A	1.01	0.01	26,373	1.00
JUBILE	23.50	(0.20)	221	23.00	FSMART	9.80	0.50	36,082	9.00	AMAT06C1809A	0.25	(0.04)	2,900	-
MOONG	6.50	0.05	11,828	6.00	FVC	1.55	-	287	1.00	AMAT08C1807A	0.01	-	5,000	-
NPK	25.25	(0.25)	52	25.00	HARN	2.70	-	319	2.00	AMAT08C1809A	0.33	(0.04)	9,778	-
OCEAN	0.87	0.02	13,567	-	JKN	9.85	(0.15)	30,338	9.00	AMAT11C1903A	0.58	(0.04)	26,820	-
TM	2.14	(0.02)	958	2.00	KIAT	0.46	-	7,849	-	AMAT13C1806A	-	-	-	-
Financials (MAI)	-	-	-	-	KOOL	1.89	(0.01)	4,730	1.00	AMAT13C1809A	0.32	(0.03)	147,858	-
ACAP	7.85	(0.10)	791	7.00	LDC	1.18	0.02	5,091	1.00	AMAT23C1810A	0.48	(0.05)	25,790	-
AF	0.90	-	2,780	-	MPG	0.25	(0.01)	11,281	-	AMAT24C1807A	-	-	-	-
AIRA	2.06	-	2,871	2.00	NBC	0.83	0.01	8,191	-	AMAT24C1811A	0.64	(0.05)	100	-
ASN	3.78	0.02	104	3.00	NCL	1.49	0.01	1,425	1.00	AMAT28C1806A	-	-	-	-
BROOK	0.59	-	8,525	-	NEWS	0.01	-	423,303	-	AMAT28C1808A	0.24	(0.04)	292,746	-
CHAYO	3.32	0.04	71,609	3.00	NINE	1.46	-	2,490	1.00	AMAT42C1806A	0.69	(0.06)	2,837	-
GCAP	4.84	-	1,366	4.00	OTO	3.08	-	800	3.00	ANAN01C1807A	0.05	(0.02)	45,857	-
LIT	9.10	-	940	9.00	PHOL	2.56	0.06	2,484	2.00	ANAN01C1810A	0.69	(0.12)	65,104	-
SGF	0.14	-	40,227	-	PICO	6.45	(0.35)	337	6.00	ANAN01C1810B	0.53	(0.17)	53,647	-
Industrials (MAI)	-	-	-	-	PORT	7.15	(0.05)	1,612	7.00	ANAN08C1808A	0.02	(0.01)	8,000	-
ZS	3.52	-	23	3.00	QLT	4.98	(0.02)	727	4.00	ANAN08C1810A	0.59	(0.19)	26,682	-
ADB	1.28	(0.01)	8,573	1.00	RP	3.78	(0.02)	69	3.00	ANAN23C1806A	-	-	-	-
BM	3.74	(0.02)	101,242	3.00	SE	2.38	0.04	1	2.00	ANAN24C1807A	-	-	-	-
CHO	1.39	-	3,105	1.00	SPA	16.70	(0.20)	4,019	16.00	ANAN24C1811A	0.51	(0.13)	9,000	-
CHOW	5.20	-	88	5.00	THMUI	1.50	(0.01)	860	1.00	ANAN28C1806A	-	-	-	-
CIG	0.40	-	5,093	-	TNDT	5.10	0.05	177	5.00	ANAN28C1809A	0.35	(0.11)	97,586	-
COLOR	1.17	0.01	212	1.00	TNH	40.50	(0.25)	585	40.00	AOT01C1808A	0.44	(0.01)	181,462	-
CPR	5.30	0.05	998	5.00	TNP	2.04	(0.02)	1,411	2.00	AOT01C1808B	0.08	(0.01)	20,534	-
FPI	3.00	0.06	9,032	2.00	TSF	0.07	0.01	122,870	-	AOT01C1810A	0.50	(0.02)	104,211	-
GTB	0.83	(0.02)	2,703	-	TVD	1.65	0.02	24,157	1.00	AOT01P1808A	0.75	0.01	94,344	-
KCM	1.30	-	187,139	1.00	TVT	1.11	-	2,020	1.00	AOT01P1808B	0.27	-	72,141	-
LVT	-	-	-	-	WINNER	3.40	(0.02)	2,083	3.00	AOT06C1806A	1.59	(0.03)	9,056	1.00
MBAX	4.02	(0.02)	109	4.00	Technology (MAI)	-	-	-	-	AOT06C1809A	0.21	(0.01)	10,148	-
MGT	2.22	0.04	92	2.00	COMAN	4.30	(0.06)	734	4.00	AOT08C1806A	-	-	-	-
NDR	2.22	-	391	2.00	ICN	2.70	0.14	96,063	2.00	AOT08C1807A	0.07	-	13,600	-
PDG	3.76	0.04	182	3.00	IRCP	1.58	0.01	11,341	1.00	AOT11C1808A	0.66	(0.01)	104,670	-
PIMO	2.74	-	255	2.00	ITEL	3.72	-	35,060	3.00	AOT11P1808A	-	-	-	-
PJW	1.73	-	19	1.00	NETBAY	39.25	-	534	39.00	AOT13C1806A	-	-	-	-
PPM	2.56	0.06	57	2.00	PLANET	1.95	(0.01)	1,224	1.00	AOT13C1807A	0.01	(0.01)	3,300	-
RWI	1.51	(0.01)	5,739	1.00	SIMAT	2.88	(0.04)	3,936	2.00	AOT13C1809A	0.19	(0.01)	74,261	-
SALEE	1.08	(0.01)	112	1.00	SKY	16.30	(0.10)	5,320	16.00	AOT13C1811A	0.41	-	64,242	-
SANKO	1.31	0.01	6,318	1.00	SPVI	1.39	-	3,600	1.00	AOT13P1806A	-	-	-	-
SELIC	1.72	(0.01)	19	1.00	UPA	0.48	-	30,884	-	AOT13P1810A	0.46	(0.01)	46,054	-
SWC	26.50	(0.25)	329	26.00	VCOM	3.32	0.16	21,801	3.00	AOT19C1809A	0.33	-	72,042	-
TAPAC	12.00	-	20,314	11.00	Unit Trust	-	-	-	-	AOT23C1807A	0.47	(0.03)	9,500	-
TMC	0.95	-	2,869	-	MGE	-	-	-	-	AOT23P1807A	0.02	0.01	1	-
TMI	0.81	(0.01)	2,512	-	SCBSET	-	-	-	-	AOT24C1806A	-	-	-	-
TMW	67.25	0.50	297	66.00	ETF	-	-	-	-	AOT24C1807A	-	-	-	-
TPAC	12.00	-	709	11.00	IDIV	12.60	(0.02)	37	12.00	AOT24C1811A	0.32	(0.02)	9	-
UAC	4.96	(0.02)	808	4.00	ABFTH	-	-	-	-	AOT24P1809A	0.16	-	21,100	-
UBIS	4.98	-	132	4.00	BMSCG	9.38	(0.02)	196	9.00	AOT28C1807A	0.02	(0.01)	250	-
UEC	1.50	(0.05)	1,986	1.00	BMSCITH	13.34	0.02	2,975	13.00	AOT28C1809A	0.22	(0.02)	439,432	-
UKEM	0.93	(0.01)	13,095	-	BSET100	10.99	0.01	1,343	10.00	AOT28P1806A	-	-	-	-
UREKA	0.50	-	7,797	-	CHINA	6.10	(0.03)	11	6.00	AP01C1809A	0.54	0.01	20,494	-
YUASA	17.70	-	332	17.00	EBANK	-	-	-	-	AP01C1809B	0.32	0.01	20,674	-
ZIGA	2.86	0.08	10,785	2.00	ECOMM	-	-	-	-	AP08C1810A	-	-	-	-
Property & Construc	-	-	-	-	EFOOD	5.82	(0.04)	5	5.00	AP23C1901A	0.24	0.02	8,905	-
ARROW	10.60	(0.10)	228	10.00	EICT	-	-	-	-	AP24C1901A	-	-	-	-
BKD	3.28	-	15,986	3.00	ENGY	6.47	(0.01)	64	6.00	BA11C1902A	0.24	0.01	8,380	-
BSM	0.73	-	1,938	-	ENY	-	-	-	-	BA23C1806A	-	-	-	-
BTW	1.74	0.04	4,448	1.00	ESET50	-	-	-	-	BA24C1810A	0.55	0.01	1,600	-
CHEWA	1.10	-	18,097	1.00	GLD	1.77	-	2,127	1.00	BA24C1901A	-	-	-	-
CRD	1.11	-	2,421	1.00	TDEX	11.16	0.01	2,986	11.00	BA28C1809A	-	-	-	-
DIMET	1.20	0.03	72,946	1.00	TGOLDETF	-	-	-	-	BA42C1806A	-	-	-	-
FLOYD	2.26	-	1,213	2.00	TH100	5.05	(0.03)	6	5.00	BANP01C1806A	0.80	(0.03)	40,702	-
FOCUS	0.96	(0.04)	19,976	-	Warrant Foreign	-	-	-	-	BANP01C1808A	0.40	(0.02)	76,200	-
HYDRO	1.52	(0.03)	3,029	1.00	AAV01C1808A	0.26	(0.01)	2,125	-	BANP01C1808B	0.14	(0.01)	84,944	-
JSP	0.71	-	3,781	-	AAV01C1808B	0.09	(0.01)	10,100	-	BANP01P1806A	0.03	-	1	-
K	3.12	0.02	88	3.00	AAV01P1808A	0.29	0.01	22,728	-	BANP01P1808A	0.53	0.02	54,691	-
META	2.10	(0.02)	107,532	2.00	AAV06C1809A	-	-	-	-	BANP06C1810A	0.42	(0.02)	20,837	-

## Main Board Quotation

Issue Date :

Monday June 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BBL06C1806A	-	-	-	-	BEC13C1808A	0.03	-	19	-	CBG01C1811B	0.55	0.01	115,980	-
BBL08C1808A	0.11	-	2,000	-	BEC13C1811A	0.27	-	173,466	-	CBG01P1806A	2.60	-	28,516	2.00
BBL08C1809A	0.14	(0.01)	26,093	-	BEC19C1809A	-	-	-	-	CBG01P1811A	0.83	-	44,574	-
BBL08P1810A	0.35	(0.01)	43,809	-	BEC23C1807A	-	-	-	-	CBG01P1811B	0.50	(0.04)	32,027	-
BBL11C1903A	0.58	0.02	33,122	-	BEC23C1809A	0.03	-	343	-	CBG06C1807A	0.55	(0.01)	47,573	-
BBL11P1903A	0.65	(0.01)	19,965	-	BEC24C1809A	0.03	-	1,501	-	CBG06C1809A	0.27	(0.01)	1,702	-
BBL13C1807A	0.08	-	2,183	-	BEC24C1812A	-	-	-	-	CBG06P1809A	0.90	(0.01)	2,766	-
BBL13C1810A	0.58	-	57,784	-	BEC28C1806A	-	-	-	-	CBG07C1806A	-	-	-	-
BBL23C1811A	0.28	0.01	19,216	-	BEC28C1808A	-	-	-	-	CBG08C1808A	0.01	-	500	-
BBL24C1809A	-	-	-	-	BEC28C1809A	0.01	-	2,000	-	CBG08C1810A	0.19	(0.01)	50,425	-
BBL24C1812A	0.69	0.01	150	-	BEM01C1808A	0.36	(0.01)	3,939	-	CBG11C1902A	0.33	-	29,071	-
BBL24P1810A	0.30	(0.01)	100	-	BEM01C1808B	0.11	-	6,964	-	CBG13C1806A	-	-	-	-
BBL27C1809A	0.18	-	8,302	-	BEM01P1808A	0.27	(0.01)	4,447	-	CBG13C1808A	0.04	-	520	-
BBL28C1808A	0.04	(0.02)	3,271	-	BEM08C1809A	0.23	(0.01)	16,257	-	CBG13C1809A	0.10	(0.01)	100,251	-
BBL28C1811A	0.55	0.01	104,062	-	BEM11C1903A	0.24	-	3,471	-	CBG13C1811A	0.44	(0.01)	126,061	-
BCH01C1808A	0.37	0.02	114,786	-	BEM13C1806A	-	-	-	-	CBG13P1806A	-	-	-	-
BCH01C1808B	0.14	0.01	55,301	-	BEM13C1809A	0.24	-	20,122	-	CBG18C1808A	-	-	-	-
BCH01P1808A	0.38	(0.03)	19,315	-	BEM23C1901A	0.20	-	9,000	-	CBG19C1810A	0.27	(0.01)	27,060	-
BCH06C1806A	-	-	-	-	BEM24C1809A	-	-	-	-	CBG23C1806A	-	-	-	-
BCH06C1811A	-	-	-	-	BEM28C1807A	-	-	-	-	CBG23C1901A	0.34	0.01	48,340	-
BCH08C1806A	-	-	-	-	BEM28C1808A	0.18	(0.01)	36,908	-	CBG24C1807A	-	-	-	-
BCH11C1807A	0.14	-	14,481	-	BEM42C1806A	0.13	(0.01)	4,044	-	CBG24C1809A	-	-	-	-
BCH13C1810A	0.13	-	27,099	-	BEM42P1806A	-	-	-	-	CBG24C1811A	0.56	(0.02)	18,412	-
BCH19C1809A	0.14	0.01	14,450	-	BH01C1806A	0.64	0.05	96,983	-	CBG28C1808A	-	-	-	-
BCH23C1811A	0.28	0.02	23,910	-	BH01C1806B	0.06	0.01	31,076	-	CBG28C1808B	0.05	(0.01)	102,634	-
BCH24C1811A	0.14	0.01	350	-	BH01C1811A	0.95	0.02	33,061	-	CBG42C1806A	-	-	-	-
BCH28C1807A	0.03	-	1	-	BH01C1811B	0.54	(0.46)	20,989	-	CENT01C1810A	0.41	-	2,640	-
BCH42C1806A	0.33	0.03	18,325	-	BH01P1806A	0.67	(0.07)	25,040	-	CENT01C1810B	0.26	-	40	-
BCP01C1810A	0.28	-	24,882	-	BH01P1811A	1.21	(0.05)	13,070	1.00	CENT01P1810A	0.96	-	3,210	-
BCP01C1810B	0.18	-	24,866	-	BH07C1810A	0.08	0.01	185	-	CENT08C1809A	-	-	-	-
BCP01P1810A	0.43	-	8,454	-	BH08C1811A	0.13	-	28,914	-	CENT11C1806A	0.32	0.01	300	-
BCP07C1806A	-	-	-	-	BH11C1902A	0.13	-	3,208	-	CENT11C1904A	-	-	-	-
BCP08C1806A	-	-	-	-	BH24C1806A	-	-	-	-	CENT13C1811A	0.17	0.01	4,049	-
BCP11C1811A	0.18	-	1,786	-	BH24C1809A	0.26	0.01	3,379	-	CENT23C1806A	0.03	-	800	-
BCP13C1810A	-	-	-	-	BH24C1811A	-	-	-	-	CENT24C1807A	-	-	-	-
BCP24C1808A	-	-	-	-	BIG08C1807A	-	-	-	-	CENT24C1810A	-	-	-	-
BCP24C1811A	0.19	(0.01)	1,000	-	BIG13C1808A	0.05	(0.01)	2,545	-	CENT28C1808A	0.05	-	500	-
BCP28C1807A	-	-	-	-	BIG24C1808A	-	-	-	-	CHG01C1809A	0.47	0.02	18,816	-
BCP28C1809A	-	-	-	-	BIG24C1812A	0.33	-	495	-	CHG01C1809B	0.82	0.03	15,666	-
BCP28C1809B	-	-	-	-	BIG28C1807A	0.01	-	12,000	-	CHG01P1809A	0.22	(0.01)	5,511	-
BCPG01C1806A	0.05	(0.03)	11,083	-	BJ00C1807A	0.27	(0.03)	36,290	-	CHG08C1807A	0.12	0.01	12,859	-
BCPG01C1806B	0.01	-	33,700	-	BJ00C1807B	0.05	(0.03)	2,400	-	CHG11C1807A	0.05	0.01	14,220	-
BCPG01C1811A	0.55	(0.02)	11,004	-	BJ00P1807A	0.84	0.04	79,080	-	CHG11C1904A	0.28	-	4,520	-
BCPG01C1811B	0.39	(0.01)	9,554	-	BJ00C1807A	-	-	-	-	CHG13C1807A	0.14	0.01	47,140	-
BCPG06C1807A	-	-	-	-	BJ00C1809A	0.07	(0.04)	1,160	-	CHG13C1809A	0.81	0.05	12,404	-
BCPG06C1811A	0.42	(0.02)	6,000	-	BJ00C1807A	0.02	(0.02)	120	-	CHG23C1811A	1.01	0.02	7,000	-
BCPG07C1806A	-	-	-	-	BJ00C1809A	0.13	(0.03)	6,282	-	CHG24C1808A	-	-	-	-
BCPG08C1806A	-	-	-	-	BJ11C1807A	0.34	(0.05)	11,400	-	CHG24C1811A	0.24	-	300	-
BCPG08C1810A	0.39	(0.01)	33,724	-	BJ13C1807A	-	-	-	-	CHG28C1806A	-	-	-	-
BCPG11C1807A	0.72	(0.02)	6,016	-	BJ13C1808A	0.10	(0.03)	30,758	-	CHG28C1807A	0.17	0.02	81,041	-
BCPG11C1902A	0.25	(0.02)	14,439	-	BJ13C1810A	0.25	(0.03)	56,291	-	CHG28C1808A	0.67	(0.01)	12,240	-
BCPG13C1806A	-	-	-	-	BJ19C1809A	0.24	(0.03)	32,330	-	CK01C1809A	0.34	-	80,523	-
BCPG13C1807A	-	-	-	-	BJ23C1806A	0.05	(0.03)	2,000	-	CK01C1809B	0.81	(0.06)	15,205	-
BCPG13C1810A	0.35	(0.02)	42,943	-	BJ24C1808A	-	-	-	-	CK01P1809A	0.21	(0.01)	14,807	-
BCPG23C1806A	0.26	(0.02)	4,000	-	BJ2C1807A	0.09	(0.02)	3,354	-	CK08C1809A	0.57	(0.04)	1,216	-
BCPG24C1806A	-	-	-	-	BJ2C1808A	0.11	(0.03)	102,400	-	CK11C1806A	0.05	-	4,300	-
BCPG24C1807A	-	-	-	-	BLA01C1812A	0.35	(0.01)	9,059	-	CK11C1904A	0.29	(0.01)	3,938	-
BCPG24C1810A	-	-	-	-	BLA07C1806A	-	-	-	-	CK13C1806A	-	-	-	-
BCPG28C1806A	-	-	-	-	BLA08C1811A	-	-	-	-	CK13C1809A	0.21	(0.01)	71,256	-
BCPG28C1808A	-	-	-	-	BLA13C1809A	-	-	-	-	CK16C1812A	0.27	-	500	-
BCPG28C1809A	0.34	(0.02)	92,364	-	BLA23C1806A	-	-	-	-	CK23C1808A	0.04	-	500	-
BDMS01C1806A	0.84	-	7,088	-	BLA27C1806A	0.01	(0.01)	4,000	-	CK24C1806A	-	-	-	-
BDMS01C1806B	0.41	(0.01)	4,925	-	BLA28C1810A	-	-	-	-	CK24C1808A	-	-	-	-
BDMS01C1811A	0.20	(0.80)	38,506	-	BLAN01C1809A	0.65	-	19,903	-	CK28C1806A	-	-	-	-
BDMS01C1811B	0.13	-	42,874	-	BLAN01C1809B	0.27	-	9,451	-	CK28C1809A	0.68	(0.04)	33,124	-
BDMS01P1806A	0.05	(0.01)	25,016	-	BLAN01P1809A	0.15	0.01	6,098	-	CKP11C1807A	0.57	0.06	2,250	-
BDMS01P1811A	0.36	(0.01)	56,973	-	BLAN08C1810A	-	-	-	-	CKP13C1810A	0.49	0.07	51,474	-
BDMS06C1811A	0.62	-	3,830	-	BLAN11C1902A	0.30	(0.01)	10,460	-	CKP23C1810A	0.49	0.03	21,500	-
BDMS08C1807A	0.48	0.02	110	-	BLAN23C1807A	0.06	-	3,302	-	CKP24C1811A	0.53	0.04	3,250	-
BDMS11C1811A	0.75	-	1,060	-	BPP01C1806A	-	-	-	-	CKP27C1806A	-	-	-	-
BDMS11C1904A	0.13	-	4,540	-	BPP01C1806B	-	-	-	-	CKP28C1809A	0.24	0.03	36,526	-
BDMS13C1807A	0.50	(0.01)	2	-	BPP01C1811A	0.23	(0.77)	8,402	-	CKP28C1809B	0.54	0.06	63,206	-
BDMS13C1810A	0.47	0.02	27,828	-	BPP01C1811B	0.16	(0.84)	2,810	-	CKP42C1806A	0.20	-	3,774	-
BDMS13C1812A	0.15	-	15,071	-	BPP06C1809A	0.45	(0.01)	2,400	-	COM701C1806A	0.58	0.01	9,087	-
BDMS16C1812A	0.83	-	6,000	-	BPP07C1806A	-	-	-	-	COM701C1806B	0.23	-	10,813	-
BDMS23C1810A	0.47	0.01	1,000	-	BPP08C1807A	-	-	-	-	COM701C1811A	0.56	0.01	11,797	-
BDMS24C1811A	0.38	-	2,000	-	BPP08C1810A	0.33	(0.03)	180	-	COM701C1811B	0.40	(0.01)	10,075	-
BDMS28C1806A	-	-	-	-	BPP11C1807A	0.03	-	88	-	COM706C1809A	0.30	0.02	3,740	-
BDMS28C1811A	0.10	-	40,746	-	BPP13C1806A	-	-	-	-	COM708C1811A	0.20	-	17,116	-
BEAU01C1807A	0.14	-	459,423	-	BPP13C1808A	0.39	(0.03)	10,364	-	COM711C1811A	0.42	-	11,417	-
BEAU01C1807B	0.03	-	40,365	-	BPP13C1811A	0.13	-	5,998	-	COM713C1809A	0.14	(0.01)	9,804	-
BEAU01P1807A	1.23	(0.02)	186,936	1.00	BPP23C1806A	-	-	-	-	COM719C1811A	0.32	-	10,459	-
BEAU06C1809A	0.08	-	21,870	-	BPP24C1809A	-	-	-	-	COM723C1806A	0.60	0.01	5,000	-
BEAU07C1809A	0.03	-	28,188	-	BPP28C1807A	-	-	-	-	COM724C1806A	-	-	-	-
BEAU08C1808A	0.03	-	9,244	-	BPP28C1808A	0.31	(0.01)	31,550	-	COM724C1811A	0.27	(0.01)	5	-
BEAU11C1902A	0.21	0.01	47,807	-	BTS01C1806A	0.58	(0.01)	19,454	-	COM728C1806A	-	-	-	-
BEAU13C1806A	-	-	-	-	BTS01C1810A	0.49	(0.01)	52,254	-	COM728C1808A	0.03	(0.01)	6,300	-
BEAU13C1811A	0.09	-	231,119	-	BTS01C1810B	0.22	-	24,122	-	COM728C1811A	0.34	-	58,610	-
BEAU13C1812A	0.56	0.01	630,277	-	BTS01P1806A	0.06	(0.01)	11,366	-	CPAL01C1806A	0.54	0.01	66,139	-
BEAU23C1901A	0.08	-	4,874	-	BTS01P1810A	0.49	-	7,528	-	CPAL01C1808A				

## Main Board Quotation

Issue Date :

Monday June 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL24P1901A	-	-	-	-	EPG24C1808A	-	-	-	-	INTU11C1807A	-	-	-	-
CPAL28C1809A	0.13	0.01	2,732	-	EPG24C1810A	0.57	0.01	101	-	INTU11P1807A	0.35	0.01	5,280	-
CPAL28C1811A	0.40	-	335,546	-	EPG28C1808A	0.11	0.01	15,050	-	INTU13C1806A	-	-	-	-
CPF01C1809A	0.95	0.01	80,655	-	ESS001C1807A	0.08	-	17,862	-	INTU13C1810A	0.22	(0.01)	26,234	-
CPF01C1809B	0.26	0.02	83,698	-	ESS001C1807B	-	-	-	-	INTU23C1806A	-	-	-	-
CPF01C1810A	0.28	0.01	72,412	-	ESS001C1812A	0.52	-	38,136	-	INTU24C1807A	-	-	-	-
CPF01P1809A	0.34	(0.03)	30,667	-	ESS001C1812B	0.40	-	19,552	-	INTU24C1901A	-	-	-	-
CPF06C1809A	0.68	0.04	5,000	-	ESS001P1807A	1.19	(0.01)	5,064	1.00	INTU28C1809A	0.17	(0.01)	89,028	-
CPF07C1810A	0.11	-	10,000	-	ESS001P1812A	0.74	(0.01)	27,718	-	IRPC01C1808A	0.18	-	28,296	-
CPF08C1809A	0.52	0.02	7,000	-	ESS008C1807A	-	-	-	-	IRPC01C1810A	0.18	(0.01)	19,231	-
CPF11C1902A	0.13	-	12,837	-	ESS013C1807A	0.02	(0.01)	6,000	-	IRPC01C1810B	0.06	(0.01)	1,399	-
CPF11P1902A	0.30	(0.02)	9,792	-	ESS013C1811A	0.30	(0.01)	129,804	-	IRPC01P1808A	0.50	0.01	11,193	-
CPF13C1809A	0.60	0.01	43,621	-	ESS023C1809A	0.08	(0.01)	5,001	-	IRPC01P1810A	0.41	-	24,542	-
CPF13C1810A	0.17	-	46,040	-	ESS024C1806A	-	-	-	-	IRPC01P1810B	0.26	-	17,239	-
CPF23C1810A	0.57	0.03	2,000	-	ESS024C1812A	0.27	0.01	14,402	-	IRPC06C1811A	0.24	(0.02)	8,653	-
CPF24C1809A	0.38	0.02	1,026	-	ESS028C1807A	0.02	0.01	100	-	IRPC08C1808A	-	-	-	-
CPF28C1806A	-	-	-	-	ESS028C1811A	0.27	-	47,799	-	IRPC11C1902A	0.09	-	3,492	-
CPF28C1808A	0.48	0.02	151,644	-	GFPT01C1807A	0.10	(0.01)	6,200	-	IRPC13C1806A	0.01	-	11,214	-
CPN01C1808A	0.31	(0.02)	46,953	-	GFPT08C1807A	-	-	-	-	IRPC13C1808A	-	-	-	-
CPN01C1808B	0.06	(0.02)	26,617	-	GFPT11C1806A	-	-	-	-	IRPC13C1811A	0.19	-	38,074	-
CPN06C1811A	0.45	(0.04)	8,906	-	GFPT23C1806A	-	-	-	-	IRPC23C1810A	0.10	(0.01)	12,000	-
CPN08C1809A	0.09	-	14,156	-	GFPT24C1806A	-	-	-	-	IRPC24C1808A	-	-	-	-
CPN11C1903A	0.30	(0.02)	29,120	-	GFPT24C1812A	0.27	(0.01)	3,100	-	IRPC24C1809A	-	-	-	-
CPN11P1903A	0.74	0.01	91,166	-	GGCO1C1810A	0.50	(0.04)	26,031	-	IRPC27C1809A	0.09	(0.01)	4,000	-
CPN13C1807A	0.05	-	1,070	-	GGCO1C1810B	0.42	(0.04)	23,489	-	IRPC28C1807A	-	-	-	-
CPN13C1812A	0.36	(0.02)	37,378	-	GGCI3C1811A	0.25	(0.02)	6,170	-	IRPC28C1811A	0.14	-	44,710	-
CPN23C1810A	0.24	(0.02)	27,956	-	GGC24C1812A	0.30	(0.07)	5,500	-	ITD01C1808A	0.14	-	1,830	-
CPN24C1806A	-	-	-	-	GGC28C1811A	0.24	(0.02)	51,360	-	ITD01C1808B	0.03	-	800	-
CPN24C1901A	0.35	(0.05)	511	-	GLOB01C1809A	0.48	-	40,051	-	ITD01P1808A	0.68	-	14,233	-
CPN28C1807A	0.01	-	1,310	-	GLOB01C1809B	0.31	-	44,666	-	ITD08C1806A	-	-	-	-
CPN28C1810A	0.23	(0.03)	117,960	-	GLOB06C1809A	0.32	(0.01)	15,458	-	ITD08C1810A	0.36	-	29,292	-
DEL08C1811A	0.17	(0.01)	8,047	-	GLOB08C1807A	0.14	(0.01)	51,412	-	ITD11C1903A	0.41	-	31,046	-
DEL13C1809A	0.12	(0.03)	63,950	-	GLOB11C1808A	0.26	(0.01)	19,280	-	ITD13C1809A	0.12	(0.01)	52,782	-
DEL27C1812A	0.16	(0.02)	10,954	-	GLOB13C1807A	-	-	-	-	ITD23C1808A	-	-	-	-
DTACO1C1808A	0.46	0.09	297,577	-	GLOB23C1811A	0.48	(0.02)	16,000	-	ITD24C1807A	-	-	-	-
DTACO1C1808B	0.21	0.05	165,776	-	GLOB24C1810A	0.25	-	9,000	-	ITD24C1810A	0.21	(0.03)	30,050	-
DTACO1C1810A	0.69	0.12	313,199	-	GLOB27C1809A	0.15	-	10,540	-	ITD28C1808A	-	-	-	-
DTACO1C1810B	0.36	0.09	243,233	-	GLOB28C1807A	-	-	-	-	ITD28C1808B	0.20	(0.01)	158,958	-
DTACO1P1808A	0.60	(0.13)	97,380	-	GLOB28C1808A	0.14	(0.01)	89,930	-	ITD28C1808A	0.75	0.03	207,380	-
DTACO1P1810A	0.92	(0.12)	68,059	-	GLOW08C1806A	-	-	-	-	ITD28C1808A	0.56	0.03	172,335	-
DTACO1P1810B	0.58	(0.13)	53,928	-	GLOW08C1811A	0.52	0.03	30,746	-	ITD28C1808A	0.28	0.02	80,783	-
DTACO6C1806A	0.15	0.07	1,010	-	GLOW11C1807A	0.42	0.03	138,714	-	ITD28C1808A	0.08	(0.01)	2	-
DTACO6P1809A	-	-	-	-	GLOW23C1806A	0.07	0.03	12,776	-	ITD28C1808B	0.69	(0.04)	127,827	-
DTACO7C1809A	0.20	0.05	4,000	-	GLOW27C1812A	0.31	0.01	24,786	-	ITD28C1808B	0.28	(0.04)	56,931	-
DTACO8C1809A	0.30	0.06	53,838	-	GPSC01C1808A	0.44	(0.02)	68,870	-	ITD28C1808B	0.32	0.03	49,076	-
DTACO8P1807A	0.15	(0.07)	26,954	-	GPSC01C1808B	0.15	(0.01)	4,648	-	ITD28C1808B	0.59	-	100	-
DTAC11C1806A	0.05	0.02	290	-	GPSC01P1808A	1.19	-	33,951	1.00	ITD28C1808B	0.36	0.02	38,374	-
DTAC11C1904A	0.57	0.11	36,518	-	GPSC06C1811A	0.41	(0.04)	1,340	-	ITD28C1808B	0.07	(0.01)	2,200	-
DTAC13C1806A	-	-	-	-	GPSC08C1808A	0.09	(0.02)	7,000	-	ITD28C1808B	1.02	0.05	51,054	1.00
DTAC13C1811A	0.37	0.08	232,306	-	GPSC11C1808A	0.93	(0.01)	5,720	-	ITD28C1808B	-	-	-	-
DTAC13P1806A	-	-	-	-	GPSC11C1902A	0.38	(0.01)	3,150	-	ITD28C1808B	-	-	-	-
DTAC13P1811A	0.55	(0.09)	48,963	-	GPSC13C1806A	-	-	-	-	ITD28C1808B	0.51	0.06	2,154	-
DTAC23C1807A	0.03	0.01	1,241	-	GPSC13C1807A	0.09	(0.01)	7,150	-	ITD28C1808B	0.41	0.03	186,861	-
DTAC23P1807A	-	-	-	-	GPSC13C1808A	0.08	(0.01)	11,454	-	ITD28C1808B	0.10	(0.02)	53,025	-
DTAC24C1809A	0.34	0.07	3,585	-	GPSC24C1807A	-	-	-	-	ITD28C1808B	0.72	0.06	55,851	-
DTAC27C1809A	0.21	0.04	31,856	-	GPSC24C1808A	-	-	-	-	ITD28C1808B	0.72	0.01	44,500	-
DTAC27P1809A	0.15	(0.04)	18,912	-	GPSC28C1806A	-	-	-	-	ITD28C1808B	0.33	0.03	17,051	-
DTAC28C1806A	-	-	-	-	GPSC28C1807A	0.18	(0.03)	21,266	-	ITD28C1808B	-	-	-	-
DTAC28C1810A	0.26	0.06	281,915	-	GPSC28C1807B	-	-	-	-	ITD28C1808B	-	-	-	-
DTAC42C1806A	-	-	-	-	GPSC42C1806A	1.04	(0.07)	40	1.00	ITD28C1808B	0.21	-	336,379	-
DTAC42P1806A	0.63	(0.15)	2,404	-	GUNK01C1808A	0.08	-	16,960	-	ITD28C1808B	-	-	-	-
EA01C1806A	0.02	-	2,506	-	GUNK01C1808B	-	-	-	-	ITD28P1806B	-	-	-	-
EA01C1806B	0.01	-	8,335	-	GUNK08C1807A	-	-	-	-	ITD28P1811A	0.48	(0.02)	99,031	-
EA01C1809A	0.90	0.01	26,929	-	GUNK11C1903A	0.22	(0.01)	15,591	-	ITD28P1811A	0.19	0.01	153,359	-
EA01C1809B	0.70	(0.01)	15,973	-	GUNK23C1806A	-	-	-	-	ITD28P1811A	0.03	(0.01)	6,270	-
EA01P1806A	2.80	(0.04)	10,932	2.00	GUNK24C1807A	-	-	-	-	ITD28P1811A	1.02	0.04	200,062	1.00
EA01P1809A	0.87	(0.01)	21,211	-	GUNK24C1812A	0.36	(0.01)	33,338	-	ITD28P1811A	1.12	0.03	125,038	1.00
EA06C1809A	0.02	-	2,040	-	GUNK28C1806A	-	-	-	-	ITD28P1811A	0.70	0.04	150,815	-
EA07C1810A	0.15	(0.01)	500	-	GUNK28C1808A	-	-	-	-	ITD28P1811A	1.00	(0.03)	59,441	1.00
EA08C1807A	-	-	-	-	GUNK28C1810A	0.40	-	10,558	-	ITD28P1811A	0.52	(0.04)	45,387	-
EA08C1809A	0.05	-	3,360	-	HANA01C1806A	0.01	-	25,080	-	ITD28P1811A	0.54	(0.04)	75,614	-
EA08C1810A	0.37	-	46,919	-	HANA01C1806B	-	-	-	-	ITD28P1811A	1.27	(0.02)	45,509	1.00
EA11C1902A	0.19	-	19,534	-	HANA01C1811A	0.40	0.01	9,899	-	ITD28P1811A	0.83	(0.05)	48,532	-
EA13C1806A	-	-	-	-	HANA01C1811B	0.29	0.01	7,885	-	ITD28P1811A	0.67	0.06	50,208	-
EA13C1807A	-	-	-	-	HANA08C1806A	-	-	-	-	ITD28P1811A	0.35	0.03	243	-
EA13C1808A	-	-	-	-	HANA08C1809A	0.15	-	7,051	-	ITD28P1811A	0.60	0.04	63,392	-
EA13C1808B	0.17	-	88,524	-	HANA11C1904A	-	-	-	-	ITD28P1811A	0.56	(0.05)	38,868	-
EA13C1809A	0.04	-	7,159	-	HANA13C1806A	-	-	-	-	ITD28P1811A	-	-	-	-
EA13C1810A	0.12	-	164,069	-	HANA13C1809A	0.18	-	54,422	-	ITD28P1811A	0.19	0.01	85,366	-
EA13P1809A	0.72	(0.02)	14,610	-	HANA23C1811A	0.41	0.01	10,500	-	ITD28P1811A	0.81	0.04	196,412	-
EA23C1806A	-	-	-	-	HANA24C1808A	-	-	-	-	ITD28P1811A	-	-	-	-
EA24C1807A	-	-	-	-	HANA24C1810A	0.17	-	36	-	ITD28P1811A	-	-	-	-
EA24C1809A	0.45	(0.06)	100	-	HANA28C1807A	-	-	-	-	ITD28P1811A	0.75	-	198	-
EA28C1806A	-	-	-	-	HANA28C1808A	0.11	-	10,170	-	ITD28P1811A	-	-	-	-
EA28C1809A	0.56	-	22,344	-	HMPR01C1808A	0.34	0.01	2,790	-	ITD28P1811A	0.11	0.01	8,281	-
EA28C1809B	0.15	(0.01)	44,487	-	HMPR01C1808B	0.15	0.01	1,226	-	ITD28P1811A	0.59	(0.02)	26,799	-
EGCO01C1809A	0.66	(0.05)	45,099	-	HMPR01P1808A	0.35	(0.01)	4,350	-	ITD28P1811A	-	-	-	-
EGCO08C1809A	0.19	(0.03)	16,345	-	HMPR06C1811A	-	-	-	-	ITD28P1811A	-	-		

## Main Board Quotation

## Issue Date :

Monday June 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KKP01C1808A	0.24	(0.01)	3,844	-	MINT01C1901A	0.40	-	86,546	-	PTT11C1902A	0.25	(0.03)	64,846	-
KKP01C1808B	0.04	-	2,000	-	MINT01C1901B	0.31	(0.01)	54,766	-	PTT13C1807A	0.24	(0.03)	163,141	-
KKP07C1806A	-	-	-	-	MINT01P1808A	0.77	(0.01)	52,072	-	PTT13C1808A	0.05	(0.02)	196,717	-
KKP08C1811A	0.35	(0.01)	6,186	-	MINT06C1809A	0.06	(0.01)	1,200	-	PTT13C1810A	0.15	(0.01)	181,933	-
KKP11C1903A	0.30	(0.01)	1,370	-	MINT07C1810A	0.06	(0.01)	136	-	PTT13C1811A	0.33	(0.02)	115,217	-
KKP13C1807A	0.01	(0.01)	7,000	-	MINT08C1809A	-	-	-	-	PTT13P1807A	0.07	-	9,104	-
KKP13C1811A	0.31	(0.01)	2,302	-	MINT11C1902A	0.13	-	44,202	-	PTT13P1808A	0.48	(0.02)	185,460	-
KKP23C1807A	-	-	-	-	MINT11P1902A	0.38	(0.01)	17,966	-	PTT19C1809A	0.18	(0.02)	84,868	-
KKP24C1807A	-	-	-	-	MINT13C1810A	0.12	(0.01)	25,414	-	PTT23C1901A	0.18	(0.01)	12,220	-
KKP24C1812A	0.35	(0.05)	240	-	MINT23C1810A	0.10	(0.02)	12,000	-	PTT24C1806A	-	-	-	-
KKP28C1807A	-	-	-	-	MINT24C1807A	-	-	-	-	PTT24C1809A	-	-	-	-
KKP28C1810A	0.22	(0.02)	63,464	-	MINT24C1812A	0.09	-	2,600	-	PTT24P1808A	-	-	-	-
KTB01C1808A	0.21	-	36,369	-	MINT28C1806A	-	-	-	-	PTT27C1809A	-	-	-	-
KTB01C1810A	0.37	0.01	54,517	-	MINT28C1808A	0.05	-	1	-	PTT27P1809A	0.22	-	28,356	-
KTB01C1810B	0.26	0.01	62,805	-	MONO01C1810A	0.16	(0.03)	8,320	-	PTT28C1807A	0.16	(0.01)	74,816	-
KTB01P1808A	0.56	-	19,411	-	MONO01C1810B	0.11	(0.02)	9,778	-	PTT28C1808A	0.07	(0.02)	30,662	-
KTB08C1809A	-	-	-	-	MONO08C1808A	-	-	-	-	PTT28C1808B	0.03	(0.01)	8,212	-
KTB11C1811A	0.21	(0.01)	13,284	-	MONO08C1906A	0.23	(0.02)	10,578	-	PTT28C1811A	0.12	(0.01)	147,790	-
KTB13C1809A	0.11	-	23,945	-	MONO13C1808A	-	-	-	-	PTT28C1811B	0.31	(0.02)	244,369	-
KTB23C1811A	0.25	(0.02)	49,000	-	MONO13C1811A	0.13	(0.02)	15,997	-	PTT28P1808A	0.33	0.03	85,408	-
KTB24C1808A	-	-	-	-	MONO23C1809A	-	-	-	-	PTT28P1808B	0.59	0.02	56,184	-
KTB24C1811A	0.21	(0.05)	1,000	-	MONO24C1807A	-	-	-	-	PTTE01C1808A	1.12	(0.01)	101,059	1.00
KTB24P1901A	0.46	(0.01)	200	-	MONO24C1812A	0.05	(0.01)	23	-	PTTE01C1808B	0.68	(0.02)	140,894	-
KTB28C1806A	-	-	-	-	MONO28C1807A	-	-	-	-	PTTE01C1901A	0.80	(0.01)	84,665	-
KTB28C1809A	0.07	(0.01)	182	-	MONO28C1808A	-	-	-	-	PTTE01C1901B	0.63	(0.03)	72,265	-
KTC01C1806A	5.05	0.27	4,504	4.00	MONO28C1811A	0.11	(0.02)	6,084	-	PTTE01P1808A	0.20	-	105,636	-
KTC01C1806B	6.85	0.45	2,018	6.00	MTC06C1806A	0.32	0.01	19,761	-	PTTE01P1901A	1.36	0.01	46,696	1.00
KTC01C1808A	1.49	0.10	217,482	1.00	MTC07C1806A	0.01	-	10,000	-	PTTE01P1901B	1.04	0.02	59,143	1.00
KTC01C1808B	0.90	0.12	301,218	-	MTC08C1807A	0.02	(0.01)	9,200	-	PTTE06C1811A	0.57	(0.05)	40,657	-
KTC01C1810A	0.56	0.03	82,989	-	MTC08C1811A	0.15	-	97,584	-	PTTE07C1809A	0.37	(0.01)	15,931	-
KTC01C1810B	0.48	0.03	78,059	-	MTC11C1806A	0.11	(0.01)	155,450	-	PTTE08C1807A	-	-	-	-
KTC06C1807A	1.99	0.22	17,372	1.00	MTC11C1904A	0.27	-	23,364	-	PTTE08C1811A	0.46	(0.03)	64,692	-
KTC08C1807A	5.85	-	4	5.00	MTC13C1809A	0.07	(0.01)	68,843	-	PTTE08P1809A	0.12	(0.01)	26,674	-
KTC08C1808A	1.55	0.15	3,626	1.00	MTC13C1811A	0.36	(0.01)	200,651	-	PTTE08P1811A	0.47	-	68,437	-
KTC11C1902A	1.61	0.11	54,835	1.00	MTC23C1808A	-	-	-	-	PTTE11C1806A	3.26	(0.04)	10,360	3.00
KTC13C1806A	7.30	0.15	4	7.00	MTC24C1808A	0.01	-	17,900	-	PTTE11C1902A	0.67	(0.02)	59,240	-
KTC13C1807A	6.00	0.35	4	5.00	MTC24C1810A	0.17	(0.01)	2,340	-	PTTE13C1806A	1.03	0.06	1	1.00
KTC13C1808A	1.54	0.11	502	1.00	MTC24C1812A	0.32	(0.01)	1,020	-	PTTE13C1807A	0.55	(0.01)	2,700	-
KTC13C1809A	1.04	0.21	14,804	-	MTC27C1807A	-	-	-	-	PTTE13C1811A	0.44	(0.01)	196,796	-
KTC13C1809B	0.90	0.10	205,859	-	MTC28C1806A	-	-	-	-	PTTE13P1807A	0.03	0.01	502	-
KTC13P1807A	0.09	-	138,468	-	MTC28C1808A	0.03	(0.01)	400	-	PTTE13P1811A	0.41	-	147,363	-
KTC23C1806A	7.75	(1.30)	1,411	7.00	MTC28C1809A	0.22	(0.01)	138,230	-	PTTE19C1811A	0.60	(0.02)	76,394	-
KTC23C1809A	1.67	0.19	1,203	1.00	MTC42C1806A	0.10	(0.02)	2,222	-	PTTE23C1901A	0.19	(0.02)	8,448	-
KTC24C1808A	-	-	-	-	ORI08C1807A	0.20	(0.02)	52,152	-	PTTE24C1807A	0.37	(0.05)	56,718	-
KTC24C1810A	0.74	0.04	20,477	-	ORI11C1811A	0.35	(0.01)	43,624	-	PTTE24C1811A	0.33	(0.01)	26,120	-
KTC24P1807A	0.09	(0.03)	142,647	-	ORI13C1806A	-	-	-	-	PTTE24P1809A	0.06	-	49,058	-
KTC27C1806A	-	-	-	-	ORI13C1810A	0.69	(0.01)	207,906	-	PTTE27C1809A	0.81	(0.02)	7,200	-
KTC28C1806A	-	-	-	-	ORI19C1811A	0.47	(0.01)	14,980	-	PTTE27P1809A	0.11	(0.01)	15,832	-
KTC28C1806B	-	-	-	-	ORI23C1809A	-	-	-	-	PTTE28C1807A	0.59	(0.12)	30	-
KTC28C1808A	1.49	(0.02)	30	1.00	ORI24C1806A	-	-	-	-	PTTE28C1810A	0.37	(0.02)	93,168	-
KTC28C1808B	1.57	0.10	52,501	1.00	ORI24C1810A	-	-	-	-	PTTE28C1811A	0.25	(0.01)	50,930	-
KTC28C1809A	1.00	0.10	2,098	-	ORI28C1806A	-	-	-	-	PTTE28P1811A	0.43	0.01	80,051	-
KTC28C1810A	0.91	0.08	136,634	-	ORI28C1808A	0.22	(0.01)	121,846	-	PTTG01C1808A	0.48	(0.06)	160,445	-
LH01C1809A	0.31	-	200	-	PLAN08C1811A	0.22	-	22,066	-	PTTG01C1810A	0.51	(0.06)	101,894	-
LH01C1809B	0.18	-	260	-	PLAN13C1809A	0.15	-	13,054	-	PTTG01C1810B	0.17	(0.04)	48,079	-
LH01P1809A	-	-	-	-	PLAN23C1806A	-	-	-	-	PTTG01C1811A	0.76	(0.05)	78,775	-
LH06C1809A	-	-	-	-	PLAN28C1810A	0.20	-	88,920	-	PTTG01P1808A	0.88	0.08	78,453	-
LH07C1810A	-	-	-	-	PSH01C1810A	0.52	0.01	5,472	-	PTTG01P1811A	1.37	0.06	46,523	1.00
LH11C1808A	-	-	-	-	PSH01C1810B	0.29	-	5,282	-	PTTG06C1809A	-	-	-	-
LH13C1808A	-	-	-	-	PSH01P1810A	0.70	-	5,542	-	PTTG07C1806A	0.11	(0.09)	500	-
LH23C1806A	-	-	-	-	PSH08C1811A	0.22	(0.01)	10,114	-	PTTG08C1811A	0.28	(0.04)	31,504	-
LH24C1806A	0.10	(0.09)	4,000	-	PSH11C1902A	0.39	0.01	4,856	-	PTTG08P1811A	0.83	0.06	26,290	-
LH24C1809A	-	-	-	-	PSH23C1811A	0.43	0.03	4,150	-	PTTG11C1902A	0.31	(0.04)	46,912	-
LH28C1808A	-	-	-	-	PSH42C1806A	-	-	-	-	PTTG13C1808A	0.11	(0.04)	130,105	-
LHFG42C1806A	-	-	-	-	PSL01C1807A	0.32	(0.03)	57,858	-	PTTG13C1812A	0.62	(0.08)	128,377	-
LPN01C1809A	0.13	0.02	4,393	-	PSL23C1809A	0.11	(0.03)	47,494	-	PTTG19C1811A	0.60	(0.05)	35,426	-
LPN01C1811A	0.37	0.01	13,005	-	PSL24C1807A	0.17	(0.03)	1,700	-	PTTG23C1901A	0.25	(0.04)	11,000	-
LPN01C1811B	0.22	(0.01)	6,670	-	PTG01C1806A	0.08	(0.02)	141,544	-	PTTG24C1808A	0.07	(0.03)	89,447	-
LPN01P1809A	0.57	(0.01)	6,486	-	PTG01C1806B	-	-	-	-	PTTG24P1808A	-	-	-	-
LPN08C1807A	-	-	-	-	PTG01C1811A	0.50	(0.02)	72,406	-	PTTG27C1807A	0.32	(0.06)	4,200	-
LPN08C1810A	-	-	-	-	PTG01C1811B	0.34	(0.04)	43,203	-	PTTG27P1807A	-	-	-	-
LPN11C1806A	0.03	(0.01)	242	-	PTG01P1811A	0.80	(0.20)	23,047	-	PTTG28C1807A	0.01	-	2,000	-
LPN23C1806A	-	-	-	-	PTG06C1810A	0.19	(0.01)	180	-	PTTG28C1807B	-	-	-	-
LPN24C1808A	-	-	-	-	PTG06C1904A	0.70	(0.03)	500	-	PTTG28C1811A	0.51	(0.06)	391,452	-
LPN24C1812A	0.32	-	1,000	-	PTG07C1806A	-	-	-	-	QH01C1807A	0.41	-	1,685	-
LPN27C1807A	-	-	-	-	PTG08C1807A	-	-	-	-	QH01C1810A	0.45	(0.03)	3,603	-
MAJO08C1811A	0.14	0.01	13,499	-	PTG11C1903A	0.39	(0.02)	11,824	-	QH01C1810B	0.35	(0.04)	4,914	-
MAJO11C1902A	0.18	0.01	13,190	-	PTG13C1806A	-	-	-	-	QH01P1807A	0.25	0.02	12,880	-
MAJO23C1806A	-	-	-	-	PTG13C1809A	0.20	(0.02)	156,016	-	QH08C1808A	0.23	(0.03)	5,296	-
MAJO24C1809A	-	-	-	-	PTG23C1808A	-	-	-	-	QH11C1902A	0.38	(0.02)	2,375	-
MAJO42C1806A	-	-	-	-	PTG24C1809A	0.24	(0.04)	1,472	-	QH23C1808A	-	-	-	-
MALE01C1812A	0.03	-	14,998	-	PTG27C1809A	-	-	-	-	QH28C1808A	0.13	(0.03)	10,545	-
MALE08C1811A	-	-	-	-	PTG28C1806A	-	-	-	-	RATC23C1806A	-	-	-	-
MALE13C1809A	-	-	-	-	PTG28C1808A	0.12	(0.03)	128,048	-	RATC27C1812A	-	-	-	-
MALE23C1806A	-	-	-	-	PTL08C1811A	0.54	-	4,561	-	ROBI01C1809A	0.44	0.01	8,451	-
MALE27C1812A	-	-	-	-	PTL13C1809A	0.32	0.02	7,809	-	ROBI06C1809A	0.40	-	2,800	-
MALE28C1810A	-	-	-	-	PTL23C1807A	-	-	-	-	ROBI08C1808A	-	-	-	-
MC23C1809A	0.17	(0.01)	8,570	-	PTL24C1806A	-	-	-	-					

## Main Board Quotation

Issue Date :

Monday June 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001P1806F	1.46	-	1,492,146	1.00	SGP08C1808A	0.02	-	24,052	-	THAI01C1808B	0.10	(0.01)	8,212	-
S5001P1806G	0.25	(0.02)	927,644	-	SGP11C1904A	0.14	0.01	25,849	-	THAI01P1806A	0.67	-	8,994	-
S5001P1806H	2.08	0.02	314,246	2.00	SGP13C1806A	0.90	0.12	2,550	-	THAI01P1808A	0.56	-	4,428	-
S5001P1806I	0.94	(0.02)	1,018,836	-	SGP13C1807A	0.03	-	1	-	THAI06C1809A	0.38	(0.02)	7,284	-
S5001P1807A	1.35	-	56,133	1.00	SGP13C1808A	0.03	0.01	35,162	-	THAI07C1811A	-	-	-	-
S5001P1807B	0.99	(0.01)	523,330	1.00	SGP13C1811A	0.08	(0.01)	46,410	-	THAI08C1808A	0.15	-	9,334	-
S5001P1808A	0.77	-	12,936	-	SGP24C1806A	-	-	-	-	THAI11C1808A	0.11	-	3,348	-
S5001P1808B	0.89	0.02	21,693	-	SGP24C1808A	0.01	-	31	-	THAI13C1811A	0.25	-	8,336	-
S5001P1809F	1.46	0.02	318,050	1.00	SGP24C1811A	0.11	-	201	-	THAI23C1901A	0.16	-	3,004	-
S5001P1809G	1.04	0.02	399,992	1.00	SGP28C1808A	0.01	-	9,000	-	THAI24C1808A	0.14	0.01	4,000	-
S5006C1806A	0.01	(0.01)	1,426	-	SGP28C1809A	0.02	-	100	-	THAI27C1809A	0.19	-	8,664	-
S5006C1806B	0.02	0.01	500	-	SGP28C1811A	0.11	-	51,980	-	THAI28C1808A	0.09	-	300	-
S5006C1809A	0.50	(0.03)	47,001	-	SIRI01C1808A	0.05	0.01	1,720	-	THAN01C1812A	0.48	(0.01)	35,109	-
S5006C1809B	0.36	(0.01)	41,935	-	SIRI01C1808B	0.01	(0.01)	5,191	-	THAN13C1809A	0.09	(0.01)	94	-
S5006P1806A	-	-	-	-	SIRI01C1901A	0.58	-	1,468	-	THAN23C1807A	-	-	-	-
S5006P1806B	0.21	(0.01)	421	-	SIRI01C1901B	0.37	-	2,026	-	THAN28C1810A	0.16	(0.01)	18,252	-
S5006P1809A	1.40	-	510	1.00	SIRI01P1808A	-	-	-	-	THCO01C1809A	0.17	0.01	43,528	-
S5006P1809B	0.74	0.04	130	-	SIRI08C1808A	-	-	-	-	THCO01P1809A	0.58	(0.01)	18,552	-
S5008C1806A	0.02	-	6,500	-	SIRI08C1810A	0.29	(0.01)	13,373	-	THCO11C1902A	0.20	0.01	8,180	-
S5008C1806B	0.02	(0.01)	2,299	-	SIRI11C1902A	0.27	-	8,106	-	THCO23C1808A	-	-	-	-
S5008P1806A	0.48	-	115,109	-	SIRI13C1809A	0.05	(0.01)	3,050	-	THCO24C1807A	-	-	-	-
S5008P1806B	0.47	-	108,774	-	SIRI23C1811A	0.42	0.01	845	-	THCO24C1810A	0.38	(0.02)	10,600	-
S5013C1806A	0.02	(0.01)	264,626	-	SIRI24C1809A	-	-	-	-	THCO28C1806A	-	-	-	-
S5013C1806B	0.01	-	176,862	-	SIRI28C1807A	-	-	-	-	THCO28C1808A	0.07	-	12,110	-
S5013C1806C	0.18	-	366,804	-	SIRI28C1809A	0.19	-	10,990	-	TISCO1C1808A	0.70	0.03	39,567	-
S5013C1806D	0.07	(0.01)	723,548	-	SPAL01C1808A	0.55	(0.01)	19,753	-	TISCO1C1808B	0.27	0.01	12,280	-
S5013C1806E	0.14	-	816,316	-	SPAL01C1808B	0.17	-	3,170	-	TISCO8C1808A	0.33	0.03	21,196	-
S5013C1809A	0.45	-	1,740,249	-	SPAL06C1809A	0.60	(0.02)	8,400	-	TISC11C1903A	0.52	0.03	29,110	-
S5013C1809B	0.70	(0.01)	1,847,910	-	SPAL08C1808A	0.16	(0.01)	10,278	-	TISC13C1807A	0.22	0.01	28,755	-
S5013P1806A	0.54	(0.06)	4,375,570	-	SPAL11C1807A	0.31	(0.02)	10,044	-	TISC13C1811A	0.70	0.01	38,831	-
S5013P1806B	0.30	(0.07)	948,797	-	SPAL23C1811A	-	-	-	-	TISC24C1806A	-	-	-	-
S5013P1806C	1.24	0.04	97,500	1.00	SPAL24C1808A	0.06	(0.01)	100	-	TISC24C1812A	-	-	-	-
S5013P1806D	0.05	(0.02)	189,619	-	SPAL24C1812A	-	-	-	-	TISC27C1807A	0.23	-	7,290	-
S5013P1806E	0.61	(0.08)	1,099,027	-	SPCG13C1806A	0.02	(0.04)	1,907	-	TISC28C1807A	0.15	0.01	99,932	-
S5013P1809A	1.42	(0.03)	613,532	1.00	SPRC01C1808A	0.26	0.01	13,610	-	TISC42C1806A	0.96	0.05	2,934	-
S5013P1809B	0.83	(0.02)	1,295,873	-	SPRC01C1808B	0.07	-	40	-	TKN01C1808A	0.36	(0.04)	81,208	-
S5028C1806A	0.02	0.01	4,601	-	SPRC06C1809A	-	-	-	-	TKN01C1808B	0.15	(0.02)	24,018	-
S5028C1806B	0.02	-	20,175	-	SPRC08C1808A	0.09	0.01	4,000	-	TKN06C1806A	-	-	-	-
S5028C1806C	0.08	(0.02)	266,689	-	SPRC11C1902A	0.17	-	2,360	-	TKN08C1808A	0.04	(0.02)	1,100	-
S5028C1807A	0.25	(0.02)	516,593	-	SPRC13C1808A	0.10	-	10,850	-	TKN08C1811A	0.43	(0.05)	23,805	-
S5028P1806A	0.60	(0.06)	1,265,112	-	SPRC23C1810A	0.21	-	7,000	-	TKN11C1902A	0.43	(0.04)	39,790	-
S5028P1806B	0.17	(0.04)	898,809	-	SPRC24C1808A	-	-	-	-	TKN13C1808A	0.11	(0.01)	44,978	-
S5028P1806C	-	-	-	-	SPRC28C1806A	-	-	-	-	TKN13C1810A	0.42	(0.06)	39,793	-
S5028P1807A	1.06	(0.03)	243,632	1.00	STA01C1807A	0.09	-	29	-	TKN13C1811A	0.37	(0.03)	115,902	-
SAMA13C1806A	-	-	-	-	STA01C1807B	-	-	-	-	TKN19C1811A	0.41	(0.05)	18,330	-
SAWA01C1808A	0.08	-	6,340	-	STA08C1807A	-	-	-	-	TKN23C1806A	-	-	-	-
SAWA01C1808B	0.02	-	3	-	STA13C1807A	-	-	-	-	TKN24C1807A	-	-	-	-
SAWA01C1901A	0.50	(0.01)	74,455	-	STA13C1808A	0.18	-	55,997	-	TKN24C1811A	-	-	-	-
SAWA01C1901B	0.44	-	55,313	-	STA23C1809A	-	-	-	-	TKN28C1806A	-	-	-	-
SAWA01P1808A	2.22	-	14,279	2.00	STA24C1808A	0.12	-	400	-	TKN28C1808A	0.11	(0.03)	190,756	-
SAWA01P1901A	1.04	(0.01)	19,233	1.00	STA28C1807A	-	-	-	-	TMB01C1807A	0.04	-	31,458	-
SAWA06C1807A	-	-	-	-	STEC01C1809A	0.47	-	137,380	-	TMB01C1810A	0.37	0.02	32,594	-
SAWA06C1811A	0.07	(0.01)	1,001	-	STEC01C1809B	1.55	0.05	37,253	1.00	TMB01C1810B	0.28	0.02	38,694	-
SAWA08C1808A	-	-	-	-	STEC01P1809A	0.77	(0.02)	29,319	-	TMB01P1807A	0.76	(0.04)	2,856	-
SAWA08C1811A	0.04	-	3,000	-	STEC06C1809A	0.60	0.03	34,868	-	TMB06C1809A	-	-	-	-
SAWA11C1808A	-	-	-	-	STEC08C1809A	0.43	0.02	63,164	-	TMB07C1811A	-	-	-	-
SAWA13C1807A	-	-	-	-	STEC11C1903A	0.75	0.03	28,814	-	TMB08C1808A	0.03	-	1,000	-
SAWA13C1810A	0.02	-	4,100	-	STEC13C1809A	0.35	0.01	170,309	-	TMB11C1806A	0.16	0.01	26,445	-
SAWA13C1811A	0.05	0.01	8,524	-	STEC23C1808A	-	-	-	-	TMB11C1904A	0.22	0.02	7,130	-
SAWA13C1812A	0.24	(0.02)	67,417	-	STEC24C1808A	0.34	0.01	1,400	-	TMB13C1811A	0.19	0.02	25,840	-
SAWA23C1807A	-	-	-	-	STEC28C1806A	-	-	-	-	TMB23C1810A	-	-	-	-
SAWA24C1808A	-	-	-	-	STEC28C1808A	0.28	-	132,215	-	TMB24C1809A	-	-	-	-
SAWA28C1807A	-	-	-	-	STEC28C1810A	0.69	0.02	262,006	-	TMB24C1901A	0.20	-	1,000	-
SAWA28C1809A	0.02	-	2	-	STPI08C1811A	0.13	(0.02)	3,000	-	TMB28C1806A	-	-	-	-
SAWA28C1810A	0.04	-	800	-	STPI23C1806A	-	-	-	-	TMB28C1808A	-	-	-	-
SAWA28C1811A	0.27	(0.02)	186,589	-	STPI28C1807A	-	-	-	-	TMB28C1809A	0.11	0.01	55,850	-
SCB01C1808A	0.27	-	80,872	-	SUPE06C1806A	0.04	0.01	697	-	TOP01C1808A	0.23	0.01	7,275	-
SCB01C1808B	0.04	(0.01)	1,101	-	SUPE08C1808A	0.11	(0.01)	1,250	-	TOP01C1808B	-	-	-	-
SCB01C1810A	0.53	0.01	84,109	-	SUPE08C1811A	0.21	-	421	-	TOP01P1808A	0.92	(0.03)	13,650	-
SCB01P1808A	1.21	(0.03)	34,506	1.00	SUPE13C1806A	0.01	(0.04)	1	-	TOP06C1809A	-	-	-	-
SCB01P1808B	0.56	(0.04)	36,441	-	SUPE13C1810A	0.16	-	6,602	-	TOP08C1811A	0.38	0.02	13,673	-
SCB06C1811A	0.65	0.01	40,475	-	SUPE13C1811A	0.20	-	9	-	TOP11C1808A	-	-	-	-
SCB08C1806A	-	-	-	-	SUPE23C1811A	0.30	(0.06)	3,030	-	TOP13C1806A	-	-	-	-
SCB11C1901A	0.31	0.02	37,930	-	SUPE23C1901A	-	-	-	-	TOP13C1811A	0.35	(0.01)	26,861	-
SCB11P1901A	0.62	(0.02)	12,580	-	SUPE28C1806A	-	-	-	-	TOP18C1808A	-	-	-	-
SCB13C1809A	0.16	(0.01)	80,740	-	SUPE28C1807A	-	-	-	-	TOP23C1811A	0.44	0.01	3,001	-
SCB24C1806A	-	-	-	-	SUPE28C1810A	0.10	(0.05)	100	-	TOP24C1806A	-	-	-	-
SCB24C1902A	0.52	(0.04)	1	-	SUPE28C1811A	0.15	(0.02)	73	-	TOP24C1901A	-	-	-	-
SCB24P1811A	0.43	0.01	450	-	TASC01C1806A	0.06	-	4,500	-	TOP28C1810A	-	-	-	-
SCB28C1808A	-	-	-	-	TASC01C1809A	0.14	0.01	1,097	-	TOP42C1806A	-	-	-	-
SCB28C1809A	0.16	(0.01)	205,552	-	TASC01C1810A	0.40	(0.01)	6,284	-	TOP42P1806A	0.62	(0.06)	584	-
SCB28P1808A	0.21	(0.04)	180,048	-	TASC01C1810B	0.24	(0.02)	5,316	-	TP101C1807A	-	-	-	-
SCC01C1808A	0.23	0.01	99,343	-	TASC01P1806A	1.09	-	3,342	1.00	TP101C1807B	-	-	-	-
SCC01C1808B	0.04	0.01	14,821	-	TASC01P1809A	1.39	0.01	7,494	1.00	TP108C1807A	-	-	-	-
SCC01P1808A	0.65	(0.01)	12,696	-	TASC07C1811A	-	-	-	-	TP113C1809A	-	-	-	-
SCC06C1809A	0.13	0.01	1,690	-	TASC08C1808A	-	-	-	-	TP123C1809A	-	-	-	-
SCC08C1809A	0.11	-	7,440	-	TASC11C1806A	-	-	-	-	TP124C1808A	-	-	-	-
SCC11C1811A	0.18	(0.01)	22,886	-	TASC11C1904A	0.30	-	1,110	-	TP124C1902A	0.23	(0.01)	110	-
SCC11P1811A														

**Main Board Quotation**

**Issue Date :**

*Monday June 11, 2018*

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------





## Main Board Quotation

Issue Date :

Monday June 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price
WHA28C1809A	0.66	(0.05)	38,326	-
WHA42C1806A	0.54	(0.04)	2,338	-
WHA42P1806A	0.01	(0.01)	6,025	-
WHAU01C1810A	0.38	(0.01)	27,128	-
WHAU01C1810B	0.22	(0.01)	24,685	-
WORK01C1806A	0.01	-	5,560	-
WORK01C1806B	0.01	-	671	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
RICHY-W2	-	-	-	-
RML-W4	-	-	-	-
RS-W3	12.10	0.80	727	12.00
S-W1	0.18	-	7,757	-
SAMART-W2	0.38	(0.02)	71,390	-
SAWAD-W1	5.80	(0.20)	192	5.00
SDC-W1	0.06	-	27,879	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
SGF-P1	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-