

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday June 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	7.10	0.05	4,052	7.05	RS	20.50	(0.10)	89,159	20.45
NFC	-	-	-	-	HUMAN	11.90	-	2,480	12.01	SE-ED	3.38	-	52	3.37
POMPUI	-	-	-	-	ILINK	6.00	-	3,705	5.98	SMM	0.92	0.01	743	0.93
SAFARI	-	-	-	-	INET	3.92	(0.02)	1,069	3.93	SPORT	0.66	0.01	4,053	0.65
VI	-	-	-	-	INTUCH	54.50	(0.25)	48,122	54.80	TBSP	16.30	-	8	16.30
WORLD	-	-	-	-	JAS	6.10	(0.05)	130,013	6.13	TH	0.61	(0.01)	832	0.61
WR	-	-	-	-	JASIF	10.60	0.10	106,246	10.51	TKS	12.00	-	44,294	12.07
Agribusiness	-	-	-	-	JMART	10.70	0.10	9,238	10.78	TRITN	0.28	-	88,576	0.29
CHOTI	-	-	-	-	JTS	1.61	(0.03)	332	1.62	VGI	7.80	0.05	107,645	7.76
EE	0.87	0.02	44,839	0.86	MFEC	4.26	-	483	4.24	WAVE	3.02	(0.04)	122	3.02
GFPT	12.00	0.20	23,900	11.98	MSC	5.85	0.05	2,046	5.82	WORK	43.25	0.25	30,649	43.64
LEE	2.82	0.02	611	2.80	PT	6.90	-	4,034	6.93	Finance & Securities	-	-	-	-
STA	12.70	0.10	51,066	12.72	SAMART	7.95	(0.10)	2,829	8.00	AEC	0.49	0.01	1,114	0.49
TLUXE	6.20	0.05	2,897	6.18	SAMTEL	9.90	(0.10)	29	9.94	AEONTS	153.00	(3.00)	2,316	153.86
TRUBB	1.80	-	3,632	1.80	SDC	0.26	(0.01)	4,876	0.27	AMANAH	2.02	(0.02)	108,953	2.04
TWPC	9.65	0.20	5,007	9.46	SIS	9.10	-	1,960	9.12	ASAP	6.30	(0.20)	28,326	6.31
UPOIC	4.50	0.06	101	4.44	SVOA	1.55	0.02	16,927	1.55	ASK	22.50	-	506	22.58
UVAN	7.85	0.05	5,956	7.88	SYMC	5.20	0.22	2,719	5.25	ASP	3.86	0.02	35,155	3.87
VPO	0.76	(0.01)	803	0.76	SYNEX	14.30	(0.10)	19,288	14.33	BFIT	30.00	-	14,659	30.89
Banking	-	-	-	-	THCOM	9.65	0.25	73,651	9.59	CGH	1.24	0.01	608	1.22
BAY	42.00	0.50	10,020	41.91	TRUE	6.70	(0.20)	2,007,451	6.77	CNS	2.62	-	543	2.60
BBL	198.00	1.50	58,923	197.57	TWZ	0.15	-	99,904	0.15	ECL	1.99	(0.01)	73,437	2.00
CIMBT	0.98	-	20,335	0.98	Electronic Componen	-	-	-	-	FNS	4.58	0.02	4,067	4.57
KBANK	199.50	2.00	85,749	200.57	CCET	1.92	(0.03)	17,598	1.93	FSS	2.58	-	1,744	2.58
KKP	68.25	(0.25)	14,908	68.26	DELTA	64.25	0.25	3,393	64.34	GBX	0.71	-	761	0.70
KTB	17.80	-	187,038	17.94	EIC	0.06	-	12,778	0.06	GL	5.65	-	11,297	5.68
LHFG	1.55	(0.02)	52,458	1.56	HANA	34.50	(0.25)	22,698	34.65	IFS	3.06	0.02	1,219	3.04
SCB	138.00	0.50	66,453	138.36	KCE	36.00	(0.25)	56,348	35.99	JMT	31.25	0.25	1,853	30.99
TCAP	52.00	(0.25)	6,911	52.08	METCO	192.00	1.00	1	192.00	KCAR	14.40	0.10	1,634	14.31
TISCO	87.00	(0.50)	23,130	86.98	SMT	2.74	(0.02)	7,342	2.77	KGI	4.28	0.02	19,566	4.28
TMB	2.48	-	1,344,086	2.51	SPPT	4.84	(0.16)	18,153	4.85	KTC	342.00	(5.00)	14,875	344.74
Construction Materia	-	-	-	-	SVI	4.10	-	5,718	4.09	MBKET	14.60	0.10	24,342	14.67
CCP	0.43	-	5,542	0.42	TEAM	1.12	(0.02)	9,517	1.13	MFC	15.30	0.10	119	15.30
DCC	2.28	0.04	33,329	2.25	Energy & Utilities	-	-	-	-	ML	1.07	-	9,387	1.07
DCON	0.60	0.01	7,696	0.59	ABPIF	8.50	(0.05)	503	8.50	MTC	34.00	0.25	37,219	34.12
DRT	5.75	-	3,112	5.77	AI	-	-	-	-	PE	0.36	-	21,400	0.38
EPG	8.15	(0.05)	48,844	8.15	AKR	1.45	0.05	464,375	1.42	PL	3.60	0.02	5,688	3.59
GEL	0.35	0.01	79,938	0.35	BAFS	37.00	0.25	3,121	37.00	S11	7.50	-	1,237	7.55
PPP	3.88	-	112	3.87	BANPU	21.80	0.40	664,674	21.71	SAWAD	36.00	0.50	87,185	36.27
Q-CON	5.85	-	185	5.85	BCP	35.75	(0.25)	47,094	35.96	THANI	7.65	-	56,826	7.67
RCI	2.12	0.02	2,978	2.12	BCPG	19.30	-	31,907	19.37	TK	12.20	0.10	2,534	12.19
SCC	446.00	(4.00)	26,495	447.50	BGRIM	24.60	0.60	118,007	24.44	TNITY	5.90	0.05	502	5.90
SCCC	229.00	-	611	228.98	BPP	24.60	-	5,921	24.63	UOBKH	3.96	-	3	3.96
SCP	8.25	-	1,830	8.23	BRRGIF	10.30	-	1,472	10.28	ZMICO	1.13	-	1,018	1.12
SKN	5.80	-	7,908	5.76	CKP	4.26	0.06	528,093	4.23	Food & Beverage	-	-	-	-
TASCO	17.50	0.20	27,994	17.45	DEMCO	4.46	(0.02)	3,126	4.45	APURE	1.52	0.03	3,175	1.51
TCMC	2.44	-	3,792	2.45	EA	39.25	0.50	168,953	39.18	ASIAN	5.60	-	3,352	5.61
TGCI	2.58	0.02	1,091	2.58	EARTH	-	-	-	-	BR	6.00	0.05	17,770	6.04
TOA	41.75	-	30,013	42.21	EASTW	11.30	-	12,202	11.30	BRR	7.55	-	1,807	7.55
TPPL	1.83	(0.01)	79,212	1.83	EGATIF	11.10	-	11,697	11.01	CBG	56.00	(0.50)	13,394	56.39
UMI	1.44	0.01	142	1.44	EGCO	237.00	-	10,824	237.07	CFRESH	4.68	-	364	4.68
VNG	8.00	(0.05)	11,626	8.03	ESSO	14.20	(0.30)	112,495	14.32	CM	4.24	-	1,410	4.23
WIIK	2.36	(0.02)	1,250	2.38	GLOW	86.00	(1.00)	70,125	86.80	CPF	26.00	-	763,340	26.28
Petrochemicals & Chc	-	-	-	-	GPSC	70.75	(0.25)	12,601	71.24	CPI	1.94	-	11,096	1.92
CMAN	3.70	-	5,764	3.72	GULF	69.75	0.50	37,300	69.79	F&D	-	-	-	-
GC	5.15	-	577	5.16	GUNKUL	3.04	(0.02)	55,982	3.05	HTC	22.60	-	1,518	22.62
GGC	14.20	(0.20)	42,160	14.29	IEC	-	-	-	-	ICHI	5.70	(0.05)	6,336	5.73
GIFT	4.72	0.02	919	4.72	IFEC	-	-	-	-	KBS	4.50	-	378	4.51
IVL	60.75	-	125,772	60.81	IRPC	6.50	(0.05)	660,522	6.51	KSL	3.12	-	10,983	3.13
PATO	15.00	0.20	54	14.96	LANNA	16.40	0.10	2,704	16.32	KTIS	6.00	-	408	6.01
PMTA	16.80	-	51	16.81	MDX	4.44	-	767	4.46	LST	4.92	0.02	261	4.91
PTTGC	87.50	(0.25)	85,063	87.87	PTG	17.60	(0.40)	57,359	17.72	M	77.50	(0.50)	4,687	78.13
SUTHA	4.48	-	93	4.48	PTT	51.50	0.75	684,966	51.63	MALEE	15.50	-	4,243	15.55
TCB	55.00	0.50	382	54.96	PTTEP	136.50	1.00	56,938	137.11	MINT	35.25	-	128,339	35.55
TCCC	34.25	0.25	108	34.36	RATCH	51.75	(0.25)	28,045	52.04	OISHI	105.00	-	67	105.00
TPA	6.10	0.10	124	6.08	RPC	0.61	(0.01)	7,107	0.61	PB	61.50	(0.25)	270	61.44
UP	27.50	0.25	5	27.95	SCG	4.70	0.06	284	4.67	PM	10.90	0.10	1,614	10.89
VNT	27.25	(0.50)	9,894	27.55	SCI	3.08	0.10	6,755	3.03	PRG	13.70	-	1	13.70
WG	149.00	-	31	149.19	SCN	4.24	0.10	18,550	4.21	SAPPE	27.75	(0.25)	5,265	27.83
YCI	-	-	-	-	SGP	10.10	0.10	278,913	10.09	SAUCE	22.00	-	14	21.98
Commerce	-	-	-	-	SKE	1.37	(0.01)	3,878	1.38	SFP	-	-	-	-
BEAUTY	16.40	(0.20)	476,794	16.48	SOLAR	2.48	(0.02)	7,613	2.49	SNP	20.50	-	149	20.63
BIG	2.44	-	10,235	2.44	SPCG	21.70	0.10	3,797	21.69	SORKON	-	-	-	-
BJC	54.75	0.25	73,680	54.99	SPRC	14.70	(0.20)	182,312	14.74	SSC	50.00	0.50	10	50.00
COL	27.25	(1.50)	9,513	27.53	SUPER	1.04	(0.02)	1,372,042	1.05	SSF	-	-	-	-
COM7	18.10	0.30	64,139	18.07	SUSCO	3.48	0.06	3,243	3.47	SST	5.95	(0.05)	1,584	5.96
CPALL	80.50	1.00	364,261	80.72	TAE	2.24	-	1,333	2.24	TC	2.92	(0.04)	1,103	2.89
CSS	2.28	0.02	15,494	2.28	TCC	0.40	0.01	10,634	0.39	TFG	4.20	-	8,037	4.22
FN	3.26	(0.02)	2,109	3.26	TOP	87.00	(1.00)	33,744	87.74	TFMAMA	161.50	-	40	162.11
FTE	2.28	-	3,123	2.26	TPIPP	6.70	-	137,278	6.69	TIPCO	10.30	0.10	15,253	10.37
GLOBAL	17.10	0.40	151,182	17.00	TTW	12.10	0.10	16,304	12.02	TKN	18.20	(0.40)	59,782	18.39
HMPRO	14.60	0.30	231,250	14.53	WHAUP	6.70	0.15	46,363	6.66	TU	17.20	0.10	65,024	17.30
IT	4.70	-	1,589	4.72	WP	7.50	-	12,555	7.53	TVO	29.75	(0.25)	28,403	30.05
KAMART	5.15	-	6,629	5.15	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.36	-	7,826	2.36	AMARIN	5.75	(0.15)	31,110	5.90	AHC	21.30	(0.10)	7	21.31
MAKRO	43.25	0.50	1,325	43.10	AQUA	0.57	-	39,424	0.57	BCH	16.40	0.40	146,421	16.26
MC	13.60	0.30	14,035	13.61	AS	1.71	(0.01)	1,141	1.71	BDMS	25.50	0.25	529,738	25.74
MEGA	42.25	0.50	9,733	42.37	BEC	8.90	0.25	117,880	8.87	BH	191.50	(1.00)	10,912	191.54
MIDA	0.60	(0.01)	5,001	0.60	EPCO	5.10	0.32	156,960	4.98	CHG	2.38	-	151,263	2.36
ROBINS	65.00	1.50	37,580	64.81	FE	178.00	8.00	2	173.50	CMR	3.42	-	528	3.40
RSP	6.05	0.10	432	6.00	GPI	2.98	-	7,233	2.98	EKH	5.45	0.05	1,346	5.42
SINGER	7.55	0.05	737	7.53	GRAMMY	9.00	-	2	9.00	KDH	95.00	-	28	95.19
SPC	56.75	0.25	39	56.64	MACO	1.								

Main Board Quotation

Issue Date :

Tuesday June 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	8.60	(0.05)	862	8.60	MJD	3.30	-	1,103	3.30	CPT	2.56	0.10	573,868	2.58
WPH	3.06	0.02	16,962	3.04	MK	3.20	(0.08)	20,347	3.24	CRANE	2.32	-	5,152	2.34
Tourism & Leisure					NCH	0.98	-	1,478	0.98	CTW	8.20	0.15	584	8.15
ASIA	6.80	-	120	6.84	NNCL	1.73	-	48,007	1.74	FMT	25.25	(0.75)	461	25.08
CENDEL	46.25	0.75	31,928	46.32	NOBLE	12.10	0.90	144,899	12.06	HTECH	7.85	0.05	15,992	7.83
CSR	-	-	-	-	NUSA	0.28	(0.01)	21,496	0.29	KKC	1.77	-	400	1.75
DTC	14.70	(0.20)	74,719	15.14	NVD	4.58	-	39	4.58	PK	3.58	0.06	10,369	3.60
ERW	8.15	0.05	14,483	8.14	ORI	19.50	-	20,245	19.52	SNC	15.70	-	5,504	15.68
GRAND	0.95	(0.01)	20,566	0.95	PACE	0.41	(0.01)	87,719	0.42	T CJ	6.80	0.15	404	6.72
LRH	35.75	0.75	10	35.75	PF	0.90	0.01	219,306	0.89	VARO	7.00	-	43	7.00
MANRIN	-	-	-	-	PLAT	8.20	(0.10)	12,542	8.22	Property Fund & REIT	-	-	-	-
OHTL	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.10	-	2,237	10.10
ROH	40.75	-	1	40.75	PRECHA	1.66	0.02	206	1.67	AMATAR	10.50	(0.10)	1,273	10.50
SHANG	70.00	-	26	69.58	PRIN	1.63	0.01	12,946	1.63	B-WORK	10.40	-	4,161	10.40
Home & Office Produ					PRINC	6.60	0.15	43,935	6.56	BKKCP	12.20	-	1	12.20
ACC	0.50	(0.01)	1,407	0.50	PSH	21.80	-	9,264	21.84	BOFFICE	12.30	-	419	12.36
AJA	0.49	0.01	7,827	0.49	OH	3.28	0.02	385,492	3.29	CPNCG	14.40	(0.20)	3,268	14.45
DTCI	-	-	-	-	RICHY	1.68	-	10,055	1.68	CPNREIT	23.50	0.10	1,474	23.42
FANCY	1.09	-	10,957	1.09	RML	1.07	-	21,406	1.07	CPTGF	13.00	-	4,535	13.00
KYE	424.00	-	35	424.11	ROJNA	6.30	-	12,044	6.29	CRYSTAL	10.30	(0.10)	1,895	10.38
L&E	2.78	(0.04)	129	2.80	S	3.34	0.02	13,694	3.32	CTARAF	4.86	(0.02)	3,364	4.86
MODERN	4.76	0.04	3,385	4.76	SAMCO	2.26	(0.02)	96	2.28	DREIT	5.60	0.10	61	5.55
OGC	39.25	(0.50)	28	39.25	SC	3.70	0.06	59,965	3.71	ERWPF	5.85	-	120	5.85
ROCK	-	-	-	-	SENA	3.76	(0.04)	26,712	3.79	FUTUREPF	21.10	-	1,352	21.10
SIAM	1.98	0.01	126	1.98	SF	9.15	(0.20)	35,398	9.28	GAHREIT	9.90	-	134	9.92
TSR	2.54	-	5,206	2.58	SIRI	1.76	-	403,562	1.76	GLANDRT	12.20	0.10	2,296	12.17
Insurance					SPALI	24.60	(0.10)	15,310	24.62	GOLDPF	7.35	-	1,000	7.34
AYUD	42.75	(0.25)	77	42.90	TICON	17.00	-	440	16.91	GVREIT	14.80	-	3,580	14.80
BKI	359.00	-	24	359.00	U	0.02	(0.01)	24,596,279	0.03	HPF	5.50	-	68	5.50
BLA	35.50	0.50	3,345	35.30	UV	8.55	0.15	109,665	8.56	HREIT	7.20	-	1,246	7.20
BUI	-	-	-	-	WHA	4.22	(0.02)	793,977	4.22	IMPACT	17.80	0.20	2,349	17.70
CHARAN	-	-	-	-	WIN	0.61	-	1,879	0.60	KPNPF	9.50	-	312	9.50
INSURE	-	-	-	-	Paper & Printing Mat	-	-	-	-	LHHOTEL	15.70	0.10	10	15.70
MTI	125.00	0.50	11	125.00	UTP	11.90	-	10,778	11.95	LHPF	8.25	(0.05)	841	8.30
NKI	-	-	-	-	Fashion	-	-	-	-	LHSC	15.80	0.10	462	15.85
NSI	83.00	(1.00)	8	83.28	AFC	8.75	0.05	6	8.71	LUXF	8.10	-	40	8.10
SMK	42.00	-	13	42.00	BTNC	-	-	-	-	M-II	-	-	-	-
THRE	1.26	-	24,185	1.26	CPH	5.80	(0.05)	10	5.80	M-PAT	-	-	-	-
THREL	8.25	-	3,061	8.26	CPL	3.00	-	300	3.00	M-STOR	10.30	-	41	10.30
TIC	34.25	-	35	34.41	DIGI	0.45	(0.01)	15,645	0.46	MIPF	-	-	-	-
TIP	24.40	-	1,756	24.41	ICC	40.00	1.00	8	40.00	MIT	5.15	0.10	1	5.15
TSI	0.55	(0.01)	37,229	0.54	LTX	74.25	0.25	7	74.04	MJLF	12.50	0.10	331	12.41
TVI	3.64	-	109	3.68	NC	-	-	-	-	MNIT	-	-	-	-
Mining					PAF	1.08	-	480	1.08	MNIT2	-	-	-	-
PDI	17.70	(0.20)	5,653	17.84	PDJ	2.96	0.08	931	2.89	MNRF	3.52	0.02	130	3.52
THL	-	-	-	-	PG	-	-	-	-	MONTRI	-	-	-	-
Packaging					SABINA	31.00	0.50	265	31.19	POPF	13.80	-	2,106	13.77
AJ	10.90	-	2,214	10.82	SAWANG	16.00	0.60	7	14.93	PPF	11.20	(0.10)	437	11.21
ALUCON	220.00	(1.00)	1	220.00	SUC	43.00	-	3	43.00	QHHR	8.80	-	68	8.80
CSC	44.00	(0.25)	179	44.09	TNL	19.20	(0.40)	35	19.34	QHOP	3.84	-	11	3.80
NEP	0.42	(0.01)	9,732	0.43	TPCORP	15.30	(0.10)	19	15.30	QHPF	12.10	-	8,225	12.10
NPP	1.39	0.01	13,495	1.38	TR	49.00	(0.25)	727	48.99	SBPF	3.04	-	1,117	3.04
PTL	16.70	0.30	26,959	16.51	TTI	-	-	-	-	SHREIT	9.40	-	60	9.36
SITHAI	1.32	-	3,660	1.32	TTL	-	-	-	-	SIRIP	-	-	-	-
SLP	0.98	-	2,915	0.99	TTIM	128.50	-	4	128.50	SPF	23.30	-	731	23.24
SMPC	13.20	-	1,045	13.07	UPF	72.00	-	1	72.00	SRIPANWA	11.20	-	20	11.20
SPACK	2.00	(0.02)	203	2.02	UT	-	-	-	-	SSPF	-	-	-	-
TCOAT	29.50	1.50	1	29.50	WACOAL	45.50	-	10	45.50	SSTPF	6.60	0.05	9	6.60
TFI	0.40	-	2,084	0.40	Transportation & Log	-	-	-	-	SSSTR	6.30	(0.10)	114	6.31
THIP	37.00	0.75	287	36.79	AAV	5.55	(0.05)	84,780	5.59	TIF1	8.60	-	87	8.63
TMD	-	-	-	-	AOT	68.25	-	134,571	68.51	TLGF	19.00	-	6,482	19.01
TOPP	-	-	-	-	ASIMAR	2.88	0.04	3,497	2.87	TLHPF	11.20	-	33	11.68
TPBI	9.85	-	477	9.85	B	0.66	(0.01)	12,761	0.67	TNPF	4.50	(0.10)	2	4.50
TPP	-	-	-	-	BA	14.80	(0.10)	13,229	14.96	TPRIME	11.80	-	613	11.82
Personal Products &					BEM	7.80	-	248,631	7.84	TREIT	11.30	-	5,928	11.24
APCO	5.30	(0.05)	383	5.33	BTS	9.55	-	286,508	9.55	TTLPF	-	-	-	-
DDD	68.50	-	15,825	69.98	BTSGIF	12.20	-	63,174	12.14	TU-PF	-	-	-	-
JCT	-	-	-	-	III	5.30	0.10	13,107	5.32	URBNPF	5.10	(0.40)	23	5.16
OCC	17.40	-	135	17.37	JUTHA	1.97	0.03	1,363	1.99	WHABT	10.20	-	1,500	10.20
S & J	24.00	0.20	15	23.97	JWD	7.15	(0.05)	44,672	7.16	WHART	10.20	0.10	6,406	10.16
STHAI	-	-	-	-	KWC	288.00	-	1	288.00	Steel	-	-	-	-
TNR	15.30	0.30	462	15.13	NOK	2.90	(0.02)	3,667	2.90	AMC	2.74	-	450	2.74
TOG	4.96	0.02	153	4.98	NYT	5.55	-	2,725	5.54	BSBM	1.19	0.01	665	1.19
Professional Service					PRM	8.15	0.10	5,024	8.10	CEN	1.35	0.01	565	1.35
BWG	1.24	0.01	48,716	1.24	PSL	12.20	0.20	56,971	12.23	CITY	2.74	(0.02)	193	2.74
GENCO	0.88	0.01	1,898	0.86	RCL	5.95	0.10	7,297	5.93	CSP	1.51	(0.01)	102	1.52
PRO	-	-	-	-	THAI	15.90	-	29,240	15.99	GJS	0.34	-	98,867	0.34
Property Developer					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	640	6.70	TTA	7.75	0.05	25,127	7.76	INOX	1.19	0.02	3,621	1.19
AMATA	22.70	0.30	102,561	22.67	WICE	4.32	0.22	113,332	4.28	LHK	5.15	-	4,005	5.15
AMATAV	6.90	-	1,141	6.93	Automotive	-	-	-	-	MAX	0.02	-	739,581	0.02
ANAN	4.54	0.20	250,679	4.46	AH	37.75	0.50	3,391	37.99	MCS	8.00	(0.05)	19,824	8.05
AP	9.15	0.15	89,248	9.03	APCS	5.75	-	1,242	5.78	MILL	1.49	(0.01)	2,720	1.50
APEX	0.19	-	14,032	0.19	BAT-3K	-	-	-	-	PAP	4.40	0.02	705	4.40
AQ	0.03	(0.01)	167,355	0.03	CWT	3.64	(0.08)	6,299	3.67	PERM	2.60	-	941	2.59
BLAND	1.97	0.02	237,916	1.97	EASON	-	-	-	-	RICH	-	-	-	-
BROCK	-	-	-	-	GYT	398.00	10.00	4	395.50	SAM	0.72	-	1,404	0.72
CGD	1.45	0.02	53,138	1.45	HFT	3.32	0.04	1,793	3.30	SMIT	5.85	-	1,331	5.85
CI	1.64	-	300	1.64	IHL	8.65	(0.15)	4,689	8.73	SSI	-	-	-	-
CPN	72.25	(1.50)	205,821	72.13	INGRS	1.01	0.01	35,184	1.00	SSSC	3.18	-	387	3.18
ESTAR	0.70	-	17,815	0.70	IRC	20.70	0.10	64	20.77	TGPRO	0.23	0.01	15,962	0.23
EVER	0.39	-	89,775	0.39	PCSGH	7.55	0.20	10,696	7.43	THE	2.68	0.04	21,178	2.65
GLAND	2.46	0.18	75,835	2.38	SAT	22.70	0.10	19,806	22.93	TIW	448.00	20.00	182	447.25
GOLD	10.90	-	22,927	10.94	SPG	17.40	-	17	17.40	TMT	15.10	0.10	75	15.10
GREEN	1.02	-	6,881	1.03	STANLY	259.00	(1.00)	121	258.45	TSTH	0.83	0.02	20,546	0.83
J	1.68	-	112	1.66	TKT	-	-	-	-	TUCC	-	-	-	-
JCK	1.64	-	6,986	1.64	TNPC	1.67	0.02	1	1.67	TWP	4.20	-	1,076	4.19
KC	-	-	-	-	TRU	4.52	0.02	135	4.50	TYCN	2.90	0.04	857	2.87
KWG	2.34	-	1,951											

Main Board Quotation

Issue Date :

Tuesday June 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UWC	0.08	(0.01)	91,169	-	ADVA11P1807A	0.28	(0.01)	10,340	-
ABICO	6.15	-	434	6.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.12	-	10,751	-
AU	11.00	(0.30)	28,246	11.00	ADAM	-	-	-	-	ADVA13C1811A	0.59	(0.01)	263,846	-
FC	0.44	(0.01)	25,506	-	AKP	1.79	(0.01)	2,485	1.00	ADVA13P1809A	0.40	(0.02)	39,340	-
JCKH	1.28	(0.02)	40,511	1.00	AMA	6.50	(0.05)	1,986	6.00	ADVA16C1812A	0.47	(0.03)	2,690	-
KASET	2.40	-	393	2.00	ARIP	0.55	-	715	-	ADVA18C1808A	0.49	(0.02)	8,640	-
MM	4.18	-	2,113	4.00	ATP30	1.77	(0.01)	577	1.00	ADVA23C1806A	0.15	-	35,650	-
SUN	3.72	0.10	21,894	3.00	AUCT	6.75	0.35	92,211	6.00	ADVA24C1810A	-	-	-	-
TACC	4.44	(0.02)	5,468	4.00	BOL	1.90	(0.03)	4,534	1.00	ADVA24P1810A	-	-	-	-
TMILL	3.18	-	3,448	3.00	CHUO	-	-	-	-	ADVA28C1808A	0.06	(0.01)	4,001	-
XO	8.75	(0.25)	2,823	8.00	CMO	1.58	0.01	598	1.00	ADVA28P1810A	0.53	0.01	335,592	-
Consumer Products	-	-	-	-	D	11.10	0.70	16,590	10.00	AMAT01C1806A	0.07	0.01	2,850	-
BGT	1.12	-	358	1.00	DCORP	3.28	(0.22)	59,103	3.00	AMAT01C1810A	1.10	0.05	78,205	1.00
BIZ	3.02	(0.04)	1,717	3.00	DNA	0.43	-	18,245	-	AMAT01C1810B	1.02	0.06	44,018	1.00
ECF	7.20	(0.05)	27,214	7.00	EFORL	0.07	-	1,513,099	-	AMAT01P1806A	0.48	(0.03)	9,534	-
HPT	1.09	(0.03)	16,460	1.00	ETE	2.38	0.08	11,447	2.00	AMAT01P1810A	0.97	(0.04)	10,218	-
JUBILE	23.50	-	621	23.00	FSMART	10.60	0.80	292,084	10.00	AMAT06C1809A	0.26	0.01	2,120	-
MOONG	6.60	0.10	8,247	6.00	FVC	1.52	(0.03)	4,724	1.00	AMAT08C1807A	-	-	-	-
NPK	25.25	-	4	25.00	HARN	2.66	(0.04)	676	2.00	AMAT08C1809A	0.36	0.03	17,512	-
OCEAN	1.06	0.19	1,033,682	1.00	JKN	10.90	1.05	130,545	10.00	AMAT11C1903A	0.61	0.03	12,464	-
TM	2.14	-	969	2.00	KIAT	0.47	0.01	5,814	-	AMAT13C1806A	-	-	-	-
Financials (MAI)	-	-	-	-	KOOL	1.90	0.01	4,284	1.00	AMAT13C1809A	0.33	0.01	79,287	-
ACAP	7.85	-	1,907	7.00	LDC	1.18	-	2,586	1.00	AMAT23C1810A	0.50	0.02	24,000	-
AF	0.90	-	1,403	-	MPG	0.24	(0.01)	37,327	-	AMAT24C1807A	-	-	-	-
AIRA	2.10	0.04	4	2.00	NBC	0.78	(0.05)	6,677	-	AMAT24C1811A	-	-	-	-
ASN	3.90	0.12	145	3.00	NCL	1.46	(0.03)	2,001	1.00	AMAT28C1806A	-	-	-	-
BROOK	0.60	0.01	2,865	-	NEWS	0.01	-	841,202	-	AMAT28C1808A	0.26	0.02	171,172	-
CHAYO	3.52	0.20	481,676	3.00	NINE	1.44	(0.02)	1,173	1.00	AMAT42C1806A	-	-	-	-
GCAP	4.86	0.02	3,073	4.00	OTO	3.06	(0.02)	788	3.00	ANAN01C1807A	0.05	-	41,546	-
LIT	9.10	-	2,774	9.00	PHOL	2.52	(0.04)	1,738	2.00	ANAN01C1810A	0.79	0.10	52,060	-
SGF	0.14	-	69,270	-	PICO	6.50	0.05	603	6.00	ANAN01C1810B	0.66	0.13	82,198	-
Industrials (MAI)	-	-	-	-	PORT	7.10	(0.05)	6,119	7.00	ANAN08C1808A	0.02	-	9,000	-
2S	3.50	(0.02)	413	3.00	QLT	4.98	-	1,171	4.00	ANAN08C1810A	0.70	0.11	7,611	-
ADB	1.29	0.01	10,989	1.00	RP	3.80	0.02	568	3.00	ANAN23C1806A	-	-	-	-
BM	3.68	(0.06)	37,716	3.00	SE	2.38	-	181	2.00	ANAN24C1807A	0.01	-	1	-
CHO	1.39	-	9,248	1.00	SPA	16.40	(0.30)	9,875	16.00	ANAN24C1811A	0.60	0.09	1,121	-
CHOW	5.25	0.05	323	5.00	THMUI	1.52	0.02	2	1.00	ANAN28C1806A	-	-	-	-
CIG	0.38	(0.02)	6,974	-	TNDT	5.10	-	86	5.00	ANAN28C1809A	0.44	0.09	112,025	-
COLOR	1.14	(0.03)	1,962	1.00	TNH	40.50	-	449	40.00	AOT01C1808A	0.44	-	132,608	-
CPR	5.25	(0.05)	805	5.00	TNP	2.06	0.02	15,280	2.00	AOT01C1808B	0.07	(0.01)	15,122	-
FPI	3.04	0.04	13,452	3.00	TSF	0.06	(0.01)	146,068	-	AOT01C1810A	0.49	(0.01)	90,465	-
GTB	0.84	0.01	6,602	-	TVD	1.62	(0.03)	9,384	1.00	AOT01P1808A	0.75	-	68,821	-
KCM	1.27	(0.03)	94,211	1.00	TVT	1.10	(0.01)	2,817	1.00	AOT01P1808B	0.26	(0.01)	65,446	-
LVT	-	-	-	-	WINNER	3.40	-	4,070	3.00	AOT06C1806A	1.61	0.02	4,600	1.00
MBAX	4.04	0.02	37	4.00	Technology (MAI)	-	-	-	-	AOT06C1809A	0.21	-	3,293	-
MGT	2.24	0.02	1,256	2.00	COMAN	4.04	(0.26)	12,579	4.00	AOT08C1806A	0.27	(0.09)	300	-
NDR	2.24	0.02	815	2.00	ICN	2.68	(0.02)	207,225	2.00	AOT08C1807A	0.06	(0.01)	100	-
PDG	3.76	-	121	3.00	IRCP	1.59	0.01	6,313	1.00	AOT11C1808A	0.67	0.01	41,226	-
PIMO	2.76	0.02	715	2.00	ITEL	3.76	0.04	10,913	3.00	AOT11P1808A	-	-	-	-
PJW	1.71	(0.02)	4,323	1.00	NETBAY	38.50	(0.75)	3,395	38.00	AOT13C1806A	-	-	-	-
PPM	2.58	0.02	2,271	2.00	PLANET	1.98	0.03	61	1.00	AOT13C1807A	0.01	-	14,370	-
RWI	1.51	-	1,481	1.00	SIMAT	2.80	(0.08)	12,100	2.00	AOT13C1809A	0.18	(0.01)	38,582	-
SALEE	1.12	0.04	5,169	1.00	SKY	16.30	-	3,431	16.00	AOT13C1811A	0.41	-	64,340	-
SANKO	1.31	-	511	1.00	SPVI	1.47	0.08	65,778	1.00	AOT13P1806A	-	-	-	-
SELIC	1.70	(0.02)	561	1.00	UPA	0.48	-	5,406	-	AOT13P1810A	0.47	0.01	22,649	-
SWC	26.75	0.25	576	27.00	VCOM	3.44	0.12	43,059	3.00	AOT19C1809A	0.32	(0.01)	56,006	-
TAPAC	11.60	(0.40)	17,044	11.00	Unit Trust	-	-	-	-	AOT23C1807A	0.48	0.01	13,500	-
TMC	0.97	0.02	21,430	1.00	MGE	-	-	-	-	AOT23P1807A	-	-	-	-
TMI	0.82	0.01	2,070	-	SCBSET	-	-	-	-	AOT24C1806A	-	-	-	-
TMW	68.00	0.75	366	67.00	ETF	-	-	-	-	AOT24C1807A	-	-	-	-
TPAC	12.40	0.40	491	12.00	IDIV	12.56	(0.04)	72	12.00	AOT24C1811A	0.32	-	1,705	-
UAC	4.94	(0.02)	479	4.00	ABFTH	-	-	-	-	AOT24P1809A	-	-	-	-
UBIS	4.94	(0.04)	75	4.00	BMSCG	9.36	(0.02)	250	9.00	AOT28C1807A	-	-	-	-
UEC	1.51	0.01	2,628	1.00	BMSCITH	13.40	0.06	1,946	13.00	AOT28C1809A	0.22	-	84,574	-
UKEM	0.93	-	17,191	-	BSET100	11.02	0.03	679	11.00	AOT28P1806A	-	-	-	-
UREKA	0.50	-	3,760	-	CHINA	6.12	0.02	10	6.00	AP01C1809A	0.56	0.02	11,712	-
YUASA	17.50	(0.20)	196	17.00	EBANK	-	-	-	-	AP01C1809B	0.34	0.02	13,692	-
ZIGA	2.86	-	10,909	2.00	ECOMM	-	-	-	-	AP08C1810A	0.50	(0.06)	4,130	-
Property & Construc	-	-	-	-	EFood	-	-	-	-	AP23C1901A	0.24	-	10,650	-
ARROW	10.70	0.10	112	10.00	EICT	-	-	-	-	AP24C1901A	0.36	0.02	20	-
BKD	3.28	-	2,509	3.00	ENGY	6.50	0.03	1	6.00	BA11C1902A	0.23	(0.01)	7,480	-
BSM	0.74	0.01	9,606	-	ENY	-	-	-	-	BA23C1806A	-	-	-	-
BTW	1.81	0.07	8,695	1.00	ESET50	-	-	-	-	BA24C1810A	0.57	0.02	1,360	-
CHEWA	1.10	-	27,757	1.00	GLD	1.78	0.01	706	1.00	BA24C1901A	0.22	(0.03)	25,231	-
CRD	1.10	(0.01)	17,445	1.00	TDEX	11.22	0.06	785	11.00	BA28C1809A	0.07	0.01	2,500	-
DIMET	1.17	(0.03)	42,134	1.00	TGOLDEF	3.88	-	45	3.00	BA42C1806A	-	-	-	-
FLOYD	2.28	0.02	2,617	2.00	TH100	-	-	-	-	BANP01C1806A	0.86	0.06	194,478	-
FOCUS	0.96	-	971	-	Warrant Foreign	-	-	-	-	BANP01C1808A	0.45	0.05	430,112	-
HYDRO	1.55	0.03	8,640	1.00	AAV01C1808A	0.25	(0.01)	130,992	-	BANP01C1808B	0.17	0.03	135,959	-
JSP	0.71	-	8,343	-	AAV01C1808B	-	-	-	-	BANP01P1806A	0.03	-	10	-
K	3.10	(0.02)	528	3.00	AAV01P1808A	0.29	-	25,604	-	BANP01P1808A	0.48	(0.05)	62,010	-
META	2.10	-	181,779	2.00	AAV06C1809A	0.20	(0.01)	16,494	-	BANP06C1810A	0.47	0.05	116,11	

Main Board Quotation

Issue Date :

Tuesday June 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BBL06C1806A	0.02	-	1,970	-	BEC13C1808A	0.03	-	200	-	CBG01C1811B	0.52	(0.03)	38,081	-
BBL08C1808A	0.10	(0.01)	14,860	-	BEC13C1811A	0.31	0.04	230,999	-	CBG01P1806A	2.60	-	5,880	2.00
BBL08C1809A	0.16	0.02	26,391	-	BEC19C1809A	-	-	-	-	CBG01P1811A	0.83	-	28,134	-
BBL08P1810A	0.34	(0.01)	2,067	-	BEC23C1807A	-	-	-	-	CBG01P1811B	0.51	0.01	25,794	-
BBL11C1903A	0.61	0.03	37,283	-	BEC23C1809A	-	-	-	-	CBG06C1807A	0.53	(0.02)	14,250	-
BBL11P1903A	0.60	(0.05)	23,760	-	BEC24C1809A	0.03	-	334	-	CBG06C1809A	0.27	-	7,216	-
BBL13C1807A	0.10	0.02	1,960	-	BEC24C1812A	-	-	-	-	CBG06P1809A	0.93	0.03	7,322	-
BBL13C1810A	0.62	0.04	121,249	-	BEC28C1806A	-	-	-	-	CBG07C1806A	-	-	-	-
BBL23C1811A	0.31	0.03	27,000	-	BEC28C1808A	-	-	-	-	CBG08C1808A	0.01	-	500	-
BBL24C1809A	0.10	0.01	2,000	-	BEC28C1809A	-	-	-	-	CBG08C1810A	0.19	-	39,880	-
BBL24C1812A	0.75	0.06	479	-	BEM01C1808A	0.37	0.01	5,250	-	CBG11C1902A	0.32	(0.01)	26,385	-
BBL24P1810A	0.27	(0.03)	170	-	BEM01C1808B	0.12	0.01	11,756	-	CBG13C1806A	-	-	-	-
BBL27C1809A	0.19	0.01	2,000	-	BEM01P1808A	0.27	-	2,306	-	CBG13C1808A	-	-	-	-
BBL28C1808A	-	-	-	-	BEM08C1809A	0.23	-	13,096	-	CBG13C1809A	0.09	(0.01)	274,893	-
BBL28C1811A	0.58	0.03	231,524	-	BEM11C1903A	0.25	0.01	4,027	-	CBG13C1811A	0.42	(0.02)	144,176	-
BCH01C1808A	0.40	0.03	122,623	-	BEM13C1806A	-	-	-	-	CBG13P1806A	0.74	(0.09)	10	-
BCH01C1808B	0.17	0.03	58,814	-	BEM13C1809A	0.25	0.01	24,290	-	CBG18C1808A	-	-	-	-
BCH01P1808A	0.35	(0.03)	31,586	-	BEM23C1901A	0.20	-	7,000	-	CBG19C1810A	0.26	(0.01)	8,212	-
BCH06C1806A	0.71	0.07	5,000	-	BEM24C1809A	-	-	-	-	CBG23C1806A	-	-	-	-
BCH06C1811A	-	-	-	-	BEM28C1807A	-	-	-	-	CBG23C1901A	0.32	(0.02)	33,000	-
BCH08C1806A	0.02	(0.02)	120	-	BEM28C1808A	0.19	0.01	30,690	-	CBG24C1807A	-	-	-	-
BCH11C1807A	0.17	0.03	20,884	-	BEM42C1806A	-	-	-	-	CBG24C1809A	-	-	-	-
BCH13C1810A	0.16	0.03	58,282	-	BEM42P1806A	-	-	-	-	CBG24C1811A	0.55	(0.01)	7,991	-
BCH19C1809A	0.16	0.02	45,778	-	BH01C1806A	0.61	(0.03)	140,524	-	CBG28C1808A	-	-	-	-
BCH23C1811A	0.31	0.03	35,005	-	BH01C1806B	0.04	(0.02)	12,763	-	CBG28C1808B	0.05	-	500	-
BCH24C1811A	0.17	0.03	25,150	-	BH01C1811A	0.93	(0.02)	51,451	-	CBG42C1806A	-	-	-	-
BCH28C1807A	0.03	-	101	-	BH01C1811B	0.52	(0.02)	44,458	-	CENTO1C1810A	0.43	0.02	55,921	-
BCH42C1806A	0.36	0.03	1,116	-	BH01P1806A	0.70	0.03	36,577	-	CENTO1C1810B	0.28	0.02	48,924	-
BCP01C1810A	0.28	-	16,429	-	BH01P1811A	1.24	0.03	15,606	1.00	CENTO1P1810A	0.92	(0.04)	53,138	-
BCP01C1810B	0.19	0.01	18,344	-	BH07C1810A	0.07	(0.01)	1,000	-	CENT08C1809A	0.12	0.01	17,055	-
BCP01P1810A	0.43	-	7,176	-	BH08C1811A	0.13	-	18,466	-	CENT11C1806A	0.38	0.06	14,711	-
BCP07C1806A	-	-	-	-	BH11C1902A	0.13	-	26,684	-	CENT11C1904A	0.39	0.04	27,310	-
BCP08C1806A	-	-	-	-	BH24C1806A	-	-	-	-	CENT13C1811A	0.18	0.01	72,061	-
BCP11C1811A	0.18	-	9,065	-	BH24C1809A	0.25	(0.01)	12,600	-	CENT23C1806A	0.05	0.02	4,050	-
BCP13C1810A	0.12	-	28,674	-	BH24C1811A	-	-	-	-	CENT24C1807A	0.01	(0.01)	190,001	-
BCP24C1808A	-	-	-	-	BIG08C1807A	-	-	-	-	CENT24C1810A	0.16	0.02	500	-
BCP24C1811A	-	-	-	-	BIG13C1808A	0.05	-	30	-	CENT28C1808A	0.06	0.01	1,720	-
BCP28C1807A	-	-	-	-	BIG24C1808A	-	-	-	-	CHG01C1809A	0.47	-	11,579	-
BCP28C1809A	-	-	-	-	BIG24C1812A	0.33	-	1,100	-	CHG01C1809B	0.81	(0.01)	5,626	-
BCP28C1809B	-	-	-	-	BIG28C1807A	-	-	-	-	CHG01P1809A	0.23	0.01	2,538	-
BCPG01C1806A	0.05	-	7,930	-	BJC01C1807A	0.27	-	66,715	-	CHG08C1807A	0.11	(0.01)	25,461	-
BCPG01C1806B	0.01	-	5	-	BJC01C1807B	0.06	0.01	3,770	-	CHG11C1807A	0.04	(0.01)	3,793	-
BCPG01C1811A	0.57	0.02	32,495	-	BJC01P1807A	0.82	(0.02)	27,815	-	CHG11C1904A	0.29	0.01	4,580	-
BCPG01C1811B	0.39	-	25,768	-	BJC06C1807A	0.08	(0.02)	140	-	CHG13C1807A	0.13	(0.01)	37,804	-
BCPG06C1807A	-	-	-	-	BJC07C1809A	0.08	0.01	463	-	CHG13C1809A	0.78	(0.03)	3,856	-
BCPG06C1811A	0.42	-	18,814	-	BJC08C1807A	-	-	-	-	CHG23C1811A	1.01	-	2,000	1.00
BCPG07C1806A	-	-	-	-	BJC08C1809A	0.13	-	36,220	-	CHG24C1808A	-	-	-	-
BCPG08C1806A	-	-	-	-	BJC11C1807A	0.35	0.01	40,530	-	CHG24C1811A	0.25	0.01	100	-
BCPG08C1810A	0.40	0.01	74,254	-	BJC13C1807A	-	-	-	-	CHG28C1806A	-	-	-	-
BCPG11C1807A	0.74	0.02	23,738	-	BJC13C1808A	0.11	0.01	30,427	-	CHG28C1807A	0.15	(0.02)	59,680	-
BCPG11C1902A	0.26	0.01	16,961	-	BJC13C1810A	0.25	-	64,659	-	CHG28C1808A	0.67	-	4,000	-
BCPG13C1806A	-	-	-	-	BJC19C1809A	0.25	0.01	23,870	-	CK01C1809A	0.34	-	48,280	-
BCPG13C1807A	-	-	-	-	BJC23C1806A	0.06	0.01	50	-	CK01C1809B	0.80	(0.01)	16,178	-
BCPG13C1810A	0.35	-	145,917	-	BJC24C1808A	-	-	-	-	CK01P1809A	0.22	0.01	15,026	-
BCPG23C1806A	0.27	0.01	15,680	-	BJC27C1807A	0.09	-	10,260	-	CK08C1809A	0.57	-	376	-
BCPG24C1806A	-	-	-	-	BJC28C1808A	0.12	0.01	66,464	-	CK11C1806A	0.06	0.01	2,300	-
BCPG24C1807A	-	-	-	-	BLA01C1812A	0.36	0.01	12,599	-	CK11C1904A	0.28	(0.01)	17,600	-
BCPG24C1810A	0.40	(0.09)	6,500	-	BLA07C1806A	-	-	-	-	CK13C1806A	-	-	-	-
BCPG28C1806A	-	-	-	-	BLA08C1811A	0.14	-	8,240	-	CK13C1809A	0.21	-	60,910	-
BCPG28C1808A	-	-	-	-	BLA13C1809A	-	-	-	-	CK16C1812A	0.27	-	500	-
BCPG28C1809A	0.34	-	269,708	-	BLA23C1806A	-	-	-	-	CK23C1808A	-	-	-	-
BDMS01C1806A	0.92	0.08	21,124	-	BLA27C1806A	-	-	-	-	CK24C1806A	-	-	-	-
BDMS01C1806B	0.52	0.11	16,954	-	BLA28C1810A	0.10	-	12,240	-	CK24C1808A	0.47	0.18	4,000	-
BDMS01C1811A	0.22	0.02	88,355	-	BLAN01C1809A	0.65	-	9,432	-	CK28C1806A	-	-	-	-
BDMS01C1811B	0.16	0.03	104,133	-	BLAN01C1809B	0.26	(0.01)	4,880	-	CK28C1809A	0.67	(0.01)	62,966	-
BDMS01P1806A	0.03	(0.02)	158,764	-	BLAN01P1809A	-	-	-	-	CKP11C1807A	0.61	0.04	8,800	-
BDMS01P1811A	0.34	(0.02)	46,877	-	BLAN08C1810A	0.32	-	1,077	-	CKP13C1810A	0.52	0.03	97,378	-
BDMS06C1811A	0.76	0.14	1,112	-	BLAN11C1902A	0.32	0.02	4,202	-	CKP23C1810A	0.56	0.07	29,500	-
BDMS08C1807A	0.56	0.08	210	-	BLAN23C1807A	-	-	-	-	CKP24C1811A	0.58	0.05	6,275	-
BDMS11C1811A	0.88	0.13	4,517	-	BPP01C1806A	-	-	-	-	CKP27C1806A	-	-	-	-
BDMS11C1904A	0.15	0.02	13,788	-	BPP01C1806B	-	-	-	-	CKP28C1809A	0.27	0.03	123,480	-
BDMS13C1807A	0.66	0.16	4,283	-	BPP01C1811A	0.24	0.01	960	-	CKP28C1809B	0.59	0.05	101,990	-
BDMS13C1810A	0.50	0.03	27,031	-	BPP01C1811B	0.16	-	970	-	CKP42C1806A	0.27	0.07	1,612	-
BDMS13C1812A	0.16	0.01	244,800	-	BPP06C1809A	0.47	0.02	2,400	-	COM701C1806A	0.61	0.03	34,765	-
BDMS16C1812A	0.90	0.07	11,026	-	BPP07C1806A	-	-	-	-	COM701C1806B	0.24	0.01	42,204	-
BDMS23C1810A	0.53	0.06	12,250	-	BPP08C1807A	-	-	-	-	COM701C1811A	0.59	0.03	28,808	-
BDMS24C1811A	0.43	0.05	2,405	-	BPP08C1810A	0.33	-	548	-	COM701C1811B	0.43	0.03	18,249	-
BDMS28C1806A	-	-	-	-	BPP11C1807A	0.02	(0.01)	5,000	-	COM706C1809A	0.31	0.01	8,030	-
BDMS28C1811A	0.11	0.01	94,402	-	BPP13C1806A	-	-	-	-	COM708C1811A	0.21	0.01	12,438	-
BEAU01C1807A	0.13	(0.01)	310,402	-	BPP13C1808A	0.41	0.02	15,496	-	COM711C1811A	0.44	0.02	18,831	-
BEAU01C1807B	0.02	(0.01)	38,627	-	BPP13C1811A	-	-	-	-	COM713C1809A	0.16	0.02	96,173	-
BEAU01P1807A	1.25	0.02	179,962	1.00	BPP23C1806A	-	-	-	-	COM719C1811A	0.34	0.02	5,890	-
BEAU06C1809A	0.08	-	18,782	-	BPP24C1809A	-	-	-	-	COM723C1806A	0.64	0.04	9,000	-
BEAU07C1809A	0.02	(0.01)	1,003	-	BPP28C1807A	-	-	-	-	COM724C1806A	-	-	-	-
BEAU08C1808A	0.03	-	140	-	BPP28C1808A	0.32	0.01	20,700	-	COM724C1811A	0.30	0.03	200	-
BEAU11C1902A	0.21	-	107,572	-	BTS01C1806A	0.57	(0.01)	21,320	-	COM728C1806A	-	-	-	-
BEAU13C1806A	-	-	-	-	BTS01C1810A	0.49	-	17,205	-	COM728C1808A	-	-	-	-
BEAU13C1811A	0.09	-	416,310	-	BTS01C1810B	0.22	-	21,765	-	COM728C1811A	0.36	0.02	151,628	-
BEAU13C1812A	0.55	(0.01)	672,308	-	BTS01P1806A	0.06	-	23,278	-	CPAL01C1806A	0.61	0.07		

Main Board Quotation

Issue Date :

Tuesday June 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL24P1901A	-	-	-	-	EPG24C1808A	-	-	-	-	INTU11C1807A	0.09	(0.02)	2,040	-
CPAL28C1809A	0.14	0.01	409,300	-	EPG24C1810A	0.58	0.01	319	-	INTU11P1807A	0.36	0.01	10,560	-
CPAL28C1811A	0.43	0.03	559,188	-	EPG28C1808A	-	-	-	-	INTU13C1806A	-	-	-	-
CPF01C1809A	0.94	(0.01)	61,033	-	ESSO01C1807A	0.07	(0.01)	57,900	-	INTU13C1810A	0.21	(0.01)	72,432	-
CPF01C1809B	0.25	(0.01)	36,012	-	ESSO01C1807B	0.02	-	236	-	INTU23C1806A	-	-	-	-
CPF01C1810A	0.28	-	49,099	-	ESSO01C1812A	0.50	(0.02)	4,728	-	INTU24C1807A	-	-	-	-
CPF01P1809A	0.35	0.01	28,078	-	ESSO01C1812B	0.37	(0.03)	7,638	-	INTU24C1901A	0.30	(0.05)	200	-
CPF06C1809A	0.72	0.04	1,000	-	ESSO01P1807A	1.24	0.05	4,522	1.00	INTU28C1809A	0.16	(0.01)	40,276	-
CPF07C1810A	-	-	-	-	ESSO01P1812A	0.78	0.04	39,134	-	IRPC01C1808A	0.18	-	273,759	-
CPF08C1809A	0.52	-	6,199	-	ESSO08C1807A	-	-	-	-	IRPC01C1810A	0.18	-	64,658	-
CPF11C1902A	0.14	0.01	30,680	-	ESSO13C1807A	0.03	0.01	5,477	-	IRPC01C1810B	0.06	-	900	-
CPF11P1902A	0.30	-	20,442	-	ESSO13C1811A	0.27	(0.03)	44,949	-	IRPC01P1808A	0.49	(0.01)	29,519	-
CPF13C1809A	0.60	-	48,048	-	ESSO23C1809A	0.08	-	1,200	-	IRPC01P1810A	0.41	-	71,332	-
CPF13C1810A	0.17	-	44,749	-	ESSO24C1806A	-	-	-	-	IRPC01P1810B	0.25	(0.01)	95,526	-
CPF23C1810A	0.60	0.03	12,000	-	ESSO24C1812A	0.24	(0.03)	9,511	-	IRPC06C1811A	0.24	-	2,600	-
CPF24C1809A	0.38	-	1,000	-	ESSO28C1807A	0.01	(0.01)	4,900	-	IRPC08C1808A	-	-	-	-
CPF28C1806A	-	-	-	-	ESSO28C1811A	0.24	(0.03)	27,780	-	IRPC11C1902A	0.08	(0.01)	261	-
CPF28C1808A	0.48	-	171,498	-	GFPT01C1807A	0.11	0.01	14,764	-	IRPC13C1806A	-	-	-	-
CPN01C1808A	0.28	(0.03)	302,801	-	GFPT08C1807A	-	-	-	-	IRPC13C1808A	0.01	(0.01)	9,999	-
CPN01C1808B	0.06	-	36,650	-	GFPT11C1806A	-	-	-	-	IRPC13C1811A	0.18	(0.01)	7,492	-
CPN06C1811A	0.41	(0.04)	16,241	-	GFPT23C1806A	-	-	-	-	IRPC23C1810A	0.10	-	122,240	-
CPN08C1809A	0.07	(0.02)	36,770	-	GFPT24C1806A	-	-	-	-	IRPC24C1808A	0.53	(0.03)	4,000	-
CPN11C1903A	0.27	(0.03)	82,568	-	GFPT24C1812A	0.28	0.01	3,200	-	IRPC24C1809A	-	-	-	-
CPN11P1903A	0.82	0.08	118,443	-	GGC01C1810A	0.48	(0.02)	17,116	-	IRPC27C1809A	0.10	0.01	2,000	-
CPN13C1807A	0.03	(0.02)	2,827	-	GGC01C1810B	0.40	(0.02)	12,393	-	IRPC28C1807A	-	-	-	-
CPN13C1812A	0.33	(0.03)	191,278	-	GGC13C1811A	0.23	(0.02)	13,577	-	IRPC28C1811A	0.14	-	30,690	-
CPN23C1810A	0.21	(0.03)	87,800	-	GGC24C1812A	0.29	(0.01)	5,657	-	ITD01C1808A	0.14	-	39,421	-
CPN24C1806A	-	-	-	-	GGC28C1811A	0.23	(0.01)	30,880	-	ITD01C1808B	0.03	-	10,000	-
CPN24C1901A	0.31	(0.04)	2,085	-	GLOB01C1809A	0.51	0.03	102,247	-	ITD01P1808A	0.68	-	25,706	-
CPN28C1807A	-	-	-	-	GLOB01C1809B	0.34	0.03	112,075	-	ITD08C1806A	-	-	-	-
CPN28C1810A	0.20	(0.03)	438,772	-	GLOB06C1809A	0.35	0.03	26,596	-	ITD08C1810A	0.36	-	101,854	-
DELT08C1811A	0.17	-	2,350	-	GLOB08C1807A	0.16	0.02	13,468	-	ITD11C1903A	0.40	(0.01)	54,742	-
DELT13C1809A	0.12	-	2,652	-	GLOB11C1808A	0.28	0.02	30,600	-	ITD13C1809A	0.12	-	119,576	-
DELT27C1812A	0.17	0.01	2,000	-	GLOB13C1807A	-	-	-	-	ITD23C1808A	-	-	-	-
DTAC01C1808A	0.44	(0.02)	172,452	-	GLOB23C1811A	0.51	0.03	47,600	-	ITD24C1807A	-	-	-	-
DTAC01C1808B	0.21	-	66,396	-	GLOB24C1810A	0.28	0.03	4,650	-	ITD24C1810A	0.21	-	40,050	-
DTAC01C1810A	0.68	(0.01)	173,057	-	GLOB27C1809A	0.16	0.01	10,548	-	ITD28C1808A	-	-	-	-
DTAC01C1810B	0.34	(0.02)	115,714	-	GLOB28C1807A	-	-	-	-	ITD28C1808B	0.19	(0.01)	273,734	-
DTAC01P1808A	0.62	0.02	94,664	-	GLOB28C1808A	0.16	0.02	193,997	-	IVL01C1806A	0.76	0.01	182,153	-
DTAC01P1810A	0.94	0.02	65,322	-	GLOW08C1806A	-	-	-	-	IVL01C1808A	0.56	-	106,384	-
DTAC01P1810B	0.59	0.01	79,672	-	GLOW08C1811A	0.49	(0.03)	7,876	-	IVL01C1808B	0.28	-	72,532	-
DTAC06C1806A	0.13	(0.02)	2,100	-	GLOW11C1807A	0.44	0.02	176,620	-	IVL01P1806A	0.06	(0.02)	24,000	-
DTAC06P1809A	-	-	-	-	GLOW23C1806A	0.06	(0.01)	14,144	-	IVL01P1808A	0.68	(0.01)	39,587	-
DTAC07C1809A	0.19	(0.01)	2	-	GLOW27C1812A	0.32	0.01	9,986	-	IVL01P1808B	0.27	(0.01)	24,643	-
DTAC08C1809A	0.28	(0.02)	38,735	-	GPSC01C1808A	0.45	0.01	14,308	-	IVL06C1807A	0.33	0.01	35,390	-
DTAC08P1807A	0.15	-	23,896	-	GPSC01C1808B	0.15	-	18,008	-	IVL07C1811A	0.60	0.01	130	-
DTAC11C1806A	-	-	-	-	GPSC01P1808A	1.19	-	20,717	1.00	IVL08C1806A	0.38	0.02	22,608	-
DTAC11C1904A	0.54	(0.03)	44,981	-	GPSC06C1811A	0.41	-	250	-	IVL08P1809A	0.06	(0.01)	10,150	-
DTAC13C1806A	0.06	0.03	1,009	-	GPSC08C1808A	-	-	-	-	IVL11C1808A	1.02	-	21,418	1.00
DTAC13C1811A	0.34	(0.03)	88,534	-	GPSC11C1808A	0.94	0.01	7,420	-	IVL11P1808A	-	-	-	-
DTAC13P1806A	-	-	-	-	GPSC11C1902A	0.39	0.01	7,200	-	IVL13C1806A	-	-	-	-
DTAC13P1811A	0.56	0.01	87,885	-	GPSC13C1806A	-	-	-	-	IVL13C1809A	-	-	-	-
DTAC23C1807A	0.02	(0.01)	411	-	GPSC13C1807A	0.08	(0.01)	131,270	-	IVL13C1810A	0.42	0.01	83,896	-
DTAC23P1807A	-	-	-	-	GPSC13C1808A	0.08	-	1,301	-	IVL13P1809A	0.09	(0.01)	3,300	-
DTAC24C1809A	0.33	(0.01)	601	-	GPSC24C1807A	0.26	(0.01)	500	-	IVL19C1809A	0.71	(0.01)	43,438	-
DTAC27C1809A	0.20	(0.01)	28,956	-	GPSC24C1808A	-	-	-	-	IVL23C1810A	0.73	0.01	16,000	-
DTAC27P1809A	0.15	-	1,874	-	GPSC28C1806A	-	-	-	-	IVL24C1808A	0.33	-	18,000	-
DTAC28C1806A	-	-	-	-	GPSC28C1807A	0.17	(0.01)	15,210	-	IVL28C1806A	-	-	-	-
DTAC28C1810A	0.24	(0.02)	194,590	-	GPSC28C1807B	0.01	(0.04)	10,298	-	IVL28C1807A	0.58	0.15	60	-
DTAC42C1806A	-	-	-	-	GPSC42C1806A	-	-	-	-	IVL28C1808A	0.21	-	172,121	-
DTAC42P1806A	0.63	-	2,500	-	GUNK01C1808A	0.07	(0.01)	11,874	-	IVL28P1806A	-	-	-	-
EA01C1806A	0.01	(0.01)	26,891	-	GUNK01C1808B	-	-	-	-	IVL28P1806B	-	-	-	-
EA01C1806B	0.01	-	2,355	-	GUNK08C1807A	-	-	-	-	IVL28P1811A	0.47	(0.01)	48,470	-
EA01C1809A	0.93	0.03	149,066	-	GUNK11C1903A	0.22	-	34,281	-	KBAN01C1808A	0.21	0.02	297,214	-
EA01C1809B	0.72	0.02	78,376	-	GUNK23C1806A	-	-	-	-	KBAN01C1808B	0.03	-	10,252	-
EA01P1806A	2.74	(0.06)	24,130	2.00	GUNK24C1807A	-	-	-	-	KBAN01C1810A	1.11	0.09	120,319	1.00
EA01P1809A	0.84	(0.03)	47,915	-	GUNK24C1812A	0.36	-	17,541	-	KBAN01C1901A	1.19	0.07	111,031	1.00
EA06C1809A	0.02	-	2,990	-	GUNK28C1806A	-	-	-	-	KBAN01C1901B	0.75	0.05	134,088	-
EA07C1810A	0.15	-	570	-	GUNK28C1808A	0.02	-	6,973	-	KBAN01P1808A	0.96	(0.04)	45,935	-
EA08C1807A	-	-	-	-	GUNK28C1810A	0.38	(0.02)	66,648	-	KBAN01P1808B	0.47	(0.05)	51,612	-
EA08C1809A	0.05	-	711	-	HANA01C1806A	0.01	-	25,490	-	KBAN01P1810A	0.49	(0.05)	70,122	-
EA08C1810A	0.39	0.02	71,698	-	HANA01C1806B	0.01	-	9,200	-	KBAN01P1901A	1.22	(0.05)	19,038	1.00
EA11C1902A	0.19	-	39,588	-	HANA01C1811A	0.39	(0.01)	26,306	-	KBAN01P1901B	0.77	(0.06)	31,836	-
EA13C1806A	-	-	-	-	HANA01C1811B	0.28	(0.01)	13,640	-	KBAN06C1811A	0.76	0.09	15,040	-
EA13C1807A	-	-	-	-	HANA08C1806A	-	-	-	-	KBAN07C1811A	0.37	0.02	3	-
EA13C1808A	0.01	-	1,299	-	HANA08C1809A	0.14	(0.01)	25,685	-	KBAN08C1811A	0.65	0.05	41,401	-
EA13C1808B	0.18	0.01	267,121	-	HANA11C1904A	0.24	-	12,990	-	KBAN08P1811A	0.51	(0.05)	21,470	-
EA13C1809A	0.04	-	24,612	-	HANA13C1806A	-	-	-	-	KBAN13C1807A	0.01	-	8,023	-
EA13C1810A	0.13	0.01	36,125	-	HANA13C1809A	0.18	-	59,350	-	KBAN13C1810A	0.19	-	139,642	-
EA13P1809A	0.69	(0.03)	23,666	-	HANA23C1811A	0.41	-	12,902	-	KBAN13C1811A	0.85	0.04	134,546	-
EA23C1806A	0.02	(0.02)	1,664	-	HANA24C1808A	-	-	-	-	KBAN23C1806A	-	-	-	-
EA24C1807A	-	-	-	-	HANA24C1810A	-	-	-	-	KBAN24C1806A	-	-	-	-
EA24C1809A	-	-	-	-	HANA28C1807A	-	-	-	-	KBAN24C1902A	0.78	0.03	6,050	-
EA28C1806A	-	-	-	-	HANA28C1808A	0.11	-	25,350	-	KBAN24P1811A	0.44	(0.05)	5,000	-
EA28C1809A	0.59	0.03	113,671	-	HMPR01C1808A	0.38	0.04	82,402	-	KBAN27C1809A	0.12	0.01	15,506	-
EA28C1809B	0.15	-	69,105	-	HMPR01C1808B	0.17	0.02	14,152	-	KBAN27P1809A	0.57	(0.02)	13,072	-
EGCO01C1809A	0.66	-	14,445	-	HMPR01P1808A	0.32	(0.03)	76,158	-	KBAN28C1806A	-	-	-	-
EGCO08C1809A	0.17	(0.02)	16,438	-	HMPR0									

Main Board Quotation

Issue Date :

Tuesday June 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KKP01C1808A	0.23	(0.01)	9,964	-	MINT01C1901A	0.42	0.02	31,494	-	PTT11C1902A	0.28	0.03	36,807	-
KKP01C1808B	0.03	(0.01)	11,500	-	MINT01C1901B	0.34	0.03	42,415	-	PTT13C1807A	0.30	0.06	114,947	-
KKP07C1806A	-	-	-	-	MINT01P1808A	0.75	(0.02)	17,942	-	PTT13C1808A	0.07	0.02	406,777	-
KKP08C1811A	0.34	(0.01)	16,948	-	MINT06C1809A	0.06	-	2	-	PTT13C1810A	0.15	-	114,611	-
KKP11C1903A	0.29	(0.01)	6,850	-	MINT07C1810A	-	-	-	-	PTT13C1811A	0.37	0.04	79,745	-
KKP13C1807A	-	-	-	-	MINT08C1809A	-	-	-	-	PTT13P1807A	0.06	(0.01)	3,000	-
KKP13C1811A	0.31	-	23,286	-	MINT11C1902A	0.14	0.01	26,734	-	PTT13P1808A	0.44	(0.04)	97,666	-
KKP23C1807A	-	-	-	-	MINT11P1902A	0.38	-	5,365	-	PTT19C1809A	0.21	0.03	158,985	-
KKP24C1807A	-	-	-	-	MINT13C1810A	0.13	0.01	50,453	-	PTT23C1901A	0.20	0.02	80,686	-
KKP24C1812A	-	-	-	-	MINT23C1810A	0.11	0.01	500	-	PTT24C1806A	0.22	(0.13)	400	-
KKP28C1807A	-	-	-	-	MINT24C1807A	-	-	-	-	PTT24C1809A	0.15	(0.01)	1,125	-
KKP28C1810A	-	-	-	-	MINT24C1812A	0.09	-	10	-	PTT24P1808A	0.03	-	60	-
KTB01C1808A	0.21	-	32,105	-	MINT28C1806A	-	-	-	-	PTT27C1809A	0.58	(0.01)	4,793	-
KTB01C1810A	0.37	-	38,992	-	MINT28C1808A	0.06	0.01	2,010	-	PTT27P1809A	0.20	(0.02)	10,640	-
KTB01C1810B	0.25	(0.01)	58,323	-	MONO01C1810A	0.18	0.02	25,675	-	PTT28C1807A	0.17	0.01	35,780	-
KTB01P1808A	0.55	(0.01)	9,327	-	MONO01C1810B	0.12	0.01	16,126	-	PTT28C1808A	0.09	0.02	30,126	-
KTB08C1809A	0.10	-	10,080	-	MONO08C1808A	0.01	-	100	-	PTT28C1808B	0.04	0.01	7,173	-
KTB11C1811A	0.21	-	21,944	-	MONO08C1906A	0.24	0.01	23,457	-	PTT28C1811A	0.13	0.01	50,512	-
KTB13C1809A	0.11	-	2,344	-	MONO13C1808A	-	-	-	-	PTT28C1811B	0.33	0.02	228,353	-
KTB23C1811A	0.27	0.02	23,400	-	MONO13C1811A	0.13	-	38,553	-	PTT28P1808A	0.30	(0.03)	65,380	-
KTB24C1808A	-	-	-	-	MONO23C1809A	-	-	-	-	PTT28P1808B	0.51	(0.08)	39,880	-
KTB24C1811A	0.22	0.01	14,990	-	MONO24C1807A	-	-	-	-	PTTE01C1808A	1.14	0.02	128,787	1.00
KTB24P1901A	-	-	-	-	MONO24C1812A	0.05	-	9,733	-	PTTE01C1808B	0.71	0.03	101,276	-
KTB28C1806A	-	-	-	-	MONO28C1807A	-	-	-	-	PTTE01C1901A	0.82	0.02	77,661	-
KTB28C1809A	0.08	0.01	10,409	-	MONO28C1808A	-	-	-	-	PTTE01C1901B	0.64	0.01	89,409	-
KTC01C1806A	4.94	(0.11)	2,138	4.00	MONO28C1811A	0.11	-	35,750	-	PTTE01P1808A	0.18	(0.02)	30,526	-
KTC01C1806B	6.65	(0.20)	626	6.00	MTC06C1806A	0.32	-	12,860	-	PTTE01P1901A	1.33	(0.03)	36,237	1.00
KTC01C1808A	1.44	(0.05)	112,290	1.00	MTC07C1806A	-	-	-	-	PTTE01P1901B	1.00	(0.04)	49,656	1.00
KTC01C1808B	0.85	(0.05)	159,699	-	MTC08C1807A	0.02	-	6,007	-	PTTE06C1811A	0.60	0.03	40,295	-
KTC01C1810A	0.55	(0.01)	88,337	-	MTC08C1811A	0.15	-	22,215	-	PTTE07C1809A	0.39	0.02	24,730	-
KTC01C1810B	0.46	(0.02)	37,727	-	MTC11C1806A	0.12	0.01	11,968	-	PTTE08C1807A	-	-	-	-
KTC06C1807A	1.87	(0.12)	72,121	1.00	MTC11C1904A	0.28	0.01	14,948	-	PTTE08C1811A	0.49	0.03	41,337	-
KTC08C1807A	-	-	-	-	MTC13C1809A	0.08	0.01	44,680	-	PTTE08P1809A	-	-	-	-
KTC08C1808A	1.44	(0.11)	260	1.00	MTC13C1811A	0.38	0.02	88,038	-	PTTE08P1811A	0.44	(0.03)	17,580	-
KTC11C1902A	1.55	(0.06)	34,386	1.00	MTC23C1808A	-	-	-	-	PTTE11C1806A	3.34	0.08	23,558	3.00
KTC13C1806A	-	-	-	-	MTC24C1808A	0.01	-	10,000	-	PTTE11C1902A	0.69	0.02	56,955	-
KTC13C1807A	-	-	-	-	MTC24C1810A	0.17	-	810	-	PTTE13C1806A	-	-	-	-
KTC13C1808A	1.56	0.02	224	1.00	MTC24C1812A	0.33	0.01	2,200	-	PTTE13C1807A	0.58	0.03	1,081	-
KTC13C1809A	0.97	(0.07)	8,344	1.00	MTC27C1807A	-	-	-	-	PTTE13C1811A	0.45	0.01	218,823	-
KTC13C1809B	0.84	(0.06)	269,046	-	MTC28C1806A	-	-	-	-	PTTE13P1807A	-	-	-	-
KTC13P1807A	0.08	(0.01)	47,406	-	MTC28C1808A	0.03	-	1	-	PTTE13P1811A	0.40	(0.01)	171,835	-
KTC23C1806A	-	-	-	-	MTC28C1809A	0.24	0.02	347,858	-	PTTE19C1811A	0.64	0.04	52,112	-
KTC23C1809A	1.62	(0.05)	851	1.00	MTC42C1806A	-	-	-	-	PTTE23C1901A	0.21	0.02	1,132	-
KTC24C1808A	-	-	-	-	ORI08C1807A	0.20	-	3,262	-	PTTE24C1807A	0.40	0.03	58,883	-
KTC24C1810A	0.69	(0.05)	6,295	-	ORI11C1811A	0.34	(0.01)	3,102	-	PTTE24C1811A	-	-	-	-
KTC24P1807A	0.09	-	15,661	-	ORI13C1806A	-	-	-	-	PTTE24P1809A	0.05	(0.01)	10,602	-
KTC27C1806A	-	-	-	-	ORI13C1810A	0.69	-	59,816	-	PTTE27C1809A	0.83	0.02	2,000	-
KTC28C1806A	-	-	-	-	ORI19C1811A	0.47	-	2,492	-	PTTE27P1809A	0.11	-	37,072	-
KTC28C1806B	-	-	-	-	ORI23C1809A	-	-	-	-	PTTE28C1807A	0.59	-	1,010	-
KTC28C1808A	-	-	-	-	ORI24C1806A	-	-	-	-	PTTE28C1810A	0.38	0.01	115,123	-
KTC28C1808B	1.53	(0.04)	27,430	1.00	ORI24C1810A	-	-	-	-	PTTE28C1811A	0.26	0.01	78,941	-
KTC28C1809A	0.94	(0.06)	522	-	ORI28C1806A	-	-	-	-	PTTE28P1811A	0.40	(0.03)	52,483	-
KTC28C1810A	0.85	(0.06)	73,013	-	ORI28C1808A	0.22	-	6,156	-	PTTG01C1808A	0.47	(0.01)	147,678	-
LH01C1809A	0.32	0.01	1,372	-	PLAN08C1811A	0.25	0.03	77,658	-	PTTG01C1810A	0.52	0.01	66,389	-
LH01C1809B	0.19	0.01	940	-	PLAN13C1809A	0.16	0.01	35,758	-	PTTG01C1810B	0.17	-	27,420	-
LH01P1809A	-	-	-	-	PLAN23C1806A	-	-	-	-	PTTG01C1811A	0.76	-	21,153	-
LH06C1809A	-	-	-	-	PLAN28C1810A	0.21	0.01	281,280	-	PTTG01P1808A	0.88	-	47,805	-
LH07C1810A	-	-	-	-	PSH01C1810A	0.53	0.01	1,050	-	PTTG01P1811A	1.37	-	23,789	1.00
LH11C1808A	0.21	-	2,300	-	PSH01C1810B	0.29	-	460	-	PTTG06C1809A	0.20	(0.08)	700	-
LH13C1808A	0.21	-	6,508	-	PSH01P1810A	-	-	-	-	PTTG07C1806A	0.10	(0.01)	1,752	-
LH23C1806A	-	-	-	-	PSH08C1811A	-	-	-	-	PTTG08C1811A	0.28	-	19,780	-
LH24C1806A	-	-	-	-	PSH11C1902A	-	-	-	-	PTTG08P1811A	0.83	-	3,060	-
LH24C1809A	-	-	-	-	PSH23C1811A	0.41	(0.02)	1,000	-	PTTG11C1902A	0.31	-	13,529	-
LH28C1808A	-	-	-	-	PSH42C1806A	-	-	-	-	PTTG13C1808A	0.10	(0.01)	56,581	-
LHFG42C1806A	-	-	-	-	PSL01C1807A	0.34	0.02	153,687	-	PTTG13C1812A	0.62	-	140,378	-
LPN01C1809A	0.16	0.03	30,475	-	PSL23C1809A	0.12	0.01	53,589	-	PTTG19C1811A	0.59	(0.01)	17,638	-
LPN01C1811A	0.45	0.08	100,327	-	PSL24C1807A	0.19	0.02	2,000	-	PTTG23C1901A	0.25	-	4,000	-
LPN01C1811B	0.32	0.10	34,880	-	PTG01C1806A	0.06	(0.02)	95,445	-	PTTG24C1808A	0.07	-	10	-
LPN01P1809A	0.49	(0.08)	12,379	-	PTG01C1806B	-	-	-	-	PTTG24P1808A	-	-	-	-
LPN08C1807A	-	-	-	-	PTG01C1811A	0.48	(0.02)	42,678	-	PTTG27C1807A	0.32	-	9,556	-
LPN08C1810A	0.14	0.04	28,671	-	PTG01C1811B	0.31	(0.03)	36,443	-	PTTG27P1807A	-	-	-	-
LPN11C1806A	0.05	0.02	202	-	PTG01P1811A	0.83	0.03	50,119	-	PTTG28C1807A	0.01	-	4,360	-
LPN23C1806A	-	-	-	-	PTG06C1810A	0.19	-	3,000	-	PTTG28C1807B	-	-	-	-
LPN24C1808A	-	-	-	-	PTG06C1904A	0.69	(0.01)	906	-	PTTG28C1811A	0.50	(0.01)	181,309	-
LPN24C1812A	0.42	0.10	47,100	-	PTG07C1806A	-	-	-	-	QH01C1807A	0.40	(0.01)	15,530	-
LPN27C1807A	-	-	-	-	PTG08C1807A	-	-	-	-	QH01C1810A	0.47	0.02	22,817	-
MAJ08C1811A	0.12	(0.02)	7,905	-	PTG11C1903A	0.37	(0.02)	16,126	-	QH01C1810B	0.35	-	7,307	-
MAJ011C1902A	0.17	(0.01)	8,126	-	PTG13C1806A	-	-	-	-	QH01P1807A	0.24	(0.01)	4,076	-
MAJ023C1806A	-	-	-	-	PTG13C1809A	0.17	(0.03)	89,858	-	QH08C1808A	0.22	(0.01)	8,870	-
MAJ024C1809A	0.05	-	64	-	PTG23C1808A	0.01	(0.02)	26,700	-	QH11C1902A	0.39	0.01	8,939	-
MAJ042C1806A	-	-	-	-	PTG24C1809A	0.22	(0.02)	2,003	-	QH23C1808A	-	-	-	-
MALE01C1812A	0.03	-	27,365	-	PTG27C1809A	-	-	-	-	QH28C1808A	0.13	-	46,138	-
MALE08C1811A	0.01	-	10,000	-	PTG28C1806A	-	-	-	-	RATC23C1806A	-	-	-	-
MALE13C1809A	0.02	-	510	-	PTG28C1808A	0.11	(0.01)	54,703	-	RATC27C1812A	0.14	(0.01)	400	-
MALE23C1806A	-	-	-	-	PTL08C1811A	0.58	0.04	28,545	-	ROBI01C1809A	0.49	0.05	76,132	-
MALE27C1812A	-	-	-	-	PTL13C1809A	0.34	0.02	85,713	-	ROBI06C1809A	0.49	0.09	17,416	-
MALE28C1810A	-	-	-	-	PTL23C1807A	0.10	-	8,444	-	ROBI08C1808A	0.08	0.01	1,000	-
MC23C1809A	0.19	0.02	4,000	-	PTL24C1806A	0.22	0.05	465	-	ROBI11C1808A	0.18	0.04	20,751	-
MC24C1807A	-	-	-	-	PTL28C1810A	0.49</								

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday June 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001P1806F	1.37	(0.09)	1,502,699	1.00	SGP08C1808A	0.02	-	2,080	-	THAI01C1808B	0.11	0.01	7,848	-
S5001P1806G	0.18	(0.07)	1,242,547	-	SGP11C1904A	0.14	-	15,289	-	THAI01P1806A	0.65	(0.02)	17,908	-
S5001P1806H	1.99	(0.09)	287,408	2.00	SGP13C1806A	0.83	(0.07)	90	-	THAI01P1808A	0.54	(0.02)	5,806	-
S5001P1806I	0.77	(0.17)	633,021	-	SGP13C1807A	0.01	(0.02)	4,801	-	THAI06C1809A	0.39	0.01	9,250	-
S5001P1807A	1.30	(0.05)	51,891	1.00	SGP13C1808A	0.02	(0.01)	29,542	-	THAI07C1811A	-	-	-	-
S5001P1807B	0.93	(0.06)	251,031	-	SGP13C1811A	0.10	0.02	7,136	-	THAI08C1808A	0.16	0.01	28,582	-
S5001P1808A	0.73	(0.04)	16,691	-	SGP24C1806A	-	-	-	-	THAI11C1808A	0.11	-	2,232	-
S5001P1808B	0.83	(0.06)	8,013	-	SGP24C1808A	-	-	-	-	THAI13C1811A	0.26	0.01	22,658	-
S5001P1809F	1.38	(0.08)	210,812	1.00	SGP24C1811A	0.12	0.01	301	-	THAI23C1901A	0.16	-	4,200	-
S5001P1809G	0.95	(0.09)	233,649	-	SGP28C1808A	0.01	-	1,200	-	THAI24C1808A	-	-	-	-
S5006C1806A	0.01	-	21,338	-	SGP28C1809A	-	-	-	-	THAI27C1809A	0.19	-	8,664	-
S5006C1806B	0.01	(0.01)	20,501	-	SGP28C1811A	0.12	0.01	6,300	-	THAI28C1808A	-	-	-	-
S5006C1809A	0.56	0.06	45,198	-	SIRI01C1808A	0.04	(0.01)	1,940	-	THAN01C1812A	0.48	-	62,762	-
S5006C1809B	0.39	0.03	31,815	-	SIRI01C1808B	-	-	-	-	THANI3C1809A	0.08	(0.01)	6,610	-
S5006P1806A	0.01	(0.01)	1,012	-	SIRI01C1901A	0.57	(0.01)	1,810	-	THAN23C1807A	-	-	-	-
S5006P1806B	0.15	(0.06)	9,530	-	SIRI01C1901B	0.37	-	1,886	-	THAN28C1810A	0.16	-	19,973	-
S5006P1809A	1.33	(0.07)	1,939	1.00	SIRI01P1808A	0.47	-	100	-	THCO01C1809A	0.18	0.01	50,456	-
S5006P1809B	0.69	(0.05)	200	-	SIRI08C1808A	-	-	-	-	THCO01P1809A	0.53	(0.05)	4,514	-
S5008C1806A	0.02	-	1,040	-	SIRI08C1810A	0.29	-	12,690	-	THCO11C1902A	0.22	0.02	13,495	-
S5008C1806B	0.01	(0.01)	4,762	-	SIRI11C1902A	0.26	(0.01)	3,656	-	THCO23C1808A	-	-	-	-
S5008P1806A	0.39	(0.09)	109,048	-	SIRI13C1809A	0.05	-	184	-	THCO24C1807A	-	-	-	-
S5008P1806B	0.36	(0.11)	110,449	-	SIRI23C1811A	0.41	(0.01)	90	-	THCO24C1810A	0.42	0.04	12,783	-
S5013C1806A	0.02	-	171,140	-	SIRI24C1809A	-	-	-	-	THCO28C1806A	-	-	-	-
S5013C1806B	0.01	-	16,067	-	SIRI28C1807A	-	-	-	-	THCO28C1808A	0.08	0.01	1,495	-
S5013C1806C	0.20	0.02	696,147	-	SIRI28C1809A	0.18	(0.01)	39,930	-	TISCO1C1808A	0.67	(0.03)	35,705	-
S5013C1806D	0.07	-	527,792	-	SPAL01C1808A	0.55	-	4,020	-	TISCO1C1808B	0.26	(0.01)	8,858	-
S5013C1806E	0.17	0.03	937,676	-	SPAL01C1808B	0.17	-	300	-	TISCO8C1808A	0.31	(0.02)	5,434	-
S5013C1809A	0.48	0.03	1,038,999	-	SPAL06C1809A	-	-	-	-	TISC1C1903A	0.50	(0.02)	11,842	-
S5013C1809B	0.75	0.05	2,071,024	-	SPAL08C1808A	0.16	-	6,158	-	TISC13C1807A	0.21	(0.01)	17,668	-
S5013P1806A	0.45	(0.09)	5,495,843	-	SPAL11C1807A	0.31	-	1,116	-	TISC13C1811A	0.70	-	29,134	-
S5013P1806B	0.22	(0.08)	1,296,390	-	SPAL23C1811A	-	-	-	-	TISC24C1806A	-	-	-	-
S5013P1806C	1.12	(0.12)	1,370,808	1.00	SPAL24C1808A	-	-	-	-	TISC24C1812A	-	-	-	-
S5013P1806D	0.04	(0.01)	73,254	-	SPAL24C1812A	-	-	-	-	TISC27C1807A	0.22	(0.01)	10,506	-
S5013P1806E	0.47	(0.14)	1,330,880	-	SPCG13C1806A	0.01	(0.01)	3,255	-	TISC28C1807A	0.13	(0.02)	28,552	-
S5013P1809A	1.34	(0.08)	1,785,525	1.00	SPRC01C1808A	0.23	(0.03)	36,400	-	TISC42C1806A	-	-	-	-
S5013P1809B	0.77	(0.06)	1,435,462	-	SPRC01C1808B	0.06	(0.01)	16,920	-	TKN01C1808A	0.33	(0.03)	72,357	-
S5028C1806A	0.01	(0.01)	8,287	-	SPRC06C1809A	-	-	-	-	TKN01C1808B	0.14	(0.01)	12,130	-
S5028C1806B	0.02	-	8,884	-	SPRC08C1808A	-	-	-	-	TKN06C1806A	-	-	-	-
S5028C1806C	0.08	-	149,512	-	SPRC11C1902A	0.15	(0.02)	8,470	-	TKN08C1808A	0.04	-	21,570	-
S5028C1807A	0.27	0.02	541,416	-	SPRC13C1808A	0.09	(0.01)	5,610	-	TKN08C1811A	0.41	(0.02)	43,029	-
S5028P1806A	0.51	(0.09)	1,339,687	-	SPRC23C1810A	0.19	(0.02)	11,000	-	TKN11C1902A	0.41	(0.02)	32,661	-
S5028P1806B	0.13	(0.04)	1,196,972	-	SPRC24C1808A	-	-	-	-	TKN13C1808A	0.08	(0.03)	48,386	-
S5028P1806C	-	-	-	-	SPRC28C1806A	-	-	-	-	TKN13C1810A	0.37	(0.05)	52,021	-
S5028P1807A	0.97	(0.09)	214,477	-	STA01C1807A	0.09	-	65,140	-	TKN13C1811A	0.34	(0.03)	83,482	-
SAMWA13C1806A	-	-	-	-	STA01C1807B	-	-	-	-	TKN19C1811A	0.38	(0.03)	17,898	-
SAWA01C1808A	0.08	-	11,678	-	STA08C1807A	0.05	(0.02)	3,000	-	TKN23C1806A	-	-	-	-
SAWA01C1808B	0.02	-	19,061	-	STA13C1807A	0.01	(0.01)	4,647	-	TKN24C1807A	-	-	-	-
SAWA01C1901A	0.53	0.03	119,167	-	STA13C1808A	0.18	-	111,468	-	TKN24C1811A	-	-	-	-
SAWA01C1901B	0.45	0.01	85,608	-	STA23C1809A	0.26	-	11,220	-	TKN28C1806A	-	-	-	-
SAWA01P1808A	2.18	(0.04)	23,135	2.00	STA24C1808A	0.12	-	2,300	-	TKN28C1808A	0.09	(0.02)	171,541	-
SAWA01P1901A	1.01	(0.03)	19,892	1.00	STA28C1807A	-	-	-	-	TMB01C1807A	0.04	-	512	-
SAWA06C1807A	0.01	-	10,000	-	STEC01C1809A	0.45	(0.02)	150,475	-	TMB01C1810A	0.37	-	111,703	-
SAWA06C1811A	0.08	0.01	61,000	-	STEC01C1809B	1.47	(0.08)	49,223	1.00	TMB01C1810B	0.28	-	83,376	-
SAWA08C1808A	-	-	-	-	STEC01P1809A	0.80	0.03	43,932	-	TMB01P1807A	0.76	-	24,963	-
SAWA08C1811A	0.04	-	14,627	-	STEC06C1809A	0.56	(0.04)	25,426	-	TMB06C1809A	0.09	0.01	301	-
SAWA11C1808A	-	-	-	-	STEC08C1809A	0.41	(0.02)	46,233	-	TMB07C1811A	0.14	0.02	2,587	-
SAWA13C1807A	-	-	-	-	STEC11C1903A	0.70	(0.05)	23,919	-	TMB08C1808A	0.03	-	10,000	-
SAWA13C1810A	0.03	0.01	814	-	STEC13C1809A	0.33	(0.02)	243,910	-	TMB11C1806A	0.17	0.01	36,540	-
SAWA13C1811A	0.05	-	5,670	-	STEC23C1808A	0.02	0.01	101,590	-	TMB11C1904A	0.22	-	15,620	-
SAWA13C1812A	0.26	0.02	78,898	-	STEC24C1808A	0.31	(0.03)	59,826	-	TMB13C1811A	0.18	(0.01)	53,032	-
SAWA23C1807A	-	-	-	-	STEC28C1806A	-	-	-	-	TMB23C1810A	-	-	-	-
SAWA24C1808A	-	-	-	-	STEC28C1808A	0.26	(0.02)	311,732	-	TMB24C1809A	0.03	(0.02)	1	-
SAWA28C1807A	-	-	-	-	STEC28C1810A	0.67	(0.02)	218,950	-	TMB24C1901A	0.20	-	4,920	-
SAWA28C1809A	0.04	0.02	41,441	-	STPI08C1811A	-	-	-	-	TMB28C1806A	-	-	-	-
SAWA28C1810A	0.04	-	15,520	-	STPI23C1806A	-	-	-	-	TMB28C1808A	-	-	-	-
SAWA28C1811A	0.29	0.02	194,677	-	STPI28C1807A	-	-	-	-	TMB28C1809A	0.10	(0.01)	294,821	-
SCB01C1808A	0.30	0.03	69,402	-	SUPE06C1806A	0.03	(0.01)	1,246	-	TOP01C1808A	0.22	(0.01)	15,560	-
SCB01C1808B	0.05	0.01	2,650	-	SUPE08C1808A	0.10	(0.01)	1,645	-	TOP01C1808B	0.04	(0.01)	8,754	-
SCB01C1810A	0.56	0.03	121,111	-	SUPE08C1811A	0.19	(0.02)	2,007	-	TOP01P1808A	0.94	0.02	22,545	-
SCB01P1808A	1.17	(0.04)	21,123	1.00	SUPE13C1806A	-	-	-	-	TOP06C1809A	0.23	-	120	-
SCB01P1808B	0.52	(0.04)	20,459	-	SUPE13C1810A	0.15	(0.01)	16,210	-	TOP08C1811A	0.37	(0.01)	13,816	-
SCB06C1811A	0.68	0.03	57,667	-	SUPE13C1811A	0.15	(0.05)	654	-	TOP11C1808A	-	-	-	-
SCB08C1806A	-	-	-	-	SUPE23C1811A	0.30	-	345	-	TOP13C1806A	-	-	-	-
SCB11C1901A	0.31	-	38,830	-	SUPE23C1901A	-	-	-	-	TOP13C1811A	0.33	(0.02)	58,221	-
SCB11P1901A	0.59	(0.03)	14,660	-	SUPE28C1806A	-	-	-	-	TOP18C1808A	-	-	-	-
SCB13C1809A	0.18	0.02	80,976	-	SUPE28C1807A	-	-	-	-	TOP23C1811A	0.43	(0.01)	2,000	-
SCB24C1806A	-	-	-	-	SUPE28C1810A	-	-	-	-	TOP24C1806A	-	-	-	-
SCB24C1902A	-	-	-	-	SUPE28C1811A	0.15	-	25	-	TOP24C1901A	0.48	(0.02)	1,700	-
SCB24P1811A	0.38	(0.05)	450	-	TASC01C1806A	0.06	-	6,698	-	TOP28C1810A	-	-	-	-
SCB28C1808A	-	-	-	-	TASC01C1809A	0.14	-	6,972	-	TOP42C1806A	-	-	-	-
SCB28C1809A	0.19	0.03	35,001	-	TASC01C1810A	0.43	0.03	35,311	-	TOP42P1806A	0.67	0.05	420	-
SCB28P1808A	0.19	(0.02)	206,422	-	TASC01C1810B	0.27	0.03	49,105	-	TP101C1807A	0.06	-	1	-
SCCO1C1808A	0.21	(0.02)	96,868	-	TASC01P1806A	1.05	(0.04)	39,982	1.00	TP101C1807B	-	-	-	-
SCCO1C1808B	0.03	(0.01)	13,962	-	TASC01P1809A	1.34	(0.05)	16,248	1.00	TP108C1807A	-	-	-	-
SCCO1P1808A	0.66	0.01	11,892	-	TASC07C1811A	-	-	-	-	TP113C1809A	-	-	-	-
SCCO6C1809A	0.12	(0.01)	446	-	TASC08C1808A	-	-	-	-	TP123C1809A	-	-	-	-
SCCO8C1809A	0.11	-	6,674	-	TASC11C1806A	-	-	-	-	TP124C1808A	-	-	-	-
SCC11C1811A														

Main Board Quotation

Issue Date :

Tuesday June 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCCC27C1812A	-	-	-	-	THAI01C1808A	0.31	-	8,737	-	TRUE06C1806A	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday June 12, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE06C1811A	0.22	(0.02)	17,756	-	WORK01C1811A	0.63	0.02	34,989	-	SMM-W4	0.15	(0.01)	17,843	-
TRUE06P1806A	0.03	(0.01)	808	-	WORK01C1811B	0.48	0.01	27,107	-	SMT-W1	0.17	(0.01)	22,807	-
TRUE07C1806A	0.01	(0.04)	1	-	WORK08C1809A	0.01	(0.01)	1,057	-	SMT-W2	0.90	0.90	1,085,542	-
TRUE08C1809A	0.23	(0.03)	114,252	-	WORK11C1903A	0.16	0.01	22,016	-	SPALI-W4	20.20	(0.10)	660	20.00
TRUE08P1809A	0.15	0.02	16,381	-	WORK13C1806A	-	-	-	-	SPORT-W5	0.19	(0.02)	34,897	-
TRUE11C1807A	0.12	(0.01)	41,946	-	WORK13C1809A	-	-	-	-	SPORT-W6	-	-	-	-
TRUE13C1807A	0.12	(0.02)	561,435	-	WORK13C1810A	0.04	0.01	9,110	-	SUPER-W4	0.18	-	134,948	-
TRUE13C1810A	0.15	(0.02)	333,068	-	WORK13C1811A	0.22	-	121,050	-	SUSCO-W1	0.23	0.01	9,915	-
TRUE16C1812A	0.38	(0.04)	12,353	-	WORK19C1811A	0.31	0.02	13,009	-	SVI-W3	1.16	0.12	845	1.00
TRUE23C1806A	0.17	(0.05)	41,736	-	WORK23C1807A	-	-	-	-	TCC-W3	0.54	(0.01)	5	-
TRUE27C1809A	0.27	(0.02)	6,782	-	WORK24C1810A	0.05	0.01	1,002	-	TCC-W4	0.20	(0.03)	9,162	-
TRUE27P1809A	0.26	(0.02)	22,880	-	WORK27C1806A	-	-	-	-	TCC-W5	0.29	0.29	286,015	-
TRUE28C1807A	0.08	(0.02)	263,365	-	WORK28C1806A	-	-	-	-	TCJ-W2	1.20	(0.01)	170	1.00
TRUE28C1808A	0.02	(0.01)	301	-	WORK28C1808A	0.01	-	410	-	TCMC-W2	0.38	-	2,703	-
TRUE28C1810A	0.14	(0.02)	118,042	-	WORK28C1809A	0.04	0.01	2,802	-	TFG-W1	1.96	(0.02)	11	1.00
TTA01C1807A	0.11	-	141,479	-	WORK28C1811A	0.23	0.01	36,109	-	TFG-W2	0.78	0.01	1,257	-
TTA01P1807A	0.79	-	7,998	-	WORK42C1806A	-	-	-	-	TGPRO-W2	-	-	-	-
TTA08C1808A	0.04	-	1,000	-	Preferred/Foreign	-	-	-	-	TH-W2	0.14	-	310	-
TTA11C1806A	-	-	-	-	BH-Q	-	-	-	-	THE-W2	0.06	0.01	3,720	-
TTA13C1809A	0.08	-	20,494	-	CSC-Q	-	-	-	-	TNITY-W1	1.14	(0.01)	1,784	1.00
TTA18C1808A	-	-	-	-	JUTHA-Q	-	-	-	-	TNPC-W1	0.59	-	8,243	-
TTA23C1808A	-	-	-	-	KTB-Q	-	-	-	-	TPOLY-W2	-	-	-	-
TTA24C1809A	-	-	-	-	SCB-Q	-	-	-	-	TSI-W2	-	-	-	-
TTA28C1806A	-	-	-	-	TCAP-Q	-	-	-	-	TSR-W1	0.68	0.02	24,709	-
TTA28C1812A	0.26	-	124,676	-	TIC-Q	-	-	-	-	TTA-W5	0.97	-	2,019	-
TTCL13C1806A	0.01	-	1	-	TISCO-Q	-	-	-	-	U-W1	0.01	-	12	-
TU01C1808A	0.12	0.01	28,988	-	U-Q	-	-	-	-	U-W4	0.01	-	606,856	-
TU01C1808B	-	-	-	-	Warrant	-	-	-	-	VGI-W1	0.37	(0.01)	567,760	-
TU01P1808A	0.82	(0.04)	13,568	-	7UP-W2	0.19	(0.14)	11	-	VIBHA-W2	1.49	0.01	898	1.00
TU08C1811A	0.15	0.01	12,734	-	ACC-W1	0.04	-	12,647	-	VIBHA-W3	0.35	-	2,828	-
TU11C1902A	0.09	0.01	3,050	-	AJA-W1	0.18	-	1,460	-	WAVE-W1	0.57	-	764	-
TU13C1809A	-	-	-	-	ALT-W1	1.10	-	938	1.00	WHA-W1	8.00	-	3,529	8.00
TU23C1806A	-	-	-	-	AQ-W4	0.01	-	8	-	WIJK-W1	-	-	-	-
TU24C1808A	-	-	-	-	AS-W1	0.60	(0.03)	8,470	-	WORK-W1	11.30	0.20	58	11.00
TU27C1807A	-	-	-	-	AYUD-W1	4.70	-	19,768	4.00	Preferred Shares	-	-	-	-
TVO01C1809A	0.23	(0.01)	5,074	-	B-W3	-	-	-	-	BH-P	-	-	-	-
TVO01C1809B	0.08	-	3,526	-	BLAND-W4	-	-	-	-	CSC-P	-	-	-	-
TVO08C1808A	-	-	-	-	BTS-W3	0.07	-	171,304	-	JUTHA-P	-	-	-	-
TVO11C1903A	0.16	-	6,520	-	BWG-W4	0.09	(0.01)	6,277	-	KTB-P	-	-	-	-
TVO13C1809A	0.05	-	9	-	CEN-W4	0.08	-	224	-	SCB-P	-	-	-	-
TVO23C1808A	0.09	(0.01)	19,000	-	CGH-W2	-	-	-	-	TCAP-P	-	-	-	-
TVO24C1810A	-	-	-	-	CI-W1	0.48	(0.01)	21	-	TIC-P	-	-	-	-
TVO28C1808A	0.01	(0.02)	180	-	CKP-W1	0.40	-	122,898	-	TISCO-P	-	-	-	-
UNIQ01C1809A	0.36	0.03	182,677	-	CRANE-W1	1.43	(0.05)	281	1.00	U-P	0.03	-	309,086	-
UNIQ01C1810A	0.54	0.03	109,636	-	CWT-W4	1.02	(0.06)	224,584	1.00	Warrant (MAI)	-	-	-	-
UNIQ01C1810B	0.42	0.03	90,399	-	DCC-W1	0.81	-	315,187	-	2S-W1	0.17	(0.01)	8,385	-
UNIQ01P1809A	0.35	(0.05)	96,671	-	DCON-W1	-	-	-	-	ACAP-W1	7.00	(0.15)	2	7.00
UNIQ08C1808A	0.06	-	3,795	-	DIGI-W1	0.07	-	8,195	-	ACAP-W2	3.16	0.10	430	3.00
UNIQ08C1810A	0.37	0.03	45,979	-	DIGI-W2	0.02	-	3,245	-	AIRA-W1	0.08	0.01	2,342	-
UNIQ11C1811A	0.30	0.02	59,799	-	EARTH-W4	-	-	-	-	AIRA-W2	0.07	-	4,265	-
UNIQ13C1807A	0.01	-	200	-	EIC-W2	0.02	-	3,672	-	ATP30-W1	0.85	(0.01)	5,986	-
UNIQ13C1809A	0.32	0.03	302,944	-	EIC-W3	-	-	-	-	BSM-W2	0.23	(0.02)	1,790	-
UNIQ23C1806A	-	-	-	-	EIC-W4	-	-	-	-	CHEWA-W1	0.09	-	37,033	-
UNIQ24C1806A	-	-	-	-	EVER-W3	0.04	(0.01)	7,344	-	CIG-W7	0.03	0.01	5	-
UNIQ24C1811A	0.23	0.01	2,150	-	GJS-W3	0.03	(0.01)	14,531	-	DNA-W1	1.40	-	334	1.00
UNIQ28C1807A	0.01	(0.01)	2	-	GL-W4	0.23	(0.02)	42,906	-	ECF-W2	3.90	0.02	2,335	3.00
UNIQ28C1809A	0.26	0.03	390,331	-	GLAND-W4	-	-	-	-	ECF-W3	2.96	0.06	8,176	2.00
UNIQ28C1811A	0.34	0.03	523,800	-	GREEN-W4	-	-	-	-	EFORL-W3	0.02	0.01	8,835	-
UV01C1807A	0.35	0.03	317,049	-	GSTEL-W1	-	-	-	-	EFORL-W4	0.02	(0.01)	1,171	-
UV08C1807A	0.11	-	91,101	-	GSTEL-W2	-	-	-	-	FC-W1	0.09	-	10,050	-
UV13C1807A	0.05	0.01	7,410	-	IEC-W2	-	-	-	-	FC-W2	0.05	-	6,510	-
UV13C1808A	0.02	(0.01)	1,121	-	IFEC-W2	-	-	-	-	FOCUS-W2	0.57	0.01	411	-
UV23C1809A	0.04	(0.01)	600	-	IHL-W1	5.10	(0.20)	312	5.00	FVC-W2	0.74	0.02	671	-
UV24C1807A	0.10	-	2,730	-	ITD-W1	0.19	(0.01)	65,195	-	ITEL-W1	0.51	(0.03)	318,118	-
UV28C1807A	0.02	(0.03)	3,000	-	IVL-W2	16.60	(0.30)	64,455	16.00	JKN-W1	3.02	0.18	42,317	2.00
UV28C1808A	-	-	-	-	JAS-W3	2.52	(0.02)	4,456	2.00	LIT-W1	2.40	-	1,392	2.00
VGI01C1812A	0.73	0.01	1,580	-	JCK-W4	-	-	-	-	META-W2	0.23	-	24,689	-
VGI06C1904A	6.40	1.50	200	6.00	JCK-W5	0.40	-	201	-	NBC-W1	-	-	-	-
VGI06C1904B	6.40	-	200	6.00	JMART-W2	2.10	0.06	8,213	2.00	NCL-W2	-	-	-	-
VGI06C1904C	6.40	(0.15)	200	6.00	JMT-W1	-	-	-	-	NDR-W1	0.23	0.01	10,177	-
VGI08C1811A	0.68	(0.01)	3,028	-	MIDA-W2	0.02	(0.01)	12,211	-	NEWS-W4	-	-	-	-
VGI23C1905A	1.37	(0.06)	500	1.00	MILL-W3	0.04	-	10,750	-	NEWS-W5	-	-	-	-
VGI23C1911A	-	-	-	-	MILL-W4	0.30	-	510	-	NINE-W1	-	-	-	-
VGI27C1812A	-	-	-	-	ML-W2	0.03	-	135	-	PHOL-W1	0.17	(0.01)	6,427	-
VGI28C1810A	0.47	0.01	16,290	-	MONO-W1	0.79	0.01	52,383	-	PIMO-W1	1.78	0.01	366	1.00
VIBH08C1806A	-	-	-	-	NEP-W3	0.14	0.01	1	-	PPS-W1	1.01	(0.08)	1,290	-
VIBH13C1806A	-	-	-	-	NMG-W3	-	-	-	-	PSTC-W1	0.34	-	170	-
VNG13C1806A	-	-	-	-	NOK-W1	1.18	(0.03)	1,207	1.00	RWI-W1	-	-	-	-
WHA01C1807A	0.26	-	59,693	-	NPP-W3	0.40	(0.04)	35,753	-	SIMAT-W2	0.66	(0.01)	379	-
WHA01C1807B	0.05	(0.01)	9,701	-	NUSA-W3	-	-	-	-	SIMAT-W3	0.73	(0.01)	2,143	-
WHA06C1809A	0.36	(0.03)	37,593	-	ORI-W1	3.00	(0.02)	1,697	3.00	SKY-W1	13.20	(0.30)	40	13.00
WHA07C1810A	-	-	-	-	PACE-W1	0.01	(0.01)	23,336	-	STAR-W3	1.81	-	4,163	1.00
WHA08C1811A	0.39	(0.01)	44,824	-	PACE-W2	0.07	-	30,033	-	T-W3	-	-	-	-
WHA11C1903A	0.37	(0.01)	11,156	-	PDJ-W2	1.55	(0.03)	99	1.00	TAKUNI-W	0.23	-	7,122	-
WHA13C1808A	0.28	(0.01)	116,179	-	PDJ-W3	1.50	-	31	1.00	TAPAC-W3	6.20	(0.05)	1,280	6.00
WHA23C1810A	0.51	-	24,440	-	PDJ-W4	1.55	-	320	1.00	TMILL-W1	1.13	0.01	544	1.00
WHA24C1807A	0.07	-	4,500	-	PL-W1	-	-	-	-	TSF-W4	0.02	-	1,052	-
WHA24C1811A	0.31	(0.04)	2,700	-	PLE-W3	0.23	0.01	107,502	-	TSF-W5	-	-	-	-
WHA28C1807A	-	-	-	-	PSL-W1	-	-	-	-	TVD-W2	0.68	(0.02)	6,919	-
WHA28C1808A	0.10	(0.01)	158,577	-	RICH-W1	-	-	-	-	UKEM-W2	0.56	(0.01)	3,523	-

