

Main Board Quotation

Issue Date :

Tuesday June 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.70	(0.15)	1,072	6.76	RS	18.00	(0.10)	77,441	18.07
POMPUI	-	-	-	-	HUMAN	10.90	0.70	95,835	10.63	SE-ED	3.22	(0.02)	50	3.24
SAFARI	-	-	-	-	ILINK	5.55	(0.25)	10,194	5.58	SMM	0.85	(0.01)	565	0.85
VI	-	-	-	-	INET	3.72	(0.08)	10,486	3.75	SPORT	0.58	(0.02)	7,303	0.59
WORLD	-	-	-	-	INTUCH	53.25	(1.50)	79,321	53.56	TBSP	16.00	(0.20)	12	16.00
WR	-	-	-	-	JAS	5.85	(0.15)	490,491	5.89	TH	0.63	0.01	1,959	0.61
Agribusiness	-	-	-	-	JASIF	9.90	(0.40)	803,803	10.04	TKS	10.80	(0.50)	25,870	10.95
CHOTI	145.00	(1.50)	29	146.14	JMART	10.10	(0.50)	24,861	10.23	TRITN	0.28	(0.01)	192,272	0.29
EE	0.75	(0.08)	145,611	0.79	JTS	1.56	(0.02)	1,381	1.56	VGI	7.60	(0.05)	532,524	7.60
GFPT	11.80	(0.40)	37,113	12.02	MFEC	4.12	(0.10)	1,945	4.16	WAVE	3.00	-	81	2.95
LEE	2.76	(0.04)	9,668	2.78	MSC	5.80	(0.05)	2,786	5.77	WORK	43.25	(1.50)	31,739	43.26
STA	11.20	(0.80)	94,092	11.37	PT	6.70	(0.15)	4,736	6.77	Finance & Securities	-	-	-	-
TLUXE	5.95	0.05	3,252	5.86	SAMART	7.65	(0.15)	12,159	7.63	AEC	0.48	(0.02)	18,831	0.50
TRUBB	1.73	(0.06)	3,593	1.75	SAMTEL	8.80	(1.05)	2,733	9.04	AEONTS	146.50	2.00	2,670	145.76
TWPC	9.30	(0.10)	2,921	9.30	SDC	0.24	(0.01)	23,324	0.25	AMANAH	2.00	(0.04)	154,777	2.01
UPOIC	4.32	(0.14)	296	4.30	SIS	8.70	(0.20)	5,313	8.73	ASAP	6.00	(0.20)	38,197	6.04
UVAN	7.50	(0.25)	5,564	7.59	SVOA	1.42	(0.05)	17,331	1.44	ASK	22.20	(0.20)	1,915	22.17
VPO	0.70	(0.02)	1,942	0.70	SYMC	5.20	0.05	784	5.14	ASP	3.80	(0.02)	74,852	3.79
Banking	-	-	-	-	SYNEX	14.70	(0.20)	6,112	14.60	BFIT	28.00	(0.25)	7,769	27.38
BAY	39.00	(1.50)	6,279	39.48	THCOM	8.80	(0.65)	52,056	9.02	CGH	1.22	(0.01)	1,463	1.20
BBL	195.00	(2.50)	70,757	194.75	TRUE	6.20	(0.40)	3,615,311	6.32	CNS	2.60	(0.02)	2,698	2.58
CIMBT	0.92	(0.03)	45,151	0.94	TWZ	0.13	(0.01)	91,692	0.14	ECL	1.85	(0.05)	47,188	1.87
KBANK	195.00	(4.50)	135,224	196.43	Electronic Componen	-	-	-	-	FNS	4.46	(0.02)	1,659	4.46
KKP	66.25	(0.75)	56,200	66.38	CCET	1.86	(0.03)	19,598	1.87	FSS	2.46	(0.06)	1,494	2.47
KTB	17.20	(0.60)	402,910	17.43	DELTA	60.50	0.50	14,061	60.61	GBX	0.68	(0.02)	5,647	0.68
LHFG	1.52	(0.04)	78,312	1.53	EIC	0.06	-	46,329	0.06	GL	5.30	(0.20)	4,765	5.37
SCB	131.00	(2.50)	136,624	131.46	HANA	33.00	(1.25)	40,394	33.48	IFS	2.96	(0.06)	3,960	2.97
TCAP	49.00	(1.00)	50,478	48.94	KCE	35.50	(0.75)	140,242	35.16	JMT	30.00	(0.75)	5,550	29.85
TISCO	86.00	(1.25)	41,623	86.22	METCO	193.00	(0.50)	87	191.14	KCAR	13.90	(0.40)	1,340	14.01
TMB	2.36	(0.08)	2,060,365	2.38	SMT	2.52	(0.12)	2,986	2.56	KGI	4.06	(0.16)	177,364	4.09
Construction Materia	-	-	-	-	SPPT	4.52	(0.14)	2,872	4.58	KTC	330.00	1.00	20,122	332.42
CCP	0.42	-	25,860	0.42	SVI	4.10	(0.06)	28,173	4.10	MBKET	13.40	(0.50)	22,726	13.44
DCC	2.32	(0.12)	39,841	2.39	TEAM	1.07	(0.04)	13,317	1.09	MFC	15.10	(0.10)	1,008	15.03
DCON	0.56	(0.02)	109,127	0.57	Energy & Utilities	-	-	-	-	ML	0.98	(0.04)	13,789	0.99
DRT	5.70	(0.05)	13,145	5.63	ABPIF	8.45	(0.10)	1,959	8.49	MTC	34.00	(1.25)	133,166	33.96
EPG	7.30	(0.50)	184,653	7.46	AI	-	-	-	-	PE	0.35	-	6,140	0.36
GEL	0.34	-	73,408	0.34	AKR	1.38	-	142,271	1.37	PL	3.46	(0.04)	5,390	3.47
PPP	3.70	(0.06)	2,685	3.69	BAFS	33.00	(1.50)	12,030	33.38	S11	7.30	(0.20)	13,773	7.45
Q-CON	5.70	(0.20)	686	5.65	BANPU	20.10	(0.80)	1,366,292	20.28	SAWAD	31.50	(2.50)	215,582	32.24
RCI	2.54	(0.02)	41,603	2.54	BCP	33.00	(1.75)	115,195	33.43	THANI	7.40	(0.25)	35,388	7.55
SCC	410.00	(12.00)	67,425	414.18	BCPG	17.70	(1.00)	89,643	18.02	TK	11.40	(0.30)	8,263	11.44
SCCC	217.00	(3.00)	1,398	216.58	BGRIM	23.40	(0.30)	81,185	23.60	TNITY	5.75	(0.15)	3,113	5.82
SCP	8.00	(0.15)	4,346	8.00	BPP	23.40	(0.50)	32,078	23.54	UOBKH	3.84	(0.08)	560	3.85
SKN	5.15	(0.10)	9,746	5.20	BRRGIF	10.20	(0.10)	5,284	10.20	ZMICO	1.10	(0.01)	16,284	1.10
TASCO	15.30	(1.20)	106,452	15.62	CKP	4.10	(0.04)	441,754	4.08	Food & Beverage	-	-	-	-
TCMC	2.48	(0.08)	30,789	2.48	DEMCO	4.08	(0.28)	14,735	4.11	APURE	1.47	(0.01)	1,189	1.47
TGCI	2.76	(0.08)	7,587	2.79	EA	34.25	(1.75)	238,090	34.81	ASIAN	5.45	(0.10)	10,948	5.43
TOA	40.00	(0.75)	39,146	40.07	EARTH	-	-	-	-	BR	5.85	(0.10)	16,616	5.88
TPIPL	1.80	(0.03)	214,729	1.80	EASTW	11.00	(0.20)	30,961	11.00	BRR	7.10	(0.30)	1,670	7.19
UMI	1.41	(0.06)	7,533	1.43	EGATIF	10.80	(0.10)	13,642	10.82	CBG	55.00	(2.25)	41,655	55.61
VNG	8.05	-	11,965	7.92	EGCO	227.00	(7.00)	15,805	228.15	CFRESH	4.48	(0.12)	1,043	4.49
WIHK	2.32	(0.08)	8,266	2.32	ESSO	12.60	(0.80)	196,911	12.73	CM	4.16	(0.10)	5,315	4.18
Petrochemicals & Ch	-	-	-	-	GLOW	92.50	3.25	144,027	91.86	CPF	24.10	(0.60)	456,033	24.12
CMAN	3.22	(0.22)	77,447	3.20	GPSC	71.50	(1.50)	43,666	71.67	CPI	1.73	(0.15)	38,478	1.75
GC	5.10	(0.05)	4,068	5.07	GULF	66.25	(1.50)	32,177	66.39	F&D	16.50	(0.50)	8	16.80
GGC	12.90	(0.40)	76,480	12.96	GUNKUL	2.86	(0.08)	130,424	2.88	HTC	22.00	(0.60)	6,208	22.86
GIFT	4.62	(0.14)	2,511	4.57	IEC	-	-	-	-	ICHI	5.35	(0.05)	21,699	5.30
IVL	54.50	(0.75)	394,956	54.55	IFEC	-	-	-	-	KBS	4.40	(0.04)	605	4.40
NFC	11.10	(0.30)	77,515	11.17	IRPC	6.05	(0.10)	1,367,531	6.03	KSL	3.04	(0.14)	46,648	3.11
PATO	14.50	(0.30)	1,793	14.62	LANNA	15.40	(0.40)	3,544	15.56	KTIS	5.95	(0.05)	2,125	5.93
PMTA	16.60	(0.30)	46	16.73	MDX	4.36	(0.06)	1,143	4.36	LST	4.86	(0.08)	2,176	4.81
PTTGC	79.75	(0.50)	339,798	80.45	PTG	16.50	(0.70)	81,987	16.70	M	76.75	(1.50)	2,932	76.39
SUTHA	4.46	-	236	4.42	PTT	47.75	(1.25)	1,717,360	48.37	MALEE	14.70	(0.40)	9,236	14.75
TCB	53.25	(1.25)	840	53.22	PTTEP	125.50	(4.50)	252,235	128.13	MINT	33.25	(0.75)	208,010	33.18
TCCC	30.00	(2.50)	1,511	30.41	RATCH	51.75	0.25	18,139	51.52	OISHI	100.00	(3.50)	78	100.64
TPA	6.15	-	130	6.14	RPC	0.59	(0.01)	5,699	0.59	PB	61.25	(0.25)	573	60.93
UP	26.50	(3.50)	37	26.43	SCG	4.60	(0.10)	528	4.62	PM	10.30	(0.20)	16,612	10.34
VNT	25.00	(1.00)	21,421	25.29	SCI	2.90	(0.06)	6,774	2.93	PRG	-	-	-	-
WG	150.00	1.00	111	149.82	SCN	4.00	(0.18)	20,460	4.03	SAPPE	26.00	(0.25)	12,358	26.00
YCI	-	-	-	-	SGP	9.15	(0.35)	139,838	9.25	SAUCE	21.90	-	748	21.86
Commerce	-	-	-	-	SKE	1.35	(0.08)	68,520	1.39	SFP	226.00	1.00	4	222.25
BEAUTY	15.40	(0.50)	632,482	15.57	SOLAR	2.26	(0.14)	8,213	2.31	SNP	20.40	(0.20)	87	20.32
BIG	2.22	(0.10)	74,108	2.25	SPCG	20.70	(0.50)	14,990	20.75	SORKON	70.00	-	3	70.17
BJC	52.50	(1.25)	229,090	50.86	SPRC	13.40	(0.50)	226,095	13.65	SSC	47.25	(0.75)	1	47.25
COL	28.25	0.25	6,250	27.67	SUPER	0.91	(0.05)	3,743,880	0.93	SSF	-	-	-	-
COM7	17.80	-	70,390	17.57	SUSCO	3.34	(0.08)	10,526	3.36	SST	5.90	(0.05)	701	5.94
CPALL	76.50	(2.00)	474,343	77.23	TAE	2.14	(0.06)	10,684	2.18	TC	2.90	-	3,955	2.90
CSS	2.12	(0.08)	19,417	2.14	TCC	0.40	0.01	7,106	0.40	TFG	4.00	(0.08)	7,047	4.03
FN	3.02	(0.18)	4,696	3.12	TOP	77.00	(2.75)	113,138	78.20	TFMAMA	158.50	(2.50)	558	159.21
FTE	2.12	(0.12)	12,705	2.17	TPIPP	6.35	(0.15)	269,159	6.30	TIPCO	9.50	(0.30)	12,796	9.63
GLOBAL	16.70	(0.40)	67,935	16.73	TTW	11.90	-	75,036	11.86	TKN	16.40	(0.60)	41,083	16.62
HMPRO	13.90	(0.30)	604,762	13.92	WHAUP	6.10	(0.15)	123,756	6.19	TU	17.10	(0.60)	108,165	17.20
IT	4.40	(0.18)	2,549	4.49	WP	6.80	(0.35)	19,397	6.95	TVO	28.25	(0.25)	21,424	28.34
KAMART	4.94	(0.04)	10,670	4.95	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.26	(0.06)	25,511	2.28	AMARIN	5.00	(0.20)	10,575	5.12	AHC	21.20	0.10	40	21.20
MAKRO	41.50	(0.50)	5,948	41.12	AQUA	0.56	(0.01)	326,386	0.56	BCH	15.60	(0.20)	78,649	15.67
MC	12.50	(0.60)	26,786	12.52	AS	1.70	(0.01)	4,048	1.70	BDMS	24.00	(0.60)	732,402	24.42
MEGA	40.00	(0.75)	15,264	39.92	BEC	8.20	(0.45)	72,290	8.37	BH	181.00	(5.50)	26,082	181.13
MIDA	0.58	(0.01)	6,529	0.58	EPCO	5.40	(0.20)	139,466	5.38	CHG	2.18	(0.08)	527,296	2.20
ROBINS	60.													

Main Board Quotation

Issue Date :

Tuesday June 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	8.05	0.05	3,444	8.01	MJD	3.32	-	3,480	3.31	CPT	2.24	(0.18)	119,584	2.36
WPH	2.98	(0.08)	22,597	3.00	MK	3.10	(0.04)	8,461	3.11	CRANE	2.30	0.04	5,418	2.30
Tourism & Leisure					NCH	0.95	(0.03)	1,114	0.96	CTW	7.90	(0.10)	859	7.83
ASIA	6.65	(0.05)	196	6.68	NNCL	1.65	(0.06)	39,556	1.68	FMT	25.50	(0.25)	102	25.50
CENTEL	45.00	(0.50)	39,505	45.16	NOBLE	12.10	-	14,609	12.10	HTECH	7.40	(0.30)	32,903	7.42
CSR	-	-	-	-	NUSA	0.28	(0.01)	382,786	0.28	KKC	1.74	(0.03)	2,273	1.74
DTC	13.10	(0.80)	15,665	13.41	NVD	4.32	(0.14)	3,876	4.31	PK	3.38	(0.12)	2,381	3.40
ERW	7.70	(0.25)	58,127	7.70	ORI	18.10	(0.30)	18,833	18.04	SNC	14.50	(0.80)	44,133	14.62
GRAND	0.90	(0.02)	27,722	0.90	PACE	0.42	-	365,631	0.42	T CJ	6.45	(0.15)	1,537	6.38
LRH	35.00	-	93	35.00	PF	0.88	(0.02)	122,814	0.88	VARO	7.00	-	229	7.00
MANRIN	-	-	-	-	PLAT	7.85	(0.20)	22,003	7.90	Property Fund & REIT				
OHTL	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.00	-	2,877	10.00
ROH	40.50	-	463	40.50	PRECHA	1.60	-	606	1.61	AMATAR	10.60	-	241	10.51
SHANG	67.75	(1.00)	91	67.14	PRIN	1.59	(0.01)	12,729	1.60	B-WORK	10.20	(0.20)	4,838	10.24
Home & Office Produ					PRINC	6.30	(0.05)	8,892	6.32	BKCCP	12.00	(0.30)	135	12.01
ACC	0.50	-	3,972	0.49	PSH	21.10	(0.50)	37,579	21.26	BOFFICE	12.40	(0.10)	3,177	12.40
AJA	0.44	(0.02)	76,145	0.45	OH	3.08	(0.06)	947,775	3.08	CPNCG	14.40	(0.10)	4,294	14.45
DTCI	-	-	-	-	RICHY	1.65	(0.04)	16,087	1.65	CPNREIT	23.30	(0.20)	12,589	23.36
FANCY	1.03	(0.02)	8,721	1.04	RML	1.02	(0.04)	51,729	1.04	CPTGF	12.90	(0.30)	4,256	12.91
KYE	418.00	(2.00)	38	419.00	ROJNA	5.70	(0.30)	43,286	5.77	CRYSTAL	10.20	(0.10)	635	10.23
L&E	2.80	(0.04)	2,099	2.79	S	3.24	(0.06)	103,296	3.23	CTARAF	4.76	(0.06)	1,131	4.78
MODERN	4.66	(0.06)	6,511	4.71	SAMCO	2.18	(0.02)	531	2.19	DREIT	5.55	-	544	5.50
OGC	39.00	(0.75)	237	38.18	SC	3.50	(0.12)	34,783	3.54	ERWPF	5.75	(0.05)	1,002	5.81
ROCK	-	-	-	-	SENA	3.56	(0.14)	23,414	3.61	FUTUREPF	21.00	0.10	1,647	20.98
SIAM	1.93	-	1,804	1.91	SF	8.85	0.10	36,751	8.71	GAHREIT	9.80	(0.10)	130	9.80
TSR	2.38	(0.12)	7,530	2.37	SIRI	1.63	(0.04)	1,149,956	1.64	GLANDRT	12.30	-	10,206	12.27
Insurance					SPALI	24.10	(0.50)	75,742	24.07	GOLDPF	7.20	(0.05)	1,000	7.20
AYUD	41.50	(0.25)	485	41.29	TICON	17.00	0.10	728	16.89	GVREIT	14.60	-	217	14.58
BKI	357.00	(1.00)	165	355.56	U	0.03	-	1,466,958	0.03	HPF	5.40	0.05	2,018	5.35
BLA	32.00	(1.75)	10,030	32.49	UV	7.60	(0.45)	74,955	7.68	HREIT	6.95	(0.10)	7,836	6.99
BUI	-	-	-	-	WHA	3.98	(0.16)	1,728,713	4.02	IMPACT	17.30	(0.40)	3,306	17.38
CHARAN	35.00	-	1	35.00	WIN	0.61	-	4,777	0.60	KPNPF	-	-	-	-
INSURE	-	-	-	-	Paper & Printing Mat					LHHOTEL	15.40	(0.10)	1,161	15.46
MTI	124.00	-	226	123.34	UTP	11.70	(0.10)	14,748	11.71	LHPF	8.30	-	1,142	8.25
NKI	-	-	-	-	Fashion					LHSC	15.70	(0.10)	621	15.66
NSI	82.75	(0.25)	8	80.72	AFC	-	-	-	-	LUXF	8.10	(0.05)	43	8.13
SMK	41.00	(0.50)	43	41.11	BTNC	-	-	-	-	M-II	8.70	0.30	5	8.70
THRE	1.21	(0.04)	32,379	1.23	CPH	-	-	-	-	M-PAT	10.10	-	306	10.10
THREL	7.75	(0.20)	15,913	7.78	CPL	3.14	0.02	1	3.14	M-STOR	10.20	(0.10)	24	10.21
TIC	33.75	(0.25)	70	33.99	DIGI	0.47	(0.04)	77,611	0.48	MIPF	-	-	-	-
TIP	22.80	(0.70)	13,055	23.02	ICC	38.00	(1.00)	4	38.19	MIT	-	-	-	-
TSI	0.54	0.01	33,134	0.52	LTX	73.00	(1.00)	13	73.85	MJLF	12.50	0.10	2,124	12.40
TVI	3.60	(0.06)	795	3.61	NC	15.20	-	8	14.99	MNIT	1.76	-	330	1.76
Mining					PAF	1.04	(0.01)	3,459	1.03	MNIT2	-	-	-	-
PDI	16.80	(0.20)	5,900	16.78	PDJ	2.84	(0.06)	1,404	2.88	MNRF	3.54	0.08	2	3.55
THL	-	-	-	-	PG	7.05	(0.15)	60	7.04	MONTRI	-	-	-	-
Packaging					SABINA	29.50	(0.50)	267	29.05	POPF	13.70	-	769	13.62
AJ	10.60	(0.40)	5,658	10.76	SAWANG	-	-	-	-	PPF	11.10	(0.10)	240	11.10
ALUCON	214.00	(3.00)	12	215.42	SUC	43.00	-	3,747	43.01	QHHR	8.75	(0.05)	552	8.75
CSC	43.25	-	136	42.78	TNL	17.30	(1.30)	80	17.47	QHOP	3.78	0.02	4	3.79
NEP	0.42	(0.02)	3,816	0.43	TPCORP	15.20	-	2	15.20	QHPF	12.00	-	17,198	11.90
NPP	1.26	(0.04)	45,458	1.26	TR	49.00	(0.25)	607	48.66	SBPF	3.02	(0.02)	204	3.01
PTL	15.20	(1.20)	23,318	15.61	TTI	-	-	-	-	SHREIT	9.35	-	1	9.35
SITHAI	1.25	(0.03)	13,488	1.27	TTL	-	-	-	-	SIRIP	11.50	(0.10)	1	11.50
SLP	0.95	(0.02)	3,557	0.95	TTTTM	132.00	-	57	132.18	SPF	23.30	0.10	6,395	23.20
SMPC	13.10	(0.10)	2,319	13.05	UPF	-	-	-	-	SRIPANWA	11.00	-	1,609	10.96
SPACK	1.97	(0.02)	182	1.98	UT	-	-	-	-	SSPF	10.20	(0.10)	375	10.28
TCOAT	-	-	-	-	WACOAL	44.75	(1.00)	7	44.96	SSTPF	6.45	(0.15)	205	6.48
TFI	0.39	(0.02)	915	0.39	Transportation & Log					SSSTR	6.20	(0.15)	62	6.25
THIP	36.00	(1.00)	264	36.00	AAV	5.20	(0.20)	143,872	5.26	TIF1	8.60	-	335	8.53
TMD	21.10	-	38	20.60	AOT	65.00	(1.75)	675,521	65.41	TLGF	18.30	(0.10)	3,501	18.24
TOPP	210.00	(1.00)	2	210.00	ASIMAR	2.76	(0.10)	4,323	2.78	TLHPF	11.30	(0.20)	35	11.34
TPBI	9.20	(0.30)	2,656	9.30	B	0.63	(0.03)	12,206	0.64	TNPF	-	-	-	-
TPP	-	-	-	-	BA	14.00	(0.20)	20,287	14.04	TPRIME	11.80	(0.10)	3,192	11.80
Personal Products &					BEM	7.40	(0.20)	549,531	7.44	TREIT	11.30	-	16,673	11.25
APCO	5.15	(0.15)	3,263	5.17	BTS	9.15	(0.15)	778,497	9.15	TTLPF	24.00	(0.30)	46	24.03
DDD	64.50	(2.25)	13,001	65.13	BTSIGF	12.10	(0.10)	78,465	12.13	TU-PF	-	-	-	-
JCT	90.00	0.25	5	90.00	III	5.05	(0.30)	46,555	5.05	URBNPF	5.05	(0.05)	2	5.05
OCC	-	-	-	-	JUTHA	1.90	(0.06)	558	1.91	WHABT	10.00	(0.10)	162	10.00
S & J	23.00	(0.60)	52	23.00	JWD	6.60	(0.45)	67,747	6.68	WHART	10.20	(0.10)	18,045	10.22
STHAI	-	-	-	-	KWC	-	-	-	-	Steel				
TNR	14.90	(0.10)	565	14.93	NOK	2.78	(0.08)	10,136	2.82	AMC	2.52	(0.16)	5,217	2.57
TOG	4.78	(0.08)	1,263	4.81	NYT	5.45	(0.15)	6,101	5.49	BSBM	1.17	(0.01)	5,453	1.16
Professional Service					PRM	7.50	(0.20)	29,065	7.56	CEN	1.32	0.01	5,279	1.32
BWG	1.17	(0.03)	223,839	1.18	PSL	11.40	(0.30)	54,254	11.38	CITY	2.70	(0.04)	1,406	2.70
GENCO	0.82	(0.02)	8,838	0.83	RCL	5.45	(0.25)	19,788	5.50	CSP	1.46	(0.01)	705	1.46
PRO	-	-	-	-	THAI	14.40	(0.70)	61,819	14.63	GJS	0.33	(0.01)	102,725	0.33
Property Developer					TSTE	7.25	(0.25)	3	7.22	GSTEL	-	-	-	-
A	6.65	-	900	6.65	TTA	7.35	(0.35)	69,516	7.44	INOX	1.17	(0.01)	229	1.16
AMATA	20.30	(1.00)	312,181	20.47	WICE	3.94	(0.16)	26,382	3.97	LHK	4.70	(0.40)	21,818	4.74
AMATAV	6.60	(0.10)	2,795	6.67	Automotive					MAX	0.02	-	199,377	0.02
ANAN	4.78	(0.14)	331,317	4.84	AH	37.00	(0.25)	6,045	37.02	MCS	7.20	(0.35)	16,392	7.35
AP	8.65	(0.10)	110,316	8.63	APCS	5.55	(0.05)	2,183	5.48	MILL	1.36	0.01	17,881	1.36
APEX	0.18	(0.01)	31,960	0.18	BAT-3K	-	-	-	-	PAP	4.16	(0.12)	3,153	4.18
AQ	0.03	(0.01)	310,595	0.03	CWT	3.28	(0.20)	17,471	3.35	PERM	2.22	(0.22)	5,580	2.30
BLAND	1.87	(0.04)	2,674,757	1.87	EASON	3.38	(0.04)	13	3.37	RICH	-	-	-	-
BROCK	2.52	(0.06)	992	2.54	GFT	381.00	(9.00)	17	384.47	SAM	0.68	(0.03)	3,047	0.70
CGD	1.34	(0.03)	25,870	1.35	HFT	3.28	-	6,753	3.24	SMIT	5.70	(0.05)	4,661	5.66
CI	1.61	(0.01)	12,050	1.61	IHL	8.60	(0.10)	5,070	8.64	SSI	-	-	-	-
CPN	69.75	(1.75)	187,051	69.90	INGRS	0.72	(0.03)	118,584	0.73	SSSC	3.08	(0.04)	3,747	3.09
ESTAR	0.67	(0.01)	56,455	0.68	IRC	20.20	(0.30)	704	20.19	TGPRO	0.21	(0.01)	170,323	0.21
EVER	0.38	(0.01)	140,431	0.38	PCSGH	7.20	(0.20)	13,728	7.25	THE	2.50	(0.10)	32,826	2.63
GLAND	2.54	(0.12)	184,286	2.56	SAT	22.60	(0.40)	32,739	22.94	TIW	426.00	-	2	426.00
GOLD	10.30	(0.10)	59,506	10.20	SPG	-	-	-	-	TMT	14.50	(0.40)	2,779	14.71
GREEN	1.00	(0.02)	5,563	1.00	STANLY	254.00	-	183	253.43	TSTH	0.78	(0.03)	9,495	0.79
J														

Main Board Quotation

Issue Date :

Tuesday June 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UWC	0.08	-	172,832	-	ADVA11P1807A	0.28	0.05	21,010	-
ABICO	6.00	(0.15)	936	6.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.10	(0.01)	15,372	-
AU	10.30	(0.30)	11,914	10.00	ADAM	-	-	-	-	ADVA13C1811A	0.53	(0.07)	93,950	-
FC	0.43	(0.02)	43,062	-	AKP	1.74	(0.01)	296	1.00	ADVA13P1809A	0.42	0.06	37,125	-
JCKH	1.13	(0.08)	50,689	1.00	AMA	6.00	(0.15)	6,501	6.00	ADVA16C1812A	0.46	(0.02)	3	-
KASET	2.18	(0.16)	3,577	2.00	ARIP	0.54	-	643	-	ADVA18C1808A	0.44	(0.07)	15,123	-
MM	4.06	(0.08)	2,880	4.00	ATP30	1.64	(0.05)	15,138	1.00	ADVA23C1806A	0.10	(0.04)	13,000	-
SUN	3.20	(0.36)	22,159	3.00	AUCT	6.35	0.05	10,622	6.00	ADVA24C1810A	-	-	-	-
TACC	4.36	(0.04)	6,268	4.00	BOL	1.90	(0.03)	3,306	1.00	ADVA24P1810A	-	-	-	-
TMILL	2.98	(0.08)	10,905	2.00	CHUO	-	-	-	-	ADVA28C1808A	-	-	-	-
XO	7.45	(0.35)	18,435	7.00	CMO	1.50	(0.05)	3,457	1.00	ADVA28C1811A	0.45	(0.05)	401,784	-
Consumer Products	-	-	-	-	D	10.40	(0.40)	14,282	10.00	ADVA28P1810A	0.50	0.04	304,685	-
BGT	1.08	(0.03)	1,204	1.00	DCORP	2.98	(0.08)	11,687	3.00	AMAT01C1806A	-	-	-	-
BIZ	3.00	(0.08)	1,866	3.00	DNA	0.42	(0.02)	78,714	-	AMAT01C1810A	0.81	(0.11)	93,553	-
ECF	6.80	(0.25)	63,988	6.00	EFORL	0.07	-	292,279	-	AMAT01C1810B	0.65	(0.18)	90,393	-
HPT	1.00	(0.02)	12,582	1.00	ETE	2.22	(0.12)	28,113	2.00	AMAT01P1806A	0.71	0.10	16,967	-
JUBILE	22.40	(0.50)	830	22.00	FSMART	9.80	(0.60)	33,013	9.00	AMAT01P1810A	1.21	0.11	40,324	1.00
MOONG	5.95	(0.20)	7,877	6.00	FVC	1.48	(0.02)	747	1.00	AMAT06C1809A	0.11	(0.04)	6,900	-
NPK	25.75	-	37	25.00	HARN	2.62	(0.06)	19,263	2.00	AMAT08C1807A	-	-	-	-
OCEAN	1.68	0.06	255,837	1.00	JKN	10.10	(0.30)	27,036	10.00	AMAT08C1809A	0.18	(0.07)	54,835	-
TM	1.99	(0.15)	13,200	2.00	KIAT	0.44	(0.02)	57,169	-	AMAT11C1903A	0.40	(0.08)	38,990	-
Financials (MAI)	-	-	-	-	KOOL	1.74	(0.11)	13,040	1.00	AMAT13C1809A	0.16	(0.06)	275,363	-
ACAP	7.40	-	6,873	7.00	LDC	1.14	(0.05)	18,320	1.00	AMAT19C1811A	0.27	(0.73)	25,724	-
AF	0.88	(0.01)	3,403	-	MPG	0.24	-	19,283	-	AMAT23C1810A	0.26	(0.09)	8,230	-
AIRA	2.02	(0.04)	26,086	2.00	NBC	0.75	(0.01)	713	-	AMAT24C1807A	-	-	-	-
ASN	3.60	(0.04)	189	3.00	NCL	1.43	(0.04)	6,492	1.00	AMAT24C1811A	0.42	(0.12)	2,010	-
BROOK	0.59	-	45,104	-	NEWS	0.01	-	1,233,208	-	AMAT28C1808A	0.10	(0.05)	336,028	-
CHAYO	3.88	0.18	545,145	3.00	NINE	1.42	-	3,257	1.00	AMAT42C1806A	0.35	(0.20)	5,315	-
GCAP	4.88	(0.27)	20,881	4.00	OTO	2.98	(0.02)	494	2.00	ANAN01C1807A	0.08	(0.01)	14,620	-
LIT	8.55	(0.40)	5,080	8.00	PHOL	2.48	0.08	2,701	2.00	ANAN01C1810A	0.97	(0.05)	117,685	1.00
SGF	0.13	(0.01)	514,218	-	PICO	6.40	0.15	183	6.00	ANAN01C1810B	0.85	(0.10)	43,807	-
Industrials (MAI)	-	-	-	-	PORT	6.65	(0.30)	14,196	6.00	ANAN08C1808A	0.03	(0.01)	27,610	-
2S	3.30	(0.10)	3,302	3.00	QLT	4.70	(0.20)	1,530	4.00	ANAN08C1810A	0.89	(0.13)	6,707	-
ADB	1.23	(0.03)	33,123	1.00	RP	3.70	(0.04)	638	3.00	ANAN19C1811A	0.57	(0.08)	34,368	-
BM	3.52	(0.12)	18,096	3.00	SE	2.18	(0.14)	512	2.00	ANAN23C1806A	-	-	-	-
CHO	1.33	(0.02)	12,713	1.00	SPA	15.90	(0.10)	8,736	15.00	ANAN24C1807A	-	-	-	-
CHOW	4.98	(0.22)	2,511	5.00	THMUI	1.47	(0.10)	11,617	1.00	ANAN24C1811A	0.78	(0.07)	10,814	-
CIG	0.36	(0.02)	11,216	-	TNDT	4.94	(0.06)	1,188	4.00	ANAN28C1809A	0.56	(0.09)	54,262	-
COLOR	1.12	-	2,314	1.00	TNH	39.50	(1.00)	1,418	40.00	AOT01C1808A	0.30	(0.05)	382,547	-
CPR	5.00	(0.10)	1,791	5.00	TNP	1.99	(0.05)	11,327	2.00	AOT01C1808B	0.04	(0.01)	315,623	-
FPI	2.88	(0.10)	5,017	2.00	TSF	0.05	(0.01)	60,282	-	AOT01C1810A	0.37	(0.06)	250,971	-
GTB	0.81	(0.03)	27,648	-	TVD	1.52	(0.02)	636	1.00	AOT01P1808A	0.93	0.11	215,365	-
KCM	1.15	(0.07)	50,796	1.00	TVT	1.07	(0.02)	2,460	1.00	AOT01P1808B	0.37	0.07	227,653	-
LVT	-	-	-	-	WINNER	3.30	(0.08)	3,241	3.00	AOT06C1806A	1.44	(0.09)	9,182	1.00
MBAX	4.00	-	600	3.00	Technology (MAI)	-	-	-	-	AOT06C1809A	0.11	(0.04)	4,800	-
MGT	2.14	(0.04)	2,809	2.00	COMAN	3.80	(0.22)	3,166	3.00	AOT08C1806A	0.08	(0.08)	38,413	-
NDR	2.24	(0.02)	375	2.00	ICN	2.46	(0.16)	83,872	2.00	AOT08C1807A	0.02	(0.01)	24,400	-
PDG	3.70	(0.02)	1,978	3.00	IRCP	1.53	(0.05)	2,327	1.00	AOT11C1808A	0.48	(0.08)	82,778	-
PIMO	2.64	-	13,140	2.00	ITEL	3.38	(0.20)	8,205	3.00	AOT11P1808A	0.10	0.02	793	-
PJW	1.81	-	5,861	1.00	NETBAY	36.75	(0.50)	3,933	36.00	AOT13C1806A	-	-	-	-
PPM	2.48	(0.02)	358	2.00	PLANET	1.83	(0.09)	776	1.00	AOT13C1807A	-	-	-	-
RWI	1.50	(0.01)	8,933	1.00	SIMAT	2.60	-	6,546	2.00	AOT13C1809A	0.10	(0.04)	60,249	-
SALEE	1.10	(0.02)	1,062	1.00	SKY	15.50	(0.30)	9,967	15.00	AOT13C1811A	0.28	(0.07)	109,568	-
SANKO	1.29	(0.02)	820	1.00	SPVI	1.33	(0.05)	11,260	1.00	AOT13P1806A	-	-	-	-
SELIC	2.18	0.10	219,759	2.00	UPA	0.44	(0.01)	13,459	-	AOT13P1810A	0.58	0.07	160,246	-
SWC	25.50	0.25	1,624	24.00	VCOM	3.40	(0.10)	13,704	3.00	AOT19C1809A	0.21	(0.05)	103,802	-
TAPAC	10.80	(0.40)	16,454	10.00	Unit Trust	-	-	-	-	AOT23C1807A	0.29	(0.09)	17,790	-
TMC	0.90	(0.05)	12,831	-	MGE	-	-	-	-	AOT23P1807A	0.02	-	1	-
TMI	0.82	-	6,455	-	SCBSET	-	-	-	-	AOT24C1806A	-	-	-	-
TMW	66.00	(2.00)	952	66.00	ETF	-	-	-	-	AOT24C1807A	-	-	-	-
TPAC	12.00	0.10	606	11.00	1DIV	12.30	-	69	12.00	AOT24C1811A	0.23	(0.01)	20	-
UAC	4.86	-	1,390	4.00	ABFTH	-	-	-	-	AOT24P1809A	0.21	0.05	41,164	-
UBIS	4.90	(0.08)	218	4.00	BMSCG	8.91	(0.31)	1,517	9.00	AOT28C1807A	0.01	-	1,351	-
UEC	1.46	(0.05)	6,256	1.00	BMSCITH	12.63	(0.31)	17,015	12.00	AOT28C1809A	0.13	(0.04)	87,499	-
UKEM	0.89	(0.02)	11,001	-	BSET100	10.39	(0.29)	8,989	10.00	AP01C1809A	0.43	(0.04)	14,844	-
UREKA	0.50	-	20,054	-	CHINA	5.90	(0.20)	3,316	5.00	AP01C1809B	0.20	(0.02)	10,600	-
YUASA	17.50	0.10	1,150	17.00	EBANK	5.50	(0.15)	106	5.00	AP08C1810A	-	-	-	-
ZIGA	2.84	(0.24)	87,573	2.00	ECOMM	8.52	(0.19)	22	8.00	AP23C1901A	0.17	(0.01)	16,829	-
Property & Construc	-	-	-	-	EFood	5.58	(0.19)	400	5.00	AP24C1901A	-	-	-	-
ARROW	10.00	(0.40)	2,007	10.00	EICT	4.67	(0.10)	9	4.00	AP42C1901A	0.29	(0.05)	11,246	-
BKD	3.24	(0.04)	97,031	3.00	ENGY	6.07	(0.16)	43	6.00	AP42P1901A	0.49	0.02	8,058	-
BSM	0.71	(0.01)	7,677	-	ENY	-	-	-	-	BA11C1902A	0.16	(0.04)	3,385	-
BTW	1.71	(0.02)	1,924	1.00	ESET50	-	-	-	-	BA19C1811A	0.16	(0.03)	3,236	-
CHEWA	1.02	(0.05)	50,014	1.00	GLD	1.78	-	11,825	1.00	BA23C1806A	-	-	-	-
CRD	1.11	(0.04)	22,955	1.00	TDEX	10.73	(0.17)	5,747	10.00	BA24C1810A	0.39	(0.02)	36	-
DIMET	1.18	(0.05)	55,696	1.00	TGOLDEF	3.90	(0.01)	106	3.00	BA24C1901A	-	-	-	-
FLOYD	2.38	(0.14)	28,412	2.00	TH100	4.86	(0.06)	50	4.00	BA28C1809A	0.04	-	90	-
FOCUS	0.88	(0.02)	3,080	-	Warrant Foreign	-	-	-	-	BA42C1806A	-	-	-	-
HYDRO	1.50	(0.05)	15,787	1.00	AAV01C1808A	0.18	(0.02)	4,435	-	BANP01C1806A	0.63	(0.12)	169,046	-
JSP	0.68	(0.02)	48,255	-	AAV01C1808B	0.04	(0.02)	16,201	-	BANP01C1808A	0.27	(0.07)	431,	

Main Board Quotation

Issue Date :

Tuesday June 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP28C1809A	-	-	-	-	BEC07C1806A	-	-	-	-	BTS23C1905A	1.51	(0.04)	21,000	1.00
BANP28C1810A	0.31	(0.08)	412,277	-	BEC07C1808A	-	-	-	-	BTS24C1808A	-	-	-	-
BBL06C1806A	-	-	-	-	BEC08C1807A	-	-	-	-	BTS28C1809A	0.24	(0.04)	137,416	-
BBL08C1808A	0.09	(0.01)	10,400	-	BEC08C1809A	0.01	-	25,102	-	BTS28C1811A	-	-	-	-
BBL08C1809A	0.13	(0.01)	89,851	-	BEC13C1806A	-	-	-	-	BTS42C1901A	0.24	(0.03)	22,088	-
BBL08P1810A	0.35	0.04	39,548	-	BEC13C1808A	0.01	(0.01)	4,464	-	BTS42P1901A	0.39	0.02	19,724	-
BBL11C1903A	0.53	(0.06)	39,976	-	BEC13C1811A	0.20	(0.05)	70,038	-	CBG01C1806A	0.01	-	40,350	-
BBL11P1903A	0.65	0.06	62,596	-	BEC19C1809A	-	-	-	-	CBG01C1806B	-	-	-	-
BBL13C1807A	0.05	(0.02)	2,240	-	BEC23C1807A	-	-	-	-	CBG01C1809A	0.11	(0.03)	49,973	-
BBL13C1810A	0.53	(0.05)	113,613	-	BEC23C1809A	0.02	(0.01)	900	-	CBG01C1811A	0.72	(0.08)	87,367	-
BBL23C1811A	0.26	(0.04)	48,160	-	BEC24C1809A	-	-	-	-	CBG01C1811B	0.47	(0.07)	89,528	-
BBL24C1809A	-	-	-	-	BEC24C1812A	0.19	(0.10)	60	-	CBG01P1806A	2.70	0.14	22,008	2.00
BBL24C1812A	-	-	-	-	BEC28C1808A	-	-	-	-	CBG01P1811A	0.86	0.09	56,185	-
BBL24P1810A	0.29	0.03	2,564	-	BEC28C1809A	-	-	-	-	CBG01P1811B	0.53	0.07	53,516	-
BBL27C1809A	0.16	(0.04)	28,324	-	BEC28C1811A	0.34	(0.66)	87,040	-	CBG06C1807A	0.50	(0.08)	6,995	-
BBL28C1808A	-	-	-	-	BEM01C1808A	0.25	(0.06)	36,576	-	CBG06C1809A	0.23	(0.06)	11,099	-
BBL28C1811A	0.51	(0.04)	228,047	-	BEM01C1808B	0.06	(0.02)	10,420	-	CBG06P1809A	0.95	0.15	9,584	-
BCH01C1808A	0.31	(0.04)	115,501	-	BEM01P1808A	0.36	0.06	12,142	-	CBG07C1806A	-	-	-	-
BCH01C1808B	0.10	(0.01)	135,254	-	BEM08C1809A	0.14	(0.08)	30,012	-	CBG08C1808A	0.01	-	750	-
BCH01P1808A	0.44	0.04	19,496	-	BEM11C1903A	0.17	(0.04)	5,585	-	CBG08C1810A	0.16	(0.04)	62,198	-
BCH06C1806A	0.63	(0.08)	3,600	-	BEM13C1806A	-	-	-	-	CBG11C1902A	0.29	(0.04)	36,800	-
BCH06C1811A	-	-	-	-	BEM13C1809A	0.15	(0.03)	15,797	-	CBG13C1808A	0.03	(0.01)	3,500	-
BCH08C1806A	-	-	-	-	BEM23C1901A	0.14	(0.04)	18,992	-	CBG13C1809A	0.07	(0.03)	40,645	-
BCH11C1807A	0.10	(0.01)	10,184	-	BEM24C1809A	-	-	-	-	CBG13C1811A	0.37	(0.08)	117,687	-
BCH13C1810A	0.09	(0.02)	21,354	-	BEM28C1807A	-	-	-	-	CBG13P1806A	0.60	0.19	82	-
BCH19C1809A	0.11	(0.02)	27,790	-	BEM28C1808A	0.10	(0.03)	81,288	-	CBG18C1808A	-	-	-	-
BCH23C1811A	-	-	-	-	BEM42C1806A	-	-	-	-	CBG19C1810A	0.22	(0.06)	27,430	-
BCH24C1811A	0.11	(0.05)	60	-	BEM42P1806A	-	-	-	-	CBG23C1806A	-	-	-	-
BCH28C1807A	0.01	-	300	-	BH01C1806A	0.33	(0.14)	157,246	-	CBG23C1901A	0.29	(0.04)	10,000	-
BCH28C1811A	0.18	(0.82)	101,484	-	BH01C1806B	0.01	-	17,582	-	CBG24C1807A	-	-	-	-
BCH42C1806A	-	-	-	-	BH01C1811A	0.72	(0.11)	51,962	-	CBG24C1809A	-	-	-	-
BCP01C1810A	0.18	(0.06)	50,303	-	BH01C1811B	0.35	(0.08)	59,532	-	CBG24C1811A	0.48	(0.10)	19,461	-
BCP01C1810B	0.09	(0.07)	44,538	-	BH01P1806A	1.00	0.18	46,107	1.00	CBG28C1808A	-	-	-	-
BCP01P1810A	0.57	0.11	140,443	-	BH01P1811A	1.42	0.11	37,480	1.00	CBG28C1808B	-	-	-	-
BCP07C1806A	-	-	-	-	BH07C1810A	0.03	(0.02)	8,630	-	CBG28C1811A	0.35	(0.65)	65,852	-
BCP08C1806A	-	-	-	-	BH08C1811A	0.08	(0.03)	14,347	-	CBG42C1806A	-	-	-	-
BCP11C1811A	0.10	(0.05)	25,210	-	BH11C1902A	0.09	(0.02)	4,552	-	CENT01C1810A	0.38	(0.04)	49,278	-
BCP13C1810A	0.07	(0.03)	9,250	-	BH24C1806A	-	-	-	-	CENT01C1810B	0.23	(0.02)	36,335	-
BCP24C1808A	0.01	(0.01)	3,000	-	BH24C1809A	0.13	(0.05)	3,290	-	CENT01P1810A	0.96	0.04	38,680	-
BCP24C1811A	-	-	-	-	BH24C1811A	-	-	-	-	CENT08C1809A	0.08	(0.02)	21,849	-
BCP28C1807A	-	-	-	-	BIG08C1807A	-	-	-	-	CENT11C1806A	0.25	(0.05)	17,100	-
BCP28C1809A	-	-	-	-	BIG13C1808A	0.02	(0.01)	3,012	-	CENT11C1904A	0.34	(0.03)	34,495	-
BCP28C1809B	0.04	(0.06)	50	-	BIG19C1811A	0.19	(0.05)	11,826	-	CENT13C1811A	0.15	(0.01)	29,324	-
BCPG01C1806A	0.01	(0.01)	11,537	-	BIG24C1808A	-	-	-	-	CENT23C1806A	0.01	(0.01)	1	-
BCPG01C1806B	0.02	0.01	5,208	-	BIG24C1812A	-	-	-	-	CENT24C1807A	-	-	-	-
BCPG01C1811A	0.41	(0.09)	29,820	-	BIG28C1807A	0.01	-	10,690	-	CENT24C1810A	0.11	(0.03)	640	-
BCPG01C1811B	0.24	(0.08)	30,894	-	BJC01C1807A	0.18	(0.05)	386,130	-	CENT28C1808A	0.03	(0.02)	3,800	-
BCPG06C1807A	-	-	-	-	BJC01C1807B	0.02	(0.03)	1,800	-	CHG01C1809A	0.33	(0.08)	58,764	-
BCPG06C1811A	-	-	-	-	BJC01P1807A	0.98	0.10	74,497	1.00	CHG01C1809B	0.48	(0.16)	32,888	-
BCPG07C1806A	-	-	-	-	BJC06C1807A	-	-	-	-	CHG01P1809A	0.31	0.06	48,382	-
BCPG08C1806A	-	-	-	-	BJC06C1901A	0.23	(0.78)	37,052	-	CHG08C1807A	0.04	(0.03)	17,319	-
BCPG08C1810A	0.26	(0.07)	111,100	-	BJC07C1809A	0.05	-	1,000	-	CHG11C1807A	0.04	0.01	1,500	-
BCPG11C1807A	0.51	(0.13)	36,036	-	BJC08C1807A	-	-	-	-	CHG11C1904A	0.21	(0.03)	23,730	-
BCPG11C1902A	0.18	(0.05)	47,457	-	BJC08C1809A	0.08	(0.04)	37,880	-	CHG13C1807A	0.05	(0.04)	36,000	-
BCPG13C1806A	-	-	-	-	BJC11C1807A	0.20	(0.08)	141,747	-	CHG13C1809A	0.49	(0.16)	44,394	-
BCPG13C1807A	-	-	-	-	BJC13C1807A	-	-	-	-	CHG23C1811A	0.74	(0.16)	11,000	-
BCPG13C1810A	0.21	(0.07)	149,856	-	BJC13C1808A	0.06	(0.02)	34,997	-	CHG24C1808A	-	-	-	-
BCPG23C1806A	0.06	(0.09)	30,000	-	BJC13C1810A	0.17	(0.04)	143,144	-	CHG24C1811A	0.17	(0.06)	1,000	-
BCPG24C1806A	-	-	-	-	BJC19C1809A	0.17	(0.04)	111,893	-	CHG28C1807A	0.06	(0.04)	62,308	-
BCPG24C1807A	-	-	-	-	BJC23C1806A	-	-	-	-	CHG28C1808A	0.41	(0.13)	31,720	-
BCPG24C1810A	-	-	-	-	BJC24C1808A	-	-	-	-	CK01C1809A	0.22	(0.05)	103,523	-
BCPG28C1808A	-	-	-	-	BJC27C1807A	0.03	(0.04)	24,900	-	CK01C1809B	0.35	(0.19)	47,200	-
BCPG28C1809A	0.20	(0.07)	334,880	-	BJC28C1808A	0.06	(0.04)	120,422	-	CK01P1809A	0.33	0.07	22,539	-
BDMS01C1806A	0.70	(0.06)	67,915	-	BLA01C1812A	0.23	(0.07)	11,697	-	CK08C1809A	0.28	(0.13)	60	-
BDMS01C1806B	0.18	(0.08)	209,317	-	BLA07C1806A	-	-	-	-	CK11C1806A	-	-	-	-
BDMS01C1811A	0.16	(0.04)	120,342	-	BLA08C1811A	0.08	(0.03)	32,652	-	CK11C1904A	0.20	(0.04)	15,560	-
BDMS01C1811B	0.10	(0.01)	13,944	-	BLA13C1809A	-	-	-	-	CK13C1806A	-	-	-	-
BDMS01P1806A	0.07	0.02	50,983	-	BLA23C1806A	-	-	-	-	CK13C1809A	0.13	(0.03)	70,303	-
BDMS01P1811A	0.41	0.03	54,950	-	BLA27C1806A	-	-	-	-	CK16C1812A	0.21	(0.02)	1,800	-
BDMS06C1811A	0.47	(0.10)	11,944	-	BLA28C1810A	-	-	-	-	CK19C1811A	0.16	(0.84)	26,778	-
BDMS08C1807A	0.31	(0.04)	6,506	-	BLAN01C1809A	0.52	(0.05)	66,008	-	CK23C1808A	-	-	-	-
BDMS11C1811A	0.60	(0.08)	14,158	-	BLAN01C1809B	0.14	(0.06)	65,981	-	CK24C1806A	-	-	-	-
BDMS11C1904A	0.10	(0.01)	3,803	-	BLAN01P1809A	0.18	0.03	18,714	-	CK24C1808A	-	-	-	-
BDMS13C1807A	0.38	(0.08)	2,080	-	BLAN08C1810A	0.22	(0.04)	21,868	-	CK24C1901A	0.17	(0.03)	50	-
BDMS13C1810A	0.34	(0.06)	180,775	-	BLAN11C1902A	0.23	(0.03)	36,228	-	CK28C1809A	0.40	(0.11)	43,200	-
BDMS13C1812A	0.11	(0.02)	94,450	-	BLAN23C1807A	-	-	-	-	CK28C1812A	0.10	(0.90)	57,328	-
BDMS16C1812A	0.78	(0.04)	8,007	-	BPP01C1806A	0.07	(0.02)	2,432	-	CKP1C1807A	0.49	(0.05)	49,400	-
BDMS23C1810A	0.36	(0.06)	5,790	-	BPP01C1806B	0.01	-	1,000	-	CKP13C1810A	0.41	(0.03)	60,570	-
BDMS24C1811A	0.29	(0.02)	7,504	-	BPP01C1811A	0.19	(0.02)	39,000	-	CKP23C1810A	0.45	(0.07)	1,030	-
BDMS24C1812A	0.09	(0.02)	100	-	BPP01C1811B	0.11	(0.01)	50,606	-	CKP24C1811A	0.45	(0.10)	762	-
BDMS28C1811A	0.08	(0.01)	48,937	-	BPP06C1809A	0.31	(0.07)	9,880	-	CKP27C1806A	-	-	-	-
BEAU01C1807A	0.06	(0.04)	288,860	-	BPP07C1806A	-	-	-	-	CKP28C1809A	0.18	(0.02)	98,755	-
BEAU01C1807B	0.01	(0.01)	6,801	-	BPP08C1807A	-	-	-	-	CKP28C1809B	0.48	(0.02)	135,620	-
BEAU01C1812A	0.49	(0.05)	151,611	-	BPP08C1810A	-	-	-	-	CKP42C1806A	0.13	(0.07)	1,500	-
BEAU01C1812B	0.40	(0.05)	132,690	-	BPP11C1807A	-	-	-	-	COM701C1806A	0.54	(0.02)	95,766	-
BEAU01P1807A	1.46	0.10	203,619	1.00	BPP13C1806A	-	-	-	-	COM701C1806B	0.15	(0.02)	55,145	-
BEAU01P1812A	0.81	0.04	135,914	-	BPP13C1808A	0.27	(0.04)	31,028	-	COM701C1811A	0.54	(0.01)	26,902	-
BEAU06C1809A	0.04	(0.01)	33,389	-	BPP13C1811A	0.10	(0.01)							

Main Board Quotation

Issue Date :

Tuesday June 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL01P1808A	0.88	0.10	185,123	-	EGCO23C1811A	0.35	(0.06)	13,868	-	HMPR08C1810A	0.15	(0.01)	15,709	-
CPAL06C1811A	0.99	(0.10)	32,682	1.00	EGCO24C1808A	0.13	(0.05)	150	-	HMPR11C1808A	0.33	(0.01)	38,384	-
CPAL06C1811B	-	-	-	-	EGCO28C1808A	0.10	(0.04)	108,160	-	HMPR11P1808A	0.06	0.01	2,620	-
CPAL08C1807A	0.11	(0.06)	83,913	-	EGCO42C1806A	-	-	-	-	HMPR13C1807A	0.03	(0.02)	3,150	-
CPAL08P1810A	0.91	0.08	50,024	-	EPG01C1809A	0.10	(0.07)	73,819	-	HMPR13C1812A	0.28	(0.02)	117,591	-
CPAL11C1903A	0.27	(0.04)	57,260	-	EPG01P1809A	1.01	0.15	34,223	-	HMPR23C1901A	0.16	-	47,600	-
CPAL11P1903A	0.89	0.08	80,690	-	EPG07C1811A	-	-	-	-	HMPR24C1808A	-	-	-	-
CPAL13C1807A	0.11	(0.06)	130,057	-	EPG08C1810A	0.03	(0.01)	8,021	-	HMPR27C1807A	0.17	(0.04)	8,036	-
CPAL19C1811A	0.38	(0.62)	72,668	-	EPG08C1810B	0.33	(0.11)	98,158	-	HMPR28C1807A	-	-	-	-
CPAL23C1810A	0.19	(0.04)	18,380	-	EPG11C1903A	0.33	(0.06)	56,166	-	HMPR28C1811A	0.17	(0.01)	187,842	-
CPAL24C1808A	0.07	(0.04)	114,031	-	EPG13C1808A	0.04	-	3,000	-	ICH08C1806A	-	-	-	-
CPAL24C1811A	0.12	(0.04)	5,739	-	EPG13C1811A	0.22	(0.07)	55,020	-	INTU01C1809A	0.33	(0.06)	25,868	-
CPAL24P1901A	0.44	0.06	400	-	EPG23C1808A	-	-	-	-	INTU01C1809B	0.07	(0.03)	13,957	-
CPAL28C1809A	0.07	(0.03)	78,209	-	EPG24C1807A	-	-	-	-	INTU01P1809A	0.55	0.08	36,399	-
CPAL28C1811A	0.31	(0.05)	369,659	-	EPG24C1808A	-	-	-	-	INTU01P1809B	0.33	0.07	49,939	-
CPF01C1809A	0.66	(0.10)	125,720	-	EPG24C1810A	0.42	(0.05)	170	-	INTU11C1807A	-	-	-	-
CPF01C1809B	0.12	(0.03)	51,908	-	EPG28C1808A	0.03	(0.05)	7,000	-	INTU11P1807A	0.41	0.08	12,872	-
CPF01C1810A	0.18	(0.03)	67,613	-	ESSO01C1807A	0.02	(0.02)	58,594	-	INTU13C1806A	-	-	-	-
CPF01P1809A	0.46	0.05	83,720	-	ESSO01C1807B	0.01	(0.01)	28,329	-	INTU13C1810A	0.16	(0.05)	70,938	-
CPF06C1809A	0.40	(0.09)	26,136	-	ESSO01C1812A	0.33	(0.08)	40,867	-	INTU23C1806A	-	-	-	-
CPF07C1810A	-	-	-	-	ESSO01C1812B	0.22	(0.07)	42,109	-	INTU24C1807A	-	-	-	-
CPF08C1809A	0.25	(0.12)	380	-	ESSO01P1807A	1.64	0.18	2,348	1.00	INTU24C1901A	0.28	-	200	-
CPF11C1902A	0.08	(0.02)	5,062	-	ESSO01P1812A	0.96	0.10	105,923	-	INTU28C1809A	0.12	(0.03)	114,328	-
CPF11P1902A	0.40	0.05	26,754	-	ESSO08C1807A	0.01	(0.01)	20,000	-	IRPC08C1808A	0.09	(0.03)	126,414	-
CPF13C1809A	0.37	(0.07)	87,924	-	ESSO13C1807A	-	-	-	-	IRPC0C1810A	0.10	(0.02)	62,165	-
CPF13C1810A	0.10	(0.03)	87,902	-	ESSO13C1811A	0.15	(0.06)	67,004	-	IRPC0C1810B	0.03	-	810	-
CPF23C1810A	0.32	(0.11)	14,500	-	ESSO23C1809A	0.02	(0.02)	8,004	-	IRPC01P1808A	0.66	0.06	27,956	-
CPF24C1809A	0.19	(0.04)	44,412	-	ESSO24C1806A	-	-	-	-	IRPC01P1810A	0.53	0.04	30,693	-
CPF28C1808A	0.26	(0.07)	416,208	-	ESSO24C1812A	0.12	(0.06)	2	-	IRPC01P1810B	0.39	0.05	35,393	-
CPF28C1811A	0.11	(0.89)	25,000	-	ESSO28C1807A	0.01	-	8,100	-	IRPC06C1811A	0.15	(0.03)	20,373	-
CPN01C1808A	0.19	(0.04)	150,050	-	ESSO28C1811A	0.13	(0.06)	150,682	-	IRPC08C1808A	0.02	(0.02)	10,000	-
CPN01C1808B	0.03	(0.01)	5,520	-	GFPT01C1807A	0.10	(0.02)	10,986	-	IRPC11C1902A	0.05	(0.01)	18,550	-
CPN06C1811A	0.32	(0.05)	46,064	-	GFPT08C1807A	-	-	-	-	IRPC13C1806A	-	-	-	-
CPN08C1809A	0.04	(0.02)	13,000	-	GFPT11C1806A	0.02	(0.01)	501	-	IRPC13C1808A	-	-	-	-
CPN11C1903A	0.22	(0.03)	72,099	-	GFPT19C1811A	0.30	(0.70)	6,806	-	IRPC13C1811A	0.11	(0.03)	39,966	-
CPN11P1903A	0.91	0.08	40,781	-	GFPT23C1806A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPN13C1807A	-	-	-	-	GFPT24C1806A	-	-	-	-	IRPC24C1808A	0.23	(0.07)	13,020	-
CPN13C1812A	0.25	(0.03)	94,686	-	GFPT24C1812A	0.26	(0.03)	17,149	-	IRPC24C1809A	-	-	-	-
CPN23C1810A	0.15	(0.04)	24,330	-	GGC01C1810A	0.32	(0.05)	36,976	-	IRPC24C1812A	-	-	-	-
CPN24C1806A	-	-	-	-	GGC01C1810B	0.22	(0.04)	103,384	-	IRPC27C1809A	0.05	(0.01)	2,000	-
CPN24C1901A	-	-	-	-	GGC13C1811A	0.12	(0.03)	28,193	-	IRPC28C1807A	0.01	(0.01)	1,086	-
CPN28C1807A	-	-	-	-	GGC19C1811A	0.13	(0.03)	28,661	-	IRPC28C1811A	0.08	(0.01)	10,080	-
CPN28C1810A	0.14	(0.04)	521,098	-	GGC24C1812A	0.16	(0.04)	5,000	-	ITD01C1808A	0.06	(0.02)	13,550	-
DELT08C1811A	0.11	-	83,954	-	GGC28C1811A	0.12	(0.02)	65,360	-	ITD01C1808B	-	-	-	-
DELT13C1809A	0.07	0.01	12,022	-	GLOB01C1809A	0.47	(0.05)	138,629	-	ITD01P1808A	0.97	0.11	77,098	-
DELT27C1812A	0.12	0.01	20,177	-	GLOB01C1809B	0.28	(0.05)	43,770	-	ITD08C1806A	-	-	-	-
DTAC01C1808A	0.25	(0.05)	131,667	-	GLOB06C1809A	0.29	(0.05)	22,716	-	ITD08C1810A	0.16	(0.06)	30,894	-
DTAC01C1808B	0.08	(0.03)	55,524	-	GLOB08C1807A	0.12	(0.03)	38,472	-	ITD11C1903A	0.26	(0.04)	11,160	-
DTAC01C1810A	0.44	(0.06)	147,083	-	GLOB11C1808A	0.24	(0.04)	19,440	-	ITD13C1809A	0.05	(0.02)	6,400	-
DTAC01C1810B	0.17	(0.04)	90,463	-	GLOB13C1807A	0.02	-	400	-	ITD19C1811A	0.17	(0.83)	9,264	-
DTAC01P1808A	0.86	0.07	63,402	-	GLOB23C1811A	0.48	(0.03)	100	-	ITD23C1808A	-	-	-	-
DTAC01P1810A	1.22	0.09	79,669	1.00	GLOB24C1810A	0.23	(0.06)	10,000	-	ITD24C1807A	-	-	-	-
DTAC01P1810B	0.88	0.12	61,759	-	GLOB27C1809A	0.13	(0.02)	28,667	-	ITD24C1810A	-	-	-	-
DTAC06C1806A	0.01	(0.01)	4,100	-	GLOB28C1807A	-	-	-	-	ITD28C1808A	-	-	-	-
DTAC06C1901A	0.39	(0.63)	19,428	-	GLOB28C1808A	0.11	(0.03)	106,763	-	ITD28C1808B	0.07	(0.03)	61,856	-
DTAC06P1809A	0.43	0.02	204	-	GLOW08C1806A	0.02	0.01	1,461	-	IVL01C1806A	0.43	(0.06)	179,722	-
DTAC07C1809A	0.06	(0.02)	342	-	GLOW08C1811A	0.69	0.12	79,160	-	IVL01C1808A	0.32	(0.03)	294,943	-
DTAC08C1809A	0.12	(0.05)	84,656	-	GLOW11C1807A	0.69	0.09	12,278	-	IVL01C1808B	0.10	(0.04)	116,474	-
DTAC08P1807A	0.29	0.06	83,880	-	GLOW23C1806A	0.17	0.07	45,451	-	IVL01P1806A	0.16	0.02	198,765	-
DTAC11C1806A	-	-	-	-	GLOW27C1812A	0.39	0.04	22,502	-	IVL01P1808A	0.99	0.06	214,197	-
DTAC11C1904A	0.35	(0.07)	31,770	-	GPSC01C1808A	0.42	(0.09)	132,440	-	IVL01P1808B	0.48	0.03	335,673	-
DTAC13C1806A	-	-	-	-	GPSC01C1808B	0.13	(0.04)	23,679	-	IVL06C1807A	0.09	(0.03)	78,721	-
DTAC13C1811A	0.20	(0.03)	86,932	-	GPSC01P1808A	1.17	0.12	72,898	1.00	IVL06C1901A	0.33	(0.70)	45,898	-
DTAC13P1806A	-	-	-	-	GPSC06C1811A	0.41	(0.07)	5,906	-	IVL07C1811A	0.36	(0.03)	7,322	-
DTAC13P1811A	0.78	0.09	114,371	-	GPSC08C1808A	0.07	(0.04)	27,540	-	IVL08C1806A	0.06	(0.03)	38,185	-
DTAC19C1811A	0.33	(0.67)	32,552	-	GPSC11C1808A	0.91	(0.17)	17,906	-	IVL08P1809A	0.13	0.01	29,227	-
DTAC23C1807A	-	-	-	-	GPSC11C1902A	0.37	(0.05)	31,903	-	IVL11C1808A	0.64	(0.05)	45,673	-
DTAC23P1807A	0.04	0.01	2	-	GPSC13C1807A	0.06	(0.04)	10,044	-	IVL11P1808A	0.09	0.02	630	-
DTAC24C1809A	0.16	(0.03)	97,822	-	GPSC13C1808A	0.06	(0.02)	38,035	-	IVL13C1806A	-	-	-	-
DTAC27C1809A	0.08	(0.03)	13,930	-	GPSC13C1811A	0.64	(0.10)	64,612	-	IVL13C1809A	0.22	(0.04)	96,462	-
DTAC27P1809A	0.23	0.02	44,449	-	GPSC24C1807A	0.22	(0.07)	3,800	-	IVL13C1810A	0.21	(0.03)	221,345	-
DTAC28C1810A	0.11	(0.04)	149,832	-	GPSC24C1808A	-	-	-	-	IVL13P1809A	0.17	0.03	67,336	-
DTAC42C1806A	-	-	-	-	GPSC24C1812A	0.53	(0.07)	700	-	IVL13P1811A	0.67	0.03	91,556	-
DTAC42P1806A	1.16	0.21	14	1.00	GPSC28C1807A	0.13	(0.05)	65,580	-	IVL19C1809A	0.39	(0.03)	118,775	-
EA01C1806A	0.02	0.01	106,789	-	GPSC28C1807B	-	-	-	-	IVL23C1810A	0.40	(0.06)	1,500	-
EA01C1806B	0.01	-	94,773	-	GPSC42C1806A	-	-	-	-	IVL24C1808A	0.12	(0.04)	386,100	-
EA01C1809A	0.70	(0.07)	61,849	-	GUNK01C1808A	0.04	(0.01)	49,372	-	IVL24C1812A	0.21	(0.02)	220	-
EA01C1809B	0.47	(0.07)	46,340	-	GUNK01C1808B	0.01	-	863	-	IVL28C1807A	-	-	-	-
EA01P1806A	3.14	0.12	24,011	3.00	GUNK08C1807A	0.01	-	10	-	IVL28C1808A	0.07	(0.01)	146,427	-
EA01P1809A	1.03	0.07	52,722	1.00	GUNK11C1903A	0.16	(0.02)	11,107	-	IVL28C1811A	0.24	(0.76)	157,380	-
EA06C1809A	0.02	-	300	-	GUNK23C1806A	-	-	-	-	IVL28P1811A	0.70	0.03	183,317	-
EA07C1810A	0.07	(0.03)	4,501	-	GUNK24C1807A	-	-	-	-	KBAN01C1808A	0.17	(0.03)	224,919	-
EA08C1807A	-	-	-	-	GUNK24C1812A	0.26	(0.03)	9,924	-	KBAN01C1808B	0.02	(0.01)	39,476	-
EA08C1809A	0.01	(0.01)	4,056	-	GUNK28C1808A	-	-	-	-	KBAN01C1810A	0.96	(0.10)	317,767	1.00
EA08C1810A	0.24	(0.04)	81,184	-	GUNK28C1810A	0.29	(0							

Main Board Quotation

Issue Date :

Tuesday June 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN27P1809A	0.61	0.03	75,178	-	MC19C1811A	0.21	(0.05)	16,092	-	PTL13C1809A	0.21	(0.09)	159,524	-
KBAN28C1809A	0.04	(0.03)	10,046	-	MC23C1809A	-	-	-	-	PTL23C1807A	0.05	(0.04)	760	-
KBAN28C1811A	0.59	(0.08)	340,293	-	MC24C1807A	-	-	-	-	PTL24C1806A	0.05	(0.12)	19,990	-
KBAN28P1807A	0.67	0.11	24,631	-	MEGA01C1806A	0.13	(0.04)	18,188	-	PTL28C1810A	0.33	(0.11)	93,420	-
KCE01C1810A	0.45	(0.03)	93,563	-	MEGA01C1806B	-	-	-	-	PTT01C1808A	0.49	(0.08)	405,672	-
KCE01C1810B	0.37	(0.05)	212,792	-	MEGA01C1811A	0.41	(0.04)	8,579	-	PTT01C1808B	0.14	(0.06)	736,198	-
KCE06C1809A	0.40	(0.08)	49,664	-	MEGA01C1811B	0.29	(0.03)	19,376	-	PTT01C1810A	0.22	(0.06)	48,140	-
KCE07C1808A	0.10	0.02	530	-	MEGA08C1811A	0.26	(0.03)	34,799	-	PTT01C1810B	0.08	(0.02)	115,831	-
KCE08C1809A	0.32	(0.08)	5,558	-	MEGA11C1806A	0.53	(0.05)	2,380	-	PTT01P1808A	0.63	0.08	213,491	-
KCE11C1808A	-	-	-	-	MEGA11C1902A	0.25	(0.02)	11,713	-	PTT01P1808B	0.20	0.04	190,273	-
KCE11C1904A	0.25	(0.04)	45,029	-	MEGA13C1809A	0.12	(0.02)	22,615	-	PTT01P1810A	1.19	0.07	87,118	1.00
KCE13C1808A	0.20	(0.04)	217,497	-	MEGA23C1806A	-	-	-	-	PTT01P1810B	0.83	0.07	92,242	-
KCE13C1811A	0.34	(0.03)	144,902	-	MEGA24C1812A	-	-	-	-	PTT06C1811A	0.09	(0.03)	7,346	-
KCE23C1807A	-	-	-	-	MEGA27C1807A	-	-	-	-	PTT06C1901A	0.30	(0.70)	44,236	-
KCE23C1901A	0.15	(0.06)	3,103	-	MEGA28C1808A	0.03	(0.01)	2,100	-	PTT06P1901A	-	-	-	-
KCE24C1808A	0.10	(0.04)	123,351	-	MINT01C1808A	0.03	(0.01)	220,644	-	PTT07C1811A	-	-	-	-
KCE28C1808A	0.08	(0.02)	177,173	-	MINT01C1808B	0.01	(0.01)	45,282	-	PTT08C1807A	0.12	(0.04)	40,016	-
KKP01C1808A	0.16	(0.03)	62,012	-	MINT01C1901A	0.32	(0.02)	125,504	-	PTT08C1809A	0.04	(0.01)	111,588	-
KKP01C1808B	0.02	(0.01)	10,110	-	MINT01C1901B	0.23	(0.02)	77,010	-	PTT08P1809A	0.66	0.06	64,825	-
KKP07C1806A	-	-	-	-	MINT01P1808A	0.93	0.06	58,040	-	PTT11C1806A	1.40	(0.23)	9,618	1.00
KKP08C1811A	0.25	(0.05)	33,810	-	MINT06C1809A	0.03	-	800	-	PTT11C1902A	0.18	(0.02)	46,438	-
KKP11C1903A	0.23	(0.03)	17,185	-	MINT06C1901A	0.16	(0.86)	18,912	-	PTT13C1807A	0.12	(0.03)	462,902	-
KKP13C1807A	-	-	-	-	MINT07C1810A	0.03	(0.02)	500	-	PTT13C1808A	0.03	(0.01)	292,521	-
KKP13C1811A	0.22	(0.05)	38,227	-	MINT08C1809A	0.03	-	3,500	-	PTT13C1810A	0.08	(0.02)	267,405	-
KKP23C1807A	-	-	-	-	MINT11C1902A	0.09	(0.01)	11,900	-	PTT13C1811A	0.22	(0.06)	371,215	-
KKP24C1807A	-	-	-	-	MINT11P1902A	0.48	0.02	40,211	-	PTT13P1807A	0.10	0.02	85,546	-
KKP24C1812A	-	-	-	-	MINT13C1901A	0.08	(0.01)	9,881	-	PTT13P1808A	0.71	0.11	108,624	-
KKP28C1807A	-	-	-	-	MINT23C1810A	-	-	-	-	PTT19C1809A	0.09	(0.03)	60,470	-
KKP28C1810A	0.15	(0.03)	150,976	-	MINT24C1807A	-	-	-	-	PTT23C1901A	0.12	(0.01)	79,980	-
KTB01C1808A	0.16	(0.04)	32,425	-	MINT24C1812A	0.05	(0.01)	6,000	-	PTT24C1806A	-	-	-	-
KTB01C1810A	0.31	(0.05)	36,322	-	MINT28C1808A	0.02	-	6,600	-	PTT24C1809A	0.07	(0.02)	13	-
KTB01C1810B	0.16	(0.07)	81,049	-	MINT28C1811A	0.15	(0.85)	154,790	-	PTT24P1808A	0.05	0.02	52,060	-
KTB01P1808A	0.63	0.08	34,002	-	MON001C1810A	0.11	(0.04)	11,459	-	PTT27C1809A	0.44	(0.06)	1,000	-
KTB08C1809A	0.07	(0.01)	50	-	MON001C1810B	0.06	(0.02)	1,240	-	PTT27P1809A	0.27	0.03	29,624	-
KTB11C1811A	0.16	(0.03)	24,332	-	MON008C1808A	-	-	-	-	PTT28C1807A	0.03	(0.04)	37,553	-
KTB13C1809A	0.08	(0.02)	10,591	-	MON008C1906A	0.16	(0.03)	19,728	-	PTT28C1808A	0.03	(0.01)	18,441	-
KTB23C1811A	0.22	(0.03)	25,036	-	MON013C1808A	-	-	-	-	PTT28C1808B	-	-	-	-
KTB24C1808A	-	-	-	-	MON013C1811A	0.08	(0.03)	12,379	-	PTT28C1811A	0.07	(0.02)	54,537	-
KTB24C1811A	0.18	(0.02)	1,000	-	MON019C1811A	0.18	(0.06)	7,304	-	PTT28C1811B	0.21	(0.04)	306,011	-
KTB24P1901A	-	-	-	-	MON023C1809A	-	-	-	-	PTT28P1808A	0.48	0.09	40,780	-
KTB28C1809A	-	-	-	-	MON024C1807A	-	-	-	-	PTT28P1808B	0.81	0.09	40,588	-
KTB28C1811A	0.16	(0.84)	50,966	-	MON024C1812A	0.03	-	15,161	-	PTTE01C1808A	0.81	(0.15)	286,757	-
KTC01C1806A	4.52	(0.04)	6,655	4.00	MON024C1812B	-	-	-	-	PTTE01C1808B	0.37	(0.13)	472,780	-
KTC01C1806B	6.05	-	3,412	6.00	MON028C1807A	-	-	-	-	PTTE01C1901A	0.61	(0.08)	184,831	-
KTC01C1808A	1.24	(0.03)	164,695	1.00	MON028C1808A	-	-	-	-	PTTE01C1901B	0.43	(0.08)	198,730	-
KTC01C1808B	0.62	(0.02)	169,706	-	MON028C1811A	0.06	(0.04)	14,556	-	PTTE01P1808A	0.29	0.06	289,069	-
KTC01C1810A	0.48	(0.01)	57,355	-	MTC06C1806A	0.28	(0.09)	4,742	-	PTTE01P1901A	1.54	0.08	46,828	1.00
KTC01C1810B	0.38	(0.01)	46,011	-	MTC06C1901A	0.34	(0.69)	62,874	-	PTTE01P1901B	1.26	0.13	58,612	1.00
KTC06C1807A	1.56	(0.17)	22,817	1.00	MTC07C1806A	-	-	-	-	PTTE06C1811A	0.40	(0.04)	19,660	-
KTC08C1807A	5.60	-	11	5.00	MTC08C1807A	0.01	(0.01)	4,216	-	PTTE07C1809A	0.19	(0.05)	14,061	-
KTC08C1808A	1.24	(0.07)	2,293	1.00	MTC08C1811A	0.13	(0.04)	63,560	-	PTTE08C1807A	0.51	(0.06)	100	-
KTC11C1902A	1.39	(0.01)	19,725	1.00	MTC11C1806A	0.11	(0.03)	150	-	PTTE08C1811A	0.29	(0.08)	172,801	-
KTC13C1807A	5.70	-	12	5.00	MTC11C1904A	0.26	(0.04)	65,812	-	PTTE08P1809A	0.17	0.04	84,467	-
KTC13C1808A	1.32	(0.09)	572	1.00	MTC13C1809A	0.06	(0.03)	209,448	-	PTTE08P1811A	0.61	0.07	100,978	-
KTC13C1809A	0.70	(0.14)	2,953	-	MTC13C1811A	0.36	(0.05)	278,396	-	PTTE11C1806A	2.86	(0.10)	17,020	2.00
KTC13C1809B	0.67	-	148,112	-	MTC23C1808A	0.05	(0.03)	15,446	-	PTTE11C1902A	0.45	(0.08)	100,480	-
KTC13P1807A	0.05	(0.02)	35,165	-	MTC24C1808A	0.01	(0.01)	16,410	-	PTTE13C1806A	-	-	-	-
KTC19C1811A	0.79	(0.21)	37,788	-	MTC24C1810A	0.16	(0.04)	28,072	-	PTTE13C1807A	0.27	(0.06)	3,037	-
KTC23C1806A	7.60	(0.15)	500	7.00	MTC24C1812A	0.32	(0.05)	2,020	-	PTTE13C1811A	0.26	(0.08)	502,559	-
KTC23C1809A	-	-	-	-	MTC27C1807A	-	-	-	-	PTTE13P1807A	0.02	-	2,100	-
KTC24C1808A	-	-	-	-	MTC28C1808A	0.02	(0.01)	1,100	-	PTTE13P1811A	0.56	0.08	301,103	-
KTC24C1810A	0.57	-	3,218	-	MTC28C1809A	0.22	(0.04)	333,508	-	PTTE19C1811A	0.41	(0.08)	164,004	-
KTC24P1807A	0.07	(0.01)	20,209	-	MTC42C1806A	0.05	(0.11)	1,000	-	PTTE23C1901A	0.13	-	2,000	-
KTC27C1806A	-	-	-	-	ORI08C1807A	0.10	(0.02)	10,600	-	PTTE24C1807A	0.13	(0.07)	224,050	-
KTC28C1808A	-	-	-	-	ORI11C1811A	0.25	(0.02)	11,213	-	PTTE24C1811A	0.21	(0.02)	10,500	-
KTC28C1808B	1.39	-	44,481	1.00	ORI13C1806A	-	-	-	-	PTTE24P1809A	0.09	0.02	25,786	-
KTC28C1809A	0.83	0.01	660	-	ORI13C1810A	0.51	(0.04)	24,539	-	PTTE27C1809A	0.60	(0.08)	13,948	-
KTC28C1810A	0.72	(0.01)	97,617	-	ORI19C1811A	0.33	(0.03)	3,003	-	PTTE27P1809A	0.14	0.01	47,652	-
LH01C1809A	0.28	(0.04)	42,420	-	ORI23C1809A	0.16	-	8,000	-	PTTE28C1807A	0.30	(0.21)	60	-
LH01C1809B	0.13	(0.06)	123,962	-	ORI24C1806A	-	-	-	-	PTTE28C1810A	0.22	(0.06)	237,714	-
LH01P1809A	0.22	0.03	9,737	-	ORI24C1810A	-	-	-	-	PTTE28C1811A	0.15	(0.03)	111,073	-
LH06C1809A	0.20	(0.04)	18,768	-	ORI28C1808A	0.11	(0.02)	6,976	-	PTTE28P1811A	0.55	0.05	211,378	-
LH07C1810A	0.14	(0.07)	7,000	-	PLAN08C1811A	0.17	(0.01)	21,042	-	PTTG01C1808A	0.22	(0.03)	472,503	-
LH11C1808A	0.15	(0.04)	16,828	-	PLAN13C1809A	0.10	(0.01)	12,970	-	PTTG01C1810A	0.29	-	228,902	-
LH13C1808A	0.16	(0.04)	32,356	-	PLAN23C1806A	-	-	-	-	PTTG01C1810B	0.06	(0.02)	147,652	-
LH23C1806A	-	-	-	-	PLAN28C1810A	0.15	-	152,336	-	PTTG01C1811A	0.49	(0.01)	194,095	-
LH24C1806A	0.03	(0.07)	6,000	-	PSH01C1810A	0.45	(0.05)	51,868	-	PTTG01P1808A	1.26	0.04	154,936	1.00
LH24C1809A	-	-	-	-	PSH01C1810B	0.21	(0.05)	6,048	-	PTTG01P1811A	1.77	0.04	60,534	1.00
LH28C1808A	0.07	(0.02)	25,454	-	PSH01P1810A	0.77	0.06	3,995	-	PTTG06C1809A	0.07	(0.01)	176,989	-
LHFG42C1806A	-	-	-	-	PSH08C1811A	0.18	(0.02)	13,044	-	PTTG07C1806A	-	-	-	-
LPN01C1809A	0.16	(0.01)	53,631	-	PSH11C1902A	0.34	(0.03)	8,942	-	PTTG08C1811A	0.12	(0.01)	110,568	-
LPN01C1811A	0.48	0.04	124,723	-	PSH23C1811A	0.35	(0.02)	3,250	-	PTTG08P1811A	1.22	0.02	137,260	1.00
LPN01C1811B	0.32	0.01	31,418	-	PSH42C1806A	-	-	-	-	PTTG11C1902A	0.17	(0.01)	23,111	-
LPN01P1809A	0.48	-	25,572	-	PSL01C1807A	0.25	(0.03)	57,628	-	PTTG13C1808A	0.03	-	71,389	-
LPN08C1807A	-	-	-											

Main Board Quotation

Issue Date :

Tuesday June 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
QH28C1808A	0.06	(0.01)	18,230	-	SCB08C1806A	-	-	-	-	SUPE13C1810A	0.10	-	4,603	-
RATC23C1806A	-	-	-	-	SCB11C1901A	0.24	(0.01)	50,880	-	SUPE13C1811A	0.12	(0.04)	150	-
RATC27C1812A	0.14	-	5,012	-	SCB11P1901A	0.75	0.08	35,440	-	SUPE23C1811A	0.19	(0.05)	3,075	-
ROBI01C1809A	0.31	(0.08)	107,869	-	SCB13C1809A	0.09	(0.03)	47,587	-	SUPE23C1901A	-	-	-	-
ROBI06C1809A	0.26	(0.09)	7,200	-	SCB19C1811A	0.30	(0.70)	22,800	-	SUPE28C1807A	-	-	-	-
ROBI08C1808A	0.03	(0.03)	502	-	SCB24C1806A	-	-	-	-	SUPE28C1810A	0.04	(0.06)	8	-
ROBI11C1808A	0.09	(0.03)	9,554	-	SCB24C1902A	0.43	(0.03)	50	-	SUPE28C1811A	0.07	(0.04)	470	-
ROBI13C1807A	-	-	-	-	SCB24P1811A	-	-	-	-	TASC01C1806A	-	-	-	-
ROBI24C1901A	-	-	-	-	SCB28C1808A	-	-	-	-	TASC01C1809A	0.06	(0.04)	81,060	-
ROBI27C1806A	-	-	-	-	SCB28C1809A	0.09	(0.03)	251,484	-	TASC01C1810A	0.23	(0.11)	64,083	-
S10001C1811A	0.47	(0.10)	6,123	-	SCB28P1808A	0.30	0.07	444,344	-	TASC01C1810B	0.11	(0.07)	24,166	-
S42C1806A	-	-	-	-	SCC01C1808A	0.15	(0.02)	15,281	-	TASC01P1806A	1.51	0.27	41,915	1.00
S5001C1806F	0.06	(0.14)	1,373,443	-	SCC01C1808B	0.01	(0.01)	29,115	-	TASC01P1809A	1.73	0.22	98,402	1.00
S5001C1806G	0.01	-	90,499	-	SCC01P1808A	0.93	0.10	64,911	-	TASC07C1811A	-	-	-	-
S5001C1806H	0.01	(0.01)	28,847	-	SCC06C1809A	0.04	(0.01)	4,923	-	TASC08C1808A	0.01	(0.02)	2,001	-
S5001C1806I	0.01	-	16,001	-	SCC08C1809A	0.03	(0.03)	19,450	-	TASC11C1806A	-	-	-	-
S5001C1807A	0.23	(0.14)	1,078,594	-	SCC11C1811A	0.09	(0.02)	6,035	-	TASC11C1904A	0.18	(0.06)	29,537	-
S5001C1807B	0.13	(0.14)	882,331	-	SCC11P1811A	0.60	0.06	41,566	-	TASC13C1810A	0.09	(0.06)	58,608	-
S5001C1808A	0.42	(0.18)	342,580	-	SCC13C1809A	0.04	(0.02)	40,813	-	TASC23C1806A	-	-	-	-
S5001C1808B	0.32	(0.15)	896,326	-	SCC13C1812A	0.17	(0.03)	130,010	-	TASC24C1810A	-	-	-	-
S5001C1809F	0.61	(0.22)	1,960,449	-	SCC19C1811A	0.11	(0.02)	21,630	-	TASC28C1808A	-	-	-	-
S5001C1809G	0.24	(0.18)	949,697	-	SCC23C1811A	0.09	(0.02)	15	-	TCAP01C1807A	0.06	(0.02)	9,956	-
S5001P1806F	2.34	0.44	228,175	2.00	SCC24C1806A	-	-	-	-	TCAP01C1807B	0.01	(0.01)	500	-
S5001P1806G	1.18	0.70	2,379,217	-	SCC24C1812A	0.05	(0.02)	101,038	-	TCAP01P1807A	1.11	0.08	38,171	1.00
S5001P1806H	2.84	0.38	72,296	2.00	SCC24P1901A	0.62	0.07	1,354	-	TCAP08C1810A	0.09	(0.04)	25,166	-
S5001P1806I	2.88	1.19	205,248	2.00	SCC27C1809A	0.07	(0.01)	4,000	-	TCAP11C1811A	0.13	(0.03)	30,592	-
S5001P1807A	1.85	0.25	80,530	1.00	SCC27P1809A	-	-	-	-	TCAP13C1809A	0.06	(0.02)	370	-
S5001P1807B	1.57	0.28	154,414	1.00	SCC28C1807A	-	-	-	-	TCAP23C1807A	0.11	(0.03)	10,000	-
S5001P1808A	1.13	0.17	65,486	1.00	SCC28C1811A	0.12	(0.03)	212,825	-	TCAP24C1807A	-	-	-	-
S5001P1808B	1.45	0.30	217,723	1.00	SCCC08C1811A	-	-	-	-	TCAP24C1903A	-	-	-	-
S5001P1809F	2.20	0.42	1,177,427	2.00	SCCC13C1809A	-	-	-	-	TCAP27C1807A	-	-	-	-
S5001P1809G	1.88	0.50	2,140,216	1.00	SCCC23C1806A	-	-	-	-	THAI01C1903A	0.02	(0.04)	4,528	-
S5006C1806A	0.01	-	10,762	-	SCCC27C1812A	0.07	(0.01)	5,474	-	THAI01C1808A	0.17	(0.06)	96,535	-
S5006C1806B	0.01	-	7,663	-	SGP08C1808A	0.01	-	80,276	-	THAI01C1808B	0.04	(0.02)	2,232	-
S5006C1809A	0.18	(0.11)	97,054	-	SGP11C1904A	0.10	(0.02)	7,300	-	THAI01P1806A	0.94	0.16	26,752	-
S5006C1809B	0.10	(0.09)	154,289	-	SGP13C1806A	-	-	-	-	THAI01P1808A	0.71	0.09	23,730	-
S5006C1809C	0.32	(0.68)	2,609	-	SGP13C1807A	0.01	-	6,660	-	THAI06C1809A	0.23	(0.06)	11,210	-
S5006C1812A	0.51	(0.55)	2,888	-	SGP13C1808A	0.02	0.01	17,003	-	THAI07C1811A	-	-	-	-
S5006P1806A	0.09	0.07	64,131	-	SGP13C1811A	0.05	(0.02)	13,063	-	THAI08C1808A	0.08	(0.02)	14,000	-
S5006P1806B	0.86	0.47	750	-	SGP19C1811A	0.17	(0.83)	6,308	-	THAI11C1808A	0.06	(0.02)	4,464	-
S5006P1809A	2.28	0.71	27,224	2.00	SGP24C1806A	-	-	-	-	THAI13C1811A	0.15	(0.04)	13,413	-
S5006P1809B	1.28	0.35	1,614	1.00	SGP24C1808A	-	-	-	-	THAI23C1901A	0.09	(0.03)	1,000	-
S5006P1809C	-	-	-	-	SGP24C1811A	0.06	(0.04)	1	-	THAI24C1808A	-	-	-	-
S5006P1812A	-	-	-	-	SGP28C1808A	0.01	-	61,500	-	THAI27C1809A	0.11	(0.02)	18,716	-
S5008C1806A	-	-	-	-	SGP28C1809A	0.01	-	22,130	-	THAI28C1808A	0.03	(0.02)	10,600	-
S5008C1806B	-	-	-	-	SGP28C1811A	0.07	(0.02)	15,730	-	THAN01C1812A	0.43	(0.03)	7,934	-
S5008P1806A	1.52	0.65	38,616	1.00	SIRI01C1808A	0.02	(0.01)	47,010	-	THAN13C1809A	0.08	-	3,364	-
S5008P1806B	1.56	0.72	18,524	1.00	SIRI01C1808B	0.01	(0.01)	38,479	-	THAN23C1807A	-	-	-	-
S5013C1806A	0.01	-	4,001	-	SIRI01C1901A	0.43	(0.04)	6,249	-	THAN28C1810A	-	-	-	-
S5013C1806B	0.01	-	2	-	SIRI01C1901B	0.23	(0.03)	1,300	-	THCO01C1809A	0.12	(0.05)	25,433	-
S5013C1806C	0.01	(0.02)	18,600	-	SIRI01P1808A	0.60	0.05	8,596	-	THCO01P1809A	0.65	0.11	25,064	-
S5013C1806D	-	-	-	-	SIRI08C1808A	-	-	-	-	THCO11C1902A	0.16	(0.05)	4,700	-
S5013C1806E	0.01	(0.01)	35,979	-	SIRI08C1810A	0.18	(0.03)	13,096	-	THCO19C1811A	0.17	(0.06)	15,770	-
S5013C1809A	0.14	(0.11)	3,298,775	-	SIRI11C1902A	0.18	(0.02)	50	-	THCO23C1808A	-	-	-	-
S5013C1809B	0.26	(0.17)	5,012,931	-	SIRI13C1809A	0.02	(0.01)	1,000	-	THCO24C1807A	-	-	-	-
S5013C1809C	0.24	(0.19)	1,988,354	-	SIRI23C1811A	0.24	(0.04)	100	-	THCO24C1810A	0.31	(0.09)	2,484	-
S5013P1806A	1.82	0.82	215,865	1.00	SIRI24C1809A	0.08	(0.01)	1,299	-	THCO28C1808A	0.03	(0.03)	5,050	-
S5013P1806B	1.51	0.94	287,737	1.00	SIRI28C1807A	-	-	-	-	TISCO1C1808A	0.65	(0.04)	32,623	-
S5013P1806C	2.18	0.53	1,010	2.00	SIRI28C1809A	0.09	(0.02)	26,895	-	TISCO1C1808B	0.23	(0.02)	20,534	-
S5013P1806D	0.33	0.26	613,632	-	SPAL01C1808A	0.45	(0.10)	43,375	-	TISCO8C1808A	0.27	(0.03)	51,639	-
S5013P1806E	2.50	1.33	54,346	1.00	SPAL01C1808B	0.11	(0.05)	45,417	-	TISC11C1903A	0.47	(0.02)	41,174	-
S5013P1809A	2.44	0.57	516,568	2.00	SPAL06C1809A	0.51	(0.10)	18,890	-	TISC13C1807A	0.15	(0.03)	33,746	-
S5013P1809B	1.53	0.40	2,253,307	1.00	SPAL08C1808A	0.11	(0.04)	16,238	-	TISC13C1811A	0.66	(0.03)	57,340	-
S5013P1809C	1.81	0.45	98,084	1.00	SPAL11C1807A	0.24	(0.07)	14,508	-	TISC24C1806A	0.23	(0.10)	400	-
S5028C1806A	0.01	-	33,263	-	SPAL23C1811A	0.62	(0.14)	3,500	-	TISC24C1812A	-	-	-	-
S5028C1806B	0.01	-	9,679	-	SPAL24C1808A	-	-	-	-	TISC27C1807A	0.17	(0.02)	18,928	-
S5028C1806C	0.01	-	324	-	SPAL24C1812A	0.29	(0.08)	1	-	TISC28C1807A	0.08	(0.03)	46,000	-
S5028C1807A	0.06	(0.04)	127,354	-	SPCG13C1806A	-	-	-	-	TISC42C1806A	-	-	-	-
S5028C1809A	0.22	(0.14)	1,606,027	-	SPRC01C1808A	0.12	(0.04)	153,764	-	TKN01C1808A	0.18	(0.04)	22,079	-
S5028P1806A	1.71	0.69	327,910	1.00	SPRC01C1808B	0.02	(0.01)	13,000	-	TKN01C1808B	0.05	(0.03)	12,546	-
S5028P1806B	0.85	0.52	2,798,435	-	SPRC06C1809A	-	-	-	-	TKN06C1806A	-	-	-	-
S5028P1806C	-	-	-	-	SPRC08C1808A	0.04	-	2,000	-	TKN08C1808A	0.01	(0.01)	6,176	-
S5028P1807A	1.86	0.46	477,533	1.00	SPRC11C1902A	0.09	(0.02)	11,247	-	TKN08C1811A	0.24	(0.05)	40,630	-
S5028P1809A	1.35	0.35	2,935,111	1.00	SPRC13C1808A	0.03	(0.02)	34,982	-	TKN11C1902A	0.29	(0.03)	29,220	-
SAMA13C1806A	-	-	-	-	SPRC23C1810A	-	-	-	-	TKN13C1808A	0.05	-	2,529	-
SAWA01C1808A	0.03	(0.01)	38,780	-	SPRC24C1808A	-	-	-	-	TKN13C1810A	0.20	(0.05)	43,228	-
SAWA01C1808B	0.01	(0.01)	7,912	-	STA01C1807A	-	-	-	-	TKN13C1811A	0.20	(0.04)	25,291	-
SAWA01C1901A	0.37	(0.06)	144,515	-	STA01C1807B	-	-	-	-	TKN19C1811A	0.24	(0.03)	6,474	-
SAWA01C1901B	0.30	(0.07)	165,416	-	STA08C1807A	-	-	-	-	TKN23C1806A	-	-	-	-
SAWA01P1808A	2.58	0.18	57,236	2.00	STA13C1807A	-	-	-	-	TKN24C1807A	-	-	-	-
SAWA01P1901A	1.21	0.12	48,700	1.00	STA13C1808A	0.07	(0.05)	123,607	-	TKN24C1811A	-	-	-	-
SAWA06C1807A	-	-	-	-	STA19C1811A	0.15	(0.85)	21,808	-	TKN24C1812A	0.20	(0.05)	1,050	-
SAWA06C1811A	0.04	(0.02)	23,900	-	STA23C1809A	0.12	(0.06)	21,800	-	TKN28C1808A	0.03	(0.02)	17,627	-
SAWA08C1808A	-	-	-	-	STA24C1808A	0.04	(0.03)	1,267	-	TKN28C1811A	0.22	(0.78)	89,920	-
SAWA08C1811A	0.02	(0.01)	38,190	-	STA28C1807A	-	-	-	-	TMB01C1807A	0.02	(0.01)	17,272	-
SAWA11C1808A	0.0													

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday June 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price
SCB06C1811A	0.49	(0.08)	35,378	-

Securities	Close	Change	Volume (Lot)	Average Price
SUPE13C1806A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
TOP06C1809A	0.06	(0.03)	4,471	-

Main Board Quotation

Issue Date :

Tuesday June 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP08C1811A	0.15	(0.04)	29,399	-	UV23C1809A	0.03	-	4,000	-	IFEC-W2	-	-	-	-
TOP11C1808A	-	-	-	-	UV24C1807A	-	-	-	-	IHL-W1	4.92	(0.04)	212	4.00
TOP13C1811A	0.13	(0.05)	95,026	-	UV24C1812A	0.33	(0.10)	50	-	ITD-W1	0.14	(0.02)	197,805	-
TOP18C1808A	0.02	(0.01)	500	-	UV28C1807A	-	-	-	-	IVL-W2	12.40	(0.70)	123,354	12.00
TOP23C1811A	0.18	(0.08)	10,446	-	UV28C1808A	-	-	-	-	JAS-W3	2.14	(0.22)	29,679	2.00
TOP24C1806A	-	-	-	-	VGI01C1812A	0.67	(0.02)	17,826	-	JCK-W4	-	-	-	-
TOP24C1901A	0.19	(0.06)	10,972	-	VGI06C1904A	6.25	(0.15)	200	6.00	JCK-W5	0.39	(0.01)	2,939	-
TOP28C1810A	0.03	(0.01)	280	-	VGI06C1904B	6.25	(0.15)	70	6.00	JMART-W2	1.98	(0.02)	5,375	1.00
TOP42C1806A	-	-	-	-	VGI06C1904C	6.25	(0.15)	4,800	6.00	JMT-W1	-	-	-	-
TOP42P1806A	1.12	0.14	200	1.00	VGI08C1811A	0.63	(0.05)	26,032	-	MIDA-W2	0.03	-	79,198	-
TPI01C1807A	0.02	(0.04)	2,005	-	VGI23C1905A	-	-	-	-	MILL-W3	0.04	-	3,350	-
TPI01C1807B	-	-	-	-	VGI23C1911A	1.33	(0.01)	2	1.00	MILL-W4	0.29	-	4,245	-
TPI08C1807A	-	-	-	-	VGI27C1812A	0.40	(0.04)	19,372	-	ML-W2	0.04	-	2,809	-
TPI13C1809A	0.05	(0.04)	8,000	-	VGI28C1810A	0.41	(0.01)	147,830	-	MONO-W1	0.62	(0.11)	54,952	-
TPI23C1809A	-	-	-	-	VIBH08C1806A	-	-	-	-	NEP-W3	0.12	-	690	-
TPI24C1808A	-	-	-	-	VIBH13C1806A	-	-	-	-	NMG-W3	-	-	-	-
TPI24C1902A	-	-	-	-	VNG13C1806A	-	-	-	-	NOK-W1	1.16	(0.02)	1,122	1.00
TPI28C1808A	-	-	-	-	WHA01C1807A	0.15	(0.06)	49,853	-	NPP-W3	0.24	(0.07)	34,992	-
TPIPO1C1810A	0.39	(0.06)	60,186	-	WHA01C1807B	0.02	(0.01)	152,221	-	WUSA-W3	0.15	0.01	101	-
TPIPO1C1810B	0.20	(0.05)	19,220	-	WHA06C1809A	0.24	(0.09)	53,148	-	ORI-W1	2.82	(0.18)	4,415	2.00
TPIPO1P1810A	0.74	0.06	40,809	-	WHA07C1810A	0.28	(0.05)	1,845	-	PACE-W1	0.01	-	30	-
TPIPO7C1806A	-	-	-	-	WHA08C1811A	0.28	(0.07)	109,366	-	PACE-W2	0.07	-	33,087	-
TPIPO8C1808A	0.03	(0.04)	4,000	-	WHA11C1903A	0.29	(0.05)	28,274	-	PDJ-W2	1.60	0.01	68	1.00
TPIPI1C1811A	0.12	(0.01)	3,931	-	WHA13C1808A	0.17	(0.06)	148,613	-	PDJ-W3	1.55	(0.05)	66	1.00
TPIPI3C1811A	0.26	(0.03)	33,945	-	WHA23C1810A	0.36	(0.09)	33,600	-	PDJ-W4	1.54	(0.05)	181	1.00
TPIP23C1808A	-	-	-	-	WHA24C1807A	-	-	-	-	PLE-W3	0.16	(0.03)	9,200	-
TPIP24C1901A	-	-	-	-	WHA24C1811A	0.21	(0.06)	4,000	-	RICH-W1	-	-	-	-
TPIP27C1812A	-	-	-	-	WHA28C1807A	-	-	-	-	RICHY-W1	0.29	(0.03)	3,262	-
TRUE01C1808A	0.26	(0.10)	687,634	-	WHA28C1808A	0.04	(0.04)	700	-	RICHY-W2	0.16	(0.02)	1,711	-
TRUE01C1808B	0.10	(0.06)	714,255	-	WHA28C1808B	0.11	(0.05)	156,582	-	RS-W3	9.90	-	33	9.00
TRUE01P1808A	0.39	0.09	299,580	-	WHA28C1809A	0.49	(0.10)	98,469	-	S-W1	0.14	(0.01)	6,903	-
TRUE06C1806A	0.31	(0.14)	380	-	WHA42C1806A	0.42	(0.05)	420	-	SAMART-W2	0.29	(0.01)	91,611	-
TRUE06C1811A	0.15	(0.06)	22,132	-	WHA42P1806A	0.01	-	1,546	-	SAWAD-W1	5.50	(0.15)	139	5.00
TRUE06C1906A	0.33	(0.69)	49,892	-	WHAU01C1810A	0.27	(0.03)	18,763	-	SDC-W1	0.04	(0.01)	26,935	-
TRUE06P1806A	0.08	0.04	2,848	-	WHAU01C1810B	0.12	(0.03)	54,102	-	SMM-W4	0.15	-	4,214	-
TRUE07C1806A	-	-	-	-	WHAU24C1812A	0.11	(0.01)	18,470	-	SMT-W1	0.12	(0.02)	26,801	-
TRUE08C1809A	0.13	(0.07)	127,810	-	WORK01C1806A	0.01	-	31,449	-	SMT-W2	0.65	(0.02)	42,019	-
TRUE08P1809A	0.21	0.06	104,833	-	WORK01C1806B	0.01	-	12,460	-	SPALI-W4	19.50	(0.90)	1,062	19.00
TRUE11C1807A	0.05	(0.04)	20,328	-	WORK01C1811A	0.61	(0.07)	58,261	-	SPORT-W5	0.18	-	6,983	-
TRUE13C1807A	0.05	(0.04)	83,650	-	WORK01C1811B	0.46	(0.07)	40,796	-	SPORT-W6	-	-	-	-
TRUE13C1810A	0.09	(0.03)	214,987	-	WORK08C1809A	0.01	(0.01)	7,190	-	SUPER-W4	0.15	(0.01)	433,631	-
TRUE16C1812A	0.30	(0.08)	35,089	-	WORK11C1903A	0.16	(0.02)	14,747	-	SUSCO-W1	0.19	(0.02)	18,608	-
TRUE23C1806A	0.04	(0.08)	22,839	-	WORK13C1806A	-	-	-	-	SVI-W3	1.24	(0.15)	163	1.00
TRUE27C1809A	0.19	(0.06)	50,436	-	WORK13C1809A	0.02	-	4,510	-	TCC-W3	-	-	-	-
TRUE27P1809A	0.32	0.03	7,550	-	WORK13C1810A	0.03	(0.02)	35,658	-	TCC-W4	0.17	-	1,134	-
TRUE28C1807A	0.01	(0.04)	78,453	-	WORK13C1811A	0.21	(0.04)	91,810	-	TCC-W5	0.20	(0.01)	5,350	-
TRUE28C1808A	0.01	-	21,535	-	WORK19C1811A	0.28	(0.06)	24,276	-	TCJ-W2	1.09	(0.09)	818	1.00
TRUE28C1810A	0.08	(0.04)	113,858	-	WORK23C1807A	-	-	-	-	TCMC-W2	0.37	-	29,586	-
TTA01C1807A	0.05	(0.04)	186,595	-	WORK24C1810A	0.03	(0.01)	4,400	-	TFG-W1	-	-	-	-
TTA01P1807A	0.95	0.16	19,482	-	WORK24C1812A	-	-	-	-	TFG-W2	-	-	-	-
TTA08C1808A	0.02	(0.02)	4,000	-	WORK27C1806A	-	-	-	-	TGPRO-W2	-	-	-	-
TTA11C1806A	-	-	-	-	WORK28C1808A	0.01	-	1,000	-	TH-W2	0.11	(0.01)	2,545	-
TTA13C1809A	0.04	(0.03)	36,585	-	WORK28C1809A	0.03	(0.01)	14,153	-	THE-W2	0.05	(0.01)	10,905	-
TTA18C1808A	-	-	-	-	WORK28C1811A	0.21	(0.04)	52,698	-	TNITY-W1	1.01	(0.03)	8,344	1.00
TTA19C1811A	0.20	(0.08)	9,065	-	WORK42C1806A	-	-	-	-	TNPC-W1	0.56	(0.04)	11,017	-
TTA23C1808A	-	-	-	-	Preferred/Foreign	-	-	-	-	TPOLY-W2	-	-	-	-
TTA24C1809A	-	-	-	-	BH-Q	-	-	-	-	TSI-W1	-	-	-	-
TTA24C1902A	0.25	(0.04)	10	-	CSC-Q	-	-	-	-	TSR-W2	0.55	(0.05)	15,127	-
TTA28C1812A	0.20	(0.06)	62,166	-	JUTHA-Q	-	-	-	-	TTA-W5	0.76	(0.15)	25,247	-
TTCL13C1806A	-	-	-	-	KTB-Q	-	-	-	-	U-W1	-	-	-	-
TU01C1808A	0.10	(0.03)	35,877	-	SCB-Q	-	-	-	-	U-W4	-	-	-	-
TU01C1808B	0.01	-	50	-	TCAP-Q	-	-	-	-	VGI-W1	0.17	(0.13)	1,156,859	-
TU01P1808A	0.85	0.05	8,613	-	TIC-Q	-	-	-	-	VIBHA-W2	1.40	(0.05)	153	1.00
TU08C1811A	0.13	(0.02)	4,540	-	TISCO-Q	-	-	-	-	VIBHA-W3	0.31	(0.02)	16,418	-
TU11C1902A	0.08	(0.03)	9,211	-	U-Q	-	-	-	-	WAVE-W1	0.49	(0.03)	1,822	-
TU13C1809A	0.03	(0.01)	1	-	Warrant	-	-	-	-	WHA-W1	6.90	(0.65)	12,724	7.00
TU23C1806A	-	-	-	-	7UP-W2	-	-	-	-	WORK-W1	10.80	(0.20)	21	10.00
TU24C1808A	-	-	-	-	ACC-W1	0.03	(0.01)	78,692	-	Preferred Shares	-	-	-	-
TU24C1901A	0.28	(0.05)	20,802	-	AJA-W1	0.18	0.01	15,401	-	BH-P	-	-	-	-
TU27C1807A	-	-	-	-	ALT-W1	0.95	(0.06)	3,174	-	CSC-P	-	-	-	-
TVO01C1809A	0.16	(0.01)	10,987	-	AQ-W4	0.01	-	103,301	-	JUTHA-P	-	-	-	-
TVO01C1809B	0.04	(0.01)	11,200	-	AS-W1	0.54	(0.02)	1,190	-	KTB-P	-	-	-	-
TVO08C1808A	0.03	(0.02)	300	-	AYUD-W1	3.94	(0.22)	17,849	4.00	SCB-P	-	-	-	-
TVO11C1903A	0.11	(0.02)	16,982	-	B-W3	-	-	-	-	TCAP-P	-	-	-	-
TVO13C1809A	-	-	-	-	BLAND-W4	-	-	-	-	TIC-P	-	-	-	-
TVO23C1808A	0.04	(0.03)	35,000	-	BTS-W3	0.09	-	618,015	-	TISCO-P	-	-	-	-
TVO24C1810A	0.06	(0.01)	10	-	BWG-W4	0.07	(0.01)	34,409	-	U-P	0.03	-	337,046	-
TVO28C1808A	0.01	-	1	-	CEN-W4	0.06	-	9,416	-	Warrant (MAI)	-	-	-	-
UNIQ01C1809A	0.19	(0.06)	114,640	-	CGH-W2	-	-	-	-	2S-W1	0.15	(0.02)	9,706	-
UNIQ01C1810A	0.36	(0.06)	47,527	-	CI-W1	0.43	(0.05)	450	-	ACAP-W1	-	-	-	-
UNIQ01C1810B	0.21	(0.06)	36,351	-	CKP-W1	0.38	(0.01)	38,357	-	ACAP-W2	2.80	(0.02)	1,132	2.00
UNIQ01P1809A	0.53	0.06	30,912	-	CRANE-W1	-	-	-	-	AIRA-W1	0.05	(0.01)	2,899	-
UNIQ08C1808A	0.02	(0.02)	3,000	-	CWT-W4	0.86	(0.05)	42,095	-	AIRA-W2	0.05	(0.01)	5,089	-
UNIQ08C1810A	0.18	(0.15)	93,434	-	DCC-W1	0.77	(0.06)	381,295	-	ATP30-W1	0.83	(0.02)	4,678	-
UNIQ11C1811A	0.17	(0.05)	43,862	-	DCON-W1	-	-	-	-	BSM-W2	0.25	0.03	1,838	-
UNIQ13C1807A	-	-	-	-	DIGI-W1	0.06	-	30,277	-	CHEWA-W1	0.08	-	61,504	-
UNIQ13C1809A	0.15	(0.05)	225,517	-	DIGI-W2	0.03	0.01	31,043	-	CIG-W7	0.02	(0.01)	47,697	-
UNIQ19C1811A	0.16	(0.04)	25,708	-	EARTH-W4	-	-	-	-	DNA-W1	1.31	(0.06)	732	1.00
UNIQ23C1806A	-	-	-	-	EIC-W2	-	-	-	-	ECF-W2	3.68	(0.20)	4,975	3.00
UNIQ24C1806A	-	-	-	-	EIC-W3	0.04	(0.01)	982	-	ECF-W3	2.74	(0.10)	2,629	2.00

