

Main Board Quotation

Issue Date :

Thursday June 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.75	(0.05)	1,017	6.72	RS	16.90	(0.50)	99,934	17.09
POMPUI	-	-	-	-	HUMAN	11.00	0.10	58,983	11.03	SE-ED	3.22	(0.06)	4	3.22
SAFARI	-	-	-	-	ILINK	5.40	(0.15)	4,237	5.44	SMM	0.85	(0.01)	278	0.85
VI	-	-	-	-	INET	3.70	(0.08)	3,249	3.72	SPORT	0.56	(0.05)	5,057	0.58
WORLD	-	-	-	-	INTOUCH	53.25	(0.50)	55,247	53.20	TBSP	-	-	-	-
WR	-	-	-	-	JAS	5.55	(0.50)	430,119	5.68	TH	0.60	(0.01)	3,473	0.61
Agribusiness					JASIF	10.00	(0.10)	88,852	10.04	TKS	10.80	(0.20)	7,040	10.80
CHOTI	145.00	(2.00)	17	145.47	JMART	10.00	(0.40)	15,602	10.14	TRITN	0.28	-	32,470	0.29
EE	0.76	-	28,542	0.75	JTS	1.56	(0.02)	471	1.56	VGI	7.60	-	511,379	7.52
GFPT	12.00	-	39,342	12.01	MFEC	4.12	(0.04)	450	4.14	WAVE	3.02	(0.02)	14	3.04
LEE	2.76	-	719	2.77	MSC	5.80	(0.05)	787	5.80	WORK	42.50	(1.50)	12,606	43.18
STA	11.00	(0.50)	33,711	11.18	PT	6.70	(0.05)	5,537	6.68	Finance & Securities	-	-	-	-
TLUXE	5.95	(0.10)	4,000	5.91	SAMART	7.60	(0.10)	5,377	7.58	AEC	0.49	(0.01)	2,854	0.49
TRUBB	1.75	-	9,792	1.75	SAMTEL	8.60	(0.20)	996	8.72	AEONTS	148.00	(2.00)	2,344	148.31
TWPC	9.40	0.05	1,098	9.41	SDC	0.24	(0.01)	517	0.24	AMANAHA	1.97	(0.07)	111,141	1.98
UPOIC	4.28	(0.10)	123	4.24	SIS	8.70	(0.10)	1,540	8.77	ASAP	6.00	(0.05)	16,018	6.00
UVAN	7.50	(0.10)	4,163	7.51	SVOA	1.36	(0.06)	47,620	1.39	ASK	21.90	(0.30)	1,218	22.06
VPO	0.68	(0.02)	454	0.69	SYMC	5.20	0.15	172	5.11	ASP	3.78	(0.02)	32,608	3.79
Banking					SYNEX	14.30	(0.40)	4,618	14.40	BFIT	28.25	(0.50)	523	28.24
BAY	40.00	(0.25)	3,868	39.93	THCOM	8.80	(0.20)	9,751	8.88	CGH	1.21	(0.01)	1,403	1.21
BBL	195.00	(2.00)	43,093	194.72	TRUE	6.05	(0.20)	1,488,608	6.09	CNS	2.56	(0.04)	1,673	2.56
CIMBT	0.90	(0.02)	56,318	0.90	TWZ	0.13	(0.01)	56,086	0.14	ECL	1.79	(0.06)	79,859	1.81
KBANK	194.00	(4.50)	75,216	195.57	Electronic Componer	-	-	-	-	FNS	4.42	(0.06)	1,712	4.45
KKP	67.25	(0.25)	24,799	67.17	CCET	1.85	(0.03)	8,156	1.86	FSS	2.44	(0.02)	2,537	2.45
KTB	17.10	(0.30)	445,147	17.19	DELTA	60.50	(0.25)	4,602	60.37	GBX	0.68	(0.02)	4,269	0.68
LHFG	1.52	(0.02)	113,280	1.51	EIC	0.06	(0.01)	16,472	0.06	GL	5.40	(0.30)	8,203	5.95
SCB	129.50	(1.50)	112,180	129.75	HANA	33.50	0.25	27,870	33.64	IFS	2.94	(0.02)	1,180	2.91
TCAP	48.25	(1.50)	32,934	48.39	KCE	37.00	1.50	137,119	36.96	JMT	29.50	(0.75)	2,773	29.78
TISCO	86.50	(1.50)	39,333	86.51	METCO	-	-	-	-	KCAR	14.00	(0.10)	467	14.00
TMB	2.32	(0.06)	1,287,532	2.34	SMT	2.32	(0.14)	8,321	2.40	KGI	3.94	(0.14)	149,202	3.98
Construction Materia					SPPT	4.60	-	15,748	4.57	KTC	324.00	(14.00)	19,029	328.23
CCP	0.41	(0.02)	51,523	0.41	SVI	4.08	(0.04)	7,005	4.08	MBKET	12.90	(0.50)	18,476	13.02
DCC	2.36	(0.02)	71,527	2.38	TEAM	1.07	(0.02)	2,255	1.08	MFC	15.20	(0.10)	710	15.21
DCON	0.56	(0.01)	41,119	0.56	Energy & Utilities	-	-	-	-	ML	0.99	(0.01)	5,810	0.99
DRT	5.65	(0.10)	2,618	5.65	ABPIF	8.50	(0.05)	2,382	8.50	MTC	33.50	(0.25)	63,592	33.31
EPG	7.45	(0.10)	75,142	7.48	AI	-	-	-	-	PE	0.33	(0.01)	1,105	0.34
GEL	0.33	(0.01)	75,826	0.34	AKR	1.56	-	646,454	1.54	PL	3.42	(0.02)	1,165	3.42
PPP	3.72	-	584	3.71	BAFS	32.50	(0.25)	3,926	32.85	S11	7.45	0.05	988	7.50
O-CON	5.80	(0.05)	2	5.80	BANPU	20.00	(0.60)	1,147,582	20.09	SAWAD	31.50	(0.50)	101,841	31.51
RCI	2.86	0.12	224,846	2.93	BCP	32.00	(1.25)	108,819	32.25	THANI	7.40	(0.10)	15,108	7.48
SCC	408.00	(12.00)	69,992	409.79	BCPG	17.30	(0.70)	65,871	17.54	TK	11.30	(0.10)	2,724	11.30
SCCC	216.00	(4.00)	703	217.94	BGRIM	23.10	(0.70)	53,644	23.33	TNITY	5.85	-	1,100	5.84
SCP	7.90	(0.05)	1,800	7.89	BPP	23.30	(0.50)	25,658	23.40	UOBKH	3.84	-	468	3.84
SKN	4.98	(0.12)	12,916	5.02	BRRGIF	10.30	-	241	10.25	ZMICO	1.09	(0.02)	6,941	1.09
TASCO	15.10	(0.40)	49,235	15.25	CKP	4.06	(0.06)	171,643	4.08	Food & Beverage	-	-	-	-
TCMC	2.48	-	11,427	2.48	DEMCO	4.02	(0.06)	3,447	4.02	APURE	1.44	(0.03)	744	1.44
TGCI	2.78	(0.02)	6,521	2.85	EA	33.50	(1.50)	170,789	34.10	ASIAN	5.45	(0.10)	6,482	5.51
TOA	40.00	(0.50)	37,243	39.75	EARTH	-	-	-	-	BR	5.85	-	9,631	5.85
TPIPL	1.80	(0.01)	116,301	1.79	EASTW	10.90	-	8,245	10.91	BRR	7.15	(0.10)	227	7.22
UMI	1.35	(0.10)	23,359	1.44	EGATIF	10.80	(0.10)	16,059	10.81	CBG	55.25	(0.75)	22,904	55.63
VNG	8.05	-	4,508	8.01	EGCO	229.00	(2.00)	7,446	229.84	CFRESH	4.40	(0.02)	1,540	4.36
WIHK	2.32	(0.02)	7,120	2.32	ESSO	12.80	(0.10)	101,363	12.97	CM	4.14	(0.02)	769	4.16
Petrochemicals & Ch					GLOW	94.25	-	93,651	94.47	CPF	24.60	(0.10)	339,274	24.53
CMAN	3.30	(0.04)	23,128	3.28	GPSC	70.00	(1.00)	63,435	69.51	CPI	1.59	(0.08)	27,024	1.61
GC	5.05	(0.05)	590	5.08	GULF	66.00	(1.50)	27,925	66.20	F&D	-	-	-	-
GGC	12.70	(0.60)	41,777	12.89	GUNKUL	2.82	(0.06)	80,482	2.85	HTC	21.50	(0.90)	2,386	21.78
GIFT	4.46	(0.14)	600	4.52	IEC	-	-	-	-	ICHI	5.00	(0.25)	30,020	5.08
IVL	54.50	(1.50)	182,142	54.93	IFEC	-	-	-	-	KBS	4.40	(0.04)	214	4.42
NFC	11.20	0.10	221,462	11.88	IRPC	6.00	(0.15)	923,740	6.03	KSL	3.08	-	9,723	3.11
PATO	14.70	0.20	157	14.52	LANNA	15.20	(0.50)	1,924	15.26	KTIS	5.95	(0.05)	141	5.95
PMTA	16.70	(0.10)	6	16.70	MDX	4.32	(0.04)	1,151	4.35	LST	4.84	(0.02)	414	4.81
PTTGC	80.25	(3.50)	292,483	81.12	PTG	16.50	(0.30)	24,259	16.65	M	75.50	(0.75)	2,814	75.98
SUTHA	4.36	(0.10)	202	4.39	PTT	47.50	(1.25)	1,091,238	47.89	MALEE	14.20	(0.70)	6,922	14.49
TCB	53.25	-	179	53.33	PTTEP	126.00	(3.00)	174,795	128.79	MINT	32.50	(1.50)	255,672	32.69
TCCC	29.75	-	358	29.46	RATCH	51.25	(0.50)	26,050	51.15	OISHI	99.75	(1.75)	74	100.36
TPA	6.25	(0.05)	2	6.28	RPC	0.59	-	3,515	0.59	PB	61.50	-	360	61.26
UP	-	-	-	-	SCG	4.64	0.02	966	4.60	PM	10.50	-	3,312	10.47
VNT	24.60	(0.40)	43,933	25.26	SCI	3.02	0.06	9,953	3.00	PRG	-	-	-	-
WG	150.00	-	1,000	150.00	SCN	4.04	(0.02)	3,508	4.04	SAPPE	26.50	(0.50)	4,260	26.38
YCI	-	-	-	-	SGP	9.50	0.20	161,545	9.51	SAUCE	21.80	(0.10)	7	21.83
Commerce					SKE	1.32	(0.03)	20,896	1.34	SFP	-	-	-	-
BEAUTY	15.30	(0.70)	352,640	15.63	SOLAR	2.24	(0.08)	3,291	2.29	SNP	20.30	(0.20)	5	20.30
BIG	2.20	(0.06)	25,349	2.21	SPCG	20.50	(0.30)	3,195	20.68	SORKON	69.75	(1.00)	1	69.75
BJC	51.25	(2.50)	101,190	51.65	SPRC	13.60	(0.60)	221,339	13.66	SSC	45.25	(2.00)	26	45.78
COL	28.00	(0.25)	11,364	28.10	SUPER	0.90	(0.03)	1,235,348	0.91	SSF	8.40	(0.60)	30	8.45
COM7	17.70	(0.30)	28,616	17.78	SUSCO	3.30	(0.06)	12,937	3.30	SST	5.95	(0.05)	300	5.95
CPALL	76.75	-	291,501	76.47	TAE	2.14	(0.02)	7,077	2.13	TC	2.88	(0.02)	375	2.87
CSS	2.08	(0.06)	11,624	2.10	TCC	0.39	(0.01)	7,415	0.39	TFG	3.98	(0.14)	14,331	4.02
FN	2.96	(0.08)	3,514	2.98	TOP	78.25	(3.50)	97,303	79.07	TFMAMA	157.00	(1.00)	340	157.54
FTE	1.98	(0.06)	21,451	2.00	TPIPP	6.20	(0.10)	144,303	6.23	TIPCO	9.45	(0.10)	12,636	9.52
GLOBAL	16.30	(0.70)	59,745	16.49	TTW	11.60	(0.20)	68,190	11.66	TKN	16.60	-	35,553	16.53
HMPRO	13.60	(0.20)	444,210	13.57	WHAUP	6.05	(0.20)	48,777	6.14	TU	16.30	(0.50)	118,088	16.39
IT	4.50	(0.04)	2,608	4.54	WP	6.80	(0.20)	4,795	6.93	TVO	27.75	(0.75)	28,249	28.12
KAMART	4.96	(0.04)	12,593	4.97	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.24	(0.02)	13,234	2.24	AMARIN	5.05	(0.10)	2,054	5.07	AHC	21.20	(0.10)	84	21.28
MAKRO	41.00	(0.50)	5,937	40.98	AQUA	0.53	(0.01)	228,664	0.52	BCH	15.50	(0.30)	53,496	15.49
MC	12.40	(0.10)	3,591	12.50	AS	1.69	(0.02)	3,841	1.70	BDMS	25.50	-	498,043	25.21
MEGA	39.50	(0.50)	9,482	39.73	BEC	8.05	(0.40)	60,250	8.20	BH	181.00	(2.50)	16,104	180.49
MIDA	0.58	-	7,483	0.59	EPCO	5.05	(0.25)	57,303	5.13	CHG	2.20	(0.02)	199,192	2.20
ROBINS	57.25	(2.75)	31,668	57.20	FE	166.00	(5.00)	54	166.33	CMR	3.28	(0.08)	1,504	3.29
RSP	5.50	-	6,395	5.46	GPI	2.96	(0.02)	4,150	2.95	EKH	5.10	(0.10)	5,832	5

Main Board Quotation

Issue Date :

Thursday June 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	8.00	(0.25)	1,274	8.04	MJD	3.30	-	1,605	3.28	CPT	2.34	(0.04)	62,226	2.35
WPH	2.96	-	5,280	2.95	MK	3.08	(0.04)	10,432	3.09	CRANE	2.28	(0.04)	950	2.30
Tourism & Leisure					NCH	0.94	(0.02)	2,103	0.95	CTW	7.95	-	1,129	7.86
ASIA	6.65	(0.05)	191	6.66	NNCL	1.68	(0.01)	20,534	1.68	FMT	-	-	-	-
CENDEL	45.00	(0.50)	36,274	44.57	NOBLE	12.10	(0.10)	75,920	12.10	HTECH	6.60	(0.60)	85,989	6.75
CSR	-	-	-	-	NUSA	0.28	-	290,000	0.27	KKC	1.73	0.01	379	1.73
DTC	13.00	(0.60)	22,746	13.47	NVD	4.28	(0.06)	1,286	4.27	PK	3.40	(0.02)	1,198	3.40
ERW	7.60	(0.20)	51,173	7.59	ORI	18.50	0.10	21,457	18.46	SNC	14.60	(0.10)	3,918	14.61
GRAND	0.88	-	2,569	0.89	PACE	0.42	-	136,064	0.42	TCJ	6.30	(0.10)	1,269	6.30
LRH	35.00	-	59	35.00	PF	0.87	(0.02)	77,557	0.87	VARO	7.20	0.20	1	7.20
MAMRIN	-	-	-	-	PLAT	7.60	(0.25)	21,093	7.69	Property Fund & REI				
OHTL	-	-	-	-	POLAR	-	-	-	-	AIMIRT	9.95	(0.05)	589	10.00
ROH	40.50	-	15	40.50	PRECHA	1.57	(0.03)	542	1.59	AMATAR	10.60	-	107	10.50
SHANG	67.75	-	7	67.75	PRIN	1.58	(0.02)	14,537	1.59	B-WORK	10.20	(0.10)	720	10.26
Home & Office Prod.					PRINC	6.40	(0.10)	17,596	6.42	BKKCP	11.90	(0.10)	520	11.98
ACC	0.50	-	6,433	0.49	PSH	20.90	(0.30)	38,397	20.95	BOFFICE	12.40	(0.10)	15,365	12.40
AJA	0.44	(0.02)	39,534	0.45	QH	3.12	-	1,097,777	3.14	CPNCG	14.40	-	1,217	14.40
DTCI	27.50	-	1	27.50	RICHY	1.67	0.01	5,662	1.67	CPNREIT	23.40	0.10	5,018	23.34
FANCY	1.01	(0.02)	5,477	1.02	RML	1.01	(0.04)	29,596	1.02	CPGTF	13.00	-	80	13.00
KYE	418.00	(4.00)	28	418.14	ROJNA	5.60	(0.20)	9,438	5.63	CRYSTAL	10.30	-	125	10.20
L&E	2.82	(0.02)	430	2.82	S	3.20	(0.08)	61,545	3.23	CTARAF	4.76	(0.02)	313	4.77
MODERN	4.54	(0.14)	2,783	4.61	SAMCO	2.24	(0.04)	257	2.24	DREIT	5.50	(0.05)	220	5.46
OGC	38.25	(0.50)	3	38.42	SC	3.52	(0.08)	26,458	3.59	ERWPF	5.70	-	200	5.70
ROCK	-	-	-	-	SENA	3.56	(0.08)	18,716	3.58	FUTUREPF	20.90	(0.10)	878	20.89
SIAM	1.92	(0.02)	723	1.90	SF	8.75	(0.10)	23,965	8.74	GAHREIT	9.85	0.05	117	9.85
TSR	2.26	(0.10)	5,323	2.30	SIRI	1.62	(0.03)	418,405	1.63	GLANDRT	12.20	(0.10)	10,565	12.30
Insurance					SPALI	23.90	(0.30)	106,302	23.74	GOLDPF	7.20	(0.10)	1,000	7.20
AYUD	41.25	(0.25)	404	41.25	TICON	17.10	(0.10)	478	17.02	GVREIT	14.50	0.10	85	14.44
BKI	353.00	(1.00)	124	352.71	U	0.03	-	1,683,836	0.03	HPF	5.30	(0.10)	830	5.35
BLA	31.50	(0.75)	4,299	31.94	UV	7.25	(0.45)	49,214	7.47	HREIT	6.90	-	877	6.93
BUI	-	-	-	-	WHA	3.96	(0.08)	760,137	3.98	IMPACT	17.00	(0.20)	4,269	17.12
CHARAN	-	-	-	-	WIN	0.61	-	1,892	0.61	KPNPF	9.45	(0.05)	160	9.49
INSURE	-	-	-	-	Paper & Printing Mat					LHHOTEL	15.30	(0.10)	413	15.30
MTI	125.00	2.00	10	125.00	UTP	11.70	-	8,137	11.70	LHPF	8.25	(0.05)	62	8.25
NKI	55.00	(3.50)	7	55.00	Fashion	-	-	-	-	LHSC	15.30	(0.20)	1,479	15.29
NSI	80.00	(2.75)	4	81.50	AFC	-	-	-	-	LUXF	-	-	-	-
SMK	41.00	(0.50)	43	41.03	BTNC	-	-	-	-	M-II	-	-	-	-
THRE	1.19	(0.03)	35,729	1.21	CPH	-	-	-	-	M-PAT	10.10	-	90	10.30
THREL	7.75	(0.30)	6,751	7.85	CPL	3.16	0.02	11	3.11	M-STOR	-	-	-	-
TIC	33.75	(0.25)	166	33.76	DIGI	0.45	(0.02)	15,249	0.46	MIPF	-	-	-	-
TIP	22.80	(0.40)	4,125	22.99	ICC	38.00	(0.25)	10	38.03	MIT	-	-	-	-
TSI	0.52	0.01	1,873	0.51	LTX	75.00	-	2	75.25	MJLF	12.40	-	60	12.40
TVI	3.60	0.02	1,970	3.63	NC	14.80	(0.40)	129	14.86	MNIT	-	-	-	-
Mining					PAF	0.97	(0.03)	2,205	0.99	MNIT2	-	-	-	-
PDI	16.70	(0.30)	5,152	16.87	PDJ	2.80	(0.10)	1,193	2.84	MNRF	3.52	-	164	3.41
THL	-	-	-	-	PG	7.05	(0.10)	13	7.06	MONTRI	-	-	-	-
Packaging					SABINA	29.00	(0.25)	99	28.74	POPF	13.70	-	48	13.68
AJ	10.80	-	523	10.73	SAWANG	-	-	-	-	PPF	11.20	-	100	11.20
ALUCON	210.00	(1.00)	6	210.00	SUC	43.25	(0.25)	271	43.20	QHHR	8.70	(0.10)	1,751	8.64
CSC	42.00	(1.00)	296	42.10	TNL	18.00	0.50	10	18.00	QHOP	3.72	-	143	3.73
NEP	0.42	-	4,466	0.42	TPCORP	14.90	(0.10)	32	14.90	QHPP	11.90	-	10,450	11.82
NPP	1.29	0.02	20,278	1.29	TR	49.00	0.50	20	48.38	SBPF	3.02	(0.02)	5	3.02
PTL	15.20	(0.40)	5,036	15.33	TTI	-	-	-	-	SHREIT	9.30	(0.05)	6	9.31
SITHAI	1.26	-	2,041	1.26	TTL	-	-	-	-	SIRIP	11.00	(0.10)	300	11.00
SLP	0.95	(0.01)	1,370	0.95	TTTM	132.50	(1.50)	8	132.94	SPF	23.20	(0.10)	3,990	23.20
SMPC	13.30	-	628	13.22	UPF	-	-	-	-	SRIANWA	11.00	-	438	11.00
SPACK	1.95	(0.03)	181	1.96	UT	13.00	(0.10)	11	13.00	SSPF	10.00	-	30	10.00
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SSTPF	-	-	-	-
TFI	0.38	-	557	0.37	Transportation & Log					SSTRT	6.25	(0.10)	1	6.25
THIP	36.25	-	300	36.09	AAV	5.25	(0.10)	64,832	5.26	TIF1	8.65	0.10	1	8.65
TMD	21.10	(0.10)	14	21.10	AOT	64.25	(1.00)	358,636	64.58	TLGF	17.90	(0.20)	2,325	18.02
TOPP	-	-	-	-	ASIMAR	2.80	-	3,640	2.83	TLHPF	-	-	-	-
TPBI	8.80	(0.35)	1,874	8.90	B	0.63	(0.01)	5,552	0.64	TNPF	-	-	-	-
TPP	-	-	-	-	BA	14.10	(0.10)	8,563	14.07	TPRIME	11.80	-	661	11.80
Personal Products &					BEM	7.70	0.10	453,533	7.66	TREIT	11.20	(0.10)	26,461	11.21
APCO	5.10	-	1,614	5.04	BTS	9.25	(0.15)	474,661	9.23	TTLPF	24.30	0.50	7	24.30
DDD	67.00	1.00	12,638	66.72	BTSGIF	12.00	-	45,341	12.01	TU-PF	1.72	(0.23)	20	1.72
JCT	-	-	-	-	IH	5.05	(0.10)	7,722	5.06	URBNPF	-	-	-	-
OCC	-	-	-	-	JUTHA	1.80	(0.07)	210	1.81	WHABT	10.00	-	869	10.00
S & J	-	-	-	-	JWD	6.50	(0.20)	16,398	6.56	WHART	10.00	(0.20)	11,130	9.98
STHAI	-	-	-	-	KWC	-	-	-	-	Steel	-	-	-	-
TNR	14.90	(0.10)	1,748	15.00	NOK	2.78	(0.02)	9,311	2.78	AMC	2.54	(0.04)	4,740	2.52
TOG	4.88	(0.02)	470	4.90	NYT	5.40	(0.20)	6,554	5.44	BSBM	1.16	-	4,911	1.16
Professional Service					PRM	7.30	(0.20)	15,253	7.39	CEN	1.31	(0.01)	2,612	1.32
BWG	1.14	(0.02)	156,550	1.14	PSL	11.00	(0.40)	38,143	11.13	CITY	2.68	(0.02)	767	2.67
GENCO	0.79	(0.03)	8,700	0.80	RCL	5.35	(0.10)	6,452	5.37	CSP	1.44	(0.03)	221	1.45
PRO	-	-	-	-	THAI	14.40	(0.30)	18,475	14.52	GJS	0.33	(0.01)	26,746	0.33
Property Developme					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	700	6.70	TTA	7.20	(0.25)	53,901	7.25	INOX	1.17	(0.01)	100	1.17
AMATA	19.80	(0.80)	150,273	20.11	WICE	3.92	(0.10)	31,290	3.95	LHK	4.70	0.04	4,612	4.70
AMATAV	6.60	(0.10)	1,216	6.63	Automotive					MAX	0.03	0.01	211,670	0.02
ANAN	4.98	(0.07)	284,150	5.01	AH	37.00	(0.25)	3,257	37.02	MCS	7.30	(0.10)	11,737	7.27
AP	8.75	(0.15)	48,213	8.72	APCS	5.40	(0.05)	3,629	5.32	MILL	1.38	(0.04)	7,511	1.41
APEX	0.18	-	16,498	0.18	BAT-3K	206.00	(4.00)	2	206.00	PAP	4.14	(0.02)	1,321	4.15
AQ	0.04	0.01	396,191	0.04	CWT	3.18	(0.12)	10,426	3.25	PERM	2.24	-	1,589	2.25
BLAND	1.87	(0.03)	506,829	1.87	EASON	3.30	(0.08)	20	3.30	RICH	-	-	-	-
BROCK	2.50	(0.02)	1,940	2.54	GYT	381.00	-	17	381.00	SAM	0.69	-	3,627	0.70
CGD	1.36	(0.01)	21,992	1.35	HFT	3.24	(0.06)	3,157	3.26	SMIT	5.65	(0.05)	435	5.65
CI	1.61	(0.01)	2,570	1.61	IHL	8.50	(0.05)	2,713	8.51	SSI	-	-	-	-
CPN	70.25	(0.25)	120,634	70.42	INGRS	0.71	(0.03)	57,807	0.73	SSSC	3.06	(0.02)	2,138	3.03
ESTAR	0.67	-	30,801	0.66	IRC	20.30	-	11	20.31	TGPRO	0.19	(0.01)	128,410	0.20
EVER	0.38	-	41,510	0.38	PCSGH	7.05	(0.15)	4,428	7.19	THE	2.48	(0.08)	39,229	2.52
GLAND	2.46	(0.10)	56,594	2.50	SAT	23.40	(0.20)	8,908	23.53	TIW	428.00	4.00	12	426.83
GOLD	10.40	(0.20)	28,235	10.43	SPG	16.80	-	3	16.80	TMT	14.70	-	649	14.77
GREEN	1.02	0.01	60	1.01	STANLY	254.00	1.00	47	253.49	TSSTH	0.78	0.01	3,102	0.79
J	1.68	-	95	1.64	TKT	1.64	0.01	570	1.64	TUCC	-	-	-	-
JCK	1.56	-	2,724	1.55	TNCP	1.54	(0.02)	700	1.54	TWP	4.16	0.02	12	4.16
KC	-	-	-	-	TRU									

Main Board Quotation

Issue Date :

Thursday June 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	UMS	0.93	0.02	2	-	ADVA11C1807A	0.07	(0.02)	2,400	-
ABICO	6.05	0.10	850	5.00	UWC	0.08	-	152,814	-	ADVA11P1807A	0.30	0.07	37,500	-
AU	10.20	(0.20)	6,414	10.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.08	(0.02)	13,971	-
FC	0.43	-	81,603	-	ADAM	-	-	-	-	ADVA13C1811A	0.48	(0.09)	144,722	-
JCKH	1.15	0.02	10,851	1.00	AKP	1.72	-	205	1.00	ADVA13P1809A	0.44	0.07	66,379	-
KASET	2.18	(0.02)	740	2.00	AMA	5.90	(0.20)	2,815	5.00	ADVA16C1812A	0.42	(0.05)	732	-
MM	4.04	(0.04)	348	4.00	ARIP	0.53	(0.02)	474	-	ADVA18C1808A	0.37	(0.08)	6,333	-
SUN	3.24	(0.04)	8,752	3.00	ATP30	1.65	(0.02)	2,151	1.00	ADVA23C1806A	0.03	(0.06)	37,560	-
TACC	4.16	(0.16)	5,814	4.00	AUCT	6.30	(0.15)	19,178	6.00	ADVA24C1810A	0.31	(0.15)	1,500	-
TMILL	2.96	-	3,138	2.00	BOL	1.88	(0.01)	642	1.00	ADVA24P1810A	0.36	0.07	40	-
XO	7.80	0.10	8,668	7.00	CHUO	-	-	-	-	ADVA28C1808A	0.04	(0.02)	601	-
Consumer Products	-	-	-	-	CMO	1.50	(0.02)	2,094	1.00	ADVA28C1811A	0.39	(0.08)	364,405	-
BGT	1.07	(0.03)	1,042	1.00	D	10.60	0.10	1,300	10.00	ADVA28P1810A	0.57	0.10	477,267	-
BIZ	2.94	(0.06)	3,380	2.00	DCORP	2.96	(0.08)	3,010	2.00	AMAT01C1806A	0.01	-	22,950	-
DOD	12.90	(1.80)	3,178,291	14.00	DNA	0.42	-	33,748	-	AMAT01C1810A	0.75	(0.07)	49,008	-
ECF	7.10	-	19,797	7.00	EFORL	0.07	(0.01)	199,267	-	AMAT01C1810B	0.61	(0.05)	27,926	-
HPT	1.03	0.01	2,233	1.00	ETE	2.20	(0.04)	44,890	2.00	AMAT01P1806A	0.72	0.04	10,396	-
JUBILE	22.90	-	600	22.00	FSMART	9.80	(0.10)	11,062	9.00	AMAT01P1810A	1.27	0.08	20,210	1.00
MOONG	6.00	(0.30)	6,889	6.00	FVC	1.46	(0.04)	383	1.00	AMAT06C1809A	0.09	(0.02)	4	-
NPK	-	-	-	-	HARN	2.62	(0.02)	4,573	2.00	AMAT08C1807A	-	-	-	-
OCEAN	1.98	0.13	298,622	1.00	JKN	9.75	(0.45)	31,798	10.00	AMAT08C1809A	0.13	(0.06)	14,348	-
TM	1.98	(0.04)	1,991	2.00	KIAT	0.42	(0.02)	105,238	-	AMAT11C1903A	0.39	(0.03)	7,946	-
Financials (MAI)	-	-	-	-	KOOL	1.74	(0.03)	8,473	1.00	AMAT13C1809A	0.13	(0.04)	81,551	-
ACAP	7.30	(0.15)	2,550	7.00	LDC	1.12	(0.02)	3,643	1.00	AMAT19C1811A	0.26	(0.03)	9,188	-
AF	0.89	-	571	-	MPG	0.22	(0.01)	35,347	-	AMAT23C1810A	0.23	(0.07)	4,560	-
AIRA	2.06	-	9,237	2.00	NBC	0.74	(0.01)	1,099	-	AMAT24C1807A	-	-	-	-
ASN	3.50	(0.10)	300	3.00	NCL	1.45	(0.01)	1,114	1.00	AMAT24C1811A	0.38	(0.05)	1,910	-
BROOK	0.57	(0.02)	33,818	-	NEWS	0.01	-	702,607	-	AMAT28C1808A	0.08	(0.02)	33,630	-
CHAYO	3.86	0.12	856,883	3.00	NINE	1.38	(0.02)	1,209	1.00	AMAT42C1806A	-	-	-	-
GCAP	4.82	(0.14)	9,732	4.00	OTO	2.96	(0.02)	258	2.00	ANAN01C1807A	0.10	(0.01)	111,725	-
LIT	8.50	(0.15)	2,954	8.00	PHOL	2.46	-	756	2.00	ANAN01C1810A	1.06	(0.05)	41,764	1.00
SGF	0.13	-	69,172	-	PICO	6.25	(0.10)	171	6.00	ANAN01C1810B	0.99	(0.09)	19,408	1.00
Industrials (MAI)	-	-	-	-	PORT	6.60	(0.25)	3,844	6.00	ANAN08C1808A	0.04	-	5,815	-
2S	3.24	0.02	924	3.00	QLT	4.76	0.02	1,064	4.00	ANAN08C1810A	1.10	(0.02)	1,030	1.00
ADB	1.23	(0.01)	7,921	1.00	RP	3.46	(0.12)	2,789	3.00	ANAN19C1811A	0.68	(0.02)	15,770	-
BM	3.60	0.04	32,783	3.00	SE	2.16	(0.04)	2,241	2.00	ANAN23C1806A	-	-	-	-
CHO	1.28	(0.03)	5,735	1.00	SPA	15.80	(0.20)	449	15.00	ANAN24C1807A	-	-	-	-
CHOW	5.00	(0.05)	787	5.00	THMUJ	1.45	(0.03)	1,967	1.00	ANAN24C1811A	0.87	(0.05)	5,800	-
CIG	0.37	-	3,329	-	TNDT	4.94	(0.11)	45	4.00	ANAN28C1809A	0.68	(0.05)	47,035	-
COLOR	1.12	(0.02)	31	1.00	TNH	38.50	(1.50)	1,096	38.00	AOT01C1808A	0.26	(0.05)	397,540	-
CPR	5.05	-	649	5.00	TNP	2.04	-	5,553	2.00	AOT01C1808B	0.03	-	35,643	-
FPI	2.88	(0.06)	3,091	2.00	TSF	0.06	-	27,662	-	AOT01C1810A	0.32	(0.06)	233,673	-
GTB	0.79	(0.02)	5,562	-	TVD	1.47	(0.04)	841	1.00	AOT01P1808A	0.97	0.06	170,629	-
KCM	1.16	(0.06)	47,181	1.00	TVT	1.05	(0.01)	3,136	1.00	AOT01P1808B	0.41	0.06	157,795	-
LVT	-	-	-	-	WINNER	3.30	(0.08)	2,690	3.00	AOT06C1806A	1.40	(0.04)	9,450	1.00
MBAX	3.94	(0.04)	61	3.00	Technology (MAI)	-	-	-	-	AOT06C1809A	0.08	(0.03)	2,260	-
MGT	2.14	-	1,128	2.00	COMAN	3.70	(0.10)	1,739	3.00	AOT08C1806A	0.04	(0.04)	8,600	-
NDR	2.24	(0.02)	702	2.00	ICN	2.50	(0.04)	67,377	2.00	AOT08C1807A	0.02	-	200	-
PDG	3.70	(0.02)	646	3.00	IRCP	1.53	0.01	1,072	1.00	AOT11C1808A	0.41	(0.07)	52,509	-
PIMO	2.64	(0.04)	2,211	2.00	ITEL	3.34	(0.04)	3,309	3.00	AOT11P1808A	0.10	-	9,290	-
PJW	1.79	(0.03)	4,035	1.00	NETBAY	36.50	(0.25)	1,290	36.00	AOT13C1807A	-	-	-	-
PPM	2.40	(0.16)	2,021	2.00	PLANET	1.87	0.01	36	1.00	AOT13C1809A	0.08	(0.02)	14,500	-
RWI	1.49	-	2,986	1.00	SIMAT	2.58	(0.06)	4,332	2.00	AOT13C1811A	0.26	(0.03)	90,320	-
SALEE	1.05	(0.07)	1,418	1.00	SKY	15.50	(0.20)	7,385	15.00	AOT13P1810A	0.61	0.05	86,854	-
SANKO	1.27	(0.02)	1,797	1.00	SPVI	1.26	(0.07)	29,018	1.00	AOT19C1809A	0.18	(0.03)	124,814	-
SELIC	1.94	(0.08)	102,935	2.00	UPA	0.42	(0.01)	24,499	-	AOT23C1807A	0.24	(0.07)	54,824	-
SWC	24.10	(0.80)	273	24.00	VCOM	3.40	(0.26)	145,860	3.00	AOT23P1807A	0.02	-	1	-
TAPAC	10.70	(0.70)	18,846	10.00	Unit Trust	-	-	-	-	AOT24C1806A	-	-	-	-
TMC	0.91	-	4,411	-	MGE	-	-	-	-	AOT24C1807A	-	-	-	-
TMI	0.81	(0.01)	5,025	-	SCBSET	-	-	-	-	AOT24C1811A	0.18	(0.02)	80	-
TMW	66.25	(0.50)	568	66.00	ETF	-	-	-	-	AOT24P1809A	0.22	0.01	3,906	-
TPAC	11.70	(0.40)	403	11.00	1DIV	12.30	(0.04)	16	12.00	AOT28C1807A	-	-	-	-
UAC	4.74	(0.12)	1,222	4.00	ABFTH	-	-	-	-	AOT28C1809A	0.11	(0.02)	21,500	-
UBIS	4.96	(0.04)	184	4.00	BMSCG	8.87	(0.14)	1,535	8.00	AP01C1809A	0.45	(0.03)	14,156	-
UEC	1.33	(0.11)	12,267	1.00	BMSCITH	12.60	(0.25)	8,278	12.00	AP01C1809B	0.22	(0.03)	12,710	-
UKEM	0.87	(0.02)	5,593	-	BSET100	10.36	(0.21)	6,461	10.00	AP08C1810A	0.39	(0.08)	10,634	-
UREKA	0.50	(0.01)	12,887	-	CHINA	5.94	(0.14)	135	5.00	AP23C1901A	0.18	(0.02)	7,000	-
YUASA	17.30	(0.30)	1,030	17.00	EBANK	5.49	(0.06)	5	5.00	AP24C1901A	-	-	-	-
ZIGA	2.74	(0.16)	52,204	2.00	ECOMM	8.40	(0.13)	1	8.00	AP42C1901A	-	-	-	-
Property & Construc	-	-	-	-	EFOOD	5.55	(0.07)	40	5.00	AP42P1901A	0.46	(0.03)	5,432	-
ARROW	9.85	(0.15)	1,251	9.00	EICT	4.53	(0.11)	1	4.00	BA11C1902A	0.17	-	6,340	-
BKD	3.28	-	4,819	3.00	ENGY	6.04	(0.14)	11	6.00	BA19C1811A	-	-	-	-
BSM	0.71	0.01	1,912	-	ENY	-	-	-	-	BA23C1806A	-	-	-	-
BTW	1.71	-	431	1.00	ESET50	5.58	(0.21)	1	5.00	BA24C1810A	-	-	-	-
CHEWA	1.02	(0.01)	33,762	1.00	GLD	1.78	0.01	402	1.00	BA24C1901A	0.15	(0.04)	1,500	-
CRD	1.09	(0.03)	6,304	1.00	TDEX	10.53	(0.19)	5,716	10.00	BA28C1809A	0.03	(0.01)	500	-
DIMET	1.22	0.02	68,941	1.00	TGOLDEF	-	-	-	-	BA42C1806A	-	-	-	-
FLOYD	2.62	0.10	384,710	2.00	TH100	-	-	-	-	BANP01C1806A	0.62	(0.08)	93,994	-
FOCUS	0.91	0.01	4,300	-	Warrant Foreign	-	-	-	-	BANP01C1808A	0.26	(0.06)	392,164	-
HYDRO	1.54	-	8,300	1.00	AAV01C1808A	0.17	-	9,218	-	BANP01C1808B	0.06	(0.02)	43,542	-
JSP	0.65	(0.02)	63,507	-										

Main Board Quotation

Issue Date :

Thursday June 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP28C1810A	0.29	(0.06)	355,634	-	BEC08C1807A	-	-	-	-	BTS28C1811A	0.07	-	4,000	-
BBL06C1806A	-	-	-	-	BEC08C1809A	0.01	-	4	-	BTS42C1901A	0.25	(0.01)	1,004	-
BBL08C1808A	-	-	-	-	BEC13C1806A	-	-	-	-	BTS42P1901A	0.38	(0.02)	10,300	-
BBL08C1809A	0.11	(0.02)	6,257	-	BEC13C1808A	0.02	-	3,225	-	CBG01C1806A	0.01	(0.01)	49,500	-
BBL08P1810A	0.34	-	81,724	-	BEC13C1811A	0.17	(0.05)	67,255	-	CBG01C1806B	0.01	(0.01)	9,999	-
BBL11C1903A	0.50	(0.05)	47,358	-	BEC19C1809A	0.01	(0.01)	4,000	-	CBG01C1809A	0.10	(0.01)	23,785	-
BBL11P1903A	0.64	0.03	34,177	-	BEC23C1807A	-	-	-	-	CBG01C1811A	0.72	(0.01)	27,211	-
BBL13C1807A	0.05	(0.01)	2,510	-	BEC23C1809A	-	-	-	-	CBG01C1811B	0.46	(0.02)	25,393	-
BBL13C1810A	0.51	(0.05)	56,193	-	BEC24C1809A	-	-	-	-	CBG01P1806A	2.68	0.02	9,006	2.00
BBL23C1811A	0.24	(0.03)	17,000	-	BEC24C1812A	-	-	-	-	CBG01P1811A	0.85	0.01	28,103	-
BBL24C1809A	-	-	-	-	BEC28C1808A	-	-	-	-	CBG01P1811B	0.51	0.01	35,314	-
BBL24C1812A	0.64	(0.07)	100	-	BEC28C1809A	-	-	-	-	CBG06C1807A	0.48	(0.03)	23,133	-
BBL24P1810A	0.28	0.02	153	-	BEC28C1811A	0.31	(0.06)	179,600	-	CBG06C1809A	0.23	-	523	-
BBL27C1809A	0.15	(0.02)	13,078	-	BEM01C1808A	0.32	0.02	36,311	-	CBG06P1809A	0.91	(0.02)	8,132	-
BBL28C1808A	0.05	0.01	1	-	BEM01C1808B	0.08	0.01	10,254	-	CBG07C1806A	-	-	-	-
BBL28C1811A	0.48	(0.04)	145,699	-	BEM01P1808A	0.30	(0.01)	9,612	-	CBG08C1808A	-	-	-	-
BCH01C1808A	0.30	(0.03)	76,957	-	BEM08C1809A	0.19	0.01	38,192	-	CBG08C1810A	0.16	(0.01)	24,760	-
BCH01C1808B	0.09	(0.01)	99,873	-	BEM11C1903A	0.21	0.02	6,831	-	CBG11C1902A	0.29	(0.01)	15,947	-
BCH01P1808A	0.46	0.05	38,182	-	BEM13C1809A	0.19	0.02	38,400	-	CBG13C1808A	0.02	(0.01)	8,000	-
BCH06C1806A	-	-	-	-	BEM23C1901A	0.17	0.01	8,100	-	CBG13C1809A	0.08	(0.01)	1,700	-
BCH06C1811A	-	-	-	-	BEM24C1809A	0.18	(0.02)	1,001	-	CBG13C1811A	0.37	(0.03)	101,430	-
BCH08C1806A	-	-	-	-	BEM28C1807A	-	-	-	-	CBG13P1806A	0.55	(0.05)	4	-
BCH11C1807A	0.08	(0.02)	3,328	-	BEM28C1808A	0.14	0.02	124,576	-	CBG18C1808A	-	-	-	-
BCH13C1810A	0.10	(0.01)	2,054	-	BEM42C1806A	-	-	-	-	CBG19C1810A	0.22	(0.01)	10,006	-
BCH19C1809A	0.09	(0.02)	4,640	-	BEM42P1806A	-	-	-	-	CBG23C1806A	-	-	-	-
BCH23C1811A	0.21	(0.03)	10,000	-	BH01C1806A	0.31	(0.05)	117,831	-	CBG23C1901A	0.29	(0.01)	16,002	-
BCH24C1811A	-	-	-	-	BH01C1806B	0.01	(0.01)	11,830	-	CBG24C1807A	-	-	-	-
BCH28C1807A	-	-	-	-	BH01C1811A	0.73	(0.04)	48,850	-	CBG24C1809A	-	-	-	-
BCH28C1811A	0.16	(0.02)	64,033	-	BH01C1811B	0.33	(0.04)	17,403	-	CBG24C1811A	0.47	(0.04)	12,500	-
BCH42C1806A	-	-	-	-	BH01P1806A	1.00	0.06	13,913	1.00	CBG28C1808A	0.01	-	950	-
BCP01C1810A	0.15	(0.03)	40,537	-	BH01P1811A	1.43	0.04	23,124	1.00	CBG28C1808B	-	-	-	-
BCP01C1810B	0.07	(0.02)	35,560	-	BH07C1810A	0.04	(0.01)	220	-	CBG28C1811A	0.35	(0.01)	45,378	-
BCP01P1810A	0.62	0.06	35,359	-	BH08C1811A	0.08	(0.01)	3,629	-	CBG42C1806A	-	-	-	-
BCP07C1806A	-	-	-	-	BH11C1902A	0.08	(0.01)	5,010	-	CENT01C1810A	0.37	(0.02)	26,149	-
BCP08C1806A	-	-	-	-	BH24C1806A	-	-	-	-	CENT01C1810B	0.21	(0.02)	22,396	-
BCP11C1811A	0.08	(0.02)	4,026	-	BH24C1809A	0.12	(0.03)	154	-	CENT01P1810A	0.98	0.04	41,790	-
BCP13C1810A	0.05	(0.02)	15,320	-	BH24C1811A	-	-	-	-	CENT08C1809A	0.08	-	900	-
BCP24C1808A	-	-	-	-	BIG08C1807A	-	-	-	-	CENT11C1806A	0.23	(0.06)	17,700	-
BCP24C1811A	-	-	-	-	BIG13C1808A	-	-	-	-	CENT11C1904A	0.32	(0.02)	29,600	-
BCP28C1807A	-	-	-	-	BIG19C1811A	0.18	(0.03)	4,760	-	CENT13C1811A	0.13	(0.02)	33,255	-
BCP28C1809A	0.04	(0.06)	920	-	BIG24C1808A	-	-	-	-	CENT23C1806A	-	-	-	-
BCP28C1809B	-	-	-	-	BIG24C1812A	-	-	-	-	CENT24C1807A	-	-	-	-
BCPG01C1806A	-	-	-	-	BIG28C1807A	-	-	-	-	CENT24C1810A	-	-	-	-
BCPG01C1806B	0.01	-	5,190	-	BJC01C1807A	0.13	(0.09)	48,222	-	CENT28C1808A	0.04	0.01	1,450	-
BCPG01C1811A	0.35	(0.07)	14,630	-	BJC01C1807B	0.01	(0.01)	7,400	-	CHG01C1809A	0.34	(0.02)	24,016	-
BCPG01C1811B	0.20	(0.05)	22,572	-	BJC01P1807A	1.08	0.20	65,411	1.00	CHG01C1809B	0.50	(0.03)	26,278	-
BCPG06C1807A	-	-	-	-	BJC06C1807A	-	-	-	-	CHG01P1809A	0.29	0.02	24,447	-
BCPG06C1811A	-	-	-	-	BJC06C1901A	0.19	(0.09)	17,532	-	CHG08C1807A	0.03	(0.01)	1,000	-
BCPG07C1806A	-	-	-	-	BJC07C1809A	-	-	-	-	CHG11C1807A	-	-	-	-
BCPG08C1806A	-	-	-	-	BJC08C1807A	-	-	-	-	CHG11C1904A	0.21	(0.01)	16,950	-
BCPG08C1810A	0.21	(0.06)	241,526	-	BJC08C1809A	0.06	(0.04)	17,601	-	CHG13C1807A	0.04	(0.01)	4,020	-
BCPG11C1807A	0.42	(0.10)	14,826	-	BJC11C1807A	0.17	(0.12)	19,801	-	CHG13C1809A	0.53	(0.03)	31,936	-
BCPG11C1902A	0.16	(0.02)	3,833	-	BJC13C1807A	-	-	-	-	CHG23C1811A	0.73	(0.04)	2,000	-
BCPG13C1807A	0.01	-	30	-	BJC13C1808A	0.05	(0.03)	4,198	-	CHG24C1808A	-	-	-	-
BCPG13C1810A	0.17	(0.05)	130,172	-	BJC13C1810A	0.15	(0.07)	73,082	-	CHG24C1811A	0.16	(0.01)	2,850	-
BCPG23C1806A	0.03	(0.04)	12,500	-	BJC19C1809A	0.15	(0.07)	54,637	-	CHG28C1807A	0.05	(0.01)	2,321	-
BCPG24C1806A	-	-	-	-	BJC23C1806A	0.01	(0.04)	4,551	-	CHG28C1808A	0.43	(0.03)	32,600	-
BCPG24C1807A	-	-	-	-	BJC24C1808A	-	-	-	-	CK01C1809A	0.23	(0.01)	60,564	-
BCPG24C1810A	-	-	-	-	BJC27C1807A	0.03	(0.02)	6,000	-	CK01C1809B	0.40	(0.05)	35,770	-
BCPG28C1808A	-	-	-	-	BJC28C1808A	0.05	(0.03)	16,000	-	CK01P1809A	0.32	0.04	19,682	-
BCPG28C1809A	0.17	(0.04)	79,754	-	BLA01C1812A	0.21	(0.02)	8,092	-	CK08C1809A	0.34	(0.01)	160	-
BDM501C1806A	0.88	0.04	892	-	BLA07C1806A	-	-	-	-	CK11C1806A	-	-	-	-
BDM501C1806B	0.40	0.03	14,111	-	BLA08C1811A	-	-	-	-	CK11C1904A	0.21	-	100	-
BDM501C1811A	0.22	-	72,856	-	BLA13C1809A	-	-	-	-	CK13C1809A	0.12	(0.01)	13,664	-
BDM501C1811B	0.13	-	100,725	-	BLA23C1806A	-	-	-	-	CK16C1812A	0.21	0.01	52	-
BDM501P1806A	0.02	(0.01)	20,114	-	BLA27C1806A	-	-	-	-	CK19C1811A	0.15	(0.02)	16,142	-
BDM501P1811A	0.35	(0.01)	60,729	-	BLA28C1810A	0.05	(0.02)	1,400	-	CK23C1808A	-	-	-	-
BDM506C1811A	0.64	0.04	1,814	-	BLAN01C1809A	0.50	(0.02)	18,547	-	CK24C1806A	-	-	-	-
BDM508C1807A	0.47	0.07	700	-	BLAN01C1809B	0.13	(0.02)	7,830	-	CK24C1808A	-	-	-	-
BDM511C1811A	0.73	(0.04)	2,505	-	BLAN01P1809A	0.18	0.01	5,222	-	CK24C1901A	-	-	-	-
BDM511C1904A	0.12	(0.01)	5,511	-	BLAN08C1810A	0.22	-	12,992	-	CK28C1809A	0.42	(0.03)	48,426	-
BDM513C1807A	0.46	0.04	100	-	BLAN11C1902A	0.23	-	14,041	-	CK28C1812A	-	-	-	-
BDM513C1810A	0.48	-	35,883	-	BLAN23C1807A	-	-	-	-	CKP1C1807A	0.48	(0.03)	18,204	-
BDM513C1812A	0.15	-	26,475	-	BPP01C1806A	0.06	(0.01)	6,130	-	CKP13C1810A	0.38	(0.04)	72,636	-
BDM516C1812A	0.84	0.04	8,035	-	BPP01C1806B	0.01	-	1,000	-	CKP23C1810A	0.44	(0.03)	1,000	-
BDM523C1810A	0.47	0.02	701	-	BPP01C1811A	0.19	(0.01)	7,364	-	CKP24C1811A	-	-	-	-
BDM524C1811A	0.38	0.03	6,055	-	BPP01C1811B	0.10	(0.01)	27,548	-	CKP27C1806A	-	-	-	-
BDM524C1812A	-	-	-	-	BPP06C1809A	0.32	(0.03)	7,064	-	CKP28C1809A	0.17	(0.02)	20,384	-
BDM528C1811A	0.10	(0.01)	52,217	-	BPP07C1806A	-	-	-	-	CKP28C1809B	0.44	(0.05)	46,439	-
BEAU01C1807A	0.07	(0.02)	150,838	-	BPP08C1807A	-	-	-	-	CKP42C1806A	0.12	(0.01)	500	-
BEAU01C1807B	0.01	-	4,355	-	BPP08C1810A	-	-	-	-	COM701C1806A	0.54	(0.03)	11,600	-
BEAU01C1812A	0.48	(0.05)	77,711	-	BPP11C1807A	-	-	-	-	COM701C1806B	0.13	(0.03)	19,723	-
BEAU01C1812B	0.39	(0.04)	59,188	-	BPP13C1806A	-	-	-	-	COM701C1811A	0.53	(0.03)	8,514	-
BEAU01P1807A	1.48	0.14	146,953	1.00	BPP13C1808A	0.26	(0.03)	27,166	-	COM701C1811B	0.37	(0.02)	6,434	-
BEAU01P1812A	0.84	0.06	101,185	-	BPP13C1811A	0.09	(0.01)	4,700	-	COM706C1809A	0.27	-	3,134	-
BEAU06C1809A	0.04	(0.01)	3,950	-	BPP23C1806A	-	-	-	-	COM708C1811A	0.18	(0.02)	22,555	-
BEAU07C1809A	0.02	-	8,001	-	BPP24C1809A	-	-	-	-	COM711C1811A	0.39	(0.03)	13,822	-
BEAU08C1808A	0.01	-	2,008	-	BPP28C1807A	-	-	-	-	COM713C1809A	0.11	(0.02)	46,902	-
BEAU11C1902A	0.15	(0.02)	20,638	-	BPP28C1808A	0.19	(0.02)	65,440	-	COM713C1812A	0.36	(0.02)	36,626	

Main Board Quotation

Issue Date :

Thursday June 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL08P1810A	0.94	0.01	22,136	-	EPG01C1809A	0.12	-	40,588	-	HMPR23C1901A	0.12	(0.02)	30,532	-
CPAL11C1903A	0.26	(0.01)	25,788	-	EPG01P1809A	0.97	0.03	15,389	-	HMPR24C1808A	0.10	-	1	-
CPAL11P1903A	0.91	0.01	29,200	-	EPG07C1811A	-	-	-	-	HMPR27C1807A	0.13	(0.04)	8,100	-
CPAL13C1807A	0.10	(0.01)	80,948	-	EPG08C1810A	0.03	-	4,000	-	HMPR28C1807A	0.01	(0.01)	3,880	-
CPAL19C1811A	0.36	(0.01)	14,256	-	EPG08C1810B	0.36	(0.03)	34,864	-	HMPR28C1811A	0.12	(0.02)	222,052	-
CPAL23C1810A	-	-	-	-	EPG11C1903A	0.34	(0.01)	35,924	-	ICHIO8C1806A	-	-	-	-
CPAL24C1808A	0.07	-	9,940	-	EPG13C1808A	0.02	(0.02)	17	-	INTU01C1809A	0.32	(0.03)	30,308	-
CPAL24C1811A	0.12	-	9,680	-	EPG13C1811A	0.23	(0.02)	16,869	-	INTU01C1809B	0.06	(0.01)	1,600	-
CPAL24P1901A	-	-	-	-	EPG23C1808A	-	-	-	-	INTU01P1809A	0.55	0.03	38,853	-
CPAL28C1809A	0.07	-	8,202	-	EPG24C1807A	-	-	-	-	INTU01P1809B	0.33	0.02	48,059	-
CPAL28C1811A	0.30	-	290,042	-	EPG24C1808A	-	-	-	-	INTU11C1807A	-	-	-	-
CPF01C1809A	0.73	(0.01)	136,488	-	EPG24C1810A	-	-	-	-	INTU11P1807A	0.41	0.02	9,504	-
CPF01C1809B	0.13	(0.01)	26,246	-	EPG28C1808A	-	-	-	-	INTU13C1810A	0.16	(0.01)	37,828	-
CPF01C1810A	0.20	(0.01)	34,626	-	ESS001C1807A	0.02	-	27,199	-	INTU23C1806A	-	-	-	-
CPF01P1809A	0.42	-	126,099	-	ESS001C1807B	-	-	-	-	INTU24C1807A	-	-	-	-
CPF06C1809A	0.45	(0.01)	12,228	-	ESS001C1812A	0.35	-	34,363	-	INTU24C1901A	-	-	-	-
CPF07C1810A	0.06	(0.01)	10,000	-	ESS001C1812B	0.24	-	27,824	-	INTU28C1809A	0.11	(0.01)	50,966	-
CPF08C1809A	0.33	(0.01)	3,652	-	ESS001P1807A	-	-	-	-	IRPC01C1808A	0.08	(0.02)	1,050,314	-
CPF11C1902A	0.09	(0.01)	10,305	-	ESS001P1812A	0.93	0.01	101,525	-	IRPC01C1810A	0.11	(0.01)	70,748	-
CPF11P1902A	0.37	0.01	8,836	-	ESS008C1807A	-	-	-	-	IRPC01C1810B	0.02	(0.01)	1,030	-
CPF13C1809A	0.42	-	47,872	-	ESS013C1807A	-	-	-	-	IRPC01P1808A	0.66	0.04	30,603	-
CPF13C1810A	0.12	-	15,834	-	ESS013C1811A	0.16	-	33,621	-	IRPC01P1810A	0.54	0.04	46,237	-
CPF23C1810A	0.39	(0.01)	21,000	-	ESSO23C1809A	-	-	-	-	IRPC01P1810B	0.39	0.04	54,807	-
CPF24C1809A	0.22	-	12,986	-	ESSO24C1806A	-	-	-	-	IRPC06C1811A	0.15	(0.02)	6,128	-
CPF28C1808A	0.30	(0.01)	261,016	-	ESSO24C1812A	0.15	0.03	4,000	-	IRPC08C1808A	0.02	(0.01)	4,000	-
CPF28C1811A	0.12	(0.01)	137,736	-	ESSO28C1807A	-	-	-	-	IRPC11C1902A	0.05	(0.01)	2,000	-
CPN01C1808A	0.18	(0.02)	66,930	-	ESSO28C1811A	0.15	0.01	49,460	-	IRPC13C1808A	-	-	-	-
CPN01C1808B	0.03	-	7,400	-	GFPT01C1807A	0.08	(0.02)	17,236	-	IRPC13C1811A	0.11	(0.01)	36,563	-
CPN06C1811A	0.31	(0.03)	25,985	-	GFPT08C1807A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPN08C1809A	0.04	(0.01)	3,100	-	GFPT11C1806A	0.01	(0.01)	800	-	IRPC24C1808A	0.21	(0.08)	15,940	-
CPN11C1903A	0.21	(0.01)	33,815	-	GFPT19C1811A	0.30	-	12,520	-	IRPC24C1809A	-	-	-	-
CPN11P1903A	0.88	0.01	34,568	-	GFPT23C1806A	-	-	-	-	IRPC24C1812A	-	-	-	-
CPN13C1807A	-	-	-	-	GFPT24C1806A	-	-	-	-	IRPC27C1809A	-	-	-	-
CPN13C1812A	0.25	-	101,613	-	GFPT24C1812A	0.25	(0.02)	11,573	-	IRPC28C1807A	-	-	-	-
CPN23C1810A	0.14	(0.01)	51,558	-	GGC01C1810A	0.33	(0.03)	21,764	-	IRPC28C1811A	0.08	(0.01)	158,276	-
CPN24C1806A	-	-	-	-	GGC01C1810B	0.21	(0.05)	56,064	-	ITD01C1808A	0.05	(0.01)	3,950	-
CPN24C1901A	-	-	-	-	GGC13C1811A	0.12	(0.03)	6,024	-	ITD01C1808B	-	-	-	-
CPN28C1807A	-	-	-	-	GGC19C1811A	0.12	(0.03)	8,920	-	ITD01P1808A	0.98	0.05	28,123	-
CPN28C1810A	0.14	(0.01)	389,070	-	GGC24C1812A	-	-	-	-	ITD08C1806A	-	-	-	-
DELTO8C1811A	0.10	-	600	-	GGC28C1811A	0.12	(0.02)	120,640	-	ITD08C1810A	0.15	(0.03)	10,030	-
DELTT13C1809A	-	-	-	-	GLOB01C1809A	0.42	(0.07)	66,449	-	ITD11C1903A	0.25	(0.03)	31,041	-
DELTT27C1812A	-	-	-	-	GLOB01C1809B	0.23	(0.07)	38,258	-	ITD13C1809A	-	-	-	-
DTACO1C1808A	0.13	(0.11)	159,867	-	GLOB06C1809A	0.25	(0.07)	6,918	-	ITD19C1811A	0.15	(0.03)	6,873	-
DTACO1C1808B	0.04	(0.04)	33,970	-	GLOB08C1807A	0.09	(0.04)	27,632	-	ITD23C1808A	-	-	-	-
DTACO1C1810A	0.28	(0.15)	155,660	-	GLOB11C1808A	0.20	(0.05)	19,440	-	ITD24C1807A	-	-	-	-
DTACO1C1810B	0.08	(0.09)	76,190	-	GLOB13C1807A	-	-	-	-	ITD24C1810A	-	-	-	-
DTACO1P1808A	1.15	0.27	169,739	1.00	GLOB23C1811A	0.42	(0.06)	4,070	-	ITD28C1808A	-	-	-	-
DTACO1P1810A	1.48	0.26	44,839	1.00	GLOB24C1810A	-	-	-	-	ITD28C1808B	0.05	(0.02)	18,520	-
DTACO1P1810B	1.17	0.31	44,070	-	GLOB27C1809A	0.11	(0.04)	17,976	-	IVL01C1806A	0.43	(0.08)	77,553	-
DTACO6C1806A	0.01	-	48,753	-	GLOB28C1807A	-	-	-	-	IVL01C1808A	0.30	(0.06)	168,088	-
DTACO6C1901A	0.23	(0.16)	3,240	-	GLOB28C1808A	0.09	(0.04)	63,240	-	IVL01C1808B	0.10	(0.03)	35,090	-
DTACO6P1809A	0.57	0.14	2,000	-	GLOW08C1806A	0.01	(0.01)	5,000	-	IVL01P1806A	0.15	0.02	221,608	-
DTACO7C1809A	0.02	(0.03)	27,183	-	GLOW08C1811A	0.75	-	11,526	-	IVL01P1808A	0.99	0.06	103,692	-
DTACO8C1809A	0.06	(0.06)	49,435	-	GLOW11C1807A	0.78	0.01	58,878	-	IVL01P1808B	0.48	0.06	122,401	-
DTACO8P1807A	0.53	0.25	90,738	-	GLOW23C1806A	0.22	(0.03)	45,537	-	IVL06C1807A	0.12	-	60	-
DTAC11C1806A	-	-	-	-	GLOW27C1812A	0.44	0.01	557	-	IVL06C1901A	0.32	(0.04)	26,810	-
DTAC11C1904A	0.25	(0.11)	46,765	-	GPSC01C1808A	0.38	(0.05)	173,526	-	IVL07C1811A	0.39	(0.01)	1,070	-
DTAC13C1806A	-	-	-	-	GPSC01C1808B	0.11	(0.02)	28,410	-	IVL08C1806A	0.04	(0.03)	7,742	-
DTAC13C1811A	0.11	(0.08)	92,997	-	GPSC01P1808A	1.22	0.08	213,403	1.00	IVL08P1809A	0.12	0.01	14,016	-
DTAC13P1806A	-	-	-	-	GPSC06C1811A	0.34	(0.05)	2,393	-	IVL11C1808A	0.64	(0.08)	88,980	-
DTAC13P1811A	1.08	0.31	121,969	-	GPSC08C1808A	0.05	(0.03)	13,600	-	IVL11P1808A	-	-	-	-
DTAC19C1811A	0.19	(0.14)	72,442	-	GPSC11C1808A	0.84	(0.09)	19,560	-	IVL13C1806A	-	-	-	-
DTAC23C1807A	-	-	-	-	GPSC11C1902A	0.33	(0.02)	22,608	-	IVL13C1809A	0.21	(0.06)	85,735	-
DTAC23P1807A	0.09	0.06	2,464	-	GPSC13C1807A	0.04	(0.01)	8,578	-	IVL13C1810A	0.21	(0.04)	169,132	-
DTAC24C1809A	0.06	(0.08)	76,158	-	GPSC13C1808A	0.05	(0.01)	10,500	-	IVL13P1809A	0.16	0.02	41,653	-
DTAC27C1809A	0.06	(0.02)	6,000	-	GPSC13C1812A	0.60	(0.04)	113,261	-	IVL13P1811A	0.66	0.07	77,800	-
DTAC27P1809A	0.33	0.12	34,276	-	GPSC24C1807A	0.16	(0.04)	1,334	-	IVL19C1809A	0.39	(0.03)	38,541	-
DTAC28C1810A	0.06	(0.05)	144,948	-	GPSC24C1808A	-	-	-	-	IVL23C1810A	0.42	(0.04)	6,631	-
DTAC24C1806A	-	-	-	-	GPSC24C1812A	0.41	(0.06)	1,014	-	IVL24C1808A	-	-	-	-
DTAC42P1806A	1.20	0.09	415	1.00	GPSC28C1807A	0.09	(0.04)	44,140	-	IVL24C1812A	0.20	(0.04)	54,570	-
EA01C1806A	0.01	(0.01)	39,926	-	GPSC28C1807B	-	-	-	-	IVL28C1807A	-	-	-	-
EA01C1806B	0.01	-	10	-	GPSC42C1806A	-	-	-	-	IVL28C1808A	0.06	(0.01)	115,205	-
EA01C1809A	0.66	(0.04)	127,608	-	GUNK01C1808A	0.04	-	984	-	IVL28C1811A	0.24	(0.03)	296,274	-
EA01C1809B	0.43	(0.06)	80,175	-	GUNK01C1808B	-	-	-	-	IVL28P1811A	0.69	0.05	145,478	-
EA01P1806A	3.22	0.10	36,222	3.00	GUNK08C1807A	-	-	-	-	KBAN01C1808A	0.15	(0.03)	105,639	-
EA01P1809A	1.06	0.06	45,385	1.00	GUNK11C1903A	0.16	(0.01)	27,780	-	KBAN01C1808B	-	-	-	-
EA06C1809A	-	-	-	-	GUNK23C1806A	-	-	-	-	KBAN01C1810A	0.92	(0.09)	125,892	-
EA07C1810A	0.07	(0.01)	1,000	-	GUNK24C1807A	-	-	-	-	KBAN01C1901A	1.04	(0.08)	76,148	1.00
EA08C1807A	-	-	-	-	GUNK24C1812A	0.24	(0.03)	32,575	-	KBAN01C1901B	0.60	(0.07)	88,219	-
EA08C1809A	0.01	-	5,065	-	GUNK28C1808A	-	-	-	-	KBAN01P1808A	1.04	0.06	59,650	1.00
EA08C1810A	0.21	(0.03)	158,963	-	GUNK28C1810A	0.28	(0.02)	197,406	-	KBAN01P1808B	0.53	0.05	58,227	-
EA11C1902A	0.10	(0.02)	20,451	-	HANA01C1806A	0.01	-	300	-	KBAN01P1810A	0.54	0.06	43,770	-
EA13C1806A	-	-	-	-	HANA01C1806B	0.01	(0.01)	9,999	-	KBAN01P1901A	1.31	0.07	30,437	1.00
EA13C1807A	0.01	-	50	-	HANA01C1811A	0.35	0.03	24,055	-	KBAN01P1901B	0.85	0.07	71,473	-
EA13C1808A	0.01	-	100	-	HANA01C1811B	0.22	0.01	206,396	-	KBAN06C1811A	0.56	(0.09)	26,984	-
EA13C1808B	0.05	(0.02)	40,501	-	HANA08C1806A	-	-	-	-	KBAN07C1811A	-	-	-	-
EA13C1809A	0.02	(0.01)	103	-	HANA08C1809A	0.10	-	17,250	-	KBAN08C1811A	0.51	(0.08)	41,320	-
EA1														

Main Board Quotation

Issue Date :

Thursday June 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE07C1808A	0.13	0.05	2,290	-	MEGA08C1811A	0.25	(0.02)	10,101	-	PTT01P1808A	0.67	0.10	168,233	-
KCE08C1809A	0.41	0.10	37,861	-	MEGA11C1806A	0.50	(0.03)	1,664	-	PTT01P1808B	0.22	0.05	195,647	-
KCE11C1808A	-	-	-	-	MEGA11C1902A	0.24	(0.01)	3,511	-	PTT01P1810A	1.22	0.10	91,183	1.00
KCE11C1904A	0.29	0.05	41,363	-	MEGA13C1809A	0.11	(0.01)	11,947	-	PTT01P1810B	0.87	0.12	75,163	-
KCE13C1808A	0.27	0.08	273,368	-	MEGA23C1806A	-	-	-	-	PTT06C1811A	0.09	(0.02)	376	-
KCE13C1811A	0.40	0.06	202,955	-	MEGA24C1812A	-	-	-	-	PTT06C1901A	0.31	(0.05)	26,634	-
KCE23C1807A	0.01	-	4	-	MEGA27C1807A	-	-	-	-	PTT06P1901A	0.68	(0.32)	2,016	-
KCE23C1901A	0.21	0.06	31,131	-	MEGA28C1808A	0.02	-	3,000	-	PTT07C1811A	-	-	-	-
KCE24C1808A	0.15	0.05	78,109	-	MINT01C1808A	0.02	(0.01)	275,220	-	PTT08C1807A	-	-	-	-
KCE28C1808A	0.12	0.05	284,824	-	MINT01C1808B	0.01	-	6,300	-	PTT08C1809A	0.03	(0.02)	41,665	-
KKP01C1808A	0.17	(0.01)	31,317	-	MINT01C1901A	0.28	(0.08)	110,812	-	PTT08P1809A	0.68	0.07	57,994	-
KKP01C1808B	-	-	-	-	MINT01C1901B	0.19	(0.06)	22,396	-	PTT11C1806A	1.31	(0.23)	11,000	1.00
KKP07C1806A	-	-	-	-	MINT01P1808A	0.98	0.12	46,171	-	PTT11C1902A	0.15	(0.04)	49,685	-
KKP08C1811A	0.28	(0.02)	8,100	-	MINT06C1809A	-	-	-	-	PTT13C1807A	0.09	(0.04)	82,815	-
KKP11C1903A	0.25	-	3,040	-	MINT06C1901A	0.15	(0.03)	10,100	-	PTT13C1808A	0.03	-	17,035	-
KKP13C1807A	-	-	-	-	MINT07C1810A	-	-	-	-	PTT13C1810A	0.08	(0.01)	97,673	-
KKP13C1811A	0.26	-	31,716	-	MINT08C1809A	0.02	(0.01)	5,086	-	PTT13C1811A	0.23	(0.03)	262,500	-
KKP23C1807A	-	-	-	-	MINT11C1902A	0.07	(0.02)	19,260	-	PTT13C1812A	0.34	(0.66)	285,348	-
KKP24C1807A	-	-	-	-	MINT11P1902A	0.52	0.09	32,355	-	PTT13P1807A	0.10	0.02	67,721	-
KKP24C1812A	-	-	-	-	MINT13C1810A	0.07	(0.02)	59,681	-	PTT13P1808A	0.75	0.14	14,652	-
KKP28C1807A	-	-	-	-	MINT23C1810A	-	-	-	-	PTT13P1812A	0.53	(0.47)	64,193	-
KKP28C1810A	0.17	(0.01)	150,042	-	MINT24C1807A	-	-	-	-	PTT19C1809A	0.08	(0.02)	32,192	-
KTB01C1808A	0.13	(0.04)	26,079	-	MINT24C1812A	-	-	-	-	PTT23C1901A	0.11	(0.03)	29,549	-
KTB01C1810A	0.27	(0.05)	36,636	-	MINT28C1808A	-	-	-	-	PTT24C1806A	-	-	-	-
KTB01C1810B	0.14	(0.04)	83,864	-	MINT28C1811A	0.14	(0.03)	10,000	-	PTT24C1809A	0.07	-	10	-
KTB01P1808A	0.68	0.07	158,924	-	MONO01C1810A	0.09	(0.02)	19,350	-	PTT24P1808A	0.05	0.02	30,446	-
KTB08C1809A	0.05	-	400	-	MONO01C1810B	0.05	(0.02)	1,100	-	PTT27C1809A	0.36	(0.07)	1,000	-
KTB11C1811A	0.14	(0.02)	13,784	-	MONO08C1808A	-	-	-	-	PTT27P1809A	0.27	0.01	38,833	-
KTB13C1809A	0.06	(0.02)	4,600	-	MONO08C1906A	0.13	(0.03)	13,304	-	PTT28C1807A	0.03	(0.02)	32,747	-
KTB23C1811A	0.18	(0.03)	33,588	-	MONO13C1808A	-	-	-	-	PTT28C1808A	0.02	(0.01)	25,385	-
KTB24C1808A	-	-	-	-	MONO13C1811A	0.07	(0.01)	8,200	-	PTT28C1808B	0.02	(0.01)	1,550	-
KTB24C1811A	0.14	(0.04)	2,000	-	MONO19C1811A	0.14	(0.06)	2,410	-	PTT28C1811A	0.06	(0.02)	48,601	-
KTB24P1901A	-	-	-	-	MONO23C1809A	-	-	-	-	PTT28C1811B	0.19	(0.04)	194,369	-
KTB28C1809A	-	-	-	-	MONO24C1807A	-	-	-	-	PTT28P1808A	0.51	0.08	209,272	-
KTB28C1811A	0.14	(0.02)	130,744	-	MONO24C1812A	0.03	-	30	-	PTT28P1808B	0.85	0.09	71,234	-
KTC01C1806A	4.50	(0.24)	2,165	4.00	MONO24C1812B	-	-	-	-	PTTE01C1808A	0.87	(0.07)	189,930	-
KTC01C1806B	5.95	(0.35)	784	5.00	MONO28C1807A	-	-	-	-	PTTE01C1808B	0.43	(0.06)	244,649	-
KTC01C1808A	1.21	(0.14)	118,274	1.00	MONO28C1808A	-	-	-	-	PTTE01C1901A	0.62	(0.06)	185,604	-
KTC01C1808B	0.57	(0.13)	83,680	-	MONO28C1811A	0.05	(0.02)	8,472	-	PTTE01C1901B	0.45	(0.05)	104,012	-
KTC01C1810A	0.48	(0.03)	28,066	-	MTC06C1806A	0.28	(0.02)	57,024	-	PTTE01P1808A	0.28	0.04	212,931	-
KTC01C1810B	0.38	(0.03)	44,051	-	MTC06C1901A	0.32	(0.04)	23,575	-	PTTE01P1901A	1.54	0.08	59,960	1.00
KTC06C1807A	1.53	(0.23)	9,612	1.00	MTC07C1806A	-	-	-	-	PTTE01P1901B	1.18	0.05	72,504	1.00
KTC08C1807A	-	-	-	-	MTC08C1807A	0.01	-	9,450	-	PTTE06C1811A	-	-	-	-
KTC08C1808A	1.22	(0.14)	58	1.00	MTC08C1811A	0.11	(0.02)	109,020	-	PTTE07C1809A	0.18	(0.05)	7,721	-
KTC11C1902A	1.31	(0.16)	29,337	1.00	MTC11C1806A	0.05	(0.03)	2,000	-	PTTE08C1807A	-	-	-	-
KTC13C1807A	5.35	(0.35)	7	5.00	MTC11C1904A	0.24	(0.02)	9,114	-	PTTE08C1811A	0.31	(0.06)	48,302	-
KTC13C1808A	1.24	(0.08)	43	1.00	MTC13C1809A	0.05	(0.01)	79,530	-	PTTE08P1809A	0.17	0.02	11,920	-
KTC13C1809A	0.62	(0.16)	4,889	-	MTC13C1811A	0.34	(0.01)	161,715	-	PTTE08P1811A	0.60	0.07	41,229	-
KTC13C1809B	0.60	(0.13)	85,951	-	MTC23C1808A	0.05	-	300	-	PTTE11C1806A	2.68	(0.24)	17,620	2.00
KTC13P1807A	0.05	0.01	70,212	-	MTC24C1808A	0.01	-	11	-	PTTE11C1902A	0.45	(0.09)	55,730	-
KTC19C1811A	0.74	(0.09)	23,127	-	MTC24C1810A	0.13	(0.03)	32,410	-	PTTE13C1806A	-	-	-	-
KTC23C1806A	-	-	-	-	MTC24C1812A	0.28	(0.05)	4,300	-	PTTE13C1807A	0.31	(0.02)	1	-
KTC23C1809A	1.35	(0.12)	16,157	1.00	MTC27C1807A	-	-	-	-	PTTE13C1811A	0.28	(0.03)	276,693	-
KTC24C1808A	1.35	(0.08)	3	1.00	MTC28C1808A	0.02	(0.01)	1,401	-	PTTE13P1807A	0.02	-	101	-
KTC24C1810A	0.53	(0.08)	12,305	-	MTC28C1809A	0.19	(0.02)	202,306	-	PTTE13P1811A	0.55	0.06	335,931	-
KTC24P1807A	0.07	-	11,888	-	MTC42C1806A	0.05	(0.02)	4,500	-	PTTE19C1811A	0.41	(0.07)	125,797	-
KTC27C1806A	-	-	-	-	ORI08C1807A	0.10	-	17,682	-	PTTE23C1901A	0.12	(0.02)	7,500	-
KTC28C1808A	-	-	-	-	ORI11C1811A	0.27	0.01	16,821	-	PTTE24C1807A	0.13	(0.05)	142,537	-
KTC28C1808B	1.36	(0.10)	36,460	1.00	ORI13C1810A	0.53	0.01	33,879	-	PTTE24C1811A	0.21	(0.03)	14,502	-
KTC28C1809A	0.79	(0.05)	30	-	ORI19C1811A	0.35	-	15,490	-	PTTE24P1809A	0.09	0.02	46,300	-
KTC28C1810A	0.68	(0.10)	87,380	-	ORI23C1809A	0.17	0.02	3,000	-	PTTE27C1809A	0.66	0.01	4,000	-
LH01C1809A	0.33	0.05	47,435	-	ORI24C1806A	-	-	-	-	PTTE27P1809A	0.13	(0.01)	41,872	-
LH01C1809B	0.21	0.07	93,327	-	ORI24C1810A	-	-	-	-	PTTE28C1807A	0.32	0.02	50	-
LH01P1809A	0.16	(0.05)	13,871	-	ORI28C1808A	0.12	0.01	16,608	-	PTTE28C1810A	0.23	(0.04)	143,977	-
LH06C1809A	0.25	0.05	8,516	-	PLAN08C1811A	0.18	(0.01)	30,221	-	PTTE28C1811A	0.15	(0.03)	92,873	-
LH07C1810A	0.17	0.03	1,180	-	PLAN13C1809A	0.10	(0.01)	18,209	-	PTTE28P1811A	0.56	0.08	209,837	-
LH11C1808A	0.20	0.05	31,810	-	PLAN23C1806A	-	-	-	-	PTTG01C1808A	0.22	(0.10)	695,656	-
LH13C1808A	0.21	0.05	16,049	-	PLAN28C1810A	0.17	0.01	72,440	-	PTTG01C1810A	0.28	(0.09)	246,153	-
LH23C1806A	-	-	-	-	PSH01C1810A	0.43	(0.03)	38,760	-	PTTG01C1810B	0.06	(0.03)	122,529	-
LH24C1806A	-	-	-	-	PSH01C1810B	0.19	(0.02)	9,181	-	PTTG01C1811A	0.48	(0.11)	241,454	-
LH24C1809A	0.10	0.03	301	-	PSH01P1810A	0.77	0.01	8,928	-	PTTG01P1808A	1.27	0.21	199,746	1.00
LH28C1808A	0.10	0.03	15,508	-	PSH08C1811A	0.16	(0.02)	3,147	-	PTTG01P1811A	1.74	0.18	48,650	1.00
LHFG42C1806A	-	-	-	-	PSH11C1902A	0.31	(0.02)	7,098	-	PTTG06C1809A	0.07	(0.04)	194,500	-
LPN01C1809A	0.14	(0.03)	14,147	-	PSH23C1811A	0.30	(0.04)	6,729	-	PTTG07C1806A	-	-	-	-
LPN01C1811A	0.42	(0.04)	29,497	-	PSH42C1806A	-	-	-	-	PTTG08C1811A	0.11	(0.06)	98,851	-
LPN01C1811B	0.28	(0.04)	21,950	-	PSL01C1807A	0.19	(0.06)	47,291	-	PTTG08P1811A	1.20	0.22	93,373	1.00
LPN01P1809A	0.50	0.04	9,830	-	PSL23C1809A	0.06	(0.01)	85,557	-	PTTG11C1902A	0.16	(0.05)	20,215	-
LPN08C1807A	-	-	-	-	PSL24C1806A	-	-	-	-	PTTG13C1808A	0.04	-	27,798	-
LPN08C1810A	0.13	(0.01)	4,970	-	PTG01C1806A	0.01	(0.01)	20,000	-	PTTG13C1812A	0.35	(0.09)	272,995	-
LPN11C1806A	-	-	-	-	PTG01C1806B	-	-	-	-	PTTG19C1811A	0.32	(0.10)	78,734	-
LPN19C1811A	0.24	(0.03)	1,964	-	PTG01C1811A	0.36	-	19,870	-	PTTG23C1901A	0.12	(0.05)	87,846	-
LPN23C1806A	-	-	-	-	PTG01C1811B	0.20	(0.01)	9,348	-	PTTG24C1808A	0.02	(0.01)	17,663	-
LPN24C1808A	-	-	-	-	PTG01P1811A	0.94	-	20,936	-	PTTG24C1812A	0.29	(0.06)	55,340	-
LPN24C1812A	0.40	(0.02)	100	-	PTG06C1810A	0.15	-	1,200	-	PTTG24P1808A	0.29	0.11	64,671	-
LPN27C1807A	-	-	-	-	PTG06C1904A	0.58	(0.01)	559	-	PTTG27C1807A	0.10	(0.07)	66,718	-
MAJ008C1811A	-	-	-	-	PTG07C1806A	-	-	-	-					

Main Board Quotation

Issue Date :

Thursday June 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ROBI11C1808A	0.04	(0.03)	3,846	-	SCB24C1806A	-	-	-	-	TASC01C1806A	-	-	-	-
ROBI13C1807A	-	-	-	-	SCB24C1902A	0.39	(0.01)	21	-	TASC01C1809A	0.04	(0.01)	1,300	-
ROBI24C1901A	-	-	-	-	SCB24P1811A	-	-	-	-	TASC01C1810A	0.21	(0.03)	29,446	-
ROBI27C1806A	-	-	-	-	SCB28C1808A	-	-	-	-	TASC01C1810B	0.09	(0.01)	25,372	-
S10001C1811A	0.46	(0.07)	3,278	-	SCB28C1809A	0.07	(0.02)	139,904	-	TASC01P1806A	1.53	0.06	6,402	1.00
S42C1806A	-	-	-	-	SCB28P1808A	0.32	0.03	403,410	-	TASC01P1809A	1.78	0.07	56,868	1.00
S5001C1806F	0.07	(0.06)	147,421	-	SCCO1C1808A	0.13	(0.03)	48,043	-	TASC07C1811A	-	-	-	-
S5001C1806G	0.01	-	25,594	-	SCCO1C1808B	0.02	-	20	-	TASC08C1808A	-	-	-	-
S5001C1806H	0.01	(0.01)	33,530	-	SCCO1P1808A	0.97	0.11	53,452	-	TASC11C1806A	-	-	-	-
S5001C1806I	0.01	-	5,401	-	SCCO6C1809A	0.03	(0.02)	1,169	-	TASC11C1904A	0.17	(0.01)	3,252	-
S5001C1807A	0.19	(0.12)	1,077,798	-	SCCO8C1809A	0.04	(0.01)	40	-	TASC13C1810A	0.08	(0.02)	20,711	-
S5001C1807B	0.11	(0.10)	805,477	-	SCC11C1811A	0.07	(0.02)	20,680	-	TASC23C1806A	-	-	-	-
S5001C1808A	0.40	(0.12)	261,842	-	SCC11P1811A	0.64	0.09	53,471	-	TASC24C1810A	-	-	-	-
S5001C1808B	0.28	(0.12)	693,739	-	SCC13C1809A	0.04	(0.01)	4,451	-	TASC28C1808A	-	-	-	-
S5001C1809F	0.56	(0.18)	2,112,509	-	SCC13C1812A	0.16	(0.03)	133,995	-	TCAP01C1807A	0.05	(0.02)	2,238	-
S5001C1809G	0.21	(0.11)	934,757	-	SCC19C1811A	0.09	(0.04)	6,090	-	TCAP01C1807B	-	-	-	-
S5001P1806F	2.42	0.32	194,541	2.00	SCC23C1811A	0.08	(0.01)	400	-	TCAP01P1807A	1.16	0.05	24,418	1.00
S5001P1806G	1.33	0.66	870,891	1.00	SCC24C1806A	-	-	-	-	TCAP08C1810A	0.09	(0.03)	10,024	-
S5001P1806H	2.96	0.34	127,837	2.00	SCC24C1812A	0.04	(0.02)	15,691	-	TCAP11C1811A	0.11	(0.03)	6,206	-
S5001P1806I	3.08	1.02	220,994	2.00	SCC24P1901A	0.65	0.09	411	-	TCAP13C1809A	0.06	(0.01)	18,002	-
S5001P1807A	1.90	0.19	78,491	1.00	SCC27C1809A	-	-	-	-	TCAP23C1807A	0.08	(0.03)	3,000	-
S5001P1807B	1.64	0.22	226,556	1.00	SCC27P1809A	0.68	0.05	2,018	-	TCAP24C1807A	-	-	-	-
S5001P1808A	1.19	0.16	97,910	1.00	SCC28C1807A	-	-	-	-	TCAP24C1903A	0.26	(0.04)	10,000	-
S5001P1808B	1.52	0.24	430,064	1.00	SCC28C1811A	0.12	(0.02)	10,220	-	TCAP27C1807A	-	-	-	-
S5001P1809F	2.28	0.36	1,049,988	2.00	SCCO8C1811A	-	-	-	-	THAI01C1806A	0.01	(0.02)	1,020	-
S5001P1809G	1.96	0.41	4,435,278	1.00	SCCC13C1809A	0.04	(0.01)	500	-	THAI01C1808A	0.17	(0.02)	51,121	-
S5006C1806A	0.01	(0.01)	195,189	-	SCCC23C1806A	-	-	-	-	THAI01C1808B	-	-	-	-
S5006C1806B	0.01	-	475	-	SCCC27C1812A	0.07	-	4,000	-	THAI01P1806A	0.92	0.02	8,458	-
S5006C1809A	0.16	(0.09)	14,997	-	SGP08C1808A	0.01	-	77	-	THAI01P1808A	0.71	0.01	6,923	-
S5006C1809B	0.09	(0.07)	205,986	-	SGP11C1904A	0.11	-	17,816	-	THAI06C1809A	0.23	-	13,580	-
S5006C1809C	0.29	(0.13)	185,640	-	SGP13C1807A	0.01	-	132	-	THAI07C1811A	-	-	-	-
S5006C1812A	0.46	(0.16)	10,066	-	SGP13C1808A	0.01	(0.01)	480	-	THAI08C1808A	0.06	(0.01)	14,240	-
S5006P1806A	0.10	0.07	145,770	-	SGP13C1811A	0.07	0.02	23,581	-	THAI11C1808A	0.04	(0.01)	5,880	-
S5006P1806B	1.01	0.45	12,352	-	SGP19C1811A	0.19	0.02	10,479	-	THAI13C1811A	0.15	-	18,143	-
S5006P1809A	2.30	0.34	44,276	2.00	SGP24C1806A	-	-	-	-	THAI23C1901A	0.09	0.01	66	-
S5006P1809B	1.36	0.25	15,560	1.00	SGP24C1808A	-	-	-	-	THAI24C1808A	-	-	-	-
S5006P1809C	-	-	-	-	SGP24C1811A	-	-	-	-	THAI27C1809A	0.10	(0.01)	3,132	-
S5006P1812A	1.91	0.02	2	1.00	SGP28C1808A	0.01	-	6,200	-	THAI28C1808A	0.02	(0.01)	4,000	-
S5008C1806A	-	-	-	-	SGP28C1809A	0.02	-	8,236	-	THAN01C1812A	0.44	(0.01)	2,184	-
S5008C1806B	-	-	-	-	SGP28C1811A	0.09	0.01	500	-	THAN13C1809A	0.07	-	1,000	-
S5008P1806A	1.59	0.50	52,342	1.00	SIRI01C1808A	-	-	-	-	THAN23C1807A	0.79	(0.03)	2,200	-
S5008P1806B	1.72	0.65	11,023	1.00	SIRI01C1808B	0.01	(0.01)	980	-	THAN28C1810A	0.13	(0.01)	8,112	-
S5013C1806A	0.01	-	101	-	SIRI01C1901A	0.42	(0.02)	2,678	-	THCO01C1809A	0.11	-	14,988	-
S5013C1806B	0.01	-	511	-	SIRI01C1901B	0.22	(0.01)	9,622	-	THCO01P1809A	0.67	0.02	7,883	-
S5013C1806C	0.01	(0.01)	18	-	SIRI01P1808A	0.60	-	5,389	-	THCO11C1902A	0.16	-	300	-
S5013C1806D	-	-	-	-	SIRI08C1808A	-	-	-	-	THCO19C1811A	0.16	-	400	-
S5013C1806E	0.01	-	10	-	SIRI08C1810A	0.18	-	16,024	-	THCO23C1808A	-	-	-	-
S5013C1809A	0.13	(0.07)	3,320,789	-	SIRI11C1902A	0.18	-	8,424	-	THCO24C1807A	-	-	-	-
S5013C1809B	0.25	(0.11)	3,913,617	-	SIRI13C1809A	-	-	-	-	THCO24C1810A	0.27	(0.01)	4,301	-
S5013C1809C	0.23	(0.11)	2,065,654	-	SIRI23C1811A	-	-	-	-	THCO28C1808A	-	-	-	-
S5013C1809D	0.46	(0.54)	589,240	-	SIRI24C1809A	0.07	-	2,000	-	TISCO1C1808A	0.63	(0.08)	101,701	-
S5013P1806A	1.90	0.64	118,145	1.00	SIRI28C1807A	-	-	-	-	TISCO1C1808B	0.21	(0.04)	15,769	-
S5013P1806B	1.57	0.78	17,674	1.00	SIRI28C1809A	0.08	(0.01)	24,600	-	TISCO8C1808A	0.26	(0.05)	44,567	-
S5013P1806C	-	-	-	-	SPAL01C1808A	0.45	(0.01)	47,830	-	TISC11C1903A	0.47	(0.03)	48,838	-
S5013P1806D	0.28	0.18	1,786,246	-	SPAL01C1808B	0.10	(0.01)	10,058	-	TISC13C1807A	0.14	(0.04)	42,330	-
S5013P1806E	2.52	0.98	14,580	2.00	SPAL06C1809A	0.51	(0.01)	18,174	-	TISC13C1811A	0.65	(0.06)	82,878	-
S5013P1809A	2.50	0.42	1,681,856	2.00	SPAL08C1808A	0.10	(0.01)	23,314	-	TISC24C1806A	-	-	-	-
S5013P1809B	1.59	0.32	2,408,707	1.00	SPAL11C1807A	0.21	(0.02)	31,574	-	TISC24C1812A	-	-	-	-
S5013P1809C	1.87	0.35	43,896	1.00	SPAL23C1811A	0.62	-	9,500	-	TISC27C1807A	0.16	(0.03)	11,410	-
S5013P1809D	1.02	(1.98)	816,897	-	SPAL24C1808A	-	-	-	-	TISC28C1807A	0.07	(0.03)	44,000	-
S5028C1806A	0.01	-	13,630	-	SPAL24C1812A	0.28	(0.01)	8,300	-	TISC42C1806A	-	-	-	-
S5028C1806B	0.01	-	24,653	-	SPRC01C1808A	0.12	(0.04)	171,380	-	TKNO1C1808A	0.17	(0.01)	8,606	-
S5028C1806C	0.01	(0.01)	40	-	SPRC01C1808B	0.02	(0.01)	31,932	-	TKNO1C1808B	0.05	-	4,500	-
S5028C1807A	0.06	(0.02)	75,253	-	SPRC06C1809A	0.04	(0.02)	50	-	TKNO6C1806A	-	-	-	-
S5028C1809A	0.20	(0.10)	1,281,869	-	SPRC08C1808A	0.02	(0.02)	35,200	-	TKNO8C1808A	0.01	-	10,000	-
S5028P1806A	1.64	0.37	1,840	1.00	SPRC11C1902A	0.10	(0.02)	1,944	-	TKNO8C1811A	0.24	-	7,780	-
S5028P1806B	0.89	0.44	312,066	-	SPRC13C1808A	0.03	(0.02)	8,076	-	TKN11C1902A	0.28	-	3,232	-
S5028P1806C	-	-	-	-	SPRC23C1810A	0.12	(0.02)	1,100	-	TKN13C1808A	-	-	-	-
S5028P1807A	1.95	0.39	109,693	1.00	SPRC24C1808A	-	-	-	-	TKN13C1810A	0.21	-	9,202	-
S5028P1809A	1.38	0.25	4,153,413	1.00	STA01C1807A	-	-	-	-	TKN13C1811A	0.20	-	18,968	-
SAWA01C1808A	0.04	-	3,500	-	STA01C1807B	-	-	-	-	TKN19C1811A	0.23	-	10,720	-
SAWA01C1808B	0.02	-	101	-	STA08C1807A	0.22	-	-	-	TKN23C1806A	-	-	-	-
SAWA01C1901A	0.35	(0.03)	183,361	-	STA13C1807A	-	-	-	-	TKN24C1807A	-	-	-	-
SAWA01C1901B	0.26	(0.03)	122,490	-	STA13C1808A	0.06	(0.02)	3,863	-	TKN24C1811A	-	-	-	-
SAWA01P1808A	2.66	0.10	25,751	2.00	STA19C1811A	0.13	(0.03)	5,712	-	TKN24C1812A	-	-	-	-
SAWA01P1901A	1.22	0.03	36,206	1.00	STA23C1809A	0.11	(0.02)	5,000	-	TKN28C1808A	0.03	-	37,800	-
SAWA06C1807A	-	-	-	-	STA24C1808A	-	-	-	-	TKN28C1811A	0.21	(0.01)	42,480	-
SAWA06C1811A	0.03	(0.01)	6,800	-	STA28C1807A	-	-	-	-	TMB01C1807A	0.02	-	61,001	-
SAWA08C1808A	-	-	-	-	STEC01C1809A	0.27	(0.05)	69,375	-	TMB01C1810A	0.27	(0.04)	82,669	-
SAWA08C1811A	0.02	-	8,800	-	STEC01C1809B	0.84	(0.19)	18,082	-	TMB01C1810B	0.16	(0.04)	75,203	-
SAWA11C1808A	-	-	-	-	STEC01P1809A	1.04	0.08	21,695	1.00	TMB01P1807A	0.90	0.04	25,134	-
SAWA13C1807A	-	-	-	-	STEC06C1809A	0.31	(0.08)	65,003	-	TMB06C1809A	-	-	-	-
SAWA13C1810A	-	-	-	-	STEC08C1809A	0.19	(0.09)	38,616	-	TMB07C1811A	-	-	-	-
SAWA13C1811A	0.02	-	15,094	-	STEC11C1903A	0.49	(0.06)	13,745	-	TMB08C1808A	0.01	(0.01)	20,000	-
SAWA13C1812A	0.12	(0.02)	119,723	-	STEC13C1809A	0.17	(0.04)	58,485	-	TMB11C1806A	0.04	(0.03)	22,010	-
SAWA23C1807A	-	-	-	-	STEC23C1808A	-	-	-	-	TMB11C1904A	0.15	(0.02)	32,696	-
SAWA24C1808A	-	-	-	-	STEC24C1808A	0.16	(0.03)	40,800	-	TMB13C1811A</				

Main Board Quotation

Issue Date :

Thursday June 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP28C1810A	-	-	-	-	VG106C1904C	-	-	-	-	MILL-W3	0.04	-	100	-
TOP42C1806A	-	-	-	-	VG108C1811A	0.61	(0.03)	33,124	-	MILL-W4	0.28	(0.01)	1,453	-
TOP42P1806A	1.10	(0.02)	424	1.00	VG123C1905A	-	-	-	-	ML-W2	0.04	-	10,736	-
TPI01C1807A	-	-	-	-	VG123C1911A	-	-	-	-	MONO-W1	0.59	(0.06)	31,573	-
TPI01C1807B	-	-	-	-	VG127C1812A	0.40	(0.01)	2,000	-	NEP-W3	0.10	(0.02)	4,634	-
TPI08C1807A	-	-	-	-	VG128C1810A	0.41	-	271,660	-	NOK-W1	1.19	(0.01)	1,609	1.00
TPI13C1809A	-	-	-	-	VIBH08C1806A	-	-	-	-	NPP-W3	0.27	-	14,994	-
TPI23C1809A	-	-	-	-	WHA01C1807A	0.13	(0.04)	25,115	-	NUSA-W3	0.13	(0.01)	60	-
TPI24C1808A	-	-	-	-	WHA01C1807B	0.02	-	100	-	ORI-W1	2.88	(0.04)	465	2.00
TPI24C1902A	-	-	-	-	WHA06C1809A	0.23	(0.04)	9,506	-	PACE-W1	-	-	-	-
TPI28C1808A	-	-	-	-	WHA07C1810A	-	-	-	-	PACE-W2	0.07	-	1,898	-
TPIP01C1810A	0.38	(0.02)	18,220	-	WHA08C1811A	0.26	(0.04)	14,878	-	PDJ-W1	-	-	-	-
TPIP01C1810B	0.19	(0.02)	15,174	-	WHA11C1903A	0.27	(0.03)	21,413	-	PDJ-W3	1.54	-	118	1.00
TPIP01P1810A	0.76	0.05	13,198	-	WHA13C1808A	0.16	(0.03)	64,597	-	PDJ-W4	1.54	-	212	1.00
TPIP07C1806A	-	-	-	-	WHA23C1810A	0.34	(0.06)	2,800	-	PLE-W3	0.09	(0.03)	30,831	-
TPIP08C1808A	-	-	-	-	WHA24C1807A	0.02	(0.04)	550	-	RICH-W1	-	-	-	-
TPIP11C1811A	-	-	-	-	WHA24C1811A	0.19	(0.02)	1,000	-	RICHY-W1	-	-	-	-
TPIP13C1811A	0.25	(0.03)	17,608	-	WHA28C1807A	-	-	-	-	RICHY-W2	-	-	-	-
TPIP23C1808A	-	-	-	-	WHA28C1808A	0.04	(0.01)	4,220	-	RS-W3	9.25	(0.50)	136	9.00
TPIP24C1901A	-	-	-	-	WHA28C1808B	0.09	(0.03)	128,116	-	S-W1	0.13	(0.02)	11,977	-
TPIP27C1812A	-	-	-	-	WHA28C1809A	0.49	(0.03)	37,568	-	SAMART-W2	0.28	(0.02)	16,453	-
TRUE01C1808A	0.22	(0.07)	184,595	-	WHA42C1806A	-	-	-	-	SAWAD-W1	5.30	(0.40)	75	5.00
TRUE01C1808B	0.07	(0.03)	332,640	-	WHA42P1806A	-	-	-	-	SDC-W1	0.05	-	13,015	-
TRUE01P1808A	0.44	0.06	127,555	-	WHAU01C1810A	0.29	0.01	30,732	-	SMM-W4	0.11	(0.04)	3,222	-
TRUE06C1806A	0.28	(0.05)	300	-	WHAU01C1810B	0.12	(0.02)	41,139	-	SMT-W1	0.13	(0.01)	6,256	-
TRUE06C1811A	-	-	-	-	WHAU24C1812A	0.11	-	4,910	-	SMT-W2	0.59	(0.07)	66,796	-
TRUE06C1906A	0.30	(0.02)	12,486	-	WORK01C1806A	0.01	-	5,654	-	SPALI-W4	19.50	(0.10)	6,778	19.00
TRUE06P1806A	0.08	-	1,516	-	WORK01C1806B	0.01	-	2,892	-	SPORT-W5	0.18	-	964	-
TRUE07C1806A	-	-	-	-	WORK01C1811A	0.60	(0.04)	16,358	-	SPORT-W6	-	-	-	-
TRUE08C1809A	0.11	(0.03)	99,076	-	WORK01C1811B	0.46	(0.02)	12,252	-	SUPER-W4	0.13	(0.01)	561,025	-
TRUE08P1809A	0.24	0.03	37,823	-	WORK08C1809A	0.01	-	2,647	-	SUSCO-W1	0.19	(0.01)	4,816	-
TRUE11C1807A	0.04	(0.01)	12,016	-	WORK11C1903A	0.14	(0.03)	8,143	-	SVI-W3	1.16	(0.02)	93	1.00
TRUE13C1807A	0.04	(0.01)	18,000	-	WORK13C1809A	0.02	-	15,310	-	TCC-W3	-	-	-	-
TRUE13C1810A	0.07	(0.02)	129,252	-	WORK13C1810A	0.03	-	5,750	-	TCC-W4	0.16	(0.01)	522	-
TRUE16C1812A	0.27	(0.03)	10,160	-	WORK13C1811A	0.19	(0.03)	46,804	-	TCC-W5	0.18	(0.02)	4,977	-
TRUE23C1806A	0.02	(0.04)	2,000	-	WORK19C1811A	0.26	(0.05)	5,663	-	TCJ-W2	1.15	-	51	1.00
TRUE27C1809A	0.16	(0.03)	22,479	-	WORK23C1807A	-	-	-	-	TCMC-W2	0.37	-	32,682	-
TRUE27P1809A	0.37	0.04	9,770	-	WORK24C1810A	0.03	-	100	-	TFG-W1	1.60	(0.20)	500	1.00
TRUE28C1807A	0.01	(0.01)	6	-	WORK24C1812A	-	-	-	-	TFG-W2	0.68	(0.07)	378	-
TRUE28C1808A	0.02	-	43,619	-	WORK27C1806A	-	-	-	-	TGPRO-W2	-	-	-	-
TRUE28C1810A	0.07	(0.01)	1,846	-	WORK28C1808A	-	-	-	-	TH-W2	0.13	0.01	712	-
TTA01C1807A	0.04	(0.02)	70,077	-	WORK28C1809A	0.03	-	200	-	THE-W2	0.05	-	3,316	-
TTA01P1807A	1.03	0.09	18,559	1.00	WORK28C1811A	0.19	(0.03)	9,898	-	TNITY-W1	0.99	(0.02)	6,477	1.00
TTA08C1808A	-	-	-	-	WORK42C1806A	-	-	-	-	TNPC-W1	0.57	0.02	2,048	-
TTA11C1806A	-	-	-	-	Preferred/Foreign	-	-	-	-	TPOLY-W2	-	-	-	-
TTA13C1809A	0.03	(0.01)	33,505	-	BH-Q	-	-	-	-	TSI-W1	-	-	-	-
TTA18C1808A	-	-	-	-	CSC-Q	-	-	-	-	TSR-W2	0.52	(0.03)	23,736	-
TTA19C1811A	0.18	(0.04)	19,796	-	JUTHA-Q	-	-	-	-	TTA-W5	0.66	(0.13)	27,069	-
TTA23C1808A	-	-	-	-	KTB-Q	-	-	-	-	U-W1	0.01	-	1	-
TTA24C1809A	-	-	-	-	SCB-Q	-	-	-	-	U-W4	0.01	-	4	-
TTA24C1902A	0.18	(0.03)	10,000	-	TCAP-Q	-	-	-	-	VGI-W1	0.08	(0.06)	1,031,375	-
TTA28C1812A	0.16	(0.05)	183,002	-	TIC-Q	-	-	-	-	VIBHA-W2	1.39	0.01	167	1.00
TU01C1808A	0.05	(0.03)	13,410	-	TISCO-Q	-	-	-	-	VIBHA-W3	0.31	(0.01)	8,503	-
TU01C1808B	-	-	-	-	U-Q	-	-	-	-	WAVE-W1	0.48	(0.01)	2,451	-
TU01P1808A	1.00	0.10	31,464	-	Warrant	-	-	-	-	WHA-W1	6.75	(0.45)	5,737	6.00
TU08C1811A	0.07	(0.04)	7,600	-	7UP-W2	-	-	-	-	WORK-W1	10.80	(0.10)	4	10.00
TU11C1902A	0.05	(0.02)	13,153	-	ACC-W1	0.03	-	4,106	-	Preferred Shares	-	-	-	-
TU13C1809A	-	-	-	-	AJA-W1	-	-	-	-	BH-P	-	-	-	-
TU23C1806A	-	-	-	-	ALT-W1	0.91	(0.05)	828	-	CSC-P	-	-	-	-
TU24C1808A	-	-	-	-	AQ-W4	0.01	-	25,339	-	JUTHA-P	-	-	-	-
TU24C1901A	0.21	(0.05)	7,650	-	AS-W1	0.52	(0.02)	2,588	-	KTB-P	-	-	-	-
TU27C1807A	-	-	-	-	AYUD-W1	3.90	(0.26)	15,261	3.00	SCB-P	-	-	-	-
TVO01C1809A	0.15	(0.01)	55	-	B-W3	-	-	-	-	TCAP-P	-	-	-	-
TVO01C1809B	-	-	-	-	BLAND-W4	-	-	-	-	TIC-P	-	-	-	-
TVO08C1808A	-	-	-	-	BTS-W3	0.08	(0.02)	101,770	-	TISCO-P	-	-	-	-
TVO11C1903A	0.10	(0.01)	7,166	-	BWG-W4	0.06	(0.01)	16,297	-	U-P	0.03	-	1,575,319	-
TVO13C1809A	-	-	-	-	CEN-W4	0.07	0.01	7,079	-	Warrant (MAI)	-	-	-	-
TVO23C1808A	-	-	-	-	CGH-W2	-	-	-	-	2S-W1	0.14	(0.01)	2,585	-
TVO24C1810A	-	-	-	-	CGH-W3	0.08	0.02	604,542	-	ACAP-W1	-	-	-	-
TVO28C1808A	-	-	-	-	CI-W1	0.37	(0.10)	967	-	ACAP-W2	2.72	(0.06)	57	2.00
UNIQ01C1809A	0.16	(0.05)	70,898	-	CKP-W1	0.37	(0.01)	6,869	-	AIRA-W1	0.04	(0.01)	7,407	-
UNIQ01C1810A	0.31	(0.06)	88,550	-	CRANE-W1	-	-	-	-	AIRA-W2	0.06	0.01	3,146	-
UNIQ01C1810B	0.16	(0.06)	42,209	-	CWT-W4	0.70	(0.12)	41,528	-	ATP30-W1	0.81	(0.01)	958	-
UNIQ01P1809A	0.59	0.09	19,773	-	DCC-W1	0.77	(0.03)	194,872	-	BSM-W2	0.24	-	149	-
UNIQ08C1808A	0.01	(0.01)	3,000	-	DCON-W1	-	-	-	-	CHEWA-W1	0.07	(0.01)	14,039	-
UNIQ08C1810A	0.14	(0.06)	75,234	-	DIGI-W1	0.06	-	2,739	-	CIG-W7	0.03	-	1,300	-
UNIQ11C1811A	0.15	(0.03)	38,114	-	DIGI-W2	0.02	-	9,176	-	DNA-W1	1.34	(0.04)	297	1.00
UNIQ13C1807A	-	-	-	-	EARTH-W4	-	-	-	-	ECF-W2	3.86	-	3,245	3.00
UNIQ13C1809A	0.12	(0.04)	151,211	-	EIC-W2	0.01	-	91,741	-	ECF-W3	2.80	0.02	586	2.00
UNIQ19C1811A	0.13	(0.04)	28,834	-	EIC-W3	-	-	-	-	EFORL-W3	0.02	0.01	1,141	-
UNIQ23C1806A	-	-	-	-	EIC-W4	0.01	-	1,000	-	EFORL-W4	0.03	-	1	-
UNIQ24C1806A	-	-	-	-	EVER-W3	0.03	-	131	-	FC-W1	0.08	-	16,001	-
UNIQ24C1811A	-	-	-	-	GJS-W3	0.02	(0.01)	1,908	-	FC-W2	-	-	-	-
UNIQ28C1807A	-	-	-	-	GL-W4	0.06	(0.06)	121,558	-	FOCUS-W2	0.42	(0.04)	1,512	-
UNIQ28C1809A	0.09	(0.03)	144,460	-	GLAND-W4	-	-	-	-	FVC-W2	0.62	-	49	-
UNIQ28C1811A	0.17	(0.04)	234,394	-	GSTEL-W1	-	-	-	-	ITEL-W1	0.40	-	42,371	-
UV01C1807A	0.12	(0.06)	103,178	-	GSTEL-W2	-	-	-	-	JKN-W1	2.70	(0.10)	2,151	2.00
UV08C1807A	0.03	-	4,800	-	IEC-W2	-	-	-	-	LIT-W1	2.30	-	924	2.00
UV13C1807A	-	-	-	-	IFEC-W2	-	-	-	-	META-W2	0.21	-	27,708	-
UV13C1808A	-	-	-	-	IHL-W1	-	-	-	-	NBC-W1	-	-	-	-
UV23C1809A	0.02	-	2	-	ITD-W1	0.14	(0.01)	81,353	-	NCL-W2	-	-	-	-
UV24C1807A	-	-	-	-	IVL-W2	11.50	(1.40)	78,215	12.00	NDR-W1	0.15	(0.02)	3,140	-
UV24C1812A	-	-	-	-	JAS-W3	2.22	-	30,849	2.00	NEWS-W4	-	-	-	-
UV28C1807A	-	-	-	-	JCK-W4	-	-	-	-	NEWS-W5	-	-	-	-
UV28C1808A	-	-	-	-	JCK-W5	0.41	-	401	-	NEWS-W6	-	-	-	-
VG101C1812A	0.66	(0.02)	25,366	-	JMART-W2	1.95	(0.04)	840	1.00	NINE-W1	-	-	-	-
VG106C1904A	-	-	-	-	JMT-W1	-	-	-	-	PHOL-W1	0.11	-	2,588	-
VG106C1904B	-	-	-	-	MIDA-W2	0.03	-	611	-	PIMO-W1	1.69	(0.05)	1,997	1.00

