

Main Board Quotation

Issue Date :

Tuesday June 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.80	-	597	6.73	RS	16.80	-	105,934	16.58
POMPI	-	-	-	-	HUMAN	11.00	(0.10)	14,866	10.98	SE-ED	3.24	(0.04)	59	3.23
SAFARI	-	-	-	-	ILINK	5.25	(0.05)	2,829	5.25	SMM	0.81	(0.01)	317	0.81
VI	-	-	-	-	INET	3.60	(0.02)	4,466	3.63	SPORT	0.56	0.01	815	0.56
WORLD	-	-	-	-	INTUCH	52.50	(0.25)	63,851	52.67	TBSP	-	-	-	-
WR	-	-	-	-	JAS	4.78	(0.18)	941,305	4.83	TH	0.60	-	1,920	0.60
Agribusiness	-	-	-	-	JASIF	10.20	-	68,462	10.17	TKS	10.50	-	6,887	10.43
CHOTI	146.00	1.00	1	146.00	JMART	9.95	0.05	9,333	9.93	TRITN	0.27	-	153,279	0.27
EE	0.76	-	23,643	0.76	JTS	1.49	(0.05)	1,241	1.48	VGI	7.70	-	115,344	7.67
GFPT	12.40	0.20	14,984	12.30	MFEC	4.12	-	330	4.12	WAVE	2.82	-	144	2.78
LEE	2.76	-	2,136	2.76	MSC	5.85	0.05	465	5.80	WORK	40.00	(0.75)	37,911	40.06
STA	10.80	-	34,148	10.76	PT	6.60	0.05	2,194	6.55	Finance & Securities	-	-	-	-
TLUXE	5.65	(0.10)	1,561	5.69	SAMART	7.60	-	2,580	7.51	AEC	0.46	(0.01)	1,750	0.46
TRUBB	1.71	(0.03)	5,323	1.72	SAMTEL	8.20	-	42	8.14	AEONTS	163.00	5.50	7,543	160.90
TWPC	9.30	-	1,689	9.30	SDC	0.23	-	2,769	0.23	AMANAH	1.93	(0.02)	36,471	1.94
UPOIC	4.24	-	110	4.24	SIS	8.60	0.05	3,200	8.43	ASAP	5.65	(0.10)	59,286	5.57
UVAN	7.45	0.05	2,761	7.38	SVOA	1.31	-	8,421	1.31	ASK	21.90	(0.10)	459	21.85
VPO	0.65	-	224	0.65	SYMC	5.00	0.06	50	4.95	ASP	3.76	(0.02)	38,929	3.75
Banking	-	-	-	-	SYNEX	14.20	-	4,123	14.10	BFIT	28.00	0.50	1,402	27.69
BAY	39.50	(0.25)	1,190	39.48	THCOM	8.00	(0.10)	30,092	7.98	CGH	1.19	0.01	2,611	1.17
BBL	193.50	1.00	44,402	193.24	TRUE	6.00	0.15	1,197,539	5.97	CNS	2.52	-	651	2.51
CIMBT	0.87	(0.01)	30,835	0.87	TWZ	0.13	-	124,342	0.13	ECL	1.75	(0.02)	35,341	1.75
KBANK	193.00	3.00	61,108	192.04	Electronic Componen	-	-	-	-	FNS	4.44	-	930	4.50
KKP	67.00	-	22,169	67.02	CCET	1.81	(0.01)	6,118	1.81	FSS	2.44	(0.04)	281	2.45
KTB	16.90	(0.10)	315,306	17.00	DELTA	56.75	(2.75)	19,945	57.69	GBX	0.68	-	1,217	0.68
LHFG	1.50	(0.01)	28,740	1.49	EIC	0.06	(0.01)	26,735	0.06	GL	5.40	(0.15)	6,413	5.38
SCB	124.50	0.50	84,453	124.30	HANA	31.75	(1.25)	50,249	32.02	IFS	2.90	-	1,687	2.88
TCAP	48.25	0.25	35,487	48.40	KCE	37.50	0.25	37,280	37.19	JMT	29.00	-	4,446	28.93
TISCO	85.75	(1.25)	35,288	85.87	METCO	192.00	-	1	192.00	KCAR	13.90	(0.10)	268	13.96
TMB	2.30	0.02	1,188,794	2.30	SMT	2.18	(0.02)	6,173	2.16	KGI	3.84	(0.04)	65,670	3.83
Construction Materia	-	-	-	-	SPPT	4.48	(0.02)	616	4.46	KTC	335.00	12.00	20,030	330.21
CCP	0.42	0.01	14,621	0.41	SVI	4.10	-	12,656	4.11	MBKET	12.70	(0.20)	4,155	12.72
DCC	2.30	0.06	18,376	2.27	TEAM	1.03	(0.03)	13,331	1.03	MFC	15.20	0.10	98	15.14
DCON	0.54	(0.01)	85,640	0.54	Energy & Utilities	-	-	-	-	ML	0.99	(0.01)	11,094	0.99
DRT	5.65	-	1,800	5.62	ABPIF	8.45	(0.05)	333	8.49	MTC	33.25	0.25	52,573	33.10
EPG	7.75	(0.10)	60,197	7.72	AI	-	-	-	-	PE	0.33	-	100	0.33
GEL	0.33	(0.01)	169,087	0.33	AKR	1.69	0.14	789,609	1.63	PL	3.40	-	371	3.40
PPP	3.70	-	553	3.68	BAFS	33.25	(0.50)	2,595	33.27	S11	7.35	(0.10)	2,084	7.38
Q-CON	5.45	(0.25)	326	5.50	BANPU	19.30	(0.40)	914,824	19.37	SAWAD	30.75	(0.25)	50,017	30.58
RCI	2.98	0.18	188,270	2.92	BCP	31.75	(0.25)	57,310	31.85	THANI	7.25	0.15	21,722	7.20
SCC	410.00	4.00	22,309	409.26	BCPG	16.90	-	58,764	16.79	TK	11.00	-	2,806	11.01
SCCC	205.00	(5.00)	967	207.29	BGRIM	23.10	-	47,200	23.00	TNITY	5.70	(0.05)	1,269	5.75
SCP	7.75	-	760	7.61	BPP	22.90	0.10	38,532	22.57	UOBKH	3.86	0.02	93	3.85
SKN	4.90	-	8,803	4.88	BRRGIF	10.30	0.10	977	10.20	ZMICO	1.07	(0.01)	7,446	1.08
TASCO	14.70	(0.20)	30,556	14.67	CKP	4.08	0.02	201,376	4.06	Food & Beverage	-	-	-	-
TCMC	2.48	-	9,962	2.43	DEMCO	3.68	(0.16)	18,398	3.72	APURE	1.46	(0.02)	3,841	1.46
TGCI	3.04	0.14	51,249	3.02	EA	34.25	0.25	115,810	34.10	ASIAN	5.60	0.35	109,734	5.60
TOA	40.00	0.75	10,481	39.84	EARTH	-	-	-	-	BR	5.75	(0.05)	21,707	5.75
TPPL	1.78	(0.02)	323,624	1.76	EASTW	10.80	(0.10)	13,446	10.81	BRR	6.90	(0.10)	1,825	6.87
UMI	1.31	-	14,059	1.32	EGATIF	10.70	-	9,115	10.69	CBG	52.50	(1.00)	21,312	52.48
VNG	7.70	(0.10)	6,208	7.70	EGCO	230.00	2.00	7,068	229.13	CFRESH	4.40	-	502	4.40
WIH	2.30	(0.02)	6,291	2.29	ESSO	12.00	(0.20)	77,325	11.99	CM	4.08	0.06	2,313	4.12
Petrochemicals & Ch	-	-	-	-	GLOW	94.75	0.25	31,219	94.63	CPF	24.60	(0.20)	161,883	24.64
CMAN	3.24	0.04	18,962	3.17	GPSC	70.25	0.50	44,054	69.70	CPI	1.63	(0.02)	1,459	1.62
GC	5.05	-	2,147	5.00	GULF	62.75	0.50	62,262	61.80	F&D	16.40	0.20	11	16.24
GGC	13.10	0.30	51,466	13.04	GUNKUL	2.82	0.04	46,710	2.77	HTC	21.20	0.10	1,081	20.94
GIFT	4.30	(0.10)	2,461	4.31	IEC	-	-	-	-	ICHI	4.96	(0.02)	4,536	4.97
IVL	55.50	1.00	148,918	54.75	IFEC	-	-	-	-	KBS	4.38	-	493	4.39
NFC	11.10	0.20	669	11.01	IRPC	5.90	-	730,976	5.87	KSL	3.10	(0.02)	10,774	3.07
PATO	14.60	-	155	14.46	LANNA	14.80	0.10	1,168	14.69	KTIS	6.00	-	714	5.93
PMTA	16.60	-	13	16.55	MDX	4.14	(0.08)	2,829	4.15	LST	4.76	(0.02)	123	4.71
PTTGC	79.50	1.50	172,171	78.87	PTG	16.40	0.40	35,860	16.04	M	75.25	0.25	1,370	74.71
SUTHA	4.18	(0.02)	139	4.17	PTT	48.00	-	1,101,448	47.77	MALEE	13.60	(0.20)	4,814	13.61
TCB	53.50	-	168	53.47	PTTEP	131.50	-	135,606	131.65	MINT	33.25	0.50	161,387	33.12
TCCC	28.25	(0.50)	214	28.35	RATCH	51.75	-	8,908	51.58	OISHI	98.25	(1.75)	160	99.14
TPA	6.30	-	16	6.20	RPC	0.58	-	4,074	0.57	PB	61.25	-	108	61.01
UP	-	-	-	-	SCG	4.62	(0.06)	1,113	4.63	PM	10.50	-	2,744	10.37
VNT	25.25	(0.25)	6,986	25.28	SCI	2.96	(0.04)	11,101	2.95	PRG	13.60	-	16	13.60
WG	151.00	0.50	33	150.94	SCN	4.00	0.02	16,072	4.01	SAPPE	26.50	(0.25)	3,951	26.42
YCI	-	-	-	-	SGP	9.50	0.30	97,080	9.43	SAUCE	21.80	(0.10)	33	21.80
Commerce	-	-	-	-	SKE	1.25	(0.02)	14,164	1.25	SFP	221.00	(4.00)	1	221.00
BEAUTY	14.40	(0.10)	1,136,113	14.09	SOLAR	2.18	-	3,864	2.15	SNP	20.00	(0.20)	81	19.78
BIG	2.12	(0.02)	30,699	2.11	SPCG	20.20	(0.20)	7,137	20.22	SORKON	-	-	-	-
BJC	51.50	1.00	44,321	51.13	SPRC	13.60	0.10	113,966	13.52	SSC	42.00	(2.25)	1	42.00
COL	31.00	2.50	25,087	30.24	SUPER	0.72	(0.01)	3,050,046	0.73	SSF	-	-	-	-
COM7	17.50	(0.20)	57,650	17.51	SUSCO	3.20	(0.06)	12,062	3.23	SST	5.95	(0.10)	367	5.96
CPALL	76.00	0.75	291,312	75.29	TAE	2.10	-	3,771	2.10	TC	2.90	0.04	100	2.84
CSS	2.02	(0.04)	11,294	2.02	TCC	0.39	-	6,407	0.39	TFG	3.74	(0.12)	11,226	3.82
FN	2.64	(0.18)	18,860	2.61	TOP	78.50	1.50	70,163	78.31	TFMAMA	153.00	(1.00)	268	152.90
FTE	1.98	(0.01)	5,143	1.97	TPIPP	6.00	(0.10)	305,750	5.99	TIPCO	9.05	(0.25)	5,586	9.12
GLOBAL	16.30	0.10	35,594	16.29	TTW	11.60	0.10	18,961	11.59	TKN	16.20	(0.20)	16,449	16.17
HMPRO	13.60	0.20	177,113	13.59	WHAUP	5.90	(0.20)	105,592	5.91	TU	16.40	0.40	80,254	16.33
IT	4.50	0.06	234	4.45	WP	6.85	0.05	5,224	6.84	TVO	28.00	0.25	7,974	27.99
KAMART	4.58	(0.08)	16,194	4.59	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.44	0.08	75,823	2.39	AMARIN	4.78	(0.04)	4,465	4.76	AHC	21.00	(0.30)	10	21.00
MAKRO	40.00	-	10,882	39.79	AQUA	0.50	(0.03)	317,156	0.50	BCH	15.40	-	62,070	15.35
MC	12.20	(0.10)	3,333	12.22	AS	1.72	0.07	501	1.69	BDMS	24.80	(0.45)	241,471	24.94
MEGA	39.50	0.25	5,736	39.48	BEC	7.75	(0.15)	46,452	7.81	BH	171.00	(4.00)	39,977	173.60
MIDA	0.58	(0.01)	2,4											

Main Board Quotation

Issue Date :

Tuesday June 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	7.65	-	1,286	7.67	MJD	3.30	0.02	1,157	3.28	CPT	2.62	0.02	244,990	2.54
WPH	2.86	(0.02)	3,433	2.87	MK	3.08	0.02	4,112	3.07	CRANE	2.30	-	1,467	2.32
Tourism & Leisure					NCH	0.94	0.01	800	0.93	CTW	7.95	0.05	471	7.92
ASIA	6.65	-	186	6.66	NNCL	1.67	-	4,486	1.66	FMT	25.00	0.30	11	25.00
CENDEL	44.50	0.75	29,597	44.22	NOBLE	12.10	-	57,849	12.10	HTECH	6.90	0.05	17,559	6.80
CSR	-	-	-	-	NUSA	0.24	(0.01)	164,983	0.24	KKC	1.67	(0.02)	563	1.68
DTC	12.90	-	17,809	13.02	NVD	4.12	(0.04)	375	4.10	PK	3.32	(0.02)	1,269	3.34
ERW	6.65	0.05	99,734	6.74	ORI	17.80	(0.40)	10,553	17.77	SNC	14.60	0.10	3,046	14.45
GRAND	0.87	(0.01)	17,361	0.88	PACE	0.43	-	78,251	0.43	T CJ	6.30	-	654	6.14
LRH	35.00	-	33	35.00	PF	0.86	(0.02)	171,766	0.86	VARO	7.00	-	2	7.03
MANRIN	-	-	-	-	PLAT	7.65	(0.15)	9,112	7.69	Property Fund & REIT	-	-	-	-
OHTL	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.00	0.05	232	10.00
ROH	40.75	-	2	40.75	PRECHA	1.56	(0.02)	408	1.56	AMATAR	10.50	(0.10)	511	10.60
SHANG	68.00	-	137	67.36	PRIN	1.59	-	8,154	1.58	B-WORK	10.20	-	126	10.20
Home & Office Produ					PRINC	6.40	(0.10)	28,492	6.39	BKKCP	12.00	(0.10)	10	12.00
ACC	0.50	-	5,454	0.49	PSH	20.70	(0.10)	24,762	20.72	BOFFICE	12.50	0.10	2,127	12.49
AJA	0.44	-	33,631	0.43	OH	3.20	0.02	597,192	3.20	CPNCG	14.40	(0.10)	1,744	14.40
DTCI	28.00	0.50	1	28.00	RICHY	1.69	-	4,784	1.68	CPNREIT	23.30	-	7,163	23.34
FANCY	1.02	-	2,688	1.02	RML	1.03	0.02	6,975	1.02	CPTGF	13.10	0.10	10,864	13.02
KYE	412.00	(2.00)	34	410.82	ROJNA	5.40	(0.15)	19,583	5.43	CRYSTAL	10.20	(0.10)	150	10.25
L&E	2.72	(0.04)	2,210	2.71	S	3.16	0.02	48,361	3.14	CTARAF	4.72	(0.02)	296	4.72
MODERN	4.54	(0.06)	1,062	4.55	SAMCO	2.26	0.04	40	2.26	DREIT	5.45	-	22	5.45
OGC	38.75	0.75	1	38.75	SC	3.40	(0.12)	29,711	3.42	ERWPF	5.65	(0.10)	1	5.65
ROCK	-	-	-	-	SENA	3.54	(0.02)	10,859	3.52	FUTUREPF	20.90	-	51	20.90
SIAM	1.92	(0.02)	637	1.90	SF	8.70	-	19,532	8.69	GAHREIT	9.85	0.05	65	9.80
TSR	2.24	(0.02)	3,695	2.22	SIRI	1.58	(0.03)	937,761	1.59	GLANDRT	12.40	-	2,457	12.37
Insurance					SPALI	24.40	-	66,173	24.34	GOLDPF	7.20	-	1,462	7.15
AYUD	41.25	-	69	41.27	TICON	16.80	(0.10)	327	16.81	GVREIT	14.50	-	530	14.48
BKI	351.00	(1.00)	62	350.84	U	0.02	(0.01)	677,717	0.02	HPF	5.30	-	227	5.30
BLA	30.50	(1.00)	5,580	30.78	UV	7.10	(0.10)	23,660	7.13	HREIT	7.05	-	432	7.06
BUI	-	-	-	-	WHA	3.90	(0.02)	839,203	3.87	IMPACT	16.90	(0.10)	1,844	16.89
CHARAN	-	-	-	-	WIN	0.61	-	4,085	0.60	KPNPF	9.50	-	154	9.50
INSURE	-	-	-	-	Paper & Printing Mat	-	-	-	-	LHHOTEL	15.00	-	202	15.00
MTI	122.50	(0.50)	59	122.94	UTP	11.70	-	8,884	11.73	LHPF	8.25	-	424	8.26
NKI	54.00	(0.50)	10	54.00	Fashion	-	-	-	-	LHSC	14.80	0.30	2,311	14.71
NSI	82.75	0.25	6	82.75	AFC	-	-	-	-	LUXF	-	-	-	-
SMK	40.00	0.25	81	40.13	BTNC	-	-	-	-	M-II	8.30	(0.80)	82	8.30
THRE	1.20	-	11,001	1.20	CPH	5.60	-	2	5.58	M-PAT	10.30	-	100	10.30
THREL	7.60	-	5,775	7.57	CPL	-	-	-	-	M-STOR	-	-	-	-
TIC	33.25	(1.00)	157	33.33	DIGI	0.44	(0.01)	19,568	0.44	MIPF	-	-	-	-
TIP	22.90	0.10	3,365	22.71	ICC	37.50	(0.25)	21	37.62	MIT	-	-	-	-
TSI	0.53	(0.02)	4,270	0.54	LTX	75.00	(1.00)	8	75.00	MJLF	12.40	(0.10)	380	12.39
TVI	3.62	0.04	1,822	3.57	NC	-	-	-	-	MNIT	-	-	-	-
Mining					PAF	0.92	(0.01)	1,536	0.91	MNIT2	-	-	-	-
PDI	17.10	0.40	2,693	16.93	PDJ	2.86	0.04	306	2.85	MNRF	3.38	(0.06)	872	3.23
THL	-	-	-	-	PG	7.05	-	62	7.05	MONTRI	6.00	0.05	100	6.00
Packaging					SABINA	28.75	0.25	60	28.54	POPF	13.60	-	524	13.60
AJ	10.70	-	555	10.70	SAWANG	13.10	0.10	2	13.10	PPF	-	-	-	-
ALUCON	206.00	(1.00)	2	206.50	SUC	43.00	-	963	43.00	QHHR	8.70	0.05	101	8.70
CSC	43.00	-	1	43.00	TNL	18.10	0.10	1	18.10	QHOP	3.72	(0.06)	1	3.72
NEP	0.42	-	5,987	0.42	TPCORP	14.80	(0.10)	1	14.80	QHPP	11.80	-	4,406	11.79
NPP	1.35	0.02	90,037	1.35	TR	47.00	(1.00)	321	47.26	SBPF	-	-	-	-
PTL	14.40	(0.60)	14,698	14.53	TTI	-	-	-	-	SHREIT	9.30	-	5	9.29
SITHAI	1.23	-	5,979	1.23	TTL	-	-	-	-	SIRIP	11.30	0.10	31	11.21
SLP	0.93	-	2,348	0.93	TTM	133.50	(3.50)	71	134.13	SPF	23.20	(0.10)	755	23.17
SMPC	13.20	-	1,373	13.02	UPF	-	-	-	-	SRIPANWA	-	-	-	-
SPACK	1.90	-	161	1.89	UT	-	-	-	-	SSPF	-	-	-	-
TCOAT	29.50	-	4	29.50	WACOAL	45.50	-	10	45.50	SSTPF	6.45	0.05	13	6.42
TFI	0.38	(0.01)	377	0.38	Transportation & Log	-	-	-	-	SSSTR	6.20	(0.05)	100	6.20
THIP	35.50	-	231	35.28	AAV	5.15	(0.05)	31,038	5.19	TIF1	8.60	0.05	53	8.55
TMD	21.10	(0.10)	83	20.98	AOT	64.00	-	337,216	63.28	TLGF	18.00	(0.10)	5,822	18.01
TOPP	237.00	17.00	4	234.75	ASIMAR	2.82	0.02	1,927	2.81	TLHPF	11.50	0.30	1	11.50
TPBI	8.50	(0.10)	548	8.49	B	0.59	(0.01)	6,652	0.59	TNPF	-	-	-	-
TPP	21.90	2.90	29	19.43	BA	13.20	(0.50)	19,191	13.41	TPRIME	11.80	-	2,263	11.80
Personal Products &					BEM	7.50	-	223,541	7.52	TREIT	11.20	(0.10)	8,412	11.24
APCO	5.05	(0.05)	1,705	5.00	BTS	9.10	(0.05)	408,951	9.15	TTLPF	24.20	0.20	40	24.10
DDD	67.25	1.50	6,023	66.63	BTSGIF	12.00	-	72,483	12.07	TU-PF	1.71	(0.02)	50	1.71
JCT	-	-	-	-	III	4.78	(0.08)	13,674	4.76	URBNPF	-	-	-	-
OCC	17.20	0.40	2	17.20	JUTHA	1.80	-	28	1.77	WHABT	10.00	-	827	10.00
S & J	22.20	(0.30)	1	22.20	JWD	6.40	(0.05)	7,594	6.37	WHART	10.00	0.10	11,702	9.93
STHAI	-	-	-	-	KWC	-	-	-	-	Steel	-	-	-	-
TNR	14.90	0.20	234	14.68	NOK	2.74	-	13,273	2.73	AMC	2.50	(0.02)	778	2.50
TOG	4.92	-	260	4.93	NYT	5.10	(0.25)	39,253	5.17	BSBM	1.14	-	5,315	1.12
Professional Service					PRM	6.80	(0.20)	30,541	6.72	CEN	1.32	0.02	2,903	1.30
BWG	1.00	0.07	1,212,341	0.93	PSL	10.70	(0.50)	42,194	10.81	CITY	2.70	-	218	2.70
GENCO	0.80	-	2,969	0.79	RCL	5.00	(0.05)	40,632	4.99	CSP	1.45	-	6	1.45
PRO	-	-	-	-	THAI	14.20	(0.30)	24,482	14.27	GJS	0.33	-	265,259	0.32
Property Developer					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	669	6.70	TTA	6.90	(0.10)	32,796	6.87	INOX	1.12	(0.02)	2,337	1.12
AMATA	19.40	0.30	242,782	19.08	WICE	3.76	(0.12)	28,253	3.75	LHK	4.68	-	3,916	4.68
AMATAV	6.65	(0.05)	2,953	6.70	Automotive	-	-	-	-	MAX	0.02	-	224,578	0.02
ANAN	4.88	0.04	143,710	4.86	AH	34.00	(1.50)	22,170	34.08	MCS	7.05	0.05	5,216	7.00
AP	8.70	(0.10)	48,425	8.66	APCS	5.30	-	400	5.27	MILL	1.37	(0.01)	3,094	1.38
APEX	0.19	0.01	26,942	0.18	BAT-3K	-	-	-	-	PAP	4.16	0.02	785	4.12
AQ	0.04	0.01	589,326	0.03	CWT	3.18	0.04	9,114	3.17	PERM	2.06	(0.06)	3,721	2.07
BLAND	1.87	0.01	596,106	1.85	EASON	3.38	-	19	3.38	RICH	-	-	-	-
BROCK	2.52	-	50	2.52	GYT	-	-	-	-	SAM	0.69	(0.01)	1,642	0.69
CGD	1.35	(0.04)	22,935	1.36	HFT	3.22	(0.02)	5,173	3.22	SMIT	5.65	(0.05)	384	5.66
CI	1.61	(0.01)	1,420	1.60	IHL	8.35	(0.10)	4,188	8.34	SSI	-	-	-	-
CPN	70.25	1.00	92,950	70.23	INGRS	0.71	-	26,267	0.70	SSSC	3.04	-	748	3.04
ESTAR	0.67	0.01	13,587	0.66	IRC	20.20	0.10	93	20.18	TGPRO	0.18	(0.01)	21,046	0.19
EVER	0.37	0.01	95,805	0.36	PCSGH	7.10	0.10	2,493	7.04	THE	2.50	-	32,791	2.53
GLAND	2.50	0.04	15,626	2.48	SAT	23.50	0.40	15,620	23.20	TIW	418.00	(4.00)	75	417.36
GOLD	10.90	(0.10)	35,642	10.82	SPG	16.60	-	10	16.60	TMT	14.60	(0.10)	643	14.66
GREEN	1.48	(0.02)	99,743	1.44	STANLY	262.00	8.00	116	257.32	TSTH	0.76	-	4,560	0.76
J	1.65	-	205	1.61	TKT	1.63	-	1,002	1.62	TUCC	-	-	-	-
JCK	1.51	(0.02)	7,657	1.52	TNPC	1.55	0.02	101	1.52	TWP	4.16	-	363	4.05
KC	-	-	-	-	TRU	4.50	0.02	50						

Main Board Quotation

Issue Date :

Tuesday June 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UMS	0.90	(0.05)	29	-	ADVA11C1807A	0.06	(0.01)	8,430	-
ABICO	6.00	-	838	5.00	UWC	0.08	-	95,189	-	ADVA11P1807A	0.29	0.02	39,000	-
AU	9.90	(0.05)	15,489	9.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.07	(0.01)	3,730	-
FC	0.37	(0.02)	156,783	-	ADAM	-	-	-	-	ADVA13C1811A	0.46	(0.02)	86,753	-
JCKH	1.22	-	6,362	1.00	AKP	1.61	(0.02)	1,335	1.00	ADVA13P1809A	0.43	0.01	42,112	-
KASET	2.18	(0.04)	895	2.00	AMA	6.05	0.05	2,268	5.00	ADVA16C1812A	0.41	(0.01)	20	-
MM	3.98	0.04	450	3.00	ARIP	0.53	(0.01)	138	-	ADVA18C1808A	0.35	-	6,002	-
SUN	3.20	(0.04)	6,974	3.00	ATP30	1.66	0.01	6,410	1.00	ADVA19C1901A	-	-	-	-
TACC	4.06	(0.06)	6,159	4.00	AUCT	6.30	0.10	6,476	6.00	ADVA23C1806A	0.01	(0.01)	8,000	-
TMILL	2.88	(0.02)	2,639	2.00	BOL	-	-	-	-	ADVA24C1810A	0.31	(0.02)	1,548	-
XO	7.70	(0.05)	2,976	7.00	CHUO	-	-	-	-	ADVA24P1810A	-	-	-	-
Consumer Products	-	-	-	-	CMO	1.50	(0.01)	688	1.00	ADVA28C1808A	0.03	(0.01)	120	-
BGT	1.09	(0.02)	585	1.00	D	10.70	-	2,001	10.00	ADVA28C1811A	0.39	(0.01)	169,808	-
BIZ	2.82	(0.10)	1,088	2.00	DCORP	3.28	0.16	19,381	3.00	ADVA28P1810A	0.54	0.01	263,468	-
DOD	13.60	0.30	1,360,695	13.00	DNA	0.38	(0.02)	54,194	-	AMAT01C1806A	-	-	-	-
ECF	6.95	-	5,494	6.00	EFORL	0.07	-	91,167	-	AMAT01C1810A	0.68	0.03	87,341	-
HPT	1.05	0.05	15,062	1.00	ETE	2.14	(0.02)	6,255	2.00	AMAT01C1810B	0.51	0.03	83,366	-
JUBILE	22.50	0.50	484	22.00	FSMART	9.30	(0.15)	4,510	9.00	AMAT01P1806A	0.77	(0.02)	13,894	-
MOONG	6.00	-	1,719	6.00	FVC	1.41	(0.04)	924	1.00	AMAT01P1810A	1.33	(0.04)	35,153	1.00
NPK	-	-	-	-	HARN	2.60	(0.02)	2,031	2.00	AMAT06C1809A	0.06	(0.03)	28	-
OCEAN	1.71	(0.11)	103,512	1.00	JKN	10.30	0.35	26,830	10.00	AMAT08C1807A	-	-	-	-
TM	1.89	(0.05)	5,315	1.00	KIAT	0.43	0.01	67,883	-	AMAT08C1809A	0.11	-	48,490	-
Financials (MAI)	-	-	-	-	KOOL	1.66	(0.04)	5,519	1.00	AMAT11C1903A	0.33	-	25,456	-
ACAP	6.80	(0.45)	6,751	6.00	LDC	1.12	0.01	2,131	1.00	AMAT13C1809A	0.10	0.01	84,649	-
AF	0.91	0.03	1,902	-	MPG	0.20	(0.02)	6,387	-	AMAT19C1811A	0.21	-	47,430	-
AIRA	2.08	0.04	3	2.00	NBC	0.70	-	2,074	-	AMAT23C1810A	0.19	0.01	36,850	-
ASN	3.46	(0.04)	455	3.00	NCL	1.47	(0.01)	2,376	1.00	AMAT24C1807A	-	-	-	-
BROOK	0.57	(0.01)	8,332	-	NEWS	0.01	-	600,130	-	AMAT24C1811A	0.30	(0.02)	20,100	-
CHAYO	4.12	(0.02)	300,967	4.00	NINE	1.36	(0.02)	1,350	1.00	AMAT28C1808A	0.05	0.01	16,300	-
GCAP	4.66	0.02	2,186	4.00	OTO	2.94	(0.02)	1,676	2.00	AMAT42C1806A	-	-	-	-
LIT	7.70	(0.30)	7,859	7.00	PHOL	2.42	0.08	1,591	2.00	ANAN01C1807A	0.08	-	8,374	-
SGF	0.13	(0.01)	847,307	-	PICO	6.20	0.05	58	6.00	ANAN01C1810A	1.02	0.04	50,732	-
Industrials (MAI)	-	-	-	-	PORT	6.85	0.25	5,841	6.00	ANAN01C1810B	0.89	0.01	33,682	-
ZS	3.22	-	509	3.00	QLT	4.74	0.04	30	4.00	ANAN08C1808A	0.03	-	12,583	-
ADB	1.19	0.02	7,601	1.00	RP	3.24	(0.10)	552	3.00	ANAN08C1810A	0.96	(0.02)	2,169	-
BM	3.54	(0.12)	42,284	3.00	SE	2.10	(0.02)	1,109	2.00	ANAN19C1811A	0.61	0.02	41,722	-
CHO	1.21	(0.03)	7,948	1.00	SPA	15.70	-	8,101	15.00	ANAN23C1806A	-	-	-	-
CHOW	5.00	0.02	1,546	4.00	THMUI	1.39	(0.04)	2,114	1.00	ANAN24C1807A	-	-	-	-
CIG	0.38	0.01	4,037	-	TNDT	4.98	(0.02)	161	4.00	ANAN24C1811A	0.82	0.01	2,000	-
COLOR	-	-	-	-	TNH	38.00	(0.50)	693	38.00	ANAN28C1809A	0.60	0.03	46,251	-
CPR	4.94	(0.06)	1,227	4.00	TNP	1.99	(0.03)	3,910	1.00	AOT01C1808A	0.24	(0.01)	410,140	-
FPI	2.90	-	347	2.00	TSF	0.06	-	41,489	-	AOT01C1808B	0.02	-	5,220	-
GTB	0.76	0.01	1,385	-	TVD	1.40	(0.05)	2,287	1.00	AOT01C1810A	0.31	(0.01)	252,266	-
KCM	1.23	0.07	156,900	1.00	TVT	1.05	0.01	1,393	1.00	AOT01P1808A	0.98	0.01	190,630	1.00
LVT	-	-	-	-	WINNER	3.32	(0.04)	862	3.00	AOT01P1808B	0.40	0.01	257,003	-
MBAX	3.90	(0.02)	41	3.00	Technology (MAI)	-	-	-	-	AOT06C1806A	1.37	(0.01)	14,762	1.00
MGT	2.10	0.02	1,190	2.00	COMAN	3.68	-	504	3.00	AOT06C1809A	0.06	(0.02)	5,241	-
NDR	2.28	0.02	36	2.00	ICN	2.70	0.02	140,941	2.00	AOT08C1806A	0.01	(0.01)	1,600	-
PDG	3.60	0.02	1,668	3.00	IRCP	1.50	-	2,278	1.00	AOT08C1807A	0.01	-	25,000	-
PIMO	2.70	-	302	2.00	ITEL	3.18	(0.06)	11,504	3.00	AOT11C1808A	0.42	-	128,227	-
PJW	1.74	(0.07)	7,540	1.00	NETBAY	35.00	(0.50)	1,620	34.00	AOT11P1808A	0.10	0.01	25,485	-
PPM	2.40	-	461	2.00	PLANET	1.75	(0.01)	796	1.00	AOT13C1807A	-	-	-	-
RWI	1.50	-	7,278	1.00	SIMAT	2.38	0.04	8,752	2.00	AOT13C1809A	0.07	(0.01)	43,757	-
SALEE	1.10	(0.05)	2,589	1.00	SKY	15.00	(0.20)	1,985	15.00	AOT13C1811A	0.25	0.01	68,487	-
SANKO	1.23	(0.02)	13,459	1.00	SPVI	1.24	(0.02)	9,917	1.00	AOT13P1810A	0.60	(0.01)	90,449	-
SELIC	1.91	0.10	33,752	1.00	UPA	0.41	-	2,975	-	AOT19C1809A	0.16	(0.02)	110,060	-
SWC	22.90	-	739	22.00	VCOM	3.74	0.18	213,714	3.00	AOT23C1807A	0.22	(0.05)	52,760	-
TAPAC	10.40	-	2,897	10.00	Unit Trust	-	-	-	-	AOT23P1807A	-	-	-	-
TMC	0.82	(0.08)	36,205	-	MGE	-	-	-	-	AOT24C1806A	-	-	-	-
TMI	0.82	-	20,694	-	SCBSET	-	-	-	-	AOT24C1807A	-	-	-	-
TMW	65.75	-	164	65.00	ETF	-	-	-	-	AOT24C1811A	0.13	(0.04)	4,000	-
TPAC	12.30	0.60	2,323	12.00	IDIV	12.45	(0.35)	22	12.00	AOT24P1809A	0.21	-	1,630	-
UAC	4.62	(0.04)	366	4.00	ABFTH	-	-	-	-	AOT28C1807A	-	-	-	-
UBIS	4.90	(0.06)	565	4.00	BMSCG	8.79	(0.10)	6,988	8.00	AOT28C1809A	0.10	(0.01)	38,000	-
UEC	1.16	(0.01)	5,782	1.00	BMSCITH	12.55	0.05	6,887	12.00	AP01C1809A	0.43	(0.02)	33,700	-
UKEM	0.87	0.01	4,698	-	BSET100	10.32	0.03	1,120	10.00	AP01C1809B	0.19	(0.01)	19,782	-
UREKA	0.50	(0.01)	5,027	-	CHINA	5.77	(0.03)	31	5.00	AP08C1810A	0.36	(0.05)	18,656	-
YUASA	16.80	(0.50)	1,263	16.00	EBANK	5.39	-	2	5.00	AP23C1901A	0.17	(0.02)	1,000	-
ZIGA	2.58	(0.04)	10,515	2.00	ECOMM	-	-	-	-	AP24C1901A	-	-	-	-
Property & Construc	-	-	-	-	EFOOD	5.46	(0.14)	1	5.00	AP42C1901A	0.29	(0.02)	14,056	-
ARROW	9.50	(0.10)	1,334	9.00	EICT	4.48	(0.05)	979	4.00	AP42P1901A	0.47	-	4,832	-
BKD	3.30	(0.02)	7,149	3.00	ENGY	6.01	(0.07)	102	6.00	BA11C1902A	0.12	(0.02)	5,120	-
BSM	0.72	0.02	23,627	-	ENY	-	-	-	-	BA19C1811A	0.11	(0.03)	4,650	-
BTW	1.64	-	255	1.00	ESET50	5.40	(0.18)	8	5.00	BA23C1806A	-	-	-	-
CHEWA	1.00	-	25,549	1.00	GLD	1.78	-	383	1.00	BA24C1810A	-	-	-	-
CRD	1.07	-	1,149	1.00	TDEX	10.50	(0.01)	2,129	10.00	BA24C1901A	-	-	-	-
DIMET	1.17	(0.04)	70,164	1.00	TGOLDEF	3.90	(0.02)	7	3.00	BA28C1809A	-	-	-	-
FLOYD	2.98	0.16	738,150	2.00	TH100	-	-	-	-	BA42C1806A	-	-	-	-
FOCUS	0.88	(0.02)	1,303	-	Warrant Foreign	-	-	-	-	BANP01C1806A	0.54	(0.05)	61,516	-
HYDRO	1.74	0.20	367,622	1.00	AAV01C1808A	0.15	(0.01)	1,580	-	BANP01C1808A	0.20	(0.03)	520,218	-
JSP	0.62	0.01	18,124	-	AAV01C1808B	-	-	-	-	BANP01C1808B	0.04	(0.01)	138,882	-
K	2.94	(0.04)	948	2.00	AAV01P1808A	0.39	0.02	10,686	-	BANP01C1812A				

Main Board Quotation

Issue Date :

Tuesday June 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP24C1812A	-	-	-	-	BEC01C1808A	0.02	-	905	-	BTS08C1810A	0.26	(0.01)	13,915	-
BANP24P1808A	0.11	0.01	2,900	-	BEC01C1808B	0.01	-	26,120	-	BTS11C1806A	0.17	(0.03)	6,600	-
BANP27C1809A	0.17	(0.01)	10,353	-	BEC01C1812A	0.20	(0.01)	12,230	-	BTS11C1904A	0.08	-	1,130	-
BANP28C1807A	0.01	-	2,000	-	BEC01C1812B	0.27	(0.04)	9,940	-	BTS23C1905A	1.50	(0.01)	2,000	1.00
BANP28C1809A	-	-	-	-	BEC07C1806A	-	-	-	-	BTS24C1808A	-	-	-	-
BANP28C1810A	0.25	(0.02)	306,200	-	BEC07C1808A	-	-	-	-	BTS28C1809A	0.22	(0.02)	31,720	-
BBL06C1806A	-	-	-	-	BEC08C1807A	-	-	-	-	BTS28C1811A	-	-	-	-
BBL08C1808A	0.08	0.01	5,692	-	BEC08C1809A	-	-	-	-	BTS42C1901A	0.24	(0.01)	2,008	-
BBL08C1809A	0.10	(0.01)	16,045	-	BEC13C1806A	-	-	-	-	BTS42P1901A	0.39	(0.01)	3,012	-
BBL08P1810A	0.32	(0.04)	36,204	-	BEC13C1808A	-	-	-	-	CBG01C1806A	0.01	-	21,832	-
BBL11C1903A	0.50	0.02	33,030	-	BEC13C1811A	0.13	(0.02)	22,530	-	CBG01C1806B	0.01	-	18,087	-
BBL11P1903A	0.63	(0.03)	18,705	-	BEC19C1809A	-	-	-	-	CBG01C1809A	0.06	(0.01)	9,896	-
BBL13C1807A	0.03	-	20	-	BEC23C1807A	-	-	-	-	CBG01C1811A	0.60	(0.05)	51,141	-
BBL13C1810A	0.47	0.02	50,520	-	BEC23C1809A	-	-	-	-	CBG01C1811B	0.36	(0.04)	40,987	-
BBL19C1901A	0.26	(0.74)	302	-	BEC24C1809A	-	-	-	-	CBG01P1806A	2.92	0.10	15,298	2.00
BBL23C1811A	0.24	-	6,411	-	BEC24C1812A	0.14	(0.06)	4,000	-	CBG01P1811A	0.97	0.04	41,177	-
BBL24C1809A	-	-	-	-	BEC28C1808A	-	-	-	-	CBG01P1811B	0.61	0.05	38,003	-
BBL24C1812A	0.60	0.02	3,260	-	BEC28C1809A	-	-	-	-	CBG06C1807A	0.36	(0.04)	26,011	-
BBL24P1810A	0.28	(0.02)	4,050	-	BEC28C1811A	0.26	(0.03)	102,400	-	CBG06C1809A	0.16	(0.02)	2	-
BBL27C1809A	0.15	0.02	8,473	-	BEM01C1808A	0.28	-	41,492	-	CBG06P1809A	-	-	-	-
BBL28C1808A	0.02	(0.03)	1	-	BEM01C1808B	-	-	-	-	CBG07C1806A	-	-	-	-
BBL28C1811A	0.47	0.02	91,060	-	BEM01P1808A	0.31	-	42,957	-	CBG07C1812A	-	-	-	-
BCH01C1808A	0.27	(0.02)	44,496	-	BEM08C1809A	0.14	(0.01)	30,676	-	CBG08C1808A	-	-	-	-
BCH01C1808B	0.07	(0.01)	8,668	-	BEM11C1903A	0.19	(0.01)	39,500	-	CBG08C1810A	0.10	-	74,335	-
BCH01P1808A	0.45	0.01	66,226	-	BEM13C1809A	0.16	-	78,712	-	CBG11C1902A	0.22	(0.02)	16,850	-
BCH06C1806A	0.55	(0.04)	3,600	-	BEM23C1901A	-	-	-	-	CBG13C1808A	-	-	-	-
BCH06C1811A	-	-	-	-	BEM24C1809A	-	-	-	-	CBG13C1809A	0.05	-	8,814	-
BCH08C1806A	-	-	-	-	BEM28C1807A	-	-	-	-	CBG13C1811A	0.28	(0.04)	75,823	-
BCH11C1807A	0.07	-	7,546	-	BEM28C1808A	0.10	(0.01)	166,796	-	CBG13P1806A	-	-	-	-
BCH13C1810A	0.09	-	13,238	-	BEM42C1806A	-	-	-	-	CBG18C1808A	-	-	-	-
BCH19C1809A	0.09	(0.01)	880	-	BEM42P1806A	-	-	-	-	CBG19C1810A	0.16	(0.02)	8,098	-
BCH23C1811A	0.20	(0.01)	24,524	-	BH01C1806A	0.07	(0.09)	130,802	-	CBG23C1806A	-	-	-	-
BCH24C1811A	-	-	-	-	BH01C1806B	0.01	-	3,018	-	CBG23C1901A	0.22	(0.03)	6,000	-
BCH28C1807A	-	-	-	-	BH01C1811A	0.55	(0.06)	151,445	-	CBG24C1807A	-	-	-	-
BCH28C1811A	0.15	(0.01)	39,840	-	BH01C1811B	0.22	(0.03)	68,543	-	CBG24C1809A	-	-	-	-
BCH42C1806A	-	-	-	-	BH01P1806A	1.34	0.12	38,212	1.00	CBG24C1811A	0.36	(0.04)	15,550	-
BCP01C1810A	0.14	(0.01)	24,259	-	BH01P1811A	1.68	0.11	122,284	1.00	CBG28C1808A	-	-	-	-
BCP01C1810B	0.06	(0.01)	10,642	-	BH07C1810A	0.03	-	10	-	CBG28C1808B	-	-	-	-
BCP01P1810A	0.62	0.01	18,822	-	BH08C1811A	0.05	(0.01)	14,400	-	CBG28C1811A	0.26	(0.02)	18,268	-
BCP07C1806A	-	-	-	-	BH11C1902A	0.06	(0.01)	15,210	-	CBG42C1806A	-	-	-	-
BCP08C1806A	-	-	-	-	BH24C1806A	-	-	-	-	CENT01C1810A	0.38	0.04	35,858	-
BCP11C1811A	0.08	-	5,786	-	BH24C1809A	0.07	(0.02)	9,100	-	CENT01C1810B	0.20	0.01	39,197	-
BCP13C1810A	0.04	(0.01)	100	-	BH24C1811A	-	-	-	-	CENT01P1810A	0.97	(0.05)	38,431	1.00
BCP24C1808A	-	-	-	-	BIG08C1807A	-	-	-	-	CENT08C1809A	0.07	-	501	-
BCP24C1811A	-	-	-	-	BIG13C1808A	-	-	-	-	CENT11C1806A	0.21	0.02	30,160	-
BCP28C1807A	-	-	-	-	BIG19C1811A	0.15	(0.01)	3,916	-	CENT11C1904A	0.31	0.02	20,150	-
BCP28C1809A	-	-	-	-	BIG24C1808A	-	-	-	-	CENT13C1811A	0.13	0.02	32,713	-
BCP28C1809B	-	-	-	-	BIG24C1812A	-	-	-	-	CENT23C1806A	-	-	-	-
BCPG01C1806A	0.01	-	22,175	-	BIG28C1807A	0.01	-	408	-	CENT24C1807A	-	-	-	-
BCPG01C1806B	0.01	-	8,969	-	BJC01C1807A	0.14	0.02	58,507	-	CENT24C1810A	0.09	-	100	-
BCPG01C1811A	0.32	-	26,067	-	BJC01C1807B	0.01	(0.01)	1,120	-	CENT28C1808A	0.03	0.01	3,504	-
BCPG01C1811B	0.16	(0.01)	17,272	-	BJC01P1807A	1.03	(0.07)	43,077	1.00	CHG01C1809A	0.34	(0.01)	19,378	-
BCPG06C1807A	0.01	-	2,200	-	BJC06C1807A	-	-	-	-	CHG01C1809B	0.45	(0.06)	28,864	-
BCPG06C1811A	-	-	-	-	BJC06C1901A	0.20	-	1,978	-	CHG01P1809A	0.29	0.01	10,013	-
BCPG07C1806A	-	-	-	-	BJC07C1809A	0.03	-	2,000	-	CHG08C1807A	-	-	-	-
BCPG08C1806A	-	-	-	-	BJC08C1807A	-	-	-	-	CHG11C1807A	-	-	-	-
BCPG08C1810A	0.18	(0.01)	45,608	-	BJC08C1809A	0.07	0.02	11,649	-	CHG11C1904A	0.20	(0.02)	14,612	-
BCPG11C1807A	0.36	(0.02)	23,676	-	BJC11C1807A	0.18	0.03	43,530	-	CHG13C1807A	-	-	-	-
BCPG11C1902A	0.13	-	18,760	-	BJC13C1807A	-	-	-	-	CHG13C1809A	0.52	(0.03)	35,034	-
BCPG13C1807A	-	-	-	-	BJC13C1808A	0.04	-	6,040	-	CHG23C1811A	0.72	(0.01)	2,000	-
BCPG13C1810A	0.14	(0.01)	105,915	-	BJC13C1810A	0.14	0.01	68,979	-	CHG24C1808A	-	-	-	-
BCPG23C1806A	-	-	-	-	BJC19C1809A	0.14	0.02	10,300	-	CHG24C1811A	-	-	-	-
BCPG24C1806A	-	-	-	-	BJC23C1806A	-	-	-	-	CHG28C1807A	0.03	(0.02)	7,191	-
BCPG24C1807A	-	-	-	-	BJC24C1808A	-	-	-	-	CHG28C1808A	0.42	(0.03)	18,336	-
BCPG24C1810A	-	-	-	-	BJC27C1807A	-	-	-	-	CK01C1809A	0.22	(0.02)	54,681	-
BCPG28C1808A	0.01	(0.04)	700	-	BJC28C1808A	0.04	(0.01)	16,041	-	CK01C1809B	0.38	(0.01)	29,940	-
BCPG28C1809A	0.13	(0.01)	78,852	-	BLA01C1812A	0.19	(0.02)	9,739	-	CK01P1809A	0.30	-	3,309	-
BDMS01C1806A	0.80	(0.11)	27,026	-	BLA07C1806A	-	-	-	-	CK08C1809A	-	-	-	-
BDMS01C1806B	0.25	(0.07)	10,457	-	BLA08C1811A	-	-	-	-	CK11C1806A	-	-	-	-
BDMS01C1811A	0.19	(0.01)	41,103	-	BLA13C1809A	-	-	-	-	CK11C1904A	0.21	-	3,800	-
BDMS01C1811B	0.11	(0.01)	55,664	-	BLA23C1806A	-	-	-	-	CK13C1809A	0.12	(0.01)	15,760	-
BDMS01P1806A	0.02	-	11,500	-	BLA27C1806A	-	-	-	-	CK16C1812A	-	-	-	-
BDMS01P1811A	0.36	-	29,887	-	BLA28C1810A	-	-	-	-	CK19C1811A	0.16	(0.01)	10,000	-
BDMS06C1811A	0.58	(0.06)	12,634	-	BLAN01C1809A	0.49	(0.02)	20,971	-	CK23C1808A	-	-	-	-
BDMS08C1807A	0.34	(0.08)	5,839	-	BLAN01C1809B	0.12	(0.01)	12,358	-	CK24C1806A	-	-	-	-
BDMS11C1811A	0.70	(0.06)	7,548	-	BLAN01P1809A	0.18	0.01	10,217	-	CK24C1808A	-	-	-	-
BDMS11C1904A	0.12	(0.01)	2,006	-	BLAN08C1810A	0.20	0.01	14,655	-	CK24C1901A	-	-	-	-
BDMS13C1807A	-	-	-	-	BLAN11C1902A	0.21	(0.01)	17,025	-	CK28C1809A	-	-	-	-
BDMS13C1810A	0.41	(0.03)	13,897	-	BLAN23C1807A	-	-	-	-	CK28C1812A	0.10	(0.01)	26,598	-
BDMS13C1812A	0.14	-	7,379	-	BPP01C1806A	0.02	(0.01)	4,065	-	CKP01C1812A	-	-	-	-
BDMS16C1812A	0.83	(0.03)	105	-	BPP01C1806B	0.01	-	500	-	CKP01C1812B	-	-	-	-
BDMS23C1810A	-	-	-	-	BPP01C1811A	0.16	(0.01)	17,275	-	CKP11C1807A	0.47	0.01	42,000	-
BDMS24C1811A	0.34	(0.04)	10	-	BPP01C1811B	0.08	(0.01)	4,428	-	CKP13C1810A	0.39	0.01	86,033	-
BDMS24C1812A	-	-	-	-	BPP01P1811A	-	-	-	-	CKP23C1810A	0.43	(0.01)	3,000	-
BDMS28C1811A	0.10	-	10,370	-	BPP06C1809A	0.26	-	14,180	-	CKP24C1811A	0.44	(0.02)	16,242	-
BEAU01C1807A	0.03	(0.01)	75,330	-	BPP07C1806A	-	-	-	-	CKP27C1806A	-	-	-	-
BEAU01C1807B	0.02	0.01	48,452	-	BPP08C1807A	-	-	-	-	CKP28C1809A	0.15	(0.01)	38,918	-
BEAU01C1812A	0.40	(0.01)	356,755	-	BPP08C1810A	0.16	(0.02)	22,118	-	CKP28C1809B	0.45	0.01	73,734	-
BEAU01C1812B	0.31	0.01	163,785	-	BPP11C1807A	-	-	-	-	CKP42C1806A	-	-	-	-
BEAU01P1807A	1.66	-	393,924	1.00	BPP13C1808A	0.19	(0.02)	34,320	-	COM701C1806A	0.49	(0.05)	61,859	-
BEAU01P1812A	0.92	-	373,348	-	BPP13C1811A	0.07	(0.01)	6,000	-	COM701C1806B	0.06	(0.04)		

Main Board Quotation

Issue Date :

Tuesday June 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM728C1811A	0.28	(0.02)	69,970	-	EA19C1811A	0.42	0.02	50,802	-	HANA24C1808A	-	-	-	-
CPAL01C1806A	0.33	0.02	80,584	-	EA23C1806A	-	-	-	-	HANA24C1810A	-	-	-	-
CPAL01C1808A	0.47	0.03	235,003	-	EA24C1807A	-	-	-	-	HANA28C1807A	-	-	-	-
CPAL01C1808B	0.09	-	91,875	-	EA24C1809A	-	-	-	-	HANA28C1808A	0.04	(0.02)	4,500	-
CPAL01C1901A	0.59	(0.41)	1,042	-	EA28C1809A	0.34	0.01	122,190	-	HMPR01C1808A	0.25	0.02	58,694	-
CPAL01C1901B	0.46	(0.54)	87	-	EA28C1809B	-	-	-	-	HMPR01C1808B	0.08	0.02	14,169	-
CPAL01P1806A	0.44	(0.05)	76,746	-	EGCO01C1809A	0.55	0.03	31,480	-	HMPR01P1808A	0.41	(0.05)	154,368	-
CPAL01P1808A	0.90	(0.03)	138,116	-	EGCO08C1809A	0.11	-	10,136	-	HMPR06C1811A	0.13	(0.01)	2,603	-
CPAL01P1901A	1.21	0.09	3,100	1.00	EGCO13C1809A	0.11	-	24,861	-	HMPR08C1810A	0.10	0.01	16,904	-
CPAL01P1901B	0.95	(0.05)	4,907	-	EGCO23C1811A	0.34	(0.02)	12,700	-	HMPR11C1808A	0.25	0.02	21,930	-
CPAL06C1811A	0.96	0.02	98,435	-	EGCO24C1808A	0.11	(0.01)	100	-	HMPR11P1808A	-	-	-	-
CPAL06C1811B	0.19	-	3,000	-	EGCO28C1808A	0.09	(0.01)	8,000	-	HMPR13C1807A	-	-	-	-
CPAL08C1807A	0.08	-	4,740	-	EGCO42C1806A	-	-	-	-	HMPR13C1812A	0.23	0.01	96,977	-
CPAL08P1810A	0.95	(0.03)	21,276	1.00	EPG01C1809A	0.13	(0.02)	30,789	-	HMPR23C1901A	0.12	0.01	37,276	-
CPAL11C1903A	0.24	-	18,551	-	EPG01P1809A	0.90	0.05	16,463	-	HMPR24C1808A	0.08	-	2	-
CPAL11P1903A	0.90	(0.05)	46,713	-	EPG07C1811A	-	-	-	-	HMPR27C1807A	0.12	-	24,266	-
CPAL13C1807A	0.06	-	39,243	-	EPG08C1810A	-	-	-	-	HMPR28C1807A	-	-	-	-
CPAL19C1811A	0.34	0.02	70,974	-	EPG08C1810B	0.41	(0.04)	29,500	-	HMPR28C1811A	0.12	0.01	91,496	-
CPAL23C1810A	0.15	-	19,382	-	EPG11C1903A	0.37	(0.02)	13,780	-	ICH08C1806A	-	-	-	-
CPAL24C1808A	0.05	-	18,026	-	EPG13C1808A	-	-	-	-	INTU01C1809A	0.29	(0.01)	46,050	-
CPAL24C1811A	0.10	-	200	-	EPG13C1811A	0.27	(0.02)	39,798	-	INTU01C1809B	0.05	-	17,557	-
CPAL24P1901A	0.47	-	1,907	-	EPG23C1808A	-	-	-	-	INTU01P1809A	0.57	-	53,206	-
CPAL28C1809A	0.06	-	4,301	-	EPG24C1807A	-	-	-	-	INTU01P1809B	0.35	-	65,942	-
CPAL28C1811A	0.27	0.01	353,855	-	EPG24C1808A	-	-	-	-	INTU11C1807A	-	-	-	-
CPF01C1809A	0.73	(0.02)	107,695	-	EPG24C1810A	0.41	(0.04)	152	-	INTU11P1807A	0.43	(0.01)	28,476	-
CPF01C1809B	0.13	-	26,410	-	EPG28C1808A	-	-	-	-	INTU13C1810A	0.14	-	35,010	-
CPF01C1810A	0.20	(0.01)	35,395	-	ESSO01C1807A	0.01	(0.01)	10,200	-	INTU19C1901A	-	-	-	-
CPF01P1809A	0.40	(0.01)	55,499	-	ESSO01C1807B	0.01	(0.01)	5,000	-	INTU23C1806A	-	-	-	-
CPF06C1809A	0.44	(0.02)	31,936	-	ESSO01C1812A	0.27	(0.02)	18,197	-	INTU24C1807A	-	-	-	-
CPF07C1810A	-	-	-	-	ESSO01C1812B	0.17	(0.02)	21,932	-	INTU24C1901A	-	-	-	-
CPF08C1809A	0.32	(0.01)	23,870	-	ESSO01P1807A	1.74	0.07	3,713	1.00	INTU28C1809A	0.10	-	306,630	-
CPF11C1902A	0.09	(0.01)	3,011	-	ESSO01P1812A	1.04	(0.02)	39,541	1.00	IRPC01C1808A	0.07	(0.01)	86,762	-
CPF11P1902A	0.36	0.01	7,152	-	ESSO08C1807A	-	-	-	-	IRPC01C1810A	0.09	(0.01)	22,502	-
CPF13C1809A	0.42	(0.01)	80,971	-	ESSO13C1807A	-	-	-	-	IRPC01C1810B	-	-	-	-
CPF13C1810A	0.11	(0.01)	530	-	ESSO13C1811A	0.11	(0.01)	20,979	-	IRPC01P1808A	0.69	(0.01)	30,526	-
CPF19C1901A	0.20	(0.80)	3,700	-	ESSO23C1809A	-	-	-	-	IRPC01P1810A	0.56	-	42,635	-
CPF23C1810A	0.39	(0.01)	20,000	-	ESSO24C1806A	-	-	-	-	IRPC01P1810B	0.42	0.02	20,878	-
CPF24C1809A	0.21	(0.01)	4,779	-	ESSO24C1812A	0.09	(0.02)	950	-	IRPC06C1811A	0.13	-	1,000	-
CPF28C1808A	0.29	(0.02)	145,364	-	ESSO28C1807A	-	-	-	-	IRPC08C1808A	0.01	(0.01)	1,000	-
CPF28C1811A	0.12	(0.01)	50	-	ESSO28C1811A	0.09	(0.01)	41,860	-	IRPC11C1902A	0.04	(0.01)	5,132	-
CPN01C1808A	0.19	0.04	58,846	-	GFPT01C1807A	0.12	0.01	33,771	-	IRPC13C1808A	-	-	-	-
CPN01C1808B	0.02	-	3,908	-	GFPT08C1807A	-	-	-	-	IRPC13C1811A	0.09	(0.01)	5,688	-
CPN06C1811A	0.33	0.03	26,735	-	GFPT11C1806A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPN08C1809A	0.04	0.01	8,000	-	GFPT19C1811A	0.32	-	9,167	-	IRPC24C1808A	0.17	-	7,700	-
CPN11C1903A	0.21	0.02	30,790	-	GFPT23C1806A	-	-	-	-	IRPC24C1809A	-	-	-	-
CPN11P1903A	0.86	(0.06)	38,445	-	GFPT24C1806A	-	-	-	-	IRPC24C1812A	-	-	-	-
CPN13C1807A	-	-	-	-	GFPT24C1812A	0.30	0.01	9,881	-	IRPC27C1809A	0.04	-	14,000	-
CPN13C1812A	0.24	0.02	74,154	-	GGC01C1810A	0.33	0.01	63,079	-	IRPC28C1807A	-	-	-	-
CPN19C1901A	0.37	(0.63)	20,000	-	GGC01C1810B	0.22	0.01	124,449	-	IRPC28C1811A	0.06	(0.02)	14,000	-
CPN23C1810A	0.15	0.02	12,000	-	GGC13C1811A	0.13	0.01	26,110	-	ITD01C1808A	0.04	(0.01)	5,004	-
CPN24C1806A	-	-	-	-	GGC19C1811A	0.14	0.01	10,851	-	ITD01C1808B	0.01	-	250	-
CPN24C1901A	-	-	-	-	GGC24C1812A	-	-	-	-	ITD01P1808A	1.03	0.03	17,134	1.00
CPN28C1807A	-	-	-	-	GGC28C1811A	0.12	-	81,480	-	ITD08C1806A	-	-	-	-
CPN28C1810A	0.13	0.01	184,072	-	GLOB01C1809A	0.42	0.01	140,352	-	ITD08C1810A	0.13	(0.02)	12,745	-
DELT08C1811A	0.07	(0.03)	269	-	GLOB01C1809B	0.23	0.01	37,157	-	ITD11C1903A	0.23	(0.01)	4,464	-
DELT13C1809A	0.04	(0.02)	17,122	-	GLOB06C1809A	0.25	-	20,832	-	ITD13C1809A	0.05	-	1	-
DELT27C1812A	0.10	(0.01)	10	-	GLOB08C1807A	0.08	-	17,130	-	ITD19C1811A	0.13	(0.01)	981	-
DTAC01C1808A	0.12	(0.01)	219,746	-	GLOB11C1808A	0.19	(0.02)	16,200	-	ITD23C1808A	-	-	-	-
DTAC01C1808B	0.03	-	24,672	-	GLOB13C1807A	-	-	-	-	ITD24C1807A	-	-	-	-
DTAC01C1810A	0.26	(0.02)	238,979	-	GLOB23C1811A	0.41	-	12,000	-	ITD24C1810A	-	-	-	-
DTAC01C1810B	0.08	(0.01)	100,370	-	GLOB24C1810A	-	-	-	-	ITD28C1808A	-	-	-	-
DTAC01P1808A	1.18	0.04	194,713	1.00	GLOB27C1809A	0.11	(0.01)	17,796	-	ITD28C1808B	0.04	(0.02)	8,000	-
DTAC01P1810A	1.49	0.03	79,513	1.00	GLOB28C1807A	-	-	-	-	IVL01C1806A	0.47	0.04	103,587	-
DTAC01P1810B	1.20	0.04	54,627	1.00	GLOB28C1808A	0.08	0.01	48,000	-	IVL01C1808A	0.33	0.02	156,159	-
DTAC06C1806A	0.01	(0.01)	1	-	GLOW08C1806A	-	-	-	-	IVL01C1808B	0.10	0.01	71,479	-
DTAC06C1901A	0.21	(0.02)	2,900	-	GLOW08C1811A	0.76	0.01	1,740	-	IVL01C1812A	0.48	(0.52)	6,193	-
DTAC06P1809A	-	-	-	-	GLOW11C1807A	-	-	-	-	IVL01C1812B	0.34	(0.66)	10,105	-
DTAC07C1809A	0.02	-	200	-	GLOW23C1806A	-	-	-	-	IVL01P1806A	0.08	(0.04)	176,795	-
DTAC08C1809A	0.05	(0.01)	26,988	-	GLOW27C1812A	0.43	0.01	8	-	IVL01P1808A	0.93	(0.05)	86,334	-
DTAC08P1807A	0.50	0.01	57,431	-	GPSC01C1808A	0.38	0.02	36,616	-	IVL01P1808B	0.42	(0.04)	91,015	-
DTAC11C1806A	-	-	-	-	GPSC01C1808B	0.10	0.01	9,884	-	IVL01P1812A	1.06	0.06	830	1.00
DTAC11C1904A	0.22	(0.02)	28,922	-	GPSC01P1808A	1.21	(0.02)	73,408	1.00	IVL01P1812B	0.90	(0.10)	14,329	-
DTAC13C1811A	0.10	-	74,060	-	GPSC06C1811A	0.35	0.02	2,790	-	IVL06C1807A	-	-	-	-
DTAC13P1811A	1.09	0.05	130,158	1.00	GPSC08C1808A	0.05	-	19,200	-	IVL06C1901A	0.31	(0.03)	50	-
DTAC19C1811A	0.18	(0.02)	98,996	-	GPSC11C1808A	0.86	0.04	11,860	-	IVL07C1811A	-	-	-	-
DTAC23C1807A	0.01	-	190	-	GPSC11C1902A	0.34	0.01	23,197	-	IVL08C1806A	0.02	(0.01)	19,760	-
DTAC23P1807A	0.07	(0.01)	1,607	-	GPSC13C1807A	0.02	-	8,400	-	IVL08P1809A	0.12	-	37,236	-
DTAC24C1809A	0.06	-	7,530	-	GPSC13C1808A	0.04	-	1,000	-	IVL11C1808A	0.67	0.04	27,101	-
DTAC27C1809A	0.04	-	10,000	-	GPSC13C1812A	0.60	0.03	90,026	-	IVL11P1808A	-	-	-	-
DTAC27P1809A	0.32	0.01	27,093	-	GPSC24C1807A	-	-	-	-	IVL13C1809A	0.22	0.02	67,096	-
DTAC28C1810A	0.05	-	41,700	-	GPSC24C1808A	-	-	-	-	IVL13C1810A	0.22	0.02	69,425	-
DTAC42C1806A	-	-	-	-	GPSC24C1812A	-	-	-	-	IVL13P1809A	0.13	(0.02)	23,916	-
DTAC42P1806A	-	-	-	-	GPSC28C1807A	0.07	0.01	20,123	-	IVL13P1811A	0.59	(0.06)	51,058	-
EA01C1806A	0.01	-	105,580	-	GPSC28C1807B	-	-	-	-	IVL19C1809A	0.40	0.03	65,072	-
EA01C1806B	0.01	-	14,073	-	GPSC42C1806A	-	-	-	-	IVL23C1810A	0.43	0.02	12,590	-
EA01C1809A	0.67	0.02	142,229	-	GUNK01C1808A	0.02	-	68,512	-	IVL24C1808A	0.11	(0.02)	25,000	-
EA01C1809B	0.44	0.02	104,574	-	GUNK01C1808B	0.01	-	2,500	-	IVL24C1812A	-	-	-	-
EA01P1806A	3.18	(0.04)	19,068	3.00										

Main Board Quotation

Issue Date :

Tuesday June 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN08C1811A	0.47	0.04	33,283	-	LPN24C1812A	0.35	(0.04)	300	-	PTG01P1811A	0.98	(0.02)	32,402	1.00
KBAN08P1811A	0.56	(0.05)	44,959	-	LPN27C1807A	-	-	-	-	PTG06C1810A	0.13	(0.01)	8,872	-
KBAN13C1807A	-	-	-	-	MAJO08C1811A	0.06	(0.01)	4,800	-	PTG06C1904A	0.55	(0.02)	30,600	-
KBAN13C1810A	0.13	0.01	75,784	-	MAJO11C1902A	0.10	(0.01)	8,554	-	PTG07C1806A	-	-	-	-
KBAN13C1811A	0.64	0.04	198,338	-	MAJO23C1806A	-	-	-	-	PTG08C1807A	-	-	-	-
KBAN19C1901A	-	-	-	-	MAJO24C1809A	-	-	-	-	PTG11C1903A	0.25	(0.01)	19,044	-
KBAN23C1806A	-	-	-	-	MAJO42C1806A	-	-	-	-	PTG13C1809A	0.10	0.02	24,329	-
KBAN24C1806A	-	-	-	-	MALE01C1812A	0.03	-	599	-	PTG23C1808A	-	-	-	-
KBAN24C1902A	0.60	0.02	100	-	MALE08C1811A	-	-	-	-	PTG24C1809A	0.10	(0.04)	1	-
KBAN24P1811A	0.50	(0.02)	6,009	-	MALE13C1809A	-	-	-	-	PTG27C1809A	-	-	-	-
KBAN27C1809A	0.07	0.01	100	-	MALE23C1806A	-	-	-	-	PTG28C1808A	0.02	(0.02)	4,000	-
KBAN27P1809A	0.64	(0.01)	11,355	-	MALE27C1812A	-	-	-	-	PTL08C1811A	0.34	(0.05)	9,007	-
KBAN28C1809A	-	-	-	-	MALE28C1810A	-	-	-	-	PTL13C1809A	0.14	(0.03)	76,642	-
KBAN28C1811A	0.52	0.03	188,590	-	MC19C1811A	0.18	(0.01)	2,800	-	PTL23C1807A	-	-	-	-
KBAN28P1807A	0.70	(0.07)	5,240	-	MC23C1809A	0.08	(0.01)	5,150	-	PTL24C1806A	-	-	-	-
KCE01C1810A	0.51	(0.02)	29,916	-	MC24C1807A	-	-	-	-	PTL28C1810A	0.23	(0.05)	154,595	-
KCE01C1810B	0.43	(0.01)	35,282	-	MEGA01C1806A	0.09	-	10,200	-	PTT01C1808A	0.49	(0.01)	619,415	-
KCE06C1809A	0.53	(0.01)	19,804	-	MEGA01C1806B	0.01	-	150	-	PTT01C1808B	0.13	(0.02)	355,443	-
KCE07C1808A	-	-	-	-	MEGA01C1811A	0.41	0.02	10,138	-	PTT01C1810A	0.17	(0.05)	240,190	-
KCE08C1809A	0.42	-	21,682	-	MEGA01C1811B	0.27	0.01	7,890	-	PTT01C1810B	0.07	-	78,860	-
KCE11C1808A	-	-	-	-	MEGA08C1811A	0.25	0.01	29,484	-	PTT01P1808A	0.61	-	157,972	-
KCE11C1904A	0.29	-	5,720	-	MEGA11C1806A	0.50	-	2,912	-	PTT01P1808B	0.18	-	184,103	-
KCE13C1808A	0.27	0.01	74,903	-	MEGA11C1902A	0.24	0.01	2,628	-	PTT01P1810A	1.19	0.03	98,081	1.00
KCE13C1811A	0.41	-	76,696	-	MEGA13C1809A	0.10	-	26,672	-	PTT01P1810B	0.80	0.01	142,452	-
KCE23C1807A	-	-	-	-	MEGA23C1806A	0.18	(0.01)	2,000	-	PTT06C1811A	0.08	(0.01)	100	-
KCE23C1901A	0.20	-	7,002	-	MEGA24C1812A	-	-	-	-	PTT06C1901A	0.33	-	66,391	-
KCE24C1808A	0.17	0.01	85,930	-	MEGA27C1807A	-	-	-	-	PTT06P1901A	0.64	0.01	1,300	-
KCE28C1808A	0.11	-	89,866	-	MEGA28C1808A	-	-	-	-	PTT07C1811A	0.16	(0.02)	30	-
KKP01C1808A	0.16	(0.01)	33,019	-	MINT01C1808A	0.02	-	81,796	-	PTT08C1807A	-	-	-	-
KKP01C1808B	-	-	-	-	MINT01C1808B	-	-	-	-	PTT08C1809A	0.04	-	17,815	-
KKP07C1806A	-	-	-	-	MINT01C1901A	0.32	0.02	128,118	-	PTT08P1809A	0.63	(0.01)	39,594	-
KKP08C1811A	0.27	(0.02)	29,182	-	MINT01C1901A	0.22	0.02	154,766	-	PTT11C1806A	1.35	(0.09)	16,500	1.00
KKP11C1903A	0.24	(0.01)	19,180	-	MINT01P1808A	0.92	(0.05)	71,780	-	PTT11C1902A	0.15	(0.02)	34,211	-
KKP13C1807A	-	-	-	-	MINT01P1901A	0.55	(0.45)	16,683	-	PTT13C1807A	0.09	(0.01)	82,090	-
KKP13C1811A	0.24	(0.02)	64,160	-	MINT06C1809A	-	-	-	-	PTT13C1808A	0.02	0.01	15,937	-
KKP23C1807A	-	-	-	-	MINT06C1901A	0.16	0.02	1,340	-	PTT13C1810A	0.08	-	33,905	-
KKP24C1807A	-	-	-	-	MINT07C1810A	-	-	-	-	PTT13C1811A	0.23	-	316,325	-
KKP24C1812A	0.26	(0.07)	8,000	-	MINT08C1809A	0.02	-	5,059	-	PTT13C1812A	0.35	(0.01)	265,705	-
KKP28C1807A	-	-	-	-	MINT11C1902A	0.09	0.02	32,604	-	PTT13P1807A	0.08	(0.01)	2,033	-
KKP28C1810A	0.16	(0.01)	89,440	-	MINT11P1902A	0.46	(0.04)	43,633	-	PTT13P1808A	0.69	0.08	137	-
KTB01C1808A	0.12	(0.01)	40,320	-	MINT13C1810A	0.08	0.01	47,743	-	PTT13P1812A	0.49	-	340,378	-
KTB01C1810A	0.27	(0.01)	40,183	-	MINT23C1810A	-	-	-	-	PTT19C1809A	0.09	-	7,211	-
KTB01C1810B	0.13	(0.01)	29,058	-	MINT24C1807A	-	-	-	-	PTT23C1901A	0.11	(0.01)	164,666	-
KTB01P1808A	0.69	0.02	32,247	-	MINT24C1812A	-	-	-	-	PTT24C1806A	-	-	-	-
KTB08C1809A	0.04	(0.01)	223	-	MINT28C1808A	0.02	-	10	-	PTT24C1809A	0.06	(0.01)	1,700	-
KTB11C1811A	0.13	-	21,448	-	MINT28C1811A	0.14	0.01	335,620	-	PTT24P1808A	-	-	-	-
KTB13C1809A	0.05	(0.01)	2,003	-	MON001C1810A	0.10	-	15,786	-	PTT27C1809A	0.37	(0.01)	7,058	-
KTB19C1901A	-	-	-	-	MON001C1810B	0.05	-	2,000	-	PTT27P1809A	0.25	-	52,374	-
KTB23C1811A	0.17	(0.01)	9,974	-	MON008C1808A	-	-	-	-	PTT28C1807A	0.02	(0.01)	38,715	-
KTB24C1808A	-	-	-	-	MON008C1906A	0.16	0.02	13,339	-	PTT28C1808A	0.02	-	2,801	-
KTB24C1811A	0.14	-	72	-	MON013C1808A	-	-	-	-	PTT28C1808B	0.02	-	4,501	-
KTB24P1901A	-	-	-	-	MON013C1811A	0.08	-	5,400	-	PTT28C1811A	0.06	(0.01)	34,286	-
KTB28C1809A	-	-	-	-	MON019C1811A	0.18	-	2,856	-	PTT28C1811B	0.20	(0.01)	494,279	-
KTB28C1811A	0.12	(0.02)	36,828	-	MON023C1809A	0.01	(0.01)	19,990	-	PTT28P1808A	0.42	-	276,945	-
KTC01C1806A	4.64	0.32	3,512	4.00	MON024C1807A	-	-	-	-	PTT28P1808B	0.77	0.02	77,682	-
KTC01C1806B	6.20	0.60	1,044	5.00	MON024C1812A	0.03	0.01	1	-	PTTE01C1808A	0.95	(0.01)	319,641	-
KTC01C1808A	1.32	0.17	153,290	1.00	MON024C1812B	-	-	-	-	PTTE01C1808B	0.49	(0.01)	297,852	-
KTC01C1808B	0.63	0.13	237,436	-	MON028C1807A	-	-	-	-	PTTE01C1901A	0.70	0.01	196,907	-
KTC01C1810A	0.49	0.05	28,389	-	MON028C1808A	-	-	-	-	PTTE01C1901B	0.50	(0.01)	176,356	-
KTC01C1810B	0.40	0.06	30,636	-	MON028C1811A	0.06	0.01	4,000	-	PTTE01P1808A	0.20	(0.01)	257,237	-
KTC06C1807A	1.67	0.26	15,761	1.00	MTC06C1806A	0.28	0.02	4,191	-	PTTE01P1901A	1.43	0.02	49,449	1.00
KTC08C1807A	5.70	0.45	10	5.00	MTC06C1901A	0.33	0.01	55,520	-	PTTE01P1901B	1.09	(0.01)	55,033	1.00
KTC08C1808A	1.29	0.18	1,487	1.00	MTC07C1806A	-	-	-	-	PTTE06C1811A	0.45	0.01	9,620	-
KTC11C1902A	1.43	0.15	39,884	1.00	MTC08C1807A	0.01	-	4,000	-	PTTE07C1809A	0.24	-	11,585	-
KTC13C1807A	5.55	0.10	1	5.00	MTC08C1811A	0.11	-	37,866	-	PTTE08C1807A	0.56	(0.02)	50	-
KTC13C1808A	1.23	0.14	246	1.00	MTC11C1806A	0.04	(0.01)	1,000	-	PTTE08C1811A	0.36	(0.01)	103,695	-
KTC13C1809A	0.70	0.01	9,441	-	MTC11C1904A	0.24	0.01	36,316	-	PTTE08P1809A	0.13	-	49,886	-
KTC13C1809B	0.66	0.09	124,184	-	MTC13C1809A	0.05	-	72,758	-	PTTE08P1811A	0.49	(0.01)	31,950	-
KTC13P1807A	0.03	(0.02)	17,312	-	MTC13C1811A	0.32	0.01	228,572	-	PTTE11C1806A	2.96	-	17,760	2.00
KTC19C1811A	0.77	0.09	31,736	-	MTC23C1808A	0.04	(0.01)	3,130	-	PTTE11C1902A	0.55	-	68,515	-
KTC23C1806A	-	-	-	-	MTC24C1808A	-	-	-	-	PTTE13C1807A	0.36	0.01	31,901	-
KTC23C1809A	1.42	0.12	311	1.00	MTC24C1810A	0.12	-	19,970	-	PTTE13C1811A	0.32	(0.02)	328,094	-
KTC24C1808A	1.44	0.19	3	1.00	MTC24C1812A	0.26	(0.01)	3,000	-	PTTE13P1807A	0.01	-	100	-
KTC24C1810A	0.54	0.04	206	-	MTC27C1807A	-	-	-	-	PTTE13P1811A	0.43	-	370,252	-
KTC24P1807A	0.06	-	38,043	-	MTC28C1808A	0.02	-	1	-	PTTE19C1811A	0.48	-	59,155	-
KTC27C1806A	-	-	-	-	MTC28C1809A	0.18	-	230,979	-	PTTE23C1901A	0.13	-	25,501	-
KTC28C1808A	1.20	0.18	400	1.00	MTC42C1806A	-	-	-	-	PTTE24C1807A	0.18	(0.02)	105,625	-
KTC28C1808B	1.30	0.01	3,042	1.00	ORI08C1807A	0.06	(0.03)	6,400	-	PTTE24C1811A	0.24	0.01	600	-
KTC28C1809A	0.74	0.09	5,558	-	ORI11C1811A	0.22	(0.03)	24,528	-	PTTE24P1809A	0.06	0.01	722	-
KTC28C1810A	0.72	0.08	81,534	-	ORI13C1810A	0.44	(0.07)	56,841	-	PTTE27C1809A	0.67	(0.01)	4,280	-
LH01C1809A	0.31	(0.03)	830	-	ORI19C1811A	0.29	(0.05)	14,000	-	PTTE27P1809A	0.11	-	39,732	-
LH01C1809B	0.16	(0.04)	5,752	-	ORI23C1809A	0.13	(0.03)	11,000	-	PTTE28C1807A	0.31	(0.02)	200	-
LH01P1809A	0.18	0.02	12,339	-	ORI24C1806A	-	-	-	-	PTTE28C1810A	0.27	-	138,313	-
LH06C1809A	0.23	(0.03)	5,248	-	ORI24C1810A	-	-	-	-	PTTE28C1811A	0.19	0.01	111,874	-
LH07C1810A	-	-	-	-	ORI28C1808A	0.08	(0.02)	6,584	-	PTTE28P1811A	0.44	(0.01)	131,669	-
LH11C1808A	0.18	(0.02)	1,152	-	PLAN08C1811A	0.17	(0.02)	1,726	-	PTTG01C1808A	0.20	0.02	438,048	-
LH13C1808A	0.18	(0.03)	4,856	-	PLAN13C1809A	0.09	(0.02)	10,180	-	PTTG01C1810A	0.26	0.02	173,24	

Main Board Quotation

Issue Date :

Tuesday June 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG27C1807A	0.07	(0.01)	10,900	-	SAWA13C1807A	-	-	-	-	STECO1C1809A	0.29	0.02	138,812	-
PTTG27P1807A	0.10	(0.02)	42,470	-	SAWA13C1810A	0.02	-	51	-	STECO1C1809B	0.93	0.06	50,583	-
PTTG28C1807A	-	-	-	-	SAWA13C1811A	0.02	(0.01)	5,315	-	STECO1P1809A	0.96	(0.06)	41,869	1.00
PTTG28C1807B	0.01	-	130	-	SAWA13C1812A	0.11	-	88,905	-	STECO6C1809A	0.34	0.03	109,689	-
PTTG28C1811A	0.25	0.03	386,966	-	SAWA23C1807A	-	-	-	-	STECO8C1809A	0.25	0.03	124,798	-
QH01C1807A	0.33	-	39,156	-	SAWA24C1808A	-	-	-	-	STEC11C1903A	0.52	0.03	36,900	-
QH01C1810A	0.41	0.01	57,818	-	SAWA24C1812A	0.12	(0.02)	15,600	-	STEC13C1809A	0.19	0.02	157,567	-
QH01C1810B	0.27	0.02	55,128	-	SAWA28C1807A	-	-	-	-	STEC23C1808A	-	-	-	-
QH01P1807A	0.25	(0.03)	24,953	-	SAWA28C1809A	-	-	-	-	STEC24C1808A	0.14	-	25,000	-
QH01P1810A	0.38	(0.62)	920	-	SAWA28C1810A	0.03	-	200	-	STEC28C1808A	0.12	0.02	173,682	-
QH08C1808A	0.18	0.01	21,921	-	SAWA28C1811A	0.13	-	157,944	-	STEC28C1810A	0.48	0.02	72,880	-
QH11C1902A	0.33	-	28,512	-	SCB01C1808A	0.10	-	124,331	-	STPI08C1811A	0.10	-	1,450	-
QH23C1808A	0.25	(0.02)	17,222	-	SCB01C1808B	0.02	0.01	1,000	-	STPI23C1806A	-	-	-	-
QH24C1812A	-	-	-	-	SCB01C1810A	0.29	0.01	284,505	-	STPI28C1807A	-	-	-	-
QH28C1808A	-	-	-	-	SCB01P1808A	1.64	(0.05)	75,155	1.00	SUPE06C1806A	0.01	-	2,950	-
RATC23C1806A	-	-	-	-	SCB01P1808B	0.96	(0.04)	54,343	-	SUPE08C1808A	0.01	(0.01)	302	-
RATC27C1812A	-	-	-	-	SCB06C1811A	0.37	0.02	54,176	-	SUPE08C1811A	0.07	-	3,696	-
ROBI01C1809A	0.18	-	23,522	-	SCB08C1806A	-	-	-	-	SUPE13C1810A	0.06	(0.01)	1,702	-
ROBI06C1809A	0.14	(0.01)	44	-	SCB11C1901A	0.15	0.01	30,864	-	SUPE13C1811A	-	-	-	-
ROBI08C1808A	0.01	-	846	-	SCB11P1901A	0.91	(0.03)	23,836	-	SUPE23C1811A	0.11	0.01	417	-
ROBI11C1808A	-	-	-	-	SCB13C1809A	0.05	-	1,170	-	SUPE23C1901A	0.08	-	6	-
ROBI13C1807A	-	-	-	-	SCB19C1811A	0.20	0.02	43,747	-	SUPE28C1807A	0.01	(0.01)	233	-
ROBI24C1901A	-	-	-	-	SCB24C1806A	-	-	-	-	SUPE28C1810A	0.02	(0.01)	10	-
ROBI27C1806A	-	-	-	-	SCB24C1902A	0.30	0.01	3,721	-	SUPE28C1811A	-	-	-	-
S10001C1811A	0.43	0.01	5,519	-	SCB24P1811A	0.68	(0.04)	2	-	TASCO1C1806A	0.01	(0.01)	29,960	-
S42C1806A	-	-	-	-	SCB28C1808A	-	-	-	-	TASCO1C1809A	-	-	-	-
S5001C1806F	0.01	(0.01)	99,427	-	SCB28C1809A	0.04	-	20,000	-	TASCO1C1810A	0.18	(0.02)	18,380	-
S5001C1806G	0.01	-	18,620	-	SCB28P1808A	0.44	(0.04)	215,810	-	TASCO1C1810B	0.07	(0.01)	3,940	-
S5001C1806H	0.01	-	10,332	-	SCC01C1808A	0.14	-	8,803	-	TASCO1P1806A	1.63	0.06	3,476	1.00
S5001C1806I	0.01	-	10,026	-	SCC01C1808B	0.02	0.01	4,540	-	TASCO1P1809A	1.87	0.06	28,232	1.00
S5001C1807A	0.18	0.01	786,819	-	SCC01P1808A	0.93	(0.02)	23,072	-	TASCO1P1810A	0.86	(0.14)	4,000	-
S5001C1807B	0.10	0.01	650,202	-	SCC06C1809A	0.03	(0.01)	498	-	TASCO7C1811A	-	-	-	-
S5001C1808A	0.37	0.01	212,363	-	SCC08C1809A	0.03	(0.01)	5,233	-	TASCO8C1808A	-	-	-	-
S5001C1808B	0.26	0.01	492,506	-	SCC11C1811A	0.08	0.01	5,351	-	TASC11C1806A	-	-	-	-
S5001C1809F	0.56	0.04	2,526,918	-	SCC11P1811A	0.60	(0.02)	12,423	-	TASC11C1904A	0.14	(0.02)	2,775	-
S5001C1809G	0.20	0.01	246,482	-	SCC13C1809A	0.04	-	4,840	-	TASC13C1810A	-	-	-	-
S5001P1806F	2.42	(0.08)	125,591	2.00	SCC13C1812A	0.15	-	41,980	-	TASC23C1806A	-	-	-	-
S5001P1806G	1.28	(0.22)	350,776	1.00	SCC19C1811A	0.10	-	30,400	-	TASC24C1810A	-	-	-	-
S5001P1806H	2.96	(0.04)	70,900	3.00	SCC23C1811A	-	-	-	-	TASC28C1808A	-	-	-	-
S5001P1806I	3.12	(0.24)	166,758	3.00	SCC24C1806A	-	-	-	-	TCAP01C1807A	0.04	(0.01)	10,212	-
S5001P1807A	1.91	(0.03)	95,731	1.00	SCC24C1812A	0.05	-	50,891	-	TCAP01C1807B	-	-	-	-
S5001P1807B	1.66	(0.04)	103,381	1.00	SCC24P1901A	0.60	(0.04)	628	-	TCAP01P1807A	1.14	(0.02)	23,820	1.00
S5001P1808A	1.18	(0.02)	189,467	1.00	SCC27C1809A	0.05	(0.01)	4,000	-	TCAP08C1810A	0.09	0.01	14,360	-
S5001P1808B	1.53	(0.04)	354,568	1.00	SCC27P1809A	0.66	0.02	1	-	TCAP11C1811A	0.11	-	16,314	-
S5001P1809F	2.24	(0.10)	649,797	2.00	SCC28C1807A	-	-	-	-	TCAP13C1809A	0.04	-	100	-
S5001P1809G	1.92	(0.14)	2,224,468	2.00	SCC28C1811A	0.12	0.01	13,010	-	TCAP23C1807A	-	-	-	-
S5006C1806A	0.01	-	3,630	-	SCC08C1811A	-	-	-	-	TCAP24C1807A	-	-	-	-
S5006C1806B	0.01	-	155	-	SCCC13C1809A	-	-	-	-	TCAP24C1903A	0.26	-	5,000	-
S5006C1809A	0.15	0.01	5,999	-	SCCC23C1806A	-	-	-	-	TCAP27C1807A	-	-	-	-
S5006C1809B	0.08	-	56,944	-	SCCC27C1812A	-	-	-	-	THAI01C1806A	0.01	-	30,600	-
S5006C1809C	0.26	0.01	252,438	-	SGP08C1808A	0.01	-	1,453	-	THAI01C1808A	0.14	(0.03)	24,992	-
S5006C1812A	0.45	0.02	16,322	-	SGP11C1904A	0.11	0.01	2,670	-	THAI01C1808B	0.03	(0.01)	2,784	-
S5006P1806A	0.03	(0.04)	232,209	-	SGP13C1807A	-	-	-	-	THAI01C1901A	-	-	-	-
S5006P1806B	1.02	(0.11)	47,988	1.00	SGP13C1808A	0.01	-	49,556	-	THAI01C1901B	-	-	-	-
S5006P1809A	2.26	(0.12)	800	2.00	SGP13C1811A	0.05	-	20,411	-	THAI01P1806A	0.98	0.06	13,924	-
S5006P1809B	1.35	(0.06)	37,685	1.00	SGP19C1811A	0.19	0.02	3,365	-	THAI01P1808A	0.76	0.06	40,046	-
S5006P1809C	-	-	-	-	SGP24C1806A	-	-	-	-	THAI01P1901A	0.87	(0.13)	920	-
S5006P1812A	2.14	(0.08)	2,430	2.00	SGP24C1808A	-	-	-	-	THAI06C1809A	0.21	(0.01)	5,441	-
S5008C1806A	-	-	-	-	SGP24C1811A	-	-	-	-	THAI07C1811A	-	-	-	-
S5008C1806B	-	-	-	-	SGP28C1808A	0.01	-	17,000	-	THAI08C1808A	0.06	(0.01)	4,800	-
S5008P1806A	1.73	(0.02)	628	1.00	SGP28C1809A	0.02	0.01	50	-	THAI11C1808A	0.04	(0.01)	1,116	-
S5008P1806B	1.70	(0.13)	4,875	1.00	SGP28C1811A	0.08	(0.01)	1,600	-	THAI13C1811A	0.13	(0.02)	9,849	-
S5013C1806A	-	-	-	-	SIRI01C1808A	0.01	(0.01)	40,000	-	THAI23C1901A	0.07	(0.01)	4,000	-
S5013C1806B	-	-	-	-	SIRI01C1808B	-	-	-	-	THAI24C1808A	-	-	-	-
S5013C1806C	-	-	-	-	SIRI01C1901A	0.38	(0.03)	13,530	-	THAI27C1809A	0.09	-	3,551	-
S5013C1806D	-	-	-	-	SIRI01C1901B	0.19	(0.01)	7,542	-	THAI28C1808A	-	-	-	-
S5013C1806E	0.01	-	250	-	SIRI01P1808A	0.65	0.03	10,186	-	THAN01C1812A	0.40	0.02	7,759	-
S5013C1809A	0.12	0.02	3,149,184	-	SIRI01P1901A	0.73	(0.27)	2,258	-	THAN13C1809A	0.05	-	2,188	-
S5013C1809B	0.22	0.01	1,870,702	-	SIRI08C1808A	-	-	-	-	THAN23C1807A	0.70	(0.03)	5,600	-
S5013C1809C	0.20	0.02	665,129	-	SIRI08C1810A	0.15	(0.02)	11,996	-	SIRAN28C1810A	0.11	(0.01)	11,640	-
S5013C1809D	0.42	0.04	3,500,518	-	SIRI11C1902A	0.15	(0.02)	6,212	-	THCO01C1809A	0.06	(0.01)	200	-
S5013C1809E	0.67	(0.33)	596,116	-	SIRI13C1809A	0.02	(0.01)	14,600	-	THCO01P1809A	0.84	0.07	12,801	-
S5013P1806A	2.00	(0.12)	8,308	2.00	SIRI23C1811A	0.20	(0.03)	7,200	-	THCO11C1902A	0.09	(0.02)	3,750	-
S5013P1806B	1.39	(0.37)	2,960	2.00	SIRI24C1809A	0.06	-	551	-	THCO19C1811A	-	-	-	-
S5013P1806C	-	-	-	-	SIRI28C1807A	-	-	-	-	THCO23C1808A	-	-	-	-
S5013P1806D	0.10	(0.13)	303,426	-	SIRI28C1809A	0.06	(0.02)	30,600	-	THCO24C1807A	-	-	-	-
S5013P1806E	2.64	(0.20)	2,104	3.00	SPAL01C1808A	0.50	0.01	49,045	-	THCO24C1810A	-	-	-	-
S5013P1809A	2.52	(0.10)	1,177,529	2.00	SPAL01C1808B	0.11	-	13,738	-	THCO28C1808A	0.01	(0.01)	45,000	-
S5013P1809B	1.60	(0.09)	1,111,760	1.00	SPAL06C1809A	0.56	0.02	30,870	-	TISCO1C1806A	0.60	(0.04)	62,576	-
S5013P1809C	1.87	(0.09)	34,258	1.00	SPAL08C1808A	0.11	0.02	16,445	-	TISCO1C1808B	0.18	(0.02)	9,565	-
S5013P1809D	1.02	(0.08)	2,326,272	1.00	SPAL11C1807A	0.25	-	24,552	-	TISCO8C1808A	0.23	(0.03)	17,526	-
S5013P1809E	0.63	(2.37)	3,634,903	-	SPAL23C1811A	0.68	0.01	14,500	-	TISC11C1903A	0.44	(0.02)	12,654	-
S5028C1806A	0.02	0.01	2,285	-	SPAL24C1808A	-	-	-	-	TISC13C1807A	0.09	(0.02)	25,154	-
S5028C1806B	0.01	-	2,021	-	SPAL24C1812A	-	-	-	-	TISC13C1811A	0.62	(0.03)	30,850	-
S5028C1806C	0.01	-	232	-	SPRC01C1808A	0.11	-	76,993	-	TISC24C1806A	-	-	-	-
S5028C1807A	0.06	-	33,360	-	SPRC01C1808B	0.01	(0.01)	154	-	TISC24C1812A	-	-	-	-
S5028C1809A	0.19	0.02	881,861	-	SPRC06C1809A	-	-	-	-	TISC27C1807A	0.13	(0.01)	21,860	-

Main Board Quotation

Issue Date :

Tuesday June 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA11C1808A	-	-	-	-	STA28C1807A	-	-	-	-	TKN24C1812A	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday June 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN28C1808A	0.02	-	20,500	-	TVO11C1903A	-	-	-	-	BWG-W4	0.06	0.01	157,434	-
TKN28C1811A	0.18	(0.02)	20,480	-	TV013C1809A	0.01	(0.02)	610	-	CEN-W4	0.04	(0.01)	63,196	-
TMB01C1807A	0.02	0.01	11,505	-	TV023C1808A	-	-	-	-	CGH-W2	-	-	-	-
TMB01C1810A	0.26	0.02	110,096	-	TVO24C1810A	-	-	-	-	CGH-W3	0.07	(0.01)	18,350	-
TMB01C1810B	0.15	0.02	98,998	-	TVO28C1808A	-	-	-	-	CI-W1	-	-	-	-
TMB01P1807A	0.92	(0.03)	12,915	-	UNIQ01C1809A	0.16	-	273,246	-	CKP-W1	0.37	0.01	8,449	-
TMB01P1810A	-	-	-	-	UNIQ01C1810A	0.31	0.01	73,351	-	CRANE-W1	-	-	-	-
TMB06C1809A	0.03	(0.01)	1	-	UNIQ01C1810B	0.16	0.01	157,039	-	CWT-W4	0.73	0.03	67,642	-
TMB07C1811A	0.07	(0.07)	500	-	UNIQ01P1809A	0.57	(0.02)	26,323	-	DCC-W1	0.72	0.01	157,748	-
TMB08C1808A	0.01	-	10,000	-	UNIQ08C1808A	-	-	-	-	DCON-W1	-	-	-	-
TMB11C1806A	-	-	-	-	UNIQ08C1810A	0.14	-	59,636	-	DIGI-W1	0.05	-	45,066	-
TMB11C1904A	0.14	-	15,520	-	UNIQ11C1811A	0.14	-	22,780	-	DIGI-W2	0.02	-	265	-
TMB13C1811A	0.11	0.01	2,411	-	UNIQ13C1807A	-	-	-	-	EARTH-W4	-	-	-	-
TMB23C1810A	-	-	-	-	UNIQ13C1809A	0.11	-	76,847	-	EIC-W2	0.01	-	4,604	-
TMB24C1809A	-	-	-	-	UNIQ19C1811A	0.13	-	14,730	-	EIC-W3	-	-	-	-
TMB24C1901A	0.12	-	2,500	-	UNIQ23C1806A	-	-	-	-	EIC-W4	-	-	-	-
TMB28C1808A	-	-	-	-	UNIQ24C1806A	-	-	-	-	EVER-W3	0.03	0.01	2	-
TMB28C1809A	0.04	-	4,000	-	UNIQ24C1811A	-	-	-	-	GJS-W3	0.03	-	301	-
TOP01C1808A	0.08	0.01	109,706	-	UNIQ28C1807A	-	-	-	-	GL-W4	0.04	(0.01)	58,422	-
TOP01C1808B	0.02	0.01	1	-	UNIQ28C1809A	0.08	-	57,504	-	GLAND-W4	-	-	-	-
TOP01P1808A	1.35	(0.05)	36,741	1.00	UNIQ28C1811A	0.17	0.01	350,073	-	GSTEL-W1	-	-	-	-
TOP06C1809A	-	-	-	-	UV01C1807A	0.09	(0.02)	15,309	-	GSTEL-W2	-	-	-	-
TOP08C1811A	0.14	-	53,854	-	UV08C1807A	0.01	-	1,620	-	IEC-W2	-	-	-	-
TOP11C1808A	-	-	-	-	UV13C1807A	-	-	-	-	IFEC-W2	-	-	-	-
TOP13C1811A	0.14	0.01	75,285	-	UV13C1808A	-	-	-	-	IHL-W1	4.80	(0.10)	151	4.00
TOP18C1808A	-	-	-	-	UV23C1809A	0.02	-	202	-	ITD-W1	0.13	-	48,439	-
TOP19C1901A	-	-	-	-	UV24C1807A	-	-	-	-	IVL-W2	12.10	0.50	83,357	11.00
TOP23C1811A	0.19	0.03	26,200	-	UV24C1812A	0.21	(0.12)	2,000	-	JAS-W3	1.70	(0.07)	40,343	1.00
TOP24C1806A	-	-	-	-	UV28C1807A	-	-	-	-	JCK-W4	-	-	-	-
TOP24C1901A	0.21	0.02	5,790	-	UV28C1808A	-	-	-	-	JCK-W5	0.40	-	502	-
TOP28C1810A	-	-	-	-	VGI01C1812A	0.70	-	11,246	-	JMART-W2	1.89	(0.03)	1,700	1.00
TOP42C1806A	-	-	-	-	VGI06C1904A	-	-	-	-	JMT-W1	-	-	-	-
TOP42P1806A	-	-	-	-	VGI06C1904B	-	-	-	-	MIDA-W2	-	-	-	-
TPI01C1807A	-	-	-	-	VGI06C1904C	6.35	0.10	400	6.00	MILL-W3	0.04	-	10,546	-
TPI01C1807B	-	-	-	-	VGI08C1811A	0.65	0.02	9,314	-	MILL-W4	0.27	-	876	-
TPI01C1812A	-	-	-	-	VGI23C1905A	-	-	-	-	ML-W2	0.04	-	2,902	-
TPI01C1812B	-	-	-	-	VGI23C1911A	-	-	-	-	MONO-W1	0.56	0.01	25,816	-
TPI08C1807A	-	-	-	-	VGI27C1812A	0.42	-	2,700	-	NEP-W3	-	-	-	-
TPI13C1809A	-	-	-	-	VGI28C1810A	0.42	(0.01)	69,192	-	NOK-W1	0.98	(0.08)	481	1.00
TPI23C1809A	-	-	-	-	VIBH08C1806A	-	-	-	-	NPP-W3	0.37	0.02	168,137	-
TPI24C1808A	-	-	-	-	WHA01C1807A	0.10	(0.01)	66,975	-	NUSA-W3	-	-	-	-
TPI24C1902A	-	-	-	-	WHA01C1807B	0.01	-	12,993	-	ORI-W1	2.58	(0.14)	2,728	2.00
TPI28C1808A	-	-	-	-	WHA06C1809A	0.19	(0.01)	1,600	-	PACE-W1	-	-	-	-
TPIPO1C1810A	0.37	(0.01)	33,980	-	WHA07C1810A	0.21	(0.02)	8	-	PACE-W2	0.07	0.01	1,844	-
TPIPO1C1810B	0.17	(0.02)	9,996	-	WHA08C1811A	0.22	(0.01)	61,878	-	PDJ-W2	1.55	(0.01)	106	1.00
TPIPO1P1810A	0.73	(0.01)	24,705	-	WHA11C1903A	0.25	(0.01)	4,037	-	PDJ-W3	1.52	(0.04)	7	1.00
TPIPO7C1806A	-	-	-	-	WHA13C1808A	0.13	(0.01)	61,958	-	PDJ-W4	1.50	(0.07)	13	1.00
TPIPO8C1808A	0.02	(0.01)	10,000	-	WHA23C1810A	0.29	(0.02)	11,000	-	PLE-W3	0.10	0.01	4,365	-
TPIP11C1811A	0.10	-	13,128	-	WHA24C1807A	-	-	-	-	RICH-W1	-	-	-	-
TPIP13C1811A	0.23	(0.02)	41,674	-	WHA24C1811A	0.16	(0.04)	8,000	-	RICHY-W1	0.28	(0.10)	9,925	-
TPIP23C1808A	-	-	-	-	WHA28C1807A	0.01	-	6,910	-	RICHY-W2	-	-	-	-
TPIP24C1901A	-	-	-	-	WHA28C1808A	0.03	(0.01)	200	-	RS-W3	8.25	(0.65)	229	8.00
TPIP27C1812A	-	-	-	-	WHA28C1808B	0.07	-	56,636	-	S-W1	0.12	-	1,823	-
TRUE01C1808A	0.21	0.01	516,025	-	WHA28C1809A	0.44	0.01	60,512	-	SAMART-W2	0.28	0.06	101,456	-
TRUE01C1808B	0.06	-	175,689	-	WHA42C1806A	-	-	-	-	SAWAD-W1	5.30	0.05	250	5.00
TRUE01P1808A	0.46	(0.03)	56,105	-	WHA42P1806A	-	-	-	-	SDC-W1	0.05	-	1	-
TRUE06C1806A	-	-	-	-	WHAU01C1810A	0.21	(0.05)	26,748	-	SMM-W4	0.08	-	3,338	-
TRUE06C1811A	-	-	-	-	WHAU01C1810B	0.08	(0.03)	18,120	-	SMT-W1	0.10	0.01	3,204	-
TRUE06C1906A	0.28	0.01	6,930	-	WHAU24C1812A	-	-	-	-	SMT-W2	0.51	0.03	15,957	-
TRUE06P1806A	-	-	-	-	WORK01C1806A	0.01	-	2,445	-	SPALI-W4	20.10	0.20	5,291	20.00
TRUE07C1806A	-	-	-	-	WORK01C1806B	0.01	-	15,200	-	SPORT-W5	0.15	-	22	-
TRUE08C1809A	0.09	0.01	29,319	-	WORK01C1811A	0.48	(0.04)	40,134	-	SPORT-W6	-	-	-	-
TRUE08P1809A	0.25	(0.02)	44,143	-	WORK01C1811B	0.34	(0.04)	34,136	-	SUPER-W4	0.10	(0.01)	1,048,511	-
TRUE11C1807A	-	-	-	-	WORK08C1809A	-	-	-	-	SUSCO-W1	0.18	-	27,542	-
TRUE13C1807A	0.02	-	12,100	-	WORK11C1903A	0.12	-	10,904	-	SVI-W3	1.02	(0.08)	680	1.00
TRUE13C1810A	0.06	-	26,463	-	WORK13C1809A	-	-	-	-	TCC-W3	-	-	-	-
TRUE16C1812A	0.25	0.01	5,800	-	WORK13C1810A	-	-	-	-	TCC-W4	0.16	-	194	-
TRUE19C1901A	0.17	(0.83)	1,177	-	WORK13C1811A	0.13	(0.02)	35,419	-	TCC-W5	0.19	-	105	-
TRUE23C1806A	-	-	-	-	WORK19C1811A	0.19	(0.03)	23,179	-	TCJ-W2	1.11	-	6	1.00
TRUE27C1809A	0.15	0.01	14,868	-	WORK23C1807A	-	-	-	-	TCMC-W2	0.36	0.01	2,796	-
TRUE27P1809A	0.38	(0.03)	2,656	-	WORK24C1810A	0.02	-	5,000	-	TFG-W1	1.26	(0.22)	554	1.00
TRUE28C1807A	-	-	-	-	WORK24C1812A	0.31	(0.06)	115	-	TFG-W2	0.68	-	232	-
TRUE28C1808A	0.01	(0.01)	7,526	-	WORK27C1806A	-	-	-	-	TGPRO-W2	-	-	-	-
TRUE28C1810A	0.06	0.01	40,250	-	WORK28C1808A	0.01	-	1,000	-	TH-W2	0.13	-	1	-
TTA01C1807A	0.02	(0.01)	15	-	WORK28C1809A	0.02	-	4	-	THE-W2	0.05	-	154,444	-
TTA01P1807A	1.14	0.07	14,864	1.00	WORK28C1811A	0.14	(0.02)	44,588	-	TNITY-W1	0.96	-	1,052	-
TTA08C1808A	0.01	-	6,034	-	WORK42C1806A	-	-	-	-	TNPC-W1	-	-	-	-
TTA11C1806A	0.01	(0.04)	3,000	-	Preferred/Foreign	-	-	-	-	TPOLY-W2	-	-	-	-
TTA13C1809A	0.05	0.02	500	-	BH-Q	-	-	-	-	TSI-W2	-	-	-	-
TTA18C1808A	-	-	-	-	CSC-Q	-	-	-	-	TSR-W1	0.49	(0.02)	5,731	-
TTA19C1811A	0.12	(0.03)	10,451	-	JUTHA-Q	-	-	-	-	TTA-W5	0.61	-	2,369	-
TTA23C1808A	-	-	-	-	KTB-Q	-	-	-	-	U-W1	0.01	-	1	-
TTA24C1809A	-	-	-	-	SCB-Q	-	-	-	-	U-W4	0.01	-	1	-
TTA24C1902A	-	-	-	-	TCAP-Q	-	-	-	-	VGI-W1	0.09	-	313,918	-
TTA28C1812A	0.13	(0.02)	136,216	-	TIC-Q	-	-	-	-	VIBHA-W2	1.31	(0.06)	101	1.00
TU01C1808A	0.05	0.01	27,120	-	TISCO-Q	-	-	-	-	VIBHA-W3	0.29	-	7,175	-
TU01C1808B	-	-	-	-	U-Q	-	-	-	-	WAVE-W1	0.48	0.01	461	-
TU01P1808A	0.99	(0.07)	14,457	1.00	Warrant	-	-	-	-	WHA-W1	6.55	-	2,475	6.00
TU08C1811A	0.08	0.01	4,200	-	7UP-W2	0.39	0.10	827	-	WORK-W1	10.00	(0.50)	12	10.00
TU11C1902A	0.06	0.01	1,000	-	ACC-W1	0.03	-	1,327	-	Preferred Shares	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday June 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU13C1809A	-	-	-	-	AJA-W1	0.19	(0.02)	1,503	-	BH-P	-	-	-	-
TU23C1806A	-	-	-	-	ALT-W1	0.81	0.01	1,043	-	CSC-P	-	-	-	-
TU24C1808A	-	-	-	-	AQ-W4	0.01	-	520	-	JUTHA-P	-	-	-	-
TU24C1901A	0.21	-	328	-	AS-W1	0.51	0.02	771	-	KTB-P	-	-	-	-
TU27C1807A	-	-	-	-	AYUD-W1	3.80	0.06	6,878	3.00	SCB-P	-	-	-	-
TVO01C1809A	0.14	-	12,906	-	B-W3	0.01	-	7,000	-	TCAP-P	-	-	-	-
TVO01C1809B	0.03	(0.01)	9,162	-	BLAND-W4	-	-	-	-	TIC-P	-	-	-	-
TVO08C1808A	-	-	-	-	BTS-W3	0.08	-	79,182	-	TISCO-P	-	-	-	-
U-P	0.03	-	611,275	-										
Warrant (MAI)	-	-	-	-										
2S-W1	0.14	(0.01)	980	-										
ACAP-W1	5.15	(0.60)	71	5.00										
ACAP-W2	2.54	(0.22)	325	2.00										
AIRA-W1	0.05	0.01	4,188	-										
AIRA-W2	0.05	-	3,018	-										
ATP30-W1	0.79	(0.01)	2,228	-										
BSM-W2	0.23	-	9,774	-										
CHEWA-W1	0.08	-	13,861	-										
CIG-W7	0.02	(0.01)	980	-										
DNA-W1	1.14	(0.06)	707	1.00										
ECF-W2	3.78	(0.04)	2,296	3.00										
ECF-W3	2.76	(0.02)	168	2.00										
EFORL-W3	0.01	-	23,995	-										
EFORL-W4	0.02	(0.01)	26,491	-										
FC-W1	-	-	-	-										
FC-W2	0.04	(0.01)	11,210	-										
FOCUS-W2	0.37	0.01	185	-										
FVC-W2	0.56	(0.06)	823	-										
ITEL-W1	0.39	0.01	12,850	-										
JKN-W1	2.74	0.08	887	2.00										
LIT-W1	1.95	(0.13)	1,865	1.00										
META-W2	0.18	0.01	48,304	-										
NBC-W1	-	-	-	-										
NCL-W2	-	-	-	-										
NDR-W1	0.15	0.01	4,310	-										
NEWS-W4	-	-	-	-										
NEWS-W5	-	-	-	-										
NEWS-W6	-	-	-	-										
NINE-W1	-	-	-	-										
PHOL-W1	0.14	0.04	48,156	-										
PIMO-W1	1.74	-	529	1.00										
PPS-W1	0.85	(0.15)	9	-										
PSTC-W1	0.20	(0.05)	41,059	-										
RWI-W1	-	-	-	-										
SIMAT-W2	0.55	-	55	-										
SIMAT-W3	-	-	-	-										
SKY-W1	-	-	-	-										
STAR-W3	1.73	(0.06)	1,690	1.00										
T-W3	0.01	-	37	-										
TAKUNI-W	0.20	(0.01)	1,991	-										
TAPAC-W3	4.98	(0.17)	6,682	5.00										
TMILL-W1	0.89	-	1,590	-										
TSF-W4	-	-	-	-										
TSF-W5	0.03	-	5,912	-										
TVD-W2	0.52	-	2,500	-										
UKEM-W2	0.52	-	1,132	-										
UWC-W2	0.01	-	559,123	-										
XO-W1	4.04	0.04	1,205	4.00										
Preferred Shares	-	-	-	-										