

## Main Board Quotation

Issue Date :

Wednesday June 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.80	-	712	6.80	RS	16.00	(0.80)	108,566	16.47
POMPUI	-	-	-	-	HUMAN	11.00	-	6,738	10.99	SE-ED	3.16	(0.08)	66	3.19
SAFARI	-	-	-	-	ILINK	5.05	(0.20)	8,297	5.07	SMM	0.82	0.01	2,738	0.83
VI	-	-	-	-	INET	3.64	0.04	3,872	3.63	SPORT	0.59	0.03	3,402	0.57
WORLD	-	-	-	-	INTUCH	53.25	0.75	50,895	53.20	TBSP	-	-	-	-
WR	-	-	-	-	JAS	4.84	0.06	806,329	4.91	TH	0.60	-	6,511	0.60
Agribusiness	-	-	-	-	JASIF	10.20	-	89,482	10.15	TKS	10.40	(0.10)	12,314	10.43
CHOTI	145.00	(1.00)	2	145.50	JMART	9.70	(0.25)	8,072	9.89	TRITN	0.28	0.01	81,896	0.28
EE	0.75	(0.01)	34,695	0.76	JTS	1.49	-	520	1.50	VGI	7.70	-	120,302	7.70
GFPT	12.80	0.40	78,242	12.68	MFEC	4.14	0.02	617	4.12	WAVE	2.78	(0.04)	1	2.78
LEE	2.76	-	3,980	2.75	MSC	5.80	(0.05)	284	5.81	WORK	38.00	(2.00)	30,916	39.20
STA	10.80	-	24,021	10.84	PT	6.60	-	1,265	6.68	Finance & Securities	-	-	-	-
TLUXE	5.70	0.05	3,245	5.65	SAMART	7.50	(0.10)	9,955	7.46	AEC	0.47	0.01	1,003	0.46
TRUBB	1.70	(0.01)	1,992	1.71	SAMTEL	8.00	(0.20)	698	8.08	AEONTS	172.50	9.50	9,591	170.83
TWPC	9.30	-	2,434	9.31	SDC	0.22	(0.01)	12,972	0.22	AMANAH	1.91	(0.02)	141,943	1.96
UPOIC	4.24	-	149	4.24	SIS	8.45	(0.15)	1,604	8.52	ASAP	5.60	(0.05)	18,454	5.72
UVAN	7.45	-	538	7.45	SVOA	1.27	(0.04)	25,308	1.30	ASK	21.90	-	595	21.88
VPO	0.63	(0.02)	1,553	0.64	SYMC	4.98	(0.02)	191	4.97	ASP	3.76	-	26,127	3.76
Banking	-	-	-	-	SYNEX	14.60	0.40	11,733	14.52	BFIT	28.00	-	733	27.83
BAY	39.00	(0.50)	2,423	39.41	THCOM	7.95	(0.05)	18,200	7.99	CGH	1.18	(0.01)	465	1.18
BBL	194.50	1.00	35,470	194.53	TRUE	5.70	(0.30)	1,442,534	5.86	CNS	2.54	0.02	277	2.54
CIMBT	0.88	0.01	17,404	0.87	TWZ	0.13	-	107,138	0.13	ECL	1.73	(0.02)	69,525	1.76
KBANK	191.00	(2.00)	79,537	192.26	Electronic Componen	-	-	-	-	FNS	4.44	-	444	4.46
KKP	67.25	0.25	28,131	67.29	CCET	1.82	0.01	6,223	1.82	FSS	2.42	(0.02)	249	2.43
KTB	16.90	-	171,284	16.97	DELTA	56.25	(0.50)	16,567	56.51	GBX	0.68	-	2,919	0.68
LHFG	1.49	(0.01)	27,323	1.50	EIC	0.06	-	21,599	0.06	GL	5.30	(0.10)	10,251	5.33
SCB	123.00	(1.50)	95,828	124.32	HANA	31.75	-	30,649	31.76	IFS	2.90	-	266	2.87
TCAP	48.25	-	22,772	48.44	KCE	37.25	(0.25)	53,254	37.40	JMT	28.75	(0.25)	1,598	28.85
TISCO	85.50	(0.25)	23,437	85.64	METCO	193.50	1.50	3	193.17	KCAR	13.90	-	367	13.95
TMB	2.32	0.02	1,581,889	2.32	SMT	2.18	-	1,465	2.19	KGI	3.90	0.06	29,554	3.92
Construction Materia	-	-	-	-	SPPT	4.44	(0.04)	3,957	4.50	KTC	348.00	13.00	24,470	344.86
CCP	0.42	-	31,527	0.42	SVI	4.08	(0.02)	23,734	4.11	MBKET	12.60	(0.10)	4,418	12.76
DCC	2.30	-	27,455	2.31	TEAM	1.06	0.03	56,993	1.10	MFC	15.30	0.10	1,718	15.41
DCON	0.53	(0.01)	37,539	0.54	Energy & Utilities	-	-	-	-	ML	0.99	-	4,736	0.99
DRT	5.60	(0.05)	3,118	5.60	ABPIF	8.50	0.05	443	8.50	MTC	33.00	(0.25)	27,218	33.10
EPG	7.85	0.10	169,438	7.92	AI	-	-	-	-	PE	0.33	-	6	0.33
GEL	0.33	-	12,338	0.33	AKR	1.62	(0.07)	548,574	1.66	PL	3.38	(0.02)	1,306	3.38
PPP	3.70	-	697	3.69	BAFS	32.50	(0.75)	5,772	32.75	S11	7.35	-	1,028	7.33
Q-CON	5.50	0.05	27	5.50	BANPU	19.60	0.30	620,912	19.64	SAWAD	30.50	(0.25)	38,278	30.64
RCI	2.86	(0.12)	205,543	2.96	BCP	32.00	0.25	27,684	32.15	THANI	7.20	(0.05)	16,940	7.25
SCC	410.00	-	48,719	414.94	BCPG	16.80	(0.10)	31,313	17.00	TK	10.80	(0.20)	2,085	10.93
SCCC	204.00	(1.00)	1,657	206.12	BGRIM	22.90	(0.20)	71,390	23.13	TNITY	5.80	0.10	400	5.80
SCP	7.75	-	447	7.71	BPP	22.90	-	16,801	22.81	UOBKH	3.92	0.06	1	3.92
SKN	4.90	-	4,011	4.91	BRRGIF	10.30	-	649	10.22	ZMICO	1.07	-	6,817	1.07
TASCO	14.50	(0.20)	26,317	14.59	CKP	4.10	0.02	666,551	4.11	Food & Beverage	-	-	-	-
TCMC	2.50	0.02	11,838	2.49	DEMCO	3.74	0.06	14,369	3.74	APURE	1.43	(0.03)	1,080	1.44
TGCI	3.06	0.02	31,362	3.08	EA	34.75	0.50	181,173	34.80	ASIAN	5.30	(0.30)	30,416	5.50
TOA	40.25	0.25	14,976	40.02	EARTH	-	-	-	-	BR	5.75	-	8,641	5.75
TPPL	1.76	(0.02)	150,486	1.79	EASTW	11.00	0.20	18,441	11.00	BRR	6.90	-	1,186	6.81
UMI	1.27	(0.04)	5,767	1.29	EGATIF	10.80	0.10	6,027	10.80	CBG	51.25	(1.25)	19,752	52.26
VNG	7.70	-	3,323	7.68	EGCO	229.00	(1.00)	5,056	228.57	CFRESH	4.42	0.02	309	4.40
WIHK	2.28	(0.02)	2,113	2.30	ESSO	11.80	(0.20)	52,520	11.95	CM	4.06	(0.02)	1,694	4.08
Petrochemicals & Chm	-	-	-	-	GLOW	94.50	(0.25)	32,930	94.58	CPF	24.80	0.20	256,782	24.77
CMAN	3.24	-	27,705	3.18	GPSC	70.00	(0.25)	17,605	69.81	CPI	1.63	-	671	1.64
GC	5.05	-	253	5.01	GULF	63.75	1.00	46,562	63.56	F&D	-	-	-	-
GGC	12.70	(0.40)	24,043	12.85	GUNKUL	2.78	(0.04)	45,308	2.77	HTC	20.80	(0.40)	620	20.95
GIFT	4.32	0.02	2,929	4.32	IEC	-	-	-	-	ICHI	4.92	(0.04)	9,958	4.96
IVL	55.25	(0.25)	120,642	55.54	IFEC	-	-	-	-	KBS	4.36	(0.02)	5,222	4.37
NFC	10.90	(0.20)	4,420	10.96	IRPC	6.10	0.20	1,290,432	6.01	KSL	3.08	(0.02)	2,846	3.10
PATO	14.60	-	36	14.53	LANNA	14.80	-	1,948	14.97	KTIS	6.00	-	282	5.99
PMTA	16.70	0.10	426	16.98	MDX	4.02	(0.12)	1,954	4.07	LST	4.78	0.02	848	4.76
PTTGC	79.00	(0.50)	248,866	79.43	PTG	15.90	(0.50)	22,623	16.13	M	74.75	(0.50)	902	74.82
SUTHA	4.18	-	30	4.18	PTT	48.00	-	937,898	48.46	MALEE	13.40	(0.20)	1,557	13.54
TCB	53.50	-	38	53.50	PTTEP	136.00	4.50	174,196	135.79	MINT	32.75	(0.50)	99,718	32.89
TCCC	28.50	0.25	183	28.54	RATCH	52.00	0.25	18,105	51.75	OISHI	99.00	0.75	24	98.85
TPA	6.25	(0.05)	36	6.22	RPC	0.57	(0.01)	5,562	0.57	PB	61.25	-	370	60.91
UP	-	-	-	-	SCG	4.60	(0.02)	224	4.61	PM	10.50	-	2,052	10.47
VNT	26.25	1.00	20,596	26.09	SCI	2.72	(0.24)	36,267	2.82	PRG	13.60	-	1	13.60
WG	151.00	-	30	150.83	SCN	4.00	-	6,049	4.01	SAPPE	26.00	(0.50)	4,916	26.29
YCI	-	-	-	-	SGP	9.35	(0.15)	63,577	9.39	SAUCE	21.70	(0.10)	166	21.89
Commerce	-	-	-	-	SKE	1.25	-	36,540	1.27	SFP	-	-	-	-
BEAUTY	13.80	(0.60)	602,570	14.07	SOLAR	2.22	0.04	5,760	2.22	SNP	20.20	0.20	50	20.04
BIG	2.12	-	39,747	2.15	SPCG	20.40	-	2,824	20.34	SORKON	-	-	-	-
BJC	50.50	(1.00)	84,958	51.02	SPRC	13.40	(0.20)	83,782	13.46	SSC	43.50	1.50	4	42.75
COL	31.25	0.25	19,706	31.51	SUPER	0.62	(0.10)	11,757,595	0.65	SSF	8.55	0.20	2	8.53
COM7	17.30	(0.20)	62,637	17.63	SUSCO	3.20	-	5,914	3.22	SST	6.05	0.10	768	5.98
CPALL	74.50	(1.50)	256,232	75.23	TAE	2.04	(0.06)	4,865	2.06	TC	2.86	(0.04)	60	2.86
CSS	2.04	0.02	14,171	2.04	TCC	0.39	-	8,642	0.38	TFG	3.68	(0.06)	9,510	3.72
FN	2.66	0.02	25,916	2.64	TOP	77.25	(1.25)	73,344	78.19	TFMAMA	152.50	(0.50)	26	152.94
FTE	1.98	-	12,770	2.01	TPIPP	5.90	(0.10)	115,690	6.00	TIPCO	9.10	0.05	2,995	9.09
GLOBAL	16.10	(0.20)	36,809	16.28	TTW	11.70	0.10	55,571	11.58	TKN	16.30	0.10	23,853	16.36
HMPRO	13.30	(0.30)	232,438	13.40	WHAUP	5.85	(0.05)	25,709	5.90	TU	16.00	(0.40)	103,649	16.05
IT	4.52	0.02	2,334	4.51	WP	6.70	(0.15)	9,726	6.80	TVO	27.50	(0.50)	12,817	27.75
KAMART	4.50	(0.08)	11,995	4.55	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.48	0.04	232,346	2.49	AMARIN	4.76	(0.02)	3,149	4.79	AHC	21.00	-	444	21.14
MAKRO	39.75	(0.25)	1,230	40.16	AQUA	0.49	(0.01)	122,676	0.50	BCH	15.10	(0.30)	67,148	15.12
MC	12.10	(0.10)	5,816	12.20	AS	1.60	(0.12)	1,234	1.64	BDMS	24.60	(0.20)	296,118	24.67
MEGA	41.00	1.50	25,256	40.82	BEC	8.00	0.25	128,179	8.04	BH	168.00	(3.00)	40,786	168.66
MIDA	0.59	0.01	10,764	0.59	EPCO	5.20	-	95,906	5.24	CHG	2.24	0.04	207,384	2.22
ROBINS	55.50	(0.50)	14,790	56.09	FE	174.00	7.00	1	174.00	CMR	3.28	0.02	324	3.29
RSP	5.15	(0.15)	6,199	5.24	GPI	2.92	-	3,761	2.92	EKH	5.10	-	868	5.14
SINGER	7.25	(0.05)	119	7.31	GRAMMY	8.45	(0.15)	189	8.46	KDH	94.25			

## Main Board Quotation

Issue Date :

Wednesday June 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	7.75	0.10	834	7.78	MJD	3.30	-	599	3.28	CPT	2.54	(0.08)	202,280	2.58
WPH	2.84	(0.02)	4,580	2.86	MK	3.04	(0.04)	7,776	3.05	CRANE	2.36	0.06	7,554	2.36
Tourism & Leisure					NCH	-	-	-	-	CTW	8.00	0.05	1,274	8.09
ASIA	6.65	-	146	6.66	NNCL	1.66	(0.01)	4,035	1.67	FMT	24.50	(0.50)	50	24.50
CENTEL	44.00	(0.50)	17,411	44.09	NOBLE	12.10	-	32,600	12.10	HTECH	6.75	(0.15)	7,476	6.87
CSR	65.00	-	1	65.00	NUSA	0.22	(0.02)	1,044,417	0.22	KKC	1.66	(0.01)	934	1.67
DTC	12.70	(0.20)	12,225	12.78	NVD	4.20	0.08	1,214	4.18	PK	3.32	-	1,347	3.35
ERW	6.80	0.15	43,457	6.76	ORI	18.00	0.20	8,878	18.05	SNC	14.70	0.10	11,879	14.76
GRAND	0.87	-	5,162	0.87	PACE	0.43	-	63,074	0.43	TCJ	6.40	0.10	1,870	6.10
LRH	-	-	-	-	PF	0.86	-	34,415	0.86	VARO	7.05	0.05	139	7.05
MANRIN	-	-	-	-	PLAT	7.75	0.10	6,146	7.77	Property Fund & REIT	-	-	-	-
OHTL	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.00	-	325	9.99
ROH	40.75	-	1	40.75	PRECHA	1.51	(0.05)	816	1.52	AMATAR	10.40	(0.10)	379	10.50
SHANG	68.00	-	138	67.89	PRIN	1.58	(0.01)	7,920	1.58	B-WORK	10.20	-	1,848	10.20
Home & Office Produ					PRINC	6.40	-	5,939	6.44	BKCCP	-	-	-	-
ACC	0.50	-	19,063	0.49	PSH	20.30	(0.40)	52,457	20.43	BOFFICE	12.40	(0.10)	3,100	12.40
AJA	0.43	(0.01)	22,606	0.44	OH	3.24	0.04	839,060	3.25	CPNCG	14.40	-	441	14.42
DTCI	-	-	-	-	RICHY	1.69	-	2,812	1.69	CPNREIT	23.40	0.10	10,194	23.40
FANCY	1.01	(0.01)	5,973	1.01	RML	1.06	0.03	28,322	1.06	CPTGF	13.10	-	301	13.10
KYE	412.00	-	28	411.71	ROJNA	5.40	-	5,703	5.41	CRYSTAL	10.20	-	127	10.22
L&E	2.70	(0.02)	629	2.71	S	3.20	0.04	19,387	3.18	CTARAF	4.72	-	367	4.71
MODERN	4.52	(0.02)	2,225	4.51	SAMCO	2.22	(0.04)	214	2.21	DREIT	5.50	0.05	67	5.41
OGC	39.00	0.25	11	39.00	SC	3.44	0.04	13,252	3.46	ERWPF	5.65	-	240	5.69
ROCK	-	-	-	-	SENA	3.52	(0.02)	3,068	3.52	FUTUREPF	20.90	-	340	20.91
SIAM	1.92	-	1,354	1.88	SF	8.55	(0.15)	17,319	8.65	GAHREIT	-	-	-	-
TSR	2.18	(0.06)	8,835	2.23	SIRI	1.59	0.01	784,705	1.60	GLANDRT	12.40	-	402	12.40
Insurance					SPALI	24.20	(0.20)	26,455	24.22	GOLDPF	7.20	-	1,000	7.20
AYUD	41.75	0.50	2	41.75	TICON	16.90	0.10	516	16.89	GVREIT	14.50	-	456	14.45
BKI	350.00	(1.00)	106	350.68	U	0.02	-	613,640	0.03	HPF	5.35	0.05	71	5.30
BLA	30.75	0.25	5,695	30.59	UV	7.10	-	31,310	7.16	HREIT	7.05	-	431	7.05
BUI	-	-	-	-	WHA	3.86	(0.04)	702,457	3.91	IMPACT	17.10	0.20	1,952	16.99
CHARAN	-	-	-	-	WIN	0.61	-	2,251	0.60	KPNPF	9.45	(0.05)	150	9.45
INSURE	-	-	-	-	Paper & Printing Mat	-	-	-	-	LHHOTEL	15.00	-	1,683	15.00
MTI	121.50	(1.00)	134	122.49	UTP	11.50	(0.20)	14,723	11.61	LHPF	8.25	-	651	8.19
NKI	-	-	-	-	Fashion	-	-	-	-	LHSC	14.90	0.10	348	14.85
NSI	-	-	-	-	AFC	-	-	-	-	LUXF	-	-	-	-
SMK	40.25	0.25	140	40.04	BTNC	22.40	0.50	20	22.40	M-II	-	-	-	-
THRE	1.17	(0.03)	20,239	1.18	CPH	-	-	-	-	M-PAT	10.20	(0.10)	200	10.20
THREL	7.55	(0.05)	5,283	7.60	CPL	3.04	(0.14)	2	3.04	M-STOR	-	-	-	-
TIC	34.00	0.75	74	34.00	DIGI	0.45	0.01	13,798	0.44	MIPF	-	-	-	-
TIP	22.70	(0.20)	4,848	22.78	ICC	-	-	-	-	MIT	-	-	-	-
TSI	0.53	-	6,849	0.53	LTX	75.50	0.50	6	75.17	MJLF	12.50	0.10	143	12.40
TVI	3.56	(0.06)	554	3.58	NC	-	-	-	-	MNIT	1.73	(0.02)	184	1.73
Mining					PAF	0.90	(0.02)	2,532	0.89	MNIT2	-	-	-	-
PDI	17.00	(0.10)	4,890	17.05	PDJ	2.86	-	1,514	2.87	MNRF	-	-	-	-
THL	-	-	-	-	PG	7.05	-	60	7.05	MONTRI	6.00	-	100	6.00
Packaging					SABINA	27.75	(1.00)	349	27.88	POPF	13.60	-	554	13.60
AJ	10.70	-	122	10.76	SAWANG	-	-	-	-	PPF	-	-	-	-
ALUCON	209.00	3.00	4	208.50	SUC	43.00	-	362	43.00	QHHR	8.70	-	150	8.65
CSC	43.00	-	2	43.00	TNL	-	-	-	-	QHOP	3.72	-	13	3.66
NEP	0.41	(0.01)	28,641	0.42	TPCORP	15.00	0.20	50	15.08	QHPP	11.90	0.10	7,536	11.86
NPP	1.33	(0.02)	70,761	1.35	TR	47.25	0.25	5	47.15	SBPF	2.98	(0.04)	91	2.98
PTL	14.30	(0.10)	6,469	14.51	TTI	-	-	-	-	SHREIT	9.25	(0.05)	108	9.25
SITHAI	1.23	-	2,682	1.23	TTL	-	-	-	-	SIRIP	11.30	-	6	11.30
SLP	0.88	(0.05)	4,092	0.91	TTTM	133.50	(0.50)	56	134.04	SPF	23.20	-	6,144	23.20
SMPC	13.10	(0.10)	941	12.94	UPF	-	-	-	-	SRIPANWA	-	-	-	-
SPACK	1.86	(0.04)	173	1.87	UT	-	-	-	-	SSPF	10.10	0.10	50	10.10
TCOAT	-	-	-	-	WACOAL	45.50	-	10	45.50	SSTPF	6.45	-	11	6.50
TFI	-	-	-	-	Transportation & Log	-	-	-	-	SSTRT	6.20	-	97	6.20
THIP	35.50	-	52	35.96	AAV	5.20	0.05	40,635	5.23	TIF1	8.65	0.05	126	8.50
TMD	21.10	-	144	21.02	AOT	63.00	(1.00)	283,969	63.39	TLGF	18.20	0.20	2,455	18.19
TOPP	-	-	-	-	ASIMAR	2.80	(0.02)	1,784	2.82	TLHPF	-	-	-	-
TPBI	8.40	(0.10)	297	8.41	B	0.60	0.01	6,387	0.59	TNPF	4.34	(0.16)	582	4.48
TPP	20.00	(1.90)	2	20.90	BA	13.20	-	14,140	13.27	TPRIME	11.80	-	6	11.80
Personal Products &					BEM	7.45	(0.05)	210,853	7.53	TREIT	11.20	-	5,060	11.29
APCO	4.92	(0.13)	5,472	4.95	BTS	9.00	(0.10)	254,521	9.06	TTLPF	24.20	-	16	24.10
DDD	66.50	(0.75)	1,253	67.08	BTSIGF	12.00	-	15,533	12.00	TU-PF	-	-	-	-
JCT	89.75	1.75	1	89.75	III	4.66	(0.12)	26,610	4.69	URBNPF	-	-	-	-
OCC	17.00	(0.20)	2	17.00	JUTHA	1.75	(0.05)	221	1.75	WHABT	-	-	-	-
S & J	-	-	-	-	JWD	6.40	-	9,041	6.44	WHART	9.90	(0.10)	123	9.94
STHAI	-	-	-	-	KWC	-	-	-	-	Steel	-	-	-	-
TNR	14.70	(0.20)	213	14.71	NOK	2.78	0.04	7,655	2.78	AMC	2.50	-	1,020	2.49
TOG	4.90	(0.02)	236	4.90	NYT	5.05	(0.05)	40,285	5.03	BSBM	1.08	(0.06)	9,901	1.10
Professional Service					PRM	6.70	(0.10)	10,173	6.81	CEN	1.32	-	554	1.31
BWG	0.89	(0.11)	1,439,676	0.94	PSL	11.20	0.50	54,514	11.28	CITY	2.68	(0.02)	305	2.68
GENCO	0.79	(0.01)	4,028	0.79	RCL	4.98	(0.02)	9,565	5.00	CSP	1.44	(0.01)	87	1.45
PRO	-	-	-	-	THAI	13.80	(0.40)	22,849	14.04	GJS	0.33	-	113,102	0.33
Property Developer					TSTE	7.40	0.05	8	7.40	GSTEL	-	-	-	-
A	6.70	-	671	6.70	TTA	6.80	(0.10)	24,879	6.89	INOX	1.13	0.01	2,417	1.12
AMATA	19.00	(0.40)	165,077	19.34	WICE	3.74	(0.02)	13,116	3.77	LHK	4.70	0.02	1,440	4.68
AMATAV	6.65	-	1,474	6.67	Automotive	-	-	-	-	MAX	0.02	-	283,844	0.02
ANAN	4.86	(0.02)	91,331	4.89	AH	34.25	0.25	4,813	34.48	MCS	7.05	-	5,027	7.03
AP	8.75	0.05	47,418	8.81	APCS	5.05	(0.25)	88,427	4.58	MILL	1.36	(0.01)	2,741	1.37
APEX	0.18	(0.01)	9,571	0.18	BAT-3K	-	-	-	-	PAP	4.16	-	327	4.16
AQ	0.03	(0.01)	438,560	0.03	CWT	3.16	(0.02)	10,799	3.24	PERM	2.02	(0.04)	7,070	2.05
BLAND	1.84	(0.03)	640,875	1.85	EASON	3.38	-	274	3.33	RICH	-	-	-	-
BROCK	2.52	-	122	2.52	GYT	381.00	-	4	381.00	SAM	0.68	(0.01)	2,258	0.68
CGD	1.36	0.01	18,775	1.37	HFT	3.22	-	2,905	3.22	SMIT	5.65	-	2,759	5.63
CI	1.61	-	292	1.61	IHL	8.55	0.20	4,332	8.46	SSI	-	-	-	-
CPN	70.75	0.50	82,046	70.75	INGRS	0.70	(0.01)	45,424	0.70	SSSC	3.02	(0.02)	1,477	3.02
ESTAR	0.66	(0.01)	49,851	0.67	IRC	20.30	0.10	93	20.30	TGPRO	0.19	0.01	27,172	0.19
EVER	0.36	(0.01)	159,438	0.36	PCSGH	7.05	(0.05)	1,178	7.06	THE	2.52	0.02	34,908	2.54
GLAND	2.48	(0.02)	28,661	2.50	SAT	23.50	-	6,845	23.70	TIW	418.00	-	49	416.12
GOLD	11.10	0.20	58,366	11.07	SPG	17.00	0.40	10	17.00	TMT	14.60	-	324	14.67
GREEN	1.50	0.02	92,857	1.49	STANLY	261.00	(1.00)	71	262.92	TSTH	0.74	(0.02)	8,349	0.75
J	1.65	-	113	1.65	TKT	1.60	(0.03)	689	1.61	TUCC	-	-	-	-
JCK	1.51	-	2,248	1.52	TNPC	1.55	-	418	1.55	TWP	4.16	-	147	4.05
KC	-	-	-	-	TRU	4.48	(0.02)	191	4.49	TYCN	2.44	(0.18)	11,464	2.45
KWG	2.20	(0.02)	330	2.19	TSC	12.30	-	2	12.30	Construction Service				

## Main Board Quotation

Issue Date :

Wednesday June 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	UMS	0.82	(0.08)	59	-	ADVA11C1807A	0.06	-	9,200	-
ABICO	5.95	(0.05)	178	5.00	UWC	0.08	-	61,734	-	ADVA11P1807A	0.27	(0.02)	18,250	-
AU	9.90	-	5,930	9.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.07	-	10,012	-
FC	0.38	0.01	18,953	-	ADAM	-	-	-	-	ADVA13C1811A	0.46	-	105,518	-
JCKH	1.22	-	5,246	1.00	AKP	1.62	0.01	613	1.00	ADVA13P1809A	0.42	(0.01)	40,870	-
KASET	2.16	(0.02)	258	2.00	AMA	5.75	(0.30)	4,074	5.00	ADVA16C1812A	0.42	0.01	7,051	-
MM	4.08	0.10	155	4.00	ARIP	0.53	-	1,850	-	ADVA18C1808A	0.37	0.02	6,106	-
SUN	3.20	-	9,019	3.00	ATP30	1.65	(0.01)	5,075	1.00	ADVA19C1901A	0.47	(0.53)	40,772	-
TACC	4.10	0.04	4,563	4.00	AUCT	6.40	0.10	8,642	6.00	ADVA23C1806A	-	-	-	-
TMILL	2.90	0.02	1,870	2.00	BOL	1.90	(0.05)	205	1.00	ADVA24C1810A	0.33	0.02	2,800	-
XO	7.75	0.05	324	7.00	CHUO	-	-	-	-	ADVA24P1810A	-	-	-	-
Consumer Products	-	-	-	-	CMO	1.50	-	654	1.00	ADVA28C1808A	0.04	0.01	100	-
BGT	1.08	(0.01)	1,915	1.00	D	10.60	(0.10)	2,943	10.00	ADVA28C1811A	0.39	-	242,995	-
BIZ	2.80	(0.02)	281	2.00	DCORP	3.24	(0.04)	13,276	3.00	ADVA28P1810A	0.52	(0.02)	118,040	-
DOD	13.90	0.30	875,679	14.00	DNA	0.39	0.01	27,785	-	AMAT01C1806A	0.01	-	17,905	-
ECF	6.95	-	6,824	6.00	EFORL	0.06	(0.01)	528,901	-	AMAT01C1810A	0.64	(0.04)	80,647	-
HPT	1.02	(0.03)	12,852	1.00	ETE	2.12	(0.02)	5,554	2.00	AMAT01C1810B	0.47	(0.04)	76,443	-
JUBILE	22.40	(0.10)	210	22.00	FSMART	9.40	0.10	10,336	9.00	AMAT01P1806A	0.81	0.04	11,306	-
MOONG	5.95	(0.05)	3,046	5.00	FVC	1.41	-	1,506	1.00	AMAT01P1810A	1.37	0.04	38,889	1.00
NPK	26.00	0.75	1	26.00	HARN	2.60	-	561	2.00	AMAT06C1809A	0.06	-	1,219	-
OCEAN	1.74	0.03	88,377	1.00	JKN	10.40	0.10	45,504	10.00	AMAT08C1807A	-	-	-	-
TM	1.89	-	512	1.00	KIAT	0.46	0.03	290,386	-	AMAT08C1809A	0.09	(0.02)	56,986	-
Financials (MAI)	-	-	-	-	KOOL	1.63	(0.03)	9,126	1.00	AMAT11C1903A	0.30	(0.03)	25,276	-
ACAP	6.65	(0.15)	3,487	6.00	LDC	1.13	0.01	456	1.00	AMAT13C1809A	0.09	(0.01)	65,382	-
AF	0.90	(0.01)	1,913	-	MPG	0.19	(0.01)	31,718	-	AMAT19C1811A	0.18	(0.03)	32,868	-
AIRA	2.04	(0.04)	1,052	2.00	NBC	0.67	(0.03)	1,203	-	AMAT23C1810A	0.18	(0.01)	11,060	-
ASN	3.50	0.04	783	3.00	NCL	1.44	(0.03)	2,877	1.00	AMAT24C1807A	-	-	-	-
BROOK	0.58	0.01	8,040	-	NEWS	0.01	-	156,601	-	AMAT24C1811A	0.32	0.02	20,000	-
CHAYO	3.84	(0.28)	450,148	4.00	NINE	1.36	-	682	1.00	AMAT28C1808A	0.04	(0.01)	16,870	-
GCAP	4.74	0.08	10,130	4.00	OTO	2.88	(0.06)	1,298	2.00	AMAT42C1806A	-	-	-	-
LIT	7.75	0.05	2,784	7.00	PHOL	2.44	0.02	1,002	2.00	ANANO1C1807A	0.08	-	5,420	-
SGF	0.12	(0.01)	204,802	-	PICO	6.25	0.05	81	6.00	ANANO1C1810A	1.01	(0.01)	37,687	1.00
Industrials (MAI)	-	-	-	-	PORT	6.90	0.05	12,640	6.00	ANANO1C1810B	0.89	-	24,266	-
ZS	3.16	(0.06)	2,123	3.00	QLT	4.76	0.02	13	4.00	ANANO8C1808A	0.03	-	5,136	-
ADB	1.17	(0.02)	40,300	1.00	RP	3.22	(0.02)	197	3.00	ANANO8C1810A	0.96	-	792	-
BM	3.50	(0.04)	17,533	3.00	SE	2.10	-	202	2.00	ANAN19C1811A	0.59	(0.02)	23,315	-
CHO	1.20	(0.01)	4,482	1.00	SPA	15.40	(0.30)	2,874	15.00	ANAN23C1806A	-	-	-	-
CHOW	4.94	(0.06)	479	4.00	THMUI	1.38	(0.01)	1,367	1.00	ANAN24C1807A	-	-	-	-
CIG	0.38	-	1,785	-	TNDT	4.96	(0.02)	31	4.00	ANAN24C1811A	0.83	0.01	15	-
COLOR	1.12	0.01	1,000	1.00	TNH	38.00	-	432	38.00	ANAN28C1809A	0.58	(0.02)	20,321	-
CPR	4.86	(0.08)	314	4.00	TNP	2.00	0.01	2,405	2.00	AOT01C1808A	0.22	(0.02)	201,461	-
FPI	2.84	(0.06)	4,820	2.00	TSF	0.06	-	27,636	-	AOT01C1808B	0.02	-	12,355	-
GTB	0.75	(0.01)	7,009	-	TVD	1.38	(0.02)	4,253	1.00	AOT01C1810A	0.28	(0.03)	134,995	-
KCM	1.31	0.08	328,110	1.00	TVT	1.05	-	837	1.00	AOT01P1808A	1.05	0.07	150,968	1.00
LVT	-	-	-	-	WINNER	3.36	0.04	190	3.00	AOT01P1808B	0.45	0.05	194,746	-
MBAX	3.90	-	461	3.00	Technology (MAI)	-	-	-	-	AOT06C1806A	1.33	(0.04)	39	1.00
MGT	2.14	0.04	7,784	2.00	COMAN	3.50	(0.18)	3,375	3.00	AOT06C1809A	-	-	-	-
NDR	2.20	(0.08)	588	2.00	ICN	2.50	(0.20)	104,018	2.00	AOT08C1806A	-	-	-	-
PDG	3.58	(0.02)	1,319	3.00	IRCP	1.48	(0.02)	2,321	1.00	AOT08C1807A	0.01	-	200	-
PIMO	2.72	0.02	1,993	2.00	ITEL	3.20	0.02	6,544	3.00	AOT11C1808A	0.35	(0.07)	99,433	-
PJW	1.73	(0.01)	1,358	1.00	NETBAY	35.00	-	1,886	35.00	AOT11P1808A	0.11	0.01	17,067	-
PPM	2.34	(0.06)	86	2.00	PLANET	1.69	(0.06)	926	1.00	AOT13C1807A	-	-	-	-
RWI	1.50	-	13,424	1.00	SIMAT	2.48	0.10	18,144	2.00	AOT13C1809A	0.06	(0.01)	21,053	-
SALEE	1.12	0.02	833	1.00	SKY	14.90	(0.10)	1,499	15.00	AOT13C1811A	0.21	(0.04)	32,036	-
SANKO	1.23	-	7,063	1.00	SPVI	1.26	0.02	27,834	1.00	AOT13P1810A	0.65	0.05	91,518	-
SELIC	2.06	0.15	118,252	2.00	UPA	0.40	(0.01)	981	-	AOT19C1909A	0.14	(0.02)	84,396	-
SWC	22.10	(0.80)	552	22.00	VCOM	3.58	(0.16)	102,894	3.00	AOT23C1807A	0.19	(0.03)	63,221	-
TAPAC	9.50	(0.90)	44,129	9.00	Unit Trust	-	-	-	-	AOT23P1807A	-	-	-	-
TMC	0.81	(0.01)	5,178	-	MGE	-	-	-	-	AOT24C1806A	-	-	-	-
TMI	0.80	(0.02)	10,592	-	SCBSET	-	-	-	-	AOT24C1807A	-	-	-	-
TMW	65.50	(0.25)	164	65.00	ETF	-	-	-	-	AOT24C1811A	0.14	0.01	8,857	-
TPAC	12.30	-	518	12.00	IDIV	12.74	0.29	46	12.00	AOT24P1809A	0.22	0.01	100	-
UAC	4.64	0.02	100	4.00	ABFTH	-	-	-	-	AOT28C1807A	-	-	-	-
UBIS	5.00	0.10	314	4.00	BMSCG	8.82	0.03	345	8.00	AOT28C1809A	0.09	(0.01)	8,220	-
UEC	1.14	(0.02)	7,038	1.00	BMSCITH	12.49	(0.06)	6,232	12.00	AP01C1809A	0.45	0.02	23,469	-
UKEM	0.85	(0.02)	5,059	-	BSET100	10.27	(0.05)	2,288	10.00	AP01C1809B	0.21	0.02	18,288	-
UREKA	0.50	-	5,682	-	CHINA	5.51	(0.26)	3,280	5.00	AP08C1810A	-	-	-	-
YUASA	17.00	0.20	207	17.00	EBANK	5.39	-	12	5.00	AP23C1901A	0.18	0.01	3,000	-
ZIGA	2.74	0.16	118,652	2.00	ECOMM	8.17	(0.23)	65	8.00	AP24C1901A	0.28	-	20	-
Property & Construc	-	-	-	-	EFOOD	5.49	0.03	200	5.00	AP42C1901A	0.32	0.03	18,072	-
ARROW	9.45	(0.05)	326	9.00	EICT	4.49	0.01	1	4.00	AP42P1901A	0.45	(0.02)	14,277	-
BKD	3.26	(0.04)	7,826	3.00	ENGY	6.06	0.05	5	6.00	BA11C1902A	0.11	(0.01)	3,731	-
BSM	0.70	(0.02)	6,221	-	ENY	7.26	(0.02)	1	7.00	BA19C1811A	0.10	(0.01)	200	-
BTW	1.60	(0.04)	1,020	1.00	ESET50	-	-	-	-	BA23C1806A	-	-	-	-
CHEWA	1.00	-	19,445	1.00	GLD	1.77	(0.01)	1,047	1.00	BA24C1810A	0.25	(0.14)	150	-
CRD	1.07	-	1,762	1.00	TDEX	10.49	(0.01)	2,881	10.00	BA24C1901A	-	-	-	-
DIMET	1.11	(0.06)	65,369	1.00	TGOLDEF	3.88	(0.02)	14	3.00	BA28C1809A	-	-	-	-
FLOYD	2.86	(0.12)	480,273	3.00	TH100	-	-	-	-	BA42C1806A	-	-	-	-
FOCUS	0.87	(0.01)	246	-	Warrant Foreign	-	-	-	-	BANP01C1806A	0.56	0.02	92,519	-
HYDRO	1.70	(0.04)	223,365	1.00	AAV01C1808A	0.15	-	100	-	BANP01C1808A	0.21	0.01	295,909	-
JSP	0.60	(0.02)	30,494	-	AAV01C1808B	-	-	-	-	BANP01C1808B	0.04	-	125,863	-
K	2.98	0.04	87	2.00	AAV01P1808A	0.37	(0.02)	61						

## Main Board Quotation

Issue Date :

Wednesday June 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP24C1812A	0.18	(0.05)	1,000	-	BEC01C1808A	0.02	-	11,200	-	BTS06C1903C	-	-	-	-
BANP24P1808A	0.10	(0.01)	3,000	-	BEC01C1808B	0.01	-	7,925	-	BTS08C1810A	0.24	(0.02)	2,819	-
BANP27C1809A	0.18	0.01	11,517	-	BEC01C1812A	0.23	0.03	44,262	-	BTS11C1806A	0.15	(0.02)	1,300	-
BANP28C1807A	0.01	-	3,750	-	BEC01C1812B	0.31	0.04	30,870	-	BTS11C1904A	-	-	-	-
BANP28C1809A	-	-	-	-	BEC07C1806A	-	-	-	-	BTS23C1905A	1.49	(0.01)	1,002	1.00
BANP28C1810A	0.26	0.01	344,477	-	BEC07C1808A	-	-	-	-	BTS24C1808A	0.08	(0.03)	200	-
BBL06C1806A	-	-	-	-	BEC08C1807A	-	-	-	-	BTS28C1809A	0.21	(0.01)	9,144	-
BBL08C1808A	0.07	(0.01)	24	-	BEC08C1809A	-	-	-	-	BTS28C1811A	0.06	(0.01)	4,000	-
BBL08C1809A	0.10	-	29,071	-	BEC13C1806A	-	-	-	-	BTS42C1901A	-	-	-	-
BBL08P1810A	0.32	-	23,474	-	BEC13C1808A	0.02	-	285	-	BTS42P1901A	0.41	0.02	4,552	-
BBL11C1903A	0.51	0.01	20,400	-	BEC13C1811A	0.16	0.03	73,329	-	CBG01C1806A	0.01	-	73,804	-
BBL11P1903A	0.61	(0.02)	12,720	-	BEC19C1809A	-	-	-	-	CBG01C1806B	0.01	-	5,910	-
BBL13C1807A	0.03	-	30	-	BEC23C1807A	-	-	-	-	CBG01C1809A	0.05	(0.01)	16,843	-
BBL13C1810A	0.48	0.01	33,061	-	BEC23C1809A	-	-	-	-	CBG01C1811A	0.56	(0.04)	70,993	-
BBL19C1901A	0.27	0.01	11,857	-	BEC24C1809A	0.01	-	1	-	CBG01C1811B	0.33	(0.03)	42,276	-
BBL23C1811A	0.24	-	1,403	-	BEC24C1812A	0.15	0.01	4,004	-	CBG01P1806A	3.00	0.08	22,153	2.00
BBL24C1809A	-	-	-	-	BEC28C1808A	-	-	-	-	CBG01P1811A	1.00	0.03	54,528	-
BBL24C1812A	0.63	0.03	1,602	-	BEC28C1809A	-	-	-	-	CBG01P1811B	0.65	0.04	42,177	-
BBL24P1810A	0.26	(0.02)	33	-	BEC28C1811A	0.29	0.03	251,460	-	CBG06C1807A	0.32	(0.04)	14,553	-
BBL27C1809A	0.15	-	7,651	-	BEM01C1808A	0.27	(0.01)	12,128	-	CBG06C1809A	0.13	(0.03)	147	-
BBL28C1808A	0.03	0.01	1,110	-	BEM01C1808B	0.05	(0.01)	3,926	-	CBG06P1809A	-	-	-	-
BBL28C1811A	0.49	0.02	105,037	-	BEM01P1808A	0.32	0.01	7,422	-	CBG07C1806A	-	-	-	-
BCH01C1808A	0.25	(0.02)	27,696	-	BEM08C1809A	0.17	0.03	6,050	-	CBG07C1812A	-	-	-	-
BCH01C1808B	0.06	(0.01)	5,189	-	BEM11C1903A	0.20	0.01	3,200	-	CBG08C1808A	-	-	-	-
BCH01P1808A	0.49	0.04	45,937	-	BEM13C1809A	0.15	(0.01)	12,222	-	CBG08C1810A	0.09	(0.01)	27,896	-
BCH06C1806A	-	-	-	-	BEM23C1901A	0.15	-	1,000	-	CBG11C1902A	0.20	(0.02)	18,900	-
BCH06C1811A	0.12	(0.11)	500	-	BEM24C1809A	-	-	-	-	CBG13C1808A	-	-	-	-
BCH08C1806A	-	-	-	-	BEM28C1807A	-	-	-	-	CBG13C1809A	0.04	(0.01)	7,197	-
BCH11C1807A	0.05	(0.02)	2,496	-	BEM28C1808A	0.09	(0.01)	70,940	-	CBG13C1811A	0.25	(0.03)	354,999	-
BCH13C1810A	0.08	(0.01)	10,761	-	BEM42C1806A	-	-	-	-	CBG13P1806A	-	-	-	-
BCH19C1809A	0.07	(0.02)	2,000	-	BEM42P1806A	-	-	-	-	CBG18C1808A	-	-	-	-
BCH23C1811A	0.18	(0.02)	15,000	-	BH01C1806A	0.02	(0.05)	219,499	-	CBG19C1810A	0.14	(0.02)	39,952	-
BCH24C1811A	0.08	(0.03)	1	-	BH01C1806B	0.01	-	10,894	-	CBG23C1806A	-	-	-	-
BCH28C1807A	-	-	-	-	BH01C1811A	0.49	(0.06)	166,028	-	CBG23C1901A	0.20	(0.02)	14,000	-
BCH28C1811A	0.13	(0.02)	52,080	-	BH01C1811B	0.20	(0.02)	74,124	-	CBG24C1807A	-	-	-	-
BCH42C1806A	-	-	-	-	BH01P1806A	1.45	0.11	17,978	1.00	CBG24C1809A	0.10	(0.07)	1	-
BCP01C1810A	0.14	-	45,006	-	BH01P1811A	1.72	0.04	91,968	1.00	CBG24C1811A	0.33	(0.03)	3,230	-
BCP01C1810B	-	-	-	-	BH07C1810A	0.02	(0.01)	231	-	CBG28C1808A	-	-	-	-
BCP01P1810A	0.62	-	23,628	-	BH08C1811A	0.04	(0.01)	39,820	-	CBG28C1808B	-	-	-	-
BCP07C1806A	-	-	-	-	BH11C1902A	0.05	(0.01)	9,301	-	CBG28C1811A	0.24	(0.02)	50,644	-
BCP08C1806A	-	-	-	-	BH24C1806A	-	-	-	-	CBG42C1806A	-	-	-	-
BCP11C1811A	0.08	-	4,000	-	BH24C1809A	0.05	(0.02)	6,140	-	CENT01C1810A	0.34	(0.04)	29,090	-
BCP13C1810A	-	-	-	-	BH24C1811A	-	-	-	-	CENT01C1810B	0.18	(0.02)	4,369	-
BCP24C1808A	-	-	-	-	BH24C1902A	0.47	(0.53)	322	-	CENT01P1810A	1.00	0.03	14,641	1.00
BCP24C1811A	-	-	-	-	BIG08C1807A	-	-	-	-	CENT08C1809A	-	-	-	-
BCP28C1807A	-	-	-	-	BIG13C1808A	0.01	(0.01)	1,850	-	CENT11C1806A	0.18	(0.03)	8,000	-
BCP28C1809A	-	-	-	-	BIG19C1811A	0.17	0.02	7,242	-	CENT11C1904A	0.30	(0.01)	12,350	-
BCP28C1809B	-	-	-	-	BIG24C1808A	-	-	-	-	CENT13C1811A	0.12	(0.01)	6,730	-
BCPG01C1806A	0.01	-	3,504	-	BIG24C1812A	0.16	(0.03)	2,200	-	CENT23C1806A	-	-	-	-
BCPG01C1806B	0.01	-	21,549	-	BIG28C1807A	-	-	-	-	CENT24C1807A	-	-	-	-
BCPG01C1811A	0.32	-	15,643	-	BJC01C1807A	0.10	(0.04)	56,997	-	CENT24C1810A	0.08	(0.01)	100	-
BCPG01C1811B	0.17	0.01	8,632	-	BJC01C1807B	0.02	0.01	2,096	-	CENT24C1901A	0.39	(0.61)	20	-
BCPG06C1807A	-	-	-	-	BJC01P1807A	1.11	0.08	48,760	1.00	CENT28C1808A	-	-	-	-
BCPG06C1811A	-	-	-	-	BJC06C1807A	-	-	-	-	CHG01C1809A	0.35	0.01	15,188	-
BCPG07C1806A	-	-	-	-	BJC06C1901A	0.20	-	1,023	-	CHG01C1809B	0.50	0.05	15,862	-
BCPG08C1806A	-	-	-	-	BJC07C1809A	0.02	(0.01)	1,800	-	CHG01P1809A	0.26	(0.03)	13,129	-
BCPG08C1810A	0.18	-	22,494	-	BJC08C1807A	-	-	-	-	CHG08C1807A	-	-	-	-
BCPG11C1807A	0.36	-	15,120	-	BJC08C1809A	0.05	(0.02)	11,170	-	CHG11C1807A	-	-	-	-
BCPG11C1902A	0.13	-	5,358	-	BJC11C1807A	0.13	(0.05)	87,930	-	CHG11C1904A	0.22	0.02	2,131	-
BCPG13C1807A	-	-	-	-	BJC13C1807A	-	-	-	-	CHG13C1807A	-	-	-	-
BCPG13C1810A	0.14	-	57,730	-	BJC13C1808A	0.04	-	1,963	-	CHG13C1809A	0.57	0.05	43,059	-
BCPG23C1806A	-	-	-	-	BJC13C1810A	0.12	(0.02)	88,940	-	CHG23C1811A	0.75	0.03	2,000	-
BCPG24C1806A	-	-	-	-	BJC19C1809A	0.12	(0.02)	35,304	-	CHG24C1808A	-	-	-	-
BCPG24C1807A	-	-	-	-	BJC23C1806A	-	-	-	-	CHG24C1811A	0.16	-	2,450	-
BCPG24C1810A	-	-	-	-	BJC24C1808A	-	-	-	-	CHG28C1807A	0.05	0.02	6,406	-
BCPG28C1808A	-	-	-	-	BJC27C1807A	0.02	(0.01)	4,000	-	CHG28C1808A	0.47	0.05	28,748	-
BCPG28C1809A	0.12	(0.01)	69,440	-	BJC28C1808A	0.03	(0.01)	12,000	-	CK01C1809A	0.21	(0.01)	144,770	-
BDMS01C1806A	0.75	(0.05)	57,013	-	BLA01C1812A	0.19	-	6,718	-	CK01C1809B	0.31	(0.07)	30,913	-
BDMS01C1806B	0.14	(0.11)	21,437	-	BLA07C1806A	-	-	-	-	CK01P1809A	0.33	0.03	40,274	-
BDMS01C1811A	0.18	(0.01)	7,171	-	BLA08C1811A	0.05	(0.02)	104	-	CK08C1809A	0.33	(0.03)	1,600	-
BDMS01C1811B	0.09	(0.02)	2,750	-	BLA13C1809A	-	-	-	-	CK11C1806A	-	-	-	-
BDMS01P1806A	-	-	-	-	BLA23C1806A	-	-	-	-	CK11C1904A	0.18	(0.03)	23,400	-
BDMS01P1811A	0.37	0.01	46,193	-	BLA27C1806A	-	-	-	-	CK13C1809A	0.11	(0.01)	116,578	-
BDMS06C1811A	0.52	(0.06)	13,620	-	BLA28C1810A	-	-	-	-	CK16C1812A	-	-	-	-
BDMS08C1807A	0.33	(0.01)	100	-	BLAN01C1809A	0.48	(0.01)	16,992	-	CK19C1811A	0.14	(0.02)	27,813	-
BDMS11C1811A	0.63	(0.07)	7,014	-	BLAN01C1809B	0.11	(0.01)	18,191	-	CK23C1808A	-	-	-	-
BDMS11C1904A	0.11	(0.01)	10,427	-	BLAN01P1809A	0.19	0.01	14,969	-	CK24C1806A	-	-	-	-
BDMS13C1807A	0.39	(0.07)	2,400	-	BLAN08C1810A	0.19	(0.01)	39,082	-	CK24C1808A	-	-	-	-
BDMS13C1810A	0.38	(0.03)	94,777	-	BLAN11C1902A	0.21	-	16,048	-	CK24C1901A	-	-	-	-
BDMS13C1812A	0.12	(0.02)	84,439	-	BLAN23C1807A	-	-	-	-	CK28C1809A	0.38	(0.05)	70,974	-
BDMS16C1812A	0.79	(0.04)	20,514	-	BPP01C1806A	0.01	(0.01)	1,076	-	CK28C1812A	0.09	(0.01)	38,552	-
BDMS23C1810A	0.42	(0.02)	2,000	-	BPP01C1806B	0.01	-	300	-	CKP01C1812A	0.54	(0.46)	48,926	-
BDMS24C1811A	0.31	(0.03)	55	-	BPP01C1811A	0.16	-	8,777	-	CKP01C1812B	0.42	(0.58)	36,259	-
BDMS24C1812A	-	-	-	-	BPP01C1811B	-	-	-	-	CKP11C1807A	0.47	-	40,865	-
BDMS28C1811A	0.08	(0.02)	24,000	-	BPP01P1811A	0.85	(0.15)	14,228	-	CKP13C1810A	0.39	-	89,145	-
BEAU01C1807A	0.01	(0.02)	31,164	-	BPP06C1809A	0.24	(0.02)	6,824	-	CKP23C1810A	0.44	0.01	5,217	-
BEAU01C1807B	0.02	-	40,357	-	BPP07C1806A	-	-	-	-	CKP24C1811A	0.46	0.02	10,270	-
BEAU01C1812A	0.34	(0.06)	150,890	-	BPP08C1807A	-	-	-	-	CKP27C1806A	-	-	-	-
BEAU01C1812B	0.26	(0.05)	71,547	-	BPP08C1810A	0.16	-	9,996	-	CKP28C1809A	0.16	0.01	96,357	-
BEAU01P1807A	1.79	0.13	170,005	1.00	BPP11C1807A	-	-	-	-	CKP28C1809B	0.45	-	59,681	-

## Main Board Quotation

Issue Date :

Wednesday June 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM724C1811A	0.21	(0.01)	14,000	-	EA13C1811A	0.16	0.01	80,901	-	HANA13C1809A	0.08	-	37,601	-
COM728C1808A	-	-	-	-	EA13P1809A	0.87	(0.05)	45,660	-	HANA23C1811A	0.25	(0.02)	4,210	-
COM728C1811A	0.28	-	105,510	-	EA19C1811A	0.43	0.01	52,491	-	HANA24C1808A	-	-	-	-
CPAL01C1806A	0.25	(0.08)	59,844	-	EA23C1806A	-	-	-	-	HANA24C1810A	-	-	-	-
CPAL01C1808A	0.41	(0.06)	125,399	-	EA24C1807A	-	-	-	-	HANA28C1807A	-	-	-	-
CPAL01C1808B	0.07	(0.02)	34,039	-	EA24C1809A	-	-	-	-	HANA28C1808A	0.03	(0.01)	11,042	-
CPAL01C1901A	0.55	(0.04)	109,192	-	EA28C1809A	0.34	-	134,368	-	HMPR01C1808A	0.22	(0.03)	50,682	-
CPAL01C1901B	0.40	(0.06)	104,344	-	EA28C1809B	0.05	-	6,270	-	HMPR01C1808B	0.06	(0.02)	22,210	-
CPAL01P1806A	0.53	0.09	81,946	-	EGCO01C1809A	0.54	(0.01)	22,918	-	HMPR01P1808A	0.46	0.05	58,573	-
CPAL01P1808A	0.98	0.08	96,960	-	EGCO08C1809A	0.11	-	16,552	-	HMPR06C1811A	-	-	-	-
CPAL01P1901A	1.25	0.04	54,733	1.00	EGCO13C1809A	0.11	-	28,738	-	HMPR08C1810A	0.08	(0.02)	15,390	-
CPAL01P1901B	1.03	0.08	49,084	1.00	EGCO23C1811A	0.33	(0.01)	6,640	-	HMPR11C1808A	0.21	(0.04)	20,958	-
CPAL06C1811A	0.90	(0.06)	47,777	-	EGCO24C1808A	-	-	-	-	HMPR11P1808A	0.06	-	200	-
CPAL06C1811B	-	-	-	-	EGCO28C1808A	0.09	-	16,000	-	HMPR13C1807A	-	-	-	-
CPAL09C1807A	0.07	(0.01)	5,300	-	EGCO42C1806A	-	-	-	-	HMPR13C1812A	0.21	(0.02)	120,149	-
CPAL08P1810A	1.02	0.07	30,350	-	EPG01C1809A	0.15	0.02	227,110	-	HMPR23C1901A	0.10	(0.02)	26,786	-
CPAL11C1903A	0.22	(0.02)	25,021	-	EPG01P1809A	0.85	(0.05)	21,541	-	HMPR24C1808A	-	-	-	-
CPAL11P1903A	0.98	0.08	30,945	-	EPG07C1811A	-	-	-	-	HMPR27C1807A	0.10	(0.02)	6,593	-
CPAL13C1807A	0.04	(0.02)	33,032	-	EPG08C1810A	-	-	-	-	HMPR28C1807A	-	-	-	-
CPAL19C1811A	0.29	(0.05)	63,147	-	EPG08C1810B	0.43	0.02	45,233	-	HMPR28C1811A	0.10	(0.02)	108,304	-
CPAL23C1810A	0.13	(0.02)	19,092	-	EPG11C1903A	0.39	0.02	33,330	-	IHC108C1806A	-	-	-	-
CPAL24C1808A	0.04	(0.01)	10,072	-	EPG13C1808A	0.04	0.01	500	-	INTU01C1809A	0.32	0.03	28,022	-
CPAL24C1811A	0.09	(0.01)	5,750	-	EPG13C1811A	0.29	0.02	69,287	-	INTU01C1809B	0.05	-	6,000	-
CPAL24P1901A	0.48	0.01	20	-	EPG23C1808A	-	-	-	-	INTU01P1809A	0.54	(0.03)	17,511	-
CPAL28C1809A	-	-	-	-	EPG24C1807A	-	-	-	-	INTU01P1809B	0.31	(0.04)	32,622	-
CPAL28C1811A	0.24	(0.03)	295,045	-	EPG24C1808A	-	-	-	-	INTU11C1807A	-	-	-	-
CPF01C1809A	0.72	(0.01)	168,171	-	EPG24C1810A	0.44	0.03	28,100	-	INTU11P1807A	0.39	(0.04)	5,808	-
CPF01C1809B	0.12	(0.01)	60,470	-	EPG28C1808A	0.04	-	5,000	-	INTU13C1810A	0.15	0.01	30,100	-
CPF01C1810A	0.20	-	66,416	-	ESS001C1807A	-	-	-	-	INTU19C1901A	0.29	(0.71)	8,000	-
CPF01P1809A	0.40	-	29,025	-	ESS001C1807B	0.02	0.01	101	-	INTU23C1806A	-	-	-	-
CPF06C1809A	0.44	-	25,332	-	ESS001C1812A	0.26	(0.01)	2,203	-	INTU24C1807A	-	-	-	-
CPF07C1810A	-	-	-	-	ESS001C1812B	-	-	-	-	INTU24C1901A	0.22	0.01	2,200	-
CPF08C1809A	0.32	-	32,618	-	ESS001P1807A	1.76	0.02	6,224	1.00	INTU28C1809A	0.11	0.01	12,000	-
CPF11C1902A	0.10	0.01	14,348	-	ESS001P1812A	1.06	0.02	48,415	1.00	IRPC01C1808A	0.08	0.01	48,950	-
CPF11P1902A	0.35	(0.01)	25,119	-	ESS008C1807A	-	-	-	-	IRPC01C1810A	0.10	0.01	42,542	-
CPF13C1809A	0.41	(0.01)	87,538	-	ESS013C1807A	-	-	-	-	IRPC01C1810B	0.02	-	10,000	-
CPF13C1810A	0.12	0.01	12,954	-	ESS013C1811A	0.10	(0.01)	27,829	-	IRPC01P1808A	0.65	(0.04)	33,522	-
CPF19C1901A	0.21	0.01	50,948	-	ESS023C1809A	0.01	(0.01)	600	-	IRPC01P1810A	0.51	(0.05)	38,943	-
CPF23C1810A	0.40	0.01	17,020	-	ESS024C1806A	-	-	-	-	IRPC01P1810B	0.35	(0.07)	33,530	-
CPF24C1809A	0.21	-	221,870	-	ESS024C1812A	0.09	-	7,640	-	IRPC06C1811A	0.15	0.02	24,928	-
CPF28C1808A	0.29	-	265,722	-	ESS028C1807A	-	-	-	-	IRPC07C1812A	-	-	-	-
CPF28C1811A	0.13	0.01	4,000	-	ESS028C1811A	-	-	-	-	IRPC08C1808A	0.02	0.01	2,671	-
CPN01C1808A	0.20	0.01	65,138	-	GFPT01C1807A	0.15	0.03	80,551	-	IRPC11C1902A	0.05	0.01	2,300	-
CPN01C1808B	0.02	-	3,124	-	GFPT08C1807A	-	-	-	-	IRPC13C1808A	0.01	-	1	-
CPN06C1811A	0.34	0.01	68,395	-	GFPT11C1806A	0.01	-	1,000	-	IRPC13C1811A	0.11	0.02	134,509	-
CPN08C1809A	0.04	-	6,400	-	GFPT19C1811A	0.37	0.05	30,162	-	IRPC23C1810A	-	-	-	-
CPN11C1903A	0.22	0.01	25,636	-	GFPT23C1806A	-	-	-	-	IRPC24C1808A	0.20	0.03	892	-
CPN11P1903A	0.83	(0.03)	45,390	-	GFPT24C1806A	-	-	-	-	IRPC24C1809A	-	-	-	-
CPN13C1807A	-	-	-	-	GFPT24C1812A	0.35	0.05	62,897	-	IRPC24C1812A	-	-	-	-
CPN13C1812A	0.25	0.01	128,605	-	GGC01C1810A	0.31	(0.02)	17,500	-	IRPC27C1809A	0.04	-	2,000	-
CPN19C1901A	0.37	-	86,472	-	GGC01C1810B	0.20	(0.02)	44,930	-	IRPC28C1807A	0.01	-	302	-
CPN23C1810A	0.14	(0.01)	35,096	-	GGC13C1811A	0.11	(0.02)	3,702	-	IRPC28C1811A	0.07	0.01	12,000	-
CPN24C1806A	-	-	-	-	GGC19C1811A	0.12	(0.02)	5,067	-	ITD01C1808A	0.03	(0.01)	2,143	-
CPN24C1901A	-	-	-	-	GGC24C1812A	0.16	(0.04)	4,000	-	ITD01C1808B	-	-	-	-
CPN28C1807A	-	-	-	-	GGC28C1811A	0.11	(0.01)	59,200	-	ITD01P1808A	1.10	0.07	41,567	1.00
CPN28C1810A	0.14	0.01	433,736	-	GLOB01C1809A	0.40	(0.02)	57,756	-	ITD08C1806A	-	-	-	-
DELTO8C1811A	0.06	(0.01)	2,691	-	GLOB01C1809B	0.21	(0.02)	45,864	-	ITD08C1810A	0.11	(0.02)	30,312	-
DELT13C1809A	0.04	-	1	-	GLOB06C1809A	0.23	(0.02)	19,800	-	ITD11C1903A	0.21	(0.02)	31,424	-
DELT27C1812A	0.09	(0.01)	4,028	-	GLOB08C1807A	0.08	-	8,000	-	ITD13C1809A	-	-	-	-
DTAC01C1808A	0.11	(0.01)	144,212	-	GLOB11C1808A	0.18	(0.01)	11,880	-	ITD19C1811A	0.13	-	7,349	-
DTAC01C1808B	0.03	-	6,201	-	GLOB13C1807A	-	-	-	-	ITD23C1808A	-	-	-	-
DTAC01C1810A	0.26	-	201,521	-	GLOB23C1811A	0.42	0.01	4,000	-	ITD24C1807A	-	-	-	-
DTAC01C1810B	0.07	(0.01)	23,420	-	GLOB24C1810A	-	-	-	-	ITD24C1810A	-	-	-	-
DTAC01P1808A	1.16	(0.02)	88,250	1.00	GLOB27C1809A	0.09	(0.02)	5,164	-	ITD28C1808A	-	-	-	-
DTAC01P1810A	1.49	-	38,895	1.00	GLOB28C1807A	-	-	-	-	ITD28C1808B	0.03	(0.01)	35,000	-
DTAC01P1810B	1.20	-	26,751	1.00	GLOB28C1808A	0.07	(0.01)	8,000	-	IVL01C1806A	0.46	(0.01)	74,485	-
DTAC06C1806A	0.01	-	4,000	-	GLOW08C1806A	-	-	-	-	IVL01C1808A	0.32	(0.01)	96,055	-
DTAC06C1901A	0.21	-	1,362	-	GLOW08C1811A	0.75	(0.01)	510	-	IVL01C1808B	0.10	-	63,378	-
DTAC06P1809A	-	-	-	-	GLOW11C1807A	0.78	(0.01)	236	-	IVL01C1812A	0.47	(0.01)	99,885	-
DTAC07C1809A	-	-	-	-	GLOW23C1806A	-	-	-	-	IVL01C1812B	0.33	(0.01)	86,073	-
DTAC08C1809A	0.06	0.01	11,026	-	GLOW27C1812A	-	-	-	-	IVL01P1806A	0.06	(0.02)	70,074	-
DTAC08P1807A	0.50	-	55,289	-	GPSCO1C1808A	0.35	(0.03)	22,049	-	IVL01P1808A	0.93	-	79,547	-
DTAC11C1806A	-	-	-	-	GPSCO1C1808B	0.09	(0.01)	17,896	-	IVL01P1808B	0.41	(0.01)	57,961	-
DTAC11C1904A	0.24	0.02	8,395	-	GPSCO1P1808A	1.22	0.01	41,955	1.00	IVL01P1812A	1.05	(0.01)	43,483	1.00
DTAC13C1811A	0.10	-	65,817	-	GPSC06C1811A	0.33	(0.02)	3,411	-	IVL01P1812B	0.90	-	33,989	-
DTAC13P1811A	1.07	(0.02)	55,480	1.00	GPSC08C1808A	0.05	-	3,700	-	IVL06C1807A	0.09	-	5,000	-
DTAC19C1811A	0.19	0.01	28,720	-	GPSC11C1808A	0.84	(0.02)	9,682	-	IVL06C1901A	0.35	0.04	3,094	-
DTAC23C1807A	-	-	-	-	GPSC11C1902A	0.31	(0.03)	12,875	-	IVL07C1811A	0.37	0.01	1	-
DTAC23P1807A	0.05	(0.02)	300	-	GPSC13C1807A	0.02	-	6,970	-	IVL08C1806A	0.01	(0.01)	17,451	-
DTAC24C1809A	0.08	0.02	43,416	-	GPSC13C1808A	0.04	-	1,000	-	IVL08P1809A	0.10	(0.02)	17,664	-
DTAC27C1809A	0.04	-	4,620	-	GPSC13C1812A	0.58	(0.02)	109,825	-	IVL11C1808A	0.67	-	33,973	-
DTAC27P1809A	0.31	(0.01)	9,963	-	GPSC24C1807A	0.13	(0.02)	400	-	IVL11P1808A	-	-	-	-
DTAC28C1810A	0.05	-	51,500	-	GPSC24C1808A	-	-	-	-	IVL13C1809A	0.21	(0.01)	52,528	-
DTAC42C1806A	-	-	-	-	GPSC24C1812A	0.41	(0.01)	10,000	-	IVL13C1810A	0.22	-	99,408	-
DTAC42P1806A	-	-	-	-	GPSC28C1807A	0.05	(0.02)	12,095	-	IVL13P1809A	0.13	-	13,671	-
EA01C1806A	0.01	-	57,070	-	GPSC28C1807B	-	-	-	-	IVL13P1811A	0.60	0.01	55,759	-
EA01C1806B	0.01	-	31,605	-	GPSC42C1806A	-	-	-	-	IVL19C1809A	0.38	(0.02)	65,786	-
EA01C1809A														

## Main Board Quotation

Issue Date :

Wednesday June 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN01P1901B	0.88	0.02	48,864	-	LPN19C1811A	0.25	0.01	3,394	-	PSL24C1807A	-	-	-	-
KBAN06C1811A	0.48	(0.04)	200	-	LPN23C1806A	-	-	-	-	PTG01C1806A	0.01	-	1,400	-
KBAN07C1811A	-	-	-	-	LPN24C1808A	-	-	-	-	PTG01C1806B	-	-	-	-
KBAN08C1811A	0.44	(0.03)	33,744	-	LPN24C1812A	0.39	0.04	150	-	PTG01C1811A	0.30	(0.03)	61,048	-
KBAN08P1811A	0.59	0.03	24,414	-	LPN27C1807A	-	-	-	-	PTG01C1811B	0.16	(0.01)	133,749	-
KBAN13C1807A	-	-	-	-	MAJO08C1811A	0.06	-	1,600	-	PTG01P1811A	1.01	0.03	24,808	-
KBAN13C1810A	0.12	(0.01)	16,707	-	MAJO11C1902A	0.10	-	3,406	-	PTG06C1810A	-	-	-	-
KBAN13C1811A	0.62	(0.02)	145,836	-	MAJO23C1806A	-	-	-	-	PTG06C1904A	0.54	(0.01)	6,204	-
KBAN19C1901A	0.27	(0.73)	33,320	-	MAJO24C1809A	-	-	-	-	PTG07C1806A	-	-	-	-
KBAN23C1806A	-	-	-	-	MAJO42C1806A	-	-	-	-	PTG08C1807A	-	-	-	-
KBAN24C1806A	-	-	-	-	MALE01C1812A	0.03	-	6,071	-	PTG11C1903A	0.24	(0.01)	4,658	-
KBAN24C1902A	0.58	(0.02)	30	-	MALE08C1811A	-	-	-	-	PTG13C1809A	0.06	(0.04)	11,460	-
KBAN24P1811A	-	-	-	-	MALE13C1809A	-	-	-	-	PTG23C1808A	-	-	-	-
KBAN27C1809A	0.07	-	100	-	MALE23C1806A	-	-	-	-	PTG24C1809A	-	-	-	-
KBAN27P1809A	0.64	-	200	-	MALE27C1812A	-	-	-	-	PTG27C1809A	-	-	-	-
KBAN28C1809A	0.03	(0.01)	136	-	MALE28C1810A	0.01	-	15,002	-	PTG28C1808A	0.03	0.01	36,000	-
KBAN28C1811A	0.49	(0.03)	134,946	-	MC19C1811A	0.17	(0.01)	1,200	-	PTL08C1811A	0.34	-	3,264	-
KBAN28P1807A	0.75	0.05	4,780	-	MC23C1809A	0.08	-	2,000	-	PTL13C1809A	0.13	(0.01)	24,394	-
KCE01C1810A	0.52	0.01	26,245	-	MC24C1807A	-	-	-	-	PTL23C1807A	-	-	-	-
KCE01C1810B	0.44	0.01	21,615	-	MC24C1812A	0.27	(0.73)	50	-	PTL24C1806A	-	-	-	-
KCE06C1809A	0.52	(0.01)	8,904	-	MEGA01C1806A	0.16	0.07	43,655	-	PTL28C1810A	0.22	(0.01)	50,760	-
KCE07C1808A	-	-	-	-	MEGA01C1806B	-	-	-	-	PTT01C1808A	0.48	(0.01)	690,848	-
KCE08C1809A	-	-	-	-	MEGA01C1811A	0.46	0.05	28,671	-	PTT01C1808B	0.13	-	487,785	-
KCE11C1808A	-	-	-	-	MEGA01C1811B	0.33	0.06	36,710	-	PTT01C1810A	0.17	-	115,060	-
KCE11C1904A	0.29	-	10,132	-	MEGA08C1811A	0.29	0.04	14,374	-	PTT01C1810B	0.06	(0.01)	101,150	-
KCE13C1808A	0.25	(0.02)	33,708	-	MEGA11C1806A	0.62	0.12	6,448	-	PTT01P1808A	0.61	-	160,515	-
KCE13C1811A	0.40	(0.01)	27,988	-	MEGA11C1902A	0.28	0.04	27,892	-	PTT01P1808B	0.18	-	230,804	-
KCE23C1807A	-	-	-	-	MEGA13C1809A	0.13	0.03	50,578	-	PTT01P1810A	1.19	-	104,118	1.00
KCE23C1901A	0.20	-	10,290	-	MEGA23C1806A	0.30	0.12	6,850	-	PTT01P1810B	0.80	-	119,751	-
KCE24C1808A	0.15	(0.02)	33,602	-	MEGA24C1812A	0.25	0.01	3,600	-	PTT06C1811A	0.09	0.01	5	-
KCE28C1808A	0.10	(0.01)	35,676	-	MEGA27C1807A	-	-	-	-	PTT06C1901A	0.32	(0.01)	62,030	-
KKP01C1808A	0.17	0.01	28,882	-	MEGA28C1808A	0.02	-	2,000	-	PTT06P1901A	0.65	0.01	120	-
KKP01C1808B	-	-	-	-	MINT01C1808A	0.03	0.01	30,696	-	PTT07C1811A	0.18	0.02	45	-
KKP07C1806A	-	-	-	-	MINT01C1808B	-	-	-	-	PTT08C1807A	-	-	-	-
KKP08C1811A	0.27	-	24,999	-	MINT01C1901A	0.30	(0.02)	104,025	-	PTT08C1809A	0.04	-	9,013	-
KKP11C1903A	0.25	0.01	4,160	-	MINT01C1901B	0.20	(0.02)	30,124	-	PTT08P1809A	0.65	0.02	70,546	-
KKP13C1807A	-	-	-	-	MINT01P1808A	0.97	0.05	34,853	-	PTT11C1806A	1.35	-	11,018	1.00
KKP13C1811A	0.25	0.01	6,674	-	MINT01P1901A	0.57	0.02	34,156	-	PTT11C1902A	0.16	0.01	24,525	-
KKP23C1807A	-	-	-	-	MINT06C1809A	-	-	-	-	PTT13C1807A	0.08	(0.01)	99,043	-
KKP24C1807A	-	-	-	-	MINT06C1901A	0.15	(0.01)	2,400	-	PTT13C1808A	0.01	(0.01)	236,667	-
KKP24C1812A	0.27	0.01	8,000	-	MINT07C1810A	-	-	-	-	PTT13C1810A	0.08	-	47,114	-
KKP28C1807A	-	-	-	-	MINT08C1809A	0.02	-	7,955	-	PTT13C1811A	0.24	0.01	217,386	-
KKP28C1810A	0.16	-	48,772	-	MINT11C1902A	0.07	(0.02)	37,838	-	PTT13C1812A	0.35	-	322,480	-
KTB01C1808A	0.11	(0.01)	28,276	-	MINT11P1902A	0.49	0.03	15,841	-	PTT13P1807A	0.08	-	6,005	-
KTB01C1810A	0.26	(0.01)	17,020	-	MINT13C1810A	0.06	(0.02)	53,370	-	PTT13P1808A	0.66	(0.03)	1,000	-
KTB01C1810B	0.12	(0.01)	28,446	-	MINT23C1810A	-	-	-	-	PTT13P1812A	0.49	-	213,717	-
KTB01P1808A	0.69	-	27,962	-	MINT24C1807A	-	-	-	-	PTT19C1809A	0.08	(0.01)	14,211	-
KTB08C1809A	-	-	-	-	MINT24C1812A	-	-	-	-	PTT23C1901A	0.10	(0.01)	172,584	-
KTB11C1811A	0.12	(0.01)	7,292	-	MINT24C1901A	0.24	(0.76)	30	-	PTT24C1806A	-	-	-	-
KTB13C1809A	0.05	-	1,000	-	MINT28C1808A	-	-	-	-	PTT24C1809A	0.06	-	1,600	-
KTB19C1901A	0.20	(0.80)	4,642	-	MINT28C1811A	0.13	(0.01)	110,557	-	PTT24C1812A	0.29	(0.71)	260	-
KTB23C1811A	-	-	-	-	MONO01C1810A	0.10	-	10,494	-	PTT24P1808A	0.03	(0.01)	600	-
KTB24C1808A	-	-	-	-	MONO01C1810B	0.06	0.01	1,820	-	PTT27C1809A	0.40	0.03	5,900	-
KTB24C1811A	-	-	-	-	MONO08C1808A	-	-	-	-	PTT27P1809A	0.25	-	15,282	-
KTB24P1901A	-	-	-	-	MONO08C1906A	0.15	(0.01)	22,116	-	PTT28C1807A	0.02	-	24,707	-
KTB28C1809A	-	-	-	-	MONO13C1808A	-	-	-	-	PTT28C1808A	0.01	(0.01)	18,011	-
KTB28C1811A	-	-	-	-	MONO13C1811A	0.08	-	21,200	-	PTT28C1808B	0.01	(0.01)	271	-
KTC01C1806A	4.98	0.34	2,412	4.00	MONO19C1811A	0.19	0.01	7,843	-	PTT28C1811A	0.07	0.01	19,473	-
KTC01C1806B	6.65	0.45	2,360	6.00	MONO23C1809A	0.01	-	10	-	PTT28C1811B	0.20	-	571,651	-
KTC01C1808A	1.44	0.12	207,964	1.00	MONO24C1807A	-	-	-	-	PTT28P1808A	0.44	0.02	101,792	-
KTC01C1808B	0.75	0.12	307,109	-	MONO24C1812A	0.03	-	11	-	PTT28P1808B	0.77	-	60,184	-
KTC01C1810A	0.53	0.04	63,732	-	MONO24C1812B	0.23	(0.10)	300	-	PTTE01C1808A	1.10	0.15	303,775	1.00
KTC01C1810B	0.43	0.03	36,546	-	MONO28C1807A	-	-	-	-	PTTE01C1808B	0.60	0.11	292,946	-
KTC06C1807A	1.96	0.29	10,240	1.00	MONO28C1808A	-	-	-	-	PTTE01C1901A	0.75	0.05	190,680	-
KTC08C1807A	6.00	0.30	27	5.00	MONO28C1811A	0.07	0.01	5,070	-	PTTE01C1901B	0.58	0.08	170,008	-
KTC08C1808A	1.49	0.20	1,360	1.00	MTC06C1806A	0.29	0.01	1,000	-	PTTE01P1808A	0.15	(0.05)	478,828	-
KTC11C1902A	1.58	0.15	29,284	1.00	MTC06C1901A	0.32	(0.01)	12,440	-	PTTE01P1901A	1.34	(0.09)	103,893	1.00
KTC13C1807A	6.10	0.55	3,027	6.00	MTC07C1806A	-	-	-	-	PTTE01P1901B	0.98	(0.11)	75,984	-
KTC13C1808A	1.45	0.22	189	1.00	MTC08C1807A	-	-	-	-	PTTE06C1811A	0.54	0.09	3,220	-
KTC13C1809A	0.84	0.14	18,771	-	MTC08C1811A	0.11	-	26,047	-	PTTE07C1809A	0.30	0.06	9,503	-
KTC13C1809B	0.76	0.10	156,430	-	MTC11C1806A	-	-	-	-	PTTE08C1807A	0.73	0.17	400	-
KTC13P1807A	0.03	-	9,275	-	MTC11C1904A	0.22	(0.02)	7,490	-	PTTE08C1811A	0.42	0.06	159,153	-
KTC19C1811A	0.87	0.10	80,057	-	MTC13C1809A	0.05	-	5,400	-	PTTE08P1809A	0.10	(0.03)	9,586	-
KTC23C1806A	-	-	-	-	MTC13C1811A	0.30	(0.02)	43,848	-	PTTE08P1811A	0.40	(0.09)	79,751	-
KTC23C1809A	1.56	0.14	56	1.00	MTC23C1808A	0.04	-	300	-	PTTE11C1806A	3.30	0.34	20,870	3.00
KTC24C1808A	-	-	-	-	MTC24C1808A	-	-	-	-	PTTE11C1902A	0.65	0.10	54,575	-
KTC24C1810A	0.61	0.07	1,034	-	MTC24C1810A	0.13	0.01	1,300	-	PTTE13C1807A	0.46	0.10	34,000	-
KTC24P1807A	0.03	(0.03)	12,630	-	MTC24C1812A	-	-	-	-	PTTE13C1811A	0.39	0.07	547,375	-
KTC27C1806A	-	-	-	-	MTC27C1807A	-	-	-	-	PTTE13P1807A	-	-	-	-
KTC28C1808A	1.39	0.19	150	1.00	MTC28C1808A	-	-	-	-	PTTE13P1811A	0.35	(0.08)	376,179	-
KTC28C1808B	1.55	0.25	520	1.00	MTC28C1809A	0.17	(0.01)	34,852	-	PTTE19C1811A	0.57	0.09	185,657	-
KTC28C1809A	0.87	0.13	3,974	-	MTC42C1806A	-	-	-	-	PTTE23C1901A	0.16	0.03	54,401	-
KTC28C1810A	0.81	0.09	108,184	-	ORI08C1807A	0.07	0.01	4,800	-	PTTE24C1807A	0.27	0.09	174,709	-
LH01C1809A	0.29	(0.02)	23,786	-	ORI11C1811A	0.24	0.02	8,860	-	PTTE24C1811A	0.28	0.04	1,112	-
LH01C1809B	0.15	(0.01)	47,250	-	ORI13C1810A	0.47	0.03	40,632	-	PTTE24P1809A	0.04	(0.02)	440	-
LH01P1809A	0.18	-	6,758	-	ORI19C1811A	0.32	0.03	14,000	-	PTTE27C1809A	0.78	0.11	10,300	-
LH06C1809A	0.21	(0.02)	5,268	-	ORI23C1809A	0.14	0.01	2,000	-	PTTE27P1809A	0.09	(0.02)	8,000	-
LH07C1810A	-	-	-	-	ORI24C1806A	-	-	-	-	PTTE28C1807A	0.45	0.1		

## Main Board Quotation

Issue Date :

Wednesday June 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG13C1808A	0.02	-	6,301	-	SAWA01P1808A	2.68	-	7,789	2.00	SPRC24C1903A	0.26	(0.74)	10	-
PTTG13C1812A	0.31	(0.01)	304,785	-	SAWA01P1901A	1.27	0.01	14,047	1.00	STA01C1807A	-	-	-	-
PTTG19C1811A	0.27	(0.02)	85,452	-	SAWA06C1807A	-	-	-	-	STA01C1807B	-	-	-	-
PTTG23C1901A	0.11	-	21,692	-	SAWA06C1811A	0.03	-	3,200	-	STA01C1812A	0.23	(0.01)	6,320	-
PTTG24C1808A	0.02	0.01	260	-	SAWA07C1812A	-	-	-	-	STA01C1812B	0.17	(0.83)	9,148	-
PTTG24C1812A	0.26	-	1,003	-	SAWA08C1808A	-	-	-	-	STA08C1807A	-	-	-	-
PTTG24P1808A	0.27	-	14,927	-	SAWA08C1811A	0.01	-	27,221	-	STA13C1807A	-	-	-	-
PTTG27C1807A	0.07	-	4,000	-	SAWA11C1808A	-	-	-	-	STA13C1808A	0.05	-	10,000	-
PTTG27P1807A	0.10	-	8,564	-	SAWA13C1807A	-	-	-	-	STA19C1811A	0.11	-	6,168	-
PTTG28C1807A	-	-	-	-	SAWA13C1810A	0.01	(0.01)	2,250	-	STA23C1809A	0.08	(0.01)	7,800	-
PTTG28C1807B	-	-	-	-	SAWA13C1811A	0.02	-	864	-	STA24C1808A	0.03	(0.01)	300	-
PTTG28C1811A	0.23	(0.02)	541,042	-	SAWA13C1812A	0.09	(0.02)	35,059	-	STA28C1807A	-	-	-	-
QH01C1807A	0.36	0.03	61,379	-	SAWA23C1807A	-	-	-	-	STECO1C1809A	0.26	(0.03)	34,833	-
QH01C1810A	0.42	0.01	54,671	-	SAWA24C1808A	-	-	-	-	STECO1C1809B	0.82	(0.11)	33,026	-
QH01C1810B	0.28	0.01	36,048	-	SAWA24C1812A	-	-	-	-	STECO1P1809A	1.02	0.06	28,537	-
QH01P1807A	0.23	(0.02)	45,068	-	SAWA28C1807A	-	-	-	-	STECO6C1809A	0.30	(0.04)	28,113	-
QH01P1810A	0.37	(0.01)	49,389	-	SAWA28C1809A	-	-	-	-	STECO8C1809A	0.20	(0.05)	115,034	-
QH08C1808A	0.20	0.02	25,480	-	SAWA28C1810A	0.02	(0.01)	3,230	-	STEC11C1903A	0.48	(0.04)	32,221	-
QH11C1902A	0.34	0.01	25,816	-	SAWA28C1811A	0.12	(0.01)	63,048	-	STEC13C1809A	0.16	(0.03)	172,183	-
QH23C1808A	0.28	0.03	40,152	-	SCB01C1808A	0.08	(0.02)	81,046	-	STEC23C1808A	-	-	-	-
QH24C1812A	0.18	0.03	450	-	SCB01C1808B	0.01	(0.01)	6,040	-	STEC24C1808A	0.12	(0.02)	1,200	-
QH28C1808A	0.08	(0.01)	6,084	-	SCB01C1810A	0.27	(0.02)	148,520	-	STEC28C1808A	0.09	(0.03)	109,320	-
RATC23C1806A	-	-	-	-	SCB01P1808A	1.70	0.06	54,429	1.00	STEC28C1810A	0.44	(0.04)	52,010	-
RATC27C1812A	-	-	-	-	SCB01P1808B	1.02	0.06	36,267	-	STPI08C1811A	0.10	-	1,524	-
ROB10C1809A	0.17	(0.01)	25,199	-	SCB06C1811A	0.33	(0.04)	31,191	-	STPI23C1806A	-	-	-	-
ROB10C1809A	-	-	-	-	SCB08C1806A	-	-	-	-	STPI28C1807A	-	-	-	-
ROB10C1809A	-	-	-	-	SCB11C1901A	0.14	(0.01)	12,655	-	SUPE06C1806A	0.01	-	1,300	-
ROB10C1809A	0.01	-	820	-	SCB11P1901A	0.95	0.04	14,111	-	SUPE08C1808A	0.01	-	4,826	-
ROB11C1808A	-	-	-	-	SCB13C1809A	0.04	(0.01)	2,982	-	SUPE08C1811A	0.06	(0.01)	4,684	-
ROB11C1807A	-	-	-	-	SCB19C1811A	0.17	(0.03)	44,211	-	SUPE13C1810A	0.05	(0.01)	5,780	-
ROB124C1901A	-	-	-	-	SCB24C1806A	-	-	-	-	SUPE13C1811A	0.08	(0.02)	500	-
ROB127C1806A	-	-	-	-	SCB24C1902A	0.28	(0.02)	75	-	SUPE23C1811A	0.08	(0.03)	1,910	-
S1000C1811A	0.42	(0.01)	2,628	-	SCB24P1811A	0.75	0.07	11	-	SUPE23C1901A	0.07	(0.01)	9	-
S42C1806A	-	-	-	-	SCB28C1808A	0.02	(0.03)	1,000	-	SUPE28C1807A	-	-	-	-
S5001C1806F	0.01	-	71,246	-	SCB28C1809A	0.03	(0.01)	4,400	-	SUPE28C1810A	-	-	-	-
S5001C1806G	0.01	-	82,018	-	SCB28P1808A	0.48	0.04	246,178	-	SUPE28C1811A	-	-	-	-
S5001C1806H	0.01	-	600	-	SCC01C1808A	0.13	(0.01)	14,384	-	TASCO1C1806A	-	-	-	-
S5001C1806I	0.01	-	33,620	-	SCC01C1808B	0.02	-	6,680	-	TASCO1C1809A	0.03	(0.01)	939	-
S5001C1807A	0.17	(0.01)	470,043	-	SCC01P1808A	0.94	0.01	73,888	-	TASCO1C1810A	0.17	(0.01)	18,996	-
S5001C1807B	0.08	(0.02)	601,212	-	SCC06C1809A	0.03	-	3,824	-	TASCO1C1810B	0.07	-	6,640	-
S5001C1808A	0.35	(0.02)	227,848	-	SCC07C1812A	0.45	(0.55)	9	-	TASCO1P1806A	1.65	0.02	5,920	1.00
S5001C1808B	0.24	(0.02)	500,284	-	SCC08C1809A	0.03	-	7,428	-	TASCO1P1809A	1.89	0.02	38,994	1.00
S5001C1809F	0.50	(0.06)	1,683,937	-	SCC11C1811A	0.08	-	13,150	-	TASCO1P1810A	0.88	0.02	22,045	-
S5001C1809G	0.20	-	205,871	-	SCC11P1811A	0.60	-	36,027	-	TASCO7C1811A	-	-	-	-
S5001P1806F	2.54	0.12	87,937	2.00	SCC13C1809A	0.05	0.01	17,337	-	TASCO8C1808A	-	-	-	-
S5001P1806G	1.46	0.18	229,255	1.00	SCC13C1812A	0.15	-	143,949	-	TASC11C1806A	-	-	-	-
S5001P1806H	3.04	0.08	34,348	2.00	SCC19C1811A	0.10	-	60,756	-	TASC11C1904A	0.13	(0.01)	9,990	-
S5001P1806I	3.34	0.22	139,461	3.00	SCC23C1811A	-	-	-	-	TASC13C1810A	0.06	(0.02)	6,000	-
S5001P1807A	1.96	0.05	38,578	1.00	SCC24C1806A	-	-	-	-	TASC23C1806A	-	-	-	-
S5001P1807B	1.71	0.05	192,555	1.00	SCC24C1812A	0.04	(0.01)	32,302	-	TASC24C1810A	-	-	-	-
S5001P1808A	1.21	0.03	123,733	1.00	SCC24C1901A	0.32	(0.68)	3,202	-	TASC28C1808A	-	-	-	-
S5001P1808B	1.59	0.06	384,031	1.00	SCC24P1901A	0.60	-	3,200	-	TACAPO1C1807A	-	-	-	-
S5001P1809F	2.36	0.12	955,769	2.00	SCC27C1809A	0.06	0.01	6,000	-	TCAPO1C1807B	-	-	-	-
S5001P1809G	2.04	0.12	2,034,601	1.00	SCC27P1809A	-	-	-	-	TCAPO1P1807A	1.14	-	5,236	1.00
S5006C1806A	0.01	-	5,008	-	SCC28C1807A	-	-	-	-	TCAPO8C1810A	0.08	(0.01)	3,200	-
S5006C1806B	0.01	-	17,040	-	SCC28C1811A	0.12	-	139,753	-	TCAPI1C1811A	-	-	-	-
S5006C1809A	0.12	(0.03)	12,914	-	SCCC08C1811A	0.02	(0.04)	16,690	-	TCCAP13C1809A	0.04	-	10,000	-
S5006C1809B	0.06	(0.02)	80,222	-	SCCC13C1809A	0.02	(0.02)	5	-	TCCAP23C1807A	-	-	-	-
S5006C1809C	0.22	(0.04)	33,930	-	SCCC23C1806A	-	-	-	-	TCCAP24C1807A	-	-	-	-
S5006C1812A	0.40	(0.05)	11,009	-	SCCC27C1812A	0.05	(0.02)	12,600	-	TCCAP24C1903A	-	-	-	-
S5006P1806A	0.01	(0.02)	166,491	-	SGP08C1808A	-	-	-	-	TCCAP27C1807A	-	-	-	-
S5006P1806B	1.15	0.13	52,568	1.00	SGP11C1904A	-	-	-	-	THAI01C1806A	0.01	-	900	-
S5006P1809A	2.30	0.04	400	2.00	SGP13C1807A	-	-	-	-	THAI01C1808A	0.14	-	2,923	-
S5006P1809B	1.43	0.08	14,664	1.00	SGP13C1808A	0.01	-	30,444	-	THAI01C1808B	0.02	(0.01)	1,650	-
S5006P1809C	-	-	-	-	SGP13C1811A	0.05	-	2,110	-	THAI01C1901A	0.40	(0.60)	14,716	-
S5006P1812A	2.22	0.08	390	2.00	SGP19C1811A	0.17	(0.02)	3,756	-	THAI01C1901B	0.28	(0.72)	15,594	-
S5008C1806A	-	-	-	-	SGP24C1806A	-	-	-	-	THAI01P1806A	1.02	0.04	12,506	-
S5008C1806B	0.01	-	22,150	-	SGP24C1808A	-	-	-	-	THAI01P1807A	0.79	0.03	25,512	-
S5008P1806A	1.84	0.11	501	1.00	SGP24C1811A	-	-	-	-	THAI01P1901A	0.90	0.03	17,869	-
S5008P1806B	1.94	0.24	7,432	1.00	SGP24C1902A	0.56	(0.44)	130	-	THAI06C1809A	-	-	-	-
S5013C1806A	0.01	-	2,000	-	SGP28C1808A	-	-	-	-	THAI07C1811A	-	-	-	-
S5013C1806B	-	-	-	-	SGP28C1809A	-	-	-	-	THAI08C1808A	0.05	(0.01)	3,200	-
S5013C1806C	0.01	-	1	-	SGP28C1811A	-	-	-	-	THAI11C1808A	0.04	-	7,812	-
S5013C1806D	0.01	-	10	-	SIRIO1C1808A	0.02	0.01	109	-	THAI13C1811A	0.12	(0.01)	19,578	-
S5013C1806E	-	-	-	-	SIRIO1C1808B	0.01	(0.01)	7,700	-	THAI23C1901A	0.07	-	1,025	-
S5013C1809A	0.10	(0.02)	2,777,346	-	SIRIO1C1901A	0.38	-	12,820	-	THAI24C1808A	-	-	-	-
S5013C1809B	0.21	(0.01)	1,608,178	-	SIRIO1C1901B	0.18	(0.01)	20,848	-	THAI24C1901A	0.30	(0.70)	10	-
S5013C1809C	0.17	(0.03)	1,223,605	-	SIRIO1P1808A	0.65	-	5,293	-	THAI27C1809A	-	-	-	-
S5013C1809D	0.35	(0.07)	2,621,554	-	SIRIO1P1901A	0.73	-	9,155	-	THAI28C1808A	-	-	-	-
S5013C1809E	0.61	(0.06)	2,066,076	-	SIRIO8C1808A	-	-	-	-	THAN01C1812A	0.39	(0.01)	2,358	-
S5013P1806A	2.12	0.12	4,266	2.00	SIRIO8C1810A	0.14	(0.01)	14,742	-	THAN13C1809A	-	-	-	-
S5013P1806B	1.57	0.18	660	1.00	SIRI11C1902A	0.16	0.01	4,106	-	THAN23C1807A	0.71	0.01	1,400	-
S5013P1806C	-	-	-	-	SIRI13C1809A	-	-	-	-	THAN28C1810A	0.11	-	14,356	-
S5013P1806D	0.08	(0.02)	366,118	-	SIRI23C1811A	0.22	0.02	2,000	-	THCO01C1809A	0.05	(0.01)	3,774	-
S5013P1806E	2.86	0.22	1,274	2.00	SIRI24C1809A	0.05	(0.01)	420	-	THCO01P1809A	0.83	(0.01)	13,441	-
S5013P1809A	2.62	0.10	573,058	2.00	SIRI28C1807A	-	-	-	-	THCO11C1902A	0.09	-	1,200	-
S5013P1809B	1.69	0.09	726,428	1.00	SIRI28C1809A	0.07	0.01	17,312	-	THCO19C1811A	0.09	(0.02)	4,594	-
S5013P1809C	1.96	0.09	41,613	1.00	SPAL01C1808A	0.47	(0.03)	39,929	-	THCO23C1808A	-</			

**Main Board Quotation**

**Issue Date :**

*Wednesday June 27, 2018*

Securities	Close	Change	Volume (Lot)	Average Price
SAWA01C1901B	0.24	(0.01)	39,900	-
SPRC24C1808A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
TKN01C1808A	0.15	-	10,272	-



## Main Board Quotation

Issue Date :

Wednesday June 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN01C1808B	0.04	-	10,500	-	TTA24C1902A	0.14	(0.04)	1	-	TCAP-Q	-	-	-	-
TKN06C1806A	-	-	-	-	TTA28C1812A	0.12	(0.01)	71,434	-	TIC-Q	-	-	-	-
TKN08C1808A	-	-	-	-	TU01C1808A	0.04	(0.01)	10,515	-	TISCO-Q	-	-	-	-
TKN08C1811A	0.21	0.01	22,282	-	TU01C1808B	0.01	-	4,002	-	U-Q	-	-	-	-
TKN11C1902A	0.26	-	12,505	-	TU01P1808A	1.08	0.09	6,579	1.00	Warrant	-	-	-	-
TKN13C1808A	-	-	-	-	TU08C1811A	0.06	(0.02)	7,840	-	7UP-W2	-	-	-	-
TKN13C1810A	0.18	0.01	14,349	-	TU11C1902A	-	-	-	-	ACC-W1	0.03	-	57,549	-
TKN13C1811A	0.18	0.01	12,786	-	TU13C1809A	-	-	-	-	AJA-W1	0.18	(0.01)	4,770	-
TKN19C1811A	0.20	-	6,252	-	TU23C1806A	-	-	-	-	ALT-W1	0.81	-	2,085	-
TKN23C1806A	-	-	-	-	TU24C1808A	-	-	-	-	AQ-W4	0.01	-	1	-
TKN24C1807A	-	-	-	-	TU24C1901A	0.17	(0.04)	3,250	-	AS-W1	0.49	(0.02)	795	-
TKN24C1811A	-	-	-	-	TU27C1807A	-	-	-	-	AYUD-W1	3.76	(0.04)	4,971	3.00
TKN24C1812A	-	-	-	-	TV001C1809A	0.13	(0.01)	5,642	-	B-W3	-	-	-	-
TKN28C1808A	0.02	-	154,000	-	TV001C1809B	-	-	-	-	BLAND-W4	-	-	-	-
TKN28C1811A	0.19	0.01	51,200	-	TVO08C1808A	-	-	-	-	BTS-W3	0.08	-	135,309	-
TMB01C1807A	0.01	(0.01)	10,422	-	TV011C1903A	-	-	-	-	BWG-W4	0.05	(0.01)	128,512	-
TMB01C1810A	0.27	0.01	110,477	-	TV013C1809A	0.01	-	1,200	-	CEN-W4	0.04	-	30,130	-
TMB01C1810B	0.16	0.01	100,812	-	TVO23C1808A	-	-	-	-	CGH-W2	-	-	-	-
TMB01P1807A	0.92	-	75,937	-	TVO24C1810A	-	-	-	-	CGH-W3	0.08	0.01	107,077	-
TMB01P1810A	0.44	(0.56)	36,113	-	TVO28C1808A	-	-	-	-	CI-W1	0.41	(0.01)	34	-
TMB06C1809A	-	-	-	-	UNIQ01C1809A	0.13	(0.03)	307,427	-	CKP-W1	0.37	-	4,656	-
TMB07C1811A	-	-	-	-	UNIQ01C1810A	0.27	(0.04)	106,869	-	CRANE-W1	2.02	0.56	4,919	1.00
TMB08C1808A	0.01	-	1,240	-	UNIQ01C1810B	0.13	(0.03)	53,215	-	CWT-W4	0.67	(0.06)	85,996	-
TMB11C1806A	-	-	-	-	UNIQ01P1809A	0.64	0.07	33,698	-	DCC-W1	0.73	0.01	199,008	-
TMB11C1904A	0.15	0.01	9,404	-	UNIQ08C1808A	-	-	-	-	DCON-W1	-	-	-	-
TMB13C1811A	0.11	-	65,688	-	UNIQ08C1810A	0.12	(0.02)	34,074	-	DIGI-W1	0.05	-	21,400	-
TMB23C1810A	-	-	-	-	UNIQ11C1811A	0.13	(0.01)	11,791	-	DIGI-W2	0.02	-	15,065	-
TMB24C1809A	-	-	-	-	UNIQ13C1807A	-	-	-	-	EARTH-W4	-	-	-	-
TMB24C1901A	0.12	-	3,561	-	UNIQ13C1809A	0.08	(0.03)	81,804	-	EIC-W2	0.01	-	2,030	-
TMB28C1808A	-	-	-	-	UNIQ19C1811A	0.10	(0.03)	14,363	-	EIC-W3	0.04	(0.01)	1,797	-
TMB28C1809A	0.05	0.01	28,001	-	UNIQ23C1806A	-	-	-	-	EIC-W4	-	-	-	-
TOP01C1808A	0.07	(0.01)	52,025	-	UNIQ24C1806A	-	-	-	-	EVER-W3	0.03	-	290	-
TOP01C1808B	0.01	(0.01)	100	-	UNIQ24C1811A	-	-	-	-	GJS-W3	0.03	-	58	-
TOP01P1808A	1.42	0.07	82,122	1.00	UNIQ28C1807A	-	-	-	-	GL-W4	0.02	(0.02)	107,117	-
TOP06C1809A	-	-	-	-	UNIQ28C1809A	0.08	-	20,480	-	GLAND-W4	-	-	-	-
TOP07C1812A	0.44	(0.56)	300	-	UNIQ28C1811A	0.14	(0.03)	143,692	-	GSTEL-W1	-	-	-	-
TOP08C1811A	0.13	(0.01)	45,302	-	UV01C1807A	0.09	-	12,180	-	GSTEL-W2	-	-	-	-
TOP11C1808A	0.02	(0.04)	4,353	-	UV08C1807A	-	-	-	-	IEC-W2	-	-	-	-
TOP13C1811A	0.13	(0.01)	66,043	-	UV13C1807A	-	-	-	-	IFEC-W2	-	-	-	-
TOP18C1808A	-	-	-	-	UV13C1808A	0.01	-	1,000	-	IHL-W1	4.80	-	21	4.00
TOP19C1901A	0.39	(0.61)	42,974	-	UV23C1809A	0.01	(0.01)	1	-	ITD-W1	0.13	-	47,054	-
TOP23C1811A	0.16	(0.03)	73,435	-	UV24C1807A	-	-	-	-	IVL-W2	11.80	(0.30)	55,054	12.00
TOP24C1806A	-	-	-	-	UV24C1812A	0.21	-	2,000	-	JAS-W3	1.72	0.02	101,247	1.00
TOP24C1901A	0.18	(0.03)	1,656	-	UV28C1807A	-	-	-	-	JCK-W4	-	-	-	-
TOP28C1810A	-	-	-	-	UV28C1808A	-	-	-	-	JCK-W5	-	-	-	-
TOP42C1806A	-	-	-	-	VGI01C1812A	0.70	-	3,365	-	JMART-W2	1.86	(0.03)	1,287	1.00
TOP42P1806A	-	-	-	-	VGI06C1904A	-	-	-	-	JMT-W1	-	-	-	-
TP101C1807A	-	-	-	-	VGI06C1904B	-	-	-	-	MIDA-W2	0.02	(0.01)	3,640	-
TP101C1807B	-	-	-	-	VGI06C1904C	6.35	-	320	6.00	MILL-W3	0.04	-	1,002	-
TP101C1812A	0.21	(0.79)	16,921	-	VGI08C1811A	0.64	(0.01)	8,390	-	MILL-W4	0.27	-	15	-
TP101C1812B	0.16	(0.84)	18,808	-	VGI23C1905A	-	-	-	-	ML-W2	0.03	(0.01)	3,837	-
TP107C1812A	-	-	-	-	VGI23C1911A	-	-	-	-	MONO-W1	0.57	0.01	39,550	-
TP108C1807A	-	-	-	-	VGI27C1812A	-	-	-	-	NEP-W3	0.10	(0.02)	3,066	-
TP113C1809A	-	-	-	-	VGI28C1810A	0.42	-	24,680	-	NOK-W1	0.98	-	375	1.00
TP123C1809A	-	-	-	-	VIBH08C1806A	-	-	-	-	NPP-W3	0.30	(0.07)	79,701	-
TP124C1808A	-	-	-	-	WHA01C1807A	0.09	(0.01)	42,237	-	NUSA-W3	0.15	-	73	-
TP124C1902A	-	-	-	-	WHA01C1807B	0.01	-	7,394	-	ORI-W1	2.56	(0.02)	2,141	2.00
TP128C1808A	-	-	-	-	WHA06C1809A	0.18	(0.01)	43,522	-	PACE-W1	0.01	-	8,050	-
TP1P01C1810A	0.35	(0.02)	29,420	-	WHA07C1810A	0.21	-	756	-	PACE-W2	0.06	(0.01)	31,790	-
TP1P01C1810B	0.17	-	33,456	-	WHA08C1811A	0.21	(0.01)	137,460	-	PDI-W1	2.08	2.08	308,777	2.00
TP1P01P1810A	0.77	0.04	31,607	-	WHA11C1903A	0.24	(0.01)	14,615	-	PDJ-W2	1.55	-	7	1.00
TP1P07C1806A	-	-	-	-	WHA13C1808A	0.11	(0.02)	179,823	-	PDJ-W3	1.57	0.05	23	1.00
TP1P08C1808A	0.02	-	3,066	-	WHA23C1810A	0.29	-	10,250	-	PDJ-W4	1.51	0.01	10	1.00
TP1P11C1811A	0.11	0.01	5,564	-	WHA24C1807A	-	-	-	-	PLE-W3	0.10	-	29,277	-
TP1P13C1811A	0.25	0.02	21,516	-	WHA24C1811A	0.15	(0.01)	9,000	-	RICH-W1	-	-	-	-
TP1P23C1808A	-	-	-	-	WHA28C1807A	0.01	-	3,169	-	RICHY-W1	0.31	0.03	525	-
TP1P24C1901A	-	-	-	-	WHA28C1808A	-	-	-	-	RICHY-W2	-	-	-	-
TP1P27C1812A	-	-	-	-	WHA28C1808B	0.06	(0.01)	52,000	-	RS-W3	8.30	0.05	86	8.00
TRUE01C1808A	0.17	(0.04)	564,617	-	WHA28C1809A	0.40	(0.04)	65,781	-	S-W1	0.11	(0.01)	5,626	-
TRUE01C1808B	0.04	(0.02)	92,976	-	WHA42C1806A	-	-	-	-	SAMART-W2	0.29	0.01	95,129	-
TRUE01P1808A	0.52	0.06	124,207	-	WHA42P1806A	-	-	-	-	SAWAD-W1	5.15	(0.15)	86	5.00
TRUE06C1806A	-	-	-	-	WHAU01C1810A	0.22	0.01	2,010	-	SDC-W1	0.04	(0.01)	47,919	-
TRUE06C1811A	-	-	-	-	WHAU01C1810B	0.08	-	4,292	-	SMM-W4	0.11	0.03	76,992	-
TRUE06C1906A	0.23	(0.05)	36,378	-	WHAU24C1812A	-	-	-	-	SMT-W1	0.08	(0.02)	8,258	-
TRUE06P1806A	-	-	-	-	WORK01C1806A	0.01	-	77,092	-	SMT-W2	0.50	(0.01)	6,679	-
TRUE07C1806A	-	-	-	-	WORK01C1806B	0.01	-	114,259	-	SPALI-W4	19.80	(0.30)	556	19.00
TRUE08C1809A	0.07	(0.02)	30,800	-	WORK01C1811A	0.42	(0.06)	30,037	-	SPORT-W5	0.17	0.02	7,267	-
TRUE08P1809A	0.29	0.04	42,196	-	WORK01C1811B	0.28	(0.06)	15,660	-	SPORT-W6	-	-	-	-
TRUE11C1807A	-	-	-	-	WORK08C1809A	0.01	-	80	-	SUPER-W4	0.07	(0.03)	1,217,910	-
TRUE13C1807A	0.02	-	3,550	-	WORK11C1903A	0.09	(0.03)	19,696	-	SUSCO-W1	0.18	-	5,034	-
TRUE13C1810A	0.05	(0.01)	106,417	-	WORK13C1809A	-	-	-	-	SVI-W3	1.04	0.02	155	1.00
TRUE16C1812A	0.22	(0.03)	10,100	-	WORK13C1810A	0.02	(0.01)	1,950	-	TCC-W3	0.47	(0.01)	4	-
TRUE19C1901A	0.14	(0.03)	27,026	-	WORK13C1811A	0.10	(0.03)	72,223	-	TCC-W4	0.15	(0.01)	715	-
TRUE23C1806A	-	-	-	-	WORK19C1811A	0.14	(0.05)	12,096	-	TCC-W5	0.19	-	5,394	-
TRUE27C1809A	0.13	(0.02)	35,422	-	WORK23C1807A	-	-	-	-	TCJ-W2	1.13	0.02	84	1.00
TRUE27P1809A	0.42	0.04	13,156	-	WORK24C1810A	0.01	(0.01)	1,324	-	TCMC-W2	0.37	0.01	26,898	-
TRUE28C1807A	0.01	-	3,300	-	WORK24C1812A	0.25	(0.06)	770	-	TFG-W1	1.22	(0.04)	644	1.00
TRUE28C1808A	0.01	-	1,000	-	WORK27C1806A	-	-	-	-	TFG-W2	0.66	(0.02)	70	-
TRUE28C1810A	0.04	(0.02)	10,000	-	WORK28C1808A	-	-	-	-	TGPRO-W2	-	-	-	-
TTA01C1807A	0.02	-	105	-	WORK28C1809A	0.01	(0.01)	8	-	TH-W2	0.12	(0.01)	520	-

## Main Board Quotation

Issue Date :

Wednesday June 27, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TTA01P1807A	1.16	0.02	5,318	1.00	WORK28C1811A	0.10	(0.04)	21,770	-	THE-W2	0.05	-	41,604	-
TTA08C1808A	-	-	-	-	WORK42C1806A	-	-	-	-	TNITY-W1	0.96	-	1,127	-
TTA11C1806A	-	-	-	-	Preferred/Foreign	-	-	-	-	TNPC-W1	0.56	-	2	-
TTA13C1809A	0.05	-	5,000	-	BH-Q	-	-	-	-	TPOLY-W2	-	-	-	-
TTA18C1808A	-	-	-	-	CSC-Q	-	-	-	-	TSI-W2	-	-	-	-
TTA19C1811A	0.12	-	16,716	-	JUTHA-Q	-	-	-	-	TSR-W1	0.48	(0.01)	8,196	-
TTA23C1808A	-	-	-	-	KTB-Q	-	-	-	-	TTA-W5	0.56	(0.05)	10,149	-
TTA24C1809A	-	-	-	-	SCB-Q	-	-	-	-	U-W1	0.01	-	35	-
U-W4	0.01	-	10,059	-										
VGI-W1	0.08	(0.01)	177,752	-										
VIBHA-W2	1.32	0.01	4,454	1.00										
VIBHA-W3	0.27	(0.02)	15,883	-										
WAVE-W1	0.47	(0.01)	457	-										
WHA-W1	6.65	0.10	2,192	6.00										
WORK-W1	9.90	(0.10)	4	9.00										
Preferred Shares														
BH-P	-	-	-	-										
CSC-P	-	-	-	-										
JUTHA-P	-	-	-	-										
KTB-P	-	-	-	-										
SCB-P	123.00	(14.00)	1	123.00										
TCAP-P	-	-	-	-										
TIC-P	-	-	-	-										
TISCO-P	-	-	-	-										
U-P	0.03	-	309,496	-										
Warrant (MAI)														
2S-W1	0.13	(0.01)	8,059	-										
ACAP-W1	5.25	0.10	100	5.00										
ACAP-W2	2.56	0.02	165	2.00										
AIRA-W1	0.04	(0.01)	76,904	-										
AIRA-W2	0.05	-	259	-										
ATP30-W1	0.80	0.01	2,101	-										
BSM-W2	0.20	(0.03)	3,849	-										
CHEWA-W1	0.08	-	7,993	-										
CIG-W7	0.03	0.01	27,118	-										
DNA-W1	1.07	(0.07)	4,155	1.00										
ECF-W2	3.76	(0.02)	1,632	3.00										
ECF-W3	2.76	-	798	2.00										
EFORL-W3	0.01	-	961	-										
EFORL-W4	0.02	-	35,877	-										
FC-W1	0.07	(0.01)	31,501	-										
FC-W2	0.04	-	55	-										
FOCUS-W2	0.36	(0.01)	1,050	-										
FVC-W2	0.56	-	1,438	-										
ITEL-W1	0.38	(0.01)	18,367	-										
JKN-W1	2.66	(0.08)	11,147	2.00										
LIT-W1	1.96	0.01	4,939	1.00										
META-W2	0.16	(0.02)	49,470	-										
NBC-W1	-	-	-	-										
NCL-W2	-	-	-	-										
NDR-W1	0.17	0.02	22,836	-										
NEWS-W4	-	-	-	-										
NEWS-W5	-	-	-	-										
NEWS-W6	0.01	-	1	-										
NINE-W1	-	-	-	-										
PHOL-W1	0.13	(0.01)	104,417	-										
PIMO-W1	1.74	-	163	1.00										
PPS-W1	0.79	(0.06)	151	-										
PSTC-W1	0.21	0.01	4,193	-										