

Main Board Quotation

Issue Date :

Tuesday July 03, 2018

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
KTECH	-	-	-	-	FORTH	6.80	0.05	932	6.77	RS	16.70	1.10	230,160	16.39
POMPI	-	-	-	-	HUMAN	11.10	0.50	9,909	10.97	SE-ED	3.04	-	29	3.04
SAFARI	-	-	-	-	ILINK	4.80	0.16	6,332	4.73	SMM	0.84	0.02	910	0.84
VI	-	-	-	-	INET	3.70	0.06	3,532	3.64	SPORT	0.54	0.01	2,236	0.54
WORLD	-	-	-	-	INTUCH	53.75	(0.75)	94,030	53.86	TBSP	-	-	-	-
WR	-	-	-	-	JAS	4.52	0.20	1,089,015	4.46	TH	0.68	-	37,350	0.69
Agribusiness	-	-	-	-	JASIF	9.95	(0.05)	63,299	9.99	TKS	10.60	0.30	4,080	10.56
CHOTI	140.00	1.00	1	140.00	JMART	9.25	0.20	16,741	9.20	TRITN	0.27	-	125,350	0.27
EE	0.72	-	28,550	0.72	JTS	1.47	0.02	40	1.47	VGI	7.55	(0.05)	241,755	7.51
GFPT	12.60	0.10	50,358	12.66	MFEC	4.04	-	202	4.04	WAVE	2.78	0.02	6	2.77
LEE	2.76	0.06	2,441	2.73	MSC	5.80	-	1,161	5.80	WORK	40.25	0.75	16,207	40.04
STA	10.60	0.30	38,343	10.50	PT	6.45	(0.05)	5,966	6.47	Finance & Securities	-	-	-	-
TLUXE	5.35	(0.05)	3,700	5.34	SAMART	7.30	0.40	58,183	7.15	AEC	0.46	-	471	0.46
TRUBB	1.62	0.01	2,173	1.60	SAMTEL	7.50	0.05	754	7.51	AEONTS	171.50	1.00	4,428	171.07
TWPC	9.35	(0.05)	3,486	9.29	SDC	0.24	0.02	77,450	0.24	AMANAH	1.91	0.04	72,024	1.88
UPOIC	4.10	-	136	4.09	SIS	8.50	0.20	2,117	8.41	ASAP	5.65	0.20	29,548	5.66
UVAN	7.60	0.15	588	7.52	SVOA	1.28	0.06	25,435	1.25	ASK	22.00	0.40	762	21.91
VPO	0.60	-	991	0.61	SYMC	4.74	(0.20)	1,219	4.77	ASP	3.72	0.02	34,027	3.71
Banking	-	-	-	-	SYNEX	14.10	0.50	6,166	14.00	BFIT	30.00	-	13,961	29.96
BAY	39.25	0.50	5,088	39.31	THCOM	9.00	1.80	18,565	7.88	CGH	1.24	0.08	8,275	1.23
BBL	196.00	(1.00)	22,703	195.99	TRUE	5.60	0.15	2,350,304	5.57	CNS	2.56	0.06	896	2.55
CIMBT	0.88	0.02	19,201	0.88	TWZ	0.13	-	81,974	0.13	ECL	1.78	0.01	27,923	1.77
KBANK	194.50	1.50	54,817	193.48	Electronic Componen	-	-	-	-	FNS	4.36	-	602	4.38
KKP	69.25	0.25	82,799	68.99	CCET	2.00	0.08	38,139	1.99	FSS	2.40	0.04	1,631	2.39
KTB	17.00	0.10	273,553	16.91	DELTA	59.75	0.50	12,834	59.12	GBX	0.66	-	675	0.66
LHFG	1.50	0.02	14,687	1.49	EIC	0.06	-	2,800	0.06	GL	5.25	0.05	4,660	5.26
SCB	122.00	1.50	129,079	121.99	HANA	33.50	(0.25)	15,944	33.58	IFS	2.82	-	459	2.83
TCAP	48.75	(0.25)	39,150	48.03	KCE	40.25	(0.25)	78,403	40.46	JMT	29.75	1.25	10,138	29.83
TISCO	87.00	(0.25)	34,172	86.17	METCO	-	-	-	-	KCAR	13.40	0.10	700	13.30
TMB	2.30	-	1,003,901	2.30	SMT	2.18	0.10	1,891	2.11	KGI	3.90	0.04	32,978	3.89
Construction Materia	-	-	-	-	SPPT	4.40	0.06	2,685	4.37	KTC	362.00	8.00	20,906	357.34
CCP	0.41	-	12,604	0.40	SVI	4.14	0.06	15,641	4.12	MBKET	12.30	0.10	5,616	12.43
DCC	2.26	0.02	19,681	2.26	TEAM	1.03	0.01	10,805	1.04	MFC	14.80	-	351	14.90
DCON	0.54	0.01	14,054	0.53	Energy & Utilities	-	-	-	-	ML	1.00	-	859	0.99
DRT	5.70	0.10	2,491	5.65	ABPIF	8.50	0.05	291	8.47	MTC	33.00	(0.50)	54,958	33.11
EPG	7.45	0.30	115,106	7.34	AI	-	-	-	-	PE	0.33	-	170	0.33
GEL	0.33	-	46,682	0.33	AKR	1.68	0.03	487,615	1.67	PL	3.34	(0.04)	1,744	3.36
PPP	3.60	-	263	3.57	BAFS	32.75	1.25	3,396	32.40	S11	7.40	0.05	818	7.40
Q-CON	5.60	0.05	10	5.59	BANPU	20.10	0.10	625,509	19.95	SAWAD	32.50	(0.25)	74,670	32.30
RCI	2.86	0.04	19,309	2.84	BGP	33.00	0.50	44,513	32.81	THANI	7.55	0.45	44,809	7.38
SCC	418.00	(6.00)	48,109	417.43	BCEG	16.50	0.30	83,613	16.38	TK	11.00	0.50	1,982	10.92
SCCC	203.00	-	924	203.00	BGRIM	23.80	0.40	162,569	23.72	TNITY	5.85	0.10	980	5.81
SCP	7.75	0.10	623	7.64	BPP	22.90	0.20	19,953	22.74	UOBKH	3.96	0.08	1,021	3.94
SKN	5.05	0.05	1,295	5.03	BRRGIF	10.30	0.10	767	10.20	ZMICO	1.04	(0.01)	3,375	1.04
TASCO	13.90	0.40	44,577	13.88	CKP	3.92	0.06	221,302	3.87	Food & Beverage	-	-	-	-
TCMC	2.38	0.04	4,694	2.36	DEMCO	3.64	0.12	3,197	3.63	APURE	1.33	-	6,154	1.33
TGCI	2.96	0.02	5,711	2.95	EA	32.25	0.75	276,902	32.09	ASIAN	5.10	0.12	8,611	5.11
TOA	37.25	0.50	86,709	35.84	EARTH	-	-	-	-	BR	5.70	0.05	2,367	5.70
TPPL	1.76	0.08	129,349	1.74	EASTW	10.80	0.10	4,793	10.76	BRR	6.85	0.10	451	6.78
UMI	1.17	(0.01)	1,666	1.19	EGATIF	11.00	0.10	8,775	11.00	CBG	48.75	2.25	42,765	48.17
VNG	7.90	0.20	843	7.79	EGCO	222.00	(2.00)	10,186	221.94	CFRESH	4.30	(0.06)	1,212	4.32
WIHK	2.22	0.02	4,862	2.18	ESSO	11.60	0.20	86,489	11.52	CM	4.04	0.02	358	4.04
Petrochemicals & Ch	-	-	-	-	GLOW	94.75	-	23,446	94.74	CPF	24.70	0.30	241,943	24.54
CMAN	2.96	0.02	11,141	2.93	GPSC	70.00	0.50	23,505	69.73	CPI	1.62	0.04	1,998	1.61
GC	4.98	0.04	392	4.98	GULF	65.50	1.75	36,458	65.14	F&D	-	-	-	-
GGC	9.60	0.65	541,409	9.56	GUNKUL	2.86	0.12	91,043	2.83	HTC	20.20	0.70	1,410	19.88
GIFT	4.10	0.10	4,280	3.99	IEC	-	-	-	-	ICHI	4.54	(0.02)	22,959	4.52
IVL	57.25	1.50	225,697	56.50	IFEC	-	-	-	-	KBS	4.34	0.02	506	4.34
NFC	11.50	0.20	4,587	11.43	IRPC	5.75	0.05	1,613,072	5.68	KSL	3.04	0.04	6,145	3.02
PATO	14.70	0.10	129	14.61	LANNA	14.80	0.20	620	14.70	KTIS	5.90	-	498	5.88
PMTA	15.90	(0.40)	421	15.63	MDX	3.58	0.02	11,307	3.49	LST	4.48	0.06	307	4.42
PTTGC	74.25	3.00	600,163	72.89	PTG	15.20	0.40	50,536	15.05	M	75.00	1.75	6,960	74.46
SUTHA	3.84	(0.08)	814	3.82	PTT	47.50	(0.25)	800,164	47.51	MALEE	13.40	0.90	11,172	13.25
TCB	52.75	(0.25)	25	53.02	PTTEP	134.00	1.50	143,058	133.99	MINT	34.25	1.75	246,362	33.35
TCCC	29.00	-	348	29.48	RATCH	52.00	(0.25)	19,344	51.87	OISHI	97.00	2.00	5	96.05
TPA	6.20	(0.05)	21	6.20	RPC	0.54	(0.01)	5,521	0.54	PB	61.25	-	317	61.04
UP	-	-	-	-	SCG	4.60	-	277	4.60	PM	10.20	-	1,828	10.21
VNT	22.40	(1.10)	93,887	22.97	SCI	2.82	0.02	2,382	2.81	PRG	-	-	-	-
WG	-	-	-	-	SCN	3.86	0.06	4,507	3.83	SAPPE	26.75	1.50	6,592	25.83
YCI	-	-	-	-	SGP	9.60	0.30	149,737	9.45	SAUCE	21.40	-	31	21.31
Commerce	-	-	-	-	SKE	1.19	0.01	8,141	1.20	SFP	226.00	12.00	4	225.25
BEAUTY	13.00	(0.40)	1,190,347	13.19	SOLAR	2.00	-	5,798	2.05	SNP	-	-	-	-
BIG	2.02	0.05	52,063	2.01	SPCG	20.00	0.40	8,167	19.72	SORKON	-	-	-	-
BJC	52.25	1.25	73,073	52.04	SPRC	13.30	0.10	73,139	13.22	SSC	42.50	(1.00)	4	42.50
COL	29.25	0.75	10,359	29.32	SUPER	0.74	(0.07)	22,766,082	0.80	SSF	8.70	0.15	1	8.70
COM7	17.60	0.10	54,892	17.53	SUSCO	3.20	0.02	5,531	3.22	SST	6.00	-	667	5.89
CPALL	75.50	0.50	253,313	75.26	TAE	2.00	-	5,967	2.03	TC	2.96	-	68	2.96
CSS	2.00	0.01	9,937	2.00	TCC	0.38	0.02	6,984	0.37	TFG	3.80	(0.02)	2,534	3.80
FN	2.54	-	1,365	2.50	TOP	75.25	1.50	83,950	74.75	TFMAMA	156.00	-	30	155.07
FTE	1.99	0.03	2,192	1.98	TPIPP	5.95	0.15	143,773	5.91	TIPCO	8.75	0.30	7,137	8.62
GLOBAL	17.00	-	24,160	16.97	TTW	11.80	(0.10)	31,502	11.81	TKN	15.90	1.20	80,569	15.55
HMPRO	14.20	0.40	314,223	13.91	WHAUP	5.70	0.20	188,072	5.56	TU	15.40	(0.10)	114,953	15.34
IT	4.42	0.02	1,262	4.39	WP	6.95	0.45	21,432	6.84	TVO	27.00	(0.25)	18,467	27.21
KAMART	4.40	0.16	10,079	4.35	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.26	0.06	38,273	2.24	AMARIN	4.84	0.06	1,159	4.81	AHC	20.90	(0.10)	78	20.97
MAKRO	37.50	(1.50)	13,840	37.84	AQUA	0.50	0.02	368,810	0.50	BCH	16.20	0.70	131,081	16.07
MC	11.50	0.10	15,108	11.52	AS	1.50	(0.05)	2,096	1.51	BDMS	26.00	1.30	454,552	25.39
MEGA	41.25	-	9,394	41.16	BEC	8.25	0.30	66,620	8.18					

Main Board Quotation

Issue Date :

Tuesday July 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	7.65	0.15	611	7.60	MJD	3.30	-	1,811	3.28	CPT	2.52	0.10	114,954	2.50
WPH	2.82	0.10	3,776	2.82	MK	3.10	0.08	9,625	3.05	CRANE	2.40	0.04	3,509	2.38
Tourism & Leisure					NCH	0.90	(0.01)	1,651	0.91	CTW	8.05	0.15	372	8.00
ASIA	6.65	0.05	309	6.60	NNCL	1.64	0.02	3,554	1.63	FMT	-	-	-	-
CENDEL	45.50	0.25	19,666	45.61	NOBLE	12.10	-	7,632	12.12	HTECH	7.20	0.30	15,262	7.14
CSR	-	-	-	-	NUSA	0.26	0.05	909,003	0.26	KKC	1.61	(0.02)	543	1.62
DTC	12.30	0.20	9,920	12.21	NVD	4.24	0.02	229	4.26	PK	3.26	0.02	1,264	3.28
ERW	6.70	0.50	174,055	6.56	ORI	17.20	0.20	27,507	17.14	SNC	14.80	0.10	3,205	14.65
GRAND	0.84	-	2,778	0.84	PACE	0.42	0.01	116,042	0.42	TCJ	5.80	0.10	570	5.72
LRH	35.00	-	38	35.00	PF	0.83	0.02	226,859	0.84	VARO	-	-	-	-
MANRIN	-	-	-	-	PLAT	7.60	0.15	7,362	7.58	Property Fund & REIT	-	-	-	-
OHTL	800.00	10.00	1	805.00	POLAR	-	-	-	-	AIMIRT	10.00	-	265	10.00
ROH	40.50	(0.25)	11	40.50	PRECHA	1.33	0.02	9,242	1.29	AMATAR	10.30	0.10	1,234	10.30
SHANG	68.00	(1.00)	5	69.05	PRIN	1.57	0.01	4,071	1.56	B-WORK	10.30	-	332	10.30
Home & Office Produ					PRINC	5.50	(0.15)	22,842	5.54	BKKCP	12.00	-	50	12.00
ACC	0.50	-	808	0.50	PSH	20.00	0.60	36,438	19.82	BOFFICE	12.30	-	1,398	12.37
AJA	0.43	0.01	49,576	0.43	OH	3.20	0.06	326,732	3.17	CPNCG	14.40	0.10	467	14.42
DTCI	28.00	(1.75)	11	28.00	RICHY	1.66	0.02	5,815	1.65	CPNREIT	23.30	0.30	5,721	23.20
FANCY	0.99	0.01	33,891	1.02	RML	1.12	0.09	132,737	1.09	CPTGF	-	-	-	-
KYE	414.00	8.00	24	410.17	ROJNA	5.20	0.10	25,503	5.15	CRYSTAL	10.10	0.10	363	10.10
L&E	2.76	0.10	329	2.71	S	2.92	0.04	48,411	2.95	CTARAF	4.66	(0.02)	41	4.68
MODERN	4.50	-	1,342	4.49	SAMCO	2.20	-	147	2.20	DREIT	5.50	0.20	1	5.50
OGC	38.50	0.25	1	38.50	SC	3.52	0.08	7,536	3.48	ERWPF	5.60	(0.10)	41	5.60
ROCK	-	-	-	-	SENA	3.50	0.04	10,022	3.50	FUTUREPF	20.60	0.10	369	20.60
SIAM	1.85	0.02	823	1.84	SF	7.90	-	31,501	7.91	GAHREIT	9.80	(0.05)	51	9.75
TSR	2.22	(0.12)	4,771	2.23	SIRI	1.57	0.03	586,970	1.56	GLANDRT	12.50	0.10	2,045	12.40
Insurance					SPALI	24.90	0.70	61,801	24.67	GOLDPF	7.15	-	1,200	7.15
AYUD	41.25	-	25	41.27	TICON	16.70	0.40	519	16.54	GVREIT	14.10	(0.10)	1,640	14.11
BKI	349.00	1.00	176	347.64	U	0.03	0.01	742,668	0.03	HPF	5.30	-	8	5.30
BLA	31.00	0.75	3,953	30.64	UV	7.15	0.15	47,672	7.09	HREIT	7.00	-	781	6.96
BUI	-	-	-	-	WHA	3.92	0.10	1,398,220	3.88	IMPACT	16.30	(0.30)	15,296	16.17
CHARAN	-	-	-	-	WIN	0.61	0.01	351	0.61	KPNPF	9.40	0.05	234	9.36
INSURE	-	-	-	-	Paper & Printing Mat	-	-	-	-	LHHOTEL	15.40	0.20	171	15.25
MTI	121.50	(0.50)	1	121.50	UTP	11.40	0.30	18,137	11.26	LHPF	8.25	-	100	8.25
NKI	54.75	0.75	2	54.75	Fashion	-	-	-	-	LHSC	15.00	0.10	194	14.97
NSI	83.00	0.25	2	83.00	AFC	-	-	-	-	LUXF	8.15	0.05	30	8.15
SMK	41.00	0.50	29	41.00	BTNC	21.50	-	5	21.50	M-II	-	-	-	-
THRE	1.10	0.05	28,296	1.05	CPH	5.50	0.10	2	5.48	M-PAT	10.10	(0.10)	306	10.10
THREL	7.55	0.05	3,120	7.59	CPL	-	-	-	-	M-STOR	-	-	-	-
TIC	34.00	-	17	34.10	DIGI	0.45	0.01	29,701	0.45	MIPF	-	-	-	-
TIP	22.10	0.10	5,257	21.98	ICC	-	-	-	-	MIT	5.25	(0.60)	11	5.10
TSI	0.51	-	1,405	0.51	LTX	74.50	-	14	74.89	MJLF	-	-	-	-
TVI	3.58	0.02	551	3.54	NC	14.50	0.40	15	14.50	MNIT	1.73	(0.04)	313	1.72
Mining					PAF	0.85	0.02	447	0.84	MNIT2	5.30	-	100	5.30
PDI	16.80	0.10	2,331	16.86	PDJ	2.86	0.02	1,250	2.85	MNRF	3.32	-	1	3.32
THL	-	-	-	-	PG	7.00	-	20	7.00	MONTRI	-	-	-	-
Packaging					SABINA	29.25	0.50	242	29.59	POPF	13.50	-	460	13.51
AJ	10.40	0.10	212	10.49	SAWANG	16.30	3.20	4	16.30	PPF	11.10	-	321	11.07
ALUCON	209.00	3.00	6	208.17	SUC	43.25	-	339	43.15	QHHR	8.60	-	1,249	8.59
CSC	42.00	-	20	42.00	TNL	18.00	(0.10)	30	18.00	QHOP	3.52	(0.12)	97	3.54
NEP	0.42	-	18,252	0.42	TPCORP	14.80	0.10	42	14.70	QHPF	12.00	0.10	3,769	11.90
NPP	1.29	-	34,946	1.31	TR	46.00	0.75	115	45.52	SBPF	2.94	(0.02)	130	2.92
PTL	15.00	1.00	11,080	14.63	TTI	-	-	-	-	SHREIT	9.15	(0.05)	422	9.15
SITHAI	1.20	-	4,846	1.19	TTL	-	-	-	-	SIRIP	-	-	-	-
SLP	0.86	0.01	3,137	0.84	TTTM	137.00	-	3	137.00	SPF	23.30	0.10	216	23.23
SMPC	12.90	0.20	769	12.69	UPF	-	-	-	-	SRIPANWA	-	-	-	-
SPACK	1.91	0.02	306	1.89	UT	-	-	-	-	SSPF	9.95	0.25	61	9.97
TCOAT	-	-	-	-	WACOAL	44.75	-	1	44.75	SSTPF	-	-	-	-
TFI	0.38	0.06	1,551	0.36	Transportation & Log	-	-	-	-	SSTRT	6.20	-	57	6.19
THIP	35.00	0.25	50	34.81	AAV	4.92	0.08	254,689	4.90	TIF1	-	-	-	-
TMD	21.10	-	206	21.00	AOT	66.25	1.50	258,146	65.83	TLGF	17.70	0.10	12,742	17.78
TOPP	-	-	-	-	ASIMAR	2.84	0.06	1,091	2.82	TLHPF	-	-	-	-
TPBI	8.25	0.10	68	8.23	B	0.55	-	17,292	0.55	TNPF	4.50	0.10	950	4.51
TPP	-	-	-	-	BA	12.20	0.20	22,482	11.95	TPRIME	11.80	-	10	11.80
Personal Products &					BEM	7.90	0.25	498,139	7.82	TREIT	11.20	0.10	5,469	11.14
APCO	4.40	-	1,662	4.38	BTS	9.20	0.30	294,031	9.09	TTLPF	24.10	0.10	2	24.10
DDD	58.25	(0.25)	4,810	58.39	BTSIGF	11.90	0.10	86,363	11.89	TU-PF	-	-	-	-
JCT	89.00	(0.75)	11	89.00	III	4.46	0.04	10,605	4.41	URBNPF	4.50	0.10	10	4.50
OCC	17.20	0.40	52	17.01	JUTHA	1.74	-	42	1.73	WHABT	-	-	-	-
S & J	23.00	0.80	1	23.00	JWD	6.50	0.30	6,987	6.37	WHART	10.00	0.05	880	9.95
STHAI	-	-	-	-	KWC	-	-	-	-	Steel	-	-	-	-
TNR	14.00	-	682	14.01	NOK	2.80	0.06	889	2.78	AMC	2.50	0.02	1,516	2.49
TOG	4.86	0.04	570	4.86	NYT	4.98	-	24,375	4.98	BSBM	1.10	0.01	957	1.10
Professional Service					PRM	6.70	0.45	41,879	6.48	CEN	1.25	(0.02)	2,205	1.26
BWG	0.94	0.04	434,795	0.92	PSL	11.50	0.70	41,376	11.28	CITY	2.58	0.04	347	2.57
GENCO	0.80	0.01	410	0.79	RCL	4.80	0.04	18,171	4.78	CSP	1.43	(0.02)	914	1.42
PRO	-	-	-	-	THAI	13.20	0.50	22,558	13.03	GJS	0.32	0.01	20,140	0.32
Property Developer					TSTE	7.15	-	6	7.15	GSTEL	-	-	-	-
A	6.70	-	700	6.70	TTA	6.65	0.15	20,649	6.58	INOX	1.11	0.01	691	1.09
AMATA	20.20	0.70	178,722	19.77	WICE	3.74	0.12	10,288	3.70	LHK	4.76	0.08	1,609	4.73
AMATAV	6.60	0.10	578	6.56	Automotive	-	-	-	-	MAX	0.02	-	365,153	0.02
ANAN	5.05	0.23	217,831	4.98	AH	33.25	1.50	6,441	32.82	MCS	7.25	0.25	5,358	7.16
AP	8.60	0.35	180,839	8.52	APCS	5.00	(0.10)	4,372	4.99	MILL	1.39	0.01	5,880	1.37
APEX	0.18	0.01	18,072	0.18	BAT-3K	-	-	-	-	PAP	4.12	-	2,607	4.08
AQ	0.03	-	916,306	0.03	CWT	3.16	0.08	2,142	3.14	PERM	2.04	0.14	2,630	1.97
BLAND	1.88	0.01	391,885	1.87	EASON	3.26	0.02	2	3.26	RICH	-	-	-	-
BROCK	-	-	-	-	GYT	-	-	-	-	SAM	0.70	0.02	3,842	0.69
CGD	1.39	0.04	52,459	1.35	HFT	3.06	-	14,113	3.06	SMIT	5.60	-	652	5.64
CI	1.59	-	5	1.59	IHL	8.25	0.45	2,351	8.10	SSI	-	-	-	-
CPN	71.00	1.00	126,413	70.94	INGRS	0.71	0.02	22,279	0.71	SSSC	2.98	(0.08)	3,111	3.00
ESTAR	0.65	-	25,141	0.65	IRC	20.20	-	79	20.12	TGPRO	0.19	-	14,468	0.19
EVER	0.36	-	25,396	0.36	PCSGH	7.05	(0.10)	1,034	7.06	THE	2.82	0.24	86,254	2.72
GLAND	2.40	(0.06)	16,629	2.43	SAT	22.70	0.60	13,827	22.49	TIW	426.00	4.00	2	423.00
GOLD	11.10	0.10	45,229	11.05	SPG	-	-	-	-	TMT	14.60	0.10	219	14.60
GREEN	1.44	0.02	73,628	1.44	STANLY	249.00	-	23	251.61	TSTH	0.73	0.01	11,384	0.72
J	1.68	0.04	15	1.65	TKT	1.56	-	301	1.56	TUCC	-	-	-	-
JCK	1.47	0.03	1,242	1.45	TNPC	1.55	-	94	1.56	TWP	3.92	(0.02)	401	3.94
KC	-	-	-	-	TRU	4.50	0.							

Main Board Quotation

Issue Date :

Tuesday July 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UMS	0.77	0.02	2	-	ADVA11C1807A	-	-	-	-
ABICO	5.80	-	866	5.00	UWC	0.07	-	65,308	-	ADVA11P1807A	0.18	(0.02)	31,000	-
AU	9.55	0.10	6,901	9.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.08	-	556	-
FC	0.34	-	21,248	-	ADAM	-	-	-	-	ADVA13C1811A	0.53	(0.01)	279,104	-
JCKH	1.16	0.03	1,433	1.00	AKP	1.62	-	470	1.00	ADVA13P1809A	0.34	-	64,814	-
KASET	2.16	0.02	398	2.00	AMA	6.15	0.25	6,208	6.00	ADVA16C1812A	0.45	0.01	109	-
MM	4.00	0.02	359	3.00	ARIP	0.50	0.01	1,076	-	ADVA18C1808A	0.37	0.06	29,592	-
SUN	2.94	0.02	3,134	2.00	ATP30	1.61	-	4,179	1.00	ADVA19C1901A	0.52	0.01	123,238	-
TACC	4.16	-	3,004	4.00	AUCT	5.95	(0.05)	4,226	5.00	ADVA23C1806A	-	-	-	-
TMILL	2.92	0.02	1,795	2.00	BOL	1.95	0.03	713	1.00	ADVA24C1810A	0.36	0.03	600	-
XO	7.80	0.35	4,185	7.00	CHUO	-	-	-	-	ADVA24P1810A	0.27	(0.02)	130	-
Consumer Products	-	-	-	-	CMO	1.51	0.01	833	1.00	ADVA28C1808A	0.03	-	250	-
BGT	1.07	(0.02)	1,038	1.00	D	10.40	0.40	5,883	10.00	ADVA28C1811A	0.43	(0.01)	459,445	-
BIZ	2.66	0.04	357	2.00	DCORP	2.64	(0.10)	6,581	2.00	ADVA28P1810A	0.43	-	295,327	-
DOD	13.20	(0.20)	391,327	13.00	DNA	0.41	0.01	5,863	-	AMAT01C1806A	-	-	-	-
ECF	6.90	-	5,105	6.00	EFORL	0.07	-	55,805	-	AMAT01C1810A	0.75	0.07	107,790	-
HPT	1.01	0.03	3,887	1.00	ETE	2.10	0.06	1,998	2.00	AMAT01C1810B	0.57	0.08	104,355	-
JUBILE	21.20	-	1,725	21.00	FSMART	9.30	0.55	11,582	9.00	AMAT01P1806A	-	-	-	-
MOONG	6.00	0.10	1,271	5.00	FVC	1.44	0.01	581	1.00	AMAT01P1810A	1.22	(0.09)	39,132	1.00
NPK	-	-	-	-	HARN	2.44	-	1,599	2.00	AMAT06C1809A	0.06	-	6,768	-
OCEAN	1.88	(0.02)	70,788	1.00	JKN	10.10	0.10	29,556	10.00	AMAT08C1807A	-	-	-	-
TM	1.91	0.01	755	1.00	KIAT	0.44	-	40,905	-	AMAT08C1809A	0.13	0.03	65,404	-
Financials (MAI)	-	-	-	-	KOOL	1.46	0.03	5,321	1.00	AMAT11C1903A	0.37	0.03	46,368	-
ACAP	6.15	0.25	10,556	6.00	LDC	1.07	-	857	1.00	AMAT13C1809A	0.12	0.03	137,626	-
AF	0.86	-	21	-	MPG	0.18	0.02	42,830	-	AMAT13C1812A	0.49	0.07	328,520	-
AIRA	2.08	0.02	7	2.00	NBC	0.66	-	1,744	-	AMAT19C1811A	0.24	0.04	38,560	-
ASN	3.46	0.18	33	3.00	NCL	1.43	(0.03)	503	1.00	AMAT23C1810A	0.22	0.05	8,170	-
BROOK	0.54	0.01	14,831	-	NEWS	0.01	-	46,500	-	AMAT24C1807A	-	-	-	-
CHAYO	3.90	0.30	429,558	3.00	NINE	1.37	0.02	2,560	1.00	AMAT24C1811A	-	-	-	-
GCAP	4.54	0.06	4,696	4.00	OTO	2.62	(0.02)	2,195	2.00	AMAT28C1808A	0.05	0.02	1,274	-
LIT	7.60	0.10	3,613	7.00	PHOL	2.40	-	1,913	2.00	ANANO1C1807A	0.09	0.03	28,629	-
SGF	0.13	-	46,361	-	PICO	6.30	0.40	358	6.00	ANANO1C1810A	1.10	0.16	117,474	1.00
Industrials (MAI)	-	-	-	-	PORT	6.85	0.05	1,922	6.00	ANANO1C1810B	1.03	0.23	38,986	-
ZS	3.04	(0.04)	876	3.00	QLT	4.94	0.34	55	4.00	ANAN08C1808A	0.03	0.01	3,000	-
ADB	1.12	0.05	13,763	1.00	RE	2.92	0.06	350	2.00	ANAN08C1810A	1.01	0.24	5	1.00
BM	3.34	-	1,608	3.00	SP	2.06	0.04	90	2.00	ANAN08C1906A	0.29	0.04	50,175	-
CHO	1.13	0.03	7,921	1.00	SPA	15.30	0.70	11,416	14.00	ANAN13C1901A	0.24	0.03	45,773	-
CHOW	4.86	0.06	522	4.00	THMUI	1.31	0.02	2,163	1.00	ANAN19C1811A	0.69	0.15	27,474	-
CIG	0.37	-	1,156	-	TNDT	4.96	0.10	3	4.00	ANAN23C1806A	-	-	-	-
COLOR	1.08	-	680	1.00	TNH	38.75	0.75	77	38.00	ANAN23C1901A	0.40	0.08	8,000	-
CPR	4.68	0.18	818	4.00	TNP	1.99	0.04	2,030	1.00	ANAN24C1807A	-	-	-	-
FPI	2.86	0.10	7,984	2.00	TSF	0.06	-	257,030	-	ANAN24C1811A	0.86	0.17	13,040	-
GTB	0.73	0.03	4,464	-	TVD	1.44	0.10	3,457	1.00	ANAN28C1809A	0.69	0.15	87,280	-
KCM	1.22	0.03	39,224	1.00	TVT	1.02	-	999	1.00	AOT01C1808A	0.32	0.06	390,674	-
LVT	-	-	-	-	WINNER	3.26	0.06	2,901	3.00	AOT01C1808B	0.03	0.01	67,790	-
MBAX	3.82	0.24	1,601	3.00	Technology (MAI)	-	-	-	-	AOT01C1810A	0.39	0.05	227,626	-
MGT	2.10	0.04	484	2.00	COMAN	3.22	0.04	90	3.00	AOT01P1808A	0.83	(0.09)	112,591	-
NDR	2.26	0.04	361	2.00	ICN	2.42	0.06	29,130	2.00	AOT01P1808B	0.25	(0.07)	173,895	-
PDG	3.48	(0.02)	856	3.00	IRCP	1.32	(0.02)	5,266	1.00	AOT06C1806A	-	-	-	-
PIMO	2.62	-	4,641	2.00	ITEL	2.82	0.20	16,240	2.00	AOT06C1809A	0.11	0.05	11,090	-
PJW	1.71	0.01	892	1.00	NETBAY	36.75	1.25	9,228	36.00	AOT08C1806A	-	-	-	-
PPM	2.42	0.08	541	2.00	PLANET	1.50	0.04	510	1.00	AOT08C1807A	0.01	-	1,100	-
RWI	1.68	0.01	5,070	1.00	SIMAT	2.56	0.04	5,229	2.00	AOT08C1901A	0.44	0.05	150,512	-
SALEE	1.03	(0.04)	4,813	1.00	SKY	14.60	(0.10)	5,276	14.00	AOT11C1808A	0.50	0.09	97,261	-
SANKO	1.24	0.01	210	1.00	SPVI	1.25	0.02	3,356	1.00	AOT11P1808A	0.06	(0.01)	1,372	-
SELIC	1.82	0.04	9,622	1.00	UPA	0.40	-	9,001	-	AOT13C1807A	-	-	-	-
SWC	22.00	(0.10)	110	22.00	VCOM	3.26	0.10	38,770	3.00	AOT13C1809A	0.09	0.01	23,521	-
TMC	0.80	-	3,867	-	Unit Trust	-	-	-	-	AOT13C1811A	0.30	0.04	178,886	-
TMI	0.78	(0.01)	2,840	-	MGE	-	-	-	-	AOT13C1812A	0.47	0.06	167,181	-
TMW	63.75	0.75	172	64.00	SCBSET	-	-	-	-	AOT13P1810A	0.47	(0.07)	60,959	-
TPAC	11.70	(0.20)	1,454	11.00	ETF	-	-	-	-	AOT19C1809A	0.21	0.04	147,898	-
UAC	4.66	0.08	2,488	4.00	1DIV	12.25	0.05	110	12.00	AOT23C1807A	0.32	0.08	44,260	-
UBIS	4.96	(0.02)	26	4.00	ABFTH	-	-	-	-	AOT23P1807A	-	-	-	-
UEC	1.16	0.02	4,908	1.00	BMSCG	8.72	0.19	499	8.00	AOT24C1806A	-	-	-	-
UKEM	0.80	0.02	12,559	-	BMSCITH	12.59	0.16	8,374	12.00	AOT24C1807A	-	-	-	-
UREKA	0.50	0.01	1,970	-	BSET100	10.35	0.11	1,516	10.00	AOT24C1811A	0.20	0.05	14,537	-
YUASA	16.60	0.30	353	16.00	CHINA	5.47	(0.27)	953	5.00	AOT24P1809A	0.12	(0.03)	180	-
ZIGA	2.82	0.10	73,343	2.00	ECOMM	5.38	0.03	2	5.00	AOT28C1807A	-	-	-	-
Property & Construc	-	-	-	-	ECOMM	8.29	0.04	2	8.00	AOT28C1809A	0.13	0.03	94,666	-
ARROW	8.95	0.05	1,447	8.00	EFOOD	-	-	-	-	AP01C1809A	0.41	0.09	41,918	-
BKD	3.24	0.08	3,388	3.00	EICT	-	-	-	-	AP01C1809B	0.16	0.05	40,708	-
BSM	0.69	(0.02)	7,724	-	ENGY	6.03	0.02	1,588	5.00	AP08C1810A	0.34	0.07	29,768	-
BTW	1.40	0.02	1,881	1.00	ENY	7.16	(0.09)	2	7.00	AP23C1901A	0.16	0.04	11,000	-
CHEWA	1.01	0.01	31,145	1.00	ESET50	5.52	0.02	2	5.00	AP24C1901A	-	-	-	-
CRD	1.04	-	1,962	1.00	GLD	1.77	0.01	2,070	1.00	AP42C1901A	0.27	0.04	34,136	-
DIMET	1.06	0.01	93,288	1.00	TDEX	10.52	0.13	1,999	10.00	AP42P1901A	0.47	(0.07)	13,318	-
FLOYD	2.70	0.18	166,627	2.00	TGOLDEF	3.86	(0.01)	17	3.00	BA11C1902A	0.07	0.01	1,221	-
FOCUS	0.84	-	678	-	TH100	6.13	1.41	1	6.00	BA19C1811A	-	-	-	-
HYDRO	1.47	0.02	21,908	1.00	Warrant Foreign	-	-	-	-	BA23C1806A	-	-	-	-
JSP	0.60	0.01	15,281	-	AAV01C1808A	0.09	-	524	-	BA24C1810A	0.13	0.03	2,200	-
K	2.88	0.02	3	2.00	AAV01C1808B	-	-	-	-	BA24C1901A	0.06	(0.09)	600	-
META	2.14	(0.04)	46,25											

Main Board Quotation

Issue Date :

Tuesday July 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP13P1809A	0.52	(0.01)	34,869	-	BEAU13C1811A	0.03	-	21,417	-	BPP28C1807A	-	-	-	-
BANP16C1812A	0.76	0.04	8,042	-	BEAU13C1812A	0.18	(0.03)	919,473	-	BPP28C1808A	0.12	0.01	50,960	-
BANP19C1811A	0.23	-	18,748	-	BEAU19C1811A	0.08	(0.01)	20,321	-	BTS01C1806A	-	-	-	-
BANP23C1806A	-	-	-	-	BEAU23C1901A	0.02	-	6,000	-	BTS01C1810A	0.38	0.07	104,970	-
BANP23C1901A	0.28	0.01	85,578	-	BEAU24C1807A	-	-	-	-	BTS01C1810B	0.12	0.04	43,528	-
BANP24C1808A	-	-	-	-	BEAU24C1902A	-	-	-	-	BTS01P1806A	-	-	-	-
BANP24C1812A	0.19	0.01	500	-	BEAU28C1810A	-	-	-	-	BTS01P1810A	0.57	(0.09)	25,375	-
BANP24P1808A	-	-	-	-	BEAU28C1811A	0.08	(0.01)	28,057	-	BTS06C1903A	8.65	0.50	4,650	8.00
BANP27C1809A	0.19	0.01	15,998	-	BEC01C1808A	0.02	-	406	-	BTS06C1903B	8.60	0.45	4,650	8.00
BANP28C1807A	-	-	-	-	BEC01C1808B	0.01	-	200	-	BTS06C1903C	-	-	-	-
BANP28C1809A	-	-	-	-	BEC01C1812A	0.24	0.03	26,622	-	BTS08C1810A	0.27	0.09	55,063	-
BANP28C1810A	0.28	-	372,472	-	BEC01C1812B	0.33	0.05	41,302	-	BTS11C1806A	-	-	-	-
BBL06C1806A	-	-	-	-	BEC07C1808A	-	-	-	-	BTS11C1904A	0.08	0.01	1	-
BBL06C1902A	0.73	-	31,340	-	BEC08C1807A	-	-	-	-	BTS23C1905A	1.46	0.04	500	1.00
BBL08C1808A	-	-	-	-	BEC08C1809A	-	-	-	-	BTS24C1808A	-	-	-	-
BBL08C1809A	0.11	-	31,984	-	BEC13C1806A	-	-	-	-	BTS28C1809A	0.21	0.06	104,934	-
BBL08P1810A	0.28	-	20,799	-	BEC13C1808A	0.02	-	1,201	-	BTS28C1811A	-	-	-	-
BBL11C1903A	0.52	(0.02)	62,113	-	BEC13C1811A	0.17	0.03	100,643	-	BTS42C1901A	0.23	0.04	8,434	-
BBL11P1903A	0.57	-	30,958	-	BEC13C1901A	0.37	0.04	166,133	-	BTS42P1901A	0.38	(0.06)	11,079	-
BBL13C1807A	0.02	-	7,150	-	BEC19C1809A	-	-	-	-	CBG01C1806A	-	-	-	-
BBL13C1810A	0.48	(0.02)	78,976	-	BEC23C1807A	-	-	-	-	CBG01C1806B	-	-	-	-
BBL19C1901A	0.28	-	61,918	-	BEC23C1809A	-	-	-	-	CBG01C1809A	0.03	-	44,841	-
BBL23C1811A	0.26	-	5,005	-	BEC24C1809A	-	-	-	-	CBG01C1811A	0.45	0.06	227,062	-
BBL24C1809A	-	-	-	-	BEC24C1812A	-	-	-	-	CBG01C1811B	0.22	0.02	83,727	-
BBL24C1812A	0.64	-	900	-	BEC28C1808A	-	-	-	-	CBG01P1806A	-	-	-	-
BBL24P1810A	0.23	(0.02)	30	-	BEC28C1809A	-	-	-	-	CBG01P1811A	1.14	(0.10)	71,196	1.00
BBL27C1809A	0.14	-	3,465	-	BEC28C1811A	0.31	0.05	360,764	-	CBG01P1811B	0.76	(0.12)	45,115	-
BBL28C1808A	-	-	-	-	BEM01C1808A	0.34	0.05	61,038	-	CBG06C1807A	0.20	0.05	80,029	-
BBL28C1811A	0.49	(0.02)	189,714	-	BEM01C1808B	0.08	0.02	14,200	-	CBG06C1809A	0.08	0.02	1,458	-
BCH01C1808A	0.38	0.10	91,400	-	BEM01P1808A	0.23	(0.06)	1,176	-	CBG06P1809A	1.47	(0.11)	4,362	1.00
BCH01C1808B	0.12	0.05	31,596	-	BEM08C1809A	0.21	0.06	14,438	-	CBG07C1812A	-	-	-	-
BCH01P1808A	0.32	(0.11)	83,150	-	BEM11C1903A	0.23	0.01	27,111	-	CBG08C1808A	-	-	-	-
BCH06C1806A	-	-	-	-	BEM13C1809A	0.21	0.05	82,132	-	CBG08C1810A	0.05	-	7,840	-
BCH06C1811A	-	-	-	-	BEM23C1901A	0.18	0.04	19,342	-	CBG11C1902A	0.16	0.03	24,471	-
BCH08C1806A	-	-	-	-	BEM24C1809A	-	-	-	-	CBG13C1808A	-	-	-	-
BCH08C1901A	0.31	0.07	16,200	-	BEM28C1807A	-	-	-	-	CBG13C1809A	0.05	0.01	1	-
BCH11C1807A	0.11	0.06	8,520	-	BEM28C1808A	0.14	0.05	167,542	-	CBG13C1811A	0.18	0.03	96,821	-
BCH13C1810A	0.12	0.02	20,795	-	BH01C1806A	-	-	-	-	CBG13C1812A	0.31	(0.69)	57,307	-
BCH19C1809A	0.13	0.04	15,146	-	BH01C1806B	-	-	-	-	CBG13P1806A	-	-	-	-
BCH23C1811A	0.27	0.06	17,500	-	BH01C1811A	0.53	0.05	244,132	-	CBG18C1808A	-	-	-	-
BCH24C1811A	-	-	-	-	BH01C1811B	0.19	0.02	60,864	-	CBG19C1810A	-	-	-	-
BCH28C1807A	-	-	-	-	BH01P1806A	-	-	-	-	CBG23C1806A	-	-	-	-
BCH28C1811A	0.21	0.06	162,614	-	BH01P1811A	1.66	(0.10)	31,920	1.00	CBG23C1901A	0.14	0.01	25,770	-
BCP01C1810A	0.17	0.01	20,058	-	BH07C1810A	-	-	-	-	CBG24C1807A	-	-	-	-
BCP01C1810B	-	-	-	-	BH08C1811A	0.04	-	3,300	-	CBG24C1809A	-	-	-	-
BCP01P1810A	0.55	(0.03)	24,381	-	BH11C1902A	0.06	0.02	780	-	CBG24C1811A	0.19	(0.01)	2,000	-
BCP08C1806A	-	-	-	-	BH24C1806A	-	-	-	-	CBG28C1808A	-	-	-	-
BCP08C1901A	0.20	-	25,307	-	BH24C1809A	0.05	-	400	-	CBG28C1811A	0.16	0.02	72,148	-
BCP11C1811A	-	-	-	-	BH24C1811A	-	-	-	-	CBG28C1810A	0.39	0.03	30,687	-
BCP13C1810A	0.05	-	12,500	-	BH24C1902A	0.50	0.06	11,624	-	CENT01C1810A	0.21	0.02	8,123	-
BCP24C1808A	-	-	-	-	BIG08C1807A	-	-	-	-	CENT01C1810B	0.21	0.02	8,123	-
BCP24C1811A	-	-	-	-	BIG08C1906A	0.25	0.01	17,263	-	CENT01P1810A	0.91	(0.03)	35,781	-
BCP28C1807A	-	-	-	-	BIG13C1808A	0.01	-	3,720	-	CENT08C1809A	-	-	-	-
BCP28C1809A	-	-	-	-	BIG13C1901A	0.17	0.01	15,632	-	CENT11C1806A	-	-	-	-
BCP28C1809B	-	-	-	-	BIG19C1811A	0.11	0.01	2,000	-	CENT11C1904A	0.34	0.02	34,202	-
BCPG01C1806A	-	-	-	-	BIG24C1808A	-	-	-	-	CENT13C1811A	0.14	0.01	13,289	-
BCPG01C1806B	-	-	-	-	BIG24C1812A	-	-	-	-	CENT23C1806A	-	-	-	-
BCPG01C1811A	0.27	0.02	36,750	-	BIG28C1807A	-	-	-	-	CENT24C1807A	-	-	-	-
BCPG01C1811B	0.13	0.03	26,280	-	BJC01C1807A	0.13	0.03	95,869	-	CENT24C1810A	-	-	-	-
BCPG06C1807A	-	-	-	-	BJC01C1807B	-	-	-	-	CENT24C1901A	-	-	-	-
BCPG06C1811A	-	-	-	-	BJC01P1807A	0.99	(0.07)	37,776	1.00	CENT28C1808A	-	-	-	-
BCPG08C1806A	-	-	-	-	BJC06C1807A	-	-	-	-	CHG01C1809A	0.31	0.06	29,251	-
BCPG08C1810A	0.14	0.02	39,448	-	BJC06C1901A	0.21	0.03	2,100	-	CHG01C1809B	0.39	0.11	35,196	-
BCPG11C1807A	0.30	0.06	29,725	-	BJC07C1809A	-	-	-	-	CHG01P1809A	0.30	(0.05)	14,796	-
BCPG11C1902A	0.10	-	6,728	-	BJC08C1807A	-	-	-	-	CHG08C1807A	-	-	-	-
BCPG13C1807A	0.01	-	60	-	BJC08C1809A	0.06	0.01	2,000	-	CHG11C1807A	-	-	-	-
BCPG13C1810A	0.10	0.01	54,004	-	BJC11C1807A	0.16	0.03	54,917	-	CHG11C1904A	0.19	0.03	5,653	-
BCPG23C1806A	-	-	-	-	BJC13C1807A	-	-	-	-	CHG13C1807A	-	-	-	-
BCPG24C1806A	-	-	-	-	BJC13C1808A	0.04	-	200	-	CHG13C1809A	0.45	0.11	31,720	-
BCPG24C1807A	-	-	-	-	BJC13C1810A	0.14	0.02	51,032	-	CHG13C1812A	0.15	0.02	61,972	-
BCPG24C1810A	-	-	-	-	BJC13C1812A	0.37	(0.63)	37,471	-	CHG23C1811A	0.65	0.11	1,000	-
BCPG28C1808A	-	-	-	-	BJC19C1809A	0.15	0.03	15,358	-	CHG24C1808A	-	-	-	-
BCPG28C1809A	0.10	0.02	75,033	-	BJC23C1806A	-	-	-	-	CHG24C1811A	-	-	-	-
BDMS01C1806A	-	-	-	-	BJC23C1901A	0.23	0.03	10,260	-	CHG28C1807A	-	-	-	-
BDMS01C1806B	-	-	-	-	BJC24C1808A	-	-	-	-	CHG28C1808A	0.35	0.09	36,878	-
BDMS01C1811A	0.24	0.05	123,890	-	BJC27C1807A	-	-	-	-	CK01C1809A	0.22	0.04	133,021	-
BDMS01C1811B	0.13	0.03	105,978	-	BJC28C1808A	0.04	0.01	251	-	CK01C1809B	0.35	0.12	63,586	-
BDMS01P1806A	-	-	-	-	BLA01C1812A	0.18	0.01	21,469	-	CK01P1809A	0.30	(0.06)	22,250	-
BDMS01P1811A	0.32	(0.04)	66,499	-	BLA08C1811A	0.05	-	92	-	CK08C1809A	0.29	0.07	330	-
BDMS06C1811A	0.69	0.13	7,268	-	BLA13C1809A	-	-	-	-	CK08C1901A	0.16	-	29,362	-
BDMS08C1807A	0.47	0.16	11,748	-	BLA23C1806A	-	-	-	-	CK11C1806A	-	-	-	-
BDMS08C1901A	0.18	0.03	34,059	-	BLA27C1806A	-	-	-	-	CK11C1904A	0.20	0.03	20,600	-
BDMS11C1811A	0.84	0.17	13,014	-	BLA28C1810A	-	-	-	-	CK13C1809A	0.11	0.03	32,296	-
BDMS11C1904A	0.13	0.02	17,418	-	BLAN01C1809A	0.50	0.01	9,499	-	CK16C1812A	0.18	0.02	16,850	-
BDMS13C1807A	0.47	0.05	3,088	-	BLAN01C1809B	0.11	-	374	-	CK19C1811A	0.15	0.03	15,764	-
BDMS13C1810A	0.51	0.13	85,988	-	BLAN01P1809A	0.17	-	463	-	CK23C1808A	-	-	-	-
BDMS13C1812A	0.16	0.04	77,646	-	BLAN08C1810A	0.19	-	14,791	-	CK24C1806A	-	-	-	-
BDMS16C1812A	0.82	0.04	4	-	BLAN11C1902A	0.21	-	8,309	-	CK24C1808A	-	-	-	-
BDMS23C1810A	0.51	0.11	11,009	-	BLAN23C1807A	-	-	-	-	CK24C1901A	-	-	-	-
BDMS24C1811A	0.40	0.11	6,968	-	BPP01C1806A	-	-	-	-	CK28C1809A	0.38	0.08	155,965	-
BDMS24C1812A	-	-	-	-	BPP01C1806B	-	-	-	-	CK28C1812A	0.09	0.02	14,322	-
BDMS28C1811A	0.11	0.02	32,139	-	BPP01C1811A	0.16	-	5,452	-	CKP01C1812A	0.44			

Main Board Quotation

Issue Date :

Tuesday July 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM701C1811B	0.32	0.03	29,934	-	EA06C1809A	0.01	-	2,035	-	GUNK01C1808A	-	-	-	-
COM706C1809A	0.23	0.03	10	-	EA07C1810A	0.04	-	3,200	-	GUNK01C1808B	-	-	-	-
COM708C1811A	0.15	0.02	27,474	-	EA08C1807A	-	-	-	-	GUNK08C1807A	-	-	-	-
COM711C1811A	0.35	0.03	35,438	-	EA08C1809A	-	-	-	-	GUNK11C1903A	0.15	0.03	25,674	-
COM713C1809A	0.10	0.02	10,340	-	EA08C1810A	0.15	-	23,062	-	GUNK23C1806A	-	-	-	-
COM713C1812A	0.33	0.03	79,782	-	EA11C1902A	0.08	0.01	10,157	-	GUNK24C1807A	-	-	-	-
COM719C1811A	0.27	0.03	11,059	-	EA13C1806A	-	-	-	-	GUNK24C1812A	0.23	0.03	3,070	-
COM723C1806A	-	-	-	-	EA13C1807A	-	-	-	-	GUNK28C1808A	-	-	-	-
COM723C1901A	0.31	0.03	7,000	-	EA13C1808A	-	-	-	-	GUNK28C1810A	0.27	0.04	57,672	-
COM724C1806A	-	-	-	-	EA13C1808B	0.03	0.01	2,779	-	HANA01C1806A	-	-	-	-
COM724C1811A	0.21	0.03	11,500	-	EA13C1809A	0.01	-	117,702	-	HANA01C1806B	-	-	-	-
COM728C1808A	-	-	-	-	EA13C1810A	0.03	-	21,402	-	HANA01C1811A	0.33	-	18,605	-
COM728C1811A	0.28	0.03	110,503	-	EA13C1811A	0.10	-	58,107	-	HANA01C1811B	0.21	-	15,318	-
CPAL01C1806A	-	-	-	-	EA13C1812A	0.16	0.02	242,480	-	HANA08C1806A	-	-	-	-
CPAL01C1808A	0.43	0.04	260,055	-	EA13P1809A	1.04	(0.07)	77,447	1.00	HANA08C1809A	0.09	0.01	16	-
CPAL01C1808B	0.07	0.01	8,225	-	EA19C1811A	0.32	0.02	88,346	-	HANA11C1904A	0.20	0.01	100	-
CPAL01C1901A	0.57	0.03	168,424	-	EA23C1806A	-	-	-	-	HANA13C1809A	0.11	-	5,100	-
CPAL01C1901B	0.42	0.03	152,817	-	EA23C1901A	0.26	0.02	41,212	-	HANA23C1811A	0.31	(0.01)	4	-
CPAL01P1806A	-	-	-	-	EA24C1807A	-	-	-	-	HANA24C1808A	-	-	-	-
CPAL01P1808A	0.90	(0.06)	75,492	-	EA24C1809A	-	-	-	-	HANA24C1810A	-	-	-	-
CPAL01P1901A	1.19	(0.04)	46,721	1.00	EA28C1809A	0.25	0.01	179,271	-	HANA28C1807A	-	-	-	-
CPAL01P1901B	0.94	(0.07)	33,891	-	EA28C1809B	0.04	0.01	5,160	-	HANA28C1808A	-	-	-	-
CPAL06C1811A	0.93	0.02	45,279	-	EGCO01C1809A	0.45	(0.02)	10,874	-	HANA28C1812A	0.26	(0.01)	9,478	-
CPAL06C1811B	-	-	-	-	EGCO08C1809A	0.07	(0.01)	1,049	-	HMPR01C1808A	0.30	0.04	120,151	-
CPAL08C1807A	0.05	0.01	2,475	-	EGCO13C1809A	-	-	-	-	HMPR01C1808B	-	-	-	-
CPAL08P1810A	0.93	(0.07)	71,534	-	EGCO23C1811A	0.26	(0.02)	101	-	HMPR01P1808A	0.35	(0.05)	38,645	-
CPAL11C1903A	0.22	-	48,578	-	EGCO24C1808A	0.08	(0.03)	125	-	HMPR06C1811A	-	-	-	-
CPAL11P1903A	0.91	(0.06)	44,621	-	EGCO28C1808A	0.04	(0.02)	1,000	-	HMPR08C1810A	0.12	0.01	34,219	-
CPAL13C1807A	0.02	-	5,004	-	EPG01C1809A	0.09	0.01	115,755	-	HMPR11C1808A	0.30	0.04	35,184	-
CPAL13C1812A	0.50	0.02	209,175	-	EPG01P1809A	0.98	(0.10)	18,818	1.00	HMPR11P1808A	0.04	-	2,000	-
CPAL19C1811A	0.32	0.03	44,877	-	EPG07C1811A	0.28	(0.11)	2,018	-	HMPR13C1807A	-	-	-	-
CPAL23C1810A	0.13	0.01	28,100	-	EPG08C1810A	-	-	-	-	HMPR13C1812A	0.26	0.02	191,542	-
CPAL24C1808A	0.04	0.01	1,979	-	EPG08C1810B	0.34	0.06	79,663	-	HMPR23C1901A	0.14	0.02	3,000	-
CPAL24C1811A	0.09	-	3	-	EPG11C1903A	0.31	0.03	51,306	-	HMPR24C1808A	-	-	-	-
CPAL24P1901A	0.42	(0.06)	50	-	EPG13C1808A	-	-	-	-	HMPR27C1807A	0.15	0.03	9,775	-
CPAL28C1809A	0.05	0.01	331	-	EPG13C1811A	0.21	0.03	97,972	-	HMPR28C1807A	0.01	-	240	-
CPAL28C1811A	0.25	0.01	268,529	-	EPG23C1808A	-	-	-	-	HMPR28C1811A	0.15	0.03	279,691	-
CPF01C1809A	0.72	0.03	149,772	-	EPG24C1807A	-	-	-	-	ICH08C1806A	-	-	-	-
CPF01C1809B	0.11	0.01	38,624	-	EPG24C1808A	-	-	-	-	INTU01C1809A	0.34	(0.01)	79,106	-
CPF01C1810A	0.19	-	32,366	-	EPG24C1810A	0.34	0.06	23,752	-	INTU01C1809B	0.06	0.01	170	-
CPF01P1809A	0.39	(0.03)	27,753	-	EPG28C1808A	-	-	-	-	INTU01P1809A	0.50	0.02	39,367	-
CPF06C1809A	0.42	0.03	61,212	-	ESSO01C1807A	0.01	-	4,085	-	INTU01P1809B	0.26	0.02	101,913	-
CPF07C1810A	-	-	-	-	ESSO01C1807B	-	-	-	-	INTU11C1807A	-	-	-	-
CPF08C1809A	0.29	0.02	15,372	-	ESSO01C1812A	0.23	0.01	37,210	-	INTU11P1807A	0.32	0.02	6,830	-
CPF08C1901A	0.16	0.02	12,034	-	ESSO01C1812B	0.14	0.01	22,159	-	INTU13C1810A	0.16	(0.02)	171,357	-
CPF11C1902A	0.08	(0.01)	106	-	ESSO01P1807A	1.85	(0.01)	3,698	1.00	INTU13C1812A	0.37	(0.02)	221,958	-
CPF11P1902A	0.35	(0.02)	15,914	-	ESSO01P1812A	1.10	(0.02)	4,986	1.00	INTU19C1901A	0.31	-	76,241	-
CPF13C1809A	0.40	0.03	86,846	-	ESSO08C1807A	-	-	-	-	INTU23C1806A	-	-	-	-
CPF13C1810A	0.11	0.01	16,221	-	ESSO13C1807A	-	-	-	-	INTU24C1807A	-	-	-	-
CPF19C1901A	0.20	0.01	38,146	-	ESSO13C1811A	0.08	0.01	9,866	-	INTU24C1901A	-	-	-	-
CPF23C1810A	0.36	0.03	28,000	-	ESSO23C1809A	-	-	-	-	INTU28C1809A	0.11	(0.01)	311,808	-
CPF24C1809A	0.19	0.03	3,080	-	ESSO24C1806A	-	-	-	-	IRPC01C1808A	0.04	(0.01)	70,375	-
CPF28C1808A	0.27	0.03	197,477	-	ESSO24C1812A	-	-	-	-	IRPC01C1810A	0.07	-	16,108	-
CPF28C1811A	0.12	0.01	40,417	-	ESSO28C1807A	-	-	-	-	IRPC01C1810B	0.02	-	80	-
CPN01C1808A	0.18	0.02	52,288	-	ESSO28C1811A	0.07	0.01	31,250	-	IRPC01P1808A	0.78	-	58,616	-
CPN01C1808B	0.02	-	5,030	-	GFPT01C1807A	0.13	0.02	29,335	-	IRPC01P1810A	0.60	(0.01)	45,843	-
CPN06C1811A	0.33	0.03	27,660	-	GFPT08C1807A	-	-	-	-	IRPC01P1810B	0.47	-	53,484	-
CPN08C1809A	0.04	0.01	1,095	-	GFPT08C1906A	0.37	0.02	29,531	-	IRPC06C1811A	0.11	-	25,482	-
CPN11C1903A	0.21	0.01	58,780	-	GFPT11C1806A	-	-	-	-	IRPC07C1812A	-	-	-	-
CPN11P1903A	0.81	(0.05)	53,764	-	GFPT19C1811A	0.35	0.02	17,482	-	IRPC08C1808A	0.01	-	5	-
CPN13C1807A	-	-	-	-	GFPT23C1806A	-	-	-	-	IRPC11C1902A	0.04	(0.01)	50	-
CPN13C1812A	0.24	0.02	55,600	-	GFPT24C1806A	-	-	-	-	IRPC13C1808A	-	-	-	-
CPN19C1901A	0.36	0.03	65,418	-	GFPT24C1812A	0.33	0.03	7,661	-	IRPC13C1811A	0.07	-	55,000	-
CPN23C1810A	0.13	0.01	28,690	-	GGCO1C1810A	0.08	0.03	126,979	-	IRPC13C1812A	0.15	0.01	60,184	-
CPN24C1806A	-	-	-	-	GGCO1C1810B	0.04	0.01	26,124	-	IRPC23C1810A	-	-	-	-
CPN24C1901A	0.24	0.01	1,300	-	GGCO8C1906A	0.09	0.02	59,692	-	IRPC24C1808A	0.09	(0.01)	38,242	-
CPN28C1807A	-	-	-	-	GGC13C1811A	0.02	-	3,600	-	IRPC24C1809A	0.01	(0.02)	300	-
CPN28C1810A	0.13	0.02	345,175	-	GGC19C1811A	0.01	(0.01)	50	-	IRPC24C1812A	-	-	-	-
DELTO8C1811A	0.08	-	6,512	-	GGC23C1901A	0.04	0.01	20,751	-	IRPC27C1809A	-	-	-	-
DELT13C1809A	-	-	-	-	GGC24C1812A	0.02	-	35,750	-	IRPC28C1807A	-	-	-	-
DELT27C1812A	0.11	0.01	7,058	-	GGC28C1811A	0.02	0.01	21,861	-	IRPC28C1811A	0.05	-	6,012	-
DTAC01C1808A	0.13	0.02	62,585	-	GLOB01C1809A	0.47	-	28,912	-	ITD01C1808A	0.02	-	20,550	-
DTAC01C1808B	0.02	-	18,022	-	GLOB01C1809B	0.27	-	29,656	-	ITD01C1808B	-	-	-	-
DTAC01C1810A	0.30	0.05	151,729	-	GLOB06C1809A	0.30	-	11,400	-	ITD01P1808A	1.19	(0.09)	31,820	1.00
DTAC01C1810B	0.08	0.01	54,494	-	GLOB08C1807A	0.09	(0.01)	25,414	-	ITD08C1806A	-	-	-	-
DTAC01P1808A	1.05	(0.11)	86,856	1.00	GLOB11C1808A	0.23	(0.01)	11,880	-	ITD08C1810A	0.08	0.02	6,650	-
DTAC01P1810A	1.40	(0.10)	25,211	1.00	GLOB13C1807A	-	-	-	-	ITD11C1903A	0.18	0.03	18,405	-
DTAC01P1810B	1.05	(0.14)	31,459	1.00	GLOB23C1811A	0.48	-	4,710	-	ITD13C1809A	-	-	-	-
DTAC06C1806A	-	-	-	-	GLOB24C1810A	0.22	(0.03)	2,500	-	ITD13C1812A	0.22	0.03	87,718	-
DTAC06C1901A	0.24	0.03	1,028	-	GLOB27C1809A	0.11	(0.01)	15,642	-	ITD19C1811A	0.08	0.01	16,000	-
DTAC06P1809A	0.67	(0.08)	31,075	-	GLOB28C1807A	-	-	-	-	ITD23C1808A	-	-	-	-
DTAC07C1809A	0.02	-	500	-	GLOB28C1808A	0.09	-	30,914	-	ITD24C1807A	-	-	-	-
DTAC08C1809A	-	-	-	-	GLOW08C1806A	-	-	-	-	ITD24C1810A	-	-	-	-
DTAC08P1807A	0.39	(0.10)	69,406	-	GLOW08C1811A	0.73	(0.02)	3,826	-	ITD28C1808A	-	-	-	-
DTAC11C1806A	-	-	-	-	GLOW11C1807A	0.77	(0.02)	2,020	-	ITD28C1808B	-	-	-	-
DTAC11C1904A	0.25	0.03	25,670	-	GLOW23C1806A	-	-	-	-	IVL01C1806A	-	-	-	-
DTAC13C1811A	0.11	0.01	28,668	-	GLOW27C1812A	0.42	(0.02)	3,170	-	IVL01C1808A	0.39	0.07	312,784	-
DTAC13C1812A	0.37	0.05	89,179	-	GPSCO1C1808A	0.35	-	75,519	-	IVL01C1808B	0.12	0.03	25,227	-
DTAC13P1811A	0.96	(0.13)	1,002	-	GPSCO1C1808B	-	-							

Main Board Quotation

Issue Date :

Tuesday July 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL13C1809A	0.27	0.06	100,847	-	KTC27C1806A	-	-	-	-	MTC24C1810A	0.10	(0.02)	4,000	-
IVL13C1810A	0.25	0.03	116,727	-	KTC28C1808A	1.58	0.19	50	1.00	MTC24C1812A	0.26	(0.02)	6,000	-
IVL13C1812A	0.48	0.05	179,736	-	KTC28C1808B	-	-	-	-	MTC27C1807A	-	-	-	-
IVL13P1809A	0.08	(0.03)	4,880	-	KTC28C1809A	1.00	0.06	190	-	MTC28C1808A	0.02	-	1	-
IVL13P1811A	0.50	(0.06)	35,180	-	KTC28C1810A	0.89	0.06	101,184	-	MTC28C1809A	0.16	(0.02)	65,541	-
IVL19C1809A	0.47	0.08	127,852	-	LH01C1809A	0.32	0.01	18,749	-	ORI08C1807A	-	-	-	-
IVL23C1810A	0.49	0.07	11,860	-	LH01C1809B	0.17	0.01	20,794	-	ORI11C1811A	0.18	0.01	24,080	-
IVL24C1808A	0.15	0.05	20,000	-	LH01P1809A	0.16	(0.02)	7,777	-	ORI13C1810A	0.37	0.02	74,384	-
IVL24C1812A	0.25	0.06	10,540	-	LH06C1809A	0.24	0.01	15,672	-	ORI19C1811A	0.24	0.01	20,626	-
IVL28C1807A	-	-	-	-	LH07C1810A	-	-	-	-	ORI23C1809A	-	-	-	-
IVL28C1808A	0.06	0.02	9,001	-	LH11C1808A	0.19	0.01	2,304	-	ORI24C1806A	-	-	-	-
IVL28C1811A	0.28	0.04	376,635	-	LH13C1808A	0.18	(0.01)	12,328	-	ORI24C1810A	-	-	-	-
IVL28P1811A	0.52	(0.08)	67,712	-	LH19C1901A	0.21	0.01	18,534	-	ORI28C1808A	-	-	-	-
KBAN01C1808A	0.13	0.01	181,170	-	LH23C1806A	-	-	-	-	PLAN08C1811A	0.17	0.01	42,661	-
KBAN01C1808B	0.02	-	10	-	LH23C1901A	0.14	0.01	23,198	-	PLAN13C1809A	0.09	-	2,000	-
KBAN01C1810A	0.90	0.04	137,424	-	LH24C1806A	-	-	-	-	PLAN23C1806A	-	-	-	-
KBAN01C1901A	1.02	0.03	95,708	1.00	LH24C1809A	-	-	-	-	PLAN28C1810A	0.13	-	20,580	-
KBAN01C1901B	0.57	0.04	100,225	-	LH28C1808A	-	-	-	-	PSH01C1810A	0.32	0.03	26,254	-
KBAN01P1808A	1.04	(0.03)	7,147	1.00	LPN01C1809A	0.18	0.03	98,854	-	PSH01C1810B	0.11	0.01	9,577	-
KBAN01P1808B	0.48	(0.03)	30,246	-	LPN01C1811A	0.50	0.04	77,475	-	PSH01P1810A	0.89	(0.05)	31,974	-
KBAN01P1810A	0.48	(0.04)	36,745	-	LPN01C1811B	0.34	0.04	36,489	-	PSH08C1811A	0.11	0.04	14,580	-
KBAN01P1901A	1.30	(0.03)	18,635	1.00	LPN01P1809A	0.42	(0.05)	22,057	-	PSH11C1902A	0.24	0.03	7,598	-
KBAN01P1901B	0.81	(0.04)	28,509	-	LPN08C1807A	-	-	-	-	PSH23C1811A	0.21	0.03	7,000	-
KBAN06C1811A	0.51	0.06	2,890	-	LPN08C1810A	0.17	0.04	48,247	-	PSL01C1807A	0.22	0.06	44,503	-
KBAN07C1811A	-	-	-	-	LPN08C1906A	0.30	0.06	97,071	-	PSL23C1809A	0.06	-	1	-
KBAN08C1811A	0.49	0.03	21,921	-	LPN11C1806A	-	-	-	-	PSL24C1807A	0.05	0.01	500	-
KBAN08P1811A	0.52	(0.03)	14,558	-	LPN19C1811A	0.31	0.06	71,982	-	PTG01C1806A	-	-	-	-
KBAN13C1807A	-	-	-	-	LPN23C1806A	-	-	-	-	PTG01C1806B	-	-	-	-
KBAN13C1810A	0.13	-	25,435	-	LPN24C1808A	-	-	-	-	PTG01C1811A	0.23	0.03	56,617	-
KBAN13C1811A	0.65	0.02	154,910	-	LPN24C1812A	0.46	0.11	2,005	-	PTG01C1811B	0.11	0.02	23,260	-
KBAN19C1901A	0.28	0.01	3,064	-	LPN27C1807A	-	-	-	-	PTG01P1811A	1.13	(0.08)	69,057	1.00
KBAN23C1806A	-	-	-	-	MAJO08C1811A	-	-	-	-	PTG06C1810A	0.10	0.03	1,000	-
KBAN24C1806A	-	-	-	-	MAJO11C1902A	0.09	-	38	-	PTG06C1904A	0.45	0.03	4,500	-
KBAN24C1902A	0.61	0.05	30	-	MAJO23C1806A	-	-	-	-	PTG08C1807A	-	-	-	-
KBAN24P1811A	-	-	-	-	MAJO24C1809A	-	-	-	-	PTG11C1903A	0.18	0.02	12,992	-
KBAN27C1809A	-	-	-	-	MALE01C1812A	0.03	0.01	5,606	-	PTG13C1809A	0.05	0.01	53	-
KBAN27P1809A	0.60	(0.01)	10,174	-	MALE08C1811A	0.01	-	1	-	PTG13C1812A	0.24	0.05	164,099	-
KBAN28C1809A	-	-	-	-	MALE13C1809A	0.01	-	2,825	-	PTG23C1808A	-	-	-	-
KBAN28C1811A	0.53	0.03	148,324	-	MALE23C1806A	-	-	-	-	PTG24C1809A	-	-	-	-
KBAN28P1807A	0.65	(0.04)	5,600	-	MALE27C1812A	-	-	-	-	PTG27C1809A	-	-	-	-
KBAN28P1811A	0.51	(0.03)	171,878	-	MALE28C1810A	0.01	-	5,040	-	PTG28C1808A	-	-	-	-
KCE01C1810A	0.65	-	34,136	-	MC19C1811A	0.14	0.02	3,034	-	PTL08C1811A	0.34	0.06	6,937	-
KCE01C1810B	0.58	(0.01)	33,578	-	MC23C1809A	-	-	-	-	PTL13C1809A	0.13	0.04	25,241	-
KCE06C1809A	0.84	0.02	500	-	MC24C1807A	-	-	-	-	PTL23C1807A	-	-	-	-
KCE07C1808A	-	-	-	-	MC24C1812A	-	-	-	-	PTL24C1806A	-	-	-	-
KCE08C1809A	0.69	-	16,420	-	MEGA01C1806A	-	-	-	-	PTL28C1810A	0.27	0.09	46,488	-
KCE11C1808A	0.02	-	5,002	-	MEGA01C1806B	-	-	-	-	PTT01C1808A	0.46	-	465,008	-
KCE11C1904A	0.38	0.01	15,426	-	MEGA01C1811A	0.46	0.01	17,147	-	PTT01C1808B	0.10	(0.01)	589,373	-
KCE13C1808A	0.42	0.01	47,460	-	MEGA01C1811B	0.31	-	15,404	-	PTT01C1810A	0.16	(0.01)	185,421	-
KCE13C1811A	0.53	0.01	67,477	-	MEGA08C1811A	0.28	-	13,310	-	PTT01C1810B	0.05	(0.01)	50,284	-
KCE23C1807A	-	-	-	-	MEGA11C1806A	-	-	-	-	PTT01P1808A	0.62	-	90,526	-
KCE23C1901A	0.29	-	18,600	-	MEGA11C1902A	0.27	0.01	9,636	-	PTT01P1808B	0.16	(0.01)	151,880	-
KCE24C1808A	0.29	0.01	681	-	MEGA13C1809A	0.12	-	11,022	-	PTT01P1810A	1.19	(0.01)	95,183	1.00
KCE28C1808A	0.20	(0.02)	26,894	-	MEGA23C1806A	-	-	-	-	PTT01P1810B	0.79	(0.01)	100,534	-
KCE28C1811A	0.47	(0.02)	50,053	-	MEGA24C1812A	-	-	-	-	PTT06C1811A	-	-	-	-
KKP01C1808A	0.20	(0.01)	58,924	-	MEGA27C1807A	-	-	-	-	PTT06C1901A	0.30	-	17,512	-
KKP01C1808B	-	-	-	-	MEGA28C1808A	-	-	-	-	PTT06P1901A	0.65	(0.03)	11,668	-
KKP08C1811A	0.32	(0.01)	38,263	-	MINT01C1808A	0.03	0.01	374,447	-	PTT07C1811A	0.15	-	889	-
KKP11C1903A	0.28	0.01	21,250	-	MINT01C1808B	0.01	-	20,150	-	PTT08C1807A	-	-	-	-
KKP13C1807A	-	-	-	-	MINT01C1901A	0.36	0.08	352,976	-	PTT08C1809A	0.03	-	95,788	-
KKP13C1811A	0.29	0.01	57,091	-	MINT01C1901B	0.24	0.06	277,062	-	PTT08P1809A	0.64	0.01	46,702	-
KKP23C1807A	-	-	-	-	MINT01P1808A	0.83	(0.16)	95,471	-	PTT11C1806A	-	-	-	-
KKP24C1807A	-	-	-	-	MINT01P1901A	0.48	(0.09)	101,970	-	PTT11C1902A	0.14	(0.01)	57,233	-
KKP24C1812A	0.31	0.01	8,585	-	MINT06C1809A	0.03	0.01	1,000	-	PTT13C1807A	0.07	-	84,147	-
KKP28C1807A	-	-	-	-	MINT06C1901A	0.19	0.06	18,685	-	PTT13C1808A	0.01	-	33,814	-
KKP28C1810A	0.19	0.01	127,530	-	MINT07C1810A	-	-	-	-	PTT13C1810A	0.07	-	32,898	-
KTB01C1808A	-	-	-	-	MINT08C1809A	-	-	-	-	PTT13C1811A	0.21	-	124,086	-
KTB01C1810A	0.25	-	61,364	-	MINT11C1902A	0.09	0.03	82,819	-	PTT13C1812A	0.33	-	427,563	-
KTB01C1810B	0.11	-	2,500	-	MINT11P1902A	0.39	(0.14)	32,594	-	PTT13P1807A	0.06	(0.01)	200	-
KTB01P1808A	0.68	(0.02)	41,094	-	MINT13C1810A	0.08	0.02	12,620	-	PTT13P1808A	0.65	0.02	150	-
KTB06C1902A	-	-	-	-	MINT23C1810A	-	-	-	-	PTT13P1812A	0.49	-	283,397	-
KTB08C1809A	-	-	-	-	MINT24C1807A	-	-	-	-	PTT19C1809A	0.07	-	18,500	-
KTB11C1811A	0.12	0.01	26,312	-	MINT24C1812A	0.04	(0.01)	500	-	PTT23C1901A	0.10	0.01	20,624	-
KTB13C1809A	0.05	-	1	-	MINT24C1901A	0.28	0.08	12,000	-	PTT24C1806A	-	-	-	-
KTB13C1901A	0.28	(0.72)	48,670	-	MINT28C1808A	0.02	-	1	-	PTT24C1809A	-	-	-	-
KTB19C1901A	0.19	-	22,874	-	MINT28C1811A	0.16	0.04	417,650	-	PTT24C1812A	0.26	(0.02)	680	-
KTB23C1811A	0.16	-	5,000	-	MONO01C1810A	0.07	0.02	22,501	-	PTT24P1808A	0.03	-	400	-
KTB24C1808A	-	-	-	-	MONO01C1810B	0.04	0.01	900	-	PTT27C1809A	0.33	-	6,100	-
KTB24C1811A	-	-	-	-	MONO08C1808A	-	-	-	-	PTT27P1809A	0.24	(0.01)	61,282	-
KTB24P1901A	-	-	-	-	MONO08C1906A	0.12	0.02	14,593	-	PTT28C1807A	0.02	-	1,042	-
KTB28C1809A	-	-	-	-	MONO13C1808A	-	-	-	-	PTT28C1808A	0.01	(0.01)	1,071	-
KTB28C1811A	-	-	-	-	MONO13C1811A	0.05	0.01	2,000	-	PTT28C1808B	-	-	-	-
KTC01C1806A	-	-	-	-	MONO13C1901A	0.22	0.02	70,098	-	PTT28C1811A	0.06	-	400	-
KTC01C1806B	-	-	-	-	MONO19C1811A	0.14	0.04	9,830	-	PTT28C1811B	0.19	0.01	328,208	-
KTC01C1808A	1.62	0.10	179,552	1.00	MONO23C1809A	0.01	-	40	-	PTT28C1812A	0.30	-	617,455	-
KTC01C1808B	0.88	0.08	259,022	-	MONO23C1901A	0.21	0.05	3,000	-	PTT28P1808A	0.40	(0.04)	301,472	-
KTC01C1810A	0.58	0.03	36,788	-	MONO24C1807A	-	-	-	-	PTT28P1808B	0.79	(0.01)	121,866	-
KTC01C1810B	0.47	0.03	48,076	-	MONO24C1812A	0.02	-	3,308	-	PTT28P1812A	0.36	-	467,333	-
KTC06C1807A	2.26	0.16	21,000	2.00	MONO24C1812B	0.15	(0.08)	2,000	-					

Main Board Quotation

Issue Date :

Tuesday July 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE13C1807A	0.37	0.03	5,505	-	S5013C1806D	-	-	-	-	SGP11C1904A	0.12	0.02	20,738	-
PTTE13C1811A	0.34	0.01	404,691	-	S5013C1806E	-	-	-	-	SGP13C1807A	-	-	-	-
PTTE13P1807A	-	-	-	-	S5013C1809A	0.10	0.03	2,569,150	-	SGP13C1808A	-	-	-	-
PTTE13P1811A	0.36	(0.04)	347,449	-	S5013C1809B	0.21	0.05	1,300,546	-	SGP13C1811A	0.06	-	1,285	-
PTTE19C1811A	0.52	0.03	125,304	-	S5013C1809C	0.18	0.04	745,959	-	SGP19C1811A	0.18	0.02	7,608	-
PTTE23C1901A	0.14	0.01	58,797	-	S5013C1809D	0.39	0.08	1,668,908	-	SGP24C1806A	-	-	-	-
PTTE24C1807A	0.23	0.02	70,984	-	S5013C1809E	0.66	0.12	3,674,156	-	SGP24C1808A	-	-	-	-
PTTE24C1811A	0.24	0.01	8,870	-	S5013P1806A	-	-	-	-	SGP24C1811A	-	-	-	-
PTTE24P1809A	0.04	-	15,370	-	S5013P1806B	-	-	-	-	SGP24C1902A	0.58	0.04	7,854	-
PTTE27C1809A	-	-	-	-	S5013P1806C	-	-	-	-	SGP28C1808A	-	-	-	-
PTTE27P1809A	-	-	-	-	S5013P1806D	-	-	-	-	SGP28C1809A	0.02	0.01	1	-
PTTE28C1807A	0.34	(0.26)	14	-	S5013P1806E	-	-	-	-	SGP28C1811A	0.08	-	1,010	-
PTTE28C1810A	0.29	0.03	159,587	-	S5013P1809A	2.42	(0.30)	17,787	2.00	SIRI01C1808A	0.02	0.01	5,001	-
PTTE28C1811A	0.19	0.01	105,352	-	S5013P1809B	1.49	(0.26)	584,706	1.00	SIRI01C1808B	-	-	-	-
PTTE28P1811A	0.38	(0.02)	58,120	-	S5013P1809C	1.83	(0.25)	188	1.00	SIRI01C1901A	0.36	0.03	9,698	-
PTTG01C1808A	0.09	0.03	768,893	-	S5013P1809D	0.94	(0.18)	3,940,206	1.00	SIRI01C1901B	0.16	0.02	18,238	-
PTTG01C1810A	0.14	0.04	727,960	-	S5013P1809E	0.55	(0.14)	6,671,336	-	SIRI01P1808A	0.67	(0.03)	6,039	-
PTTG01C1810B	0.02	(0.01)	39,829	-	S5028C1806A	-	-	-	-	SIRI01P1901A	0.74	(0.04)	12,811	-
PTTG01C1811A	0.31	0.07	610,391	-	S5028C1806B	-	-	-	-	SIRI08C1808A	-	-	-	-
PTTG01P1808A	1.62	(0.23)	168,621	1.00	S5028C1806C	-	-	-	-	SIRI08C1810A	0.12	0.01	1,600	-
PTTG01P1811A	2.10	(0.20)	43,735	2.00	S5028C1807A	0.02	(0.02)	8,003	-	SIRI11C1902A	0.14	0.02	2	-
PTTG06C1809A	0.01	(0.01)	20	-	S5028C1809A	0.16	0.03	554,733	-	SIRI13C1809A	-	-	-	-
PTTG07C1812A	0.29	0.07	21,282	-	S5028C1809B	0.61	0.10	2,083,799	-	SIRI23C1811A	0.17	0.02	6,500	-
PTTG08C1811A	0.04	0.01	2,080	-	S5028P1806A	-	-	-	-	SIRI24C1809A	0.04	0.01	5,350	-
PTTG08P1811A	1.59	(0.07)	863	1.00	S5028P1806B	-	-	-	-	SIRI28C1807A	-	-	-	-
PTTG11C1902A	0.07	-	23,502	-	S5028P1806C	-	-	-	-	SIRI28C1809A	-	-	-	-
PTTG13C1808A	0.01	-	43	-	S5028P1807A	2.12	(0.04)	332	2.00	SPAL01C1808A	0.53	0.07	43,267	-
PTTG13C1812A	0.18	0.04	876,485	-	S5028P1809A	1.29	(0.20)	2,086,314	1.00	SPAL01C1808B	0.12	0.05	40,640	-
PTTG19C1811A	0.16	0.04	125,412	-	S5028P1809B	0.62	(0.12)	2,962,742	-	SPAL06C1809A	0.60	0.06	13,014	-
PTTG23C1901A	0.06	-	163,233	-	SAWA01C1808A	0.02	0.01	1,910	-	SPAL08C1808A	0.11	0.05	4,670	-
PTTG24C1808A	0.01	-	1,000	-	SAWA01C1808B	0.02	-	1,001	-	SPAL11C1807A	0.25	0.03	22,820	-
PTTG24C1812A	0.14	0.04	103,139	-	SAWA01C1901A	0.38	(0.01)	91,679	-	SPAL23C1811A	-	-	-	-
PTTG24P1808A	0.46	(0.22)	172,545	-	SAWA01C1901B	0.30	(0.01)	77,185	-	SPAL24C1808A	-	-	-	-
PTTG27C1807A	-	-	-	-	SAWA01P1808A	2.48	(0.02)	27,937	2.00	SPAL24C1812A	0.34	0.07	1,014	-
PTTG27P1807A	0.16	(0.14)	32,164	-	SAWA01P1901A	1.14	(0.01)	35,332	1.00	SPAL24C1808A	0.08	-	31,970	-
PTTG28C1807A	-	-	-	-	SAWA06C1807A	-	-	-	-	SPRC01C1808B	-	-	-	-
PTTG28C1807B	-	-	-	-	SAWA06C1811A	0.03	-	3,000	-	SPRC06C1809A	-	-	-	-
PTTG28C1811A	0.14	0.04	538,479	-	SAWA07C1812A	-	-	-	-	SPRC06C1902A	-	-	-	-
QH01C1807A	0.31	0.01	40,694	-	SAWA08C1808A	0.01	-	500	-	SPRC08C1808A	-	-	-	-
QH01C1810A	0.40	0.02	26,543	-	SAWA08C1811A	0.02	-	68,500	-	SPRC11C1902A	0.07	(0.02)	2,282	-
QH01C1810B	0.24	0.01	13,204	-	SAWA11C1808A	-	-	-	-	SPRC13C1808A	-	-	-	-
QH01P1807A	0.25	(0.02)	18,113	-	SAWA13C1807A	-	-	-	-	SPRC13C1812A	0.22	0.01	53,490	-
QH01P1810A	0.39	(0.02)	31,587	-	SAWA13C1810A	0.02	-	5,131	-	SPRC23C1810A	-	-	-	-
QH08C1808A	0.16	0.01	25,670	-	SAWA13C1811A	0.03	-	21,579	-	SPRC24C1808A	-	-	-	-
QH11C1902A	0.31	-	13,284	-	SAWA13C1812A	0.13	-	60,222	-	SPRC24C1903A	-	-	-	-
QH23C1808A	0.21	-	3,000	-	SAWA13C1901A	0.36	(0.64)	60,204	-	STA01C1807A	-	-	-	-
QH24C1812A	0.14	0.01	130	-	SAWA23C1807A	-	-	-	-	STA01C1807B	-	-	-	-
QH28C1808A	-	-	-	-	SAWA24C1808A	-	-	-	-	STA01C1812A	0.21	0.01	11,786	-
RATC23C1806A	-	-	-	-	SAWA24C1812A	-	-	-	-	STA01C1812B	0.14	0.01	6,416	-
RATC27C1812A	0.13	-	4,996	-	SAWA28C1807A	-	-	-	-	STA08C1807A	-	-	-	-
ROBI01C1809A	0.23	0.02	75,757	-	SAWA28C1809A	-	-	-	-	STA13C1807A	-	-	-	-
ROBI06C1809A	0.20	0.02	51,581	-	SAWA28C1810A	0.02	-	5	-	STA13C1808A	0.04	0.01	730	-
ROBI08C1808A	-	-	-	-	SAWA28C1811A	0.15	(0.01)	149,038	-	STA13C1812A	0.22	(0.78)	51,428	-
ROBI11C1808A	0.07	0.02	2	-	SCB01C1808A	0.06	-	5,028	-	STA19C1811A	0.09	0.01	14,456	-
ROBI13C1807A	-	-	-	-	SCB01C1808B	0.01	-	100	-	STA23C1809A	0.06	-	1,000	-
ROBI24C1901A	0.23	0.04	402	-	SCB01C1810A	0.24	0.01	64,688	-	STA24C1808A	0.01	(0.01)	200	-
ROBI27C1806A	-	-	-	-	SCB01P1808A	1.73	(0.08)	39,703	1.00	STA28C1807A	-	-	-	-
S10001C1811A	0.44	0.05	3,756	-	SCB01P1808B	1.04	(0.11)	17,139	1.00	STEC01C1809A	0.18	0.04	108,986	-
S5001C1806F	-	-	-	-	SCB06C1811A	0.32	0.03	15,504	-	STEC01C1809B	0.59	0.16	103,773	-
S5001C1806G	-	-	-	-	SCB08C1806A	-	-	-	-	STEC01P1809A	1.17	(0.13)	32,364	1.00
S5001C1806H	-	-	-	-	SCB08C1901A	0.24	0.02	41,509	-	STEC06C1809A	0.20	0.05	700	-
S5001C1806I	-	-	-	-	SCB11C1901A	0.12	0.01	16,517	-	STEC08C1809A	0.13	0.02	26,996	-
S5001C1807A	0.18	0.06	348,800	-	SCB11P1901A	0.97	(0.05)	6,554	-	STEC11C1903A	0.39	0.06	64,867	-
S5001C1807B	0.09	0.03	199,782	-	SCB13C1809A	0.03	-	1	-	STEC13C1809A	0.10	0.04	68,048	-
S5001C1808A	0.38	0.07	389,867	-	SCB13C1812A	0.30	0.02	130,111	-	STEC23C1808A	-	-	-	-
S5001C1808B	0.26	0.06	83,340	-	SCB13P1812A	0.40	(0.04)	155,387	-	STEC24C1808A	-	-	-	-
S5001C1809F	0.53	0.08	1,444,043	-	SCB19C1811A	0.15	0.01	3,603	-	STEC28C1808A	0.02	-	2,000	-
S5001C1809G	0.17	(0.01)	99,283	-	SCB24C1806A	-	-	-	-	STEC28C1810A	0.33	0.06	99,205	-
S5001P1806F	-	-	-	-	SCB24C1902A	0.25	0.01	3,090	-	STPI08C1811A	0.07	0.01	300	-
S5001P1806G	-	-	-	-	SCB24P1811A	0.73	(0.09)	260	-	STPI23C1806A	-	-	-	-
S5001P1806H	-	-	-	-	SCB28C1808A	-	-	-	-	STPI28C1807A	-	-	-	-
S5001P1806I	-	-	-	-	SCB28C1809A	-	-	-	-	SUPE06C1806A	-	-	-	-
S5001P1807A	1.88	(0.11)	45,539	1.00	SCB28C1812A	0.26	0.02	81,966	-	SUPE08C1808A	0.03	-	1,241	-
S5001P1807B	1.62	(0.13)	173,998	1.00	SCB28P1808A	0.48	(0.07)	144,773	-	SUPE08C1811A	0.10	(0.04)	29,148	-
S5001P1808A	1.16	(0.08)	120,082	1.00	SCC01C1808A	0.14	-	51,056	-	SUPE13C1810A	0.08	(0.01)	19,900	-
S5001P1808B	1.49	(0.14)	627,368	1.00	SCC01C1808B	-	-	-	-	SUPE13C1811A	0.11	(0.02)	28,921	-
S5001P1809F	2.22	(0.24)	789,842	2.00	SCC01P1808A	0.89	0.07	35,476	-	SUPE23C1811A	0.13	(0.03)	7,031	-
S5001P1809G	1.84	(0.24)	1,169,981	2.00	SCC06C1809A	-	-	-	-	SUPE23C1901A	0.08	0.01	3,868	-
S5006C1806A	-	-	-	-	SCC06C1902A	0.24	(0.04)	35,164	-	SUPE28C1807A	-	-	-	-
S5006C1806B	-	-	-	-	SCC07C1812A	0.46	(0.02)	2,708	-	SUPE28C1810A	-	-	-	-
S5006C1809A	0.13	0.03	7,279	-	SCC08C1809A	0.03	(0.01)	5,500	-	SUPE28C1811A	0.05	(0.08)	317	-
S5006C1809B	0.07	0.02	32,449	-	SCC11C1811A	0.08	(0.02)	1,240	-	TASCO1C1806A	-	-	-	-
S5006C1809C	0.25	0.05	700	-	SCC11P1811A	0.55	0.04	6,648	-	TASCO1C1809A	-	-	-	-
S5006C1809D	0.09	0.03	11,537	-	SCC13C1809A	0.05	0.01	1,410	-	TASCO1C1810A	0.13	0.02	16,096	-
S5006C1812A	0.43	0.06	13,206	-	SCC13C1812A	0.17	(0.02)	187,204	-	TASCO1C1810B	0.04	-	50	-
S5006C1812B	0.47	0.11	5,701	-	SCC13C1901A	0.33	(0.05)	126,340	-	TASCO1P1806A	-	-	-	-
S5006P1806A	-	-	-	-	SCC19C1811A	0.12	(0.01)	3,372	-	TASCO1P1809A	2.02	(0.12)	27,919	2.00
S5006P1806B	-	-	-	-	SCC23C1811A	-	-	-	-	TASCO1P1810A	0.98	(0.08)	32,981	-

Main Board Quotation

Issue Date :

Tuesday July 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5013C1806C	-	-	-	-	SGP08C1901A	0.26	0.02	69,951	-	TCAP13C1901A	0.37	(0.63)	84,715	-

Main Board Quotation

Issue Date :

Tuesday July 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TCAP23C1807A	0.04	0.01	180	-	TP101C1812B	0.14	0.02	10,449	-	UV24C1812A	-	-	-	-
TCAP24C1807A	-	-	-	-	TP107C1812A	0.20	-	3,000	-	UV28C1807A	-	-	-	-
TCAP24C1903A	0.25	0.02	37,474	-	TP108C1807A	-	-	-	-	UV28C1808A	-	-	-	-
TCAP27C1807A	-	-	-	-	TP113C1809A	-	-	-	-	VGI01C1812A	0.66	(0.03)	5,904	-
THAI01C1806A	-	-	-	-	TP123C1809A	0.02	(0.04)	15,696	-	VGI06C1904A	-	-	-	-
THAI01C1808A	0.08	0.02	55	-	TP124C1808A	-	-	-	-	VGI06C1904B	6.20	(0.15)	200	6.00
THAI01C1808B	0.02	-	9,900	-	TP124C1902A	-	-	-	-	VGI06C1904C	6.20	(0.15)	10,550	6.00
THAI01C1901A	0.32	0.04	75,707	-	TP128C1808A	-	-	-	-	VGI08C1811A	0.59	(0.05)	8,672	-
THAI01C1901B	0.21	0.03	195,942	-	TP1P01C1810A	0.34	0.05	24,660	-	VGI23C1905A	-	-	-	-
THAI01P1806A	-	-	-	-	TP1P01C1810B	0.15	0.03	6,956	-	VGI23C1911A	-	-	-	-
THAI01P1808A	0.90	(0.09)	41,004	-	TP1P01P1810A	0.75	(0.10)	16,564	-	VGI27C1812A	0.38	(0.04)	2,000	-
THAI01P1901A	0.99	(0.07)	17,398	1.00	TP1P08C1808A	-	-	-	-	VGI28C1810A	0.38	(0.01)	68,869	-
THAI06C1809A	-	-	-	-	TP1P11C1811A	-	-	-	-	VIBH08C1806A	-	-	-	-
THAI07C1811A	0.13	(0.01)	6,000	-	TP1P13C1811A	0.21	0.03	36,300	-	WHA01C1807A	0.10	0.03	35,846	-
THAI08C1808A	0.02	-	3,000	-	TP1P23C1808A	-	-	-	-	WHA01C1807B	0.02	0.01	1	-
THAI11C1808A	-	-	-	-	TP1P24C1901A	0.26	0.02	1,762	-	WHA06C1809A	0.19	0.05	63,650	-
THAI13C1811A	0.08	0.01	2,010	-	TP1P27C1812A	-	-	-	-	WHA07C1810A	0.22	0.05	2	-
THAI23C1901A	0.04	0.01	1,162	-	TRUE01C1808A	0.13	0.03	714,334	-	WHA08C1811A	0.22	0.04	94,789	-
THAI24C1808A	-	-	-	-	TRUE01C1808B	0.03	0.01	30,469	-	WHA11C1903A	0.26	0.05	37,661	-
THAI24C1901A	-	-	-	-	TRUE01P1808A	0.57	(0.08)	73,504	-	WHA13C1808A	0.12	0.03	74,346	-
THAI27C1809A	-	-	-	-	TRUE06C1806A	-	-	-	-	WHA23C1810A	0.30	0.05	19,887	-
THAI28C1808A	-	-	-	-	TRUE06C1811A	-	-	-	-	WHA24C1807A	-	-	-	-
THAN01C1812A	0.42	0.05	15,026	-	TRUE06C1906A	0.20	0.03	300	-	WHA24C1811A	0.16	0.03	3,185	-
THAN13C1809A	0.06	0.01	610	-	TRUE06P1806A	-	-	-	-	WHA28C1807A	-	-	-	-
THAN23C1807A	0.77	0.10	7,200	-	TRUE08C1809A	0.05	0.01	2,101	-	WHA28C1808A	0.02	-	3,959	-
THAN28C1810A	0.12	0.03	28,364	-	TRUE08P1809A	0.32	(0.05)	29,482	-	WHA28C1808B	0.06	0.02	3	-
THC001C1809A	0.08	0.06	2,000	-	TRUE11C1807A	0.03	0.01	1,191	-	WHA28C1809A	0.43	0.06	129,014	-
THC001P1809A	0.97	(0.06)	40,189	1.00	TRUE13C1807A	-	-	-	-	WHAU01C1810A	0.18	0.03	28,170	-
THC008C1906A	0.12	0.01	28,081	-	TRUE13C1810A	0.03	-	15,740	-	WHAU01C1810B	0.06	0.02	7,925	-
THC011C1902A	-	-	-	-	TRUE13C1812A	0.17	0.02	270,346	-	WHAU24C1812A	-	-	-	-
THC019C1811A	-	-	-	-	TRUE16C1812A	0.20	0.02	9,400	-	WORK01C1806A	-	-	-	-
THC023C1808A	-	-	-	-	TRUE19C1901A	0.12	0.03	71,886	-	WORK01C1806B	-	-	-	-
THC024C1807A	-	-	-	-	TRUE23C1806A	-	-	-	-	WORK01C1811A	0.48	0.03	29,314	-
THC024C1810A	-	-	-	-	TRUE27C1809A	0.09	0.01	9,700	-	WORK01C1811B	0.33	0.01	14,578	-
THC028C1808A	-	-	-	-	TRUE27P1809A	0.47	(0.04)	50	-	WORK08C1809A	-	-	-	-
THC028C1901A	0.14	0.01	35,336	-	TRUE28C1807A	-	-	-	-	WORK08C1901A	0.37	-	36,818	-
TISCO01C1808A	0.61	(0.05)	36,248	-	TRUE28C1808A	0.02	0.01	350	-	WORK11C1903A	0.10	-	11,747	-
TISCO01C1808B	0.17	(0.02)	36,298	-	TRUE28C1810A	0.03	-	1,000	-	WORK13C1809A	-	-	-	-
TISCO08C1808A	0.22	(0.02)	41,482	-	TRUE28C1812A	0.13	0.01	186,103	-	WORK13C1810A	0.02	-	4,720	-
TISC11C1903A	0.44	(0.02)	31,154	-	TTA01C1807A	-	-	-	-	WORK13C1811A	0.12	0.01	28,485	-
TISC13C1807A	0.06	-	4,000	-	TTA01P1807A	1.24	(0.06)	7,252	1.00	WORK13C1812A	0.41	(0.59)	39,518	-
TISC13C1811A	0.63	(0.02)	79,391	-	TTA08C1808A	-	-	-	-	WORK19C1811A	0.18	0.01	9,278	-
TISC24C1806A	-	-	-	-	TTA08C1906A	0.24	0.02	34,006	-	WORK23C1807A	-	-	-	-
TISC24C1812A	0.53	0.05	6,000	-	TTA11C1806A	-	-	-	-	WORK24C1810A	-	-	-	-
TISC27C1807A	0.10	(0.01)	8,132	-	TTA13C1809A	0.05	0.02	1,000	-	WORK24C1812A	0.30	0.01	1,000	-
TISC28C1807A	-	-	-	-	TTA13C1901A	0.21	0.01	42,658	-	WORK27C1806A	-	-	-	-
TKN01C1808A	0.11	0.05	47,038	-	TTA18C1808A	-	-	-	-	WORK28C1808A	-	-	-	-
TKN01C1808B	0.03	0.01	2,012	-	TTA19C1811A	0.10	0.02	2,100	-	WORK28C1809A	-	-	-	-
TKN06C1806A	-	-	-	-	TTA23C1808A	-	-	-	-	WORK28C1811A	0.13	0.01	23,020	-
TKN08C1808A	-	-	-	-	TTA23C1901A	0.11	(0.89)	3,000	-	Preferred/Foreign	-	-	-	-
TKN08C1811A	0.17	0.06	55,868	-	TTA24C1809A	-	-	-	-	BH-Q	-	-	-	-
TKN11C1902A	0.23	0.06	37,406	-	TTA24C1902A	-	-	-	-	CSC-Q	-	-	-	-
TKN13C1808A	0.01	-	3,772	-	TTA28C1812A	-	-	-	-	JUTHA-Q	-	-	-	-
TKN13C1810A	0.14	0.05	48,689	-	TU01C1808A	0.02	-	26,450	-	KTB-Q	-	-	-	-
TKN13C1811A	0.14	0.05	52,140	-	TU01C1808B	0.01	-	1,000	-	SCB-Q	-	-	-	-
TKN19C1811A	0.17	0.06	20,458	-	TU01P1808A	1.19	(0.02)	26,198	1.00	TCAP-Q	-	-	-	-
TKN23C1806A	-	-	-	-	TU06C1902A	0.18	(0.82)	12,500	-	TIC-Q	-	-	-	-
TKN24C1807A	-	-	-	-	TU08C1811A	0.04	-	40,100	-	TISCO-Q	-	-	-	-
TKN24C1811A	0.32	0.08	22,500	-	TU11C1902A	0.04	-	1,000	-	U-Q	-	-	-	-
TKN24C1812A	-	-	-	-	TU13C1809A	-	-	-	-	Warrant	-	-	-	-
TKN28C1808A	0.02	0.01	22,500	-	TU23C1806A	-	-	-	-	7UP-W2	-	-	-	-
TKN28C1811A	0.16	0.06	171,937	-	TU24C1808A	-	-	-	-	ACC-W1	0.03	-	722	-
TMB01C1807A	0.01	-	1,500	-	TU24C1901A	-	-	-	-	AJA-W1	0.20	(0.02)	55	-
TMB01C1810A	0.24	(0.01)	60,888	-	TU27C1807A	-	-	-	-	ALT-W1	0.71	0.04	1,800	-
TMB01C1810B	0.14	-	72,627	-	TVO01C1809A	0.12	-	10,600	-	APURE-W2	0.27	(0.08)	70,566	-
TMB01P1807A	0.93	-	10,071	-	TVO01C1809B	-	-	-	-	AQ-W4	0.01	-	106	-
TMB01P1810A	0.44	(0.01)	23,387	-	TVO08C1808A	-	-	-	-	AS-W1	0.41	(0.07)	3,076	-
TMB06C1809A	-	-	-	-	TVO11C1903A	-	-	-	-	AYUD-W1	3.28	0.10	14,776	3.00
TMB06C1902A	0.17	-	13	-	TVO13C1809A	0.01	-	7,345	-	B-W3	-	-	-	-
TMB07C1811A	-	-	-	-	TVO23C1808A	-	-	-	-	BTS-W3	0.07	-	113,808	-
TMB08C1808A	-	-	-	-	TVO24C1810A	0.04	(0.01)	99	-	BWG-W4	0.05	0.01	35,746	-
TMB08C1901A	0.14	(0.01)	21,529	-	TVO28C1808A	-	-	-	-	CEN-W4	0.05	0.01	12,096	-
TMB11C1806A	-	-	-	-	UNIQ01C1809A	0.11	0.04	81,115	-	CGH-W2	-	-	-	-
TMB11C1904A	-	-	-	-	UNIQ01C1810A	0.24	0.08	158,266	-	CGH-W3	0.07	-	46,636	-
TMB13C1811A	0.10	-	17,934	-	UNIQ01C1810B	0.10	0.05	64,984	-	CI-W1	0.44	-	500	-
TMB23C1810A	-	-	-	-	UNIQ01P1809A	0.68	(0.17)	67,993	-	CKP-W1	0.38	0.01	6,921	-
TMB24C1809A	-	-	-	-	UNIQ08C1808A	-	-	-	-	CRANE-W1	1.97	-	6	1.00
TMB24C1901A	0.11	(0.02)	7,392	-	UNIQ08C1810A	0.09	0.04	3,000	-	CWT-W4	0.56	0.02	60,215	-
TMB28C1808A	0.01	-	300	-	UNIQ08C1906A	0.25	0.06	79,279	-	DCC-W1	0.72	0.01	54,194	-
TMB28C1809A	0.04	-	201	-	UNIQ11C1811A	0.10	0.03	21,100	-	DCON-W1	-	-	-	-
TOP01C1808A	0.05	0.01	45,930	-	UNIQ13C1807A	-	-	-	-	DIGI-W1	0.06	0.01	12,792	-
TOP01C1808B	-	-	-	-	UNIQ13C1809A	0.06	0.03	28,726	-	DIGI-W2	0.02	-	725	-
TOP01P1808A	1.53	(0.09)	54,643	1.00	UNIQ13C1901A	0.25	0.05	136,304	-	EARTH-W4	-	-	-	-
TOP06C1809A	0.02	-	1,000	-	UNIQ19C1811A	-	-	-	-	EIC-W2	-	-	-	-
TOP07C1812A	0.35	0.04	7,943	-	UNIQ23C1806A	-	-	-	-	EIC-W3	-	-	-	-
TOP08C1811A	0.09	-	51,694	-	UNIQ23C1901A	0.11	0.04	11,000	-	EIC-W4	-	-	-	-
TOP11C1808A	-	-	-	-	UNIQ24C1806A	-	-	-	-	EVER-W3	0.03	0.01	2,502	-
TOP13C1811A	0.09	0.02	64,649	-	UNIQ24C1811A	0.05	0.01	10,000	-	GJS-W3	0.03	-	2,727	-
TOP13C1901A	0.44	(0.56)	96,113	-	UNIQ28C1807A	-	-	-	-	GL-W4	0.01	(0.01)	207,333	-
TOP18C1808A	-	-	-	-	UNIQ28C1809A	-	-	-	-	GSTEL-W1	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday July 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP19C1901A	0.33	0.03	19,946	-	UNIQ28C1811A	0.12	0.04	122,150	-	GSTEL-W2	-	-	-	-
TOP23C1811A	0.13	0.02	15,101	-	UV01C1807A	0.07	0.01	4,725	-	IEC-W2	-	-	-	-
TOP24C1806A	-	-	-	-	UV08C1807A	-	-	-	-	IFEC-W2	-	-	-	-
TOP24C1901A	0.14	(0.04)	10,150	-	UV13C1807A	-	-	-	-	IHL-W1	4.50	0.28	478	4.00
TOP28C1810A	-	-	-	-	UV13C1808A	-	-	-	-	ITD-W1	0.13	-	73,082	-
TPI01C1807A	0.01	-	99	-	UV13C1812A	0.35	(0.65)	50,631	-	IVL-W2	13.40	1.50	116,666	12.00
TPI01C1807B	-	-	-	-	UV23C1809A	-	-	-	-	JAS-W3	1.60	0.18	188,498	1.00
TPI01C1812A	0.20	0.02	18,465	-	UV24C1807A	-	-	-	-	JCK-W5	0.42	-	888	-
JMART-W2	1.64	0.14	8,029	1.00	VIBHA-W2	1.26	0.01	5,090	1.00	STAR-W3	1.26	(0.02)	883	1.00
MIDA-W2	0.03	-	659	-	VIBHA-W3	0.30	0.02	6,990	-	T-W3	0.01	-	13,002	-
MILL-W3	0.04	-	500	-	WAVE-W1	0.42	(0.02)	662	-	TAKUNI-W	0.21	0.01	3,995	-
MILL-W4	0.28	0.02	771	-	WHA-W1	7.05	0.30	3,827	6.00	TAPAC-W3	4.20	-	1,652	4.00
ML-W2	0.04	0.01	16,064	-	WORK-W1	10.00	1.10	10	10.00	TMILL-W1	0.95	0.04	113	-
MONO-W1	0.55	0.05	54,000	-	Preferred Shares	-	-	-	-	TSF-W4	0.02	0.01	2,146	-
NEP-W3	-	-	-	-	BH-P	-	-	-	-	TSF-W5	0.02	-	14,901	-
NOK-W1	0.98	0.06	236	-	CSC-P	-	-	-	-	TVD-W2	0.43	0.02	6,959	-
NPP-W3	0.30	0.01	10,175	-	JUTHA-P	-	-	-	-	UKEM-W2	0.51	0.08	1,843	-
NUSA-W3	0.18	0.03	5,550	-	KTB-P	-	-	-	-	UWC-W2	0.01	-	12,914	-
ORI-W1	2.14	0.04	3,234	2.00	SCB-P	-	-	-	-	XO-W1	3.90	0.56	9,120	3.00
PACE-W1	-	-	-	-	TCAP-P	-	-	-	-	Preferred Shares	-	-	-	-
PACE-W2	0.06	-	880	-	TIC-P	-	-	-	-	SGF-P1	-	-	-	-
PDI-W1	1.34	(0.22)	95,686	1.00	TISCO-P	-	-	-	-	-	-	-	-	-
PDJ-W2	1.55	-	281	1.00	U-P	0.03	-	137,960	-	-	-	-	-	-
PDJ-W3	1.55	0.03	292	1.00	Warrant (MAI)	-	-	-	-	-	-	-	-	-
PDJ-W4	1.51	0.01	763	1.00	2S-W1	0.12	(0.01)	5,574	-	-	-	-	-	-
PLE-W3	0.10	-	4,748	-	ACAP-W1	4.14	0.26	4	3.00	-	-	-	-	-
RICH-W1	-	-	-	-	ACAP-W2	2.04	0.02	1,194	2.00	-	-	-	-	-
RICHY-W1	0.30	(0.01)	510	-	AIRA-W1	0.04	-	4,058	-	-	-	-	-	-
RICHY-W2	0.17	0.01	1,213	-	AIRA-W2	0.05	0.01	1,908	-	-	-	-	-	-
RS-W3	8.40	(0.10)	314	8.00	ATP30-W1	0.78	-	46	-	-	-	-	-	-
S-W1	0.12	0.02	14,489	-	BSM-W2	0.20	(0.02)	3,190	-	-	-	-	-	-
SAMART-W2	0.29	0.01	83,462	-	CHEWA-W1	0.07	0.01	2,388	-	-	-	-	-	-
SAWAD-W1	5.15	(0.15)	152	5.00	CIG-W7	0.02	-	8,010	-	-	-	-	-	-
SDC-W1	0.05	-	27,819	-	DNA-W1	1.02	(0.02)	313	1.00	-	-	-	-	-
SMM-W4	0.09	-	6,382	-	ECF-W2	3.70	(0.06)	434	3.00	-	-	-	-	-
SMT-W1	0.08	0.01	3,385	-	ECF-W3	2.72	(0.02)	190	2.00	-	-	-	-	-
SMT-W2	0.53	0.03	2,926	-	EFORL-W3	0.01	-	1,322	-	-	-	-	-	-
SPALI-W4	20.40	0.80	9,546	20.00	EFORL-W4	0.02	-	19,100	-	-	-	-	-	-
SPORT-W5	0.13	0.02	2,452	-	FC-W1	-	-	-	-	-	-	-	-	-
SPORT-W6	-	-	-	-	FC-W2	0.04	-	2	-	-	-	-	-	-
SUPER-W4	0.12	(0.04)	3,387,456	-	FOCUS-W2	0.28	-	2,259	-	-	-	-	-	-
SUSCO-W1	0.18	-	2,190	-	FVC-W2	0.43	-	1,426	-	-	-	-	-	-
SVI-W3	0.96	(0.06)	321	-	ITEL-W1	0.32	(0.01)	36,807	-	-	-	-	-	-
TCC-W3	0.43	(0.04)	5	-	JKN-W1	2.46	0.14	2,459	2.00	-	-	-	-	-
TCC-W4	0.15	0.01	505	-	LIT-W1	1.81	-	1,336	1.00	-	-	-	-	-
TCC-W5	0.19	-	2,385	-	META-W2	0.09	-	23,570	-	-	-	-	-	-
TCJ-W2	0.88	-	1,516	-	NBC-W1	-	-	-	-	-	-	-	-	-
TCMC-W2	0.34	0.02	8,079	-	NDR-W1	0.14	0.03	21,183	-	-	-	-	-	-
TFG-W1	1.25	(0.05)	10	1.00	NEWS-W4	-	-	-	-	-	-	-	-	-
TFG-W2	0.68	-	225	-	NEWS-W5	-	-	-	-	-	-	-	-	-
TH-W2	0.12	(0.01)	21,705	-	NEWS-W6	-	-	-	-	-	-	-	-	-
THE-W2	0.05	0.01	161,995	-	NINE-W1	-	-	-	-	-	-	-	-	-
TNITY-W1	0.90	0.04	1,000	-	PHOL-W1	0.11	-	8,191	-	-	-	-	-	-
TNPC-W1	0.41	(0.01)	674	-	PIMO-W1	1.70	-	502	1.00	-	-	-	-	-
TSR-W1	0.43	0.01	22,591	-	PPS-W1	-	-	-	-	-	-	-	-	-
TTA-W5	0.44	0.01	17,435	-	PSTC-W1	0.24	0.01	15,869	-	-	-	-	-	-
U-W1	-	-	-	-	SIMAT-W2	0.54	-	10	-	-	-	-	-	-
U-W4	0.01	-	52	-	SIMAT-W3	0.60	(0.05)	245	-	-	-	-	-	-
VGI-W1	0.02	(0.02)	612,063	-	SKY-W1	-	-	-	-	-	-	-	-	-