

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Wednesday July 04, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.85	0.05	680	6.81	RS	16.30	(0.40)	148,937	16.39
POMPI	-	-	-	-	HUMAN	10.80	(0.30)	5,772	10.87	SE-ED	3.00	(0.04)	49	3.00
SAFARI	-	-	-	-	ILINK	4.74	(0.06)	2,257	4.78	SMM	0.81	(0.03)	1,069	0.83
VI	-	-	-	-	INET	3.66	(0.04)	1,715	3.67	SPORT	0.53	(0.01)	6,225	0.52
WORLD	-	-	-	-	INTUCH	54.25	0.50	64,003	54.32	TBSP	-	-	-	-
WR	-	-	-	-	JAS	4.50	(0.02)	376,231	4.49	TH	0.66	(0.02)	713	0.66
Agribusiness	-	-	-	-	JASIF	10.00	0.05	58,410	9.99	TKS	10.80	0.20	13,366	10.71
CHOTI	-	-	-	-	JMART	8.70	(0.55)	20,580	8.87	TRITN	0.26	(0.01)	92,170	0.26
EE	0.75	0.03	45,689	0.75	JTS	1.43	(0.04)	559	1.43	VGI	7.55	-	207,227	7.53
GFPT	12.50	(0.10)	40,646	12.62	MFEC	4.00	(0.04)	2,082	4.01	WAVE	2.78	-	109	2.74
LEE	2.74	(0.02)	4,094	2.73	MSC	5.80	-	191	5.80	WORK	43.00	2.75	47,000	42.12
STA	10.40	(0.20)	16,033	10.42	PT	6.50	0.05	2,690	6.46	Finance & Securities	-	-	-	-
TLUXE	5.20	(0.15)	2,443	5.25	SAMART	7.25	(0.05)	15,678	7.21	AEC	0.47	0.01	1,043	0.46
TRUBB	1.62	-	1,118	1.60	SAMTEL	7.55	0.05	565	7.45	AEONTS	169.50	(2.00)	3,265	169.73
TWPC	9.40	0.05	1,587	9.37	SDC	0.23	(0.01)	29,296	0.23	AMANAH	1.85	(0.06)	44,781	1.87
UPOIC	4.10	-	58	4.10	SIS	8.45	(0.05)	3,984	8.50	ASAP	5.45	(0.20)	33,425	5.45
UVAN	7.60	-	449	7.51	SVOA	1.27	(0.01)	8,442	1.27	ASK	21.80	(0.20)	308	21.88
VPO	0.60	-	2,223	0.61	SYMC	4.76	0.02	226	4.76	ASP	3.72	-	9,600	3.73
Banking	-	-	-	-	SYNEX	14.70	0.60	16,223	14.55	BFIT	29.00	(1.00)	2,924	29.39
BAY	39.75	0.50	1,771	39.53	THCOM	7.75	(1.25)	17,503	7.88	CGH	1.19	(0.05)	1,443	1.21
BBL	196.00	-	59,480	197.03	TRUE	5.75	0.15	1,775,355	5.60	CNS	2.56	-	1,445	2.57
CIMBT	0.87	(0.01)	4,988	0.88	TWZ	0.12	(0.01)	66,422	0.13	ECL	1.72	(0.06)	32,348	1.74
KBANK	197.50	3.00	72,631	195.15	Electronic Componen	-	-	-	-	FNS	4.36	-	473	4.41
KKP	69.75	0.50	34,129	69.38	CCET	2.16	0.16	99,211	2.10	FSS	2.42	0.02	591	2.43
KTB	17.00	-	248,810	17.02	DELTA	60.75	1.00	13,982	60.31	GBX	0.67	0.01	31	0.67
LHFG	1.50	-	17,442	1.49	EIC	0.06	-	11,702	0.05	GL	5.25	-	7,501	5.29
SCB	125.00	3.00	146,768	123.69	HANA	33.50	-	11,576	33.56	IFS	2.86	0.04	482	2.85
TCAP	48.00	(0.75)	24,602	47.93	KCE	40.75	0.50	105,764	40.98	JMT	29.75	-	4,671	29.68
TISCO	85.75	(1.25)	25,652	86.02	METCO	190.00	(1.00)	1	190.00	KCAR	13.30	(0.10)	629	13.32
TMB	2.36	0.06	1,807,688	2.35	SMT	2.20	0.02	2,621	2.20	KGI	3.90	-	14,809	3.92
Construction Materia	-	-	-	-	SPPT	4.60	0.20	9,216	4.58	KTC	368.00	6.00	25,026	366.75
CCP	0.41	-	11,219	0.41	SVI	4.14	-	19,325	4.12	MBKET	12.20	(0.10)	6,592	12.27
DCC	2.32	0.06	26,393	2.29	TEAM	1.04	0.01	16,510	1.05	MFC	14.90	0.10	179	14.82
DCON	0.52	(0.02)	31,698	0.53	Energy & Utilities	-	-	-	-	ML	0.99	(0.01)	33,496	0.98
DRT	5.65	(0.05)	128	5.65	ABPIF	8.50	-	795	8.50	MTC	35.00	2.00	161,076	34.53
EPG	7.40	(0.05)	47,099	7.34	AI	-	-	-	-	PE	0.32	(0.01)	4,003	0.32
GEL	0.33	-	11,730	0.33	AKR	1.73	0.05	477,864	1.69	PL	3.34	-	1,763	3.32
PPP	3.58	(0.02)	144	3.56	BAFS	32.25	(0.50)	2,034	32.50	S11	7.40	-	306	7.43
Q-CON	5.50	(0.10)	227	5.40	BANPU	20.10	-	352,010	20.04	SAWAD	32.00	(0.50)	102,952	32.46
RCI	2.90	0.04	52,972	2.92	BCP	33.00	-	27,149	33.00	THANI	7.75	0.20	49,689	7.64
SCC	412.00	(6.00)	26,202	413.65	BCPG	16.40	(0.10)	48,726	16.43	TK	10.70	(0.30)	1,632	10.78
SCCC	206.00	3.00	1,285	204.59	BGRIM	23.60	(0.20)	64,365	23.73	TNITY	5.85	-	618	5.85
SCP	7.80	0.05	174	7.71	BPP	22.80	(0.10)	20,229	22.82	UOBKH	4.00	0.04	1,380	3.99
SKN	5.05	-	8,180	5.07	BRRGIF	10.20	(0.10)	282	10.20	ZMICO	1.04	-	3,622	1.03
TASCO	13.80	(0.10)	19,810	13.88	CKP	3.90	(0.02)	131,662	3.90	Food & Beverage	-	-	-	-
TCMC	2.34	(0.04)	5,934	2.34	DEMCO	3.54	(0.10)	4,065	3.57	APURE	1.35	0.02	14,907	1.33
TGCI	3.00	0.04	13,516	3.01	EA	31.75	(0.50)	140,520	32.11	ASIAN	5.30	0.20	42,420	5.35
TOA	37.75	0.50	24,194	37.42	EARTH	-	-	-	-	BR	5.70	-	4,411	5.74
TPPL	1.74	(0.02)	56,443	1.74	EASTW	10.90	0.10	3,355	10.81	BRR	6.75	(0.10)	295	6.76
UMI	1.15	(0.02)	5,683	1.15	EGATIF	11.00	-	4,075	10.99	CBG	48.00	(0.75)	55,853	49.16
VNG	7.85	(0.05)	2,200	7.88	EGCO	227.00	5.00	8,777	227.51	CFRESH	4.30	-	530	4.30
WIH	2.22	-	3,046	2.21	ESSO	11.40	(0.20)	52,076	11.45	CM	4.04	-	908	4.05
Petrochemicals & Ch	-	-	-	-	GLOW	94.75	-	39,038	94.81	CPF	24.60	(0.10)	175,441	24.66
CMAN	2.86	(0.10)	41,257	2.94	GPSC	69.25	(0.75)	41,004	68.94	CPI	1.62	-	118	1.61
GC	4.98	-	472	4.98	GULF	64.50	(1.00)	17,146	64.74	F&D	16.50	(0.30)	1	16.50
GGC	9.30	(0.30)	143,911	9.47	GUNKUL	2.88	0.02	124,167	2.93	HTC	20.20	-	529	20.14
GIFT	4.36	0.26	9,605	4.45	IEC	-	-	-	-	ICHI	4.46	(0.08)	15,339	4.49
IVL	56.75	(0.50)	154,450	56.73	IFEC	-	-	-	-	KBS	4.38	0.04	975	4.39
NFC	11.40	(0.10)	5,024	11.32	IRPC	5.95	0.20	1,789,608	5.83	KSL	3.04	-	5,243	3.04
PATO	14.90	0.20	357	14.75	LANNA	15.00	0.20	473	14.88	KTIS	5.90	-	126	5.88
PMTA	15.90	-	3	15.90	MDX	3.50	(0.08)	2,173	3.54	LST	4.48	-	299	4.48
PTTGC	73.50	(0.75)	205,338	73.31	PTG	15.00	(0.20)	17,352	15.01	M	75.25	0.25	2,815	74.40
SUTHA	4.22	0.38	589	4.06	PTT	47.75	0.25	583,817	47.47	MALEE	13.00	(0.40)	5,682	13.12
TCB	52.75	-	33	52.28	PTTEP	134.50	0.50	110,743	134.68	MINT	33.50	(0.75)	181,821	33.64
TCCC	29.50	0.50	118	29.46	RATCH	51.50	(0.50)	24,964	51.81	OISHI	96.25	(0.75)	25	96.55
TPA	6.10	(0.10)	84	6.10	RPC	0.54	-	2,811	0.55	PB	61.25	-	85	61.16
UP	26.00	(3.25)	20	27.79	SCG	4.62	0.02	282	4.60	PM	10.30	0.10	2,799	10.28
VNT	22.70	0.30	49,431	22.62	SCI	2.80	(0.02)	7,593	2.80	PRG	-	-	-	-
WG	152.00	1.00	20	152.00	SCN	3.80	(0.06)	2,985	3.81	SAPPE	26.25	(0.50)	3,601	26.18
YCI	-	-	-	-	SGP	9.55	(0.05)	90,040	9.61	SAUCE	-	-	-	-
Commerce	-	-	-	-	SKE	1.25	0.06	33,593	1.24	SFP	-	-	-	-
BEAUTY	9.10	(3.90)	10,579,230	10.31	SOLAR	1.98	(0.02)	5,472	2.00	SNP	20.40	0.60	19	20.27
BIG	2.02	-	51,590	2.04	SPCG	19.90	(0.10)	5,561	19.87	SORKON	-	-	-	-
BJC	51.75	(0.50)	62,135	51.84	SPRC	13.10	(0.20)	164,870	13.22	SSC	41.75	(0.75)	4	41.94
COL	28.75	(0.50)	3,547	29.06	SUPER	0.69	(0.05)	7,454,886	0.72	SSF	8.70	-	31	8.86
COM7	17.40	(0.20)	36,504	17.37	SUSCO	3.18	(0.02)	9,990	3.18	SST	5.95	(0.05)	96	5.95
CPALL	76.50	1.00	321,922	76.34	TAE	2.02	0.02	1,180	2.01	TC	3.00	0.04	202	2.93
CSS	2.00	-	5,736	2.00	TCC	0.38	-	2,851	0.38	TFG	3.76	(0.04)	8,311	3.79
FN	2.48	(0.06)	1,760	2.50	TOP	72.25	(3.00)	96,749	73.02	TFMAMA	154.00	(2.00)	2	154.00
FTE	1.98	(0.01)	2,836	1.95	TPIPP	5.75	(0.20)	253,038	5.79	TIPCO	8.65	(0.10)	3,365	8.73
GLOBAL	17.10	0.10	35,709	17.12	TTW	11.80	-	11,104	11.84	TKN	15.30	(0.60)	41,834	15.51
HMPRO	14.00	(0.20)	167,077	14.03	WHAUP	5.80	0.10	86,713	5.75	TU	15.30	(0.10)	83,556	15.29
IT	4.40	(0.02)	2,422	4.38	WP	7.10	0.15	46,720	7.16	TVO	27.75	0.75	14,708	27.66
KAMART	4.22	(0.18)	6,854	4.27	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.24	(0.02)	9,889	2.25	AMARIN	4.78	(0.06)	4,403	4.81	AHC	20.90	-	267	21.00
MAKRO	38.50	1.00	6,760	38.06	AQUA	0.49	(0.01)	23,751	0.50	BCH	16.30	0.10	83,307	16.24
MC	11.90	0.40	6,785	11.76	AS	1.52	0.02	217	1.50	BDMS	26.00	-	266,677	25.80
MEGA	40.50	(0.75)	7,849	40.75	BEC	7.95	(0.30)	47,964	8.09	BH	172.00	1.00	21,212	171.53
MIDA	0.61	0.02	10,099	0.60	EPCO									

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Wednesday July 04, 2018

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
VIH	7.75	0.10	695	7.65	MJD	3.30	-	381	3.29	CPT	2.46	(0.06)	109,411	2.50
WPH	2.80	(0.02)	2,884	2.81	MK	3.12	0.02	10,989	3.13	CRANE	2.42	0.02	2,551	2.38
Tourism & Leisure					NCH	0.92	0.02	607	0.91	CTW	8.00	(0.05)	250	8.04
ASIA	6.65	-	110	6.61	NNCL	1.60	(0.04)	6,616	1.62	FMT	-	-	-	-
CENDEL	45.75	0.25	23,830	45.67	NOBLE	12.10	-	857	12.13	HTECH	7.45	0.25	22,906	7.41
CSR	65.50	(1.50)	1	65.50	NUSA	0.25	(0.01)	283,929	0.26	KKC	1.63	0.02	588	1.63
DTC	12.00	(0.30)	3,845	12.04	NVD	4.22	(0.02)	354	4.24	PK	3.26	-	1,635	3.26
ERW	6.90	0.20	152,851	6.81	ORI	16.70	(0.50)	19,420	16.96	SNC	14.80	-	4,595	14.79
GRAND	0.85	0.01	996	0.85	PACE	0.41	(0.01)	329,492	0.41	TCJ	5.75	(0.05)	375	5.75
LRH	-	-	-	-	PF	0.85	0.02	42,182	0.84	VARO	-	-	-	-
MANRIN	-	-	-	-	PLAT	7.80	0.20	4,227	7.78	Property Fund & REIT				
OHTL	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.00	-	140	10.00
ROH	-	-	-	-	PRECHA	1.33	-	149	1.33	AMATAR	10.40	0.10	12	10.36
SHANG	67.50	(0.50)	114	67.75	PRIN	1.57	-	4,455	1.57	B-WORK	10.40	0.10	579	10.39
Home & Office Produ					PRINC	5.20	(0.30)	63,143	5.28	BKKCP	12.00	-	221	12.05
ACC	0.50	-	12,348	0.49	PSH	20.00	-	28,057	19.99	BOFFICE	-	-	-	-
AJA	0.40	(0.03)	472,442	0.42	OH	3.22	0.02	608,971	3.22	CPNCG	14.40	-	290	14.47
DTCI	-	-	-	-	RICHY	1.65	(0.01)	5,100	1.65	CPNREIT	23.40	0.10	4,100	23.31
FANCY	0.98	(0.01)	6,635	1.00	RML	1.15	0.03	73,304	1.15	CPTGF	-	-	-	-
KYE	414.00	-	4	414.00	ROJNA	5.20	-	17,087	5.18	CRYSTAL	10.20	0.10	330	10.20
L&E	2.76	-	10	2.76	S	2.88	(0.04)	17,023	2.91	CTARAF	4.62	(0.04)	108	4.67
MODERN	4.52	0.02	1,636	4.47	SAMCO	2.18	(0.02)	50	2.18	DREIT	5.45	(0.05)	102	5.40
OGC	38.75	0.25	1	38.75	SC	3.50	(0.02)	3,881	3.51	ERWPF	-	-	-	-
ROCK	-	-	-	-	SENA	3.52	0.02	6,556	3.51	FUTUREPF	20.70	0.10	349	20.70
SIAM	1.81	(0.04)	688	1.82	SF	7.85	(0.05)	37,823	7.88	GAHREIT	9.80	-	48	9.80
TSR	2.28	0.06	1,042	2.20	SIRI	1.56	(0.01)	358,389	1.57	GLANDRT	12.50	-	235	12.46
Insurance					SPALI	24.90	-	51,981	24.71	GOLDPF	7.15	-	1,200	7.15
AYUD	-	-	-	-	TICON	16.50	(0.20)	368	16.43	GVREIT	14.20	0.10	1,106	14.11
BKI	350.00	1.00	5	349.40	U	0.03	-	775,186	0.03	HPF	5.30	-	1,956	5.30
BLA	30.75	(0.25)	2,411	30.68	UV	7.05	(0.10)	46,299	6.99	HREIT	7.00	-	427	6.95
BUI	-	-	-	-	WHA	3.84	(0.08)	759,615	3.84	IMPACT	16.50	0.20	3,081	16.31
CHARAN	33.50	-	1	33.50	WIN	0.61	-	3,601	0.59	KPNPF	9.50	0.10	760	9.46
INSURE	32.00	(4.00)	1	32.00	Paper & Printing Mat					LHHOTEL	15.50	0.10	145	15.44
MTI	122.00	0.50	3	121.17	UTP	11.40	-	4,578	11.35	LHPF	8.25	-	580	8.25
NKI	-	-	-	-	Fashion					LHSC	15.00	-	30	15.01
NSI	-	-	-	-	AFC	-	-	-	-	LUXF	-	-	-	-
SMK	40.50	(0.50)	53	40.52	BTNC	-	-	-	-	M-II	8.50	0.15	72	8.46
THRE	1.09	(0.01)	8,981	1.09	CPH	5.50	-	50	5.50	M-PAT	-	-	-	-
THREL	7.60	0.05	1,780	7.56	CPL	-	-	-	-	M-STOR	-	-	-	-
TIC	34.25	0.25	162	34.25	DIGI	0.43	(0.02)	18,679	0.44	MIPF	-	-	-	-
TIP	22.00	(0.10)	2,993	22.01	ICC	38.75	0.25	1	38.75	MIT	-	-	-	-
TSI	0.50	(0.01)	2,653	0.51	LTX	76.75	2.25	62	75.75	MJLF	-	-	-	-
TVI	-	-	-	-	NC	-	-	-	-	MNIT	1.73	-	425	1.67
Mining					PAF	0.83	(0.02)	5,243	0.80	MNIT2	5.35	0.05	96	5.35
PDI	16.80	-	2,555	16.97	PDJ	2.96	0.10	1,016	2.86	MNRF	-	-	-	-
THL	-	-	-	-	PG	-	-	-	-	MONTRI	5.90	(0.60)	386	5.90
Packaging					SABINA	29.25	-	225	29.89	POPF	13.60	0.10	334	13.59
AJ	10.30	(0.10)	494	10.39	SAWANG	-	-	-	-	PPF	-	-	-	-
ALUCON	-	-	-	-	SUC	43.25	-	18	43.25	QHHR	8.60	-	610	8.59
CSC	42.00	-	12	42.00	TNL	18.00	-	20	18.00	QHOP	3.60	0.08	92	3.51
NPP	0.42	-	13,837	0.42	TPCORP	-	-	-	-	QHPF	12.00	-	4,364	11.91
NBP	1.30	0.01	33,538	1.29	TR	46.75	0.75	81	46.48	SBPF	-	-	-	-
PTL	14.90	(0.10)	4,392	14.84	TTI	-	-	-	-	SHREIT	9.20	0.05	5,511	9.15
SITHAI	1.14	(0.06)	18,343	1.18	TTL	-	-	-	-	SIRIP	-	-	-	-
SLP	0.87	0.01	643	0.87	TTTM	137.00	-	3	137.00	SPF	23.30	-	779	23.24
SMPC	12.90	-	229	12.92	UPF	70.00	2.00	1	70.00	SRIPANWA	-	-	-	-
SPACK	1.90	(0.01)	74	1.92	UT	13.50	0.50	20	13.49	SSPF	10.10	0.15	1	10.10
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SSTPF	6.50	(0.45)	151	6.44
TFI	0.37	(0.01)	212	0.37	Transportation & Log					SSSTR	6.50	0.30	1	6.50
THIP	35.00	-	8	35.00	AAV	4.90	(0.02)	159,685	4.90	TIF1	8.65	-	29	8.54
TMD	21.20	0.10	52	21.04	AOT	67.00	0.75	352,554	67.10	TLGF	17.80	0.10	3,265	17.80
TOPP	-	-	-	-	ASIMAR	2.78	(0.06)	1,026	2.80	TLHPF	-	-	-	-
TPBI	8.35	0.10	48	8.22	B	0.54	(0.01)	3,990	0.55	TNPF	4.42	(0.08)	676	4.44
TPP	-	-	-	-	BA	12.00	(0.20)	9,029	12.02	TPRIME	11.80	-	1,330	11.80
Personal Products &					BEM	7.80	(0.10)	322,497	7.87	TREIT	11.20	-	4,784	11.19
APCO	4.44	0.04	885	4.44	BTS	9.00	(0.20)	301,674	9.04	TTLPF	23.80	(0.30)	5	23.60
DDD	51.75	(6.50)	38,217	52.65	BTSGIF	11.90	-	15,297	11.90	TU-PF	-	-	-	-
JCT	-	-	-	-	III	4.46	-	4,827	4.42	URBNPF	4.76	0.26	93	4.24
OCC	16.80	(0.40)	30	17.00	JUTHA	1.73	(0.01)	35	1.74	WHABT	-	-	-	-
S & J	-	-	-	-	JWD	6.40	(0.10)	8,814	6.41	WHART	10.10	0.10	11,800	10.00
STHAI	-	-	-	-	KWC	-	-	-	-	Steel	-	-	-	-
TNR	13.50	(0.50)	1,076	13.70	NOK	2.80	-	1,112	2.79	AMC	2.52	0.02	1,710	2.46
TOG	4.92	0.06	351	4.93	NYT	5.00	0.02	10,876	4.99	BSBM	1.09	(0.01)	3,491	1.09
Professional Service					PRM	6.50	(0.20)	9,896	6.51	CEN	1.27	0.02	2,259	1.27
BWG	0.93	(0.01)	239,346	0.93	PSL	11.70	0.20	28,914	11.61	CITY	2.56	(0.02)	268	2.55
GENCO	0.77	(0.03)	5,231	0.78	RCL	4.98	0.18	11,959	4.94	CSP	1.41	(0.02)	555	1.42
PRO	-	-	-	-	THAI	13.10	(0.10)	12,962	13.26	GJS	0.32	-	120,817	0.32
Property Developer					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	777	6.70	TTA	6.80	0.15	35,038	6.77	INOX	1.08	(0.03)	203	1.08
AMATA	19.50	(0.70)	183,785	19.65	WICE	3.66	(0.08)	5,341	3.70	LHK	4.76	-	2,974	4.76
AMATAV	6.70	0.10	325	6.69	Automotive					MAX	0.02	-	379,836	0.02
ANAN	4.94	(0.11)	84,350	4.97	AH	32.50	(0.75)	1,325	32.90	MCS	7.40	0.15	10,594	7.37
AP	8.70	0.10	71,672	8.66	APCS	4.98	(0.02)	4,441	4.98	MILL	1.36	(0.03)	53,222	1.37
APEX	0.19	0.01	63,583	0.18	BAT-3K	-	-	-	-	PAP	4.08	(0.04)	1,505	4.08
AQ	0.03	-	1,320,160	0.03	CWT	3.18	0.02	1,829	3.14	PERM	2.00	(0.04)	2,233	2.00
BLAND	1.87	(0.01)	496,675	1.88	EASON	3.24	(0.02)	66	3.25	RICH	-	-	-	-
BROCK	2.38	(0.06)	1,290	2.38	GYT	-	-	-	-	SAM	0.69	(0.01)	4,046	0.68
CGD	1.37	(0.02)	22,209	1.37	HFT	3.04	(0.02)	3,680	3.07	SMIT	5.65	0.05	638	5.63
CI	1.58	(0.01)	201	1.59	IHL	8.10	(0.15)	807	8.07	SSI	-	-	-	-
CPN	72.25	1.25	93,932	72.32	INGRS	0.70	(0.01)	22,365	0.71	SSSC	3.02	0.04	975	3.00
ESTAR	0.65	-	19,536	0.65	IRC	20.40	0.20	9	20.39	TGPRO	0.18	(0.01)	15,844	0.19
EVER	0.37	0.01	30,270	0.36	PCSGH	7.25	0.20	4,241	7.15	THE	2.74	(0.08)	77,790	2.78
GLAND	2.36	(0.04)	19,405	2.39	SAT	22.40	(0.30)	8,396	22.63	TIW	414.00	(12.00)	2	414.00
GOLD	11.20	0.10	50,356	11.16	SPG	16.70	0.20	10	16.70	TMT	14.60	-	176	14.67
GREEN	1.33	(0.11)	355,768	1.50	STANLY	252.00	3.00	355	250.25	TSTH	0.72	(0.01)	11,798	0.72
J	1.66	(0.02)	103	1.63	TKT	1.56	-	7	1.56	TUCC	-	-	-	-
JCK	1.52	0.05	14,642	1.54	TNPC	1.55	-	6	1.55	TWP	3.96	0.04	139	3.96
KC	-	-	-	-	TRU	4.50	-	7	4.49	TYCN	2.64	(0.08)	18,793	2.64
KWG	2.20	(0.04)	2,341	2.20	TSC	12.00	(0.60)</							

Main Board Quotation

Issue Date :

Wednesday July 04, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UMS	0.67	(0.10)	51	-	ADVA11C1807A	0.07	0.01	1,000	-
ABICO	5.70	(0.10)	496	5.00	UWC	0.07	-	34,244	-	ADVA11P1807A	0.16	(0.02)	9,900	-
AU	9.40	(0.15)	4,529	9.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.09	0.01	1,560	-
FC	0.33	(0.01)	30,970	-	ADAM	-	-	-	-	ADVA13C1811A	0.56	0.03	63,245	-
JCKH	1.12	(0.04)	4,442	1.00	AKP	1.61	(0.01)	702	1.00	ADVA13P1809A	0.31	(0.03)	17,974	-
KASET	2.16	-	101	2.00	AMA	5.95	(0.20)	3,557	5.00	ADVA16C1812A	0.46	0.01	520	-
MM	4.00	-	243	4.00	ARIP	0.50	-	477	-	ADVA18C1808A	0.41	0.04	10,200	-
SUN	3.06	0.12	8,347	3.00	ATP30	1.63	0.02	2,378	1.00	ADVA19C1901A	0.55	0.03	79,180	-
TACC	4.16	-	11,660	4.00	AUCT	5.80	(0.15)	6,975	5.00	ADVA23C1806A	-	-	-	-
TMILL	2.88	(0.04)	2,626	2.00	BOL	1.82	(0.13)	7	1.00	ADVA24C1810A	0.38	0.02	10	-
XO	7.90	0.10	20,744	8.00	CHUO	-	-	-	-	ADVA24P1810A	0.24	(0.03)	600	-
Consumer Products	-	-	-	-	CMO	1.53	0.02	714	1.00	ADVA28C1808A	-	-	-	-
BGT	1.09	0.02	2,223	1.00	D	10.40	-	5,819	10.00	ADVA28C1811A	0.47	0.04	224,868	-
BIZ	2.66	-	110	2.00	DCORP	2.56	(0.08)	6,308	2.00	ADVA28P1810A	0.38	(0.05)	118,126	-
DOD	12.90	(0.30)	177,989	13.00	DNA	0.39	(0.02)	27,121	-	AMAT01C1806A	-	-	-	-
ECF	6.80	(0.10)	16,267	6.00	EFORL	0.07	-	59,529	-	AMAT01C1810A	0.68	(0.07)	75,219	-
HPT	1.00	(0.01)	7,864	1.00	ETE	2.04	(0.06)	6,267	2.00	AMAT01C1810B	0.50	(0.07)	76,009	-
JUBILE	21.30	0.10	798	21.00	FSMART	9.15	(0.15)	10,408	9.00	AMAT01P1806A	-	-	-	-
MOONG	5.75	(0.25)	6,856	5.00	FVC	1.41	(0.03)	1,658	1.00	AMAT01P1810A	1.30	0.08	45,803	1.00
NPK	-	-	-	-	HARN	2.42	(0.02)	779	2.00	AMAT06C1809A	-	-	-	-
OCEAN	1.88	-	27,196	1.00	JKN	10.00	(0.10)	21,696	10.00	AMAT08C1807A	-	-	-	-
TM	1.97	0.06	2,451	2.00	KIAT	0.43	(0.01)	24,568	-	AMAT08C1809A	0.11	(0.02)	88,177	-
Financials (MAI)	-	-	-	-	KOOL	1.42	(0.04)	5,197	1.00	AMAT11C1903A	0.33	(0.04)	42,726	-
ACAP	6.00	(0.15)	6,267	6.00	LDC	1.07	-	614	1.00	AMAT13C1809A	0.10	(0.02)	46,120	-
AF	0.87	0.01	718	-	MPG	0.17	(0.01)	11,288	-	AMAT13C1812A	0.42	(0.07)	154,248	-
AIRA	2.06	(0.02)	8,585	2.00	NBC	0.64	(0.02)	2,596	-	AMAT19C1811A	0.20	(0.04)	40,732	-
ASN	3.30	(0.16)	989	3.00	NCL	1.39	(0.04)	860	1.00	AMAT23C1810A	0.19	(0.03)	6,100	-
BROOK	0.53	(0.01)	10,449	-	NEWS	0.01	-	129,279	-	AMAT24C1807A	-	-	-	-
CHAYO	3.74	(0.16)	209,476	3.00	NINE	1.36	(0.01)	2,031	1.00	AMAT24C1811A	0.30	(0.02)	3,000	-
GCAP	4.48	(0.06)	5,710	4.00	OTO	2.50	(0.12)	5,330	2.00	AMAT28C1808A	0.04	(0.01)	350	-
LIT	7.70	0.10	2,181	7.00	PHOL	2.42	0.02	2	2.00	ANANO1C1807A	0.08	(0.01)	664	-
SGF	0.13	-	148,693	-	PICO	6.30	-	131	6.00	ANANO1C1810A	1.04	(0.06)	84,430	1.00
Industrials (MAI)	-	-	-	-	PORT	6.80	(0.05)	2,287	6.00	ANANO1C1810B	0.94	(0.09)	21,633	-
ZS	3.00	(0.04)	1,217	3.00	QLT	4.92	(0.02)	36	4.00	ANANO8C1808A	0.03	-	3,000	-
ADB	1.11	(0.01)	11,382	1.00	RE	3.02	0.10	2,353	3.00	ANANO8C1810A	1.00	(0.01)	2,134	1.00
BM	3.40	0.06	11,666	3.00	RP	2.04	(0.02)	574	2.00	ANANO8C1906A	0.28	(0.01)	8,680	-
CHO	1.13	-	4,316	1.00	SPA	15.30	-	9,278	15.00	ANAN13C1901A	0.24	-	97,897	-
CHOW	4.88	0.02	564	4.00	THMUI	1.28	(0.03)	2,638	1.00	ANAN19C1811A	0.62	(0.07)	21,000	-
CIG	0.37	-	350	-	TNDT	4.94	(0.02)	13	4.00	ANAN23C1806A	-	-	-	-
COLOR	1.07	(0.01)	1,083	1.00	TNH	38.25	(0.50)	631	38.00	ANAN23C1901A	0.38	(0.02)	2,000	-
CPR	4.60	(0.08)	364	4.00	TNP	1.98	(0.01)	1,082	1.00	ANAN24C1807A	-	-	-	-
FPI	2.90	0.04	4,546	2.00	TSF	0.05	(0.01)	75,083	-	ANAN24C1811A	0.87	0.01	2,405	-
GTB	0.70	(0.03)	4,807	-	TVD	1.38	(0.06)	7,156	1.00	ANAN28C1809A	0.61	(0.08)	41,189	-
KCM	1.23	0.01	102,181	1.00	TVT	1.03	0.01	1,898	1.00	AOT01C1808A	0.35	0.03	317,783	-
LVT	-	-	-	-	WINNER	3.30	0.04	1,998	3.00	AOT01C1808B	0.03	-	36,382	-
MBAX	3.82	-	437	3.00	Technology (MAI)	-	-	-	-	AOT01C1810A	0.42	0.03	205,024	-
MGT	2.12	0.02	260	2.00	COMAN	3.34	0.12	1,254	3.00	AOT01P1808A	0.76	(0.07)	88,106	-
NDR	2.26	-	409	2.00	ICN	2.34	(0.08)	29,076	2.00	AOT01P1808B	0.21	(0.04)	316,039	-
PDG	3.48	-	600	3.00	IRCP	1.21	(0.11)	7,588	1.00	AOT06C1806A	-	-	-	-
PIMO	2.64	0.02	2,636	2.00	ITEL	2.82	-	21,311	2.00	AOT06C1809A	0.13	0.02	1,100	-
PJW	1.71	-	527	1.00	NETBAY	37.50	0.75	12,290	37.00	AOT08C1806A	-	-	-	-
PPM	2.46	0.04	264	2.00	PLANET	1.56	0.06	567	1.00	AOT08C1807A	0.01	-	2,150	-
RWI	1.68	-	13,202	1.00	SIMAT	2.48	(0.08)	9,627	2.00	AOT08C1901A	0.47	0.03	45,320	-
SALEE	1.01	(0.02)	3,301	1.00	SKY	14.40	(0.20)	7,009	14.00	AOT11C1808A	0.55	0.05	103,718	-
SANKO	1.23	(0.01)	1,375	1.00	SPVI	1.25	-	1,871	1.00	AOT11P1808A	0.04	(0.02)	4,745	-
SELIC	1.85	0.03	16,949	1.00	UPA	0.39	(0.01)	41,740	-	AOT13C1807A	-	-	-	-
SWC	22.50	0.50	155	22.00	VCOM	3.18	(0.08)	15,984	3.00	AOT13C1809A	0.11	0.02	58,238	-
TMC	0.83	0.03	6,202	-	Unit Trust	-	-	-	-	AOT13C1811A	0.32	0.02	101,747	-
TMI	0.79	0.01	14,299	-	MGE	-	-	-	-	AOT13C1812A	0.52	0.05	197,156	-
TMW	64.25	0.50	59	64.00	SCBSSET	-	-	-	-	AOT13P1810A	0.43	(0.04)	155,318	-
TPAC	12.40	0.70	556	12.00	ETF	-	-	-	-	AOT19C1809A	0.23	0.02	47,864	-
UAC	4.78	0.12	926	4.00	1DIV	12.31	0.06	119	12.00	AOT23C1807A	0.37	0.05	64,040	-
UBIS	4.94	(0.02)	651	4.00	ABFTH	-	-	-	-	AOT23P1807A	0.02	0.01	1	-
UEC	1.16	-	4,174	1.00	BMSCG	8.73	0.01	57	8.00	AOT24C1806A	-	-	-	-
UKEM	0.81	0.01	19,011	-	BMSCITH	12.64	0.05	6,588	12.00	AOT24C1807A	-	-	-	-
UREKA	0.50	-	2,243	-	BSET100	10.37	0.02	1,135	10.00	AOT24C1811A	0.21	0.01	3,150	-
YUASA	16.50	(0.10)	30	16.00	CHINA	5.44	(0.03)	381	5.00	AOT24P1809A	0.10	(0.02)	960	-
ZIGA	2.76	(0.06)	42,889	2.00	EBANK	-	-	-	-	AOT28C1807A	-	-	-	-
Property & Construc	-	-	-	-	ECOMM	8.32	0.03	1	8.00	AOT28C1809A	0.15	0.02	143,547	-
ARROW	8.90	(0.05)	716	8.00	EFOOD	5.46	0.11	5	5.00	AP01C1809A	0.45	0.04	27,126	-
BKD	3.16	(0.08)	2,634	3.00	EICT	4.54	0.08	5	4.00	AP01C1809B	0.17	0.01	27,664	-
BSM	0.69	-	5,627	-	ENGY	6.03	-	5	6.00	AP08C1810A	0.35	0.01	47,950	-
BTW	1.40	-	32	1.00	ENY	7.11	(0.05)	181	7.00	AP23C1901A	0.16	-	1,000	-
CHEWA	1.00	(0.01)	10,375	1.00	ESET50	5.59	0.07	2	5.00	AP24C1901A	0.25	(0.03)	83	-
CRD	1.03	(0.01)	4,199	1.00	GLD	1.78	0.01	3,534	1.00	AP42C1901A	0.29	0.02	40,792	-
DIMET	1.05	(0.01)	68,266	1.00	TDEX	10.55	0.03	2,256	10.00	AP42P1901A	0.46	(0.01)	25,352	-
FLOYD	2.62	(0.08)	138,626	2.00	TGOLDET	3.89	0.03	126	3.00	BA11C1902A	0.06	(0.01)	2,027	-
FOCUS	0.84	-	110	-	TH100	-	-	-	-	BA19C1811A	0.05	0.02	512	-
HYDRO	1.51	0.04	87,821	1.00	Warrant Foreign	-	-	-	-	BA23C1806A	-	-	-	-
JSP	0.59	(0.01)	14,309	-	AAV01C1808A	0.09	-	22,032	-	BA24C1810A	0.11	(0.02)	500	-
K	2.88	-	400	2.00	AAV01C1808B	0.02	-	1	-	BA24C1901A	-	-		

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Wednesday July 04, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP13P1809A	0.49	(0.03)	31,821	-	BEAU13C1811A	0.02	(0.01)	269,967	-	BPP28C1807A	-	-	-	-
BANP16C1812A	0.73	(0.03)	1,008	-	BEAU13C1812A	0.06	(0.12)	3,455,357	-	BPP28C1808A	0.11	(0.01)	30,720	-
BANP19C1811A	0.24	0.01	150,442	-	BEAU19C1811A	0.02	(0.06)	217,910	-	BTS01C1806A	-	-	-	-
BANP23C1806A	-	-	-	-	BEAU23C1901A	0.01	(0.01)	63,438	-	BTS01C1810A	0.34	(0.04)	54,694	-
BANP23C1901A	0.27	(0.01)	37,982	-	BEAU24C1807A	-	-	-	-	BTS01C1810B	0.11	(0.01)	42,344	-
BANP24C1808A	-	-	-	-	BEAU24C1902A	0.04	(0.18)	174,930	-	BTS01P1806A	-	-	-	-
BANP24C1812A	0.19	-	3,000	-	BEAU28C1810A	0.01	(0.02)	51	-	BTS01P1810A	0.60	0.03	24,098	-
BANP24P1808A	0.06	(0.01)	100	-	BEAU28C1811A	0.04	(0.04)	55,007	-	BTS06C1903A	-	-	-	-
BANP27C1809A	0.19	-	900	-	BEC01C1808A	0.02	-	26,101	-	BTS06C1903B	-	-	-	-
BANP28C1807A	-	-	-	-	BEC01C1808B	0.01	-	6,420	-	BTS06C1903C	-	-	-	-
BANP28C1809A	-	-	-	-	BEC01C1812A	0.21	(0.03)	22,708	-	BTS08C1810A	0.20	(0.07)	28,745	-
BANP28C1810A	0.27	(0.01)	108,395	-	BEC01C1812B	0.28	(0.05)	35,965	-	BTS11C1806A	-	-	-	-
BBL06C1806A	-	-	-	-	BEC07C1808A	0.01	(0.01)	3	-	BTS11C1904A	-	-	-	-
BBL06C1902A	0.76	0.03	44,967	-	BEC08C1807A	-	-	-	-	BTS23C1905A	-	-	-	-
BBL08C1808A	0.07	0.01	15,180	-	BEC08C1809A	-	-	-	-	BTS24C1808A	-	-	-	-
BBL08C1809A	0.11	-	33,630	-	BEC13C1806A	-	-	-	-	BTS28C1809A	0.18	(0.03)	93,284	-
BBL08P1810A	0.26	(0.02)	16,711	-	BEC13C1808A	0.02	-	11	-	BTS28C1811A	-	-	-	-
BBL11C1903A	0.51	(0.01)	61,046	-	BEC13C1811A	0.14	(0.03)	169,357	-	BTS42C1901A	0.21	(0.02)	36,426	-
BBL11P1903A	0.55	(0.02)	3,336	-	BEC13C1901A	0.32	(0.05)	161,315	-	BTS42P1901A	0.41	0.03	10,032	-
BBL13C1807A	0.02	-	7,000	-	BEC19C1809A	-	-	-	-	CBG01C1806A	-	-	-	-
BBL13C1810A	0.48	-	98,926	-	BEC23C1807A	-	-	-	-	CBG01C1806B	-	-	-	-
BBL19C1901A	0.28	-	69,720	-	BEC23C1809A	-	-	-	-	CBG01C1809A	0.02	(0.01)	14,205	-
BBL23C1811A	0.25	(0.01)	17,024	-	BEC24C1809A	-	-	-	-	CBG01C1811A	0.43	(0.02)	148,283	-
BBL24C1809A	-	-	-	-	BEC24C1812A	-	-	-	-	CBG01C1811B	0.22	-	80,444	-
BBL24C1812A	0.63	(0.01)	1,134	-	BEC28C1808A	-	-	-	-	CBG01P1806A	-	-	-	-
BBL24P1810A	-	-	-	-	BEC28C1809A	-	-	-	-	CBG01P1811A	1.17	0.03	96,365	1.00
BBL27C1809A	0.14	-	12,296	-	BEC28C1811A	0.26	(0.05)	204,068	-	CBG01P1811B	0.80	0.04	83,996	-
BBL28C1808A	0.02	-	1,600	-	BEM01C1808A	0.35	0.01	37,666	-	CBG06C1807A	0.18	(0.02)	47,724	-
BBL28C1811A	0.49	-	212,841	-	BEM01C1808B	0.08	-	28,392	-	CBG06C1809A	0.07	(0.01)	1,100	-
BCH01C1808A	0.38	-	58,424	-	BEM01P1808A	0.23	-	16,370	-	CBG06P1809A	1.49	0.02	10,449	1.00
BCH01C1808B	0.11	(0.01)	14,668	-	BEM08C1809A	0.21	-	26,086	-	CBG07C1812A	-	-	-	-
BCH01P1808A	0.32	-	103,997	-	BEM11C1903A	0.22	(0.01)	30,315	-	CBG08C1808A	-	-	-	-
BCH06C1806A	-	-	-	-	BEM13C1809A	0.20	(0.01)	37,513	-	CBG08C1810A	0.05	-	4,495	-
BCH06C1811A	-	-	-	-	BEM23C1901A	0.18	-	34,222	-	CBG11C1902A	0.13	(0.03)	47,848	-
BCH08C1806A	-	-	-	-	BEM24C1809A	-	-	-	-	CBG13C1808A	-	-	-	-
BCH08C1901A	0.31	-	37,612	-	BEM28C1807A	-	-	-	-	CBG13C1809A	0.01	(0.04)	100	-
BCH11C1807A	0.10	(0.01)	6,656	-	BEM28C1808A	-	-	-	-	CBG13C1811A	0.16	(0.02)	144,499	-
BCH13C1810A	0.12	-	4,867	-	BGR11C1812A	0.59	(0.41)	76,070	-	CBG13C1812A	0.28	(0.03)	139,043	-
BCH19C1809A	0.13	-	4,440	-	BH01C1806A	-	-	-	-	CBG13P1806A	-	-	-	-
BCH23C1811A	0.27	-	18,500	-	BH01C1806B	-	-	-	-	CBG18C1808A	-	-	-	-
BCH24C1811A	-	-	-	-	BH01C1811A	0.54	0.01	67,948	-	CBG19C1810A	0.08	(0.02)	40,110	-
BCH28C1807A	0.01	-	2,000	-	BH01C1811B	0.20	0.01	25,009	-	CBG23C1806A	-	-	-	-
BCH28C1811A	0.21	-	89,354	-	BH01P1806A	-	-	-	-	CBG23C1901A	0.13	(0.01)	56,330	-
BCP01C1810A	0.17	-	50,419	-	BH01P1811A	1.64	(0.02)	15,480	1.00	CBG24C1807A	-	-	-	-
BCP01C1810B	-	-	-	-	BH07C1810A	-	-	-	-	CBG24C1809A	-	-	-	-
BCP01P1810A	0.56	0.01	8,254	-	BH08C1811A	-	-	-	-	CBG24C1811A	0.20	0.01	5,064	-
BCP08C1806A	-	-	-	-	BH11C1902A	0.05	(0.01)	4,800	-	CBG28C1808A	-	-	-	-
BCP08C1901A	0.22	0.02	15,010	-	BH24C1806A	-	-	-	-	CBG28C1808B	-	-	-	-
BCP11C1811A	-	-	-	-	BH24C1809A	-	-	-	-	CBG28C1811A	0.15	(0.01)	71,326	-
BCP13C1810A	0.05	-	20	-	BH24C1811A	-	-	-	-	CENT01C1810A	0.39	-	35,338	-
BCP24C1808A	-	-	-	-	BH24C1902A	0.50	-	3,870	-	CENT01C1810B	0.21	-	28,609	-
BCP24C1811A	-	-	-	-	BIG08C1807A	-	-	-	-	CENT01P1810A	0.91	-	13,360	-
BCP28C1807A	-	-	-	-	BIG08C1906A	0.26	0.01	23,662	-	CENT08C1809A	0.08	0.03	500	-
BCP28C1809A	-	-	-	-	BIG13C1808A	-	-	-	-	CENT11C1806A	-	-	-	-
BCP28C1809B	-	-	-	-	BIG13C1901A	0.18	0.01	15,476	-	CENT11C1904A	0.34	-	10,400	-
BCPG01C1806A	-	-	-	-	BIG19C1811A	0.11	-	5,850	-	CENT13C1811A	0.14	-	17,510	-
BCPG01C1806B	-	-	-	-	BIG24C1808A	-	-	-	-	CENT23C1806A	-	-	-	-
BCPG01C1811A	0.26	(0.01)	10,638	-	BIG24C1812A	0.12	(0.04)	300	-	CENT24C1807A	-	-	-	-
BCPG01C1811B	0.12	(0.01)	5,276	-	BIG28C1807A	-	-	-	-	CENT24C1810A	-	-	-	-
BCPG06C1807A	-	-	-	-	BJC01C1807A	0.11	(0.02)	45,923	-	CENT24C1901A	-	-	-	-
BCPG06C1811A	-	-	-	-	BJC01C1807B	-	-	-	-	CENT28C1808A	-	-	-	-
BCPG08C1806A	-	-	-	-	BJC01P1807A	1.03	0.04	22,484	1.00	CHG01C1809A	0.32	0.01	59,807	-
BCPG08C1810A	0.14	-	41,772	-	BJC06C1807A	-	-	-	-	CHG01C1809B	0.41	0.02	43,930	-
BCPG11C1807A	0.28	(0.02)	23,461	-	BJC06C1901A	0.19	(0.02)	904	-	CHG01P1809A	0.28	(0.02)	23,961	-
BCPG11C1902A	0.10	-	13,102	-	BJC07C1809A	-	-	-	-	CHG08C1807A	-	-	-	-
BCPG13C1807A	-	-	-	-	BJC08C1807A	-	-	-	-	CHG11C1807A	0.01	(0.03)	52	-
BCPG13C1810A	0.10	-	69,551	-	BJC08C1809A	-	-	-	-	CHG11C1904A	0.19	-	15,259	-
BCPG23C1806A	-	-	-	-	BJC11C1807A	0.13	(0.03)	15,410	-	CHG13C1807A	-	-	-	-
BCPG24C1806A	-	-	-	-	BJC13C1807A	-	-	-	-	CHG13C1809A	0.47	0.02	17,670	-
BCPG24C1807A	-	-	-	-	BJC13C1808A	0.03	(0.01)	1,000	-	CHG13C1812A	0.17	0.02	80,053	-
BCPG24C1810A	-	-	-	-	BJC13C1810A	0.14	-	12,784	-	CHG23C1811A	0.64	(0.01)	1,000	-
BCPG28C1808A	-	-	-	-	BJC13C1812A	0.36	(0.01)	84,789	-	CHG24C1808A	-	-	-	-
BCPG28C1809A	0.09	(0.01)	21,035	-	BJC19C1809A	0.12	(0.03)	39,400	-	CHG24C1811A	-	-	-	-
BDMS01C1806A	-	-	-	-	BJC23C1806A	-	-	-	-	CHG28C1807A	-	-	-	-
BDMS01C1806B	-	-	-	-	BJC23C1901A	0.20	(0.03)	28,153	-	CHG28C1808A	0.37	0.02	58,848	-
BDMS01C1811A	0.24	-	89,950	-	BJC24C1808A	-	-	-	-	CK01C1809A	0.21	(0.01)	62,782	-
BDMS01C1811B	0.13	-	97,332	-	BJC27C1807A	-	-	-	-	CK01C1809B	0.31	(0.04)	20,573	-
BDMS01P1806A	-	-	-	-	BJC28C1808A	-	-	-	-	CKP01P1809A	0.32	0.02	15,100	-
BDMS01P1811A	0.32	-	87,106	-	BLA01C1812A	0.17	(0.01)	3,728	-	CK08C1809A	-	-	-	-
BDMS06C1811A	-	-	-	-	BLA08C1811A	-	-	-	-	CK08C1901A	0.18	0.02	18,857	-
BDMS08C1807A	0.49	0.02	14,423	-	BLA13C1809A	-	-	-	-	CK11C1806A	-	-	-	-
BDMS08C1901A	0.18	-	29,566	-	BLA23C1806A	-	-	-	-	CK11C1904A	0.21	0.01	3,263	-
BDMS11C1811A	0.84	-	7,538	-	BLA28C1810A	-	-	-	-	CK13C1809A	-	-	-	-
BDMS11C1904A	0.14	0.01	8,790	-	BLAN01C1809A	0.52	0.02	21,528	-	CK16C1812A	0.18	-	1,000	-
BDMS13C1807A	-	-	-	-	BLAN01C1809B	0.12	0.01	16,262	-	CK19C1811A	0.15	-	2,551	-
BDMS13C1810A	0.51	-	26,004	-	BLAN01P1809A	0.15	(0.02)	5,026	-	CK23C1808A	0.01	(0.03)	128	-
BDMS13C1812A	0.15	(0.01)	60,125	-	BLAN08C1810A	0.21	0.02	42,628	-	CK24C1806A	-	-	-	-
BDMS16C1812A	0.91	0.09	512	-	BLAN11C1902A	0.22	0.01	21,464	-	CK24C1808A	-	-	-	-
BDMS23C1810A	0.51	-	2,000	-	BLAN23C1807A	-	-	-	-	CK24C1901A	-	-	-	-
BDMS24C1811A	-	-	-	-	BPP01C1806A	-	-	-	-	CK28C1809A	0.38	-	24,295	-
BDMS24C1812A	0.11	0.02	1,777	-	BPP01C1806B	-	-	-	-	CK28C1812A	0.09	-	656	-
BDMS28C1811A	0.10	(0.01)	6,138	-	BPP01C1811A	0.16	-	11,944	-	CKP01C1812A	0.44	-	21,778	-
BEAU01C1807A	0.01	(0.01)	136,986	-	BPP01C1811B	-	-	-	-	CKP01C1812B	0.33	-	41,486	-
BEAU01C1807B														

Main Board Quotation

Issue Date :

Wednesday July 04, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM706C1809A	0.21	(0.02)	2,398	-	EA07C1810A	-	-	-	-	GUNK01C1808B	-	-	-	-
COM708C1811A	0.14	(0.01)	24,078	-	EA08C1807A	-	-	-	-	GUNK08C1807A	-	-	-	-
COM711C1811A	0.34	(0.01)	25,840	-	EA08C1809A	-	-	-	-	GUNK11C1903A	0.16	0.01	27,184	-
COM713C1809A	0.08	(0.02)	4,870	-	EA08C1810A	0.15	-	101,126	-	GUA023C1806A	-	-	-	-
COM713C1812A	0.31	(0.02)	32,615	-	EA11C1902A	0.07	(0.01)	31,091	-	GUNK24C1807A	-	-	-	-
COM719C1811A	0.25	(0.02)	11,188	-	EA13C1806A	-	-	-	-	GUNK24C1812A	0.26	0.03	2,332	-
COM723C1806A	-	-	-	-	EA13C1807A	-	-	-	-	GUNK28C1808A	-	-	-	-
COM723C1901A	0.30	(0.01)	8,000	-	EA13C1808A	-	-	-	-	GUNK28C1810A	0.27	-	39,877	-
COM724C1806A	-	-	-	-	EA13C1808B	0.04	0.01	1,172	-	HANA01C1806A	-	-	-	-
COM724C1811A	-	-	-	-	EA13C1809A	-	-	-	-	HANA01C1806B	-	-	-	-
COM728C1808A	-	-	-	-	EA13C1810A	0.03	-	4,278	-	HANA01C1811A	0.33	-	9,128	-
COM728C1811A	0.26	(0.02)	82,198	-	EA13C1811A	0.09	(0.01)	69,599	-	HANA01C1811B	0.19	(0.02)	25,982	-
CPAL01C1806A	-	-	-	-	EA13C1812A	0.14	(0.02)	120,824	-	HANA08C1806A	-	-	-	-
CPAL01C1808A	0.47	0.04	269,411	-	EA13P1809A	1.09	0.05	97,097	1.00	HANA08C1809A	-	-	-	-
CPAL01C1808B	0.08	0.01	20,437	-	EA19C1811A	0.31	(0.01)	61,036	-	HANA11C1904A	0.20	-	872	-
CPAL01C1901A	0.60	0.03	202,325	-	EA23C1806A	-	-	-	-	HANA13C1809A	0.10	(0.01)	99	-
CPAL01C1901B	0.45	0.03	208,639	-	EA23C1901A	0.25	(0.01)	40,444	-	HANA23C1811A	0.33	0.02	500	-
CPAL01P1806A	-	-	-	-	EA24C1807A	-	-	-	-	HANA24C1808A	-	-	-	-
CPAL01P1808A	0.85	(0.05)	154,445	-	EA24C1809A	-	-	-	-	HANA24C1810A	-	-	-	-
CPAL01P1901A	1.14	(0.05)	77,121	1.00	EA28C1809A	0.23	(0.02)	104,168	-	HANA28C1807A	-	-	-	-
CPAL01P1901B	0.88	(0.06)	56,056	-	EA28C1809B	-	-	-	-	HANA28C1808A	-	-	-	-
CPAL06C1811A	0.99	0.06	121,322	-	EGCO01C1809A	0.50	0.05	31,365	-	HANA28C1812A	0.27	0.01	7,001	-
CPAL06C1811B	0.20	0.01	490	-	EGCO08C1809A	0.09	0.02	6,455	-	HMPR01C1808A	0.27	(0.03)	51,157	-
CPAL08C1807A	0.07	0.02	2,498	-	EGCO13C1809A	0.09	0.01	6,510	-	HMPR01C1808B	0.09	0.01	4,122	-
CPAL08P1810A	0.86	(0.07)	61,767	-	EGCO23C1811A	0.32	0.06	18,450	-	HMPR01P1808A	0.36	0.01	38,950	-
CPAL11C1903A	0.26	0.04	31,616	-	EGCO24C1808A	0.10	0.02	125	-	HMPR06C1811A	-	-	-	-
CPAL11P1903A	0.86	(0.05)	63,533	-	EGCO28C1808A	0.06	0.02	2,000	-	HMPR08C1810A	0.10	(0.02)	6,973	-
CPAL13C1807A	0.02	-	2,235	-	EPG01C1809A	0.08	(0.01)	46,482	-	HMPR11C1808A	0.28	(0.02)	12,754	-
CPAL13C1812A	0.53	0.03	309,869	-	EPG01P1809A	1.00	0.02	10,844	1.00	HMPR11P1808A	0.04	-	7,000	-
CPAL19C1811A	0.34	0.02	150,512	-	EPG07C1811A	-	-	-	-	HMPR13C1807A	-	-	-	-
CPAL23C1810A	0.15	0.02	54,964	-	EPG08C1810A	-	-	-	-	HMPR13C1812A	0.26	-	70,389	-
CPAL24C1808A	0.05	0.01	3,255	-	EPG08C1810B	0.32	(0.02)	24,551	-	HMPR23C1901A	0.12	(0.02)	21,202	-
CPAL24C1811A	0.10	0.01	3,582	-	EPG11C1903A	0.31	-	17,156	-	HMPR24C1808A	-	-	-	-
CPAL24P1901A	0.40	(0.02)	310	-	EPG13C1808A	-	-	-	-	HMPR27C1807A	0.16	0.01	2,000	-
CPAL28C1809A	0.05	-	1,080	-	EPG13C1811A	0.20	(0.01)	33,400	-	HMPR28C1807A	0.01	-	2,000	-
CPAL28C1811A	0.27	0.02	441,726	-	EPG23C1808A	-	-	-	-	HMPR28C1811A	0.14	(0.01)	38,457	-
CPF01C1809A	0.72	-	76,079	-	EPG24C1807A	-	-	-	-	ICHIO8C1806A	-	-	-	-
CPF01C1809B	0.11	-	65,516	-	EPG24C1808A	-	-	-	-	INTU01C1809A	0.36	0.02	53,466	-
CPF01C1810A	0.20	0.01	54,216	-	EPG24C1810A	0.32	(0.02)	2,103	-	INTU01C1809B	0.07	0.01	8	-
CPF01P1809A	0.39	-	25,171	-	EPG28C1808A	-	-	-	-	INTU01P1809A	0.47	(0.03)	29,960	-
CPF06C1809A	0.43	0.01	37,796	-	ESSO01C1807A	0.01	-	8,000	-	INTU01P1809B	0.23	(0.03)	41,246	-
CPF07C1810A	-	-	-	-	ESSO01C1807B	0.01	(0.01)	17,332	-	INTU11C1807A	0.03	(0.02)	8	-
CPF08C1809A	0.28	(0.01)	51,260	-	ESSO01C1812A	0.21	(0.02)	76,777	-	INTU11P1807A	0.28	(0.04)	17,340	-
CPF08C1901A	0.15	(0.01)	35,720	-	ESSO01C1812B	0.13	(0.01)	11,910	-	INTU13C1810A	0.16	-	74,344	-
CPF11C1902A	0.09	0.01	200	-	ESSO01P1807A	1.87	0.02	5,969	1.00	INTU13C1812A	0.38	0.01	144,140	-
CPF11P1902A	0.34	(0.01)	6,206	-	ESSO01P1812A	1.12	0.02	10,452	1.00	INTU19C1901A	0.32	0.01	99,727	-
CPF13C1809A	0.38	(0.02)	60,342	-	ESSO08C1807A	-	-	-	-	INTU23C1806A	-	-	-	-
CPF13C1810A	0.11	-	22,177	-	ESSO13C1807A	-	-	-	-	INTU24C1807A	-	-	-	-
CPF19C1901A	0.20	-	58,004	-	ESSO13C1811A	0.08	-	1,490	-	INTU24C1901A	-	-	-	-
CPF23C1810A	0.35	(0.01)	11,000	-	ESSO23C1809A	-	-	-	-	INTU28C1809A	0.12	0.01	97,933	-
CPF24C1809A	0.19	-	1,500	-	ESSO24C1806A	-	-	-	-	IRPC01C1808A	0.05	0.01	45,571	-
CPF28C1808A	0.27	-	116,783	-	ESSO24C1812A	-	-	-	-	IRPC01C1810A	0.09	0.02	66,197	-
CPF28C1811A	0.12	-	114,049	-	ESSO28C1807A	-	-	-	-	IRPC01C1810B	0.02	-	14,419	-
CPN01C1808A	0.22	0.04	109,634	-	ESSO28C1811A	-	-	-	-	IRPC01P1808A	0.71	(0.07)	34,786	-
CPN01C1808B	0.03	0.01	1,158	-	GFPT01C1807A	0.11	(0.02)	16,812	-	IRPC01P1810A	0.58	(0.02)	38,036	-
CPN06C1811A	0.39	0.06	19,657	-	GFPT08C1807A	-	-	-	-	IRPC01P1810B	0.40	(0.07)	53,191	-
CPN08C1809A	-	-	-	-	GFPT08C1906A	0.36	(0.01)	29,956	-	IRPC06C1811A	0.13	0.02	24,120	-
CPN11C1903A	0.25	0.04	25,678	-	GFPT11C1806A	-	-	-	-	IRPC07C1812A	-	-	-	-
CPN11P1903A	0.72	(0.09)	51,574	-	GFPT19C1811A	0.34	(0.01)	29,770	-	IRPC08C1808A	0.01	-	1	-
CPN13C1807A	-	-	-	-	GFPT23C1806A	-	-	-	-	IRPC11C1902A	0.05	0.01	2,141	-
CPN13C1812A	0.27	0.03	91,805	-	GFPT24C1806A	-	-	-	-	IRPC13C1808A	-	-	-	-
CPN19C1901A	0.42	0.06	107,437	-	GFPT24C1812A	0.30	(0.03)	17,847	-	IRPC13C1811A	0.09	0.02	77,015	-
CPN23C1810A	0.17	0.04	36,354	-	GGCO1C1810A	0.06	(0.02)	75,568	-	IRPC13C1812A	0.18	0.03	153,320	-
CPN24C1806A	-	-	-	-	GGCO1C1810B	0.03	(0.01)	30,176	-	IRPC23C1810A	-	-	-	-
CPN24C1901A	0.27	0.03	11,161	-	GGCO8C1906A	0.07	(0.02)	10,759	-	IRPC23C1810A	-	-	-	-
CPN28C1807A	-	-	-	-	GGC13C1811A	0.02	-	200	-	IRPC24C1809A	0.13	0.04	53,346	-
CPN28C1810A	0.16	0.03	128,952	-	GGC19C1811A	0.01	-	50	-	IRPC24C1812A	0.02	0.01	1,001	-
DELTO8C1811A	0.09	0.01	14,674	-	GGC23C1901A	0.03	(0.01)	8,630	-	IRPC24C1812A	0.09	(0.03)	3,432	-
DELTI3C1809A	-	-	-	-	GGC24C1812A	0.02	-	11,581	-	IRPC27C1809A	-	-	-	-
DELIT27C1812A	0.11	-	5,300	-	GGC28C1811A	0.01	(0.01)	14,122	-	IRPC28C1807A	-	-	-	-
DTAC01C1808A	0.16	0.03	126,618	-	GLOB01C1809A	0.49	0.02	64,680	-	IRPC28C1811A	-	-	-	-
DTAC01C1808B	0.03	0.01	33,301	-	GLOB01C1809B	0.28	0.01	42,037	-	ITD01C1808A	0.01	(0.01)	1,000	-
DTAC01C1810A	0.34	0.04	139,543	-	GLOB06C1809A	0.32	0.02	11,806	-	ITD01C1808B	-	-	-	-
DTAC01C1810B	0.10	0.02	54,563	-	GLOB08C1807A	0.09	-	12,334	-	ITD01P1808A	1.28	0.09	35,311	1.00
DTAC01P1808A	0.94	(0.11)	95,554	1.00	GLOB11C1808A	0.24	0.01	18,360	-	ITD08C1806A	-	-	-	-
DTAC01P1810A	1.31	(0.09)	79,031	1.00	GLOB13C1807A	-	-	-	-	ITD08C1810A	0.06	(0.02)	6,300	-
DTAC01P1810B	0.96	(0.09)	39,087	1.00	GLOB23C1811A	0.50	0.02	7,520	-	ITD11C1903A	0.16	(0.02)	24,238	-
DTAC06C1806A	-	-	-	-	GLOB24C1810A	0.23	0.01	5,500	-	ITD13C1809A	-	-	-	-
DTAC06C1901A	0.29	0.05	420	-	GLOB27C1809A	0.13	0.02	2,900	-	ITD13C1812A	0.20	(0.02)	133,246	-
DTAC06P1809A	0.57	(0.10)	33,696	-	GLOB28C1807A	-	-	-	-	ITD19C1811A	-	-	-	-
DTAC07C1809A	0.01	(0.01)	3,000	-	GLOB28C1808A	0.09	-	61,254	-	ITD23C1808A	-	-	-	-
DTAC08C1809A	0.06	0.02	840	-	GLOW08C1806A	-	-	-	-	ITD24C1807A	-	-	-	-
DTAC08P1807A	0.28	(0.11)	92,581	-	GLOW08C1811A	0.74	0.01	3,738	-	ITD24C1810A	-	-	-	-
DTAC11C1806A	-	-	-	-	GLOW11C1807A	-	-	-	-	ITD28C1808A	-	-	-	-
DTAC11C1904A	0.29	0.04	29,815	-	GLOW23C1806A	-	-	-	-	ITD28C1808B	-	-	-	-
DTAC13C1811A	0.14	0.03	75,285	-	GLOW27C1812A	-	-	-	-	IVL01C1806A	-	-	-	-
DTAC13C1812A	0.42	0.05	128,759	-	GPSCO1C1808A	0.31	(0.04)	50,522	-	IVL01C1808A	0.35	(0.04)	174,072	-
DTAC13P1811A	0.90	(0.06)	8,462	-	GPSCO1C1808B	0.07	(0.01)	2,410	-	IVL01C1808B	0.11	(0.01)	54,862	-
DTAC13P1812A	0.30	(0.03)	53,942	-	GPSCO1P1808A	1.2								

Main Board Quotation

Issue Date :

Wednesday July 04, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL13C1810A	0.24	(0.01)	163,163	-	KTC28C1808B	-	-	-	-	MTC27C1807A	0.01	(0.02)	5	-
IVL13C1812A	0.45	(0.03)	135,131	-	KTC28C1809A	1.13	0.13	988	1.00	MTC28C1808A	0.02	-	1,201	-
IVL13P1809A	0.09	0.01	20,183	-	KTC28C1810A	0.93	0.04	176,005	-	MTC28C1809A	0.22	0.06	207,307	-
IVL13P1811A	0.50	-	63,844	-	LH01C1809A	0.32	-	9,093	-	ORI08C1807A	-	-	-	-
IVL19C1809A	0.43	(0.04)	122,388	-	LH01C1809B	0.17	-	40,200	-	ORI11C1811A	0.17	(0.01)	8,120	-
IVL23C1810A	0.47	(0.02)	4,060	-	LH01P1809A	0.15	(0.01)	3,894	-	ORI13C1810A	0.33	(0.04)	33,100	-
IVL24C1808A	0.12	(0.03)	120,000	-	LH06C1809A	0.25	0.01	5,324	-	ORI19C1811A	0.21	(0.03)	6,608	-
IVL24C1812A	-	-	-	-	LH07C1810A	-	-	-	-	ORI23C1809A	0.08	(0.02)	500	-
IVL28C1807A	-	-	-	-	LH11C1808A	0.19	-	2,304	-	ORI24C1806A	-	-	-	-
IVL28C1808A	0.04	(0.02)	6,790	-	LH13C1808A	0.19	0.01	7,236	-	ORI24C1810A	0.22	-	1,500	-
IVL28C1811A	0.27	(0.01)	334,577	-	LH19C1901A	0.21	-	17,834	-	ORI28C1808A	-	-	-	-
IVL28P1811A	0.55	0.03	109,070	-	LH23C1806A	-	-	-	-	PLAN08C1811A	0.15	(0.02)	2,626	-
KBAN01C1808A	0.15	0.02	136,855	-	LH23C1901A	-	-	-	-	PLAN13C1809A	0.08	(0.01)	4,052	-
KBAN01C1808B	0.02	-	63	-	LH24C1806A	-	-	-	-	PLAN23C1806A	-	-	-	-
KBAN01C1810A	0.95	0.05	165,010	-	LH24C1809A	-	-	-	-	PLAN28C1810A	0.12	(0.01)	2,220	-
KBAN01C1901A	1.06	0.04	123,846	1.00	LH28C1808A	0.07	-	34,780	-	PSH01C1810A	0.32	-	19,145	-
KBAN01C1901B	0.61	0.04	120,629	-	LH28C1809A	0.19	0.01	27,081	-	PSH01C1810B	0.11	-	14,037	-
KBAN01P1808A	0.98	(0.06)	20,868	1.00	LPN01C1811A	0.50	-	34,252	-	PSH01P1810A	0.88	(0.01)	21,339	-
KBAN01P1808B	0.43	(0.05)	34,766	-	LPN01C1811B	0.36	0.02	28,520	-	PSH08C1811A	0.11	-	38,640	-
KBAN01P1810A	0.43	(0.05)	37,545	-	LPN01P1809A	0.40	(0.02)	12,542	-	PSH11C1902A	0.24	-	15,410	-
KBAN01P1901A	1.24	(0.06)	14,622	1.00	LPN08C1807A	-	-	-	-	PSH23C1811A	0.21	-	17,100	-
KBAN01P1901B	0.75	(0.06)	13,256	-	LPN08C1810A	0.16	(0.01)	24,223	-	PSL01C1807A	0.25	0.03	95,594	-
KBAN06C1811A	0.55	0.04	13,860	-	LPN08C1906A	0.30	-	23,994	-	PSL23C1809A	0.07	0.01	52,880	-
KBAN07C1811A	-	-	-	-	LPN11C1806A	-	-	-	-	PSL24C1807A	0.09	0.04	500	-
KBAN08C1811A	0.53	0.04	31,084	-	LPN19C1811A	0.32	0.01	11,048	-	PTG01C1806A	-	-	-	-
KBAN08P1811A	0.48	(0.04)	8,868	-	LPN23C1806A	-	-	-	-	PTG01C1806B	-	-	-	-
KBAN13C1807A	-	-	-	-	LPN24C1808A	-	-	-	-	PTG01C1811A	0.22	(0.01)	16,676	-
KBAN13C1810A	0.14	0.01	47,409	-	LPN24C1812A	0.48	0.02	5	-	PTG01C1811B	0.09	(0.02)	43,868	-
KBAN13C1811A	0.70	0.05	174,505	-	LPN27C1807A	-	-	-	-	PTG01P1811A	1.16	0.03	27,574	1.00
KBAN19C1901A	0.31	0.03	34,958	-	MAJO08C1811A	0.07	0.01	3,500	-	PTG06C1810A	-	-	-	-
KBAN23C1806A	-	-	-	-	MAJO11C1902A	0.11	0.02	3,948	-	PTG06C1904A	0.43	(0.02)	2,250	-
KBAN24C1806A	-	-	-	-	MAJO23C1806A	-	-	-	-	PTG08C1807A	-	-	-	-
KBAN24C1902A	0.63	0.02	20	-	MAJO24C1809A	-	-	-	-	PTG11C1903A	0.17	(0.01)	6,314	-
KBAN24P1811A	-	-	-	-	MALE01C1812A	0.02	(0.01)	7,103	-	PTG13C1809A	0.06	0.01	62	-
KBAN27C1809A	-	-	-	-	MALE08C1811A	-	-	-	-	PTG13C1812A	0.22	(0.02)	103,716	-
KBAN27P1809A	0.57	(0.03)	26,166	-	MALE13C1809A	-	-	-	-	PTG23C1808A	-	-	-	-
KBAN28C1809A	0.03	-	100	-	MALE23C1806A	-	-	-	-	PTG24C1809A	-	-	-	-
KBAN28C1811A	0.59	0.06	164,005	-	MALE27C1812A	-	-	-	-	PTG27C1809A	-	-	-	-
KBAN28P1807A	0.58	(0.07)	6,160	-	MALE28C1810A	0.01	-	63,244	-	PTG28C1808A	-	-	-	-
KBAN28P1811A	0.46	(0.05)	183,002	-	MC19C1811A	0.15	0.01	12,920	-	PTL08C1811A	0.35	0.01	4,939	-
KCE01C1810A	0.67	0.02	84,724	-	MC23C1809A	-	-	-	-	PTL13C1809A	0.15	0.02	32,863	-
KCE01C1810B	0.61	0.03	74,140	-	MC24C1807A	-	-	-	-	PTL23C1807A	-	-	-	-
KCE06C1809A	0.87	0.03	214	-	MC24C1812A	0.21	(0.04)	50	-	PTL24C1806A	-	-	-	-
KCE07C1808A	0.22	0.02	1,010	-	MEGA01C1806A	-	-	-	-	PTL28C1810A	0.24	(0.03)	11,796	-
KCE08C1809A	0.76	0.07	25,060	-	MEGA01C1806B	-	-	-	-	PTT01C1808A	0.45	(0.01)	358,258	-
KCE11C1808A	-	-	-	-	MEGA01C1811A	0.43	(0.03)	2,068	-	PTT01C1808B	0.10	-	251,368	-
KCE11C1904A	0.40	0.02	33,262	-	MEGA01C1811B	0.28	(0.03)	2,400	-	PTT01C1810A	0.15	(0.01)	88,486	-
KCE13C1808A	0.46	0.04	99,512	-	MEGA08C1811A	-	-	-	-	PTT01C1810B	0.05	-	61,345	-
KCE13C1811A	0.55	0.02	172,130	-	MEGA11C1806A	-	-	-	-	PTT01P1808A	0.61	(0.01)	72,612	-
KCE23C1807A	0.01	-	3	-	MEGA11C1902A	-	-	-	-	PTT01P1808B	0.15	(0.01)	168,753	-
KCE23C1901A	0.32	0.03	49,371	-	MEGA13C1809A	0.11	(0.01)	1	-	PTT01P1810A	1.20	0.01	87,388	1.00
KCE24C1808A	0.32	0.03	9,057	-	MEGA23C1806A	-	-	-	-	PTT01P1810B	0.78	(0.01)	24,503	-
KCE28C1808A	0.22	0.02	69,682	-	MEGA24C1812A	-	-	-	-	PTT06C1811A	0.08	(0.01)	4	-
KCE28C1811A	0.49	0.02	85,477	-	MEGA27C1807A	-	-	-	-	PTT06C1901A	0.30	-	5,353	-
KKP01C1808A	0.22	0.02	54,513	-	MEGA28C1808A	-	-	-	-	PTT06P1901A	0.65	-	8,474	-
KKP01C1808B	-	-	-	-	MINT01C1808A	0.02	(0.01)	156,664	-	PTT07C1811A	0.14	(0.01)	666	-
KKP08C1811A	0.31	(0.01)	34,501	-	MINT01C1808B	-	-	-	-	PTT08C1807A	0.05	(0.08)	1,200	-
KKP11C1903A	0.29	0.01	8,685	-	MINT01C1901A	0.32	(0.04)	120,541	-	PTT08C1809A	0.03	-	1,173	-
KKP13C1807A	-	-	-	-	MINT01C1901B	0.21	(0.03)	80,121	-	PTT08P1809A	0.64	-	26,452	-
KKP13C1811A	0.30	0.01	61,291	-	MINT01P1808A	0.89	0.06	42,296	-	PTT11C1806A	-	-	-	-
KKP23C1807A	-	-	-	-	MINT01P1901A	0.51	0.03	26,350	-	PTT11C1902A	0.14	-	31,123	-
KKP24C1807A	-	-	-	-	MINT06C1809A	-	-	-	-	PTT13C1807A	0.06	(0.01)	23,122	-
KKP24C1812A	0.32	0.01	515	-	MINT06C1901A	0.16	(0.03)	2,550	-	PTT13C1808A	0.01	-	5,759	-
KKP28C1807A	-	-	-	-	MINT07C1810A	-	-	-	-	PTT13C1810A	0.07	-	13,165	-
KKP28C1810A	0.20	0.01	83,920	-	MINT08C1809A	0.02	-	5,082	-	PTT13C1811A	0.21	-	69,322	-
KTB01C1808A	0.10	-	17,582	-	MINT11C1902A	0.08	(0.01)	1,060	-	PTT13C1812A	0.33	-	346,592	-
KTB01C1810A	0.27	0.02	28,318	-	MINT11P1902A	0.43	0.04	8,899	-	PTT13P1807A	0.06	-	650	-
KTB01C1810B	0.12	0.01	32,200	-	MINT13C1810A	0.07	(0.01)	30,806	-	PTT13P1808A	0.61	(0.04)	6	-
KTB01P1808A	0.66	(0.02)	9,583	-	MINT23C1810A	-	-	-	-	PTT13P1812A	0.48	(0.01)	217,084	-
KTB06C1902A	-	-	-	-	MINT24C1807A	-	-	-	-	PTT19C1809A	0.07	-	68,200	-
KTB08C1809A	-	-	-	-	MINT24C1812A	-	-	-	-	PTT23C1901A	0.09	(0.01)	5,004	-
KTB11C1811A	0.12	-	16,776	-	MINT24C1901A	0.24	(0.04)	1,487	-	PTT24C1806A	-	-	-	-
KTB13C1809A	-	-	-	-	MINT28C1808A	-	-	-	-	PTT24C1809A	-	-	-	-
KTB13C1901A	0.30	0.02	29,377	-	MINT28C1811A	0.14	(0.02)	93,658	-	PTT24C1812A	0.26	-	3,400	-
KTB19C1901A	0.21	0.02	54,680	-	MON001C1810A	0.07	-	4,006	-	PTT24P1808A	0.03	-	2,000	-
KTB23C1811A	0.17	0.01	5,000	-	MON001C1810B	0.03	(0.01)	700	-	PTT27C1809A	0.33	-	3,050	-
KTB24C1808A	-	-	-	-	MON008C1808A	-	-	-	-	PTT27P1809A	-	-	-	-
KTB24C1811A	-	-	-	-	MON008C1906A	0.12	-	31,222	-	PTT28C1807A	0.01	(0.01)	41,238	-
KTB24P1901A	-	-	-	-	MON013C1808A	-	-	-	-	PTT28C1808A	0.02	0.01	459	-
KTB28C1809A	-	-	-	-	MON013C1811A	0.05	-	1,800	-	PTT28C1808B	0.01	-	9,550	-
KTB28C1811A	0.12	0.01	34,690	-	MON013C1901A	0.21	(0.01)	15,646	-	PTT28C1811A	0.06	-	3,641	-
KTC01C1806A	-	-	-	-	MON019C1811A	0.12	(0.02)	3,358	-	PTT28C1811B	0.18	(0.01)	71,774	-
KTC01C1806B	-	-	-	-	MON023C1809A	-	-	-	-	PTT28C1812A	0.30	-	470,582	-
KTC01C1808A	1.72	0.10	273,331	1.00	MON023C1901A	0.20	(0.01)	8,000	-	PTT28P1808A	0.41	0.01	101,405	-
KTC01C1808B	0.96	0.08	332,533	-	MON024C1807A	-	-	-	-	PTT28P1808B	0.79	-	24,000	-
KTC01C1810A	0.61	0.03	61,820	-	MON024C1812A	0.02	-	7	-	PTT28P1812A	0.37	0.01	245,432	-
KTC01C1810B	0.51	0.04	54,303	-	MON024C1812B	-	-	-	-	PTTE01C1808A	1.06	0.01	246,719	1.00
KTC06C1807A	2.48	0.22	4,601	2.00	MON028C1807A	-	-	-	-	PTTE01C1808B	0.54	-	310,408	-
KTC08C1807A	-	-	-	-	MON028C1808A	-	-	-	-	PTTE01C1901A	0.73	-	172,891	-
KTC08C1808A	1.82	0.14	970	1.00	MON									

Main Board Quotation

Issue Date :

Wednesday July 04, 2018

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
PTTE13P1807A	-	-	-	-	S5028C1809B	0.60	(0.01)	2,407,228	-	SIRI28C1809A	-	-	-	-
PTTE13P1811A	0.35	(0.01)	248,634	-	S5028P1807A	1.80	(0.32)	5,260	1.00	SPAL01C1808A	0.51	(0.02)	28,040	-
PTTE19C1811A	0.52	-	180,380	-	S5028P1809A	1.29	-	1,750,247	1.00	SPAL01C1808B	0.11	(0.01)	20,276	-
PTTE23C1901A	0.15	0.01	34,234	-	S5028P1809B	0.61	(0.01)	2,029,829	-	SPAL06C1809A	0.58	(0.02)	13,416	-
PTTE24C1807A	0.19	(0.04)	49,753	-	SAWA01C1808A	0.01	(0.01)	7,835	-	SPAL08C1808A	0.10	(0.01)	14,780	-
PTTE24C1811A	0.24	-	8,850	-	SAWA01C1808B	0.02	-	2,022	-	SPAL11C1807A	0.25	-	17,856	-
PTTE24P1809A	0.03	(0.01)	1,000	-	SAWA01C1901A	0.36	(0.02)	91,314	-	SPAL23C1811A	0.70	0.14	4,500	-
PTTE27C1809A	0.72	0.03	2,000	-	SAWA01C1901B	0.29	(0.01)	54,174	-	SPAL24C1808A	-	-	-	-
PTTE27P1809A	-	-	-	-	SAWA01P1808A	2.56	0.08	26,762	2.00	SPAL24C1812A	0.32	(0.02)	1,512	-
PTTE28C1807A	0.37	0.03	2	-	SAWA01P1901A	1.18	0.04	25,550	1.00	SPRC01C1808A	0.08	-	47,404	-
PTTE28C1810A	0.29	-	166,285	-	SAWA06C1807A	-	-	-	-	SPRC01C1808B	-	-	-	-
PTTE28C1811A	0.19	-	23,176	-	SAWA06C1811A	-	-	-	-	SPRC06C1809A	-	-	-	-
PTTE28P1811A	0.37	(0.01)	69,539	-	SAWA07C1812A	-	-	-	-	SPRC06C1902A	0.33	(0.67)	300	-
PTTG01C1808A	0.08	(0.01)	306,348	-	SAWA08C1808A	-	-	-	-	SPRC08C1808A	-	-	-	-
PTTG01C1810A	0.13	(0.01)	184,920	-	SAWA08C1811A	0.02	-	5,100	-	SPRC11C1902A	0.08	0.01	1,624	-
PTTG01C1810B	0.03	0.01	12,909	-	SAWA11C1808A	-	-	-	-	SPRC13C1808A	0.02	-	3,000	-
PTTG01C1811A	0.29	(0.02)	252,331	-	SAWA13C1807A	-	-	-	-	SPRC13C1812A	0.21	(0.01)	100,564	-
PTTG01P1808A	1.68	0.06	111,415	1.00	SAWA13C1810A	0.02	-	1,070	-	SPRC23C1810A	-	-	-	-
PTTG01P1811A	2.18	0.08	46,626	2.00	SAWA13C1811A	0.03	-	14,011	-	SPRC24C1808A	-	-	-	-
PTTG06C1809A	0.01	-	2	-	SAWA13C1812A	0.12	(0.01)	45,695	-	SPRC24C1903A	0.21	(0.01)	7,200	-
PTTG07C1812A	0.27	(0.02)	4,568	-	SAWA13C1901A	0.33	(0.03)	78,872	-	STA01C1807A	-	-	-	-
PTTG08C1811A	0.04	-	537	-	SAWA23C1807A	-	-	-	-	STA01C1807B	-	-	-	-
PTTG08P1811A	1.66	0.07	1,401	1.00	SAWA24C1808A	-	-	-	-	STA01C1812A	0.19	(0.02)	25,692	-
PTTG11C1902A	0.08	0.01	2,681	-	SAWA24C1812A	-	-	-	-	STA01C1812B	0.13	(0.01)	16,958	-
PTTG13C1808A	0.01	-	4,020	-	SAWA28C1807A	-	-	-	-	STA08C1807A	-	-	-	-
PTTG13C1812A	0.17	(0.01)	222,531	-	SAWA28C1809A	-	-	-	-	STA13C1807A	-	-	-	-
PTTG19C1811A	0.16	-	130,309	-	SAWA28C1810A	0.02	-	500	-	STA13C1808A	-	-	-	-
PTTG23C1901A	0.06	-	990	-	SAWA28C1811A	0.14	(0.01)	200,225	-	STA13C1812A	0.20	(0.02)	115,682	-
PTTG24C1808A	-	-	-	-	SCB01C1808A	0.08	0.02	55,361	-	STA19C1811A	-	-	-	-
PTTG24C1812A	0.12	(0.02)	4,075	-	SCB01C1808B	-	-	-	-	STA23C1809A	0.05	(0.01)	300	-
PTTG24P1808A	0.48	0.02	123,867	-	SCB01C1810A	0.28	0.04	124,403	-	STA24C1808A	0.01	-	1,940	-
PTTG27C1807A	-	-	-	-	SCB01P1808A	1.64	(0.09)	49,932	1.00	STA28C1807A	-	-	-	-
PTTG27P1807A	0.18	0.02	18,424	-	SCB01P1808B	0.90	(0.14)	32,942	-	STEC01C1809A	0.17	(0.01)	87,773	-
PTTG28C1807A	-	-	-	-	SCB06C1811A	0.36	0.04	25,267	-	STEC01C1809B	0.54	(0.05)	102,342	-
PTTG28P1807B	0.01	-	3,000	-	SCB08C1806A	-	-	-	-	STEC01P1809A	1.21	0.04	41,175	1.00
PTTG28C1811A	0.13	(0.01)	363,812	-	SCB08C1901A	0.27	0.03	58,198	-	STEC06C1809A	0.20	-	200	-
QH01C1807A	0.34	0.03	52,443	-	SCB11C1901A	0.14	0.02	20,381	-	STEC08C1809A	0.13	-	56,834	-
QH01C1810A	0.41	0.01	46,906	-	SCB11P1901A	0.89	(0.08)	22,088	-	STEC11C1903A	0.37	(0.02)	51,084	-
QH01C1810B	0.26	0.02	41,164	-	SCB13C1809A	-	-	-	-	STEC13C1809A	0.08	(0.02)	3,130	-
QH01P1807A	0.22	(0.03)	26,505	-	SCB13C1812A	0.35	0.05	246,198	-	STEC23C1808A	-	-	-	-
QH01P1810A	0.36	(0.03)	34,094	-	SCB13P1812A	0.36	(0.04)	181,598	-	STEC24C1808A	0.05	0.01	24	-
QH08C1808A	0.18	0.02	24,240	-	SCB19C1811A	0.17	0.02	102,832	-	STEC28C1808A	-	-	-	-
QH11C1902A	0.33	0.02	25,812	-	SCB24C1806A	-	-	-	-	STEC28C1810A	0.32	(0.01)	57,445	-
QH23C1808A	0.26	0.05	12,000	-	SCB24C1902A	0.27	0.02	3,800	-	STPI08C1811A	0.06	(0.01)	1,200	-
QH24C1812A	-	-	-	-	SCB24P1811A	0.67	(0.06)	699	-	STPI23C1806A	-	-	-	-
QH28C1808A	0.07	0.01	1,500	-	SCB28C1808A	-	-	-	-	STPI28C1807A	-	-	-	-
RATC23C1806A	-	-	-	-	SCB28C1809A	-	-	-	-	SUPE06C1806A	-	-	-	-
RATC27C1812A	0.12	(0.01)	2,000	-	SCB28C1812A	0.29	0.03	227,562	-	SUPE08C1808A	-	-	-	-
ROBI01C1809A	0.24	0.01	35,943	-	SCB28P1808A	0.36	(0.12)	168,232	-	SUPE08C1811A	0.10	-	2,517	-
ROBI06C1809A	0.23	0.03	13,864	-	SCC01C1808A	0.13	(0.01)	4,832	-	SUPE13C1810A	0.09	0.01	3,350	-
ROBI08C1808A	-	-	-	-	SCC01C1808B	0.01	(0.01)	2,561	-	SUPE13C1811A	0.08	(0.03)	1,785	-
ROBI11C1808A	-	-	-	-	SCC01P1808A	0.90	0.01	15,432	-	SUPE23C1811A	0.13	-	802	-
ROBI13C1807A	-	-	-	-	SCC06C1809A	-	-	-	-	SUPE23C1901A	0.06	(0.02)	2,109	-
ROBI24C1901A	0.21	(0.02)	7,800	-	SCC06C1902A	0.22	(0.02)	15,815	-	SUPE28C1807A	0.01	-	100	-
S1000C1811A	0.44	-	4,800	-	SCC07C1812A	0.44	(0.02)	319	-	SUPE28C1810A	-	-	-	-
S5001C1806F	-	-	-	-	SCC08C1809A	0.03	-	66	-	SUPE28C1811A	0.07	0.02	28	-
S5001C1806G	-	-	-	-	SCC11C1811A	-	-	-	-	TASCO1C1806A	-	-	-	-
S5001C1807A	0.17	(0.01)	317,986	-	SCC11P1811A	0.57	0.02	11,136	-	TASCO1C1809A	-	-	-	-
S5001C1807B	0.09	-	244,810	-	SCC13C1809A	0.03	(0.02)	8,010	-	TASCO1C1810A	0.13	-	9,251	-
S5001C1808A	0.39	0.01	377,376	-	SCC13C1812A	0.16	(0.01)	14,674	-	TASCO1C1810B	-	-	-	-
S5001C1808B	0.27	0.01	108,032	-	SCC13C1901A	0.32	(0.01)	24,672	-	TASCO1P1806A	-	-	-	-
S5001C1809F	0.52	(0.01)	2,045,553	-	SCC19C1811A	0.10	(0.02)	2,010	-	TASCO1P1809A	2.04	0.02	12,308	2.00
S5001C1809G	0.18	0.01	113,240	-	SCC23C1811A	-	-	-	-	TASCO1P1810A	0.97	(0.01)	15,938	-
S5001P1806F	-	-	-	-	SCC24C1806A	-	-	-	-	TASCO7C1811A	-	-	-	-
S5001P1806G	-	-	-	-	SCC24C1812A	0.04	(0.01)	1,000	-	TASC08C1808A	-	-	-	-
S5001P1807A	1.86	(0.02)	11,455	1.00	SCC24C1901A	0.32	(0.02)	5,032	-	TASC11C1806A	-	-	-	-
S5001P1807B	1.60	(0.02)	243,591	1.00	SCC24P1801A	0.56	0.04	310	-	TASC11C1904A	0.10	(0.01)	2,220	-
S5001P1808A	1.14	(0.02)	143,291	1.00	SCC27C1809A	-	-	-	-	TASC13C1810A	-	-	-	-
S5001P1808B	1.47	(0.02)	389,407	1.00	SCC27P1809A	-	-	-	-	TASC23C1806A	-	-	-	-
S5001P1809F	2.24	0.02	741,279	2.00	SCC28C1807A	-	-	-	-	TASC24C1810A	-	-	-	-
S5001P1809G	1.86	0.02	1,817,707	1.00	SCC28C1811A	0.11	(0.01)	15,800	-	TASC28C1808A	-	-	-	-
S5006C1806A	-	-	-	-	SCC28C1812A	0.30	(0.02)	34,782	-	TCAP01C1807A	-	-	-	-
S5006C1809A	0.13	-	9,521	-	SCCC08C1811A	-	-	-	-	TCAP01C1807B	-	-	-	-
S5006C1809B	0.07	-	28,117	-	SCCC13C1809A	0.03	0.01	122	-	TCAP01P1807A	1.16	0.02	17,511	1.00
S5006C1809C	0.25	-	5,047	-	SCCC23C1806A	-	-	-	-	TCAP08C1810A	-	-	-	-
S5006C1809D	0.08	(0.01)	6,766	-	SCCC27C1812A	-	-	-	-	TCAP11C1811A	0.09	(0.02)	5,706	-
S5006C1812A	0.42	(0.01)	8,366	-	SGP08C1808A	0.01	-	18	-	TCAP13C1809A	-	-	-	-
S5006C1812B	0.45	(0.02)	24,640	-	SGP08C1901A	0.26	-	18,238	-	TCAP13C1901A	0.34	(0.03)	76,833	-
S5006P1806A	-	-	-	-	SGP11C1904A	0.11	(0.01)	4,730	-	TCAP23C1807A	-	-	-	-
S5006P1809A	2.30	-	290	2.00	SGP13C1807A	-	-	-	-	TCAP24C1807A	-	-	-	-
S5006P1809B	1.26	(0.02)	12,233	1.00	SGP13C1808A	-	-	-	-	TCAP24C1903A	-	-	-	-
S5006P1809C	1.81	(0.06)	22	1.00	SGP13C1811A	0.07	0.01	242	-	TCAP27C1807A	-	-	-	-
S5006P1809D	0.89	0.01	843	-	SGP19C1811A	0.18	-	5,256	-	THAI01C1806A	-	-	-	-
S5006P1812A	2.10	-	2,125	2.00	SGP24C1806A	-	-	-	-	THAI01C1808A	-	-	-	-
S5006P1812B	0.87	-	1,140	-	SGP24C1808A	-	-	-	-	THAI01C1808B	0.02	-	7,000	-
S5008C1806A	-	-	-	-	SGP24C1811A	-	-	-	-	THAI01C1901A	0.32	-	157,402	-
S5008C1809A	0.53	-	139,655	-	SGP24C1902A	0.58	-	2,767	-	THAI01C1901B	0.21	-	144,438	-
S5008P1806A	-	-	-	-	SGP28C1808A	0.01	-	5,000	-	THAI01P1806A	-	-	-	-
S5008P1809A	0.67	(0.01)	167,318	-	SGP28C1809A	0.01	(0.01)	17,001	-	THAI01P1808A	0.90	-	32,545	-
S5013C1806A	-	-	-	-	SGP28C1811A	-	-	-	-	THAI01P1901A				

Main Board Quotation

Issue Date :

Wednesday July 04, 2018

Securities	Close	Change	Volume (Lot)	Average Price
S5028C1809A	0.16	-	636,752	-

Securities	Close	Change	Volume (Lot)	Average Price
SIRI28C1807A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
THAN23C1807A	0.89	0.12	4,200	-

Main Board Quotation

Issue Date :

Wednesday July 04, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THAN28C1810A	0.14	0.02	8,076	-	TRUE08P1809A	0.28	(0.04)	18,086	-	WHA28C1808B	-	-	-	-
THCO01C1809A	0.05	(0.03)	7,803	-	TRUE11C1807A	-	-	-	-	WHA28C1809A	0.36	(0.07)	104,392	-
THCO01P1809A	0.91	(0.06)	133,509	-	TRUE13C1807A	0.01	-	2,333	-	WHAU01C1810A	0.19	0.01	35,728	-
THCO08C1906A	0.15	0.03	3,080	-	TRUE13C1810A	0.04	0.01	64,352	-	WHAU01C1810B	0.06	-	3,971	-
THCO11C1902A	0.08	0.02	1,800	-	TRUE13C1812A	0.18	0.01	161,994	-	WHAU24C1812A	-	-	-	-
THCO19C1811A	-	-	-	-	TRUE16C1812A	0.21	0.01	11,000	-	WORK01C1806A	-	-	-	-
THCO23C1808A	-	-	-	-	TRUE19C1901A	0.13	0.01	40,347	-	WORK01C1806B	-	-	-	-
THCO24C1807A	-	-	-	-	TRUE23C1806A	-	-	-	-	WORK01C1811A	0.58	0.10	64,246	-
THCO24C1810A	0.11	(0.11)	350	-	TRUE27C1809A	0.10	0.01	14,922	-	WORK01C1811B	0.42	0.09	43,657	-
THCO28C1808A	-	-	-	-	TRUE27P1809A	0.46	(0.01)	4,000	-	WORK08C1809A	0.01	-	3,926	-
THCO28C1901A	0.18	0.04	17,397	-	TRUE28C1807A	-	-	-	-	WORK08C1901A	0.47	0.10	33,911	-
TISCO1C1808A	0.58	(0.03)	26,800	-	TRUE28C1808A	-	-	-	-	WORK11C1903A	0.14	0.04	25,031	-
TISCO1C1808B	0.15	(0.02)	9,527	-	TRUE28C1810A	-	-	-	-	WORK13C1809A	-	-	-	-
TISCO08C1808A	0.20	(0.02)	26,402	-	TRUE28C1812A	0.15	0.02	124,516	-	WORK13C1810A	0.03	0.01	120,000	-
TISC11C1903A	0.42	(0.02)	12,854	-	TTA01C1807A	0.01	(0.01)	150	-	WORK13C1811A	0.16	0.04	58,818	-
TISC13C1807A	0.04	(0.02)	4,000	-	TTA01P1807A	1.18	(0.06)	15,132	1.00	WORK13C1812A	0.57	0.16	119,449	-
TISC13C1811A	0.59	(0.04)	43,928	-	TTA08C1808A	-	-	-	-	WORK19C1811A	0.25	0.07	21,435	-
TISC24C1806A	-	-	-	-	TTA08C1906A	0.26	0.02	33,527	-	WORK23C1807A	-	-	-	-
TISC24C1812A	0.50	(0.03)	20	-	TTA11C1806A	-	-	-	-	WORK24C1810A	0.03	0.02	41,500	-
TISC27C1807A	0.09	(0.01)	1,000	-	TTA13C1809A	0.05	-	15,000	-	WORK24C1812A	0.40	0.10	1,959	-
TISC28C1807A	-	-	-	-	TTA13C1901A	0.24	0.03	81,062	-	WORK28C1808A	-	-	-	-
TKN01C1808A	0.08	(0.03)	33,216	-	TTA18C1808A	-	-	-	-	WORK28C1809A	0.03	0.02	8,256	-
TKN01C1808B	-	-	-	-	TTA19C1811A	0.11	0.01	28,472	-	WORK28C1811A	0.17	0.04	36,074	-
TKN06C1806A	-	-	-	-	TTA23C1808A	-	-	-	-	Preferred/Foreign	-	-	-	-
TKN08C1808A	-	-	-	-	TTA23C1901A	0.12	0.01	10,500	-	BH-Q	-	-	-	-
TKN08C1811A	0.14	(0.03)	48,190	-	TTA24C1809A	-	-	-	-	CSC-Q	-	-	-	-
TKN11C1902A	0.20	(0.03)	25,040	-	TTA24C1902A	0.11	(0.03)	2,001	-	JUTHA-Q	-	-	-	-
TKN13C1808A	0.01	-	2,096	-	TTA28C1812A	0.11	0.02	80,400	-	KTB-Q	-	-	-	-
TKN13C1810A	0.11	(0.03)	50,209	-	TU01C1808A	0.02	-	2,200	-	SCB-Q	-	-	-	-
TKN13C1811A	0.12	(0.02)	43,217	-	TU01C1808B	0.01	-	10,924	-	TCAP-Q	-	-	-	-
TKN19C1811A	0.14	(0.03)	15,066	-	TU01P1808A	1.22	0.03	30,480	1.00	TIC-Q	-	-	-	-
TKN23C1806A	-	-	-	-	TU06C1902A	0.17	(0.01)	2,189	-	TISCO-Q	-	-	-	-
TKN24C1807A	-	-	-	-	TU08C1811A	-	-	-	-	U-Q	-	-	-	-
TKN24C1811A	0.27	(0.05)	38,960	-	TU11C1902A	0.04	-	500	-	Warrant	-	-	-	-
TKN24C1812A	-	-	-	-	TU13C1809A	-	-	-	-	7UP-W2	-	-	-	-
TKN28C1808A	0.01	(0.01)	5,000	-	TU23C1806A	-	-	-	-	ACC-W1	0.03	-	187	-
TKN28C1811A	0.13	(0.03)	206,643	-	TU24C1808A	-	-	-	-	AJA-W1	-	-	-	-
TMB01C1807A	0.01	-	3,399	-	TU24C1901A	0.12	-	500	-	ALT-W1	0.68	(0.03)	818	-
TMB01C1810A	0.30	0.06	78,361	-	TU27C1807A	-	-	-	-	APURE-W2	0.17	(0.10)	263,190	-
TMB01C1810B	0.17	0.03	95,947	-	TV001C1809A	0.13	0.01	55,489	-	AQ-W4	0.01	-	552	-
TMB01P1807A	0.88	(0.05)	7,436	-	TV001C1809B	-	-	-	-	AS-W1	0.41	-	3,763	-
TMB01P1810A	0.40	(0.04)	15,792	-	TV008C1808A	-	-	-	-	AYUD-W1	3.60	0.32	45,591	3.00
TMB06C1809A	-	-	-	-	TVO11C1903A	0.09	-	1,304	-	B-W3	0.01	-	2	-
TMB06C1902A	0.19	0.02	5,793	-	TVO13C1809A	-	-	-	-	BTS-W3	0.07	-	271,466	-
TMB07C1811A	-	-	-	-	TVO23C1808A	-	-	-	-	BWG-W4	0.05	-	22,563	-
TMB08C1808A	0.01	-	4,900	-	TVO24C1810A	-	-	-	-	CEN-W4	0.05	-	311	-
TMB08C1901A	0.17	0.03	22,110	-	TVO28C1808A	-	-	-	-	CGH-W2	-	-	-	-
TMB11C1806A	-	-	-	-	UNIQ01C1809A	0.11	-	170,459	-	CGH-W3	0.06	(0.01)	86,956	-
TMB11C1904A	0.16	0.03	11,420	-	UNIQ01C1810A	0.24	-	57,553	-	CI-W1	0.36	(0.08)	56	-
TMB13C1811A	0.12	0.02	37,134	-	UNIQ01C1810B	0.10	-	85,043	-	CKP-W1	0.37	(0.01)	4,142	-
TMB23C1810A	-	-	-	-	UNIQ01P1809A	0.68	-	60,579	-	CRANE-W1	-	-	-	-
TMB24C1809A	-	-	-	-	UNIQ08C1808A	-	-	-	-	CWT-W4	0.54	(0.02)	26,176	-
TMB24C1901A	-	-	-	-	UNIQ08C1810A	-	-	-	-	DCC-W1	0.73	0.01	99,851	-
TMB28C1808A	0.01	-	11,646	-	UNIQ08C1906A	0.26	0.01	86,328	-	DCON-W1	-	-	-	-
TMB28C1809A	0.05	0.01	150	-	UNIQ11C1811A	0.10	-	16,326	-	DIGI-W1	0.04	(0.02)	56,932	-
TOP01C1808A	0.02	(0.03)	93,140	-	UNIQ13C1807A	-	-	-	-	DIGI-W2	0.02	-	126	-
TOP01C1808B	0.01	-	5,470	-	UNIQ13C1809A	0.07	0.01	8,020	-	EARTH-W4	-	-	-	-
TOP01P1808A	1.69	0.16	70,599	1.00	UNIQ13C1901A	0.27	0.02	147,701	-	EIC-W2	-	-	-	-
TOP06C1809A	-	-	-	-	UNIQ19C1811A	-	-	-	-	EIC-W3	-	-	-	-
TOP07C1812A	0.27	(0.08)	8,820	-	UNIQ23C1806A	-	-	-	-	EIC-W4	-	-	-	-
TOP08C1811A	0.07	(0.02)	6,500	-	UNIQ23C1901A	0.11	-	12,000	-	EVER-W3	0.03	-	12,195	-
TOP11C1808A	-	-	-	-	UNIQ24C1806A	-	-	-	-	GJS-W3	0.03	-	121	-
TOP13C1811A	0.06	(0.03)	81,699	-	UNIQ24C1811A	-	-	-	-	GL-W4	0.01	-	3,188	-
TOP13C1901A	0.36	(0.08)	77,336	-	UNIQ28C1807A	-	-	-	-	GSTEL-W1	-	-	-	-
TOP18C1808A	-	-	-	-	UNIQ28C1809A	0.05	0.03	20	-	GSTEL-W2	-	-	-	-
TOP19C1901A	0.26	(0.07)	60,239	-	UNIQ28C1811A	0.12	-	138,399	-	IEC-W2	-	-	-	-
TOP23C1811A	0.09	(0.04)	16,945	-	UV01C1807A	-	-	-	-	IFEC-W2	-	-	-	-
TOP24C1806A	-	-	-	-	UV08C1807A	-	-	-	-	IHL-W1	4.42	(0.08)	179	4.00
TOP24C1901A	-	-	-	-	UV13C1807A	-	-	-	-	ITD-W1	0.12	(0.01)	71,207	-
TOP28C1810A	-	-	-	-	UV13C1808A	0.01	-	1,000	-	IVL-W2	13.10	(0.30)	74,862	13.00
TP101C1807A	-	-	-	-	UV13C1812A	0.33	(0.02)	138,609	-	JAS-W3	1.55	(0.05)	56,429	1.00
TP101C1807B	-	-	-	-	UV23C1809A	-	-	-	-	JCK-W5	0.42	-	456	-
TP101C1812A	0.17	(0.03)	33,243	-	UV24C1807A	-	-	-	-	JMART-W2	1.44	(0.20)	3,693	1.00
TP101C1812B	0.12	(0.02)	29,148	-	UV24C1812A	0.18	(0.03)	8,000	-	MIDA-W2	0.02	(0.01)	10,851	-
TP107C1812A	-	-	-	-	UV28C1807A	-	-	-	-	MILL-W3	-	-	-	-
TP108C1807A	-	-	-	-	UV28C1808A	-	-	-	-	MILL-W4	0.26	(0.02)	13	-
TP113C1809A	-	-	-	-	VGI01C1812A	0.66	-	16,977	-	ML-W2	0.03	(0.01)	22,350	-
TP123C1809A	0.01	(0.01)	1	-	VGI06C1904A	6.20	(0.15)	400	6.00	MONO-W1	0.53	(0.02)	10,672	-
TP124C1808A	-	-	-	-	VGI06C1904B	-	-	-	-	NEP-W3	0.11	-	414	-
TP124C1902A	-	-	-	-	VGI06C1904C	6.25	0.05	1,600	6.00	NOK-W1	1.09	0.11	607	1.00
TP128C1808A	-	-	-	-	VGI08C1811A	0.59	-	23,778	-	NPP-W3	0.30	-	17,126	-
TP1P01C1810A	0.33	(0.01)	32,630	-	VGI23C1905A	-	-	-	-	NUSA-W3	0.13	(0.05)	949	-
TP1P01C1810B	0.14	(0.01)	930	-	VGI23C1911A	1.32	(0.01)	10	1.00	ORI-W1	2.04	(0.10)	2,427	2.00
TP1P01P1810A	0.77	0.02	22,828	-	VGI27C1812A	0.38	-	900	-	PACE-W1	0.01	-	1,158	-
TP1P08C1808A	-	-	-	-	VGI28C1810A	0.37	(0.01)	143,459	-	PACE-W2	0.05	(0.01)	7,406	-
TP1P11C1811A	-	-	-	-	VIBH08C1806A	-	-	-	-	PDI-W1	1.37	0.03	84,436	1.00
TP1P13C1811A	0.20	(0.01)	35,003	-	WHA01C1807A	0.06	(0.04)	4,500	-	PDJ-W2	1.55	-	21	1.00
TP1P23C1808A	-	-	-	-	WHA01C1807B	-	-	-	-	PDJ-W3	1.52	(0.03)	20	1.00
TP1P24C1901A	-	-	-	-	WHA06C1809A	0.15	(0.04)	102,314	-	PDJ-W4	1.51	-	294	1.00
TP1P27C1812A	-	-	-	-	WHA07C1810A	0.18	(0.04)	800	-	PLE-W3	0.09	(0.01)	17,428	-

Main Board Quotation

Issue Date :

Wednesday July 04, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE01C1808A	0.15	0.02	128,175	-	WHA08C1811A	0.19	(0.03)	48,512	-	RICH-W1	-	-	-	-
TRUE01C1808B	0.03	-	26,585	-	WHA11C1903A	0.22	(0.04)	23,827	-	RICHY-W1	0.30	-	562	-
TRUE01P1808A	0.54	(0.03)	125,078	-	WHA13C1808A	0.09	(0.03)	30,085	-	RICHY-W2	0.17	-	6	-
TRUE06C1806A	-	-	-	-	WHA23C1810A	0.26	(0.04)	12,500	-	RS-W3	8.50	0.10	80	8.00
TRUE06C1811A	0.08	0.02	1,000	-	WHA24C1807A	-	-	-	-	S-W1	0.11	(0.01)	5,399	-
TRUE06C1906A	0.21	0.01	40	-	WHA24C1811A	0.13	(0.03)	5,930	-	SAMART-W2	0.26	(0.03)	30,755	-
TRUE06P1806A	-	-	-	-	WHA28C1807A	-	-	-	-	SAWAD-W1	5.20	0.05	410	5.00
TRUE08C1809A	0.06	0.01	3,000	-	WHA28C1808A	-	-	-	-	SDC-W1	0.05	-	256	-
SMM-W4	0.10	0.01	7,596	-	DNA-W1	1.05	0.03	147	1.00	-	-	-	-	-
SMT-W1	0.08	-	10,699	-	ECF-W2	3.62	(0.08)	893	3.00	-	-	-	-	-
SMT-W2	0.48	(0.05)	17,503	-	ECF-W3	2.66	(0.06)	2,275	2.00	-	-	-	-	-
SPALI-W4	20.30	(0.10)	794	20.00	EFORL-W3	0.01	-	1,196	-	-	-	-	-	-
SPORT-W5	0.12	(0.01)	4,257	-	EFORL-W4	0.03	0.01	11,317	-	-	-	-	-	-
SPORT-W6	-	-	-	-	FC-W1	0.06	-	1,001	-	-	-	-	-	-
SUPER-W4	0.12	-	1,339,315	-	FC-W2	0.04	-	101	-	-	-	-	-	-
SUSCO-W1	0.16	(0.02)	11,042	-	FOCUS-W2	0.33	0.05	7,971	-	-	-	-	-	-
SVI-W3	1.02	0.06	50	1.00	FVC-W2	0.42	(0.01)	790	-	-	-	-	-	-
TCC-W3	-	-	-	-	ITEL-W1	0.32	-	44,315	-	-	-	-	-	-
TCC-W4	-	-	-	-	JKN-W1	2.44	(0.02)	677	2.00	-	-	-	-	-
TCC-W5	0.16	(0.03)	150	-	LIT-W1	1.81	-	2,614	1.00	-	-	-	-	-
TCJ-W2	0.86	(0.02)	953	-	META-W2	0.07	(0.02)	24,312	-	-	-	-	-	-
TCMC-W2	0.32	(0.02)	8,426	-	NBC-W1	-	-	-	-	-	-	-	-	-
TFG-W1	1.34	0.09	151	1.00	NDR-W1	0.13	(0.01)	9,744	-	-	-	-	-	-
TFG-W2	0.68	-	602	-	NEWS-W4	-	-	-	-	-	-	-	-	-
TH-W2	0.12	-	9,288	-	NEWS-W5	-	-	-	-	-	-	-	-	-
THE-W2	0.05	-	17,446	-	NEWS-W6	-	-	-	-	-	-	-	-	-
TNITY-W1	0.84	(0.06)	6,474	-	NINE-W1	-	-	-	-	-	-	-	-	-
TNPC-W1	0.41	-	7	-	PHOL-W1	0.09	(0.02)	10,551	-	-	-	-	-	-
TRITN-W3	0.06	0.06	1,655,709	-	PIMO-W1	1.70	-	35	1.00	-	-	-	-	-
TSR-W1	0.41	(0.02)	3,155	-	PPS-W1	-	-	-	-	-	-	-	-	-
TTA-W5	0.41	(0.03)	122,799	-	PSTC-W1	0.25	0.01	2,615	-	-	-	-	-	-
U-W1	0.01	-	2	-	SIMAT-W2	0.49	(0.05)	332	-	-	-	-	-	-
U-W4	0.01	-	8	-	SIMAT-W3	0.63	0.03	1,376	-	-	-	-	-	-
VGI-W1	0.01	(0.01)	826,062	-	SKY-W1	12.40	-	50	12.00	-	-	-	-	-
VIBHA-W2	1.23	(0.03)	790	1.00	STAR-W3	1.26	-	344	1.00	-	-	-	-	-
VIBHA-W3	0.30	-	1,505	-	T-W3	-	-	-	-	-	-	-	-	-
WAVE-W1	0.41	(0.01)	233	-	TAKUNI-W	0.21	-	530	-	-	-	-	-	-
WHA-W1	6.80	(0.25)	1,885	6.00	TAPAC-W3	4.00	(0.20)	2,245	4.00	-	-	-	-	-
WORK-W1	10.40	0.40	9	9.00	TMILL-W1	0.90	(0.05)	15	-	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W4	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	TSF-W5	0.03	0.01	11,352	-	-	-	-	-	-
CSC-P	-	-	-	-	TVD-W2	0.42	(0.01)	1,927	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UKEM-W2	0.52	0.01	3,654	-	-	-	-	-	-
KTB-P	-	-	-	-	UWC-W2	0.01	-	12	-	-	-	-	-	-
SCB-P	-	-	-	-	XO-W1	4.60	0.70	71,511	4.00	-	-	-	-	-
TCAP-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TIC-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	0.03	-	196,115	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.11	(0.01)	4,762	-	-	-	-	-	-	-	-	-	-	-
ACAP-W1	4.34	0.20	61	4.00	-	-	-	-	-	-	-	-	-	-
ACAP-W2	2.00	(0.04)	792	2.00	-	-	-	-	-	-	-	-	-	-
AIRA-W1	0.02	(0.02)	86,138	-	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.04	(0.01)	16,218	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.79	0.01	671	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.20	-	1,540	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.06	(0.01)	3,135	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	-	-	-	-	-	-	-	-	-	-	-	-	-	-