

Main Board Quotation

Issue Date :

Wednesday July 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.90	-	230	6.86	RS	15.50	(0.30)	68,768	15.44
POMPI	-	-	-	-	HUMAN	10.00	(0.10)	4,529	9.97	SE-ED	2.92	(0.02)	45	2.92
SAFARI	-	-	-	-	ILINK	4.74	(0.06)	3,601	4.73	SMM	0.78	0.01	557	0.78
VI	-	-	-	-	INET	3.68	-	3,444	3.64	SPORT	0.56	0.02	3,572	0.54
WORLD	-	-	-	-	INTUCH	54.75	(0.50)	37,912	54.99	TBSP	-	-	-	-
WR	-	-	-	-	JAS	5.15	0.23	929,681	5.11	TH	0.61	(0.04)	7,810	0.63
Agribusiness	-	-	-	-	JASIF	9.95	(0.05)	98,712	9.99	TKS	10.60	-	5,360	10.55
CHOTI	-	-	-	-	JMART	8.50	-	15,182	8.55	TRITN	0.26	-	63,038	0.26
EE	0.76	-	57,387	0.77	JTS	1.58	0.11	9,754	1.58	VGI	7.10	(0.10)	52,691	7.10
GFPT	12.60	0.20	13,809	12.49	MFEC	3.98	(0.02)	4,188	3.98	WAVE	2.68	0.02	161	2.60
LEE	2.74	-	223	2.74	MSC	5.85	(0.05)	1,297	5.81	WORK	43.50	1.50	26,505	43.20
STA	10.10	(0.20)	20,071	10.12	PT	6.50	0.05	1,564	6.46	Finance & Securities	-	-	-	-
TLUXE	5.65	0.10	18,017	5.77	SAMART	7.30	(0.05)	12,619	7.33	AEC	0.45	-	527	0.47
TRUBB	1.59	-	2,167	1.60	SAMTEL	7.75	0.20	231	7.74	AEONTS	190.00	20.00	52,752	181.31
TWPC	9.15	(0.10)	646	9.18	SDC	0.23	(0.01)	74,502	0.24	AMANAH	1.88	(0.03)	39,959	1.88
UPOIC	4.04	0.02	57	4.02	SIS	8.60	(0.05)	315	8.62	ASAP	5.40	-	80,466	5.52
UVAN	7.70	0.10	867	7.69	SVOA	1.35	0.08	154,335	1.34	ASK	22.00	-	295	22.05
VPO	0.63	-	633	0.63	SYMC	4.56	0.02	1,060	4.50	ASP	3.76	(0.04)	34,480	3.77
Banking	-	-	-	-	SYNEX	14.30	-	15,789	14.10	BFIT	28.25	-	414	28.23
BAY	39.50	0.25	3,347	39.32	THCOM	7.90	0.05	13,260	7.87	CGH	1.14	(0.06)	26,635	1.13
BBL	196.00	(1.50)	29,959	196.26	TRUE	5.80	-	693,513	5.78	CNS	2.58	-	1,049	2.58
CIMBT	0.88	(0.02)	6,512	0.88	TWZ	0.13	(0.01)	31,738	0.13	ECL	1.81	0.06	68,397	1.80
KBANK	195.00	(0.50)	36,703	194.27	Electronic Componen	-	-	-	-	FNS	4.50	0.06	10,408	4.61
KKP	71.50	(0.25)	54,059	71.21	CCET	2.16	0.02	48,238	2.18	FSS	2.44	0.02	1,472	2.40
KTB	17.60	-	166,656	17.51	DELTA	60.00	(1.00)	16,042	60.49	GBX	0.65	(0.01)	1,523	0.64
LHFG	1.49	0.01	5,442	1.49	EIC	0.06	-	7,553	0.06	GL	5.20	0.05	3,329	5.21
SCB	121.50	(2.00)	82,337	122.05	HANA	35.25	0.25	38,872	35.33	IFS	2.88	-	127	2.86
TCAP	48.50	(0.50)	14,141	48.51	KCE	40.75	1.50	87,692	40.69	JMT	28.25	(0.50)	3,524	28.39
TISCO	86.75	0.50	27,934	86.65	METCO	191.00	-	1	191.00	KCAR	13.20	(0.10)	703	13.20
TMB	2.40	(0.02)	540,780	2.40	SMT	2.26	0.04	11,581	2.30	KGI	3.98	(0.02)	23,310	3.98
Construction Materia	-	-	-	-	SPPT	4.76	0.02	2,092	4.74	KTC	357.00	11.00	25,557	352.58
CCP	0.40	-	18,450	0.39	SVI	4.16	0.04	29,963	4.17	MBKET	12.50	0.10	3,365	12.49
DCC	2.26	(0.02)	20,437	2.26	TEAM	1.14	(0.02)	69,212	1.15	MFC	14.90	-	1,501	14.88
DCON	0.53	-	11,987	0.53	Energy & Utilities	-	-	-	-	ML	0.99	-	6,458	0.99
DRT	5.70	-	160	5.70	ABPIF	8.50	-	720	8.52	MTC	35.75	-	115,791	36.04
EPG	7.60	(0.05)	37,282	7.55	AI	-	-	-	-	PE	0.32	-	5,188	0.33
GEL	0.33	-	10,030	0.33	AKR	1.72	(0.03)	298,248	1.73	PL	3.36	-	436	3.35
PPP	3.60	-	164	3.59	BAFS	32.50	(0.25)	2,136	32.49	S11	7.30	0.05	1,259	7.24
Q-CON	5.35	(0.05)	28	5.36	BANPU	20.40	(0.10)	658,637	20.40	SAWAD	31.00	(1.00)	84,695	31.53
RCI	2.88	0.04	26,023	2.88	BGP	33.50	0.50	51,466	33.19	THANI	7.70	(0.05)	28,778	7.69
SCC	424.00	(2.00)	28,096	425.55	BPGP	16.80	0.10	55,232	16.71	TK	10.80	(0.10)	5,332	10.79
SCCC	208.00	2.00	1,171	208.03	BGRIM	23.80	0.30	101,880	23.68	TNITY	5.85	0.05	799	5.84
SCP	7.75	-	716	7.72	BPP	23.50	0.20	18,002	23.47	UOBKH	4.10	-	182	4.10
SKN	5.00	-	18,119	5.02	BRRGIF	10.20	-	157	10.22	ZMICO	1.03	-	4,461	1.03
TASCO	13.30	(0.10)	12,858	13.32	CKP	3.98	-	85,117	3.95	Food & Beverage	-	-	-	-
TCMC	2.34	-	14,523	2.33	DEMCO	3.72	0.06	8,559	3.75	APURE	1.27	0.03	2,261	1.27
TGCI	3.14	0.06	28,353	3.14	EA	31.25	(0.25)	199,655	31.29	ASIAN	5.40	0.30	74,379	5.34
TOA	38.00	(0.50)	10,879	38.07	EARTH	-	-	-	-	BR	5.65	(0.10)	15,969	5.70
TPPL	1.85	0.02	87,411	1.84	EASTW	10.90	0.10	3,941	10.82	BRR	6.75	-	942	6.65
UMI	1.18	0.04	20,594	1.21	EGATIF	10.90	-	18,729	10.90	CBG	46.50	-	26,076	46.64
VNG	8.00	(0.05)	2,320	8.04	EGCO	229.00	(4.00)	8,427	228.85	CFRESH	4.14	(0.02)	243	4.14
WIH	2.22	(0.06)	3,796	2.24	ESSO	11.80	-	71,468	11.72	CM	4.12	0.02	507	4.11
Petrochemicals & Che	-	-	-	-	GLOW	93.25	-	41,658	93.39	CPF	25.50	-	241,975	25.43
CMAN	3.08	0.12	133,496	3.05	GPSC	70.00	1.00	61,170	69.98	CPD	1.51	(0.02)	8,093	1.51
GC	4.98	-	242	4.98	GULF	64.50	(0.50)	11,843	64.45	F&D	16.00	-	1	16.00
GGC	9.45	(0.10)	25,434	9.48	GUNKUL	2.86	0.04	58,658	2.85	HTC	18.90	(0.20)	1,043	18.75
GIFT	4.30	(0.06)	1,188	4.29	IEC	-	-	-	-	ICHI	4.72	-	39,698	4.78
IVL	55.75	(0.25)	173,055	55.71	IFEC	-	-	-	-	KBS	4.36	0.02	111	4.36
NFC	11.10	-	1,282	11.10	IRPC	5.95	(0.05)	1,015,695	5.91	KSL	3.06	-	3,858	3.06
PATO	15.10	0.10	106	14.92	LANNA	15.40	-	303	15.36	KTIS	5.90	-	190	5.86
PMTA	15.90	-	8	15.86	MDX	3.96	0.28	32,302	4.02	LST	4.62	0.08	904	4.65
PTTGC	77.50	(0.50)	240,000	77.13	PTG	15.60	0.50	64,431	15.43	M	74.50	(0.75)	2,437	74.86
SUTHA	4.12	(0.08)	27	4.15	PTT	48.50	(0.25)	740,551	48.26	MALEE	12.20	(0.10)	3,029	12.26
TCB	-	-	-	-	PTTEP	136.00	(2.50)	137,997	136.75	MINT	33.75	0.25	53,707	33.48
TCCC	33.00	0.50	96	33.25	RATCHE	51.75	-	21,147	51.74	OISHI	95.00	1.50	5	94.40
TPA	6.05	(0.15)	246	6.10	RPC	0.55	0.02	38,738	0.55	PB	61.50	0.25	739	61.11
UP	-	-	-	-	SCG	4.60	-	793	4.60	PM	10.30	(0.20)	4,295	10.40
VNT	22.50	(0.60)	10,503	22.78	SCI	2.94	0.14	61,412	3.05	PRG	-	-	-	-
WG	152.00	-	51	152.02	SCN	3.86	0.02	8,950	3.88	SAPPE	25.25	(0.50)	3,355	25.65
YCI	-	-	-	-	SGP	10.40	(0.20)	255,032	10.45	SAUCE	21.40	0.10	3	21.40
Commerce	-	-	-	-	SKE	1.26	(0.01)	18,617	1.27	SFP	-	-	-	-
BEAUTY	7.50	(0.10)	2,251,215	7.59	SOLAR	2.46	0.46	217,137	2.37	SNP	20.40	(0.10)	71	20.39
BIG	2.14	0.04	135,014	2.14	SPCG	20.50	0.10	6,098	20.53	SORKON	67.50	0.50	1	67.50
BJC	53.25	0.25	67,241	53.12	SPRC	13.70	(0.10)	138,298	13.68	SSC	-	-	-	-
COL	28.00	-	7,891	28.01	SUPER	0.70	(0.01)	1,471,026	0.71	SSF	9.00	(0.25)	131	8.64
COM7	17.60	-	27,087	17.57	SUSCO	3.26	0.02	15,526	3.23	SST	5.85	0.05	692	5.88
CPALL	78.75	(0.25)	173,851	78.70	TAE	2.10	0.06	4,165	2.07	TC	-	-	-	-
CSS	2.02	0.02	3,353	2.00	TCC	0.37	-	8,858	0.36	TFG	3.80	-	31,980	3.90
FN	3.42	0.38	260,012	3.37	TOP	77.00	0.50	115,982	77.10	TFMAMA	151.00	-	105	151.00
FTE	2.18	0.21	73,445	2.11	TPIPP	6.00	0.05	114,436	5.94	TIPCO	8.50	-	7,280	8.50
GLOBAL	16.60	(0.50)	42,056	16.72	TTW	12.40	(0.10)	34,450	12.30	TKN	14.60	0.20	66,416	14.60
HMPRO	14.20	(0.10)	169,055	14.19	WHAUP	5.70	(0.05)	27,013	5.70	TU	15.00	(0.40)	50,810	15.12
IT	4.52	0.06	3,198	4.55	WP	7.20	(0.10)	11,932	7.23	TVO	28.00	0.50	32,279	27.64
KAMART	4.74	(0.04)	137,937	4.81	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.22	0.02	29,689	2.22	AMARIN	4.82	0.02	290	4.81	AHC	20.40	(0.20)	147	20.56
MAKRO	37.00	(0.75)	9,357	37.19	AQUA	0.49	(0.01)	31,847	0.50	BCH	15.70	(0.50)	183,291	15.66
MC	12.00	-	3,788	12.01	AS	1.51	-	513	1.51	BDMS	25.25	(0.75)	157,973	25.56
MEGA	41.00	(1.00)	7,995	41.26	BEC	7.90	-	30,879	7.92	BH	171.50	(2.50)	15,076	172.43
MIDA	0.60	0.01	852	0.60	EPCO	5.00	-	20,209	5.01	CHG	2.06	-	48	

Main Board Quotation

Issue Date :

Wednesday July 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	7.55	0.05	2,477	7.49	MJD	3.30	-	1,430	3.27	CPT	2.44	(0.02)	25,523	2.46
WPH	2.86	0.04	1,127	2.83	MK	4.08	0.78	1,171,487	4.11	CRANE	2.64	0.10	2,928	2.62
Tourism & Leisure					NCH	0.92	-	488	0.92	CTW	8.10	(0.05)	1,217	8.20
ASIA	6.70	(0.05)	103	6.70	NNCL	1.61	-	12,093	1.60	FMT	25.00	0.10	38	25.00
CENDEL	44.25	(0.25)	9,903	44.21	NOBLE	12.10	-	21,224	12.20	HTECH	7.40	(0.10)	6,053	7.39
CSR	76.00	4.00	12	74.52	NUSA	0.34	(0.01)	154,426	0.35	KKC	1.73	0.03	2,117	1.73
DTC	11.90	(0.40)	2,738	12.04	NVD	4.10	0.04	125	4.09	PK	3.16	-	21,670	3.26
ERW	6.30	-	79,600	6.33	ORI	17.10	(0.20)	18,550	17.08	SNC	14.50	(0.10)	8,719	14.47
GRAND	0.87	0.03	1,395	0.86	PACE	0.41	0.01	43,250	0.41	T CJ	5.70	(0.05)	273	5.71
LRH	35.00	(1.00)	1	35.00	PF	0.90	-	255,259	0.89	VARO	-	-	-	-
MANRIN	-	-	-	-	PLAT	7.75	(0.15)	783	7.81	Property Fund & REIT				
OHTL	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.00	-	377	10.00
ROH	-	-	-	-	PRECHA	1.30	0.02	227	1.29	AMATAR	10.40	-	588	10.40
SHANG	67.00	-	42	66.88	PRIN	1.59	0.01	3,962	1.58	B-WORK	10.40	-	777	10.42
Home & Office Produ					PRINC	5.15	(0.05)	5,727	5.12	BKKCP	12.00	-	228	12.00
ACC	0.47	-	3,245	0.47	PSH	20.40	(0.30)	10,233	20.45	BOFFICE	12.40	-	1,295	12.48
AJA	0.37	(0.01)	56,065	0.37	OH	3.30	(0.02)	561,114	3.30	CPNCG	14.50	(0.10)	418	14.60
DTCI	-	-	-	-	RICHY	1.66	0.01	2,687	1.65	CPNREIT	23.50	(0.10)	1,996	23.56
FANCY	1.01	0.03	48,758	1.03	RML	1.27	0.02	180,498	1.26	CPTGF	13.00	-	126	13.00
KYE	416.00	-	14	414.71	ROJNA	5.10	(0.10)	12,020	5.17	CRYSTAL	10.30	(0.10)	279	10.33
L&E	2.76	0.02	643	2.71	S	2.92	0.08	34,757	2.89	CTARAF	4.72	(0.02)	715	4.70
MODERN	4.50	-	3,541	4.49	SAMCO	2.18	0.02	223	2.19	DREIT	5.35	(0.05)	168	5.36
OGC	38.50	(0.25)	2	38.25	SC	3.48	(0.02)	10,724	3.49	ERWPF	-	-	-	-
ROCK	17.40	1.30	1	17.40	SENA	3.58	0.02	2,835	3.58	FUTUREPF	20.80	-	8,342	20.80
SIAM	1.80	(0.01)	619	1.77	SF	8.10	-	7,407	8.14	GAHREIT	9.80	-	10	9.80
TSR	2.20	-	2,013	2.22	SIRI	1.59	(0.03)	588,609	1.60	GLANDRT	12.30	-	1,140	12.21
Insurance					SPALI	24.50	(1.00)	181,280	24.40	GOLDPF	7.00	(0.10)	1,627	7.04
AYUD	40.00	(0.25)	60	39.86	TICON	16.20	(0.20)	536	16.28	GVREIT	14.50	-	5,430	14.50
BKI	352.00	-	44	352.32	U	0.03	-	1,476,790	0.03	HPF	5.30	(0.05)	36	5.30
BLA	30.50	(0.25)	4,351	30.50	UV	7.15	0.05	39,634	7.08	HREIT	6.85	0.10	4,530	6.81
BUI	-	-	-	-	WHA	3.92	(0.02)	263,582	3.90	IMPACT	17.10	-	420	17.08
CHARAN	34.00	0.50	13	34.00	WIN	0.61	0.01	2,161	0.60	KPNPF	9.40	-	90	9.40
INSURE	-	-	-	-	Paper & Printing Mat					LHHOTEL	15.40	-	2,677	15.40
MTI	120.50	(1.00)	56	120.70	UTP	11.50	-	3,628	11.54	LHPF	8.25	(0.05)	840	8.25
NKI	54.25	(1.75)	15	54.25	Fashion					LHSC	15.20	0.10	343	15.11
NSI	-	-	-	-	AFC	-	-	-	-	LUXF	-	-	-	-
SMK	40.25	-	44	40.10	BTNC	-	-	-	-	M-II	-	-	-	-
THRE	1.13	0.01	7,138	1.13	CPH	5.65	0.25	41	5.64	M-PAT	-	-	-	-
THREL	7.80	0.20	8,370	7.76	CPL	-	-	-	-	M-STOR	10.20	(0.10)	4	10.20
TIC	34.25	0.25	32	34.23	DIGI	0.43	-	6,852	0.43	MIPF	-	-	-	-
TIP	23.30	0.50	7,031	23.14	ICC	38.75	-	3	38.58	MIT	5.00	-	1	5.00
TSI	0.53	-	695	0.51	LTX	79.50	2.75	465	80.80	MJLF	-	-	-	-
TVI	3.58	-	256	3.56	NC	-	-	-	-	MNIT	-	-	-	-
Mining					PAF	0.87	0.06	30,506	0.88	MNIT2	5.30	0.10	100	5.30
PDI	17.30	0.40	5,231	17.20	PDJ	2.86	(0.08)	1,650	2.86	MNRF	-	-	-	-
THL	-	-	-	-	PG	-	-	-	-	MONTRI	-	-	-	-
Packaging					SABINA	30.25	0.75	181	29.01	POPF	13.60	-	297	13.60
AJ	10.30	-	1,255	10.30	SAWANG	-	-	-	-	PPF	-	-	-	-
ALUCON	208.00	2.00	2	208.00	SUC	43.25	-	132	43.46	QHHR	8.50	-	1,305	8.50
CSC	-	-	-	-	TNL	-	-	-	-	QHOP	3.50	0.04	5	3.48
NEP	0.42	-	1,277	0.41	TPCORP	14.90	0.40	282	14.54	QHPP	12.10	0.10	1,936	12.04
NPP	1.27	(0.01)	18,812	1.27	TR	46.00	(0.25)	11	46.00	SBPF	-	-	-	-
PTL	14.70	-	3,216	14.73	TTI	-	-	-	-	SHREIT	9.30	0.10	138	9.25
SITHAI	1.13	0.02	1,246	1.12	TTL	-	-	-	-	SIRIP	11.00	0.20	25	11.00
SLP	0.92	0.01	1,311	0.91	TTTM	138.50	-	27	138.72	SPF	23.20	(0.10)	494	23.26
SMPC	12.40	-	479	12.49	UPF	-	-	-	-	SRIPANWA	-	-	-	-
SPACK	1.89	0.01	14	1.89	UT	-	-	-	-	SSPF	10.00	-	282	10.00
TCOAT	-	-	-	-	WACOAL	42.50	(1.25)	1	42.50	SSTPF	6.50	(0.20)	45	6.40
TFI	0.35	(0.02)	250	0.35	Transportation & Log					SSTRT	6.35	(0.15)	2	6.35
THIP	35.25	0.25	569	34.94	AAV	4.64	-	120,897	4.64	TIF1	-	-	-	-
TMD	21.30	0.10	319	21.29	AOT	64.75	(0.75)	264,114	64.75	TLGF	18.10	0.10	6,737	18.06
TOPP	-	-	-	-	ASIMAR	2.76	(0.04)	2,563	2.76	TLHPF	-	-	-	-
TPBI	8.25	0.10	343	8.20	B	0.58	0.03	46,864	0.59	TNPF	3.78	(0.56)	2,451	3.80
TPP	-	-	-	-	BA	12.50	-	13,304	12.41	TPRIME	-	-	-	-
Personal Products &					BEM	7.75	(0.10)	151,512	7.78	TREIT	11.30	-	20,521	11.37
APCO	4.50	-	754	4.49	BTS	9.10	-	176,319	9.04	TTLPF	24.00	-	12	23.83
DDD	47.75	(0.25)	11,173	48.38	BTSGIF	12.00	-	1,625	11.96	TU-PF	1.99	0.28	10	1.99
JCT	-	-	-	-	III	4.58	(0.06)	15,611	4.63	URBNPF	3.40	0.02	3,054	3.39
OCC	17.20	-	50	17.20	JUTHA	1.76	-	190	1.76	WHABT	9.95	(0.05)	1	9.95
S & J	23.00	0.20	5	23.00	JWD	6.55	(0.15)	10,254	6.57	WHART	10.10	0.10	230	10.10
STHAI	-	-	-	-	KWC	-	-	-	-	Steel				
TNR	12.50	-	668	12.65	NOK	2.70	(0.04)	3,933	2.70	AMC	2.56	-	965	2.53
TOG	4.98	0.08	1,210	5.03	NYT	5.05	-	9,913	5.05	BSBM	1.11	0.01	2,045	1.11
Professional Service					PRM	6.20	-	44,931	6.26	CEN	1.26	-	1,529	1.26
BWG	0.97	0.05	395,127	0.94	PSL	11.70	(0.30)	30,827	11.70	CITY	2.60	0.02	205	2.60
GENCO	0.79	-	1,583	0.79	RCL	5.00	-	5,299	5.03	CSP	1.37	(0.02)	338	1.37
PRO	-	-	-	-	THAI	13.30	(0.10)	16,995	13.20	GJS	0.31	-	16,318	0.31
Property Developer					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	723	6.70	TTA	6.85	0.05	10,460	6.83	INOX	1.03	-	787	1.03
AMATA	18.90	(0.30)	110,772	18.99	WICE	3.74	(0.02)	81,918	3.79	LHK	4.72	(0.04)	3,690	4.74
AMATAV	6.70	(0.10)	319	6.73	Automotive					MAX	0.02	-	87,481	0.02
ANAN	4.96	(0.02)	55,066	4.95	AH	33.00	(0.50)	5,063	33.23	MCS	7.90	(0.05)	2,840	7.88
AP	8.70	(0.15)	83,420	8.71	APCS	4.98	(0.02)	141	4.92	MILL	1.33	-	915	1.33
APEX	0.20	-	5,230	0.20	BAT-3K	-	-	-	-	PAP	4.12	-	873	4.12
AQ	0.03	-	2,505,973	0.03	CWT	3.20	0.08	20,168	3.22	PERM	2.06	0.02	7,552	2.05
BLAND	1.94	0.04	971,775	1.92	EASON	2.90	(0.02)	6,327	2.87	RICH	-	-	-	-
BROCK	2.40	0.02	261	2.38	GYT	-	-	-	-	SAM	0.69	0.01	3,330	0.68
CGD	1.28	(0.01)	36,837	1.31	HFT	3.04	0.04	5,587	3.04	SMIT	5.70	-	853	5.70
CI	1.58	(0.01)	1	1.58	IHL	7.80	(0.30)	7,406	7.84	SSI	-	-	-	-
CPN	73.25	-	49,322	73.38	INGRS	0.71	0.01	7,645	0.71	SSSC	2.86	-	1,326	2.88
ESTAR	0.68	0.01	8,381	0.67	IRC	20.20	0.10	13	20.22	TGPRO	0.17	-	51,307	0.18
EVER	0.38	(0.01)	127,478	0.38	PCSGH	7.15	(0.05)	583	7.13	THE	3.08	(0.02)	60,652	3.08
GLAND	2.56	0.02	66,694	2.54	SAT	22.80	(0.40)	17,423	22.71	TIW	412.00	(4.00)	48	406.46
GOLD	11.10	-	29,088	11.05	SPG	-	-	-	-	TMT	14.60	-	15	14.69
GREEN	1.30	(0.02)	17,978	1.30	STANLY	252.00	-	89	250.19	TSTH	0.71	(0.01)	1,295	0.71
J	1.69	0.05	653	1.63	TKT	1.55	(0.01)	2,960	1.53	TUCC	-	-	-	-
JCK	1.48	-	1,556	1.47	TNPC	1.56	0.03	106	1.55	TWP	3.98	0.02	34	3.95
KC	-	-	-	-	TRU	4.54	(0.02)	643	4.54	TYCN	2.66	(0.02)	10	2.66
KWG	2.20	(0.06)	1,645	2.18	TSC	12.00	-	324	12.05	Construction Service				
LALIN	5.80	0.05	636											

Main Board Quotation

Issue Date :

Wednesday July 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UMS	0.73	0.05	5	-	ADVA11P1807A	0.07	(0.02)	2,200	-
ABICO	5.55	0.05	120	5.00	UWC	0.07	(0.01)	46,656	-	ADVA13C1809A	0.10	-	21,130	-
AU	9.20	0.10	28,713	9.00	Services (MAI)	-	-	-	-	ADVA13C1811A	0.61	-	77,291	-
FC	0.31	-	47,342	-	ADAM	-	-	-	-	ADVA13P1809A	0.24	(0.01)	14,531	-
JCKH	1.12	0.01	1,507	1.00	AKP	1.66	0.02	1,002	1.00	ADVA16C1812A	0.50	(0.01)	5,993	-
KASET	2.12	-	16	2.00	AMA	6.00	0.20	8,589	6.00	ADVA18C1808A	0.44	(0.01)	24,324	-
MM	3.90	(0.06)	169	3.00	ARIP	0.51	0.02	5,499	-	ADVA19C1901A	0.61	-	33,678	-
SUN	3.10	-	4,128	3.00	ATP30	1.62	0.01	1,173	1.00	ADVA24C1810A	0.43	0.01	4,325	-
TACC	4.18	0.08	18,502	4.00	AUCT	5.35	(0.10)	4,780	5.00	ADVA24P1810A	0.16	(0.01)	200	-
TMILL	2.88	(0.06)	3,378	2.00	BOL	1.93	0.05	1,636	1.00	ADVA28C1808A	0.04	0.01	3,000	-
XO	7.85	(0.15)	3,241	7.00	CHUO	-	-	-	-	ADVA28C1811A	0.52	0.02	256,549	-
Consumer Products	-	-	-	-	CMO	1.52	0.01	2,989	1.00	ADVA28P1810A	0.30	(0.02)	95,470	-
BGT	1.10	(0.02)	5	1.00	D	10.10	(0.10)	1,334	10.00	AMAT01C1810A	0.61	(0.03)	71,915	-
BIZ	2.76	0.14	13,289	2.00	DCORP	2.66	(0.14)	7,911	2.00	AMAT01C1810B	0.40	(0.04)	66,755	-
DOD	12.40	(0.80)	428,385	12.00	DNA	0.40	0.01	3,046	-	AMAT01P1810A	1.36	0.04	36,598	1.00
ECF	7.15	0.10	68,898	7.00	EFORL	0.07	0.01	23,488	-	AMAT06C1809A	-	-	-	-
HPT	1.07	0.02	33,449	1.00	ETE	2.10	(0.04)	5,229	2.00	AMAT08C1807A	-	-	-	-
JUBILE	20.90	(0.10)	47	20.00	FSMART	8.95	(0.05)	11,188	9.00	AMAT08C1809A	0.08	(0.01)	500	-
MOONG	5.65	(0.05)	3,680	5.00	FVC	1.30	(0.02)	12,841	1.00	AMAT11C1903A	0.28	(0.01)	22,014	-
NPK	-	-	-	-	HARN	2.46	(0.02)	4,100	2.00	AMAT13C1809A	0.06	-	9,111	-
OCEAN	2.02	0.18	261,599	1.00	JKN	10.20	(0.50)	72,568	10.00	AMAT13C1812A	0.35	(0.04)	158,532	-
TM	1.94	(0.01)	621	1.00	KIAT	0.45	0.01	21,932	-	AMAT19C1811A	0.16	(0.01)	21,434	-
Financials (MAI)	-	-	-	-	KOOL	1.69	0.26	320,295	1.00	AMAT23C1810A	-	-	-	-
ACAP	6.35	0.35	13,823	6.00	LDC	1.05	0.01	1,343	1.00	AMAT24C1807A	-	-	-	-
AF	0.86	0.01	86	-	MPG	0.18	-	6,548	-	AMAT24C1811A	0.26	0.01	150	-
AIRA	2.02	(0.02)	10,342	2.00	NBC	0.69	(0.01)	1,288	-	AMAT28C1808A	-	-	-	-
ASN	3.22	-	101	3.00	NCL	1.40	0.01	1,856	1.00	ANANO1C1807A	-	-	-	-
BROOK	0.55	0.01	14,990	-	NEWS	0.02	0.01	69,959	-	ANANO1C1810A	1.04	(0.02)	43,538	1.00
CHAYO	3.90	0.12	349,098	3.00	NINE	1.40	0.01	7,207	1.00	ANANO1C1810B	0.91	(0.05)	19,816	-
GCAP	4.50	0.08	15,205	4.00	OTO	2.70	0.06	122	2.00	ANANO8C1808A	0.03	0.01	1	-
LIT	8.00	0.35	16,923	7.00	PHOL	2.42	0.02	821	2.00	ANANO8C1810A	1.01	0.06	1	1.00
SGF	0.14	0.01	66,148	-	PICO	6.30	0.10	114	6.00	ANANO8C1906A	0.28	-	15,436	-
Industrials (MAI)	-	-	-	-	PORT	6.50	0.05	1,013	6.00	ANAN13C1901A	0.23	-	25,667	-
ZS	3.00	(0.06)	1,678	3.00	QLT	4.86	(0.04)	452	4.00	ANAN19C1811A	0.62	(0.01)	6,174	-
ADB	1.15	(0.01)	15,697	1.00	RP	3.00	0.04	543	2.00	ANAN23C1901A	0.36	-	3,000	-
BM	3.34	0.18	11,185	3.00	SE	2.02	-	6	2.00	ANAN24C1807A	-	-	-	-
CHO	1.12	-	2,700	1.00	SPA	14.20	-	7,583	14.00	ANAN24C1811A	0.84	(0.01)	5,500	-
CHOW	4.86	(0.10)	131	4.00	THMUI	1.22	0.01	1,684	1.00	ANAN28C1809A	0.60	(0.01)	14,578	-
CIG	0.38	-	2,087	-	TNDT	4.88	-	28	4.00	AOT01C1808A	0.24	(0.02)	354,265	-
COLOR	1.10	0.02	303	1.00	TNH	38.50	(0.50)	91	38.00	AOT01C1808B	0.02	0.01	101,612	-
CPR	4.84	0.22	5,056	4.00	TNP	1.97	-	986	1.00	AOT01C1810A	0.32	(0.02)	170,301	-
FPI	3.00	(0.02)	3,362	2.00	TSF	0.06	-	442,355	-	AOT01P1808A	0.90	0.03	233,386	-
GTB	0.74	0.02	4,158	-	TVD	1.35	0.01	2,055	1.00	AOT01P1808B	0.28	0.01	207,962	-
KCM	1.27	0.04	92,795	1.00	TVT	1.03	0.01	1,619	1.00	AOT06C1809A	0.07	(0.01)	3,543	-
LVT	-	-	-	-	WINNER	3.36	0.02	694	3.00	AOT08C1807A	-	-	-	-
MBAX	3.84	(0.02)	228	3.00	Technology (MAI)	-	-	-	-	AOT08C1901A	0.38	(0.01)	48,019	-
MGT	2.10	0.02	1,090	2.00	COMAN	3.42	-	839	3.00	AOT11C1808A	0.40	(0.05)	115,646	-
NDR	2.22	(0.02)	569	2.00	ICN	2.40	0.04	31,937	2.00	AOT11P1808A	-	-	-	-
PDG	3.52	(0.02)	648	3.00	IRCP	1.25	(0.01)	17,280	1.00	AOT13C1807A	-	-	-	-
PIMO	2.62	(0.02)	458	2.00	ITEL	2.78	(0.06)	4,335	2.00	AOT13C1809A	0.06	(0.01)	19,292	-
PJW	1.69	0.01	1,526	1.00	NETBAY	34.50	0.50	6,640	34.00	AOT13C1811A	0.24	(0.01)	88,415	-
PPM	2.42	-	194	2.00	PLANET	1.60	(0.02)	40	1.00	AOT13C1812A	0.40	(0.03)	115,757	-
RWI	1.64	0.01	3,552	1.00	SIMAT	2.72	0.18	28,133	2.00	AOT13P1810A	0.49	0.01	123,759	-
SALEE	1.04	0.04	2,940	1.00	SKY	14.40	-	1,002	14.00	AOT19C1809A	0.15	(0.02)	194,716	-
SANKO	1.25	0.01	13,635	1.00	SPVI	1.42	0.18	214,454	1.00	AOT23C1807A	0.20	(0.03)	20,380	-
SELIC	1.85	(0.01)	1,520	1.00	UPA	0.40	0.01	31,849	-	AOT23P1807A	0.02	-	7	-
SWC	23.10	(0.10)	291	23.00	VCOM	3.20	(0.04)	46,044	3.00	AOT24C1807A	-	-	-	-
TMC	0.84	(0.01)	2,113	-	Unit Trust	-	-	-	-	AOT24C1811A	0.14	(0.01)	13,439	-
TMI	0.78	-	1,414	-	MGE	-	-	-	-	AOT24P1809A	0.13	(0.01)	9,240	-
TMW	67.25	1.75	451	66.00	SCBSET	-	-	-	-	AOT28C1807A	-	-	-	-
TPAC	11.80	(0.50)	4,383	11.00	ETF	-	-	-	-	AOT28C1809A	0.08	(0.02)	9,560	-
UAC	4.80	(0.02)	713	4.00	1DIV	12.49	(0.01)	34	12.00	AOT28C1812A	0.34	(0.02)	242,426	-
UBIS	4.88	(0.02)	1,101	4.00	ABFTH	-	-	-	-	AP01C1809A	0.42	(0.04)	24,924	-
UEC	1.19	0.01	13,342	1.00	BMSCG	8.72	0.01	78	8.00	AP01C1809B	0.14	(0.04)	20,208	-
UKEM	0.80	-	11,303	-	BMSCITH	12.74	(0.06)	3,165	12.00	AP08C1810A	0.33	(0.06)	20,418	-
UREKA	0.51	0.01	104,692	-	BSET100	10.43	(0.05)	3,639	10.00	AP23C1901A	0.15	(0.03)	2,000	-
YUASA	16.40	0.10	22	16.00	CHINA	5.57	0.06	91	5.00	AP24C1901A	0.24	(0.04)	151	-
ZIGA	3.06	(0.02)	114,668	3.00	EBANK	5.42	(0.02)	1	5.00	AP42C1901A	0.28	(0.03)	26,416	-
Property & Construc	-	-	-	-	ECCOMM	8.37	(0.06)	1	8.00	AP42P1901A	0.45	0.03	17,690	-
ARROW	8.90	(0.10)	823	8.00	EFOOD	5.48	(0.02)	2	5.00	BA11C1902A	0.07	-	20	-
BKD	3.14	(0.04)	12,293	3.00	EICT	-	-	-	-	BA19C1811A	0.05	-	653	-
BSM	0.72	-	1,813	-	ENGY	-	-	-	-	BA24C1810A	0.14	0.01	2,600	-
BTW	1.48	0.04	1,704	1.00	ENY	7.30	(0.01)	1	7.00	BA24C1901A	-	-	-	-
CHEWA	1.02	-	12,221	1.00	ESET50	5.64	0.12	12	5.00	BA28C1809A	-	-	-	-
CRD	1.08	0.03	14,303	1.00	GLD	1.78	-	137	1.00	BANP01C1808A	0.25	(0.01)	319,368	-
DIMET	1.06	(0.01)	72,551	1.00	TDEX	10.63	-	527	10.00	BANP01C1808B	0.05	-	3,496	-
FLOYD	2.38	(0.04)	32,786	2.00	TGOLDEF	3.89	-	3	3.00	BANP01C1812A	0.44	-	144,003	-
FOCUS	0.85	-	5,706	-	TH100	-	-	-	-	BANP01C1812B	0.31	-	180,213	-
HYDRO	1.46	0.03	11,202	1.00	Warrant Foreign	-	-	-	-	BANP01P1808A	0.54	-	54,323	-
JSP	0.61	0.01	14,232	-	AAV01C1808A	0.05	-	22,867	-	BANP01P1812A	0.89	0.01	53,146	-
K	3.00	-	80	2.00	AAV01C1808B	-	-	-	-	BANP01P1812B	0.66	0.02	58,941	-
META	2.24	0.06	84,702	2										

Main Board Quotation

Issue Date :

Wednesday July 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BBL06C1902A	0.74	(0.01)	31,654	-	BEC28C1808A	-	-	-	-	CBG08C1810A	0.03	-	9,001	-
BBL08C1808A	0.05	(0.01)	26,601	-	BEC28C1809A	-	-	-	-	CBG11C1902A	0.11	-	26,316	-
BBL08C1809A	0.10	-	50,301	-	BEC28C1811A	0.24	(0.01)	177,502	-	CBG13C1808A	-	-	-	-
BBL08P1810A	0.25	0.02	85,556	-	BEM01C1808A	0.32	-	8,025	-	CBG13C1809A	0.05	-	303	-
BBL11C1903A	0.50	(0.02)	33,500	-	BEM01C1808B	0.06	-	500	-	CBG13C1811A	0.12	-	42,054	-
BBL11P1903A	0.54	0.01	15,960	-	BEM01P1808A	0.23	(0.01)	8,234	-	CBG13C1812A	0.23	-	68,627	-
BBL13C1807A	-	-	-	-	BEM08C1809A	0.17	-	9,523	-	CBG18C1808A	-	-	-	-
BBL13C1810A	0.45	(0.02)	53,913	-	BEM11C1903A	0.21	-	1,700	-	CBG19C1810A	-	-	-	-
BBL19C1901A	0.27	(0.01)	9,828	-	BEM13C1809A	0.17	(0.02)	6,802	-	CBG23C1901A	0.10	(0.01)	27,800	-
BBL23C1811A	0.24	(0.01)	16,000	-	BEM19C1901A	0.29	-	7,225	-	CBG24C1807A	-	-	-	-
BBL24C1809A	-	-	-	-	BEM23C1901A	0.17	-	7,000	-	CBG24C1809A	-	-	-	-
BBL24C1812A	0.61	(0.03)	2,340	-	BEM24C1809A	-	-	-	-	CBG24C1811A	0.16	0.05	200	-
BBL24P1810A	0.21	(0.01)	301	-	BEM28C1807A	-	-	-	-	CBG28C1808A	-	-	-	-
BBL27C1809A	0.13	(0.01)	4,000	-	BEM28C1808A	0.09	(0.02)	47,276	-	CBG28C1808B	-	-	-	-
BBL28C1808A	-	-	-	-	BGR108C1902A	0.60	(0.41)	25,300	-	CBG28C1811A	0.11	(0.01)	38,098	-
BBL28C1811A	0.47	(0.03)	111,936	-	BGR113C1812A	0.59	0.03	85,498	-	CENT01C1810A	0.32	(0.02)	2,570	-
BCH01C1808A	0.28	(0.05)	116,979	-	BGR124C1901A	0.53	0.04	2,110	-	CENT01C1810B	0.16	-	15,158	-
BCH01C1808B	0.06	(0.03)	250	-	BH01C1811A	0.52	(0.04)	60,066	-	CENT01P1810A	0.96	0.01	8,911	-
BCH01P1808A	0.40	0.06	28,822	-	BH01C1811B	0.18	(0.02)	27,564	-	CENT08C1809A	0.04	(0.01)	1,200	-
BCH06C1811A	0.14	(0.03)	11,222	-	BH01P1811A	1.63	0.04	26,293	1.00	CENT11C1904A	0.29	(0.01)	7,850	-
BCH08C1901A	0.24	(0.04)	77,701	-	BH07C1810A	-	-	-	-	CENT13C1811A	0.11	-	945	-
BCH11C1807A	-	-	-	-	BH08C1811A	-	-	-	-	CENT24C1807A	-	-	-	-
BCH13C1810A	0.09	(0.02)	400	-	BH11C1902A	0.05	(0.01)	900	-	CENT24C1810A	-	-	-	-
BCH19C1809A	0.09	(0.03)	17,630	-	BH19C1901A	0.55	(0.03)	23,400	-	CENT24C1901A	-	-	-	-
BCH23C1811A	-	-	-	-	BH24C1809A	0.05	-	4	-	CENT28C1808A	-	-	-	-
BCH24C1811A	-	-	-	-	BH24C1811A	-	-	-	-	CHG01C1809A	0.23	(0.01)	33,415	-
BCH28C1807A	-	-	-	-	BH24C1902A	0.48	(0.04)	430	-	CHG01C1809B	0.23	(0.02)	61,433	-
BCH28C1811A	0.16	(0.04)	210,140	-	BIG08C1807A	0.01	-	30	-	CHG01P1809A	0.35	(0.01)	20,019	-
BCP01C1810A	0.17	0.01	48,449	-	BIG08C1906A	0.29	0.02	40,334	-	CHG08C1807A	-	-	-	-
BCP01C1810B	-	-	-	-	BIG13C1808A	0.01	-	20,042	-	CHG11C1807A	-	-	-	-
BCP01P1810A	0.55	-	9,709	-	BIG13C1901A	0.21	0.01	34,395	-	CHG11C1904A	0.15	-	5,565	-
BCP08C1901A	0.22	-	23,306	-	BIG19C1811A	0.15	0.02	6,986	-	CHG13C1807A	-	-	-	-
BCP11C1811A	-	-	-	-	BIG24C1808A	-	-	-	-	CHG13C1809A	0.31	-	20,836	-
BCP13C1810A	0.05	-	2,000	-	BIG24C1812A	-	-	-	-	CHG13C1812A	0.12	-	28,761	-
BCP24C1808A	-	-	-	-	BIG28C1807A	-	-	-	-	CHG23C1811A	0.50	(0.08)	1,200	-
BCP24C1811A	-	-	-	-	BJC01C1807A	0.13	-	103,267	-	CHG24C1808A	-	-	-	-
BCP28C1807A	-	-	-	-	BJC01C1807B	0.02	-	2,594	-	CHG24C1811A	0.09	(0.04)	4,000	-
BCP28C1809A	-	-	-	-	BJC01P1807A	0.89	(0.04)	43,287	-	CHG28C1807A	-	-	-	-
BCP28C1809B	-	-	-	-	BJC06C1807A	-	-	-	-	CHG28C1808A	0.21	-	7,144	-
BCPG01C1811A	0.29	0.01	61,677	-	BJC06C1901A	0.22	-	1,502	-	CHG28C1812A	0.13	(0.02)	256,317	-
BCPG01C1811B	0.13	0.01	14,090	-	BJC07C1809A	-	-	-	-	CK01C1809A	0.19	(0.02)	40,355	-
BCPG06C1807A	-	-	-	-	BJC08C1807A	-	-	-	-	CK01C1809B	0.25	(0.03)	43,462	-
BCPG06C1811A	-	-	-	-	BJC08C1809A	-	-	-	-	CK01P1809A	0.31	-	6,206	-
BCPG08C1810A	0.15	-	24,668	-	BJC11C1807A	0.16	-	25,030	-	CK08C1809A	-	-	-	-
BCPG11C1807A	0.33	0.03	14,880	-	BJC13C1807A	-	-	-	-	CK08C1901A	0.17	-	9,636	-
BCPG11C1902A	0.11	-	5,631	-	BJC13C1808A	-	-	-	-	CK11C1904A	0.17	(0.01)	1,900	-
BCPG13C1807A	-	-	-	-	BJC13C1810A	0.15	-	67,322	-	CK13C1809A	0.10	-	7,584	-
BCPG13C1810A	0.11	-	46,352	-	BJC13C1812A	0.40	-	162,781	-	CK16C1812A	-	-	-	-
BCPG24C1807A	-	-	-	-	BJC19C1809A	0.15	0.01	33,997	-	CK19C1811A	0.15	0.01	38,272	-
BCPG24C1810A	-	-	-	-	BJC23C1901A	0.23	-	13,389	-	CK23C1808A	-	-	-	-
BCPG28C1808A	-	-	-	-	BJC24C1808A	-	-	-	-	CK24C1808A	-	-	-	-
BCPG28C1809A	0.10	0.01	60,017	-	BJC24C1901A	0.43	(0.57)	2,000	-	CK24C1901A	-	-	-	-
BDMS01C1811A	0.22	(0.01)	10,222	-	BJC27C1807A	-	-	-	-	CK28C1809A	0.33	(0.01)	88,134	-
BDMS01C1811B	0.11	(0.01)	43,006	-	BJC28C1808A	0.03	(0.02)	2,832	-	CK28C1812A	-	-	-	-
BDMS01P1811A	0.32	-	66,619	-	BLA01C1812A	0.17	-	19,250	-	CKP01C1812A	0.45	(0.01)	27,360	-
BDMS06C1811A	-	-	-	-	BLA08C1811A	0.05	-	1,240	-	CKP01C1812B	0.33	(0.02)	18,995	-
BDMS08C1807A	-	-	-	-	BLA13C1809A	-	-	-	-	CKP11C1807A	0.38	(0.02)	24,300	-
BDMS08C1901A	0.17	-	200	-	BLA28C1810A	-	-	-	-	CKP13C1810A	0.30	(0.01)	46,324	-
BDMS11C1811A	-	-	-	-	BLAN01C1809A	0.59	0.04	16,092	-	CKP23C1810A	0.33	(0.01)	6,000	-
BDMS11C1904A	-	-	-	-	BLAN01C1809B	0.14	0.02	20,793	-	CKP24C1811A	-	-	-	-
BDMS13C1807A	-	-	-	-	BLAN01P1809A	0.12	(0.03)	3,334	-	CKP28C1809A	0.09	-	2,000	-
BDMS13C1810A	0.44	(0.06)	510	-	BLAN08C1810A	0.25	0.03	15,917	-	CKP28C1809B	0.36	-	17,292	-
BDMS13C1812A	0.13	(0.03)	5,000	-	BLAN11C1902A	0.26	0.02	12,236	-	COM701C1811A	0.51	-	18,850	-
BDMS16C1812A	0.90	(0.01)	57	-	BLAN23C1807A	-	-	-	-	COM701C1811B	0.31	(0.01)	15,248	-
BDMS19C1901A	0.27	(0.02)	3,800	-	BPP01C1811A	0.18	0.01	9,592	-	COM706C1809A	0.21	(0.01)	3,110	-
BDMS23C1810A	-	-	-	-	BPP01C1811B	0.09	0.01	1,000	-	COM708C1811A	0.14	-	19,464	-
BDMS24C1811A	-	-	-	-	BPP01P1811A	0.74	(0.03)	13,942	-	COM711C1811A	0.35	(0.01)	21,799	-
BDMS24C1812A	-	-	-	-	BPP06C1809A	0.28	0.02	11,454	-	COM713C1809A	0.07	(0.02)	1,400	-
BDMS28C1811A	0.10	(0.01)	1	-	BPP08C1807A	-	-	-	-	COM713C1812A	0.32	(0.01)	17,494	-
BEAU01C1807A	0.02	0.01	23,979	-	BPP08C1810A	0.18	0.02	10,816	-	COM719C1811A	0.25	-	5,608	-
BEAU01C1807B	0.01	-	3,700	-	BPP11C1807A	-	-	-	-	COM723C1901A	0.29	(0.01)	3,500	-
BEAU01C1812A	0.10	-	240,027	-	BPP13C1808A	0.20	0.01	21,421	-	COM724C1811A	0.20	0.01	4,000	-
BEAU01C1812B	0.03	-	80,527	-	BPP13C1811A	-	-	-	-	COM728C1808A	-	-	-	-
BEAU01P1807A	3.20	0.06	378	3.00	BPP23C1901A	0.25	0.01	8,000	-	COM728C1811A	0.27	(0.01)	61,440	-
BEAU01P1812A	2.14	0.06	135,947	2.00	BPP24C1809A	0.10	-	1,500	-	CPAL01C1808A	0.56	(0.02)	103,416	-
BEAU06C1809A	0.02	-	9	-	BPP28C1807A	-	-	-	-	CPAL01C1808B	0.10	-	57,091	-
BEAU07C1809A	0.01	-	255	-	BPP28C1808A	0.12	0.01	24,480	-	CPAL01C1901A	0.68	0.01	77,069	-
BEAU08C1808A	-	-	-	-	BTS01C1810A	0.35	-	61,786	-	CPAL01C1901B	0.52	-	103,538	-
BEAU08C1901A	0.03	-	17,173	-	BTS01C1810B	0.10	-	67,144	-	CPAL01P1808A	0.70	(0.02)	42,349	-
BEAU11C1902A	0.04	0.01	38,810	-	BTS01P1810A	0.60	0.01	11,847	-	CPAL01P1901A	1.05	-	30,831	1.00
BEAU13C1811A	0.02	-	2,629	-	BTS06C1903A	-	-	-	-	CPAL01P1901B	0.74	(0.02)	30,788	-
BEAU13C1812A	0.03	-	137,879	-	BTS06C1903B	-	-	-	-	CPAL06C1811A	1.09	-	50,029	1.00
BEAU19C1811A	0.01	(0.01)	1,507	-	BTS06C1903C	-	-	-	-	CPAL06C1811B	0.22	0.05	2	-
BEAU23C1901A	0.02	-	23	-	BTS08C1810A	0.21	(0.01)	19,912	-	CPAL08C1807A	0.08	0.01	400	-
BEAU24C1807A	-	-	-	-	BTS11C1904A	-	-	-	-	CPAL08P1810A	0.72	-	21,178	-
BEAU24C1902A	0.03	-	607	-	BTS19C1901A	0.27	-	18,604	-	CPAL11C1903A	0.29	0.01	17,601	-
BEAU28C1810A	-	-	-	-	BTS23C1905A	1.51	0.05	2	1.00	CPAL11P1903A	0.72	(0.01)	44,298	-
BEAU28C1811A	0.02	-	4,939	-	BTS24C1808A	-	-	-	-	CPAL13C1807A	-	-	-	-
BEC01C1808A	0.02	-	10,000	-	BTS24C1901A	0.21	(0.79)	15	-	CPAL13C1812A	0.60	(0.01)	117,757	-
BEC01C1808B	0.01	-	1,400	-	BTS28C1809A	0.17	-	57,378	-	CPAL19C1811A	0.39	(0.01)	59,024	-
BEC01C1812A	0.20	(0.01)	14,870	-										

Main Board Quotation

Issue Date :

Wednesday July 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF08C1901A	0.18	(0.02)	20,812	-	ESSO13C1807A	-	-	-	-	IRPC07C1812A	-	-	-	-
CPF11C1902A	0.10	(0.01)	5,027	-	ESSO13C1811A	0.08	-	6,220	-	IRPC08C1808A	0.01	-	2,320	-
CPF11P1902A	0.30	(0.02)	22,325	-	ESSO23C1809A	-	-	-	-	IRPC11C1902A	0.05	-	1,100	-
CPF13C1809A	0.43	(0.04)	30,112	-	ESSO24C1812A	-	-	-	-	IRPC13C1808A	-	-	-	-
CPF13C1810A	0.12	-	13,920	-	ESSO28C1807A	-	-	-	-	IRPC13C1811A	0.08	(0.01)	1,000	-
CPF19C1901A	0.23	-	17,402	-	ESSO28C1811A	-	-	-	-	IRPC13C1812A	0.17	(0.01)	109,190	-
CPF23C1810A	-	-	-	-	GFPT01C1807A	0.10	-	18,051	-	IRPC19C1901A	0.21	-	106,057	-
CPF24C1809A	0.24	-	1,500	-	GFPT08C1807A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPF24C1901A	0.44	(0.56)	2	-	GFPT08C1906A	0.37	0.01	21,782	-	IRPC24C1808A	0.11	(0.02)	15,100	-
CPF28C1808A	0.30	(0.06)	9,576	-	GFPT19C1811A	0.34	0.02	7,564	-	IRPC24C1809A	0.02	-	3,000	-
CPF28C1811A	0.13	(0.01)	30,690	-	GFPT24C1812A	0.29	0.01	750	-	IRPC24C1812A	-	-	-	-
CPN01C1808A	0.22	-	26,478	-	GGC01C1810A	0.05	(0.01)	901	-	IRPC27C1809A	-	-	-	-
CPN01C1808B	0.02	(0.01)	2,215	-	GGC01C1810B	-	-	-	-	IRPC28C1807A	-	-	-	-
CPN06C1811A	0.39	-	16,372	-	GGC08C1906A	0.08	(0.01)	3,600	-	IRPC28C1811A	0.06	0.01	600	-
CPN08C1809A	-	-	-	-	GGC13C1811A	-	-	-	-	IRPC28C1812A	0.20	-	259,950	-
CPN11C1903A	0.25	0.01	9,669	-	GGC19C1811A	-	-	-	-	ITD01C1808A	-	-	-	-
CPN11P1903A	0.67	(0.01)	39,492	-	GGC23C1901A	0.03	-	2,000	-	ITD01C1808B	-	-	-	-
CPN13C1807A	-	-	-	-	GGC24C1812A	-	-	-	-	ITD01P1808A	1.21	(0.02)	30,554	1.00
CPN13C1812A	0.28	0.01	60,312	-	GGC28C1811A	-	-	-	-	ITD08C1810A	-	-	-	-
CPN19C1901A	0.42	0.01	16,478	-	GLOB01C1809A	0.42	(0.05)	108,737	-	ITD11C1903A	0.16	-	50,704	-
CPN23C1810A	0.17	-	13,000	-	GLOB01C1809B	0.21	(0.03)	20,386	-	ITD13C1809A	-	-	-	-
CPN24C1901A	-	-	-	-	GLOB06C1809A	0.24	(0.03)	16,710	-	ITD13C1812A	0.20	-	121,490	-
CPN28C1807A	-	-	-	-	GLOB08C1807A	-	-	-	-	ITD19C1811A	-	-	-	-
CPN28C1810A	0.15	-	148,282	-	GLOB11C1808A	0.19	(0.02)	14,420	-	ITD23C1808A	-	-	-	-
DELTO8C1811A	0.09	0.01	2,010	-	GLOB13C1807A	-	-	-	-	ITD24C1807A	-	-	-	-
DELTT13C1809A	-	-	-	-	GLOB23C1811A	0.41	(0.05)	13,050	-	ITD24C1810A	-	-	-	-
DELT24C1901A	0.52	(0.48)	15	-	GLOB24C1810A	0.17	(0.04)	4,700	-	ITD28C1808A	-	-	-	-
DELT27C1812A	0.10	-	4,321	-	GLOB27C1809A	0.10	(0.01)	17,692	-	ITD28C1808B	-	-	-	-
DTAC01C1808A	0.11	0.01	55,725	-	GLOB28C1807A	-	-	-	-	IVL01C1808A	0.31	-	115,051	-
DTAC01C1808B	0.02	-	778	-	GLOB28C1808A	0.05	(0.03)	2,745	-	IVL01C1808B	0.08	-	2,479	-
DTAC01C1810A	0.28	0.02	159,994	-	GLOW08C1811A	0.73	-	10,710	-	IVL01C1812A	0.46	(0.01)	159,661	-
DTAC01C1810B	0.08	0.02	16,430	-	GLOW11C1807A	0.79	0.01	4,040	-	IVL01C1812B	0.31	(0.02)	279,376	-
DTAC01P1808A	1.04	(0.06)	45,502	1.00	GLOW27C1812A	-	-	-	-	IVL01P1808A	0.87	0.01	85,391	-
DTAC01P1810A	1.39	(0.06)	46,792	1.00	GPSCO1C1808A	0.31	0.02	145,918	-	IVL01P1808B	0.31	(0.01)	139,921	-
DTAC01P1810B	1.03	(0.07)	45,490	1.00	GPSCO1C1808B	0.06	-	10	-	IVL01P1812A	1.00	0.01	87,869	1.00
DTAC06C1901A	0.23	0.03	40	-	GPSCO1P1808A	1.20	(0.03)	128,813	1.00	IVL01P1812B	0.83	0.01	60,405	-
DTAC06P1809A	0.60	(0.06)	31,168	-	GPSCO6C1811A	0.29	-	2,600	-	IVL06C1807A	0.04	-	130	-
DTAC07C1809A	-	-	-	-	GPSCO8C1808A	-	-	-	-	IVL06C1901A	0.33	(0.01)	26,281	-
DTAC08C1809A	-	-	-	-	GPSC11C1808A	0.80	0.03	38,080	-	IVL07C1811A	-	-	-	-
DTAC08P1807A	0.32	(0.05)	61,904	-	GPSC11C1902A	0.29	-	33,513	-	IVL08C1901A	0.46	-	153,730	-
DTAC11C1904A	0.25	0.02	34,542	-	GPSC13C1807A	-	-	-	-	IVL08P1809A	0.07	-	10,210	-
DTAC13C1811A	0.10	0.01	32,863	-	GPSC13C1808A	0.01	-	1,500	-	IVL11C1808A	0.68	-	59,368	-
DTAC13C1812A	0.35	0.02	107,044	-	GPSC13C1812A	0.53	0.02	118,525	-	IVL11P1808A	-	-	-	-
DTAC13P1811A	-	-	-	-	GPSC24C1807A	-	-	-	-	IVL13C1809A	0.18	(0.01)	82,936	-
DTAC13P1812A	0.31	(0.04)	49,388	-	GPSC24C1808A	-	-	-	-	IVL13C1810A	0.20	(0.01)	110,511	-
DTAC19C1811A	0.20	0.03	75,329	-	GPSC24C1812A	0.40	0.02	2	-	IVL13C1812A	0.41	(0.01)	159,113	-
DTAC23C1807A	-	-	-	-	GPSC28C1807A	-	-	-	-	IVL13P1809A	0.08	-	27,203	-
DTAC23P1807A	-	-	-	-	GPSC28C1807B	-	-	-	-	IVL13P1811A	0.53	0.02	87,704	-
DTAC24C1809A	0.06	0.01	1,060	-	GPSC28C1811A	0.44	0.02	84,232	-	IVL19C1809A	0.37	(0.01)	152,206	-
DTAC27C1809A	-	-	-	-	GUNK01C1808A	-	-	-	-	IVL23C1810A	0.41	-	6,000	-
DTAC27P1809A	0.25	(0.03)	32,371	-	GUNK01C1808B	-	-	-	-	IVL24C1808A	-	-	-	-
DTAC28C1810A	0.05	0.01	500	-	GUNK08C1807A	-	-	-	-	IVL24C1812A	0.21	0.01	3,201	-
DTAC28C1812A	0.40	0.04	269,122	-	GUNK11C1903A	0.13	(0.02)	14,480	-	IVL28C1807A	-	-	2	-
EA01C1809A	0.53	-	190,324	-	GUNK24C1807A	-	-	-	-	IVL28C1808A	0.02	-	-	-
EA01C1809B	0.27	(0.02)	152,548	-	GUNK24C1812A	0.22	-	7,500	-	IVL28C1811A	0.23	(0.01)	299,332	-
EA01P1809A	1.12	0.03	60,816	1.00	GUNK28C1808A	-	-	-	-	IVL28P1811A	0.57	0.01	133,363	-
EA06C1809A	-	-	-	-	GUNK28C1810A	0.25	0.01	116,477	-	KBAN01C1808A	0.12	(0.01)	61,926	-
EA07C1810A	-	-	-	-	HANA01C1811A	0.40	0.02	100,454	-	KBAN01C1808B	0.01	(0.01)	210	-
EA08C1807A	-	-	-	-	HANA01C1811B	0.25	0.01	106,682	-	KBAN01C1810A	0.88	(0.02)	78,405	-
EA08C1809A	-	-	-	-	HANA08C1809A	0.11	-	60,169	-	KBAN01C1901A	1.01	(0.01)	30,212	1.00
EA08C1810A	0.13	(0.01)	32,478	-	HANA11C1904A	0.23	0.01	22,996	-	KBAN01C1901B	0.52	(0.04)	45,331	-
EA11C1902A	0.07	-	8,056	-	HANA13C1809A	0.16	0.02	16,327	-	KBAN01P1808A	1.02	-	44,404	1.00
EA13C1807A	-	-	-	-	HANA23C1811A	-	-	-	-	KBAN01P1808B	0.44	0.01	38,358	-
EA13C1808A	-	-	-	-	HANA24C1808A	-	-	-	-	KBAN01P1810A	0.43	-	39,599	-
EA13C1808B	0.02	-	1	-	HANA24C1810A	-	-	-	-	KBAN01P1901A	1.28	0.02	26,655	1.00
EA13C1809A	-	-	-	-	HANA28C1807A	-	-	-	-	KBAN01P1901B	0.77	0.02	40,738	-
EA13C1810A	0.03	-	5,886	-	HANA28C1808A	0.06	-	144	-	KBAN06C1811A	0.49	(0.01)	8,071	-
EA13C1811A	0.08	-	28,893	-	HANA28C1812A	0.32	0.02	17,356	-	KBAN07C1811A	-	-	-	-
EA13C1812A	0.12	(0.02)	327,694	-	HMPR01C1808A	0.29	(0.01)	43,159	-	KBAN08C1811A	0.46	(0.02)	13,608	-
EA13P1809A	1.08	(0.04)	29,128	1.00	HMPR01C1808B	0.07	(0.01)	9,128	-	KBAN08P1811A	0.47	(0.01)	27,087	-
EA19C1811A	0.28	(0.01)	44,880	-	HMPR01P1808A	0.32	-	18,586	-	KBAN13C1807A	-	-	-	-
EA23C1901A	0.23	-	97,584	-	HMPR06C1811A	0.15	-	1,082	-	KBAN13C1810A	0.11	(0.01)	452	-
EA24C1807A	-	-	-	-	HMPR08C1810A	0.11	(0.01)	11,342	-	KBAN13C1811A	0.62	(0.02)	144,659	-
EA24C1809A	0.11	(0.06)	30,100	-	HMPR11C1808A	0.30	(0.01)	10,776	-	KBAN19C1901A	0.27	(0.01)	25,492	-
EA28C1809A	0.20	(0.01)	90,136	-	HMPR11P1808A	-	-	-	-	KBAN24C1902A	0.60	0.01	7,009	-
EA28C1809B	-	-	-	-	HMPR13C1807A	-	-	-	-	KBAN24P1811A	-	-	-	-
EGCO01C1809A	0.50	(0.05)	19,472	-	HMPR13C1812A	0.27	(0.01)	66,500	-	KBAN27C1809A	-	-	-	-
EGCO08C1809A	0.08	(0.02)	210	-	HMPR19C1901A	0.36	(0.03)	45,156	-	KBAN27P1809A	0.59	-	27,651	-
EGCO13C1809A	0.08	(0.01)	126	-	HMPR23C1901A	0.13	-	9,492	-	KBAN28C1809A	-	-	-	-
EGCO23C1811A	0.30	(0.03)	11,000	-	HMPR24C1808A	-	-	-	-	KBAN28C1811A	0.52	(0.01)	65,966	-
EGCO24C1808A	-	-	-	-	HMPR24C1901A	0.26	(0.74)	200	-	KBAN28P1807A	-	-	-	-
EGCO24C1901A	0.35	(0.65)	20	-	HMPR27C1807A	0.15	-	2,000	-	KBAN28P1811A	0.46	0.01	320,548	-
EGCO28C1808A	-	-	-	-	HMPR28C1807A	-	-	-	-	KCE01C1810A	0.65	0.06	62,048	-
EPG01C1809A	0.10	-	18,914	-	HMPR28C1811A	0.14	-	170,221	-	KCE01C1810B	0.57	0.07	86,289	-
EPG01P1809A	0.92	-	10,801	-	INTU01C1809A	0.37	0.01	41,879	-	KCE06C1809A	0.83	0.16	1,920	-
EPG07C1811A	-	-	-	-	INTU01C1809B	-	-	-	-	KCE07C1808A	0.19	0.07	6,730	-
EPG08C1810A	-	-	-	-	INTU01P1809A	0.43	-	30,905	-	KCE08C1809A	0.63	0.11	16,849	-
EPG08C1810B	0.35	-	22,640	-	INTU01P1809B	0.19	0.01	44,158	-	KCE11C1808A	0.02	(0.01)	45,020	-
EPG11C1903A	0.34	(0.03)	25,583	-	INTU11C1807A	-	-	-	-	KCE11C1904A	0.38	0.04	25,280	-
EPG13C1808A	-	-	-	-	INTU11P1807A	0.22	-	14,784	-	K				

Main Board Quotation

Issue Date :

Wednesday July 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KKP23C1807A	-	-	-	-	MINT24C1901A	0.23	-	1,200	-	PTT28C1807A	-	-	-	-
KKP24C1807A	-	-	-	-	MINT28C1808A	-	-	-	-	PTT28C1808A	0.01	(0.01)	424	-
KKP24C1812A	0.37	0.02	200	-	MINT28C1811A	0.13	-	34,580	-	PTT28C1808B	0.01	-	26,458	-
KKP28C1807A	-	-	-	-	MON001C1810A	-	-	-	-	PTT28C1811A	0.06	-	10,500	-
KKP28C1810A	0.23	(0.01)	133,095	-	MON001C1810B	-	-	-	-	PTT28C1811B	0.19	-	153,045	-
KT801C1808A	0.13	-	27,429	-	MON008C1808A	-	-	-	-	PTT28C1812A	0.31	(0.01)	479,055	-
KT801C1810A	0.30	(0.01)	39,053	-	MON008C1906A	0.10	(0.01)	10,311	-	PTT28P1808A	0.29	(0.06)	86,475	-
KT801C1810B	0.15	-	53,838	-	MON013C1808A	-	-	-	-	PTT28P1808B	-	-	-	-
KT801P1808A	0.58	0.01	10,767	-	MON013C1811A	-	-	-	-	PTT28P1812A	0.32	(0.01)	461,397	-
KT806C1902A	0.27	-	3,066	-	MON013C1901A	0.19	(0.02)	14,548	-	PTTE01C1808A	1.08	(0.11)	150,037	1.00
KT808C1809A	-	-	-	-	MON019C1811A	0.11	-	6,924	-	PTTE01C1808B	0.55	(0.11)	216,256	-
KT811C1811A	0.15	0.01	9,352	-	MON023C1809A	-	-	-	-	PTTE01C1901A	0.75	(0.06)	168,290	-
KT813C1809A	0.06	0.01	2,272	-	MON023C1901A	0.18	(0.01)	13,000	-	PTTE01C1901B	0.54	(0.07)	126,165	-
KT813C1901A	0.33	-	21,343	-	MON024C1807A	-	-	-	-	PTTE01P1808A	0.12	0.02	108,647	-
KT819C1901A	0.23	-	23,948	-	MON024C1812A	-	-	-	-	PTTE01P1901A	1.30	0.05	167,335	1.00
KT823C1811A	-	-	-	-	MON024C1812B	-	-	-	-	PTTE01P1901B	0.93	0.06	132,232	-
KT824C1808A	-	-	-	-	MON028C1807A	-	-	-	-	PTTE06C1811A	0.48	(0.08)	58,637	-
KT824C1811A	-	-	-	-	MON028C1808A	-	-	-	-	PTTE07C1809A	0.27	(0.08)	12,843	-
KT824P1901A	-	-	-	-	MON028C1811A	0.03	-	4,799	-	PTTE08C1807A	-	-	-	-
KT828C1809A	-	-	-	-	MON028C1901A	0.18	(0.01)	44,527	-	PTTE08C1811A	0.40	(0.04)	118,292	-
KT828C1811A	0.14	-	146,116	-	MTC06C1901A	0.41	(0.01)	77,200	-	PTTE08P1809A	0.07	0.01	1,000	-
KT828C1808A	1.54	0.11	272,673	1.00	MTC08C1807A	0.01	-	11	-	PTTE08P1811A	0.34	0.02	117,490	-
KT828C1808B	0.73	0.11	539,214	-	MTC08C1811A	0.14	-	70,256	-	PTTE11C1902A	0.64	(0.05)	37,945	-
KT828C1810A	0.54	0.03	97,058	-	MTC11C1904A	0.29	-	45,540	-	PTTE13C1807A	-	-	-	-
KT828C1810B	0.42	0.03	52,641	-	MTC13C1809A	0.05	(0.02)	8,963	-	PTTE13C1811A	0.36	(0.05)	181,784	-
KT828C1807A	2.16	0.26	10,021	2.00	MTC13C1811A	0.40	-	355,966	-	PTTE13P1807A	-	-	-	-
KT828C1807A	6.30	0.45	9,398	6.00	MTC23C1808A	0.06	0.01	20,504	-	PTTE13P1811A	0.31	0.04	201,506	-
KT828C1808A	1.59	0.17	5,793	1.00	MTC24C1808A	-	-	-	-	PTTE19C1811A	0.54	(0.06)	95,578	-
KTC11C1902A	1.66	0.13	64,502	1.00	MTC24C1810A	0.19	0.03	200	-	PTTE23C1901A	0.14	(0.03)	15,629	-
KTC13C1807A	-	-	-	-	MTC24C1812A	0.37	0.01	12,931	-	PTTE24C1807A	0.18	(0.08)	3,622	-
KTC13C1808A	1.50	0.22	411	1.00	MTC27C1807A	-	-	-	-	PTTE24C1811A	0.26	0.05	20,000	-
KTC13C1809A	0.85	0.09	907	-	MTC28C1808A	0.02	-	1	-	PTTE24P1809A	-	-	-	-
KTC13C1809B	0.71	0.08	201,076	-	MTC28C1809A	0.24	-	113,110	-	PTTE27C1809A	-	-	-	-
KTC13P1807A	0.01	-	4,610	-	ORI08C1807A	0.01	-	800	-	PTTE27P1809A	-	-	-	-
KTC19C1811A	0.83	0.08	89,192	-	ORI11C1811A	0.17	(0.01)	7,728	-	PTTE28C1807A	-	-	-	-
KTC19C1901A	1.23	0.09	61,735	1.00	ORI13C1810A	0.33	(0.04)	35,968	-	PTTE28C1810A	0.28	(0.05)	57,463	-
KTC23C1809A	1.74	0.11	5,001	1.00	ORI19C1811A	0.21	(0.02)	3,750	-	PTTE28C1811A	0.19	(0.03)	85,017	-
KTC24C1808A	-	-	-	-	ORI23C1809A	-	-	-	-	PTTE28P1811A	0.32	0.03	108,322	-
KTC24C1810A	0.55	0.05	3,207	-	ORI24C1810A	0.21	(0.02)	2,100	-	PTTG01C1808A	0.12	(0.01)	195,343	-
KTC24P1807A	0.02	-	252	-	ORI28C1808A	-	-	-	-	PTTG01C1810A	0.18	(0.02)	128,196	-
KTC28C1808A	-	-	-	-	PLAN08C1811A	0.17	-	18,245	-	PTTG01C1810B	-	-	-	-
KTC28C1808B	1.54	(0.24)	40	1.00	PLAN13C1809A	-	-	-	-	PTTG01C1811A	0.37	(0.02)	186,024	-
KTC28C1809A	0.94	0.15	2,072	-	PLAN28C1810A	0.14	(0.01)	65,740	-	PTTG01P1808A	1.40	0.03	93,489	1.00
KTC28C1810A	0.79	0.07	128,164	-	PSH01C1810A	0.35	(0.01)	16,572	-	PTTG01P1811A	1.90	0.04	35,554	1.00
LH01C1809A	0.34	0.01	4	-	PSH01C1810B	0.12	-	4,900	-	PTTG06C1809A	-	-	-	-
LH01C1809B	-	-	-	-	PSH01P1810A	0.81	0.01	14,744	-	PTTG07C1812A	0.37	(0.02)	10,628	-
LH01P1809A	0.14	-	100	-	PSH08C1811A	0.12	-	9,146	-	PTTG08C1811A	0.06	0.02	10,500	-
LH06C1809A	-	-	-	-	PSH11C1902A	0.26	-	2,785	-	PTTG08P1811A	1.28	0.03	9,779	1.00
LH07C1810A	-	-	-	-	PSH23C1811A	0.23	(0.02)	11,510	-	PTTG11C1902A	0.11	(0.01)	53,880	-
LH11C1808A	-	-	-	-	PSL01C1807A	0.23	(0.05)	54,119	-	PTTG13C1808A	-	-	-	-
LH13C1808A	0.18	(0.01)	1,934	-	PSL23C1809A	0.06	(0.02)	71,663	-	PTTG13C1812A	0.24	(0.01)	115,348	-
LH19C1901A	0.22	-	6,381	-	PSL24C1807A	0.06	(0.02)	799	-	PTTG19C1811A	0.20	(0.02)	98,920	-
LH23C1901A	-	-	-	-	PTG01C1811A	0.26	0.03	190,561	-	PTTG23C1901A	0.08	(0.01)	3,120	-
LH24C1809A	-	-	-	-	PTG01C1811B	1.02	0.03	32,300	-	PTTG24C1808A	-	-	-	-
LH28C1808A	-	-	-	-	PTG01P1811A	0.15	(0.11)	49,200	1.00	PTTG24C1812A	0.17	(0.01)	6	-
LPN01C1809A	0.17	(0.01)	7,590	-	PTG06C1810A	0.09	-	500	-	PTTG24P1808A	0.22	-	150,868	-
LPN01C1811A	0.49	(0.02)	9,740	-	PTG06C1904A	0.49	0.06	28,259	-	PTTG24P1901A	0.60	(0.40)	2,532	-
LPN01C1811B	0.33	-	4,050	-	PTG08C1807A	-	-	-	-	PTTG27C1807A	-	-	-	-
LPN01P1809A	0.41	0.01	15,873	-	PTG11C1903A	0.20	0.03	26,354	-	PTTG27P1807A	0.06	0.01	880	-
LPN08C1807A	-	-	-	-	PTG13C1809A	0.03	0.01	216	-	PTTG28C1807A	-	-	-	-
LPN08C1810A	0.14	0.01	9,192	-	PTG13C1812A	0.26	0.04	199,882	-	PTTG28C1807B	-	-	-	-
LPN08C1906A	0.29	(0.01)	9,152	-	PTG23C1808A	-	-	-	-	PTTG28C1811A	0.18	(0.01)	76,136	-
LPN19C1811A	0.28	(0.02)	11,868	-	PTG24C1809A	0.05	(0.05)	10	-	PTTG28C1812A	0.59	(0.04)	625,285	-
LPN24C1808A	-	-	-	-	PTG27C1809A	-	-	-	-	QH01C1807A	0.38	(0.01)	21,995	-
LPN24C1812A	-	-	-	-	PTG28C1808A	-	-	-	-	QH01C1810A	0.46	-	17,559	-
LPN27C1807A	-	-	-	-	PTG28C1812A	0.35	0.05	326,640	-	QH01C1810B	0.28	(0.02)	44,656	-
MAJ08C1811A	-	-	-	-	PTL08C1811A	0.34	(0.01)	12,264	-	QH01P1807A	0.16	-	21,070	-
MAJ011C1902A	0.11	0.01	1,316	-	PTL13C1809A	0.13	0.01	10,036	-	QH01P1810A	0.33	0.01	21,854	-
MAJ024C1809A	-	-	-	-	PTL23C1807A	-	-	-	-	QH08C1808A	0.18	(0.02)	12,244	-
MALE01C1812A	0.02	-	150	-	PTL28C1810A	0.23	-	37,429	-	QH11C1902A	0.37	-	3,468	-
MALE08C1811A	-	-	-	-	PTT01C1808A	0.49	(0.02)	462,045	-	QH23C1808A	-	-	-	-
MALE13C1809A	-	-	-	-	PTT01C1808B	0.11	-	241,309	-	QH24C1812A	-	-	-	-
MALE27C1812A	-	-	-	-	PTT01C1810A	0.16	(0.02)	199,409	-	QH28C1808A	0.07	-	4,200	-
MALE28C1810A	-	-	-	-	PTT01C1810B	0.06	-	6,595	-	RATC24C1902A	0.39	(0.61)	10	-
MC19C1811A	0.15	0.01	2,166	-	PTT01P1808A	0.54	0.01	132,985	-	RATC27C1812A	-	-	-	-
MC23C1809A	-	-	-	-	PTT01P1808B	0.10	-	348,332	-	ROBIO1C1809A	0.21	(0.01)	4,273	-
MC24C1807A	-	-	-	-	PTT01P1810A	1.13	-	73,252	1.00	ROBIO6C1809A	-	-	-	-
MC24C1812A	-	-	-	-	PTT01P1810B	0.69	-	75,622	-	ROBIO8C1808A	0.01	-	1,061	-
MEGA01C1811A	0.45	(0.03)	24,825	-	PTT06C1811A	0.08	0.01	5,534	-	ROBIO11C1808A	-	-	-	-
MEGA01C1811B	0.29	(0.04)	10,140	-	PTT06C1901A	0.33	0.01	28,717	-	ROBIO13C1807A	-	-	-	-
MEGA08C1811A	0.26	(0.03)	27,825	-	PTT06P1901A	0.59	0.01	27,602	-	ROBIO24C1901A	-	-	-	-
MEGA11C1902A	0.26	(0.02)	6,822	-	PTT07C1811A	0.16	0.02	55	-	S10001C1811A	0.45	(0.01)	903	-
MEGA13C1809A	0.10	(0.02)	2,156	-	PTT08C1807A	0.04	0.01	260	-	S5001C1807A	0.17	(0.03)	116,198	-
MEGA24C1812A	-	-	-	-	PTT08C1809A	0.03	0.01	18,100	-	S5001C1807B	0.09	(0.01)	16,843	-
MEGA27C1807A	-	-	-	-	PTT08P1809A	0.53	(0.07)	62,242	-	S5001C1808A	0.41	(0.03)	338,987	-
MEGA28C1808A	-	-	-	-	PTT11C1902A	0.16	-	19,864	-	S5001C1808B	0.28	(0.02)	81,925	-
MINT01C1808A	0.02	-	367	-	PTT13C1807A	0.06	-	31	-	S5001C1809F	0.55	(0.05)	1,449,801	-
MINT01C1808B	-	-	-	-	PTT13C1808A	0.01	-	5,050	-	S5001C1809G	0.18	(0.01)	28,044	-
MINT01C1901A	0.31	0.01	42,888	-	PTT13C1810A									

Main Board Quotation

Issue Date :

Wednesday July 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5006C1809B	0.07	-	5,752	-	SGP13C1811A	0.09	-	10,362	-	THAI01P1901A	0.97	0.01	10,220	-
S5006C1809C	0.26	(0.01)	2,904	-	SGP19C1811A	0.24	(0.01)	24,060	-	THAI06C1809A	-	-	-	-
S5006C1809D	0.08	(0.01)	14,907	-	SGP24C1808A	-	-	-	-	THAI07C1811A	-	-	-	-
S5006C1812A	0.45	(0.02)	3,916	-	SGP24C1811A	0.11	0.02	7,100	-	THAI08C1808A	-	-	-	-
S5006C1812B	-	-	-	-	SGP24C1902A	0.75	(0.03)	2,330	-	THAI11C1808A	-	-	-	-
S5006P1809A	2.08	0.06	2	2.00	SGP28C1808A	-	-	-	-	THAI13C1811A	-	-	-	-
S5006P1809B	1.19	0.06	1,390	1.00	SGP28C1809A	-	-	-	-	THAI23C1901A	-	-	-	-
S5006P1809C	-	-	-	-	SGP28C1811A	0.11	(0.01)	9,328	-	THAI24C1808A	-	-	-	-
S5006P1809D	0.78	(0.13)	2,030	-	SIRI01C1808A	0.02	-	141	-	THAI24C1901A	-	-	-	-
S5006P1812A	1.95	0.05	2,268	1.00	SIRI01C1808B	-	-	-	-	THAI27C1809A	-	-	-	-
S5006P1812B	0.78	0.02	206	-	SIRI01C1901A	0.38	(0.02)	17,215	-	THAI28C1808A	-	-	-	-
S5008C1809A	0.54	(0.07)	93,446	-	SIRI01C1901B	0.17	(0.02)	18,314	-	THAN01C1812A	0.46	-	2,326	-
S5008P1809A	0.55	0.04	128,351	-	SIRI01P1808A	0.64	0.02	19,520	-	THAN13C1809A	-	-	-	-
S5013C1809A	0.09	(0.02)	1,551,932	-	SIRI01P1901A	0.70	0.02	20,617	-	THAN23C1807A	-	-	-	-
S5013C1809B	0.21	(0.02)	523,290	-	SIRI08C1808A	-	-	-	-	THAN28C1810A	0.13	-	7,152	-
S5013C1809C	0.19	(0.01)	299,486	-	SIRI08C1810A	0.13	(0.01)	17,328	-	THCO01C1809A	0.04	-	2,500	-
S5013C1809D	0.39	(0.05)	1,548,552	-	SIRI11C1902A	0.14	(0.01)	8,418	-	THCO01P1809A	0.84	(0.10)	6,867	-
S5013C1809E	0.68	(0.08)	6,706,635	-	SIRI13C1809A	-	-	-	-	THCO08C1906A	0.15	0.02	24,560	-
S5013P1809A	2.20	0.12	5,705	2.00	SIRI23C1811A	0.19	(0.01)	10,000	-	THCO11C1902A	0.09	0.01	10	-
S5013P1809B	1.33	0.08	97,630	1.00	SIRI24C1809A	-	-	-	-	THCO19C1811A	-	-	-	-
S5013P1809C	1.59	0.05	204	1.00	SIRI28C1807A	-	-	-	-	THCO23C1808A	-	-	-	-
S5013P1809D	0.81	0.05	4,301,542	-	SIRI28C1809A	0.05	(0.01)	5,200	-	THCO24C1807A	-	-	-	-
S5013P1809E	0.45	0.04	7,740,440	-	SPAL01C1808A	0.46	(0.13)	74,639	-	THCO24C1810A	0.11	-	4	-
S5028C1807A	0.01	(0.01)	3,084	-	SPAL01C1808B	0.07	(0.05)	5,071	-	THCO28C1808A	-	-	-	-
S5028C1809A	0.16	(0.03)	831,772	-	SPAL06C1809A	0.55	(0.08)	14,994	-	THCO28C1901A	0.19	0.01	7,324	-
S5028C1809B	0.63	(0.06)	1,518,326	-	SPAL08C1808A	-	-	-	-	TISCO1C1808A	0.59	0.02	73,872	-
S5028P1807A	1.62	(0.24)	75	1.00	SPAL11C1807A	0.20	(0.08)	57,684	-	TISCO1C1808B	0.13	0.01	16,549	-
S5028P1809A	1.15	0.07	1,507,148	1.00	SPAL23C1811A	0.64	(0.13)	15,700	-	TISCO8C1808A	0.19	0.01	12,984	-
S5028P1809B	0.52	0.03	1,230,393	-	SPAL24C1808A	-	-	-	-	TISCI1C1903A	0.42	0.01	10,933	-
SAWA01C1808A	0.02	-	451	-	SPAL24C1812A	0.28	(0.06)	10,552	-	TISC13C1807A	-	-	-	-
SAWA01C1808B	0.02	-	4,701	-	SPRC01C1808A	0.11	0.01	118,399	-	TISC13C1811A	0.59	0.01	35,272	-
SAWA01C1901A	0.32	(0.05)	150,935	-	SPRC01C1808B	-	-	-	-	TISC24C1812A	0.49	0.06	2,102	-
SAWA01C1901B	0.24	(0.03)	33,587	-	SPRC06C1809A	-	-	-	-	TISC27C1807A	-	-	-	-
SAWA01P1808A	2.64	0.12	31,849	2.00	SPRC06C1902A	0.39	-	12,064	-	TISC28C1807A	-	-	-	-
SAWA01P1901A	1.22	0.06	34,513	1.00	SPRC08C1808A	-	-	-	-	TKN01C1808A	0.04	-	35,757	-
SAWA06C1807A	-	-	-	-	SPRC11C1902A	-	-	-	-	TKN01C1808B	0.02	(0.01)	2,000	-
SAWA06C1811A	0.02	(0.01)	95,909	-	SPRC13C1808A	-	-	-	-	TKN08C1808A	-	-	-	-
SAWA07C1812A	0.22	(0.78)	30	-	SPRC13C1812A	0.25	(0.01)	124,064	-	TKN08C1811A	0.10	0.01	48,891	-
SAWA08C1808A	-	-	-	-	SPRC23C1810A	-	-	-	-	TKN11C1902A	0.16	-	28,827	-
SAWA08C1811A	0.01	-	5,421	-	SPRC24C1808A	-	-	-	-	TKN13C1808A	-	-	-	-
SAWA11C1808A	-	-	-	-	SPRC24C1903A	-	-	-	-	TKN13C1810A	-	-	-	-
SAWA13C1807A	-	-	-	-	STA01C1807A	-	-	-	-	TKN13C1811A	0.08	0.01	12,114	-
SAWA13C1810A	-	-	-	-	STA01C1807B	-	-	-	-	TKN19C1811A	0.10	0.01	17,803	-
SAWA13C1811A	0.03	-	14,439	-	STA01C1812A	0.18	-	1,960	-	TKN24C1807A	-	-	-	-
SAWA13C1812A	0.10	(0.01)	33,847	-	STA01C1812B	0.11	-	3,529	-	TKN24C1811A	0.20	-	16,775	-
SAWA13C1901A	0.28	(0.04)	76,568	-	STA08C1807A	-	-	-	-	TKN24C1812A	-	-	-	-
SAWA23C1807A	-	-	-	-	STA13C1807A	-	-	-	-	TKN28C1808A	0.01	-	9,000	-
SAWA24C1808A	-	-	-	-	STA13C1808A	-	-	-	-	TKN28C1811A	0.10	0.01	60,340	-
SAWA24C1812A	-	-	-	-	STA13C1812A	0.18	(0.01)	126,586	-	TMB01C1807A	0.02	0.01	7	-
SAWA28C1807A	-	-	-	-	STA19C1811A	-	-	-	-	TMB01C1810A	0.30	-	52,618	-
SAWA28C1809A	-	-	-	-	STA23C1809A	-	-	-	-	TMB01C1810B	0.17	-	63,317	-
SAWA28C1810A	0.02	-	350	-	STA24C1808A	-	-	-	-	TMB01P1807A	0.85	0.02	3,284	-
SAWA28C1811A	0.12	(0.02)	147,384	-	STA28C1807A	-	-	-	-	TMB01P1810A	0.36	-	12,718	-
SAWA28C1812A	0.33	(0.06)	294,468	-	STEC01C1809A	0.19	0.01	84,744	-	TMB06C1809A	-	-	-	-
SCB01C1808A	0.05	(0.02)	8,324	-	STEC01C1809B	0.61	0.05	127,043	-	TMB06C1902A	-	-	-	-
SCB01C1808B	-	-	-	-	STEC01P1809A	1.09	(0.04)	30,531	1.00	TMB07C1811A	-	-	-	-
SCB01C1810A	0.24	(0.01)	82,755	-	STEC06C1809A	0.22	0.03	19,956	-	TMB08C1808A	-	-	-	-
SCB01P1808A	1.73	0.03	42,115	1.00	STEC08C1809A	0.14	0.01	95,551	-	TMB08C1901A	0.17	(0.01)	12,444	-
SCB01P1808B	0.99	0.04	33,047	1.00	STEC11C1903A	0.42	0.03	61,715	-	TMB11C1904A	0.17	0.01	1,420	-
SCB06C1811A	0.30	(0.03)	13,844	-	STEC13C1809A	0.10	0.01	43,270	-	TMB13C1811A	0.12	(0.01)	32,165	-
SCB08C1901A	0.23	(0.02)	87,538	-	STEC23C1808A	-	-	-	-	TMB19C1901A	0.24	(0.01)	27,474	-
SCB11C1901A	0.11	(0.01)	17,190	-	STEC24C1808A	-	-	-	-	TMB23C1810A	-	-	-	-
SCB11P1901A	0.95	0.04	15,637	-	STEC24C1901A	0.39	(0.61)	200	-	TMB24C1809A	-	-	-	-
SCB13C1809A	-	-	-	-	STEC28C1808A	-	-	-	-	TMB24C1901A	-	-	-	-
SCB13C1812A	0.28	(0.03)	118,491	-	STEC28C1810A	0.36	0.02	61,663	-	TMB28C1808A	0.01	-	100	-
SCB13P1812A	0.40	0.03	142,922	-	STPI08C1811A	-	-	-	-	TMB28C1809A	0.05	(0.01)	200	-
SCB19C1811A	0.14	(0.01)	48,597	-	STPI28C1807A	-	-	-	-	TOA08C1902A	0.30	(0.01)	5,651	-
SCB24C1902A	0.24	(0.03)	130	-	SUPE08C1808A	-	-	-	-	TOA13C1812A	0.42	-	6,926	-
SCB24P1811A	-	-	-	-	SUPE08C1811A	0.13	-	910	-	TOA24C1812A	0.33	(0.67)	120	-
SCB28C1808A	-	-	-	-	SUPE13C1810A	-	-	-	-	TOP01C1808A	0.05	0.01	71,161	-
SCB28C1809A	-	-	-	-	SUPE13C1811A	0.09	0.01	114	-	TOP01C1808B	0.01	-	5,000	-
SCB28C1812A	0.25	(0.01)	160,766	-	SUPE23C1811A	-	-	-	-	TOP01P1808A	1.44	(0.02)	174,524	1.00
SCB28P1808A	0.43	0.07	71,282	-	SUPE23C1901A	0.07	-	101	-	TOP06C1809A	0.03	0.01	3,100	-
SCC01C1808A	0.09	(0.02)	243,776	-	SUPE28C1807A	-	-	-	-	TOP07C1812A	0.39	0.03	1,640	-
SCC01C1808B	0.01	-	6,282	-	SUPE28C1810A	-	-	-	-	TOP08C1811A	0.11	0.01	91,096	-
SCC01P1808A	0.81	0.04	35,471	-	SUPE28C1811A	0.04	(0.01)	2,156	-	TOP11C1808A	0.01	-	300	-
SCC06C1809A	-	-	-	-	TASC01C1809A	0.01	-	45	-	TOP13C1811A	0.10	0.01	103,870	-
SCC06C1902A	0.26	(0.01)	17,938	-	TASC01C1810A	0.09	(0.01)	4,871	-	TOP13C1901A	0.48	0.01	176,534	-
SCC07C1812A	0.48	(0.02)	29	-	TASC01C1810B	-	-	-	-	TOP18C1808A	-	-	-	-
SCC08C1809A	0.03	-	12,600	-	TASC01P1809A	2.14	-	2,188	2.00	TOP19C1901A	0.36	0.01	147,065	-
SCC11C1811A	0.09	-	6,401	-	TASC01P1810A	1.05	(0.01)	11,948	1.00	TOP23C1811A	0.13	-	52,900	-
SCC11P1811A	0.48	0.03	25,580	-	TASC07C1811A	-	-	-	-	TOP24C1901A	0.16	0.06	703	-
SCC13C1809A	0.05	-	10,000	-	TASC08C1808A	-	-	-	-	TOP28C1810A	-	-	-	-
SCC13C1812A	0.18	(0.01)	46,264	-	TASC11C1904A	-	-	-	-	TP101C1807A	-	-	-	-
SCC13C1901A	0.36	(0.01)	28,378	-	TASC13C1810A	-	-	-	-	TP101C1807B	-	-	-	-
SCC19C1811A	0.11	(0.02)	29,100	-	TASC24C1810A	-	-	-	-	TP101C1812A	0.19	(0.02)	18,417	-
SCC23C1811A	-	-	-	-	TASC28C1808A	-	-	-	-	TP101C1812B	0.14	-	34,693	-
SCC24C1812A	-	-	-	-	TCAP01C1807A	-	-	-	-	TP107C1812A	0.22	0.02	1	-
SCC24C1901A	0.37	(0.02)	7,810	-	TCAP01C1807B	-	-	-	-	TP108C1807A	-	-	-	-
SCC24P1901A	0.45	-	100	-	TCAP01P1807A	1.14	0.05	5,284	1.00	TP113C1809A	-	-	-	-
SCC27C1809A	-	-	-											

Main Board Quotation

Issue Date :

Wednesday July 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SGP13C1808A	-	-	-	-	THAI01P1808A	0.87	-	10,266	-	TPIP24C1901A	0.37	0.11	966	-

Main Board Quotation

Issue Date :

Wednesday July 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TPIP27C1812A	-	-	-	-	WHA24C1807A	-	-	-	-	SAMART-W2	0.28	0.02	29,816	-
TRUE01C1808A	0.16	-	125,732	-	WHA24C1811A	0.14	(0.01)	600	-	SAWAD-W1	5.10	(0.10)	161	5.00
TRUE01C1808B	0.03	-	4,967	-	WHA28C1807A	-	-	-	-	SDC-W1	0.05	0.01	34,599	-
TRUE01P1808A	0.49	-	35,249	-	WHA28C1808A	0.01	-	200	-	SMM-W4	0.09	(0.01)	2,355	-
TRUE06C1811A	0.07	0.01	10	-	WHA28C1808B	-	-	-	-	SMT-W1	0.07	-	14,321	-
TRUE06C1906A	0.23	-	3,607	-	WHA28C1809A	0.40	(0.02)	22,967	-	SMT-W2	0.50	0.05	15,157	-
TRUE08C1809A	0.05	(0.01)	4,580	-	WHAU01C1810A	0.17	-	4,600	-	SPALI-W4	20.30	(0.70)	1,155	20.00
TRUE08C1902A	0.30	-	41,830	-	WHAU01C1810B	-	-	-	-	SPORT-W5	0.10	(0.01)	400	-
TRUE08P1809A	0.25	-	14,764	-	WHAU24C1812A	-	-	-	-	SPORT-W6	-	-	-	-
TRUE11C1807A	-	-	-	-	WORK01C1811A	0.58	0.06	35,756	-	SUPER-W4	0.12	-	63,665	-
TRUE13C1807A	-	-	-	-	WORK01C1811B	0.41	0.06	35,566	-	SUSCO-W1	0.16	-	9,969	-
TRUE13C1810A	0.04	-	8,910	-	WORK08C1809A	0.01	-	40,733	-	SVI-W3	1.02	0.03	168	1.00
TRUE13C1812A	0.20	(0.01)	123,024	-	WORK08C1901A	0.46	0.05	78,170	-	TCC-W3	-	-	-	-
TRUE16C1812A	0.22	-	100	-	WORK11C1903A	0.14	0.02	24,517	-	TCC-W4	0.12	(0.02)	19	-
TRUE19C1901A	0.13	-	22,400	-	WORK13C1809A	-	-	-	-	TCC-W5	0.19	0.02	447	-
TRUE27C1809A	-	-	-	-	WORK13C1810A	0.03	-	12,096	-	TCJ-W2	0.78	(0.01)	185	-
TRUE27P1809A	-	-	-	-	WORK13C1811A	0.17	0.04	23,025	-	TCMC-W2	0.32	-	3,452	-
TRUE28C1807A	-	-	-	-	WORK13C1812A	0.57	0.11	94,930	-	TFG-W1	1.50	0.10	145	1.00
TRUE28C1808A	-	-	-	-	WORK19C1811A	0.25	0.05	18,564	-	TFG-W2	0.60	0.01	1,548	-
TRUE28C1810A	-	-	-	-	WORK23C1807A	-	-	-	-	TH-W2	0.13	0.01	101	-
TRUE28C1812A	0.15	(0.01)	120,530	-	WORK24C1810A	0.02	-	4,262	-	THE-W2	0.06	-	3,250	-
TTA01C1807A	-	-	-	-	WORK24C1812A	0.35	(0.02)	510	-	TNITY-W1	0.86	-	6,643	-
TTA01P1807A	1.16	(0.02)	5,359	1.00	WORK28C1808A	-	-	-	-	TNPC-W3	0.44	0.04	317	-
TTA08C1808A	-	-	-	-	WORK28C1809A	0.03	-	5	-	TRITN-W1	0.09	-	83,418	-
TTA08C1906A	0.27	0.01	17,724	-	WORK28C1811A	0.19	0.04	41,574	-	TSR-W1	0.39	(0.01)	2,809	-
TTA13C1809A	-	-	-	-	Preferred/Foreign	-	-	-	-	TTA-W5	0.40	(0.01)	14,850	-
TTA13C1901A	0.24	-	9,494	-	BH-Q	-	-	-	-	U-W1	-	-	-	-
TTA18C1808A	-	-	-	-	CSC-Q	-	-	-	-	U-W4	-	-	-	-
TTA19C1811A	0.11	-	400	-	JUTHA-Q	-	-	-	-	VGI-W1	-	-	-	-
TTA23C1808A	-	-	-	-	KTB-Q	-	-	-	-	VIBHA-W2	1.25	(0.01)	1,067	1.00
TTA23C1901A	0.12	-	2,000	-	SCB-Q	-	-	-	-	VIBHA-W3	0.28	(0.01)	629	-
TTA24C1809A	-	-	-	-	TCAP-Q	-	-	-	-	WAVE-W1	0.38	0.03	930	-
TTA24C1902A	0.11	-	2	-	TIC-Q	-	-	-	-	WHA-W1	6.50	-	1,741	6.00
TTA28C1812A	0.11	-	17,240	-	TISCO-Q	-	-	-	-	WORK-W1	10.90	1.05	4	10.00
TU01C1808A	0.02	-	1,001	-	U-Q	-	-	-	-	Preferred Shares	-	-	-	-
TU01C1808B	-	-	-	-	Warrant	-	-	-	-	BH-P	-	-	-	-
TU01P1808A	1.24	0.04	2,190	1.00	7UP-W2	-	-	-	-	CSC-P	-	-	-	-
TU06C1902A	0.14	(0.02)	6,258	-	ACC-W1	0.03	0.01	4,729	-	JUTHA-P	-	-	-	-
TU08C1811A	0.03	-	3,000	-	AJA-W1	0.17	(0.04)	1	-	KTB-P	-	-	-	-
TU11C1902A	0.03	(0.01)	700	-	ALT-W1	0.68	0.05	7,342	-	SCB-P	-	-	-	-
TU13C1809A	0.01	-	4	-	APURE-W2	0.18	-	21,439	-	TCAP-P	-	-	-	-
TU24C1808A	-	-	-	-	AO-W4	0.01	-	665	-	TIC-P	-	-	-	-
TU24C1901A	-	-	-	-	AS-W1	0.45	0.02	331	-	TISCO-P	-	-	-	-
TU27C1807A	-	-	-	-	AYUD-W1	3.50	0.26	59,277	3.00	U-P	0.03	-	508,665	-
TVO01C1809A	0.13	0.02	195,977	-	B-W3	-	-	-	-	Warrant (MAI)	-	-	-	-
TVO01C1809B	-	-	-	-	B-W4	0.10	-	126,369	-	2S-W1	0.12	-	1,207	-
TVO08C1808A	0.01	-	1,900	-	BTS-W3	0.06	-	29,444	-	ACAP-W1	-	-	-	-
TVO11C1903A	0.10	0.01	1,304	-	BWG-W4	0.05	(0.01)	2,071	-	ACAP-W2	2.14	0.26	1,910	2.00
TVO13C1809A	-	-	-	-	CEN-W4	0.04	(0.01)	367	-	AIRA-W1	-	-	-	-
TVO23C1808A	-	-	-	-	CGD-W4	0.09	0.09	757,342	-	AIRA-W2	0.05	-	3,081	-
TVO24C1810A	-	-	-	-	CGH-W2	-	-	-	-	ATP30-W1	0.77	0.01	622	-
TVO28C1808A	-	-	-	-	CGH-W3	0.05	(0.01)	299,408	-	BSM-W2	0.20	(0.01)	238	-
UNIQ01C1809A	0.10	-	58,410	-	CI-W1	0.36	(0.02)	67	-	CHEWA-W1	0.07	-	2,010	-
UNIQ01C1810A	0.26	0.02	56,480	-	CKP-W1	0.37	-	2,689	-	CIG-W7	0.03	0.01	501	-
UNIQ01C1810B	0.10	-	23,954	-	CRANE-W1	1.97	-	13	1.00	DNA-W1	0.93	0.01	3,219	-
UNIQ01P1809A	0.65	(0.01)	30,929	-	CWT-W4	0.51	0.02	73,632	-	ECF-W2	3.80	0.18	3,727	3.00
UNIQ08C1808A	-	-	-	-	DCC-W1	0.70	(0.02)	27,697	-	ECF-W3	2.78	0.04	1,826	2.00
UNIQ08C1810A	-	-	-	-	DCON-W1	-	-	-	-	EFORL-W3	0.01	-	1,010	-
UNIQ08C1906A	0.26	0.02	30,123	-	DIGI-W1	0.05	0.01	1,001	-	EFORL-W4	0.02	-	1,012	-
UNIQ11C1811A	0.11	0.01	17,840	-	DIGI-W2	0.02	-	3,121	-	FC-W1	0.06	-	659	-
UNIQ13C1807A	-	-	-	-	EARTH-W4	-	-	-	-	FC-W2	0.03	(0.01)	1,377	-
UNIQ13C1809A	0.06	-	6,870	-	EIC-W2	-	-	-	-	FOCUS-W2	0.28	-	2,921	-
UNIQ13C1901A	0.27	-	37,206	-	EIC-W3	-	-	-	-	FVC-W2	0.38	(0.02)	1,266	-
UNIQ19C1811A	-	-	-	-	EIC-W4	-	-	-	-	ITEL-W1	0.25	(0.01)	5,112	-
UNIQ23C1901A	0.12	0.01	14,000	-	EVER-W3	0.04	-	20,316	-	JKN-W1	2.72	(0.18)	3,197	2.00
UNIQ24C1811A	-	-	-	-	GJS-W3	0.02	(0.01)	5,002	-	LIT-W1	1.99	0.13	1,696	1.00
UNIQ28C1807A	-	-	-	-	GL-W4	-	-	-	-	META-W2	0.06	-	6,824	-
UNIQ28C1809A	-	-	-	-	GSTEL-W1	-	-	-	-	NBC-W1	-	-	-	-
UNIQ28C1811A	0.12	0.01	10,101	-	GSTEL-W2	-	-	-	-	NDR-W1	0.10	(0.01)	7,141	-
UV01C1807A	0.04	(0.01)	1	-	IEC-W2	-	-	-	-	NEWS-W4	-	-	-	-
UV08C1807A	-	-	-	-	IHL-W1	4.36	-	178	4.00	NEWS-W5	-	-	-	-
UV13C1807A	-	-	-	-	ITD-W1	0.12	-	10,792	-	NEWS-W6	-	-	-	-
UV13C1808A	-	-	-	-	IVL-W2	12.20	(0.30)	112,680	12.00	NINE-W1	-	-	-	-
UV13C1812A	0.31	-	82,528	-	JAS-W3	1.91	0.26	289,617	1.00	PHOL-W1	0.09	-	47,315	-
UV23C1809A	-	-	-	-	JCK-W5	0.40	0.04	1,008	-	PIMO-W1	1.74	(0.04)	274	1.00
UV24C1807A	-	-	-	-	JMART-W2	1.42	(0.03)	906	1.00	PPS-W1	0.74	-	403	-
UV24C1812A	-	-	-	-	MIDA-W2	0.03	-	59	-	PSTC-W1	0.24	(0.02)	3,278	-
UV28C1807A	-	-	-	-	MILL-W3	0.04	-	399	-	SIMAT-W2	0.51	-	211	-
UV28C1808A	-	-	-	-	MILL-W4	0.27	0.01	4,798	-	SIMAT-W3	0.67	0.03	14,617	-
VGI01C1812A	0.55	(0.03)	4,253	-	ML-W2	-	-	-	-	SKY-W1	-	-	-	-
VGI06C1904A	-	-	-	-	MONO-W1	0.53	(0.01)	9,850	-	STAR-W3	1.44	0.12	2,059	1.00
VGI06C1904B	-	-	-	-	NEP-W3	-	-	-	-	T-W3	-	-	-	-
VGI06C1904C	-	-	-	-	NOK-W1	0.99	(0.01)	1,010	1.00	TAKUNI-W	0.19	(0.01)	8,382	-
VGI08C1811A	0.47	(0.03)	6,126	-	NPP-W3	0.25	(0.04)	33,520	-	TAPAC-W3	3.46	(0.04)	466	3.00
VGI23C1905A	-	-	-	-	NUSA-W3	0.14	(0.02)	358	-	TMILL-W1	0.94	0.05	10	-
VGI23C1911A	1.24	(0.02)	5	1.00	ORI-W1	1.99	(0.05)	6,527	2.00	TSF-W4	0.01	(0.01)	50	-
VGI27C1812A	-	-	-	-	PACE-W1	-	-	-	-	TSF-W5	0.03	0.01	25,001	-
VGI28C1810A	0.28	(0.02)	31,176	-	PACE-W2	0.05	-	2,735	-	TVD-W2	0.44	-	217	-
WHA01C1807A	0.06	(0.02)	4,803	-	PDI-W1	1.36	0.09	93,735	1.00	UKEM-W2	0.48	(0.01)	1,385	-
WHA01C1807B	0.01	-	9	-	PDJ-W2	1.56	(0.06)	311	1.00	UWC-W2	0.01	-	612	-

