

Main Board Quotation

Issue Date :

Friday July 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.80	(0.10)	560	6.89	RS	15.40	(0.40)	103,417	15.67
POMPI	-	-	-	-	HUMAN	10.00	-	4,694	10.09	SE-ED	2.96	0.04	17	2.94
SAFARI	-	-	-	-	ILINK	5.00	-	4,469	5.04	SMM	0.84	0.03	1,927	0.83
VI	-	-	-	-	INET	3.70	0.02	1,069	3.67	SPORT	0.53	(0.01)	5,345	0.53
WORLD	-	-	-	-	INTUCH	55.00	(0.25)	21,617	54.96	TBSP	-	-	-	-
WR	-	-	-	-	JAS	5.10	(0.05)	159,376	5.15	TH	0.63	0.03	1,909	0.61
Agribusiness					JASIF	10.00	-	93,861	10.00	TKS	10.70	(0.10)	3,356	10.71
CHOTI	140.00	4.00	1	140.00	JMART	8.70	0.20	38,343	8.84	TRITN	0.31	0.01	522,412	0.31
EE	0.78	0.02	80,548	0.79	JTS	1.55	(0.02)	360	1.56	VGI	7.20	-	71,752	7.23
GFPT	12.60	-	22,156	12.66	MFEC	3.98	0.02	14,391	4.02	WAVE	2.82	0.06	1	2.82
LEE	2.76	0.02	3,637	2.74	MSC	5.95	0.05	349	5.96	WORK	45.25	0.50	27,415	45.26
STA	10.10	-	39,436	10.18	PT	6.60	0.05	1,458	6.63	Finance & Securities				
TLUXE	6.20	0.30	9,018	6.14	SAMART	7.50	0.10	9,205	7.47	AEC	0.47	-	2,970	0.47
TRUBB	1.63	-	99	1.62	SAMTEL	8.30	0.15	931	8.27	AEONTS	179.50	(4.50)	12,980	182.32
TWPC	9.25	0.10	8,851	9.09	SDC	0.23	(0.01)	6,272	0.23	AMANAH	2.02	(0.04)	97,333	2.04
UPOIC	4.08	-	760	4.08	SIS	8.70	0.15	1,406	8.67	ASAP	5.35	(0.05)	16,709	5.39
UVAN	7.70	-	902	7.70	SVOA	1.34	0.01	16,128	1.34	ASK	22.10	(0.10)	1,090	22.09
VPO	0.66	0.03	2,669	0.64	SYMC	4.80	0.10	230	4.78	ASP	3.80	0.02	9,202	3.79
Banking					SYNEX	14.10	(0.20)	5,868	14.18	BFIT	27.75	-	933	27.70
BAY	40.00	0.50	4,080	39.85	THCOM	8.20	0.25	16,536	8.15	CGH	1.11	-	5,298	1.12
BBL	193.00	-	38,661	193.46	TRUE	5.90	-	812,577	5.98	CNS	2.64	0.02	597	2.62
CIMBT	0.88	(0.02)	12,989	0.89	TWZ	0.13	-	14,411	0.13	ECL	1.87	0.02	62,957	1.88
KBANK	194.50	(0.50)	18,590	194.79	Electronic Componer	-	-	-	-	FNS	4.54	0.02	1,772	4.55
KKP	71.50	0.75	55,502	71.60	CCET	2.14	0.02	8,530	2.14	FSS	2.46	0.02	486	2.43
KTB	17.60	0.10	83,448	17.55	DELTA	62.75	1.25	16,350	62.18	GBX	0.67	0.01	261	0.66
LHFG	1.51	0.02	30,693	1.51	ELC	0.05	-	27,226	0.06	GL	5.20	(0.05)	2,446	5.23
SCB	124.50	0.50	74,064	124.32	HANA	36.50	0.50	24,283	36.20	IFS	3.00	0.06	298	2.97
TCAP	48.75	0.75	21,770	48.63	KCE	40.50	0.50	49,652	40.46	JMT	29.50	1.00	6,149	29.44
TISCO	80.50	(3.50)	174,145	81.73	METCO	192.00	1.00	1	192.00	KCAR	13.40	0.10	473	13.40
TMB	2.50	0.10	3,297,593	2.49	SMT	2.28	-	2,194	2.33	KGI	4.02	0.04	27,831	4.01
Construction Materia					SPPT	4.62	(0.08)	2,519	4.62	KTC	33.00	(2.40)	134,260	34.35
CCP	0.41	-	6,747	0.40	SVI	4.18	-	38,252	4.18	MBKET	12.90	0.20	7,438	12.99
DCC	2.24	-	28,946	2.23	TEAM	1.15	(0.01)	53,821	1.17	MFC	14.90	-	4,854	14.91
DCON	0.54	-	10,871	0.54	Energy & Utilities	-	-	-	-	ML	1.00	(0.01)	864	1.01
DRT	5.75	0.05	514	5.70	ABPFI	8.55	0.05	1,066	8.53	MTC	37.75	0.75	107,914	37.61
EPG	7.95	0.15	47,584	7.91	AI	-	-	-	-	PE	0.31	(0.02)	950	0.32
GEL	0.33	(0.01)	36,550	0.33	AKR	1.71	(0.01)	173,437	1.73	PL	3.38	-	1,491	3.39
PPP	3.60	-	355	3.60	BAFS	32.75	0.50	808	32.62	S11	7.35	0.05	1,442	7.36
Q-CON	5.75	0.25	304	5.62	BANPU	20.30	(0.40)	586,321	20.48	SAWAD	31.75	0.50	83,738	32.07
RCI	2.96	0.08	32,552	2.94	BCP	33.00	(0.25)	20,276	33.15	THANI	7.75	-	48,201	7.73
SCC	428.00	-	17,794	427.85	BCPG	16.80	(0.10)	33,830	16.81	TK	10.80	-	3,645	10.80
SCCC	212.00	2.00	1,895	211.01	BGRIM	24.00	0.10	48,463	24.06	TNITY	5.85	-	772	5.85
SCP	7.75	-	460	7.80	BPP	24.30	0.60	31,759	23.97	UOBKH	4.26	0.10	1,450	4.20
SKN	5.00	0.02	14,025	5.00	BRRGIF	10.30	-	1,642	10.25	ZMICO	1.03	-	2,589	1.03
TASCO	13.60	-	13,996	13.61	CKP	3.98	0.02	75,780	4.01	Food & Beverage				
TCMC	2.38	-	27,198	2.41	DEMCO	4.12	0.34	30,366	4.03	APURE	1.28	-	14,409	1.29
TGCI	3.20	0.06	14,136	3.16	EA	32.50	(0.75)	149,650	32.70	ASIAN	5.35	(0.05)	15,075	5.39
TOA	38.00	0.25	21,589	38.09	EARTH	-	-	-	-	BR	5.75	-	50,114	5.79
TPIPL	1.89	0.03	123,248	1.88	EASTW	10.90	-	10,398	10.90	BRR	6.75	-	285	6.75
UMI	1.22	(0.02)	2,596	1.23	EGATIF	10.90	-	1,212	10.91	CBG	46.75	(0.75)	14,683	47.41
VNG	8.15	0.15	1,998	8.14	EGCO	230.00	-	7,138	229.79	CFRESH	4.12	-	90	4.12
WIJK	2.30	(0.04)	4,370	2.32	ESSO	11.60	-	35,887	11.64	CM	4.12	-	651	4.15
Petrochemicals & Ch					GLOW	93.50	0.25	31,801	93.36	CPF	26.25	0.75	330,065	26.03
CMAN	3.30	0.18	119,455	3.27	GPSC	70.75	-	24,498	70.34	CPI	1.55	-	786	1.55
GC	5.05	0.05	688	5.00	GULF	64.75	-	7,478	64.80	F&D	16.30	(0.10)	26	15.88
GGC	9.60	0.05	63,476	9.67	GUNKUL	2.90	0.04	42,510	2.88	HTC	18.80	(0.10)	638	18.80
GIFT	4.32	(0.02)	475	4.34	IEC	-	-	-	-	ICHI	4.88	0.02	56,685	4.94
IVL	57.00	0.50	168,422	57.18	IFEC	-	-	-	-	KBS	4.36	-	1,620	4.33
NFC	11.30	0.30	1,370	11.25	IRPC	5.90	(0.05)	406,628	5.94	KSL	3.08	0.02	3,196	3.07
PATO	14.90	(0.10)	786	14.93	LANNA	15.60	-	235	15.48	KTIS	5.90	-	266	5.87
PMTA	16.20	-	6	16.17	MDX	3.94	0.02	2,135	3.96	LST	4.68	0.04	7,796	4.74
PTTGC	76.25	(1.25)	136,721	76.78	PTG	15.50	(0.20)	29,871	15.67	M	75.25	-	3,445	74.49
SUTHA	4.12	-	160	4.10	PTT	47.50	(0.50)	360,811	47.82	MALEE	12.20	-	30,644	12.38
TCB	53.00	(0.25)	187	53.18	PTTEP	135.50	1.50	77,072	134.77	MINT	34.75	0.50	106,975	34.73
TCCC	33.50	0.50	48	33.45	RATCH	52.00	-	17,099	51.72	OISHI	94.25	(0.75)	33	94.80
TPA	6.10	0.05	119	6.03	RPC	0.55	-	13,442	0.56	PB	61.50	-	304	61.28
UP	27.75	(0.25)	10	27.55	SCG	4.64	0.04	237	4.60	PM	10.50	0.10	2,255	10.50
VNT	23.20	0.40	41,288	23.32	SCI	3.02	0.06	12,377	3.02	PRG	-	-	-	-
WG	153.00	-	6	153.00	SCN	3.88	-	900	3.90	SAPPE	25.25	-	2,329	25.48
YCI	-	-	-	-	SGP	10.60	(0.20)	371,372	10.80	SAUCE	21.60	(0.30)	8	21.63
Commerce					SKE	1.26	(0.01)	8,410	1.28	SFP	-	-	-	-
BEAUTY	7.95	(0.15)	2,239,111	8.06	SOLAR	2.36	(0.04)	43,862	2.38	SNP	20.60	-	20	20.55
BIG	2.10	(0.06)	49,838	2.13	SPCG	20.60	0.20	4,201	20.56	SORKON	66.50	-	7	66.79
BIC	53.75	0.25	48,310	53.87	SPRC	13.20	(0.10)	118,788	13.25	SSC	-	-	-	-
COL	28.50	0.50	7,822	28.89	SUPER	0.72	0.02	7,213,380	0.73	SST	8.65	(0.35)	117	8.67
COM7	17.90	0.10	22,948	18.00	SUSCO	3.36	0.06	76,540	3.38	SST	5.95	-	20	5.95
CPALL	76.00	(0.50)	193,125	76.06	TAE	2.12	-	1,722	2.11	TC	2.96	-	51	2.96
CSS	2.04	-	4,081	2.05	TCC	0.35	(0.03)	23,866	0.36	TFG	3.80	0.02	19,829	3.82
FN	3.18	(0.18)	68,099	3.16	TOP	76.75	(0.75)	58,343	76.91	TFMAMA	153.00	-	25	153.30
FTE	2.16	(0.06)	17,903	2.19	TPIPP	6.00	-	89,057	6.06	TIPCO	8.70	0.05	2,933	8.72
GLOBAL	17.30	0.30	23,951	17.20	TTW	12.40	-	9,524	12.36	TKN	14.90	0.10	38,281	15.01
HMPRO	14.40	-	137,903	14.36	WHAUP	5.95	0.10	59,256	5.92	TU	15.70	(0.10)	59,072	15.64
IT	4.64	0.06	4,176	4.65	WP	7.30	(0.05)	40,531	7.42	TVO	28.50	-	20,874	28.37
KAMART	4.86	-	112,224	4.92	Media & Publishing					Health Care Services				
LOXLEY	2.22	(0.02)	6,643	2.24	AMARIN	5.10	0.16	920	5.02	AHC	20.60	0.10	10	20.60
MAKRO	38.00	-	4,449	37.77	AQUA	0.49	(0.01)	204,375	0.50	BCH	15.70	-	17,059	15.74
MC	12.30	(0.20)	5,627	12.40	AS	1.54	0.02	291	1.54	BDMS	26.00	0.25	239,055	25.90
MEGA	41.50	0.50	8,774	41.58	BEC	8.05	(0.10)	27,518	8.12	BH	173.00	1.50	23,809	172.59
MIDA	0.60	-	573	0.60	EPCO	5.05	-	15,613	5.08	CHG	2.10	0.02	606,734	2.10
ROBINS														

Main Board Quotation

Issue Date :

Friday July 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	7.70	0.05	195	7.74	MBK	23.30	(0.30)	5,445	23.41	ASEFA	5.05	0.07	1,334	5.00
WPH	2.90	0.06	1,722	2.89	MJD	3.34	0.06	1,778	3.34	CPT	2.52	0.04	70,168	2.51
Tourism & Leisure					MK	4.12	(0.06)	62,644	4.16	CRANE	2.72	0.08	3,094	2.69
ASIA	6.70	0.05	119	6.75	NCH	0.93	-	1,473	0.92	CTW	8.20	-	171	8.23
CENTEL	44.00	(0.25)	11,244	44.11	NNCL	1.67	0.04	5,692	1.65	FMT	-	-	-	-
CSR	-	-	-	-	NOBLE	12.20	0.10	528	12.17	HTECH	7.65	-	12,209	7.65
DTC	12.70	0.70	53,571	12.70	NUSA	0.32	(0.01)	116,770	0.32	KKC	1.73	-	605	1.72
ERW	6.85	0.30	144,904	6.75	NVD	4.14	-	100	4.17	PK	3.26	0.02	3,706	3.26
GRAND	0.90	0.01	7,398	0.90	ORI	17.30	0.10	35,004	17.49	SNC	14.70	0.20	4,238	14.63
LRH	35.25	0.25	2	35.25	PACE	0.41	-	157,558	0.41	TCJ	5.95	(0.05)	3,823	6.09
MANRIN	32.75	-	5	32.75	PF	0.92	-	411,048	0.92	VARO	-	-	-	-
OHTL	810.00	-	1	810.00	PLAT	7.80	-	2,626	7.82	Property Fund & REI				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.00	-	518	10.00
SHANG	68.00	-	6	68.13	PRECHA	1.32	0.02	7	1.31	AMATAR	10.40	-	430	10.40
Home & Office Prod.					PRIN	1.61	0.01	7,233	1.59	B-WORK	10.40	-	629	10.40
ACC	0.48	-	1,949	0.47	PRINC	5.45	0.15	5,080	5.36	BKCP	-	-	-	-
AJA	0.37	(0.01)	216,574	0.38	PSH	20.60	0.10	5,138	20.63	BOFFICE	12.50	0.10	1,607	12.49
DTCI	-	-	-	-	QH	3.34	0.02	577,675	3.34	CPNGC	14.50	(0.10)	157	14.59
FANCY	1.01	-	26,799	1.03	RICHY	1.69	0.01	3,202	1.68	CPNREIT	23.70	0.10	1,365	23.70
KYE	418.00	2.00	17	417.88	RML	1.30	-	83,475	1.31	CPTGF	13.10	0.10	554	13.00
L&E	2.74	(0.02)	60	2.74	ROJNA	5.15	-	22,294	5.23	CRYSTAL	10.30	-	2	10.30
MODERN	4.54	-	309	4.52	S	2.94	0.02	74,349	2.96	CTARAF	4.70	(0.02)	287	4.70
OGC	-	-	-	-	SAMCO	2.30	0.04	20	2.28	DREIT	5.50	(0.05)	4	5.44
ROCK	17.00	(0.40)	64	17.00	SC	3.48	-	5,866	3.49	ERWPF	5.80	0.20	26	5.80
SIAM	1.82	0.01	274	1.82	SENA	3.66	0.04	5,978	3.64	FUTUREPF	20.80	-	660	20.80
TSR	2.24	0.02	7,586	2.23	SF	8.15	-	14,830	8.22	GAHREIT	9.80	-	970	9.80
Insurance					SIRI	1.61	0.01	1,013,469	1.62	GLANDRT	12.50	-	5,501	12.42
AYUD	40.50	0.50	39	39.92	SPALI	24.80	(0.10)	37,477	24.83	GOLDPF	7.05	0.05	1,200	7.04
BKI	351.00	(2.00)	20	351.90	TICON	16.20	(0.20)	560	16.24	GVREIT	14.40	-	139	14.49
BLA	31.75	0.75	12,908	31.65	U	0.03	-	907,721	0.03	HPF	-	-	-	-
BUI	-	-	-	-	UV	7.45	0.25	61,923	7.35	HREIT	6.85	(0.05)	192	6.86
CHARAN	33.25	(0.75)	50	33.25	WHA	4.02	0.08	887,877	4.01	IMPACT	17.20	-	344	17.13
INSURE	-	-	-	-	WIN	0.60	-	3,319	0.59	KPNPF	9.45	0.05	1	9.45
MTI	121.50	-	110	120.93	Paper & Printing Mat					LHHOTEL	15.40	(0.10)	17	15.44
NKI	-	-	-	-	UTP	11.80	0.30	12,828	11.81	LHPF	8.30	-	384	8.30
NSI	81.75	(0.25)	1	81.75	Fashion					LHSC	15.10	-	295	15.10
SMK	40.00	-	57	40.44	AFC	-	-	-	-	LUXF	-	-	-	-
THRE	1.13	0.01	29,523	1.12	BTNC	-	-	-	-	M-II	8.85	(0.90)	25	8.80
THREL	7.85	-	2,505	7.85	CPH	5.90	(0.10)	5	5.90	M-PAT	-	-	-	-
TIC	34.00	-	19,878	34.00	CPL	-	-	-	-	M-STOR	10.30	0.10	1	10.30
TIP	23.20	(0.10)	1,986	23.26	DIGI	0.44	(0.01)	31,772	0.45	MIPF	-	-	-	-
TSI	0.52	0.01	565	0.52	ICC	38.75	-	1	38.75	MIT	-	-	-	-
TVI	3.68	0.08	4,030	3.67	LTX	81.25	0.75	58	82.16	MLF	12.50	(0.10)	1	12.50
Mining					NC	15.20	(0.70)	27	15.23	MNIT	1.64	(0.05)	91	1.65
PDI	17.90	0.60	11,415	17.72	PAF	0.87	-	1,152	0.87	MNIT2	5.30	0.05	30	5.30
THL	-	-	-	-	PDJ	3.02	0.12	2,539	2.97	MNRF	3.52	0.20	1	3.52
Packaging					PG	7.20	0.20	14	7.11	MONTRI	-	-	-	-
AJ	11.10	0.60	5,423	10.86	SABINA	30.50	0.50	90	30.87	POPF	13.60	-	231	13.61
ALUCON	204.00	(6.00)	71	205.44	SAWANG	-	-	-	-	PPF	11.20	-	301	11.20
CSC	43.00	-	52	43.26	SUC	43.75	-	12	43.98	QHHR	8.50	-	1,265	8.50
NEP	0.42	0.01	1,183	0.42	TNL	-	-	-	-	QHOP	3.40	(0.14)	49	3.40
NPP	1.29	(0.02)	10,648	1.30	TPCORP	14.50	-	182	14.48	QHPF	12.10	(0.10)	1,067	12.11
PTL	15.80	0.30	9,287	15.66	TR	47.00	-	246	47.19	SBPF	-	-	-	-
SITHAI	1.16	0.02	1,674	1.14	TTI	-	-	-	-	SHREIT	9.25	(0.05)	8	9.25
SLP	0.95	0.02	2,558	0.95	TTL	-	-	-	-	SIRIP	-	-	-	-
SMPC	12.70	0.30	1,287	12.58	TTTM	138.50	-	8	139.00	SPF	23.30	-	3,604	23.31
SPACK	1.96	0.06	61	1.94	UPF	-	-	-	-	SRIPANWA	-	-	-	-
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	-	-	-	-
TFI	0.36	(0.01)	1,222	0.36	WACOAL	43.75	(0.25)	2	43.38	SSTPF	-	-	-	-
THIP	35.50	0.75	2,272	34.75	Transportation & Log					SSTRT	6.35	0.15	61	6.20
TMD	21.40	(0.10)	476	21.40	AAV	4.78	0.12	278,599	4.73	TIF1	8.55	-	4	8.55
TOPP	215.00	-	1	215.00	AOT	65.00	0.25	177,574	65.19	TLGF	18.40	0.30	6,939	18.23
TPBI	8.25	0.05	523	8.25	ASIMAR	2.80	0.02	2,675	2.83	TLHPF	11.20	-	5	11.20
TPP	22.70	3.10	1	22.70	B	0.66	0.03	96,588	0.68	TNPF	3.78	-	535	3.78
Personal Products &					BA	12.50	-	16,093	12.47	TPRIME	11.80	0.10	105	11.80
APCO	4.48	0.04	1,232	4.42	BEM	7.90	(0.05)	148,382	7.91	TREIT	11.40	-	11,966	11.40
DDD	53.50	1.75	16,554	53.39	BTS	9.10	0.05	191,385	9.10	TTLPF	-	-	-	-
JCT	-	-	-	-	BTSGIF	11.90	-	39,020	11.87	TU-PF	-	-	-	-
OCC	17.30	0.30	38	17.20	III	4.80	0.16	106,662	4.84	URBNPF	3.44	0.02	778	3.39
S & J	-	-	-	-	JUTHA	1.79	-	172	1.77	WHABT	9.95	-	250	9.99
STHAI	-	-	-	-	JWD	6.85	0.15	14,322	6.85	WHART	10.00	-	6,836	10.00
TNR	12.90	0.30	798	12.81	KWC	-	-	-	-	Steel				
TOG	4.94	-	479	4.95	NOK	2.70	0.02	2,688	2.70	AMC	2.60	0.04	1,579	2.59
Professional Service					NYT	5.05	-	6,717	5.07	BSBM	1.13	-	1,423	1.13
BWG	1.01	0.05	656,375	1.00	PRM	6.70	0.25	52,021	6.58	CEN	1.28	0.01	418	1.28
GENCO	0.80	0.01	29,501	0.81	PSL	12.60	0.50	111,277	12.46	CITY	2.64	0.02	57	2.61
PRO	-	-	-	-	RCL	5.35	0.30	11,191	5.23	CSP	1.38	0.01	4,628	1.37
TEAMG	2.66	(0.04)	1,729,002	2.74	THAI	13.40	-	6,970	13.35	GJS	0.32	0.01	29,997	0.31
Property Developme					TSTE	7.20	-	30	7.20	GSTEL	-	-	-	-
A	6.70	-	900	6.70	TTA	7.15	0.10	22,679	7.18	INOX	1.06	0.01	507	1.06
AMATA	19.50	0.50	193,004	19.45	WICE	4.00	0.02	52,899	4.04	LHK	4.72	-	4,366	4.73
AMATAV	6.70	(0.05)	559	6.74	Automotive					MAX	0.02	-	153,998	0.02
ANAN	5.10	0.05	156,549	5.09	AH	32.00	(0.50)	13,534	32.61	MCS	7.75	0.05	3,143	7.73
AP	8.80	0.05	31,457	8.79	APCS	4.90	-	2,318	4.91	MILL	1.36	-	451	1.36
APEX	0.20	-	21,664	0.20	BAT-3K	-	-	-	-	PAP	4.16	0.02	200	4.15
AQ	0.03	-	426,121	0.03	CWT	3.22	-	4,540	3.24	PERM	2.10	0.06	9,822	2.11
BLAND	1.92	(0.03)	593,621	1.95	EASON	2.96	0.08	5,467	2.93	RICH				

Main Board Quotation

Issue Date :

Friday July 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	UMS	-	-	-	-	ADVA13C1809A	0.09	(0.01)	100	-
ABICO	5.55	(0.05)	218	5.00	UWC	0.07	-	167,816	-	ADVA13C1811A	0.59	(0.01)	45,495	-
AU	9.10	(0.05)	9,091	9.00	Services (MAI)	-	-	-	-	ADVA13P1809A	0.24	(0.01)	9,629	-
FC	0.35	-	21,898	-	ADAM	-	-	-	-	ADVA16C1812A	0.48	(0.02)	12	-
JCKH	1.12	(0.01)	2,916	1.00	AKP	1.65	0.01	102	1.00	ADVA18C1808A	0.44	-	6,256	-
KASET	2.12	(0.04)	240	2.00	AMA	6.35	(0.05)	5,646	6.00	ADVA19C1901A	0.60	0.01	8,316	-
MM	3.94	(0.02)	221	4.00	ARIP	0.52	0.01	459	-	ADVA24C1810A	0.44	0.02	1,000	-
SUN	3.20	0.10	7,905	3.00	ATP30	1.64	-	14,587	1.00	ADVA24P1810A	0.16	(0.01)	200	-
TACC	4.20	0.06	2,066	4.00	AUCT	5.65	0.10	7,265	5.00	ADVA28C1808A	-	-	-	-
TMILL	2.96	0.06	5,724	2.00	BOL	-	-	-	-	ADVA28C1811A	0.50	-	47,466	-
XO	8.00	0.05	5,845	7.00	CHUO	-	-	-	-	ADVA28P1810A	0.29	(0.02)	47,134	-
Consumer Products	-	-	-	-	CMO	1.53	-	8,855	1.00	AMAT01C1810A	0.67	0.06	154,398	-
BGT	1.10	0.01	1,325	1.00	D	10.20	-	1,245	10.00	AMAT01C1810B	0.45	0.05	82,863	-
BIZ	2.80	0.02	3,807	2.00	DCORP	2.66	-	9,962	2.00	AMAT01P1810A	1.26	(0.09)	26,394	1.00
DOD	12.70	0.20	127,043	12.00	DNA	0.43	0.04	181,449	-	AMAT06C1809A	0.04	-	500	-
ECF	7.20	0.05	32,326	7.00	EFORL	0.07	0.01	45,100	-	AMAT08C1807A	-	-	-	-
HPT	1.06	(0.03)	7,421	1.00	ETE	2.08	(0.02)	3,344	2.00	AMAT08C1809A	0.08	0.01	20	-
JUBILE	21.40	0.40	166	21.00	FSMART	9.00	-	4,852	8.00	AMAT11C1903A	0.31	0.03	30,332	-
MOONG	5.70	-	1,230	5.00	FVC	1.31	0.01	5,148	1.00	AMAT13C1809A	0.07	0.01	7,186	-
NPX	-	-	-	-	HARN	2.50	0.02	2,295	2.00	AMAT13C1812A	0.40	0.04	237,028	-
OCEAN	2.08	0.04	65,924	2.00	JKN	10.50	0.20	53,545	10.00	AMAT19C1811A	0.18	0.02	6,482	-
TM	1.97	(0.01)	334	1.00	KIAT	0.44	0.01	13,930	-	AMAT23C1810A	0.16	0.03	3,050	-
Financials (MAI)	-	-	-	-	KOOL	1.75	0.10	193,297	1.00	AMAT24C1807A	-	-	-	-
ACAP	7.55	0.30	23,936	7.00	LDC	1.04	(0.01)	1,386	1.00	AMAT24C1811A	0.28	0.03	20,940	-
AF	0.85	(0.01)	36	-	MPG	0.24	0.04	130,974	-	AMAT28C1808A	-	-	-	-
AIRA	2.04	-	153	2.00	NBC	0.66	(0.02)	4,006	-	ANAN01C1807A	0.08	0.01	23,890	-
ASN	3.20	0.02	1,423	3.00	NCL	1.46	(0.02)	3,019	1.00	ANAN01C1810A	1.16	0.07	47,923	1.00
BROOK	0.55	-	6,621	-	NEWS	0.01	-	46,190	-	ANAN01C1810B	1.08	0.09	11,542	1.00
CHAYO	4.10	0.12	259,453	4.00	NINE	1.44	0.01	1,049	1.00	ANAN08C1808A	0.03	0.01	3,985	-
GCAP	4.58	(0.06)	18,190	4.00	OTO	2.70	(0.02)	366	2.00	ANAN08C1810A	1.10	0.09	2,323	1.00
LIT	7.95	0.05	3,709	7.00	PHOL	2.40	0.04	225	2.00	ANAN08C1906A	0.30	-	65,880	-
SGF	0.13	(0.01)	41,996	-	PICO	6.20	(0.10)	390	6.00	ANAN13C1901A	0.25	0.02	79,890	-
Industrials (MAI)	-	-	-	-	PORT	6.55	-	4,914	6.00	ANAN19C1811A	0.70	0.03	4,100	-
2S	3.08	0.02	5,351	3.00	QLT	4.78	(0.08)	1,162	4.00	ANAN23C1901A	0.41	0.04	2,500	-
ADB	1.21	0.05	98,781	1.00	RP	3.00	0.02	281	2.00	ANAN24C1807A	-	-	-	-
BM	3.38	0.04	3,953	3.00	SE	2.04	(0.02)	62	2.00	ANAN24C1811A	-	-	-	-
CHO	1.15	-	3,411	1.00	SPA	14.80	0.80	25,232	14.00	ANAN28C1809A	0.69	0.03	11,924	-
CHOW	4.90	0.02	42	4.00	THMUI	1.28	(0.01)	3,982	1.00	AOT01C1808A	0.24	-	127,865	-
CIG	0.39	-	594	-	TNDT	4.82	(0.06)	471	4.00	AOT01C1808B	0.02	-	2,755	-
COLOR	1.14	0.03	720	1.00	TNH	38.75	-	293	38.00	AOT01C1810A	0.32	0.01	319,897	-
CPR	4.90	0.06	802	4.00	TNP	1.98	(0.01)	1,556	1.00	AOT01P1808A	0.87	(0.03)	61,644	-
FPI	2.88	(0.06)	3,624	2.00	TSF	0.05	(0.01)	256,739	-	AOT01P1808B	0.24	(0.03)	101,409	-
GTB	0.75	0.02	1,558	-	TVD	1.42	0.04	17,117	1.00	AOT06C1809A	0.07	-	643	-
KCM	1.25	-	51,524	1.00	TVT	1.03	-	1,098	1.00	AOT08C1807A	-	-	-	-
LVT	-	-	-	-	WINNER	3.28	-	1,657	3.00	AOT08C1901A	0.38	0.01	17,266	-
MBAX	3.88	0.04	313	3.00	Technology (MAI)	-	-	-	-	AOT11C1808A	0.42	0.01	74,120	-
MGT	2.08	-	631	2.00	COMAN	3.34	(0.06)	1,408	3.00	AOT11P1808A	-	-	-	-
NDR	2.22	0.04	573	2.00	ICN	2.46	(0.06)	72,933	2.00	AOT13C1807A	-	-	-	-
PDG	3.52	(0.02)	411	3.00	IRCP	1.28	0.03	4,501	1.00	AOT13C1809A	0.05	(0.01)	1,304	-
PIMO	2.68	0.02	561	2.00	ITEL	2.88	0.02	3,552	2.00	AOT13C1811A	0.23	-	44,505	-
PJW	1.67	(0.03)	2,354	1.00	NETBAY	34.75	-	1,199	35.00	AOT13C1812A	0.41	0.02	71,912	-
PPM	2.38	(0.02)	723	2.00	PLANET	1.52	0.02	126	1.00	AOT13P1810A	0.48	(0.02)	35,349	-
RWI	1.64	-	10,502	1.00	SIMAT	2.64	(0.10)	24,946	2.00	AOT19C1809A	0.16	0.02	40,405	-
SALEE	1.07	0.02	2,000	1.00	SKY	14.60	-	2,551	14.00	AOT23C1807A	0.20	-	16,882	-
SANKO	1.26	0.02	2,491	1.00	SPVI	1.40	0.03	44,156	1.00	AOT23P1807A	-	-	-	-
SELIC	1.87	0.01	11,042	1.00	UPA	0.40	(0.01)	12,868	-	AOT24C1807A	-	-	-	-
SWC	23.50	-	458	23.00	VCOM	3.24	-	3,903	3.00	AOT24C1811A	0.14	-	30,484	-
TMC	0.87	-	9,766	-	Unit Trust	-	-	-	-	AOT24P1809A	-	-	-	-
TMI	0.78	-	931	-	MGE	-	-	-	-	AOT28C1807A	-	-	-	-
TMW	67.25	0.25	306	67.00	SCBSET	-	-	-	-	AOT28C1809A	0.10	0.02	1	-
TPAC	11.90	(0.30)	83	11.00	ETF	-	-	-	-	AOT28C1812A	0.35	0.02	124,692	-
UAC	4.88	-	325	4.00	IDIV	12.64	0.15	188	12.00	AP01C1809A	0.44	0.02	4,134	-
UBIS	4.88	-	254	4.00	ABFTH	-	-	-	-	AP01C1809B	0.15	-	5,782	-
UEC	1.16	(0.01)	10,755	1.00	BMSCG	8.85	0.07	750	8.00	AP08C1810A	0.36	0.02	20,803	-
UKEM	0.83	0.02	47,744	-	BMSCITH	12.74	-	4,735	12.00	AP23C1901A	-	-	-	-
UREKA	0.55	0.01	30,445	-	BSET100	10.46	0.01	1,972	10.00	AP24C1901A	0.26	0.02	81	-
YUASA	16.50	0.10	83	16.00	CHINA	5.57	(0.02)	26	5.00	AP42C1901A	0.29	-	9,536	-
ZIGA	3.02	-	43,859	3.00	EBANK	-	-	-	-	AP42P1901A	0.43	(0.02)	6,116	-
Property & Construc	-	-	-	-	ECOMM	8.33	(0.04)	10	8.00	BA11C1902A	0.07	-	336	-
ARROW	9.05	0.10	535	9.00	EFOOD	-	-	-	-	BA19C1811A	-	-	-	-
BKD	3.18	0.04	2,909	3.00	EICT	-	-	-	-	BA24C1810A	-	-	-	-
BSM	0.70	(0.01)	2,360	-	ENGY	-	-	-	-	BA24C1901A	-	-	-	-
BTW	1.50	0.02	816	1.00	ENY	-	-	-	-	BA28C1809A	-	-	-	-
CHEWA	1.04	0.03	83,297	1.00	ESET50	5.65	0.02	26	5.00	BANP01C1808A	0.23	(0.03)	360,647	-
CRD	1.19	0.11	170,581	1.00	GLD	1.77	-	10	1.00	BANP01C1808B	0.04	-	3,871	-
DIMET	1.06	-	53,254	1.00	TDEX	10.62	(0.01)	268	10.00	BANP01C1812A	0.43	(0.04)	148,145	-
FLOYD	2.52	0.06	69,991	2.00	TGOLDETF	3.85	(0.04)	1,067	3.00	BANP01C1812B	0.30	(0.02)	207,084	-
FOCUS	0.84	(0.01)	900	-	TH100	4.69	(1.44)	50	4.00	BANP01P1808A	0.54	0.03	71,844	-
HYDRO	1.48	0.04	24,144	1.00	Warrant Foreign	-	-	-	-	BANP01P1812A	0.90	0.03	72,487	-
JSP	0.62	(0.01)	32,061	-	AAV01C1808A	0.06	0.01	4,513	-	BANP01P1812B	0.66	0.03	80,672	-
K	-	-	-	-	AAV01C1808B	-	-	-	-	BANP06C1810A	0.24	(0.04)	20,666	-
META	2.26	-	119,975	2.00	AAV01P1808A	0.51	(0.04)	30,282	-	BANP07C1810A	0.16			

Main Board Quotation

Issue Date :

Friday July 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BBL08C1809A	0.07	(0.01)	10,227	-	BEC28C1809A	-	-	-	-	CBG11C1902A	0.11	(0.01)	20,599	-
BBL08P1810A	0.28	0.01	7,062	-	BEC28C1811A	0.26	(0.02)	187,700	-	CBG13C1808A	-	-	-	-
BBL11C1903A	0.44	-	34,039	-	BEM01C1808A	0.34	(0.01)	8,888	-	CBG13C1809A	-	-	-	-
BBL11P1903A	0.58	-	28,300	-	BEM01C1808B	-	-	-	-	CBG13C1811A	0.13	-	77,466	-
BBL13C1807A	-	-	-	-	BEM01P1808A	0.20	(0.01)	7,046	-	CBG13C1812A	0.23	(0.02)	86,408	-
BBL13C1810A	0.38	-	51,603	-	BEM08C1809A	0.18	(0.01)	17,762	-	CBG18C1808A	-	-	-	-
BBL19C1901A	0.24	-	20,000	-	BEM11C1903A	0.22	-	3,400	-	CBG19C1810A	-	-	-	-
BBL23C1811A	0.20	-	21,400	-	BEM13C1809A	0.19	(0.01)	19,894	-	CBG23C1901A	0.11	-	20,796	-
BBL24C1809A	-	-	-	-	BEM19C1901A	0.30	(0.03)	3,830	-	CBG24C1807A	-	-	-	-
BBL24C1812A	0.56	0.01	100	-	BEM23C1901A	0.18	-	10,000	-	CBG24C1809A	-	-	-	-
BBL24P1810A	0.24	-	276	-	BEM24C1809A	-	-	-	-	CBG24C1811A	0.19	0.01	1	-
BBL27C1809A	0.11	-	10,816	-	BEM28C1808A	0.11	(0.01)	42,276	-	CBG28C1808A	-	-	-	-
BBL28C1808A	-	-	-	-	BGR10C1902A	0.63	0.04	22,942	-	CBG28C1808B	-	-	-	-
BBL28C1811A	0.41	-	99,018	-	BGRI13C1812A	0.60	-	104,542	-	CBG28C1811A	0.12	-	48,684	-
BCH01C1808A	0.29	0.01	12,985	-	BGRI9C1901A	0.49	-	7,524	-	CENT01C1810A	0.30	(0.03)	17,577	-
BCH01C1808B	-	-	-	-	BGRI24C1901A	0.55	0.03	2,380	-	CENT01C1810B	0.15	(0.01)	12,198	-
BCH01P1808A	0.38	-	7,322	-	BGRI28C1812A	0.58	-	93,420	-	CENT01P1810A	0.98	0.03	7,138	-
BCH06C1811A	-	-	-	-	BH01C1811A	0.52	0.02	58,294	-	CENT08C1809A	0.04	(0.01)	1,100	-
BCH08C1901A	0.24	-	2,298	-	BH01C1811B	0.18	-	38,545	-	CENT11C1904A	0.27	(0.02)	2,610	-
BCH11C1807A	-	-	-	-	BH01P1811A	1.61	(0.04)	24,242	1.00	CENT13C1811A	0.10	(0.01)	6,620	-
BCH13C1810A	-	-	-	-	BH07C1810A	-	-	-	-	CENT24C1807A	-	-	-	-
BCH19C1809A	0.09	-	10	-	BH08C1811A	-	-	-	-	CENT24C1810A	-	-	-	-
BCH23C1811A	0.21	-	1,000	-	BH11C1902A	0.05	-	10	-	CENT24C1901A	0.34	(0.01)	15,200	-
BCH24C1811A	-	-	-	-	BH19C1901A	0.55	0.02	35,902	-	CENT28C1808A	-	-	-	-
BCH28C1811A	0.15	(0.01)	7,130	-	BH24C1809A	-	-	-	-	CHG01C1809A	0.25	0.01	51,572	-
BCP01C1810A	0.16	(0.01)	6,286	-	BH24C1811A	-	-	-	-	CHG01C1809B	0.25	0.03	58,966	-
BCP01C1810B	-	-	-	-	BH24C1902A	0.48	0.02	200	-	CHG01P1809A	0.32	(0.03)	16,429	-
BCP01P1810A	-	-	-	-	BIG08C1807A	-	-	-	-	CHG08C1807A	-	-	-	-
BCP08C1901A	0.21	0.01	6,397	-	BIG08C1906A	0.29	-	24,288	-	CHG11C1807A	-	-	-	-
BCP11C1811A	-	-	-	-	BIG13C1808A	0.01	-	1	-	CHG11C1904A	0.15	-	7,465	-
BCP13C1810A	0.05	-	200	-	BIG13C1901A	0.21	0.01	6,142	-	CHG13C1807A	-	-	-	-
BCP24C1808A	-	-	-	-	BIG19C1811A	0.14	-	2,370	-	CHG13C1809A	0.35	0.02	27,726	-
BCP24C1811A	-	-	-	-	BIG24C1808A	-	-	-	-	CHG13C1812A	0.13	0.01	70,205	-
BCP28C1809A	-	-	-	-	BIG24C1812A	-	-	-	-	CHG23C1811A	0.54	0.05	5,950	-
BCP28C1809B	-	-	-	-	BJ01C1807A	0.13	-	3,670	-	CHG24C1808A	-	-	-	-
BCPG01C1811A	0.29	-	3,620	-	BJ01C1807B	0.02	-	73	-	CHG24C1811A	-	-	-	-
BCPG01C1811B	0.12	(0.01)	500	-	BJ01P1807A	0.87	(0.01)	20,500	-	CHG28C1808A	0.24	0.04	10,496	-
BCPG06C1807A	-	-	-	-	BJ06C1807A	-	-	-	-	CHG28C1812A	0.14	-	96,182	-
BCPG06C1811A	0.14	(0.13)	3,600	-	BJ06C1901A	-	-	-	-	CK01C1809A	0.22	-	60,986	-
BCPG08C1810A	0.14	(0.01)	29,358	-	BJ07C1809A	-	-	-	-	CK01C1809B	0.33	-	7,069	-
BCPG11C1807A	0.32	-	10,360	-	BJ08C1807A	-	-	-	-	CK01P1809A	0.26	-	14,002	-
BCPG11C1902A	0.11	(0.01)	3,753	-	BJ08C1809A	-	-	-	-	CK08C1809A	0.30	0.08	80	-
BCPG13C1807A	-	-	-	-	BJ11C1807A	0.16	(0.01)	15,755	-	CK08C1901A	0.19	-	12,316	-
BCPG13C1810A	0.11	-	46,552	-	BJ11C1807A	-	-	-	-	CK11C1904A	0.20	-	2,600	-
BCPG24C1807A	-	-	-	-	BJ13C1808A	-	-	-	-	CK13C1809A	0.11	(0.01)	13,578	-
BCPG24C1810A	-	-	-	-	BJ13C1810A	0.15	-	48,276	-	CK16C1812A	0.20	0.01	1,000	-
BCPG28C1808A	-	-	-	-	BJ13C1812A	0.42	0.01	95,672	-	CK19C1811A	0.15	(0.01)	11,213	-
BCPG28C1809A	0.09	(0.01)	21,000	-	BJ19C1809A	0.15	-	18,274	-	CK23C1808A	-	-	-	-
BCPG28C1812A	0.32	(0.01)	102,499	-	BJ23C1901A	0.24	-	14,000	-	CK24C1808A	0.19	(0.06)	380	-
BDM501C1811A	0.22	-	68,682	-	BJ24C1808A	-	-	-	-	CK24C1901A	-	-	-	-
BDM501C1811B	0.13	0.01	66,361	-	BJ24C1901A	-	-	-	-	CK28C1809A	0.38	-	9,784	-
BDM501P1811A	0.31	-	24,763	-	BJ27C1807A	-	-	-	-	CK28C1812A	0.10	-	50	-
BDM506C1811A	-	-	-	-	BJ28C1808A	0.03	-	1,554	-	CKP01C1812A	0.47	0.01	10,494	-
BDM508C1807A	-	-	-	-	BJ28C1812A	0.39	(0.01)	125,384	-	CKP01C1812B	0.35	0.01	4,386	-
BDM508C1901A	0.17	0.01	21,878	-	BLA01C1812A	0.22	0.03	32,795	-	CKP11C1807A	0.42	0.03	8,430	-
BDM511C1811A	0.81	(0.01)	3,456	-	BLA08C1811A	0.05	0.01	1,239	-	CKP13C1810A	0.30	0.01	25,854	-
BDM511C1904A	0.13	-	2,504	-	BLA13C1809A	-	-	-	-	CKP23C1810A	0.35	0.01	1,000	-
BDM513C1807A	-	-	-	-	BLA28C1810A	-	-	-	-	CKP24C1811A	0.34	(0.02)	2,101	-
BDM513C1810A	0.49	0.03	10	-	BLAN01C1809A	0.59	(0.02)	13,295	-	CKP28C1809A	0.10	0.01	9,556	-
BDM513C1812A	0.15	0.01	22,630	-	BLAN01C1809B	0.14	(0.02)	21,644	-	CKP28C1809B	0.36	0.01	9,512	-
BDM516C1812A	0.92	0.04	19	-	BLAN01P1809A	0.11	0.01	9,426	-	COM701C1811A	0.52	-	38,717	-
BDM519C1901A	0.30	0.02	15,292	-	BLAN08C1810A	0.23	(0.03)	18,544	-	COM701C1811B	0.33	0.02	10,031	-
BDM523C1810A	0.52	0.03	1,000	-	BLAN11C1902A	0.27	-	10,224	-	COM706C1809A	0.23	0.01	800	-
BDM524C1811A	-	-	-	-	BLAN23C1807A	-	-	-	-	COM708C1811A	0.16	0.01	101	-
BDM524C1812A	-	-	-	-	BPP01C1811A	0.19	0.01	8,736	-	COM711C1811A	0.37	-	15,706	-
BDM528C1811A	0.10	-	45,906	-	BPP01C1811B	0.10	0.01	17,496	-	COM713C1809A	0.09	0.01	60	-
BEAU01C1807A	0.01	-	66,003	-	BPP01P1811A	0.69	(0.03)	5,654	-	COM713C1812A	0.34	0.01	47,183	-
BEAU01C1807B	0.01	-	35,827	-	BPP06C1809A	-	-	-	-	COM719C1811A	0.28	0.01	410	-
BEAU01C1812A	0.09	(0.01)	140,462	-	BPP08C1807A	-	-	-	-	COM723C1901A	0.32	-	2,100	-
BEAU01C1812B	0.04	-	38,347	-	BPP08C1810A	0.19	0.01	8,194	-	COM724C1811A	0.22	0.02	5,200	-
BEAU01P1807A	-	-	-	-	BPP11C1807A	0.01	-	10,225	-	COM728C1808A	0.01	-	30	-
BEAU01P1812A	2.00	0.02	114,172	2.00	BPP13C1808A	0.23	0.03	18,476	-	COM728C1811A	0.29	-	96,162	-
BEAU06C1809A	-	-	-	-	BPP13C1811A	-	-	-	-	CPAL01C1808A	0.42	(0.02)	200,259	-
BEAU07C1809A	-	-	-	-	BPP23C1901A	0.27	0.02	7,000	-	CPAL01C1808B	0.05	-	66,610	-
BEAU08C1808A	-	-	-	-	BPP24C1809A	-	-	-	-	CPAL01C1901A	0.56	(0.03)	77,355	-
BEAU08C1901A	0.04	-	19,041	-	BPP28C1808A	0.17	0.05	59,200	-	CPAL01C1901B	0.40	(0.02)	91,559	-
BEAU11C1902A	0.04	-	7,208	-	BTS01C1810A	0.34	(0.01)	105,203	-	CPAL01P1808A	0.86	0.02	114,814	-
BEAU13C1811A	0.01	(0.01)	7,252	-	BTS01C1810B	0.09	(0.01)	93,990	-	CPAL01P1901A	1.16	0.02	60,706	1.00
BEAU13C1812A	0.02	(0.01)	77,817	-	BTS01P1810A	0.58	-	21,003	-	CPAL01P1901B	0.88	0.01	47,264	-
BEAU13C1812B	0.40	(0.03)	536,649	-	BTS06C1903A	-	-	-	-	CPAL06C1811A	0.94	(0.05)	42,803	-
BEAU19C1811A	0.01	-	4,302	-	BTS06C1903B	-	-	-	-	CPAL06C1811B	0.15	(0.08)	200	-
BEAU19C1901A	0.47	(0.03)	74,118	-	BTS06C1903C	-	-	-	-	CPAL08C1807A	0.02	(0.06)	500	-
BEAU23C1901A	0.02	-	13,413	-	BTS08C1810A	0.20	-	22,853	-	CPAL08P1810A	0.85	0.02	18,551	-
BEAU24C1807A	-	-	-	-	BTS11C1904A	-	-	-	-	CPAL11C1903A	0.23	(0.01)	10,335	-
BEAU24C1902A	0.03	-	5,617	-	BTS19C1901A	0.27	-	30,816	-	CPAL11P1903A	0.85	0.02	36,626	-
BEAU28C1810A	-	-	-	-	BTS23C1905A	-	-	-	-	CPAL13C1807A	-	-	-	-
BEAU28C1811A	0.03	-	1,650	-	BTS24C1808A	0.05	0.01	19	-	CPAL13C1812A	0.49	(0.02)	121,812	-
BEC01C1808A	-	-	-	-	BTS24C1901A	0.21	0.01	15	-	CPAL19C1811A	0.30	(0.01)	13,744	-
BEC01C1808B	0.01	-	19,141	-	BTS28C1809A	0.17	-	75,908	-	CPAL23C1810A	0.12	(0.01)	7,602	-
BEC01C1812A	0.21	(0.02)	27,319	-	BTS28C1811A	-	-	-	-	CPAL24C1808A	0.02	(0.01)	2,600	-
BEC01C1812B	0.27	(0.02)	29,787	-	BTS42C1901A	-								

Main Board Quotation

Issue Date :

Friday July 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF11P1902A	0.27	(0.02)	10,760	-	ESSO24C1812A	-	-	-	-	IRPC19C1901A	0.20	(0.01)	20,838	-
CPF13C1809A	0.54	0.08	49,802	-	ESSO28C1811A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPF13C1810A	0.14	0.02	51,246	-	GFPT01C1807A	0.12	0.01	35,000	-	IRPC24C1808A	0.11	-	22,625	-
CPF19C1901A	0.25	0.01	17,258	-	GFPT08C1807A	-	-	-	-	IRPC24C1809A	-	-	-	-
CPF23C1810A	0.47	0.04	1,000	-	GFPT08C1906A	0.36	-	13,843	-	IRPC24C1812A	-	-	-	-
CPF24C1809A	0.28	0.04	5,540	-	GFPT19C1811A	0.35	0.03	2,822	-	IRPC27C1809A	0.03	(0.01)	400	-
CPF24C1901A	-	-	-	-	GFPT24C1812A	0.30	-	1,000	-	IRPC28C1811A	-	-	-	-
CPF28C1808A	0.41	0.09	68,020	-	GGC01C1810A	0.07	-	11,473	-	IRPC28C1812A	0.19	(0.01)	165,037	-
CPF28C1811A	0.15	0.01	194,947	-	GGC01C1810B	0.02	-	4,890	-	ITD01C1808A	-	-	-	-
CPN01C1808A	0.24	0.01	63,241	-	GGC08C1906A	0.09	-	7,400	-	ITD01C1808B	-	-	-	-
CPN01C1808B	0.02	-	13,131	-	GGC13C1811A	0.01	-	30	-	ITD01P1808A	1.15	0.02	26,672	1.00
CPN06C1811A	0.42	-	23,038	-	GGC19C1811A	-	-	-	-	ITD08C1810A	0.07	(0.01)	4,900	-
CPN08C1809A	-	-	-	-	GGC23C1901A	-	-	-	-	ITD11C1903A	0.18	-	13,176	-
CPN11C1903A	0.26	-	16,100	-	GGC24C1812A	-	-	-	-	ITD13C1809A	-	-	-	-
CPN11P1903A	0.61	(0.02)	47,615	-	GGC28C1811A	-	-	-	-	ITD13C1812A	0.22	(0.02)	123,258	-
CPN13C1807A	-	-	-	-	GLOB01C1809A	0.50	0.04	14,092	-	ITD19C1811A	0.09	(0.01)	300	-
CPN13C1812A	0.31	0.02	58,612	-	GLOB01C1809B	0.26	0.03	41,071	-	ITD23C1808A	-	-	-	-
CPN19C1901A	0.46	0.02	12,996	-	GLOB06C1809A	0.29	0.02	12,203	-	ITD24C1807A	-	-	-	-
CPN23C1810A	0.18	-	27,650	-	GLOB08C1807A	0.07	(0.02)	5,446	-	ITD28C1810A	-	-	-	-
CPN24C1901A	0.31	0.02	600	-	GLOB11C1808A	0.23	0.03	26,480	-	ITD28C1808A	-	-	-	-
CPN28C1810A	0.17	-	341,060	-	GLOB13C1807A	-	-	-	-	ITD28C1808B	-	-	-	-
DEL08C1811A	0.10	0.01	17,802	-	GLOB23C1811A	0.48	0.04	1,000	-	IVL01C1808A	0.34	0.01	145,999	-
DEL13C1809A	-	-	-	-	GLOB24C1810A	-	-	-	-	IVL01C1808B	0.08	-	15,874	-
DEL24C1901A	-	-	-	-	GLOB27C1809A	0.11	0.01	7,357	-	IVL01C1812A	0.50	0.02	91,594	-
DEL27C1812A	-	-	-	-	GLOB28C1808A	0.07	0.01	1,745	-	IVL01C1812B	0.35	0.02	150,197	-
DTACO1C1808A	0.10	(0.01)	31,482	-	GLOW08C1811A	-	-	-	-	IVL01P1808A	0.79	(0.02)	49,614	-
DTACO1C1808B	0.02	-	1,200	-	GLOW11C1807A	-	-	-	-	IVL01P1808B	0.25	(0.02)	91,065	-
DTACO1C1810A	0.28	-	40,228	-	GLOW19C1901A	-	-	-	-	IVL01P1812A	0.95	(0.02)	49,755	-
DTACO1C1810B	0.07	-	7,014	-	GLOW27C1812A	-	-	-	-	IVL01P1812B	0.76	(0.03)	48,144	-
DTACO1P1808A	1.03	(0.01)	26,656	1.00	GPSC01C1808A	0.31	(0.01)	30,878	-	IVL06C1807A	-	-	-	-
DTACO1P1810A	1.38	(0.01)	35,757	1.00	GPSC01C1808B	-	-	-	-	IVL06C1901A	0.37	0.02	19,050	-
DTACO1P1810B	0.99	(0.03)	25,687	1.00	GPSC01P1808A	1.16	0.02	31,873	1.00	IVL07C1811A	-	-	-	-
DTACO6C1901A	0.23	-	150	-	GPSC06C1811A	0.30	-	3,400	-	IVL08C1901A	0.50	0.01	122,846	-
DTACO6P1809A	0.59	(0.01)	7,018	-	GPSC08C1808A	-	-	-	-	IVL08P1809A	0.05	(0.01)	698	-
DTACO7C1809A	-	-	-	-	GPSC11C1808A	0.87	-	10,342	-	IVL11C1808A	0.75	0.05	21,722	-
DTACO8C1809A	0.05	0.01	1,200	-	GPSC11C1902A	0.29	(0.03)	7,211	-	IVL11P1808A	-	-	-	-
DTACO8P1807A	0.27	(0.04)	33,149	-	GPSC13C1807A	-	-	-	-	IVL13C1809A	0.21	0.01	65,629	-
DTAC11C1904A	0.24	(0.01)	9,810	-	GPSC13C1808A	0.01	-	33,000	-	IVL13C1810A	0.22	0.01	53,731	-
DTAC13C1811A	0.10	-	36,003	-	GPSC13C1812A	0.56	-	67,613	-	IVL13C1812A	0.45	0.02	100,280	-
DTAC13C1812A	0.36	0.01	67,014	-	GPSC19C1901A	0.58	(0.03)	6,976	-	IVL13P1809A	0.07	-	5,000	-
DTAC13P1811A	-	-	-	-	GPSC24C1807A	-	-	-	-	IVL13P1811A	0.46	(0.02)	52,089	-
DTAC13P1812A	0.31	-	23,825	-	GPSC24C1808A	-	-	-	-	IVL19C1809A	0.42	0.03	65,104	-
DTAC19C1811A	0.19	-	19,944	-	GPSC24C1812A	0.38	(0.02)	1,000	-	IVL23C1810A	0.45	-	3,000	-
DTAC23C1807A	-	-	-	-	GPSC28C1807A	-	-	-	-	IVL24C1808A	-	-	-	-
DTAC23P1807A	-	-	-	-	GPSC28C1811A	0.44	(0.01)	22,296	-	IVL24C1812A	-	-	-	-
DTAC24C1809A	0.06	0.01	1,000	-	GUNK01C1808A	-	-	-	-	IVL28C1808A	0.03	0.01	30,022	-
DTAC27C1809A	-	-	-	-	GUNK01C1808B	-	-	-	-	IVL28C1811A	0.26	0.02	243,899	-
DTAC27P1809A	0.24	(0.01)	12,448	-	GUNK08C1807A	-	-	-	-	IVL28C1812A	0.49	0.02	244,999	-
DTAC28C1810A	0.05	-	100	-	GUNK11C1903A	0.15	-	6,490	-	IVL28P1811A	0.51	(0.02)	74,538	-
DTAC28C1812A	0.39	-	114,941	-	GUNK24C1807A	-	-	-	-	KBAN01C1808A	0.12	0.01	7,899	-
EA01C1809A	0.56	(0.03)	134,132	-	GUNK24C1812A	0.23	-	162	-	KBAN01C1808B	0.01	-	31	-
EA01C1809B	0.31	(0.01)	45,021	-	GUNK28C1808A	-	-	-	-	KBAN01C1810A	0.87	-	40,663	-
EA01P1809A	1.02	0.02	91,950	1.00	GUNK28C1810A	0.25	-	19,266	-	KBAN01C1901A	0.99	(0.01)	31,058	1.00
EA06C1809A	-	-	-	-	HANA01C1811A	0.43	0.02	29,722	-	KBAN01C1901B	0.53	0.01	19,146	-
EA07C1810A	-	-	-	-	HANA01C1811B	0.28	0.01	34,090	-	KBAN01P1808A	1.03	-	13,289	1.00
EA08C1807A	-	-	-	-	HANA08C1809A	0.13	0.01	7,850	-	KBAN01P1808B	0.42	(0.01)	32,004	-
EA08C1809A	-	-	800	-	HANA11C1904A	0.25	0.01	6,104	-	KBAN01P1810A	0.42	(0.01)	34,632	-
EA08C1810A	0.01	-	20,304	-	HANA13C1809A	0.17	-	5,992	-	KBAN01P1901A	1.27	-	20,100	1.00
EA11C1902A	0.08	(0.01)	3,621	-	HANA23C1811A	-	-	-	-	KBAN01P1901B	0.75	(0.01)	20,617	-
EA13C1808A	-	-	-	-	HANA24C1808A	0.01	(0.01)	24	-	KBAN06C1811A	0.48	-	12,320	-
EA13C1808B	-	-	-	-	HANA24C1810A	-	-	-	-	KBAN07C1811A	-	-	-	-
EA13C1809A	0.01	-	50	-	HANA28C1808A	0.06	-	1,244	-	KBAN08C1811A	0.46	0.01	4,634	-
EA13C1810A	0.02	-	1,001	-	HANA28C1812A	0.35	0.01	3,983	-	KBAN08P1811A	0.47	(0.01)	9,828	-
EA13C1811A	0.10	(0.01)	20,997	-	HMPR01C1808A	0.31	-	39,026	-	KBAN13C1807A	-	-	-	-
EA13C1812A	0.14	(0.03)	327,314	-	HMPR01C1808B	0.09	-	21,950	-	KBAN13C1810A	0.11	0.01	3,210	-
EA13P1809A	0.96	0.05	3,124	-	HMPR01P1808A	0.31	0.02	58,794	-	KBAN13C1811A	0.61	(0.01)	40,708	-
EA19C1811A	0.32	(0.01)	20,480	-	HMPR06C1811A	0.15	-	7,416	-	KBAN19C1901A	0.27	-	7,896	-
EA23C1901A	0.26	(0.01)	43,466	-	HMPR08C1810A	0.11	(0.01)	9,000	-	KBAN24C1902A	0.59	-	10	-
EA24C1807A	-	-	-	-	HMPR11C1808A	0.31	-	10,176	-	KBAN24P1811A	-	-	-	-
EA24C1809A	-	-	-	-	HMPR11P1808A	-	-	-	-	KBAN27C1809A	-	-	-	-
EA28C1809A	0.22	(0.03)	68,864	-	HMPR13C1807A	-	-	-	-	KBAN27P1809A	0.59	0.01	7,243	-
EA28C1809B	-	-	-	-	HMPR13C1812A	0.28	(0.01)	43,670	-	KBAN28C1809A	-	-	-	-
EGCO01C1809A	0.51	(0.01)	6,637	-	HMPR19C1901A	0.38	(0.02)	11,302	-	KBAN28C1811A	0.51	(0.01)	35,159	-
EGCO08C1809A	0.08	-	210	-	HMPR23C1901A	-	-	-	-	KBAN28P1807A	-	-	-	-
EGCO13C1809A	-	-	-	-	HMPR24C1808A	-	-	-	-	KBAN28P1811A	0.45	(0.01)	142,174	-
EGCO19C1901A	0.40	(0.02)	3,680	-	HMPR24C1901A	-	-	-	-	KCE01C1810A	0.63	0.01	53,350	-
EGCO23C1811A	0.30	(0.02)	14,500	-	HMPR27C1807A	0.16	0.01	3,323	-	KCE01C1810B	0.53	-	50,425	-
EGCO24C1808A	-	-	-	-	HMPR28C1811A	0.15	-	24,652	-	KCE06C1809A	0.79	0.05	2,010	-
EGCO24C1901A	0.35	-	8,000	-	INTU01C1809A	0.35	(0.02)	20,173	-	KCE07C1808A	0.16	-	9,798	-
EGCO28C1808A	-	-	-	-	INTU01C1809B	-	-	-	-	KCE08C1809A	0.61	0.04	26,480	-
EPG01C1809A	0.13	0.01	14,879	-	INTU01P1809A	0.42	0.01	8,400	-	KCE11C1808A	0.02	-	1,500	-
EPG01P1809A	0.80	(0.03)	12,014	-	INTU01P1809B	0.18	0.01	4,732	-	KCE11C1904A	0.37	-	13,396	-
EPG07C1811A	0.37	0.01	250	-	INTU11C1807A	0.03	(0.03)	3	-	KCE13C1808A	0.37	0.03	107,271	-
EPG08C1810A	-	-	-	-	INTU11P1807A	0.20	0.01	4,224	-	KCE13C1811A	0.52	0.02	472,130	-
EPG08C1810B	0.43	0.03	15,646	-	INTU13C1810A	0.16	(0.01)	28,416	-	KCE23C1807A	-	-	-	-
EPG11C1903A	0.39	0.02	1,282	-	INTU13C1812A	0.39	-	30,010	-	KCE23C1901A	0.26	-	23,630	-
EPG13C1808A	-	-	-	-	INTU19C1901A	0.34	(0.01)	7,254	-	KCE24C1808A	0.23	-	33,819	-
EPG13C1811A	0.27	0.02	17,293	-	INTU24C1807A	-	-	-	-	KCE24C1901A	0.36	0.01	933	-
EPG23C1808A	-	-	-	-	INTU24C1901A	-	-	-	-	KCE28C1808A	0.14	-	3,206	-
EPG24C1807A	-	-	-	-	INTU28C1809A	-	-	-	-	KCE28C				

Main Board Quotation

Issue Date :

Friday July 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KT801C1810B	0.14	0.01	17,278	-	MONO08C1906A	0.13	0.02	41,950	-	PTT28P1808B	-	-	-	-
KT801P1808A	0.58	-	7,740	-	MONO13C1808A	-	-	-	-	PTT28P1812A	0.34	-	50,108	-
KT806C1902A	0.26	(0.01)	4,744	-	MONO13C1811A	0.05	-	1,100	-	PTTE01C1808A	1.05	0.01	82,472	1.00
KT808C1809A	-	-	-	-	MONO13C1901A	0.24	0.03	55,892	-	PTTE01C1808B	0.51	0.02	143,397	-
KT811C1811A	0.14	0.01	2,288	-	MONO19C1811A	0.14	0.04	21,726	-	PTTE01C1901A	0.71	(0.01)	52,572	-
KT813C1809A	-	-	-	-	MONO23C1809A	-	-	-	-	PTTE01C1901B	0.51	0.01	80,233	-
KT813C1901A	0.34	0.01	6,217	-	MONO23C1901A	0.21	0.02	8,000	-	PTTE01P1808A	0.12	(0.01)	47,612	-
KT819C1901A	0.24	0.01	8,812	-	MONO24C1807A	-	-	-	-	PTTE01P1901A	1.32	(0.02)	24,426	1.00
KT823C1811A	-	-	-	-	MONO24C1812A	0.01	(0.01)	303	-	PTTE01P1901B	0.93	(0.03)	48,713	-
KT824C1808A	-	-	-	-	MONO24C1812B	-	-	-	-	PTTE06C1811A	0.46	0.02	24,102	-
KT824C1811A	-	-	-	-	MONO28C1808A	-	-	-	-	PTTE07C1809A	0.25	0.02	23,922	-
KT824P1901A	-	-	-	-	MONO28C1811A	0.04	0.01	500	-	PTTE08C1807A	-	-	-	-
KT828C1809A	-	-	-	-	MONO28C1901A	0.21	0.01	26,984	-	PTTE08C1811A	0.36	-	28,879	-
KT828C1811A	0.14	0.01	28,644	-	MTC06C1901A	0.50	0.03	40,408	-	PTTE08P1809A	0.08	-	2,604	-
KTC01C1808A	1.42	(0.10)	59,268	1.00	MTC08C1807A	0.01	-	86,660	-	PTTE08P1811A	0.35	(0.03)	19,124	-
KTC01C1808B	0.58	(0.10)	152,428	-	MTC08C1811A	0.18	0.01	21,373	-	PTTE11C1902A	0.60	0.03	25,228	-
KTC01C1810A	0.50	(0.03)	39,274	-	MTC11C1904A	0.35	0.02	14,516	-	PTTE13C1807A	0.33	0.01	650	-
KTC01C1810B	0.39	(0.03)	47,810	-	MTC13C1809A	0.08	0.01	85,351	-	PTTE13C1811A	0.34	0.02	149,677	-
KTC06C1807A	1.53	(0.55)	2,525	1.00	MTC13C1811A	0.48	0.03	210,881	-	PTTE13P1807A	-	-	-	-
KTC08C1807A	-	-	-	-	MTC19C1901A	0.40	0.03	50,860	-	PTTE13P1811A	0.31	(0.02)	106,609	-
KTC08C1808A	1.22	(0.33)	409	1.00	MTC23C1808A	0.08	0.01	35,009	-	PTTE19C1811A	0.50	0.01	26,242	-
KTC11C1902A	1.35	(0.29)	42,886	1.00	MTC24C1808A	-	-	-	-	PTTE23C1901A	0.13	-	16,961	-
KTC13C1807A	-	-	-	-	MTC24C1810A	0.23	0.02	3,150	-	PTTE24C1807A	0.21	0.10	1,721	-
KTC13C1808A	-	-	-	-	MTC24C1812A	0.44	0.03	150	-	PTTE24C1811A	0.22	-	5,250	-
KTC13C1809A	0.64	(0.16)	4,013	-	MTC27C1807A	-	-	-	-	PTTE24P1809A	0.02	(0.02)	12,372	-
KTC13C1809B	0.51	(0.17)	45,377	-	MTC28C1808A	0.01	-	750	-	PTTE27C1809A	-	-	-	-
KTC13C1812A	0.37	(0.63)	123,595	-	MTC28C1809A	0.31	0.03	71,421	-	PTTE27P1809A	-	-	-	-
KTC13P1807A	0.01	-	1,290	-	ORI08C1807A	0.01	-	5	-	PTTE28C1810A	0.28	0.02	38,167	-
KTC19C1811A	0.62	(0.17)	11,505	-	ORI11C1811A	0.17	(0.01)	17,167	-	PTTE28C1811A	0.17	-	25,764	-
KTC19C1901A	1.16	(0.03)	4,694	1.00	ORI13C1810A	0.36	-	47,357	-	PTTE28P1811A	0.33	(0.02)	38,698	-
KTC23C1809A	-	-	-	-	ORI19C1811A	0.23	-	37,370	-	PTTG01C1808A	0.10	(0.01)	125,197	-
KTC24C1808A	1.77	(0.13)	120	1.00	ORI23C1809A	-	-	-	-	PTTG01C1810A	0.16	(0.01)	95,638	-
KTC24C1810A	0.38	(0.15)	8,924	-	ORI24C1810A	-	-	-	-	PTTG01C1810B	0.02	(0.01)	18,279	-
KTC24P1807A	0.02	0.01	1,401	-	ORI28C1808A	-	-	-	-	PTTG01C1811A	0.35	(0.01)	121,084	-
KTC28C1808A	1.32	(0.26)	200	1.00	PLAN08C1811A	0.16	(0.01)	34,768	-	PTTG01P1808A	1.45	0.03	68,220	1.00
KTC28C1808B	1.56	0.02	140	1.00	PLAN13C1809A	0.09	(0.01)	23,000	-	PTTG01P1811A	1.95	0.04	32,789	1.00
KTC28C1809A	0.82	(0.12)	1	-	PLAN28C1810A	0.14	-	60,304	-	PTTG06C1809A	-	-	-	-
KTC28C1810A	0.60	(0.18)	30,171	-	PSH01C1810A	0.36	-	9,398	-	PTTG07C1812A	0.32	(0.03)	7,550	-
LH01C1809A	0.33	(0.01)	1,202	-	PSH01C1810B	0.13	0.01	970	-	PTTG08C1811A	0.06	-	6,000	-
LH01C1809B	0.17	-	3,300	-	PSH01P1810A	0.78	(0.01)	25,066	-	PTTG08P1811A	1.31	0.03	454	1.00
LH01P1809A	0.13	(0.01)	1,176	-	PSH08C1811A	0.12	-	13,938	-	PTTG11C1902A	0.10	-	14,421	-
LH06C1809A	-	-	-	-	PSH11C1902A	0.27	0.01	3,478	-	PTTG13C1808A	-	-	-	-
LH07C1810A	-	-	-	-	PSH23C1811A	0.24	0.01	5,500	-	PTTG13C1812A	0.21	(0.03)	140,281	-
LH11C1808A	-	-	-	-	PSL01C1807A	0.35	0.06	36,875	-	PTTG13C1812B	0.70	(0.04)	260,019	-
LH13C1808A	-	-	-	-	PSL23C1809A	0.09	0.01	110,890	-	PTTG19C1811A	0.18	(0.03)	14,764	-
LH19C1901A	-	-	-	-	PSL24C1807A	0.11	0.02	1,401	-	PTTG23C1901A	-	-	-	-
LH23C1901A	0.14	-	1,500	-	PTG01C1811A	0.25	(0.01)	74,067	-	PTTG24C1808A	-	-	-	-
LH24C1809A	-	-	-	-	PTG01C1811B	0.11	(0.01)	40,523	-	PTTG24C1812A	0.15	(0.02)	40,686	-
LH28C1808A	-	-	-	-	PTG01P1811A	1.08	0.03	43,554	1.00	PTTG24P1808A	0.25	0.03	120,871	-
LPN01C1809A	0.18	0.01	26,807	-	PTG06C1810A	0.11	0.02	10,000	-	PTTG24P1901A	0.62	0.01	200	-
LPN01C1811A	0.51	0.02	17,123	-	PTG06C1904A	0.50	-	9,853	-	PTTG27C1807A	-	-	-	-
LPN01C1811B	0.34	0.02	14,715	-	PTG08C1807A	-	-	-	-	PTTG27P1807A	0.06	0.02	1,000	-
LPN01P1809A	0.38	(0.03)	18,064	-	PTG11C1903A	0.19	(0.01)	19,206	-	PTTG28C1811A	0.15	(0.03)	131,672	-
LPN08C1807A	-	-	-	-	PTG13C1809A	0.04	-	1,000	-	PTTG28C1812A	0.56	(0.04)	361,921	-
LPN08C1810A	0.14	-	5,420	-	PTG13C1812A	0.25	(0.01)	92,901	-	QH01C1807A	0.40	0.01	16,854	-
LPN08C1906A	0.29	0.02	5,613	-	PTG23C1808A	-	-	-	-	QH01C1810A	0.47	0.01	90,784	-
LPN19C1811A	0.29	0.02	13,344	-	PTG24C1809A	0.06	0.01	10	-	QH01C1810B	0.30	0.01	67,710	-
LPN24C1808A	-	-	-	-	PTG27C1809A	-	-	-	-	QH01P1807A	0.12	(0.03)	70,044	-
LPN24C1812A	0.43	0.02	3,000	-	PTG28C1808A	-	-	-	-	QH01P1810A	0.31	(0.01)	36,923	-
LPN27C1807A	0.01	(0.01)	1	-	PTG28C1812A	0.34	(0.02)	283,940	-	QH08C1808A	0.20	0.02	13,144	-
MAJO08C1811A	0.07	(0.01)	199	-	PTL08C1811A	0.41	-	13,163	-	QH11C1902A	0.39	0.02	4,597	-
MAJO11C1902A	0.12	0.01	10,274	-	PTL13C1809A	0.19	0.02	38,211	-	QH23C1808A	0.28	-	26,473	-
MAJO24C1809A	-	-	-	-	PTL23C1807A	-	-	-	-	QH24C1812A	0.20	0.01	18,101	-
MALE01C1812A	0.02	-	1,263	-	PTL28C1810A	0.32	0.02	39,355	-	QH28C1808A	0.07	-	14,202	-
MALE08C1811A	-	-	-	-	PTT01C1808A	0.44	(0.04)	321,815	-	RATC19C1901A	0.39	(0.61)	2,741	-
MALE13C1809A	-	-	-	-	PTT01C1808B	0.07	(0.02)	100,802	-	RATC24C1902A	-	-	-	-
MALE27C1812A	-	-	-	-	PTT01C1810A	0.14	(0.01)	43,942	-	RATC27C1812A	0.11	(0.01)	2,200	-
MALE28C1810A	-	-	-	-	PTT01C1810B	0.05	-	2,623	-	ROBI01C1809A	0.23	0.03	26,660	-
MC19C1811A	0.17	(0.01)	5,564	-	PTT01P1808A	0.57	-	83,669	-	ROBI06C1809A	0.19	0.02	800	-
MC23C1809A	-	-	-	-	PTT01P1808B	0.11	-	98,843	-	ROBI08C1808A	0.01	-	350	-
MC24C1807A	-	-	-	-	PTT01P1810A	1.18	0.03	48,185	1.00	ROBI11C1808A	-	-	-	-
MC24C1812A	-	-	-	-	PTT01P1810B	0.74	0.02	91,834	-	ROBI13C1807A	-	-	-	-
MEGA01C1811A	0.44	(0.01)	8,586	-	PTT06C1811A	-	-	-	-	ROBI19C1901A	0.49	0.04	5,358	-
MEGA01C1811B	0.29	0.01	12,621	-	PTT06C1901A	0.30	(0.01)	10,745	-	ROBI24C1901A	-	-	-	-
MEGA08C1811A	0.26	-	13,752	-	PTT06P1901A	0.62	0.01	11,584	-	S10001C1811A	0.46	0.01	550	-
MEGA11C1902A	0.26	0.01	3,066	-	PTT07C1811A	-	-	-	-	S5001C1807A	0.17	-	181,649	-
MEGA13C1809A	0.10	-	930	-	PTT08C1807A	0.03	-	400	-	S5001C1807B	0.08	-	58,640	-
MEGA24C1812A	0.29	0.03	2,000	-	PTT08C1809A	0.02	(0.01)	26,707	-	S5001C1808A	0.40	(0.01)	183,930	-
MEGA27C1807A	-	-	-	-	PTT08P1809A	0.58	0.01	24,626	-	S5001C1808B	0.26	(0.01)	62,380	-
MEGA28C1808A	0.01	-	5,001	-	PTT11C1902A	0.14	-	13,015	-	S5001C1809F	0.53	(0.02)	1,013,282	-
MINT01C1808A	0.02	-	1,492	-	PTT13C1807A	0.03	(0.01)	400	-	S5001C1809G	0.17	-	7,425	-
MINT01C1808B	0.02	0.01	1	-	PTT13C1808A	0.01	-	921	-	S5001C1809H	1.66	-	1,263,221	1.00
MINT01C1901A	0.37	0.03	112,466	-	PTT13C1810A	0.07	0.01	3,660	-	S5001C1809I	1.06	(0.02)	1,403,485	1.00
MINT01C1901B	0.25	0.04	102,186	-	PTT13C1811A	0.20	-	62,018	-	S5001C1810A	1.08	-	25,121	1.00
MINT01P1808A	0.80	(0.05)	30,691	-	PTT13C1812A	0.30	(0.03)	206,698	-	S5001C1810B	1.05	(0.01)	435,849	1.00
MINT01P1901A	0.45	(0.03)	29,633	-	PTT13P1807A	0.03	-	4,700	-	S5001P1807A	1.79	(0.02)	777	1.00
MINT06C1809A	0.03	0.01	10	-	PTT13P1808A	0.54	0.06	1	-	S5001P				

Main Board Quotation

Issue Date :

Friday July 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5006P1809C	1.66	0.02	620	1.00	SGP28C1811A	0.12	(0.01)	32,500	-	THAI24C1901A	-	-	-	-
S5006P1809D	0.73	(0.05)	7,650	-	SIRI01C1808A	0.02	-	10,000	-	THAI27C1809A	-	-	-	-
S5006P1812A	1.93	-	13	1.00	SIRI01C1808B	-	-	-	-	THAI28C1808A	-	-	-	-
S5006P1812B	0.77	-	431	-	SIRI01C1901A	0.40	0.03	34,702	-	THAN01C1812A	0.45	(0.01)	18,017	-
S5008C1809A	0.53	(0.01)	117,776	-	SIRI01C1901B	0.17	0.01	29,968	-	THAN13C1809A	-	-	-	-
S5008P1809A	0.51	(0.01)	102,589	-	SIRI01P1808A	0.63	(0.01)	9,784	-	THAN23C1807A	0.89	(0.02)	2,800	-
S5013C1809A	0.09	(0.01)	536,614	-	SIRI01P1901A	0.69	(0.01)	19,092	-	THAN28C1810A	0.13	-	6,056	-
S5013C1809B	0.20	(0.02)	357,232	-	SIRI08C1808A	-	-	-	-	THCO01C1809A	0.05	0.01	8,250	-
S5013C1809C	0.17	(0.01)	315,059	-	SIRI08C1810A	0.11	(0.01)	25,890	-	THCO01P1809A	0.80	(0.04)	4,241	-
S5013C1809D	0.38	(0.01)	1,364,675	-	SIRI11C1902A	0.14	-	17,702	-	THCO08C1906A	0.15	-	6,966	-
S5013C1809E	0.66	(0.02)	5,733,967	-	SIRI13C1809A	0.02	0.01	500	-	THCO11C1902A	0.10	0.02	1,523	-
S5013P1809A	2.16	-	4,106	2.00	SIRI23C1811A	0.19	0.02	22,000	-	THCO19C1811A	-	-	-	-
S5013P1809B	1.31	0.01	74,807	1.00	SIRI24C1809A	0.04	0.01	168	-	THCO23C1808A	-	-	-	-
S5013P1809C	1.57	(0.01)	166	1.00	SIRI28C1807A	-	-	-	-	THCO24C1807A	-	-	-	-
S5013P1809D	0.78	(0.01)	2,946,532	-	SIRI28C1809A	0.05	0.01	90	-	THCO24C1810A	-	-	-	-
S5013P1809E	0.43	-	4,667,625	-	SIRI28C1901A	0.32	0.01	116,400	-	THCO28C1808A	-	-	-	-
S5028C1807A	0.01	-	7,100	-	SPAL01C1808A	0.51	-	74,653	-	THCO28C1901A	0.22	0.03	16,075	-
S5028C1809A	0.16	-	350,459	-	SPAL01C1808B	-	-	-	-	TISCO1C1808A	0.32	(0.14)	328,539	-
S5028C1809B	0.63	-	851,244	-	SPAL06C1809A	0.58	(0.01)	5,189	-	TISCO1C1808B	0.05	(0.02)	58,569	-
S5028P1807A	-	-	-	-	SPAL08C1808A	-	-	-	-	TISCO8C1808A	0.07	(0.05)	38,206	-
S5028P1809A	1.13	-	861,134	1.00	SPAL11C1807A	0.21	(0.01)	11,153	-	TISCI1C1903A	0.29	(0.06)	57,447	-
S5028P1809B	0.50	-	894,577	-	SPAL23C1811A	0.69	-	5,000	-	TISCI3C1807A	-	-	-	-
SAWA01C1808A	0.02	-	3,672	-	SPAL24C1808A	-	-	-	-	TISC13C1811A	0.38	(0.11)	120,268	-
SAWA01C1808B	0.02	-	4	-	SPAL24C1812A	-	-	-	-	TISC19C1901A	0.49	(0.11)	86,998	-
SAWA01C1901A	0.35	0.03	91,541	-	SPRC01C1808A	0.07	(0.01)	6,295	-	TISC24C1812A	0.30	(0.09)	38,586	-
SAWA01C1901B	0.26	0.02	67,638	-	SPRC01C1808B	0.01	-	1,855	-	TISC27C1807A	0.02	(0.01)	2,000	-
SAWA01P1808A	2.58	(0.04)	11,940	2.00	SPRC06C1809A	0.02	-	10,000	-	TKN01C1808A	-	-	-	-
SAWA01P1901A	1.17	(0.04)	15,720	1.00	SPRC06C1902A	0.31	(0.02)	5,978	-	TKN01C1808B	-	-	-	-
SAWA06C1807A	-	-	-	-	SPRC08C1808A	-	-	-	-	TKN08C1808A	-	-	-	-
SAWA06C1811A	0.03	0.01	1,202	-	SPRC11C1902A	0.07	-	20,010	-	TKN08C1811A	0.11	(0.01)	25,401	-
SAWA07C1812A	0.23	0.02	10,030	-	SPRC13C1808A	0.01	(0.01)	2,000	-	TKN11C1902A	0.18	0.01	15,709	-
SAWA08C1808A	0.01	-	500	-	SPRC13C1812A	0.21	(0.01)	9,184	-	TKN13C1808A	-	-	-	-
SAWA08C1811A	0.01	-	9,033	-	SPRC19C1901A	0.25	(0.01)	29,810	-	TKN13C1810A	0.08	(0.01)	2,308	-
SAWA11C1808A	0.01	-	9,000	-	SPRC23C1810A	-	-	-	-	TKN13C1811A	0.10	0.01	6,601	-
SAWA13C1807A	-	-	-	-	SPRC24C1808A	-	-	-	-	TKN19C1811A	0.11	-	5,706	-
SAWA13C1810A	0.01	-	4,001	-	SPRC24C1903A	0.22	0.01	209	-	TKN24C1807A	-	-	-	-
SAWA13C1811A	0.02	-	1,070	-	STA01C1807A	0.01	(0.01)	250	-	TKN24C1811A	0.22	-	11,100	-
SAWA13C1812A	0.10	0.01	78,582	-	STA01C1807B	-	-	-	-	TKN24C1812A	-	-	-	-
SAWA13C1901A	0.30	0.02	59,666	-	STA01C1812A	0.16	(0.01)	11,688	-	TKN28C1808A	-	-	-	-
SAWA23C1807A	-	-	-	-	STA01C1812B	0.11	0.01	13,534	-	TKN28C1811A	0.10	-	6,447	-
SAWA24C1808A	-	-	-	-	STA08C1807A	-	-	-	-	TKN28C1812A	0.53	0.01	22,753	-
SAWA24C1812A	-	-	-	-	STA13C1807A	-	-	-	-	TMB01C1807A	0.02	-	16,943	-
SAWA28C1807A	-	-	-	-	STA13C1808A	-	-	-	-	TMB01C1810A	0.36	0.07	174,094	-
SAWA28C1809A	0.01	-	90	-	STA13C1812A	0.18	-	133,422	-	TMB01C1810B	0.24	0.08	178,228	-
SAWA28C1810A	0.02	-	5	-	STA19C1811A	-	-	-	-	TMB01P1807A	0.76	(0.09)	23,976	-
SAWA28C1811A	0.13	0.02	74,104	-	STA23C1809A	0.04	-	250	-	TMB01P1810A	0.30	(0.07)	79,410	-
SAWA28C1812A	0.36	0.03	154,332	-	STA24C1808A	-	-	-	-	TMB06C1809A	-	-	-	-
SCB01C1808A	0.06	-	36,122	-	STEC01C1809A	0.20	(0.02)	113,251	-	TMB06C1902A	0.26	0.05	25,978	-
SCB01C1808B	0.01	-	100	-	STEC01C1809B	0.63	(0.05)	42,793	-	TMB07C1811A	-	-	-	-
SCB01C1810A	0.25	-	40,126	-	STEC01P1809A	1.03	0.04	34,103	1.00	TMB08C1808A	0.01	-	12,154	-
SCB01P1808A	1.66	(0.02)	23,649	1.00	STEC06C1809A	0.22	(0.03)	5,600	-	TMB08C1901A	0.23	0.06	118,230	-
SCB01P1808B	0.87	(0.03)	21,652	-	STEC08C1809A	0.15	(0.01)	20,734	-	TMB11C1904A	0.20	0.05	38,800	-
SCB06C1811A	0.33	0.01	17,856	-	STEC11C1903A	0.42	(0.02)	24,240	-	TMB13C1811A	0.15	0.04	33,057	-
SCB08C1901A	0.25	0.01	26,591	-	STEC13C1809A	0.11	-	16,332	-	TMB19C1901A	0.29	0.07	86,349	-
SCB11C1901A	0.13	-	7,680	-	STEC23C1808A	-	-	-	-	TMB23C1810A	-	-	-	-
SCB11P1901A	0.88	(0.01)	13,817	-	STEC24C1808A	-	-	-	-	TMB24C1809A	-	-	-	-
SCB13C1809A	0.03	-	1,882	-	STEC24C1901A	0.47	(0.01)	292	-	TMB24C1901A	-	-	-	-
SCB13C1812A	0.32	0.01	52,908	-	STEC28C1808A	0.05	0.03	500	-	TMB28C1808A	-	-	-	-
SCB13P1812A	0.35	(0.01)	69,030	-	STEC28C1810A	0.39	(0.01)	47,860	-	TMB28C1809A	0.08	0.03	33,000	-
SCB19C1811A	0.15	-	20,903	-	STPI08C1811A	0.06	-	20	-	TOA08C1902A	0.29	0.01	16,537	-
SCB24C1902A	0.28	0.02	10	-	SUPE08C1808A	0.08	0.05	100	-	TOA13C1812A	0.40	0.02	65,420	-
SCB24P1811A	0.62	(0.06)	400	-	SUPE08C1811A	0.14	0.02	3,353	-	TOA19C1901A	0.37	(0.63)	2,393	-
SCB28C1808A	-	-	-	-	SUPE13C1810A	0.08	0.03	2,468	-	TOA24C1812A	0.33	0.01	2,450	-
SCB28C1809A	-	-	-	-	SUPE13C1811A	0.06	(0.05)	2,879	-	TOA28C1812A	0.34	0.01	26,361	-
SCB28C1812A	0.27	-	88,136	-	SUPE23C1811A	-	-	-	-	TOP01C1808A	0.04	(0.01)	6,046	-
SCB28P1808A	0.28	(0.04)	73,976	-	SUPE23C1901A	0.06	(0.01)	1,000	-	TOP01C1808B	-	-	-	-
SCB28P1812A	0.32	-	145,853	-	SUPE28C1810A	-	-	-	-	TOP01P1808A	1.43	0.03	37,096	1.00
SCC01C1808A	0.10	-	72,155	-	SUPE28C1811A	-	-	-	-	TOP06C1809A	0.03	-	103	-
SCC01C1808B	0.02	0.01	2,663	-	TASCO1C1809A	-	-	-	-	TOP07C1812A	0.39	0.01	3,151	-
SCC01P1808A	0.79	0.01	10,029	-	TASCO1C1810A	0.10	-	3,253	-	TOP08C1811A	0.10	(0.01)	7,942	-
SCC06C1809A	-	-	-	-	TASCO1C1810B	-	-	-	-	TOP11C1808A	-	-	-	-
SCC06C1902A	0.27	(0.01)	6,782	-	TASCO1P1809A	2.10	0.02	2,282	2.00	TOP13C1811A	0.09	(0.01)	10,757	-
SCC07C1812A	0.50	-	20,015	-	TASCO1P1810A	1.00	-	2,721	1.00	TOP13C1901A	0.47	(0.03)	115,574	-
SCC08C1809A	0.03	-	24,239	-	TASCO7C1811A	-	-	-	-	TOP18C1808A	-	-	-	-
SCC11C1811A	0.09	-	1,030	-	TASCO8C1808A	-	-	-	-	TOP19C1901A	0.35	(0.02)	27,869	-
SCC11P1811A	0.45	-	8,225	-	TASCO1C1904A	-	-	-	-	TOP23C1811A	0.13	(0.01)	13,000	-
SCC13C1809A	-	-	-	-	TASCO1C1810A	-	-	-	-	TOP24C1901A	-	-	-	-
SCC13C1812A	0.18	-	14,641	-	TASCO1C1811A	-	-	-	-	TOP28C1810A	0.02	(0.01)	30	-
SCC13C1901A	0.37	-	29,797	-	TASCO2C1808A	-	-	-	-	TP101C1807A	-	-	-	-
SCC19C1811A	0.12	-	200	-	TCAP01C1807A	-	-	-	-	TP101C1807B	-	-	-	-
SCC23C1811A	-	-	-	-	TCAP01C1807B	0.01	-	70	-	TP101C1812A	0.21	0.01	42,114	-
SCC24C1812A	-	-	-	-	TCAP01P1807A	1.12	(0.02)	15,340	1.00	TP101C1812B	0.15	-	39,704	-
SCC24C1901A	0.38	-	2,800	-	TCAP08C1810A	-	-	-	-	TP107C1812A	-	-	-	-
SCC24P1901A	0.43	-	300	-	TCAP11C1811A	0.10	-	7,608	-	TP108C1807A	-	-	-	-
SCC27C1809A	-	-	-	-	TCAP13C1809A	-	-	-	-	TP113C1809A	-	-	-	-
SCC27P1809A	-	-	-	-	TCAP13C1901A	0.37	0.02	97,276	-	TP119C1901A	0.24	-	5,240	-
SCC28C1811A	0.13	(0.01)	31,689	-	TCAP23C1807A	-	-	-	-	TP123C1809A	-	-	-	-
SCC28C1812A	0.36	(0.01)	53,066	-	TCAP24C1807A	-	-	-	-	TP124C1808A	-	-	-	-
SCCC08C1811A	-	-	-	-	TCAP24C1903A	0.24	-	2,000	-	TP124C1902A	-	-	-	-
SCCC13C1809A	-	-	-	-	TCAP27C1807A	-	-	-	-					

Main Board Quotation

Issue Date :

Friday July 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Friday July 13, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE06C1906A	0.26	0.01	9,824	-	WHAU24C1812A	-	-	-	-	SPORT-W6	-	-	-	-
TRUE08C1809A	0.07	0.02	1,200	-	WORK01C1811A	0.66	0.02	41,316	-	SUPER-W4	0.12	-	948,449	-
TRUE08C1902A	0.32	-	87,364	-	WORK01C1811B	0.48	0.02	40,738	-	SUSCO-W1	0.18	0.02	73,746	-
TRUE08P1809A	0.21	(0.01)	52,945	-	WORK08C1809A	-	-	-	-	SVI-W3	1.03	0.01	102	1.00
TRUE11C1807A	0.01	-	2,000	-	WORK08C1901A	0.53	0.02	26,609	-	TCC-W3	-	-	-	-
TRUE13C1807A	-	-	-	-	WORK11C1903A	0.17	0.01	8,415	-	TCC-W4	0.14	-	29	-
TRUE13C1810A	0.04	-	7,039	-	WORK13C1809A	-	-	-	-	TCC-W5	0.18	0.01	318	-
TRUE13C1812A	0.22	0.01	228,641	-	WORK13C1810A	0.03	-	81	-	TCI-W2	0.87	0.03	16,509	-
TRUE16C1812A	0.25	0.02	238	-	WORK13C1811A	0.21	0.01	46,434	-	TCMC-W2	0.31	(0.02)	28,761	-
TRUE19C1901A	0.14	(0.01)	37,751	-	WORK13C1812A	0.65	0.03	60,683	-	TFG-W1	1.29	(0.21)	452	1.00
TRUE27C1809A	0.14	0.01	3,210	-	WORK19C1811A	0.30	0.01	7,126	-	TFG-W2	0.65	0.03	997	-
TRUE27P1809A	0.36	(0.01)	2,000	-	WORK23C1807A	-	-	-	-	TH-W2	0.14	0.01	14,527	-
TRUE28C1808A	0.01	-	2,000	-	WORK24C1810A	-	-	-	-	THE-W2	0.06	-	2,942	-
TRUE28C1810A	-	-	-	-	WORK24C1812A	0.47	0.12	800	-	TNITY-W1	0.89	0.03	6,408	-
TRUE28C1812A	0.16	(0.01)	221,002	-	WORK28C1808A	-	-	-	-	TNPC-W1	0.43	0.02	6,104	-
TTA01C1807A	-	-	-	-	WORK28C1809A	-	-	-	-	TRITN-W3	0.16	0.03	730,516	-
TTA01P1807A	1.03	(0.08)	4,925	1.00	WORK28C1811A	0.22	0.02	38,762	-	TSR-W1	0.41	0.02	58,728	-
TTA08C1808A	-	-	-	-	Preferred/Foreign	-	-	-	-	TTA-W5	0.42	(0.01)	33,627	-
TTA08C1906A	0.32	0.03	1,836	-	BH-Q	-	-	-	-	U-W1	-	-	-	-
TTA13C1809A	0.05	0.03	100	-	CSC-Q	-	-	-	-	U-W4	0.01	-	1	-
TTA13C1901A	0.29	0.03	90,988	-	JUTHA-Q	-	-	-	-	VGI-W1	-	-	-	-
TTA18C1808A	-	-	-	-	KTB-Q	-	-	-	-	VIBHA-W2	1.25	0.01	2,017	1.00
TTA19C1811A	0.14	0.02	6,598	-	KTB-P	-	-	-	-	VIBHA-W3	0.31	0.01	4,700	-
TTA23C1808A	-	-	-	-	SCB-Q	-	-	-	-	WAVE-W1	0.42	0.02	25,541	-
TTA23C1901A	0.16	0.02	1,000	-	TCAP-Q	-	-	-	-	WHA-W1	6.60	0.05	4,593	6.00
TTA24C1809A	-	-	-	-	TIC-Q	-	-	-	-	WORK-W1	11.00	0.10	6	10.00
TTA24C1902A	0.15	0.04	1	-	TISCO-Q	-	-	-	-	Preferred Shares	-	-	-	-
TTA28C1812A	0.15	0.02	88,884	-	U-Q	-	-	-	-	BH-P	-	-	-	-
TU01C1808A	0.02	-	150	-	Warrant	-	-	-	-	CSC-P	-	-	-	-
TU01C1808B	-	-	-	-	7UP-W2	-	-	-	-	JUTHA-P	-	-	-	-
TU01P1808A	1.16	0.04	8,557	1.00	ACC-W1	0.03	-	5,095	-	KTB-P	-	-	-	-
TU06C1902A	-	-	-	-	AJA-W1	0.21	-	150	-	SCB-P	-	-	-	-
TU08C1811A	0.04	-	6,076	-	ALT-W1	0.70	-	12,124	-	TCAP-P	-	-	-	-
TU11C1902A	0.03	(0.01)	2,500	-	APURE-W2	0.19	-	28,706	-	TIC-P	-	-	-	-
TU13C1809A	-	-	-	-	AQ-W4	0.01	-	35,651	-	TISCO-P	-	-	-	-
TU24C1808A	-	-	-	-	AS-W1	0.44	-	10,003	-	U-P	0.03	-	56,316	-
TU24C1901A	0.13	(0.02)	1,000	-	AYUD-W1	3.36	(0.04)	6,367	3.00	Warrant (MAD)	-	-	-	-
TU27C1807A	-	-	-	-	B-W3	0.01	-	10,005	-	2S-W1	0.13	0.01	29,442	-
TV001C1809A	0.14	-	30,169	-	B-W4	0.21	0.05	145,125	-	ACAP-W1	-	-	-	-
TV001C1809B	-	-	-	-	BTS-W3	0.05	(0.01)	116,506	-	ACAP-W2	2.96	(0.08)	16,269	3.00
TVO08C1808A	-	-	-	-	BWG-W4	0.07	0.01	34,585	-	AIRA-W1	-	-	-	-
TVO11C1903A	0.10	(0.01)	5,639	-	CEN-W4	0.04	-	13,734	-	AIRA-W2	0.04	(0.01)	1,896	-
TVO13C1809A	-	-	-	-	CGD-W4	0.14	0.04	837,780	-	ATP30-W1	0.79	0.02	991	-
TVO23C1808A	-	-	-	-	CGH-W2	-	-	-	-	BSM-W2	-	-	-	-
TVO24C1810A	0.03	(0.02)	216	-	CGH-W3	0.06	0.01	12,596	-	CHEWA-W1	0.08	0.01	126,242	-
TVO28C1808A	-	-	-	-	CI-W1	0.40	0.03	4	-	CIG-W7	0.02	(0.01)	8,998	-
UNI01C1809A	0.11	-	165,890	-	CKP-W1	0.37	-	3,395	-	DNA-W1	1.12	0.18	41,735	1.00
UNI01C1810A	0.24	(0.01)	22,803	-	CRANE-W1	2.00	(0.04)	9	2.00	ECF-W2	3.82	0.04	3,458	3.00
UNI01C1810B	0.10	-	56,413	-	CWT-W4	0.56	0.03	24,067	-	ECF-W3	2.72	(0.04)	2,668	2.00
UNI01P1809A	0.63	-	52,094	-	DCC-W1	0.70	-	58,348	-	EFORL-W3	0.01	-	11	-
UNI08C1808A	-	-	-	-	DCON-W1	-	-	-	-	EFORL-W4	0.02	-	50	-
UNI08C1810A	0.09	(0.01)	6,038	-	DIGI-W1	0.06	0.01	14,010	-	FC-W1	0.06	(0.02)	7,420	-
UNI08C1906A	0.28	0.02	13,916	-	DIGI-W2	0.02	-	1,134	-	FC-W2	-	-	-	-
UNI11C1811A	0.11	-	3,628	-	EARTH-W4	-	-	-	-	FOCUS-W2	0.29	0.01	466	-
UNI13C1807A	-	-	-	-	EIC-W2	0.01	-	4,129	-	FVC-W2	0.37	0.01	4,963	-
UNI13C1809A	0.06	(0.01)	2,400	-	EIC-W3	-	-	-	-	ITEL-W1	0.28	0.01	10,521	-
UNI13C1901A	0.27	-	41,479	-	EIC-W4	-	-	-	-	JKN-W1	2.82	0.04	4,533	2.00
UNI19C1811A	0.10	-	702	-	EVER-W3	0.04	-	3,258	-	LIT-W1	2.06	0.07	1,126	2.00
UNI23C1901A	0.11	(0.01)	2,000	-	GJS-W3	0.02	-	3,000	-	META-W2	0.07	-	47,860	-
UNI24C1811A	-	-	-	-	GL-W4	-	-	-	-	NDR-W1	0.10	(0.01)	1,705	-
UNI28C1809A	-	-	-	-	GSTEL-W1	-	-	-	-	NEWS-W4	-	-	-	-
UNI28C1811A	0.13	0.01	19,741	-	GSTEL-W2	-	-	-	-	NEWS-W5	-	-	-	-
UV01C1807A	0.05	-	1,217	-	IEC-W2	-	-	-	-	NEWS-W6	-	-	-	-
UV08C1807A	-	-	-	-	IHL-W1	4.40	0.04	52	4.00	PHOL-W1	0.09	-	6,564	-
UV13C1807A	-	-	-	-	ITD-W1	0.13	-	64,593	-	PIMO-W1	1.80	0.06	270	1.00
UV13C1808A	-	-	-	-	IVL-W2	13.40	0.60	67,984	13.00	PPS-W1	0.76	-	363	-
UV13C1812A	0.39	0.05	375,330	-	JAS-W3	1.86	(0.03)	62,286	1.00	PSTC-W1	0.27	-	9,500	-
UV23C1809A	0.01	-	8,000	-	JCK-W5	0.42	-	8,977	-	SIMAT-W2	0.57	-	10	-
UV24C1807A	-	-	-	-	JMART-W2	1.75	0.30	45,111	1.00	SIMAT-W3	0.68	-	222	-
UV24C1812A	0.21	0.03	3,000	-	MIDA-W2	0.03	0.01	163	-	SKY-W1	13.50	-	10	13.00
UV28C1808A	-	-	-	-	MILL-W3	0.04	-	355	-	STAR-W3	1.83	0.17	15,203	1.00
VGI01C1812A	0.58	-	3,264	-	MILL-W4	0.26	-	1,700	-	T-W3	-	-	-	-
VGI06C1904A	-	-	-	-	ML-W2	0.04	0.01	2,548	-	TAKUNI-W	0.20	-	3,014	-
VGI06C1904B	-	-	-	-	MONO-W1	0.56	0.01	32,295	-	TAPAC-W3	2.54	(0.44)	13,458	2.00
VGI06C1904C	-	-	-	-	NEP-W3	0.11	-	154	-	TMILL-W1	0.90	0.02	2,319	-
VGI08C1811A	0.49	-	6,188	-	NOK-W1	0.97	0.01	1,063	-	TSF-W4	0.01	-	37	-
VGI23C1905A	-	-	-	-	NPP-W3	0.23	(0.01)	16,201	-	TSF-W5	-	-	-	-
VGI23C1911A	-	-	-	-	NUSA-W3	-	-	-	-	TKVD-W2	0.55	0.09	33,786	-
VGI27C1812A	0.31	-	1,314	-	ORI-W1	2.22	(0.04)	26,269	2.00	UKEM-W2	0.51	0.03	27,644	-
VGI28C1810A	0.29	-	25,360	-	PACE-W1	-	-	-	-	UWC-W2	0.01	-	16,160	-
WHA01C1807A	0.09	0.02	23,861	-	PACE-W2	0.06	-	7,011	-	XO-W1	4.50	(0.16)	11,003	4.00
WHA01C1807B	0.01	-	10,000	-	PDI-W1	1.58	0.19	321,349	1.00	Preferred Shares	-	-	-	-
WHA06C1809A	0.20	0.03	47,109	-	PDJ-W2	1.66	0.09	66	1.00	SGF-P1	-	-	-	-
WHA07C1810A	0.22	0.01	2,000	-	PDJ-W3	1.54	0.04	58	1.00	-	-	-	-	-
WHA08C1811A	0.23	0.02	86,274	-	PDJ-W4	1.54	0.04	171	1.00	-	-	-	-	-
WHA11C1903A	0.26	0.02	26,639	-	PLE-W3	0.09	(0.01)	39,744	-	-	-	-	-	-
WHA13C1808A	0.11	0.02	98,076	-	RICH-W1	-	-	-	-	-	-	-	-	-
WHA13C1812A	0.51	0.04	197,153	-	RICH-W2	0.35	0.02	3,002	-	-	-	-	-	-
WHA19C1901A	0.47	0.02	16,007	-	RICHY-W1	0.17	-	8,118	-	-	-	-	-	-
WHA23C1810A	0.33	0.04	13,907	-	RICHY-W2	0.15	-	19	8.00	-	-	-	-	-
WHA24C1807A	-	-	-	-	RS-W3	8.05	(0.15)	19	8.00	-	-	-	-	-
					S-W1	0.11	-	3,092	-	-	-	-	-	-
					SAMART-W2	0.33	0.01	18,867	-	-	-	-	-	-

