

## Main Board Quotation

Issue Date :

Monday July 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.85	0.05	528	6.81	RS	15.30	(0.10)	68,664	15.37
POMPUJ	-	-	-	-	HUMAN	9.95	(0.05)	4,937	9.98	SE-ED	2.90	(0.06)	102	2.93
SAFARI	-	-	-	-	ILINK	4.96	(0.04)	6,248	5.06	SMM	0.86	0.02	4,329	0.86
VI	-	-	-	-	INET	3.66	(0.04)	1,629	3.68	SPORT	0.53	-	10,102	0.52
WORLD	-	-	-	-	INTUCH	54.75	(0.25)	42,271	54.44	TBSP	16.00	0.50	20	16.00
WR	-	-	-	-	JAS	5.15	0.05	192,806	5.16	TH	0.65	0.02	15,594	0.65
Agribusiness	-	-	-	-	JASIF	10.10	0.10	42,621	10.10	TKS	10.50	(0.20)	4,931	10.54
CHOTI	-	-	-	-	JMART	8.50	(0.20)	8,908	8.66	TRITN	0.30	(0.01)	233,033	0.31
EE	0.78	-	12,006	0.78	JTS	1.55	-	177	1.56	VGI	7.00	(0.20)	84,871	7.06
GFPT	12.70	0.10	12,790	12.70	MFEC	3.98	-	1,907	4.00	WAVE	2.82	-	38	2.76
LFE	2.72	(0.04)	1,311	2.73	MSC	6.00	0.05	341	5.94	WORK	43.25	(2.00)	9,656	43.98
STA	10.10	-	26,497	10.14	PT	6.55	(0.05)	2,570	6.59	Finance & Securities	-	-	-	-
TLUXE	6.00	(0.20)	13,704	6.07	SAMART	7.35	(0.15)	5,176	7.43	AEC	0.45	(0.02)	568	0.46
TRUBB	1.62	(0.01)	943	1.64	SAMTEL	8.30	-	201	8.39	AEONTS	166.00	(13.50)	12,397	174.19
TPWC	9.15	(0.10)	898	9.22	SDC	0.23	-	1,250	0.23	AMANAH	1.92	(0.10)	168,813	1.99
UPOIC	4.08	-	150	4.08	SIS	8.65	(0.05)	1,067	8.70	ASAP	4.96	(0.39)	35,058	5.13
UVAN	7.60	(0.10)	1,158	7.63	SVOA	1.31	(0.03)	45,265	1.35	ASK	22.00	(0.10)	221	22.14
VPO	0.64	(0.02)	1,804	0.64	SYMC	4.80	-	112	4.74	ASP	3.78	(0.02)	23,706	3.78
Banking	-	-	-	-	SYNEX	13.70	(0.40)	13,566	13.88	BFIT	27.50	(0.25)	545	27.62
BAY	39.75	(0.25)	1,707	39.75	THCOM	8.25	0.05	10,525	8.26	CGH	1.12	0.01	2,245	1.11
BBL	193.00	-	24,670	192.86	TRUE	5.90	-	367,924	5.89	CNS	2.62	(0.02)	479	2.62
CIMBT	0.88	-	8,557	0.89	TWZ	0.13	-	47,797	0.13	ECL	1.83	(0.04)	30,787	1.85
KBANK	193.50	(1.00)	21,043	193.28	Electronic Componer	-	-	-	-	FNS	4.56	0.02	555	4.55
KKP	69.75	(1.75)	53,609	70.43	CCET	2.10	(0.04)	9,875	2.11	FSS	2.46	-	3	2.46
KTB	17.50	(0.10)	141,562	17.50	DELTA	63.25	0.50	12,895	63.04	GBX	0.66	(0.01)	7	0.66
LHFG	1.50	(0.01)	14,163	1.50	EIC	0.05	-	91,026	0.05	GL	5.20	-	6,415	5.21
SCB	122.00	(2.50)	60,098	122.73	HANA	36.75	0.25	57,363	36.25	IFS	2.98	(0.02)	632	2.97
TCAP	47.75	(1.00)	24,041	48.05	KCE	42.00	1.50	162,763	41.77	JMT	28.25	(1.25)	3,331	28.75
TISCO	74.25	(6.25)	280,436	75.90	METCO	190.00	(2.00)	10	190.00	KCAR	13.50	0.10	327	13.50
TMB	2.48	(0.02)	973,304	2.48	SMT	2.28	-	1,185	2.28	KGI	4.02	-	26,647	4.03
Construction Materia	-	-	-	-	SPPT	4.54	(0.08)	5,682	4.52	KTC	23.10	(9.90)	941,363	27.50
CCP	0.41	-	20,978	0.41	SVI	4.12	(0.06)	32,150	4.15	MBKET	12.90	-	2,826	12.96
DCC	2.24	-	10,676	2.23	TEAM	1.15	-	43,709	1.17	MFC	14.90	-	207	14.90
DCON	0.55	0.01	15,919	0.55	Energy & Utilities	-	-	-	-	ML	1.00	-	1,135	1.00
DRT	5.75	-	1,488	5.75	ABPIF	8.50	(0.05)	1,184	8.50	MTC	36.00	(1.75)	95,229	36.66
EPG	8.05	0.10	105,783	7.97	AI	-	-	-	-	PE	0.31	-	464	0.31
GEL	0.33	-	7,640	0.33	AKR	1.20	(0.51)	927,393	1.44	PL	3.40	0.02	808	3.39
PPP	3.60	-	20	3.60	BAFS	32.50	(0.25)	1,533	32.51	S11	7.40	0.05	1,030	7.37
Q-CON	5.75	-	1	5.75	BANPU	20.30	-	265,435	20.34	SAWAD	31.25	(0.50)	42,154	31.63
RCI	2.88	(0.08)	115,143	2.95	BCP	33.25	0.25	20,852	33.24	THANI	7.70	(0.05)	24,475	7.66
SCC	422.00	(6.00)	30,927	420.84	BCPG	16.70	(0.10)	24,169	16.75	TK	10.70	(0.10)	2,543	10.64
SCCC	211.00	(1.00)	1,143	211.25	BGRIM	24.00	-	74,058	24.17	TNITY	5.85	-	975	5.85
SCP	7.70	(0.05)	1,397	7.73	BPP	24.00	(0.30)	11,021	24.03	UOBKH	4.26	-	2,236	4.27
SKN	5.05	0.05	9,304	5.00	BRRGIF	10.30	-	4	10.30	ZMICO	1.02	(0.01)	3,031	1.02
TASCO	13.50	(0.10)	12,821	13.59	CKP	3.94	(0.04)	60,420	3.96	Food & Beverage	-	-	-	-
TCMC	2.40	0.02	6,276	2.39	DEMCO	4.02	(0.10)	20,921	4.15	APURE	1.30	0.02	4,007	1.29
TGCI	3.20	-	44,264	3.22	EA	33.25	0.75	162,595	33.26	ASIAN	5.25	(0.10)	8,083	5.28
TOA	38.25	0.25	5,804	37.86	EARTH	-	-	-	-	BR	5.70	(0.05)	11,795	5.74
TPIPL	1.89	-	156,254	1.89	EASTW	10.80	(0.10)	5,081	10.86	BRR	6.70	(0.05)	772	6.70
UMI	1.23	0.01	4,008	1.26	EGATIF	10.90	-	6,257	10.88	CBG	45.75	(1.00)	15,556	45.77
VNG	8.15	-	909	8.16	EGCO	228.00	(2.00)	3,595	228.02	CFRESH	4.12	-	238	4.12
WIJK	2.28	(0.02)	2,348	2.27	ESSO	11.60	-	34,593	11.61	CM	4.14	0.02	440	4.14
Petrochemicals & Ch	-	-	-	-	GLOW	93.50	-	36,571	93.31	CPF	26.25	-	220,303	26.05
CMAN	3.18	(0.12)	52,455	3.26	GPSC	69.75	(1.00)	6,645	69.94	CPI	1.55	-	1,327	1.55
GC	5.00	(0.05)	522	5.00	GULF	63.25	(1.50)	19,811	63.74	F&D	-	-	-	-
GGC	9.60	-	30,041	9.66	GUNKUL	2.92	0.02	42,488	2.90	HTC	18.60	(0.20)	943	18.63
GIFT	4.26	(0.06)	492	4.30	IEC	-	-	-	-	ICHI	4.84	(0.04)	14,403	4.88
IVL	56.25	(0.75)	113,044	56.75	IFEC	-	-	-	-	KBS	4.36	-	248	4.34
NFC	11.20	(0.10)	3,213	11.36	IRPC	6.00	0.10	957,962	6.02	KSL	3.08	-	3,532	3.08
PATO	14.90	-	509	14.90	LANNA	15.60	-	235	15.55	KTIS	5.90	-	46	5.86
PMTA	16.20	-	2	16.20	MDX	3.86	(0.08)	1,931	3.86	LST	4.78	0.10	5,112	4.78
PTTGC	76.50	0.25	102,737	76.60	PTG	15.40	(0.10)	21,694	15.54	M	74.00	(1.25)	4,423	73.64
SUTHA	4.12	-	465	4.12	PTT	47.50	-	294,813	47.53	MALEE	12.20	-	6,828	12.26
TCB	53.00	-	5	53.00	PTTEP	135.00	(0.50)	42,081	135.02	MINT	33.75	(1.00)	112,145	33.95
TCCC	33.25	(0.25)	62	33.30	RATCH	52.00	-	23,613	51.75	OISHI	94.00	(0.25)	45	94.67
TPA	6.05	(0.05)	25	6.05	RPC	0.55	-	6,996	0.55	PB	61.50	-	308	61.31
UP	28.00	0.25	1	28.00	SCG	4.62	(0.02)	152	4.65	PM	10.40	(0.10)	2,535	10.39
VNT	22.50	(0.70)	13,619	22.70	SCI	3.02	-	21,088	3.08	PRG	-	-	-	-
WG	153.00	-	5	153.00	SCN	3.84	(0.04)	3,835	3.86	SAPPE	25.25	-	2,791	25.19
YCI	-	-	-	-	SGP	10.70	0.10	97,409	10.71	SAUCE	21.70	0.10	13	21.71
Commerce	-	-	-	-	SKE	1.24	(0.02)	4,387	1.25	SFP	-	-	-	-
BEAUTY	7.40	(0.55)	2,093,514	7.69	SOLAR	2.18	(0.18)	49,564	2.31	SNP	20.50	(0.10)	20	20.51
BIG	2.08	(0.02)	29,458	2.12	SPCG	20.30	(0.30)	3,098	20.38	SORKON	-	-	-	-
BJC	53.00	(0.75)	35,405	53.16	SPRC	13.30	0.10	82,470	13.25	SSC	-	-	-	-
COL	28.25	(0.25)	6,812	28.10	SUPER	0.74	0.02	5,147,223	0.74	SSF	8.65	-	55	8.65
COM7	17.60	(0.30)	14,411	17.76	SUSCO	3.38	0.02	22,098	3.39	SST	5.95	-	34	5.94
CPALL	75.50	(0.50)	112,197	75.47	TAE	2.06	(0.06)	1,567	2.08	TC	2.92	(0.04)	61	2.90
CSS	2.04	-	6,878	2.03	TCC	0.35	-	14,651	0.35	TFG	3.78	(0.02)	11,971	3.77
FN	3.04	(0.14)	22,946	3.07	TOP	78.25	1.50	40,044	77.76	TFMAMA	151.50	(1.50)	7	151.21
FTE	2.10	(0.06)	11,265	2.12	TPIPP	5.90	(0.10)	181,728	6.02	TIPCO	8.55	(0.15)	4,160	8.65
GLOBAL	17.40	0.10	76,727	17.40	TTW	12.40	-	7,284	12.37	TKN	14.50	(0.40)	24,413	14.67
HMPRO	14.00	(0.40)	182,078	14.07	WHAUP	5.95	-	33,461	5.95	TU	15.20	(0.50)	94,412	15.25
IT	4.68	0.04	13,802	4.74	WP	7.05	(0.25)	12,624	7.16	TVO	28.00	(0.50)	14,076	28.20
KAMART	4.56	(0.30)	33,954	4.71	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.22	-	12,227	2.22	AMARIN	5.05	(0.05)	348	5.08	AHC	20.50	(0.10)	389	20.50
MAKRO	37.25	(0.75)	2,915	37.49	AQUA	0.49	-	67,304	0.49	BCH	15.50	(0.20)	63,370	15.65
MC	12.00	(0.30)	3,897	12.08	AS	1.53	(0.01)	341	1.53	BDMS	26.00	-	98,777	25.83
MEGA	41.25	(0.25)	12,714	41.78	BEC	8.05	-	23,936	8.12	BH	171.00	(2.00)	6,218	171.52
MIDA	0.60	-	188	0.60	EPCO	5.05	-	37,959	5.14	CHG	2.06	(0.04)	177,937	2.08
ROBINS	59.00	-	5,085	58.76	FE	-	-	-	-	CMR	3.24	(0.02)	218	3.24
RSP	5.20	-	785	5.15	GPI	2.88	(0.02)	3,750	2.86	EKH	5.10	(0.05)	4,982	5.10
SINGER	8.00	0.80	11,168	7.78	GRAMMY	7.95	0.10	82	7.95	KDH	93.50	0.50	41	96.04
SPC	55.25	(0.50)	20	55.31	MACO	1.74	(0.03)	38,008	1.75					

## Main Board Quotation

Issue Date :

Monday July 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	7.55	(0.15)	1,391	7.54	MBK	23.20	(0.10)	3,711	23.25	ASEFA	5.10	0.05	2,216	5.00
WPH	2.86	(0.04)	3,208	2.88	MJD	3.38	0.04	2,936	3.36	CPT	2.56	0.04	132,256	2.56
Tourism & Leisure					MK	4.08	(0.04)	18,758	4.13	CRANE	2.88	0.16	17,680	2.85
ASIA	6.70	-	21	6.75	NCH	0.92	(0.01)	612	0.92	CTW	8.15	(0.05)	175	8.13
CENTEL	42.75	(1.25)	23,970	42.82	NNCL	1.63	(0.04)	4,717	1.65	FMT	-	-	-	-
CSR	-	-	-	-	NOBLE	12.10	(0.10)	983	12.11	HTECH	7.45	(0.20)	6,190	7.64
DTC	12.00	(0.70)	43,814	12.42	NUSA	0.31	(0.01)	112,334	0.32	KKC	1.70	(0.03)	825	1.71
ERW	6.65	(0.20)	106,288	6.76	NVD	4.16	0.02	218	4.16	PK	3.16	(0.10)	2,960	3.22
GRAND	0.89	(0.01)	18,253	0.89	ORI	17.20	(0.10)	9,520	17.27	SNC	14.80	0.10	3,573	14.77
LRH	35.25	-	6	35.25	PACE	0.41	-	21,946	0.41	TCJ	5.95	-	223	5.96
MANRIN	-	-	-	-	PF	0.92	-	162,201	0.92	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	7.70	(0.10)	1,494	7.75	Property Fund & REIT	-	-	-	-
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.00	-	218	10.05
SHANG	69.00	1.00	1	69.00	PRECHA	1.24	(0.08)	135	1.24	AMATAR	10.40	-	80	10.42
Home & Office Prodt.					PRIN	1.61	-	35,112	1.60	B-WORK	10.40	-	1,961	10.40
ACC	0.48	-	2,529	0.47	PRINC	5.20	(0.25)	13,053	5.33	BKKCP	12.00	-	350	12.00
AJA	0.37	-	73,099	0.37	PSH	20.40	(0.20)	9,143	20.53	BOFFICE	12.50	-	26,694	12.50
DTCI	-	-	-	-	QH	3.30	(0.04)	298,547	3.32	CPNCG	14.60	0.10	827	14.60
FANCY	0.99	(0.02)	7,369	1.01	RICHY	1.68	(0.01)	3,682	1.68	CPNREIT	23.70	-	14,470	23.70
KYE	418.00	-	15	418.40	RML	1.21	(0.09)	144,402	1.28	CPTGF	13.20	0.10	250	13.10
L&E	2.70	(0.04)	175	2.71	ROJNA	5.10	(0.05)	7,456	5.15	CRYSTAL	10.30	-	209	10.30
MODERN	4.54	-	1,343	4.52	S	2.88	(0.06)	73,642	2.90	CTARAF	4.70	-	382	4.69
OGC	-	-	-	-	SAMCO	2.22	(0.08)	204	2.23	DREIT	-	-	-	-
ROCK	-	-	-	-	SC	3.46	(0.02)	9,414	3.47	ERWPF	-	-	-	-
SIAM	1.84	0.02	2,101	1.82	SENA	3.64	(0.02)	3,998	3.63	FUTUREPF	20.80	-	7,115	20.80
TSR	2.18	(0.06)	11,743	2.23	SF	8.10	(0.05)	11,504	8.16	GAHREIT	-	-	-	-
Insurance					SIRI	1.60	(0.01)	260,638	1.61	GLANDORT	12.50	-	4,700	12.50
AYUD	39.00	(1.50)	210	39.04	SPALI	24.20	(0.60)	57,670	24.35	GOLDFP	7.05	-	1,100	7.05
BKI	351.00	-	22	350.95	TICON	16.10	(0.10)	325	16.16	GVREIT	14.40	-	149	14.43
BLA	31.00	(0.75)	5,235	31.12	U	0.03	-	748,965	0.03	HPF	5.30	-	20	5.30
BUI	-	-	-	-	UV	7.35	(0.10)	35,299	7.38	HREIT	6.70	(0.15)	9,908	6.75
CHARAN	33.75	0.50	6	33.33	WHA	3.96	(0.06)	296,436	3.98	IMPACT	17.30	0.10	1,766	17.21
INSURE	-	-	-	-	WIN	0.60	-	3,166	0.59	KPNPF	-	-	-	-
MTI	126.00	4.50	78	124.73	Paper & Printing Mat					LHHOTEL	15.40	-	30	15.44
NKI	54.00	(0.50)	2	54.00	UTP	11.40	(0.40)	14,743	11.56	LHPF	8.35	0.05	45	8.26
NSI	83.00	1.25	26	82.97	Fashion					LHSC	15.20	0.10	602	15.06
SMK	41.00	1.00	15	41.00	AFC	8.90	0.50	33	8.81	LUXF	-	-	-	-
THRE	1.13	-	7,097	1.12	BTNC	-	-	-	-	M-II	8.75	(0.10)	22	8.80
THREL	7.65	(0.20)	5,256	7.75	CPH	5.90	-	55	5.90	M-PAT	10.10	(0.10)	13	10.10
TIC	34.25	0.25	9,444	34.00	CPL	-	-	-	-	M-STOR	10.30	-	1	10.30
TIP	22.90	(0.30)	1,665	23.05	DIGI	0.43	(0.01)	14,750	0.44	MIPF	21.50	(0.20)	4	21.50
TSI	0.52	-	5,967	0.52	ICC	39.00	0.25	1	39.00	MIT	-	-	-	-
TVI	3.66	(0.02)	645	3.68	LTX	83.00	1.75	142	83.01	MJLF	12.60	0.10	1,579	12.50
Mining					NC	15.20	-	1	15.20	MNIT	-	-	-	-
PDI	17.50	(0.40)	4,581	17.80	PAF	0.87	-	24,727	0.90	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.86	(0.16)	1,293	2.90	MNRF	3.50	(0.02)	2	3.50
Packaging					PG	-	-	-	-	MONTRI	6.05	0.10	91	5.95
AJ	10.80	(0.30)	2,532	10.92	SABINA	29.50	(1.00)	14	29.96	POPF	-	-	-	-
ALUCON	203.00	(1.00)	26	203.00	SAWANG	-	-	-	-	PPF	-	-	-	-
CSC	42.00	(1.00)	15	42.00	SUC	43.50	(0.25)	170	43.72	QHHR	8.50	-	562	8.50
NEP	0.42	-	3,151	0.41	TNL	18.00	-	1	18.00	QHOP	3.48	0.08	43	3.48
NPP	1.27	(0.02)	29,587	1.29	TPCORP	-	-	-	-	QHPP	12.10	-	4,999	12.12
PTL	16.20	0.40	16,797	16.04	TR	47.50	0.50	72	47.50	SBPF	-	-	-	-
SITHAI	1.15	(0.01)	1,623	1.16	TTI	-	-	-	-	SHREIT	9.25	-	252	9.25
SLP	0.94	(0.01)	1,033	0.94	TTL	-	-	-	-	SIRIP	11.80	0.80	5	11.72
SMPC	12.50	(0.20)	1,100	12.50	TTTM	138.50	-	35	138.50	SPF	23.30	-	5,204	23.31
SPACK	1.92	(0.04)	9	1.92	UPF	-	-	-	-	SRIPANWA	11.00	-	59	11.00
TCOAT	-	-	-	-	UT	13.00	(0.40)	106	13.46	SSPF	-	-	-	-
TFI	0.36	-	1,168	0.35	WACOAL	44.00	0.25	2	44.25	SSTPF	6.40	-	6	6.40
THIP	35.00	(0.50)	473	34.79	Transportation & Log					SSTRT	-	-	-	-
TMD	21.40	-	52	21.40	AAV	4.66	(0.12)	113,214	4.73	TIF1	8.60	0.05	16	8.55
TOPP	-	-	-	-	AOT	63.25	(1.75)	420,953	63.47	TLGF	18.50	0.10	8,713	18.50
TPBI	8.25	-	376	8.21	ASIMAR	2.84	0.04	2,950	2.83	TLHPF	-	-	-	-
TPP	-	-	-	-	B	0.65	(0.01)	46,615	0.66	TNPF	3.78	-	175	3.75
Personal Products &					BA	12.20	(0.30)	19,730	12.21	TPRIME	11.80	-	3,200	11.80
APCO	4.46	(0.02)	235	4.46	BEM	7.85	(0.05)	95,194	7.89	TREIT	11.40	-	6,742	11.30
DDD	50.75	(2.75)	9,955	52.27	BTS	9.10	-	160,259	9.05	TTLPF	24.00	-	4	24.00
JCT	-	-	-	-	BTSIGIF	11.80	(0.10)	112,270	11.81	TU-PF	-	-	-	-
OCC	17.20	(0.10)	70	17.06	III	4.68	(0.12)	18,998	4.68	URBNPF	3.40	(0.04)	4,495	3.38
S & J	23.00	-	20	23.00	JUTHA	1.76	(0.03)	76	1.76	WHABT	10.00	0.05	1	10.00
STHAI	-	-	-	-	JWD	6.70	(0.15)	7,814	6.71	WHART	9.95	(0.05)	4,929	10.00
TNR	12.60	(0.30)	451	12.78	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.90	(0.04)	610	4.91	NOK	2.70	-	1,576	2.70	AMC	2.62	0.02	2,183	2.62
Professional Service					NYT	5.05	-	564	5.09	BSBM	1.13	-	1,098	1.12
BWG	0.99	(0.02)	280,614	1.00	PRM	6.50	(0.20)	17,066	6.60	CEN	1.28	-	736	1.29
GENCO	0.80	-	3,269	0.80	PSL	12.50	(0.10)	47,468	12.59	CITY	2.60	(0.04)	125	2.60
PRO	-	-	-	-	RCL	5.35	-	8,467	5.42	CSP	1.38	-	120	1.38
TEAMG	2.52	(0.14)	867,257	2.66	THAI	13.30	(0.10)	18,035	13.27	GJS	0.31	(0.01)	28,230	0.32
Property Developer					TSST	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	842	6.70	TTA	6.90	(0.25)	21,684	7.01	INOX	1.05	(0.01)	342	1.05
AMATA	19.00	(0.50)	94,415	19.31	WICE	3.86	(0.14)	23,486	3.96	LHK	4.72	-	2,528	4.74
AMATAV	6.70	-	120	6.75	Automotive					MAX	0.03	0.01	113,603	0.02
ANAN	5.10	-	293,065	5.06	AH	31.50	(0.50)	7,713	31.81	MCS	7.80	0.05	6,045	7.82
AP	8.70	(0.10)	28,748	8.75	APCS	4.90	-	1,974	4.89	MILL	1.37	0.01	25,080	1.38
APEX	0.20	-	14,335	0.20	BAT-3K	-	-	-	-	PAP	4.14	(0.02)	1,100	4.12
AQ	0.03	-	237,021	0.03	CWT	3.20	(0.02)	3,213	3.23	PERM	2.12	0.02	8,206	2.15
BLAND	1.93	0.01	338,041	1.93	EASON	2.88	(0.08)	6,195	2.87	RICH	-	-	-	-
BROCK	2.40	-	48	2.39	GYT	-	-	-	-	SAM	0.69	(0.02)	3,903	0.70
CGD	1.27	(0.06)	412,107	1.26	HFT	3.06	(0.02)	2,926	3.07	SMIT	5.75	-	244	5.70
CI	1.56	(0.02)	86	1.57	IHL	7.75	(0.10)	2,252	7.76	SSI	-	-	-	-
CPN	73.25	(1.25)	43,091	73.63	INGRS	0.70	(0.01)	23,984	0.71	SSSC	2.86	(0.04)	429	2.87
ESTAR	0.68	-	2,552	0.68	IRC	20.50	0.10	125	20.38	TGPRO	0.18	(0.01)	14,821	0.19
EVER	0.39	-	105,493	0.38	PCSGH	7.10	(0.05)	2,261	7.10	THE	3.40	0.26	140,348	3.29
GLAND	2.20	(0.24)	242,359	2.23	SAT	22.90	0.40	3,109	22.79	TIW	418.00	2.00	11	415.27
GOLD	10.60	(0.40)	57,952	10.69	SPG	15.60	(1.30)	594	15.88	TMT	14.60	(0.10)	321	14.69
GREEN	1.29	(0.02)	16,070	1.30	STANLY	246.00	(2.00)	238	246.00	TSTH	0.72	-	5,338	0.71
J	1.69	(0.01)	53	1.68	TKT	1.53	(0.01)	1,321	1.53	TUCC	-	-	-	-
JCK	1.49	(0.02)	3,732	1.48	TNPC	-	-	-	-	TWP	4.04	0.06	223	3.97
KC	-	-	-	-	TRU	4.54	(0.02)							

## Main Board Quotation

Issue Date :

Monday July 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	UMS	0.72	(0.01)	228	-	ADVA13C1809A	0.09	-	2,000	-
ABICO	5.45	(0.10)	606	5.00	UWC	0.07	-	35,316	-	ADVA13C1811A	0.59	-	41,430	-
AU	8.55	(0.55)	56,781	8.00	Services (MAI)	-	-	-	-	ADVA13P1809A	0.22	(0.02)	15,384	-
FC	0.33	(0.02)	16,611	-	ADAM	-	-	-	-	ADVA16C1812A	0.49	0.01	13	-
JCKH	1.13	0.01	415	1.00	AKP	1.63	(0.02)	65	1.00	ADVA18C1808A	0.40	(0.04)	3,328	-
KASET	2.06	(0.06)	2,299	2.00	AMA	6.05	(0.30)	4,878	6.00	ADVA19C1901A	0.57	(0.03)	13,748	-
MM	4.00	0.06	301	3.00	ARIP	0.51	(0.01)	700	-	ADVA24C1810A	0.39	(0.05)	100	-
SUN	3.10	(0.10)	6,969	3.00	ATP30	1.64	-	3,220	1.00	ADVA24P1810A	0.15	(0.01)	402	-
TACC	4.14	(0.06)	1,795	4.00	AUCT	5.55	(0.10)	3,734	5.00	ADVA28C1808A	-	-	-	-
TMILL	2.96	-	14,547	3.00	BOL	1.90	(0.02)	266	1.00	ADVA28C1811A	0.48	(0.02)	160,720	-
XO	7.65	(0.35)	5,460	7.00	CHUO	-	-	-	-	ADVA28P1810A	0.29	-	70,113	-
<b>Consumer Products</b>					CMO	1.54	0.01	757	1.00	AMAT01C1810A	0.63	(0.04)	32,891	-
BGT	1.10	-	1,326	1.00	D	10.20	-	1,477	10.00	AMAT01C1810B	0.41	(0.04)	35,413	-
BIZ	2.78	(0.02)	336	2.00	DCORP	2.68	0.02	10,105	2.00	AMAT01P1810A	1.32	0.06	14,857	1.00
DOD	12.50	(0.20)	62,452	12.00	DNA	0.40	(0.03)	79,218	-	AMAT06C1809A	-	-	-	-
ECF	7.20	-	26,807	7.00	EFORL	0.06	(0.01)	103,527	-	AMAT08C1807A	-	-	-	-
HPT	1.05	(0.01)	5,072	1.00	ETE	2.02	(0.06)	4,323	2.00	AMAT08C1809A	0.07	(0.01)	473	-
JUBILE	21.20	(0.20)	535	21.00	FSMART	8.90	(0.10)	4,231	8.00	AMAT11C1903A	0.28	(0.03)	16,310	-
MOONG	5.70	-	451	5.00	FVC	1.30	(0.01)	2,289	1.00	AMAT13C1809A	0.06	(0.01)	2,465	-
NPK	-	-	-	-	HARN	2.48	(0.02)	2,009	2.00	AMAT13C1812A	0.35	(0.05)	74,991	-
OCEAN	2.06	(0.02)	57,319	2.00	JKN	10.40	(0.10)	74,088	10.00	AMAT19C1811A	0.16	(0.02)	1,758	-
TM	1.95	(0.02)	170	1.00	KIAT	0.44	-	19,426	-	AMAT23C1810A	0.14	(0.02)	2,050	-
<b>Financials (MAI)</b>					KOOL	1.62	(0.13)	61,440	1.00	AMAT24C1807A	-	-	-	-
ACAP	7.90	0.35	47,700	7.00	LDC	1.07	0.03	4,811	1.00	AMAT24C1811A	0.25	(0.03)	2	-
AF	0.85	-	262	-	MPG	0.23	(0.01)	22,551	-	AMAT28C1808A	-	-	-	-
AIRA	2.00	(0.04)	20,844	2.00	NBC	0.65	(0.01)	1,970	-	ANAN01C1807A	0.07	(0.01)	25,684	-
ASN	3.18	(0.02)	306	3.00	NCL	1.44	(0.02)	1,208	1.00	ANAN01C1810A	1.11	(0.05)	9,001	1.00
BROOK	0.55	-	3,367	-	NEWS	0.01	-	25,014	-	ANAN01C1810B	1.02	(0.06)	10,676	1.00
CHAYO	3.86	(0.24)	160,878	4.00	NINE	1.44	-	2,310	1.00	ANAN08C1808A	-	-	-	-
GCAP	4.48	(0.10)	13,281	4.00	OTO	2.68	(0.02)	115	2.00	ANAN08C1810A	-	-	-	-
LIT	7.80	(0.15)	3,514	7.00	PHOL	2.30	(0.10)	198	2.00	ANAN08C1906A	0.29	(0.01)	39,748	-
SGF	0.13	-	73,726	-	PICO	6.00	(0.20)	223	6.00	ANAN13C1901A	0.24	(0.01)	59,198	-
<b>Industrials (MAI)</b>					PORT	6.45	(0.10)	3,209	6.00	ANAN19C1811A	0.69	(0.01)	2,600	-
ZS	3.08	-	1,300	3.00	QLT	4.80	0.02	151	4.00	ANAN23C1901A	0.39	(0.02)	9,001	-
ADB	1.16	(0.05)	28,602	1.00	RP	3.00	-	1,107	3.00	ANAN24C1807A	-	-	-	-
BM	3.34	(0.04)	4,418	3.00	SE	2.04	-	2	2.00	ANAN24C1811A	-	-	-	-
CHO	1.14	(0.01)	4,007	1.00	SPA	14.20	(0.60)	8,670	14.00	ANAN28C1809A	0.68	(0.01)	12,164	-
CHOW	4.92	0.02	185	4.00	THMUI	1.29	0.01	892	1.00	AOT01C1808A	0.17	(0.07)	469,004	-
CIG	0.38	(0.01)	640	-	TNDT	4.74	(0.08)	448	4.00	AOT01C1808B	0.01	(0.01)	5,716	-
COLOR	1.13	(0.01)	520	1.00	TNH	39.00	0.25	169	38.00	AOT01C1810A	0.25	(0.07)	489,793	-
CPR	4.80	(0.10)	715	4.00	TNP	1.99	0.01	8,241	1.00	AOT01P1808A	1.03	0.16	220,410	-
FPI	2.84	(0.04)	1,861	2.00	TSF	0.05	-	102,653	-	AOT01P1808B	0.34	0.10	348,070	-
GTB	0.76	0.01	267	-	TVD	1.39	(0.03)	2,089	1.00	AOT06C1809A	0.04	(0.03)	21,850	-
KCM	1.22	(0.03)	25,215	1.00	TVT	1.00	(0.03)	5,963	1.00	AOT08C1807A	-	-	-	-
LVT	-	-	-	-	WINNER	3.26	(0.02)	2,595	3.00	AOT08C1901A	0.32	(0.06)	74,362	-
MBAX	3.88	-	76	3.00	Technology (MAI)	-	-	-	-	AOT11C1808A	0.32	(0.10)	167,397	-
MGT	2.08	-	608	2.00	COMAN	3.32	(0.02)	552	3.00	AOT11P1808A	0.07	0.03	46	-
NDR	2.24	0.02	191	2.00	ICN	2.40	(0.06)	18,491	2.00	AOT13C1807A	-	-	-	-
PDG	3.52	-	1,203	3.00	IRCP	1.25	(0.03)	2,211	1.00	AOT13C1809A	0.03	(0.02)	10,613	-
PIMO	2.68	-	469	2.00	ITEL	2.84	(0.04)	2,969	2.00	AOT13C1811A	0.18	(0.05)	114,449	-
PJW	1.67	-	176	1.00	NETBAY	34.00	(0.75)	1,505	34.00	AOT13C1812A	0.33	(0.08)	232,433	-
PPM	2.28	(0.10)	3,961	2.00	PLANET	-	-	-	-	AOT13P1810A	0.57	0.09	134,849	-
RWI	1.63	(0.01)	16,818	1.00	SIMAT	2.68	0.04	26,173	2.00	AOT19C1809A	0.10	(0.06)	75,390	-
SALLEE	1.08	0.01	1,534	1.00	SKY	14.40	(0.20)	4,920	14.00	AOT23C1807A	0.10	(0.10)	61,600	-
SANKO	1.24	(0.02)	687	1.00	SPVI	1.32	(0.08)	124,021	1.00	AOT23P1807A	0.02	-	1	-
SELIC	1.86	(0.01)	2,283	1.00	UPA	0.42	0.02	48,737	-	AOT24C1807A	-	-	-	-
SWC	23.40	(0.10)	368	23.00	VCOM	3.12	(0.12)	3,292	3.00	AOT24C1811A	0.10	(0.04)	50,741	-
TMC	0.88	0.01	1,929	-	Unit Trust	-	-	-	-	AOT24P1809A	0.15	0.03	2,300	-
TMI	0.77	(0.01)	1,770	-	MGE	-	-	-	-	AOT28C1807A	-	-	-	-
TMW	67.25	-	129	66.00	SCBSET	-	-	-	-	AOT28C1809A	0.06	(0.04)	308	-
TPAC	11.90	-	752	11.00	ETF	-	-	-	-	AOT28C1812A	0.28	(0.07)	226,089	-
UAC	4.82	(0.06)	1,819	4.00	1DIV	12.68	0.04	510	12.00	AP01C1809A	0.42	(0.02)	8,370	-
UBIS	4.98	0.10	3	4.00	ABFTH	-	-	-	-	AP01C1809B	0.14	(0.01)	6,526	-
UEC	1.15	(0.01)	14,161	1.00	BMSCG	8.79	(0.06)	383	8.00	AP08C1810A	0.34	(0.02)	5,412	-
UKEM	0.81	(0.02)	29,240	-	BMSCITH	12.66	(0.08)	2,453	12.00	AP23C1901A	0.15	(0.01)	14,000	-
UREKA	0.54	(0.01)	13,645	-	BSET100	10.36	(0.10)	1,140	10.00	AP24C1901A	-	-	-	-
YUASA	16.30	(0.20)	91	16.00	CHINA	5.57	-	50	5.00	AP42C1901A	0.29	-	6,024	-
ZIGA	2.94	(0.08)	19,298	2.00	EBANK	-	-	-	-	AP42P1901A	0.44	0.01	4,281	-
<b>Property &amp; Construc</b>					ECOMM	8.26	(0.07)	26	8.00	BA11C1902A	-	-	-	-
ARROW	9.05	-	386	9.00	EFOOD	-	-	-	-	BA19C1811A	0.04	(0.01)	1,324	-
BKD	3.26	0.08	30,130	3.00	EICT	-	-	-	-	BA24C1810A	0.11	(0.03)	1,250	-
BSM	0.70	-	3,847	-	ENGY	6.06	-	1	6.00	BA24C1901A	-	-	-	-
BTW	1.50	-	497	1.00	ENY	-	-	-	-	BA28C1809A	0.01	(0.02)	500	-
CHEWA	1.03	(0.01)	23,052	1.00	ESET50	5.60	(0.05)	41	5.00	BANP01C1808A	0.22	(0.01)	121,668	-
CRD	1.14	(0.05)	28,076	1.00	GLD	1.77	-	914	1.00	BANP01C1808B	0.03	(0.01)	3,351	-
DIMET	1.00	(0.06)	201,373	1.00	TDEX	10.52	(0.10)	4,338	10.00	BANP01C1812A	0.42	(0.01)	48,048	-
FLOYD	2.38	(0.14)	41,519	2.00	TGOLDETF	3.87	0.02	10	3.00	BANP01C1812B	0.29	(0.01)	93,233	-
FOCUS	0.85	0.01	2,199	-	TH100	-	-	-	-	BANP01P1808A	0.56	0.02	91,474	-
HYDRO	1.45	(0.03)	8,150	1.00	Warrant Foreign	-	-	-	-	BANP01P1812A	0.91	0.01	78,505	-
JSP	0.64	0.02	26,406	-	AAV01C1808A	0.05	(0.01)	7,186	-	BANP01P1812B	0.68	0.02	62,240	-
K	3.00	-	1	3.00	AAV01C1808B	-	-	-	-	BANP06C1810A	0.24	-	2,000	-
META	2.22	(0.04)	65,108	2.00	AAV01P1808A	0.54	0.03	17,545	-	BANP07C1810A	0.15	(0.01)	500	-
PPS	1.04	-												

## Main Board Quotation

Issue Date :

Monday July 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BBL08C1809A	0.07	-	1,007	-	BEC28C1809A	-	-	-	-	CBG11C1902A	0.09	(0.02)	18,900	-
BBL08P1810A	0.28	-	3,000	-	BEC28C1811A	0.27	0.01	97,920	-	CBG13C1808A	-	-	-	-
BBL11C1903A	0.43	(0.01)	30,400	-	BEM01C1808A	0.34	-	10,746	-	CBG13C1809A	-	-	-	-
BBL11P1903A	0.58	-	14,980	-	BEM01C1808B	-	-	-	-	CBG13C1811A	0.10	(0.03)	26,229	-
BBL13C1807A	-	-	-	-	BEM01P1808A	0.20	-	26,202	-	CBG13C1812A	0.20	(0.03)	63,816	-
BBL13C1810A	0.36	(0.02)	16,291	-	BEM08C1809A	0.18	-	55,695	-	CBG18C1808A	-	-	-	-
BBL19C1901A	-	-	-	-	BEM11C1903A	0.22	-	25,800	-	CBG19C1810A	-	-	-	-
BBL23C1811A	0.20	-	4,001	-	BEM13C1809A	0.18	(0.01)	112,604	-	CBG23C1901A	0.10	(0.01)	5,000	-
BBL24C1809A	-	-	-	-	BEM19C1901A	0.30	-	9,268	-	CBG24C1807A	-	-	-	-
BBL24C1812A	0.54	(0.02)	950	-	BEM23C1901A	0.18	-	20,000	-	CBG24C1809A	-	-	-	-
BBL24P1810A	0.24	-	38,700	-	BEM24C1809A	-	-	-	-	CBG24C1811A	0.13	(0.06)	400	-
BBL27C1809A	0.10	(0.01)	10,338	-	BEM28C1808A	0.10	(0.01)	178,002	-	CBG28C1808A	-	-	-	-
BBL28C1808A	-	-	-	-	BGR10C1902A	0.61	(0.02)	42,738	-	CBG28C1808B	-	-	-	-
BBL28C1811A	0.39	(0.02)	55,112	-	BGR11C1812A	0.61	0.01	96,010	-	CBG28C1811A	0.09	(0.03)	68,282	-
BCH01C1808A	0.28	(0.01)	20,042	-	BGR19C1901A	0.52	0.03	6,700	-	CENT01C1810A	0.27	(0.03)	23,399	-
BCH01C1808B	0.05	(0.01)	1,000	-	BGR124C1901A	0.54	(0.01)	2,615	-	CENT01C1810B	0.12	(0.03)	9,496	-
BCH01P1808A	0.39	0.01	62,696	-	BGR128C1812A	0.58	-	149,420	-	CENT01P1810A	1.03	0.05	41,528	1.00
BCH06C1811A	0.12	(0.01)	200	-	BH01C1811A	0.50	(0.02)	39,516	-	CENT08C1809A	0.03	(0.01)	2,200	-
BCH08C1901A	0.24	-	14,288	-	BH01C1811B	0.16	(0.02)	6,849	-	CENT11C1904A	0.24	(0.03)	12,590	-
BCH11C1807A	-	-	-	-	BH01P1811A	1.66	0.05	12,190	1.00	CENT13C1811A	0.07	(0.03)	4,995	-
BCH13C1810A	0.07	(0.01)	400	-	BH07C1810A	-	-	-	-	CENT24C1807A	-	-	-	-
BCH19C1809A	0.07	(0.02)	4,741	-	BH08C1811A	-	-	-	-	CENT24C1810A	-	-	-	-
BCH23C1811A	-	-	-	-	BH11C1902A	0.04	(0.01)	100	-	CENT24C1901A	-	-	-	-
BCH24C1811A	-	-	-	-	BH19C1901A	0.52	(0.03)	12,176	-	CENT28C1808A	-	-	-	-
BCH28C1811A	0.15	-	37,040	-	BH24C1809A	0.03	(0.01)	404	-	CHG01C1809A	0.23	(0.02)	13,123	-
BCP01C1810A	0.16	-	16,856	-	BH24C1811A	-	-	-	-	CHG01C1809B	0.23	(0.02)	12,817	-
BCP01C1810B	-	-	-	-	BH24C1902A	0.48	-	40	-	CHG01P1809A	0.33	0.01	7,915	-
BCP01P1810A	0.54	-	5,326	-	BIG08C1807A	-	-	-	-	CHG08C1807A	-	-	-	-
BCP08C1901A	0.22	0.01	7,742	-	BIG08C1906A	0.28	(0.01)	10,016	-	CHG11C1807A	0.01	-	10,429	-
BCP11C1811A	-	-	-	-	BIG13C1808A	0.01	-	4	-	CHG11C1904A	0.15	-	3,470	-
BCP13C1810A	0.04	(0.01)	200	-	BIG13C1901A	0.19	(0.02)	2,224	-	CHG13C1807A	-	-	-	-
BCP24C1808A	-	-	-	-	BIG19C1811A	0.12	(0.02)	500	-	CHG13C1809A	0.30	(0.05)	7,836	-
BCP24C1811A	-	-	-	-	BIG24C1808A	-	-	-	-	CHG13C1812A	0.12	(0.01)	40,779	-
BCP28C1809A	-	-	-	-	BIG24C1812A	-	-	-	-	CHG23C1811A	0.51	(0.03)	2,800	-
BCP28C1809B	-	-	-	-	BJC01C1807A	0.09	(0.04)	9,484	-	CHG24C1808A	-	-	-	-
BCPG01C1811A	0.28	(0.01)	20,939	-	BJC01C1807B	0.01	(0.01)	1,250	-	CHG24C1811A	-	-	-	-
BCPG01C1811B	0.12	-	500	-	BJC01P1807A	0.96	0.09	51,169	-	CHG28C1808A	0.23	(0.01)	4,096	-
BCPG06C1807A	0.01	-	2,000	-	BJC06C1807A	-	-	-	-	CHG28C1812A	-	-	-	-
BCPG06C1811A	-	-	-	-	BJC06C1901A	-	-	-	-	CK01C1809A	0.21	(0.01)	73,324	-
BCPG08C1810A	0.13	(0.01)	2,122	-	BJC07C1809A	-	-	-	-	CK01C1809B	0.29	(0.04)	82,419	-
BCPG11C1807A	0.30	(0.02)	12,032	-	BJC08C1807A	-	-	-	-	CK01P1809A	0.27	0.01	17,421	-
BCPG11C1902A	0.11	-	20,196	-	BJC08C1809A	-	-	-	-	CK08C1809A	-	-	-	-
BCPG13C1807A	-	-	-	-	BJC11C1807A	0.12	(0.04)	6,820	-	CK08C1901A	0.18	(0.01)	27,545	-
BCPG13C1810A	-	-	-	-	BJC13C1807A	-	-	-	-	CK11C1904A	0.19	(0.01)	9,100	-
BCPG24C1807A	-	-	-	-	BJC13C1808A	-	-	-	-	CK13C1809A	0.10	(0.01)	41,327	-
BCPG24C1810A	-	-	-	-	BJC13C1810A	0.13	(0.02)	6,065	-	CK16C1812A	0.20	-	1,800	-
BCPG28C1808A	-	-	-	-	BJC13C1812A	0.38	(0.04)	71,581	-	CK19C1811A	0.14	(0.01)	11,802	-
BCPG28C1809A	0.09	-	105,000	-	BJC19C1809A	0.13	(0.02)	791	-	CK23C1808A	-	-	-	-
BCPG28C1812A	0.32	-	122,880	-	BJC23C1901A	0.22	(0.02)	2,000	-	CK24C1808A	0.15	(0.04)	580	-
BDMS01C1811A	0.22	-	34,087	-	BJC24C1808A	-	-	-	-	CK24C1901A	-	-	-	-
BDMS01C1811B	0.12	(0.01)	21,482	-	BJC24C1901A	0.41	(0.02)	100	-	CK28C1809A	0.34	(0.04)	34,152	-
BDMS01P1811A	0.31	-	34,875	-	BJC27C1807A	-	-	-	-	CK28C1812A	-	-	-	-
BDMS06C1811A	-	-	-	-	BJC28C1808A	-	-	-	-	CKP01C1812A	0.45	(0.02)	28,860	-
BDMS08C1807A	-	-	-	-	BJC28C1812A	0.35	(0.04)	134,000	-	CKP01C1812B	0.33	(0.02)	16,339	-
BDMS08C1901A	0.17	-	12,604	-	BLA01C1812A	0.18	(0.04)	8,968	-	CKP11C1807A	0.38	(0.04)	25,100	-
BDMS11C1811A	-	-	-	-	BLA08C1811A	0.04	(0.01)	1,926	-	CKP13C1810A	0.28	(0.02)	23,144	-
BDMS11C1904A	0.13	-	4,508	-	BLA13C1809A	-	-	-	-	CKP23C1810A	0.31	(0.04)	1,000	-
BDMS13C1807A	-	-	-	-	BLA28C1810A	-	-	-	-	CKP24C1811A	0.33	(0.01)	3,000	-
BDMS13C1810A	0.45	(0.04)	400	-	BLAN01C1809A	0.58	(0.01)	14,735	-	CKP28C1809A	0.08	(0.02)	2,183	-
BDMS13C1812A	0.15	-	20,503	-	BLAN01C1809B	0.13	(0.01)	30,025	-	CKP28C1809B	0.33	(0.03)	19,135	-
BDMS16C1812A	0.90	(0.02)	521	-	BLAN01P1809A	0.11	-	2,006	-	COM701C1811A	0.50	(0.02)	20,228	-
BDMS19C1901A	0.28	(0.02)	18,608	-	BLAN08C1810A	0.24	0.01	40,777	-	COM701C1811B	0.30	(0.03)	12,610	-
BDMS23C1810A	0.48	(0.04)	1,020	-	BLAN11C1902A	0.25	(0.02)	4,006	-	COM706C1809A	0.22	(0.01)	150	-
BDMS24C1811A	0.35	(0.03)	11,000	-	BLAN23C1807A	-	-	-	-	COM708C1811A	-	-	-	-
BDMS24C1812A	-	-	-	-	BPP01C1811A	0.19	-	11,550	-	COM71C1811A	0.37	-	10,818	-
BDMS28C1811A	0.10	-	18	-	BPP01C1811B	0.10	-	6,901	-	COM713C1809A	0.07	(0.02)	11,464	-
BEAU01C1807A	0.02	0.01	139,754	-	BPP01P1811A	0.69	-	8,556	-	COM713C1812A	0.32	(0.02)	26,225	-
BEAU01C1807B	0.01	-	30,699	-	BPP06C1809A	0.30	0.02	2,640	-	COM719C1811A	0.27	(0.01)	4,420	-
BEAU01C1812A	0.07	(0.02)	183,492	-	BPP08C1807A	-	-	-	-	COM723C1901A	-	-	-	-
BEAU01C1812B	0.03	(0.01)	13,201	-	BPP08C1810A	0.19	-	14,206	-	COM724C1811A	0.21	(0.01)	4,000	-
BEAU01P1807A	3.16	0.08	80	3.00	BPP11C1807A	0.01	-	700	-	COM728C1808A	0.01	-	30	-
BEAU01P1812A	2.16	0.16	112,286	2.00	BPP13C1808A	0.23	-	4,916	-	COM728C1811A	0.26	(0.03)	107,922	-
BEAU06C1809A	-	-	-	-	BPP13C1811A	-	-	-	-	CPAL01C1808A	0.40	(0.02)	60,908	-
BEAU07C1809A	-	-	-	-	BPP23C1901A	0.27	-	3,500	-	CPAL01C1808B	0.04	(0.01)	17,658	-
BEAU08C1808A	-	-	-	-	BPP24C1809A	-	-	-	-	CPAL01C1901A	0.54	(0.02)	73,016	-
BEAU08C1901A	0.02	(0.02)	3,747	-	BPP28C1808A	0.13	(0.04)	22,531	-	CPAL01C1901B	0.38	(0.02)	42,339	-
BEAU11C1902A	0.03	(0.01)	5,702	-	BTS01C1810A	0.34	-	41,286	-	CPAL01P1808A	0.89	0.03	103,476	-
BEAU13C1811A	0.01	-	18,352	-	BTS01C1810B	0.09	-	11,100	-	CPAL01P1901A	1.18	0.02	56,039	1.00
BEAU13C1812A	0.03	0.01	59,018	-	BTS01P1810A	0.58	-	10,279	-	CPAL01P1901B	0.91	0.03	42,051	-
BEAU13C1812B	0.29	(0.11)	843,712	-	BTS06C1903A	-	-	-	-	CPAL06C1811A	0.92	(0.02)	32,594	-
BEAU19C1811A	-	-	-	-	BTS06C1903B	-	-	-	-	CPAL06C1811B	0.15	-	44	-
BEAU19C1901A	0.38	(0.09)	95,582	-	BTS06C1903C	-	-	-	-	CPAL08C1807A	-	-	-	-
BEAU23C1901A	0.01	(0.01)	17,871	-	BTS08C1810A	0.20	-	7,714	-	CPAL08P1810A	0.88	0.03	15,539	-
BEAU24C1807A	-	-	-	-	BTS11C1904A	-	-	-	-	CPAL11C1903A	0.21	(0.02)	21,550	-
BEAU24C1902A	0.02	(0.01)	11,201	-	BTS19C1901A	0.27	-	12,696	-	CPAL11P1903A	0.87	0.02	46,592	-
BEAU28C1810A	-	-	-	-	BTS23C1905A	1.51	-	58	1.00	CPAL13C1807A	-	-	-	-
BEAU28C1811A	0.02	(0.01)	5,800	-	BTS24C1808A	-	-	-	-	CPAL13C1812A	0.46	(0.03)	158,952	-
BEC01C1808A	0.02	-	901	-	BTS24C1901A	0.19	(0.02)	400	-	CPAL19C1811A	0.28	(0.02)	18,330	-
BEC01C1808B	0.01	-	10,000	-	BTS28C1809A	0.17	-	14,240	-	CPAL23C1810A	0.11	(0.01)	6,040	-
BEC01C1812A	0.22	0.01	9,508	-	BTS28C1811A	-	-	-	-	CPAL24C1808A	0.02	-	49	-
BEC01C181														

## Main Board Quotation

Issue Date :

Monday July 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF11P1902A	0.27	-	6,052	-	ESSO23C1809A	-	-	-	-	IRPC13C1812A	0.19	0.03	168,791	-
CPF13C1809A	0.54	-	20,865	-	ESSO24C1812A	-	-	-	-	IRPC19C1901A	0.22	0.02	51,655	-
CPF13C1810A	0.13	(0.01)	2,050	-	ESSO28C1811A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPF19C1901A	0.25	-	5,068	-	GFPT01C1807A	0.11	(0.01)	300	-	IRPC24C1808A	0.11	-	25,125	-
CPF23C1810A	-	-	-	-	GFPT08C1807A	-	-	-	-	IRPC24C1809A	0.01	(0.01)	10,000	-
CPF24C1809A	0.27	(0.01)	300	-	GFPT08C1906A	0.37	0.01	19,043	-	IRPC24C1812A	-	-	-	-
CPF24C1901A	-	-	-	-	GFPT19C1811A	0.33	(0.02)	6,012	-	IRPC27C1809A	0.04	0.01	1	-
CPF28C1808A	0.40	(0.01)	26,519	-	GFPT24C1812A	0.31	0.01	2,380	-	IRPC28C1811A	-	-	-	-
CPF28C1811A	0.15	-	62,342	-	GGC01C1810A	0.07	-	22,175	-	IRPC28C1812A	0.21	0.02	236,016	-
CPN01C1808A	0.21	(0.03)	16,973	-	GGC01C1810B	0.01	(0.01)	1,012	-	ITD01C1808A	-	-	-	-
CPN01C1808B	0.02	-	3	-	GGC08C1906A	0.09	-	8,880	-	ITD01C1808B	-	-	-	-
CPN06C1811A	0.42	-	2,000	-	GGC13C1811A	-	-	-	-	ITD01P1808A	1.19	0.04	28,875	1.00
CPN08C1809A	-	-	-	-	GGC19C1811A	-	-	-	-	ITD08C1810A	0.06	(0.01)	3,296	-
CPN11C1903A	0.23	(0.03)	18,400	-	GGC23C1901A	0.03	-	12,000	-	ITD11C1903A	0.17	(0.01)	5,238	-
CPN11P1903A	0.68	0.07	50,241	-	GGC24C1812A	-	-	-	-	ITD13C1809A	-	-	-	-
CPN13C1807A	-	-	-	-	GGC28C1811A	-	-	-	-	ITD13C1812A	0.21	(0.01)	46,468	-
CPN13C1812A	0.27	(0.04)	38,185	-	GLOB01C1809A	0.52	0.02	32,965	-	ITD19C1811A	-	-	-	-
CPN19C1901A	0.41	(0.05)	11,618	-	GLOB01C1809B	0.27	0.01	73,327	-	ITD23C1808A	-	-	-	-
CPN23C1810A	0.15	(0.03)	7,972	-	GLOB06C1809A	0.32	0.03	30,617	-	ITD24C1807A	-	-	-	-
CPN24C1901A	0.28	(0.03)	180	-	GLOB08C1807A	0.08	0.01	3,200	-	ITD24C1810A	-	-	-	-
CPN28C1810A	0.15	(0.02)	61,020	-	GLOB11C1808A	0.25	0.02	17,740	-	ITD28C1808A	-	-	-	-
DELT08C1811A	0.11	0.01	15,847	-	GLOB13C1807A	-	-	-	-	ITD28C1808B	-	-	-	-
DELT13C1809A	-	-	-	-	GLOB23C1811A	-	-	-	-	IVL01C1808A	0.33	(0.01)	69,621	-
DELT24C1901A	-	-	-	-	GLOB24C1810A	-	-	-	-	IVL01C1808B	-	-	-	-
DELT27C1812A	-	-	-	-	GLOB27C1809A	0.12	0.01	13,564	-	IVL01C1812A	0.48	(0.02)	65,248	-
DTAC01C1808A	0.08	(0.02)	43,358	-	GLOB28C1808A	0.07	-	4,000	-	IVL01C1812B	0.32	(0.03)	49,052	-
DTAC01C1808B	-	-	-	-	GLOW08C1811A	-	-	-	-	IVL01P1808A	0.82	0.03	95,905	-
DTAC01C1810A	0.22	(0.06)	128,743	-	GLOW11C1807A	-	-	-	-	IVL01P1808B	0.26	0.01	175,217	-
DTAC01C1810B	0.05	(0.02)	21,267	-	GLOW19C1901A	-	-	-	-	IVL01P1812A	0.96	0.01	63,018	-
DTAC01P1808A	1.18	0.15	109,696	1.00	GLOW27C1812A	-	-	-	-	IVL01P1812B	0.78	0.02	60,037	-
DTAC01P1810A	1.51	0.13	123,771	1.00	GPSC01C1808A	0.30	(0.01)	11,950	-	IVL06C1807A	-	-	-	-
DTAC01P1810B	1.17	0.18	55,396	1.00	GPSC01C1808B	0.05	(0.01)	48	-	IVL06C1901A	0.34	(0.03)	2,453	-
DTAC06C1901A	0.17	(0.06)	4,110	-	GPSC01P1808A	1.15	(0.01)	22,431	1.00	IVL07C1811A	-	-	-	-
DTAC06P1809A	0.72	0.13	108,319	-	GPSC06C1811A	-	-	-	-	IVL08C1901A	0.48	(0.02)	116,734	-
DTAC07C1809A	-	-	-	-	GPSC08C1808A	-	-	-	-	IVL08P1809A	-	-	-	-
DTAC08C1809A	0.03	(0.02)	8,290	-	GPSC11C1808A	0.82	(0.05)	7,960	-	IVL11C1808A	0.71	(0.04)	38,162	-
DTAC08P1807A	0.41	0.14	55,972	-	GPSC11C1902A	0.29	-	62	-	IVL11P1808A	0.03	(0.02)	6,722	-
DTAC11C1904A	0.21	(0.03)	36,477	-	GPSC13C1807A	-	-	-	-	IVL13C1809A	0.17	(0.04)	69,072	-
DTAC13C1811A	0.09	(0.01)	24,560	-	GPSC13C1808A	-	-	-	-	IVL13C1810A	0.20	(0.02)	94,855	-
DTAC13C1812A	0.28	(0.08)	118,028	-	GPSC13C1812A	0.51	(0.05)	38,665	-	IVL13C1812A	0.42	(0.03)	58,377	-
DTAC13P1811A	1.08	0.19	4,024	1.00	GPSC19C1901A	0.59	0.01	5,644	-	IVL13P1809A	0.06	(0.01)	1,241	-
DTAC13P1812A	0.36	0.05	156,277	-	GPSC24C1807A	-	-	-	-	IVL13P1811A	0.48	0.02	93,220	-
DTAC19C1811A	0.15	(0.04)	21,597	-	GPSC24C1808A	-	-	-	-	IVL19C1809A	0.39	(0.03)	74,600	-
DTAC23C1807A	-	-	-	-	GPSC24C1812A	-	-	-	-	IVL23C1810A	0.45	-	2,500	-
DTAC23P1807A	0.01	(0.02)	1,430	-	GPSC28C1807A	-	-	-	-	IVL24C1808A	-	-	-	-
DTAC24C1809A	0.03	(0.03)	4,000	-	GPSC28C1811A	0.43	(0.01)	25,490	-	IVL24C1812A	-	-	-	-
DTAC27C1809A	-	-	-	-	GUNK01C1808A	0.02	-	260	-	IVL28C1808A	0.02	(0.01)	7,000	-
DTAC27P1809A	0.28	0.04	47,707	-	GUNK01C1808B	-	-	-	-	IVL28C1811A	0.24	(0.02)	122,768	-
DTAC28C1810A	0.03	(0.02)	220	-	GUNK08C1807A	-	-	-	-	IVL28C1812A	0.47	(0.02)	249,474	-
DTAC28C1812A	0.33	(0.06)	372,146	-	GUNK11C1903A	0.16	0.01	15,100	-	IVL28P1811A	0.53	0.02	139,457	-
EA01C1809A	0.58	0.02	177,788	-	GUNK24C1807A	-	-	-	-	KBAN01C1808A	0.10	(0.02)	193,606	-
EA01C1809B	0.31	-	120,878	-	GUNK24C1812A	0.23	-	6,738	-	KBAN01C1808B	0.01	-	19,694	-
EA01P1809A	1.00	(0.02)	108,645	-	GUNK28C1808A	-	-	-	-	KBAN01C1810A	0.84	(0.03)	45,468	-
EA06C1809A	0.02	-	500	-	GUNK28C1810A	0.26	0.01	63,686	-	KBAN01C1901A	0.97	(0.02)	47,265	-
EA07C1810A	-	-	-	-	HANA01C1811A	0.45	0.02	60,291	-	KBAN01C1901B	0.50	(0.03)	42,630	-
EA08C1807A	-	-	-	-	HANA01C1811B	0.29	0.01	54,515	-	KBAN01P1808A	1.06	0.03	31,157	1.00
EA08C1809A	0.01	-	1,600	-	HANA08C1809A	0.14	0.01	22,320	-	KBAN01P1808B	0.43	0.01	39,892	-
EA08C1810A	0.16	-	28,966	-	HANA11C1904A	0.26	0.01	12,208	-	KBAN01P1810A	0.43	0.01	31,260	-
EA11C1902A	0.09	0.01	962	-	HANA13C1809A	0.18	0.01	8,226	-	KBAN01P1901A	1.29	0.02	26,016	1.00
EA13C1808A	-	-	-	-	HANA23C1811A	0.41	-	2,102	-	KBAN01P1901B	0.77	0.02	35,970	-
EA13C1808B	0.02	-	11	-	HANA24C1808A	0.01	-	6	-	KBAN06C1811A	0.46	(0.02)	8,328	-
EA13C1809A	0.01	-	600	-	HANA24C1810A	0.15	0.09	100	-	KBAN07C1811A	-	-	-	-
EA13C1810A	0.02	-	150	-	HANA28C1808A	-	-	-	-	KBAN08C1811A	0.43	(0.03)	6,610	-
EA13C1811A	0.10	-	32,928	-	HANA28C1812A	0.35	-	40,757	-	KBAN08P1811A	0.48	0.01	9,414	-
EA13C1812A	0.16	0.02	439,694	-	HMPR01C1808A	0.27	(0.04)	43,755	-	KBAN13C1807A	-	-	-	-
EA13C1812B	0.33	(0.67)	104,228	-	HMPR01C1808B	0.07	(0.02)	2,400	-	KBAN13C1810A	0.10	(0.01)	500	-
EA13P1809A	0.89	(0.07)	14,075	-	HMPR01P1808A	0.35	0.04	53,575	-	KBAN13C1811A	0.58	(0.03)	78,389	-
EA19C1811A	0.33	0.01	21,758	-	HMPR06C1811A	-	-	-	-	KBAN19C1901A	0.26	(0.01)	12,975	-
EA23C1901A	0.28	0.02	13,100	-	HMPR08C1810A	0.10	(0.01)	13,213	-	KBAN24C1902A	-	-	-	-
EA24C1807A	-	-	-	-	HMPR11C1808A	0.25	(0.06)	10,376	-	KBAN24P1811A	-	-	-	-
EA24C1809A	-	-	-	-	HMPR11P1808A	-	-	-	-	KBAN27C1809A	0.59	-	7,339	-
EA28C1809A	0.24	0.02	105,046	-	HMPR13C1807A	-	-	-	-	KBAN28C1809A	-	-	-	-
EA28C1809B	-	-	-	-	HMPR13C1812A	0.24	(0.04)	88,937	-	KBAN28C1811A	0.49	(0.02)	72,380	-
EGCO01C1809A	0.50	(0.01)	8,548	-	HMPR19C1901A	0.33	(0.05)	17,380	-	KBAN28P1807A	-	-	-	-
EGCO08C1809A	-	-	-	-	HMPR23C1901A	0.12	(0.02)	18,000	-	KBAN28P1811A	0.45	-	41,150	-
EGCO13C1809A	0.07	(0.01)	23	-	HMPR24C1808A	-	-	-	-	KCE01C1810A	0.70	0.07	87,665	-
EGCO19C1901A	0.39	(0.01)	2,074	-	HMPR24C1901A	-	-	-	-	KCE01C1810B	0.62	0.09	103,333	-
EGCO23C1811A	-	-	-	-	HMPR27C1807A	0.11	(0.05)	4,000	-	KCE06C1809A	0.97	0.18	3,849	-
EGCO24C1808A	-	-	-	-	HMPR28C1811A	0.12	(0.03)	60,074	-	KCE07C1808A	0.22	0.06	13,872	-
EGCO24C1901A	-	-	-	-	INTU01C1809A	0.33	(0.02)	33,452	-	KCE08C1809A	0.77	0.16	26,415	-
EGCO28C1808A	-	-	-	-	INTU01C1809B	0.04	(0.03)	600	-	KCE11C1808A	0.02	-	2,088	-
EPG01C1809A	0.14	0.01	234,796	-	INTU01P1809A	0.44	0.02	32,869	-	KCE11C1904A	0.41	0.04	35,833	-
EPG01P1809A	0.77	(0.03)	34,278	-	INTU01P1809B	0.19	0.01	70,016	-	KCE13C1808A	0.48	0.11	18,329	-
EPG07C1811A	-	-	-	-	INTU11C1807A	-	-	-	-	KCE13C1811A	0.60	0.08	159,781	-
EPG08C1810A	-	-	-	-	INTU11P1807A	0.22	0.02	17,096	-	KCE23C1807A	0.01	-	2	-
EPG08C1810B	0.45	0.02	49,263	-	INTU13C1810A	0.16	-	52,371	-	KCE23C1901A	0.32	0.06	30,134	-
EPG11C1903A	0.40	0.01	35,041	-	INTU13C1812A	0.36	(0.03)	83,134	-	KCE24C1808A	0.32	0.09	55,563	-
EPG13C1808A	0.02	0.01	5,000	-	INTU19C1901A	0.31	(0.03)	25,764	-	KCE24C1901A	0.42	0.06	3,503	-
EPG13C1811A	0.29	0.02	50,670	-	INTU24C1807A	-	-	-	-	KCE28C1808A	0.24			

## Main Board Quotation

Issue Date :

Monday July 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTBO1C1810A	0.29	(0.01)	10,700	-	MONO08C1808A	-	-	-	-	PTT28P1808A	0.31	(0.02)	30,556	-
KTBO1C1810B	0.13	(0.01)	100	-	MONO08C1906A	0.11	(0.02)	15,092	-	PTT28P1808B	-	-	-	-
KTBO1P1808A	0.58	-	12,310	-	MONO13C1808A	-	-	-	-	PTT28P1812A	0.35	0.01	118,978	-
KTBO6C1902A	0.26	-	3,066	-	MONO13C1811A	0.05	-	1,980	-	PTTE01C1808A	1.05	-	53,843	1.00
KTBO8C1809A	0.04	(0.01)	880	-	MONO13C1901A	0.21	(0.03)	13,098	-	PTTE01C1808B	0.50	(0.01)	64,848	-
KTB11C1811A	-	-	-	-	MONO19C1811A	0.13	(0.01)	1,100	-	PTTE01C1901A	0.72	0.01	40,761	-
KTB13C1809A	-	-	-	-	MONO23C1809A	0.01	-	10	-	PTTE01C1901B	0.51	-	25,224	-
KTB13C1901A	0.31	(0.03)	10,000	-	MONO23C1901A	0.19	(0.02)	1,000	-	PTTE01P1808A	0.12	-	22,387	-
KTB19C1901A	0.22	(0.02)	15,000	-	MONO24C1807A	-	-	-	-	PTTE01P1901A	1.33	0.01	40,450	1.00
KTB23C1811A	0.17	(0.02)	10,000	-	MONO24C1812A	-	-	-	-	PTTE01P1901B	0.94	0.01	27,894	-
KTB24C1808A	-	-	-	-	MONO24C1812B	-	-	-	-	PTTE06C1811A	0.46	-	17,014	-
KTB24C1811A	-	-	-	-	MONO28C1808A	-	-	-	-	PTTE07C1809A	0.23	(0.02)	6,740	-
KTB24P1901A	0.43	(0.01)	20	-	MONO28C1811A	-	-	-	-	PTTE08C1807A	-	-	-	-
KTB28C1809A	0.02	(0.03)	200	-	MONO28C1901A	0.19	(0.02)	3,428	-	PTTE08C1811A	0.37	0.01	23,950	-
KTB28C1811A	-	-	-	-	MTC06C1901A	0.42	(0.08)	71,694	-	PTTE08P1809A	-	-	-	-
KTC01C1808A	0.28	(1.14)	419,418	-	MTC08C1807A	-	-	-	-	PTTE08P1811A	0.36	0.01	24,358	-
KTC01C1808B	0.10	(0.48)	772,669	-	MTC08C1811A	0.14	(0.04)	31,501	-	PTTE11C1902A	0.59	(0.01)	14,981	-
KTC01C1810A	0.13	(0.37)	382,691	-	MTC11C1904A	0.30	(0.05)	34,158	-	PTTE13C1807A	-	-	-	-
KTC01C1810B	0.07	(0.32)	411,894	-	MTC13C1809A	0.05	(0.03)	40,431	-	PTTE13C1811A	0.33	(0.01)	70,797	-
KTC06C1807A	0.91	(0.62)	49,385	-	MTC13C1811A	0.40	(0.08)	215,709	-	PTTE13P1807A	-	-	-	-
KTC08C1807A	-	-	-	-	MTC19C1901A	0.33	(0.07)	23,004	-	PTTE13P1811A	0.31	-	123,729	-
KTC08C1808A	0.35	(0.87)	2,769	-	MTC23C1808A	-	-	-	-	PTTE19C1811A	0.51	0.01	8,334	-
KTC11C1902A	0.42	(0.93)	76,739	-	MTC24C1808A	-	-	-	-	PTTE23C1901A	0.13	-	9,022	-
KTC13C1807A	-	-	-	-	MTC24C1810A	0.17	(0.06)	12,100	-	PTTE24C1807A	0.18	(0.03)	23	-
KTC13C1808A	0.05	(1.45)	12,362	-	MTC24C1812A	0.39	(0.05)	700	-	PTTE24C1811A	0.23	0.01	1	-
KTC13C1809A	0.10	(0.54)	71,882	-	MTC27C1807A	-	-	-	-	PTTE24P1809A	0.02	-	790	-
KTC13C1809B	0.09	(0.42)	76,694	-	MTC28C1808A	0.01	-	2,642	-	PTTE27C1809A	-	-	-	-
KTC13C1812A	0.11	(0.26)	453,442	-	MTC28C1809A	0.24	(0.07)	42,057	-	PTTE27P1809A	-	-	-	-
KTC13P1807A	0.26	0.25	194,399	-	OR108C1807A	-	-	-	-	PTTE28C1810A	0.26	(0.02)	29,831	-
KTC19C1811A	0.14	(0.48)	54,196	-	OR111C1811A	0.17	-	3,350	-	PTTE28C1811A	0.17	-	8,060	-
KTC19C1901A	0.33	(0.83)	133,904	-	OR113C1810A	0.34	(0.02)	9,112	-	PTTE28P1811A	0.33	-	34,454	-
KTC23C1809A	2.10	0.38	106,500	-	OR19C1811A	0.23	-	14,200	-	PTTG01C1808A	0.09	(0.01)	258,325	-
KTC24C1808A	0.83	(0.94)	10	-	OR123C1809A	-	-	-	-	PTTG01C1810A	0.16	-	121,413	-
KTC24C1810A	0.25	(0.13)	35,970	-	OR124C1810A	-	-	-	-	PTTG01C1810B	0.02	-	4,477	-
KTC24P1807A	0.29	0.27	190,147	-	OR128C1808A	-	-	-	-	PTTG01C1811A	0.34	(0.01)	204,576	-
KTC28C1808A	0.72	(0.60)	300	-	PLAN08C1811A	0.17	0.01	5,529	-	PTTG01P1808A	1.45	-	55,818	1.00
KTC28C1808B	-	-	-	-	PLAN13C1809A	0.09	-	10,000	-	PTTG01P1811A	1.95	-	21,283	1.00
KTC28C1809A	0.08	(0.74)	1,054	-	PLAN28C1810A	0.14	-	26,497	-	PTTG06C1809A	-	-	-	-
KTC28C1810A	0.12	(0.48)	139,792	-	PSH01C1810A	0.36	-	6,572	-	PTTG07C1812A	0.36	0.04	6,308	-
LH01C1809A	0.33	-	1,184	-	PSH01C1810B	0.12	(0.01)	4,750	-	PTTG08C1811A	0.05	(0.01)	1,000	-
LH01C1809B	0.17	-	2,602	-	PSH01P1810A	0.81	0.03	17,446	-	PTTG08P1811A	1.28	(0.03)	2	1.00
LH01P1809A	0.13	-	1,004	-	PSH08C1811A	0.11	(0.01)	13,646	-	PTTG11C1902A	0.09	(0.01)	112,942	-
LH06C1809A	-	-	-	-	PSH11C1902A	0.26	(0.01)	7,470	-	PTTG13C1808A	0.01	-	10	-
LH07C1810A	-	-	-	-	PSH23C1811A	0.23	(0.01)	100	-	PTTG13C1812A	0.21	-	128,367	-
LH11C1808A	-	-	-	-	PSL01C1807A	0.34	(0.01)	32,176	-	PTTG13C1812B	0.69	(0.01)	134,621	-
LH13C1808A	-	-	-	-	PSL23C1809A	0.10	0.01	47,050	-	PTTG19C1811A	0.19	0.01	184,321	-
LH19C1901A	-	-	-	-	PSL24C1807A	-	-	-	-	PTTG23C1901A	-	-	-	-
LH23C1901A	-	-	-	-	PTG01C1811A	0.24	(0.01)	196,802	-	PTTG24C1808A	-	-	-	-
LH24C1809A	-	-	-	-	PTG01C1811B	0.11	-	9,844	-	PTTG24C1812A	0.15	-	66,570	-
LH28C1808A	-	-	-	-	PTG01P1811A	1.09	0.01	109,136	1.00	PTTG24P1808A	0.21	(0.04)	24,950	-
LPN01C1809A	0.16	(0.02)	14,750	-	PTG06C1810A	-	-	-	-	PTTG24P1901A	0.62	(0.01)	1,700	-
LPN01C1811A	0.47	(0.04)	21,679	-	PTG06C1904A	0.49	(0.01)	144	-	PTTG27C1807A	-	-	-	-
LPN01C1811B	0.30	(0.04)	32,105	-	PTG08C1807A	-	-	-	-	PTTG27P1807A	0.04	(0.02)	904	-
LPN01P1809A	0.40	0.02	17,897	-	PTG11C1903A	0.18	(0.01)	11,006	-	PTTG28C1811A	0.16	0.01	124,239	-
LPN08C1807A	-	-	-	-	PTG13C1809A	0.02	(0.02)	3	-	PTTG28C1812A	0.56	-	469,344	-
LPN08C1810A	0.13	(0.01)	38,384	-	PTG13C1812A	0.23	(0.02)	141,495	-	PTQH01C1807A	0.42	0.02	14,016	-
LPN08C1906A	0.27	(0.02)	20,567	-	PTG23C1808A	-	-	-	-	QH01C1810A	0.45	(0.02)	16,132	-
LPN19C1811A	0.26	(0.03)	11,694	-	PTG24C1809A	-	-	-	-	QH01C1810B	0.29	(0.01)	10,416	-
LPN24C1808A	-	-	-	-	PTG27C1809A	-	-	-	-	QH01P1807A	0.15	0.03	36,970	-
LPN24C1812A	0.40	(0.03)	3,000	-	PTG28C1808A	-	-	-	-	QH01P1810A	0.32	0.01	66,031	-
LPN27C1807A	-	-	-	-	PTG28C1812A	0.32	(0.02)	356,986	-	QH08C1808A	0.18	(0.02)	8,522	-
MAJO08C1811A	0.08	0.01	882	-	PTL08C1811A	0.48	0.07	24,851	-	QH11C1902A	0.38	(0.01)	3,432	-
MAJO11C1902A	0.11	(0.01)	9,222	-	PTL13C1809A	0.22	0.03	62,847	-	QH23C1808A	0.29	0.01	2,500	-
MAJO24C1809A	-	-	-	-	PTL23C1807A	-	-	-	-	QH24C1812A	-	-	-	-
MALE01C1812A	-	-	-	-	PTL28C1810A	0.36	0.04	27,126	-	QH28C1808A	0.06	(0.01)	20	-
MALE08C1811A	-	-	-	-	PTT01C1808A	0.42	(0.02)	215,424	-	RAT01C1901A	0.39	-	15,175	-
MALE13C1809A	-	-	-	-	PTT01C1808B	0.07	-	91,888	-	RATC24C1902A	-	-	-	-
MALE27C1812A	-	-	-	-	PTT01C1810A	0.14	-	100,130	-	RATC27C1812A	0.12	0.01	8,982	-
MALE28C1810A	-	-	-	-	PTT01C1810B	0.05	-	200	-	ROB01C1809A	0.21	(0.02)	14,102	-
MC19C1811A	0.14	(0.03)	7,428	-	PTT01P1808A	0.59	0.02	92,150	-	ROB106C1809A	-	-	-	-
MC23C1809A	-	-	-	-	PTT01P1808B	0.12	0.01	84,252	-	ROB108C1808A	0.01	-	9	-
MC24C1807A	-	-	-	-	PTT01P1810A	1.20	0.02	27,938	1.00	ROB111C1808A	-	-	-	-
MC24C1812A	-	-	-	-	PTT01P1810B	0.75	0.01	58,853	-	ROB113C1807A	-	-	-	-
MEGA01C1811A	0.44	-	17,617	-	PTT06C1811A	0.07	(0.01)	85	-	ROB119C1901A	0.48	(0.01)	6,008	-
MEGA01C1811B	0.28	(0.01)	18,670	-	PTT06C1901A	0.30	-	2,930	-	ROB124C1901A	-	-	-	-
MEGA08C1811A	0.27	0.01	21,536	-	PTT06P1901A	0.63	0.01	7,656	-	S10001C1811A	0.41	(0.05)	1,294	-
MEGA11C1902A	0.27	0.01	4,818	-	PTT07C1811A	0.12	(0.04)	20	-	S5001C1807A	0.09	(0.08)	272,708	-
MEGA13C1809A	0.10	-	5,626	-	PTT08C1807A	-	-	-	-	S5001C1807B	0.05	(0.03)	49,823	-
MEGA24C1812A	-	-	-	-	PTT08C1809A	0.02	-	23,601	-	S5001C1808A	0.32	(0.08)	242,066	-
MEGA27C1807A	-	-	-	-	PTT08P1809A	0.59	0.01	6,596	-	S5001C1808B	0.21	(0.05)	98,650	-
MEGA28C1808A	0.01	-	1,000	-	PTT11C1902A	0.13	(0.01)	12,809	-	S5001C1809F	0.46	(0.07)	929,771	-
MINT01C1808A	0.02	-	18,567	-	PTT13C1807A	0.02	(0.01)	25,040	-	S5001C1809G	0.15	(0.02)	35,510	-
MINT01C1808B	0.01	(0.01)	500	-	PTT13C1808A	0.01	-	100	-	S5001C1809H	1.53	(0.13)	979,958	1.00
MINT01C1901A	0.32	(0.05)	171,314	-	PTT13C1810A	0.07	-	5,388	-	S5001C1809I	0.91	(0.15)	1,242,649	-
MINT01C1901B	0.21	(0.04)	197,530	-	PTT13C1811A	0.18	(0.02)	41,744	-	S5001C1810A	0.99	(0.09)	82,762	-
MINT01P1808A	0.87	0.07	60,460	-	PTT13C1812A	0.30	-	160,741	-	S5001C1810B	0.94	(0.11)	198,942	-
MINT01P1901A	0.49	0.04	80,206	-	PTT13P1807A	0.03	-	4,401	-	S5001P1807A	1.90	0.11	1,983	1.00
MINT06C1809A	-	-	-	-	PTT13P1808A	-	-	-	-	S5001P1807B	1.68	0.16	32,200	1

## Main Board Quotation

Issue Date :

Monday July 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5006P1809B	1.21	0.05	105	1.00	SGP28C1809A	0.01	(0.01)	2,000	-	THAI24C1808A	-	-	-	-
S5006P1809C	-	-	-	-	SGP28C1811A	0.12	-	500	-	THAI24C1901A	-	-	-	-
S5006P1809D	0.80	0.07	1,662	-	SIRI01C1808A	-	-	-	-	THAI27C1809A	-	-	-	-
S5006P1812A	2.06	0.13	171	2.00	SIRI01C1808B	0.02	-	1	-	THAI28C1808A	-	-	-	-
S5006P1812B	0.84	0.07	400	-	SIRI01C1901A	0.38	(0.02)	2,756	-	THAN01C1812A	0.44	(0.01)	2,437	-
S5008C1809A	0.43	(0.10)	94,285	-	SIRI01C1901B	0.17	-	849	-	THAN13C1809A	-	-	-	-
S5008P1809A	0.60	0.09	115,990	-	SIRI01P1808A	0.63	-	3,220	-	THAN23C1807A	0.89	-	300	-
S5013C1809A	0.07	(0.02)	1,677,278	-	SIRI01P1901A	0.69	-	17,479	-	THAN28C1810A	0.12	(0.01)	4,078	-
S5013C1809B	0.16	(0.04)	392,678	-	SIRI08C1808A	-	-	-	-	THCO01C1809A	0.05	-	150	-
S5013C1809C	0.13	(0.04)	140,547	-	SIRI08C1810A	0.12	0.01	2,562	-	THCO01P1809A	-	-	-	-
S5013C1809D	0.29	(0.09)	1,398,886	-	SIRI11C1902A	0.14	-	5,265	-	THCO08C1906A	0.16	0.01	7,040	-
S5013C1809E	0.55	(0.11)	4,100,705	-	SIRI13C1809A	-	-	-	-	THCO11C1902A	0.10	-	1,210	-
S5013P1809A	2.36	0.20	5,589	2.00	SIRI23C1811A	-	-	-	-	THCO19C1811A	-	-	-	-
S5013P1809B	1.45	0.14	45,174	1.00	SIRI24C1809A	-	-	-	-	THCO23C1808A	-	-	-	-
S5013P1809C	1.75	0.18	1,640	1.00	SIRI28C1807A	-	-	-	-	THCO24C1807A	-	-	-	-
S5013P1809D	0.88	0.10	2,905,183	-	SIRI28C1809A	-	-	-	-	THCO24C1810A	-	-	-	-
S5013P1809E	0.49	0.06	6,781,235	-	SIRI28C1901A	0.32	-	10,240	-	THCO28C1808A	-	-	-	-
S5028C1807A	0.01	-	2,891	-	SPAL01C1808A	0.42	(0.09)	57,886	-	THCO28C1901A	0.22	-	14,982	-
S5028C1809A	0.12	(0.04)	486,532	-	SPAL01C1808B	0.06	(0.04)	24	-	TISCO01C1808A	0.17	(0.15)	523,279	-
S5028C1809B	0.53	(0.10)	937,281	-	SPAL06C1809A	0.49	(0.09)	18,000	-	TISCO1C1808B	0.02	(0.03)	79,963	-
S5028P1807A	-	-	-	-	SPAL08C1808A	-	-	-	-	TISCO8C1808A	0.02	(0.05)	40,087	-
S5028P1809A	1.25	0.12	1,093,287	1.00	SPAL11C1807A	0.14	(0.07)	14,508	-	TISCO11C1903A	0.17	(0.12)	126,382	-
S5028P1809B	0.56	0.06	979,867	-	SPAL23C1811A	0.64	(0.05)	2,000	-	TISCI13C1807A	-	-	-	-
SAWA01C1808A	0.01	(0.01)	2,001	-	SPAL24C1808A	-	-	-	-	TISCI13C1811A	0.23	(0.15)	251,719	-
SAWA01C1808B	0.02	-	1	-	SPAL24C1812A	0.27	(0.04)	11,580	-	TISCI19C1901A	0.32	(0.17)	155,692	-
SAWA01C1901A	0.34	(0.01)	47,618	-	SPR01C1808A	0.06	(0.01)	21,240	-	TISCI24C1812A	0.16	(0.14)	80,951	-
SAWA01C1901B	0.25	(0.01)	32,914	-	SPRC01C1808B	-	-	-	-	TISCI27C1807A	0.01	(0.01)	500	-
SAWA01P1808A	2.58	-	31,919	2.00	SPRC06C1809A	-	-	-	-	TKN01C1808A	0.04	(0.01)	1,050	-
SAWA01P1901A	1.19	0.02	32,423	1.00	SPRC06C1902A	0.32	0.01	9,920	-	TKN01C1808B	-	-	-	-
SAWA06C1807A	-	-	-	-	SPRC08C1808A	-	-	-	-	TKN08C1808A	-	-	-	-
SAWA06C1811A	0.02	(0.01)	58,002	-	SPRC11C1902A	0.07	-	600	-	TKN08C1811A	0.09	(0.02)	22,511	-
SAWA07C1812A	-	-	-	-	SPRC13C1808A	-	-	-	-	TKN11C1902A	0.16	(0.02)	17,201	-
SAWA08C1808A	-	-	-	-	SPRC13C1812A	0.21	-	45,064	-	TKN13C1808A	-	-	-	-
SAWA08C1811A	0.01	-	10,500	-	SPRC19C1901A	0.25	-	22,832	-	TKN13C1810A	0.06	(0.02)	7,971	-
SAWA11C1808A	-	-	-	-	SPRC23C1810A	-	-	-	-	TKN13C1811A	0.08	(0.02)	2,100	-
SAWA13C1807A	-	-	-	-	SPRC24C1808A	-	-	-	-	TKN13C1812A	0.29	(0.71)	56,886	-
SAWA13C1810A	-	-	-	-	SPRC24C1903A	0.22	-	1,180	-	TKN19C1811A	0.09	(0.02)	5,094	-
SAWA13C1811A	0.03	0.01	2,727	-	STA01C1807A	-	-	-	-	TKN24C1807A	-	-	-	-
SAWA13C1812A	0.09	(0.01)	37,612	-	STA01C1807B	-	-	-	-	TKN24C1811A	0.20	(0.02)	10,500	-
SAWA13C1901A	0.29	(0.01)	64,189	-	STA01C1812A	0.17	0.01	26,926	-	TKN24C1812A	-	-	-	-
SAWA23C1807A	-	-	-	-	STA01C1812B	0.11	-	29,482	-	TKN28C1808A	-	-	-	-
SAWA24C1808A	-	-	-	-	STA08C1807A	-	-	-	-	TKN28C1811A	0.08	(0.02)	10,028	-
SAWA24C1812A	-	-	-	-	STA13C1807A	-	-	-	-	TKN28C1812A	0.48	(0.05)	18,574	-
SAWA28C1807A	0.01	-	30	-	STA13C1808A	-	-	-	-	TMB01C1807A	-	-	-	-
SAWA28C1809A	0.01	-	21	-	STA13C1812A	0.17	(0.01)	157,431	-	TMB01C1810A	0.33	(0.03)	84,161	-
SAWA28C1810A	0.01	(0.01)	369	-	STA19C1811A	-	-	-	-	TMB01C1810B	0.20	(0.04)	78,676	-
SAWA28C1811A	0.12	(0.01)	111,616	-	STA23C1809A	-	-	-	-	TMB01P1807A	0.78	0.02	14,752	-
SAWA28C1812A	0.35	(0.01)	238,780	-	STA24C1808A	-	-	-	-	TMB01P1810A	0.33	0.03	49,032	-
SCB01C1808A	0.05	(0.01)	5,261	-	STEC01C1809A	0.18	(0.02)	91,377	-	TMB06C1809A	-	-	-	-
SCB01C1808B	0.01	-	112	-	STEC01C1809B	0.55	(0.08)	60,905	-	TMB06C1902A	0.23	(0.03)	14,258	-
SCB01C1810A	0.22	(0.03)	71,711	-	STEC01P1809A	1.08	0.05	21,629	1.00	TMB07C1811A	-	-	-	-
SCB01P1808A	1.75	0.09	36,711	1.00	STEC06C1809A	0.20	(0.02)	400	-	TMB08C1808A	0.01	-	25,202	-
SCB01P1808B	0.97	0.10	21,918	-	STEC08C1809A	0.13	(0.02)	51,408	-	TMB08C1901A	0.21	(0.02)	60,802	-
SCB06C1811A	0.30	(0.03)	2,833	-	STEC11C1903A	0.40	(0.02)	45,228	-	TMB11C1904A	0.19	(0.01)	50,780	-
SCB08C1901A	0.23	(0.02)	43,318	-	STEC13C1809A	0.08	(0.03)	21,024	-	TMB13C1811A	0.14	(0.01)	38,121	-
SCB11C1901A	0.12	(0.01)	12,330	-	STEC23C1808A	-	-	-	-	TMB19C1901A	0.27	(0.02)	17,442	-
SCB11P1901A	0.93	0.05	19,862	-	STEC24C1808A	-	-	-	-	TMB23C1810A	-	-	-	-
SCB13C1809A	0.03	-	820	-	STEC24C1901A	0.45	(0.02)	1,000	-	TMB24C1809A	-	-	-	-
SCB13C1812A	0.27	(0.05)	59,569	-	STEC28C1808A	-	-	-	-	TMB24C1901A	-	-	-	-
SCB13P1812A	0.37	0.02	60,605	-	STEC28C1810A	0.34	(0.05)	119,476	-	TMB28C1808A	-	-	560	-
SCB19C1811A	0.14	(0.01)	14,942	-	STPI08C1811A	-	-	-	-	TMB28C1809A	0.07	(0.01)	40	-
SCB24C1902A	0.23	(0.05)	50	-	SUPE08C1808A	0.03	(0.05)	1,793	-	TOA08C1902A	0.28	(0.01)	3,701	-
SCB24P1811A	0.64	0.02	400	-	SUPE08C1811A	-	-	-	-	TOA13C1812A	0.39	(0.01)	24,131	-
SCB28C1808A	0.01	-	500	-	SUPE13C1810A	0.07	(0.01)	2,755	-	TOA19C1901A	0.37	-	3	-
SCB28C1809A	-	-	-	-	SUPE13C1811A	0.07	0.01	1,194	-	TOA24C1812A	0.32	(0.01)	2,305	-
SCB28C1812A	0.24	(0.03)	83,744	-	SUPE23C1811A	-	-	-	-	TOA28C1812A	0.33	(0.01)	10,084	-
SCB28P1808A	0.35	0.07	67,239	-	SUPE23C1901A	-	-	-	-	TOP01C1808A	0.05	0.01	32,883	-
SCB28P1812A	0.33	0.01	184,382	-	SUPE28C1810A	0.01	(0.01)	220	-	TOP01C1808B	0.02	0.01	1,000	-
SCC01C1808A	0.07	(0.03)	128,407	-	SUPE28C1811A	0.04	-	718	-	TOP01P1808A	1.38	(0.05)	34,907	1.00
SCC01C1808B	0.01	(0.01)	1,761	-	TASCO1C1809A	-	-	-	-	TOP06C1809A	-	-	-	-
SCC01P1808A	0.82	0.03	21,014	-	TASCO1C1810A	0.10	-	2,480	-	TOP07C1812A	0.39	-	3,190	-
SCC06C1809A	-	-	-	-	TASCO1C1810B	-	-	-	-	TOP08C1811A	0.12	0.02	26,860	-
SCC06C1902A	0.24	(0.03)	12,804	-	TASCO1P1809A	2.10	-	7,750	2.00	TOP11C1808A	-	-	-	-
SCC07C1812A	0.46	(0.04)	328	-	TASCO1P1810A	1.01	0.01	17,051	1.00	TOP13C1811A	0.10	0.01	12,141	-
SCC08C1809A	-	-	-	-	TASCO7C1811A	-	-	-	-	TOP13C1901A	0.52	0.05	88,511	-
SCC11C1811A	0.08	(0.01)	1,090	-	TASCO8C1808A	-	-	-	-	TOP18C1808A	-	-	-	-
SCC11P1811A	0.48	0.03	15,180	-	TASCI1C1904A	-	-	-	-	TOP19C1901A	0.38	0.03	13,550	-
SCC13C1809A	-	-	-	-	TASC13C1810A	-	-	-	-	TOP23C1811A	0.15	0.02	23,000	-
SCC13C1812A	0.16	(0.02)	29,629	-	TASC24C1810A	-	-	-	-	TOP24C1901A	0.15	-	2,540	-
SCC13C1901A	0.34	(0.03)	44,017	-	TASC28C1808A	-	-	-	-	TOP28C1810A	0.02	-	30	-
SCC19C1811A	0.10	(0.02)	25,020	-	TCAP01C1807A	-	-	-	-	TPI01C1807A	-	-	-	-
SCC23C1811A	-	-	-	-	TCAP01C1807B	-	-	-	-	TPI01C1807B	-	-	-	-
SCC24C1812A	0.05	(0.01)	22,000	-	TCAP01P1807A	1.20	0.08	25,855	1.00	TPI01C1812A	0.20	(0.01)	14,070	-
SCC24C1901A	0.34	(0.04)	2,221	-	TCAP08C1810A	-	-	-	-	TPI01C1812B	0.16	0.01	11,414	-
SCC24P1901A	0.48	0.05	670	-	TCAP11C1811A	-	-	-	-	TPI07C1812A	-	-	-	-
SCC27C1809A	-	-	-	-	TCAP13C1809A	0.02	(0.01)	4,000	-	TPI08C1807A	-	-	-	-
SCC27P1809A	0.54	0.03	960	-	TCAP13C1901A	0.34	(0.03)	19,988	-	TPI13C1809A	-	-	-	-
SCC28C1811A	0.12	(0.01)	31,190	-	TCAP23C1807A	-	-	-	-	TPI19C1901A	0.24	-	7,359	-
SCC28C1812A	0.34	(0.02)	98,962	-	TCAP24C1807A	-	-	-	-	TPI23C1809A	-	-	-	-
SCCC08C1811A	-	-	-	-	TCAP24C1903A	0.23	(0.01)	400	-	TPI2				

**Main Board Quotation**

**Issue Date :**

*Monday July 16, 2018*

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------



## Main Board Quotation

Issue Date :

Monday July 16, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE01P1808A	0.44	0.01	137,481	-	WHAU01C1810A	0.22	-	3,610	-	SPORT-W5	0.10	-	15,091	-
TRUE06C1811A	-	-	-	-	WHAU01C1810B	0.07	(0.01)	790	-	SPORT-W6	-	-	-	-
TRUE06C1906A	0.25	(0.01)	1	-	WHAU24C1812A	-	-	-	-	SUPER-W4	0.12	-	549,102	-
TRUE08C1809A	-	-	-	-	WORK01C1811A	0.58	(0.08)	17,380	-	SUSCO-W1	0.18	-	18,939	-
TRUE08C1902A	0.31	(0.01)	28,066	-	WORK01C1811B	0.41	(0.07)	11,760	-	SVI-W3	0.98	(0.05)	106	1.00
TRUE08P1809A	0.21	-	26,338	-	WORK08C1809A	-	-	-	-	TCC-W3	-	-	-	-
TRUE11C1807A	-	-	-	-	WORK08C1901A	0.46	(0.07)	33,234	-	TCC-W4	0.14	-	294	-
TRUE13C1807A	-	-	-	-	WORK11C1903A	0.14	(0.03)	2,412	-	TCC-W5	0.18	-	1,180	-
TRUE13C1810A	0.04	-	14,400	-	WORK13C1809A	-	-	-	-	TCJ-W2	0.83	(0.04)	1,661	-
TRUE13C1812A	0.21	(0.01)	228,627	-	WORK13C1810A	0.02	(0.01)	14,678	-	TCMC-W2	0.30	(0.01)	6,922	-
TRUE16C1812A	-	-	-	-	WORK13C1811A	0.15	(0.06)	33,365	-	TFG-W1	1.19	(0.10)	85	1.00
TRUE19C1901A	0.14	-	12,474	-	WORK13C1812A	0.53	(0.12)	33,433	-	TFG-W2	0.60	(0.05)	831	-
TRUE27C1809A	-	-	-	-	WORK19C1811A	0.27	(0.03)	1,228	-	TH-W2	0.14	-	5,933	-
TRUE27P1809A	-	-	-	-	WORK23C1807A	-	-	-	-	THE-W2	0.06	-	284,228	-
TRUE28C1808A	0.01	-	24,370	-	WORK24C1810A	0.02	-	17,366	-	TNITY-W1	0.86	(0.03)	1,400	-
TRUE28C1810A	-	-	-	-	WORK24C1812A	0.40	(0.07)	200	-	TNPC-W1	0.44	0.01	2,235	-
TRUE28C1812A	0.16	-	36,828	-	WORK28C1808A	-	-	-	-	TRITN-W3	0.16	-	290,807	-
TTA01C1807A	0.01	-	10,100	-	WORK28C1809A	-	-	-	-	TSR-W1	0.42	0.01	24,510	-
TTA01P1807A	1.11	0.08	7,398	1.00	WORK28C1811A	0.17	(0.05)	18,358	-	TTA-W5	0.40	(0.02)	11,746	-
TTA08C1808A	-	-	-	-	Preferred/Foreign	-	-	-	-	TTCL-W1	1.10	1.10	1,860,479	-
TTA08C1906A	0.28	(0.04)	12,620	-	BH-Q	-	-	-	-	U-W1	0.01	-	1	-
TTA13C1809A	0.02	(0.03)	4,500	-	CSC-Q	-	-	-	-	U-W4	0.01	-	1	-
TTA13C1901A	0.26	(0.03)	33,103	-	JUTHA-Q	-	-	-	-	VGI-W1	-	-	-	-
TTA18C1808A	-	-	-	-	KTB-Q	-	-	-	-	VIBHA-W2	1.25	-	3,700	1.00
TTA19C1811A	0.12	(0.02)	3,529	-	SCB-Q	-	-	-	-	VIBHA-W3	0.30	(0.01)	3,750	-
TTA23C1808A	-	-	-	-	TCAP-Q	-	-	-	-	WAVE-W1	0.43	0.01	5,338	-
TTA23C1901A	0.14	(0.02)	4,000	-	TIC-Q	-	-	-	-	WHA-W1	6.35	(0.25)	3,777	6.00
TTA24C1809A	-	-	-	-	TISCO-Q	-	-	-	-	WORK-W1	-	-	-	-
TTA24C1902A	-	-	-	-	U-Q	-	-	-	-	Preferred Shares	-	-	-	-
TTA28C1812A	0.12	(0.03)	25,640	-	Warrant	-	-	-	-	BH-P	-	-	-	-
TU01C1808A	-	-	-	-	7UP-W2	0.15	(0.08)	20	-	CSC-P	-	-	-	-
TU01C1808B	-	-	-	-	ACC-W1	0.03	-	221	-	JUTHA-P	-	-	-	-
TU01P1808A	1.24	0.08	17,368	1.00	AJA-W1	0.18	(0.03)	946	-	KTB-P	-	-	-	-
TU06C1902A	0.15	(0.04)	9,800	-	ALT-W1	0.68	(0.02)	3,068	-	SCB-P	-	-	-	-
TU08C1811A	0.03	(0.01)	6,390	-	APURE-W2	0.18	(0.01)	9,084	-	TCAP-P	-	-	-	-
TU11C1902A	0.03	-	500	-	AQ-W4	0.01	-	4,503	-	TIC-P	-	-	-	-
TU13C1809A	-	-	-	-	AS-W1	0.44	-	2,136	-	TISCO-P	-	-	-	-
TU24C1808A	-	-	-	-	AYUD-W1	3.24	(0.12)	4,350	3.00	U-P	0.03	-	36,560	-
TU24C1901A	0.13	-	75	-	B-W3	-	-	-	-	Warrant (MAI)	-	-	-	-
TU27C1807A	-	-	-	-	B-W4	0.19	(0.02)	76,238	-	2S-W1	0.13	-	7,394	-
TV001C1809A	0.12	(0.02)	12,186	-	BTS-W3	0.05	-	118,751	-	ACAP-W1	-	-	-	-
TV001C1809B	-	-	-	-	BWG-W4	0.07	-	30,560	-	ACAP-W2	2.90	(0.06)	14,182	3.00
TV008C1808A	0.01	(0.01)	2,000	-	CEN-W4	0.03	(0.01)	23,629	-	AIRA-W1	-	-	-	-
TV011C1903A	0.09	(0.01)	6,115	-	CGD-W4	0.13	(0.01)	286,872	-	AIRA-W2	0.05	0.01	329	-
TV013C1809A	-	-	-	-	CGH-W3	0.06	-	26,443	-	ATP30-W1	0.78	(0.01)	19	-
TV023C1808A	-	-	-	-	CI-W1	0.40	-	7	-	BSM-W2	0.18	(0.02)	1,460	-
TV024C1810A	-	-	-	-	CKP-W1	0.36	(0.01)	283	-	CHEWA-W1	0.07	(0.01)	62,490	-
TV028C1808A	-	-	-	-	CRANE-W1	-	-	-	-	CIG-W7	0.01	(0.01)	82	-
UNI001C1809A	0.11	-	11,710	-	CWT-W4	0.55	(0.01)	8,314	-	DNA-W1	1.06	(0.06)	7,834	1.00
UNI001C1810A	0.24	-	14,683	-	DCC-W1	0.70	-	39,395	-	ECF-W2	3.78	(0.04)	1,377	3.00
UNI001C1810B	0.09	(0.01)	33,298	-	DCON-W1	-	-	-	-	ECF-W3	2.74	0.02	707	2.00
UNI001P1809A	0.65	0.02	23,163	-	DIGI-W1	0.05	(0.01)	4,186	-	EFORL-W3	0.01	-	4,864	-
UNI008C1808A	-	-	-	-	DIGI-W2	-	-	-	-	EFORL-W4	0.02	-	915	-
UNI008C1810A	-	-	-	-	EARTH-W4	-	-	-	-	FC-W1	0.07	0.01	8,142	-
UNI008C1906A	0.26	(0.02)	1,701	-	EIC-W2	0.01	-	86	-	FC-W2	-	-	-	-
UNI011C1811A	-	-	-	-	EIC-W3	-	-	-	-	FOCUS-W2	0.28	(0.01)	7,954	-
UNI013C1807A	-	-	-	-	EIC-W4	-	-	-	-	FVC-W2	0.37	-	1,736	-
UNI013C1809A	0.06	-	500	-	EVER-W3	0.05	0.01	402	-	ITEL-W1	0.26	(0.02)	13,702	-
UNI013C1901A	0.26	(0.01)	40,450	-	GJS-W3	0.03	0.01	20,000	-	JKN-W1	2.64	(0.18)	98,952	2.00
UNI019C1811A	-	-	-	-	GL-W4	-	-	-	-	LIT-W1	1.94	(0.12)	782	1.00
UNI023C1901A	0.11	-	1,000	-	GSTEL-W1	-	-	-	-	META-W2	0.06	(0.01)	8,657	-
UNI024C1811A	-	-	-	-	GSTEL-W2	-	-	-	-	NDR-W1	0.10	-	1,329	-
UNI028C1809A	-	-	-	-	IEC-W2	-	-	-	-	NEWS-W4	-	-	-	-
UNI028C1811A	0.11	(0.02)	64,260	-	IHL-W1	-	-	-	-	NEWS-W5	-	-	-	-
UV01C1807A	0.05	-	7,050	-	ITD-W1	0.13	-	27,848	-	NEWS-W6	-	-	-	-
UV08C1807A	-	-	-	-	IVL-W2	12.70	(0.70)	41,902	13.00	PHOL-W1	0.08	(0.01)	15,024	-
UV13C1807A	-	-	-	-	JAS-W3	1.80	(0.06)	52,753	1.00	PIMO-W1	1.75	(0.05)	27	1.00
UV13C1808A	-	-	-	-	JCK-W5	0.44	0.02	390	-	PPS-W1	0.78	0.02	6	-
UV13C1812A	0.36	(0.03)	148,822	-	JMART-W2	1.48	(0.27)	8,363	1.00	PSTC-W1	0.26	(0.01)	6,879	-
UV23C1809A	-	-	-	-	MIDA-W2	0.03	-	8,557	-	SIMAT-W2	0.55	(0.02)	58	-
UV24C1807A	-	-	-	-	MILL-W3	0.03	(0.01)	56,201	-	SIMAT-W3	0.68	-	1,040	-
UV24C1812A	0.19	(0.02)	8,760	-	MILL-W4	0.26	-	1,812	-	SKY-W1	13.50	-	20	13.00
UV28C1808A	-	-	-	-	ML-W2	0.03	(0.01)	16,649	-	STAR-W3	1.87	0.04	17,166	1.00
VGI01C1812A	0.55	(0.03)	2,144	-	MONO-W1	0.52	(0.04)	15,528	-	T-W3	-	-	-	-
VGI06C1904A	-	-	-	-	NEP-W3	0.12	0.01	1	-	TAKUNI-W	0.19	(0.01)	62,541	-
VGI06C1904B	-	-	-	-	NOK-W1	0.94	(0.03)	87	-	TAPAC-W3	2.62	0.08	10,553	2.00
VGI06C1904C	-	-	-	-	NPP-W3	0.24	0.01	36,025	-	TMILL-W1	0.92	0.02	13,601	-
VGI08C1811A	0.47	(0.02)	7,724	-	NUSA-W3	0.13	-	52	-	TSF-W4	-	-	-	-
VGI23C1905A	-	-	-	-	ORI-W1	2.20	(0.02)	6,832	2.00	TSF-W5	0.02	-	21,099	-
VGI23C1911A	-	-	-	-	PACE-W1	-	-	-	-	TVD-W2	0.52	(0.03)	5,007	-
VGI27C1812A	-	-	-	-	PACE-W2	0.06	-	24,421	-	UAC-W2	0.97	0.97	422,066	1.00
VGI28C1810A	0.27	(0.02)	14,480	-	PDI-W1	1.33	(0.25)	126,600	1.00	UKEM-W2	0.48	(0.03)	12,564	-
WHA01C1807A	0.07	(0.02)	517	-	PDJ-W2	1.57	(0.09)	2	1.00	UWC-W2	-	-	-	-
WHA01C1807B	0.01	-	100	-	PDJ-W3	1.50	(0.04)	1	1.00	XO-W1	4.42	(0.08)	5,275	4.00
WHA06C1809A	0.18	(0.02)	3,340	-	PDJ-W4	1.50	(0.04)	33	1.00	Preferred Shares	-	-	-	-
WHA07C1810A	-	-	-	-	PLE-W3	0.10	0.01	52,007	-	SGF-P1	-	-	-	-
WHA08C1811A	0.20	(0.03)	34,596	-	RICH-W1	-	-	-	-	-	-	-	-	-
WHA11C1903A	0.25	(0.01)	15,757	-	RICHY-W1	0.31	(0.04)	1,303	-	-	-	-	-	-
WHA13C1808A	0.09	(0.02)	35,542	-	RICHY-W2	0.18	0.01	539	-	-	-	-	-	-
WHA13C1812A	0.49	(0.02)	33,701	-	RS-W3	7.75	(0.30)	41	7.00	-	-	-	-	-
WHA19C1901A	0.46	(0.01)	3,460	-	S-W1	0.11	-	1,230	-	-	-	-	-	-

