

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday July 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.85	(0.05)	276	6.85	RS	18.00	0.10	155,800	18.05
POMPI	-	-	-	-	HUMAN	10.20	-	10,662	10.28	SE-ED	2.84	-	48	2.84
SAFARI	-	-	-	-	ILINK	5.10	(0.15)	3,434	5.07	SMM	0.86	(0.01)	3,497	0.89
VI	-	-	-	-	INET	3.74	0.02	5,610	3.72	SPORT	0.55	0.02	1,112	0.52
WORLD	-	-	-	-	INTUCH	55.25	-	30,132	55.38	TBSP	-	-	-	-
WR	-	-	-	-	JAS	5.10	-	218,816	5.15	TH	0.63	0.01	391	0.63
Agribusiness	-	-	-	-	JASIF	10.00	-	71,202	10.09	TKS	10.60	0.10	10,048	10.60
CHOTI	147.00	-	3	147.00	JMART	9.10	-	10,068	9.20	TRITN	0.31	-	91,553	0.31
EE	0.77	(0.01)	24,907	0.77	JTS	1.54	0.01	54	1.54	VGI	7.10	(0.10)	103,953	7.14
GFPT	13.10	(0.40)	34,335	13.37	MFEC	4.00	0.02	1,582	3.98	WAVE	-	-	-	-
LEE	2.80	(0.02)	1,178	2.81	MSC	5.95	-	179	5.94	WORK	46.00	2.50	42,706	45.15
STA	10.40	0.10	13,142	10.31	PT	6.60	(0.05)	2,269	6.64	Finance & Securities	-	-	-	-
TLUXE	6.35	(0.05)	22,788	6.39	SAMART	7.25	(0.10)	5,422	7.27	AEC	0.50	0.01	2,605	0.50
TRUBB	1.58	(0.09)	5,773	1.59	SAMTEL	8.40	-	756	8.28	AEONTS	170.00	(4.00)	4,876	170.74
TWPC	9.15	0.05	3,493	9.17	SDC	0.24	0.01	76,304	0.24	AMANAH	1.99	(0.05)	138,138	2.02
UPOIC	4.10	-	241	4.11	SIS	8.75	0.10	3,106	8.69	ASAP	6.35	0.10	150,704	6.41
UVAN	7.55	-	2,599	7.57	SVOA	1.33	(0.03)	22,091	1.34	ASK	22.30	0.10	485	22.25
VPO	0.65	0.01	972	0.64	SYMC	4.98	-	71	4.99	ASP	3.82	-	60,939	3.82
Banking	-	-	-	-	SYNEX	13.60	0.20	15,303	13.64	BFIT	28.00	(1.00)	3,602	28.56
BAY	39.00	(0.25)	4,248	39.26	THCOM	8.15	(0.05)	4,522	8.21	CGH	1.11	-	19,549	1.10
BBL	205.00	3.00	73,100	203.03	TRUE	6.30	0.05	1,277,304	6.33	CNS	2.64	0.04	477	2.64
CIMBT	0.88	(0.01)	39,246	0.88	TWZ	0.13	(0.01)	55,268	0.13	ECL	1.92	-	78,965	1.94
KBANK	208.00	(5.00)	85,987	208.72	Electronic Componen	-	-	-	-	FNS	4.58	(0.08)	2,392	4.62
KKP	71.25	(0.75)	55,644	71.64	CCET	2.10	(0.04)	15,875	2.11	FSS	2.48	0.04	887	2.48
KTB	18.70	0.30	461,406	18.63	DELTA	67.75	0.75	12,865	67.92	GBX	0.65	(0.01)	2,373	0.66
LHFG	1.56	(0.01)	63,572	1.57	EIC	0.05	(0.01)	4,922	0.05	GL	5.30	0.05	12,494	5.39
SCB	131.50	(0.50)	66,188	131.71	HANA	36.50	0.25	18,404	36.54	IFS	3.02	-	927	3.03
TCAP	50.00	(0.75)	40,932	50.04	KCE	41.00	(0.50)	63,115	41.06	JMT	28.00	0.50	2,568	27.92
TISCO	77.00	(0.75)	61,471	77.33	METCO	190.00	3.00	34	190.04	KCAR	13.90	(0.10)	625	13.86
TMB	2.24	0.06	8,510,879	2.21	SMT	2.24	(0.02)	1,848	2.25	KGI	4.22	0.14	78,185	4.17
Construction Materia	-	-	-	-	SPPT	4.44	0.06	12,329	4.37	KTC	28.00	(4.00)	520,127	29.89
CCP	0.40	(0.01)	3,105	0.41	SVI	4.30	(0.08)	131,248	4.30	MBKET	13.00	0.10	4,107	13.10
DCC	2.26	-	27,630	2.25	TEAM	1.10	(0.04)	21,233	1.12	MFC	15.10	(0.10)	281	15.18
DCON	0.55	(0.01)	14,410	0.55	Energy & Utilities	-	-	-	-	ML	0.99	(0.04)	19,839	1.01
DRT	5.75	(0.05)	481	5.76	ABPIF	8.50	(0.05)	461	8.55	MTC	37.00	(0.50)	108,244	36.82
EPG	8.55	(0.20)	93,654	8.60	AI	-	-	-	-	PE	0.32	-	1,491	0.32
GEL	0.34	0.01	24,049	0.34	AKR	1.11	0.01	223,085	1.12	PL	3.56	0.02	881	3.55
PPP	3.62	(0.02)	435	3.59	BAFS	34.00	1.25	4,455	33.66	S11	7.50	-	5,880	7.60
Q-CON	5.50	(0.05)	2	5.50	BANPU	20.80	-	713,691	20.92	SAWAD	37.50	2.25	331,561	36.76
RCI	2.88	(0.02)	5,124	2.89	BCP	35.25	0.25	28,052	35.14	THANI	7.75	-	34,245	7.76
SCC	436.00	6.00	40,931	436.25	BCPG	17.80	(0.20)	87,472	17.82	TK	10.90	(0.10)	11,552	11.00
SCCC	212.00	3.00	1,041	210.92	BGRIM	24.50	(0.50)	135,825	24.82	TNITY	5.90	-	8	5.93
SCP	7.90	-	1,465	7.90	BPP	24.00	(0.20)	11,209	24.10	UOBKH	4.24	(0.10)	412	4.25
SKN	5.10	(0.10)	4,616	5.16	BRRGIF	10.20	-	116	10.20	ZMICO	1.03	-	3,130	1.03
TASCO	14.30	0.10	91,705	14.40	CKP	4.00	(0.04)	143,569	4.02	Food & Beverage	-	-	-	-
TCMC	2.44	(0.04)	5,886	2.45	DEMCO	4.06	0.08	6,054	4.08	APURE	1.32	(0.02)	10,657	1.34
TGCI	-	-	-	-	EA	35.25	(0.50)	146,197	35.75	ASIAN	7.80	(0.20)	230,345	7.96
TOA	38.00	(0.25)	7,220	38.33	EARTH	-	-	-	-	BR	5.65	(0.05)	45,961	5.65
TPPL	1.86	(0.01)	49,740	1.86	EASTW	10.80	(0.10)	2,614	10.83	BRR	6.75	0.05	1,029	6.70
UMI	1.20	(0.01)	507	1.20	EGATIF	10.80	(0.10)	24,644	10.80	CBG	47.50	1.50	47,173	47.26
VNG	8.00	(0.05)	1,072	8.04	EGCO	225.00	(2.00)	6,291	225.37	CFRESH	4.46	(0.14)	4,724	4.55
WIHK	2.64	0.06	36,204	2.58	ESSO	14.30	0.80	369,391	14.06	CM	4.66	(0.22)	25,481	4.76
Petrochemicals & Che	-	-	-	-	GLOW	93.25	(0.25)	36,255	93.41	CPF	26.50	-	157,016	26.43
CMAN	3.16	(0.16)	28,733	3.24	GPSC	69.50	(0.50)	9,707	69.60	CPJ	1.61	0.01	6,771	1.62
GC	5.05	-	415	5.10	GULF	64.00	(1.00)	19,068	64.40	F&D	16.00	0.10	1	16.00
GGC	10.70	0.10	78,978	10.84	GUNKUL	2.98	0.06	132,883	2.97	HTC	19.60	-	2,522	19.74
GIFT	4.24	(0.02)	685	4.25	IEC	-	-	-	-	ICHI	4.92	(0.04)	56,134	5.00
IVL	59.50	(0.25)	329,289	60.15	IFEC	-	-	-	-	KBS	4.30	(0.02)	446	4.31
NFC	11.50	-	453	11.58	IRPC	6.45	(0.10)	1,509,818	6.44	KSL	3.22	-	22,556	3.27
PATO	14.90	(0.10)	509	14.95	LANNA	16.00	(0.10)	843	15.90	KTIS	5.85	-	312	5.83
PMTA	16.30	-	1	16.30	MDX	3.96	-	5,292	4.03	LST	5.20	(0.20)	49,640	5.30
PTTGC	80.75	(0.25)	269,109	81.49	PTG	14.90	(0.10)	61,001	15.05	M	74.75	0.25	4,104	74.75
SUTHA	4.10	-	115	4.08	PTT	50.25	(0.75)	632,522	50.91	MALEE	14.20	(0.30)	116,533	14.78
TCB	51.50	(0.75)	533	51.65	PTTEP	131.50	(1.50)	95,096	132.79	MINT	35.00	0.25	70,531	35.08
TCCC	33.25	0.25	34	33.25	RATCH	51.25	(0.75)	47,538	51.37	OISHI	94.25	(0.50)	95	94.91
TPA	6.20	-	154	6.19	RPC	0.55	-	13,842	0.56	PB	61.50	-	107	61.26
UP	-	-	-	-	SCG	4.68	0.02	287	4.67	PM	10.40	(0.10)	6,833	10.40
VNT	24.10	0.70	72,447	24.36	SCI	3.16	0.16	69,856	3.12	PRG	-	-	-	-
WG	154.00	-	1	154.00	SCN	3.80	-	3,146	3.81	SAPPE	26.75	1.25	39,396	26.75
YCI	-	-	-	-	SGP	11.30	0.40	559,071	11.23	SAUCE	21.70	0.10	16	21.70
Commerce	-	-	-	-	SKE	1.26	(0.02)	4,061	1.27	SFP	-	-	-	-
BEAUTY	7.85	(0.25)	2,086,799	8.11	SOLAR	2.20	(0.04)	5,659	2.23	SNP	20.40	(0.10)	20	20.40
BIG	2.10	-	41,487	2.12	SPCG	20.60	(0.20)	4,178	20.61	SORKON	72.50	6.00	6	69.33
BJC	54.75	(0.25)	31,303	54.73	SPRC	14.70	0.20	218,766	14.66	SSC	39.75	(1.00)	62	40.42
COL	27.75	(0.25)	1,641	27.91	SUPER	0.73	(0.04)	5,650,543	0.74	SSF	-	-	-	-
COM7	18.00	0.30	56,315	17.90	SUSCO	3.32	0.04	34,259	3.27	SST	5.75	0.10	819	5.73
CPALL	75.25	(0.25)	165,936	75.55	TAE	2.10	0.02	1,553	2.09	TC	3.02	(0.02)	151	3.00
CSS	2.10	(0.06)	60,845	2.15	TCC	0.36	(0.01)	10,123	0.37	TFG	3.78	(0.12)	43,913	3.86
FN	3.02	0.10	20,506	3.01	TOP	82.00	(1.00)	68,062	82.33	TFMAMA	155.50	-	3	155.33
FTE	2.26	0.06	38,214	2.27	TPIPP	5.95	-	54,188	5.96	TIPCO	9.55	-	21,675	9.68
GLOBAL	17.30	(0.20)	59,377	17.37	TTW	12.40	(0.10)	20,528	12.38	TKN	15.30	0.70	185,167	15.24
HMPRO	14.30	-	129,661	14.30	WHAUP	5.75	(0.10)	63,723	5.84	TU	16.30	0.10	98,097	16.27
IT	4.86	-	4,613	4.84	WP	7.55	(0.10)	47,787	7.66	TVO	29.00	(0.25)	23,614	29.25
KAMART	4.74	(0.10)	38,797	4.82	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.24	0.02	50,631	2.25	AMARIN	5.15	(0.05)	2,961	5.20	AHC	20.50	0.10	24	20.46
MAKRO	37.25	-	3,538	37.44	AQUA	0.50	-	66,437	0.50	BCH	16.20	-	45,013	16.17
MC	12.20	0.10	7,327	12.18	AS	1.48	(0.03)	485	1.49	BDMS	26.75	0.25	508,589	26.88
MEGA	40.75	(0.25)	17,137	41.02	BEC	8.55	0.05	73,784	8.59	BH	177.00	0.50	6,928	177.47
MIDA	0.61	-	11,189	0.60	EPCO	4.94	(0.02)	24,014	4.97	CHG	2.22	(0.02)	90,247	2.24
ROBINS	59.50	(0.50)	15,354	59.94	FE	-	-	-	-	CMR	3.20	(0.02)	161	3.19
RSP	5.30	-	9,557	5.28	GPI	2.90	-	2,538	2.89	EKH	5.15	0.10	13,799	5.15
SINGER	8.35	-	456	8.32	GRAMMY	8.05	(0.05)	15	8.05					

Main Board Quotation

Issue Date :

Tuesday July 24, 2018

Main Board Quotation					Main Board Quotation					Issue Date :				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	7.75	-	2,869	7.81	MBK	24.20	0.50	19,898	23.98	ASEFA	5.15	0.05	1,081	5.02
WPH	2.96	0.04	1,652	2.94	MJD	3.30	-	1,265	3.29	CPT	2.88	0.04	165,892	2.83
Tourism & Leisure					MK	4.44	(0.10)	48,810	4.49	CRANE	2.84	(0.12)	5,786	2.86
ASIA	6.70	(0.05)	4,021	6.76	NCH	0.90	(0.01)	4,087	0.90	CTW	8.05	0.05	552	8.08
CENDEL	43.25	0.75	27,035	43.27	NNCL	1.66	-	682	1.66	FMT	-	-	-	-
CSR	100.00	5.00	4	99.50	NOBLE	12.10	-	1,050	12.11	HTECH	7.45	(0.10)	12,732	7.42
DTC	12.10	(0.30)	13,381	12.25	NUSA	0.32	-	88,253	0.31	KKC	1.70	(0.02)	757	1.71
ERW	7.00	(0.15)	45,357	7.00	NVD	3.86	(0.14)	6,394	3.88	PK	4.04	0.74	224,259	3.82
GRAND	0.92	-	1,069	0.92	ORI	18.50	0.30	52,286	18.45	SNC	14.70	(0.10)	2,006	14.68
LRH	35.00	-	101	35.00	PACE	0.48	0.02	217,414	0.47	T CJ	5.90	(0.05)	134	5.97
MANRIN	32.75	-	20	32.75	PF	0.90	(0.02)	238,839	0.90	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	7.75	(0.10)	3,548	7.78	Property Fund & REIT	-	-	-	-
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.10	-	706	10.00
SHANG	70.25	-	24	70.20	PRECHA	1.34	(0.03)	298	1.37	AMATAR	10.40	-	650	10.50
Home & Office Produ					PRIN	1.66	-	16,759	1.64	B-WORK	10.40	-	101	10.40
ACC	0.47	-	1,048	0.47	PRINC	5.30	(0.15)	8,554	5.31	BKKCP	11.90	-	145	11.90
AJA	0.38	-	13,083	0.38	PSH	20.60	(0.10)	6,173	20.72	BOFFICE	12.50	-	315	12.50
DTCI	-	-	-	-	QH	3.32	0.02	261,203	3.32	CPNGC	14.80	0.20	1,127	14.70
FANCY	1.02	0.02	4,619	1.02	RICHY	1.71	-	8,734	1.71	CPNREIT	23.90	-	3,725	23.92
KYE	418.00	(4.00)	23	420.96	RML	1.25	0.06	66,976	1.23	CPTGF	13.30	0.20	5,198	13.10
L&E	2.82	0.04	63	2.82	ROJNA	5.25	0.05	32,646	5.32	CRYSTAL	10.40	0.10	1,810	10.36
MODERN	4.52	(0.04)	927	4.52	S	2.88	-	24,924	2.89	CTARAF	4.70	-	1,230	4.75
OGC	39.00	-	213	38.97	SAMCO	2.20	0.02	29	2.21	DREIT	5.45	(0.05)	101	5.35
ROCK	-	-	-	-	SC	3.64	(0.08)	42,817	3.68	ERWPF	5.70	0.05	118	5.70
SIAM	1.91	0.01	2,691	1.87	SENA	3.74	0.04	9,587	3.73	FUTUREPF	20.90	-	160	20.90
TSR	2.22	(0.06)	26,975	2.26	SF	8.25	0.10	8,181	8.29	GAHREIT	9.75	(0.05)	4	9.73
Insurance					SIRI	1.62	-	1,398,832	1.63	GLANDRT	12.50	-	700	12.50
AYUD	38.50	(0.25)	72	38.60	SPALI	23.10	(0.50)	97,961	23.14	GOLDFP	7.30	-	200	7.30
BKI	350.00	-	17	350.24	TICON	16.20	-	716	16.24	GVREIT	14.30	-	2,117	14.33
BLA	32.25	0.25	3,523	32.21	U	0.03	-	872,447	0.03	HPF	5.45	0.05	62	5.40
BUI	-	-	-	-	UV	7.85	0.05	129,566	7.94	HREIT	6.45	0.05	3,818	6.41
CHARAN	34.50	0.50	2	33.38	WHA	4.00	(0.06)	430,484	4.02	IMPACT	17.40	-	2,119	17.33
INSURE	-	-	-	-	WIN	0.60	-	8,311	0.60	KPNPF	9.45	0.05	200	9.45
MTI	117.50	(1.50)	117	118.41	Paper & Printing Mat					LHHOTEL	15.50	-	311	15.44
NKI	-	-	-	-	UTP	11.50	(0.10)	6,270	11.59	LHPF	-	-	-	-
NSI	80.75	(3.50)	10	83.75	Fashion					LHSC	15.40	-	451	15.43
SMK	41.25	(0.25)	57	41.31	AFC	9.05	0.15	11	9.05	LUXF	8.30	0.05	5	8.30
THRE	1.17	-	1,184	1.17	BTNC	21.50	0.50	8	20.49	M-II	8.95	0.20	31	8.95
THREL	7.80	-	2,870	7.77	CPH	-	-	-	-	M-PAT	-	-	-	-
TIC	34.00	-	220	34.01	CPL	3.24	-	18	3.29	M-STOR	10.20	(0.10)	15	10.27
TIP	23.20	-	3,669	23.22	DIGI	0.43	-	23,359	0.43	MIPF	-	-	-	-
TSI	0.50	-	9,200	0.51	ICC	39.75	(0.25)	2	39.38	MIT	-	-	-	-
TVI	3.74	-	43	3.75	LTX	86.50	1.00	170	87.67	MJLF	12.50	-	250	12.50
Mining					NC	16.00	-	10	15.94	MNIT	1.63	(0.12)	295	1.68
PDI	18.60	0.90	17,613	18.38	PAF	0.87	-	640	0.86	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.86	-	2,325	2.86	MNRF	-	-	-	-
Packaging					PG	7.10	(0.05)	150	7.10	MONTRI	6.00	0.10	1	6.00
AJ	10.40	-	3,768	10.48	SABINA	30.00	-	209	29.76	POPF	13.60	-	1,512	13.60
ALUCON	190.00	(5.00)	47	190.93	SAWANG	14.30	0.20	2	14.25	PPF	-	-	-	-
CSC	44.50	0.50	55	44.07	SUC	43.50	-	119	43.61	QHHR	8.45	-	4,852	8.43
NEP	0.42	-	4,752	0.41	TNL	-	-	-	-	QHOP	3.70	0.06	11	3.65
NPP	1.24	(0.02)	39,502	1.26	TPCORP	14.70	0.10	188	14.69	QHPF	12.30	0.10	5,224	12.30
PTL	16.90	-	18,187	16.96	TR	48.50	0.50	291	48.62	SBPF	3.04	0.02	20	3.04
SITHAI	1.13	-	11,934	1.12	TTI	-	-	-	-	SHREIT	9.25	-	110	9.25
SLP	0.93	0.01	555	0.93	TTL	-	-	-	-	SIRIP	-	-	-	-
SMPC	12.60	(0.10)	893	12.60	TTTM	138.50	-	23	138.50	SPF	23.20	(0.20)	2,404	23.20
SPACK	-	-	-	-	UPF	70.00	-	2	70.00	SRIPANWA	11.10	0.10	212	11.10
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	-	-	-	-
TFI	0.35	-	56	0.35	WACOAL	43.75	(2.75)	1	43.75	SSTPF	6.50	0.05	141	6.41
THIP	36.00	0.25	180	35.74	Transportation & Log					SSTRT	6.90	0.65	12	6.35
TMD	21.90	0.10	60	21.79	AAV	4.58	(0.08)	381,552	4.62	TIF1	8.60	-	248	8.60
TOPP	221.00	-	1	221.00	AOT	65.75	1.75	380,176	65.14	TLGF	19.00	0.20	5,941	18.81
TPBI	8.30	-	303	8.32	ASIMAR	2.90	(0.02)	3,099	2.92	TLHPF	11.20	-	1	11.20
TPP	-	-	-	-	B	0.75	0.02	66,176	0.76	TNPF	3.68	-	80	3.73
Personal Products &					BA	12.50	0.30	16,570	12.49	TPRIME	12.00	-	1,757	12.00
APCO	4.48	0.02	562	4.47	BEM	8.10	0.10	703,764	8.07	TREIT	11.30	-	1,681	11.32
DDD	48.25	(0.50)	6,679	49.54	BTS	9.35	-	182,338	9.36	TTLPF	23.90	-	12	23.78
JCT	-	-	-	-	BTSGIF	12.00	-	93,913	11.90	TU-PF	-	-	-	-
OCC	17.20	-	48	17.20	III	4.82	-	127,698	4.95	URBNPF	3.06	(0.04)	139	3.09
S & J	25.00	0.50	51	24.99	JUTHA	1.79	(0.06)	246	1.79	WHABT	10.10	0.10	50	10.08
STHAI	-	-	-	-	JWD	7.00	(0.15)	34,858	7.06	WHART	10.00	-	15,880	10.00
TNR	13.30	0.30	430	13.29	KWC	-	-	-	-	Steel	-	-	-	-
TOG	5.00	(0.05)	306	5.00	NOK	2.68	(0.02)	2,643	2.71	AMC	2.66	0.02	3,036	2.64
Professional Service					NYT	5.15	-	2,333	5.14	BSBM	1.13	0.03	14,465	1.12
BWG	1.06	0.03	1,084,490	1.05	PRM	6.70	0.05	75,730	6.74	CEN	1.30	-	229	1.30
GENCO	0.80	(0.01)	6,062	0.81	PSL	12.80	-	29,106	12.91	CITY	2.60	-	1,132	2.60
PRO	-	-	-	-	RCL	5.70	-	9,374	5.74	CSP	1.40	0.01	1,146	1.40
TEAMG	2.44	(0.06)	258,180	2.48	THAI	14.10	0.30	19,846	14.05	GJS	0.31	-	56,115	0.31
Property Developer					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	886	6.70	TTA	7.20	(0.05)	12,087	7.25	INOX	1.07	(0.03)	1,072	1.08
AMATA	19.50	(0.20)	219,141	19.77	WICE	4.26	0.02	53,250	4.29	LHK	4.74	(0.02)	1,999	4.77
AMATAV	6.65	-	514	6.70	Automotive					MAX	0.03	0.01	170,104	0.02
ANAN	4.92	(0.02)	91,115	4.93	AH	30.75	0.50	11,786	31.04	MCS	7.80	0.05	4,540	7.80
AP	9.05	(0.05)	36,111	9.02	APCS	4.96	(0.04)	3,632	5.03	MILL	1.48	0.02	25,188	1.48
APEX	0.20	-	17,447	0.20	BAT-3K	208.00	2.00	3	208.00	PAP	4.18	-	6,503	4.23
AQ	0.04	0.01	217,769	0.03	CWT	3.26	-	21,683	3.31	PERM	2.38	(0.02)	8,699	2.39
BLAND	1.93	(0.03)	407,780	1.94	EASON	2.82	-	2,645	2.82	RICH	-	-	-	-
BROCK	2.40	0.02	20	2.40	GYT	385.00	4.00	9	385.00	SAM	0.72	(0.03)	3,098	0.74
CGD	1.45	(0.02)	90,239	1.46	HFT	3.10	-	1,809	3.10	SMIT	5.70	(0.05)	467	5.75
CI	1.58	0.04	511	1.56	IHL	8.25	0.10	3,709	8.24	SSI	-	-	-	-
CPN	75.50	(0.50)	71,952	75.30	INGRS	0.72	-	7,340	0.72	SSSC	2.80	0.10	6,048	2.79
ESTAR	0.67	(0.01)	37,033	0.68	IRC	20.30	-	40	20.28	TGPRO	0.18	0.01	17,334	0.17
EVER	0.39	-	31,329	0.38	PCSGH	7.10	-	1,958	7.13	THE	3.52	0.08	139,090	3.48
GLAND	2.58	0.02	208,780	2.60	SAT									

Main Board Quotation

Issue Date :

Tuesday July 24, 2018

Main Board Quotation					Main Board Quotation					Main Board Quotation				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UMS	0.77	0.01	51	-	ADVA11P1807A	-	-	-	-
ABICO	6.25	-	6,585	6.00	UWC	0.07	-	58,125	-	ADVA11P1905A	0.45	(0.01)	5,500	-
AU	9.15	0.05	20,400	9.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.07	(0.01)	580	-
FC	0.33	0.05	349,694	-	ADAM	-	-	-	-	ADVA13C1811A	0.56	-	121,327	-
JCKH	1.12	0.01	1,703	1.00	AKP	1.65	(0.01)	2,462	1.00	ADVA13P1809A	0.19	(0.01)	10,348	-
KASET	2.14	(0.02)	1,312	2.00	AMA	6.25	(0.05)	1,890	6.00	ADVA16C1812A	0.49	(0.02)	924	-
MM	4.10	(0.02)	351	4.00	ARIP	0.50	-	128	-	ADVA18C1808A	0.37	(0.05)	3,796	-
SUN	3.24	-	6,835	3.00	ATP30	1.68	0.02	7,801	1.00	ADVA19C1901A	0.59	-	12,592	-
TACC	4.08	-	4,375	4.00	AUCT	5.65	0.20	20,771	5.00	ADVA24C1810A	0.38	-	1,800	-
TMILL	3.06	(0.08)	7,788	3.00	BOL	1.95	-	3,840	1.00	ADVA24P1810A	0.12	-	200	-
XO	8.10	0.10	26,479	8.00	CHUO	-	-	-	-	ADVA28C1808A	0.01	(0.03)	1,400	-
Consumer Products	-	-	-	-	CMO	1.56	0.03	1,762	1.00	ADVA28C1811A	0.48	-	212,156	-
BGT	1.11	(0.01)	849	1.00	D	10.40	0.20	4,340	10.00	ADVA28P1810A	0.24	-	90,093	-
BIZ	2.76	(0.04)	1,285	2.00	DCORP	2.74	(0.14)	13,935	2.00	AMAT01C1810A	0.66	(0.01)	82,875	-
DOD	13.80	0.30	492,133	14.00	DNA	0.39	(0.01)	96,830	-	AMAT01C1810B	0.43	(0.01)	107,866	-
ECF	7.20	-	39,418	7.00	EFORL	0.07	-	56,511	-	AMAT01P1810A	1.22	-	24,079	1.00
HPT	1.05	0.01	2,251	1.00	ETE	2.08	(0.04)	41,875	2.00	AMAT06C1809A	-	-	-	-
JUBILE	21.40	-	787	21.00	FSMART	8.90	(0.05)	11,589	8.00	AMAT08C1807A	-	-	-	-
MOONG	5.90	(0.20)	3,700	5.00	FVC	1.31	0.01	8,957	1.00	AMAT08C1809A	0.07	(0.01)	1,310	-
NPK	26.00	-	10	26.00	HARN	2.54	0.02	903	2.00	AMAT11C1903A	0.31	-	8,269	-
OCEAN	1.70	(0.05)	49,030	1.00	JKN	11.20	-	84,748	11.00	AMAT13C1809A	0.06	-	260	-
TM	2.00	-	391	1.00	KIAT	0.46	-	21,823	-	AMAT13C1812A	0.38	(0.02)	255,583	-
Financials (MAI)	-	-	-	-	KOOL	1.64	(0.03)	18,300	1.00	AMAT19C1811A	0.17	(0.01)	17,729	-
ACAP	8.25	(0.05)	8,428	8.00	LDC	1.12	0.04	12,987	1.00	AMAT23C1810A	0.14	(0.02)	7,050	-
AF	0.80	(0.01)	880	-	MPG	0.22	0.01	5,320	-	AMAT24C1807A	-	-	-	-
AIRA	2.02	-	11,028	2.00	NBC	0.64	(0.01)	4,069	-	AMAT24C1811A	0.25	(0.03)	33,146	-
ASN	3.14	(0.10)	63	3.00	NCL	1.46	(0.05)	16,759	1.00	AMAT28C1808A	-	-	-	-
BROOK	0.55	-	13,023	-	NEWS	0.01	-	66,020	-	ANAN01C1807A	0.03	-	505	-
CHAYO	3.80	(0.10)	62,211	3.00	NINE	1.52	(0.01)	996	1.00	ANAN01C1810A	1.00	(0.02)	27,307	1.00
GCAP	4.68	0.04	13,725	4.00	OTO	2.72	0.02	68	2.00	ANAN01C1810B	0.81	(0.02)	20,649	-
LIT	8.10	0.10	4,528	8.00	PHOL	2.38	0.06	76	2.00	ANAN08C1808A	0.01	-	3,063	-
SGF	0.13	-	263,853	-	PICO	6.10	(0.05)	170	6.00	ANAN08C1810A	0.92	(0.02)	2,000	-
Industrials (MAI)	-	-	-	-	PORT	6.50	(0.05)	4,143	6.00	ANAN08C1906A	0.25	(0.01)	21,919	-
ZS	3.08	(0.02)	1,487	3.00	QLT	4.76	(0.08)	7	4.00	ANAN13C1901A	0.20	(0.02)	46,733	-
ADB	1.19	(0.03)	18,215	1.00	RP	3.02	(0.02)	295	3.00	ANAN19C1811A	0.57	-	19,801	-
BM	3.54	0.08	10,403	3.00	SE	2.02	(0.06)	1	2.00	ANAN23C1901A	0.31	(0.03)	4,200	-
CHO	1.19	0.05	33,497	1.00	SPA	14.80	0.10	7,047	14.00	ANAN24C1807A	-	-	-	-
CHOW	4.96	0.04	86	4.00	THMUI	1.35	(0.02)	1,701	1.00	ANAN24C1811A	0.79	(0.02)	2,800	-
CIG	0.39	-	142	-	TNDT	4.94	0.04	586	4.00	ANAN28C1809A	0.52	(0.01)	11,301	-
COLOR	1.12	-	1,652	1.00	TNH	39.00	(0.50)	195	39.00	AOT01C1808A	0.25	0.05	460,743	-
CPR	5.20	0.36	40,446	5.00	TNP	2.08	(0.02)	13,512	2.00	AOT01C1808B	0.01	(0.01)	1,911	-
FPI	2.74	0.02	1,246	2.00	TSF	0.05	-	148,910	-	AOT01C1810A	0.32	0.04	206,859	-
GTB	0.75	(0.01)	1,320	-	TVD	1.40	-	1,482	1.00	AOT01C1902A	0.59	0.04	72,050	-
KCM	1.19	(0.01)	10,178	1.00	TVT	1.02	-	2,350	1.00	AOT01C1902B	0.45	0.03	51,789	-
LVT	-	-	-	-	WINNER	3.34	-	834	3.00	AOT01P1808A	0.84	(0.12)	79,842	-
MBAX	3.90	(0.04)	364	3.00	Technology (MAI)	-	-	-	-	AOT01P1808B	0.17	(0.07)	383,012	-
MGT	2.22	0.02	2,237	2.00	COMAN	3.32	(0.02)	406	3.00	AOT01P1902A	0.89	(0.05)	58,633	-
NDR	2.24	-	9	2.00	ICN	2.44	(0.02)	11,298	2.00	AOT01P1902B	0.64	(0.07)	99,126	-
PDG	3.58	0.02	954	3.00	IRCP	1.23	(0.01)	319	1.00	AOT06C1809A	0.05	0.01	20,930	-
PIMO	2.96	0.08	43,074	2.00	ITEL	2.92	(0.02)	26,405	2.00	AOT08C1807A	-	-	-	-
PJW	1.67	(0.02)	768	1.00	NETBAY	36.50	0.25	3,199	36.00	AOT08C1901A	0.38	0.06	74,169	-
PPM	2.24	(0.02)	80	2.00	PLANET	1.59	-	250	1.00	AOT11C1808A	0.43	0.09	41,083	-
RWI	1.61	(0.02)	6,910	1.00	SIMAT	2.42	(0.06)	16,667	2.00	AOT11P1808A	0.04	(0.01)	4,390	-
SALEE	1.08	0.04	2,438	1.00	SKY	14.30	(0.30)	3,060	14.00	AOT13C1809A	0.03	(0.01)	11,525	-
SANKO	1.25	(0.01)	320	1.00	SPVI	1.34	(0.04)	13,836	1.00	AOT13C1811A	0.23	0.04	148,701	-
SELIC	1.81	(0.05)	1,960	1.00	UPA	0.44	(0.02)	37,988	-	AOT13C1812A	0.40	0.05	191,596	-
SWC	22.80	(0.20)	259	22.00	VCOM	3.12	(0.04)	1,911	3.00	AOT13P1810A	0.39	(0.10)	87,379	-
TMC	0.87	(0.03)	2,439	-	Unit Trust	-	-	-	-	AOT13P1812A	0.22	(0.04)	28,417	-
TMI	0.79	(0.01)	1,711	-	MGE	-	-	-	-	AOT19C1809A	0.14	0.03	35,158	-
TMW	65.25	0.25	123	65.00	SCBSET	-	-	-	-	AOT23C1807A	0.15	0.02	1,601	-
TPAC	12.00	0.20	1,547	11.00	ETF	-	-	-	-	AOT23P1807A	-	-	-	-
UAC	4.78	0.04	510	4.00	1DIV	12.69	0.09	47	12.00	AOT24C1807A	-	-	-	-
UBIS	4.76	-	503	4.00	ABFTH	-	-	-	-	AOT24C1811A	0.13	0.03	35,805	-
UEC	1.25	0.03	2,443	1.00	BMSCG	9.01	0.04	546	9.00	AOT24C1901A	0.38	0.06	3,992	-
UKEM	0.83	-	17,334	-	BMSCITH	13.11	(0.04)	20,846	13.00	AOT24P1809A	0.07	(0.03)	16,000	-
UREKA	0.53	(0.01)	8,365	-	BSET100	10.71	(0.01)	2,472	10.00	AOT28C1809A	0.07	0.02	101	-
YUASA	16.60	(0.20)	71	16.00	CHINA	5.63	0.01	190	5.00	AOT28C1812A	0.34	0.05	167,395	-
ZIGA	3.28	0.04	284,475	3.00	EBANK	5.67	(0.01)	30	5.00	AP01C1809A	0.48	(0.02)	15,590	-
Property & Construc	-	-	-	-	ECOMM	-	-	-	-	AP01C1809B	0.17	(0.02)	7,800	-
ARROW	9.05	0.05	736	9.00	EFOOD	-	-	-	-	AP08C1810A	0.40	-	14,546	-
BKD	3.28	-	4,194	3.00	EICT	4.68	0.12	1	4.00	AP23C1901A	0.18	-	3,000	-
BSM	0.69	-	5,883	-	ENGY	6.30	-	5	6.00	AP24C1901A	-	-	-	-
BTW	1.54	0.02	1,473	1.00	ENY	-	-	-	-	AP42C1901A	0.31	(0.03)	12,054	-
CHEWA	1.05	(0.01)	26,878	1.00	ESET50	5.76	0.11	74	5.00	AP42P1901A	0.38	0.01	2,416	-
CRD	1.12	-	8,082	1.00	GLD	1.75	-	983	1.00	BA11C1902A	0.06	-	5,980	-
DIMET	1.05	0.02	44,922	1.00	TDEX	10.86	-	527	10.00	BA19C1811A	0.05	0.01	2,030	-
FLOYD	2.36	(0.04)	14,837	2.00	TGOLDEF	3.84	(0.01)	110	3.00	BA24C1810A	0.13	0.03	2,800	-
FOCUS	0.89	-	316	-	TH100	-	-	-	-	BA24C1901A	-	-	-	-
HYDRO	1.44	0.02	2,063	1.00	Warrant Foreign	-	-	-	-	BA28C1809A	0.04	0.02	3,500	-
JSP	0.67	-	68,281	-	AAV01C1808A	0.03	(0.01)	24,155	-	BANP01C1808A	0.25	(0.01)	414,826	-
K	3.00	0.10	45	3.00	AAV01C1808B	-	-	-	-	BANP01C1808B	0.02	(0.01)	14,677	-
META	2.26	(0.02)	52,528	2.00	AAV01P1808A	0.59	0.04	38,001	-	BANP01C1812A	0.46	(0.01)	157,414	-
PPS	1.02	-	10,015	1.00	AAV06C1809A	-	-	-	-	BANP01C1812B	0.32	-	258,907	-
SMART	0.85	-	241	-	AAV08C1811A	0.05	(0.01)	8,048	-	BANP01P1808A	0.44	-	55,163	-
STAR	6.15	0.05	2,534	6.00	AAV11C1807A	0.01	-	40,001	-	BANP01P1812A	0.83	0.01	71,290	-
T	0.07	0.01	137,665	-	AAV13C1904A	0.06	(0.01)	1	-	BANP01P1812B	0.59	0.01	83,745	-
TAPAC	8.00	-	3,516	8.00	AAV13C1811A	0.05	(0.02)	14,250	-	BANP06C1810A	0.26	(0.01)	34,494	-
THANA	2.10	0.04	1,909	2.00	AAV23C1811A	0.10	(0.01)	20,366	-	BANP07C1810A	-	-	-	-
TITLE	6.55	(0.20)	28,737	6.00	AAV24C1807A	-	-	-	-	BANP08C1808A	0.04	-	450	-
Resources (MAI)	-	-	-	-	AAV24C1809A	-	-	-	-	BANP08C1811A	0.34	-	102,631	-
ABM	1.18	(0.03)	10,327	1.00	AAV28C1810A	0.03	(0.03)	100	-	BANP08P1901A	0.38	-	87,664	-
AGE	1.46	(0.02)	7,455	1.00	ADVA01C1808A	0.86	(0.03)	125,690	-	BANP11C1902A	0.20	-	36,	

Main Board Quotation

Issue Date :

Tuesday July 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP27C1809A	0.18	(0.01)	42,978	-	BEC23C1807A	-	-	-	-	BTS42P1901A	0.33	-	8,534	-
BANP28C1809A	-	-	-	-	BEC23C1809A	-	-	-	-	CBG01C1809A	0.01	-	2,028	-
BANP28C1810A	0.30	-	294,662	-	BEC24C1809A	-	-	-	-	CBG01C1811A	0.37	0.04	244,228	-
BBL06C1902A	0.89	0.07	17,209	-	BEC24C1812A	-	-	-	-	CBG01C1811B	0.16	0.02	58,184	-
BBL08C1808A	0.05	-	4,720	-	BEC28C1808A	-	-	-	-	CBG01P1811A	1.16	(0.08)	46,393	1.00
BBL08C1809A	0.12	0.01	76,666	-	BEC28C1809A	-	-	-	-	CBG01P1811B	0.75	(0.08)	82,348	-
BBL08P1810A	0.14	(0.02)	63,109	-	BEC28C1811A	0.31	-	246,070	-	CBG06C1807A	0.09	0.03	54,427	-
BBL11C1903A	0.60	0.03	24,120	-	BEM01C1808A	0.38	0.02	68,170	-	CBG06C1809A	0.04	0.01	5	-
BBL11P1903A	0.41	(0.02)	26,108	-	BEM01C1808B	0.06	0.01	182	-	CBG06P1809A	1.45	(0.18)	1,115	1.00
BBL13C1810A	0.53	0.04	64,964	-	BEM01P1808A	0.15	(0.02)	3,207	-	CBG07C1812A	0.32	0.02	21,000	-
BBL19C1901A	0.34	0.03	24,346	-	BEM08C1809A	0.20	0.02	27,900	-	CBG08C1808A	-	-	-	-
BBL23C1811A	0.29	0.03	35,600	-	BEM11C1903A	0.25	0.02	6,460	-	CBG08C1810A	0.03	0.01	9,108	-
BBL24C1809A	-	-	-	-	BEM13C1809A	0.21	0.02	151,395	-	CBG11C1902A	0.11	0.01	16,572	-
BBL24C1812A	0.76	0.05	112	-	BEM19C1901A	0.34	0.02	20,280	-	CBG13C1808A	-	-	-	-
BBL24P1810A	0.12	(0.06)	1,181	-	BEM23C1901A	0.19	-	36,472	-	CBG13C1809A	-	-	-	-
BBL27C1809A	0.15	0.01	19,126	-	BEM24C1809A	-	-	-	-	CBG13C1811A	0.12	0.02	36,626	-
BBL28C1808A	-	-	-	-	BEM28C1808A	0.11	0.02	266,820	-	CBG13C1812A	0.23	0.04	95,905	-
BBL28C1811A	0.60	0.06	71,208	-	BGRIO1C1901A	0.89	(0.07)	18,332	-	CBG18C1808A	-	-	-	-
BCH01C1808A	0.34	-	27,132	-	BGRIO1C1901B	0.76	(0.08)	18,835	-	CBG19C1810A	-	-	-	-
BCH01C1808B	-	-	-	-	BGRIO8C1902A	0.65	(0.07)	60,250	-	CBG23C1901A	0.11	0.01	19,725	-
BCH01P1808A	0.29	-	19,283	-	BGR113C1812A	0.63	(0.05)	59,047	-	CBG24C1807A	-	-	-	-
BCH06C1811A	0.16	-	1,000	-	BGR113C1812B	0.19	(0.81)	13,206	-	CBG24C1809A	-	-	-	-
BCH08C1901A	0.29	0.01	39,182	-	BGR19C1901A	0.53	(0.04)	17,873	-	CBG24C1811A	0.15	0.01	401	-
BCH11C1807A	-	-	-	-	BGR124C1901A	0.58	(0.09)	69,057	-	CBG28C1808A	-	-	-	-
BCH11C1905A	0.26	(0.01)	6,224	-	BGR128C1812A	0.61	(0.06)	83,486	-	CBG28C1808B	-	-	-	-
BCH13C1810A	0.09	(0.01)	5,397	-	BHO1C1811A	0.58	0.01	18,627	-	CBG28C1811A	0.10	0.01	50,084	-
BCH19C1809A	0.09	(0.01)	14,400	-	BHO1C1811B	0.20	0.01	10,705	-	CBENT01C1810A	0.27	0.01	58,878	-
BCH23C1811A	0.22	(0.02)	5,000	-	BHO1P1811A	1.47	(0.02)	13,351	1.00	CENT01C1810B	0.11	-	16,671	-
BCH24C1811A	-	-	-	-	BHO7C1810A	0.02	-	2	-	CENT01P1810A	0.99	(0.04)	32,107	1.00
BCH28C1811A	0.18	-	109,446	-	BHO8C1811A	0.04	-	7,020	-	CENT08C1809A	-	-	-	-
BCP01C1810A	0.22	-	31,324	-	BH11C1902A	0.05	-	2,030	-	CENT11C1904A	0.25	0.01	11,890	-
BCP01C1810B	0.10	-	3,078	-	BH11C1905A	0.64	0.01	9,624	-	CENT13C1811A	0.07	-	1,011	-
BCP01P1810A	0.44	-	9,478	-	BH19C1901A	0.59	-	10,396	-	CENT24C1807A	-	-	-	-
BCP08C1901A	0.28	-	22,288	-	BH24C1809A	0.04	-	2,450	-	CENT24C1810A	-	-	-	-
BCP11C1811A	0.11	-	8,949	-	BH24C1811A	-	-	-	-	CENT24C1901A	0.29	0.02	22,412	-
BCP13C1810A	0.07	-	5,460	-	BH24C1902A	0.55	0.02	13,000	-	CENT28C1808A	0.01	-	50	-
BCP24C1808A	-	-	-	-	BIG08C1807A	-	-	-	-	CHG01C1809A	0.33	(0.01)	17,830	-
BCP24C1811A	-	-	-	-	BIG08C1906A	0.27	-	20,003	-	CHG01C1809B	0.37	(0.03)	17,367	-
BCP28C1809A	0.03	-	3,000	-	BIG13C1808A	0.01	-	1	-	CHG01P1809A	0.22	0.01	11,842	-
BCP28C1809B	-	-	-	-	BIG13C1901A	0.19	0.01	26,045	-	CHG08C1807A	-	-	-	-
BCPG01C1811A	0.35	(0.02)	66,960	-	BIG19C1810A	0.12	-	1,104	-	CHG11C1807A	-	-	-	-
BCPG01C1811B	0.16	(0.02)	74,729	-	BIG24C1808A	-	-	-	-	CHG11C1904A	0.20	-	11,841	-
BCPG06C1807A	0.01	-	5,084	-	BIG24C1812A	-	-	-	-	CHG13C1809A	0.47	(0.03)	13,890	-
BCPG06C1811A	-	-	-	-	BJC01C1807A	0.12	(0.02)	15,492	-	CHG13C1812A	-	-	-	-
BCPG08C1810A	0.19	(0.01)	33,135	-	BJC01C1807B	0.01	(0.01)	11,118	-	CHG23C1811A	-	-	-	-
BCPG11C1807A	0.47	(0.02)	400	-	BJC01C1812A	0.60	(0.03)	28,044	-	CHG24C1808A	-	-	-	-
BCPG11C1902A	0.14	(0.01)	12,293	-	BJC01C1812B	0.47	(0.03)	42,849	-	CHG24C1811A	-	-	-	-
BCPG13C1810A	0.14	(0.02)	69,078	-	BJC01P1807A	0.79	0.02	17,226	-	CHG28C1808A	-	-	-	-
BCPG13C1812A	0.40	(0.02)	129,007	-	BJC01P1812A	0.50	(0.01)	22,008	-	CHG28C1812A	0.19	-	82,680	-
BCPG24C1807A	-	-	-	-	BJC06C1807A	0.01	(0.01)	8	-	CK01C1809A	0.25	0.02	104,317	-
BCPG24C1810A	-	-	-	-	BJC06C1901A	-	-	-	-	CK01C1809B	0.37	0.06	32,672	-
BCPG28C1808A	-	-	-	-	BJC07C1809A	0.02	-	3,000	-	CK01P1809A	0.21	(0.02)	13,790	-
BCPG28C1809A	0.12	(0.01)	84,950	-	BJC08C1807A	-	-	-	-	CK08C1809A	-	-	-	-
BCPG28C1812A	0.39	(0.02)	110,361	-	BJC08C1809A	-	-	-	-	CK08C1901A	0.20	0.01	28,934	-
BDMS01C1811A	0.26	0.01	123,573	-	BJC11C1807A	-	-	-	-	CK11C1904A	0.21	0.01	1,390	-
BDMS01C1811B	0.14	0.01	194,294	-	BJC11C1905A	0.47	(0.02)	18,520	-	CK13C1809A	0.12	0.01	60,252	-
BDMS01P1811A	0.27	(0.02)	19,169	-	BJC13C1808A	0.02	(0.01)	100	-	CK16C1812A	0.21	-	19,801	-
BDMS06C1811A	-	-	-	-	BJC13C1810A	0.15	(0.01)	11,581	-	CK19C1811A	0.16	0.01	14,538	-
BDMS08C1807A	-	-	-	-	BJC13C1812A	0.44	(0.01)	48,321	-	CK23C1808A	0.01	-	100	-
BDMS08C1901A	0.20	0.01	13,904	-	BJC19C1809A	0.15	(0.01)	10,948	-	CK24C1808A	-	-	-	-
BDMS11C1811A	-	-	-	-	BJC23C1901A	0.26	-	1,000	-	CK24C1901A	-	-	-	-
BDMS11C1904A	0.15	0.01	21,082	-	BJC24C1808A	-	-	-	-	CK28C1809A	0.42	0.02	20,184	-
BDMS13C1807A	-	-	-	-	BJC24C1901A	-	-	-	-	CK28C1812A	0.11	0.01	80,398	-
BDMS13C1810A	0.58	0.06	17	-	BJC27C1807A	-	-	-	-	CKP01C1812A	0.46	(0.01)	26,907	-
BDMS13C1812A	0.17	-	121,095	-	BJC28C1808A	-	-	-	-	CKP01C1812B	0.34	(0.01)	27,296	-
BDMS16C1812A	-	-	-	-	BJC28C1812A	0.42	(0.02)	148,921	-	CKP11C1807A	-	-	-	-
BDMS19C1901A	0.34	0.02	16,570	-	BLA01C1812A	0.21	-	11,036	-	CKP13C1810A	0.28	(0.01)	35,459	-
BDMS23C1810A	-	-	-	-	BLA08C1811A	-	-	-	-	CKP23C1810A	0.32	(0.04)	1,500	-
BDMS24C1811A	0.43	0.02	5,000	-	BLA13C1809A	-	-	-	-	CKP24C1811A	0.33	(0.05)	1,122	-
BDMS24C1812A	0.12	0.01	3,000	-	BLA28C1810A	-	-	-	-	CKP28C1809A	0.07	(0.01)	3,524	-
BDMS28C1811A	0.11	-	62,265	-	BLAN01C1809A	0.58	(0.03)	16,767	-	CKP28C1809B	0.34	(0.01)	20,990	-
BEAU01C1807A	0.01	-	66,259	-	BLAN01C1809B	0.12	(0.02)	11,905	-	COM701C1811A	0.53	0.05	39,137	-
BEAU01C1807B	0.01	-	49,084	-	BLAN01P1809A	0.10	0.01	3,216	-	COM701C1811B	0.31	0.03	37,313	-
BEAU01C1812A	0.07	(0.01)	147,154	-	BLAN08C1810A	0.22	(0.03)	29,828	-	COM706C1809A	0.18	-	2,010	-
BEAU01C1812B	0.03	-	66,879	-	BLAN11C1902A	0.26	-	4,012	-	COM708C1811A	0.14	0.02	28,170	-
BEAU01P1807A	-	-	-	-	BLAN23C1807A	-	-	-	-	COM711C1811A	0.38	0.04	20,783	-
BEAU01P1812A	2.04	0.05	49,090	2.00	BPP01C1811A	0.20	-	2,446	-	COM713C1809A	0.06	0.01	1,767	-
BEAU06C1809A	0.03	0.01	1	-	BPP01C1811B	-	-	-	-	COM713C1812A	0.33	0.03	37,348	-
BEAU07C1809A	0.01	-	6	-	BPP01P1811A	0.66	0.01	5,190	-	COM719C1811A	0.26	0.02	32,009	-
BEAU08C1808A	-	-	-	-	BPP06C1809A	0.28	(0.03)	4,410	-	COM723C1901A	0.30	0.02	8,893	-
BEAU08C1901A	0.03	-	7,980	-	BPP08C1807A	-	-	-	-	COM724C1811A	0.19	(0.02)	2,600	-
BEAU11C1902A	0.04	-	15,215	-	BPP08C1810A	0.18	(0.01)	10,314	-	COM728C1808A	-	-	-	-
BEAU13C1811A	0.01	-	931	-	BPP11C1807A	-	-	-	-	COM728C1811A	0.27	0.02	91,448	-
BEAU13C1812A	0.02	(0.01)	74,456	-	BPP13C1808A	0.20	(0.01)	8,011	-	CPAL01C1808A	0.37	(0.02)	205,082	-
BEAU13C1812B	0.35	(0.04)	1,057,435	-	BPP13C1811A	-	-	-	-	CPAL01C1808B	0.04	-	6,393	-
BEAU19C1811A	0.02	0.01	711	-	BPP23C1901A	0.27	-	1,000	-	CPAL01C1901A	0.53	(0.01)	58,453	-
BEAU19C1901A	0.44	(0.04)	131,947	-	BPP24C1809A	-	-	-	-	CPAL01C1901B	0.36	(0.01)	78,219	-
BEAU23C1901A	0.01	-	7,498	-	BPP28C1808A	0.10	(0.01)	2,048	-	CPAL01P1808A	0.87	0.01	107,659	-
BEAU24C1807A	-</													

Main Board Quotation

Issue Date :

Tuesday July 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL28C1809A	-	-	-	-	EPG13C1811A	0.37	(0.05)	36,624	-	INTU24C1807A	-	-	-	-
CPAL28C1811A	0.21	-	158,516	-	EPG23C1808A	-	-	-	-	INTU24C1901A	-	-	-	-
CPF01C1809A	0.94	(0.01)	31,634	-	EPG24C1807A	-	-	-	-	INTU28C1809A	-	-	-	-
CPF01C1809B	0.15	(0.02)	33,242	-	EPG24C1808A	-	-	-	-	IRPC01C1808A	0.11	(0.02)	142,241	-
CPF01C1810A	0.26	(0.01)	45,183	-	EPG24C1810A	0.59	(0.05)	4,003	-	IRPC01C1810A	0.14	-	368,784	-
CPF01P1809A	0.22	(0.01)	23,774	-	EPG28C1808A	0.02	(0.01)	8,000	-	IRPC01C1810B	0.02	(0.01)	18,708	-
CPF06C1809A	-	-	-	-	ESS001C1807A	0.01	-	20,191	-	IRPC01P1808A	0.49	0.02	44,103	-
CPF07C1810A	-	-	-	-	ESS001C1807B	0.01	-	47,153	-	IRPC01P1810A	0.42	0.03	49,543	-
CPF08C1809A	0.41	(0.04)	9,700	-	ESS001C1812A	0.45	0.08	272,127	-	IRPC01P1810B	0.21	0.02	103,201	-
CPF08C1901A	0.20	(0.02)	31,218	-	ESS001C1812B	0.31	0.07	184,433	-	IRPC06C1811A	0.19	(0.02)	14,960	-
CPF11C1902A	0.13	(0.01)	19,844	-	ESS001P1807A	1.24	(0.16)	25,824	1.00	IRPC07C1812A	-	-	-	-
CPF11P1902A	0.24	(0.01)	5,730	-	ESS001P1812A	0.71	(0.10)	142,515	-	IRPC08C1808A	0.01	(0.01)	213	-
CPF13C1809A	0.55	-	23,568	-	ESS008C1807A	0.01	-	260	-	IRPC11C1902A	0.06	-	10,000	-
CPF13C1810A	0.14	-	34,540	-	ESS011C1905A	0.59	0.07	38,006	-	IRPC11C1905A	0.33	(0.01)	26,233	-
CPF19C1901A	0.25	(0.01)	11,694	-	ESS013C1811A	0.21	0.05	112,893	-	IRPC13C1808A	-	-	-	-
CPF23C1810A	-	-	-	-	ESS023C1809A	0.03	-	31	-	IRPC13C1811A	0.12	(0.02)	55,791	-
CPF24C1809A	-	-	-	-	ESS024C1812A	0.18	0.03	10,630	-	IRPC13C1812A	0.25	(0.02)	254,241	-
CPF24C1901A	0.55	0.11	100	-	ESS028C1811A	0.20	0.06	198,075	-	IRPC19C1901A	0.29	(0.04)	56,907	-
CPF28C1808A	0.39	(0.02)	18,118	-	GFPT01C1807A	0.17	(0.01)	4,441	-	IRPC23C1810A	-	-	-	-
CPF28C1811A	0.16	-	145,306	-	GFPT08C1807A	-	-	-	-	IRPC24C1808A	0.23	(0.08)	6,444	-
CPN01C1808A	0.25	(0.02)	37,063	-	GFPT08C1906A	0.42	(0.03)	11,157	-	IRPC24C1809A	-	-	-	-
CPN01C1808B	-	-	-	-	GFPT19C1811A	0.39	(0.03)	3,000	-	IRPC24C1812A	0.14	(0.01)	6,050	-
CPN06C1811A	0.44	(0.03)	4,710	-	GFPT24C1812A	-	-	-	-	IRPC27C1809A	0.06	0.02	1	-
CPN08C1809A	-	-	-	-	GGC01C1810A	0.11	0.01	91,470	-	IRPC28C1811A	0.09	0.03	12,276	-
CPN11C1903A	0.28	(0.01)	17,440	-	GGC01C1810B	0.04	-	19,311	-	IRPC28C1812A	0.27	(0.02)	252,008	-
CPN11P1903A	0.54	0.01	17,106	-	GGC08C1906A	0.13	-	31,346	-	ITD01C1808A	-	-	-	-
CPN13C1807A	-	-	-	-	GGC13C1811A	0.03	0.01	2,755	-	ITD01C1808B	-	-	-	-
CPN13C1812A	0.31	(0.02)	61,225	-	GGC19C1811A	0.03	-	6,200	-	ITD01P1808A	1.17	(0.04)	30,313	1.00
CPN19C1901A	0.48	(0.02)	48,412	-	GGC23C1901A	0.05	-	17,650	-	ITD08C1810A	0.06	0.01	2	-
CPN23C1810A	-	-	-	-	GGC24C1812A	0.06	0.03	1	-	ITD11C1903A	0.17	0.02	5,897	-
CPN24C1901A	-	-	-	-	GGC28C1811A	-	-	-	-	ITD13C1809A	-	-	-	-
CPN28C1810A	0.17	(0.01)	108,070	-	GLOB01C1809A	0.49	(0.03)	19,934	-	ITD13C1812A	0.21	0.01	139,601	-
DEL28C1811A	0.16	0.02	12,875	-	GLOB01C1809B	0.23	(0.02)	38,693	-	ITD19C1811A	-	-	-	-
DEL213C1809A	0.08	0.01	20,000	-	GLOB06C1809A	0.28	(0.01)	17,408	-	ITD23C1808A	-	-	-	-
DEL24C1901A	0.80	0.03	2,217	-	GLOB08C1807A	0.02	(0.06)	4,132	-	ITD24C1807A	-	-	-	-
DEL27C1812A	0.16	0.01	4,498	-	GLOB11C1808A	0.21	(0.01)	10,800	-	ITD24C1810A	-	-	-	-
DTAC01C1808A	0.11	0.02	73,773	-	GLOB13C1807A	-	-	-	-	ITD28C1808A	-	-	-	-
DTAC01C1808B	0.01	(0.01)	5,040	-	GLOB23C1811A	0.50	0.01	2,000	-	ITD28C1808B	-	-	-	-
DTAC01C1810A	0.30	0.03	40,995	-	GLOB24C1810A	0.21	0.02	200	-	IVL01C1808A	0.43	(0.01)	135,413	-
DTAC01C1810B	0.07	0.01	15,686	-	GLOB27C1809A	0.10	(0.01)	15,678	-	IVL01C1808B	0.09	(0.02)	66,905	-
DTAC01C1902A	0.67	0.04	64,916	-	GLOB28C1808A	0.03	(0.01)	7,072	-	IVL01C1812A	0.58	(0.01)	221,825	-
DTAC01C1902B	0.55	0.03	53,466	-	GLOW08C1811A	0.70	-	2,300	-	IVL01C1812B	0.40	(0.02)	187,485	-
DTAC01P1808A	0.92	(0.08)	39,968	-	GLOW11C1807A	-	-	-	-	IVL01P1808A	0.61	0.01	190,331	-
DTAC01P1810A	1.30	(0.06)	37,166	1.00	GLOW19C1901A	0.72	(0.01)	4,148	-	IVL01P1808B	0.13	0.01	139,888	-
DTAC01P1810B	0.87	(0.09)	45,685	-	GLOW27C1812A	0.40	(0.01)	1	-	IVL01P1812A	0.82	0.01	169,669	-
DTAC01P1902A	1.01	(0.04)	47,170	1.00	GPS01C1808A	0.25	(0.02)	16,680	-	IVL01P1812B	0.61	-	169,787	-
DTAC01P1902B	0.82	(0.04)	45,181	-	GPS01C1808B	0.03	-	2,000	-	IVL06C1807A	-	-	-	-
DTAC06C1901A	-	-	-	-	GPS01P1808A	1.16	0.03	26,643	1.00	IVL06C1901A	0.44	(0.01)	38,552	-
DTAC06P1809A	0.48	(0.06)	23,353	-	GPS06C1811A	-	-	-	-	IVL07C1811A	-	-	-	-
DTAC07C1809A	-	-	-	-	GPS08C1808A	-	-	-	-	IVL08C1901A	0.58	-	148,279	-
DTAC08C1809A	0.04	(0.01)	500	-	GPS11C1808A	0.76	(0.05)	4,080	-	IVL08P1809A	-	-	-	-
DTAC08P1807A	0.11	(0.07)	34,250	-	GPS11C1902A	0.27	(0.01)	8,670	-	IVL11C1808A	0.89	(0.01)	37,311	-
DTAC11C1904A	0.26	0.03	18,673	-	GPS13C1808A	-	-	-	-	IVL11P1808A	-	-	-	-
DTAC13C1811A	0.09	0.01	56,785	-	GPS13C1812A	0.48	(0.02)	12,274	-	IVL13C1809A	0.25	(0.01)	93,809	-
DTAC13C1812A	0.36	0.03	60,639	-	GPS19C1901A	0.55	(0.02)	3,612	-	IVL13C1810A	0.26	(0.01)	138,041	-
DTAC13P1811A	-	-	-	-	GPS24C1807A	-	-	-	-	IVL13C1812A	0.52	(0.02)	194,029	-
DTAC13P1812A	0.26	(0.02)	41,540	-	GPS24C1808A	-	-	-	-	IVL13P1809A	0.02	(0.01)	500	-
DTAC19C1811A	0.21	0.03	2,590	-	GPS24C1812A	0.35	(0.02)	7,900	-	IVL13P1811A	0.33	-	61,446	-
DTAC23C1807A	-	-	-	-	GPS28C1811A	0.41	(0.01)	4,056	-	IVL19C1809A	0.51	(0.02)	127,438	-
DTAC23P1807A	-	-	-	-	GUNK01C1808A	-	-	-	-	IVL23C1810A	0.55	(0.01)	4,440	-
DTAC24C1809A	0.05	0.01	2,000	-	GUNK01C1808B	-	-	-	-	IVL24C1808A	-	-	-	-
DTAC27C1809A	-	-	-	-	GUNK08C1807A	-	-	-	-	IVL24C1812A	0.28	0.01	5,435	-
DTAC27P1809A	0.19	(0.03)	8,108	-	GUNK11C1903A	0.17	0.01	27,391	-	IVL24C1901A	0.65	0.15	100	-
DTAC28C1810A	-	-	-	-	GUNK24C1807A	-	-	-	-	IVL28C1808A	0.03	0.01	300	-
DTAC28C1812A	0.41	0.03	174,115	-	GUNK24C1812A	0.25	0.02	1,340	-	IVL28C1811A	0.30	(0.02)	266,837	-
EA01C1809A	0.68	(0.01)	123,069	-	GUNK28C1808A	-	-	-	-	IVL28C1812A	0.57	(0.01)	388,334	-
EA01C1809B	0.35	(0.04)	83,741	-	GUNK28C1810A	0.28	0.02	48,630	-	IVL28P1811A	0.38	-	239,382	-
EA01P1809A	0.83	0.02	92,878	-	HANA01C1811A	0.43	0.01	11,560	-	KBAN01C1808A	0.20	(0.05)	233,378	-
EA06C1809A	-	-	-	-	HANA01C1811B	0.26	(0.01)	11,249	-	KBAN01C1808B	0.01	-	15,104	-
EA07C1810A	-	-	-	-	HANA08C1809A	0.13	0.01	13,164	-	KBAN01C1810A	1.19	(0.10)	88,750	1.00
EA08C1807A	-	-	-	-	HANA11C1904A	0.25	-	7,646	-	KBAN01C1901A	1.30	(0.10)	39,619	1.00
EA08C1809A	-	-	-	-	HANA13C1809A	0.15	0.01	49,406	-	KBAN01C1901B	0.77	(0.07)	120,020	-
EA08C1810A	0.19	(0.03)	123,578	-	HANA23C1811A	0.42	0.01	2,000	-	KBAN01P1808A	0.79	0.07	68,411	-
EA11C1902A	0.10	-	21,018	-	HANA24C1808A	-	-	-	-	KBAN01P1808B	0.18	0.02	239,106	-
EA13C1808A	-	-	-	-	HANA24C1810A	0.15	0.01	200	-	KBAN01P1810A	0.20	(0.02)	53,901	-
EA13C1808B	-	-	-	-	HANA28C1808A	0.03	(0.02)	1,014	-	KBAN01P1901A	1.00	0.06	54,764	1.00
EA13C1809A	-	-	-	-	HANA28C1812A	0.35	0.01	22,438	-	KBAN01P1901B	0.48	0.03	123,801	-
EA13C1810A	0.03	-	13,412	-	HMPR01C1808A	0.30	-	43,839	-	KBAN06C1811A	0.72	(0.16)	3,595	-
EA13C1811A	0.13	(0.01)	32,885	-	HMPR01C1808B	0.06	(0.01)	6,287	-	KBAN07C1811A	-	-	-	-
EA13C1812A	0.20	(0.02)	210,831	-	HMPR01P1808A	0.29	0.01	6,630	-	KBAN08C1811A	0.66	(0.09)	18,930	-
EA13C1812B	0.41	(0.01)	33,177	-	HMPR06C1811A	-	-	-	-	KBAN08P1811A	0.27	0.02	25,800	-
EA13P1809A	0.69	-	2,038	-	HMPR08C1810A	-	-	-	-	KBAN13C1810A	0.17	(0.03)	103,282	-
EA19C1811A	0.37	(0.03)	21,230	-	HMPR11C1808A	0.29	(0.01)	11,594	-	KBAN13C1811A	0.83	(0.13)	119,478	-
EA23C1901A	0.33	(0.02)	44,642	-	HMPR11P1808A	-	-	-	-	KBAN19C1901A	0.39	(0.06)	55,925	-
EA24C1807A	-	-	-	-	HMPR13C1807A	-	-	-	-	KBAN24C1902A	-	-	-	-
EA24C1809A	-	-	-	-	HMPR13C1812A	0.26	-	48,090	-	KBAN24P1811A	0.23	0.04	5,539	-
EA28C1809A	0.26	(0.03)	98,610	-	HMPR19C1901A	0.37	-	10,992	-	KBAN27C1809A	0.09	(0.01)	144	-
EA28C1809B	-	-	-	-	HMPR23C1901A	-	-	-	-	KBAN27P1809A	0.45	0.04	13,306	-
EGCO01C1809A	0.45	(0.03)	4,784	-	HMPR24									

Main Board Quotation

Issue Date :

Tuesday July 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE23C1901A	0.25	(0.03)	48,260	-	MINT06C1809A	0.02	(0.01)	5,010	-	PTT08P1809A	0.39	0.04	46,766	-
KCE24C1808A	0.22	(0.05)	4,272	-	MINT06C1901A	0.20	0.01	1,297	-	PTT11C1902A	0.18	(0.02)	79,594	-
KCE24C1901A	0.36	(0.03)	7,860	-	MINT07C1810A	0.02	(0.01)	14,000	-	PTT13C1807A	0.05	-	720	-
KCE28C1808A	0.11	(0.04)	81	-	MINT08C1809A	-	-	-	-	PTT13C1808A	0.01	-	840	-
KCE28C1811A	0.48	(0.02)	10,221	-	MINT11C1902A	0.09	-	9,412	-	PTT13C1810A	0.08	-	8,274	-
KKP01C1808A	0.21	(0.03)	43,894	-	MINT11P1902A	0.31	(0.02)	34,839	-	PTT13C1811A	0.25	(0.01)	179,518	-
KKP01C1808B	-	-	-	-	MINT13C1810A	0.07	-	40	-	PTT13C1812A	0.38	(0.03)	240,399	-
KKP08C1811A	0.35	(0.04)	44,054	-	MINT13C1812A	0.30	0.01	105,379	-	PTT13P1807A	-	-	-	-
KKP11C1903A	0.30	(0.03)	7,198	-	MINT19C1901A	0.31	0.02	15,888	-	PTT13P1808A	0.19	-	210	-
KKP13C1807A	-	-	-	-	MINT23C1810A	-	-	-	-	PTT13P1812A	0.34	0.02	252,071	-
KKP13C1811A	0.29	(0.04)	41,692	-	MINT24C1807A	-	-	-	-	PTT19C1809A	0.09	(0.01)	18,604	-
KKP19C1901A	0.49	(0.02)	15,184	-	MINT24C1812A	-	-	-	-	PTT19C1901A	0.43	(0.04)	33,057	-
KKP23C1807A	-	-	-	-	MINT24C1901A	0.29	0.02	3,200	-	PTT23C1901A	0.12	(0.01)	54,924	-
KKP24C1807A	-	-	-	-	MINT28C1808A	0.01	-	18,750	-	PTT24C1809A	-	-	-	-
KKP24C1812A	0.33	(0.05)	1,540	-	MINT28C1811A	0.16	-	190,166	-	PTT24C1812A	0.33	(0.04)	5,105	-
KKP28C1810A	0.19	(0.02)	61,177	-	MON001C1810A	0.07	-	15,053	-	PTT24P1808A	-	-	-	-
KTB01C1808A	0.21	0.01	45,268	-	MON001C1810B	-	-	-	-	PTT24P1901A	0.23	0.01	2,590	-
KTB01C1810A	0.41	0.03	47,119	-	MON008C1808A	-	-	-	-	PTT27C1809A	0.40	(0.04)	1,650	-
KTB01C1810B	0.23	0.02	86,391	-	MON008C1906A	0.13	(0.01)	11,857	-	PTT27P1809A	0.13	-	31,908	-
KTB01P1808A	0.37	(0.03)	37,436	-	MON013C1808A	-	-	-	-	PTT28C1808A	0.01	(0.01)	24,587	-
KTB06C1902A	0.37	0.02	13,216	-	MON013C1811A	0.06	0.01	950	-	PTT28C1808B	0.01	-	18,240	-
KTB08C1809A	0.07	-	810	-	MON013C1901A	0.24	(0.01)	36,718	-	PTT28C1811A	0.07	(0.01)	66,145	-
KTB11C1811A	0.20	0.01	9,259	-	MON019C1811A	0.14	-	24,155	-	PTT28C1811B	0.23	(0.02)	102,117	-
KTB13C1809A	0.08	-	4,611	-	MON023C1809A	-	-	-	-	PTT28C1812A	0.36	(0.03)	476,098	-
KTB13C1901A	0.43	0.02	20,015	-	MON023C1901A	0.22	-	2,000	-	PTT28P1808A	0.08	0.01	16,127	-
KTB19C1901A	0.32	0.01	11,315	-	MON024C1807A	-	-	-	-	PTT28P1808B	0.34	0.05	335	-
KTB23C1811A	0.26	-	10,000	-	MON024C1812A	-	-	-	-	PTT28P1811A	0.24	0.02	214,604	-
KTB24C1808A	-	-	-	-	MON024C1812B	-	-	-	-	PTTE01C1808A	0.97	(0.02)	105,926	1.00
KTB24C1811A	0.22	0.03	5,932	-	MON028C1808A	-	-	-	-	PTTE01C1808B	0.38	(0.03)	206,871	-
KTB24P1901A	0.27	(0.02)	27,595	-	MON028C1811A	0.04	-	8,600	-	PTTE01C1901A	0.66	(0.01)	46,159	-
KTB28C1809A	0.06	0.01	2,011	-	MON028C1901A	0.22	(0.01)	47,706	-	PTTE01C1901B	0.45	-	23,140	-
KTB28C1811A	0.22	0.03	131,940	-	MTC06C1901A	0.45	(0.02)	61,932	-	PTTE01P1808A	0.11	(0.01)	59,800	-
KTC01C1808A	0.69	(0.38)	83,970	-	MTC08C1807A	-	-	-	-	PTTE01P1901A	1.36	0.01	52,562	1.00
KTC01C1808B	0.16	(0.12)	207,809	-	MTC08C1811A	0.15	(0.01)	41,046	-	PTTE01P1901B	0.97	0.02	65,905	-
KTC01C1810A	0.35	(0.03)	28,641	-	MTC11C1904A	0.32	(0.01)	29,154	-	PTTE06C1811A	0.36	(0.02)	33,194	-
KTC01C1810B	0.22	(0.06)	23,487	-	MTC13C1809A	0.05	(0.02)	6,200	-	PTTE07C1809A	0.16	(0.01)	6,300	-
KTC06C1807A	0.33	(1.08)	32,080	1.00	MTC13C1811A	0.44	(0.02)	327,909	-	PTTE08C1807A	0.46	0.04	110	-
KTC08C1807A	4.70	(0.30)	411	4.00	MTC19C1901A	0.35	(0.02)	27,073	-	PTTE08C1811A	0.29	(0.03)	39,792	-
KTC08C1808A	-	-	-	-	MTC23C1808A	-	-	-	-	PTTE08P1809A	-	-	-	-
KTC11C1902A	0.85	(0.35)	19,870	-	MTC24C1808A	-	-	-	-	PTTE08P1811A	0.37	0.01	117,039	-
KTC13C1808A	0.46	(0.51)	7,374	-	MTC24C1810A	0.18	(0.02)	9,470	-	PTTE11C1902A	0.49	(0.04)	25,010	-
KTC13C1809A	0.15	(0.21)	29,546	-	MTC24C1812A	0.38	(0.04)	1,301	-	PTTE13C1807A	0.23	0.02	850	-
KTC13C1809B	0.18	(0.16)	188,279	-	MTC27C1807A	-	-	-	-	PTTE13C1811A	0.26	(0.02)	116,754	-
KTC13C1812A	0.20	(0.10)	152,308	-	MTC28C1808A	-	-	-	-	PTTE13C1812A	0.51	(0.03)	40,246	-
KTC13P1807A	0.03	0.02	236,294	-	MTC28C1809A	0.26	(0.02)	115,845	-	PTTE13P1807A	-	-	-	-
KTC19C1811A	0.27	(0.21)	60,906	-	ORI08C1807A	-	-	-	-	PTTE13P1811A	0.32	0.01	103,686	-
KTC19C1901A	0.61	(0.29)	69,930	-	ORI11C1811A	0.22	0.02	16,242	-	PTTE19C1811A	0.43	(0.01)	14,068	-
KTC23C1809A	0.66	(0.63)	12,392	1.00	ORI13C1810A	0.46	0.04	50,014	-	PTTE23C1901A	0.10	-	32,000	-
KTC24C1808A	-	-	-	-	ORI19C1811A	0.29	0.02	51,856	-	PTTE24C1807A	0.02	-	446	-
KTC24C1810A	0.22	(0.07)	15,975	-	ORI23C1809A	0.10	0.01	16,600	-	PTTE24C1811A	-	-	-	-
KTC24P1807A	0.09	0.06	135,947	-	ORI24C1810A	0.29	0.08	300	-	PTTE24C1901A	0.49	(0.02)	400	-
KTC28C1808A	0.81	(0.06)	70	-	ORI28C1808A	-	-	-	-	PTTE24P1809A	0.03	-	22	-
KTC28C1808B	-	-	-	-	PLAN08C1811A	0.17	-	4,788	-	PTTE27C1809A	0.65	(0.01)	4,000	-
KTC28C1809A	0.25	(0.27)	18,733	-	PLAN13C1809A	0.08	(0.01)	1,000	-	PTTE27P1809A	-	-	-	-
KTC28C1810A	0.30	(0.16)	86,812	-	PLAN28C1810A	0.13	(0.02)	20,680	-	PTTE28C1810A	0.20	(0.02)	52,604	-
LH01C1809A	0.34	0.01	50	-	PSH01C1810A	0.35	(0.01)	4,775	-	PTTE28C1811A	0.14	-	13,766	-
LH01C1809B	0.17	-	3,000	-	PSH01C1810B	0.11	(0.01)	950	-	PTTE28P1811A	0.33	-	70,577	-
LH01P1809A	0.11	(0.01)	301	-	PSH01P1810A	0.77	0.01	9,524	-	PTTG01C1808A	0.15	(0.01)	432,379	-
LH06C1809A	-	-	-	-	PSH08C1811A	-	-	-	-	PTTG01C1810A	0.23	-	252,254	-
LH07C1810A	-	-	-	-	PSH11C1902A	0.26	-	1,014	-	PTTG01C1810B	0.03	-	24,750	-
LH11C1808A	-	-	-	-	PSH23C1811A	-	-	-	-	PTTG01C1811A	0.44	-	297,387	-
LH13C1808A	-	-	-	-	PSL01C1807A	0.40	0.02	23,098	-	PTTG01P1808A	1.14	-	99,283	1.00
LH19C1901A	-	-	-	-	PSL01C1812A	0.47	-	49,705	-	PTTG01P1811A	1.67	-	65,279	1.00
LH23C1901A	-	-	-	-	PSL01C1812B	0.42	0.03	17,808	-	PTTG06C1809A	0.03	-	40,687	-
LH24C1809A	-	-	-	-	PSL11C1905A	0.33	0.01	28,958	-	PTTG07C1812A	0.44	-	2,493	-
LH28C1808A	-	-	-	-	PSL23C1809A	0.11	0.01	33,952	-	PTTG08C1811A	0.08	-	9,422	-
LPN01C1809A	0.11	(0.06)	76,377	-	PSL24C1807A	-	-	-	-	PTTG08P1811A	0.98	(0.39)	6,982	-
LPN01C1811A	0.40	(0.10)	132,325	-	PTG01C1811A	0.20	-	54,633	-	PTTG11C1902A	0.13	-	44,479	-
LPN01C1811B	0.20	(0.12)	111,223	-	PTG01C1811B	0.07	-	20,940	-	PTTG13C1808A	-	-	-	-
LPN01P1809A	0.48	0.10	29,136	-	PTG01P1811A	1.15	-	31,706	1.00	PTTG13C1812A	0.29	-	329,617	-
LPN08C1807A	-	-	-	-	PTG06C1810A	-	-	-	-	PTTG13C1812B	0.83	(0.01)	459,462	-
LPN08C1810A	0.09	(0.05)	143,848	-	PTG06C1904A	0.43	(0.01)	5,373	-	PTTG19C1811A	0.26	(0.01)	88,165	-
LPN08C1906A	0.23	(0.06)	85,599	-	PTG08C1807A	-	-	-	-	PTTG23C1901A	0.10	-	10,309	-
LPN19C1811A	0.22	(0.08)	31,293	-	PTG11C1903A	0.16	-	10,104	-	PTTG24C1808A	-	-	-	-
LPN24C1808A	-	-	-	-	PTG13C1809A	-	-	-	-	PTTG24C1812A	0.22	0.05	60	-
LPN24C1812A	0.30	(0.10)	180	-	PTG13C1812A	0.19	-	105,115	-	PTTG24C1901A	0.62	0.02	6,941	-
LPN27C1807A	-	-	-	-	PTG23C1808A	-	-	-	-	PTTG24P1808A	0.07	0.01	83,360	-
MAJ08C1811A	0.07	(0.02)	4,002	-	PTG24C1809A	-	-	-	-	PTTG24P1901A	0.46	-	18,563	-
MAJ011C1902A	0.11	(0.01)	2,632	-	PTG27C1809A	-	-	-	-	PTTG27C1807A	-	-	-	-
MAJ024C1809A	-	-	-	-	PTG28C1808A	-	-	-	-	PTTG27P1807A	-	-	-	-
MALE01C1812A	0.03	-	21,799	-	PTG28C1812A	0.27	-	99,210	-	PTTG28C1811A	0.23	-	249,796	-
MALE08C1811A	0.01	-	508	-	PTL08C1811A	0.56	-	10,878	-	PTTG28C1812A	0.72	0.01	648,452	-
MALE13C1809A	0.04	0.03	5,686	-	PTL13C1809A	0.26	(0.01)	15,034	-	QH01C1807A	0.39	-	25,094	-
MALE27C1812A	-	-	-	-	PTL23C1807A	-	-	-	-	QH01C1810A	0.45	-	20,261	-
MALE28C1810A	-	-	-	-	PTL28C1810A	0.43	(0.02)	10,854	-	QH01C1810B	0.26	-	14,184	-
MC19C1811A	0.15	(0.01)	1,212	-	PTT01C1808A	0.60	(0.07)	161,414	-	QH01P1807A	0.10	(0.01)	16,997	-
MC23C1809A	-	-	-	-	PTT01C1808B	0.12	(0.04)	387,055	-	QH01P1810A	0.30	-	16,664	-
MC24C1807A	-	-</												

Main Board Quotation

Issue Date :

Tuesday July 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S10001C1811A	0.53	(0.01)	9,139	-	SCC06C1809A	-	-	-	-	TASC01P1809A	1.95	(0.04)	27,710	1.00
S5001C1807A	0.29	(0.01)	48,497	-	SCC06C1902A	0.30	0.02	13,103	-	TASC01P1810A	0.89	(0.02)	37,074	-
S5001C1807B	0.13	(0.01)	61,757	-	SCC07C1812A	0.52	0.02	3	-	TASC07C1811A	-	-	-	-
S5001C1808A	0.56	-	98,869	-	SCC08C1809A	0.03	0.01	14,146	-	TASC08C1808A	-	-	-	-
S5001C1808B	0.39	(0.01)	89,336	-	SCC11C1811A	0.10	0.02	26,510	-	TASC11C1904A	0.11	-	13,521	-
S5001C1809F	0.70	(0.02)	1,441,233	-	SCC11P1811A	0.37	(0.04)	19,653	-	TASC13C1810A	0.03	-	100	-
S5001C1809G	0.21	(0.02)	312,974	-	SCC13C1809A	0.04	(0.01)	15,414	-	TASC24C1810A	0.02	-	100	-
S5001C1809H	1.93	(0.04)	871,508	1.00	SCC13C1812A	0.20	0.02	50,937	-	TASC28C1808A	-	-	-	-
S5001C1809I	1.35	(0.04)	1,370,232	1.00	SCC13C1901A	0.40	0.03	60,938	-	TCAP01C1807A	0.01	(0.01)	1,300	-
S5001C1810A	1.25	(0.02)	21,717	1.00	SCC19C1811A	0.13	0.01	19,438	-	TCAP01C1807B	0.01	-	4,570	-
S5001C1810B	1.26	(0.01)	166,688	1.00	SCC23C1811A	0.10	-	2,000	-	TCAP01C1901A	0.53	(0.05)	24,791	-
S5001P1807A	1.59	0.02	1,058	1.00	SCC24C1812A	0.05	-	12,600	-	TCAP01C1901B	0.44	(0.05)	22,724	-
S5001P1807B	1.27	0.03	45,765	1.00	SCC24C1901A	0.42	0.03	2,343	-	TCAP01P1807A	1.03	0.09	23,158	1.00
S5001P1808A	0.93	0.01	119,389	-	SCC24P1901A	0.37	(0.03)	2,905	-	TCAP01P1901A	0.46	0.03	25,421	-
S5001P1808B	1.11	0.02	120,622	1.00	SCC27C1809A	0.06	0.01	1,000	-	TCAP08C1810A	-	-	-	-
S5001P1809F	1.73	0.03	730,359	1.00	SCC27P1809A	-	-	-	-	TCAP11C1811A	0.11	(0.03)	10,197	-
S5001P1809G	1.11	0.02	1,298,254	1.00	SCC28C1811A	0.15	0.02	60,169	-	TCAP13C1809A	0.02	(0.02)	125	-
S5001P1809H	0.21	-	1,126,223	-	SCC28C1812A	0.38	0.03	221,896	-	TCAP13C1901A	0.40	(0.05)	86,201	-
S5001P1809I	0.12	-	375,637	-	SCCC08C1811A	0.02	-	200	-	TCCAP23C1807A	-	-	-	-
S5001P1810A	0.37	0.01	79,921	-	SCCC13C1809A	-	-	-	-	TCCAP24C1807A	-	-	-	-
S5001P1810B	0.28	(0.01)	110,864	-	SCCC27C1812A	-	-	-	-	TCCAP24C1903A	0.27	(0.04)	1,737	-
S5006C1809A	0.18	(0.01)	7,457	-	SGP08C1808A	0.01	-	13,738	-	TCAP27C1807A	-	-	-	-
S5006C1809B	0.08	(0.01)	73,910	-	SGP08C1901A	0.39	0.04	189,720	-	THAI01C1808A	0.08	-	1,500	-
S5006C1809C	0.33	(0.05)	800	-	SGP11C1904A	0.18	0.02	92,375	-	THAI01C1808B	-	-	-	-
S5006C1809D	0.11	-	22,635	-	SGP13C1808A	-	-	-	-	THAI01C1901A	0.37	0.01	27,644	-
S5006C1812A	0.56	(0.02)	7,147	-	SGP13C1811A	0.11	0.01	53,551	-	THAI01C1901B	0.23	-	18,720	-
S5006C1812B	0.61	0.16	864	-	SGP13C1812A	0.29	0.05	221,853	-	THAI01P1808A	0.69	(0.04)	14,756	-
S5006P1809A	1.66	0.10	2,440	1.00	SGP19C1811A	0.30	0.04	37,263	-	THAI01P1901A	0.83	(0.03)	11,750	-
S5006P1809B	0.84	0.01	977	-	SGP24C1808A	-	-	-	-	THAI06C1809A	-	-	-	-
S5006P1809C	1.14	(0.04)	2,824	1.00	SGP24C1811A	0.15	0.06	2,501	-	THAI07C1811A	0.15	0.04	100	-
S5006P1809D	0.49	0.01	1,503	-	SGP24C1902A	0.88	0.04	13,713	-	THAI08C1808A	-	-	-	-
S5006P1812A	1.51	0.01	1,852	1.00	SGP28C1808A	-	-	-	-	THAI11C1808A	-	-	-	-
S5006P1812B	0.59	0.02	7,368	-	SGP28C1809A	0.02	-	1	-	THAI13C1811A	0.09	0.02	2,360	-
S5008C1809A	0.70	(0.04)	179,599	-	SGP28C1811A	0.14	0.02	43,968	-	THAI23C1901A	0.04	-	1,001	-
S5008P1809A	0.26	0.02	174,514	-	SIRI01C1808A	-	-	-	-	THAI24C1808A	-	-	-	-
S5013C1809A	0.12	(0.01)	847,858	-	SIRI01C1808B	0.02	-	4	-	THAI24C1901A	-	-	-	-
S5013C1809B	0.27	(0.02)	986,055	-	SIRI01C1901A	0.39	-	37,609	-	THAI27C1809A	-	-	-	-
S5013C1809C	0.22	(0.02)	719,022	-	SIRI01C1901B	0.17	-	23,766	-	THAI28C1808A	-	-	-	-
S5013C1809D	0.50	(0.05)	3,127,047	-	SIRI01P1808A	0.62	-	13,386	-	THAN01C1812A	0.45	0.01	10,165	-
S5013C1809E	0.87	(0.04)	6,346,057	-	SIRI01P1901A	0.65	(0.02)	19,202	-	THAN13C1809A	0.05	-	1,000	-
S5013P1809A	1.58	0.04	52,235	1.00	SIRI08C1808A	-	-	-	-	THAN23C1807A	-	-	-	-
S5013P1809B	0.87	0.03	1,406,707	-	SIRI08C1810A	0.12	0.01	21,074	-	THAN28C1810A	0.12	-	43,056	-
S5013P1809C	1.07	-	1,635	1.00	SIRI11C1902A	0.14	-	16,848	-	THCO01C1809A	-	-	-	-
S5013P1809D	0.48	0.01	3,389,761	-	SIRI13C1809A	-	-	-	-	THCO01P1809A	0.77	-	1,228	-
S5013P1809E	0.22	-	6,250,699	-	SIRI23C1811A	0.18	-	10,000	-	THCO08C1906A	0.16	-	3,200	-
S5028C1807A	0.02	0.01	2,202	-	SIRI24C1809A	0.03	(0.01)	600	-	THCO11C1902A	-	-	-	-
S5028C1809A	0.21	(0.02)	450,707	-	SIRI28C1809A	0.04	-	1,019	-	THCO19C1811A	-	-	-	-
S5028C1809B	0.80	(0.04)	1,475,101	-	SIRI28C1901A	0.32	-	109,400	-	THCO23C1808A	-	-	-	-
S5028P1807A	0.90	(0.18)	3,646	-	SPAL01C1808A	0.29	(0.05)	62,453	-	THCO24C1807A	-	-	-	-
S5028P1809A	0.77	0.02	1,315,142	-	SPAL01C1808B	0.02	(0.02)	12,200	-	THCO24C1810A	-	-	-	-
S5028P1809B	0.29	0.01	838,034	-	SPAL06C1809A	0.36	(0.06)	35,015	-	THCO28C1808A	-	-	-	-
SAWA01C1808A	0.01	(0.01)	4,008	-	SPAL08C1808A	-	-	-	-	THCO28C1901A	0.21	-	6,028	-
SAWA01C1808B	0.02	-	1	-	SPAL11C1807A	0.03	(0.03)	3	-	TISCO1C1808A	0.19	(0.03)	62,579	-
SAWA01C1901A	0.53	0.08	575,728	-	SPAL11C1905A	0.12	(0.01)	2,312	-	TISCO1C1808B	0.01	(0.01)	23,721	-
SAWA01C1901B	0.42	0.07	297,583	-	SPAL23C1811A	0.45	(0.06)	7,545	-	TISCO8C1808A	0.03	-	30,926	-
SAWA01P1808A	2.08	(0.20)	58,021	2.00	SPAL24C1808A	-	-	-	-	TISC11C1903A	0.20	(0.02)	14,051	-
SAWA01P1901A	0.90	(0.10)	53,242	-	SPAL24C1812A	0.16	(0.03)	36,470	-	TISC13C1811A	0.27	(0.02)	118,531	-
SAWA06C1807A	0.01	-	6,000	-	SPRC01C1808A	0.15	0.01	121,343	-	TISC13C1812A	0.65	(0.35)	28,649	-
SAWA06C1811A	0.06	0.03	26,804	-	SPRC01C1808B	-	-	-	-	TISC19C1901A	0.37	(0.02)	16,676	-
SAWA07C1812A	0.40	0.10	226	-	SPRC06C1809A	0.04	-	5,000	-	TISC24C1812A	0.19	(0.01)	2,181	-
SAWA08C1808A	-	-	-	-	SPRC06C1902A	0.54	0.05	9,720	-	TISC27C1807A	-	-	-	-
SAWA08C1811A	0.03	0.01	53,623	-	SPRC08C1808A	-	-	-	-	TKN01C1808A	0.05	0.01	14,004	-
SAWA11C1808A	0.01	-	2,390	-	SPRC11C1902A	0.11	0.01	31,661	-	TKN01C1808B	-	-	-	-
SAWA13C1810A	0.03	0.01	1	-	SPRC13C1808A	0.02	0.01	10,000	-	TKN01C1901A	0.62	0.09	139,746	-
SAWA13C1811A	0.03	-	52,494	-	SPRC13C1812A	0.34	0.03	213,859	-	TKN01C1901B	0.51	0.10	166,778	-
SAWA13C1812A	0.21	0.06	226,459	-	SPRC19C1901A	0.39	0.02	26,659	-	TKN08C1808A	-	-	-	-
SAWA13C1901A	0.55	0.11	373,530	-	SPRC23C1810A	0.12	-	5,500	-	TKN08C1811A	0.11	0.01	47,609	-
SAWA19C1901A	0.59	0.11	88,776	-	SPRC24C1808A	-	-	-	-	TKN11C1902A	0.19	0.04	31,863	-
SAWA23C1807A	-	-	-	-	SPRC24C1903A	0.34	0.01	4,724	-	TKN13C1808A	-	-	-	-
SAWA24C1808A	-	-	-	-	STA01C1807A	-	-	-	-	TKN13C1810A	0.08	0.02	4,425	-
SAWA24C1812A	0.24	0.06	18,400	-	STA01C1807B	0.01	-	1,000	-	TKN13C1811A	0.09	0.01	5,094	-
SAWA28C1807A	-	-	-	-	STA01C1812A	0.19	0.01	10	-	TKN13C1812A	0.35	0.08	143,722	-
SAWA28C1809A	-	-	-	-	STA01C1812B	0.11	0.01	10	-	TKN19C1811A	0.11	0.02	29,392	-
SAWA28C1810A	0.02	-	29,694	-	STA08C1807A	-	-	-	-	TKN24C1807A	-	-	-	-
SAWA28C1811A	0.24	0.06	360,339	-	STA13C1808A	0.02	0.01	110	-	TKN24C1811A	0.22	-	1,000	-
SAWA28C1812A	0.57	0.11	634,718	-	STA13C1812A	0.19	0.01	52,265	-	TKN24C1812A	-	-	-	-
SCB01C1808A	0.10	(0.02)	43,757	-	STA19C1811A	-	-	-	-	TKN28C1808A	-	-	-	-
SCB01C1808B	0.01	-	1,093	-	STA23C1809A	0.04	-	100	-	TKN28C1811A	0.11	0.03	32,864	-
SCB01C1810A	0.35	(0.03)	40,703	-	STA24C1808A	-	-	-	-	TKN28C1812A	0.55	0.07	51,860	-
SCB01P1808A	1.37	0.02	32,106	1.00	STEC01C1809A	0.26	0.05	142,625	-	TMB01C1807A	0.01	(0.01)	24,765	-
SCB01P1808B	0.48	-	79,529	-	STEC01C1809B	0.77	0.13	81,878	-	TMB01C1810A	0.21	0.02	325,714	-
SCB06C1811A	0.46	(0.02)	16,134	-	STEC01P1809A	0.87	(0.08)	22,937	-	TMB01C1810B	0.08	0.01	59,915	-
SCB08C1901A	0.36	(0.01)	39,497	-	STEC06C1809A	0.30	0.11	33,812	-	TMB01P1807A	1.00	(0.02)	15,410	1.00
SCB11C1901A	0.18	0.01	8,160	-	STEC08C1809A	0.19	0.03	107,054	-	TMB01P1810A	0.48	(0.03)	89,593	-
SCB11P1901A	0.66	0.01	10,214	-	STEC11C1903A	0.50	0.05	29,370	-	TMB06C1809A	-	-	-	-
SCB13C1809A	0.04	-	536	-	STEC13C1809A	0.12								

Main Board Quotation

Issue Date :

Tuesday July 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCC01P1901A	0.43	(0.03)	16,317	-	TASC01C1810B	-	-	-	-	TOA24C1812A	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday July 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOA28C1812A	0.34	-	2,028	-	TVO28C1808A	-	-	-	-	CKP-W1	0.36	-	4,461	-
TOP01C1808A	0.07	(0.02)	77,363	-	UNIQ01C1809A	0.12	0.01	237,710	-	CRANE-W1	1.96	0.02	11	1.00
TOP01C1808B	-	-	-	-	UNIQ01C1810A	0.27	0.01	73,506	-	CWT-W4	0.57	0.01	53,571	-
TOP01C1901A	1.43	(0.05)	58,316	1.00	UNIQ01C1810B	0.10	-	151,892	-	DCC-W1	0.68	-	55,255	-
TOP01C1901B	1.36	(0.08)	48,466	1.00	UNIQ01P1809A	0.57	(0.02)	19,381	-	DCON-W1	-	-	-	-
TOP01P1808A	1.15	0.05	74,080	1.00	UNIQ08C1808A	-	-	-	-	DIGI-W1	0.05	-	12,203	-
TOP01P1901A	0.76	0.02	66,863	-	UNIQ08C1810A	0.11	0.02	5,394	-	DIGI-W2	0.02	-	2,227	-
TOP06C1809A	0.05	(0.02)	45	-	UNIQ08C1906A	0.28	(0.01)	39,164	-	EARTH-W4	-	-	-	-
TOP07C1812A	0.57	0.17	200	-	UNIQ11C1811A	0.11	-	15,419	-	EIC-W2	0.01	-	19,099	-
TOP08C1811A	0.15	(0.02)	57,848	-	UNIQ13C1809A	0.06	-	1,501	-	EIC-W3	-	-	-	-
TOP11C1808A	-	-	-	-	UNIQ13C1901A	0.28	-	42,474	-	EIC-W4	-	-	-	-
TOP11C1905A	1.02	(0.06)	38,282	1.00	UNIQ19C1811A	0.10	-	6,197	-	EVER-W3	0.03	-	17,216	-
TOP13C1811A	0.13	(0.02)	36,148	-	UNIQ23C1901A	0.13	0.01	1,000	-	GJS-W3	0.03	-	1	-
TOP13C1901A	0.63	(0.05)	135,050	-	UNIQ24C1811A	-	-	-	-	GL-W4	-	-	-	-
TOP18C1808A	-	-	-	-	UNIQ28C1809A	-	-	-	-	GSTEL-W1	-	-	-	-
TOP19C1901A	0.47	(0.04)	31,896	-	UNIQ28C1811A	0.13	-	94,460	-	GSTEL-W2	-	-	-	-
TOP23C1811A	0.19	(0.02)	27,070	-	UV01C1807A	0.05	(0.02)	4,411	-	IEC-W2	-	-	-	-
TOP24C1901A	0.21	(0.02)	1,325	-	UV08C1807A	-	-	-	-	IHL-W1	4.46	0.04	600	4.00
TOP24C1902A	0.68	(0.09)	253	-	UV13C1807A	-	-	-	-	ITD-W1	0.12	-	14,288	-
TOP28C1810A	0.02	-	550	-	UV13C1808A	-	-	-	-	IVL-W2	14.10	(0.30)	83,360	14.00
TP101C1807A	0.01	-	8,000	-	UV13C1812A	0.44	(0.01)	298,529	-	JAS-W3	1.84	(0.01)	43,081	1.00
TP101C1807B	0.01	-	13,146	-	UV23C1809A	-	-	-	-	JCK-W5	0.45	(0.01)	127	-
TP101C1812A	-	-	-	-	UV24C1807A	-	-	-	-	JMART-W2	1.71	(0.08)	18,306	1.00
TP101C1812B	-	-	-	-	UV24C1812A	0.25	-	2,540	-	MIDA-W2	0.03	0.01	2	-
TP107C1812A	-	-	-	-	UV28C1808A	-	-	-	-	MILL-W3	0.04	-	2,500	-
TP108C1807A	-	-	-	-	VGI01C1812A	0.56	(0.01)	1,655	-	MILL-W4	0.32	0.04	12,321	-
TP113C1809A	0.01	(0.01)	1,082	-	VGI06C1904A	-	-	-	-	ML-W2	0.03	-	66,471	-
TP119C1901A	-	-	-	-	VGI06C1904B	-	-	-	-	MONO-W1	0.62	(0.01)	21,909	-
TP123C1809A	-	-	-	-	VGI06C1904C	-	-	-	-	NEP-W3	0.12	-	100	-
TP124C1808A	-	-	-	-	VGI08C1811A	0.46	(0.02)	100	-	NOK-W1	0.98	0.03	162	-
TP124C1902A	-	-	-	-	VGI23C1905A	-	-	-	-	NPP-W3	0.22	(0.02)	24,264	-
TP128C1808A	-	-	-	-	VGI23C1911A	-	-	-	-	NUSA-W3	-	-	-	-
TP1P01C1810A	0.41	(0.02)	16,567	-	VGI27C1812A	-	-	-	-	NVD-W1	0.37	0.37	451,801	-
TP1P01C1810B	0.17	(0.02)	13,064	-	VGI28C1810A	0.27	(0.01)	31,905	-	ORI-W1	2.60	0.28	102,313	2.00
TP1P01P1810A	0.60	0.02	8,472	-	WHA01C1807A	0.04	(0.03)	545	-	PACE-W1	-	-	-	-
TP1P08C1808A	0.01	(0.01)	7,646	-	WHA01C1807B	0.01	-	28,706	-	PACE-W2	0.10	0.01	34,165	-
TP1P11C1811A	-	-	-	-	WHA01C1812A	0.61	(0.03)	33,348	-	PDI-W1	1.50	0.10	168,966	1.00
TP1P13C1811A	0.25	(0.01)	3,962	-	WHA01C1812B	0.54	(0.02)	25,984	-	PDJ-W2	1.60	0.04	307	1.00
TP1P23C1808A	-	-	-	-	WHA01P1812A	0.64	0.01	22,880	-	PDJ-W3	1.44	(0.05)	327	1.00
TP1P24C1901A	-	-	-	-	WHA06C1809A	0.18	(0.02)	22,327	-	PDJ-W4	1.46	(0.02)	234	1.00
TP1P27C1812A	0.07	0.01	4	-	WHA07C1810A	0.22	(0.02)	1,350	-	PLE-W3	0.09	-	14,820	-
TRUE01C1808A	0.25	-	337,360	-	WHA08C1811A	0.21	(0.02)	54,526	-	RICH-W1	-	-	-	-
TRUE01C1808B	0.05	-	7,611	-	WHA11C1903A	0.25	(0.01)	19,935	-	RICHY-W1	0.31	-	4,505	-
TRUE01C1902A	0.53	0.02	78,091	-	WHA13C1808A	0.08	(0.01)	4,140	-	RICHY-W2	0.16	0.02	1,986	-
TRUE01C1902B	0.45	0.01	62,186	-	WHA13C1812A	0.48	(0.03)	104,145	-	RS-W3	8.80	0.10	66	8.00
TRUE01P1808A	0.30	(0.01)	152,315	-	WHA19C1901A	0.46	(0.03)	14,157	-	S-W1	0.11	(0.01)	6,766	-
TRUE01P1902A	0.54	-	56,089	-	WHA23C1810A	0.29	(0.03)	5,047	-	SAMART-W2	0.32	(0.02)	10,339	-
TRUE01P1902B	0.40	(0.02)	43,305	-	WHA24C1807A	-	-	-	-	SAWAD-W1	5.45	0.25	4,686	5.00
TRUE06C1811A	-	-	-	-	WHA24C1811A	0.14	(0.02)	4,000	-	SDC-W1	0.07	(0.01)	32,180	-
TRUE06C1906A	-	-	-	-	WHA28C1808A	-	-	-	-	SMM-W4	0.10	-	2,836	-
TRUE08C1809A	0.10	0.01	108,250	-	WHA28C1808B	-	-	-	-	SMT-W1	0.08	-	2,088	-
TRUE08C1902A	0.40	0.02	127,678	-	WHA28C1809A	0.42	(0.03)	33,239	-	SMT-W2	0.49	-	1,680	-
TRUE08P1809A	0.12	(0.01)	44,352	-	WHAU01C1810A	0.18	(0.02)	22,877	-	SPALI-W4	18.70	(0.20)	671	18.00
TRUE11C1807A	0.01	-	4,900	-	WHAU01C1810B	0.05	(0.01)	2,701	-	SPORT-W5	0.10	0.01	95,770	-
TRUE11C1905A	0.35	0.01	28,955	-	WHAU24C1812A	0.04	(0.01)	7,567	-	SPORT-W6	-	-	-	-
TRUE13C1807A	-	-	-	-	WORK01C1811A	0.65	0.08	53,756	-	SUPER-W4	0.11	(0.01)	1,205,575	-
TRUE13C1810A	0.06	-	66,980	-	WORK01C1811B	0.45	0.05	52,034	-	SUSCO-W1	0.17	(0.01)	1,510	-
TRUE13C1812A	0.28	0.01	668,962	-	WORK08C1809A	-	-	-	-	SVI-W3	1.25	0.01	210	1.00
TRUE16C1812A	0.30	-	200	-	WORK08C1901A	0.53	0.07	89,088	-	TCC-W3	-	-	-	-
TRUE19C1901A	0.19	-	90,854	-	WORK11C1903A	0.16	0.02	9,036	-	TCC-W4	0.13	(0.01)	38	-
TRUE27C1809A	0.17	0.01	3,128	-	WORK13C1809A	-	-	-	-	TCC-W5	0.17	(0.01)	163	-
TRUE27P1809A	0.27	(0.01)	4,000	-	WORK13C1810A	0.02	0.01	7,148	-	TCJ-W2	0.90	0.01	9,566	-
TRUE28C1808A	-	-	-	-	WORK13C1811A	0.20	0.05	101,916	-	TCMC-W2	0.32	(0.01)	2,561	-
TRUE28C1810A	-	-	-	-	WORK13C1812A	0.66	0.12	107,890	-	TFG-W1	1.18	(0.17)	98	1.00
TRUE28C1812A	0.22	-	269,796	-	WORK19C1811A	0.29	0.06	18,373	-	TFG-W2	0.72	(0.01)	22,128	-
TTA01C1807A	0.01	-	8,036	-	WORK23C1807A	-	-	-	-	TH-W2	0.13	(0.01)	468	-
TTA01P1807A	1.03	-	9,285	1.00	WORK24C1810A	-	-	-	-	THE-W2	0.06	(0.01)	23,002	-
TTA08C1808A	-	-	-	-	WORK24C1812A	0.47	0.08	1,252	-	TNITY-W1	0.92	(0.04)	4,941	-
TTA08C1906A	0.32	(0.01)	14,450	-	WORK28C1808A	-	-	-	-	TNPC-W1	0.47	0.02	332	-
TTA13C1809A	-	-	-	-	WORK28C1809A	0.03	-	10	-	TRITN-W3	0.16	-	104,873	-
TTA13C1901A	0.28	(0.01)	40,907	-	WORK28C1811A	0.20	0.05	62,072	-	TSR-W1	0.50	(0.04)	35,367	-
TTA18C1808A	-	-	-	-	Preferred/Foreign	-	-	-	-	TTA-W5	0.40	(0.01)	9,471	-
TTA19C1811A	0.14	(0.01)	1,830	-	BH-Q	-	-	-	-	TTL-W1	1.08	-	370,476	1.00
TTA23C1808A	-	-	-	-	CSC-Q	-	-	-	-	U-W1	-	-	-	-
TTA23C1901A	0.15	(0.01)	4,000	-	JUTHA-Q	-	-	-	-	U-W4	0.01	-	13,300	-
TTA24C1809A	-	-	-	-	KTB-Q	-	-	-	-	VGI-W1	-	-	-	-
TTA24C1902A	0.15	0.02	1	-	SCB-Q	-	-	-	-	VIBHA-W2	1.30	-	985	1.00
TTA28C1812A	0.14	(0.01)	44,460	-	TCAP-Q	-	-	-	-	VIBHA-W3	0.30	(0.01)	11,519	-
TU01C1808A	0.02	-	5,881	-	TIC-Q	-	-	-	-	WAVE-W1	0.43	0.02	19,067	-
TU01C1808B	0.01	-	997	-	TISCO-Q	-	-	-	-	WHA-W1	6.35	(0.20)	2,172	6.00
TU01C1901A	0.49	0.01	50,086	-	U-Q	-	-	-	-	WORK-W1	9.70	-	10	9.00
TU01C1901B	0.45	0.01	53,458	-	Warrant	-	-	-	-	Preferred Shares	-	-	-	-
TU01P1808A	1.00	(0.02)	27,626	1.00	7UP-W2	-	-	-	-	BH-P	-	-	-	-
TU01P1901A	0.32	(0.01)	41,325	-	ACC-W1	0.03	-	310	-	CSC-P	-	-	-	-
TU06C1902A	0.24	0.04	80	-	AJA-W1	0.19	0.02	105	-	JUTHA-P	-	-	-	-
TU08C1811A	-	-	-	-	ALT-W1	0.73	-	1,145	-	KTB-P	-	-	-	-
TU11C1902A	-	-	-	-	APURE-W2	0.17	(0.01)	16,717	-	SCB-P	-	-	-	-
TU13C1809A	-	-	-	-	AC-W4	-	-	-	-	TCAP-P	-	-	-	-
TU24C1808A	-	-	-	-	AS-W1	0.44	-	646	-	TIC-P	-	-	-	-
TU24C1901A	0.17	0.01	70	-	AYUD-W1	2.76	(0.14)	29,323	2.00	TISCO-P	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday July 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU27C1807A	-	-	-	-	B-W3	0.01	-	1	-	U-P	0.03	-	237,356	-
TVO01C1809A	0.14	(0.02)	67,259	-	B-W4	0.23	(0.01)	95,146	-	Warrant (MAI)	-	-	-	-
TVO01C1809B	-	-	-	-	BTS-W3	0.05	-	154,917	-	2S-W1	0.14	-	2,533	-
TVO08C1808A	0.01	(0.01)	2,082	-	BWG-W4	0.07	(0.01)	46,072	-	ACAP-W1	-	-	-	-
TVO11C1903A	0.11	-	5,933	-	CEN-W4	0.04	-	2,073	-	ACAP-W2	2.84	(0.10)	1,328	2.00
TVO13C1809A	-	-	-	-	CGD-W4	0.23	(0.04)	304,137	-	AIRA-W1	-	-	-	-
TVO23C1808A	-	-	-	-	CGH-W3	0.06	(0.01)	29,051	-	AIRA-W2	0.06	0.01	1,788	-
TVO24C1810A	0.04	-	400	-	CI-W1	0.38	(0.05)	3	-	ATP30-W1	0.78	(0.01)	2,255	-
BSM-W2	0.23	0.04	1	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.09	(0.01)	27,217	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.01	(0.01)	821	1.00	-	-	-	-	-	-	-	-	-	-
ECF-W2	3.88	(0.02)	1,068	3.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	2.78	-	2,994	2.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.01	-	14,601	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.01	(0.01)	45,452	-	-	-	-	-	-	-	-	-	-	-
FC-W1	0.07	0.02	151,406	-	-	-	-	-	-	-	-	-	-	-
FC-W2	0.03	-	58,782	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.27	(0.02)	4,200	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.40	(0.01)	360	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.32	(0.03)	70,056	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	2.84	(0.02)	27,418	2.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.06	(0.12)	832	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.07	-	8,297	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.10	(0.01)	7,659	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOL-W1	0.08	(0.01)	5,347	-	-	-	-	-	-	-	-	-	-	-
PIMO-W1	2.04	0.05	33,343	2.00	-	-	-	-	-	-	-	-	-	-
PPS-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSTC-W1	0.27	0.01	60,066	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W2	0.51	-	148	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W3	0.67	0.01	336	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W4	1.49	(0.17)	20,175	1.00	-	-	-	-	-	-	-	-	-	-
SKY-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STAR-W3	1.96	0.03	7,019	1.00	-	-	-	-	-	-	-	-	-	-
T-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TAKUNI-W	0.19	(0.01)	7,868	-	-	-	-	-	-	-	-	-	-	-
TAPAC-W3	2.70	0.14	28,434	2.00	-	-	-	-	-	-	-	-	-	-
TMILL-W1	1.00	(0.02)	3,124	1.00	-	-	-	-	-	-	-	-	-	-
TSF-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TSF-W5	0.03	0.01	17,902	-	-	-	-	-	-	-	-	-	-	-
TVD-W2	0.50	(0.01)	7,881	-	-	-	-	-	-	-	-	-	-	-
UAC-W2	0.93	(0.07)	16,488	-	-	-	-	-	-	-	-	-	-	-
UKEM-W2	0.51	0.02	1,507	-	-	-	-	-	-	-	-	-	-	-
UWC-W2	0.01	-	3	-	-	-	-	-	-	-	-	-	-	-
XO-W1	5.35	0.51	53,696	5.00	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SGF-P1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-