

Main Board Quotation

Issue Date :

Wednesday July 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	FORTH	6.80	(0.05)	499	6.80	RS	18.10	0.10	87,679	17.97
POMPI	-	-	-	-	HUMAN	10.30	0.10	9,869	10.36	SE-ED	2.88	0.04	160	2.86
SAFARI	-	-	-	-	ILINK	5.15	0.05	1,332	5.10	SMM	0.87	0.01	641	0.87
VI	-	-	-	-	INET	3.70	(0.04)	2,226	3.73	SPORT	0.53	(0.02)	8,619	0.52
WORLD	-	-	-	-	INTUCH	56.00	0.75	30,315	55.62	TBSP	-	-	-	-
WR	-	-	-	-	JAS	5.30	0.20	701,387	5.31	TH	0.62	(0.01)	14,637	0.62
Agribusiness	-	-	-	-	JASIF	10.10	0.10	98,867	10.10	TKS	10.50	(0.10)	11,883	10.56
CHOTI	147.00	-	7	146.14	JMART	9.15	0.05	7,225	9.24	TRITN	0.32	0.01	111,027	0.32
EE	0.78	0.01	45,662	0.78	JTS	1.56	0.02	3,760	1.56	VGI	7.30	0.20	248,618	7.22
GFPT	13.80	0.70	99,751	13.55	MFEC	4.00	-	1,636	3.99	WAVE	2.70	(0.10)	142	2.69
LEE	2.80	-	9,629	2.80	MSC	5.95	-	655	5.94	WORK	48.25	2.25	79,517	47.89
STA	10.50	0.10	46,417	10.54	PT	6.70	0.10	1,233	6.67	Finance & Securities	-	-	-	-
TLUXE	6.35	-	14,285	6.29	SAMART	7.25	-	11,149	7.23	AEC	0.49	(0.01)	30	0.50
TRUBB	1.62	0.04	3,175	1.61	SAMTEL	8.55	0.15	401	8.54	AEONTS	167.50	(2.50)	7,899	167.66
TWPC	9.20	0.05	856	9.18	SDC	0.23	(0.01)	1,761	0.24	AMANAH	2.02	0.03	72,871	2.01
UPOIC	4.12	0.02	98	4.11	SIS	8.80	0.05	872	8.76	ASAP	6.30	(0.05)	25,115	6.27
UVAN	7.60	0.05	2,785	7.59	SVOA	1.37	0.04	38,187	1.36	ASK	22.40	0.10	776	22.40
VPO	0.63	(0.02)	2,251	0.64	SYMC	5.00	0.02	13	5.04	ASP	3.88	0.06	34,145	3.85
Banking	-	-	-	-	SYNEX	13.40	(0.20)	17,483	13.59	BFIT	28.25	0.25	2,735	28.30
BAY	39.00	-	4,198	39.14	THCOM	8.20	0.05	6,803	8.27	CGH	1.11	-	3,099	1.10
BBL	203.00	(2.00)	55,216	203.96	TRUE	6.30	-	675,757	6.29	CNS	2.64	-	821	2.60
CIMBT	0.88	-	3,232	0.88	TWZ	0.13	-	5,156	0.13	ECL	1.92	-	121,893	1.94
KBANK	210.00	2.00	39,844	209.90	Electronic Componen	-	-	-	-	FNS	4.62	0.04	2,743	4.63
KKP	72.50	1.25	40,732	72.00	CCET	2.12	0.02	3,038	2.10	FSS	2.52	0.04	5,767	2.56
KTB	18.80	0.10	350,553	18.85	DELTA	67.25	(0.50)	29,687	67.28	GBX	0.66	0.01	2,426	0.65
LHFG	1.57	0.01	35,689	1.56	EIC	0.05	-	125,046	0.05	GL	5.25	(0.05)	7,861	5.23
SCB	133.00	1.50	68,276	133.05	HANA	36.50	-	20,391	36.58	IFS	3.04	0.02	3,501	3.05
TCAP	51.00	1.00	48,753	51.06	KCE	41.25	0.25	30,870	41.13	JMT	27.75	(0.25)	2,159	27.87
TISCO	77.25	0.25	36,714	77.41	METCO	191.00	1.00	8	191.63	KCAR	13.90	-	769	13.90
TMB	2.26	0.02	5,206,507	2.25	SMT	2.28	0.04	2,307	2.28	KGI	4.24	0.02	61,694	4.25
Construction Materia	-	-	-	-	SPPT	4.28	(0.16)	9,760	4.29	KTC	27.50	(0.50)	976,959	28.34
CCP	0.40	-	43,652	0.40	SVI	4.34	0.04	62,564	4.32	MBKET	13.30	0.30	5,173	13.35
DCC	2.22	(0.04)	115,637	2.23	TEAM	1.12	0.02	6,333	1.12	MFC	15.30	0.20	178	15.20
DCON	0.56	0.01	16,071	0.56	Energy & Utilities	-	-	-	-	ML	1.00	0.01	14,536	1.00
DRT	5.75	-	1,104	5.75	ABPIF	8.50	-	481	8.55	MTC	38.50	1.50	99,120	38.00
EPG	8.65	0.10	40,712	8.63	AI	-	-	-	-	PE	0.33	0.01	556	0.33
GEL	0.34	-	38,818	0.33	AKR	1.11	-	106,371	1.12	PL	3.52	(0.04)	1,293	3.54
PPP	3.64	0.02	89	3.62	BAFS	34.00	-	2,172	34.21	S11	7.65	0.15	3,377	7.54
Q-CON	5.40	(0.10)	151	5.47	BANPU	21.00	0.20	324,263	20.92	SAWAD	37.50	-	113,508	37.22
RCI	2.88	-	2,549	2.86	BCP	34.75	(0.50)	30,302	35.00	THANI	7.95	0.20	35,375	7.83
SCC	446.00	10.00	47,138	441.68	BCPG	17.80	-	27,484	17.78	TK	11.40	0.50	14,116	11.43
SCCC	225.00	13.00	5,798	224.78	BGRIM	24.50	-	86,906	24.64	TNITY	5.85	(0.05)	1,405	5.93
SCP	8.00	0.10	1,979	7.97	BPP	24.00	-	13,497	23.95	UOBKH	4.24	-	90	4.24
SKN	5.30	0.20	5,512	5.19	BRRGIF	10.20	-	213	10.20	ZMICO	1.03	-	2,716	1.03
TASCO	14.30	-	23,007	14.31	CKP	4.00	-	94,481	4.00	Food & Beverage	-	-	-	-
TCMC	2.54	0.10	60,310	2.55	DEMCO	4.10	0.04	1,782	4.05	APURE	1.32	-	2,747	1.33
TGCI	-	-	-	-	EA	34.50	(0.75)	165,684	34.79	ASIAN	8.20	0.40	211,937	7.97
TOA	38.00	-	7,951	38.08	EARTH	-	-	-	-	BR	5.65	-	32,711	5.68
TPPL	1.87	0.01	79,375	1.88	EASTW	11.10	0.30	10,138	10.98	BRR	6.70	(0.05)	955	6.70
UMI	1.20	-	1,109	1.20	EGATIF	10.80	-	11,419	10.81	CBG	49.25	1.75	53,630	49.19
VNG	8.15	0.15	2,623	8.06	EGCO	230.00	5.00	10,218	228.69	CFRESH	4.50	0.04	1,297	4.52
WIHK	2.54	(0.10)	32,107	2.62	ESSO	14.20	(0.10)	110,326	14.15	CM	4.54	(0.12)	22,334	4.63
Petrochemicals & Ch	-	-	-	-	GLOW	93.50	0.25	30,284	93.54	CPF	26.75	0.25	532,807	26.92
CMAN	3.22	0.06	13,261	3.18	GPSC	69.50	-	22,122	69.28	CPI	1.62	0.01	2,731	1.63
GC	5.10	0.05	429	5.11	GULF	62.50	(1.50)	38,294	62.94	F&D	-	-	-	-
GGC	11.00	0.30	111,724	10.98	GUNKUL	3.00	0.02	54,703	3.00	HTC	19.80	0.20	2,905	19.99
GIFT	4.30	0.06	1,584	4.29	IEC	-	-	-	-	ICHI	4.96	0.04	38,920	5.01
IVL	59.75	0.25	164,232	59.75	IFEC	-	-	-	-	KBS	4.34	0.04	1,191	4.32
NFC	11.60	0.10	850	11.53	IRPC	6.50	0.05	1,332,757	6.43	KSL	3.22	-	10,390	3.25
PATO	15.00	0.10	9	15.00	LANNA	15.90	(0.10)	1,878	15.78	KTIS	5.85	-	1,413	5.79
PMTA	16.30	-	198	16.27	MDX	3.98	0.02	1,030	3.99	LST	5.15	(0.05)	21,384	5.20
PTTGC	81.25	0.50	153,352	81.15	PTG	15.30	0.40	59,602	15.14	M	75.00	0.25	4,894	75.29
SUTHA	4.08	(0.02)	415	4.09	PTT	51.00	0.75	567,176	50.99	MALEE	15.60	1.40	71,745	14.92
TCB	53.50	2.00	1,749	51.99	PTTEP	134.50	3.00	70,536	133.40	MINT	36.25	1.25	320,665	36.00
TCCC	34.25	1.00	70	34.24	RATCH	51.50	0.25	58,270	50.83	OISHI	95.00	0.75	46	95.00
TPA	6.20	-	147	6.21	RPC	0.55	-	4,396	0.56	PB	61.50	-	59	61.33
UP	-	-	-	-	SCG	4.70	0.02	64	4.69	PM	10.40	-	7,787	10.46
VNT	24.60	0.50	33,863	24.49	SCI	3.10	(0.06)	78,499	3.23	PRG	-	-	-	-
WG	154.50	0.50	4	159.75	SCN	3.80	-	9,515	3.80	SAPPE	26.25	(0.50)	17,486	26.55
YCI	-	-	-	-	SGP	11.20	(0.10)	144,124	11.21	SAUCE	21.70	-	43	21.68
Commerce	-	-	-	-	SKE	1.27	0.01	2,332	1.26	SFP	-	-	-	-
BEAUTY	7.95	0.10	1,155,000	7.98	SOLAR	2.22	0.02	5,651	2.24	SNP	20.60	0.20	3	20.57
BIG	2.12	0.02	43,463	2.13	SPCG	20.60	-	4,539	20.67	SORKON	73.00	0.50	20	70.75
BJC	55.50	0.75	58,715	55.56	SPRC	14.70	-	107,374	14.60	SSC	40.50	0.75	20	40.19
COL	27.75	-	3,599	27.93	SUPER	0.74	0.01	1,231,015	0.74	SSF	8.40	(0.05)	174	8.40
COM7	17.80	(0.20)	80,318	18.03	SUSCO	3.34	0.02	21,788	3.33	SST	5.75	-	366	5.79
CPALL	76.50	1.25	394,105	76.52	TAE	2.12	0.02	2,271	2.10	TC	3.10	0.08	303	3.03
CSS	2.12	0.02	5,310	2.12	TCC	0.37	0.01	11,590	0.37	TFG	3.80	0.02	17,536	3.82
FN	3.04	0.02	20,140	3.06	TOP	81.25	(0.75)	68,101	81.32	TFMAMA	155.50	-	7	155.50
FTE	2.20	(0.06)	14,539	2.26	TPIPP	6.05	0.10	104,202	6.03	TIPCO	9.60	0.05	4,210	9.61
GLOBAL	17.30	-	26,424	17.37	TTW	12.30	(0.10)	54,924	12.46	TKN	15.50	0.20	99,506	15.51
HMPRO	14.60	0.30	367,679	14.63	WHAUP	5.75	-	135,434	5.81	TU	16.60	0.30	98,304	16.50
IT	4.90	0.04	14,660	4.96	WP	7.60	0.05	20,754	7.59	TVO	29.25	0.25	7,162	29.17
KAMART	4.72	(0.02)	9,406	4.74	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
LOXLEY	2.24	-	30,844	2.25	AMARIN	5.20	0.05	672	5.20	AHC	20.50	-	527	20.43
MAKRO	38.75	1.50	11,741	37.99	AQUA	0.51	0.01	174,554	0.50	BCH	16.60	0.40	134,226	16.58
MC	12.10	(0.10)	10,206	12.24	AS	1.47	(0.01)	1,933	1.46	BDMS	27.25	0.50	681,639	27.50
MEGA	40.75	-	3,848	40.97	BEC	8.95	0.40	122,222	8.87	BH	183.00	6.00	22,558	181.68
MIDA	0.61	-	1,837	0.61	EPCO	4.92	(0.02)	30,503	4.94	CHG	2.28	0.06	290,438	2.27
ROBINS	61.00	1.50	24,398	60.59	FE	-	-	-	-	CMR	3.30	0.10	3,989	3.24
RSP	5.15	(0.15)	4,022	5.16	GPI	2.88	(0.02)	1,826	2.89	EKH	5.20	0.05	12,735	5.20
SINGER	8.30	(0.05)	535	8.34	GRAMMY	7.90	(0.15)	91						

Main Board Quotation

Issue Date :

Wednesday July 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	7.80	0.05	627	7.84	MBK	24.30	0.10	11,792	24.35	ASEFA	5.05	(0.10)	984	5.06
WPH	3.00	0.04	5,264	2.99	MJD	3.30	-	1,877	3.30	CPT	2.86	(0.02)	22,810	2.87
Tourism & Leisure					MK	4.56	0.12	245,430	4.61	CRANE	2.84	-	2,844	2.83
ASIA	6.75	0.05	56	6.75	NCH	0.90	-	3,778	0.90	CTW	8.05	-	702	8.05
CENDEL	43.00	(0.25)	42,877	43.03	NNCL	1.68	0.02	4,805	1.66	FMT	-	-	-	-
CSR	100.00	-	6	100.00	NOBLE	12.10	-	2,326	12.10	HTECH	7.45	-	3,258	7.49
DTC	12.60	0.50	23,091	12.38	NUSA	0.31	(0.01)	47,837	0.31	KKC	1.74	0.04	1,856	1.74
ERW	7.25	0.25	80,887	7.24	NVD	3.94	0.08	788	3.96	PK	3.88	(0.16)	224,158	4.09
GRAND	0.93	0.01	4,611	0.93	ORI	18.60	0.10	39,795	18.58	SNC	14.70	-	2,294	14.69
LRH	-	-	-	-	PACE	0.47	(0.01)	99,082	0.48	TCJ	5.95	0.05	383	5.97
MANRIN	-	-	-	-	PF	0.91	0.01	81,521	0.91	VARO	7.20	-	36	7.19
OHTL	800.00	-	2	800.00	PLAT	7.95	0.20	31,730	7.86	Property Fund & REIT	-	-	-	-
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.10	-	103	10.10
SHANG	70.00	(0.25)	90	70.04	PRECHA	1.40	0.06	385	1.41	AMATAR	10.50	0.10	460	10.50
Home & Office Produ					PRIN	1.65	(0.01)	17,327	1.65	B-WORK	10.40	-	310	10.46
ACC	0.46	(0.01)	1,369	0.46	PRINC	5.25	(0.05)	13,329	5.29	BKKCP	12.00	0.10	19	12.00
AJA	0.37	(0.01)	11,930	0.37	PSH	20.40	(0.20)	27,058	20.54	BOFFICE	12.30	(0.20)	443	12.41
DTCI	-	-	-	-	QH	3.52	0.20	3,975,687	3.50	CPNGC	14.70	(0.10)	1,418	14.77
FANCY	1.01	(0.01)	7,593	1.02	RICHY	1.71	-	6,465	1.70	CPNREIT	23.90	-	1,648	23.90
KYE	420.00	2.00	23	420.00	RML	1.27	0.02	146,176	1.27	CPTGF	-	-	-	-
L&E	2.80	(0.02)	163	2.81	ROJNA	5.35	0.10	21,681	5.36	CRYSTAL	10.40	-	131	10.32
MODERN	4.54	0.02	2,275	4.53	S	2.96	0.08	74,426	2.95	CTARAF	4.78	0.08	211	4.78
OGC	39.00	-	1,065	39.00	SAMCO	2.22	0.02	265	2.21	DREIT	-	-	-	-
ROCK	-	-	-	-	SC	3.66	0.02	17,054	3.68	ERWPF	5.60	(0.10)	99	5.61
SIAM	1.91	-	821	1.90	SENA	3.82	0.08	12,099	3.79	FUTUREPF	21.00	0.10	2,339	21.00
TSR	2.26	0.04	9,389	2.25	SF	8.25	-	10,528	8.30	GAHREIT	9.65	(0.10)	483	9.76
Insurance					SIRI	1.67	0.05	3,449,064	1.65	GLANDRT	12.50	-	550	12.50
AYUD	39.00	0.50	80	38.92	SPALI	23.30	0.20	73,241	23.43	GOLDPF	-	-	-	-
BKI	352.00	2.00	74	351.30	TICON	16.20	-	610	16.24	GVREIT	14.40	0.10	499	14.40
BLA	32.00	(0.25)	5,663	32.15	U	0.03	-	714,259	0.03	HPF	5.45	-	116	5.40
BUI	-	-	-	-	UV	7.85	-	56,740	7.88	HREIT	6.45	-	1,254	6.45
CHARAN	34.00	(0.50)	32	33.22	WHA	4.04	0.04	493,231	4.04	IMPACT	17.40	-	1,824	17.37
INSURE	-	-	-	-	WIN	0.60	-	1,451	0.60	KPNPF	-	-	-	-
MTI	117.00	(0.50)	188	117.05	Paper & Printing Mat	-	-	-	-	LHHOTEL	15.50	-	240	15.42
NKI	-	-	-	-	UTP	11.70	0.20	15,718	11.74	LHPF	8.35	-	36	8.37
NSI	84.00	3.25	2	84.00	Fashion	-	-	-	-	LHSC	15.50	0.10	40	15.43
SMK	41.25	-	11	41.25	AFC	8.85	(0.20)	2	8.73	LUXF	8.20	(0.10)	307	8.20
THRE	1.18	0.01	2,092	1.18	BTNC	21.80	0.30	1	21.80	M-II	-	-	-	-
THREL	7.80	-	12,314	7.74	CPH	-	-	-	-	M-PAT	10.10	(0.10)	1	10.10
TIC	34.00	-	779	34.00	CPL	3.30	0.06	100	3.29	M-STOR	-	-	-	-
TIP	23.30	0.10	5,114	23.24	DIGI	0.42	(0.01)	6,510	0.43	MIPF	-	-	-	-
TSI	0.50	-	1,274	0.50	ICC	39.75	-	1	39.75	MIT	-	-	-	-
TVI	3.80	0.06	1,983	3.80	LTX	87.25	0.75	95	88.20	MJLF	12.50	-	151	12.40
Mining					NC	15.80	(0.20)	5	15.60	MINIT	1.70	0.07	160	1.70
PDI	18.50	(0.10)	7,763	18.72	PAF	0.88	0.01	815	0.86	MINIT2	5.35	(0.10)	70	5.35
THL	-	-	-	-	PDJ	2.90	0.04	2,008	2.91	MNRF	-	-	-	-
Packaging					PG	7.10	-	404	7.10	MONTRI	-	-	-	-
AJ	10.70	0.30	6,909	10.77	SABINA	30.50	0.50	276	30.28	POPF	13.60	-	1,318	13.68
ALUCON	190.00	-	39	189.71	SAWANG	-	-	-	-	PPF	-	-	-	-
CSC	44.75	0.25	28	44.25	SUC	43.75	0.25	32	43.73	QHHR	8.45	-	3,658	8.45
NEP	0.41	(0.01)	5,059	0.40	TNL	18.30	0.20	1	18.30	QHOP	3.64	(0.06)	5	3.65
NPP	1.23	(0.01)	42,010	1.24	TPCORP	14.80	0.10	124	14.82	QHPF	12.30	-	6,719	12.30
PTL	16.80	(0.10)	11,479	16.89	TR	49.50	1.00	180	48.92	SBPF	-	-	-	-
SITHAI	1.13	-	7,857	1.13	TTI	29.00	2.25	2	29.00	SHREIT	9.25	-	280	9.22
SLP	0.92	(0.01)	7,377	0.95	TTL	-	-	-	-	SIRIP	11.50	(0.10)	3	11.50
SMPC	12.60	-	515	12.60	TTTM	138.00	(0.50)	34	139.22	SPF	23.20	-	3,156	23.29
SPACK	-	-	-	-	UPF	70.00	-	1	70.00	SRIPANWA	11.00	(0.10)	440	11.00
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	10.40	0.40	81	10.40
TFI	0.36	0.01	382	0.36	WACOAL	-	-	-	-	SSTPF	6.50	-	21	6.50
THIP	35.50	(0.50)	5	35.50	Transportation & Log	-	-	-	-	SSTRT	6.25	(0.65)	34	6.30
TMD	21.90	-	176	21.83	AAV	4.60	0.02	239,782	4.60	TIF1	8.60	-	181	8.60
TOPP	-	-	-	-	AOT	65.75	-	348,896	66.01	TLGF	18.70	(0.30)	2,828	18.79
TPBI	8.30	-	180	8.31	ASIMAR	2.88	(0.02)	2,435	2.90	TLHPF	11.00	(0.20)	209	11.07
TPP	18.90	(1.10)	113	18.98	B	0.75	-	10,743	0.75	TNPF	3.70	0.02	50	3.70
Personal Products &					BA	12.70	0.20	75,675	12.89	TPRIME	12.00	-	1,316	11.89
APCO	4.46	(0.02)	1,360	4.47	BEM	8.30	0.20	1,391,693	8.24	TREIT	11.30	-	28,786	11.30
DDD	48.25	-	5,710	48.60	BTS	9.40	0.05	307,166	9.40	TTLPF	-	-	-	-
JCT	-	-	-	-	BTSGIF	12.00	-	42,264	12.00	TU-PF	-	-	-	-
OCC	17.70	0.50	6	17.70	III	4.84	0.02	26,741	4.88	URBNPF	3.10	0.04	186	3.10
S & J	25.50	0.50	25	25.45	JUTHA	1.79	-	86	1.80	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	7.05	0.05	12,763	7.05	WHART	10.10	0.10	152	10.01
TNR	12.90	(0.40)	923	13.07	KWC	-	-	-	-	Steel	-	-	-	-
TOG	5.05	0.05	385	5.07	NOK	2.74	0.06	1,782	2.70	AMC	2.70	0.04	2,644	2.66
Professional Service					NYT	5.25	0.10	5,737	5.22	BSBM	1.14	0.01	2,266	1.13
BWG	1.03	(0.03)	536,839	1.05	PRM	6.70	-	56,555	6.77	CEN	1.31	0.01	865	1.31
GENCO	0.80	-	2,353	0.81	PSL	12.90	0.10	34,530	13.09	CITY	2.64	0.04	980	2.61
PRO	-	-	-	-	RCL	5.70	-	16,179	5.73	CSP	1.39	(0.01)	630	1.41
TEAMG	2.42	(0.02)	204,462	2.44	THAI	14.00	(0.10)	10,446	14.11	GJS	0.32	0.01	90,873	0.32
Property Developer					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	714	6.70	TTA	7.25	0.05	25,591	7.32	INOX	1.05	(0.02)	2,638	1.06
AMATA	19.70	0.20	232,690	19.70	WICE	4.24	(0.02)	17,877	4.26	LHK	4.78	0.04	9,606	4.78
AMATAV	6.70	0.05	1,881	6.70	Automotive	-	-	-	-	MAX	0.02	(0.01)	116,847	0.02
ANAN	4.96	0.04	210,275	4.99	AH	31.00	0.25	3,237	31.20	MCS	8.10	0.30	23,560	8.06
AP	9.00	(0.05)	145,288	9.05	APCS	5.15	0.19	2,335	5.08	MILL	1.48	-	19,444	1.49
APEX	0.20	-	2,905	0.20	BAT-3K	208.00	-	21	208.00	PAP	4.24	0.06	2,030	4.20
AQ	0.03	(0.01)	189,209	0.03	CWT	3.26	-	11,149	3.29	PERM	2.46	0.08	4,768	2.44
BLAND	1.94	0.01	557,818	1.95	EASON	2.86	0.04	690	2.82	RICH	-	-	-	-
BROCK	2.46	0.06	330	2.40	GYT	-	-	-	-	SAM	0.74	0.02	6,547	0.74
CGD	1.44	(0.01)	30,655	1.45	HFT	3.22	0.12	19,904	3.25	SMIT	5.85	0.15	1,820	5.78
CI	1.58	-	538	1.58	IHL	8.25	-	820	8.28	SSI	-	-	-	-
CPN	76.25	0.75	47,917	76.47	INGRS	0.74	0.02	12,536	0.73	SSSC	2.84	0.04	548	2.82
ESTAR	0.68	0.01	66,723	0.68	IRC	20.30	-	115	20.31	TGPRO	0.18	-	70,110	0.18
EVER	0.38	(0.01)	45,930	0.38	PCSGH	7.10	-	1,961	7.10	THE	3.66	0.14	127,902	3.55
GLAND	2.64	0.06	178,604	2.62	SAT	22.70	0.30	7,257	22.60	TIW	397.00	(11.00)	144	400.44
GOLD	10.50	0.10	44,115	10.55	SPG	14.50	(0.30)	331	14.58	TMT	14.50	(0.10)	2,985	14.58
GREEN	1.29	0.01	6,464	1.29	STANLY	254.00	-	238	254.08	TSTH	0.74	(0.01)	6,793	0.75
J	1.66	-	7	1.65	TKT	1.59	(0.02)	283	1.60	TUCC	-	-	-	-
JCK	1.48	(0.01)	6,305	1.4										

Main Board Quotation

Issue Date :

Wednesday July 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UMS	-	-	-	-	ADVA11P1807A	-	-	-	-
ABICO	6.35	0.10	478	6.00	UWC	0.08	0.01	18,325	-	ADVA11P1905A	0.45	-	11,000	-
AU	9.35	0.20	17,431	9.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.07	-	21	-
FC	0.35	0.02	390,722	-	ADAM	-	-	-	-	ADVA13C1811A	0.56	-	73,912	-
JCKH	1.11	(0.01)	2,743	1.00	AKP	1.66	0.01	853	1.00	ADVA13P1809A	0.18	(0.01)	13,223	-
KASET	2.14	-	253	2.00	AMA	6.25	-	3,760	6.00	ADVA16C1812A	0.48	(0.01)	219	-
MM	4.04	(0.06)	705	4.00	ARIP	0.50	-	493	-	ADVA18C1808A	0.38	0.01	10,080	-
SUN	3.34	0.10	13,150	3.00	ATP30	1.70	0.02	12,858	1.00	ADVA19C1901A	0.58	(0.01)	30,549	-
TACC	4.10	0.02	3,425	4.00	AUCT	5.80	0.15	9,704	5.00	ADVA23C1902A	0.46	(0.54)	2	-
TMILL	3.08	0.02	1,702	3.00	BOL	1.96	0.01	4,240	1.00	ADVA24C1810A	0.39	0.01	9,600	-
XO	8.25	0.15	9,271	8.00	CHUO	-	-	-	-	ADVA24P1810A	-	-	-	-
Consumer Products	-	-	-	-	CMO	1.57	0.01	140	1.00	ADVA28C1808A	0.01	-	300	-
BGT	1.11	-	330	1.00	D	10.60	0.20	5,676	10.00	ADVA28C1811A	0.48	-	114,932	-
BIZ	2.80	0.04	902	2.00	DCORP	2.72	(0.02)	6,287	2.00	ADVA28P1810A	0.23	(0.01)	68,880	-
DOD	13.90	0.10	167,948	13.00	DNA	0.39	-	9,169	-	AMAT01C1810A	0.68	0.02	102,140	-
ECF	7.30	0.10	26,493	7.00	EFORL	0.07	-	178,635	-	AMAT01C1810B	0.44	0.01	81,420	-
HPT	1.03	(0.02)	5,504	1.00	ETE	2.08	-	5,436	2.00	AMAT01P1810A	1.22	-	31,254	1.00
JUBILE	21.30	(0.10)	523	21.00	FSMART	8.75	(0.15)	11,379	8.00	AMAT06C1809A	-	-	-	-
MOONG	5.95	0.05	1,911	6.00	FVC	1.29	(0.02)	3,961	1.00	AMAT08C1807A	-	-	-	-
NPK	-	-	-	-	HARN	2.54	-	617	2.00	AMAT08C1809A	0.07	-	8	-
OCEAN	1.69	(0.01)	16,033	1.00	JKN	11.00	(0.20)	60,033	11.00	AMAT11C1903A	0.31	-	26,331	-
TM	2.00	-	1,181	2.00	KIAT	0.46	-	28,370	-	AMAT13C1809A	0.06	-	10,612	-
Financials (MAI)	-	-	-	-	KOOL	1.66	0.02	49,377	1.00	AMAT13C1812A	0.40	0.02	336,039	-
ACAP	8.95	0.70	71,115	8.00	LDC	1.10	(0.02)	2,252	1.00	AMAT19C1811A	0.18	0.01	95,217	-
AF	0.79	(0.01)	509	-	MPG	0.20	(0.02)	20,068	-	AMAT23C1810A	0.15	0.01	17,700	-
AIRA	2.00	(0.02)	19,485	2.00	NBC	0.65	0.01	10,086	-	AMAT24C1807A	-	-	-	-
ASN	3.18	0.04	1	3.00	NCL	1.40	(0.06)	3,920	1.00	AMAT24C1811A	0.27	0.02	7,329	-
BROOK	0.55	-	6,151	-	NEWS	0.01	-	108,769	-	AMAT28C1808A	-	-	-	-
CHAYO	3.76	(0.04)	45,019	3.00	NINE	1.51	(0.01)	11	1.00	ANAN01C1807A	0.03	-	4,650	-
GCAP	4.60	(0.08)	17,315	4.00	OTO	2.72	-	948	2.00	ANAN01C1810A	1.03	0.03	114,966	1.00
LIT	8.10	-	2,876	8.00	PHOL	2.38	-	2	2.00	ANAN01C1810B	0.86	0.05	63,418	-
SGF	0.13	-	29,439	-	PICO	5.95	(0.15)	150	5.00	ANAN08C1808A	0.01	-	7,216	-
Industrials (MAI)	-	-	-	-	PORT	6.50	-	1,975	6.00	ANAN08C1810A	0.95	0.03	1,001	-
ZS	3.10	0.02	1,112	3.00	QLT	4.82	0.06	12	4.00	ANAN08C1906A	0.27	0.02	14,531	-
ADB	1.21	0.02	12,146	1.00	RP	3.04	0.02	14	3.00	ANAN13C1901A	0.22	0.02	67,140	-
BM	3.58	0.04	27,539	3.00	SE	2.02	-	373	2.00	ANAN19C1811A	0.58	0.01	13,922	-
CHO	1.17	(0.02)	16,287	1.00	SPA	15.50	0.70	27,660	15.00	ANAN23C1901A	0.33	0.02	15,950	-
CHOW	4.96	-	232	4.00	THMUI	1.35	-	2,498	1.00	ANAN24C1807A	-	-	-	-
CIG	0.39	-	2,511	-	TNDT	4.94	-	144	4.00	ANAN24C1811A	0.83	0.04	36,001	-
COLOR	1.12	-	600	1.00	TNH	40.00	1.00	211	39.00	ANAN28C1809A	0.55	0.03	29,322	-
CPR	5.75	0.55	102,000	5.00	TNP	2.10	0.02	2,827	2.00	AOT01C1808A	0.25	-	533,106	-
FPI	2.74	-	1,975	2.00	TSF	0.05	-	16,895	-	AOT01C1808B	0.01	-	2,091	-
GTB	0.74	(0.01)	1,601	-	TVD	1.41	0.01	3,981	1.00	AOT01C1810A	0.33	0.01	231,019	-
KCM	1.19	-	4,435	1.00	TVT	1.01	(0.01)	11,455	1.00	AOT01C1902A	0.61	0.02	150,048	-
LVT	-	-	-	-	WINNER	3.34	-	565	3.00	AOT01C1902B	0.47	0.02	146,931	-
MBAX	3.92	0.02	507	3.00	Technology (MAI)	-	-	-	-	AOT01P1808A	0.83	(0.01)	60,958	-
MGT	2.24	0.02	23,866	2.00	COMAN	3.36	0.04	153	3.00	AOT01P1808B	0.15	(0.02)	287,847	-
NDR	2.22	(0.02)	389	2.00	ICN	2.42	(0.02)	11,884	2.00	AOT01P1902A	0.87	(0.02)	52,164	-
PDG	3.58	-	756	3.00	IRCP	1.22	(0.01)	1,252	1.00	AOT01P1902B	0.62	(0.02)	91,057	-
PIMO	3.02	0.06	36,647	3.00	ITEL	2.94	0.02	3,462	2.00	AOT06C1809A	0.06	0.01	2,378	-
PJW	1.69	0.02	548	1.00	NETBAY	35.50	(1.00)	3,239	36.00	AOT08C1807A	-	-	-	-
PPM	2.22	(0.02)	2,098	2.00	PLANET	1.51	(0.08)	120	1.00	AOT08C1901A	0.38	-	69,251	-
RWI	1.62	0.01	133	1.00	SIMAT	2.42	-	6,882	2.00	AOT11C1808A	0.45	0.02	26,810	-
SALEE	1.10	0.02	2,110	1.00	SKY	14.50	0.20	3,023	14.00	AOT11P1808A	0.03	(0.01)	3,392	-
SANKO	1.24	(0.01)	1,359	1.00	SPVI	1.38	0.04	19,430	1.00	AOT13C1809A	0.04	0.01	25,392	-
SELIC	1.83	0.02	1,443	1.00	UPA	0.42	(0.02)	52,726	-	AOT13C1811A	0.24	0.01	117,657	-
SWC	22.80	-	261	22.00	VCCOM	3.12	-	1,871	3.00	AOT13C1812A	0.40	-	211,081	-
TMC	0.89	0.02	786	-	Unit Trust	-	-	-	-	AOT13P1810A	0.40	0.01	105,111	-
TMI	0.80	0.01	426	-	MGE	-	-	-	-	AOT13P1812A	0.21	(0.01)	19,063	-
TMW	65.00	(0.25)	121	65.00	SCBSET	-	-	-	-	AOT19C1809A	0.14	-	33,412	-
TPAC	11.80	(0.20)	932	11.00	ETF	-	-	-	-	AOT19C1901A	0.52	(0.48)	16,833	-
UAC	4.76	(0.02)	369	4.00	1DIV	12.68	(0.01)	34	12.00	AOT23C1807A	0.18	0.03	30	-
UBIS	4.86	0.10	1,152	4.00	ABFTH	-	-	-	-	AOT23P1807A	-	-	-	-
UEC	1.24	(0.01)	5,052	1.00	BMSCG	9.07	0.06	162	9.00	AOT24C1807A	-	-	-	-
UKEM	0.89	0.06	223,303	-	BMSCITH	12.67	(0.44)	17,339	12.00	AOT24C1811A	0.14	0.01	15,000	-
UREKA	0.53	-	2,005	-	BSET100	10.82	0.11	4,907	10.00	AOT24C1901A	0.40	0.02	7,806	-
YUASA	16.50	(0.10)	54	16.00	CHINA	5.63	-	77	5.00	AOT24P1809A	0.06	(0.01)	4,980	-
ZIGA	3.34	0.06	135,590	3.00	EBANK	5.67	-	21	5.00	AOT28C1809A	0.07	-	3,001	-
Property & Construc	-	-	-	-	ECOMM	-	-	-	-	AOT28C1812A	0.35	0.01	436,556	-
ARROW	9.05	-	657	9.00	EFOOD	5.68	0.28	1	5.00	AP01C1809A	0.49	0.01	94,341	-
BKD	3.28	-	2,052	3.00	EICT	4.70	0.02	2	4.00	AP01C1809B	0.17	-	37,660	-
BSM	0.68	(0.01)	7,607	-	ENGY	6.31	0.01	11	6.00	AP08C1810A	0.38	(0.02)	27,817	-
BTW	1.54	-	455	1.00	ENY	-	-	-	-	AP23C1901A	0.18	-	5,060	-
CHEWA	1.06	0.01	21,429	1.00	ESET50	5.78	0.02	10	5.00	AP24C1901A	0.29	0.07	7,522	-
CRD	1.12	-	2,562	1.00	GLD	1.75	-	855	1.00	AP42C1901A	0.32	0.01	22,518	-
DIMET	1.05	-	112,184	1.00	TDEX	10.99	0.13	2,490	10.00	AP42P1901A	0.38	-	14,330	-
FLOYD	2.32	(0.04)	6,617	2.00	TGOLDEF	3.83	(0.01)	130	3.00	BA11C1902A	0.08	0.02	12,270	-
FOCUS	0.89	-	141	-	TH100	-	-	-	-	BA19C1811A	0.05	-	26,510	-
HYDRO	1.41	(0.03)	17,332	1.00	Warrant Foreign	-	-	-	-	BA24C1810A	0.14	0.01	54,143	-
JSP	0.69	0.02	84,502	-	AAV01C1808A	0.03	-	75,030	-	BA24C1901A	0.06	0.01	5,050	-
K	3.00	-	625	3.00	AAV01C1808B	-	-	-	-	BA28C1809A	0.04	-	5,000	-
META	2.38	0.12	172,158	2.00	AAV01P1808A	0.58	(0.01)	13,873	-	B				

Main Board Quotation

Issue Date :

Wednesday July 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP24P1808A	-	-	-	-	BEC13C1811A	0.22	0.05	50,317	-	BTS28C1809A	0.21	0.01	48,568	-
BANP24P1901A	-	-	-	-	BEC13C1901A	0.46	0.07	103,300	-	BTS28C1811A	-	-	-	-
BANP27C1809A	0.18	-	3,656	-	BEC19C1809A	-	-	-	-	BTS42C1901A	0.24	-	6,016	-
BANP28C1809A	0.01	-	10,000	-	BEC23C1807A	-	-	-	-	BTS42P1901A	0.32	(0.01)	4,016	-
BANP28C1810A	0.32	0.02	109,945	-	BEC23C1809A	-	-	-	-	CBG01C1809A	0.01	-	150	-
BBL06C1902A	0.84	(0.05)	6,069	-	BEC24C1809A	-	-	-	-	CBG01C1811A	0.43	0.06	217,213	-
BBL08C1808A	0.05	-	500	-	BEC24C1812A	0.19	0.05	6,879	-	CBG01C1811B	0.21	0.05	82,190	-
BBL08C1809A	0.11	(0.01)	40,557	-	BEC28C1808A	-	-	-	-	CBG01P1811A	1.05	(0.11)	53,431	1.00
BBL08P1810A	0.14	-	89,208	-	BEC28C1809A	-	-	-	-	CBG01P1811B	0.64	(0.11)	95,491	-
BBL11C1903A	0.58	(0.02)	29,751	-	BEC28C1811A	0.37	0.06	247,464	-	CBG06C1807A	0.17	0.08	76,183	-
BBL11P1903A	0.40	(0.01)	50,853	-	BEM01C1808A	0.41	0.03	82,789	-	CBG06C1809A	0.04	-	2,000	-
BBL13C1810A	0.50	(0.03)	48,044	-	BEM01C1808B	0.07	0.01	2,900	-	CBG06C1903A	0.70	(0.30)	1,030	-
BBL19C1901A	0.31	(0.03)	16,671	-	BEM01P1808A	0.13	(0.02)	13,056	-	CBG06P1809A	1.24	(0.21)	9,696	1.00
BBL23C1811A	0.30	0.01	17,100	-	BEM08C1809A	0.23	0.03	88,181	-	CBG07C1812A	0.37	0.05	10,054	-
BBL24C1809A	-	-	-	-	BEM11C1903A	0.26	0.01	46,560	-	CBG08C1808A	-	-	-	-
BBL24C1812A	0.75	(0.01)	3	-	BEM13C1809A	0.25	0.04	200,923	-	CBG08C1810A	0.03	-	9,955	-
BBL24P1810A	0.13	0.01	150	-	BEM19C1901A	0.38	0.04	41,088	-	CBG11C1902A	0.13	0.02	25,029	-
BBL27C1809A	0.14	(0.01)	12,974	-	BEM23C1901A	0.22	0.03	41,924	-	CBG13C1808A	-	-	-	-
BBL28C1808A	-	-	-	-	BEM24C1809A	0.25	0.07	100	-	CBG13C1809A	-	-	-	-
BBL28C1811A	0.55	(0.05)	79,221	-	BEM28C1808A	0.16	0.05	115,767	-	CBG13C1811A	0.15	0.03	49,957	-
BCH01C1808A	0.40	0.06	132,574	-	BGR10C1901A	0.88	(0.01)	34,067	-	CBG13C1812A	0.28	0.05	131,140	-
BCH01C1808B	0.09	0.03	14,032	-	BGR10C1901B	0.75	(0.01)	31,562	-	CBG18C1808A	-	-	-	-
BCH01P1808A	0.23	(0.06)	25,706	-	BGR108C1902A	0.64	(0.01)	113,184	-	CBG19C1810A	0.06	0.02	1,600	-
BCH06C1811A	0.19	0.03	400	-	BGR113C1812A	0.62	(0.01)	50,761	-	CBG19C1901A	0.53	(0.47)	17,257	-
BCH08C1901A	0.31	0.02	17,919	-	BGR113C1812B	0.19	-	30,533	-	CBG23C1901A	0.13	0.02	35,100	-
BCH11C1807A	-	-	-	-	BGR19C1901A	0.51	(0.02)	24,574	-	CBG24C1807A	-	-	-	-
BCH11C1905A	0.30	0.04	25,024	-	BGR124C1901A	0.57	(0.01)	6,548	-	CBG24C1809A	-	-	-	-
BCH13C1810A	0.12	0.03	24,958	-	BGR128C1812A	0.60	(0.01)	165,287	-	CBG24C1811A	0.21	0.06	440	-
BCH19C1809A	0.12	0.03	10,382	-	BH01C1811A	0.69	0.11	84,583	-	CBG28C1808A	-	-	-	-
BCH23C1811A	0.27	0.05	12,150	-	BH01C1811B	0.25	0.05	45,599	-	CBG28C1808B	-	-	-	-
BCH24C1811A	0.12	0.04	2,175	-	BH01P1811A	1.33	(0.14)	57,970	1.00	CBG28C1811A	0.14	0.04	101,517	-
BCH28C1811A	0.22	0.04	261,608	-	BH07C1810A	0.02	-	8,323	-	CENTO1C1810A	0.26	(0.01)	80,463	-
BCP01C1810A	0.22	-	6,936	-	BH08C1811A	0.05	0.01	12,720	-	CENTO1C1810B	0.10	(0.01)	35,194	-
BCP01C1810B	0.10	-	3,180	-	BH11C1902A	0.06	0.01	14,059	-	CENTO1P1810A	1.01	0.02	23,731	1.00
BCP01P1810A	0.44	-	10,247	-	BH11C1905A	0.73	0.09	25,561	-	CENT08C1809A	0.02	-	5,500	-
BCP08C1901A	0.27	(0.01)	17,374	-	BH19C1901A	0.71	0.12	55,494	-	CENT11C1904A	0.24	(0.01)	51,500	-
BCP11C1811A	-	-	-	-	BH24C1809A	0.06	0.02	250	-	CENT13C1811A	0.07	-	2,400	-
BCP13C1810A	-	-	-	-	BH24C1811A	-	-	-	-	CENT23C1902A	0.24	(0.76)	14,002	-
BCP24C1808A	-	-	-	-	BH24C1902A	0.63	0.08	29,334	-	CENT24C1807A	-	-	-	-
BCP24C1811A	-	-	-	-	BIG08C1807A	0.01	-	200	-	CENT24C1810A	-	-	-	-
BCP28C1809A	-	-	-	-	BIG08C1906A	0.28	0.01	3,032	-	CENT24C1901A	0.29	-	20,250	-
BCP28C1809B	-	-	-	-	BIG13C1808A	0.01	-	1	-	CENT28C1808A	-	-	-	-
BCPG01C1811A	0.35	-	32,531	-	BIG13C1901A	0.19	-	12,425	-	CHG01C1809A	0.36	0.03	63,226	-
BCPG01C1811B	0.16	-	12,490	-	BIG19C1811A	0.12	-	400	-	CHG01C1809B	0.42	0.05	38,240	-
BCPG06C1807A	-	-	-	-	BIG24C1808A	-	-	-	-	CHG01P1809A	0.19	(0.03)	13,308	-
BCPG06C1811A	-	-	-	-	BIG24C1812A	-	-	-	-	CHG08C1807A	-	-	-	-
BCPG08C1810A	0.19	-	50,364	-	BJC01C1807A	0.16	0.04	25,696	-	CHG11C1807A	-	-	-	-
BCPG11C1807A	0.45	(0.02)	7,913	-	BJC01C1807B	0.01	-	5,905	-	CHG11C1904A	0.21	0.01	24,610	-
BCPG11C1902A	0.14	-	15,812	-	BJC01C1812A	0.65	0.05	73,400	-	CHG13C1809A	0.55	0.08	27,676	-
BCPG13C1810A	0.14	-	46,697	-	BJC01C1812B	0.52	0.05	29,256	-	CHG13C1812A	0.19	0.01	109,467	-
BCPG13C1812A	0.40	-	77,642	-	BJC01P1807A	0.72	(0.07)	31,048	-	CHG23C1811A	0.77	0.09	1,000	-
BCPG23C1902A	0.33	(0.67)	2	-	BJC01P1812A	0.46	(0.04)	32,558	-	CHG24C1808A	-	-	-	-
BCPG24C1807A	-	-	-	-	BJC06C1807A	-	-	-	-	CHG24C1811A	0.14	0.05	1,000	-
BCPG24C1810A	0.17	0.01	1,290	-	BJC06C1901A	0.27	-	2,006	-	CHG28C1808A	-	-	-	-
BCPG28C1808A	-	-	-	-	BJC07C1809A	0.02	-	16	-	CHG28C1812A	0.21	0.02	159,922	-
BCPG28C1809A	0.12	-	71,680	-	BJC08C1807A	-	-	-	-	CK01C1809A	0.24	(0.01)	48,218	-
BCPG28C1812A	0.39	-	86,070	-	BJC08C1809A	0.07	-	58	-	CK01C1809B	0.33	(0.04)	23,419	-
BDMS01C1811A	0.29	0.03	118,563	-	BJC11C1807A	0.17	0.01	4,580	-	CK01P1809A	0.21	-	7,131	-
BDMS01C1811B	0.17	0.03	198,623	-	BJC11C1905A	0.50	0.03	19,420	-	CK08C1809A	0.29	0.05	1	-
BDMS01P1811A	0.24	(0.03)	33,465	-	BJC13C1808A	0.02	-	8	-	CK08C1901A	0.20	-	27,606	-
BDMS06C1811A	0.85	0.12	600	-	BJC13C1810A	0.17	0.02	17,864	-	CK11C1904A	0.22	0.01	100	-
BDMS08C1807A	-	-	-	-	BJC13C1812A	0.47	0.03	113,728	-	CK13C1809A	0.12	-	27,998	-
BDMS08C1901A	0.23	0.03	46,320	-	BJC19C1809A	0.17	0.02	17,766	-	CK16C1812A	-	-	-	-
BDMS11C1811A	1.15	0.21	5,510	1.00	BJC23C1901A	0.27	0.01	2,000	-	CK19C1811A	0.16	-	9,398	-
BDMS11C1904A	0.16	0.01	9,346	-	BJC24C1808A	-	-	-	-	CK23C1808A	-	-	-	-
BDMS13C1807A	-	-	-	-	BJC24C1901A	0.48	0.04	200	-	CK24C1808A	-	-	-	-
BDMS13C1810A	0.64	0.06	15	-	BJC27C1807A	-	-	-	-	CK24C1901A	-	-	-	-
BDMS13C1812A	0.19	0.02	108,961	-	BJC28C1808A	-	-	-	-	CK28C1809A	0.42	-	20,284	-
BDMS16C1812A	-	-	-	-	BJC28C1812A	0.45	0.03	202,909	-	CK28C1812A	0.11	-	10,729	-
BDMS19C1901A	0.36	0.02	25,958	-	BLA01C1812A	0.21	-	13,151	-	CKP01C1812A	0.46	-	36,583	-
BDMS23C1810A	0.72	0.15	3,000	-	BLA08C1811A	0.05	-	690	-	CKP01C1812B	0.33	(0.01)	36,249	-
BDMS24C1811A	0.49	0.06	35,040	-	BLA13C1809A	-	-	-	-	CKP11C1807A	0.41	(0.02)	14,000	-
BDMS24C1812A	-	-	-	-	BLA28C1810A	-	-	-	-	CKP13C1810A	0.28	-	48,788	-
BDMS28C1811A	0.13	0.02	187,055	-	BLAN01C1809A	0.59	0.01	15,128	-	CKP23C1810A	0.31	(0.01)	1,050	-
BEAU01C1807A	0.01	-	34,256	-	BLAN01C1809B	0.12	-	20,184	-	CKP24C1811A	0.32	(0.01)	1,377	-
BEAU01C1807B	0.01	-	6,899	-	BLAN01P1809A	0.09	(0.01)	4,500	-	CKP28C1809A	0.06	(0.01)	7,540	-
BEAU01C1812A	0.07	-	162,008	-	BLAN08C1810A	0.23	0.01	13,104	-	CKP28C1809B	0.33	(0.01)	23,384	-
BEAU01C1812B	0.03	-	18,570	-	BLAN11C1902A	0.25	(0.01)	9,027	-	COM701C1811A	0.51	(0.02)	58,651	-
BEAU01P1807A	-	-	-	-	BLAN23C1807A	-	-	-	-	COM701C1811B	0.30	(0.01)	36,336	-
BEAU01P1812A	2.00	(0.04)	23,719	2.00	BPP01C1811A	0.19	(0.01)	11,942	-	COM706C1809A	0.22	0.04	11	-
BEAU06C1809A	-	-	-	-	BPP01C1811B	-	-	-	-	COM708C1811A	0.13	(0.01)	56,684	-
BEAU07C1809A	-	-	-	-	BPP01P1811A	0.67	0.01	5,270	-	COM711C1811A	0.36	(0.02)	33,124	-
BEAU08C1808A	-	-	-	-	BPP06C1809A	0.28	-	2,432	-	COM713C1809A	0.05	(0.01)	6,045	-
BEAU08C1901A	0.02	(0.01)	9,182	-	BPP08C1807A	-	-	-	-	COM713C1812A	0.31	(0.02)	84,200	-
BEAU11C1902A	0.04	-	10,002	-	BPP08C1810A	0.17	(0.01)	24,938	-	COM719C1811A	0.25	(0.01)	43,104	-
BEAU13C1811A	0.02	0.01	12,285	-	BPP11C1807A	-	-	-	-	COM723C1901A	0.28	(0.02)	3,893	-
BEAU13C1812A	0.03	0.01	16,654	-	BPP13C1808A	0.19	(0.01)	12,766	-	COM724C1811A	0.21	0.02	5,328	-
BEAU13C1812B	0.36	0.01	916,281	-	BPP13C1811A	-	-	-</						

Main Board Quotation

Issue Date :

Wednesday July 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL19C1811A	0.30	0.04	60,031	-	EPG01C1809A	0.22	0.02	14,030	-	INTU11C1807A	-	-	-	-
CPAL23C1810A	0.12	0.02	61,645	-	EPG01P1809A	0.55	(0.03)	14,603	-	INTU11C1905A	0.33	0.01	703	-
CPAL24C1808A	0.02	0.01	2,565	-	EPG07C1811A	-	-	-	-	INTU11P1807A	0.07	(0.03)	7,392	-
CPAL24C1811A	0.07	0.01	5	-	EPG08C1810A	-	-	-	-	INTU11P1905A	0.48	(0.01)	10,032	-
CPAL24C1901A	0.53	0.07	26,559	-	EPG08C1810B	0.61	0.01	20,296	-	INTU13C1810A	0.16	-	47,482	-
CPAL24P1901A	0.33	(0.04)	5,107	-	EPG11C1903A	0.50	-	10,192	-	INTU13C1812A	0.39	-	76,580	-
CPAL28C1809A	0.03	-	2,502	-	EPG13C1808A	-	-	-	-	INTU19C1901A	0.35	0.02	16,453	-
CPAL28C1811A	0.23	0.02	88,725	-	EPG13C1811A	0.39	0.02	17,213	-	INTU24C1807A	-	-	-	-
CPF01C1809A	1.05	0.11	45,260	1.00	EPG23C1808A	-	-	-	-	INTU24C1901A	-	-	-	-
CPF01C1809B	0.19	0.04	95,152	-	EPG24C1807A	-	-	-	-	INTU28C1809A	0.11	0.01	110,228	-
CPF01C1810A	0.30	0.04	97,534	-	EPG24C1808A	-	-	-	-	IRPC01C1808A	0.11	-	113,574	-
CPF01P1809A	0.18	(0.04)	33,523	-	EPG24C1810A	0.60	0.01	40	-	IRPC01C1810A	0.14	-	164,674	-
CPF06C1809A	-	-	-	-	EPG28C1808A	0.02	-	2,500	-	IRPC01C1810B	0.02	-	2,219	-
CPF07C1810A	0.10	0.02	80	-	ESS001C1807A	0.01	-	21,310	-	IRPC01C1808A	0.48	(0.01)	48,562	-
CPF08C1809A	0.51	0.10	13,460	-	ESS001C1807B	0.01	-	4,820	-	IRPC01P1810A	0.40	(0.02)	53,851	-
CPF08C1901A	0.24	0.04	56,355	-	ESS001C1812A	0.44	(0.01)	153,767	-	IRPC01P1810B	0.20	(0.01)	99,629	-
CPF11C1902A	0.13	-	33,781	-	ESS001C1812B	0.29	(0.02)	36,095	-	IRPC06C1811A	0.20	0.01	21,400	-
CPF11P1902A	0.23	(0.01)	9,992	-	ESS001P1807A	1.24	-	12,274	1.00	IRPC07C1812A	-	-	-	-
CPF13C1809A	0.61	0.06	30,826	-	ESS001P1812A	0.71	-	111,881	-	IRPC08C1808A	0.01	-	1,456	-
CPF13C1810A	0.16	0.02	50,380	-	ESS008C1807A	-	-	-	-	IRPC11C1902A	0.06	-	231	-
CPF19C1901A	0.29	0.04	26,347	-	ESS011C1905A	0.59	-	29,902	-	IRPC11C1905A	0.36	0.03	43,817	-
CPF23C1810A	0.55	0.04	2,000	-	ESS013C1811A	0.20	(0.01)	20,906	-	IRPC13C1808A	-	-	-	-
CPF24C1809A	0.36	0.06	1,040	-	ESS023C1809A	0.03	-	985	-	IRPC13C1811A	0.13	0.01	256,173	-
CPF24C1901A	-	-	-	-	ESS024C1812A	0.17	(0.01)	4,400	-	IRPC13C1812A	0.26	0.01	306,429	-
CPF28C1808A	-	-	-	-	ESS028C1811A	0.19	(0.01)	211,208	-	IRPC19C1901A	0.31	0.02	48,819	-
CPF28C1811A	0.17	0.01	143,139	-	GFFT01C1807A	0.20	0.03	32,357	-	IRPC23C1810A	0.04	-	60	-
CPN01C1808A	0.28	0.03	35,191	-	GFFT08C1807A	-	-	-	-	IRPC24C1808A	0.22	(0.01)	28,850	-
CPN01C1808B	0.02	-	100	-	GFFT08C1906A	0.48	0.06	102,168	-	IRPC24C1809A	0.01	(0.02)	2,500	-
CPN06C1811A	0.49	0.05	5,817	-	GFFT19C1811A	0.47	0.08	24,339	-	IRPC24C1812A	0.14	-	6,892	-
CPN08C1809A	0.04	-	59	-	GFFT24C1812A	0.37	-	4,722	-	IRPC27C1809A	-	-	-	-
CPN11C1903A	0.30	0.02	9,930	-	GGC01C1810A	0.13	0.02	91,240	-	IRPC28C1811A	0.09	-	16,650	-
CPN11P1903A	0.51	(0.03)	15,148	-	GGC01C1810B	0.05	0.01	16,563	-	IRPC28C1812A	0.28	0.01	413,084	-
CPN13C1807A	-	-	-	-	GGC08C1906A	0.15	0.02	101,440	-	ITD01C1808A	-	-	-	-
CPN13C1812A	0.34	0.03	75,617	-	GGC13C1811A	0.03	-	1,500	-	ITD01C1808B	-	-	-	-
CPN19C1901A	0.52	0.04	25,332	-	GGC19C1811A	0.03	-	800	-	ITD01P1808A	1.18	0.01	516	1.00
CPN23C1810A	0.21	0.01	8,000	-	GGC23C1901A	0.06	0.01	24,484	-	ITD08C1810A	-	-	-	-
CPN24C1901A	0.34	0.02	1,101	-	GGC24C1812A	-	-	-	-	ITD11C1903A	0.17	-	60	-
CPN28C1810A	0.19	0.02	103,762	-	GGC28C1811A	-	-	-	-	ITD13C1809A	-	-	-	-
DELTO6C1903A	-	-	-	-	GLOB01C1809A	0.49	-	13,938	-	ITD13C1812A	0.20	(0.01)	50	-
DELTO8C1811A	0.15	(0.01)	31,018	-	GLOB01C1809B	0.23	-	25,679	-	ITD19C1811A	-	-	-	-
DELTI3C1809A	0.07	(0.01)	45,358	-	GLOB06C1809A	0.27	(0.01)	7,320	-	ITD23C1808A	-	-	-	-
DELTI24C1901A	0.77	(0.03)	3,812	-	GLOB08C1807A	-	-	-	-	ITD24C1807A	-	-	-	-
DELTI27C1812A	-	-	-	-	GLOB11C1808A	0.21	-	5,400	-	ITD24C1810A	-	-	-	-
DTAC01C1808A	0.12	0.01	81,996	-	GLOB13C1807A	-	-	-	-	ITD28C1808A	-	-	-	-
DTAC01C1808B	0.01	-	1,000	-	GLOB23C1811A	0.47	(0.03)	1,000	-	ITD28C1808B	-	-	-	-
DTAC01C1810A	0.33	0.03	93,236	-	GLOB24C1810A	0.21	-	350	-	IVL01C1808A	0.44	0.01	146,951	-
DTAC01C1810B	0.08	0.01	23,156	-	GLOB27C1809A	0.09	(0.01)	22,316	-	IVL01C1808B	0.10	0.01	84,945	-
DTAC01C1902A	0.72	0.05	81,924	-	GLOB28C1808A	-	-	-	-	IVL01C1812A	0.59	0.01	180,290	-
DTAC01C1902B	0.59	0.04	98,734	-	GLOW08C1811A	0.70	-	7,705	-	IVL01C1812B	0.41	0.01	109,552	-
DTAC01P1808A	0.84	(0.08)	72,278	-	GLOW11C1807A	0.80	-	3,030	-	IVL01P1808A	0.58	(0.03)	75,034	-
DTAC01P1810A	1.23	(0.07)	45,286	1.00	GLOW19C1901A	0.72	-	4,500	-	IVL01P1808B	0.11	(0.02)	89,231	-
DTAC01P1810B	0.79	(0.08)	36,113	-	GLOW27C1812A	0.40	-	7,782	-	IVL01P1812A	0.79	(0.03)	118,324	-
DTAC01P1902A	0.97	(0.04)	45,003	-	GPSC01C1808A	0.24	(0.01)	27,226	-	IVL01P1812B	0.60	(0.01)	100,403	-
DTAC01P1902B	0.78	(0.04)	35,988	-	GPSC01C1808B	-	-	-	-	IVL06C1807A	0.02	(0.02)	6,000	-
DTAC06C1901A	-	-	-	-	GPSC01P1808A	1.19	0.03	31,796	1.00	IVL06C1901A	0.45	0.01	40,290	-
DTAC06P1809A	0.41	(0.07)	37,303	-	GPSC06C1811A	0.24	(0.04)	200	-	IVL07C1811A	-	-	-	-
DTAC07C1809A	-	-	-	-	GPSC08C1808A	0.01	(0.01)	2,378	-	IVL08C1901A	0.59	0.01	136,688	-
DTAC08C1809A	0.05	0.01	508	-	GPSC11C1808A	0.76	-	4,785	-	IVL08P1809A	-	-	-	-
DTAC08P1807A	0.03	(0.08)	47,240	-	GPSC11C1902A	0.27	-	5,010	-	IVL11C1808A	0.91	0.02	42,010	-
DTAC11C1904A	0.28	0.02	13,471	-	GPSC13C1808A	-	-	-	-	IVL11P1808A	-	-	-	-
DTAC13C1811A	0.11	0.02	24,548	-	GPSC13C1812A	0.47	(0.01)	24,279	-	IVL13C1809A	0.25	-	99,317	-
DTAC13C1812A	0.40	0.04	146,370	-	GPSC19C1901A	0.54	(0.01)	10,028	-	IVL13C1810A	0.27	0.01	129,083	-
DTAC13P1811A	0.74	(0.23)	31	-	GPSC24C1807A	-	-	-	-	IVL13C1812A	0.54	0.02	134,289	-
DTAC13P1812A	0.23	(0.03)	24,619	-	GPSC24C1808A	-	-	-	-	IVL13P1809A	0.02	-	1	-
DTAC19C1811A	0.23	0.02	18,584	-	GPSC24C1812A	0.34	(0.01)	24,200	-	IVL13P1811A	0.33	-	27,644	-
DTAC23C1807A	-	-	-	-	GPSC28C1811A	-	-	-	-	IVL19C1809A	0.52	0.01	81,199	-
DTAC23P1807A	-	-	-	-	GUNK01C1808A	0.02	-	22,850	-	IVL23C1810A	0.55	-	2,800	-
DTAC24C1809A	0.07	0.02	750	-	GUNK01C1808B	0.01	-	17,900	-	IVL24C1808A	0.13	0.03	3,629	-
DTAC27C1809A	-	-	-	-	GUNK08C1807A	-	-	-	-	IVL24C1812A	0.26	(0.02)	6,785	-
DTAC27P1809A	0.16	(0.03)	21,596	-	GUNK11C1903A	0.17	-	22,421	-	IVL24C1901A	0.59	(0.06)	4,260	-
DTAC28C1810A	-	-	-	-	GUNK24C1807A	-	-	-	-	IVL28C1808A	0.01	(0.02)	499	-
DTAC28C1812A	0.45	0.04	266,256	-	GUNK24C1812A	0.26	0.01	562	-	IVL28C1811A	0.31	0.01	340,011	-
EA01C1809A	0.63	(0.05)	123,634	-	GUNK28C1808A	-	-	-	-	IVL28C1812A	0.57	-	425,038	-
EA01C1809B	0.32	(0.03)	93,109	-	GUNK28C1810A	0.29	0.01	40,218	-	IVL28P1811A	0.37	(0.01)	111,286	-
EA01P1809A	0.86	0.03	107,563	-	HANA01C1811A	0.43	-	23,617	-	KBAN01C1808A	0.22	0.02	140,395	-
EA06C1809A	-	-	-	-	HANA01C1811B	0.28	0.02	31,225	-	KBAN01C1808B	0.01	-	1,803	-
EA07C1810A	0.04	(0.01)	2,000	-	HANA08C1809A	0.12	(0.01)	25,562	-	KBAN01C1810A	1.24	0.05	23,993	1.00
EA08C1807A	0.01	-	4,000	-	HANA11C1904A	0.25	-	9,784	-	KBAN01C1901A	1.35	0.05	29,091	1.00
EA08C1809A	-	-	-	-	HANA13C1809A	0.14	(0.01)	53,232	-	KBAN01C1901B	0.81	0.04	34,938	-
EA08C1810A	0.17	(0.02)	84,422	-	HANA23C1811A	0.42	-	1,000	-	KBAN01P1808A	0.74	(0.05)	21,607	-
EA11C1902A	0.09	(0.01)	25,369	-	HANA24C1808A	-	-	-	-	KBAN01P1808B	0.15	(0.03)	122,861	-
EA13C1808A	-	-	-	-	HANA24C1810A	-	-	-	-	KBAN01P1810A	0.21	0.01	41,217	-
EA13C1808B	0.02	-	24	-	HANA28C1808A	0.03	-	100	-	KBAN01P1901A	0.95	(0.05)	24,337	-
EA13C1809A	-	-	-	-	HANA28C1812A	0.34	(0.01)	6,084	-	KBAN01P1901B	0.45	(0.03)	44,726	-
EA13C1810A	0.03	-	6,102	-	HMPR01C1808A	0.33	0.03	151,327	-	KBAN06C1811A	0.79	0.07	6,398	-
EA13C1811A	0.11	(0.02)	35,915	-	HMPR01C1808B	0.08	0.02	4,599	-	KBAN07C1811A	-	-	-	-
EA13C1812A	0.18	(0.02)	414,763	-	HMPR01P1808A	0.24	(0.05)	60,978	-	KBAN08C1811A	0.74	0.08	42,060	-

Main Board Quotation

Issue Date :

Wednesday July 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE08C1809A	0.62	0.03	14,042	-	MEGA24C1812A	0.24	0.01	1,000	-	PTT01P1810B	0.43	(0.06)	159,920	-
KCE11C1808A	-	-	-	-	MEGA27C1807A	-	-	-	-	PTT01P1901A	0.57	(0.02)	46,674	-
KCE11C1904A	0.39	0.02	11,631	-	MEGA28C1808A	-	-	-	-	PTT01P1901B	0.39	(0.04)	79,233	-
KCE13C1808A	0.33	0.01	1,891	-	MINT01C1808A	0.03	0.01	101,441	-	PTT06C1811A	0.11	0.01	5,839	-
KCE13C1811A	0.54	0.01	4,375	-	MINT01C1808B	-	-	-	-	PTT06C1901A	0.42	0.03	30,066	-
KCE13C1812A	0.32	0.01	64,451	-	MINT01C1901A	0.42	0.06	286,846	-	PTT06P1901A	0.45	(0.03)	15,027	-
KCE19C1901A	0.40	-	8,820	-	MINT01C1901B	0.29	0.05	399,415	-	PTT07C1811A	0.20	0.08	30	-
KCE23C1807A	-	-	-	-	MINT01P1808A	0.68	(0.10)	64,251	-	PTT08C1807A	0.02	(0.01)	900	-
KCE23C1901A	0.28	0.03	5,101	-	MINT01P1901A	0.37	(0.05)	72,255	-	PTT08C1809A	0.04	0.01	10,120	-
KCE24C1808A	0.23	0.01	1,503	-	MINT06C1809A	0.05	0.03	20,233	-	PTT08P1809A	0.33	(0.06)	28,554	-
KCE24C1901A	0.37	0.01	9,750	-	MINT06C1901A	0.27	0.07	71,938	-	PTT11C1902A	0.19	0.01	62,389	-
KCE28C1808A	0.11	-	1,166	-	MINT07C1810A	0.03	0.01	500	-	PTT13C1807A	0.03	(0.02)	9,900	-
KCE28C1811A	0.48	-	23,499	-	MINT08C1809A	0.02	-	10,000	-	PTT13C1808A	0.01	-	100	-
KKP01C1808A	0.24	0.03	92,650	-	MINT11C1902A	0.12	0.03	38,972	-	PTT13C1810A	0.09	0.01	10,515	-
KKP01C1808B	0.01	(0.01)	15,500	-	MINT11P1902A	0.27	(0.04)	54,515	-	PTT13C1811A	0.28	0.03	141,320	-
KKP08C1811A	0.39	0.04	59,395	-	MINT13C1810A	0.10	0.03	47,444	-	PTT13C1812A	0.42	0.04	213,490	-
KKP11C1903A	0.32	0.02	14,895	-	MINT13C1812A	0.35	0.05	438,891	-	PTT13P1807A	-	-	-	-
KKP13C1807A	-	-	-	-	MINT19C1901A	0.35	0.04	55,645	-	PTT13P1808A	-	-	-	-
KKP13C1811A	0.33	0.04	65,224	-	MINT23C1810A	0.05	0.01	1	-	PTT13P1812A	0.31	(0.03)	154,597	-
KKP19C1901A	0.52	0.03	25,272	-	MINT24C1807A	-	-	-	-	PTT19C1809A	0.10	0.01	22,910	-
KKP23C1807A	-	-	-	-	MINT24C1812A	0.07	0.02	2,230	-	PTT19C1901A	0.46	0.03	37,224	-
KKP24C1807A	-	-	-	-	MINT24C1901A	0.35	0.06	103,626	-	PTT23C1901A	0.13	0.01	19,062	-
KKP24C1812A	0.37	0.04	4,710	-	MINT28C1808A	0.01	-	499	-	PTT24C1809A	0.06	-	510	-
KKP28C1810A	0.21	0.02	122,318	-	MINT28C1811A	0.21	0.05	325,753	-	PTT24C1812A	0.35	0.02	9,952	-
KTBO1C1808A	0.24	0.03	26,254	-	MONO01C1810A	0.08	0.01	11,373	-	PTT24P1808A	-	-	-	-
KTBO1C1810A	0.44	0.03	27,956	-	MONO01C1810B	0.04	0.01	1,000	-	PTT24P1901A	0.22	(0.01)	100	-
KTBO1C1810B	0.24	0.01	41,822	-	MONO08C1808A	-	-	-	-	PTT27C1809A	-	-	-	-
KTBO1P1808A	0.33	(0.04)	15,891	-	MONO08C1906A	0.16	0.03	22,271	-	PTT27P1809A	0.12	(0.01)	13,478	-
KTBO6C1902A	0.39	0.02	10,412	-	MONO13C1808A	-	-	-	-	PTT28C1808A	0.01	-	1,030	-
KTBO8C1809A	-	-	-	-	MONO13C1811A	0.06	-	4,196	-	PTT28C1808B	0.01	-	13,108	-
KTB11C1811A	0.22	0.02	9,362	-	MONO13C1901A	0.28	0.04	46,919	-	PTT28C1811A	0.08	0.01	29,740	-
KTB13C1809A	0.09	0.01	2,500	-	MONO19C1811A	0.16	0.02	15,003	-	PTT28C1811B	0.25	0.02	135,703	-
KTB13C1901A	0.47	0.04	6,662	-	MONO23C1809A	-	-	-	-	PTT28C1812A	0.38	0.02	463,728	-
KTB19C1901A	0.35	0.03	12,330	-	MONO23C1901A	0.25	0.03	13,500	-	PTT28P1808A	0.07	(0.01)	9,584	-
KTB23C1811A	0.29	0.03	9,000	-	MONO24C1807A	-	-	-	-	PTT28P1808B	-	-	-	-
KTB24C1808A	-	-	-	-	MONO24C1812A	-	-	-	-	PTT28P1812A	0.22	(0.02)	34,699	-
KTB24C1811A	-	-	-	-	MONO24C1812B	0.19	0.04	2,000	-	PTTE01C1808A	1.03	0.06	118,069	1.00
KTB24P1901A	0.25	(0.02)	43,652	-	MONO28C1808A	-	-	-	-	PTTE01C1808B	0.43	0.05	193,798	-
KTB28C1809A	0.06	-	23,001	-	MONO28C1811A	-	-	-	-	PTTE01C1901A	0.70	0.04	111,279	-
KTB28C1811A	0.22	-	52,086	-	MONO28C1901A	0.25	0.03	54,458	-	PTTE01C1901B	0.47	0.02	96,684	-
KTC01C1808A	0.65	(0.04)	105,554	-	MTC06C1901A	0.53	0.08	91,433	-	PTTE01P1808A	0.10	(0.01)	42,211	-
KTC01C1808B	0.13	(0.03)	298,062	-	MTC08C1807A	-	-	-	-	PTTE01P1901A	1.32	(0.04)	41,175	1.00
KTC01C1810A	0.27	(0.08)	96,581	-	MTC08C1811A	0.18	0.03	83,231	-	PTTE01P1901B	0.91	(0.06)	38,544	-
KTC01C1810B	0.18	(0.04)	66,535	-	MTC11C1904A	0.36	0.04	50,745	-	PTTE06C1811A	0.40	0.04	51,340	-
KTC06C1807A	0.33	-	338,274	-	MTC13C1809A	0.07	0.02	14,415	-	PTTE07C1809A	0.17	0.01	200	-
KTC08C1807A	-	-	-	-	MTC13C1811A	0.50	0.06	733,451	-	PTTE08C1807A	0.48	0.02	1,101	-
KTC08C1808A	0.53	(0.51)	2,000	-	MTC19C1901A	0.41	0.06	50,431	-	PTTE08C1811A	0.33	0.04	94,001	-
KTC11C1902A	0.79	(0.06)	33,536	-	MTC23C1808A	0.07	0.01	22,600	-	PTTE08P1809A	-	-	-	-
KTC13C1808A	0.32	(0.14)	7,377	-	MTC24C1808A	-	-	-	-	PTTE08P1811A	0.32	(0.05)	18,438	-
KTC13C1809A	0.15	-	138,891	-	MTC24C1810A	0.24	0.06	17,676	-	PTTE11C1902A	0.55	0.06	49,240	-
KTC13C1809B	0.15	(0.03)	115,923	-	MTC24C1812A	0.46	0.08	8,200	-	PTTE13C1807A	0.18	(0.05)	2,850	-
KTC13C1812A	0.17	(0.03)	415,831	-	MTC27C1807A	-	-	-	-	PTTE13C1811A	0.29	0.03	131,400	-
KTC13P1807A	0.01	(0.02)	142,821	-	MTC28C1808A	-	-	-	-	PTTE13C1812A	0.56	0.05	62,534	-
KTC19C1811A	0.24	(0.03)	139,470	-	MTC28C1809A	0.32	0.06	95,114	-	PTTE13P1807A	-	-	-	-
KTC19C1901A	0.57	(0.04)	76,598	-	ORI08C1807A	-	-	-	-	PTTE13P1811A	0.28	(0.04)	54,195	-
KTC23C1809A	0.66	-	26,931	-	ORI11C1811A	0.23	0.01	17,213	-	PTTE19C1811A	0.47	0.04	66,882	-
KTC24C1808A	0.46	(0.80)	53,764	-	ORI13C1810A	0.46	-	102,630	-	PTTE23C1901A	0.11	0.01	33,009	-
KTC24C1810A	0.15	(0.07)	12,563	-	ORI19C1811A	0.30	0.01	79,053	-	PTTE24C1807A	0.02	-	4,472	-
KTC24P1807A	0.08	(0.01)	203,912	-	ORI23C1809A	0.10	-	15,024	-	PTTE24C1811A	0.18	-	1	-
KTC28C1808A	-	-	-	-	ORI24C1810A	0.29	-	3,000	-	PTTE24C1901A	0.55	0.06	8,160	-
KTC28C1808B	-	-	-	-	ORI28C1808A	0.02	-	1,000	-	PTTE24P1809A	-	-	-	-
KTC28C1809A	0.28	0.03	5	-	PLAN08C1811A	0.18	0.01	37,774	-	PTTE27C1809A	0.63	(0.02)	2,000	-
KTC28C1810A	0.30	-	24,421	-	PLAN13C1809A	0.09	0.01	7,736	-	PTTE27P1809A	-	-	-	-
LHO1C1809A	0.42	0.08	138,701	-	PLAN28C1810A	0.14	0.01	54,928	-	PTTE28C1810A	0.22	0.02	55,304	-
LHO1C1809B	0.24	0.07	156,131	-	PSHO1C1810A	0.34	(0.01)	8,345	-	PTTE28C1811A	0.15	0.01	74,278	-
LHO1P1809A	0.08	(0.03)	109,512	-	PSHO1C1810B	0.10	(0.01)	1,160	-	PTTE28P1811A	0.31	(0.02)	50,053	-
LHO6C1809A	-	-	-	-	PSHO1P1810A	0.79	0.02	20,515	-	PTTG01C1808A	0.16	0.01	278,974	-
LHO7C1810A	0.20	0.08	69	-	PSHO8C1811A	0.10	(0.02)	3,176	-	PTTG01C1810A	0.24	0.01	288,206	-
LH11C1808A	0.28	0.08	44,854	-	PSH11C1902A	0.25	(0.01)	2,028	-	PTTG01C1810B	0.03	-	14,149	-
LH13C1808A	0.25	0.08	74,608	-	PSH23C1811A	-	-	-	-	PTTG01C1811A	0.46	0.02	147,526	-
LH19C1901A	0.29	0.07	45,448	-	PSL01C1807A	0.41	0.01	38,155	-	PTTG01C1901A	1.15	0.15	23,866	1.00
LH23C1901A	0.18	0.04	54,002	-	PSL01C1812A	0.49	0.02	37,790	-	PTTG01C1901B	0.91	(0.09)	19,808	-
LH24C1809A	0.12	0.04	16,036	-	PSL01C1812B	0.43	0.01	17,540	-	PTTG01P1808A	1.09	(0.05)	40,429	1.00
LH28C1808A	0.05	0.01	122,834	-	PSL11C1905A	0.34	0.01	12,142	-	PTTG01P1811A	1.62	(0.05)	47,687	1.00
LPN01C1809A	0.12	0.01	57,265	-	PSL23C1809A	0.11	-	4,800	-	PTTG01P1901A	0.95	(0.24)	33,183	-
LPN01C1811A	0.41	0.01	32,529	-	PSL24C1807A	-	-	-	-	PTTG01P1901B	0.73	(0.27)	35,828	-
LPN01C1811B	0.24	0.04	21,873	-	PTG01C1811A	0.21	0.01	75,205	-	PTTG06C1809A	0.03	-	4	-
LPN01P1809A	0.46	(0.02)	10,105	-	PTG01C1811B	0.08	0.01	3,400	-	PTTG06C1903A	1.11	0.09	953	1.00
LPN08C1807A	-	-	-	-	PTG01P1811A	1.11	(0.04)	13,792	1.00	PTTG06P1903A	-	-	-	-
LPN08C1810A	0.08	(0.01)	22,266	-	PTG06C1810A	-	-	-	-	PTTG07C1812A	0.48	0.04	4,052	-
LPN08C1906A	0.24	0.01	14,942	-	PTG06C1904A	0.45	0.02	3,520	-	PTTG08C1811A	0.08	-	6,738	-
LPN19C1811A	0.23	0.01	12,932	-	PTG08C1807A	-	-	-	-	PTTG08P1811A	0.95	(0.03)	40	-
LPN24C1808A	-	-	-	-	PTG11C1903A	0.16	-	6,692	-	PTTG11C1902A	0.14	0.01	23,005	-
LPN24C1812A	0.33	0.03	170	-	PTG13C1809A	0.02	-	6	-	PTTG13C1808A	0.01	-	30,100	-
LPN27C1807A	-	-	-	-	PTG13C1812A	0.21	0.02	174,402	-	PTTG13C1812A	0.29	-	210,565	-
MAJO08C1811														

Main Board Quotation

Issue Date :

Wednesday July 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
QH11C1902A	0.46	0.09	56,352	-	SCB11P1901A	0.60	(0.06)	19,785	-	STEC08C1809A	0.17	(0.02)	56,464	-
QH23C1808A	0.43	0.16	46,044	-	SCB13C1809A	0.04	-	2,533	-	STEC11C1903A	0.48	(0.02)	27,454	-
QH24C1812A	0.27	0.10	92,890	-	SCB13C1812A	0.45	0.02	138,819	-	STEC13C1809A	0.10	(0.02)	40,948	-
QH28C1808A	0.09	0.05	56,641	-	SCB13P1812A	0.21	(0.01)	37,434	-	STEC23C1808A	-	-	-	-
RATC19C1901A	0.36	0.01	15,606	-	SCB19C1811A	0.24	0.02	30,436	-	STEC24C1808A	-	-	-	-
RATC24C1902A	0.35	(0.03)	210	-	SCB24C1901A	0.60	0.05	202	-	STEC24C1901A	-	-	-	-
RATC27C1812A	0.10	(0.01)	6,653	-	SCB24C1902A	-	-	-	-	STEC28C1808A	-	-	-	-
ROBI01C1809A	0.25	0.04	35,567	-	SCB24P1811A	0.33	(0.01)	14,488	-	STEC28C1810A	0.45	(0.01)	83,330	-
ROBI06C1809A	0.22	0.03	1,000	-	SCB28C1808A	-	-	-	-	STP108C1811A	0.06	-	2,000	-
ROBI08C1808A	-	-	-	-	SCB28C1809A	-	-	-	-	SUPE08C1808A	-	-	-	-
ROBI11C1808A	-	-	-	-	SCB28C1812A	0.38	0.02	179,726	-	SUPE08C1811A	0.12	0.02	7,324	-
ROBI13C1807A	-	-	-	-	SCB28P1808A	0.05	0.02	20,204	-	SUPE13C1810A	0.07	0.01	4,151	-
ROBI19C1901A	0.54	0.04	18,270	-	SCB28P1812A	0.17	(0.01)	104,378	-	SUPE13C1811A	0.11	-	7	-
ROBI24C1901A	0.23	0.02	1,593	-	SCC01C1808A	0.13	0.02	114,489	-	SUPE23C1811A	0.15	(0.01)	2,510	-
ROBI24C1903A	0.54	0.03	20,074	-	SCC01C1808B	0.02	-	7,069	-	SUPE23C1901A	-	-	-	-
S10001C1811A	0.57	0.04	8,252	-	SCC01C1901A	0.69	0.06	124,779	-	SUPE28C1810A	-	-	-	-
S5001C1807A	0.38	0.09	35,409	-	SCC01C1901B	0.58	0.07	142,666	-	SUPE28C1811A	-	-	-	-
S5001C1807B	0.22	0.09	39,649	-	SCC01P1808A	0.61	(0.08)	66,674	-	TASCO1C1809A	-	-	-	-
S5001C1808A	0.64	0.08	89,600	-	SCC01P1901A	0.39	(0.04)	52,823	-	TASCO1C1810A	0.12	-	28,228	-
S5001C1808B	0.47	0.08	49,702	-	SCC06C1809A	-	-	-	-	TASCO1C1810B	-	-	-	-
S5001C1809F	0.84	0.14	1,605,956	-	SCC06C1902A	0.34	0.04	45,463	-	TASCO1P1809A	1.93	(0.02)	15,218	1.00
S5001C1809G	0.28	0.07	429,679	-	SCC07C1812A	0.55	0.03	9	-	TASCO1P1810A	0.87	(0.02)	38,943	-
S5001C1809H	2.12	0.19	687,895	2.00	SCC08C1809A	0.04	0.01	560	-	TASCO7C1811A	-	-	-	-
S5001C1809I	1.62	0.27	1,872,832	1.00	SCC11C1811A	0.12	0.02	16,525	-	TASCO8C1808A	-	-	-	-
S5001C1810A	1.35	0.10	10,763	1.00	SCC11P1811A	0.31	(0.06)	34,191	-	TASC11C1904A	0.11	-	18,553	-
S5001C1810B	1.38	0.12	50,866	1.00	SCC13C1809A	0.05	0.01	22,161	-	TASC13C1810A	0.03	-	100	-
S5001P1807A	1.46	(0.13)	27,370	1.00	SCC13C1812A	0.23	0.03	135,622	-	TASC23C1902A	0.26	(0.74)	9,002	-
S5001P1807B	1.11	(0.16)	50,913	1.00	SCC13C1901A	0.45	0.05	149,018	-	TASC24C1810A	-	-	-	-
S5001P1808A	0.84	(0.09)	171,139	-	SCC19C1811A	0.16	0.03	34,240	-	TASC28C1808A	-	-	-	-
S5001P1808B	0.96	(0.15)	196,518	1.00	SCC19C1901A	0.42	(0.58)	22,300	-	TCAP01C1807A	-	-	-	-
S5001P1809F	1.53	(0.20)	1,085,175	1.00	SCC23C1811A	0.12	0.02	300	-	TCAP01C1807B	-	-	-	-
S5001P1809G	0.87	(0.24)	553,092	-	SCC24C1812A	0.07	0.02	14,679	-	TCAP01C1901A	0.58	0.05	27,209	-
S5001P1809H	0.15	(0.06)	799,887	-	SCC24C1901A	0.43	0.01	44	-	TCAP01C1901B	0.48	0.04	42,471	-
S5001P1809I	0.07	(0.05)	419,383	-	SCC24P1901A	0.31	(0.06)	18,574	-	TCAP01P1807A	0.94	(0.09)	30,409	-
S5001P1810A	0.31	(0.06)	213,261	-	SCC27C1809A	0.07	0.01	2,400	-	TCAP01P1901A	0.42	(0.04)	33,298	-
S5001P1810B	0.23	(0.05)	162,424	-	SCC27P1809A	0.39	(0.10)	4,000	-	TCAP08C1810A	0.09	-	2,777	-
S5006C1809A	0.25	0.07	3,511	-	SCC28C1811A	0.18	0.03	333,779	-	TCAP11C1811A	0.13	0.02	21,148	-
S5006C1809B	0.13	0.05	52,515	-	SCC28C1812A	0.43	0.05	372,130	-	TCAP13C1809A	-	-	-	-
S5006C1809C	-	-	-	-	SCCC08C1811A	0.03	0.01	8,037	-	TCAP13C1901A	0.44	0.04	102,662	-
S5006C1809D	0.15	0.04	31,098	-	SCCC13C1809A	0.02	0.01	12,748	-	TCAP23C1807A	-	-	-	-
S5006C1812A	0.67	0.11	13,984	-	SCCC27C1812A	0.07	0.02	3,176	-	TCAP24C1807A	-	-	-	-
S5006C1812B	0.71	0.10	2,000	-	SGP08C1808A	0.01	-	142	-	TCAP24C1903A	0.30	0.03	1,737	-
S5006P1809A	1.41	(0.25)	7,200	1.00	SGP08C1901A	0.38	(0.01)	34,907	-	TCAP27C1807A	-	-	-	-
S5006P1809B	0.68	(0.16)	4,972	-	SGP11C1904A	0.18	-	46,305	-	THAI01C1808A	0.08	-	1,040	-
S5006P1809C	0.91	(0.23)	1,510	-	SGP13C1808A	0.01	-	266,872	-	THAI01C1808B	-	-	-	-
S5006P1809D	0.38	(0.11)	3,712	-	SGP13C1811A	0.10	(0.01)	10,400	-	THAI01C1901A	0.38	0.01	3,640	-
S5006P1812A	1.34	(0.17)	12,554	1.00	SGP13C1812A	0.27	(0.02)	115,396	-	THAI01C1901B	0.25	0.02	3,736	-
S5006P1812B	0.49	(0.10)	34,003	-	SGP19C1811A	0.28	(0.02)	30,738	-	THAI01P1808A	0.69	-	31,619	-
S5008C1809A	0.90	0.20	151,821	-	SGP24C1808A	-	-	-	-	THAI01P1901A	0.82	(0.01)	6,959	-
S5008P1809A	0.18	(0.08)	151,627	-	SGP24C1811A	0.12	(0.03)	3,004	-	THAI06C1809A	-	-	-	-
S5013C1809A	0.17	0.05	1,860,992	-	SGP24C1902A	0.91	0.03	80	-	THAI07C1811A	-	-	-	-
S5013C1809B	0.36	0.09	1,305,111	-	SGP28C1808A	-	-	-	-	THAI08C1808A	-	-	-	-
S5013C1809C	0.31	0.09	970,837	-	SGP28C1809A	-	-	-	-	THAI11C1808A	-	-	-	-
S5013C1809D	0.66	0.16	4,410,678	-	SGP28C1811A	0.13	(0.01)	39,401	-	THAI13C1811A	-	-	-	-
S5013C1809E	1.06	0.19	5,087,455	1.00	SIRI01C1808A	0.02	-	633	-	THAI23C1901A	0.04	-	1,000	-
S5013P1809A	1.31	(0.27)	101,625	1.00	SIRI01C1808B	-	-	-	-	THAI24C1808A	0.01	(0.13)	500	-
S5013P1809B	0.66	(0.21)	1,909,132	-	SIRI01C1901A	0.43	0.04	132,113	-	THAI24C1901A	0.24	0.01	3,000	-
S5013P1809C	0.87	(0.20)	53,668	-	SIRI01C1901B	0.20	0.03	114,205	-	THAI27C1809A	-	-	-	-
S5013P1809D	0.36	(0.12)	4,484,481	-	SIRI01P1808A	0.57	(0.05)	21,492	-	THAI28C1808A	-	-	-	-
S5013P1809E	0.15	(0.07)	6,289,712	-	SIRI01P1901A	0.61	(0.04)	27,581	-	THANO1C1812A	0.48	0.03	23,575	-
S5028C1807A	0.01	(0.01)	299	-	SIRI08C1808A	0.01	(0.02)	10	-	THAN13C1809A	-	-	-	-
S5028C1809A	0.29	0.08	677,741	-	SIRI08C1810A	0.14	0.02	40,030	-	THAN23C1807A	0.94	0.01	4,000	-
S5028C1809B	0.98	0.18	1,864,499	-	SIRI11C1902A	0.15	0.01	43,282	-	THAN28C1810A	0.13	0.01	6,000	-
S5028P1807A	0.60	(0.30)	419	-	SIRI13C1809A	-	-	-	-	THCO01C1809A	0.05	-	820	-
S5028P1809A	0.61	(0.16)	1,101,588	-	SIRI23C1811A	0.21	0.03	73,600	-	THCO01P1809A	0.77	-	2	-
S5028P1809B	0.22	(0.07)	738,183	-	SIRI24C1809A	0.03	-	7,000	-	THCO08C1906A	0.17	0.01	15,880	-
SAWA01C1808A	0.02	0.01	651	-	SIRI28C1809A	0.04	-	56	-	THCO11C1902A	0.10	-	2,320	-
SAWA01C1808B	0.02	-	2,950	-	SIRI28C1901A	0.36	0.04	231,059	-	THCO19C1811A	0.09	-	2,000	-
SAWA01C1901A	0.52	(0.01)	164,031	-	SPAL01C1808A	0.30	0.01	80,289	-	THCO23C1808A	-	-	-	-
SAWA01C1901B	0.42	-	231,701	-	SPAL01C1808B	0.02	-	3,101	-	THCO24C1807A	-	-	-	-
SAWA01P1808A	2.08	-	18,364	2.00	SPAL06C1809A	0.38	0.02	41,104	-	THCO24C1810A	-	-	-	-
SAWA01P1901A	0.89	(0.01)	41,361	-	SPAL08C1808A	-	-	-	-	THCO28C1808A	-	-	-	-
SAWA06C1807A	-	-	-	-	SPAL11C1807A	0.03	-	4,596	-	THCO28C1901A	0.21	-	22,308	-
SAWA06C1811A	-	-	-	-	SPAL11C1905A	0.13	0.01	3,397	-	TISCO1C1808A	0.19	-	34,373	-
SAWA07C1812A	-	-	-	-	SPAL23C1811A	0.48	0.03	22,500	-	TISCO1C1808B	0.02	0.01	2,001	-
SAWA08C1808A	-	-	-	-	SPAL24C1808A	-	-	-	-	TISCO8C1808A	0.02	(0.01)	3,007	-
SAWA08C1811A	-	-	-	-	SPAL24C1812A	0.17	0.01	25,088	-	TISC11C1903A	0.21	0.01	21,902	-
SAWA11C1808A	0.01	-	5,430	-	SPRC01C1808A	0.14	(0.01)	72,842	-	TISC13C1811A	0.28	0.01	90,649	-
SAWA13C1810A	0.02	(0.01)	10,001	-	SPRC01C1808B	-	-	-	-	TISC13C1812A	0.66	0.01	40,226	-
SAWA13C1811A	0.03	-	10,203	-	SPRC06C1809A	-	-	-	-	TISC19C1901A	0.38	0.01	8,565	-
SAWA13C1812A	0.21	-	58,367	-	SPRC06C1902A	0.51	(0.03)	2,104	-	TISC24C1812A	0.20	0.01	3,290	-
SAWA13C1901A	0.55	-	137,703	-	SPRC08C1808A	-	-	-	-	TISC27C1807A	-	-	-	-
SAWA19C1901A	0.58	(0.01)	60,747	-	SPRC11C1902A	0.11	-	8,354	-	TKN01C1808A	0.05	-	33,950	-
SAWA23C1807A	-	-	-	-	SPRC13C1808A	0.02	-	4,000	-	TKN01C1808B	0.02	-	8,000	-
SAWA24C1808A	-	-	-	-	SPRC13C1812A	0.33	(0.01)	141,097	-	TKN01C1901A	0.62	-	108,128	-
SAWA24C1812A	0.23	(0.01)	1,745	-	SPRC19C1901A	0.39	-	19,947	-	TKN01C				

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Wednesday July 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB11C1901A	0.19	0.01	14,902	-	STEC06C1809A	0.26	(0.04)	28,834	-	TMB01C1810A	0.22	0.01	347,537	-

Main Board Quotation

Issue Date :

Wednesday July 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TMB01C1810B	0.08	-	123,173	-	TTA23C1901A	0.17	0.02	4,000	-	CSC-Q	-	-	-	-
TMB01P1807A	0.98	(0.02)	29,394	-	TTA24C1809A	-	-	-	-	JUTHA-Q	-	-	-	-
TMB01P1810A	0.46	(0.02)	69,499	-	TTA24C1902A	-	-	-	-	KTB-Q	-	-	-	-
TMB06C1809A	-	-	-	-	TTA28C1812A	0.15	0.01	80,898	-	SCB-Q	-	-	-	-
TMB06C1902A	0.14	0.02	14,853	-	TU01C1808A	0.03	0.01	2,250	-	TCAP-Q	-	-	-	-
TMB07C1811A	0.05	-	10,000	-	TU01C1808B	-	-	-	-	TIC-Q	-	-	-	-
TMB08C1808A	-	-	-	-	TU01C1901A	0.52	0.03	56,907	-	TISCO-Q	-	-	-	-
TMB08C1901A	0.11	0.01	263,098	-	TU01C1901B	0.49	0.04	34,038	-	U-U	-	-	-	-
TMB11C1904A	0.11	-	84,316	-	TU01P1808A	0.95	(0.05)	14,380	-	Warrant	-	-	-	-
TMB13C1811A	0.07	0.01	156,003	-	TU01P1901A	0.30	(0.02)	15,920	-	7UP-W2	-	-	-	-
TMB19C1901A	0.16	-	226,859	-	TU06C1902A	0.25	0.01	2,000	-	ACC-W1	0.03	-	30	-
TMB23C1810A	0.01	(0.01)	1,000	-	TU08C1811A	0.06	0.03	10,000	-	AJA-W1	0.17	(0.02)	100	-
TMB24C1809A	-	-	-	-	TU11C1902A	0.04	-	40	-	ALT-W1	0.72	(0.01)	1,319	-
TMB24C1901A	0.07	(0.01)	2,650	-	TU13C1809A	-	-	-	-	APURE-W2	0.17	-	20,955	-
TMB28C1808A	-	-	-	-	TU23C1902A	0.25	(0.75)	2	-	AQ-W4	0.01	-	204	-
TMB28C1809A	-	-	-	-	TU24C1808A	-	-	-	-	AS-W1	0.43	(0.01)	1,842	-
TOA01C1901A	0.47	(0.01)	5,368	-	TU24C1901A	0.18	0.01	144	-	AYUD-W1	2.72	(0.04)	9,059	2.00
TOA01C1901B	0.37	(0.03)	3,710	-	TU27C1807A	-	-	-	-	B-W3	-	-	-	-
TOA08C1902A	0.28	(0.02)	10,330	-	TV001C1809A	0.15	0.01	60,092	-	B-W4	0.22	(0.01)	31,516	-
TOA13C1812A	0.38	(0.02)	33,505	-	TV001C1809B	-	-	-	-	BTS-W3	0.04	(0.01)	351,468	-
TOA19C1901A	0.36	-	874	-	TV008C1808A	0.01	-	5,918	-	BWG-W4	0.07	-	23,012	-
TOA24C1812A	-	-	-	-	TV011C1903A	0.11	-	7,430	-	CEN-W4	0.04	-	1,384	-
TOA28C1812A	0.33	(0.01)	3,042	-	TVO13C1809A	-	-	-	-	CGD-W4	0.22	(0.01)	93,775	-
TOP01C1808A	0.07	-	37,049	-	TV023C1808A	-	-	-	-	CGH-W3	0.07	0.01	22,177	-
TOP01C1808B	0.01	(0.01)	400	-	TV024C1810A	-	-	-	-	CJ-W1	0.37	(0.01)	4	-
TOP01C1901A	1.40	(0.03)	67,257	1.00	TV028C1808A	-	-	-	-	CKP-W1	0.36	-	2,105	-
TOP01C1901B	1.33	(0.03)	52,906	1.00	UNIQ01C1809A	0.11	(0.01)	7,133	-	CRANE-W1	1.99	0.03	302	1.00
TOP01P1808A	1.19	0.04	48,578	1.00	UNIQ01C1810A	0.27	-	3,451	-	CWT-W4	0.57	-	19,177	-
TOP01P1901A	0.76	-	48,686	-	UNIQ01C1810B	0.09	(0.01)	58,885	-	DCC-W1	0.68	-	147,146	-
TOP06C1809A	-	-	-	-	UNIQ01P1809A	0.57	-	5,724	-	DCON-W1	-	-	-	-
TOP06C1903A	-	-	-	-	UNIQ08C1808A	-	-	-	-	DIGI-W1	0.05	-	501	-
TOP07C1812A	0.49	(0.08)	400	-	UNIQ08C1810A	-	-	-	-	DIGI-W2	0.02	-	5,505	-
TOP08C1811A	0.14	(0.01)	64,150	-	UNIQ08C1906A	0.27	(0.01)	9,728	-	EARTH-W4	-	-	-	-
TOP11C1808A	0.01	-	50	-	UNIQ11C1811A	0.11	-	1,814	-	EIC-W2	0.01	-	1,500	-
TOP11C1905A	1.00	(0.02)	42,288	1.00	UNIQ13C1809A	-	-	-	-	EIC-W3	-	-	-	-
TOP13C1811A	0.12	(0.01)	35,349	-	UNIQ13C1901A	0.29	0.01	10,676	-	EIC-W4	-	-	-	-
TOP13C1901A	0.61	(0.02)	64,554	-	UNIQ19C1811A	0.10	-	400	-	EVER-W3	0.03	-	17,630	-
TOP18C1808A	-	-	-	-	UNIQ23C1901A	0.13	-	1,000	-	GJS-W3	0.03	-	17	-
TOP19C1901A	0.46	(0.01)	40,205	-	UNIQ24C1811A	-	-	-	-	GL-W4	-	-	-	-
TOP23C1811A	0.18	(0.01)	44,552	-	UNIQ28C1809A	-	-	-	-	GSTEL-W1	-	-	-	-
TOP24C1901A	0.20	(0.01)	1,107	-	UNIQ28C1811A	0.12	(0.01)	400	-	GSTEL-W2	-	-	-	-
TOP24C1902A	0.65	(0.03)	50	-	UV01C1807A	0.04	(0.01)	1,893	-	IEC-W2	-	-	-	-
TOP28C1810A	-	-	-	-	UV08C1807A	-	-	-	-	IHL-W1	4.48	0.02	34	4.00
TP101C1807A	0.01	-	4,000	-	UV13C1807A	-	-	-	-	ITD-W1	0.12	-	1,966	-
TP101C1807B	-	-	-	-	UV13C1808A	0.01	-	1,000	-	IVL-W2	14.70	0.60	51,507	14.00
TP101C1812A	0.20	-	4,500	-	UV13C1812A	0.45	0.01	140,826	-	JAS-W3	1.96	0.12	372,954	1.00
TP101C1812B	0.14	0.01	5,980	-	UV23C1809A	-	-	-	-	JCK-W5	0.44	(0.01)	1,485	-
TP107C1812A	-	-	-	-	UV24C1807A	-	-	-	-	JMART-W2	1.78	0.07	11,759	1.00
TP108C1807A	-	-	-	-	UV24C1812A	0.26	0.01	1,000	-	MIDA-W2	0.03	-	6,024	-
TP113C1809A	-	-	-	-	UV28C1808A	-	-	-	-	MILL-W3	-	-	-	-
TP119C1901A	0.23	-	6,244	-	VGI01C1812A	0.59	0.03	15,923	-	MILL-W4	0.36	0.04	3,272	-
TP123C1809A	-	-	-	-	VGI06C1904A	-	-	-	-	ML-W2	0.03	-	7,039	-
TP124C1808A	-	-	-	-	VGI06C1904B	-	-	-	-	MONO-W1	0.67	0.05	64,008	-
TP124C1902A	-	-	-	-	VGI06C1904C	-	-	-	-	NEP-W3	0.13	0.01	1,491	-
TP128C1808A	-	-	-	-	VGI08C1811A	0.48	0.02	23,636	-	NOK-W1	0.99	0.01	50	-
TP1P01C1810A	0.44	0.03	9,754	-	VGI23C1905A	-	-	-	-	NPP-W3	0.21	(0.01)	10,505	-
TP1P01C1810B	0.18	0.01	980	-	VGI23C1911A	-	-	-	-	NUSA-W3	-	-	-	-
TP1P01P1810A	0.58	(0.02)	4,650	-	VGI27C1812A	0.31	0.01	10,606	-	NVD-W1	0.35	(0.02)	105,341	-
TP1P08C1808A	0.02	0.01	19,726	-	VGI28C1810A	0.30	0.03	70,705	-	ORI-W1	2.70	0.10	59,222	2.00
TP1P11C1811A	0.11	-	2,782	-	WHA01C1807A	0.04	-	13,797	-	PACE-W1	-	-	-	-
TP1P13C1811A	0.26	0.01	2,130	-	WHA01C1807B	0.01	-	37,794	-	PACE-W2	0.10	-	4,719	-
TP1P23C1808A	-	-	-	-	WHA01C1812A	0.63	0.02	48,174	-	PDJ-W1	1.52	0.02	76,705	1.00
TP1P24C1901A	-	-	-	-	WHA01C1812B	0.56	0.02	40,516	-	PDJ-W2	1.59	(0.01)	2	1.00
TP1P27C1812A	-	-	-	-	WHA01P1812A	0.62	(0.02)	21,885	-	PDJ-W3	1.46	0.02	64	1.00
TRUE01C1808A	0.23	(0.02)	218,894	-	WHA06C1809A	0.19	0.01	32,095	-	PDJ-W4	1.46	-	132	1.00
TRUE01C1808B	0.05	-	900	-	WHA07C1810A	0.22	-	7,720	-	PLE-W3	0.09	-	36,873	-
TRUE01C1902A	0.51	(0.02)	56,972	-	WHA08C1811A	0.22	0.01	48,278	-	RICH-W1	-	-	-	-
TRUE01C1902B	0.43	(0.02)	59,472	-	WHA11C1903A	0.26	0.01	25,628	-	RICHY-W1	0.30	(0.01)	2,930	-
TRUE01P1808A	0.31	0.01	136,979	-	WHA13C1808A	0.08	-	37,800	-	RICHY-W2	0.16	-	257	-
TRUE01P1902A	0.54	-	34,288	-	WHA13C1812A	0.50	0.02	169,292	-	RS-W3	8.85	0.05	35	8.00
TRUE01P1902B	0.42	0.02	42,084	-	WHA19C1901A	0.48	0.02	17,206	-	S-W1	0.12	0.01	4,502	-
TRUE06C1811A	-	-	-	-	WHA23C1810A	0.30	0.01	6,000	-	SAMART-W2	0.32	-	6,622	-
TRUE06C1906A	0.30	0.06	460	-	WHA24C1807A	-	-	-	-	SAWAD-W1	5.35	(0.10)	201	5.00
TRUE08C1809A	0.09	(0.01)	1,000	-	WHA24C1811A	0.16	0.02	5,000	-	SDC-W1	0.06	(0.01)	19,500	-
TRUE08C1902A	0.39	(0.01)	89,818	-	WHA28C1808A	-	-	-	-	SMM-W4	0.08	(0.02)	6,391	-
TRUE08P1809A	0.12	-	2,279	-	WHA28C1808B	0.05	0.01	10,001	-	SMT-W1	0.08	-	1,707	-
TRUE11C1807A	-	-	-	-	WHA28C1809A	0.44	0.02	66,447	-	SMT-W2	0.48	(0.01)	9,742	-
TRUE11C1905A	0.34	(0.01)	22,512	-	WHAU01C1810A	0.18	-	66,182	-	SPALI-W4	18.70	-	353	18.00
TRUE13C1807A	-	-	-	-	WHAU01C1810B	-	-	-	-	SPORT-W5	0.10	-	4,989	-
TRUE13C1810A	0.06	-	1,810	-	WHAU24C1812A	0.04	-	3,032	-	SPORT-W6	-	-	-	-
TRUE13C1812A	0.27	(0.01)	373,375	-	WORK01C1811A	0.78	0.13	129,568	-	SUPER-W4	0.12	0.01	427,429	-
TRUE16C1812A	0.29	(0.01)	5,303	-	WORK01C1811B	0.56	0.11	95,568	-	SUSCO-W1	0.17	-	14,876	-
TRUE19C1901A	0.18	(0.01)	64,636	-	WORK08C1809A	-	-	-	-	SVI-W3	1.30	0.05	93	1.00
TRUE23C1902A	0.24	(0.76)	1,000	-	WORK08C1901A	0.64	0.11	52,444	-	TCC-W3	-	-	-	-
TRUE27C1809A	0.15	(0.02)	3,128	-	WORK11C1903A	0.21	0.05	27,939	-	TCC-W4	0.14	0.01	45	-
TRUE27P1809A	0.28	0.01	5,230	-	WORK13C1809A	-	-	-	-	TCC-W5	0.18	0.01	364	-
TRUE28C1808A	-	-	-	-	WORK13C1810A	0.02	-	149,311	-	TCJ-W2	0.90	-	369	-
TRUE28C1810A	0.05	-	800	-	WORK13C1811A	0.25	0.05	141,049	-	TCMC-W2	0.32	-	97,859	-
TRUE28C1812A	0.22	-	50,000	-	WORK13C1812A	0.79	0.13	110,308	-	TFG-W1	1.20	0.02	79	1.00
TTA01C1807A	0.01	-	38,150	-	WORK19C1811A	0.37	0.08	56,920	-	TFG-W2	0.70	(0.02)	5,290	-

Main Board Quotation

Issue Date :

Wednesday July 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TTA01P1807A	0.97	(0.06)	8,022	-	WORK23C1807A	-	-	-	-	TH-W2	0.14	0.01	1	-
TTA08C1808A	-	-	-	-	WORK24C1810A	0.04	0.02	23,252	-	THE-W2	0.07	0.01	18,227	-
TTA08C1906A	0.33	0.01	32,568	-	WORK24C1812A	0.60	0.13	13,060	-	TNITY-W1	0.91	(0.01)	2,680	-
TTA13C1809A	-	-	-	-	WORK28C1808A	-	-	-	-	TNPC-W1	0.48	0.01	4,347	-
TTA13C1901A	0.30	0.02	24,192	-	WORK28C1809A	0.03	-	1	-	TRITN-W3	0.16	-	57,879	-
TTA18C1808A	-	-	-	-	WORK28C1811A	0.26	0.06	71,160	-	TSR-W1	0.50	-	24,072	-
TTA19C1811A	0.16	0.02	3,163	-	Preferred/Foreign	-	-	-	-	TTA-W5	0.40	-	8,871	-
TTA23C1808A	-	-	-	-	BH-Q	-	-	-	-	TTCL-W1	1.05	(0.03)	100,832	1.00
U-W1	-	-	-	-	SIMAT-W3	0.66	(0.01)	12,770	-	-	-	-	-	-
U-W4	0.01	-	10,001	-	SIMAT-W4	1.53	0.04	57,923	1.00	-	-	-	-	-
VGI-W1	-	-	-	-	SKY-W1	13.50	-	102	12.00	-	-	-	-	-
VIBHA-W2	1.31	0.01	3,114	1.00	STAR-W3	1.92	(0.04)	4,078	1.00	-	-	-	-	-
VIBHA-W3	0.31	0.01	6,535	-	T-W3	-	-	-	-	-	-	-	-	-
WAVE-W1	0.41	(0.02)	30,493	-	TAKUNI-W	0.19	-	2,943	-	-	-	-	-	-
WHA-W1	6.50	0.15	1,544	6.00	TAPAC-W3	2.54	(0.16)	9,562	2.00	-	-	-	-	-
WORK-W1	11.90	2.20	155	12.00	TMILL-W1	1.00	-	2,539	1.00	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W4	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	TSF-W5	0.03	-	12,881	-	-	-	-	-	-
CSC-P	-	-	-	-	TVD-W2	0.52	0.02	5,664	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UAC-W2	0.93	-	5,767	-	-	-	-	-	-
KTB-P	-	-	-	-	UKEM-W2	0.54	0.03	30,065	-	-	-	-	-	-
SCB-P	-	-	-	-	UWC-W2	-	-	-	-	-	-	-	-	-
TCAP-P	-	-	-	-	XO-W1	5.25	(0.10)	14,559	5.00	-	-	-	-	-
TIC-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
U-P	0.03	-	450,839	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.14	-	5,665	-	-	-	-	-	-	-	-	-	-	-
ACAP-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	3.18	0.34	23,567	3.00	-	-	-	-	-	-	-	-	-	-
AIRA-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.06	-	6,033	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.83	0.05	2,298	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.19	(0.04)	530	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.09	-	17,266	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.20	0.20	1,827,884	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.00	(0.01)	1,894	1.00	-	-	-	-	-	-	-	-	-	-
ECF-W2	3.92	0.04	2,853	3.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	2.82	0.04	1,085	2.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.01	-	9,025	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.02	0.01	12,849	-	-	-	-	-	-	-	-	-	-	-
FC-W1	0.06	(0.01)	72,396	-	-	-	-	-	-	-	-	-	-	-
FC-W2	0.04	0.01	87,762	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.28	0.01	2,385	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.42	0.02	135	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.31	(0.01)	10,323	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	2.74	(0.10)	18,836	2.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.22	0.16	2	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.07	-	6,033	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.11	0.01	1,350	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	0.01	-	2,000	-	-	-	-	-	-	-	-	-	-	-
NEWS-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOL-W1	0.07	(0.01)	14,623	-	-	-	-	-	-	-	-	-	-	-
PIMO-W1	1.99	(0.05)	6,284	2.00	-	-	-	-	-	-	-	-	-	-
PPS-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSTC-W1	0.27	-	26,975	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W2	0.52	0.01	416	-	-	-	-	-	-	-	-	-	-	-