

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday July 26, 2018

Main Board Quotation					Main Board Quotation					Main Board Quotation					
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	
KTECH	-	-	-	-	HUMAN	10.30	-	5,673	10.34	SE-ED	2.88	-	-	431	2.87
POMPUI	-	-	-	-	ILINK	5.15	-	1,934	5.16	SMM	0.89	0.02	-	4	0.88
SAFARI	-	-	-	-	INET	3.72	0.02	3,484	3.73	SPORT	0.53	-	-	2,076	0.53
VI	-	-	-	-	INTUCH	55.75	(0.25)	47,516	55.72	TBSP	-	-	-	-	-
WORLD	-	-	-	-	JAS	5.40	0.10	376,870	5.39	TH	0.64	0.02	-	7,731	0.62
WR	-	-	-	-	JASIF	10.10	-	53,682	10.09	TKS	10.50	-	-	4,794	10.50
Agribusiness					JMART	8.90	(0.25)	12,542	9.05	TRITN	0.32	-	-	81,035	0.32
CHOTI	146.00	(1.00)	4	146.00	JTS	1.59	0.03	556	1.57	VGI	7.30	-	-	102,872	7.29
EE	0.76	(0.02)	40,523	0.77	MFEC	4.00	-	711	3.97	WAVE	2.92	0.22	-	585	2.82
GFPT	13.70	(0.10)	17,515	13.60	MSC	5.95	-	585	5.93	WORK	46.75	(1.50)	-	30,455	46.96
LEE	2.82	0.02	770	2.82	PT	6.75	0.05	1,731	6.77	Finance & Securities					
STA	11.30	0.80	137,686	10.91	SAMART	7.30	0.05	4,556	7.25	AEC	0.49	-	-	1,238	0.49
TLUXE	6.45	0.10	12,014	6.40	SAMTEL	8.60	0.05	83	8.58	AEONTS	166.00	(1.50)	-	4,767	166.10
TRUBB	1.66	0.04	2,587	1.65	SDC	0.23	-	348	0.23	AMANAHAH	2.00	(0.02)	-	73,116	2.01
TWPC	9.40	0.20	9,746	9.24	SIS	8.85	0.05	2,390	8.82	ASAP	6.55	0.25	-	79,697	6.53
UPOIC	4.16	0.04	57	4.14	SVOA	1.35	(0.02)	17,741	1.35	ASK	22.50	0.10	-	912	22.47
UVAN	7.65	0.05	3,300	7.61	SVMC	5.00	-	10	5.00	ASP	3.88	-	-	61,429	3.86
VPO	0.65	0.02	1,705	0.64	SYNEX	13.60	0.20	3,890	13.53	BFIT	28.50	0.25	-	1,707	28.48
Banking					THCOM	8.25	0.05	7,881	8.22	CGH	1.09	(0.02)	-	11,315	1.10
BAY	39.25	0.25	1,263	39.37	TRUE	6.30	-	1,105,291	6.35	CNS	2.60	(0.04)	-	868	2.62
BBL	204.00	1.00	28,213	203.67	TWZ	0.13	-	30,539	0.13	ECL	1.91	(0.01)	-	58,082	1.92
CIMBT	0.88	-	5,931	0.88	Electronic Componer					FNS	4.64	0.02	-	2,863	4.66
KBANK	215.00	5.00	76,633	214.38	CCETA	2.12	-	2,057	2.10	FSS	2.56	0.04	-	1,569	2.56
KKP	72.75	0.25	48,523	72.81	DELTA	68.50	1.25	30,529	68.24	GBX	0.67	0.01	-	7,064	0.67
KTB	19.00	0.20	323,793	18.89	EIC	0.05	-	5,322	0.05	GL	5.25	-	-	10,661	5.25
LHFG	1.58	0.01	113,752	1.59	HANA	36.50	-	12,975	36.44	IFS	3.08	0.04	-	124	3.07
SCB	136.50	3.50	117,466	135.63	KCE	40.50	(0.75)	39,780	40.89	JMT	28.00	0.25	-	1,405	28.09
TCAP	51.25	0.25	41,187	51.09	METCO	191.00	-	1	191.00	KCAR	13.90	-	-	579	13.94
TISCO	78.00	0.75	57,714	77.54	SMT	2.44	0.16	37,241	2.38	KGI	4.28	0.04	-	33,125	4.27
TMB	2.26	-	4,811,822	2.27	SPPT	4.24	(0.04)	8,388	4.21	KTC	28.00	0.50	-	509,987	27.77
Construction Materia					SVI	4.28	(0.06)	72,994	4.30	MBKET	13.50	0.20	-	3,627	13.45
CCP	0.41	0.01	1,496	0.41	TEAM	1.14	0.02	13,402	1.13	MFC	15.50	0.20	-	984	15.35
DCC	2.16	(0.06)	57,190	2.17	Energy & Utilities					ML	1.02	0.02	-	1,661	1.01
DCON	0.56	-	46,091	0.55	ABPIF	8.50	-	1,036	8.55	MTC	38.75	0.25	-	88,472	38.78
DRT	5.80	0.05	1,897	5.75	AI	-	-	-	-	PE	0.33	-	-	140	0.33
EPG	8.65	-	31,129	8.62	AKR	1.10	(0.01)	122,495	1.10	PL	3.54	0.02	-	3,145	3.53
GEL	0.34	-	13,882	0.34	BAFS	34.50	0.50	2,853	34.53	S11	7.65	-	-	2,588	7.60
PPP	3.62	(0.02)	291	3.59	BANPU	21.10	0.10	296,956	21.05	SAWAD	37.75	0.25	-	118,140	37.68
Q-CON	-	-	-	-	BCP	35.25	0.50	33,841	35.19	THANI	7.85	(0.10)	-	34,328	7.87
RCI	2.86	(0.02)	2,199	2.86	BCPG	17.90	0.10	33,595	17.84	TK	11.50	0.10	-	8,151	11.56
SCC	452.00	6.00	28,813	448.99	BGRIM	24.80	0.30	78,843	24.77	TNITY	6.00	0.15	-	1,459	5.91
SCCC	238.00	13.00	9,696	234.50	BPP	24.20	0.20	9,740	24.12	UOBKH	4.24	-	-	128	4.22
SCP	8.00	-	1,900	8.06	BRRGIF	10.20	-	1,327	10.20	ZMICO	1.04	0.01	-	2,558	1.04
SKN	5.40	0.10	3,982	5.35	CKP	4.00	-	65,161	4.00	Food & Beverage					
TASCO	14.00	(0.30)	54,024	14.10	DEMCO	4.08	(0.02)	885	4.07	APURE	1.34	0.02	-	6,283	1.34
TCMC	2.50	(0.04)	27,306	2.53	EA	35.50	1.00	173,965	35.30	ASIAN	8.10	(0.10)	-	172,614	8.25
TGCI	-	-	-	-	EARTH	-	-	-	-	BR	5.65	-	-	11,705	5.69
TOA	38.50	0.50	7,580	38.37	EASTW	11.10	-	3,293	11.10	BRR	6.70	-	-	948	6.72
TIPL	1.91	0.04	581,420	1.91	EGATIF	10.90	0.10	3,201	10.89	CBG	48.75	(0.50)	-	12,189	48.94
UMI	1.20	-	880	1.21	EGCO	231.00	1.00	5,260	230.77	CFRESH	4.58	0.08	-	2,361	4.61
VNG	8.05	(0.10)	1,942	8.06	ESSO	14.90	0.70	252,053	14.75	CM	4.62	0.08	-	46,675	4.74
WIHK	2.52	(0.02)	11,032	2.54	GLOW	93.75	0.25	32,694	93.51	CPF	27.00	0.25	-	203,634	26.86
Petrochemicals & Ch					GPSC	70.25	0.75	16,346	69.77	CPI	1.64	0.02	-	2,942	1.64
CMAN	3.48	0.26	142,918	3.40	GULF	63.50	1.00	23,288	63.28	F&D	-	-	-	-	-
GC	5.15	0.05	197	5.10	GUNKUL	3.00	-	25,899	3.01	HTC	20.00	0.20	-	580	19.93
GGC	10.90	(0.10)	53,848	11.01	IEC	-	-	-	-	ICHI	4.90	(0.06)	-	27,784	4.95
GIFT	4.24	(0.06)	1,616	4.27	IFEC	-	-	-	-	KBS	4.38	0.04	-	1,334	4.35
IVL	60.00	0.25	142,988	59.87	IRPC	6.40	(0.10)	1,560,846	6.40	KSL	3.30	0.08	-	11,886	3.27
NFC	12.00	0.40	3,263	11.80	LANNA	15.60	(0.30)	3,197	15.65	KTIS	5.90	0.05	-	1,137	5.82
PATO	14.90	(0.10)	301	14.97	MDX	4.02	0.04	700	4.03	LST	5.15	-	-	28,650	5.26
PMTA	16.30	-	36	16.30	PTG	15.30	-	91,744	15.40	M	75.25	0.25	-	4,159	75.26
PTTGC	81.50	0.25	144,839	81.77	PTT	51.75	0.75	685,207	51.37	MALEE	15.80	0.20	-	120,685	16.00
SUTHA	4.12	0.04	92	4.13	PTTEP	138.00	3.50	197,752	136.73	MINT	36.50	0.25	-	147,241	36.44
TCB	53.50	-	347	53.53	RATCH	51.50	-	72,274	50.87	OISHI	95.00	-	-	67	94.90
TCCC	35.25	1.00	145	34.54	RPC	0.56	0.01	5,115	0.55	PB	61.50	-	-	13	61.33
TPA	6.25	0.05	104	6.17	SCG	4.64	(0.06)	54	4.65	PM	10.40	-	-	5,568	10.41
UP	27.25	(1.50)	90	27.69	SCI	3.20	0.10	49,664	3.17	PRG	-	-	-	-	-
VNT	24.00	(0.60)	40,115	24.10	SCN	3.80	-	6,604	3.80	SAPPE	25.50	(0.75)	-	22,861	25.51
WG	154.50	-	3	154.50	SGP	11.70	0.50	298,522	11.46	SAUCE	21.70	-	-	116	21.66
YCI	-	-	-	-	SKE	1.23	(0.04)	25,075	1.23	SFP	216.00	(4.00)	-	1	216.00
Commerce					SOLAR	2.26	0.04	11,655	2.27	SNP	-	-	-	-	-
BEAUTY	8.05	0.10	1,097,605	8.04	SPCG	20.90	0.30	2,014	20.86	SORKON	-	-	-	-	-
BIG	2.18	0.06	75,899	2.17	SPRC	14.80	0.10	97,274	14.68	SSC	40.50	-	-	20	40.23
BJC	56.50	1.00	63,474	56.13	SUPER	0.75	0.01	1,194,246	0.75	SSF	-	-	-	-	-
COL	27.75	-	1,743	27.86	SUSCO	3.32	(0.02)	25,166	3.35	SST	5.75	-	-	208	5.80
COM7	17.90	0.10	30,239	17.98	TAE	2.14	0.02	2,750	2.13	TC	3.10	-	-	68	3.08
CPALL	76.00	(0.50)	256,111	76.07	TCC	0.38	0.01	10,871	0.37	TFG	3.98	0.18	-	82,390	3.95
CSS	2.16	0.04	16,237	2.16	TOP	81.50	0.25	51,065	81.31	TFMAMA	155.50	-	-	2	155.50
FN	2.98	(0.06)	7,925	2.97	TPIPP	6.20	0.15	155,925	6.17	TIPCO	9.55	(0.05)	-	15,213	9.63
FTE	2.24	0.04	5,518	2.21	TTW	12.30	-	20,024	12.37	TKN	16.00	0.50	-	148,169	15.90
GLOBAL	17.40	0.10	11,178	17.39	WHAUP	5.85	0.10	86,292	5.81	TU	16.50	(0.10)	-	87,160	16.48
HMPRO	14.50	(0.10)	197,843	14.48	WP	7.45	(0.15)	15,024	7.53	TVO	29.25	-	-	21,123	29.32
IT	4.86	(0.04)	7,581	4.86	Media & Publishing					AHC	20.40	(0.10)	-	326	20.39
KAMART	4.70	(0.02)	7,798	4.72	AMARIN	5.05	(0.15)	1,630	5.15	BCH	16.60	-	-	71,626	16.64
LOXLEY	2.22	(0.02)	31,205	2.22	AQUA	0.51	-	64,630	0.50	BDMS	27.00	(0.25)	-	326,383	27.06
MAKRO	38.25	(0.50)	8,												

Main Board Quotation

Issue Date :

Thursday July 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	3.02	0.02	2,268	3.02	MJD	3.30	-	1,510	3.28	CPT	2.80	(0.06)	97,780	2.87
Tourism & Leisure					MK	4.56	-	36,729	4.55	CRANE	2.78	(0.06)	3,123	2.81
ASIA	6.75	-	111	6.78	NCH	0.91	0.01	861	0.90	CTW	8.10	0.05	114	8.10
CENDEL	43.25	0.25	15,718	43.17	NNCL	1.67	(0.01)	3,840	1.67	FMT	25.75	0.25	4	25.19
CSR	101.00	1.00	4	100.25	NOBLE	12.10	-	504	12.11	HTECH	7.50	0.05	2,455	7.49
DTC	12.50	(0.10)	18,721	12.55	NUSA	0.30	(0.01)	141,868	0.31	KKC	1.73	(0.01)	3,053	1.72
ERW	7.20	(0.05)	43,148	7.26	NVD	3.90	(0.04)	1,752	3.91	PK	3.96	0.08	55,329	3.93
GRAND	0.93	-	5,421	0.93	ORI	18.90	0.30	35,142	18.77	SNC	14.70	-	2,394	14.70
LRH	35.50	0.50	1	35.50	PACE	0.49	0.02	144,082	0.48	TCJ	6.30	0.35	7,017	6.34
MANRIN	-	-	-	-	PF	0.94	0.03	1,150,988	0.92	VARO	7.25	0.05	444	8.26
OHTL	-	-	-	-	PLAT	7.95	-	15,430	8.00	Property Fund & REI				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.10	-	840	10.03
SHANG	70.25	0.25	124	70.00	PRECHA	1.37	(0.03)	96	1.37	AMATAR	10.50	-	344	10.50
Home & Office Prod.					PRIN	1.67	0.02	2,137	1.66	B-WORK	10.50	0.10	2,104	10.48
ACC	0.47	0.01	1,199	0.46	PRINC	5.30	0.05	12,220	5.28	BKKCP	11.90	(0.10)	91	11.90
AJA	0.38	0.01	8,780	0.38	PSH	20.70	0.30	11,909	20.63	BOFFICE	12.40	0.10	1,708	12.44
DTCI	-	-	-	-	QH	3.54	0.02	1,183,687	3.53	CPNCG	14.70	-	1,009	14.75
FANCY	1.01	-	2,087	1.01	RICHY	1.75	0.04	13,253	1.73	CPNREIT	24.00	0.10	5,522	23.98
KYE	424.00	4.00	62	422.19	RML	1.29	0.02	52,163	1.28	CPTGF	13.30	-	5,733	13.30
L&E	2.80	-	146	2.80	ROJNA	5.50	0.15	96,109	5.55	CRYSTAL	10.30	(0.10)	119	10.38
MODERN	4.56	0.02	2,769	4.55	S	3.04	0.08	267,552	3.04	CTARAF	4.74	(0.04)	297	4.77
OGC	39.75	0.75	2	39.50	SAMCO	2.28	0.06	86	2.22	DREIT	5.45	-	60	5.45
ROCK	16.90	(0.10)	31	16.03	SC	3.66	-	30,292	3.64	ERWPF	5.60	-	30	5.60
SIAM	1.90	(0.01)	7,228	1.90	SENA	3.80	(0.02)	4,679	3.78	FUTUREPF	21.00	-	3,230	21.00
TSR	2.32	0.06	7,863	2.29	SF	8.30	0.05	13,543	8.33	GAHREIT	9.70	0.05	216	9.68
Insurance					SIRI	1.67	-	730,337	1.67	GLANDRT	12.50	-	1,855	12.50
AYUD	39.00	-	98	39.01	SPALI	23.70	0.40	40,050	23.59	GOLDFP	7.30	-	1,000	7.28
BKI	349.00	(3.00)	117	350.04	TICON	16.30	0.10	1,347	16.27	GVREIT	14.40	-	172	14.46
BLA	32.50	0.50	4,522	32.56	U	0.03	-	462,414	0.03	HPF	5.35	(0.10)	133	5.36
BUI	-	-	-	-	UV	7.95	0.10	63,693	7.92	HREIT	6.45	-	902	6.45
CHARAN	-	-	-	-	WHA	4.00	(0.04)	540,274	4.02	IMPACT	17.40	-	2,088	17.34
INSURE	-	-	-	-	WIN	0.60	-	1,222	0.60	KPNPF	-	-	-	-
MTI	115.50	(1.50)	299	116.06	Paper & Printing Mat					LHHOTEL	15.50	-	200	15.50
NKI	-	-	-	-	UTP	11.60	(0.10)	12,758	11.72	LHPF	8.45	0.10	270	8.45
NSI	84.00	-	7	84.00	Fashion	-	-	-	-	LHSC	15.60	0.10	2,234	15.51
SMK	41.25	-	4	41.19	AFC	-	-	-	-	LUXF	8.20	-	94	8.20
THRE	1.18	-	5,138	1.17	BTNC	-	-	-	-	M-II	8.90	(0.05)	22	8.90
THREL	8.15	0.35	25,772	7.85	CPH	-	-	-	-	M-PAT	10.30	0.20	12	10.30
TIC	34.00	-	24	34.01	CPL	-	-	-	-	M-STOR	10.30	0.10	5	10.30
TIP	23.60	0.30	5,431	23.45	DIGI	0.42	-	4,610	0.43	MIPF	-	-	-	-
TSI	0.50	-	2,451	0.50	ICC	-	-	-	-	MIT	-	-	-	-
TVI	3.74	(0.06)	1,869	3.79	LTX	90.00	2.75	131	90.07	MJLF	12.60	0.10	220	12.50
Mining					NC	-	-	-	-	MNIT	1.66	(0.04)	201	1.67
PDI	18.60	0.10	5,528	18.55	PAF	0.86	(0.02)	743	0.86	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.88	(0.02)	1,156	2.88	MNRF	3.50	0.06	91	3.33
Packaging					PG	7.10	-	44	7.13	MONTRI	-	-	-	-
AJ	10.60	(0.10)	2,496	10.63	SABINA	30.75	0.25	60	30.57	POPF	13.80	0.20	737	13.70
ALUCON	192.50	2.50	25	190.96	SAWANG	-	-	-	-	PPF	11.20	-	1,200	11.20
CSC	-	-	-	-	SUC	43.75	-	212	43.99	QHHR	8.45	-	2,280	8.45
NEP	0.42	0.01	1,905	0.41	TNL	18.30	-	36	18.26	QHOP	3.68	0.04	1	3.68
NPP	1.22	(0.01)	7,994	1.22	TPCORP	15.00	0.20	344	14.93	QHFP	12.40	0.10	3,775	12.33
PTL	16.90	0.10	9,058	16.90	TR	49.25	(0.25)	14	49.23	SBPF	-	-	-	-
SITHAI	1.13	-	2,166	1.13	TTI	-	-	-	-	SHREIT	9.25	-	228	9.25
SLP	0.93	0.01	112	0.93	TTL	-	-	-	-	SIRIP	-	-	-	-
SMPK	12.80	0.20	1,130	12.71	TTTM	140.50	2.50	62	141.57	SPF	23.20	-	2,446	23.22
SPACK	-	-	-	-	UPF	-	-	-	-	SRIANWA	11.00	-	74	11.00
TCOAT	-	-	-	-	UT	13.50	-	13	13.50	SSPF	-	-	-	-
TFI	0.38	0.02	110	0.39	WACOAL	44.50	0.75	14	44.50	SSTPF	6.50	-	42	6.51
THIP	35.75	0.25	233	35.65	Transportation & Log					SSTRT	6.30	0.05	15	6.30
TMD	21.90	-	121	21.91	AAV	4.60	-	213,244	4.61	TIF1	8.60	-	454	8.60
TOPP	214.00	(7.00)	2	214.00	AOT	66.00	0.25	224,909	66.18	TLGF	18.80	0.10	13,518	18.71
TPBI	8.30	-	368	8.26	ASIMAR	2.94	0.06	3,764	2.92	TLHPF	11.20	0.20	110	11.11
TPP	19.00	0.10	1	19.00	B	0.75	-	15,398	0.74	TNPF	3.70	-	301	3.70
Personal Products &					BA	12.70	-	34,439	12.74	TPRIME	12.00	-	813	12.00
APCO	4.48	0.02	357	4.47	BEM	8.35	0.05	815,284	8.32	TREIT	11.30	-	7,211	11.39
DDD	48.50	0.25	1,907	48.39	BTS	9.45	0.05	248,160	9.43	TTLPF	23.80	(0.10)	246	23.23
JCT	-	-	-	-	BTSGIF	12.00	-	129,452	12.04	TU-PF	-	-	-	-
OCC	17.30	(0.40)	7	17.30	III	4.84	-	7,623	4.84	URBNPF	3.10	-	133	3.10
S & J	25.50	-	259	25.50	JUTHA	1.89	0.10	55	1.80	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	7.20	0.15	52,397	7.22	WHART	10.00	(0.10)	109	10.00
TNR	12.80	(0.10)	508	12.90	KWC	-	-	-	-	Steel	-	-	-	-
TOG	5.20	0.15	2,282	5.21	NOK	2.72	(0.02)	2,993	2.70	AMC	2.72	0.02	4,532	2.70
Professional Service					NYT	5.20	(0.05)	7,042	5.25	BSBM	1.15	0.01	3,128	1.15
BWG	1.04	0.01	346,748	1.04	PRM	6.60	(0.10)	33,369	6.67	CEN	1.32	0.01	1,142	1.32
GENCO	0.82	0.02	17,472	0.82	PSL	12.60	(0.30)	26,867	12.68	CITY	2.64	-	232	2.62
PRO	-	-	-	-	RCL	5.70	-	11,630	5.69	CSP	1.41	0.02	281	1.41
TEAMG	2.36	(0.06)	201,663	2.38	THAI	14.10	0.10	13,326	14.10	GJS	0.32	-	19,014	0.32
Property Developer					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	800	6.70	TTA	7.35	0.10	15,122	7.29	INOX	1.07	0.02	1,679	1.07
AMATA	20.50	0.80	448,240	20.32	WICE	4.24	-	10,206	4.23	LHK	4.94	0.16	11,146	4.87
AMATAV	6.70	-	1,976	6.71	Automotive					MAX	0.03	0.01	106,552	0.02
ANAN	4.98	0.02	38,913	4.97	AH	32.75	1.75	7,753	32.14	MCS	8.15	0.05	12,755	8.10
AP	9.05	0.05	78,516	9.03	APCS	5.35	0.20	2,966	5.24	MILL	1.52	0.04	76,808	1.50
APEX	0.21	0.01	22,889	0.20	BAT-3K	-	-	-	-	PAP	4.26	0.02	834	4.26
AQ	0.04	0.01	328,503	0.04	CWT	3.30	0.04	8,242	3.30	PERM	2.56	0.10	19,998	2.57
BLAND	1.93	(0.01)	154,648	1.94	EASON	2.82	(0.04)	282	2.83	RICH	-	-	-	-
BROCK	-	-	-	-	GYT	388.00	3.00	1	388.00	SAM	0.74	-	2,312	0.73
CGD	1.44	-	48,449	1.44	HFT	3.22	-	3,278	3.23	SMIT	5.90	0.05	583	5.85
CI	1.58	-	896	1.58	IHL	8.20	(0.05)	914	8.25	SSI	-	-	-	-
CPN	75.25	(1.00)	64,608	75.47	INGRS	0.74	-	8,631	0.74	SSSC	2.84	-	1,623	2.84
ESTAR	0.68	-	18,814	0.68	IRC	20.40	0.10	11	20.32	TGPRO	0.18	-	25,201	0.18
EVER	0.39	0.01	2,063	0.38	PCSGH	7.15	0.05	1,204	7.13	THE	3.66	-	137,569	3.63
GLAND	2.68	0.04	106,594	2.65	SAT	22.50	(0.20)	10,974	22.76	TIW	400.00	3.00	100	396.64
GOLD	10.80	0.30	50,152	10.72	SPG	14.60	0.10	83	14.95	TMT	14.70	0.20	284	14.63
GREEN	1.37	0.08	29,787	1.35	STANLY	259.00	5.00	115	257.87	TSTH	0.74	-	21,493	0.75
J	1.64	(0.02)	16	1.64	TKT	1.60	0.01	221	1.60	TWP	4.04	(0.02)	191	4.02
JCK	1.49	0.01	3,519	1.48	TNPC	1.61	0.02	2,813	1.60	TYCN	2.82	0.02	47	2.80
KC	-	-	-	-	TRU	4.64	0.02	2,507	4.					

Main Board Quotation

Issue Date :

Thursday July 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	UMS	0.82	0.05	64	-	ADVA11P1807A	-	-	-	-
ABICO	8.25	1.90	154,032	7.00	UWC	0.08	-	38,152	-	ADVA11P1905A	0.44	(0.01)	4,400	-
AU	9.20	(0.15)	6,887	9.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.08	0.01	2,680	-
FC	0.34	(0.01)	77,836	-	ADAM	-	-	-	-	ADVA13C1811A	0.59	0.03	132,394	-
JCKH	1.12	0.01	3,460	1.00	AKP	1.69	0.03	1,106	1.00	ADVA13P1809A	0.17	(0.01)	13,828	-
KASET	2.12	(0.02)	239	2.00	AMA	6.30	0.05	16,424	6.00	ADVA16C1812A	0.50	0.02	1,337	-
MM	4.00	(0.04)	1,105	4.00	ARIP	0.50	-	1,098	-	ADVA18C1808A	0.39	0.01	3,400	-
SUN	3.50	0.16	28,254	3.00	ATP30	1.72	0.02	5,018	1.00	ADVA19C1901A	0.62	0.04	24,166	-
TACC	4.10	-	2,047	4.00	AUCT	5.75	(0.05)	6,820	5.00	ADVA23C1902A	0.47	0.01	11,208	-
TMILL	3.16	0.08	7,744	3.00	BOL	1.96	-	4,210	1.00	ADVA24C1810A	0.40	0.01	600	-
XO	8.15	(0.10)	9,043	8.00	CHUO	-	-	-	-	ADVA24P1810A	-	-	-	-
Consumer Products					CMO	1.57	-	1,112	1.00	ADVA28C1808A	-	-	-	-
BGT	1.09	(0.02)	1,504	1.00	D	10.50	(0.10)	2,140	10.00	ADVA28C1811A	0.51	0.03	278,184	-
BIZ	2.78	(0.02)	890	2.00	DCORP	2.74	0.02	2,250	2.00	ADVA28P1810A	0.22	(0.01)	30,690	-
DOD	13.90	-	93,096	13.00	DNA	0.40	0.01	7,321	-	AMAT01C1810A	0.76	0.08	186,139	-
ECF	7.45	0.15	60,579	7.00	EFORL	0.07	-	33,195	-	AMAT01C1810B	0.52	0.08	191,346	-
HPT	1.07	0.04	13,147	1.00	ETE	2.06	(0.02)	4,429	2.00	AMAT01P1810A	1.10	(0.12)	25,655	1.00
JUBILE	21.50	0.20	446	21.00	FSMART	8.85	0.10	6,136	8.00	AMAT06C1809A	-	-	-	-
MOONG	6.00	0.05	1,295	6.00	FVC	1.29	-	2,569	1.00	AMAT08C1807A	-	-	-	-
NPK	-	-	-	-	HARN	2.54	-	931	2.00	AMAT08C1809A	0.09	0.02	1,800	-
OCEAN	1.68	(0.01)	10,038	1.00	JKN	11.10	0.10	22,173	11.00	AMAT11C1903A	0.35	0.04	33,536	-
TM	2.02	0.02	1,251	2.00	KIAT	0.46	-	66,540	-	AMAT13C1809A	0.07	0.01	49,808	-
Financials (MAI)					KOOL	1.65	(0.01)	14,821	1.00	AMAT13C1812A	0.47	0.07	433,493	-
ACAP	8.85	(0.10)	26,562	8.00	LDC	1.10	-	2,497	1.00	AMAT19C1811A	0.21	0.03	89,758	-
AF	0.81	0.02	9,668	-	MPG	0.20	-	1,722	-	AMAT23C1810A	0.19	0.04	2,750	-
AIRA	2.00	-	70,924	2.00	NBC	0.66	0.01	1,834	-	AMAT24C1807A	-	-	-	-
ASN	3.30	0.12	46	3.00	NCL	1.40	-	222	1.00	AMAT24C1811A	0.30	0.03	2,260	-
BROOK	0.56	0.01	18,390	-	NEWS	0.01	-	2,376,087	-	AMAT28C1808A	-	-	-	-
CHAYO	3.78	0.02	60,431	3.00	NINE	1.54	0.03	1	1.00	ANAN01C1807A	0.02	(0.01)	1,203	-
GCAP	4.60	-	3,915	4.00	OTO	2.76	0.04	38	2.00	ANAN01C1810A	1.03	-	38,286	1.00
LIT	8.25	0.15	1,667	8.00	PHOL	2.38	-	49	2.00	ANAN01C1810B	0.87	0.01	10,338	-
SGF	0.13	-	314,380	-	PICO	5.90	(0.05)	120	5.00	ANAN08C1808A	0.01	-	10,217	-
Industrials (MAI)					PORT	6.70	0.20	1,780	6.00	ANAN08C1810A	-	-	-	-
2S	3.10	-	887	3.00	OLT	4.82	-	43	4.00	ANAN08C1906A	0.27	-	13,404	-
ADB	1.19	(0.02)	9,113	1.00	RP	3.00	(0.04)	93	3.00	ANAN13C1901A	0.22	-	33,825	-
BM	3.56	(0.02)	9,915	3.00	SE	2.02	-	101	2.00	ANAN19C1811A	0.59	0.01	4,880	-
CHO	1.18	0.01	5,492	1.00	SPA	15.40	(0.10)	16,344	15.00	ANAN23C1901A	0.34	0.01	7,000	-
CHOW	5.00	0.04	363	4.00	THMUI	1.36	0.01	364	1.00	ANAN24C1807A	-	-	-	-
CIG	0.39	-	3,095	-	TNDT	4.82	(0.12)	1,175	4.00	ANAN24C1811A	-	-	-	-
COLOR	1.12	-	74	1.00	TNH	39.75	(0.25)	40	39.00	ANAN28C1809A	0.54	(0.01)	11,482	-
CPR	5.55	(0.20)	27,893	5.00	TNP	2.10	-	1,161	2.00	AOT01C1808A	0.24	(0.01)	193,239	-
FPI	2.74	-	2,157	2.00	TSF	0.05	-	16,257	-	AOT01C1808B	0.01	-	1,850	-
GTB	0.74	-	3,155	-	TVD	1.42	0.01	10,581	1.00	AOT01C1810A	0.32	(0.01)	40,717	-
KCM	1.19	-	3,768	1.00	TVT	1.01	-	915	1.00	AOT01C1902A	0.61	-	87,082	-
LVT	-	-	-	-	WINNER	3.36	0.02	204	3.00	AOT01C1902B	0.46	(0.01)	67,529	-
MBAX	4.16	0.24	5,169	4.00	Technology (MAI)	-	-	-	-	AOT01P1808A	0.82	(0.01)	46,018	-
MGT	2.24	-	434	2.00	COMAN	3.32	(0.04)	575	3.00	AOT01P1808B	0.15	-	220,725	-
NDR	2.24	0.02	52	2.00	ICN	2.40	(0.02)	46,131	2.00	AOT01P1902A	0.86	(0.01)	42,527	-
PDG	3.60	0.02	999	3.00	IRCP	1.22	-	990	1.00	AOT01P1902B	0.63	0.01	64,415	-
PIMO	3.00	(0.02)	13,821	3.00	ITEL	3.00	0.06	5,657	2.00	AOT06C1809A	0.06	-	6	-
PJW	1.69	-	2,690	1.00	NETBAY	35.00	(0.50)	2,535	35.00	AOT08C1807A	-	-	-	-
PPM	2.24	0.02	1,389	2.00	PLANET	1.54	0.03	255	1.00	AOT08C1901A	0.39	0.01	30,536	-
RWI	1.62	-	432	1.00	SIMAT	2.40	(0.02)	8,345	2.00	AOT11C1808A	0.42	(0.03)	16,820	-
SALEE	1.10	-	1,299	1.00	SKY	14.30	(0.20)	3,110	14.00	AOT11P1808A	0.02	(0.01)	513	-
SANKO	1.25	0.01	510	1.00	SPVI	1.40	0.02	5,452	1.00	AOT13C1809A	0.05	0.01	14	-
SELIC	1.82	(0.01)	3,014	1.00	UPA	0.43	0.01	13,332	-	AOT13C1811A	0.23	(0.01)	25,450	-
SWC	22.90	0.10	651	22.00	VCOM	3.20	0.08	15,178	3.00	AOT13C1812A	0.41	0.01	63,680	-
TMC	0.89	-	3,550	-	Unit Trust	-	-	-	-	AOT13P1810A	0.38	(0.02)	63,991	-
TMI	0.81	0.01	2,181	-	MGE	-	-	-	-	AOT13P1812A	0.20	(0.01)	27,701	-
TMW	65.75	0.75	239	65.00	SCBSET	-	-	-	-	AOT19C1809A	0.13	(0.01)	14,352	-
TPAC	12.10	0.30	130	12.00	ETF	-	-	-	-	AOT19C1901A	0.52	-	9,985	-
UAC	4.78	0.02	1,054	4.00	1DIV	12.71	0.03	1	12.00	AOT23C1807A	-	-	-	-
UBIS	4.86	-	314	4.00	ABFTH	-	-	-	-	AOT23P1807A	-	-	-	-
UEC	1.27	0.03	6,841	1.00	BMSCG	9.09	0.02	88	9.00	AOT24C1807A	-	-	-	-
UKEM	0.88	(0.01)	64,046	-	BMSC10H	12.75	0.08	6,088	12.00	AOT24C1811A	0.14	-	5,132	-
UREKA	0.53	-	2,523	-	BSET100	10.88	0.06	1,169	10.00	AOT24C1901A	0.40	-	821	-
YUASA	16.60	0.10	92	16.00	CHINA	5.61	(0.02)	484	5.00	AOT24P1809A	0.06	-	8,090	-
ZIGA	3.38	0.04	117,780	3.00	EBANK	5.74	0.07	33	5.00	AOT28C1809A	0.07	-	2,880	-
Property & Construc					ECOMM	8.34	0.15	102	8.00	AOT28C1812A	0.36	0.01	102,766	-
ARROW	9.10	0.05	378	9.00	EFOOD	-	-	-	-	AP01C1809A	0.48	(0.01)	16,388	-
BKD	3.28	-	3,514	3.00	EICT	4.77	0.07	1	4.00	AP01C1809B	0.15	(0.02)	24,020	-
BSM	0.68	-	6,139	-	ENGY	6.32	0.01	1	6.00	AP08C1810A	0.40	0.02	11,980	-
BTW	1.55	0.01	44	1.00	ENY	7.61	0.27	217	7.00	AP23C1901A	0.18	-	1,060	-
CHEWA	1.06	-	9,280	1.00	ESET50	5.80	0.02	60	5.00	AP24C1901A	0.18	(0.11)	200	-
CRD	1.13	0.01	808	1.00	GLD	1.75	-	716	1.00	AP42C1901A	0.32	-	6,044	-
DIMET	1.14	0.09	293,669	1.00	TDEX	11.00	0.01	2,708	10.00	AP42P1901A	0.38	-	3,520	-
FLOYD	2.34	0.02	7,195	2.00	TGOLDEF	3.84	0.01	54	3.00	BA11C1902A	0.08	-	15,300	-
FOCUS	0.87	(0.02)	30	-	TH100	4.90	0.15	22	4.00	BA19C1811A	0.06	0.01	3,670	-
HYDRO	1.42	0.01	12,896	1.00	Warrant Foreign	-	-	-	-	BA24C1810A	0.15	0.01	36,569	-
JSP	0.70	0.01	58,002	-	AAV01C1808A	0.03	-	17,101	-	BA24C1901A	-	-	-	-
K	2.92	(0.08)	325	2.00	AAV01C1808B	0.01	-	1,200	-	BA28C1809A	-	-	-	-
META	2.28	(0.10)	74,433	2.00	AAV01P1808A	0.58	-	22,071						

Main Board Quotation

Issue Date :

Thursday July 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP24P1808A	0.02	(0.01)	100	-	BEC13C1901A	0.60	0.14	105,066	-	BTS28C1811A	-	-	-	-
BANP24P1901A	0.36	(0.01)	240	-	BEC19C1809A	-	-	-	-	BTS42C1901A	0.25	0.01	2,008	-
BANP27C1809A	0.19	0.01	2,900	-	BEC23C1807A	-	-	-	-	BTS42P1901A	-	-	-	-
BANP28C1809A	-	-	-	-	BEC23C1809A	-	-	-	-	CBG01C1809A	0.01	-	1,026	-
BANP28C1810A	0.32	-	193,640	-	BEC24C1809A	0.02	-	2	-	CBG01C1811A	0.41	(0.02)	95,107	-
BBL06C1902A	0.85	0.01	16,396	-	BEC24C1812A	0.19	-	400	-	CBG01C1811B	0.19	(0.02)	34,066	-
BBL08C1808A	-	-	-	-	BEC28C1808A	-	-	-	-	CBG01P1811A	1.08	0.03	21,481	1.00
BBL08C1809A	0.11	-	56,760	-	BEC28C1809A	-	-	-	-	CBG01P1811B	0.66	0.02	56,685	-
BBL08P1810A	0.13	(0.01)	26,310	-	BEC28C1811A	0.49	0.12	365,815	-	CBG06C1807A	0.15	(0.02)	19,071	-
BBL11C1903A	0.57	(0.01)	9,369	-	BEM01C1808A	0.44	0.03	44,499	-	CBG06C1809A	-	-	-	-
BBL11P1903A	0.40	-	26,966	-	BEM01C1808B	0.08	0.01	40	-	CBG06C1903A	0.69	(0.01)	771	-
BBL13C1810A	0.51	0.01	43,471	-	BEM01P1808A	0.11	(0.02)	27,059	-	CBG06P1809A	1.31	0.07	1,700	1.00
BBL19C1901A	0.32	0.01	33,381	-	BEM08C1809A	0.23	-	36,054	-	CBG07C1812A	-	-	-	-
BBL23C1811A	-	-	-	-	BEM11C1903A	0.28	0.02	21,660	-	CBG08C1808A	-	-	-	-
BBL24C1809A	0.07	0.01	301	-	BEM13C1809A	0.27	0.02	103,261	-	CBG08C1810A	0.03	-	3,150	-
BBL24C1812A	0.75	-	2	-	BEM19C1901A	0.39	0.01	17,015	-	CBG11C1902A	0.13	-	4,079	-
BBL24P1810A	-	-	-	-	BEM23C1901A	0.22	-	2,600	-	CBG13C1808A	-	-	-	-
BBL27C1809A	0.14	-	500	-	BEM24C1809A	0.24	(0.01)	100	-	CBG13C1809A	-	-	-	-
BBL28C1808A	-	-	-	-	BEM28C1808A	0.17	0.01	40,467	-	CBG13C1811A	0.14	(0.01)	18,888	-
BBL28C1811A	0.57	0.02	71,042	-	BGR10C1901A	0.91	0.03	44,507	-	CBG13C1812A	0.26	(0.02)	53,243	-
BCH01C1808A	0.37	(0.03)	35,014	-	BGR10C1901B	0.79	0.04	32,023	-	CBG18C1808A	-	-	-	-
BCH01C1808B	0.07	(0.02)	5,912	-	BGR10C1902A	0.66	0.02	131,001	-	CBG19C1810A	-	-	-	-
BCH01P1808A	0.25	0.02	18,581	-	BGR113C1812A	0.65	0.03	74,386	-	CBG19C1901A	0.51	(0.02)	9,050	-
BCH06C1811A	-	-	-	-	BGR113C1812B	0.19	-	28,780	-	CBG23C1901A	0.12	(0.01)	4,000	-
BCH08C1901A	0.31	-	23,609	-	BGR119C1901A	0.54	0.03	15,284	-	CBG24C1807A	-	-	-	-
BCH11C1807A	-	-	-	-	BGR124C1901A	0.60	0.03	5,400	-	CBG24C1809A	-	-	-	-
BCH11C1905A	0.28	(0.02)	8,492	-	BGR128C1812A	0.63	0.03	174,542	-	CBG24C1811A	0.20	(0.01)	12	-
BCH13C1810A	0.11	(0.01)	5,964	-	BH01C1811A	0.63	(0.06)	63,810	-	CBG28C1808A	-	-	-	-
BCH19C1809A	0.11	(0.01)	7,618	-	BH01C1811B	0.22	(0.03)	51,152	-	CBG28C1808B	-	-	-	-
BCH23C1811A	0.25	(0.02)	4,050	-	BH01P1811A	1.39	0.06	57,515	1.00	CBG28C1811A	0.12	(0.02)	10,863	-
BCH24C1811A	0.01	(0.11)	200	-	BH07C1810A	0.03	0.01	15,003	-	CENT01C1810A	0.26	-	29,232	-
BCH28C1811A	0.20	(0.02)	40,424	-	BH08C1811A	0.05	-	5,200	-	CENT01C1810B	0.10	-	12,902	-
BCP01C1810A	0.23	0.01	48,834	-	BH11C1902A	0.06	-	2,531	-	CENT01P1810A	1.00	(0.01)	7,900	1.00
BCP01C1810B	0.10	-	21,054	-	BH11C1905A	0.68	(0.05)	19,248	-	CENT08C1809A	0.02	-	8,100	-
BCP01P1810A	0.42	(0.02)	18,594	-	BH19C1901A	0.68	(0.03)	21,497	-	CENT11C1904A	0.25	0.01	25,648	-
BCP08C1901A	0.27	-	37,130	-	BH24C1809A	-	-	-	-	CENT13C1811A	-	-	-	-
BCP11C1811A	0.11	-	16,964	-	BH24C1811A	0.04	-	100	-	CENT23C1902A	0.24	-	2,000	-
BCP13C1810A	0.07	-	7,020	-	BH24C1902A	0.59	(0.04)	100	-	CENT24C1807A	-	-	-	-
BCP24C1808A	-	-	-	-	BIG08C1807A	-	-	-	-	CENT24C1810A	-	-	-	-
BCP24C1811A	-	-	-	-	BIG08C1906A	0.29	0.01	23,458	-	CENT24C1901A	0.28	(0.01)	7,250	-
BCP28C1809A	-	-	-	-	BIG13C1808A	-	-	-	-	CENT28C1808A	-	-	-	-
BCP28C1809B	-	-	-	-	BIG13C1901A	0.20	0.01	23,816	-	CHG01C1809A	0.35	(0.01)	22,302	-
BCPG01C1811A	0.36	0.01	42,979	-	BIG19C1811A	0.13	0.01	2,243	-	CHG01C1809B	0.41	(0.01)	150	-
BCPG01C1811B	0.16	-	29,320	-	BIG24C1808A	-	-	-	-	CHG01P1809A	0.20	0.01	5,058	-
BCPG06C1807A	0.01	-	1,000	-	BIG24C1812A	-	-	-	-	CHG08C1807A	-	-	-	-
BCPG06C1811A	0.20	0.06	950	-	BJC01C1807A	0.18	0.02	10,655	-	CHG11C1807A	-	-	-	-
BCPG08C1810A	0.19	-	38,184	-	BJC01C1807B	0.01	-	2,000	-	CHG11C1904A	0.21	-	3,419	-
BCPG11C1807A	0.47	0.02	13,754	-	BJC01C1812A	0.68	0.03	47,807	-	CHG13C1809A	0.51	(0.04)	4,626	-
BCPG11C1902A	0.14	-	12,714	-	BJC01C1812B	0.55	0.03	27,183	-	CHG13C1812A	0.18	(0.01)	10,267	-
BCPG13C1810A	0.14	-	34,746	-	BJC01P1807A	0.72	-	19,763	-	CHG23C1811A	-	-	-	-
BCPG13C1812A	0.41	0.01	85,177	-	BJC01P1812A	0.44	(0.02)	39,208	-	CHG24C1808A	-	-	-	-
BCPG23C1902A	0.34	0.01	1,040	-	BJC06C1807A	-	-	-	-	CHG24C1811A	0.05	(0.09)	200	-
BCPG24C1807A	-	-	-	-	BJC06C1901A	0.29	0.02	2,000	-	CHG28C1808A	-	-	-	-
BCPG24C1810A	0.08	(0.09)	200	-	BJC07C1809A	-	-	-	-	CHG28C1812A	0.20	(0.01)	3,000	-
BCPG28C1808A	-	-	-	-	BJC08C1807A	-	-	-	-	CK01C1809A	0.25	0.01	74,826	-
BCPG28C1809A	0.12	-	78,124	-	BJC08C1809A	0.07	-	14	-	CK01C1809B	0.35	0.02	77,702	-
BCPG28C1812A	0.39	-	133,270	-	BJC11C1807A	0.23	0.06	10,310	-	CK01P1809A	0.21	-	6,564	-
BDMS01C1811A	0.26	(0.03)	35,021	-	BJC11C1905A	0.53	0.03	15,440	-	CK08C1809A	-	-	-	-
BDMS01C1811B	0.14	(0.03)	49,643	-	BJC13C1808A	0.03	0.01	6,245	-	CK08C1901A	0.20	-	15,258	-
BDMS01P1811A	0.26	0.02	54,072	-	BJC13C1810A	0.19	0.02	30,568	-	CK11C1904A	0.21	(0.01)	9,100	-
BDMS06C1811A	-	-	-	-	BJC13C1812A	0.51	0.04	82,500	-	CK13C1809A	0.11	(0.01)	46,452	-
BDMS08C1807A	-	-	-	-	BJC19C1809A	0.19	0.02	12,386	-	CK16C1812A	0.20	(0.01)	200	-
BDMS08C1901A	0.20	(0.03)	37,792	-	BJC23C1901A	0.29	0.02	51,980	-	CK19C1811A	0.17	0.01	6,600	-
BDMS11C1811A	1.04	(0.11)	3,006	1.00	BJC24C1808A	-	-	-	-	CK23C1808A	-	-	-	-
BDMS11C1904A	0.14	(0.02)	8,073	-	BJC24C1901A	-	-	-	-	CK24C1808A	-	-	-	-
BDMS13C1810A	0.64	-	68	-	BJC27C1807A	-	-	-	-	CK24C1901A	-	-	-	-
BDMS13C1812A	0.18	(0.01)	52,487	-	BJC28C1808A	0.01	(0.01)	100	-	CK28C1809A	0.41	(0.01)	18,263	-
BDMS16C1812A	-	-	-	-	BJC28C1812A	0.48	0.03	126,230	-	CK28C1812A	0.11	-	100	-
BDMS19C1901A	0.34	(0.02)	14,508	-	BLA01C1812A	0.23	0.02	6,428	-	CKP01C1812A	0.46	-	8,056	-
BDMS23C1810A	0.63	(0.09)	1,000	-	BLA08C1811A	0.06	0.01	3	-	CKP01C1812B	0.33	-	12,770	-
BDMS24C1811A	-	-	-	-	BLA13C1809A	-	-	-	-	CKP11C1807A	0.41	-	5,200	-
BDMS24C1812A	-	-	-	-	BLA28C1810A	-	-	-	-	CKP13C1810A	0.27	(0.01)	17,430	-
BDMS28C1811A	0.12	(0.01)	130,892	-	BLAN01C1809A	0.59	-	2,183	-	CKP23C1810A	-	-	-	-
BEAU01C1807A	0.01	-	27,613	-	BLAN01C1809B	0.11	(0.01)	3,838	-	CKP24C1811A	0.31	(0.01)	873	-
BEAU01C1807B	0.01	-	32,150	-	BLAN01P1809A	-	-	-	-	CKP28C1809A	0.07	0.01	7	-
BEAU01C1812A	0.08	0.01	71,202	-	BLAN08C1810A	0.23	-	6,236	-	CKP28C1809B	0.32	(0.01)	13,794	-
BEAU01C1812B	0.03	-	5,052	-	BLAN11C1902A	0.24	(0.01)	5,106	-	COM701C1811A	0.51	-	16,575	-
BEAU01P1807A	-	-	-	-	BLAN23C1807A	-	-	-	-	COM701C1811B	0.29	(0.01)	16,499	-
BEAU01P1812A	1.98	(0.02)	6,553	1.00	BPP01C1811A	-	-	-	-	COM706C1809A	-	-	-	-
BEAU06C1809A	0.02	(0.01)	302	-	BPP01C1811B	-	-	-	-	COM708C1811A	-	-	-	-
BEAU07C1809A	0.01	-	188	-	BPP01P1811A	0.64	(0.03)	4,861	-	COM711C1811A	0.35	(0.01)	17,435	-
BEAU08C1808A	-	-	-	-	BPP06C1809A	-	-	-	-	COM713C1809A	0.05	-	100	-
BEAU08C1901A	0.03	0.01	16,607	-	BPP08C1807A	-	-	-	-	COM713C1812A	0.32	0.01	3,826	-
BEAU11C1902A	0.04	-	2,260	-	BPP08C1810A	0.17	-	7,994	-	COM719C1811A	0.26	0.01	1,763	-
BEAU13C1811A	0.02	-	62	-	BPP11C1807A	0.01	-	1,000	-	COM723C1901A	-	-	-	-
BEAU13C1812A	0.02	(0.01)	6,428	-	BPP13C1808A	0.19	-	11,054	-	COM724C1811A	-	-	-	-
BEAU13C1812B	0.37	0.01	611,785	-	BPP13C1811A	-	-	-	-	COM728C1808A	-	-	-	-
BEAU19C1811A	-	-	-	-	BPP23C1901A	0.25	-	2,000	-	COM728C1811A	0.27	-	67,440	-
BEAU19C1901A	0.48	0.02	38,439	-	BPP24C1809A	-	-	-	-	CPAL01C1808A	0.39	(0.06)	221,328	-
BEAU23C1901A	0.01	(0.01)	1,905	-	BPP28C1808A	0.08	-	12,097	-	CPAL01C1808B				

Main Board Quotation

Issue Date :

Thursday July 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL23C1810A	0.10	(0.02)	5,773	-	EPG07C1811A	-	-	-	-	INTU11P1807A	0.04	(0.03)	2,113	-
CPAL24C1808A	0.02	-	162	-	EPG08C1810A	0.05	(0.01)	700	-	INTU11P1905A	0.48	-	3,240	-
CPAL24C1811A	0.08	0.01	21	-	EPG08C1810B	0.60	(0.01)	8,438	-	INTU13C1810A	0.17	0.01	5,772	-
CPAL24C1901A	0.49	(0.04)	3,428	-	EPG11C1903A	0.50	-	8,230	-	INTU13C1812A	0.39	-	23,114	-
CPAL24P1901A	0.35	0.02	100	-	EPG13C1808A	-	-	-	-	INTU19C1901A	0.35	-	3,813	-
CPAL28C1809A	0.02	(0.01)	2,000	-	EPG13C1811A	0.38	(0.01)	11,553	-	INTU24C1807A	-	-	-	-
CPAL28C1811A	0.21	(0.02)	162,737	-	EPG23C1808A	-	-	-	-	INTU24C1901A	-	-	-	-
CPF01C1809A	1.01	(0.04)	16,415	1.00	EPG24C1807A	-	-	-	-	INTU28C1809A	0.10	(0.01)	12,276	-
CPF01C1809B	0.17	(0.02)	23,773	-	EPG24C1808A	-	-	-	-	IRPC01C1808A	0.09	(0.02)	430,308	-
CPF01C1810A	0.29	(0.01)	14,135	-	EPG24C1810A	0.60	-	393	-	IRPC01C1810A	0.13	(0.01)	84,301	-
CPF01P1809A	0.19	0.01	26,021	-	EPG28C1808A	0.02	-	6,000	-	IRPC01C1810B	0.02	-	2,430	-
CPF06C1809A	-	-	-	-	ESS001C1807A	0.01	-	22,780	-	IRPC01P1808A	0.50	0.02	44,790	-
CPF07C1810A	-	-	-	-	ESS001C1807B	0.01	-	3,222	-	IRPC01P1810A	0.42	0.02	69,365	-
CPF08C1809A	0.47	(0.04)	3,550	-	ESS001C1812A	0.52	0.08	274,986	-	IRPC01P1810B	0.21	0.01	112,093	-
CPF08C1901A	0.24	-	5,420	-	ESS001C1812B	0.36	0.07	118,832	-	IRPC06C1811A	0.19	(0.01)	4,800	-
CPF11C1902A	0.13	-	91	-	ESS001P1807A	1.06	(0.18)	12,893	1.00	IRPC07C1812A	0.21	0.05	100	-
CPF11P1902A	0.22	(0.01)	16,368	-	ESS001P1812A	0.63	(0.08)	141,582	-	IRPC08C1808A	0.02	0.01	1	-
CPF13C1809A	0.61	-	6,466	-	ESS008C1807A	-	-	-	-	IRPC11C1902A	0.06	-	1,678	-
CPF13C1810A	0.16	-	8,644	-	ESS011C1905A	0.68	0.09	33,850	-	IRPC11C1905A	0.31	(0.05)	22,419	-
CPF19C1901A	0.29	-	6,088	-	ESS013C1811A	0.27	0.07	92,706	-	IRPC13C1808A	-	-	-	-
CPF23C1810A	-	-	-	-	ESS023C1809A	-	-	-	-	IRPC13C1811A	0.12	(0.01)	211,556	-
CPF24C1809A	-	-	-	-	ESS024C1812A	0.21	0.04	2,300	-	IRPC13C1812A	0.24	(0.02)	225,895	-
CPF24C1901A	-	-	-	-	ESS028C1811A	0.24	0.05	269,683	-	IRPC19C1901A	0.29	(0.02)	37,853	-
CPF28C1808A	0.48	0.09	500	-	GFPT01C1807A	0.21	0.01	4,655	-	IRPC23C1810A	-	-	-	-
CPF28C1811A	0.17	-	2,447	-	GFPT08C1807A	-	-	-	-	IRPC24C1808A	0.19	(0.03)	24,347	-
CPN01C1808A	0.22	(0.06)	28,590	-	GFPT08C1906A	0.47	(0.01)	42,444	-	IRPC24C1809A	0.02	0.01	7,450	-
CPN01C1808B	0.02	-	8,101	-	GFPT19C1811A	0.45	(0.02)	4,336	-	IRPC24C1812A	-	-	-	-
CPN06C1811A	0.43	(0.06)	4,461	-	GFPT24C1812A	0.39	0.02	1	-	IRPC27C1809A	-	-	-	-
CPN08C1809A	0.03	(0.01)	30	-	GGC01C1810A	0.12	(0.01)	26,355	-	IRPC28C1811A	0.08	(0.01)	2,000	-
CPN11C1903A	0.27	(0.03)	12,300	-	GGC01C1810B	0.05	-	1,024	-	IRPC28C1812A	0.27	(0.01)	507,935	-
CPN11P1903A	0.54	0.03	17,193	-	GGC08C1906A	0.15	-	33,402	-	ITD01C1808A	-	-	-	-
CPN13C1812A	0.30	(0.04)	62,033	-	GGC13C1811A	0.04	0.01	124	-	ITD01C1808B	-	-	-	-
CPN19C1901A	0.47	(0.05)	16,121	-	GGC19C1811A	0.03	-	2,000	-	ITD01P1808A	1.19	0.01	29,360	1.00
CPN23C1810A	0.17	(0.04)	12,000	-	GGC23C1901A	0.06	-	156	-	ITD08C1810A	-	-	-	-
CPN24C1901A	0.30	(0.04)	1,519	-	GGC24C1812A	-	-	-	-	ITD11C1903A	0.16	(0.01)	36,484	-
CPN28C1810A	0.16	(0.03)	67,818	-	GGC28C1811A	-	-	-	-	ITD13C1809A	-	-	-	-
DELTO6C1903A	1.02	0.01	2,907	1.00	GLOB01C1809A	0.49	-	7,101	-	ITD13C1812A	0.20	-	97,068	-
DELTO8C1811A	0.16	0.01	38,812	-	GLOB01C1809B	0.23	-	9,842	-	ITD19C1811A	-	-	-	-
DELTT13C1809A	0.07	-	17,028	-	GLOB06C1809A	0.28	0.01	1,660	-	ITD23C1808A	-	-	-	-
DELTT24C1901A	0.82	0.05	606	-	GLOB08C1807A	-	-	-	-	ITD24C1807A	-	-	-	-
DELTT27C1812A	0.16	-	2,948	-	GLOB11C1808A	0.20	(0.01)	3,240	-	ITD24C1810A	-	-	-	-
DTAC01C1808A	0.11	(0.01)	148,946	-	GLOB13C1807A	-	-	-	-	ITD28C1808A	-	-	-	-
DTAC01C1808B	-	-	-	-	GLOB23C1811A	-	-	-	-	ITD28C1808B	-	-	-	-
DTAC01C1810A	0.32	(0.01)	32,454	-	GLOB24C1810A	0.19	(0.02)	350	-	IVL01C1808A	0.44	-	154,585	-
DTAC01C1810B	0.08	-	20,500	-	GLOB27C1809A	0.09	-	5,168	-	IVL01C1808B	0.09	(0.01)	22,273	-
DTAC01C1902A	0.70	(0.02)	66,675	-	GLOB28C1808A	-	-	-	-	IVL01C1812A	0.59	-	65,111	-
DTAC01C1902B	0.59	-	81,496	-	GLOW08C1811A	0.69	(0.01)	9,890	-	IVL01C1812B	0.41	-	110,734	-
DTAC01P1808A	0.86	0.02	346,363	-	GLOW11C1807A	0.78	(0.02)	2,020	-	IVL01P1808A	0.56	(0.02)	49,880	-
DTAC01P1810A	1.23	-	67,419	1.00	GLOW19C1901A	0.73	0.01	5,788	-	IVL01P1808B	0.11	-	66,103	-
DTAC01P1810B	0.79	-	48,604	-	GLOW27C1812A	0.40	-	1,182	-	IVL01P1812A	0.79	-	35,171	-
DTAC01P1902A	0.97	-	24,099	-	GPSC01C1808A	0.24	-	35,579	-	IVL01P1812B	0.59	(0.01)	70,856	-
DTAC01P1902B	0.78	-	52,976	-	GPSC01C1808B	-	-	-	-	IVL06C1807A	0.01	(0.01)	2,000	-
DTAC06C1901A	-	-	-	-	GPSC01P1808A	1.15	(0.04)	12,518	1.00	IVL06C1901A	0.45	-	9,465	-
DTAC06P1809A	0.41	-	25,342	-	GPSC06C1811A	0.24	-	1	-	IVL07C1811A	-	-	-	-
DTAC07C1809A	-	-	-	-	GPSC08C1808A	0.01	-	3,038	-	IVL08C1901A	0.59	-	50,982	-
DTAC08C1809A	-	-	-	-	GPSC11C1808A	0.79	0.03	6,140	-	IVL08P1809A	-	-	-	-
DTAC08P1807A	0.01	(0.02)	2,001	-	GPSC11C1902A	0.27	-	15,870	-	IVL11C1808A	0.91	-	22,495	-
DTAC11C1904A	0.27	(0.01)	26,881	-	GPSC13C1808A	-	-	-	-	IVL11P1808A	-	-	-	-
DTAC13C1811A	0.11	-	38,321	-	GPSC13C1812A	0.49	0.02	24,968	-	IVL13C1809A	0.25	-	77,876	-
DTAC13C1812A	0.41	0.01	154,156	-	GPSC19C1901A	0.55	0.01	6,724	-	IVL13C1810A	0.27	-	44,362	-
DTAC13P1811A	-	-	-	-	GPSC24C1807A	-	-	-	-	IVL13C1812A	0.53	(0.01)	70,036	-
DTAC13P1812A	0.23	-	36,367	-	GPSC24C1808A	-	-	-	-	IVL13P1809A	0.02	-	7,500	-
DTAC19C1811A	0.22	(0.01)	13,270	-	GPSC24C1812A	0.35	0.01	12,000	-	IVL13P1811A	0.31	(0.02)	4,709	-
DTAC23C1807A	-	-	-	-	GPSC28C1811A	0.39	(0.02)	15,210	-	IVL19C1809A	0.53	0.01	114,566	-
DTAC23P1807A	-	-	-	-	GUNK01C1808A	-	-	-	-	IVL23C1810A	0.54	(0.01)	1,701	-
DTAC24C1809A	0.06	(0.01)	500	-	GUNK01C1808B	-	-	-	-	IVL24C1808A	0.12	(0.01)	904	-
DTAC27C1809A	-	-	-	-	GUNK08C1807A	-	-	-	-	IVL24C1812A	0.28	0.02	953	-
DTAC27P1809A	0.16	-	12,926	-	GUNK11C1903A	0.17	-	17,370	-	IVL24C1901A	0.60	0.01	1,066	-
DTAC28C1810A	-	-	-	-	GUNK24C1807A	-	-	-	-	IVL28C1808A	-	-	-	-
DTAC28C1812A	0.44	(0.01)	166,500	-	GUNK24C1812A	0.25	(0.01)	1,908	-	IVL28C1811A	0.31	-	126,742	-
EA01C1809A	0.68	0.05	128,423	-	GUNK28C1808A	-	-	-	-	IVL28C1812A	0.58	0.01	153,602	-
EA01C1809B	0.36	0.04	66,053	-	GUNK28C1810A	0.28	(0.01)	20,502	-	IVL28P1811A	0.37	-	43,342	-
EA01P1809A	0.80	(0.06)	43,429	-	HANA01C1811A	0.42	(0.01)	46,020	-	KBAN01C1808A	0.26	0.04	128,683	-
EA06C1809A	-	-	-	-	HANA01C1811B	0.26	(0.02)	52,779	-	KBAN01C1808B	0.01	-	9,408	-
EA07C1810A	-	-	-	-	HANA08C1809A	0.11	(0.01)	4,830	-	KBAN01C1810A	1.34	0.10	44,088	1.00
EA08C1807A	-	-	-	-	HANA11C1904A	0.24	(0.01)	14,284	-	KBAN01C1901A	1.44	0.09	18,675	1.00
EA08C1809A	-	-	-	-	HANA13C1809A	0.14	-	58,272	-	KBAN01C1901B	0.90	0.09	23,448	-
EA08C1810A	0.20	0.03	67,080	-	HANA23C1811A	0.42	-	2,000	-	KBAN01P1808A	0.67	(0.07)	47,424	-
EA11C1902A	0.09	-	34,196	-	HANA24C1808A	0.01	-	1	-	KBAN01P1808B	0.11	(0.04)	245,281	-
EA13C1808A	-	-	-	-	HANA24C1810A	0.13	(0.02)	214	-	KBAN01P1810A	0.15	(0.06)	19,442	-
EA13C1808B	0.01	(0.01)	22,307	-	HANA28C1808A	-	-	-	-	KBAN01P1901A	0.88	(0.07)	22,303	-
EA13C1809A	-	-	-	-	HANA28C1812A	0.34	-	16,280	-	KBAN01P1901B	0.40	(0.05)	103,809	-
EA13C1810A	0.02	(0.01)	598	-	HMPR01C1808A	0.30	(0.03)	87,273	-	KBAN06C1811A	0.89	0.10	12,168	-
EA13C1811A	0.12	0.01	23,734	-	HMPR01C1808B	0.06	(0.02)	5,230	-	KBAN07C1811A	-	-	-	-
EA13C1812A	0.21	0.03	264,600	-	HMPR01P1808A	0.27	0.03	25,604	-	KBAN08C1811A	0.81	0.07	41,929	-
EA13C1812B	0.40	0.04	89,273	-	HMPR06C1811A	-	-	-	-	KBAN08P1811A	0.22	(0.02)	15,904	-
EA13P1809A	0.66	(0.10)	29,748	-	HMPR08C1810A	0.12	0.03	718	-	KBAN13C1810A	0.21	0.03	22,710	-
EA19C1811A	0.38	0.05	33,316	-	HMPR11C1808A	0.30	(0.03)	10,904	-	KBAN13C1811A	0.99	0.09	42,815	-
EA23C1901														

Main Board Quotation

Issue Date :

Thursday July 26, 2018

Main Board Quotation					Main Board Quotation					Main Board Quotation				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE11C1904A	0.37	(0.02)	900	-	MINT01C1808A	0.03	-	9,343	-	PTT06C1811A	-	-	-	-
KCE13C1808A	0.30	(0.03)	907	-	MINT01C1808B	0.01	-	1	-	PTT06C1901A	0.42	-	35,876	-
KCE13C1811A	0.51	(0.03)	1,473	-	MINT01C1901A	0.41	(0.01)	112,384	-	PTT06P1901A	0.44	(0.01)	19,590	-
KCE13C1812A	0.29	(0.03)	19,133	-	MINT01C1901B	0.29	-	212,739	-	PTT07C1811A	-	-	-	-
KCE19C1901A	0.37	(0.03)	3,000	-	MINT01P1808A	0.70	0.02	44,635	-	PTT08C1807A	0.01	(0.01)	2,080	-
KCE23C1807A	-	-	-	-	MINT01P1901A	0.38	0.01	47,192	-	PTT08C1809A	0.03	(0.01)	2,998	-
KCE23C1901A	0.24	(0.04)	21,903	-	MINT06C1809A	-	-	-	-	PTT08P1809A	0.32	(0.01)	74,034	-
KCE24C1808A	0.18	(0.05)	95,538	-	MINT06C1901A	0.25	(0.02)	984	-	PTT11C1902A	0.21	0.02	95,295	-
KCE24C1901A	0.35	(0.02)	4,950	-	MINT07C1810A	-	-	-	-	PTT13C1807A	0.04	0.01	5,162	-
KCE28C1808A	-	-	-	-	MINT08C1809A	-	-	-	-	PTT13C1808A	-	-	-	-
KCE28C1811A	0.46	(0.02)	3,980	-	MINT11C1902A	0.12	-	24,999	-	PTT13C1810A	0.09	-	23,009	-
KKP01C1808A	0.25	0.01	50,813	-	MINT11P1902A	0.26	(0.01)	28,246	-	PTT13C1811A	0.28	-	43,447	-
KKP01C1808B	0.01	-	10,200	-	MINT13C1810A	0.10	-	49,912	-	PTT13C1812A	0.43	0.01	215,893	-
KKP08C1811A	0.40	0.01	59,826	-	MINT13C1812A	0.36	0.01	217,929	-	PTT13P1807A	-	-	-	-
KKP11C1903A	0.33	0.01	15,350	-	MINT19C1901A	0.34	(0.01)	37,680A	-	PTT13P1808A	0.11	(0.08)	1,282	-
KKP13C1811A	0.33	-	45,958	-	MINT23C1810A	-	-	-	-	PTT13P1812A	0.30	(0.01)	100,423	-
KKP19C1901A	0.52	-	19,607	-	MINT24C1807A	-	-	-	-	PTT19C1809A	0.10	-	5,570	-
KKP23C1807A	-	-	-	-	MINT24C1812A	-	-	-	-	PTT19C1901A	0.48	0.02	38,715	-
KKP24C1807A	-	-	-	-	MINT24C1901A	0.36	0.01	2,110	-	PTT23C1901A	0.13	-	123,840	-
KKP24C1812A	0.37	-	4,510	-	MINT28C1808A	-	-	-	-	PTT24C1809A	-	-	-	-
KKP28C1810A	0.22	0.01	65,232	-	MINT28C1811A	0.21	-	142,147	-	PTT24C1812A	0.35	-	4,324	-
KTB01C1808A	0.23	(0.01)	38,266	-	MONO01C1810A	0.08	-	2,880	-	PTT24P1808A	-	-	-	-
KTB01C1810A	0.44	-	29,326	-	MONO01C1810B	-	-	-	-	PTT24P1901A	0.21	(0.01)	220	-
KTB01C1810B	0.25	0.01	30,170	-	MONO08C1808A	0.01	-	1	-	PTT27C1809A	0.45	0.05	5,668	-
KTB01P1808A	0.32	(0.01)	30,504	-	MONO08C1906A	0.15	(0.01)	58,274	-	PTT27P1809A	0.12	-	7,082	-
KTB06C1902A	0.40	0.01	6,614	-	MONO13C1808A	-	-	-	-	PTT28C1808A	0.01	-	68,500	-
KTB08C1809A	-	-	-	-	MONO13C1811A	0.06	-	95	-	PTT28C1808B	0.02	0.01	246	-
KTB11C1811A	0.22	-	4,372	-	MONO13C1901A	0.27	(0.01)	56,645	-	PTT28C1811A	0.08	-	3,000	-
KTB13C1809A	-	-	-	-	MONO19C1811A	0.16	-	26,723	-	PTT28C1811B	0.26	0.01	12,794	-
KTB13C1901A	0.48	0.01	5,268	-	MONO23C1809A	-	-	-	-	PTT28C1812A	0.41	0.03	526,405	-
KTB19C1901A	0.34	(0.01)	7,296	-	MONO23C1901A	0.25	-	3,000	-	PTT28P1808A	0.05	(0.02)	40,080	-
KTB23C1811A	-	-	-	-	MONO24C1807A	-	-	-	-	PTT28P1808B	-	-	-	-
KTB24C1808A	-	-	-	-	MONO24C1812A	-	-	-	-	PTT28P1812A	0.21	(0.01)	268,080	-
KTB24C1811A	-	-	-	-	MONO24C1812B	0.10	(0.09)	200	-	PTTE01C1808A	1.13	0.10	275,967	1.00
KTB24P1901A	0.24	(0.01)	13,459	-	MONO28C1808A	-	-	-	-	PTTE01C1808B	0.53	0.10	246,923	-
KTB28C1809A	0.06	-	301	-	MONO28C1811A	0.05	0.01	200	-	PTTE01C1901A	0.75	0.05	207,675	-
KTB28C1811A	0.24	0.02	58,311	-	MONO28C1901A	0.24	(0.01)	20,052	-	PTTE01C1901B	0.52	0.05	200,063	-
KTC01C1808A	0.64	(0.01)	59,796	-	MTC06C1901A	0.54	0.01	62,601	-	PTTE01P1808A	0.06	(0.04)	204,971	-
KTC01C1808B	0.11	(0.02)	102,460	-	MTC08C1807A	-	-	-	-	PTTE01P1901A	1.24	(0.08)	113,421	1.00
KTC01C1810A	0.27	-	76,979	-	MTC08C1811A	0.19	0.01	71,135	-	PTTE01P1901B	0.82	(0.09)	140,932	-
KTC01C1810B	0.16	(0.02)	21,128	-	MTC11C1904A	0.37	0.01	44,543	-	PTTE06C1811A	0.46	0.06	15,374	-
KTC06C1807A	0.34	0.01	58,078	-	MTC13C1809A	0.07	-	40,580	-	PTTE07C1809A	0.23	0.06	34,980	-
KTC08C1807A	-	-	-	-	MTC13C1811A	0.51	0.01	416,269	-	PTTE08C1807A	-	-	-	-
KTC08C1808A	-	-	-	-	MTC19C1901A	0.42	0.01	33,351	-	PTTE08C1811A	0.39	0.06	80,867	-
KTC11C1902A	0.78	(0.01)	9,096	-	MTC23C1808A	0.08	0.01	11,150	-	PTTE08P1809A	0.04	(0.03)	5,691	-
KTC13C1808A	0.18	(0.14)	74,857	-	MTC24C1808A	-	-	-	-	PTTE08P1811A	0.27	(0.05)	79,508	-
KTC13C1809A	0.14	(0.01)	97,660	-	MTC24C1810A	0.25	0.01	5,590	-	PTTE11C1902A	0.63	0.08	47,703	-
KTC13C1809B	0.14	(0.01)	60,392	-	MTC24C1812A	0.48	0.02	3,880	-	PTTE13C1807A	0.25	0.07	5	-
KTC13C1812A	0.18	0.01	102,193	-	MTC27C1807A	-	-	-	-	PTTE13C1811A	0.34	0.05	328,827	-
KTC13P1807A	0.01	-	79,946	-	MTC28C1808A	-	-	-	-	PTTE13C1812A	0.63	0.07	123,462	-
KTC19C1811A	0.26	0.02	84,083	-	MTC28C1809A	0.33	0.01	64,893	-	PTTE13P1807A	-	-	-	-
KTC19C1901A	0.60	0.03	57,108	-	ORI08C1807A	-	-	-	-	PTTE13P1811A	0.23	(0.05)	261,625	-
KTC23C1809A	0.64	(0.02)	24,390	-	ORI11C1811A	0.23	-	13,486	-	PTTE19C1811A	0.54	0.07	91,629	-
KTC24C1808A	0.33	(0.13)	43,894	-	ORI13C1810A	0.50	0.04	46,579	-	PTTE23C1901A	0.12	0.01	16,170	-
KTC24C1810A	0.16	0.01	23,382	-	ORI19C1811A	0.32	0.02	26,889	-	PTTE24C1807A	0.03	0.01	50	-
KTC24P1807A	0.02	(0.06)	116,533	-	ORI23C1809A	0.11	0.01	10,700	-	PTTE24C1811A	0.20	0.02	4,000	-
KTC28C1808A	0.21	(0.60)	44,880	-	ORI24C1810A	0.30	0.01	500	-	PTTE24C1901A	0.50	(0.05)	1,200	-
KTC28C1808B	-	-	-	-	ORI28C1808A	0.01	(0.01)	22,534	-	PTTE24P1809A	0.03	-	32	-
KTC28C1809A	0.15	(0.13)	8,128	-	PLAN08C1811A	0.17	(0.01)	49,812	-	PTTE27C1809A	-	-	-	-
KTC28C1810A	0.29	(0.01)	430	-	PLAN13C1809A	0.08	(0.01)	1,356	-	PTTE27P1809A	-	-	-	-
LH01C1809A	0.40	(0.02)	97,566	-	PLAN28C1810A	0.13	(0.01)	136,172	-	PTTE28C1810A	0.27	0.05	152,773	-
LH01C1809B	0.24	-	80,555	-	PSH01C1810A	0.34	-	6,846	-	PTTE28C1811A	0.18	0.03	21,123	-
LH01P1809A	0.08	-	11,355	-	PSH01C1810B	0.10	-	250	-	PTTE28P1811A	0.25	(0.06)	66,057	-
LH06C1809A	0.34	0.09	18,640	-	PSH01P1810A	0.77	(0.02)	5,888	-	PTTG01C1808A	0.16	-	195,275	-
LH07C1810A	0.20	-	40	-	PSH08C1811A	-	-	-	-	PTTG01C1810A	0.24	-	154,983	-
LH11C1808A	0.28	-	6,912	-	PSH11C1902A	0.25	-	6,084	-	PTTG01C1810B	0.03	-	65,399	-
LH13C1808A	0.24	(0.01)	24,199	-	PSH23C1811A	0.22	(0.02)	2,000	-	PTTG01C1811A	0.46	-	96,753	-
LH19C1901A	0.28	(0.01)	65,808	-	PSL01C1807A	0.35	(0.06)	41,077	-	PTTG01C1901A	1.15	-	111,078	1.00
LH23C1901A	0.18	-	7,260	-	PSL01C1812A	0.45	(0.04)	59,500	-	PTTG01C1901B	0.91	-	74,608	-
LH24C1809A	-	-	-	-	PSL01C1812B	0.38	(0.05)	24,176	-	PTTG01P1808A	1.08	(0.01)	58,133	1.00
LH28C1808A	0.04	(0.01)	33,907	-	PSL11C1905A	0.31	(0.03)	19,056	-	PTTG01P1811A	1.62	-	25,118	1.00
LPN01C1809A	0.12	-	5,716	-	PSL23C1809A	0.09	(0.02)	12,500	-	PTTG01P1901A	0.94	(0.01)	35,477	-
LPN01C1811A	0.41	-	16,518	-	PSL24C1807A	-	-	-	-	PTTG01P1901B	0.72	(0.01)	29,060	-
LPN01C1811B	0.23	(0.01)	27,725	-	PTG01C1811A	0.21	-	99,432	-	PTTG06C1809A	0.03	-	500	-
LPN01P1809A	0.46	-	7,703	-	PTG01C1811B	0.08	-	25,400	-	PTTG06C1903A	1.12	0.01	7,800	1.00
LPN08C1807A	-	-	-	-	PTG01P1811A	1.10	(0.01)	34,682	1.00	PTTG06P1903A	0.51	(0.49)	10,410	-
LPN08C1810A	0.09	0.01	122,770	-	PTG06C1810A	-	-	-	-	PTTG07C1812A	0.46	(0.02)	9,051	-
LPN08C1906A	0.23	(0.01)	14,434	-	PTG06C1904A	0.47	0.02	560	-	PTTG08C1811A	0.08	-	3,000	-
LPN19C1811A	0.21	(0.02)	18,640	-	PTG08C1807A	-	-	-	-	PTTG08P1811A	-	-	-	-
LPN24C1808A	-	-	-	-	PTG11C1903A	0.16	-	1,804	-	PTTG11C1902A	0.13	(0.01)	3,855	-
LPN24C1812A	-	-	-	-	PTG13C1809A	0.01	(0.01)	1,194	-	PTTG13C1808A	-	-	-	-
LPN27C1807A	-	-	-	-	PTG13C1812A	0.21	-	66,598	-	PTTG13C1812A	0.30	0.01	119,974	-
MAJ008C1811A	-	-	-	-	PTG23C1808A	-	-	-	-	PTTG13C1812B	0.85	-	327,524	-
MAJ011C1902A	0.10	-	3,958	-	PTG24C1809A	-	-	-	-	PTTG19C1811A	0.27	-	70,139	-
MAJ024C1809A	-	-	-	-	PTG27C1809A	-	-	-	-	PTTG23C1901A	0.10	-	44,236	-
MALE01C1812A	0.03	-	48,119	-	PTG28C1808A	-	-	-	-	PTTG24C1808A	-	-	-	-
MALE08C1811A	0.01	-	254	-	PTG28C1812A	0.30	-	201,826	-	PTTG24C1812A	-	-	-	-
MALE13C180														

Main Board Quotation

Issue Date :

Thursday July 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
QH28C1808A	0.10	0.01	51,568	-	SCB19C1811A	0.29	0.05	12,334	-	STEC24C1808A	-	-	-	-
RATC19C1901A	0.35	(0.01)	27,965	-	SCB24C1901A	0.67	0.07	1,003	-	STEC24C1901A	-	-	-	-
RATC24C1902A	-	-	-	-	SCB24C1902A	-	-	-	-	STEC28C1808A	-	-	-	-
RATC27C1812A	0.10	-	11,316	-	SCB24P1811A	0.25	(0.08)	32,774	-	STEC28C1810A	0.45	-	30,863	-
ROBI01C1809A	0.30	0.05	64,280	-	SCB28C1808A	-	-	-	-	STPI08C1811A	-	-	-	-
ROBI06C1809A	0.27	0.05	3,700	-	SCB28C1809A	0.06	0.02	3,100	-	SUPE08C1808A	0.01	-	4	-
ROBI08C1808A	-	-	-	-	SCB28C1812A	0.44	0.06	175,481	-	SUPE08C1811A	0.12	-	1,003	-
ROBI11C1808A	0.06	(0.01)	307	-	SCB28P1808A	0.01	(0.04)	2,009	-	SUPE13C1810A	-	-	-	-
ROBI19C1901A	0.62	0.08	19,210	-	SCB28P1812A	0.13	(0.04)	16,285	-	SUPE13C1811A	0.11	-	42	-
ROBI24C1901A	0.19	(0.04)	200	-	SCC01C1808A	0.16	0.03	116,132	-	SUPE23C1811A	0.15	-	1,528	-
ROBI24C1903A	0.63	0.09	12,150	-	SCC01C1808B	0.02	-	12,407	-	SUPE23C1901A	-	-	-	-
S10001C1811A	0.58	0.01	5,114	-	SCC01C1901A	0.71	0.02	36,797	-	SUPE28C1810A	0.01	-	410	-
S5001C1807A	0.40	0.02	16,608	-	SCC01C1901B	0.61	0.03	20,215	-	SUPE28C1811A	0.01	(0.01)	10	-
S5001C1807B	0.23	0.01	32,654	-	SCC01P1808A	0.57	(0.04)	12,299	-	TASCO1C1809A	-	-	-	-
S5001C1808A	0.66	0.02	131,575	-	SCC01P1901A	0.37	(0.02)	16,497	-	TASCO1C1810A	0.10	(0.02)	15,204	-
S5001C1808B	0.50	0.03	63,120	-	SCC06C1809A	-	-	-	-	TASCO1C1810B	-	-	-	-
S5001C1809F	0.85	0.01	1,155,650	-	SCC06C1902A	0.37	0.03	6,832	-	TASCO1P1809A	2.00	0.07	17,018	1.00
S5001C1809G	0.29	0.01	447,702	-	SCC07C1812A	0.59	0.04	3	-	TASCO1P1810A	0.92	0.05	116,317	-
S5001C1809H	2.14	0.02	152,128	2.00	SCC08C1809A	0.05	0.01	656	-	TASCO7C1811A	-	-	-	-
S5001C1809I	1.64	0.02	1,056,812	1.00	SCC11C1811A	0.13	0.01	15,767	-	TASC08C1808A	-	-	-	-
S5001C1810A	1.36	0.01	27,716	1.00	SCC11P1811A	0.29	(0.02)	21,209	-	TASC11C1904A	0.10	(0.01)	7,207	-
S5001C1810B	1.39	0.01	70,416	1.00	SCC13C1809A	0.06	0.01	14,001	-	TASC13C1810A	-	-	-	-
S5001P1807A	1.43	(0.03)	26,331	1.00	SCC13C1812A	0.25	0.02	18,569	-	TASC23C1902A	0.24	(0.02)	14,000	-
S5001P1807B	1.09	(0.02)	11,200	1.00	SCC13C1901A	0.49	0.04	16,973	-	TASC24C1810A	-	-	-	-
S5001P1808A	0.82	(0.02)	103,799	-	SCC19C1811A	0.18	0.02	23,927	-	TASC28C1808A	-	-	-	-
S5001P1808B	0.92	(0.04)	187,577	-	SCC19C1901A	0.46	0.04	9,275	-	TCAP01C1807A	0.01	-	10,000	-
S5001P1809F	1.48	(0.05)	1,225,963	1.00	SCC23C1811A	-	-	-	-	TCAP01C1807B	-	-	-	-
S5001P1809G	0.82	(0.05)	964,377	-	SCC24C1812A	0.08	0.01	10,992	-	TCAP01C1901A	0.58	-	25,143	-
S5001P1809H	0.13	(0.02)	618,788	-	SCC24C1901A	0.50	0.07	700	-	TCAP01C1901B	0.50	0.02	15,858	-
S5001P1809I	0.06	(0.01)	346,903	-	SCC24P1901A	0.28	(0.03)	27,176	-	TCAP01P1807A	0.94	-	12,718	-
S5001P1810A	0.30	(0.01)	118,929	-	SCC27C1809A	-	-	-	-	TCAP01P1901A	0.42	-	22,440	-
S5001P1810B	0.21	(0.02)	72,130	-	SCC27P1809A	-	-	-	-	TCAP08C1810A	0.09	-	2,000	-
S5006C1809A	0.26	0.01	8,536	-	SCC28C1811A	0.19	0.01	106,658	-	TCAP11C1811A	0.13	-	5,755	-
S5006C1809B	0.13	-	102,220	-	SCC28C1812A	0.45	0.02	70,146	-	TCAP13C1809A	0.03	0.01	300	-
S5006C1809C	0.41	0.08	2,000	-	SCC08C1811A	0.05	0.02	37,839	-	TCAP13C1901A	0.45	0.01	67,229	-
S5006C1809D	0.16	0.01	4,516	-	SCCC13C1809A	0.02	-	4,093	-	TCAP23C1807A	-	-	-	-
S5006C1812A	0.71	0.04	11,901	-	SCCC27C1812A	0.11	0.04	28,277	-	TCAP24C1807A	-	-	-	-
S5006C1812B	-	-	-	-	SGP08C1808A	0.01	-	20,825	-	TCAP24C1903A	0.30	-	2	-
S5006P1809A	1.33	(0.08)	2,933	1.00	SGP08C1901A	0.42	0.04	66,412	-	TCAP27C1807A	-	-	-	-
S5006P1809B	0.62	(0.06)	2,382	-	SGP11C1904A	0.20	0.02	67,858	-	THAI01C1808A	-	-	-	-
S5006P1809C	0.85	(0.06)	840	-	SGP13C1808A	0.01	-	133,294	-	THAI01C1808B	-	-	-	-
S5006P1809D	0.37	(0.01)	2	-	SGP13C1811A	0.13	0.03	33,867	-	THAI01C1901A	0.38	-	28,170	-
S5006P1812A	1.26	(0.08)	7,984	1.00	SGP13C1812A	0.32	0.05	202,598	-	THAI01C1901B	-	-	-	-
S5006P1812B	0.47	(0.02)	18,765	-	SGP19C1811A	0.34	0.06	33,468	-	THAI01P1808A	0.69	-	28,654	-
S5008C1809A	0.95	0.05	149,598	-	SGP24C1808A	-	-	-	-	THAI01P1901A	0.82	-	44,145	-
S5008P1809A	0.16	(0.02)	73,083	-	SGP24C1811A	0.16	0.04	3,980	-	THAI06C1809A	-	-	-	-
S5013C1809A	0.19	0.02	1,291,900	-	SGP24C1902A	0.98	0.07	2,573	-	THAI07C1811A	-	-	-	-
S5013C1809B	0.39	0.03	1,281,412	-	SGP28C1808A	-	-	-	-	THAI08C1808A	-	-	-	-
S5013C1809C	0.34	0.03	665,525	-	SGP28C1809A	0.02	-	1	-	THAI11C1808A	-	-	-	-
S5013C1809D	0.73	0.07	4,105,504	-	SGP28C1811A	0.16	0.03	49,144	-	THAI13C1811A	0.09	-	400	-
S5013C1809E	1.16	0.10	4,523,297	1.00	SIRI01C1808A	-	-	-	-	THAI23C1901A	0.04	-	200	-
S5013P1809A	1.18	(0.13)	35,412	1.00	SIRI01C1808B	-	-	-	-	THAI24C1808A	-	-	-	-
S5013P1809B	0.60	(0.06)	2,585,149	-	SIRI01C1901A	0.42	(0.01)	38,183	-	THAI24C1901A	0.25	0.01	3,000	-
S5013P1809C	0.81	(0.06)	8,167	-	SIRI01C1901B	0.20	-	40,784	-	THAI27C1809A	-	-	-	-
S5013P1809D	0.32	(0.04)	2,696,918	-	SIRI01P1808A	0.55	(0.02)	17,504	-	THAI28C1808A	-	-	-	-
S5013P1809E	0.12	(0.03)	5,597,420	-	SIRI01P1901A	0.59	(0.02)	26,954	-	THAN01C1812A	0.45	(0.03)	11,881	-
S5028C1807A	0.01	-	48,464	-	SIRI08C1808A	-	-	-	-	THAN13C1809A	-	-	-	-
S5028C1809A	0.31	0.02	691,666	-	SIRI08C1810A	0.14	-	4,870	-	THAN23C1807A	-	-	-	-
S5028C1809B	1.06	0.08	1,557,912	1.00	SIRI11C1902A	0.16	0.01	53,846	-	THAN28C1810A	0.13	-	2,028	-
S5028P1807A	0.53	(0.07)	33	-	SIRI13C1809A	0.02	-	32	-	THCO01C1809A	-	-	-	-
S5028P1809A	0.55	(0.06)	1,171,855	-	SIRI23C1811A	0.21	-	19,000	-	THCO01P1809A	0.77	-	652	-
S5028P1809B	0.20	(0.02)	699,887	-	SIRI24C1809A	0.03	-	6,200	-	THCO08C1906A	0.16	(0.01)	4,740	-
SAWA01C1808A	0.02	-	5,516	-	SIRI28C1809A	0.05	0.01	11	-	THCO11C1902A	-	-	-	-
SAWA01C1808B	-	-	-	-	SIRI28C1901A	0.36	-	169,560	-	THCO19C1811A	-	-	-	-
SAWA01C1901A	0.55	0.03	143,687	-	SPAL01C1808A	0.34	0.04	34,827	-	THCO23C1808A	-	-	-	-
SAWA01C1901B	0.44	0.02	119,843	-	SPAL01C1808B	0.03	0.01	2,001	-	THCO24C1807A	-	-	-	-
SAWA01P1808A	2.02	(0.06)	19,359	2.00	SPAL06C1809A	0.42	0.04	16,777	-	THCO24C1810A	-	-	-	-
SAWA01P1901A	0.87	(0.02)	49,052	-	SPAL08C1808A	-	-	-	-	THCO28C1808A	-	-	-	-
SAWA06C1807A	-	-	-	-	SPAL11C1807A	0.02	(0.01)	4,000	-	THCO28C1901A	0.22	0.01	5,056	-
SAWA06C1811A	0.06	-	500	-	SPAL11C1905A	-	-	-	-	TISC01C1808A	0.20	0.01	64,142	-
SAWA07C1812A	0.38	(0.02)	2,000	-	SPAL23C1811A	0.50	0.02	5,000	-	TISC01C1808B	0.02	-	12,003	-
SAWA08C1808A	-	-	-	-	SPAL24C1808A	-	-	-	-	TISC08C1808A	0.03	0.01	10,597	-
SAWA08C1811A	0.03	-	6,644	-	SPAL24C1812A	0.19	0.02	3,540	-	TISC11C1903A	0.22	0.01	17,403	-
SAWA11C1808A	-	-	-	-	SPRC01C1808A	0.15	0.01	78,748	-	TISC13C1811A	0.28	-	92,691	-
SAWA13C1810A	-	-	-	-	SPRC01C1808B	-	-	-	-	TISC13C1812A	0.67	0.01	67,813	-
SAWA13C1811A	0.03	-	1,521	-	SPRC06C1809A	-	-	-	-	TISC19C1901A	0.39	0.01	15,849	-
SAWA13C1812A	0.22	0.01	92,543	-	SPRC06C1902A	0.54	0.03	9,162	-	TISC24C1812A	0.19	(0.01)	2,222	-
SAWA13C1901A	0.56	0.01	117,070	-	SPRC08C1808A	-	-	-	-	TISC27C1807A	-	-	-	-
SAWA19C1901A	0.59	0.01	61,122	-	SPRC11C1902A	0.11	-	3,448	-	TKN01C1808A	0.07	0.02	44,369	-
SAWA23C1807A	-	-	-	-	SPRC13C1808A	-	-	-	-	TKN01C1808B	0.01	(0.01)	2,000	-
SAWA24C1808A	-	-	-	-	SPRC13C1812A	0.34	0.01	135,325	-	TKN01C1901A	0.68	0.06	89,116	-
SAWA24C1812A	0.24	0.01	3,121	-	SPRC19C1901A	0.38	(0.01)	18,252	-	TKN01C1901B	0.57	0.08	74,334	-
SAWA28C1807A	-	-	-	-	SPRC23C1810A	-	-	-	-	TKN08C1808A	-	-	-	-
SAWA28C1809A	0.02	0.01	1	-	SPRC24C1808A	-	-	-	-	TKN08C1811A	0.14	0.02	102,322	-
SAWA28C1810A	0.02	-	12,700	-	SPRC24C1903A	0.35	0.01	2,454	-	TKN11C1902A	0.20	0.01	50,911	-
SAWA28C1811A	0.25	0.01	180,364	-	STA01C1807A	0.01	-	40,000	-	TKN13C1808A	-	-	-	-
SAWA28C1812A	0.58	0.02	177,812	-	STA01C1807B	-	-	-	-	TKN13C1810A	0.10	0.02	85,388	-
SCB01C1808A														

Main Board Quotation

Issue Date :

Thursday July 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TMB06C1902A	0.14	-	1,200	-	TU01C1808A	0.02	(0.01)	5,729	-	TIC-Q	-	-	-	-
TMB07C1811A	0.05	-	30,000	-	TU01C1808B	-	-	-	-	TISCO-Q	-	-	-	-
TMB08C1808A	-	-	-	-	TU01C1901A	0.51	(0.01)	40,856	-	U-Q	-	-	-	-
TMB08C1901A	0.11	-	319,540	-	TU01C1901B	0.47	(0.02)	29,674	-	Warrant	-	-	-	-
TMB11C1904A	0.11	-	76,378	-	TU01P1808A	0.96	0.01	11,075	-	7UP-W2	0.15	-	22	-
TMB13C1811A	0.07	-	285,099	-	TU01P1901A	0.30	-	28,420	-	ACC-W1	0.03	-	3,225	-
TMB19C1901A	0.16	-	157,508	-	TU06C1902A	-	-	-	-	AJA-W1	0.17	-	642	-
TMB23C1810A	0.02	0.01	17,000	-	TU08C1811A	0.05	(0.01)	2,000	-	ALT-W1	0.72	-	3,269	-
TMB24C1809A	-	-	-	-	TU11C1902A	-	-	-	-	APURE-W2	0.17	-	18,553	-
TMB24C1901A	0.08	0.01	5,361	-	TU13C1809A	-	-	-	-	AQ-W4	0.01	-	351	-
TMB28C1808A	-	-	-	-	TU23C1902A	-	-	-	-	AS-W1	0.43	-	361	-
TMB28C1809A	-	-	-	-	TU24C1808A	-	-	-	-	AYUD-W1	2.66	(0.06)	24,675	2.00
TOA01C1901A	0.49	0.02	14,934	-	TU24C1901A	0.17	(0.01)	500	-	B-W3	-	-	-	-
TOA01C1901B	0.38	0.01	16,368	-	TU27C1807A	-	-	-	-	B-W4	0.22	-	11,657	-
TOA08C1902A	0.28	-	11,752	-	TV001C1809A	0.16	0.01	36,805	-	BTS-W3	0.04	-	335,703	-
TOA13C1812A	0.40	0.02	24,411	-	TV001C1809B	-	-	-	-	BWG-W4	0.08	0.01	28,105	-
TOA19C1901A	0.36	-	1,946	-	TV008C1808A	0.01	-	5,000	-	CEN-W4	0.04	-	5,063	-
TOA24C1812A	0.31	(0.01)	1,000	-	TV011C1903A	0.11	-	5,828	-	CGD-W4	0.22	-	123,068	-
TOA28C1812A	0.33	-	9,126	-	TV013C1809A	-	-	-	-	CGH-W3	0.06	(0.01)	4,309	-
TOP01C1808A	0.06	(0.01)	32,010	-	TV023C1808A	-	-	-	-	CI-W1	0.37	-	4	-
TOP01C1808B	0.01	-	2,050	-	TV024C1810A	-	-	-	-	CKP-W1	0.36	-	5,300	-
TOP01C1901A	1.41	0.01	50,324	1.00	TV028C1808A	-	-	-	-	CRANE-W1	-	-	-	-
TOP01C1901B	1.33	-	34,026	1.00	UNIQ01C1809A	0.12	0.01	5,835	-	CWT-W4	0.58	0.01	10,058	-
TOP01P1808A	1.15	(0.04)	24,393	1.00	UNIQ01C1810A	0.27	-	11,720	-	DCC-W1	0.68	-	63,306	-
TOP01P1901A	0.77	0.01	24,140	-	UNIQ01C1810B	0.10	0.01	50,403	-	DCON-W1	-	-	-	-
TOP06C1809A	-	-	-	-	UNIQ01P1809A	0.55	(0.02)	5,990	-	DIGI-W1	0.05	-	22,700	-
TOP06C1903A	-	-	-	-	UNIQ08C1808A	-	-	-	-	DIGI-W2	0.02	-	2,503	-
TOP07C1812A	-	-	-	-	UNIQ08C1810A	-	-	-	-	EARTH-W4	-	-	-	-
TOP08C1811A	0.14	-	20,452	-	UNIQ08C1906A	0.28	0.01	10,999	-	EIC-W2	0.01	-	2,005	-
TOP11C1808A	-	-	-	-	UNIQ11C1811A	-	-	-	-	EIC-W3	0.04	-	200	-
TOP11C1905A	1.01	0.01	16,104	1.00	UNIQ13C1809A	0.06	-	500	-	EIC-W4	-	-	-	-
TOP13C1811A	0.13	0.01	7,247	-	UNIQ13C1901A	0.28	(0.01)	9,366	-	EVER-W3	0.03	-	22	-
TOP13C1901A	0.61	-	104,227	-	UNIQ19C1811A	-	-	-	-	GJS-W3	0.02	(0.01)	6,653	-
TOP18C1808A	-	-	-	-	UNIQ23C1901A	0.12	(0.01)	5,000	-	GL-W4	-	-	-	-
TOP19C1901A	0.46	-	43,902	-	UNIQ24C1811A	-	-	-	-	GSTEL-W1	-	-	-	-
TOP23C1811A	0.17	(0.01)	4,000	-	UNIQ28C1809A	-	-	-	-	GSTEL-W2	-	-	-	-
TOP24C1901A	-	-	-	-	UNIQ28C1811A	0.13	0.01	30,721	-	IEC-W2	-	-	-	-
TOP24C1902A	-	-	-	-	UV01C1807A	0.04	-	1,600	-	IHL-W1	4.68	0.20	127	4.00
TOP28C1810A	-	-	-	-	UV08C1807A	-	-	-	-	ITD-W1	0.12	-	96,562	-
TP101C1807A	0.01	-	8,000	-	UV13C1808A	-	-	-	-	IVL-W2	15.20	0.50	58,011	15.00
TP101C1807B	-	-	-	-	UV13C1812A	0.46	0.01	187,685	-	JAS-W3	2.02	0.06	180,553	2.00
TP101C1812A	0.23	0.03	52,222	-	UV23C1809A	-	-	-	-	JCK-W5	0.45	0.01	250	-
TP101C1812B	0.16	0.02	28,520	-	UV24C1807A	-	-	-	-	JMART-W2	1.70	(0.08)	6,039	1.00
TP107C1812A	-	-	-	-	UV24C1812A	0.26	-	1,800	-	MIDA-W2	0.02	(0.01)	12,332	-
TP108C1807A	-	-	-	-	UV28C1808A	-	-	-	-	MILL-W3	0.04	-	16,817	-
TP113C1809A	-	-	-	-	VGI01C1812A	0.61	0.02	12,284	-	MILL-W4	0.32	(0.04)	16,074	-
TP119C1901A	0.26	0.03	10,244	-	VGI06C1904A	6.00	0.20	280	6.00	MILL-W5	0.26	0.26	1,155,102	-
TP123C1809A	0.01	-	10,450	-	VGI06C1904B	-	-	-	-	ML-W2	0.03	-	1,200	-
TP124C1808A	-	-	-	-	VGI06C1904C	-	-	-	-	MONO-W1	0.66	(0.01)	15,897	-
TP124C1902A	0.12	(0.11)	6,000	-	VGI08C1811A	0.51	0.03	18,730	-	NEP-W3	0.13	-	101	-
TP128C1808A	-	-	-	-	VGI23C1905A	-	-	-	-	NOK-W1	0.98	(0.01)	96	-
TP1P01C1810A	0.48	0.04	63,034	-	VGI23C1911A	1.29	0.07	2	1.00	NPP-W3	0.19	(0.02)	34,162	-
TP1P01C1810B	0.20	0.02	56,749	-	VGI27C1812A	0.33	0.02	3,124	-	NUSA-W3	-	-	-	-
TP1P01P1810A	0.53	(0.05)	28,623	-	VGI28C1810A	0.30	-	71,922	-	NVD-W1	0.32	(0.03)	48,713	-
TP1P08C1808A	0.01	(0.01)	1,572	-	WHA01C1807A	0.01	(0.03)	20,690	-	ORI-W1	2.74	0.04	22,358	2.00
TP1P11C1811A	0.12	0.01	43,550	-	WHA01C1807B	0.01	-	5,650	-	PACE-W1	-	-	-	-
TP1P13C1811A	0.29	0.03	45,175	-	WHA01C1812A	0.61	(0.02)	17,571	-	PACE-W2	0.10	-	78,207	-
TP1P23C1808A	-	-	-	-	WHA01C1812B	0.54	(0.02)	19,028	-	PDI-W1	1.51	(0.01)	22,660	1.00
TP1P24C1901A	0.41	0.01	2,000	-	WHA01P1812A	0.64	0.02	59,491	-	PDJ-W2	1.56	(0.03)	15	1.00
TP1P27C1812A	0.07	-	71	-	WHA06C1809A	0.16	(0.03)	39,845	-	PDJ-W3	1.45	(0.01)	30	1.00
TRUE01C1808A	0.24	0.01	279,727	-	WHA07C1810A	0.20	(0.02)	2,850	-	PDJ-W4	1.40	(0.06)	112	1.00
TRUE01C1808B	0.05	-	9,266	-	WHA08C1811A	0.20	(0.02)	19,003	-	PLE-W3	0.10	0.01	3,601	-
TRUE01C1902A	0.53	0.02	85,203	-	WHA11C1903A	0.25	(0.01)	17,004	-	RICH-W1	-	-	-	-
TRUE01C1902B	0.43	-	108,564	-	WHA13C1808A	0.07	(0.01)	100	-	RICHY-W1	0.31	0.01	3,004	-
TRUE01P1808A	0.30	(0.01)	92,858	-	WHA13C1812A	0.47	(0.03)	112,759	-	RICHY-W2	0.16	-	1,405	-
TRUE01P1902A	0.53	(0.01)	36,628	-	WHA19C1901A	0.46	(0.02)	11,262	-	RS-W3	8.95	0.10	59	8.00
TRUE01P1902B	-	-	-	-	WHA23C1810A	0.29	(0.01)	4,100	-	S-W1	0.13	0.01	30,582	-
TRUE06C1811A	-	-	-	-	WHA24C1807A	-	-	-	-	SAMART-W2	0.32	-	4,017	-
TRUE06C1906A	0.32	0.02	20	-	WHA24C1811A	0.14	(0.02)	8,000	-	SAWAD-W1	5.30	(0.05)	1,411	5.00
TRUE08C1809A	0.09	-	4,000	-	WHA28C1808A	-	-	-	-	SDC-W1	0.06	-	1,742	-
TRUE08C1902A	0.40	0.01	135,676	-	WHA28C1808B	-	-	-	-	SMM-W4	0.09	0.01	2,083	-
TRUE08P1809A	0.12	-	1,939	-	WHA28C1809A	0.41	(0.03)	31,854	-	SMT-W1	0.09	0.01	1,488	-
TRUE11C1807A	0.01	-	91	-	WHAU01C1810A	0.18	-	43,365	-	SMT-W2	0.58	0.10	72,085	-
TRUE11C1905A	0.35	0.01	33,768	-	WHAU01C1810B	0.04	(0.01)	2,150	-	SPALI-W4	19.00	0.30	318	18.00
TRUE13C1807A	-	-	-	-	WHAU24C1812A	0.05	0.01	1	-	SPORT-W5	0.09	(0.01)	2,004	-
TRUE13C1810A	0.06	-	5,525	-	WORK01C1811A	0.69	(0.09)	59,038	-	SPORT-W6	-	-	-	-
TRUE13C1812A	0.28	0.01	587,037	-	WORK01C1811B	0.49	(0.07)	25,371	-	SUPER-W4	0.12	-	218,212	-
TRUE16C1812A	0.29	-	1,800	-	WORK08C1809A	-	-	-	-	SUSCO-W1	0.17	-	9,663	-
TRUE19C1901A	0.19	0.01	135,103	-	WORK08C1901A	0.56	(0.08)	70,188	-	SVI-W3	1.26	(0.04)	219	1.00
TRUE23C1902A	0.24	-	11,388	-	WORK11C1903A	0.18	(0.03)	9,708	-	TCC-W3	-	-	-	-
TRUE27C1809A	-	-	-	-	WORK13C1809A	-	-	-	-	TCC-W4	0.13	(0.01)	23,967	-
TRUE27P1809A	0.27	(0.01)	8,000	-	WORK13C1810A	0.03	0.01	86,312	-	TCC-W5	0.18	-	1,046	-
TRUE28C1808A	-	-	-	-	WORK13C1811A	0.21	(0.04)	67,914	-	TCC-W6	1.14	0.24	135,180	1.00
TRUE28C1810A	-	-	-	-	WORK13C1812A	0.70	(0.09)	71,195	-	TCMC-W2	0.33	0.01	16,890	-
TRUE28C1812A	0.22	-	365,343	-	WORK19C1811A	0.32	(0.05)	12,643	-	TFG-W1	1.34	0.14	193	1.00
TTA01C1807A	0.01	-	43,229	-	WORK23C1807A	-	-	-	-	TFG-W2	0.77	0.07	30,676	-
TTA01P1807A	0.99	0.02	7,306	-	WORK24C1810A	0.03	(0.01)	12,700	-	TH-W2	0.14	-	3,551	-
TTA08C1808A	-	-	-	-	WORK24C1812A	0.51	(0.09)	1,040	-	THE-W2	0.07	-	181,503	-
TTA08C1906A	0.33	-	15,956	-	WORK28C1808A	-	-	-	-	TNITY-W1	0.91	-	902	-
TTA13C1809A	-	-	-	-	WORK28C1809A	-	-	-	-	TNPC-W1	0.45	(0.03)	3,466	-
TTA13C1901A	0.29	(0.01)	18,382	-	WORK28C1811A	0.22	(0.04)	24,230	-	TRITN-W3	0.16	-	21,504	-
TTA18C1808A	-	-	-	-	Preferred/Foreign	-	-	-	-	TSR-W1	0.51	0.01	11,060	-
TTA19C1811A	0.14	(0.02)	637	-	BH-Q	-	-	-	-	TTA-W5	0.40	-	11,135	-
TTA23C1808A	-	-	-	-	CSC-Q	-	-	-	-	TTCL-W1	1.00	(0.05)	41,918	1.00
TTA23C190														

Main Board Quotation

Issue Date :

Thursday July 26, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIBHA-W3	0.33	0.02	29,111	-	T-W3	-	-	-	-	-	-	-	-	-
WAVE-W1	0.43	0.02	1,490	-	TAKUNI-W	0.20	0.01	15,302	-	-	-	-	-	-
WHA-W1	6.50	-	1,377	6.00	TAPAC-W3	2.64	0.10	8,844	2.00	-	-	-	-	-
WORK-W1	11.50	(0.40)	72	11.00	TMILL-W1	1.04	0.04	11,496	1.00	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W4	0.01	-	10,000	-	-	-	-	-	-
BH-P	-	-	-	-	TSF-W5	0.03	-	9,522	-	-	-	-	-	-
CSC-P	-	-	-	-	TVD-W2	0.55	0.03	14,208	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UAC-W2	0.91	(0.02)	2,025	-	-	-	-	-	-
KTB-P	-	-	-	-	UKEM-W2	0.53	(0.01)	3,082	-	-	-	-	-	-
SCB-P	-	-	-	-	UWC-W2	-	-	-	-	-	-	-	-	-
TCAP-P	-	-	-	-	XO-W1	5.25	-	10,131	5.00	-	-	-	-	-
TIC-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
U-P	0.03	-	219,603	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.14	-	3,422	-	-	-	-	-	-	-	-	-	-	-
ACAP-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	3.10	(0.08)	7,257	3.00	-	-	-	-	-	-	-	-	-	-
AIRA-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.05	(0.01)	2,283	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.83	-	4,280	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.23	0.04	735	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.09	-	25,510	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	0.03	-	3	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.20	-	1,595,985	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.01	0.01	1,781	1.00	-	-	-	-	-	-	-	-	-	-
ECF-W2	3.96	0.04	3,304	3.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	2.86	0.04	1,444	2.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.01	-	5,545	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.02	-	783	-	-	-	-	-	-	-	-	-	-	-
FC-W1	0.06	-	9,030	-	-	-	-	-	-	-	-	-	-	-
FC-W2	0.04	-	6,620	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.26	(0.02)	1,214	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.42	-	16	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.33	0.02	31,061	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	2.78	0.04	7,495	2.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.22	-	1,885	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.06	(0.01)	16,553	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.11	-	680	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOL-W1	0.07	-	3,905	-	-	-	-	-	-	-	-	-	-	-
PIMO-W1	1.98	(0.01)	3,894	1.00	-	-	-	-	-	-	-	-	-	-
PPS-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSTC-W1	0.27	-	8,234	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W2	0.48	(0.04)	554	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W3	0.66	-	778	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W4	1.52	(0.01)	4,133	1.00	-	-	-	-	-	-	-	-	-	-
SKY-W1	12.50	(1.00)	60	12.00	-	-	-	-	-	-	-	-	-	-
STAR-W3	1.96	0.04	2,044	1.00	-	-	-	-	-	-	-	-	-	-