

Main Board Quotation

Issue Date :

Tuesday July 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.20	(0.10)	864	10.25	SE-ED	2.86	(0.02)	93	2.86
POMPI	-	-	-	-	ILINK	5.10	(0.05)	2,849	5.18	SMM	0.86	(0.03)	138	0.86
SAFARI	-	-	-	-	INET	3.76	0.04	3,725	3.77	SPORT	0.55	0.02	7,563	0.54
VI	-	-	-	-	INTUCH	56.25	0.50	49,105	56.18	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	5.40	-	219,037	5.42	TH	0.63	(0.01)	1,322	0.64
WR	-	-	-	-	JASIF	10.10	-	124,538	10.11	TKS	10.50	-	2,477	10.50
Agribusiness	-	-	-	-	JMART	8.80	(0.10)	11,852	8.94	TRITN	0.31	(0.01)	22,474	0.31
CHOTI	147.00	1.00	1	147.00	JTS	1.57	(0.02)	709	1.57	VGI	7.10	(0.20)	82,770	7.20
EE	0.75	(0.01)	12,690	0.74	MFEIC	3.98	(0.02)	460	3.98	WAVE	2.84	(0.08)	87	2.84
GFPT	13.70	-	13,389	13.60	MSC	5.95	-	126	5.93	WORK	46.50	(0.25)	20,335	46.79
LEE	2.82	-	1,298	2.82	PT	6.85	0.10	1,256	6.84	Finance & Securities	-	-	-	-
STA	11.20	(0.10)	43,702	11.15	SAMART	7.25	(0.05)	6,009	7.27	AEC	0.51	0.02	13,652	0.51
TLUXE	6.25	(0.20)	27,247	6.44	SAMTEL	8.50	(0.10)	107	8.65	AEONTS	168.00	2.00	5,513	167.31
TRUBB	1.66	-	1,495	1.66	SDC	0.24	0.01	12,622	0.25	AMANAH	2.02	0.02	44,986	2.02
TWPC	9.25	(0.15)	783	9.34	SIS	8.95	0.10	1,424	8.91	ASAP	6.50	(0.05)	32,159	6.55
UPOIC	4.18	0.02	73	4.16	SVOA	1.36	0.01	8,254	1.36	ASK	22.80	0.30	1,396	22.71
UVAN	7.65	-	1,729	7.63	SYMC	5.00	-	233	5.01	ASP	3.88	-	48,210	3.89
VPO	0.65	-	3,429	0.65	SYNEX	13.60	-	1,537	13.55	BFIT	28.50	-	1,882	28.46
Banking	-	-	-	-	THCOM	8.30	0.05	5,780	8.20	CGH	1.09	-	9,203	1.10
BAY	39.00	(0.25)	2,056	39.29	TRUE	6.25	(0.05)	622,482	6.27	CNS	2.64	0.04	1,209	2.62
BBL	206.00	2.00	83,644	205.16	TWZ	0.14	0.01	38,750	0.13	ECL	1.91	-	30,478	1.91
CIMBT	0.88	-	5,509	0.88	Electronic Componen	-	-	-	-	FNS	4.62	(0.02)	524	4.65
KBANK	217.00	2.00	86,598	217.50	CCET	2.12	-	23,206	2.10	FSS	2.52	(0.04)	1,142	2.52
KKP	72.50	(0.25)	40,086	72.61	DELTA	69.75	1.25	40,245	69.51	GBX	0.68	0.01	693	0.67
KTB	19.00	-	416,695	18.95	EIC	0.05	-	24,234	0.05	GL	5.15	(0.10)	8,257	5.19
LHFG	1.61	0.03	68,560	1.60	HANA	36.00	(0.50)	13,054	36.24	IFS	3.08	-	1,269	3.07
SCB	140.00	3.50	175,455	138.98	KCE	41.25	0.75	57,148	41.32	JMT	27.50	(0.50)	1,364	27.79
TCAP	51.25	-	82,625	50.76	METCO	190.00	(1.00)	102	190.05	KCAR	14.00	0.10	840	13.99
TISCO	78.00	-	71,708	77.53	SMT	2.36	(0.08)	11,419	2.39	KGI	4.22	(0.06)	31,453	4.22
TMB	2.30	0.04	6,154,449	2.30	SPPT	4.24	-	421	4.23	KTC	28.75	0.75	390,498	28.76
Construction Materia	-	-	-	-	SVI	4.14	(0.14)	117,241	4.19	MBKET	13.20	(0.30)	3,824	13.38
CCP	0.40	(0.01)	41,196	0.40	TEAM	1.14	-	37,260	1.16	MFC	15.60	0.10	947	15.60
DCC	2.18	0.02	78,979	2.20	Energy & Utilities	-	-	-	-	ML	1.02	-	1,103	1.02
DCON	0.56	-	21,271	0.56	ABPIF	8.55	0.05	1,198	8.52	MTC	40.25	1.50	132,710	39.73
DRT	5.75	(0.05)	801	5.76	AI	-	-	-	-	PE	0.33	-	307	0.34
EPG	8.60	(0.05)	37,020	8.58	AKR	1.09	(0.01)	72,758	1.10	PL	3.52	(0.02)	526	3.54
GEL	0.34	-	14,600	0.34	BAFS	34.75	0.25	2,274	34.46	S11	7.65	-	1,342	7.70
PPP	3.62	-	58	3.61	BANPU	21.10	-	489,289	21.16	SAWAD	38.75	1.00	113,274	38.41
Q-CON	5.50	0.10	4	5.50	BCP	35.00	(0.25)	45,272	35.16	THANI	7.80	(0.05)	41,756	7.75
RCI	2.84	(0.02)	8,193	2.84	BCPG	17.70	(0.20)	39,979	17.83	TK	11.60	0.10	3,121	11.60
SCC	448.00	(4.00)	33,339	450.06	BGRIM	25.00	0.20	50,744	24.92	TNITY	6.00	-	1,354	5.92
SCCC	238.00	-	3,633	239.00	BPP	24.40	0.20	20,135	24.23	UOBKH	4.30	0.06	101	4.30
SCP	8.05	0.05	2,865	8.02	BRRGIF	10.20	-	2,077	10.20	ZMICO	1.04	-	1,722	1.03
SKN	5.20	(0.20)	4,466	5.24	CKP	3.98	(0.02)	51,956	4.00	Food & Beverage	-	-	-	-
TASCO	14.80	0.80	126,873	14.59	DEMCO	4.06	(0.02)	493	4.08	APURE	1.32	(0.02)	5,067	1.34
TCMC	2.54	0.04	18,948	2.56	EA	35.75	0.25	113,461	35.55	ASIAN	8.00	(0.10)	66,390	8.03
TGCI	-	-	-	-	EARTH	-	-	-	-	BR	5.65	-	18,986	5.71
TOA	39.00	0.50	17,597	38.73	EASTW	11.00	(0.10)	1,120	11.06	BRR	6.70	-	1,766	6.71
TPIPL	1.90	(0.01)	126,299	1.91	EGATIF	10.90	-	4,039	10.90	CBG	47.75	(1.00)	16,110	48.18
UMI	1.19	(0.01)	545	1.20	EGCO	231.00	-	15,949	231.26	CFRESH	4.46	(0.12)	341	4.50
VNG	8.05	-	1,279	8.01	ESSO	14.30	(0.60)	158,953	14.53	CM	4.56	(0.06)	9,023	4.58
WIIK	2.56	0.04	6,087	2.57	GLOW	93.50	(0.25)	37,564	93.50	CPF	27.25	0.25	199,699	27.07
Petrochemicals & Ch	-	-	-	-	GPSC	69.00	(1.25)	17,791	69.25	CPI	1.66	0.02	1,171	1.65
CMAN	3.40	(0.08)	95,965	3.49	GULF	63.25	(0.25)	8,105	63.22	F&D	-	-	-	-
GC	5.15	-	74	5.15	GUNKUL	3.00	-	48,920	3.01	HTC	19.60	(0.40)	649	19.72
GGC	10.80	(0.10)	28,168	10.87	IEC	-	-	-	-	ICHI	4.86	(0.04)	12,561	4.91
GIFT	4.14	(0.10)	2,127	4.18	IFEC	-	-	-	-	KBS	4.38	-	1,074	4.39
IVL	59.50	(0.50)	164,154	59.33	IRPC	6.45	0.05	910,972	6.42	KSL	3.28	(0.02)	9,865	3.30
NFC	11.80	(0.20)	3,503	11.88	LANNA	15.60	-	1,445	15.61	KTIS	5.90	-	137	5.88
PATO	14.90	-	232	14.90	MDX	4.12	0.10	13,613	4.19	LST	5.30	0.15	15,137	5.24
PMTA	16.40	0.10	38	16.36	PTG	15.00	(0.30)	43,904	15.14	M	74.50	(0.75)	4,855	73.99
PTTGC	81.75	0.25	195,156	81.50	PTT	51.25	(0.50)	842,234	51.31	MALEE	15.70	(0.10)	31,748	15.66
SUTHA	-	-	-	-	PTTEP	138.50	0.50	118,469	138.91	MINT	38.00	1.50	286,030	37.67
TCB	52.50	(1.00)	378	52.51	RATCH	51.50	-	38,112	51.15	OISHI	94.50	(0.50)	95	94.85
TCCC	35.00	(0.25)	141	35.05	RPC	0.56	-	1,100	0.55	PB	61.50	-	217	61.37
TPA	6.30	0.05	93	6.31	SCG	4.66	0.02	85	4.64	PM	10.40	-	4,195	10.40
UP	-	-	-	-	SCI	3.18	(0.02)	39,768	3.23	PRG	-	-	-	-
VNT	24.00	-	12,498	23.98	SCN	3.80	-	2,161	3.78	SAPPE	25.75	0.25	8,937	25.87
WG	155.50	1.00	2	155.25	SGP	11.80	0.10	355,051	11.85	SAUCE	21.80	0.10	11	21.80
YCI	-	-	-	-	SKE	1.34	0.11	154,243	1.33	SFP	-	-	-	-
Commerce	-	-	-	-	SOLAR	2.26	-	3,448	2.26	SNP	-	-	-	-
BEAUTY	7.80	(0.25)	851,413	7.95	SPCG	20.80	(0.10)	2,311	20.83	SORKON	-	-	-	-
BIG	2.36	0.18	455,990	2.31	SPRC	14.60	(0.20)	125,934	14.69	SSC	39.50	(1.00)	137	39.11
BJC	57.00	0.50	44,498	56.38	SUPER	0.73	(0.02)	703,549	0.74	SSF	8.50	0.10	46	8.37
COL	27.75	-	859	27.76	SUSCO	3.36	0.04	13,583	3.33	SST	5.80	0.05	19	5.76
COM7	18.10	0.20	54,431	18.06	TAE	2.10	(0.04)	1,981	2.12	TC	3.14	0.04	279	3.11
CPALL	75.00	(1.00)	464,170	74.92	TCC	0.38	-	4,421	0.37	TFG	4.12	0.14	258,097	4.16
CSS	2.20	0.04	12,110	2.18	TOP	80.25	(1.25)	108,967	80.38	TFMAMA	155.00	(0.50)	3	155.00
FN	2.98	-	2,459	2.96	TPIPP	6.05	(0.15)	103,826	6.13	TIPCO	10.00	0.45	47,230	9.88
FTE	2.24	-	1,768	2.23	TTW	12.50	0.20	37,330	12.45	TKN	15.60	(0.40)	62,168	15.65
GLOBAL	17.40	-	22,675	17.36	WHAPU	5.80	(0.05)	33,144	5.85	TU	16.40	(0.10)	200,913	16.60
HMPRO	14.70	0.20	219,104	14.55	WP	7.60	0.15	32,227	7.64	TVO	29.25	-	25,134	29.38
IT	4.86	-	4,293	4.83	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.68	(0.02)	8,223	4.69	AMARIN	5.05	-	830	5.08	AHC	20.30	(0.10)	192	20.31
LOXLEY	2.22	-	5,269	2.21	AQUA	0.50	(0.01)	113,488	0.50	BCH	16.30	(0.30)	63,839	16.31
MAKRO	37.00	(1.25)	11,416	37.34	AS	1.48	-	46	1.49	BDSM	26.50	(0.50)	317,730	26.74
MC	12.30	(0.10)	15,537	12.41	BEC	9.70	0.10	115,589	9.70	BH	181.50	-	18,364	180.57
MEGA	40.75	(0.25)	6,252	40.88	EPCO	4.76	(0.10)	29,766	4.76	CHG	2.28	-	244,678	2.28
MIDA	0.63	0.01	3,716	0.62	FE	-	-	-	-	CMR	3.32	(0.02)	1,063	3.32
ROBINS	63.25	0.25	20,714	63.12	GPI	2.90	-	431	2.90	EKH	5.15	(0.05)	1,958	5.20
RSP	5.10	(0.05)	2,366	5.08	GRAMMY	8.10	(0.05)	118	8.10	KDH	103.00	-	1	103.00
SINGER	8.55	0.10	2,671	8.50	MACO	1.80	(0.01)	14,205	1.80	LPH	6.05	-	2,614	6.09
SPC	55.25	0.25	32	55.39	MAJOR	24.90	(0.85)	39,684						

Main Board Quotation

Issue Date :

Tuesday July 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	3.04	0.02	2,469	3.04	MJD	3.26	(0.04)	949	3.27	CPT	2.84	0.04	32,317	2.83
Tourism & Leisure					MK	4.50	(0.06)	15,405	4.54	CRANE	2.74	(0.04)	1,670	2.77
ASIA	6.80	0.05	54	6.80	NCH	0.90	(0.01)	214	0.90	CTW	8.15	0.05	21	8.15
CENTEL	43.75	0.50	39,091	43.78	NNCL	1.67	-	2,777	1.66	FMT	26.25	0.50	11	26.14
CSR	103.00	2.00	1	103.00	NOBLE	12.20	0.10	1,037	12.12	HTECH	7.60	0.10	4,193	7.50
DTC	12.20	(0.30)	4,045	12.31	NUSA	0.31	0.01	74,642	0.31	KKC	1.73	-	539	1.72
ERW	7.30	0.10	64,821	7.37	NVD	3.88	(0.02)	1,853	3.86	PK	3.76	(0.20)	36,819	3.91
GRAND	0.92	(0.01)	3,887	0.92	ORI	18.80	(0.10)	31,399	18.89	SNC	14.80	0.10	3,349	14.69
LRH	-	-	-	-	PACE	0.49	-	240,210	0.50	TCJ	6.40	0.10	2,257	6.46
MANRIN	-	-	-	-	PF	0.95	0.01	521,873	0.93	VARO	7.50	0.25	6	7.29
OHTL	-	-	-	-	PLAT	8.00	0.05	13,682	8.00	Property Fund & REI				
ROH	40.75	0.25	1	40.75	POLAR	-	-	-	-	AIMIRT	10.00	(0.10)	493	10.03
SHANG	70.75	0.50	24	70.75	PRECHA	1.40	0.03	82	1.46	AMATAR	10.50	-	541	10.60
Home & Office Produ					PRIN	1.66	(0.01)	1,221	1.67	B-WORK	10.50	-	5,414	10.50
ACC	0.47	-	200	0.46	PRINC	5.15	(0.15)	13,072	5.19	BKKCP	12.00	0.10	203	11.90
AJA	0.38	-	21,482	0.38	PSH	20.50	(0.20)	8,294	20.61	BOFFICE	12.40	-	816	12.40
DTCI	-	-	-	-	OH	3.48	(0.06)	913,916	3.50	CPNCG	15.10	0.40	5,805	14.96
FANCY	1.01	-	12,800	1.04	RICHY	1.74	(0.01)	15,445	1.74	CPNREIT	24.20	0.20	5,071	24.05
KYE	428.00	4.00	53	427.36	RML	1.45	0.16	932,571	1.38	CPTGF	13.30	-	52	13.30
L&E	2.72	(0.08)	1,354	2.70	ROJNA	5.55	0.05	40,658	5.57	CRYSTAL	10.30	-	2,673	10.31
MODERN	4.58	0.02	3,516	4.56	S	3.12	0.08	241,045	3.10	CTARAF	4.74	-	52	4.74
OGC	-	-	-	-	SAMCO	2.22	(0.06)	338	2.24	DREIT	5.45	-	1	5.45
ROCK	-	-	-	-	SC	3.62	(0.04)	24,469	3.63	ERWPF	5.60	-	84	5.60
SIAM	1.91	0.01	6,393	1.90	SENA	3.80	-	12,051	3.82	FUTUREPF	21.20	0.20	380	21.11
TSR	2.28	(0.04)	6,094	2.30	SF	8.00	(0.30)	26,956	8.24	GAHREIT	9.75	0.05	2	9.75
Insurance					SIRI	1.65	(0.02)	733,104	1.66	GLANDRT	12.50	-	430	12.50
AYUD	38.75	(0.25)	501	38.92	SPALI	23.80	0.10	81,273	23.95	GOLDPF	7.30	-	1,001	7.30
BKI	349.00	-	251	350.00	TICON	16.40	0.10	293	16.50	GVREIT	14.50	0.10	4,875	14.50
BLA	33.00	0.50	10,727	32.89	U	0.03	-	795,759	0.03	HPF	5.35	-	10	5.35
BUI	-	-	-	-	UV	7.95	-	43,166	7.97	HREIT	6.55	0.10	1,582	6.50
CHARAN	33.50	(0.50)	40	33.44	WHA	3.92	(0.08)	1,248,357	3.95	IMPACT	17.50	0.10	1,132	17.44
INSURE	-	-	-	-	WIN	0.60	-	1,727	0.59	KPNPF	-	-	-	-
MTI	116.50	1.00	68	114.82	Paper & Printing Mat					LHHOTEL	15.50	-	1,191	15.48
NKI	-	-	-	-	UTP	11.60	-	16,411	11.72	LHPF	8.40	(0.05)	1	8.40
NSI	83.00	(1.00)	11	83.07	Fashion					LHSC	15.70	0.10	44	15.70
SMK	41.00	(0.25)	48	41.13	AFC	-	-	-	-	LUXF	8.20	-	50	8.20
THRE	1.17	(0.01)	4,059	1.18	BTNC	-	-	-	-	M-II	-	-	-	-
THREL	8.20	0.05	8,974	8.19	CPH	-	-	-	-	M-PAT	-	-	-	-
TIC	34.00	-	90	34.14	CPL	3.28	(0.02)	83	3.27	M-STOR	10.30	-	74	10.34
TIP	23.60	-	2,104	23.63	DIGI	0.43	0.01	10,722	0.43	MIPF	-	-	-	-
TSI	0.51	0.01	38,962	0.51	ICC	-	-	-	-	MIT	-	-	-	-
TVI	3.74	-	2,250	3.75	LTX	90.50	0.50	108	90.57	MJLF	12.50	(0.10)	276	12.50
Mining					NC	-	-	-	-	MNIT	1.64	(0.02)	390	1.66
PDI	18.60	-	7,286	18.72	PAF	0.85	(0.01)	1,013	0.86	MNIT2	5.35	-	19	5.35
THL	-	-	-	-	PDJ	2.88	-	5,883	2.88	MNRF	-	-	-	-
Packaging					PG	-	-	-	-	MONTRI	-	-	-	-
AJ	10.50	(0.10)	3,213	10.57	SABINA	30.25	(0.50)	101	30.31	POPF	13.90	0.10	1,141	13.86
ALUCON	192.00	(0.50)	77	191.63	SAWANG	16.30	2.00	1	16.30	PPF	11.30	0.10	65	11.30
CSC	45.00	0.25	29	45.00	SUC	43.75	-	27	43.71	QHHR	8.45	-	1,000	8.45
NEP	0.42	-	25,692	0.42	TNL	18.30	-	1	18.30	QHOP	3.68	-	43	3.56
NPPG	1.22	-	34,712	1.24	TPCORP	-	-	-	-	QHPF	12.30	(0.10)	6,618	12.26
PTL	17.10	0.20	23,595	16.94	TR	47.00	(2.25)	2,103	47.79	SBPF	2.94	(0.10)	1	2.94
SITHAI	1.13	-	1,446	1.13	TTI	-	-	-	-	SHREIT	9.25	-	271	9.25
SLP	0.93	-	2,612	0.93	TTL	-	-	-	-	SIRIP	11.50	-	50	11.50
SMPC	12.70	(0.10)	2,200	12.67	TTTM	141.50	1.00	47	142.24	SPF	23.40	0.20	3,460	23.22
SPACK	-	-	-	-	UPF	-	-	-	-	SRIPANWA	11.00	-	154	10.95
TCOAT	28.50	(1.00)	10	27.83	UT	-	-	-	-	SSPF	10.00	(0.40)	900	10.09
TFI	-	-	-	-	WACOAL	45.50	1.00	9	45.61	SSTPF	6.50	-	11	6.51
THIP	36.00	0.25	81	35.96	Transportation & Log					SSTRT	6.30	-	124	6.21
TMD	22.00	0.10	89	21.99	AAV	4.58	(0.02)	205,636	4.59	TIF1	8.60	-	676	8.60
TOPP	215.00	1.00	2	215.00	AOT	66.25	0.25	260,814	66.20	TLGF	18.80	-	470	18.72
TPBI	8.30	-	122	8.30	ASIMAR	2.92	(0.02)	8,129	2.97	TLHPF	11.20	-	126	11.10
TPP	-	-	-	-	B	0.72	(0.03)	15,328	0.73	TNPF	3.72	0.02	100	3.72
Personal Products &					BA	12.80	0.10	26,409	12.88	TPRIME	12.00	-	722	12.00
APCO	4.46	(0.02)	185	4.47	BEM	8.35	-	337,961	8.32	TREIT	11.30	-	11,478	11.30
DDD	48.00	(0.50)	1,258	48.30	BTS	9.45	-	329,600	9.39	TTLPF	24.00	0.20	2	24.00
JCT	-	-	-	-	BTSGIF	12.10	0.10	139,756	12.17	TU-PF	-	-	-	-
OCC	17.30	-	52	17.21	III	4.82	(0.02)	3,749	4.84	URBNPF	3.12	0.02	110	3.12
S & J	25.25	(0.25)	50	25.25	JUTHA	1.81	(0.08)	111	1.81	WHABT	10.00	(0.10)	2	10.00
STHAI	-	-	-	-	JWD	7.15	(0.05)	14,622	7.19	WHART	10.20	0.20	1,656	10.12
TNR	12.80	-	86	12.90	KWC	-	-	-	-	Steel				
TOG	5.20	-	461	5.20	NOK	2.70	(0.02)	1,469	2.70	AMC	2.76	0.04	7,914	2.77
Professional Service					NYT	5.40	0.20	23,747	5.36	BSBM	1.13	(0.02)	2,624	1.15
BWG	1.03	(0.01)	102,634	1.03	PRM	6.65	0.05	10,599	6.63	CEN	1.31	(0.01)	891	1.33
GENCO	0.81	(0.01)	4,101	0.82	PSL	12.00	(0.60)	101,529	12.18	CITY	2.60	(0.04)	9,240	2.58
PRO	-	-	-	-	RCL	5.65	(0.05)	6,414	5.69	CSP	1.43	0.02	384	1.43
TEAMG	2.38	0.02	303,158	2.40	THAI	14.00	(0.10)	30,386	14.12	GJS	0.32	-	23,255	0.32
Property Developmer					TSTE	7.45	(0.05)	4	6.83	GSTEL	-	-	-	-
A	6.70	-	686	6.70	TTA	7.25	(0.10)	13,452	7.32	INOX	1.08	0.01	238	1.08
AMATA	20.10	(0.40)	181,617	20.22	WICE	4.06	(0.18)	30,267	4.12	LHK	4.92	(0.02)	5,558	4.92
AMATAV	6.65	(0.05)	2,198	6.72	Automotive					MAX	0.02	(0.01)	102,106	0.02
ANAN	5.05	0.07	139,905	5.03	AH	32.75	-	9,283	32.89	MCS	8.20	0.05	5,813	8.14
AP	9.20	0.15	80,665	9.14	APCS	5.35	-	2,287	5.32	MILL	1.57	0.05	84,808	1.55
APEX	0.21	-	5,873	0.20	BAT-3K	208.00	-	20	208.00	PAP	4.26	-	1,025	4.26
AQ	0.03	(0.01)	242,391	0.03	CWT	3.26	(0.04)	5,835	3.28	PERM	2.62	0.06	9,875	2.63
BLAND	1.91	(0.02)	814,688	1.92	EASON	2.82	-	827	2.82	RICH	-	-	-	-
BROCK	2.34	(0.12)	228	2.36	GFT	389.00	1.00	28	385.14	SAM	0.75	0.01	2,428	0.74
CGD	1.45	0.01	72,586	1.44	HFT	3.18	(0.04)	2,844	3.19	SMIT	5.90	-	958	5.90
CI	1.60	0.02	30,551	1.58	IHL	8.60	0.40	4,546	8.48	SSI	-	-	-	-
CPN	75.75	0.50	84,479	75.76	INGRS	0.77	0.03	46,249	0.77	SSSC	2.90	0.06	1,140	2.87
ESTAR	0.68	-	10,971	0.68	IRC	20.40	-	57	20.38	TGPRO	0.17	(0.01)	30,694	0.18
EVER	0.40	0.01	416,802	0.40	PCSGH	7.10	(0.05)	1,061	7.16	THE	3.66	-	146,282	3.61
GLAND	2.64	(0.04)	67,573	2.64	SAT	22.50	-	22,931	22.68	TIW	400.00	-	37	399.73
GOLD	10.70	(0.10)	57,423	10.65										

Main Board Quotation

Issue Date :

Tuesday July 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UMS	-	-	-	-	ADVA11P1807A	-	-	-	-
ABICO	7.60	(0.65)	157,127	8.00	UWC	0.08	-	479,122	-	ADVA11P1905A	0.41	(0.03)	10,400	-
AU	9.10	(0.10)	6,380	9.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.09	0.01	22,513	-
FC	0.34	-	26,985	-	ADAM	-	-	-	-	ADVA13C1811A	0.63	0.04	131,862	-
JCKH	1.10	(0.02)	4,218	1.00	AKP	1.68	(0.01)	207	1.00	ADVA13P1809A	0.13	(0.04)	16,601	-
KASET	2.18	0.06	1,191	2.00	AMA	6.30	-	3,515	6.00	ADVA16C1812A	0.52	0.02	9,540	-
MM	4.00	-	295	4.00	ARIP	0.50	-	698	-	ADVA18C1808A	0.44	0.05	4,115	-
SUN	3.36	(0.14)	7,789	3.00	ATP30	1.71	(0.01)	3,017	1.00	ADVA19C1901A	0.65	0.03	21,503	-
TACC	4.08	(0.02)	12,861	4.00	AUCT	5.70	(0.05)	4,098	5.00	ADVA23C1902A	0.49	0.02	17,692	-
TMILL	3.16	-	1,881	3.00	BOL	1.95	(0.01)	3,220	1.00	ADVA24C1810A	0.41	0.01	4,470	-
XO	8.25	0.10	3,001	8.00	CHUO	-	-	-	-	ADVA24P1810A	-	-	-	-
Consumer Products	-	-	-	-	CMO	1.57	-	541	1.00	ADVA28C1808A	-	-	-	-
BGT	1.09	-	179	1.00	D	10.60	0.10	4,410	10.00	ADVA28C1811A	0.53	0.02	119,466	-
BIZ	2.80	0.02	382	2.00	DCORP	2.74	-	4,792	2.00	ADVA28P1810A	0.17	(0.05)	12,276	-
DOD	13.80	(0.10)	110,022	13.00	DNA	0.39	(0.01)	48,689	-	AMAT01C1810A	0.71	(0.05)	67,994	-
ECF	7.45	-	65,479	7.00	EFORL	0.08	0.01	398,895	-	AMAT01C1810B	0.47	(0.05)	74,057	-
HPT	1.13	0.06	180,875	1.00	ETE	2.06	-	4,802	2.00	AMAT01P1810A	1.15	0.05	25,288	1.00
JUBILE	21.60	0.10	696	21.00	FSMART	8.85	-	5,649	8.00	AMAT06C1809A	-	-	-	-
MOONG	6.05	0.05	3,064	6.00	FVC	1.28	(0.01)	1,083	1.00	AMAT08C1807A	-	-	-	-
NPK	26.00	-	16	25.00	HARN	2.58	0.04	1,360	2.00	AMAT08C1809A	0.08	(0.01)	2,030	-
OCEAN	1.66	(0.02)	35,617	1.00	JKN	11.20	0.10	25,225	11.00	AMAT11C1903A	0.33	(0.02)	12,607	-
TM	2.00	(0.02)	165	2.00	KIAT	0.46	-	11,842	-	AMAT13C1809A	0.06	(0.01)	7,901	-
Financials (MAI)	-	-	-	-	KOOL	1.69	0.04	51,113	1.00	AMAT13C1812A	0.42	(0.05)	234,187	-
ACAP	8.80	(0.05)	14,828	8.00	LDC	1.10	-	2,125	1.00	AMAT19C1811A	0.18	(0.03)	24,520	-
AF	0.77	(0.04)	4,201	-	MPG	0.21	0.01	4,391	-	AMAT23C1810A	0.17	(0.02)	2,340	-
AIRA	2.02	0.02	1,030	2.00	NBC	0.67	0.01	2,207	-	AMAT24C1807A	-	-	-	-
ASN	3.32	0.02	71	3.00	NCL	1.44	0.04	919	1.00	AMAT24C1811A	-	-	-	-
BROOK	0.56	-	12,921	-	NEWS	0.01	-	135,110	-	AMAT28C1808A	-	-	-	-
CHAYO	3.88	0.10	162,106	3.00	NINE	1.56	0.02	122	1.00	ANAN01C1807A	-	-	-	-
GCAP	4.48	(0.12)	11,222	4.00	OTO	2.80	0.04	545	2.00	ANAN01C1810A	1.08	0.05	36,850	1.00
LIT	8.35	0.10	2,417	8.00	PHOL	2.42	0.04	70	2.00	ANAN01C1810B	0.91	0.04	9,520	-
SGF	0.14	0.01	31,328	-	PICO	6.05	0.15	779	5.00	ANAN08C1808A	0.01	-	9,189	-
Industrials (MAI)	-	-	-	-	PORT	6.75	0.05	1,575	6.00	ANAN08C1810A	1.01	0.06	10	1.00
ZS	3.10	-	705	3.00	QLT	4.80	(0.02)	58	4.00	ANAN08C1906A	0.28	0.01	10,816	-
ADB	1.26	0.07	107,427	1.00	RE	3.28	0.28	22,762	3.00	ANAN13C1901A	0.23	0.01	62,476	-
BM	3.56	-	4,083	3.00	SP	2.06	0.04	2	2.00	ANAN19C1811A	0.65	0.06	9,601	-
CHO	1.19	0.01	5,207	1.00	SPA	15.40	-	1,895	15.00	ANAN23C1901A	0.34	-	1,000	-
CHOW	4.88	(0.12)	237	4.00	THMUI	1.76	0.40	480,875	1.00	ANAN24C1807A	-	-	-	-
CIG	0.40	0.01	5,121	-	TNDT	4.80	(0.02)	279	4.00	ANAN24C1811A	0.81	(0.02)	8,400	-
COLOR	1.13	0.01	1,323	1.00	TNH	39.75	-	86	39.00	ANAN28C1809A	0.55	0.01	14,112	-
CPR	5.60	0.05	12,809	5.00	TNP	2.10	-	1,760	2.00	AOT01C1808A	0.24	-	338,288	-
FPI	2.78	0.04	6,151	2.00	TSF	0.06	0.01	26,579	-	AOT01C1808B	0.01	-	2,000	-
GTB	0.75	0.01	769	-	TVD	1.41	(0.01)	1,076	1.00	AOT01C1810A	0.32	-	68,338	-
KCM	1.19	-	14,312	1.00	TVT	1.01	-	2,731	1.00	AOT01C1902A	0.60	(0.01)	80,713	-
LVT	-	-	-	-	WINNER	3.32	(0.04)	1,132	3.00	AOT01C1902B	0.46	-	48,478	-
MBAX	4.16	-	189	4.00	Technology (MAI)	-	-	-	-	AOT01P1808A	0.82	-	99,232	-
MGT	2.14	(0.10)	3,482	2.00	COMAN	3.30	(0.02)	461	3.00	AOT01P1808B	0.14	(0.01)	326,116	-
NDR	2.24	-	29	2.00	ICN	2.38	(0.02)	8,447	2.00	AOT01P1902A	0.86	-	90,972	-
PDG	3.58	(0.02)	1,000	3.00	IRCP	1.24	0.02	1,760	1.00	AOT01P1902B	0.62	(0.01)	175,459	-
PIMO	2.96	(0.04)	12,404	3.00	ITEL	3.20	0.20	31,119	3.00	AOT06C1809A	0.06	-	44	-
PJW	1.69	-	1,026	1.00	NETBAY	35.50	0.50	1,387	35.00	AOT08C1807A	-	-	-	-
PPM	2.20	(0.04)	616	2.00	PLANET	1.51	(0.03)	5	1.00	AOT08C1901A	0.36	(0.03)	82,160	-
RWI	1.62	-	1,373	1.00	SIMAT	2.28	(0.12)	17,700	2.00	AOT11C1808A	0.43	0.01	20,718	-
SALEE	1.09	(0.01)	1,285	1.00	SKY	14.10	(0.20)	6,095	14.00	AOT11P1808A	0.03	0.01	163	-
SANKO	1.26	0.01	894	1.00	SPVI	1.39	(0.01)	16,429	1.00	AOT13C1809A	-	-	-	-
SELIC	1.83	0.01	391	1.00	UPA	0.45	0.02	67,638	-	AOT13C1811A	0.22	(0.01)	83,023	-
SWC	23.00	0.10	749	23.00	VCOM	3.18	(0.02)	3,413	3.00	AOT13C1812A	0.41	-	112,599	-
TMC	0.88	(0.01)	1,409	-	Unit Trust	-	-	-	-	AOT13P1810A	0.37	(0.01)	44,799	-
TMI	0.80	(0.01)	1,893	-	MGE	-	-	-	-	AOT13P1812A	0.19	(0.01)	8,413	-
TMW	66.75	1.00	192	66.00	SCBSET	-	-	-	-	AOT19C1809A	0.14	0.01	37,201	-
TPAC	11.80	(0.30)	1,931	11.00	ETF	-	-	-	-	AOT19C1901A	0.50	(0.02)	28,670	-
UAC	4.70	(0.08)	305	4.00	1DIV	12.76	0.05	20	12.00	AOT23C1807A	0.15	(0.03)	1,080	-
UBIS	4.74	(0.12)	325	4.00	ABFTH	-	-	-	-	AOT23P1807A	-	-	-	-
UEC	1.25	(0.02)	1,884	1.00	BMSCG	9.07	(0.02)	220	9.00	AOT24C1807A	-	-	-	-
UKEM	0.91	0.03	111,177	-	BMSCITH	12.75	-	4,280	12.00	AOT24C1811A	-	-	-	-
UREKA	0.53	-	8,558	-	BSET100	10.86	(0.02)	615	10.00	AOT24C1901A	0.38	(0.02)	1,701	-
YUASA	16.20	(0.40)	1,104	16.00	CHINA	5.57	(0.04)	27	5.00	AOT24P1809A	0.05	(0.01)	9,712	-
ZIGA	3.40	0.02	81,677	3.00	EBANK	5.80	0.06	50	5.00	AOT28C1809A	0.07	-	1	-
Property & Construc	-	-	-	-	ECOMM	8.34	-	10	8.00	AOT28C1812A	0.35	(0.01)	238,402	-
ARROW	9.10	-	492	9.00	EFOOD	-	-	-	-	AP01C1809A	0.51	0.03	14,518	-
BKD	3.30	0.02	16,238	3.00	EICT	-	-	-	-	AP01C1809B	0.18	0.03	44,213	-
BSM	0.70	0.02	5,417	-	ENGY	6.36	0.04	2	6.00	AP08C1810A	0.42	0.02	17,064	-
BTW	1.54	(0.01)	2,024	1.00	ENY	-	-	-	-	AP23C1901A	-	-	-	-
CHEWA	1.04	(0.02)	4,513	1.00	ESET50	-	-	-	-	AP24C1901A	0.27	0.09	914	-
CRD	1.12	(0.01)	2,105	1.00	GLD	1.74	(0.01)	1,318	1.00	AP42C1901A	0.33	0.01	6,024	-
DIMET	1.12	(0.02)	63,544	1.00	TDEX	11.02	0.02	836	11.00	AP42P1901A	0.35	(0.03)	3,520	-
FLOYD	2.32	(0.02)	8,278	2.00	TGOLDEF	3.83	(0.01)	172	3.00	BA11C1902A	0.08	-	17,401	-
FOCUS	0.87	-	326	-	TH100	-	-	-	-	BA19C1811A	-	-	-	-
HYDRO	1.41	(0.01)	2,385	1.00	Warrant Foreign	-	-	-	-	BA24C1810A	0.14	(0.01)	82,667	-
JSP	0.68	(0.02)	23,891	-	AAV01C1808A	0.03	-	2,000	-	BA24C1901A	-	-	-	-
K	2.94	0.02	140	2.00	AAV01C1808B	0.01	-	70	-	BA28C1809A	-	-	-	-
META	2.14	(0.14)	95,676	2.00	AAV01P1808A	0.59	0.01	13,576	-	BANP01C1808A	0.27	0.01	401,562	-
PPS	1.04	0.01	16,970	1.00	AAV06C1809A	0.01	(0.01)	32,740	-	BANP01C1808B	0.03	-	9,738	-
SMART	0.87	-	1,272	-	AAV08C1811A	-	-	-	-	BANP01C1812A	0.48	-	204,224	-
STAR	6.40	0.20	25,553	6.00	AAV11C1807A	-	-	-	-	BANP01C1812B	0.34	0.01	342,500	-
T	0.06	-	26,957	-	AAV11C1904A	0.06	-	1,162	-	BANP01P1808A	0.38	(0.02)	87,445	-
TAPAC	8.30	-	6,064	8.00	AAV13C1811A	0.06	-	483	-	BANP01P1812A	0.78	(0.01)	107,233	-
THANA	2.08	-	236	2.00	AAV23C1811A	-	-	-	-	BANP01P1812B	0.53	(0.02)	118,100	-
TITL	6.55	(0.05)	4,976	6.00	AAV24C1807A	-	-	-	-	BANP06C1810A	0.29	-	55,196	-
Resources (MAI)	-	-	-	-	AAV24C1809A	-	-	-	-	BANP07C1810A	0.17	-	750	-
ABM	1.26	0.08	55,565	1.00	AAV28C1810A	0.02	-	2,468	-	BANP08C1808A	0.03	-	23,260	-
AGE	1.46	-	1,965	1.00	ADVA01C1808A	0.99	0.08	33,119	-	BANP08C1811A	0.35	-	50,827	-
AIE	-	-	-	-	ADVA01C1808B	0.17	0.02	187,133	-	BANP08P1901A	0.34	-	58,320	-
PSTC	0.72	-												

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday July 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP24P1808A	-	-	-	-	BEC13C1901A	0.61	0.01	130,001	-	BTS28C1811A	0.06	0.01	100	-
BANP24P1901A	-	-	-	-	BEC19C1809A	-	-	-	-	BTS42C1901A	0.23	(0.02)	2,008	-
BANP27C1809A	0.18	(0.01)	21,060	-	BEC23C1807A	-	-	-	-	BTS42P1901A	0.33	0.01	3,208	-
BANP28C1809A	-	-	-	-	BEC23C1809A	-	-	-	-	CBG01C1809A	0.01	-	5,000	-
BANP28C1810A	0.31	(0.01)	379,288	-	BEC24C1809A	0.02	-	1	-	CBG01C1811A	0.39	(0.02)	57,819	-
BBL06C1902A	0.88	0.03	41,804	-	BEC24C1812A	0.31	0.12	1,110	-	CBG01C1811B	0.17	(0.02)	9,359	-
BBL08C1808A	0.05	-	1,000	-	BEC28C1808A	-	-	-	-	CBG01P1811A	1.11	0.03	25,110	1.00
BBL08C1809A	0.10	(0.01)	152,002	-	BEC28C1809A	-	-	-	-	CBG01P1811B	0.70	0.04	49,109	-
BBL08P1810A	0.12	(0.01)	137,221	-	BEC28C1811A	0.53	0.04	319,828	-	CBG06C1807A	0.11	(0.04)	45,523	-
BBL11C1903A	0.62	0.05	56,152	-	BEM01C1808A	0.44	-	40,210	-	CBG06C1809A	0.03	(0.01)	1,200	-
BBL11P1903A	0.39	(0.01)	72,776	-	BEM01C1808B	-	-	-	-	CBG06C1903A	0.64	(0.05)	14,232	-
BBL13C1810A	0.53	0.02	117,417	-	BEM01P1808A	0.11	-	37	-	CBG06P1809A	1.35	0.04	6,000	1.00
BBL19C1901A	0.34	0.02	94,910	-	BEM08C1809A	0.24	0.01	56,859	-	CBG07C1812A	-	-	-	-
BBL23C1811A	0.27	(0.03)	63,750	-	BEM11C1903A	0.27	(0.01)	22,800	-	CBG08C1807A	-	-	-	-
BBL24C1809A	0.05	(0.02)	4,400	-	BEM13C1809A	0.25	(0.02)	90,793	-	CBG08C1808A	-	-	-	-
BBL24C1812A	0.78	0.03	10	-	BEM19C1901A	0.37	(0.02)	15,312	-	CBG08C1810A	-	-	-	-
BBL24P1810A	0.12	(0.01)	3,000	-	BEM23C1901A	0.22	-	300	-	CBG11C1902A	0.12	(0.01)	4,253	-
BBL27C1809A	0.13	(0.01)	23,228	-	BEM24C1809A	-	-	-	-	CBG13C1808A	-	-	-	-
BBL28C1808A	-	-	-	-	BEM28C1808A	0.14	(0.03)	31,572	-	CBG13C1809A	-	-	-	-
BBL28C1811A	0.58	0.01	192,418	-	BGRI01C1901A	0.92	0.01	22,405	-	CBG13C1811A	0.12	(0.02)	51,528	-
BCH01C1808A	0.34	(0.03)	83,921	-	BGRI01C1901B	0.78	(0.01)	24,528	-	CBG13C1812A	0.23	(0.03)	39,460	-
BCH01C1808B	-	-	-	-	BGRI08C1902A	0.67	0.01	46,450	-	CBG18C1808A	-	-	-	-
BCH01P1808A	0.27	0.02	15,552	-	BGRI13C1812A	0.65	-	19,782	-	CBG19C1810A	-	-	-	-
BCH06C1811A	0.16	(0.03)	7,100	-	BGRI13C1812B	0.20	0.01	12,246	-	CBG19C1901A	0.47	(0.04)	13,284	-
BCH08C1901A	0.28	(0.03)	39,024	-	BGRI19C1901A	0.55	0.01	6,931	-	CBG23C1901A	0.11	(0.01)	4,000	-
BCH11C1807A	-	-	-	-	BGRI24C1901A	0.60	-	2,400	-	CBG24C1807A	-	-	-	-
BCH11C1905A	0.26	(0.02)	2,496	-	BGRI28C1812A	0.63	-	69,252	-	CBG24C1809A	-	-	-	-
BCH13C1810A	0.10	(0.01)	12,222	-	BH01C1811A	0.64	0.01	43,391	-	CBG24C1811A	0.16	(0.04)	1,600	-
BCH19C1809A	0.09	(0.02)	471	-	BH01C1811B	0.23	0.01	18,029	-	CBG28C1808A	-	-	-	-
BCH23C1811A	0.23	(0.02)	50	-	BH01P1811A	1.39	-	19,407	1.00	CBG28C1808B	-	-	-	-
BCH24C1811A	0.09	0.08	2,371	-	BH07C1810A	-	-	-	-	CBG28C1811A	0.11	(0.01)	35,435	-
BCH28C1811A	0.17	(0.03)	27,980	-	BH08C1811A	0.04	(0.01)	912	-	CENT01C1810A	0.27	0.01	84,082	-
BCP01C1810A	0.22	(0.01)	75,441	-	BH11C1902A	0.06	-	2,207	-	CENT01C1810B	0.10	-	22,819	-
BCP01C1810B	0.09	(0.01)	1,200	-	BH11C1905A	0.69	0.01	9,624	-	CENT01P1810A	0.97	(0.03)	11,852	-
BCP01P1810A	0.43	0.01	22,800	-	BH19C1901A	0.66	(0.02)	15,182	-	CENT08C1809A	0.03	0.01	1,800	-
BCP08C1901A	0.26	(0.01)	22,722	-	BH24C1809A	0.04	(0.02)	2,000	-	CENT11C1904A	0.25	-	43,756	-
BCP11C1811A	0.11	-	4,760	-	BH24C1811A	-	-	-	-	CENT13C1811A	0.08	0.01	1,050	-
BCP13C1810A	0.06	(0.01)	1,001	-	BH24C1902A	0.59	-	100	-	CENT23C1902A	0.25	0.01	13,000	-
BCP24C1808A	-	-	-	-	BIG08C1807A	-	-	-	-	CENT24C1807A	-	-	-	-
BCP24C1811A	-	-	-	-	BIG08C1906A	0.38	0.09	124,254	-	CENT24C1810A	-	-	-	-
BCP28C1809A	-	-	-	-	BIG13C1808A	0.01	-	40	-	CENT24C1901A	0.30	0.02	5,670	-
BCP28C1809B	-	-	-	-	BIG13C1901A	0.28	0.08	126,078	-	CENT28C1808A	-	-	-	-
BCPG01C1811A	0.35	(0.01)	56,974	-	BIG19C1811A	0.20	0.07	33,887	-	CHG01C1809A	0.35	-	24,019	-
BCPG01C1811B	0.16	-	19,692	-	BIG24C1808A	-	-	-	-	CHG01C1809B	0.40	(0.01)	10,250	-
BCPG06C1807A	-	-	-	-	BIG24C1812A	0.20	0.08	8,910	-	CHG01P1809A	0.19	(0.01)	5,200	-
BCPG06C1811A	0.19	(0.01)	8,277	-	BJC01C1807A	-	-	-	-	CHG08C1807A	-	-	-	-
BCPG08C1810A	0.19	-	11,898	-	BJC01C1807B	-	-	-	-	CHG11C1807A	0.01	-	2,056	-
BCPG11C1807A	0.47	-	9,860	-	BJC01C1812A	0.68	-	25,884	-	CHG11C1904A	0.21	-	2,260	-
BCPG11C1902A	0.14	-	8,990	-	BJC01C1812B	0.53	(0.02)	26,171	-	CHG13C1809A	0.53	0.02	10,877	-
BCPG13C1810A	0.13	(0.01)	51,646	-	BJC01P1807A	-	-	-	-	CHG13C1812A	0.18	-	23,494	-
BCPG13C1812A	0.38	(0.03)	135,726	-	BJC01P1812A	0.44	-	37,038	-	CHG23C1811A	-	-	-	-
BCPG23C1902A	0.34	-	5,200	-	BJC06C1807A	-	-	-	-	CHG24C1808A	-	-	-	-
BCPG24C1807A	-	-	-	-	BJC06C1901A	0.28	(0.01)	16,010	-	CHG24C1811A	0.14	0.09	1,200	-
BCPG24C1810A	0.15	0.07	1,284	-	BJC07C1809A	-	-	-	-	CHG28C1812A	0.20	-	40,960	-
BCPG28C1808A	-	-	-	-	BJC08C1807A	-	-	-	-	CK01C1809A	0.23	(0.02)	40,609	-
BCPG28C1809A	0.11	(0.01)	51,200	-	BJC08C1809A	-	-	-	-	CK01C1809B	0.31	(0.04)	17,246	-
BCPG28C1812A	0.39	-	130,990	-	BJC11C1807A	0.19	(0.04)	6,360	-	CK01P1809A	0.21	-	17,913	-
BDMS01C1811A	0.26	-	9,930	-	BJC11C1905A	0.52	(0.01)	18,346	-	CK08C1809A	-	-	-	-
BDMS01C1811B	0.13	(0.01)	28,558	-	BJC13C1808A	0.02	(0.01)	1,080	-	CK08C1901A	0.19	(0.01)	32,182	-
BDMS01P1811A	0.26	-	25,196	-	BJC13C1810A	0.19	-	21,805	-	CK11C1904A	0.20	(0.01)	8,650	-
BDMS06C1811A	-	-	-	-	BJC13C1812A	0.48	(0.03)	42,833	-	CK13C1809A	0.11	-	18,107	-
BDMS08C1807A	-	-	-	-	BJC19C1809A	0.17	(0.02)	15,000	-	CK16C1812A	0.20	-	5,950	-
BDMS08C1901A	0.19	(0.01)	6,056	-	BJC23C1901A	0.28	(0.01)	18,000	-	CK19C1811A	0.16	(0.01)	10,056	-
BDMS11C1811A	0.98	(0.06)	1,002	-	BJC24C1808A	-	-	-	-	CK23C1808A	-	-	-	-
BDMS11C1904A	0.15	0.01	451	-	BJC24C1901A	-	-	-	-	CK24C1808A	-	-	-	-
BDMS13C1810A	0.54	(0.10)	3,000	-	BJC27C1807A	-	-	-	-	CK24C1901A	-	-	-	-
BDMS13C1812A	0.16	(0.02)	340	-	BJC28C1808A	-	-	-	-	CK28C1809A	0.39	(0.02)	12,276	-
BDMS16C1812A	1.01	0.06	2	1.00	BJC28C1812A	0.45	(0.03)	107,170	-	CK28C1812A	0.10	(0.01)	26,785	-
BDMS19C1901A	0.33	(0.01)	7,931	-	BLA01C1812A	0.24	0.01	36,295	-	CKP01C1812A	0.45	(0.01)	36,081	-
BDMS23C1810A	0.59	(0.04)	1,000	-	BLA08C1811A	0.06	-	10,000	-	CKP01C1812B	0.32	(0.01)	27,577	-
BDMS24C1811A	-	-	-	-	BLA13C1809A	-	-	-	-	CKP11C1807A	0.41	-	11,500	-
BDMS24C1812A	-	-	-	-	BLA28C1810A	-	-	-	-	CKP13C1810A	0.26	(0.01)	2,119	-
BDMS28C1811A	0.10	(0.02)	34,567	-	BLAN01C1809A	0.55	(0.04)	43,621	-	CKP23C1810A	0.31	-	1,000	-
BEAU01C1807A	-	-	-	-	BLAN01C1809B	0.09	(0.02)	19,071	-	CKP24C1811A	0.30	(0.01)	200	-
BEAU01C1807B	-	-	-	-	BLAN01P1809A	0.11	0.02	6,674	-	CKP28C1809A	0.05	(0.02)	2,153	-
BEAU01C1812A	0.07	(0.01)	49,130	-	BLAN08C1810A	0.20	(0.03)	60,122	-	CKP28C1809B	0.30	(0.02)	10,052	-
BEAU01C1812B	0.03	-	12,461	-	BLAN11C1902A	0.23	(0.01)	12,036	-	COM701C1811A	0.53	0.02	41,160	-
BEAU01P1807A	-	-	-	-	BLAN23C1807A	-	-	-	-	COM701C1811B	0.30	0.01	45,250	-
BEAU01P1812A	2.08	0.10	58,909	2.00	BPP01C1811A	0.20	0.01	8,308	-	COM706C1809A	0.20	(0.02)	11,360	-
BEAU06C1809A	-	-	-	-	BPP01C1811B	0.10	-	8,682	-	COM708C1811A	0.13	-	42,062	-
BEAU07C1809A	0.01	-	1	-	BPP01P1811A	0.62	(0.02)	15,726	-	COM711C1811A	0.37	0.02	26,505	-
BEAU08C1808A	-	-	-	-	BPP06C1809A	0.30	0.02	10,951	-	COM713C1809A	0.05	-	510	-
BEAU08C1901A	0.03	-	1,651	-	BPP08C1807A	-	-	-	-	COM713C1812A	0.32	-	41,008	-
BEAU11C1902A	0.03	(0.01)	17,301	-	BPP08C1810A	0.19	0.02	25,796	-	COM719C1811A	0.26	-	44,811	-
BEAU13C1811A	0.02	-	1,152	-	BPP11C1807A	-	-	-	-	COM723C1901A	0.30	0.02	7,000	-
BEAU13C1812A	0.02	-	46,064	-	BPP13C1808A	0.20	0.01	21,756	-	COM724C1811A	-	-	-	-
BEAU13C1812B	0.32	(0.05)	282,414	-	BPP13C1811A	-	-	-	-	COM728C1808A	-	-	-	-
BEAU19C1811A	0.01	(0.01)	1	-	BPP23C1901A	0.27	0.02	6,000	-	COM728C1811A	0.27	-	126,640	-
BEAU19C1901A	0.42	(0.06)	58,516	-	BPP24C1809A	-	-	-	-	CPAL01C18				

Main Board Quotation

Issue Date :

Tuesday July 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL23C1810A	0.08	(0.02)	40,471	-	EPG07C1811A	-	-	-	-	INTU11P1807A	-	-	-	-
CPAL24C1808A	0.01	(0.01)	16,223	-	EPG08C1810A	-	-	-	-	INTU11P1905A	0.45	(0.03)	9,504	-
CPAL24C1811A	0.05	(0.03)	4,290	-	EPG08C1810B	0.58	(0.02)	19,761	-	INTU13C1810A	0.17	-	74,177	-
CPAL24C1901A	0.43	(0.06)	63,655	-	EPG11C1903A	0.49	(0.01)	5,740	-	INTU13C1812A	0.41	0.02	102,131	-
CPAL24P1901A	0.38	0.03	5,076	-	EPG13C1808A	-	-	-	-	INTU19C1901A	0.36	0.01	13,298	-
CPAL28C1809A	0.02	-	50	-	EPG13C1811A	0.36	(0.02)	17,211	-	INTU24C1807A	-	-	-	-
CPAL28C1811A	0.17	(0.04)	142,274	-	EPG23C1808A	-	-	-	-	INTU24C1901A	-	-	-	-
CPF01C1809A	1.05	0.04	23,407	1.00	EPG24C1807A	-	-	-	-	INTU28C1809A	0.10	-	153,221	-
CPF01C1809B	0.18	0.01	35,462	-	EPG24C1808A	-	-	-	-	IRPC01C1808A	0.10	0.01	233,916	-
CPF01C1810A	0.30	0.01	57,152	-	EPG24C1810A	-	-	-	-	IRPC01C1810A	0.14	0.01	37,820	-
CPF01P1809A	0.17	(0.02)	41,049	-	EPG28C1808A	0.01	(0.01)	8,050	-	IRPC01C1810B	-	-	-	-
CPF06C1809A	0.70	0.13	2,000	-	ESSO01C1807A	-	-	-	-	IRPC01P1808A	0.49	(0.01)	10,552	-
CPF07C1810A	-	-	-	-	ESSO01C1807B	-	-	-	-	IRPC01P1810A	0.42	-	8,715	-
CPF08C1809A	0.50	0.03	20,244	-	ESSO01C1812A	0.45	(0.07)	100,677	-	IRPC01P1810B	0.19	(0.02)	20,716	-
CPF08C1901A	0.22	(0.02)	20,664	-	ESSO01C1812B	0.31	(0.05)	62,136	-	IRPC06C1811A	0.19	-	10,954	-
CPF11C1902A	0.14	0.01	25,837	-	ESSO01P1807A	-	-	-	-	IRPC07C1812A	0.21	-	200	-
CPF11P1902A	0.21	(0.01)	21,095	-	ESSO01P1812A	0.71	0.08	152,780	-	IRPC08C1808A	-	-	-	-
CPF13C1809A	0.59	(0.02)	35,234	-	ESSO08C1807A	-	-	-	-	IRPC11C1902A	0.05	(0.01)	769	-
CPF13C1810A	0.16	-	20,972	-	ESSO11C1905A	0.61	(0.07)	19,015	-	IRPC11C1905A	0.31	-	11,393	-
CPF19C1901A	0.30	0.01	29,332	-	ESSO13C1811A	0.21	(0.06)	46,110	-	IRPC13C1808A	-	-	-	-
CPF23C1810A	-	-	-	-	ESSO23C1809A	0.03	-	27	-	IRPC13C1811A	0.12	-	3,699	-
CPF24C1809A	-	-	-	-	ESSO24C1812A	-	-	-	-	IRPC13C1812A	0.24	-	87,267	-
CPF24C1901A	0.59	0.04	100	-	ESSO28C1811A	0.19	(0.05)	138,763	-	IRPC19C1901A	0.30	0.01	16,070	-
CPF28C1808A	0.51	0.03	100	-	GFPT01C1807A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPF28C1811A	0.17	-	114,236	-	GFPT08C1807A	-	-	-	-	IRPC24C1808A	0.18	(0.01)	2,225	-
CPN01C1808A	0.22	-	46,135	-	GFPT08C1906A	0.46	(0.01)	10,435	-	IRPC24C1809A	0.02	-	1	-
CPN01C1808B	0.01	(0.01)	5,596	-	GFPT19C1811A	0.45	-	3,702	-	IRPC24C1812A	-	-	-	-
CPN06C1811A	0.44	0.01	23,592	-	GFPT24C1812A	0.39	-	90	-	IRPC27C1809A	-	-	-	-
CPN08C1809A	-	-	-	-	GGC01C1810A	0.11	(0.01)	54,059	-	IRPC28C1811A	0.08	-	18,750	-
CPN11C1903A	0.26	(0.01)	32,600	-	GGC01C1810B	0.04	(0.01)	2,024	-	IRPC28C1812A	0.26	(0.01)	160,002	-
CPN11P1903A	0.54	-	26,414	-	GGC08C1906A	0.13	(0.02)	8,369	-	ITD01C1808A	-	-	-	-
CPN13C1812A	0.31	0.01	56,014	-	GGC13C1811A	0.03	(0.01)	63	-	ITD01C1808B	-	-	-	-
CPN19C1901A	0.46	(0.01)	21,324	-	GGC19C1811A	-	-	-	-	ITD01P1808A	1.19	-	38,685	1.00
CPN23C1810A	0.18	0.01	2,000	-	GGC23C1901A	0.06	-	1,049	-	ITD08C1810A	-	-	-	-
CPN24C1901A	0.31	0.01	440	-	GGC24C1812A	0.04	(0.02)	5	-	ITD11C1903A	0.15	(0.01)	19,744	-
CPN28C1810A	0.15	(0.01)	274,846	-	GGC28C1811A	-	-	-	-	ITD13C1809A	-	-	-	-
DELT06C1903A	1.07	0.05	17,769	1.00	GLOB01C1809A	0.49	-	27,219	-	ITD13C1812A	0.18	(0.02)	77,847	-
DELT08C1811A	0.17	0.01	13,550	-	GLOB01C1809B	0.23	-	44,878	-	ITD19C1811A	-	-	-	-
DELT13C1809A	0.08	0.01	40,059	-	GLOB06C1809A	0.28	-	9,200	-	ITD23C1808A	-	-	-	-
DELT24C1901A	0.87	0.05	302	-	GLOB08C1807A	-	-	-	-	ITD24C1807A	-	-	-	-
DELT27C1812A	0.17	0.01	5,928	-	GLOB11C1808A	0.19	(0.01)	21,420	-	ITD24C1810A	-	-	-	-
DTAC01C1808A	0.13	0.02	27,887	-	GLOB13C1807A	-	-	-	-	ITD28C1808A	-	-	-	-
DTAC01C1808B	0.01	-	2,904	-	GLOB23C1811A	-	-	-	-	ITD28C1808B	-	-	-	-
DTAC01C1810A	0.33	0.01	60,910	-	GLOB24C1810A	-	-	-	-	IVL01C1808A	0.40	(0.04)	81,596	-
DTAC01C1810B	0.08	-	9,654	-	GLOB27C1809A	-	-	-	-	IVL01C1808B	0.08	(0.01)	23,511	-
DTAC01C1902A	0.71	0.01	35,175	-	GLOB28C1808A	-	-	-	-	IVL01C1812A	0.57	(0.02)	77,266	-
DTAC01C1902B	0.60	0.01	29,528	-	GLOW08C1811A	0.69	-	3,056	-	IVL01C1812B	0.39	(0.02)	71,830	-
DTAC01P1808A	0.81	(0.05)	11,011	-	GLOW11C1807A	0.78	-	1,010	-	IVL01P1808A	0.61	0.05	78,898	-
DTAC01P1810A	1.21	(0.02)	10,866	1.00	GLOW19C1901A	0.71	(0.02)	4,500	-	IVL01P1808B	0.10	(0.01)	123,339	-
DTAC01P1810B	0.76	(0.03)	9,793	-	GLOW27C1812A	-	-	-	-	IVL01P1812A	0.82	0.03	77,982	-
DTAC01P1902A	0.95	(0.02)	13,995	-	GPSC01C1808A	0.23	(0.01)	26,328	-	IVL01P1812B	0.61	0.02	53,868	-
DTAC01P1902B	0.76	(0.02)	15,622	-	GPSC01C1808B	-	-	-	-	IVL06C1807A	0.01	-	2,000	-
DTAC06C1901A	0.26	0.04	2,000	-	GPSC01P1808A	1.17	0.02	32,550	1.00	IVL06C1901A	0.42	(0.03)	17,261	-
DTAC06P1809A	0.39	(0.02)	21,233	-	GPSC06C1811A	0.24	-	3,816	-	IVL07C1811A	-	-	-	-
DTAC07C1809A	-	-	-	-	GPSC08C1808A	-	-	-	-	IVL08C1901A	0.57	(0.02)	81,376	-
DTAC08C1809A	0.04	(0.01)	3,066	-	GPSC11C1808A	0.74	(0.05)	22,411	-	IVL08P1809A	0.03	-	14,000	-
DTAC08P1807A	-	-	-	-	GPSC11C1902A	0.26	(0.01)	11,331	-	IVL11C1808A	0.86	(0.05)	37,804	-
DTAC11C1904A	0.29	0.02	5,353	-	GPSC13C1808A	-	-	-	-	IVL11P1808A	-	-	-	-
DTAC13C1811A	0.10	(0.01)	24,315	-	GPSC13C1812A	0.44	(0.05)	58,156	-	IVL13C1809A	0.21	(0.04)	19,093	-
DTAC13C1812A	0.41	-	59,807	-	GPSC19C1901A	0.53	(0.02)	11,108	-	IVL13C1810A	0.25	(0.02)	54,959	-
DTAC13P1811A	-	-	-	-	GPSC24C1807A	-	-	-	-	IVL13C1812A	0.51	(0.02)	58,227	-
DTAC13P1812A	0.21	(0.02)	16,813	-	GPSC24C1808A	-	-	-	-	IVL13P1809A	0.02	-	3,404	-
DTAC19C1811A	0.22	-	9,565	-	GPSC24C1812A	0.31	(0.04)	2,400	-	IVL13P1811A	0.32	0.01	6,562	-
DTAC23C1807A	-	-	-	-	GPSC28C1811A	0.36	(0.03)	8,112	-	IVL19C1809A	0.49	(0.04)	52,212	-
DTAC23P1807A	-	-	-	-	GUNK01C1808A	0.02	-	5,000	-	IVL23C1810A	0.51	(0.03)	1,700	-
DTAC24C1809A	-	-	-	-	GUNK01C1808B	-	-	-	-	IVL24C1808A	-	-	-	-
DTAC27C1809A	-	-	-	-	GUNK08C1807A	-	-	-	-	IVL24C1812A	-	-	-	-
DTAC27P1809A	0.14	(0.02)	4,512	-	GUNK11C1903A	0.17	-	5,120	-	IVL24C1901A	0.56	(0.04)	100	-
DTAC28C1810A	-	-	-	-	GUNK24C1807A	-	-	-	-	IVL28C1808A	-	-	-	-
DTAC28C1812A	0.45	0.01	92,944	-	GUNK24C1812A	0.26	0.01	7,000	-	IVL28C1811A	0.28	(0.03)	153,664	-
EA01C1809A	0.68	-	89,923	-	GUNK28C1808A	-	-	-	-	IVL28C1812A	0.54	(0.04)	147,068	-
EA01C1809B	0.35	(0.01)	76,629	-	GUNK28C1810A	0.27	(0.01)	9,531	-	IVL28P1811A	0.37	-	89,542	-
EA01P1809A	0.79	(0.01)	46,372	-	HANA01C1811A	0.41	(0.01)	4,295	-	KBAN01C1808A	0.28	0.02	143,632	-
EA06C1809A	0.01	(0.01)	2,500	-	HANA01C1811B	0.24	(0.02)	8,223	-	KBAN01C1808B	0.01	-	18,208	-
EA07C1810A	-	-	-	-	HANA08C1809A	-	-	-	-	KBAN01C1810A	1.40	0.06	43,651	1.00
EA08C1807A	-	-	-	-	HANA11C1904A	0.24	-	1,744	-	KBAN01C1901A	1.49	0.05	58,803	1.00
EA08C1809A	-	-	-	-	HANA13C1809A	0.13	(0.01)	8,540	-	KBAN01C1901B	0.97	0.07	34,408	-
EA08C1810A	0.20	-	147,137	-	HANA23C1811A	-	-	-	-	KBAN01P1808A	0.62	(0.05)	67,671	-
EA11C1902A	0.10	0.01	34,975	-	HANA24C1808A	-	-	-	-	KBAN01P1808B	0.09	(0.02)	98,925	-
EA13C1808A	-	-	-	-	HANA24C1810A	0.13	-	800	-	KBAN01P1810A	0.14	(0.01)	12,408	-
EA13C1808B	-	-	-	-	HANA28C1808A	-	-	-	-	KBAN01P1901A	0.86	(0.02)	38,876	-
EA13C1809A	-	-	-	-	HANA28C1812A	0.33	(0.01)	4,116	-	KBAN01P1901B	0.37	(0.03)	116,106	-
EA13C1810A	0.03	0.01	540	-	HMPR01C1808A	0.33	0.03	80,276	-	KBAN06C1811A	0.95	0.06	3,000	-
EA13C1811A	0.12	-	15,546	-	HMPR01C1808B	0.07	0.01	16,650	-	KBAN07C1811A	-	-	-	-
EA13C1812A	0.21	-	230,243	-	HMPR01P1808A	0.24	(0.03)	51,238	-	KBAN08C1811A	0.88	0.07	11,694	-
EA13C1812B	0.40	-	88,844	-	HMPR06C1811A	0.15	-	2,000	-	KBAN08P1811A	0.18	(0.04)	25,042	-
EA13P1809A	0.61	(0.05)	6,718	-	HMPR08C1810A	0.12	-	6,134	-	KBAN13C1810A	0.21	-	62,050	-
EA19C1811A	0.36	(0.02)	25,581	-	HMPR11C1808A	0.33	0.03	12,856	-	KBAN13C1811A	1.00	0.01	103,310	1.00
EA23C1901A	0.33	0.01	49,545	-	H									

Main Board Quotation

Issue Date :

Tuesday July 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE11C1904A	0.39	0.02	18,710	-	MINT01C1808A	0.05	0.02	87,262	-	PTT06C1811A	0.11	-	5,336	-
KCE13C1808A	0.33	0.03	2,997	-	MINT01C1808B	0.01	-	22	-	PTT06C1901A	0.42	-	44,109	-
KCE13C1811A	0.55	0.04	1,076	-	MINT01C1901A	0.47	0.06	183,041	-	PTT06P1901A	0.43	(0.01)	20,677	-
KCE13C1812A	0.31	0.02	51,910	-	MINT01C1901B	0.36	0.07	257,839	-	PTT07C1811A	0.19	(0.01)	1,400	-
KCE19C1901A	0.40	0.03	23,752	-	MINT01P1808A	0.56	(0.14)	91,109	-	PTT08C1807A	-	-	-	-
KCE23C1807A	0.01	-	2	-	MINT01P1901A	0.32	(0.06)	42,635	-	PTT08C1809A	0.03	-	404	-
KCE23C1901A	0.26	0.02	40,395	-	MINT06B1809A	0.06	0.01	2,050	-	PTT08P1809A	0.32	-	64,358	-
KCE24C1808A	0.18	-	27,364	-	MINT06C1901A	0.31	0.06	46,009	-	PTT11C1902A	0.20	(0.01)	45,617	-
KCE24C1901A	0.36	0.01	3,910	-	MINT07C1810A	-	-	-	-	PTT13C1807A	0.01	(0.03)	1,000	-
KCE28C1808A	-	-	-	-	MINT08C1809A	0.05	0.03	3,100	-	PTT13C1808A	-	-	-	-
KCE28C1811A	0.47	0.01	28,211	-	MINT11C1902A	0.15	0.03	46,680	-	PTT13C1810A	0.08	(0.01)	1,624	-
KKP01C1808A	0.23	(0.02)	22,425	-	MINT11P1902A	0.20	(0.06)	70,128	-	PTT13C1811A	0.26	(0.02)	72,376	-
KKP01C1808B	-	-	-	-	MINT13C1810A	0.13	0.03	118,516	-	PTT13C1812A	0.40	(0.03)	232,864	-
KKP08C1811A	0.38	(0.02)	67,657	-	MINT13C1812A	0.43	0.07	243,206	-	PTT13P1807A	-	-	-	-
KKP11C1903A	0.33	-	13,265	-	MINT19C1901A	0.42	0.08	23,502	-	PTT13P1808A	0.08	(0.03)	1,250	-
KKP13C1811A	0.31	(0.02)	37,379	-	MINT23C1810A	0.11	0.06	11,000	-	PTT13P1812A	0.29	(0.01)	144,183	-
KKP19C1901A	0.50	(0.02)	13,770	-	MINT24C1807A	-	-	-	-	PTT19C1809A	0.09	(0.01)	11,570	-
KKP23C1807A	-	-	-	-	MINT24C1812A	-	-	-	-	PTT19C1901A	0.45	(0.03)	48,112	-
KKP24C1807A	-	-	-	-	MINT24C1901A	0.41	0.05	837	-	PTT23C1901A	0.13	-	16,968	-
KKP24C1812A	0.36	(0.01)	240	-	MINT28C1808A	-	-	-	-	PTT24C1809A	-	-	-	-
KKP28C1810A	0.20	(0.02)	69,044	-	MINT28C1811A	0.26	0.05	301,015	-	PTT24C1812A	0.34	(0.01)	400	-
KTB01C1808A	0.23	-	18,180	-	MON001C1810A	0.07	(0.01)	6,300	-	PTT24P1808A	-	-	-	-
KTB01C1810A	0.44	-	25,278	-	MON001C1810B	-	-	-	-	PTT24P1901A	0.20	(0.01)	452	-
KTB01C1810B	0.24	(0.01)	56,128	-	MON008C1808A	-	-	-	-	PTT27C1809A	0.42	(0.03)	750	-
KTB01P1808A	0.33	0.01	27,737	-	MON008C1906A	0.14	(0.01)	7,768	-	PTT27P1809A	0.11	(0.01)	3,831	-
KTB06C1902A	0.40	-	8,990	-	MON013C1808A	-	-	-	-	PTT28C1808A	0.01	-	55,870	-
KTB08C1809A	0.07	-	690	-	MON013C1811A	-	-	-	-	PTT28C1809A	0.01	(0.01)	20,136	-
KTB11C1811A	0.21	(0.01)	6,921	-	MON013C1901A	0.25	(0.02)	13,633	-	PTT28C1811A	0.08	-	15,003	-
KTB13C1809A	0.09	-	214	-	MON019C1811A	0.14	(0.02)	20,909	-	PTT28C1811B	0.24	(0.02)	54,920	-
KTB13C1901A	0.46	(0.02)	19,230	-	MON023C1809A	-	-	-	-	PTT28C1812A	0.38	(0.03)	293,906	-
KTB19C1901A	0.34	-	10,940	-	MON023C1901A	0.24	(0.01)	5,000	-	PTT28P1808A	0.01	(0.04)	5,602	-
KTB23C1811A	0.30	0.01	10,000	-	MON024C1807A	-	-	-	-	PTT28P1808B	-	-	-	-
KTB24C1808A	-	-	-	-	MON024C1812A	-	-	-	-	PTT28P1812A	0.21	-	104,208	-
KTB24C1811A	0.24	0.02	2,500	-	MON024C1812B	0.11	0.01	800	-	PTTE01C1808A	1.17	0.04	134,596	1.00
KTB24P1901A	0.23	(0.01)	9,017	-	MON028C1808A	-	-	-	-	PTTE01C1808B	0.55	0.02	118,896	-
KTB28C1809A	-	-	-	-	MON028C1811A	-	-	-	-	PTTE01C1901A	0.77	0.02	99,454	-
KTB28C1811A	0.22	(0.02)	85,932	-	MON028C1901A	0.23	(0.01)	10,293	-	PTTE01C1901B	0.52	-	91,481	-
KTC01C1808A	0.70	0.06	114,491	-	MTC06C1901A	0.60	0.06	59,259	-	PTTE01P1808A	0.05	(0.01)	149,517	-
KTC01C1808B	0.12	0.01	172,187	-	MTC08C1807A	-	-	-	-	PTTE01P1901A	1.23	(0.01)	65,121	1.00
KTC01C1810A	0.27	-	92,845	-	MTC08C1811A	0.22	0.03	115,991	-	PTTE01P1901B	0.80	(0.02)	68,627	-
KTC01C1810B	0.17	0.01	40,558	-	MTC11C1904A	0.41	0.04	47,854	-	PTTE06C1811A	0.49	0.03	27,248	-
KTC06C1807A	0.58	0.24	11,043	-	MTC13C1809A	0.09	0.02	32,706	-	PTTE07C1809A	0.23	-	33,860	-
KTC08C1807A	-	-	-	-	MTC13C1811A	0.58	0.07	419,067	-	PTTE08C1807A	-	-	-	-
KTC08C1808A	0.52	(0.01)	4,000	-	MTC19C1901A	0.47	0.05	39,056	-	PTTE08C1811A	0.40	0.01	62,988	-
KTC11C1902A	0.86	0.08	9,201	-	MTC23C1808A	0.10	0.02	24,978	-	PTTE08P1809A	0.04	-	2,245	-
KTC13C1808A	0.22	0.04	4,813	-	MTC24C1808A	0.01	-	201	-	PTTE08P1811A	0.26	(0.01)	28,823	-
KTC13C1809A	0.13	(0.01)	54,172	-	MTC24C1810A	0.29	0.04	3,704	-	PTTE11C1902A	0.63	-	23,820	-
KTC13C1809B	0.14	-	170,273	-	MTC24C1812A	0.51	0.03	50	-	PTTE13C1807A	-	-	-	-
KTC13C1812A	0.20	0.02	149,684	-	MTC27C1807A	-	-	-	-	PTTE13C1811A	0.34	-	114,937	-
KTC13P1807A	-	-	-	-	MTC28C1808A	-	-	-	-	PTTE13C1812A	0.63	-	103,051	-
KTC19C1811A	0.27	0.01	66,708	-	MTC28C1809A	0.39	0.06	61,455	-	PTTE13P1807A	-	-	-	-
KTC19C1901A	0.64	0.04	48,812	-	ORI08C1807A	-	-	-	-	PTTE13P1811A	0.22	(0.01)	145,334	-
KTC23C1809A	0.59	(0.05)	184,187	-	ORI11C1811A	0.23	-	14,836	-	PTTE19C1811A	0.54	-	168,274	-
KTC24C1808A	0.46	0.13	35,235	-	ORI13C1810A	0.47	(0.03)	52,307	-	PTTE23C1901A	0.13	0.01	12,751	-
KTC24C1810A	0.16	-	13,320	-	ORI19C1811A	0.30	(0.02)	63,123	-	PTTE24C1807A	0.03	-	2	-
KTC24P1807A	0.01	(0.01)	24,029	-	ORI23C1809A	0.11	-	15,600	-	PTTE24C1811A	0.22	0.02	4,021	-
KTC28C1808A	0.21	-	500	-	ORI24C1810A	-	-	-	-	PTTE24C1901A	0.62	0.12	2,852	-
KTC28C1808B	-	-	-	-	ORI28C1808A	-	-	-	-	PTTE24P1809A	0.01	(0.02)	36,294	-
KTC28C1809A	0.17	0.02	12,883	-	PLAN08C1811A	0.16	(0.01)	31,706	-	PTTE27C1809A	-	-	-	-
KTC28C1810A	0.28	(0.01)	4,273	-	PLAN13C1809A	-	-	-	-	PLTE27P1809A	-	-	-	-
LH01C1809A	0.42	0.02	23,335	-	PLAN28C1810A	0.12	(0.01)	35,420	-	PTTE28C1810A	0.27	-	49,375	-
LH01C1809B	0.25	0.01	44,119	-	PSH01C1810A	0.34	-	971	-	PTTE28C1811A	0.17	(0.01)	5,150	-
LH01P1809A	0.07	(0.01)	8,569	-	PSH01C1810B	0.10	-	900	-	PTTE28P1811A	0.24	(0.01)	32,011	-
LH06C1809A	0.37	0.03	15,472	-	PSH01P1810A	0.76	(0.01)	23,704	-	PTTG01C1808A	0.16	-	165,400	-
LH07C1810A	0.20	-	40	-	PSH08C1811A	-	-	-	-	PTTG01C1810A	0.25	0.01	104,125	-
LH11C1808A	0.29	0.01	5,184	-	PSH11C1902A	0.24	(0.01)	2,528	-	PTTG01C1810B	0.03	-	85,480	-
LH13C1808A	0.25	0.01	14,630	-	PSH23C1811A	-	-	-	-	PTTG01C1811A	0.47	0.01	186,275	-
LH19C1901A	0.27	(0.01)	83,630	-	PSL01C1807A	-	-	-	-	PTTG01C1901A	1.16	0.01	134,028	1.00
LH23C1901A	0.18	-	10,000	-	PSL01C1812A	0.39	(0.06)	80,475	-	PTTG01C1901B	0.93	0.02	137,905	-
LH24C1809A	0.09	(0.03)	5,880	-	PSL01C1812B	0.34	(0.04)	44,036	-	PTTG01P1808A	1.05	(0.03)	82,042	1.00
LH28C1808A	0.02	(0.02)	9,983	-	PSL11C1905A	0.27	(0.04)	42,208	-	PTTG01P1811A	1.58	(0.04)	19,220	1.00
LPN01C1809A	0.12	-	2,268	-	PSL23C1809A	0.06	(0.03)	37,060	-	PTTG01P1901A	0.92	(0.02)	51,824	-
LPN01C1811A	0.39	(0.02)	14,856	-	PSL24C1807A	-	-	-	-	PTTG01P1901B	0.70	(0.02)	54,830	-
LPN01C1811B	0.22	(0.01)	4,110	-	PTG01C1811A	0.20	(0.01)	90,710	-	PTTG06C1809A	0.03	-	2,000	-
LPN01P1809A	0.45	(0.01)	23,743	-	PTG01C1811B	0.07	(0.01)	23,091	-	PTTG06C1903A	1.15	0.03	24,757	1.00
LPN08C1807A	-	-	-	-	PTG01P1811A	1.13	0.03	20,645	1.00	PTTG06P1903A	0.49	(0.02)	24,798	-
LPN08C1810A	0.08	(0.01)	4,200	-	PTG06C1810A	0.09	-	400	-	PTTG07C1812A	0.47	0.01	13,350	-
LPN08C1906A	0.23	-	24,060	-	PTG06C1904A	0.44	(0.03)	5,781	-	PTTG08C1811A	-	-	-	-
LPN19C1811A	0.21	-	2,992	-	PTG08C1807A	-	-	-	-	PTTG08P1811A	0.92	(0.03)	4,161	-
LPN24C1808A	-	-	-	-	PTG11C1903A	0.16	-	3,608	-	PTTG11C1902A	0.14	0.01	23,270	-
LPN24C1812A	-	-	-	-	PTG13C1809A	-	-	-	-	PTTG13C1808A	-	-	-	-
LPN27C1807A	-	-	-	-	PTG13C1812A	0.18	(0.03)	122,400	-	PTTG13C1812A	0.30	-	143,023	-
MAJ08C1811A	0.05	(0.02)	1,240	-	PTG23C1808A	-	-	-	-	PTTG13C1812B	0.87	0.02	286,732	-
MAJ011C1902A	0.09	(0.01)	5,600	-	PTG24C1809A	-	-	-	-	PTTG19C1811A	0.27	-	57,052	-
MAJ024C1809A	-	-	-	-	PTG27C1809A	-	-	-	-	PTTG23C1901A	0.10	-	1,000	-
MALE01C1812A	0.03	-	15,427	-	PTG28C1808A	-	-	-	-	PTTG24C1808A	-	-	-	-
MALE08C1811A	-	-	-	-	PTG28C1812A	0.27	(0.03)	124,498	-	PTTG24C1812A	-	-		

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday July 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
QH28C1808A	0.03	(0.07)	7,098	-	SCB24C1901A	0.76	0.09	21	-	STEC24C1901A	-	-	-	-
RATC19C1901A	0.34	(0.01)	11,497	-	SCB24C1902A	0.47	0.12	20	-	STEC28C1808A	-	-	-	-
RATC24C1902A	0.34	(0.01)	200	-	SCB24P1811A	0.19	(0.06)	9,702	-	STEC28C1810A	0.44	(0.01)	49,182	-
RATC27C1812A	0.10	-	2,946	-	SCB28C1808A	-	-	-	-	STP108C1811A	0.05	(0.01)	1,000	-
ROBI01C1809A	0.30	-	26,380	-	SCB28C1809A	0.07	0.01	1,250	-	SUPE08C1808A	0.01	-	5,143	-
ROBI06C1809A	0.27	-	5,200	-	SCB28C1812A	0.50	0.06	384,736	-	SUPE08C1811A	0.12	-	21	-
ROBI08C1808A	-	-	-	-	SCB28P1808A	0.01	-	4,821	-	SUPE13C1810A	0.08	0.01	351	-
ROBI11C1808A	0.05	(0.01)	13	-	SCB28P1812A	0.11	(0.02)	121,008	-	SUPE13C1811A	-	-	-	-
ROBI19C1901A	0.62	-	9,970	-	SCC01C1808A	0.15	(0.01)	12,770	-	SUPE23C1811A	0.13	(0.02)	110	-
ROBI24C1901A	0.19	-	1,225	-	SCC01C1808B	0.02	-	543	-	SUPE23C1901A	0.07	-	400	-
ROBI24C1903A	0.65	0.02	300	-	SCC01C1901A	0.71	-	21,030	-	SUPE28C1810A	-	-	-	-
S10001C1811A	0.58	-	2,764	-	SCC01C1901B	0.60	(0.01)	22,505	-	SUPE28C1811A	-	-	-	-
S5001C1807A	-	-	-	-	SCC01P1808A	0.57	-	33,858	-	TASC01C1809A	-	-	-	-
S5001C1807B	-	-	-	-	SCC01P1901A	0.37	-	600	-	TASC01C1810A	0.14	0.04	89,117	-
S5001C1808A	0.67	0.01	86,223	-	SCC06C1809A	0.05	0.02	15,169	-	TASC01C1810B	0.03	-	1,000	-
S5001C1808B	0.51	0.01	57,617	-	SCC06C1902A	0.37	-	15,874	-	TASC01P1809A	1.86	(0.14)	18,902	1.00
S5001C1809F	0.86	0.01	1,458,545	-	SCC07C1812A	0.60	0.01	6	-	TASC01P1810A	0.81	(0.11)	48,414	-
S5001C1809G	0.29	-	636,148	-	SCC08C1809A	-	-	-	-	TASC07C1811A	-	-	-	-
S5001C1809H	2.14	-	498,781	2.00	SCC11C1811A	0.13	-	1,175	-	TASC08C1808A	-	-	-	-
S5001C1809I	1.67	0.03	1,798,074	1.00	SCC11P1811A	0.30	0.01	27,949	-	TASC11C1904A	0.12	0.02	8,990	-
S5001C1810A	1.37	0.01	21,005	1.00	SCC13C1809A	0.05	(0.01)	6,200	-	TASC13C1810A	0.03	-	3,100	-
S5001C1810B	1.41	0.02	137,462	1.00	SCC13C1812A	0.23	(0.02)	56,014	-	TASC23C1902A	0.30	0.06	96,813	-
S5001P1807A	-	-	-	-	SCC13C1901A	0.46	(0.03)	25,344	-	TASC24C1810A	0.02	-	825	-
S5001P1807B	-	-	-	-	SCC19C1811A	0.17	(0.01)	24,820	-	TASC28C1808A	-	-	-	-
S5001P1808A	0.81	(0.01)	90,233	-	SCC19C1901A	0.42	(0.04)	24,214	-	TCAP01C1807A	-	-	-	-
S5001P1808B	0.92	-	221,302	-	SCC23C1811A	-	-	-	-	TCAP01C1807B	-	-	-	-
S5001P1809F	1.46	(0.02)	1,799,701	1.00	SCC24C1812A	0.07	(0.01)	6,440	-	TCAP01C1901A	0.55	(0.03)	17,733	-
S5001P1809G	0.78	(0.04)	1,786,168	-	SCC24C1901A	0.49	(0.01)	250	-	TCAP01C1901B	0.45	(0.05)	18,476	-
S5001P1809H	0.12	(0.01)	600,674	-	SCC24P1901A	0.28	-	14,720	-	TCAP01P1807A	-	-	-	-
S5001P1809I	0.06	-	208,867	-	SCC27C1809A	-	-	-	-	TCAP01P1901A	0.44	0.02	16,246	-
S5001P1810A	0.29	(0.01)	122,536	-	SCC27P1809A	-	-	-	-	TCAP08C1810A	-	-	-	-
S5001P1810B	0.20	(0.01)	170,225	-	SCC28C1811A	0.17	(0.02)	93,748	-	TCAP1C1811A	0.12	(0.01)	3,804	-
S5006C1809A	0.25	(0.01)	20,738	-	SCC28C1812A	0.44	(0.01)	55,242	-	TCAP13C1809A	-	-	-	-
S5006C1809B	0.12	(0.01)	25,728	-	SCCC08C1811A	0.05	-	3,385	-	TCAP13C1901A	0.45	-	63,734	-
S5006C1809C	-	-	-	-	SCCC13C1809A	0.03	0.01	1,424	-	TCAP23C1807A	-	-	-	-
S5006C1809D	0.16	-	495	-	SCCC27C1812A	0.10	(0.01)	3,303	-	TCAP24C1807A	-	-	-	-
S5006C1812A	0.70	(0.01)	5,554	-	SGP08C1808A	0.01	-	21,792	-	TCAP24C1903A	0.29	(0.01)	6,000	-
S5006C1812B	-	-	-	-	SGP08C1901A	0.45	0.03	155,850	-	TCAP27C1807A	-	-	-	-
S5006P1809A	1.33	-	8,319	1.00	SGP11C1904A	0.22	0.02	35,525	-	THAI01C1808A	0.08	-	3,950	-
S5006P1809B	0.60	(0.02)	7,520	-	SGP13C1808A	0.01	-	470,719	-	THAI01C1808B	0.01	-	500	-
S5006P1809C	0.83	(0.02)	201	-	SGP13C1811A	0.14	0.01	34,717	-	THAI01C1901A	0.37	(0.01)	22,265	-
S5006P1809D	0.33	(0.04)	28	-	SGP13C1812A	0.33	0.01	301,367	-	THAI01C1901B	0.23	(0.02)	30,241	-
S5006P1812A	1.27	0.01	5,727	1.00	SGP19C1811A	0.34	-	78,663	-	THAI01P1808A	0.68	(0.01)	9,260	-
S5006P1812B	0.46	(0.01)	18,918	-	SGP24C1808A	-	-	-	-	THAI01P1901A	0.84	0.02	33,208	-
S5008C1809A	0.94	(0.01)	146,044	-	SGP24C1811A	-	-	-	-	THAI06C1809A	0.12	0.03	2,400	-
S5008P1809A	0.15	(0.01)	93,447	-	SGP24C1902A	1.02	0.04	700	1.00	THAI07C1811A	-	-	-	-
S5013C1809A	0.18	(0.01)	1,674,135	-	SGP28C1808A	-	-	-	-	THAI08C1808A	0.01	(0.01)	3,000	-
S5013C1809B	0.37	(0.02)	978,603	-	SGP28C1809A	-	-	-	-	THAI11C1808A	-	-	-	-
S5013C1809C	0.32	(0.02)	1,034,288	-	SGP28C1811A	0.16	-	143,810	-	THAI11C1811A	0.09	-	10,440	-
S5013C1809D	0.69	(0.04)	3,134,837	-	SIRI01C1808A	0.01	(0.01)	250	-	THAI23C1901A	0.03	(0.01)	3,700	-
S5013C1809E	1.14	(0.02)	4,445,317	1.00	SIRI01C1808B	-	-	-	-	THAI24C1808A	-	-	-	-
S5013P1809A	1.16	(0.02)	31,247	1.00	SIRI01C1901A	0.41	(0.01)	16,667	-	THAI24C1901A	0.24	(0.01)	400	-
S5013P1809B	0.57	(0.03)	3,244,727	-	SIRI01C1901B	0.19	(0.01)	16,966	-	THAI27C1809A	-	-	-	-
S5013P1809C	0.77	(0.04)	206,783	-	SIRI01P1808A	0.57	0.02	10,718	-	THAI28C1808A	-	-	-	-
S5013P1809D	0.29	(0.03)	2,331,679	-	SIRI01P1901A	0.61	0.02	26,005	-	THAN01C1812A	0.45	-	25,649	-
S5013P1809E	0.11	(0.01)	5,872,430	-	SIRI08C1808A	-	-	-	-	THAN13C1809A	-	-	-	-
S5028C1807A	-	-	-	-	SIRI08C1810A	0.13	(0.01)	48,464	-	THAN23C1807A	-	-	-	-
S5028C1809A	0.29	(0.02)	771,754	-	SIRI11C1902A	0.16	-	3,000	-	THAN28C1810A	0.11	(0.02)	2,028	-
S5028C1809B	1.04	(0.02)	1,807,709	1.00	SIRI13C1809A	-	-	-	-	THCO01C1809A	0.04	(0.01)	974	-
S5028P1807A	-	-	-	-	SIRI23C1811A	0.19	(0.02)	4,800	-	THCO01P1809A	0.76	(0.01)	578	-
S5028P1809A	0.52	(0.03)	979,697	-	SIRI24C1809A	-	-	-	-	THCO08C1906A	0.16	-	11,586	-
S5028P1809B	0.16	(0.04)	685,575	-	SIRI28C1809A	0.04	(0.01)	10	-	THCO11C1902A	-	-	-	-
SAWA01C1808A	0.02	-	25,671	-	SIRI28C1901A	0.34	(0.02)	104,451	-	THCO19C1811A	-	-	-	-
SAWA01C1808B	0.02	-	21,701	-	SPAL01C1808A	0.35	0.01	72,366	-	THCO23C1808A	-	-	-	-
SAWA01C1901A	0.57	0.02	244,332	-	SPAL01C1808B	-	-	-	-	THCO24C1807A	-	-	-	-
SAWA01C1901B	0.46	0.02	89,793	-	SPAL06C1809A	0.43	0.01	16,284	-	THCO24C1810A	-	-	-	-
SAWA01P1808A	1.96	(0.06)	12,345	2.00	SPAL08C1808A	-	-	-	-	THCO28C1808A	-	-	-	-
SAWA01P1901A	0.84	(0.03)	26,271	-	SPAL11C1807A	0.01	(0.01)	127	-	THCO28C1901A	0.20	(0.02)	10,140	-
SAWA06C1807A	-	-	-	-	SPAL11C1905A	0.14	0.01	1,116	-	TISCO1C1808A	0.19	(0.01)	100,873	-
SAWA06C1811A	0.07	0.01	2,502	-	SPAL23C1811A	0.51	0.01	21,063	-	TISCO01C1808B	0.02	-	1	-
SAWA07C1812A	0.40	0.02	1,000	-	SPAL24C1808A	-	-	-	-	TISCO08C1808A	0.03	-	17,280	-
SAWA08C1808A	-	-	-	-	SPAL24C1812A	-	-	-	-	TISC11C1903A	0.21	(0.01)	37,040	-
SAWA08C1811A	0.03	-	41,547	-	SPRC01C1808A	0.14	(0.01)	27,085	-	TISC13C1811A	0.27	(0.01)	81,853	-
SAWA11C1808A	0.01	-	5,000	-	SPRC01C1808B	-	-	-	-	TISC13C1812A	0.67	-	88,210	-
SAWA13C1810A	-	-	-	-	SPRC06C1809A	-	-	-	-	TISC19C1901A	0.37	(0.02)	19,970	-
SAWA13C1811A	0.03	-	10,640	-	SPRC06C1902A	0.52	(0.02)	7,242	-	TISC24C1812A	0.19	-	1,200	-
SAWA13C1812A	0.24	0.02	61,456	-	SPRC08C1808A	-	-	-	-	TISC27C1807A	-	-	-	-
SAWA13C1901A	0.61	0.05	86,106	-	SPRC11C1902A	0.11	-	31,142	-	TKN01C1808A	0.05	(0.02)	13,030	-
SAWA19C1901A	0.63	0.04	42,917	-	SPRC13C1808A	-	-	-	-	TKN01C1808B	0.01	-	700	-
SAWA23C1807A	-	-	-	-	SPRC13C1812A	0.32	(0.02)	84,109	-	TKN01C1901A	0.63	(0.05)	50,839	-
SAWA24C1808A	-	-	-	-	SPRC19C1901A	0.37	(0.01)	11,078	-	TKN01C1901B	0.51	(0.06)	36,720	-
SAWA24C1812A	0.23	(0.01)	713	-	SPRC23C1810A	0.12	-	14,000	-	TKN08C1808A	-	-	-	-
SAWA28C1809A	-	-	-	-	SPRC24C1808A	-	-	-	-	TKN08C1811A	0.11	(0.03)	34,138	-
SAWA28C1810A	0.02	-	100	-	SPRC24C1903A	-	-	-	-	TKN11C1902A	0.19	(0.01)	25,324	-
SAWA28C1811A	0.27	0.02	143,810	-	STA01C1807A	-	-	-	-	TKN13C1808A	-	-	-	-
SAWA28C1812A	0.62	0.04	171,147	-	STA01C1807B	-	-	-	-	TKN13C1810A	0.08	(0.02)	7,416	-
SCB01C1808A	0.19	0.03	46,039	-	STA01C1812A	0.23	(0.01)	48,699	-	TKN13C1811A	0.09	(0.02)	12,730	-
SCB01C1808B	-	-	-	-	STA01C1812B	0.15	-	37,794	-	TK				

Main Board Quotation

Issue Date :

Tuesday July 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price
SCB19C1811A	0.32	0.03	30,692	-
STEC24C1808A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
TMB06C1902A	0.15	0.01	21,750	-

Main Board Quotation

Issue Date :

Tuesday July 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TMB07C1811A	0.05	-	1,000	-	TU01C1808B	-	-	-	-	TISCO-Q	-	-	-	-
TMB08C1808A	-	-	-	-	TU01C1901A	0.55	0.04	58,470	-	U-Q	-	-	-	-
TMB08C1901A	0.12	0.01	10,374	-	TU01C1901B	0.53	0.06	56,146	-	Warrant	-	-	-	-
TMB11C1904A	0.11	-	24,165	-	TU01P1808A	0.90	(0.06)	35,879	-	7UP-W2	-	-	-	-
TMB13C1811A	0.07	-	24,440	-	TU01P1901A	0.28	(0.02)	53,937	-	ACC-W1	0.03	-	2,695	-
TMB19C1901A	0.17	0.01	94,565	-	TU06C1902A	0.28	0.03	36,448	-	AJA-W1	0.17	-	64	-
TMB23C1810A	-	-	-	-	TU08C1811A	0.05	-	1,000	-	ALT-W1	0.71	(0.01)	1,455	-
TMB24C1809A	-	-	-	-	TU11C1902A	0.05	0.01	4,640	-	APURE-W2	0.16	(0.01)	18,726	-
TMB24C1901A	0.08	-	3	-	TU13C1809A	-	-	-	-	AQ-W4	0.01	-	10,159	-
TMB28C1808A	-	-	-	-	TU23C1902A	0.28	0.03	34,598	-	AS-W1	0.43	-	160	-
TMB28C1809A	-	-	-	-	TU24C1808A	-	-	-	-	AYUD-W1	2.44	(0.22)	13,066	2.00
TOA01C1901A	0.50	0.01	17,123	-	TU24C1901A	0.20	0.03	1,228	-	B-W3	0.01	-	110	-
TOA01C1901B	0.40	0.02	12,268	-	TU27C1807A	-	-	-	-	B-W4	0.23	0.01	114,772	-
TOA08C1902A	0.30	0.02	27,292	-	TV001C1809A	0.15	(0.01)	14,656	-	BTS-W3	0.03	(0.01)	461,410	-
TOA13C1812A	0.40	-	68,420	-	TVO01C1809B	-	-	-	-	BWG-W4	0.08	-	15,124	-
TOA19C1901A	0.37	0.01	5,193	-	TV008C1808A	0.01	-	4,000	-	CEN-W4	0.04	-	690	-
TOA24C1812A	-	-	-	-	TV011C1903A	0.11	-	10,444	-	CGD-W4	0.21	(0.01)	187,409	-
TOA28C1812A	0.34	0.01	22,308	-	TVO13C1809A	0.03	0.02	100	-	CGH-W3	0.06	-	1,634	-
TOP01C1808A	0.05	(0.01)	25,046	-	TVO23C1808A	-	-	-	-	CI-W1	0.38	0.01	8	-
TOP01C1808B	0.01	-	3,025	-	TVO24C1810A	-	-	-	-	CKP-W1	0.36	-	2,871	-
TOP01C1901A	1.36	(0.05)	79,794	1.00	TVO28C1808A	-	-	-	-	CRANE-W1	-	-	-	-
TOP01C1901B	1.26	(0.07)	64,606	1.00	UNIQ01C1809A	0.11	(0.01)	8,402	-	CWT-W4	0.55	(0.03)	7,892	-
TOP01P1808A	1.23	0.08	49,109	1.00	UNIQ01C1810A	0.26	(0.01)	8,329	-	DCC-W1	0.68	-	140,247	-
TOP01P1901A	0.78	0.01	42,009	-	UNIQ01C1810B	0.10	-	5,044	-	DCON-W1	-	-	-	-
TOP06C1809A	0.03	(0.02)	6,000	-	UNIQ01P1809A	0.57	0.02	19,528	-	DIGI-W1	0.05	-	2,302	-
TOP06C1903A	1.01	0.01	21,308	1.00	UNIQ08C1808A	-	-	-	-	DIGI-W2	0.02	-	16,000	-
TOP07C1812A	-	-	-	-	UNIQ08C1810A	0.08	(0.03)	100	-	EARTH-W4	-	-	-	-
TOP08C1811A	0.12	(0.02)	32,486	-	UNIQ08C1906A	0.28	-	12,348	-	EIC-W2	0.02	0.01	4,892	-
TOP11C1808A	0.01	-	500	-	UNIQ11C1811A	0.11	-	1,814	-	EIC-W3	-	-	-	-
TOP11C1905A	0.94	(0.07)	27,241	-	UNIQ13C1809A	-	-	-	-	EIC-W4	-	-	-	-
TOP13C1811A	0.10	(0.03)	42,540	-	UNIQ13C1901A	0.28	-	12,586	-	EVER-W3	0.03	-	12,516	-
TOP13C1901A	0.55	(0.06)	76,672	-	UNIQ19C1811A	0.10	-	200	-	GJS-W3	0.03	0.01	1,001	-
TOP18C1808A	-	-	-	-	UNIQ23C1901A	0.12	-	3,000	-	GL-W4	-	-	-	-
TOP19C1901A	0.41	(0.05)	34,172	-	UNIQ24C1811A	-	-	-	-	GSTEL-W1	-	-	-	-
TOP23C1811A	0.15	(0.02)	37,020	-	UNIQ28C1809A	0.03	(0.01)	590	-	GSTEL-W2	-	-	-	-
TOP24C1901A	-	-	-	-	UNIQ28C1811A	0.12	(0.01)	30,480	-	IEC-W2	-	-	-	-
TOP24C1902A	0.58	(0.07)	5,241	-	UV01C1807A	-	-	-	-	IHL-W1	4.60	(0.08)	433	4.00
TOP28C1810A	-	-	-	-	UV08C1807A	-	-	-	-	ITD-W1	0.12	-	25,576	-
TP101C1807A	-	-	-	-	UV13C1808A	-	-	-	-	IVL-W2	15.10	(0.10)	44,657	14.00
TP101C1807B	-	-	-	-	UV13C1812A	0.46	-	183,670	-	JAS-W3	2.06	0.04	58,619	2.00
TP101C1812A	0.21	(0.02)	18,615	-	UV23C1809A	-	-	-	-	JCK-W5	-	-	-	-
TP101C1812B	0.14	(0.02)	12,058	-	UV24C1807A	-	-	-	-	JMART-W2	1.65	(0.05)	7,268	1.00
TP107C1812A	-	-	-	-	UV24C1812A	-	-	-	-	MIDA-W2	0.03	0.01	9,821	-
TP108C1807A	-	-	-	-	UV28C1808A	-	-	-	-	MILL-W3	0.04	-	341	-
TP113C1809A	-	-	-	-	VGI01C1812A	0.53	(0.08)	11,538	-	MILL-W4	0.31	(0.01)	3,233	-
TP119C1901A	0.23	(0.03)	7,404	-	VGI06C1904A	-	-	-	-	MILL-W5	0.21	(0.05)	581,436	-
TP123C1809A	-	-	-	-	VGI06C1904B	-	-	-	-	ML-W2	0.02	(0.01)	7,077	-
TP124C1808A	-	-	-	-	VGI06C1904C	-	-	-	-	MONO-W1	0.65	(0.01)	14,366	-
TP124C1902A	0.12	-	249	-	VGI08C1811A	0.48	(0.03)	15,396	-	NEP-W3	0.12	(0.01)	7,242	-
TP128C1808A	-	-	-	-	VGI23C1905A	-	-	-	-	NOK-W1	1.00	0.02	43	-
TP1P01C1810A	0.45	(0.03)	25,600	-	VGI23C1911A	-	-	-	-	NPPG-W3	0.19	-	25,646	-
TP1P01C1810B	0.19	(0.01)	27,729	-	VGI27C1812A	-	-	-	-	NUSA-W3	-	-	-	-
TP1P01P1810A	0.54	0.01	16,551	-	VGI28C1810A	0.27	(0.03)	56,794	-	NVD-W1	0.28	(0.04)	25,507	-
TP1P08C1808A	-	-	-	-	WHA01C1807A	-	-	-	-	ORI-W1	2.62	(0.12)	17,823	2.00
TP1P11C1811A	0.12	-	5,105	-	WHA01C1807B	-	-	-	-	PACE-W1	-	-	-	-
TP1P13C1811A	0.27	(0.02)	17,184	-	WHA01C1812A	0.57	(0.04)	81,334	-	PACE-W2	0.10	-	34,020	-
TP1P23C1808A	-	-	-	-	WHA01C1812B	0.48	(0.06)	76,124	-	PDI-W1	1.53	0.02	16,564	1.00
TP1P24C1901A	0.39	(0.02)	400	-	WHA01P1812A	0.68	0.04	121,902	-	PDJ-W2	1.59	0.03	8	1.00
TP1P27C1812A	-	-	-	-	WHA06C1809A	0.13	(0.03)	18,842	-	PDJ-W3	1.49	0.04	35	1.00
TRUE01C1808A	0.23	(0.01)	72,449	-	WHA07C1810A	-	-	-	-	PDJ-W4	1.44	0.04	229	1.00
TRUE01C1808B	0.04	(0.01)	56,244	-	WHA08C1811A	0.17	(0.03)	134,316	-	PLE-W3	0.10	-	186,776	-
TRUE01C1902A	0.50	(0.03)	28,979	-	WHA11C1903A	0.22	(0.03)	28,083	-	RICH-W1	-	-	-	-
TRUE01C1902B	0.42	(0.01)	36,168	-	WHA13C1808A	0.04	(0.03)	48,301	-	RICHY-W1	0.32	0.01	2,503	-
TRUE01P1808A	0.30	-	37,194	-	WHA13C1812A	0.43	(0.04)	249,899	-	RICHY-W2	0.17	0.01	992	-
TRUE01P1902A	0.54	0.01	22,511	-	WHA19C1901A	0.41	(0.05)	33,222	-	RS-W3	8.70	(0.25)	46	8.00
TRUE01P1902B	0.41	(0.01)	26,813	-	WHA23C1810A	0.24	(0.05)	1,500	-	S-W1	0.15	0.02	24,579	-
TRUE06C1811A	0.11	(0.01)	10	-	WHA24C1807A	-	-	-	-	SAMART-W2	0.32	-	51,484	-
TRUE06C1906A	0.29	(0.03)	460	-	WHA24C1811A	0.11	(0.03)	9,000	-	SAWAD-W1	5.30	-	1,382	5.00
TRUE08C1809A	0.08	(0.01)	3,100	-	WHA28C1808A	-	-	-	-	SDC-W4	-	-	-	-
TRUE08C1902A	0.39	(0.01)	62,220	-	WHA28C1808B	0.01	(0.04)	10,101	-	SMM-W1	0.10	0.01	605	-
TRUE08P1809A	0.12	-	25,154	-	WHA28C1809A	0.35	(0.06)	70,637	-	SMT-W1	0.09	-	6,725	-
TRUE11C1807A	0.01	-	11,300	-	WHAU01C1810A	0.18	-	43,000	-	SMT-W2	0.55	(0.03)	14,568	-
TRUE11C1905A	0.34	(0.01)	19,316	-	WHAU01C1810B	0.05	0.01	31	-	SPAL-W4	19.10	0.10	703	19.00
TRUE13C1807A	-	-	-	-	WHAU24C1812A	0.04	(0.01)	1,412	-	SPORT-W5	0.09	-	10,909	-
TRUE13C1810A	0.05	(0.01)	6,201	-	WORK01C1811A	0.69	-	36,810	-	SPORT-W6	-	-	-	-
TRUE13C1812A	0.25	(0.03)	270,899	-	WORK01C1811B	0.49	-	21,474	-	SUPER-W4	0.12	-	53,725	-
TRUE16C1812A	-	-	-	-	WORK08C1809A	0.01	-	500	-	SUSCO-W1	0.18	0.01	2,237	-
TRUE19C1901A	0.17	(0.02)	15,100	-	WORK08C1901A	0.55	(0.01)	32,110	-	SVI-W3	1.27	0.01	78	1.00
TRUE23C1902A	-	-	-	-	WORK11C1903A	0.18	-	8,367	-	TCC-W3	-	-	-	-
TRUE27C1809A	0.14	(0.01)	3,504	-	WORK13C1809A	-	-	-	-	TCC-W4	0.13	-	492	-
TRUE27P1809A	0.27	-	503	-	WORK13C1810A	0.02	(0.01)	4,267	-	TCC-W5	0.17	(0.01)	354	-
TRUE28C1808A	0.01	-	400	-	WORK13C1811A	0.20	(0.01)	67,860	-	TCJ-W2	1.13	(0.01)	55,370	1.00
TRUE28C1810A	-	-	-	-	WORK13C1812A	0.69	(0.01)	67,333	-	TCMC-W2	0.34	0.01	3,565	-
TRUE28C1812A	0.20	(0.02)	140,790	-	WORK19C1811A	0.30	(0.02)	27,731	-	TFG-W1	1.51	0.17	1,058	1.00
TTA01C1807A	-	-	-	-	WORK23C1807A	-	-	-	-	TFG-W2	0.89	0.12	201,679	-
TTA01P1807A	-	-	-	-	WORK24C1810A	0.03	-	5	-	TH-W2	0.14	-	1	-
TTA08C1808A	-	-	-	-	WORK24C1812A	0.51	-	4,300	-	THE-W2	0.07	-	84,802	-
TTA08C1906A	0.33	-	8,124	-	WORK28C1808A	-	-	-	-	TNITY-W1	0.90	(0.01)	1,309	-
TTA13C1809A	-	-	-	-	WORK28C1809A	-	-	-	-	TNPC-W1	0.45	-	9,193	-
TTA13C1901A	0.29	-	9,575	-	WORK28C1811A	0.22	-	34,902	-	TRITN-W3	0.16	-	12,190	-

Main Board Quotation

Issue Date :

Tuesday July 31, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TTA18C1808A	-	-	-	-	Preferred/Foreign	-	-	-	-	TSR-W1	0.48	(0.03)	7,930	-
TTA19C1811A	0.15	0.01	486	-	BH-Q	-	-	-	-	TTA-W5	0.39	(0.01)	7,369	-
TTA23C1808A	-	-	-	-	CSC-Q	-	-	-	-	TTCL-W1	1.02	0.02	48,532	1.00
TTA23C1901A	0.16	-	1,000	-	JUTHA-Q	-	-	-	-	U-W1	-	-	-	-
TTA24C1809A	-	-	-	-	KTB-Q	-	-	-	-	U-W4	0.01	-	5,000	-
TTA24C1902A	-	-	-	-	SCB-Q	-	-	-	-	VGI-W1	-	-	-	-
TTA28C1812A	0.14	(0.02)	32,350	-	TCAP-Q	-	-	-	-	VIBHA-W2	1.34	-	1,475	1.00
TU01C1808A	0.03	0.01	3,005	-	TIC-Q	-	-	-	-	VIBHA-W3	0.34	0.01	9,775	-
WAVE-W1	0.42	(0.01)	2,151	-	TAKUNI-W	0.19	(0.01)	8,430	-	-	-	-	-	-
WHA-W1	6.40	(0.10)	3,224	6.00	TAPAC-W3	2.62	(0.02)	2,567	2.00	-	-	-	-	-
WORK-W1	11.40	(0.10)	7	11.00	TMILL-W1	1.06	0.02	1,436	1.00	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W4	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	TSF-W5	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	TVD-W2	0.53	(0.02)	1,675	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UAC-W2	0.87	(0.04)	7,514	-	-	-	-	-	-
KTB-P	-	-	-	-	UKEM-W2	0.54	0.01	9,870	-	-	-	-	-	-
SCB-P	-	-	-	-	UWC-W2	0.01	-	1,088,730	-	-	-	-	-	-
TCAP-P	-	-	-	-	XO-W1	5.25	-	5,459	5.00	-	-	-	-	-
TIC-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
U-P	0.03	-	485,342	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.14	-	4,141	-	-	-	-	-	-	-	-	-	-	-
ACAP-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	3.10	-	3,153	3.00	-	-	-	-	-	-	-	-	-	-
AIRA-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.06	0.01	487	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.84	0.01	1,433	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.08	(0.01)	4,131	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	0.03	-	375	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.19	(0.01)	382,592	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.00	(0.01)	1,704	1.00	-	-	-	-	-	-	-	-	-	-
ECF-W2	3.98	0.02	5,133	3.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	2.90	0.04	6,264	2.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.01	-	3,606	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.02	-	13	-	-	-	-	-	-	-	-	-	-	-
FC-W1	0.07	0.01	20,025	-	-	-	-	-	-	-	-	-	-	-
FC-W2	0.03	(0.01)	1,600	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.27	0.01	4,870	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.42	-	136	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.35	0.02	134,263	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	2.80	0.02	6,861	2.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.28	0.06	905	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.06	-	6,956	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.11	-	670	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOL-W1	0.07	-	1,215	-	-	-	-	-	-	-	-	-	-	-
PIMO-W1	1.98	-	5,607	2.00	-	-	-	-	-	-	-	-	-	-
PPS-W1	0.77	(0.05)	43	-	-	-	-	-	-	-	-	-	-	-
PSTC-W1	0.27	-	1,176	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W2	0.45	(0.03)	695	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W3	0.65	(0.01)	24,335	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W4	1.44	(0.08)	6,613	1.00	-	-	-	-	-	-	-	-	-	-
SKY-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STAR-W3	2.06	0.10	59,258	2.00	-	-	-	-	-	-	-	-	-	-
T-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-