

Main Board Quotation

Issue Date :

Wednesday August 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.40	0.20	2,099	10.30	SE-ED	2.90	0.04	344	2.88
POMPI	-	-	-	-	ILINK	5.20	0.10	3,975	5.20	SMM	0.86	-	168	0.86
SAFARI	-	-	-	-	INET	3.82	0.06	4,665	3.82	SPORT	0.55	-	1,211	0.54
VI	-	-	-	-	INTUCH	56.75	0.50	56,787	56.72	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	5.35	(0.05)	134,446	5.39	TH	0.62	(0.01)	12,362	0.62
WR	-	-	-	-	JASIF	10.20	0.10	85,910	10.15	TKS	10.80	0.30	12,019	10.60
Agribusiness	-	-	-	-	JMART	8.65	(0.15)	24,454	8.83	TRITN	0.31	-	39,589	0.31
CHOTI	147.00	-	15	146.20	JTS	1.58	0.01	19	1.58	VGI	7.10	-	122,551	7.16
EE	0.76	0.01	227,765	0.76	MFEF	4.02	0.04	427	4.01	WAVE	2.84	-	26	2.80
GFPT	13.60	(0.10)	21,626	13.58	MSC	6.00	0.05	109	6.00	WORK	47.75	1.25	59,008	47.93
LEE	2.82	-	331	2.82	PT	6.75	(0.10)	2,462	6.84	Finance & Securities	-	-	-	-
STA	11.30	0.10	49,456	11.37	SAMART	7.25	-	6,000	7.27	AEC	0.50	(0.01)	1,231	0.51
TLUXE	6.15	(0.10)	17,798	6.26	SAMTEL	8.55	0.05	215	8.55	AEONTS	168.00	-	4,636	167.89
TRUBB	1.67	0.01	4,894	1.66	SDC	0.24	-	2,832	0.24	AMANAH	2.08	0.06	202,788	2.07
TWPC	9.25	-	1,539	9.24	SIS	8.90	(0.05)	2,496	8.94	ASAP	6.50	-	25,268	6.51
UPOIC	4.18	-	13	4.16	SVOA	1.43	0.07	88,939	1.40	ASK	23.00	0.20	8,522	23.02
UVAN	7.70	0.05	1,019	7.68	SYMC	5.10	0.10	8	5.07	ASP	3.88	-	70,109	3.84
VPO	0.68	0.03	5,405	0.67	SYNEX	14.10	0.50	24,254	13.99	BFIT	28.75	0.25	882	28.61
Banking	-	-	-	-	THCOM	8.30	-	4,461	8.27	CGH	1.08	(0.01)	13,994	1.09
BAY	40.00	1.00	18,238	40.41	TRUE	6.40	0.15	941,173	6.38	CNS	2.64	-	636	2.63
BBL	206.00	-	41,993	205.10	TWZ	0.13	(0.01)	13,736	0.13	ECL	2.08	0.17	579,370	2.01
CIMBT	0.88	-	7,083	0.88	Electronic Componen	-	-	-	-	FNS	4.62	-	956	4.62
KBANK	217.00	-	88,796	215.50	CCET	2.20	0.08	62,938	2.18	FSS	2.54	0.02	4	2.52
KKP	74.75	2.25	81,895	74.03	DELTA	70.75	1.00	48,843	70.74	GBX	0.67	(0.01)	273	0.67
KTB	19.30	0.30	797,286	19.15	EIC	0.05	-	20,812	0.05	GL	6.65	1.50	108,153	6.42
LHFG	1.61	-	79,512	1.62	HANA	36.00	-	13,990	36.14	IFS	3.06	(0.02)	2,335	3.04
SCB	141.00	1.00	120,062	141.07	KCE	40.25	(1.00)	66,968	40.58	JMT	27.75	0.25	1,299	27.78
TCAP	51.50	0.25	29,576	51.31	METCO	-	-	-	-	KCAR	14.00	-	514	14.07
TISCO	78.50	0.50	42,895	78.27	SMT	2.38	0.02	8,862	2.40	KGI	4.22	-	22,553	4.23
TMB	2.28	(0.02)	2,248,196	2.30	SPPT	4.20	(0.04)	1,407	4.22	KTC	29.00	0.25	279,085	29.11
Construction Materia	-	-	-	-	SVI	4.22	0.08	90,995	4.22	MBKET	13.30	0.10	3,543	13.30
CCP	0.41	0.01	10,940	0.40	TEAM	1.15	0.01	23,036	1.15	MFC	15.40	(0.20)	3,252	15.40
DCC	2.08	(0.10)	162,996	2.10	Energy & Utilities	-	-	-	-	ML	1.01	(0.01)	12,562	1.00
DCON	0.56	-	8,345	0.56	ABPIF	8.50	(0.05)	2,596	8.51	MTC	39.75	(0.50)	50,363	39.95
DRT	5.75	-	8,175	5.73	AI	-	-	-	-	PE	0.33	-	3,121	0.33
EPG	8.20	(0.40)	117,645	8.28	AKR	1.10	0.01	115,461	1.10	PL	3.56	0.04	1,096	3.54
GEL	0.33	(0.01)	24,070	0.33	BAFS	35.50	0.75	5,483	35.48	S11	7.75	0.10	1,769	7.73
PPP	3.64	0.02	232	3.61	BANPU	21.40	0.30	462,652	21.32	SAWAD	38.50	(0.25)	60,269	38.74
Q-CON	5.60	0.10	20	5.60	BCP	36.00	1.00	60,759	35.56	THANI	8.05	0.25	195,697	8.04
RCI	2.84	-	14,089	2.87	BCPG	18.30	0.60	104,219	18.18	TK	11.70	0.10	2,979	11.58
SCC	456.00	8.00	24,527	455.13	BGRIM	25.50	0.50	88,030	25.28	TNITY	6.05	0.05	775	6.01
SCCC	238.00	-	2,669	238.69	BPP	24.60	0.20	39,466	24.61	UOBKH	4.30	-	19	4.30
SCP	8.05	-	994	8.04	BRRGIF	10.20	-	5,857	10.20	ZMICO	1.03	(0.01)	8,041	1.03
SKN	5.40	0.20	2,467	5.31	CKP	4.10	0.12	267,234	4.07	Food & Beverage	-	-	-	-
TASCO	15.20	0.40	128,612	15.14	DEMCO	4.16	0.10	3,380	4.14	APURE	1.36	0.04	19,380	1.37
TCMC	2.64	0.10	33,977	2.60	EA	37.25	1.50	277,367	36.88	ASIAN	7.95	(0.05)	39,868	7.96
TGCI	-	-	-	-	EARTH	-	-	-	-	BR	5.70	0.05	10,554	5.70
TOA	39.50	0.50	48,092	39.79	EASTW	11.10	0.10	3,750	11.09	BRR	6.75	0.05	1,209	6.74
TPIPL	1.89	(0.01)	142,978	1.90	EGATIF	10.80	(0.10)	31,621	10.84	CBG	48.00	0.25	19,426	47.98
UMI	1.28	0.09	65,680	1.31	EGCO	230.00	(1.00)	9,372	229.80	CFRESH	4.46	-	161	4.47
VNG	7.95	(0.10)	2,207	7.97	ESSO	14.80	0.50	145,831	14.76	CM	4.64	0.08	22,962	4.67
WIHK	2.70	0.14	88,346	2.72	GLOW	94.00	0.50	25,626	93.69	CPF	27.50	0.25	251,476	27.24
Petrochemicals & Ch	-	-	-	-	GPSC	70.25	1.25	23,097	69.95	CPI	1.73	0.07	22,520	1.75
CMAN	3.54	0.14	86,580	3.52	GULF	64.75	1.50	32,073	64.45	F&D	-	-	-	-
GC	5.20	0.05	260	5.14	GUNKUL	3.02	0.02	62,250	3.03	HTC	19.70	0.10	329	19.72
GGC	10.60	(0.20)	89,656	10.55	IEC	-	-	-	-	ICHI	4.90	0.04	9,071	4.92
GIFT	4.04	(0.10)	7,110	4.05	IFEC	-	-	-	-	KBS	4.42	0.04	369	4.42
IVL	60.50	1.00	158,263	60.50	IRPC	6.60	0.15	1,741,576	6.57	KSL	3.34	0.06	15,263	3.33
NFC	11.80	-	2,017	11.67	LANNA	15.70	0.10	826	15.60	KTIS	5.90	-	274	5.88
PATO	15.00	0.10	17	15.00	MDX	4.14	0.02	4,453	4.11	LST	5.20	(0.10)	91,407	5.44
PMTA	-	-	-	-	PTG	15.30	0.30	107,238	15.30	M	72.75	(1.75)	8,588	73.24
PTTGC	84.50	2.75	327,162	83.48	PTT	52.50	1.25	1,155,654	51.87	MALEE	15.60	(0.10)	34,487	15.83
SUTHA	4.12	-	28	4.12	PTTEP	142.50	4.00	139,887	140.80	MINT	38.50	0.50	229,784	38.30
TCB	56.25	3.75	1,386	54.89	RATCH	51.50	-	35,266	51.42	OISHI	94.75	0.25	42	94.99
TCCC	36.00	1.00	287	35.55	RPC	0.55	(0.01)	3,014	0.56	PB	61.50	-	76	61.47
TPA	6.30	-	34	6.35	SCG	4.74	0.08	788	4.99	PM	10.30	(0.10)	5,390	10.37
UP	-	-	-	-	SCI	3.24	0.06	83,657	3.25	PRG	13.80	0.20	20	13.85
VNT	24.30	0.30	16,224	24.22	SCN	3.80	-	12,089	3.81	SAPPE	26.00	0.25	7,536	25.88
WG	155.00	(0.50)	2	155.00	SGP	12.30	0.50	434,184	12.05	SAUCE	21.90	0.10	5	21.74
YCI	-	-	-	-	SKE	1.31	(0.03)	109,786	1.35	SFP	-	-	-	-
Commerce	-	-	-	-	SOLAR	2.50	0.24	327,643	2.52	SNP	21.60	1.00	31	21.38
BEAUTY	7.40	(0.40)	2,426,665	7.51	SPCG	21.00	0.20	6,089	21.00	SORKON	68.00	(5.00)	23	67.90
BIG	2.30	(0.06)	453,025	2.30	SPRC	15.00	0.40	312,893	14.89	SSC	39.00	(0.50)	27	39.47
BJC	56.00	(1.00)	69,136	56.24	SUPER	0.74	0.01	1,439,360	0.75	SSF	-	-	-	-
COL	28.00	0.25	1,586	27.71	SUSCO	3.38	0.02	41,842	3.37	SST	5.90	0.10	381	5.87
COM7	18.20	0.10	51,337	18.17	TAE	2.14	0.04	2,527	2.13	TC	3.16	0.02	441	3.05
CPALL	75.75	0.75	318,262	75.20	TCC	0.38	-	11,249	0.38	TFG	4.12	-	66,241	4.15
CSS	2.18	(0.02)	16,559	2.19	TOP	83.00	2.75	91,992	82.39	TFMAMA	155.00	-	8	155.00
FN	2.98	-	4,276	2.96	TPIPP	6.10	0.05	185,448	6.12	TIPCO	10.10	0.10	16,058	10.09
FTE	2.26	0.02	3,381	2.24	TTW	12.40	(0.10)	57,831	12.41	TKN	16.00	0.40	104,409	16.00
GLOBAL	17.60	0.20	63,713	17.48	WHAPU	5.95	0.15	52,957	5.89	TU	17.10	0.70	165,222	17.03
HMPRO	14.70	-	169,391	14.60	WP	7.85	0.25	46,912	7.78	TVO	29.75	0.50	9,820	29.56
IT	4.90	0.04	4,034	4.90	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.70	0.02	13,878	4.74	AMARIN	5.00	(0.05)	1,899	5.00	AHC	20.40	0.10	1,001	20.38
LOXLEY	2.24	0.02	15,029	2.24	AQUA	0.50	-	136,967	0.50	BCH	16.60	0.30	50,112	16.48
MAKRO	37.00	-	11,803	36.94	AS	1.49	0.01	256	1.48	BDMS	27.25	0.75	489,234	27.02
MC	12.20	(0.10)	18,020	12.34	BEC	9.20	(0.50)	186,723	9.43	BH	183.50	2.00	14,832	182.89
MEGA	40.50	(0.25)	46,950	40.52	EPCO	4.86	0.10	39,338	4.84	CHG	2.28	-	158,317	2.28
MIDA	0.62	(0.01)	7,635	0.62	FE	182.00	-	6	182.00	CMR	3.32	-	187	3.30
ROBINS	63.25	-	30,624	62.87	GPI	2.90	-	5,118	2.91	EKH	5.20	0.05	6,917	5.15
RSP	5.00	(0.10)	20,359	5.00	GRAMMY	8.20	0.10	11	8.14	KDH	101.00	(2.00)	196	99.71
SINGER	9.15	0.60	6,175	9.04	MACO	1.80								

Main Board Quotation

Issue Date :

Wednesday August 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	3.04	-	4,819	3.02	MJD	3.26	-	5,422	3.24	CPT	2.80	(0.04)	76,875	2.78
Tourism & Leisure					MK	4.48	(0.02)	35,303	4.47	CRANE	2.66	(0.08)	5,154	2.68
ASIA	6.80	-	1,001	6.72	NCH	0.89	(0.01)	939	0.90	CTW	8.20	0.05	322	8.19
CENTEL	44.00	0.25	25,971	44.01	NNCL	1.68	0.01	11,505	1.68	FMT	25.75	(0.50)	23	25.86
CSR	102.00	(1.00)	4	102.50	NOBLE	12.10	(0.10)	297	12.10	HTECH	7.80	0.20	13,822	7.71
DTC	12.20	-	24,628	12.26	NUSA	0.31	-	89,835	0.31	KKC	1.73	-	9,114	1.77
ERW	7.35	0.05	26,760	7.38	NVD	3.84	(0.04)	3,815	3.84	PK	3.80	0.04	24,349	3.82
GRAND	0.93	0.01	23,102	0.94	ORI	19.00	0.20	28,471	18.98	SNC	15.00	0.20	7,547	14.93
LRH	35.50	-	23	35.78	PACE	0.50	0.01	75,959	0.50	TCJ	6.40	-	1,477	6.45
MANRIN	32.75	-	40	32.75	PF	0.96	0.01	388,708	0.95	VARO	7.05	(0.45)	430	6.97
OHTL	-	-	-	-	PLAT	7.60	(0.40)	80,652	7.68	Property Fund & REIT				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.00	-	1,847	10.07
SHANG	71.00	0.25	29	70.86	PRECHA	1.40	-	81	1.42	AMATAR	-	-	-	-
Home & Office Produ					PRIN	1.66	-	2,534	1.66	B-WORK	10.50	-	7,083	10.50
ACC	0.47	-	345	0.47	PRINC	5.25	0.10	28,468	5.24	BKKCP	12.00	-	305	11.93
AJA	0.37	(0.01)	20,292	0.38	PSH	20.70	0.20	15,946	20.68	BOFFICE	12.50	0.10	11	12.50
DTCI	-	-	-	-	OH	3.46	(0.02)	1,257,574	3.47	CPNCG	15.00	(0.10)	11,645	15.09
FANCY	1.03	0.02	14,291	1.04	RICHY	1.77	0.03	31,612	1.76	CPNREIT	24.40	0.20	10,931	24.27
KYE	426.00	(2.00)	31	426.26	RML	1.41	(0.04)	731,618	1.44	CPTGF	13.30	-	32	13.30
L&E	2.72	-	1,139	2.74	ROJNA	5.55	-	10,373	5.56	CRYSTAL	10.30	-	709	10.30
MODERN	4.58	-	5,635	4.58	S	3.04	(0.08)	124,675	3.08	CTARAF	4.70	(0.04)	622	4.63
OGC	39.50	(0.25)	10	39.50	SAMCO	2.24	0.02	532	2.25	DREIT	5.50	0.05	207	5.48
ROCK	-	-	-	-	SC	3.62	-	21,057	3.62	ERWPF	5.70	0.10	70	5.67
SIAM	1.92	0.01	3,487	1.92	SENA	3.80	-	5,515	3.81	FUTUREPF	21.30	0.10	860	21.29
TSR	2.32	0.04	5,414	2.32	SF	8.10	0.10	28,546	8.16	GAHREIT	9.70	(0.05)	113	9.70
Insurance					SIRI	1.68	0.03	909,089	1.68	GLANDRT	12.40	(0.10)	22	12.40
AYUD	38.75	-	129	38.79	SPALI	23.80	-	27,338	23.89	GOLDPF	-	-	-	-
BKI	350.00	1.00	58	349.81	TICON	16.50	0.10	888	16.49	GVREIT	14.40	(0.10)	4,400	14.50
BLA	33.75	0.75	13,080	33.35	U	0.03	-	1,088,591	0.03	HPF	5.40	0.05	558	5.35
BUI	-	-	-	-	UV	8.20	0.25	105,965	8.15	HREIT	6.45	(0.10)	4,851	6.50
CHARAN	34.00	0.50	19	32.80	WHA	4.00	0.08	1,147,104	3.99	IMPACT	17.60	0.10	4,596	17.61
INSURE	-	-	-	-	WIN	0.61	0.01	830	0.60	KPNPF	-	-	-	-
MTI	114.50	(2.00)	35	115.60	Paper & Printing Mat					LHHOTEL	15.70	0.20	44	15.78
NKI	-	-	-	-	UTP	11.70	0.10	7,301	11.72	LHPF	8.45	0.05	14	8.45
NSI	83.00	-	6	83.29	Fashion					LHSC	15.70	-	2	15.70
SMK	41.75	0.75	15	41.40	AFC	-	-	-	-	LUXF	8.25	0.05	13	8.25
THRE	1.18	0.01	3,160	1.17	BTNC	22.40	0.60	4	22.40	M-II	-	-	-	-
THREL	8.10	(0.10)	3,050	8.18	CPH	-	-	-	-	M-PAT	-	-	-	-
TIC	34.00	-	30	34.00	CPL	3.28	-	31	3.24	M-STOR	-	-	-	-
TIP	23.70	0.10	1,237	23.67	DIGI	0.43	-	11,992	0.44	MIPF	-	-	-	-
TSI	0.50	(0.01)	5,574	0.50	ICC	40.00	0.25	213	39.88	MIT	-	-	-	-
TVI	3.74	-	201	3.75	LTX	95.75	5.25	196	94.43	MJLF	12.50	-	682	12.44
Mining					NC	-	-	-	-	MNIT	1.65	0.01	52	1.65
PDI	19.00	0.40	12,278	18.97	PAF	0.87	0.02	1,416	0.87	MNIT2	5.35	-	100	5.35
THL	-	-	-	-	PDJ	2.88	-	7,208	2.88	MNRF	-	-	-	-
Packaging					PG	7.10	-	2,125	7.10	MONTRI	5.95	(0.05)	301	5.80
AJ	10.50	-	3,415	10.50	SABINA	30.75	0.50	216	30.47	POPF	13.80	(0.10)	5,012	13.89
ALUCON	192.00	-	16	191.28	SAWANG	-	-	-	-	PPF	11.20	(0.10)	2,644	11.20
CSC	44.75	(0.25)	33	44.77	SUC	45.00	1.25	1,570	44.63	QHHR	8.45	-	1,073	8.47
NEP	0.42	-	51,707	0.43	TNL	-	-	-	-	QHOP	3.56	(0.12)	72	3.56
NPPG	1.17	(0.05)	59,728	1.19	TPCORP	15.10	0.10	1	15.10	QHFP	12.40	0.10	6,236	12.39
PTL	17.10	-	9,235	17.10	TR	47.50	0.50	224	47.13	SBPF	3.00	0.06	31	2.99
SITHAI	1.14	0.01	4,945	1.14	TTI	-	-	-	-	SHREIT	9.25	-	314	9.23
SLP	0.92	(0.01)	809	0.92	TTL	-	-	-	-	SIRIP	-	-	-	-
SMPC	12.90	0.20	1,303	12.79	TTTM	144.00	2.50	47	145.01	SPF	23.40	-	5,827	23.24
SPACK	-	-	-	-	UPF	-	-	-	-	SRIPANWA	11.10	0.10	236	11.09
TCOAT	-	-	-	-	UT	13.60	0.10	11	13.33	SSPF	10.00	-	500	10.00
TFI	-	-	-	-	WACOAL	-	-	-	-	SSTPF	6.60	0.10	1	6.60
THIP	36.00	-	115	36.14	Transportation & Log					SSTRT	6.30	-	5	6.30
TMD	22.00	-	135	22.09	AAV	4.62	0.04	344,677	4.61	TIF1	8.65	0.05	300	8.65
TOPP	-	-	-	-	AOT	67.00	0.75	320,174	66.59	TLGF	19.00	0.20	7,357	18.99
TPBI	8.30	-	376	8.37	ASIMAR	2.92	-	3,801	2.93	TLHPF	11.20	-	100	11.20
TPP	-	-	-	-	B	0.73	0.01	10,778	0.72	TNPF	3.70	(0.02)	135	3.70
Personal Products &					BA	12.90	0.10	16,027	12.86	TPRIME	12.20	0.20	501	12.11
APCO	4.46	-	1,003	4.45	BEM	8.30	(0.05)	293,411	8.31	TREIT	11.30	-	65,754	11.33
DDD	48.50	0.50	5,044	48.93	BTS	9.15	(0.30)	350,080	9.17	TTLPF	23.80	(0.20)	187	23.45
JCT	-	-	-	-	BTSGIF	12.10	-	445,726	12.10	TU-PF	-	-	-	-
OCC	17.10	(0.20)	2	17.10	III	4.92	0.10	55,707	4.96	URBNPF	3.16	0.04	3	3.13
S & J	25.25	-	31	25.25	JUTHA	1.79	(0.02)	34	1.80	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	7.15	-	9,540	7.18	WHART	10.20	-	6,178	10.18
TNR	12.80	-	415	12.83	KWC	-	-	-	-	Steel				
TOG	5.15	(0.05)	547	5.17	NOK	2.68	(0.02)	5,634	2.68	AMC	2.80	0.04	4,492	2.77
Professional Service					NYT	5.40	-	7,525	5.46	BSBM	1.16	0.03	1,277	1.16
BWG	1.04	0.01	181,095	1.04	PRM	7.15	0.50	182,162	7.03	CEN	1.31	-	2,743	1.31
GENCO	0.81	-	3,966	0.80	PSL	12.30	0.30	73,344	12.31	CITY	2.60	-	1,512	2.61
PRO	-	-	-	-	RCL	5.80	0.15	14,876	5.78	CSP	1.42	(0.01)	200	1.43
TEAMG	2.36	(0.02)	115,923	2.37	THAI	14.10	0.10	14,241	14.11	GJS	0.31	(0.01)	36,312	0.32
Property Developmer					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	914	6.70	TTA	7.35	0.10	18,359	7.35	INOX	1.09	0.01	1,704	1.09
AMATA	20.30	0.20	133,239	20.34	WICE	4.16	0.10	38,479	4.12	LHK	4.96	0.04	1,451	4.95
AMATAV	6.70	0.05	1,868	6.71	Automotive					MAX	0.02	-	144,328	0.02
ANAN	5.10	0.05	47,360	5.07	AH	34.50	1.75	13,232	33.71	MCS	8.30	0.10	33,430	8.25
AP	9.20	-	67,718	9.17	APCS	5.35	-	688	5.30	MILL	1.57	-	23,095	1.56
APEX	0.21	-	6,291	0.21	BAT-3K	-	-	-	-	PAP	4.28	0.02	536	4.28
AQ	0.03	-	281,626	0.03	CWT	3.26	-	39,553	3.29	PERM	2.60	(0.02)	9,196	2.60
BLAND	1.92	0.01	895,602	1.92	EASON	2.80	(0.02)	1,803	2.82	RICH	-	-	-	-
BROCK	2.36	0.02	811	2.35	GFT	3								

Main Board Quotation

Issue Date :

Wednesday August 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UMS	0.80	(0.02)	18	-	ADVA11P1807A	-	-	-	-
ABICO	7.65	0.05	68,316	7.00	UWC	0.08	-	55,823	-	ADVA11P1905A	0.38	(0.03)	7,450	-
AU	9.10	-	19,284	9.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.09	-	18,100	-
FC	0.33	(0.01)	30,569	-	ADAM	-	-	-	-	ADVA13C1811A	0.67	0.04	93,043	-
JCKH	1.12	0.02	1,271	1.00	AKP	1.69	0.01	230	1.00	ADVA13P1809A	0.12	(0.01)	26,974	-
KASET	2.20	0.02	11,364	2.00	AMA	6.65	0.35	42,073	6.00	ADVA16C1812A	0.56	0.04	5,399	-
MM	4.00	-	604	4.00	ARIP	0.50	-	782	-	ADVA18C1808A	0.46	0.02	7,959	-
SUN	3.58	0.22	152,630	3.00	ATP30	1.71	-	5,845	1.00	ADVA19C1901A	0.69	0.04	38,404	-
TACC	4.08	-	8,845	4.00	AUCT	5.75	0.05	3,328	5.00	ADVA23C1902A	0.53	0.04	64,784	-
TMILL	3.20	0.04	1,397	3.00	BOL	1.94	(0.01)	475	1.00	ADVA24C1810A	0.47	0.06	7,470	-
XO	8.30	0.05	4,036	8.00	CHUO	-	-	-	-	ADVA24P1810A	-	-	-	-
Consumer Products	-	-	-	-	CMO	1.56	(0.01)	945	1.00	ADVA28C1808A	0.01	-	300	-
BGT	1.09	-	352	1.00	D	10.60	-	2,591	10.00	ADVA28C1811A	0.59	0.06	22,408	-
BIZ	2.82	0.02	1,579	2.00	DCORP	2.80	0.06	13,908	2.00	ADVA28P1810A	0.15	(0.02)	42,874	-
DOD	13.90	0.10	88,429	13.00	DNA	0.38	(0.01)	77,963	-	AMAT01C1810A	0.73	0.02	120,414	-
ECF	7.50	0.05	48,270	7.00	EFORL	0.07	(0.01)	67,283	-	AMAT01C1810B	0.50	0.03	125,731	-
HPT	1.12	(0.01)	93,499	1.00	ETE	2.10	0.04	13,020	2.00	AMAT01P1810A	1.10	(0.05)	18,881	1.00
JUBILE	21.60	-	733	21.00	FSMART	9.50	0.65	60,011	9.00	AMAT06C1809A	0.04	-	12,800	-
MOONG	6.05	-	1,396	6.00	FVC	1.28	-	5,161	1.00	AMAT08C1807A	-	-	-	-
NPK	26.25	0.25	7	26.00	HARN	2.64	0.06	2,719	2.00	AMAT08C1809A	0.08	-	1,110	-
OCEAN	1.66	-	18,982	1.00	JKN	11.80	0.60	163,653	11.00	AMAT11C1903A	0.34	0.01	12,218	-
TM	2.00	-	1,559	2.00	KIAT	0.47	0.01	50,480	-	AMAT13C1809A	0.06	-	16,800	-
Financials (MAI)	-	-	-	-	KOOL	1.94	0.25	778,513	1.00	AMAT13C1812A	0.44	0.02	251,826	-
ACAP	8.55	(0.25)	19,867	8.00	LDC	1.09	(0.01)	3,724	1.00	AMAT19C1811A	0.20	0.02	14,582	-
AF	0.75	(0.02)	2,447	-	MPG	0.24	0.03	25,897	-	AMAT23C1810A	0.17	-	2,080	-
AIRA	2.02	-	212	2.00	NBC	0.63	(0.04)	4,677	-	AMAT24C1807A	-	-	-	-
ASN	3.34	0.02	2	3.00	NCL	1.48	0.04	2,056	1.00	AMAT24C1811A	0.29	(0.01)	14,000	-
BROOK	0.56	-	13,299	-	NEWS	0.01	-	109,474	-	AMAT28C1808A	-	-	-	-
CHAYO	3.90	0.02	199,968	3.00	NINE	1.52	(0.04)	1,034	1.00	ANAN01C1807A	-	-	-	-
GCAP	4.44	(0.04)	8,251	4.00	OTO	2.80	-	236	2.00	ANAN01C1810A	1.12	0.04	15,618	1.00
LIT	8.45	0.10	2,233	8.00	PHOL	2.38	(0.04)	133	2.00	ANAN01C1810B	0.96	0.05	4,205	-
SGF	0.14	-	856,242	-	PICO	6.00	(0.05)	156	5.00	ANAN08C1808A	0.01	-	6,120	-
Industrials (MAI)	-	-	-	-	PORT	6.75	-	6,527	6.00	ANAN08C1810A	1.06	0.05	1	1.00
ZS	3.10	-	664	3.00	QLT	4.80	-	266	4.00	ANAN08C1906A	0.28	-	650	-
ADB	1.24	(0.02)	64,398	1.00	RP	3.14	(0.14)	6,492	3.00	ANAN13C1901A	0.23	-	3,500	-
BM	3.66	0.10	23,440	3.00	SE	2.04	(0.02)	66	1.00	ANAN19C1811A	0.65	-	460	-
CHO	1.20	0.01	3,698	1.00	SPA	15.40	-	2,058	15.00	ANAN23C1901A	-	-	-	-
CHOW	4.88	-	305	4.00	THMUI	1.77	0.01	652,656	1.00	ANAN24C1807A	-	-	-	-
CIG	0.39	(0.01)	4,249	-	TNDT	4.80	-	968	4.00	ANAN24C1811A	0.85	0.04	401	-
COLOR	1.12	(0.01)	2	1.00	TNH	40.00	0.25	19	39.00	ANAN28C1809A	0.58	0.03	2,695	-
CPR	5.50	(0.10)	12,221	5.00	TNP	2.10	-	4,181	2.00	AOT01C1808A	0.28	0.04	318,663	-
FPI	2.76	(0.02)	1,312	2.00	TSF	0.06	-	21,152	-	AOT01C1808B	0.01	-	65,981	-
GTB	0.76	0.01	8,888	-	TVD	1.43	0.02	17,735	1.00	AOT01C1810A	0.35	0.03	139,386	-
KCM	1.31	0.12	545,524	1.00	TVT	1.01	-	15,561	-	AOT01C1902A	0.64	0.04	143,229	-
LVT	-	-	-	-	WINNER	3.36	0.04	267	3.00	AOT01C1902B	0.49	0.03	119,090	-
MBAX	4.16	-	202	4.00	Technology (MAI)	-	-	-	-	AOT01P1808A	0.76	(0.06)	27,397	-
MGT	2.14	-	1,512	2.00	COMAN	3.48	0.18	4,891	3.00	AOT01P1808B	0.10	(0.04)	178,810	-
NDR	2.26	0.02	13	2.00	ICN	2.42	0.04	25,427	2.00	AOT01P1902A	0.82	(0.04)	50,245	-
PDG	3.62	0.04	342	3.00	IRCP	1.24	-	6,097	1.00	AOT01P1902B	0.58	(0.04)	74,636	-
PIMO	3.02	0.06	6,447	3.00	ITEL	3.38	0.18	16,582	3.00	AOT06C1809A	0.07	0.01	7,400	-
PJW	1.70	0.01	1,850	1.00	NETBAY	35.50	-	1,276	35.00	AOT08C1807A	-	-	-	-
PPM	2.20	-	1,648	2.00	PLANET	1.60	0.09	325	1.00	AOT08C1901A	0.41	0.05	81,898	-
RWI	1.63	0.01	2,593	1.00	SIMAT	2.30	0.02	12,914	2.00	AOT11C1808A	0.48	0.05	23,479	-
SALEE	1.10	0.01	667	1.00	SKY	14.10	-	15,852	13.00	AOT11P1808A	0.02	(0.01)	11,569	-
SANKO	1.31	0.05	26,815	1.00	SPVI	1.48	0.09	264,890	1.00	AOT13C1809A	0.03	(0.02)	2,024	-
SELIC	1.84	0.01	3,590	1.00	UPA	0.47	0.02	147,594	-	AOT13C1811A	0.25	0.03	63,709	-
SWC	23.20	0.20	650	23.00	VCOM	3.20	0.02	10,022	3.00	AOT13C1812A	0.44	0.03	111,574	-
TMC	0.89	0.01	2,090	-	Unit Trust	-	-	-	-	AOT13P1810A	0.32	(0.05)	55,412	-
TMI	0.79	(0.01)	2,246	-	MGE	-	-	-	-	AOT13P1812A	0.18	(0.01)	15,967	-
TMW	66.75	-	204	66.00	SCBSET	-	-	-	-	AOT19C1809A	0.15	0.01	37,574	-
TPAC	11.80	-	3,845	11.00	ETF	-	-	-	-	AOT19C1901A	0.55	0.05	88,280	-
UAC	4.66	(0.04)	1,144	4.00	1DIV	13.08	0.32	28	13.00	AOT23C1807A	-	-	-	-
UBIS	4.86	0.12	185	4.00	ABFTH	-	-	-	-	AOT23P1807A	-	-	-	-
UEC	1.30	0.05	1,260	1.00	BMSCG	9.17	0.10	436	9.00	AOT24C1807A	-	-	-	-
UKEM	0.90	(0.01)	17,708	-	BMSCITH	12.99	0.24	8,724	12.00	AOT24C1811A	0.14	-	2,405	-
UREKA	0.54	0.01	8,260	-	BSET100	11.05	0.19	4,402	10.00	AOT24C1901A	0.41	0.03	6,296	-
YUASA	16.80	0.60	225	16.00	CHINA	5.43	(0.14)	616	5.00	AOT24P1809A	0.04	(0.01)	3,417	-
ZIGA	3.42	0.02	46,649	3.00	EBANK	-	-	-	-	AOT28C1809A	0.07	-	343	-
Property & Construc	-	-	-	-	ECOMM	8.35	0.01	2	8.00	AOT28C1812A	0.36	0.01	263,944	-
ARROW	9.40	0.30	1,998	9.00	EFOOD	5.81	0.13	200	5.00	AP01C1809A	0.52	0.01	4,870	-
BKD	3.22	(0.08)	9,160	3.00	EICT	4.83	0.06	2	4.00	AP01C1809B	0.18	-	8,600	-
BSM	0.69	(0.01)	2,132	-	ENGY	6.46	0.10	24	6.00	AP08C1810A	0.43	0.01	6,621	-
BTW	1.55	0.01	299	1.00	ENY	7.65	0.04	11	6.00	AP23C1901A	-	-	-	-
CHEWA	1.07	0.03	28,394	1.00	ESET50	5.91	0.11	15	5.00	AP24C1901A	-	-	-	-
CRD	1.10	(0.02)	25,072	1.00	GLD	1.75	0.01	655	1.00	AP42C1901A	-	-	-	-
DIMET	1.13	0.01	129,685	1.00	TDEX	11.19	0.17	4,479	11.00	AP42P1901A	0.34	(0.01)	1,508	-
FLOYD	2.34	0.02	2,904	2.00	TGOLDEF	3.82	(0.01)	259	3.00	BA11C1902A	0.08	-	9,563	-
FOCUS	0.93	0.06	1,064	-	TH100	-	-	-	-	BA19C1811A	0.05	(0.01)	5,002	-
HYDRO	1.42	0.01	18,262	1.00	Warrant Foreign	-	-	-	-	BA24C1810A	0.14	-	26,829	-
JSP	0.69	0.01	36,488	-	AAV01C1808A	0.03	-	1,700	-	BA24C1901A	0.05	(0.01)	5,000	-
K	2.92	(0.02)	62	2.00	AAV01C1808B	-	-	-	-	BA28C1809A	-	-	-	-
META	2.12	(0.02)	119,969	2.00	AAV01P1808A	0.57								

Main Board Quotation

Issue Date :

Wednesday August 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP24P1808A	-	-	-	-	BEC13C1811A	0.24	(0.08)	123,273	-	BTS28C1809A	0.18	(0.03)	9,694	-
BANP24P1901A	0.32	(0.04)	240	-	BEC13C1901A	0.50	(0.11)	178,598	-	BTS28C1811A	-	-	-	-
BANP27C1809A	0.19	0.01	18,068	-	BEC19C1809A	-	-	-	-	BTS42C1901A	-	-	-	-
BANP28C1809A	-	-	-	-	BEC23C1807A	-	-	-	-	BTS42P1901A	0.34	0.01	9,294	-
BANP28C1810A	0.34	0.03	157,285	-	BEC23C1809A	0.03	0.01	3	-	CBG01C1809A	0.01	-	5,228	-
BBL06C1902A	0.88	-	9,000	-	BEC24C1809A	0.02	-	1	-	CBG01C1811A	0.37	(0.02)	86,104	-
BBL08C1808A	0.04	(0.01)	1,064	-	BEC24C1812A	0.24	(0.07)	600	-	CBG01C1811B	0.16	(0.01)	40,648	-
BBL08C1809A	0.11	0.01	30,042	-	BEC28C1808A	-	-	-	-	CBG01P1811A	1.12	0.01	21,318	1.00
BBL08C1902A	-	-	-	-	BEC28C1809A	-	-	-	-	CBG01P1811B	0.70	-	47,588	-
BBL08P1810A	0.11	(0.01)	56,410	-	BEC28C1811A	0.40	(0.13)	593,482	-	CBG06C1807A	-	-	-	-
BBL11C1903A	0.61	(0.01)	11,304	-	BEM01C1808A	0.43	(0.01)	14,134	-	CBG06C1809A	-	-	-	-
BBL11P1903A	0.38	(0.01)	9,770	-	BEM01C1908B	-	-	-	-	CBG06C1903A	0.63	(0.01)	16,400	-
BBL13C1810A	0.51	(0.02)	48,749	-	BEM01P1808A	0.10	(0.01)	6,538	-	CBG06P1809A	1.37	0.02	3,500	1.00
BBL19C1901A	0.33	(0.01)	16,292	-	BEM08C1809A	0.24	-	4,838	-	CBG07C1812A	-	-	-	-
BBL23C1811A	0.29	0.02	19,005	-	BEM11C1903A	0.27	-	6,794	-	CBG08C1808A	-	-	-	-
BBL24C1809A	-	-	-	-	BEM13C1809A	0.24	(0.01)	18,922	-	CBG08C1810A	-	-	-	-
BBL24C1812A	-	-	-	-	BEM19C1901A	0.37	-	4,043	-	CBG08C1902A	-	-	-	-
BBL24P1810A	-	-	-	-	BEM23C1901A	0.23	0.01	2,150	-	CBG11C1902A	0.11	(0.01)	17,251	-
BBL27C1809A	-	-	-	-	BEM24C1809A	-	-	-	-	CBG13C1808A	-	-	-	-
BBL28C1808A	-	-	-	-	BEM28C1808A	0.12	(0.02)	12,001	-	CBG13C1809A	-	-	-	-
BBL28C1811A	0.59	0.01	61,242	-	BGRIO1C1901A	0.97	0.05	8,640	-	CBG13C1811A	0.11	(0.01)	7,968	-
BCHO1C1808A	0.36	0.02	38,178	-	BGRIO1C1901B	0.84	0.06	8,490	-	CBG13C1812A	0.22	(0.01)	65,570	-
BCHO1C1808B	0.06	(0.01)	10,070	-	BGRIO8C1902A	0.70	0.03	14,007	-	CBG18C1808A	-	-	-	-
BCHO1P1808A	0.24	(0.03)	44,964	-	BGR113C1812A	0.71	0.06	10,693	-	CBG19C1810A	-	-	-	-
BCHO6C1811A	0.17	0.01	10,400	-	BGR113C1812B	0.21	0.01	30,140	-	CBG19C1901A	0.46	(0.01)	12,445	-
BCHO8C1901A	0.31	0.03	26,761	-	BGR19C1901A	0.59	0.04	3,830	-	CBG23C1901A	0.11	-	18,680	-
BCH11C1807A	-	-	-	-	BGR124C1901A	0.64	0.04	3,858	-	CBG24C1807A	-	-	-	-
BCH11C1905A	0.28	0.02	8,174	-	BGR128C1812A	0.66	0.03	4,486	-	CBG24C1809A	-	-	-	-
BCH13C1810A	0.11	0.01	11,167	-	BH01C1811A	0.66	0.02	34,465	-	CBG24C1811A	0.15	(0.01)	2,410	-
BCH19C1809A	0.10	0.01	7,060	-	BH01C1811B	0.23	-	18,391	-	CBG28C1808A	-	-	-	-
BCH23C1811A	0.24	0.01	3,000	-	BH01P1811A	1.32	(0.07)	20,189	1.00	CBG28C1808B	-	-	-	-
BCH24C1811A	0.10	0.01	1,421	-	BH07C1810A	0.02	(0.01)	5,368	-	CBG28C1811A	0.10	(0.01)	10,756	-
BCH28C1811A	0.20	0.03	38,720	-	BH08C1811A	0.05	0.01	8,233	-	CENT01C1810A	0.29	0.02	101,921	-
BCPO1C1810A	0.24	0.02	161,682	-	BH11C1902A	0.06	-	601	-	CENT01C1810B	0.11	0.01	13,510	-
BCPO1C1810B	0.11	0.02	44,604	-	BH11C1905A	0.72	0.03	9,020	-	CENT01P1810A	0.96	(0.01)	13,784	-
BCPO1P1810A	0.40	(0.03)	35,879	-	BH19C1901A	0.70	0.04	11,952	-	CENT08C1809A	-	-	-	-
BCPO8C1901A	0.30	0.04	68,273	-	BH24C1809A	0.04	-	51	-	CENT11C1904A	0.26	0.01	10,985	-
BCP11C1811A	0.12	0.01	26,086	-	BH24C1811A	-	-	-	-	CENT13C1811A	0.07	(0.01)	1,500	-
BCP13C1810A	0.08	0.02	5,013	-	BH24C1902A	0.62	0.03	6,050	-	CENT23C1902A	0.25	-	8,000	-
BCP24C1808A	-	-	-	-	BIG08C1807A	-	-	-	-	CENT24C1807A	-	-	-	-
BCP24C1811A	0.10	0.03	4,000	-	BIG08C1906A	0.35	(0.03)	97,935	-	CENT24C1810A	-	-	-	-
BCP28C1809A	-	-	-	-	BIG13C1808A	0.01	-	1	-	CENT24C1901A	0.30	-	25,820	-
BCP28C1809B	-	-	-	-	BIG13C1901A	0.25	(0.03)	98,844	-	CENT28C1808A	-	-	-	-
BCPG01C1811A	0.38	0.03	68,862	-	BIG19C1811A	0.17	(0.03)	55,363	-	CHG01C1809A	0.36	0.01	21,431	-
BCPG01C1811B	0.19	0.03	68,070	-	BIG24C1808A	-	-	-	-	CHG01C1809B	0.42	0.02	18,288	-
BCPG06C1807A	-	-	-	-	BIG24C1812A	0.18	(0.02)	12,972	-	CHG01P1809A	0.17	(0.02)	11,528	-
BCPG06C1811A	0.22	0.03	9,854	-	BJC01C1807A	-	-	-	-	CHG08C1807A	-	-	-	-
BCPG08C1810A	0.22	0.03	34,351	-	BJC01C1807B	-	-	-	-	CHG11C1807A	-	-	-	-
BCPG11C1807A	-	-	-	-	BJC01C1812A	0.66	(0.02)	63,628	-	CHG11C1904A	0.21	-	6,800	-
BCPG11C1902A	0.16	0.02	3,683	-	BJC01C1812B	0.52	(0.01)	44,159	-	CHG13C1809A	0.53	-	17,074	-
BCPG13C1810A	0.15	0.02	81,853	-	BJC01P1807A	-	-	-	-	CHG13C1812A	-	-	-	-
BCPG13C1812A	0.44	0.06	254,110	-	BJC01P1812A	0.44	-	57,210	-	CHG23C1811A	-	-	-	-
BCPG23C1902A	0.38	0.04	20,000	-	BJC06C1807A	-	-	-	-	CHG24C1808A	-	-	-	-
BCPG24C1807A	-	-	-	-	BJC06C1901A	0.28	-	21,698	-	CHG24C1811A	-	-	-	-
BCPG24C1810A	0.18	0.03	2,605	-	BJC07C1809A	-	-	-	-	CHG28C1808A	-	-	-	-
BCPG28C1808A	-	-	-	-	BJC08C1807A	-	-	-	-	CHG28C1812A	0.20	-	30,720	-
BCPG28C1809A	0.13	0.02	22,000	-	BJC08C1809A	-	-	-	-	CK01C1809A	0.24	0.01	34,655	-
BCPG28C1812A	0.43	0.04	156,409	-	BJC11C1807A	-	-	-	-	CK01C1809B	0.30	(0.01)	43,698	-
BDMS01C1811A	0.27	0.01	30,110	-	BJC11C1905A	0.51	(0.01)	14,550	-	CK01P1809A	0.21	-	21,974	-
BDMS01C1811B	0.14	0.01	63,063	-	BJC13C1808A	-	-	-	-	CK08C1809A	-	-	-	-
BDMS01P1811A	0.25	(0.01)	29,701	-	BJC13C1810A	0.17	(0.02)	18,364	-	CK08C1901A	0.20	0.01	22,336	-
BDMS06C1811A	0.84	(0.01)	4,000	-	BJC13C1812A	0.47	(0.01)	86,542	-	CK11C1904A	0.21	0.01	7,800	-
BDMS08C1807A	-	-	-	-	BJC19C1809A	0.17	-	52,824	-	CK13C1809A	0.11	-	37,144	-
BDMS08C1901A	0.21	0.02	20,771	-	BJC23C1901A	0.28	-	15,000	-	CK16C1812A	0.21	0.01	1,000	-
BDMS11C1811A	1.03	0.05	2,004	1.00	BJC24C1808A	-	-	-	-	CK19C1811A	0.16	-	54,238	-
BDMS11C1904A	0.15	-	11,068	-	BJC24C1901A	-	-	-	-	CK23C1808A	-	-	-	-
BDMS13C1810A	-	-	-	-	BJC27C1807A	-	-	-	-	CK24C1808A	-	-	-	-
BDMS13C1812A	0.18	0.02	43,163	-	BJC28C1808A	0.01	-	2,440	-	CK24C1901A	-	-	-	-
BDMS16C1812A	-	-	-	-	BJC28C1812A	0.45	-	115,920	-	CK28C1809A	0.39	-	16,661	-
BDMS19C1901A	0.34	0.01	8,680	-	BLA01C1812A	0.25	0.01	61,904	-	CK28C1812A	0.10	-	12,276	-
BDMS23C1810A	0.62	0.03	1,000	-	BLA08C1811A	-	-	-	-	CKP01C1812A	0.50	0.05	39,851	-
BDMS24C1811A	-	-	-	-	BLA13C1809A	0.01	(0.04)	900	-	CKP01C1812B	0.36	0.04	36,280	-
BDMS24C1812A	0.12	-	4,359	-	BLA28C1810A	-	-	-	-	CKP11C1807A	-	-	-	-
BDMS28C1811A	0.12	0.02	66,801	-	BLAN01C1809A	0.56	0.01	30,934	-	CKP13C1810A	0.31	0.05	70,536	-
BEAU01C1807A	-	-	-	-	BLAN01C1809B	0.09	-	1,320	-	CKP23C1810A	0.34	0.03	6,150	-
BEAU01C1807B	-	-	-	-	BLAN01P1809A	0.10	(0.01)	7,173	-	CKP24C1811A	0.36	0.06	3,181	-
BEAU01C1812A	0.06	(0.01)	128,580	-	BLAN08C1810A	0.19	(0.01)	46,500	-	CKP28C1809A	0.07	0.02	2,747	-
BEAU01C1812B	0.02	(0.01)	20,778	-	BLAN11C1902A	0.23	-	24,048	-	CKP28C1809B	0.36	0.06	10,438	-
BEAU01P1807A	-	-	-	-	BLAN23C1807A	-	-	-	-	COM701C1811A	0.53	-	21,900	-
BEAU01P1812A	2.16	0.08	262,180	2.00	BPP01C1811A	0.20	-	20,744	-	COM701C1811B	0.31	0.01	1,100	-
BEAU06C1809A	-	-	-	-	BPP01C1811B	0.10	-	5,067	-	COM706C1809A	0.21	0.01	12,844	-
BEAU07C1809A	0.01	-	17,779	-	BPP01P1811A	0.59	(0.03)	9,068	-	COM708C1811A	0.14	0.01	51,960	-
BEAU08C1808A	-	-	-	-	BPP06C1809A	0.31	0.01	10,950	-	COM711C1811A	0.38	0.01	20,500	-
BEAU08C1901A	0.03	-	94,377	-	BPP08C1807A	-	-	-	-	COM713C1809A	0.05	-	300	-
BEAU11C1902A	0.03	-	9,023	-	BPP08C1810A	0.20	0.01	11,014	-	COM713C1812A	0.32	-	34,319	-
BEAU13C1811A	0.02	-	4,806	-	BPP11C1807A	-	-	-	-	COM719C1811A	0.26	-	23,928	-
BEAU13C1812A	0.02	-	98,995	-	BPP13C1808A	0.21	0.01	52,618	-	COM723C1901A	-	-	-	-
BEAU13C1812B	0.25	(0.07)	1,411,151	-	BPP13C1811A	-	-	-	-	COM724C1811A	-	-	-	-
BEAU19C1811A	-	-	-	-	BPP23C1901A	0.28	0.01	22,108	-	COM728C1808A	-	-	-	-
BEAU19C1901A	0.35	(0.07)	98,564	-	BPP24C1809A	0.09	(0.01)</							

Main Board Quotation

Issue Date :

Wednesday August 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL11P1903A	0.81	(0.08)	39,395	-	EGCO24C1901A	0.29	(0.03)	175	-	INTU01P1809B	-	-	-	-
CPAL13C1812A	0.43	0.02	304,024	-	EGCO28C1808A	-	-	-	-	INTU11C1807A	-	-	-	-
CPAL19C1811A	0.25	0.01	83,140	-	EPG01C1809A	0.14	(0.06)	26,944	-	INTU11C1905A	0.35	0.02	14,784	-
CPAL23C1810A	0.08	-	25,328	-	EPG01P1809A	0.68	0.11	26,960	-	INTU11P1807A	-	-	-	-
CPAL24C1808A	0.01	-	3,623	-	EPG07C1811A	-	-	-	-	INTU11P1905A	0.43	(0.02)	12,144	-
CPAL24C1811A	0.06	0.01	3,390	-	EPG08C1810A	-	-	-	-	INTU13C1810A	0.18	0.01	128,838	-
CPAL24C1901A	0.46	0.03	40,062	-	EPG08C1810B	0.46	(0.12)	31,419	-	INTU13C1812A	0.43	0.02	126,822	-
CPAL24P1901A	0.36	(0.02)	3,257	-	EPG11C1903A	0.41	(0.08)	13,700	-	INTU19C1901A	0.38	0.02	23,965	-
CPAL28C1809A	0.02	-	600	-	EPG13C1808A	-	-	-	-	INTU24C1807A	-	-	-	-
CPAL28C1811A	0.19	0.02	153,490	-	EPG13C1811A	0.28	(0.08)	28,268	-	INTU24C1901A	-	-	-	-
CPF01C1809A	1.09	0.04	29,061	1.00	EPG23C1808A	-	-	-	-	INTU28C1809A	0.11	0.01	151,383	-
CPF01C1809B	0.20	0.02	49,609	-	EPG24C1807A	-	-	-	-	IRPC01C1808A	0.13	0.03	698,954	-
CPF01C1810A	0.31	0.01	53,886	-	EPG24C1808A	-	-	-	-	IRPC01C1810A	0.15	0.01	109,820	-
CPF01P1809A	0.15	(0.02)	34,179	-	EPG24C1810A	0.44	(0.16)	1,085	-	IRPC01C1810B	0.03	0.01	10,144	-
CPF06C1809A	0.74	0.04	4,400	-	EPG28C1808A	0.01	-	11,000	-	IRPC01P1808A	0.42	(0.07)	57,229	-
CPF07C1810A	-	-	-	-	ESS001C1807A	-	-	-	-	IRPC01P1810A	0.36	(0.06)	51,870	-
CPF08C1809A	0.52	0.02	10,250	-	ESS001C1807B	-	-	-	-	IRPC01P1810B	0.16	(0.03)	79,968	-
CPF08C1901A	0.24	0.02	33,194	-	ESS001C1812A	0.50	0.05	86,416	-	IRPC06C1811A	0.22	0.03	35,297	-
CPF11C1902A	0.14	-	16,621	-	ESS001C1812B	0.34	0.03	76,888	-	IRPC07C1812A	-	-	-	-
CPF11P1902A	0.21	-	18,155	-	ESS001P1807A	-	-	-	-	IRPC08C1808A	-	-	-	-
CPF13C1809A	0.63	0.04	13,328	-	ESS001P1812A	0.64	(0.07)	79,952	-	IRPC08C1902A	0.30	(0.70)	250	-
CPF13C1810A	0.17	0.01	50,431	-	ESS008C1807A	-	-	-	-	IRPC11C1902A	0.06	0.01	4,897	-
CPF19C1901A	0.31	0.01	13,121	-	ESS011C1905A	0.65	0.04	14,000	-	IRPC11C1905A	0.36	0.05	32,975	-
CPF23C1810A	-	-	-	-	ESS013C1811A	0.24	0.03	55,090	-	IRPC13C1808A	-	-	-	-
CPF24C1809A	0.36	-	800	-	ESS023C1809A	0.03	-	27	-	IRPC13C1811A	0.14	0.02	218,453	-
CPF24C1901A	-	-	-	-	ESS024C1812A	-	-	-	-	IRPC13C1812A	0.27	0.03	323,976	-
CPF28C1808A	0.51	-	100	-	ESS028C1811A	0.22	0.03	87,060	-	IRPC19C1901A	0.33	0.03	73,248	-
CPF28C1811A	0.18	0.01	52,966	-	GFPT01C1807A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPN01C1808A	0.33	0.11	94,932	-	GFPT08C1807A	-	-	-	-	IRPC24C1809A	0.27	0.09	4,706	-
CPN01C1808B	0.02	0.01	3,005	-	GFPT08C1906A	0.45	(0.01)	54,727	-	IRPC24C1809A	0.02	-	19,337	-
CPN06C1811A	0.52	0.08	40,359	-	GFPT19C1811A	0.43	(0.02)	6,866	-	IRPC24C1812A	0.16	0.02	18,980	-
CPN08C1809A	0.04	0.01	500	-	GFPT24C1812A	0.37	(0.02)	590	-	IRPC27C1809A	-	-	-	-
CPN11C1903A	0.34	0.08	31,457	-	GGC01C1810A	0.09	(0.02)	58,443	-	IRPC28C1811A	0.10	0.02	11,720	-
CPN11P1903A	0.44	(0.10)	45,520	-	GGC01C1810B	0.03	(0.01)	4,456	-	IRPC28C1812A	0.31	0.05	196,390	-
CPN13C1812A	0.38	0.07	114,602	-	GGC08C1906A	0.12	(0.01)	89,303	-	ITD01C1808A	0.01	(0.01)	3	-
CPN19C1901A	0.55	0.09	24,052	-	GGC13C1811A	0.02	(0.01)	332	-	ITD01C1808B	-	-	-	-
CPN23C1810A	0.22	0.04	30,192	-	GGC19C1811A	-	-	-	-	ITD01P1808A	1.19	-	18,538	1.00
CPN24C1901A	0.34	0.03	2,000	-	GGC23C1901A	0.05	(0.01)	8,235	-	ITD08C1810A	-	-	-	-
CPN28C1810A	0.20	0.05	247,601	-	GGC24C1812A	-	-	-	-	ITD11C1903A	0.16	0.01	3,150	-
DELT06C1903A	1.12	0.05	10,626	1.00	GGC28C1811A	-	-	-	-	ITD13C1809A	-	-	-	-
DELT08C1811A	0.20	0.03	22,930	-	GLOB01C1809A	0.52	0.03	33,701	-	ITD13C1812A	0.18	-	63,253	-
DELT13C1809A	0.09	0.01	9,824	-	GLOB01C1809B	0.24	0.01	62,834	-	ITD19C1811A	-	-	-	-
DELT24C1901A	0.93	0.06	6,113	-	GLOB06C1809A	0.30	0.02	20,200	-	ITD23C1808A	-	-	-	-
DELT27C1812A	-	-	-	-	GLOB08C1807A	-	-	-	-	ITD24C1807A	-	-	-	-
DTAC01C1808A	0.12	(0.01)	21,748	-	GLOB11C1808A	0.22	0.03	23,340	-	ITD24C1810A	-	-	-	-
DTAC01C1808B	-	-	-	-	GLOB23C1811A	0.46	(0.01)	2,000	-	ITD28C1808A	-	-	-	-
DTAC01C1810A	0.33	-	11,724	-	GLOB24C1810A	0.20	0.01	5,600	-	ITD28C1808B	-	-	-	-
DTAC01C1810B	0.08	-	1,000	-	GLOB27C1809A	-	-	-	-	IVL01C1808A	0.48	0.08	116,301	-
DTAC01C1902A	0.71	-	27,471	-	GLOB28C1808A	-	-	-	-	IVL01C1808B	0.09	0.01	44,864	-
DTAC01C1902B	0.59	(0.01)	18,698	-	GLOW08C1811A	0.68	(0.01)	4,746	-	IVL01C1812A	0.63	0.06	111,423	-
DTAC01P1808A	0.79	(0.02)	16,034	-	GLOW11C1807A	-	-	-	-	IVL01C1812B	0.43	0.04	91,006	-
DTAC01P1810A	1.21	-	14,337	1.00	GLOW19C1901A	0.70	(0.01)	992	-	IVL01P1808A	0.51	(0.10)	44,315	-
DTAC01P1810B	0.74	(0.02)	20,010	-	GLOW27C1812A	-	-	-	-	IVL01P1808B	0.07	(0.03)	32,564	-
DTAC01P1902A	0.94	(0.01)	16,353	-	GPSCO1C1808A	0.24	0.01	65,011	-	IVL01P1812A	0.76	(0.06)	46,789	-
DTAC01P1902B	0.75	(0.01)	1,630	-	GPSCO1C1808B	-	-	-	-	IVL01P1812B	0.55	(0.06)	10,218	-
DTAC06C1901A	0.26	-	3,108	-	GPSCO1P1808A	1.12	(0.05)	16,172	1.00	IVL06C1807A	-	-	-	-
DTAC06P1809A	0.36	(0.03)	9,254	-	GPSCO6C1811A	0.25	0.01	12,707	-	IVL06C1901A	0.47	0.05	25,187	-
DTAC07C1809A	-	-	-	-	GPSCO8C1808A	0.01	-	6,041	-	IVL07C1811A	-	-	-	-
DTAC08C1809A	0.04	-	3,066	-	GPSC11C1808A	0.81	0.07	16,530	-	IVL08C1901A	0.61	0.04	60,492	-
DTAC08P1807A	-	-	-	-	GPSC11C1902A	0.27	0.01	15,791	-	IVL08P1809A	0.01	(0.02)	17,993	-
DTAC08P1902A	-	-	-	-	GPSC13C1808A	-	-	-	-	IVL11C1808A	0.95	0.09	24,441	-
DTAC11C1904A	0.29	-	15,680	-	GPSC13C1812A	0.48	0.04	70,578	-	IVL11P1808A	-	-	-	-
DTAC13C1811A	0.11	0.01	26,321	-	GPSC19C1901A	0.55	0.02	16,156	-	IVL13C1809A	0.24	0.03	70,584	-
DTAC13C1812A	0.40	(0.01)	31,706	-	GPSC24C1807A	-	-	-	-	IVL13C1810A	0.27	0.02	90,105	-
DTAC13P1811A	0.67	(0.07)	910	-	GPSC24C1808A	-	-	-	-	IVL13C1812A	0.56	0.05	98,636	-
DTAC13P1812A	0.20	(0.01)	27,312	-	GPSC24C1812A	0.33	0.02	3,000	-	IVL13P1809A	-	-	-	-
DTAC19C1811A	0.24	0.02	13,516	-	GPSC28C1811A	0.38	0.02	32,420	-	IVL13P1811A	0.28	(0.04)	6,664	-
DTAC23C1807A	-	-	-	-	GUNK01C1808A	-	-	-	-	IVL19C1809A	0.54	0.05	51,795	-
DTAC23P1807A	-	-	-	-	GUNK01C1808B	0.01	-	5,000	-	IVL23C1810A	0.58	0.07	3,000	-
DTAC24C1809A	-	-	-	-	GUNK08C1807A	-	-	-	-	IVL24C1808A	-	-	-	-
DTAC27C1809A	-	-	-	-	GUNK08C1902A	-	-	-	-	IVL24C1812A	0.28	-	1,000	-
DTAC27P1809A	-	-	-	-	GUNK11C1903A	0.17	-	4,480	-	IVL24C1901A	-	-	-	-
DTAC28C1810A	-	-	-	-	GUNK24C1807A	-	-	-	-	IVL28C1808A	0.01	-	5,002	-
DTAC28C1812A	0.45	-	87,710	-	GUNK24C1812A	0.26	-	3,050	-	IVL28C1811A	0.32	0.04	13,346	-
EA01C1809A	0.75	0.07	173,130	-	GUNK28C1808A	-	-	-	-	IVL28C1812A	0.59	0.05	100,492	-
EA01C1809B	0.40	0.05	87,035	-	GUNK28C1810A	0.28	0.01	8,455	-	IVL28P1811A	0.32	(0.05)	14,289	-
EA01P1809A	0.70	(0.09)	34,250	-	HANA01C1811A	0.40	(0.01)	7,948	-	KBAN01C1808A	0.25	(0.03)	112,674	-
EA06C1809A	0.01	-	128	-	HANA01C1811B	0.25	0.01	6,306	-	KBAN01C1808B	0.01	-	31,010	-
EA07C1810A	0.05	0.01	200	-	HANA08C1809A	0.10	(0.01)	5,728	-	KBAN01C1810A	1.37	(0.03)	31,899	1.00
EA08C1807A	-	-	-	-	HANA11C1904A	0.24	-	2,244	-	KBAN01C1901A	1.44	(0.05)	22,529	1.00
EA08C1809A	-	-	-	-	HANA13C1809A	0.12	(0.01)	15,475	-	KBAN01C1901B	0.90	(0.07)	41,826	-
EA08C1810A	0.23	0.03	51,443	-	HANA23C1811A	0.40	(0.02)	2,000	-	KBAN01P1808A	0.66	0.04	73,095	-
EA11C1902A	0.11	0.01	45,475	-	HANA24C1808A	-	-	-	-	KBAN01P1808B	0.10	0.01	137,855	-
EA13C1808A	-	-	-	-	HANA24C1810A	-	-	-	-	KBAN01P1810A	0.15	0.01	3,063	-
EA13C1808B	0.01	-	37,011	-	HANA28C1808A	-	-	-	-	KBAN01P1901A	0.87	0.01	91,181	-
EA13C1809A	-	-	-	-	HANA28C1812A	0.33	-	3,183	-	KBAN01P1901B	0.39	0.02	104,912	-
EA13C1810A	0.03	-	23,953	-	HMPR01C1808A	0.33	-	129,916	-	KBAN06C1811A	0.88	(0.07)	12,500	-
EA13C1811A	0.15	0.03	44,951	-	HMPR01C1808B	0.06	(0.01)	2,610	-	KBAN07C1811A	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday August 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE06C1809A	0.70	(0.15)	11,660	-	MEGA23C1902A	0.27	(0.01)	11,000	-	PTT01P1808A	0.23	(0.09)	190,134	-
KCE07C1808A	0.07	(0.02)	22,956	-	MEGA24C1812A	0.22	(0.02)	12,000	-	PTT01P1808B	0.03	-	32,974	-
KCE08C1809A	0.47	(0.12)	14,226	-	MEGA27C1807A	-	-	-	-	PTT01P1810A	0.85	(0.10)	51,960	-
KCE11C1808A	0.02	-	2	-	MEGA28C1808A	-	-	-	-	PTT01P1810B	0.35	(0.08)	139,528	-
KCE11C1904A	0.36	(0.03)	6,803	-	MINT01C1808A	0.06	0.01	11,988	-	PTT01P1901A	0.52	(0.04)	64,816	-
KCE13C1808A	0.23	(0.10)	1,300	-	MINT01C1808B	0.01	-	5,550	-	PTT01P1901B	0.35	(0.04)	76,784	-
KCE13C1811A	0.49	(0.06)	61	-	MINT01C1901A	0.50	0.03	284,155	-	PTT06C1811A	0.13	0.02	11,000	-
KCE13C1812A	0.28	(0.03)	76,022	-	MINT01C1901B	0.38	0.02	207,036	-	PTT06C1901A	0.47	0.05	41,204	-
KCE19C1901A	0.36	(0.04)	15,761	-	MINT01P1808A	0.53	(0.03)	63,263	-	PTT06P1901A	0.37	(0.06)	14,634	-
KCE23C1807A	-	-	-	-	MINT01P1901A	0.30	(0.02)	33,911	-	PTT07C1811A	0.21	0.02	20	-
KCE23C1901A	0.21	(0.05)	34,783	-	MINT06C1809A	0.06	-	37,400	-	PTT08C1807A	-	-	-	-
KCE24C1808A	0.14	(0.04)	42,991	-	MINT06C1901A	0.34	0.03	71,998	-	PTT08C1809A	0.04	0.01	7,403	-
KCE24C1901A	0.32	(0.04)	15,582	-	MINT07C1810A	-	-	-	-	PTT08C1902A	0.41	(0.60)	501	-
KCE28C1808A	-	-	-	-	MINT08C1809A	0.07	0.02	408	-	PTT08P1809A	0.26	(0.06)	38,380	-
KCE28C1811A	0.44	(0.03)	15,507	-	MINT11C1902A	0.16	0.01	99,890	-	PTT11C1902A	0.24	0.04	121,260	-
KKP01C1808A	0.31	0.08	148,465	-	MINT11P1902A	0.20	-	84,386	-	PTT13C1807A	-	-	-	-
KKP01C1808B	-	-	-	-	MINT13C1810A	0.15	0.02	232,726	-	PTT13C1808A	0.01	-	1,338	-
KKP08C1811A	0.47	0.09	88,782	-	MINT13C1812A	0.44	0.01	371,729	-	PTT13C1810A	0.10	0.02	16,958	-
KKP11C1903A	0.38	0.05	39,447	-	MINT19C1901A	0.44	0.02	49,244	-	PTT13C1811A	0.30	0.04	190,048	-
KKP13C1811A	0.39	0.08	83,103	-	MINT23C1810A	0.12	0.01	35,000	-	PTT13C1812A	0.46	0.06	392,153	-
KKP19C1901A	0.61	0.11	28,795	-	MINT24C1807A	-	-	-	-	PTT13P1807A	-	-	-	-
KKP23C1807A	-	-	-	-	MINT24C1812A	0.11	0.04	3	-	PTT13P1808A	-	-	-	-
KKP24C1807A	-	-	-	-	MINT24C1901A	0.47	0.06	2,615	-	PTT13P1812A	0.26	(0.03)	89,716	-
KKP24C1812A	0.40	0.04	4,823	-	MINT28C1808A	-	-	-	-	PTT19C1809A	0.12	0.03	27,124	-
KKP28C1810A	0.26	0.06	135,686	-	MINT28C1811A	0.27	0.01	277,810	-	PTT19C1901A	0.51	0.06	136,169	-
KTB01C1808A	0.26	0.03	63,227	-	MONO01C1810A	0.08	0.01	8,019	-	PTT23C1901A	0.15	0.02	20,168	-
KTB01C1810A	0.47	0.03	94,727	-	MONO01C1810B	0.04	-	49	-	PTT24C1809A	0.05	(0.01)	4,162	-
KTB01C1810B	0.28	0.04	106,030	-	MONO08C1808A	-	-	-	-	PTT24C1812A	0.41	0.07	200	-
KTB01P1808A	0.28	(0.05)	56,687	-	MONO08C1906A	0.16	0.02	11,921	-	PTT24P1808A	-	-	-	-
KTB06C1902A	0.43	0.03	20,662	-	MONO13C1808A	-	-	-	-	PTT24P1901A	0.17	(0.03)	381	-
KTB08C1809A	-	-	-	-	MONO13C1811A	-	-	-	-	PTT27C1809A	0.47	0.05	3,682	-
KTB11C1811A	0.24	0.03	24,593	-	MONO13C1901A	0.28	0.03	25,312	-	PTT27P1809A	0.08	(0.03)	4,031	-
KTB13C1809A	0.10	0.01	33,080	-	MONO19C1811A	0.17	0.03	8,232	-	PTT28C1808A	-	-	-	-
KTB13C1901A	0.50	0.04	43,768	-	MONO23C1809A	0.02	0.01	1	-	PTT28C1808B	0.01	-	20,805	-
KTB19C1901A	0.37	0.03	27,770	-	MONO23C1901A	0.25	0.01	8,000	-	PTT28C1811A	0.09	0.01	34,127	-
KTB23C1811A	0.30	-	10,066	-	MONO24C1807A	-	-	-	-	PTT28C1811B	0.28	0.04	82,953	-
KTB24C1808A	-	-	-	-	MONO24C1812A	-	-	-	-	PTT28C1812A	0.43	0.05	265,424	-
KTB24C1811A	-	-	-	-	MONO24C1812B	0.20	0.09	900	-	PTT28P1808A	0.01	-	1,750	-
KTB24P1901A	0.21	(0.02)	13,004	-	MONO28C1808A	-	-	-	-	PTT28P1808B	-	-	-	-
KTB28C1809A	0.07	0.01	1	-	MONO28C1811A	0.04	(0.01)	250	-	PTT28P1812A	0.18	(0.03)	16,484	-
KTB28C1811A	0.26	0.04	194,344	-	MONO28C1901A	0.26	0.03	8,098	-	PTTE01C1808A	1.27	0.10	295,385	1.00
KTC01C1808A	0.72	0.02	62,470	-	MTC06C1901A	0.59	(0.01)	68,826	-	PTTE01C1808B	0.69	0.14	204,425	-
KTC01C1808B	0.11	(0.01)	103,193	-	MTC08C1807A	-	-	-	-	PTTE01C1901A	0.84	0.07	163,035	-
KTC01C1810A	0.28	0.01	39,464	-	MTC08C1811A	0.22	-	80,336	-	PTTE01C1901B	0.60	0.08	181,340	-
KTC01C1810B	0.17	-	9,218	-	MTC08C1902A	0.46	(0.54)	1,060	-	PTTE01P1808A	0.03	(0.02)	131,974	-
KTC06C1807A	-	-	-	-	MTC11C1904A	0.40	(0.01)	24,538	-	PTTE01P1901A	1.14	(0.09)	115,073	1.00
KTC08C1807A	-	-	-	-	MTC13C1809A	0.08	(0.01)	2,000	-	PTTE01P1901B	0.71	(0.09)	143,428	-
KTC08C1808A	0.51	(0.01)	45,864	-	MTC13C1811A	0.55	(0.03)	280,345	-	PTTE06C1811A	0.57	0.08	56,095	-
KTC11C1902A	0.88	0.02	7,055	-	MTC19C1901A	0.45	(0.02)	23,480	-	PTTE07C1809A	0.31	0.08	41,336	-
KTC13C1808A	0.21	(0.01)	3,941	-	MTC23C1808A	0.10	-	8,100	-	PTTE08C1807A	-	-	-	-
KTC13C1809A	0.12	(0.01)	135,586	-	MTC24C1808A	-	-	-	-	PTTE08C1811A	0.46	0.06	118,278	-
KTC13C1809B	0.15	0.01	144,399	-	MTC24C1810A	0.29	-	1,157	-	PTTE08P1809A	0.02	(0.02)	7,945	-
KTC13C1812A	0.20	-	130,826	-	MTC24C1812A	0.53	0.02	200	-	PTTE08P1811A	0.21	(0.05)	53,831	-
KTC13P1807A	-	-	-	-	MTC27C1807A	-	-	-	-	PTTE11C1902A	0.73	0.10	67,176	-
KTC19C1811A	0.27	-	112,637	-	MTC28C1808A	-	-	-	-	PTTE13C1807A	-	-	-	-
KTC19C1901A	0.64	-	35,172	-	MTC28C1809A	0.36	(0.03)	44,785	-	PTTE13C1811A	0.40	0.06	220,771	-
KTC23C1809A	0.62	0.03	14,558	-	ORI08C1807A	-	-	-	-	PTTE13C1812A	0.71	0.08	154,384	-
KTC24C1808A	0.50	0.04	3,100	-	ORI11C1811A	0.24	0.01	21,112	-	PTTE13P1807A	-	-	-	-
KTC24C1810A	0.15	(0.01)	3,423	-	ORI13C1810A	0.50	0.03	22,746	-	PTTE13P1811A	0.18	(0.04)	149,553	-
KTC24P1807A	-	-	-	-	ORI19C1811A	0.32	0.02	48,544	-	PTTE19C1811A	0.62	0.08	177,295	-
KTC28C1808A	0.21	-	2,200	-	ORI23C1809A	0.11	-	1,500	-	PTTE23C1901A	0.16	0.03	40,707	-
KTC28C1808B	-	-	-	-	ORI24C1810A	-	-	-	-	PTTE24C1807A	-	-	-	-
KTC28C1809A	0.17	-	211	-	ORI28C1808A	-	-	-	-	PTTE24C1811A	0.25	0.03	18,102	-
KTC28C1810A	0.29	0.01	53	-	PLAN08C1811A	0.18	0.02	78,039	-	PTTE24C1901A	0.63	0.01	600	-
LH01C1809A	0.39	(0.03)	36,091	-	PLAN13C1809A	0.08	-	10,752	-	PTTE24P1809A	0.01	-	133	-
LH01C1809B	0.23	(0.02)	52,118	-	PLAN28C1810A	0.13	0.01	92,020	-	PTTE27C1809A	-	-	-	-
LH01P1809A	0.08	0.01	3,105	-	PSH01C1810A	0.34	-	7,232	-	PTTE27P1809A	-	-	-	-
LH06C1809A	0.32	(0.05)	14,496	-	PSH01C1810B	-	-	-	-	PTTE28C1810A	0.33	0.06	89,687	-
LH07C1810A	0.17	(0.03)	501	-	PSH01P1810A	0.76	-	5,120	-	PTTE28C1811A	0.21	0.04	37,822	-
LH11C1808A	0.26	(0.03)	27,428	-	PSH08C1811A	-	-	-	-	PTTE28P1811A	0.19	(0.05)	7,090	-
LH13C1808A	0.22	(0.03)	5,015	-	PSH11C1902A	0.25	0.01	3,014	-	PTTG01C1808A	0.22	0.06	389,957	-
LH19C1901A	0.27	-	46,480	-	PSH23C1811A	0.22	-	5,000	-	PTTG01C1810A	0.31	0.06	377,292	-
LH23C1901A	0.16	(0.02)	17,000	-	PSL01C1807A	-	-	-	-	PTTG01C1810B	0.05	0.02	40,124	-
LH24C1809A	0.09	-	2,710	-	PSL01C1812A	0.41	0.02	90,852	-	PTTG01C1811A	0.55	0.08	265,396	-
LH28C1808A	-	-	-	-	PSL01C1812B	0.36	0.02	58,848	-	PTTG01C1901A	1.27	0.11	222,569	1.00
LPN01C1809A	0.11	(0.01)	3,200	-	PSL11C1905A	0.28	0.01	21,271	-	PTTG01C1901B	1.04	0.11	246,578	-
LPN01C1811A	0.40	0.01	21,737	-	PSL23C1809A	0.07	0.01	12,033	-	PTTG01P1808A	0.88	(0.17)	78,260	-
LPN01C1811B	0.19	(0.03)	21,946	-	PSL24C1807A	-	-	-	-	PTTG01P1811A	1.44	(0.14)	28,447	1.00
LPN01P1809A	0.46	0.01	7,998	-	PTG01C1811A	0.21	0.01	134,074	-	PTTG01P1901A	0.83	(0.09)	76,367	-
LPN08C1807A	-	-	-	-	PTG01C1811B	0.08	0.01	6,900	-	PTTG01P1901B	0.61	(0.09)	61,013	-
LPN08C1810A	0.09	0.01	6,112	-	PTG01P1811A	1.08	(0.05)	26,348	1.00	PTTG06C1809A	0.04	0.01	12,000	-
LPN08C1906A	0.23	-	38,752	-	PTG06C1810A	-	-	-	-	PTTG06C1903A	1.28	0.13	91,108	1.00
LPN19C1811A	0.20	(0.01)	8,822	-	PTG06C1904A	0.46	0.02	26,498	-	PTTG06P1903A	0.43	(0.06)	29,030	-
LPN24C1808A	-	-	-	-	PTG08C1807A	-	-	-	-	PTTG07C1812A	0.57	0.10	6,646	-
LPN24C1812A	-	-	-	-	PTG08C1902A	0.34	(0.67)	42,000	-	PTTG08C1811A	0.10	0.02	10,332	-
LPN27C1807A	-	-	-	-	PTG11C1903A	0.16	-	10,212	-	PTTG08C1902A	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday August 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
QH01C1810A	0.55	(0.01)	79,591	-	SCB01P1902B	0.27	(0.02)	19,928	-	STA24C1808A	-	-	-	-
QH01C1810B	0.36	(0.04)	55,165	-	SCB06C1811A	0.66	0.03	24,184	-	STEC01C1809A	0.23	-	114,969	-
QH01P1807A	-	-	-	-	SCB08C1901A	0.51	0.02	68,962	-	STEC01C1809B	0.72	0.01	78,755	-
QH01P1810A	0.24	0.01	56,351	-	SCB11C1901A	0.28	0.01	34,931	-	STEC01P1809A	0.84	(0.02)	18,616	-
QH08C1808A	0.26	(0.03)	67,207	-	SCB11P1901A	0.44	(0.03)	18,229	-	STEC06C1809A	0.26	-	49,806	-
QH11C1902A	0.44	(0.03)	21,770	-	SCB13C1809A	0.07	0.01	1,918	-	STEC08C1809A	0.17	(0.01)	55,350	-
QH23C1808A	0.37	(0.09)	5,300	-	SCB13C1812A	0.63	0.02	152,196	-	STEC11C1903A	0.50	0.01	20,859	-
QH24C1812A	0.22	(0.02)	13,475	-	SCB13P1812A	0.13	(0.01)	27,588	-	STEC13C1809A	0.09	-	36,636	-
QH28C1808A	0.02	(0.01)	300	-	SCB19C1811A	0.35	0.03	22,744	-	STEC23C1808A	-	-	-	-
RATC19C1901A	0.35	0.01	12,310	-	SCB24C1901A	0.81	0.05	2	-	STEC24C1808A	-	-	-	-
RATC24C1902A	-	-	-	-	SCB24C1902A	-	-	-	-	STEC24C1901A	-	-	-	-
RATC27C1812A	0.10	-	2,946	-	SCB24P1811A	0.18	(0.01)	9,003	-	STEC28C1808A	-	-	-	-
ROBI01C1809A	0.31	0.01	50,151	-	SCB28C1808A	-	-	-	-	STEC28C1810A	0.44	-	33,634	-
ROBI06C1809A	0.28	0.01	25,632	-	SCB28C1809A	0.08	0.01	1,700	-	STPI08C1811A	0.05	-	2,730	-
ROBI08C1808A	-	-	-	-	SCB28C1812A	0.51	0.01	175,283	-	SUPE08C1808A	0.01	-	15	-
ROBI11C1808A	0.04	(0.01)	33	-	SCB28P1808A	0.01	-	1,866	-	SUPE08C1811A	0.12	-	17,526	-
ROBI19C1901A	0.62	-	29,222	-	SCB28P1812A	0.10	(0.01)	10,018	-	SUPE13C1810A	-	-	-	-
ROBI24C1901A	-	-	-	-	SCC01C1808A	0.17	0.02	88,086	-	SUPE13C1811A	0.10	(0.01)	100	-
ROBI24C1903A	0.59	(0.06)	4,000	-	SCC01C1808B	0.01	(0.01)	19,833	-	SUPE23C1811A	-	-	-	-
S10001C1811A	0.63	0.05	8,322	-	SCC01C1901A	0.74	0.03	45,272	-	SUPE23C1901A	0.07	-	1,805	-
S5001C1807A	-	-	-	-	SCC01C1901B	0.63	0.03	23,949	-	SUPE28C1810A	-	-	-	-
S5001C1807B	-	-	-	-	SCC01P1808A	0.52	(0.05)	10,082	-	SUPE28C1811A	-	-	-	-
S5001C1808A	0.79	0.12	79,623	-	SCC01P1901A	0.35	(0.02)	31,114	-	TASC01C1809A	0.02	0.01	23,369	-
S5001C1808B	0.62	0.11	87,112	-	SCC06C1809A	0.05	-	3,200	-	TASC01C1810A	0.17	0.03	97,241	-
S5001C1809F	1.02	0.16	1,686,506	-	SCC06C1902A	0.39	0.02	9,888	-	TASC01C1810B	0.04	0.01	1,650	-
S5001C1809G	0.38	0.09	873,346	-	SCC07C1812A	-	-	-	-	TASC01P1809A	1.77	(0.09)	24,795	1.00
S5001C1809H	2.34	0.20	658,503	2.00	SCC08C1809A	0.05	-	1,421	-	TASC01P1810A	0.74	(0.07)	71,007	-
S5001C1809I	1.97	0.30	1,701,892	1.00	SCC08C1902A	0.46	(0.54)	5	-	TASC07C1811A	-	-	-	-
S5001C1810A	1.51	0.14	13,519	1.00	SCC11C1811A	0.13	-	10,038	-	TASC08C1808A	-	-	-	-
S5001C1810B	1.56	0.15	176,996	1.00	SCC11P1811A	0.27	(0.03)	14,020	-	TASC11C1904A	0.14	0.02	17,816	-
S5001P1807A	-	-	-	-	SCC13C1809A	0.06	0.01	12,622	-	TASC13C1810A	0.04	0.01	2,930	-
S5001P1807B	-	-	-	-	SCC13C1812A	0.26	0.03	34,813	-	TASC23C1902A	0.32	0.02	31,294	-
S5001P1808A	0.71	(0.10)	99,553	-	SCC13C1901A	0.50	0.04	42,941	-	TASC24C1810A	0.02	-	2,240	-
S5001P1808B	0.74	(0.18)	221,009	-	SCC19C1811A	0.19	0.02	11,502	-	TASC28C1808A	-	-	-	-
S5001P1809F	1.26	(0.20)	1,979,272	1.00	SCC19C1901A	0.46	0.04	21,541	-	TCAP01C1807A	-	-	-	-
S5001P1809G	0.59	(0.19)	454,735	-	SCC23C1811A	-	-	-	-	TCAP01C1807B	-	-	-	-
S5001P1809H	0.08	(0.04)	284,917	-	SCC24C1812A	0.08	0.01	3,132	-	TCAP01C1901A	0.59	0.04	22,652	-
S5001P1809I	0.03	(0.03)	199,323	-	SCC24C1901A	-	-	-	-	TCAP01C1901B	0.49	0.04	29,271	-
S5001P1810A	0.23	(0.06)	327,755	-	SCC24P1901A	0.25	(0.03)	542	-	TCAP01P1807A	-	-	-	-
S5001P1810B	0.16	(0.04)	111,059	-	SCC27C1809A	-	-	-	-	TCAP01P1901A	0.40	(0.04)	30,824	-
S5006C1809A	0.33	0.08	10,324	-	SCC27P1809A	-	-	-	-	TCAP08C1810A	-	-	-	-
S5006C1809B	0.18	0.06	86,629	-	SCC28C1811A	0.20	0.03	14,000	-	TCAP11C1811A	0.13	0.01	9,510	-
S5006C1809C	0.53	0.12	2,547	-	SCC28C1812A	0.47	0.03	17,230	-	TCAP13C1809A	0.03	-	15	-
S5006C1809D	0.21	0.05	950	-	SCC08C1811A	0.04	(0.01)	3,097	-	TCAP13C1901A	0.46	0.01	48,674	-
S5006C1812A	0.83	0.13	19,788	-	SCC11C1809A	0.02	(0.01)	2,121	-	TCAP23C1807A	-	-	-	-
S5006C1812B	-	-	-	-	SCC27C1812A	0.09	(0.01)	34,621	-	TCAP24C1807A	-	-	-	-
S5006P1809A	1.08	(0.25)	11,600	1.00	SGP08C1808A	0.02	0.01	143,985	-	TCAP24C1903A	-	-	-	-
S5006P1809B	0.47	(0.13)	38,774	-	SGP08C1901A	0.50	0.05	113,558	-	TCAP27C1807A	-	-	-	-
S5006P1809C	0.61	(0.22)	346	-	SGP11C1904A	0.24	0.02	31,970	-	THA101C1808A	-	-	-	-
S5006P1809D	0.28	(0.05)	51	-	SGP13C1808A	0.02	0.01	260,108	-	THA101C1808B	0.01	-	900	-
S5006P1812A	1.08	(0.19)	11,574	1.00	SGP13C1811A	0.16	0.02	25,450	-	THA101C1901A	0.37	-	55,174	-
S5006P1812B	0.39	(0.07)	33,233	-	SGP13C1812A	0.38	0.05	289,233	-	THA101C1901B	0.23	-	69,990	-
S5008C1809A	1.18	0.24	171,019	1.00	SGP19C1811A	0.39	0.05	52,390	-	THA101P1808A	0.66	(0.02)	10,078	-
S5008P1809A	0.10	(0.05)	22,746	-	SGP24C1808A	-	-	-	-	THA101P1901A	0.80	(0.04)	16,141	-
S5013C1809A	0.23	0.05	1,828,980	-	SGP24C1811A	-	-	-	-	THA106C1809A	0.12	-	7,000	-
S5013C1809B	0.49	0.12	1,148,842	-	SGP24C1902A	1.10	0.08	5,721	1.00	THA107C1811A	-	-	-	-
S5013C1809C	0.43	0.11	902,112	-	SGP28C1808A	-	-	-	-	THA108C1808A	0.01	-	6,000	-
S5013C1809D	0.89	0.20	3,912,209	-	SGP28C1809A	0.02	-	1	-	THA111C1808A	-	-	-	-
S5013C1809E	1.39	0.25	3,967,565	1.00	SGP28C1811A	0.19	0.03	78,761	-	THA113C1811A	0.09	-	200	-
S5013P1809A	0.90	(0.26)	117,889	-	SIR101C1808A	0.01	-	90	-	THA123C1901A	-	-	-	-
S5013P1809B	0.41	(0.16)	3,411,264	-	SIR101C1808B	0.01	(0.01)	4,389	-	THA124C1808A	0.01	-	1	-
S5013P1809C	0.58	(0.19)	1,650,493	-	SIR101C1901A	0.44	0.03	67,220	-	THA124C1901A	-	-	-	-
S5013P1809D	0.20	(0.09)	2,253,684	-	SIR101C1901B	0.21	0.02	46,319	-	THA127C1809A	-	-	-	-
S5013P1809E	0.07	(0.04)	4,436,572	-	SIR101P1808A	0.55	(0.02)	14,350	-	THA128C1808A	-	-	-	-
S5028C1807A	-	-	-	-	SIR101P1901A	0.58	(0.03)	11,187	-	THAN01C1812A	0.49	0.04	54,444	-
S5028C1809A	0.39	0.10	576,707	-	SIR108C1808A	-	-	-	-	THAN13C1809A	-	-	-	-
S5028C1809B	1.24	0.20	1,543,755	1.00	SIR108C1810A	0.15	0.02	10,022	-	THAN23C1807A	-	-	-	-
S5028P1807A	-	-	-	-	SIR111C1902A	0.16	-	17,443	-	THAN28C1810A	0.13	0.02	56,396	-
S5028P1809A	0.39	(0.13)	811,839	-	SIR113C1809A	0.01	(0.01)	8	-	THCO01C1809A	-	-	-	-
S5028P1809B	0.12	(0.04)	337,974	-	SIR123C1811A	0.21	0.02	4,000	-	THCO01P1809A	-	-	-	-
SAWA01C1808A	0.01	(0.01)	3,870	-	SIR124C1809A	0.03	-	3,320	-	THCO08C1906A	0.16	-	21,482	-
SAWA01C1808B	-	-	-	-	SIR128C1809A	0.04	-	5,030	-	THCO11C1902A	0.09	(0.01)	20	-
SAWA01C1901A	0.57	-	168,022	-	SIR128C1901A	0.36	0.02	39,060	-	THCO19C1811A	-	-	-	-
SAWA01C1901B	0.46	-	98,131	-	SPAL01C1808A	0.35	-	58,809	-	THCO23C1808A	-	-	-	-
SAWA01P1808A	1.96	-	12,979	1.00	SPAL01C1808B	-	-	-	-	THCO24C1807A	-	-	-	-
SAWA01P1901A	0.83	(0.01)	20,357	-	SPAL06C1809A	0.44	0.01	13,000	-	THCO24C1810A	-	-	-	-
SAWA06C1807A	-	-	-	-	SPAL08C1808A	-	-	-	-	THCO28C1808A	-	-	-	-
SAWA06C1811A	0.07	-	2,500	-	SPAL11C1807A	-	-	-	-	THCO28C1901A	0.20	-	16,224	-
SAWA07C1812A	0.46	0.06	200	-	SPAL11C1905A	0.14	-	500	-	TISCO1C1808A	0.21	0.02	62,196	-
SAWA08C1808A	-	-	-	-	SPAL23C1811A	0.54	0.03	1,126	-	TISCO1C1808B	-	-	-	-
SAWA08C1811A	0.03	-	10,200	-	SPAL24C1808A	-	-	-	-	TISCO8C1808A	0.02	(0.01)	3,204	-
SAWA08C1902A	-	-	-	-	SPAL24C1812A	-	-	-	-	TISCO11C1903A	0.22	0.01	19,062	-
SAWA11C1808A	0.01	-	500	-	SPRC01C1808A	0.16	0.02	141,318	-	TISC13C1811A	0.28	0.01	40,492	-
SAWA13C1810A	0.02	-	1,111	-	SPRC01C1808B	-	-	-	-	TISC13C1812A	0.68	0.01	76,335	-
SAWA13C1811A	0.03	-	17,473	-	SPRC06C1809A	0.04	-	8,000	-	TISC19C1901A	0.40	0.03	18,923	-
SAWA13C1812A	0.24	-	37,255	-	SPRC06C1902A	0.56	0.04	13,022	-	TISC24C1812A	0.19	-	1,900	-
SAWA13C1901A	0.59	(0.02)	68,989	-	SPRC08C1808A	-	-	-	-	TISC27C1807A	-	-	-	-</

Main Board Quotation

Issue Date :

Wednesday August 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB01P1902A	0.52	(0.03)	30,463	-	STA23C1809A	0.06	-	100	-	TKN24C1812A	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday August 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN28C1808A	-	-	-	-	TTA13C1809A	-	-	-	-	WORK28C1809A	-	-	-	-
TKN28C1811A	0.12	0.01	10,190	-	TTA13C1901A	0.29	-	44,617	-	WORK28C1811A	0.24	0.02	15,295	-
TKN28C1812A	0.59	0.04	18,456	-	TTA18C1808A	-	-	-	-	Preferred/Foreign	-	-	-	-
TMB01C1807A	-	-	-	-	TTA19C1811A	0.14	(0.01)	9,324	-	BH-Q	-	-	-	-
TMB01C1810A	0.22	(0.02)	185,750	-	TTA23C1808A	-	-	-	-	CSC-Q	-	-	-	-
TMB01C1810B	0.09	(0.01)	17,977	-	TTA23C1901A	-	-	-	-	JUTHA-Q	-	-	-	-
TMB01P1807A	-	-	-	-	TTA24C1809A	-	-	-	-	KTB-Q	-	-	-	-
TMB01P1810A	0.42	-	58,358	-	TTA24C1902A	0.15	-	200	-	SCB-Q	-	-	-	-
TMB06C1809A	0.02	(0.01)	580	-	TTA28C1812A	0.15	0.01	61,160	-	TCAP-Q	-	-	-	-
TMB06C1902A	0.14	(0.01)	39,722	-	TU01C1808A	0.04	0.01	4,670	-	TIC-Q	-	-	-	-
TMB07C1811A	-	-	-	-	TU01C1808B	-	-	-	-	TISCO-Q	-	-	-	-
TMB08C1808A	-	-	-	-	TU01C1901A	0.57	0.02	53,673	-	U-Q	-	-	-	-
TMB08C1901A	0.12	-	147,427	-	TU01C1901B	0.54	0.01	54,409	-	Warrant	-	-	-	-
TMB11C1904A	0.11	-	70,602	-	TU01P1808A	0.88	(0.02)	14,748	-	7UP-W2	0.19	0.04	1	-
TMB13C1811A	0.08	0.01	42,875	-	TU01P1901A	0.27	(0.01)	27,532	-	ACC-W1	0.03	-	3,056	-
TMB19C1901A	0.16	(0.01)	73,065	-	TU06C1902A	0.30	0.02	24,468	-	AJA-W1	0.17	-	602	-
TMB23C1810A	-	-	-	-	TU08C1811A	0.09	0.04	1,401	-	ALT-W1	0.73	0.02	1,093	-
TMB24C1809A	-	-	-	-	TU11C1902A	0.05	-	10,650	-	APURE-W2	0.17	0.01	27,232	-
TMB24C1901A	0.08	-	7,541	-	TU13C1809A	-	-	-	-	AQ-W4	-	-	-	-
TMB28C1808A	-	-	-	-	TU23C1902A	0.30	0.02	23,000	-	AS-W1	0.45	0.02	442	-
TMB28C1809A	-	-	-	-	TU24C1808A	-	-	-	-	AYUD-W1	2.40	(0.04)	15,035	2.00
TOA01C1901A	0.53	0.03	46,962	-	TU24C1901A	0.21	0.01	3,952	-	B-W3	-	-	-	-
TOA01C1901B	0.43	0.03	43,543	-	TU27C1807A	-	-	-	-	B-W4	0.22	(0.01)	24,184	-
TOA08C1902A	0.35	0.05	52,172	-	TV001C1809A	0.15	-	16,689	-	BTS-W3	0.02	(0.01)	175,641	-
TOA13C1812A	0.43	0.03	143,239	-	TV001C1809B	-	-	-	-	BWG-W4	0.08	-	3,343	-
TOA19C1901A	0.41	0.04	12,812	-	TVO08C1808A	0.01	-	5,000	-	CEN-W4	0.04	-	39,111	-
TOA24C1812A	0.36	0.05	3,017	-	TVO11C1903A	0.11	-	12,478	-	CGD-W4	0.21	-	70,282	-
TOA28C1812A	0.38	0.04	5,870	-	TVO13C1809A	-	-	-	-	CGH-W3	0.06	-	9,899	-
TOP01C1808A	0.08	0.03	62,382	-	TVO23C1808A	-	-	-	-	CI-W1	0.39	0.01	66	-
TOP01C1808B	0.01	-	1,250	-	TVO24C1810A	-	-	-	-	CKP-W1	0.37	0.01	27,563	-
TOP01C1901A	1.47	0.11	88,919	1.00	TVO28C1808A	-	-	-	-	CRANE-W1	-	-	-	-
TOP01C1901B	1.40	0.14	76,441	1.00	UNIQ01C1809A	0.12	0.01	5,854	-	CWT-W4	0.54	(0.01)	41,925	-
TOP01P1808A	1.10	(0.13)	19,533	1.00	UNIQ01C1810A	0.28	0.02	7,560	-	DCC-W1	0.68	-	51,985	-
TOP01P1901A	0.72	(0.06)	63,380	-	UNIQ01C1810B	0.10	-	700	-	DCON-W1	-	-	-	-
TOP06C1809A	0.04	0.01	9,201	-	UNIQ01P1809A	0.56	(0.01)	12,157	-	DIGI-W1	0.04	(0.01)	4,201	-
TOP06C1903A	1.15	0.14	24,289	1.00	UNIQ08C1808A	-	-	-	-	DIGI-W2	0.02	-	3,934	-
TOP07C1812A	-	-	-	-	UNIQ08C1810A	0.09	0.01	100	-	EARTH-W4	-	-	-	-
TOP08C1811A	0.14	0.02	65,105	-	UNIQ08C1906A	0.28	-	7,778	-	EIC-W2	0.02	-	3,793	-
TOP11C1808A	0.01	-	1,300	-	UNIQ11C1811A	0.11	-	907	-	EIC-W3	0.03	(0.01)	12	-
TOP11C1905A	1.05	0.11	46,901	1.00	UNIQ13C1809A	0.05	(0.01)	400	-	EIC-W4	-	-	-	-
TOP13C1811A	0.13	0.03	85,105	-	UNIQ13C1901A	0.28	-	5,610	-	EVER-W3	0.03	-	54,797	-
TOP13C1901A	0.66	0.11	170,386	-	UNIQ19C1811A	0.10	-	700	-	GJS-W3	0.03	-	1	-
TOP18C1808A	-	-	-	-	UNIQ23C1901A	0.12	-	2,000	-	GSTEL-W1	-	-	-	-
TOP19C1901A	0.48	0.07	38,808	-	UNIQ24C1811A	-	-	-	-	GSTEL-W2	-	-	-	-
TOP23C1811A	0.19	0.04	19,590	-	UNIQ28C1809A	0.03	-	2,000	-	IEC-W2	-	-	-	-
TOP24C1901A	-	-	-	-	UNIQ28C1811A	0.12	-	1	-	IHL-W1	4.90	0.30	140	4.00
TOP24C1902A	0.70	0.12	5,841	-	UV01C1807A	-	-	-	-	ITD-W1	0.12	-	9,525	-
TOP28C1810A	-	-	-	-	UV08C1807A	-	-	-	-	IVL-W2	-	-	-	-
TP101C1807A	-	-	-	-	UV13C1808A	0.01	-	1	-	JAS-W3	2.04	(0.02)	39,971	2.00
TP101C1807B	-	-	-	-	UV13C1812A	0.51	0.05	215,925	-	JCK-W5	-	-	-	-
TP101C1812A	0.21	-	34,236	-	UV23C1809A	-	-	-	-	JMART-W2	1.65	-	15,741	1.00
TP101C1812B	0.14	-	34,632	-	UV24C1807A	-	-	-	-	MIDA-W2	0.03	-	12,219	-
TP107C1812A	-	-	-	-	UV24C1812A	-	-	-	-	MILL-W3	0.03	(0.01)	1,152	-
TP108C1807A	-	-	-	-	UV28C1808A	-	-	-	-	MILL-W4	0.30	(0.01)	4,839	-
TP113C1809A	-	-	-	-	VGI01C1812A	0.55	0.02	27,772	-	MILL-W5	0.16	(0.05)	256,344	-
TP119C1901A	0.25	0.02	14,113	-	VGI06C1904A	5.75	(0.25)	400	5.00	ML-W2	0.02	-	3,533	-
TP123C1809A	0.01	-	18,360	-	VGI06C1904B	5.85	(0.10)	20	5.00	MONO-W1	0.66	0.01	21,989	-
TP124C1808A	-	-	-	-	VGI06C1904C	5.80	(0.15)	400	5.00	NEP-W3	0.12	-	13,602	-
TP124C1902A	0.10	(0.02)	249	-	VGI08C1811A	0.48	-	13,514	-	NOK-W1	0.99	(0.01)	127	-
TP128C1808A	-	-	-	-	VGI23C1905A	-	-	-	-	NPPG-W3	0.16	(0.03)	144,944	-
TPIP01C1810A	0.43	(0.02)	44,775	-	VGI23C1911A	-	-	-	-	NUSA-W3	-	-	-	-
TPIP01C1810B	0.19	-	1,940	-	VGI27C1812A	-	-	-	-	NVD-W1	0.24	(0.04)	28,507	-
TPIP01P1810A	0.57	0.03	13,751	-	VGI28C1810A	0.27	-	32,074	-	ORI-W1	2.68	0.06	14,289	2.00
TPIP08C1808A	0.01	-	13,688	-	WHA01C1807A	-	-	-	-	PACE-W1	-	-	-	-
TPIP11C1811A	0.10	(0.02)	5,218	-	WHA01C1807B	-	-	-	-	PACE-W2	0.11	0.01	33,895	-
TPIP13C1811A	0.25	(0.02)	6,564	-	WHA01C1812A	0.60	0.03	94,546	-	PDI-W1	1.53	-	66,857	1.00
TPIP23C1808A	-	-	-	-	WHA01C1812B	0.51	0.03	77,476	-	PDJ-W2	1.60	0.01	47	1.00
TPIP24C1901A	0.40	0.01	5	-	WHA01P1812A	0.64	(0.04)	42,146	-	PDJ-W3	1.52	0.03	104	1.00
TPIP27C1812A	-	-	-	-	WHA06C1809A	0.16	0.03	41,372	-	PDJ-W4	1.42	(0.02)	149	1.00
TRUE01C1808A	0.25	0.02	255,581	-	WHA07C1810A	-	-	-	-	PLE-W3	0.10	-	34,784	-
TRUE01C1808B	0.05	0.01	10,909	-	WHA08C1811A	0.19	0.02	32,796	-	RICH-W1	-	-	-	-
TRUE01C1902A	0.52	0.02	73,539	-	WHA11C1903A	0.24	0.02	37,321	-	RICHY-W1	0.30	(0.02)	10,842	-
TRUE01C1902B	0.44	0.02	96,339	-	WHA13C1808A	0.05	0.01	6,601	-	RICHY-W2	0.17	-	3,109	-
TRUE01P1808A	0.27	(0.03)	70,426	-	WHA13C1812A	0.47	0.04	242,845	-	RS-W3	8.85	0.15	342	8.00
TRUE01P1902A	0.52	(0.02)	16,463	-	WHA19C1901A	0.45	0.04	43,006	-	S-W1	0.15	-	6,904	-
TRUE01P1902B	0.39	(0.02)	60,641	-	WHA23C1810A	0.27	0.03	12,872	-	SAMART-W2	0.33	0.01	10,952	-
TRUE06C1811A	0.13	0.02	4,000	-	WHA24C1807A	-	-	-	-	SAWAD-W1	5.30	-	878	5.00
TRUE06C1906A	0.32	0.03	23,733	-	WHA24C1811A	0.13	0.02	5,000	-	SDC-W1	0.06	-	7,000	-
TRUE08C1809A	0.10	0.02	3,161	-	WHA28C1808A	-	-	-	-	SMM-W4	0.08	(0.02)	983	-
TRUE08C1902A	0.41	0.02	103,278	-	WHA28C1808B	0.01	-	1,902	-	SMT-W1	0.08	(0.01)	1,505	-
TRUE08P1809A	0.10	(0.02)	39,316	-	WHA28C1809A	0.40	0.05	41,728	-	SMT-W2	0.57	0.02	10,559	-
TRUE11C1807A	-	-	-	-	WHAU01C1810A	0.21	0.03	16,665	-	SPALI-W4	19.10	-	375	19.00
TRUE11C1905A	0.35	0.01	46,288	-	WHAU01C1810B	-	-	-	-	SPORT-W5	0.09	-	2,252	-
TRUE13C1807A	-	-	-	-	WHAU24C1812A	0.05	0.01	8	-	SUPER-W4	0.11	(0.01)	310,736	-
TRUE13C1810A	0.05	-	45,890	-	WORK01C1811A	0.73	0.04	69,839	-	SUSCO-W1	0.18	-	12,092	-
TRUE13C1812A	0.28	0.03	369,190	-	WORK01C1811B	0.52	0.03	65,080	-	SVI-W3	1.25	(0.02)	263	1.00
TRUE16C1812A	0.30	0.01	500	-	WORK08C1809A	0.01	-	40	-	TCC-W3	-	-	-	-
TRUE19C1901A	0.19	0.02	156,398	-	WORK08C1901A	0.60	0.05	13,488	-	TCC-W4	0.12	(0.01)	3,143	-
TRUE23C1902A	0.25	0.01	18,380	-	WORK11C1903A	0.20	0.02	24,577	-	TCC-W5	0.18	0.01	152	-
TRUE27C1809A	0.16	0.02	16,158	-	WORK13C1809A	-	-	-	-	TCJ-W2	1.14	0.01	28,758	1.00

Main Board Quotation

Issue Date :

Wednesday August 01, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE27P1809A	0.26	(0.01)	4,000	-	WORK13C1810A	0.03	0.01	10,534	-	TCMC-W2	0.33	(0.01)	13,040	-
TRUE28C1808A	-	-	-	-	WORK13C1811A	0.22	0.02	182,949	-	TFG-W1	1.52	0.01	586	1.00
TRUE28C1810A	-	-	-	-	WORK13C1812A	0.74	0.05	74,087	-	TFG-W2	0.84	(0.05)	53,606	-
TRUE28C1812A	0.23	0.03	98,400	-	WORK19C1811A	0.33	0.03	89,532	-	TH-W2	0.14	-	5,000	-
TTA01C1807A	-	-	-	-	WORK23C1807A	-	-	-	-	THE-W2	0.07	-	54,646	-
TTA01P1807A	-	-	-	-	WORK24C1810A	0.03	-	1	-	TNITY-W1	0.90	-	1,794	-
TTA08C1808A	-	-	-	-	WORK24C1812A	0.55	0.04	1,900	-	TNPC-W1	0.45	-	2,058	-
TTA08C1906A	0.34	0.01	26,886	-	WORK28C1808A	-	-	-	-	TRITN-W3	0.16	-	10,326	-
TSR-W1	0.48	-	5,506	-	PSTC-W1	0.27	-	1,447	-	-	-	-	-	-
TTA-W5	0.40	0.01	1,251	-	SIMAT-W2	0.47	0.02	409	-	-	-	-	-	-
TTCL-W1	1.09	0.07	105,667	1.00	SIMAT-W3	0.64	(0.01)	1,353	-	-	-	-	-	-
U-W1	-	-	-	-	SIMAT-W4	1.43	(0.01)	7,226	1.00	-	-	-	-	-
U-W4	0.01	-	10,200	-	SKY-W1	12.20	(0.30)	100	12.00	-	-	-	-	-
VGI-W1	-	-	-	-	STAR-W3	1.92	(0.14)	19,624	2.00	-	-	-	-	-
VIBHA-W2	1.36	0.02	3,804	1.00	T-W3	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.33	(0.01)	10,892	-	TAKUNI-W	0.20	0.01	4,155	-	-	-	-	-	-
WAVE-W1	0.41	(0.01)	630	-	TAPAC-W3	2.68	0.06	3,890	2.00	-	-	-	-	-
WHA-W1	6.45	0.05	4,277	6.00	TMILL-W1	1.07	0.01	794	1.00	-	-	-	-	-
WORK-W1	12.00	0.60	126	12.00	TSF-W4	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W5	0.03	-	52	-	-	-	-	-	-
BH-P	-	-	-	-	TVD-W2	0.53	-	12,677	-	-	-	-	-	-
CSC-P	-	-	-	-	UAC-W2	0.87	-	5,482	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UKEM-W2	0.54	-	2,992	-	-	-	-	-	-
KTB-P	-	-	-	-	UWC-W2	0.01	-	349,390	-	-	-	-	-	-
SCB-P	-	-	-	-	XO-W1	5.15	(0.10)	2,670	5.00	-	-	-	-	-
TCAP-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TIC-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	0.03	-	113,646	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.15	0.01	5,088	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	2.92	(0.18)	3,389	3.00	-	-	-	-	-	-	-	-	-	-
AIRA-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.06	-	1,693	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.82	(0.02)	2,510	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.19	(0.04)	549	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.09	0.01	27,194	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	0.02	(0.01)	2,055	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.17	(0.02)	315,294	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.01	0.01	497	1.00	-	-	-	-	-	-	-	-	-	-
ECF-W2	3.98	-	3,187	4.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	2.90	-	6,570	2.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.01	-	55,381	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.02	-	8,559	-	-	-	-	-	-	-	-	-	-	-
FC-W1	0.06	(0.01)	15,061	-	-	-	-	-	-	-	-	-	-	-
FC-W2	0.03	-	2,187	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.27	-	19,085	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.41	(0.01)	477	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.35	-	52,153	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	2.94	0.14	92,436	2.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.38	0.10	1,811	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.05	(0.01)	2,672	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.11	-	66,845	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W5	0.01	-	2,010	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOL-W1	0.05	(0.02)	19,598	-	-	-	-	-	-	-	-	-	-	-
PIMO-W1	1.99	0.01	3,826	2.00	-	-	-	-	-	-	-	-	-	-
PPS-W1	0.79	0.02	142	-	-	-	-	-	-	-	-	-	-	-