

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :
Thursday August 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.10	(0.30)	3,461	10.15	SE-ED	2.86	(0.04)	65	2.86
POMPUI	-	-	-	-	ILINK	5.30	0.10	7,840	5.31	SMM	0.85	(0.01)	721	0.86
SAFARI	-	-	-	-	INET	3.78	(0.04)	2,299	3.81	SPORT	0.53	(0.02)	769	0.54
VI	-	-	-	-	INTUCH	56.00	(0.75)	75,810	56.33	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	5.15	(0.20)	388,780	5.22	TH	0.63	0.01	180	0.62
WR	-	-	-	-	JASIF	10.30	0.10	53,014	10.30	TKS	10.60	(0.20)	11,329	10.60
Agribusiness					JMART	8.60	(0.05)	14,027	8.66	TRITN	0.30	(0.01)	150,581	0.31
CHOTI	-	-	-	-	JTS	1.58	-	95	1.56	VGI	7.10	-	64,335	7.14
EE	0.74	(0.02)	46,884	0.73	MFEC	4.02	-	333	4.01	WAVE	-	-	-	-
GFPT	13.40	(0.20)	14,225	13.42	MSC	6.00	-	266	5.93	WORK	45.50	(2.25)	45,922	46.11
LEE	2.80	(0.02)	1,084	2.81	PT	6.75	-	5,213	6.76	Finance & Securities	-	-	-	-
STA	11.10	(0.20)	24,986	11.13	SAMART	7.25	-	4,675	7.19	AEC	0.49	(0.01)	918	0.50
TLUXE	6.10	(0.05)	13,153	6.21	SAMTEL	8.50	(0.05)	239	8.54	AEONTS	166.50	(1.50)	3,823	167.02
TRUBB	1.67	-	493	1.66	SDC	0.24	-	6,797	0.24	AMANAH	2.08	-	505,307	2.12
TWPC	9.30	0.05	1,125	9.29	SIS	8.95	0.05	3,181	8.90	ASAP	6.20	(0.30)	39,462	6.32
UPOIC	4.22	0.04	71	4.18	SVOA	1.39	(0.04)	37,359	1.40	ASK	22.90	(0.10)	517	22.93
UVAN	7.65	(0.05)	3,552	7.63	SYMC	5.05	(0.05)	43	5.10	ASP	3.88	-	30,092	3.88
VPO	0.66	(0.02)	3,054	0.67	SYNEX	14.10	-	26,382	14.19	BFIT	28.25	(0.50)	1,684	28.24
Banking					THCOM	8.75	0.45	127,249	8.85	CGH	1.08	-	3,413	1.08
BAY	39.50	(0.50)	3,209	39.62	TRUE	6.35	(0.05)	607,589	6.32	CNS	2.64	-	701	2.64
BBL	203.00	(3.00)	35,572	203.75	TWZ	0.13	-	7,514	0.13	ECL	2.00	(0.08)	268,727	2.01
CIMBT	0.88	-	19,649	0.88	Electronic Componer	-	-	-	-	FNS	4.60	(0.02)	917	4.61
KBANK	212.00	(5.00)	110,925	212.43	CCET	2.22	0.02	123,687	2.27	FSS	2.48	(0.06)	1,125	2.48
KKP	73.75	(1.00)	53,596	74.07	DELTA	70.75	-	29,096	70.54	GBX	0.67	-	452	0.67
KTB	19.00	(0.30)	384,029	19.04	EIC	0.05	-	3,117	0.05	GL	7.40	0.75	579,063	7.97
LHFG	1.60	(0.01)	27,318	1.60	HANA	36.00	-	41,226	35.73	IFS	3.04	(0.02)	3,027	3.04
SCB	141.00	-	144,808	140.68	KCE	41.25	1.00	85,581	40.32	JMT	27.25	(0.50)	3,316	27.37
TCAP	51.50	-	28,630	51.41	METCO	190.50	0.50	12	190.50	KCAR	13.90	(0.10)	576	13.94
TISCO	79.00	0.50	64,418	79.19	SMT	2.34	(0.04)	3,859	2.35	KGI	4.24	0.02	28,580	4.21
TMB	2.28	-	2,571,363	2.28	SPPT	4.14	(0.06)	898	4.17	KTC	29.00	-	220,374	28.93
Construction Materia					SVI	4.18	(0.04)	27,621	4.19	MBKET	13.30	-	4,892	13.31
CCP	0.40	(0.01)	3,308	0.40	TEAM	1.18	0.03	90,022	1.19	MFC	15.40	-	764	15.38
COTTO	-	-	-	-	Energy & Utilities	-	-	-	-	ML	1.06	0.05	18,281	1.04
DCC	2.08	-	60,261	2.09	ABPIF	8.50	-	781	8.55	MTC	38.75	(1.00)	82,852	38.97
DCON	0.56	-	5,407	0.56	AI	-	-	-	-	PE	0.33	-	14	0.33
DRT	5.80	0.05	2,429	5.75	AKR	1.09	(0.01)	63,142	1.09	PL	3.54	(0.02)	1,589	3.54
EPG	8.10	(0.10)	156,237	8.14	BAFS	35.00	(0.50)	2,094	35.22	S11	7.90	0.15	4,652	7.83
GEL	0.33	-	30,262	0.33	BANPU	20.90	(0.50)	726,239	21.01	SAWAD	36.75	(1.75)	189,750	37.09
PPP	3.62	(0.02)	192	3.59	BCP	35.50	(0.50)	51,728	35.55	THANI	8.05	-	89,279	7.98
Q-CON	5.55	(0.05)	52	5.55	BCPG	18.20	(0.10)	62,569	18.12	TK	11.50	(0.20)	3,290	11.47
RCI	2.84	-	6,458	2.87	BGRIM	25.25	(0.25)	64,649	25.09	TNITY	6.10	0.05	846	6.05
SCC	454.00	(2.00)	14,185	454.10	BPP	24.20	(0.40)	10,932	24.29	UOBKH	-	-	-	-
SCCC	238.00	-	818	238.81	BRRGIF	10.20	-	1,351	10.20	ZMICO	1.04	0.01	2,164	1.03
SCP	8.10	0.05	1,324	8.05	CKP	4.06	(0.04)	90,826	4.07	Food & Beverage	-	-	-	-
SKN	5.55	0.15	4,634	5.41	DEMCO	4.08	(0.08)	1,020	4.10	APURE	1.36	-	9,378	1.37
TASCO	15.00	(0.20)	42,124	15.02	EA	36.00	(1.25)	156,811	36.24	ASIAN	9.00	1.05	1,415,280	9.13
TCMC	2.62	(0.02)	12,532	2.61	EARTH	-	-	-	-	BR	5.70	-	8,822	5.69
TOA	38.75	(0.75)	14,832	38.88	EASTW	11.10	-	3,350	11.10	BRR	6.75	-	1,679	6.75
TPIPL	1.89	-	86,100	1.88	EGATIF	10.80	-	20,393	10.81	CBG	47.50	(0.50)	11,818	47.30
UMI	1.27	(0.01)	11,431	1.29	EGCO	231.00	1.00	5,695	230.40	CFRESH	4.50	0.04	8,318	4.61
VNG	7.95	-	838	7.97	ESSO	14.70	(0.10)	67,472	14.67	CM	4.78	0.14	134,134	4.88
WIHK	2.68	(0.02)	14,457	2.69	GLOW	93.50	(0.50)	19,257	93.68	CPF	26.75	(0.75)	524,916	26.64
Petrochemicals & Ch					GPSC	69.25	(1.00)	9,905	69.40	CPI	1.75	0.02	2,578	1.75
CMAN	3.50	(0.04)	153,615	3.60	GULF	64.25	(0.50)	12,540	64.06	F&D	17.00	1.00	11	16.78
GC	5.15	(0.05)	1,372	5.21	GUNKUL	2.96	(0.06)	50,572	2.99	HTC	19.30	(0.40)	6,479	19.55
GGC	10.70	0.10	37,245	10.71	IEC	-	-	-	-	ICHI	4.88	(0.02)	10,922	4.90
GIFT	4.02	(0.02)	3,078	4.02	IFEC	-	-	-	-	KBS	4.42	-	588	4.39
IVL	60.50	-	91,965	60.31	IRPC	6.55	(0.05)	1,025,729	6.56	KSL	3.32	(0.02)	5,791	3.32
NFC	11.70	(0.10)	1,061	11.74	LANNA	15.60	(0.10)	1,492	15.62	KTIS	5.95	0.05	57	5.92
PATO	15.00	-	409	14.98	MDX	4.22	0.08	5,248	4.19	LST	5.15	(0.05)	63,322	5.24
PMTA	16.50	0.10	41	16.46	PTG	15.30	-	86,886	15.39	M	72.25	(0.50)	9,887	72.53
PTTGC	85.00	0.50	301,887	84.62	PTT	52.00	(0.50)	774,962	51.86	MALEE	15.30	(0.30)	28,989	15.30
SUTHA	4.14	0.02	36	4.16	PTTEP	140.00	(2.50)	104,027	139.95	MINT	38.00	(0.50)	165,653	37.91
TCB	56.50	0.25	655	56.73	RATCH	51.50	-	5,959	51.60	OISHI	95.00	0.25	27	94.49
TCCC	35.25	(0.75)	128	35.99	RPC	0.55	-	1,013	0.55	PB	61.50	-	9	61.39
TPA	6.35	0.05	18	6.35	SCG	4.72	(0.02)	138	4.71	PM	10.40	0.10	5,763	10.34
UP	-	-	-	-	SCI	3.36	0.12	124,058	3.33	PRG	-	-	-	-
VNT	24.00	(0.30)	20,516	24.12	SCN	3.76	(0.04)	20,763	3.80	SAPPE	26.00	-	2,764	25.79
WG	-	-	-	-	SGP	12.00	(0.30)	454,259	12.21	SAUCE	21.70	(0.20)	30	21.73
YCI	-	-	-	-	SKE	1.29	(0.02)	9,596	1.30	SFP	-	-	-	-
Commerce					SOLAR	2.40	(0.10)	48,924	2.44	SNP	20.80	(0.80)	37	20.77
BEAUTY	7.40	-	849,334	7.41	SPCG	20.80	(0.20)	14,898	20.87	SORKON	-	-	-	-
BIG	2.20	(0.10)	226,712	2.30	SPRC	15.00	-	136,974	14.84	SSC	39.75	0.75	3	40.00
BJC	55.50	(0.50)	38,026	55.75	SUPER	0.73	(0.01)	663,071	0.74	SSF	8.50	-	35	8.50
COL	27.75	(0.25)	2,746	27.80	SUSCO	3.38	-	24,675	3.37	SST	5.85	(0.05)	135	5.89
COM7	18.10	(0.10)	28,295	18.05	TAE	2.12	(0.02)	2,167	2.13	TC	3.08	(0.08)	78	3.10
CPALL	74.75	(1.00)	187,611	75.25	TCC	0.38	-	9,978	0.38	TFG	4.06	(0.06)	18,233	4.12
CSS	2.18	-	3,243	2.17	TOP	82.25	(0.75)	60,640	82.50	TFMAMA	156.00	1.00	13	155.42
FN	3.20	0.22	182,170	3.20	TRIPP	6.05	(0.05)	90,412	6.07	TIPCO	9.90	(0.20)	10,927	9.97
FTE	2.26	-	4,121	2.25	TTW	12.50	0.10	20,408	12.47	TKN	15.90	(0.10)	54,053	15.98
GLOBAL	17.00	(0.60)	68,744	17.30	WHAUP	5.85	(0.10)	46,963	5.85	TU	17.10	-	155,917	16.84
HMPRO	14.60	(0.10)	158,744	14.61	WP	7.75	(0.10)	79,490	7.89	TVO	30.25	0.50	30,639	29.93
IT	4.86	(0.04)	1,429	4.88	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	5.05	0.35	115,942	4.99	AMARIN	5.00	-	2,473	5.03	AHC	20.60	0.20	1	20.60
LOXLEY	2.22	(0.02)	26,788	2.22	AQUA	0.50	-	125,523	0.50	BCH	16.40	(0.20)	70,469	16.37
MAKRO	36.50	(0.50)	4,711	36.75	AS	1.48	(0.01)	26	1.48	BDMS	27.00	(0.25)	411,293	27.01
MC	12.20	-	5,174	12.25	BEC	9.25	0.05	97,462	9.30	BH	182.00	(1.50)	11,940	181.47
MEGA	40.50	-	12,011	40.49	EPCO	4.84	(0.02)	13,426	4.85	CHG	2.22	(0.06)	163,769	2.25
MIDA	0.63	0.01	2,496	0.62	FE	-	-	-	-	CMR	3.28	(0.04)	921	3.28
ROBINS	63.00	(0.25)	33,156	63.09	GPI	2.90	-	1,560	2.90	EKH	5.15	(0.05)	3,765	5.16
RSP	4.96	(0.04)	868	4.97	GRAMMY	8.20	-	12	8.21	KDH	101.00	-	24	100.88
SINGER	9.50	0.35	6,233	9.34	MACO	1.77	(0.03)	24,509	1.79	LPH	6.15	-	13,568	6.11
SPC	55.25	-	10	55.45	MAJOR	25								

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :*Thursday August 02, 2018*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	3.04	-	809	3.03	MJD	3.22	(0.04)	573	3.24	CPT	2.80	-	19,911	2.80
Tourism & Leisure					MK	4.48	-	13,881	4.47	CRANE	2.88	0.22	5,258	2.82
ASIA	6.80	-	132	6.81	NCH	0.90	0.01	1,251	0.89	CTW	8.15	(0.05)	319	8.16
CENTEL	43.25	(0.75)	22,446	43.66	NNCL	1.70	0.02	17,484	1.70	FMT	25.75	-	1	25.75
CSR	102.50	0.50	2	102.25	NOBLE	12.10	-	541	12.10	HTECH	7.70	(0.10)	14,552	7.76
DTC	12.00	(0.20)	5,368	12.08	NUSA	0.30	(0.01)	265,857	0.30	KKC	1.74	0.01	1,007	1.73
ERW	7.20	(0.15)	61,404	7.20	NVD	3.84	-	1,667	3.87	PK	4.16	0.36	408,753	4.17
GRAND	0.92	(0.01)	2,478	0.93	ORI	18.90	(0.10)	47,651	18.87	SNC	14.90	(0.10)	16,288	14.96
LRH	36.00	0.50	2	35.75	PACE	0.49	(0.01)	214,346	0.49	TCJ	6.35	(0.05)	117	6.40
MANRIN	32.75	-	110	32.39	PF	0.94	(0.02)	1,045,773	0.93	VARO	7.25	0.20	12	7.18
OHTL	-	-	-	-	PLAT	7.45	(0.15)	33,779	7.52	Property Fund & REI				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.00	-	1,956	10.09
SHANG	71.00	-	48	71.00	PRECHA	1.35	(0.05)	131	1.36	AMATAR	10.60	0.10	262	10.60
Home & Office Prod.					PRIN	1.66	-	5,842	1.66	B-WORK	10.60	0.10	1,789	10.57
ACC	0.47	-	25,513	0.45	PRINC	5.20	(0.05)	10,279	5.17	BKKCP	-	-	-	-
AJA	0.39	0.02	289,800	0.40	PSH	21.00	0.30	15,584	20.92	BOFFICE	12.50	-	10,260	12.60
DTCI	-	-	-	-	QH	3.64	0.18	2,618,087	3.56	CPNCG	15.10	0.10	10,384	15.10
FANCY	1.02	(0.01)	13,319	1.02	RICHY	1.79	0.02	31,703	1.78	CPNREIT	24.60	0.20	6,366	24.50
KYE	422.00	(4.00)	99	422.93	RML	1.42	0.01	243,667	1.43	CPTGF	13.30	-	5,022	13.30
L&E	2.72	-	1,482	2.70	ROJNA	5.65	0.10	38,870	5.64	CRYSTAL	10.30	-	760	10.30
MODERN	4.62	0.04	5,940	4.61	S	3.00	(0.04)	153,681	2.99	CTARAF	4.70	-	426	4.68
OGC	-	-	-	-	SAMCO	2.24	-	175	2.24	DREIT	5.50	-	136	5.51
ROCK	-	-	-	-	SC	3.58	(0.04)	42,944	3.60	ERWPF	5.65	(0.05)	11	5.65
SIAM	1.90	(0.02)	3,512	1.90	SENA	3.78	(0.02)	22,105	3.79	FUTUREPF	21.30	-	2,498	21.30
TSR	2.32	-	3,548	2.31	SF	8.10	-	14,920	8.07	GAHREIT	9.75	0.05	152	9.73
Insurance					SIRI	1.65	(0.03)	1,398,306	1.66	GLANDRT	12.50	0.10	1,007	12.50
AYUD	38.75	-	38	39.07	SPALI	23.60	(0.20)	21,792	23.66	GOLDPF	-	-	-	-
BKI	350.00	-	30	350.03	TICON	16.40	(0.10)	557	16.48	GVREIT	14.70	0.30	12,552	14.58
BLA	33.00	(0.75)	3,279	33.21	U	0.03	-	688,916	0.02	HPF	5.45	0.05	473	5.36
BUI	-	-	-	-	UV	8.05	(0.15)	62,798	8.11	HREIT	6.45	-	1,280	6.45
CHARAN	34.00	-	2,002	32.13	WHA	3.98	(0.02)	928,818	4.00	IMPACT	17.50	(0.10)	9,609	17.50
INSURE	-	-	-	-	WIN	0.59	(0.02)	12,755	0.61	KPNPF	-	-	-	-
MTI	-	-	-	-	Paper & Printing Mat					LHHOTEL	15.50	(0.20)	190	15.52
NKI	54.00	-	5	54.00	UTP	11.70	-	6,124	11.71	LHPF	8.45	-	2	8.45
NSI	84.00	1.00	10	84.00	Fashion					LHSC	15.90	0.20	1,090	15.84
SMK	41.25	(0.50)	12	41.04	AFC	-	-	-	-	LUXF	8.20	(0.05)	281	8.20
THRE	1.19	0.01	5,352	1.18	BTNC	-	-	-	-	M-II	-	-	-	-
THREL	8.05	(0.05)	3,053	8.10	CPH	5.70	-	5	5.70	M-PAT	-	-	-	-
TIC	34.25	0.25	2,840	34.24	CPL	-	-	-	-	M-STOR	10.20	(0.10)	68	10.20
TIP	23.60	(0.10)	2,785	23.65	DIGI	0.43	-	7,165	0.43	MIPF	22.00	0.50	1	22.00
TSI	0.52	0.02	12,796	0.52	ICC	-	-	-	-	MIT	5.10	0.10	1	5.10
TVI	3.70	(0.04)	1,031	3.72	LTX	99.50	3.75	369	100.96	MJLF	12.60	0.10	102	12.50
Mining					NC	-	-	-	-	MINIT	1.65	-	36	1.65
PDI	18.70	(0.30)	4,264	18.84	PAF	0.89	0.02	37,118	0.91	MINIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.86	(0.02)	1,781	2.88	MNRF	-	-	-	-
Packaging					PG	-	-	-	-	MONTRI	-	-	-	-
AJ	10.50	-	1,519	10.50	SABINA	30.75	-	91	30.46	POPF	13.80	-	663	13.83
ALUCON	192.50	0.50	9	192.50	SAWANG	-	-	-	-	PPF	11.20	-	421	11.20
CSC	45.00	0.25	41	44.74	SUC	45.00	-	928	44.94	QHHR	8.50	0.05	1,083	8.45
NEP	0.43	0.01	6,974	0.43	TNL	18.90	0.60	3	18.63	QHOP	3.62	0.06	8	3.61
NPPG	1.24	0.07	272,053	1.25	TPCORP	15.20	0.10	1	15.20	QHPP	12.40	-	3,203	12.30
PTL	17.00	(0.10)	13,910	17.18	TR	47.00	(0.50)	229	47.01	SBPF	3.04	0.04	1	3.04
SITHAI	1.23	0.09	239,100	1.30	TTI	-	-	-	-	SHREIT	9.25	-	200	9.25
SLP	0.90	(0.02)	7,753	0.92	TTL	-	-	-	-	SIRIP	-	-	-	-
SMPC	13.00	0.10	534	12.90	TTTT	148.50	4.50	39	147.46	SPF	23.40	-	10,221	23.31
SPACK	1.95	-	39	1.95	UPF	70.00	-	6	70.00	SRIPANWA	-	-	-	-
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	10.00	-	100	10.00
TFI	0.38	-	2	0.37	WACOAL	-	-	-	-	SSTPF	6.60	-	31	6.50
THIP	36.00	-	210	35.83	Transportation & Log					SSTRT	6.30	-	68	6.28
TMD	22.00	-	138	21.60	AAV	4.58	(0.04)	163,896	4.59	TIF1	8.60	(0.05)	101	8.59
TOPP	216.00	1.00	1	216.00	AOT	66.00	(1.00)	287,087	65.81	TLGF	19.00	-	11,792	19.21
TPBI	8.35	0.05	1,258	8.31	ASIMAR	2.92	-	1,986	2.94	TLHPF	11.40	0.20	91	11.10
TPP	-	-	-	-	B	0.70	(0.03)	6,433	0.71	TNPF	3.70	-	74	3.72
Personal Products &					BA	12.70	(0.20)	7,101	12.80	TPRIME	12.30	0.10	3,001	12.24
APCO	4.46	-	1,172	4.45	BEM	8.30	-	226,169	8.26	TREIT	11.40	0.10	21,113	11.44
DDD	47.75	(0.75)	1,826	48.09	BTS	9.20	0.05	200,444	9.14	TTLPF	23.60	(0.20)	141	23.41
JCT	88.50	(2.50)	18	88.78	BTSGIF	12.10	-	173,219	12.10	TU-PF	1.70	(0.29)	100	1.70
OCC	17.10	-	40	17.11	III	4.92	-	31,035	4.94	URBNPF	3.10	(0.06)	337	3.05
S & J	-	-	-	-	JUTHA	1.79	-	260	1.80	WHABT	10.10	0.10	91	10.10
STHAI	-	-	-	-	JWD	7.40	0.25	104,511	7.39	WHART	10.20	-	10,986	10.29
TNR	13.00	0.20	252	13.03	KWC	-	-	-	-	Steel	-	-	-	-
TOG	5.15	-	245	5.15	NOK	2.68	-	2,686	2.67	AMC	2.78	(0.02)	1,339	2.77
Professional Service					NYT	5.35	(0.05)	2,973	5.36	BSBM	1.16	-	912	1.15
BWG	1.03	(0.01)	170,698	1.04	PRM	7.15	-	109,682	7.20	CEN	1.30	(0.01)	2,223	1.30
GENCO	0.81	-	27,053	0.82	PSL	12.30	-	36,285	12.15	CITY	2.64	0.04	1,426	2.62
PRO	-	-	-	-	RCL	5.60	(0.20)	13,668	5.66	CSP	1.40	(0.02)	5	1.40
TEAMG	2.34	(0.02)	65,412	2.36	THAI	14.20	0.10	15,962	14.20	GJS	0.32	0.01	16,164	0.32
Property Developme					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.65	(0.05)	1,450	6.67	TTA	7.35	-	6,101	7.32	INOX	1.08	(0.01)	1,379	1.08
AMATA	20.40	0.10	278,829	20.53	WICE	4.10	(0.06)	26,470	4.14	LHK	4.96	-	1,566	4.96
AMATAV	6.65	(0.05)	1,543	6.67	Automotive					MAX	0.02	-	151,766	0.02
ANAN	4.98	(0.12)	160,765	5.02	AH	34.75	0.25	9,963	34.31	MCS	8.20	(0.10)	4,270	8.23
AP	9.10	(0.10)	92,699	9.15	APCS	5.30	(0.05)	2,236	5.21	MILL	1.56	(0.01)	29,074	1.55
APEX	0.20	(0.01)	35,279	0.20	BAT-3K	210.00	2.00	1	210.00	PAP	4.28	-	929	4.30
AQ	0.03	-	283,217	0.03	CWT	3.26	-	3,774	3.26	PERM	2.54	(0.06)	4,663	2.54
BLAND	1.90	(0.02)	539,472	1.90	EASON	2.80	-	2,580	2.78	RICH	-	-	-	-
BROCK	2.40	0.04	203	2.39	GYT	386.00	1.00	26	385.12	SAM	0.74	(0.01)	6,309	0.74
CGD	1.44	-	53,816	1.45	HFT	3.28	-	4,118	3.28	SMIT	5.95	(0.05)	4,751	5.89
CI	1.59	-	50,010	1.59	IHL	8.75	0.25	4,592	8.70	SSI	-	-	-	-
CPN	78.75	0.75	68,098	78.47	INGRS	0.77	-	10,790	0.77	SSSC	2.92	(0.02)	2,500	2.91
ESTAR	0.67	(0.02)	21,576	0.68	IRC	20.50	-	47	20.51	TGPRO	0.17	(0.02)	86,648	0.17
EVER	0.40	-	43,275	0.40	PCSGH	7.35	0.10	14,356	7.36	THE	3.78	-	121,777	3.78
GLAND	2.62	(0.08)	223,239	2.60	SAT	23.20	0.20	12,983	23.09	TIW	400.00	-	119	398.86
GOLD	10.60	-	36,341	10.56	SPG	14.70	-	137	14.63	TMT	14.80	-	167	14.79
GREEN	1.27	0.01	23,097	1.29	STANLY	283.00	(5.00)	469	284.73	TSST	0.74	0.01	3,488	0.73
J	1.70	-	1,639	1.68	TKT	1.67	0.06	38,229	1.71	TWP	4.10	(0.02)	1,091	4.01
JCK	1.50	-	7,175	1.49	TNCP	1.63	(0.01)	1,132	1.64	TYCN	2.76	0.02	1	2.76
KC	-													

Main Board Quotation

Issue Date :

Thursday August 02, 2018

Table with 5 main columns: Securities, Close, Change, Volume (Lot), Average Price. Includes categories like MAI, Agro & Food Indust, Consumer Products, Financials (MAI), Industrials (MAI), Property & Construc, and Resources (MAI).

Main Board Quotation

Issue Date :

Thursday August 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP24P1808A	-	-	-	-	BEC13C1808A	-	-	-	-	BTS24C1901A	0.23	0.02	1	-
BANP24P1901A	-	-	-	-	BEC13C1811A	0.24	-	91,708	-	BTS28C1809A	0.17	(0.01)	32,252	-
BANP27C1809A	0.17	(0.02)	51,248	-	BEC13C1901A	0.50	-	108,488	-	BTS28C1811A	-	-	-	-
BANP28C1809A	-	-	-	-	BEC19C1809A	-	-	-	-	BTS42C1901A	0.22	(0.01)	3,014	-
BANP28C1810A	0.29	(0.05)	243,620	-	BEC23C1807A	-	-	-	-	BTS42P1901A	0.33	(0.01)	4,016	-
BBL06C1902A	0.83	(0.05)	12,722	-	BEC23C1809A	-	-	-	-	CBG01C1809A	0.01	-	401	-
BBL08C1808A	0.03	(0.01)	13,458	-	BEC24C1809A	-	-	-	-	CBG01C1811A	0.36	(0.01)	37,831	-
BBL08C1809A	0.10	(0.01)	26,815	-	BEC24C1812A	-	-	-	-	CBG01C1811B	0.15	(0.01)	14,994	-
BBL08C1902A	0.66	(0.35)	9,830	-	BEC28C1808A	-	-	-	-	CBG01P1811A	1.16	0.04	15,539	1.00
BBL08P1810A	0.13	0.02	48,227	-	BEC28C1809A	-	-	-	-	CBG01P1811B	0.73	0.03	19,283	-
BBL11C1903A	0.55	(0.06)	14,554	-	BEC28C1811A	0.41	0.01	362,896	-	CBG06C1807A	-	-	-	-
BBL11P1903A	0.40	0.02	21,485	-	BEM01C1808A	0.42	(0.01)	36,822	-	CBG06C1809A	-	-	-	-
BBL13C1810A	0.47	(0.04)	7,764	-	BEM01C1808B	0.05	(0.03)	100	-	CBG06C1903A	0.61	(0.02)	10,492	-
BBL13C1901A	0.31	(0.69)	15,911	-	BEM01P1808A	0.10	-	5,560	-	CBG06P1809A	1.45	0.08	4,200	1.00
BBL19C1901A	0.30	(0.03)	25,148	-	BEM08C1809A	0.22	(0.02)	78,625	-	CBG07C1812A	-	-	-	-
BBL23C1811A	0.26	(0.03)	13,000	-	BEM11C1903A	0.27	-	32,080	-	CBG08C1808A	-	-	-	-
BBL24C1809A	0.04	(0.01)	3	-	BEM13C1809A	0.23	(0.01)	101,964	-	CBG08C1810A	0.02	(0.01)	7,930	-
BBL24C1812A	0.70	(0.08)	2	-	BEM19C1901A	0.37	-	13,983	-	CBG08C1902A	0.39	(0.61)	32,934	-
BBL24P1810A	-	-	-	-	BEM23C1901A	0.21	(0.02)	1,350	-	CBG11C1902A	0.10	(0.01)	2,721	-
BBL27C1809A	0.12	(0.01)	5,177	-	BEM24C1809A	-	-	-	-	CBG13C1808A	-	-	-	-
BBL28C1808A	-	-	-	-	BEM28C1808A	0.11	(0.01)	77,897	-	CBG13C1809A	-	-	-	-
BBL28C1811A	0.53	(0.06)	40,048	-	BGR101C1901A	0.94	(0.03)	3,867	-	CBG13C1811A	0.10	(0.01)	11,111	-
BCH01C1808A	0.35	(0.01)	104,723	-	BGR101C1901B	0.81	(0.03)	2,401	-	CBG13C1812A	0.21	(0.01)	44,001	-
BCH01C1808B	-	-	-	-	BGR108C1902A	0.67	(0.03)	6,293	-	CBG18C1808A	-	-	-	-
BCH01P1808A	0.26	0.02	14,770	-	BGR13C1812A	0.68	(0.03)	1,850	-	CBG19C1810A	-	-	-	-
BCH06C1811A	0.16	(0.01)	7,200	-	BGR13C1812B	0.20	(0.01)	14,921	-	CBG19C1901A	0.44	(0.02)	5,276	-
BCH08C1901A	0.29	(0.02)	42,888	-	BGR19C1901A	0.56	(0.03)	7,230	-	CBG23C1901A	0.10	(0.01)	6,800	-
BCH11C1807A	-	-	-	-	BGR124C1901A	0.61	(0.03)	6,501	-	CBG24C1807A	-	-	-	-
BCH11C1905A	0.26	(0.02)	11,152	-	BGR128C1812A	0.66	-	6,663	-	CBG24C1809A	-	-	-	-
BCH13C1810A	0.09	(0.02)	15,389	-	BH01C1811A	0.63	(0.03)	30,686	-	CBG24C1811A	0.13	(0.02)	100	-
BCH19C1809A	0.09	(0.01)	2,627	-	BH01C1811B	0.21	(0.02)	34,989	-	CBG28C1808A	-	-	-	-
BCH23C1811A	0.23	(0.01)	15,000	-	BH01P1811A	1.35	0.03	19,266	1.00	CBG28C1808B	-	-	-	-
BCH24C1811A	-	-	-	-	BH07C1810A	0.02	-	18	-	CBG28C1811A	0.09	(0.01)	10,343	-
BCH28C1811A	0.18	(0.02)	126,840	-	BH08C1811A	0.05	-	6,300	-	CENT01C1810A	0.26	(0.03)	44,218	-
BCP01C1810A	0.23	(0.01)	95,596	-	BH11C1902A	-	-	-	-	CENT01C1810B	0.10	(0.01)	22,230	-
BCP01C1810B	0.10	(0.01)	29,000	-	BH11C1905A	0.69	(0.03)	5,610	-	CENT01P1810A	0.98	0.02	21,555	-
BCP01P1810A	0.40	-	25,941	-	BH19C1901A	0.67	(0.03)	16,612	-	CENT08C1809A	0.02	(0.01)	16,264	-
BCP08C1901A	0.29	(0.01)	24,599	-	BH24C1809A	-	-	-	-	CENT11C1904A	0.24	(0.02)	15,970	-
BCP11C1811A	0.11	(0.01)	11,426	-	BH24C1811A	-	-	-	-	CENT13C1811A	0.07	-	500	-
BCP13C1810A	0.07	(0.01)	1,000	-	BH24C1902A	0.58	(0.04)	6,062	-	CENT23C1902A	0.24	(0.01)	9,000	-
BCP24C1808A	-	-	-	-	BIG08C1807A	-	-	-	-	CENT24C1807A	-	-	-	-
BCP24C1811A	-	-	-	-	BIG08C1906A	0.30	(0.05)	41,037	-	CENT24C1810A	-	-	-	-
BCP28C1809A	0.02	(0.01)	400	-	BIG13C1808A	-	-	-	-	CENT24C1901A	0.28	(0.02)	2,200	-
BCP28C1809B	-	-	-	-	BIG13C1901A	0.21	(0.04)	84,553	-	CENT28C1808A	-	-	-	-
BCPG01C1811A	0.38	-	72,638	-	BIG19C1811A	0.15	(0.02)	14,758	-	CHG01C1809A	0.32	(0.04)	6,333	-
BCPG01C1811B	0.17	(0.02)	25,077	-	BIG24C1808A	-	-	-	-	CHG01C1809B	0.33	(0.09)	6,880	-
BCPG06C1807A	-	-	-	-	BIG24C1812A	0.16	(0.02)	16,660	-	CHG01P1809A	0.20	0.03	13,260	-
BCPG06C1811A	0.21	(0.01)	6,990	-	BJC01C1807A	-	-	-	-	CHG08C1807A	-	-	-	-
BCPG08C1810A	0.20	(0.02)	17,595	-	BJC01C1807B	-	-	-	-	CHG11C1807A	-	-	-	-
BCPG11C1807A	-	-	-	-	BJC01C1812A	0.64	(0.02)	17,783	-	CHG11C1904A	0.20	(0.01)	2,340	-
BCPG11C1902A	0.14	(0.02)	3,313	-	BJC01C1812B	0.50	(0.02)	13,765	-	CHG13C1809A	0.47	(0.06)	3,780	-
BCPG13C1810A	0.14	(0.01)	54,976	-	BJC01P1807A	-	-	-	-	CHG13C1812A	0.17	(0.01)	14,166	-
BCPG13C1812A	0.43	(0.01)	65,781	-	BJC01P1812A	0.45	0.01	28,760	-	CHG23C1811A	-	-	-	-
BCPG23C1902A	0.36	(0.02)	4,000	-	BJC06C1807A	-	-	-	-	CHG24C1808A	-	-	-	-
BCPG24C1807A	-	-	-	-	BJC06C1901A	0.27	(0.01)	8,488	-	CHG24C1811A	-	-	-	-
BCPG24C1810A	0.17	(0.01)	770	-	BJC07C1809A	0.02	-	1,000	-	CHG28C1808A	-	-	-	-
BCPG28C1808A	-	-	-	-	BJC08C1807A	-	-	-	-	CHG28C1812A	0.18	(0.02)	20,480	-
BCPG28C1809A	-	-	-	-	BJC08C1809A	0.06	(0.01)	1,070	-	CK01C1809A	0.23	(0.01)	36,493	-
BCPG28C1812A	0.41	(0.02)	55,298	-	BJC11C1807A	-	-	-	-	CK01C1809B	0.29	(0.01)	16,250	-
BDM50C1811A	0.27	-	88,556	-	BJC11C1905A	0.49	(0.02)	8,460	-	BKJ01P1809A	0.21	-	42,690	-
BDM50C1811B	0.14	-	101,538	-	BJC13C1808A	-	-	-	-	CK08C1809A	-	-	-	-
BDM50P1811A	0.26	0.01	36,112	-	BJC13C1810A	0.15	(0.02)	5,088	-	CK08C1901A	0.18	(0.02)	9,588	-
BDM506C1811A	0.84	-	6,000	-	BJC13C1812A	0.45	(0.02)	32,583	-	CK11C1904A	0.20	(0.01)	1,950	-
BDM508C1807A	-	-	-	-	BJC19C1809A	0.16	(0.01)	74,694	-	CK13C1809A	0.10	(0.01)	6,400	-
BDM508C1901A	0.20	(0.01)	40,440	-	BJC23C1901A	0.27	(0.01)	4,000	-	CK16C1812A	-	-	-	-
BDM511C1811A	1.03	-	3,006	1.00	BJC24C1808A	-	-	-	-	CK19C1811A	0.14	(0.02)	53,442	-
BDM511C1904A	0.15	-	12,374	-	BJC24C1901A	-	-	-	-	CK23C1808A	-	-	-	-
BDM513C1810A	0.59	0.05	2,180	-	BJC27C1807A	-	-	-	-	CK24C1808A	-	-	-	-
BDM513C1812A	0.17	(0.01)	41,496	-	BJC28C1808A	0.01	-	760	-	CK24C1901A	-	-	-	-
BDM516C1812A	1.03	0.02	1	1.00	BJC28C1812A	0.44	(0.01)	91,040	-	CK28C1809A	0.36	(0.03)	4,000	-
BDM519C1901A	0.34	-	12,534	-	BLA01C1812A	0.22	(0.03)	26,091	-	CK28C1812A	0.10	-	40	-
BDM523C1810A	0.62	-	2,000	-	BLA08C1811A	0.06	-	10,000	-	CKP01C1812A	0.48	(0.02)	26,110	-
BDM524C1811A	-	-	-	-	BLA13C1809A	0.01	-	1	-	CKP01C1812B	0.35	(0.01)	16,162	-
BDM524C1812A	0.12	-	5,600	-	BLA28C1810A	-	-	-	-	CKP11C1807A	-	-	-	-
BDM528C1811A	0.11	(0.01)	46,522	-	BLAN01C1809A	0.53	(0.03)	8,414	-	CKP13C1810A	0.28	(0.03)	31,680	-
BEAU01C1807A	-	-	-	-	BLAN01C1809B	0.06	(0.03)	4,140	-	CKP23C1810A	-	-	-	-
BEAU01C1807B	-	-	-	-	BLAN01P1809A	0.11	0.01	4,460	-	CKP24C1811A	0.33	(0.03)	600	-
BEAU01C1812A	0.06	-	26,761	-	BLAN08C1810A	0.18	(0.01)	3,682	-	CKP28C1809A	0.06	(0.01)	4,986	-
BEAU01C1812B	0.02	-	3,054	-	BLAN11C1902A	-	-	-	-	CKP28C1809B	0.33	(0.03)	11,548	-
BEAU01P1807A	-	-	-	-	BLAN23C1807A	-	-	-	-	COM701C1811A	0.52	(0.01)	23,633	-
BEAU01P1812A	2.16	-	109,399	2.00	BPP01C1811A	0.20	-	6,734	-	COM701C1811B	0.30	(0.01)	17,492	-
BEAU06C1809A	0.01	(0.01)	4,064	-	BPP01C1811B	0.09	(0.01)	3,230	-	COM706C1809A	0.20	(0.01)	10,542	-
BEAU07C1809A	0.01	-	3,002	-	BPP01P1811A	0.63	0.04	10,136	-	COM708C1811A	0.13	(0.01)	19,678	-
BEAU08C1808A	-	-	-	-	BPP06C1809A	0.29	(0.02)	2,000	-	COM711C1811A	0.36	(0.02)	18,312	-
BEAU08C1901A	0.02	(0.01)	68,502	-	BPP08C1807A	-	-	-	-	COM713C1809A	0.05	-	250	-
BEAU11C1902A	0.03	-	345	-	BPP08C1810A	0.17	(0.03)	11,146	-	COM713C1812A	0.32	-	34,516	-
BEAU13C1811A	0.02	-	3,500	-	BPP11C1807A	-	-	-	-	COM719C1811A	0.25	(0.01)	5,434	-
BEAU13C1812A	0.02	-	56,460	-	BPP13C1808A	0.18	(0.03)	13,452	-	COM723C1901A	0.30	-	3,000	-
BEAU13C1812B	0.25	-	1,255,823	-	BPP13C1811A	-	-	-	-	COM724C1811A	-	-	-	-
BEAU19C1811A	0.01	-	80	-	BPP23C1901A	0.25	(0.03)	4,000	-	COM728C1808A	-	-	-	-
BEAU19C1901A	0.35	-	62,699											

Main Board Quotation

Issue Date :

Thursday August 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL11C1903A	0.18	(0.01)	42,662	-	EGCO24C1808A	-	-	-	-	INTU01P1809A	0.33	0.02	29,306	-
CPAL11P1903A	0.84	0.03	41,281	-	EGCO24C1901A	0.31	0.02	175	-	INTU01P1809B	0.09	(0.01)	20,740	-
CPAL13C1812A	0.39	(0.04)	377,494	-	EGCO28C1808A	-	-	-	-	INTU11C1807A	-	-	-	-
CPAL19C1811A	0.23	(0.02)	22,164	-	EPG01C1809A	0.13	(0.01)	13,698	-	INTU11C1905A	0.33	(0.02)	9,504	-
CPAL23C1810A	0.08	-	10,363	-	EPG01P1809A	0.71	0.03	19,950	-	INTU11P1807A	-	-	-	-
CPAL24C1808A	0.01	-	19	-	EPG07C1811A	-	-	-	-	INTU11P1905A	0.44	0.01	18,412	-
CPAL24C1811A	0.05	(0.01)	2,850	-	EPG08C1810A	0.03	(0.02)	5,000	-	INTU13C1810A	0.16	(0.02)	40,742	-
CPAL24C1901A	0.42	(0.04)	2,979	-	EPG08C1810B	0.46	-	27,120	-	INTU13C1812A	0.40	(0.03)	100,394	-
CPAL24P1901A	0.36	-	20	-	EPG11C1903A	0.42	0.01	1,460	-	INTU19C1901A	0.35	(0.03)	17,686	-
CPAL28C1809A	-	-	-	-	EPG13C1808A	-	-	-	-	INTU24C1807A	-	-	-	-
CPAL28C1811A	0.17	(0.02)	254,438	-	EPG13C1811A	0.27	(0.01)	21,611	-	INTU24C1901A	-	-	-	-
CPF01C1809A	0.97	(0.12)	107,593	1.00	EPG23C1808A	-	-	-	-	INTU28C1809A	0.10	(0.01)	93,886	-
CPF01C1809B	0.14	(0.06)	106,971	-	EPG24C1807A	-	-	-	-	IRPC01C1808A	0.12	(0.01)	276,683	-
CPF01C1810A	0.27	(0.04)	125,522	-	EPG24C1808A	-	-	-	-	IRPC01C1810A	0.14	(0.01)	38,871	-
CPF01P1809A	0.19	0.04	95,494	-	EPG24C1810A	0.44	-	1,500	-	IRPC01C1810B	0.03	-	1,635	-
CPF06C1809A	0.60	(0.14)	21,600	-	EPG28C1808A	-	-	-	-	IRPC01P1808A	0.44	0.02	33,244	-
CPF07C1810A	-	-	-	-	ESS001C1807A	-	-	-	-	IRPC01P1810A	0.37	0.01	77,049	-
CPF08C1809A	0.41	(0.11)	30,336	-	ESS001C1807B	-	-	-	-	IRPC01P1810B	0.16	-	99,168	-
CPF08C1901A	0.22	(0.02)	84,518	-	ESS001C1812A	0.47	(0.03)	46,234	-	IRPC06C1811A	0.21	(0.01)	29,758	-
CPF11C1902A	0.12	(0.02)	229	-	ESS001C1812B	0.32	(0.02)	50,954	-	IRPC07C1812A	0.24	0.03	300	-
CPF11P1902A	0.23	0.02	60,282	-	ESS001P1807A	-	-	-	-	IRPC08C1808A	0.02	-	2	-
CPF13C1809A	0.55	(0.08)	60,264	-	ESS001P1812A	0.66	0.02	44,538	-	IRPC08C1902A	0.27	(0.03)	94,934	-
CPF13C1810A	0.14	(0.03)	101,406	-	ESSO08C1807A	-	-	-	-	IRPC11C1902A	0.06	-	3,496	-
CPF19C1901A	0.27	(0.04)	66,242	-	ESSO11C1905A	0.63	(0.02)	11,500	-	IRPC11C1905A	0.34	(0.02)	17,199	-
CPF23C1810A	0.47	(0.08)	1,000	-	ESSO13C1811A	0.23	(0.01)	23,318	-	IRPC13C1808A	-	-	-	-
CPF24C1809A	0.27	(0.09)	5,400	-	ESSO23C1809A	-	-	-	-	IRPC13C1811A	0.14	-	35,367	-
CPF24C1901A	0.20	-	-	-	ESSO24C1812A	0.19	(0.02)	500	-	IRPC13C1812A	0.26	(0.01)	148,053	-
CPF28C1808A	-	-	-	-	ESSO28C1811A	0.21	(0.01)	20,480	-	IRPC19C1901A	0.32	(0.01)	36,374	-
CPF28C1811A	0.16	(0.02)	355,571	-	GFPT01C1807A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPN01C1808A	0.35	0.02	76,181	-	GFPT08C1807A	-	-	-	-	IRPC24C1808A	0.24	(0.03)	2,905	-
CPN01C1808B	0.02	-	300	-	GFPT08C1906A	0.44	(0.01)	32,549	-	IRPC24C1809A	0.03	0.01	18,653	-
CPN06C1811A	0.56	0.04	34,317	-	GFPT19C1811A	0.40	(0.03)	3,366	-	IRPC24C1812A	0.15	(0.01)	20,610	-
CPN08C1809A	-	-	-	-	GFPT24C1812A	0.37	-	540	-	IRPC27C1809A	0.06	-	118	-
CPN11C1903A	0.35	0.01	67,995	-	GGC01C1810A	0.10	0.01	12,928	-	IRPC28C1811A	0.09	(0.01)	1,000	-
CPN11P1903A	0.42	(0.02)	29,489	-	GGC01C1810B	0.04	0.01	12,638	-	IRPC28C1812A	0.30	(0.01)	286,651	-
CPN13C1812A	0.40	0.02	276,198	-	GGC08C1906A	0.12	-	81,542	-	ITD01C1808A	-	-	-	-
CPN19C1901A	0.59	0.04	47,444	-	GGC13C1811A	0.02	-	8,240	-	ITD01C1808B	-	-	-	-
CPN23C1810A	0.24	0.02	19,472	-	GGC19C1811A	-	-	-	-	ITD01P1808A	1.23	0.04	14,546	1.00
CPN24C1901A	-	-	-	-	GGC23C1901A	0.05	-	9,150	-	ITD08C1810A	0.04	(0.02)	3,300	-
CPN28C1810A	0.22	0.02	129,353	-	GGC24C1812A	-	-	-	-	ITD11C1903A	0.15	(0.01)	1,004	-
DELT06C1903A	1.12	-	9,651	1.00	GGC28C1811A	-	-	-	-	ITD13C1809A	-	-	-	-
DELT08C1811A	0.19	(0.01)	36,174	-	GLOB01C1809A	0.45	(0.07)	67,301	-	ITD13C1812A	0.18	-	43,307	-
DELT13C1809A	0.09	-	3,623	-	GLOB01C1809B	0.18	(0.06)	59,116	-	ITD19C1811A	-	-	-	-
DELT24C1901A	0.95	0.02	300	-	GLOB06C1809A	0.25	(0.05)	11,740	-	ITD23C1808A	-	-	-	-
DELT27C1812A	0.18	0.01	1,488	-	GLOB08C1807A	-	-	-	-	ITD24C1807A	-	-	-	-
DTACO01C1808A	0.12	-	24,304	-	GLOB11C1808A	0.18	(0.04)	5,940	-	ITD24C1810A	-	-	-	-
DTACO01C1808B	0.01	-	130	-	GLOB23C1811A	0.46	-	3,100	-	ITD28C1808A	-	-	-	-
DTACO01C1810A	0.33	-	12,181	-	GLOB24C1810A	0.17	(0.03)	11,650	-	ITD28C1808B	-	-	-	-
DTACO01C1810B	0.07	(0.01)	5,000	-	GLOB27C1809A	0.09	-	2,000	-	IVL01C1808A	0.45	(0.03)	50,550	-
DTACO01C1902A	0.71	-	33,258	-	GLOB28C1808A	0.02	(0.01)	200	-	IVL01C1808B	0.08	(0.01)	2,300	-
DTACO01C1902B	0.59	-	30,013	-	GLOW08C1811A	0.68	-	2,330	-	IVL01C1812A	0.61	(0.02)	49,620	-
DTACO01P1808A	0.82	0.03	6,439	-	GLOW11C1807A	-	-	-	-	IVL01C1812B	0.41	(0.02)	42,538	-
DTACO01P1810A	1.20	(0.01)	10,692	1.00	GLOW19C1901A	0.70	-	414	-	IVL01P1808A	0.52	0.01	42,275	-
DTACO01P1810B	0.76	0.02	18,564	-	GLOW27C1812A	0.39	(0.01)	3,590	-	IVL01P1808B	0.07	-	107,700	-
DTACO01P1902A	0.94	-	22,691	-	GPSC01C1808A	0.22	(0.02)	4,222	-	IVL01P1812A	0.76	-	40,434	-
DTACO01P1902B	0.75	-	17,133	-	GPSC01C1808B	-	-	-	-	IVL01P1812B	0.55	-	74,529	-
DTACO6C1901A	0.26	-	3,400	-	GPSC01P1808A	1.16	0.04	17,906	1.00	IVL06C1807A	-	-	-	-
DTACO6P1809A	0.38	0.02	15,611	-	GPSC06C1811A	0.23	(0.02)	5,706	-	IVL06C1901A	0.46	(0.01)	19,474	-
DTACO7C1809A	-	-	-	-	GPSC08C1808A	-	-	-	-	IVL07C1811A	-	-	-	-
DTACO8C1809A	-	-	-	-	GPSC11C1808A	0.76	(0.05)	4,623	-	IVL08C1901A	0.60	(0.01)	33,358	-
DTACO8P1807A	-	-	-	-	GPSC11C1902A	0.27	-	900	-	IVL08P1809A	0.02	0.01	5,000	-
DTACO8P1902A	0.40	(0.61)	11,092	-	GPSC13C1808A	-	-	-	-	IVL11C1808A	0.93	(0.02)	12,582	-
DTAC11C1904A	0.28	(0.01)	2,340	-	GPSC13C1812A	0.44	(0.04)	15,689	-	IVL11P1808A	-	-	-	-
DTAC13C1811A	-	-	-	-	GPSC19C1901A	0.52	(0.03)	4,071	-	IVL13C1809A	0.24	-	31,748	-
DTAC13C1812A	0.39	(0.01)	15,551	-	GPSC24C1807A	-	-	-	-	IVL13C1810A	0.27	-	68,922	-
DTAC13P1811A	-	-	-	-	GPSC24C1808A	-	-	-	-	IVL13C1812A	0.56	-	50,107	-
DTAC13P1812A	0.21	0.01	16,814	-	GPSC24C1812A	-	-	-	-	IVL13P1809A	-	-	-	-
DTAC19C1811A	0.22	(0.02)	3,170	-	GPSC28C1811A	0.36	(0.02)	7,098	-	IVL13P1811A	0.28	-	3,338	-
DTAC23C1807A	-	-	-	-	GUNK01C1808A	-	-	-	-	IVL19C1809A	0.53	(0.01)	42,528	-
DTAC23P1807A	-	-	-	-	GUNK01C1808B	-	-	-	-	IVL23C1810A	0.56	(0.02)	1,000	-
DTAC24C1809A	-	-	-	-	GUNK08C1807A	-	-	-	-	IVL24C1808A	-	-	-	-
DTAC27C1809A	-	-	-	-	GUNK08C1902A	0.30	(0.70)	13,038	-	IVL24C1812A	-	-	-	-
DTAC27P1809A	0.14	-	8,518	-	GUNK11C1903A	0.16	(0.01)	6,560	-	IVL24C1901A	-	-	-	-
DTAC28C1810A	-	-	-	-	GUNK24C1807A	-	-	-	-	IVL28C1808A	0.01	-	1,000	-
DTAC28C1812A	0.44	(0.01)	56,630	-	GUNK24C1812A	0.24	(0.02)	650	-	IVL28C1811A	0.30	(0.02)	30	-
EA01C1809A	0.70	(0.05)	83,861	-	GUNK28C1808A	-	-	-	-	IVL28C1812A	0.58	(0.01)	71,500	-
EA01C1809B	0.36	(0.04)	45,333	-	GUNK28C1810A	0.26	(0.02)	12,512	-	IVL28P1811A	0.32	-	75,241	-
EA01P1809A	0.76	0.06	46,906	-	HANA01C1811A	0.39	(0.01)	34,190	-	KBAN01C1808A	0.24	(0.01)	157,709	-
EA06C1809A	-	-	-	-	HANA01C1811B	0.23	(0.02)	43,973	-	KBAN01C1808B	0.01	-	4,500	-
EA07C1810A	-	-	-	-	HANA08C1809A	-	-	-	-	KBAN01C1810A	1.27	(0.10)	46,090	1.00
EA08C1807A	-	-	-	-	HANA11C1904A	0.23	(0.01)	10,092	-	KBAN01C1901A	1.39	(0.05)	32,184	1.00
EA08C1809A	0.01	-	1	-	HANA13C1809A	0.11	(0.01)	52,335	-	KBAN01C1901B	0.84	(0.06)	78,209	-
EA08C1810A	0.20	(0.03)	75,231	-	HANA23C1811A	0.38	(0.02)	2,000	-	KBAN01P1808A	0.69	0.03	79,029	-
EA11C1902A	0.09	(0.02)	25,587	-	HANA24C1808A	-	-	-	-	KBAN01P1808B	0.11	0.01	120,920	-
EA13C1808A	-	-	-	-	HANA24C1810A	-	-	-	-	KBAN01P1810A	0.16	0.01	13,294	-
EA13C1808B	0.01	-	1	-	HANA28C1808A	-	-	-	-	KBAN01P1901A	0.91	0.04	75,195	-
EA13C1809A	-	-	-	-	HANA28C1812A	0.31	(0.02)	31,104	-	KBAN01P1901B	0.41	0.02	173,784	-
EA13C1810A	0.03	-	5	-	HMPR01C1808A	0.31	(0.02)	41,282	-	KBAN06C1811A	0.82	(0.06)	22,382	-
EA13C1811A	0.13	(0.02)	21,847	-	HMPR01C1808B	0.06	-	12,500	-	KBAN				

Main Board Quotation

Issue Date :

Thursday August 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE01C1810B	0.50	0.01	102,890	-	MEGA13C1809A	0.04	(0.01)	257	-	PTT01C1901B	0.60	(0.04)	247,013	-
KCE06C1809A	0.75	0.05	16,582	-	MEGA23C1902A	-	-	-	-	PTT01P1808A	0.27	0.04	329,272	-
KCE07C1808A	0.07	-	52,295	-	MEGA24C1812A	0.20	(0.02)	4,550	-	PTT01P1808B	0.02	(0.01)	9,476	-
KCE08C1809A	0.56	0.09	58,967	-	MEGA27C1807A	-	-	-	-	PTT01P1810A	0.90	0.05	81,815	-
KCE11C1808A	-	-	-	-	MEGA28C1808A	-	-	-	-	PTT01P1810B	0.39	0.04	346,609	-
KCE11C1904A	0.36	-	38,122	-	MINT01C1808A	0.05	(0.01)	69,791	-	PTT01P1901A	0.54	0.02	54,578	-
KCE13C1808A	0.26	0.03	21,153	-	MINT01C1808B	0.01	-	100	-	PTT01P1901B	0.37	0.02	203,339	-
KCE13C1811A	0.52	0.03	5,800	-	MINT01C1901A	0.48	(0.02)	148,279	-	PTT06C1811A	-	-	-	-
KCE13C1812A	0.30	0.02	121,937	-	MINT01C1901B	0.37	(0.01)	198,748	-	PTT06C1901A	0.44	(0.03)	32,724	-
KCE19C1901A	0.37	0.01	20,403	-	MINT01P1808A	0.54	0.01	65,296	-	PTT06P1901A	0.42	0.05	17,754	-
KCE23C1807A	-	-	-	-	MINT01P1901A	0.30	-	128,135	-	PTT07C1811A	0.19	(0.02)	1,070	-
KCE23C1901A	0.26	0.05	22,538	-	MINT06C1809A	0.06	-	4,000	-	PTT08C1807A	-	-	-	-
KCE24C1808A	0.15	0.01	113,247	-	MINT06C1901A	0.32	(0.02)	30,018	-	PTT08C1809A	0.04	-	19,364	-
KCE24C1901A	0.35	0.03	22,872	-	MINT07C1810A	0.05	0.02	860	-	PTT08C1902A	0.40	(0.01)	81,341	-
KCE28C1808A	-	-	-	-	MINT08C1809A	0.05	(0.02)	17,018	-	PTT08P1809A	0.28	0.02	62,426	-
KCE28C1811A	0.46	0.02	35,290	-	MINT11C1902A	0.15	(0.01)	21,980	-	PTT11C1902A	0.21	(0.03)	55,126	-
KKP01C1808A	0.28	(0.03)	19,088	-	MINT11P1902A	0.20	-	76,848	-	PTT13C1807A	-	-	-	-
KKP01C1808B	-	-	-	-	MINT13C1810A	0.13	(0.02)	76,663	-	PTT13C1808A	0.01	-	7	-
KKP08C1811A	0.45	(0.02)	26,166	-	MINT13C1812A	0.42	(0.02)	239,634	-	PTT13C1810A	0.09	(0.01)	8,154	-
KKP11C1903A	0.36	(0.02)	11,850	-	MINT19C1901A	0.43	(0.01)	24,506	-	PTT13C1811A	0.28	(0.02)	220,348	-
KKP13C1811A	0.36	(0.03)	46,075	-	MINT23C1810A	0.11	(0.01)	10,000	-	PTT13C1812A	0.43	(0.03)	305,542	-
KKP19C1901A	0.56	(0.05)	20,396	-	MINT24C1807A	-	-	-	-	PTT13P1807A	-	-	-	-
KKP23C1807A	-	-	-	-	MINT24C1812A	-	-	-	-	PTT13P1808A	0.03	(0.05)	1,300	-
KKP24C1807A	-	-	-	-	MINT24C1901A	-	-	-	-	PTT13P1812A	0.27	0.01	177,647	-
KKP24C1812A	-	-	-	-	MINT28C1808A	-	-	-	-	PTT19C1809A	0.09	(0.03)	22,378	-
KKP28C1810A	0.22	(0.04)	51,340	-	MINT28C1811A	0.25	(0.02)	152,208	-	PTT19C1901A	0.47	(0.04)	111,877	-
KT801C1808A	0.23	(0.03)	45,171	-	MON00C1810A	0.08	-	510	-	PTT23C1901A	-	-	-	-
KT801C1810A	0.44	(0.03)	33,259	-	MON00C1810B	0.03	(0.01)	424	-	PTT24C1809A	0.05	-	2,102	-
KT801C1810B	0.25	(0.03)	80,065	-	MON008C1808A	-	-	-	-	PTT24C1812A	0.37	(0.04)	100	-
KT801P1808A	0.29	0.01	48,728	-	MON008C1906A	0.14	(0.02)	11,756	-	PTT24P1808A	-	-	-	-
KT806C1902A	0.41	(0.02)	10,224	-	MON013C1808A	-	-	-	-	PTT24P1901A	0.18	0.01	53	-
KT808C1809A	-	-	-	-	MON013C1811A	-	-	-	-	PTT27C1809A	0.43	(0.04)	4,198	-
KT811C1811A	0.22	(0.02)	18,056	-	MON013C1901A	0.27	(0.01)	10,242	-	PTT27P1809A	0.09	0.01	2,000	-
KT813C1809A	0.09	(0.01)	1,000	-	MON019C1811A	0.15	(0.02)	2,242	-	PTT28C1808A	-	-	-	-
KT813C1901A	0.47	(0.03)	39,605	-	MON023C1809A	-	-	-	-	PTT28C1808B	-	-	-	-
KT819C1901A	0.35	(0.02)	15,202	-	MON023C1901A	0.24	(0.01)	1,500	-	PTT28C1811A	0.08	(0.01)	15,200	-
KT823C1811A	0.29	(0.01)	6,000	-	MONO24C1807A	-	-	-	-	PTT28C1811B	0.25	(0.03)	142,232	-
KT824C1808A	-	-	-	-	MONO24C1812A	-	-	-	-	PTT28C1812A	0.40	(0.03)	231,053	-
KT824C1811A	-	-	-	-	MONO24C1812B	-	-	-	-	PTT28P1808A	0.02	0.01	1	-
KT824P1901A	0.23	0.02	11,920	-	MONO28C1808A	-	-	-	-	PTT28P1808B	-	-	-	-
KT828C1809A	0.06	(0.01)	784	-	MONO28C1811A	-	-	-	-	PTT28P1812A	0.20	0.02	246,582	-
KT828C1811A	0.23	(0.03)	152,250	-	MONO28C1901A	0.24	(0.02)	2,028	-	PTTE01C1808A	1.20	(0.07)	112,899	1.00
KTC001C1808A	0.68	(0.04)	37,686	-	MTC06C1901A	0.55	(0.04)	28,353	-	PTTE01C1808B	0.59	(0.10)	93,701	-
KTC001C1808B	0.09	(0.02)	32,736	-	MTC08C1807A	-	-	-	-	PTTE01C1901A	0.79	(0.05)	127,775	-
KTC001C1810A	0.27	(0.01)	18,619	-	MTC08C1811A	0.19	(0.03)	29,402	-	PTTE01C1901B	0.55	(0.05)	83,699	-
KTC001C1810B	0.17	-	4,541	-	MTC08C1902A	0.41	(0.05)	32,109	-	PTTE01P1808A	0.04	0.01	79,233	-
KTC06C1807A	-	-	-	-	MTC11C1904A	0.37	(0.03)	14,154	-	PTTE01P1901A	1.19	0.05	83,989	1.00
KTC08C1807A	-	-	-	-	MTC13C1809A	0.06	(0.02)	8,250	-	PTTE01P1901B	0.75	0.04	210,822	-
KTC08C1808A	0.50	(0.01)	75,301	-	MTC13C1811A	0.50	(0.05)	392,628	-	PTTE06C1811A	0.50	(0.07)	23,749	-
KTC11C1902A	0.88	-	2,949	-	MTC19C1901A	0.41	(0.04)	20,140	-	PTTE07C1809A	0.26	(0.05)	10,170	-
KTC13C1808A	0.18	(0.03)	2,600	-	MTC23C1808A	-	-	-	-	PTTE08C1807A	-	-	-	-
KTC13C1809A	0.11	(0.01)	91,905	-	MTC24C1808A	-	-	-	-	PTTE08C1811A	0.41	(0.05)	85,370	-
KTC13C1809B	0.14	(0.01)	46,279	-	MTC24C1810A	0.24	(0.05)	4,583	-	PTTE08P1809A	0.04	0.02	6,503	-
KTC13C1812A	0.19	(0.01)	85,214	-	MTC24C1812A	0.47	(0.06)	50	-	PTTE08P1811A	0.24	0.03	36,051	-
KTC13P1807A	-	-	-	-	MTC27C1807A	-	-	-	-	PTTE11C1902A	0.66	(0.07)	27,850	-
KTC19C1811A	0.26	(0.01)	84,340	-	MTC28C1808A	-	-	-	-	PTTE13C1807A	-	-	-	-
KTC19C1901A	0.64	-	25,573	-	MTC28C1809A	0.32	(0.04)	50,275	-	PTTE13C1811A	0.36	(0.04)	116,961	-
KTC23C1809A	0.64	0.02	10,120	-	ORI08C1807A	-	-	-	-	PTTE13C1812A	0.66	(0.05)	80,253	-
KTC24C1808A	0.44	(0.06)	4,050	-	ORI11C1811A	0.23	(0.01)	13,816	-	PTTE13P1807A	-	-	-	-
KTC24C1810A	0.15	-	13,507	-	ORI13C1810A	0.47	(0.03)	32,051	-	PTTE13P1811A	0.20	0.02	104,395	-
KTC24P1807A	-	-	-	-	ORI19C1811A	0.30	(0.02)	67,311	-	PTTE19C1811A	0.56	(0.06)	59,429	-
KTC28C1808A	-	-	-	-	ORI23C1809A	0.10	(0.01)	3,000	-	PTTE23C1901A	0.14	(0.02)	28,950	-
KTC28C1808B	-	-	-	-	ORI24C1810A	0.29	(0.01)	2,800	-	PTTE24C1807A	-	-	-	-
KTC28C1809A	0.18	0.01	20	-	ORI28C1808A	-	-	-	-	PTTE24C1811A	0.22	(0.03)	2,000	-
KTC28C1810A	0.24	(0.05)	40	-	PLAN08C1811A	0.16	(0.02)	29,216	-	PTTE24C1901A	-	-	-	-
LH01C1809A	0.40	0.01	76,740	-	PLAN13C1809A	0.07	(0.01)	10,000	-	PTTE24P1809A	0.01	-	130	-
LH01C1809B	0.23	-	106,645	-	PLAN28C1810A	0.11	(0.02)	97,836	-	PTTE27C1809A	0.78	0.15	500	-
LH01P1809A	0.08	-	13,012	-	PSH01C1810A	0.36	0.02	34,431	-	PTTE27P1809A	-	-	-	-
LH06C1809A	0.33	0.01	25,074	-	PSH01C1810B	0.10	-	2,790	-	PTTE28C1810A	0.28	(0.05)	74,270	-
LH07C1810A	-	-	-	-	PSH01P1810A	0.72	(0.04)	12,794	-	PTTE28C1811A	0.18	(0.03)	56,286	-
LH11C1808A	0.27	0.01	24,768	-	PSH08C1811A	0.11	0.01	4,098	-	PTTE28P1811A	0.21	0.02	30,584	-
LH13C1808A	-	-	-	-	PSH11C1902A	0.27	0.02	4,556	-	PTTG01C1808A	0.22	-	224,007	-
LH19C1901A	0.27	-	45,971	-	PSH23C1811A	-	-	-	-	PTTG01C1810A	0.31	-	171,932	-
LH23C1901A	0.17	0.01	10,000	-	PSLO1C1807A	-	-	-	-	PTTG01C1810B	0.04	(0.01)	41,123	-
LH24C1809A	0.10	0.01	10,000	-	PSLO1C1812A	0.40	(0.01)	46,735	-	PTTG01C1811A	0.54	(0.01)	152,190	-
LH28C1808A	0.02	-	55	-	PSLO1C1812B	0.33	(0.03)	14,966	-	PTTG01C1901A	1.27	-	117,580	1.00
LPN01C1809A	0.11	-	1,910	-	PSL11C1905A	0.26	(0.02)	36,796	-	PTTG01C1901B	1.03	(0.01)	110,241	1.00
LPN01C1811A	0.38	(0.02)	3,551	-	PSL23C1809A	0.06	(0.01)	1,015	-	PTTG01P1808A	0.87	(0.01)	157,208	-
LPN01C1811B	0.22	0.03	1,686	-	PSL24C1807A	-	-	-	-	PTTG01P1811A	1.43	(0.01)	47,262	1.00
LPN01P1809A	0.46	-	632	-	PTG01C1811A	0.21	-	131,081	-	PTTG01P1901A	0.84	0.01	77,928	-
LPN08C1807A	-	-	-	-	PTG01C1811B	0.09	0.01	3,016	-	PTTG01P1901B	0.61	-	76,055	-
LPN08C1810A	0.09	-	2,000	-	PTG01P1811A	1.08	-	18,006	1.00	PTTG06C1809A	0.04	-	99,000	-
LPN08C1906A	-	-	-	-	PTG06C1810A	0.09	-	400	-	PTTG06C1903A	1.28	-	35,977	1.00
LPN19C1811A	0.21	0.01	30	-	PTG06C1904A	0.46	-	22,647	-	PTTG06P1903A	0.41	(0.02)		

Main Board Quotation

Issue Date :

Thursday August 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
QH01C1807A	-	-	-	-	SCB01P1808A	1.03	-	103,669	1.00	STA13C1812A	0.24	(0.02)	115,487	-
QH01C1810A	0.66	0.11	166,923	-	SCB01P1808B	0.18	(0.01)	570,475	-	STA19C1811A	0.09	(0.02)	1,958	-
QH01C1810B	0.51	0.15	134,140	-	SCB01P1902A	0.52	-	261,096	-	STA23C1809A	-	-	-	-
QH01P1807A	-	-	-	-	SCB01P1902B	0.27	-	152,467	-	STA24C1808A	-	-	-	-
QH01P1810A	0.18	(0.06)	72,352	-	SCB06C1811A	0.66	-	50,560	-	STEC01C1809A	0.21	(0.02)	50,737	-
QH08C1808A	0.39	0.13	103,720	-	SCB08C1901A	0.52	0.01	128,492	-	STEC01C1809B	0.61	(0.11)	50,936	-
QH11C1902A	0.56	0.12	39,094	-	SCB11C1901A	0.28	-	34,162	-	STEC01P1809A	0.90	0.06	28,383	-
QH23C1808A	0.53	0.16	10,000	-	SCB11P1901A	0.44	-	207,736	-	STEC06C1809A	0.24	(0.02)	12,402	-
QH24C1812A	0.32	0.10	107,800	-	SCB13C1809A	-	-	-	-	STEC08C1809A	0.15	(0.02)	13,554	-
QH28C1808A	-	-	-	-	SCB13C1812A	0.63	-	120,855	-	STEC11C1903A	0.45	(0.05)	15,090	-
RATC19C1901A	-	-	-	-	SCB13P1812A	0.13	-	190,412	-	STEC13C1809A	0.09	-	7,194	-
RATC24C1902A	0.35	0.01	10	-	SCB19C1811A	0.33	(0.02)	45,524	-	STEC23C1808A	-	-	-	-
RATC27C1812A	-	-	-	-	SCB24C1901A	-	-	-	-	STEC24C1808A	-	-	-	-
ROB10C1809A	0.29	(0.02)	25,188	-	SCB24C1902A	-	-	-	-	STEC24C1901A	0.51	0.02	1,000	-
ROB106C1809A	0.26	(0.02)	16,800	-	SCB24P1811A	0.17	(0.01)	20,912	-	STEC28C1808A	-	-	-	-
ROB108C1808A	-	-	-	-	SCB28C1808A	-	-	-	-	STEC28C1810A	0.40	(0.04)	25,308	-
ROB111C1808A	0.04	-	5,000	-	SCB28C1809A	0.08	-	10,000	-	STPIO8C1811A	0.06	0.01	11,406	-
ROB19C1901A	0.60	(0.02)	17,035	-	SCB28C1812A	0.52	0.01	292,106	-	SUPE08C1808A	-	-	-	-
ROB124C1901A	0.29	0.10	200	-	SCB28P1808A	0.01	-	1,000	-	SUPE08C1811A	0.10	(0.02)	1,199	-
ROB124C1903A	-	-	-	-	SCB28P1812A	0.10	-	17,919	-	SUPE13C1810A	0.06	(0.02)	999	-
S10001C1811A	0.60	(0.03)	13,434	-	SCCO1C1808A	0.17	-	64,395	-	SUPE13C1811A	0.09	(0.01)	20	-
S5001C1807A	-	-	-	-	SCCO1C1808B	0.01	-	42,988	-	SUPE23C1811A	-	-	-	-
S5001C1807B	-	-	-	-	SCCO1C1901A	0.73	(0.01)	67,163	-	SUPE23C1901A	-	-	-	-
S5001C1808A	0.72	(0.07)	147,467	-	SCCO1C1901B	0.63	-	86,500	-	SUPE28C1810A	-	-	-	-
S5001C1808B	0.54	(0.08)	172,766	-	SCCO1P1808A	0.52	-	48,311	-	SUPE28C1811A	-	-	-	-
S5001C1809F	0.91	(0.11)	1,689,850	-	SCCO1P1901A	0.35	-	34,322	-	TASCO1C1809A	-	-	-	-
S5001C1809G	0.30	(0.08)	894,776	-	SCCO6C1809A	-	-	-	-	TASCO1C1810A	0.15	(0.02)	33,629	-
S5001C1809H	2.24	(0.10)	230,631	2.00	SCCO6C1902A	0.39	-	28,709	-	TASCO1C1810B	-	-	-	-
S5001C1809I	1.74	(0.23)	1,515,330	1.00	SCCO7C1812A	0.61	0.01	10	-	TASCO1P1809A	1.81	0.04	10,711	1.00
S5001C1810A	1.43	(0.08)	76,621	1.00	SCCO8C1809A	0.05	-	2,038	-	TASCO1P1810A	0.77	0.03	56,268	-
S5001C1810B	1.47	(0.09)	238,768	1.00	SCCO8C1902A	0.45	(0.01)	101,087	-	TASCO7C1811A	-	-	-	-
S5001P1807A	-	-	-	-	SCT11C1811A	0.13	-	40,290	-	TASCO8C1808A	-	-	-	-
S5001P1807B	-	-	-	-	SCT11P1811A	0.26	(0.01)	10,470	-	TASCO8C1809A	-	-	-	-
S5001P1808A	0.78	0.07	105,438	-	SCT13C1809A	0.05	(0.01)	11,178	-	TASCO8C1810A	-	-	-	-
S5001P1808B	0.84	0.10	312,883	-	SCT13C1812A	0.25	(0.01)	41,446	-	TASCO8C1811A	0.12	(0.02)	11,285	-
S5001P1809F	1.37	0.11	2,541,992	1.00	SCT13C1901A	0.50	-	37,084	-	TASCO8C1812A	0.04	-	3,000	-
S5001P1809G	0.68	0.09	874,674	-	SCT19C1811A	0.18	(0.01)	41,084	-	TASCO8C1813A	-	-	-	-
S5001P1809H	0.09	0.01	75,164	-	SCT19C1901A	0.45	(0.01)	42,188	-	TCAP01C1807A	-	-	-	-
S5001P1809I	0.04	0.01	130,706	-	SCT23C1811A	-	-	-	-	TCAP01C1807B	-	-	-	-
S5001P1810A	0.26	0.03	258,093	-	SCT24C1812A	0.08	-	762	-	TCAP01C1901A	0.59	-	15,748	-
S5001P1810B	0.19	0.03	126,286	-	SCT24C1901A	0.50	0.01	6,250	-	TCAP01C1901B	0.50	0.01	17,336	-
S5006C1809A	0.27	(0.06)	2,930	-	SCT24P1901A	0.26	0.01	1,200	-	TCAP01P1807A	-	-	-	-
S5006C1809B	0.13	(0.05)	36,655	-	SCT27C1809A	-	-	-	-	TCAP01P1901A	0.40	-	7,864	-
S5006C1809C	0.51	(0.02)	1,935	-	SCT27P1809A	0.32	(0.07)	2,000	-	TCAP08C1810A	-	-	-	-
S5006C1809D	0.17	(0.04)	3,240	-	SCT28C1811A	-	-	-	-	TCAP11C1811A	-	-	-	-
S5006C1812A	0.74	(0.09)	18,568	-	SCT28C1812A	0.45	(0.02)	152,858	-	TCAP13C1809A	-	-	-	-
S5006C1812B	0.80	0.09	11,067	-	SCT28C1813A	0.05	0.01	3,572	-	TCAP13C1901A	0.47	0.01	23,755	-
S5006P1809A	1.20	0.12	2,780	1.00	SCT31C1809A	0.03	0.01	249	-	TCAP23C1807A	-	-	-	-
S5006P1809B	0.56	0.09	20,497	-	SCT31C1810A	0.10	0.01	2,955	-	TCAP24C1807A	-	-	-	-
S5006P1809C	0.72	0.11	502	-	SCT31C1811A	0.10	(0.01)	19,950	-	TCAP24C1903A	-	-	-	-
S5006P1809D	0.28	-	1,038	-	SGP08C1808A	0.01	(0.01)	181,182	-	TCAP27C1807A	-	-	-	-
S5006P1812A	1.17	0.09	6,314	1.00	SGP08C1901A	0.46	(0.04)	181,182	-	THAI01C1808A	0.08	-	2,910	-
S5006P1812B	0.42	0.03	44,557	-	SGP11C1904A	0.23	(0.01)	31,588	-	THAI01C1809A	0.01	-	2,420	-
S5008C1809A	0.98	(0.20)	187,413	1.00	SGP13C1808A	0.01	(0.01)	188,794	-	THAI01C1810A	0.37	-	20,038	-
S5008P1809A	0.12	0.02	46,463	-	SGP13C1811A	0.16	-	32,818	-	THAI01C1901A	0.37	-	20,388	-
S5013C1809A	0.18	(0.05)	2,256,427	-	SGP13C1812A	0.34	(0.04)	293,150	-	THAI01C1901B	0.24	0.01	19,618	-
S5013C1809B	0.39	(0.10)	1,337,768	-	SGP19C1811A	0.36	(0.03)	111,008	-	THAI01P1808A	0.66	-	10,062	-
S5013C1809C	0.33	(0.10)	1,472,235	-	SGP24C1808A	-	-	-	-	THAI01P1901A	0.81	0.01	15,825	-
S5013C1809D	0.73	(0.16)	4,064,228	-	SGP24C1811A	-	-	-	-	THAI06C1809A	0.12	-	4,000	-
S5013C1809E	1.21	(0.18)	3,289,944	1.00	SGP24C1902A	-	-	-	-	THAI07C1811A	0.15	-	150	-
S5013C1809F	0.76	(0.24)	38,333	-	SGP28C1808A	-	-	-	-	THAI08C1808A	0.01	-	3,000	-
S5013P1809A	1.04	0.14	148,643	1.00	SGP28C1809A	-	-	-	-	THAI11C1808A	-	-	-	-
S5013P1809B	0.50	0.09	5,017,118	-	SGP28C1811A	0.18	(0.01)	144,760	-	THAI13C1811A	0.09	-	100	-
S5013P1809C	0.68	0.10	3,333,449	-	SIRI01C1808A	0.01	-	87,360	-	THAI23C1901A	0.03	-	66	-
S5013P1809D	0.25	0.05	2,761,958	-	SIRI01C1808B	-	-	-	-	THAI24C1808A	-	-	-	-
S5013P1809E	0.09	0.02	6,283,846	-	SIRI01C1901A	0.41	(0.03)	35,099	-	THAI24C1901A	-	-	-	-
S5013P1809F	0.85	(0.15)	2,171,410	-	SIRI01C1901B	0.18	(0.03)	60,203	-	THAI27C1809A	-	-	-	-
S5028C1807A	-	-	-	-	SIRI01P1808A	0.58	0.03	14,755	-	THAI28C1808A	-	-	-	-
S5028C1809A	0.31	(0.08)	1,744,607	-	SIRI01P1901A	0.62	0.04	15,230	-	THAN01C1812A	0.48	(0.01)	59,593	-
S5028C1809B	1.09	(0.15)	1,353,850	1.00	SIRI08C1808A	-	-	-	-	THAN13C1809A	-	-	-	-
S5028P1807A	-	-	-	-	SIRI08C1810A	0.12	(0.03)	13,168	-	THAN23C1807A	-	-	-	-
S5028P1809A	0.46	0.07	2,083,135	-	SIRI11C1902A	0.14	(0.02)	28,318	-	THAN28C1810A	0.12	(0.01)	29,506	-
S5028P1809B	0.14	0.02	347,985	-	SIRI13C1809A	-	-	-	-	THCO01C1809A	0.07	0.03	29,063	-
SAWA01C1808A	0.01	-	5,890	-	SIRI23C1811A	0.18	(0.03)	14,000	-	THCO01P1809A	0.64	(0.12)	7,821	-
SAWA01C1808B	0.01	(0.01)	400	-	SIRI24C1809A	-	-	-	-	THCO08C1906A	0.20	0.04	58,936	-
SAWA01C1901A	0.50	(0.07)	340,040	-	SIRI28C1809A	-	-	-	-	THCO11C1902A	0.13	0.04	9,650	-
SAWA01C1901B	0.39	(0.07)	125,506	-	SIRI28C1901A	0.33	(0.03)	32,152	-	THCO19C1811A	0.11	0.02	16,305	-
SAWA01P1808A	2.14	0.18	47,331	2.00	SPAL01C1808A	0.32	(0.03)	34,362	-	THCO23C1808A	-	-	-	-
SAWA01P1901A	0.89	0.06	102,781	-	SPAL01C1808B	-	-	-	-	THCO24C1807A	-	-	-	-
SAWA06C1807A	-	-	-	-	SPAL06C1809A	0.40	(0.04)	4,400	-	THCO24C1810A	0.18	0.07	7,402	-
SAWA06C1811A	0.05	(0.02)	25,580	-	SPAL08C1808A	-	-	-	-	THCO28C1808A	0.01	-	1	-
SAWA07C1812A	0.36	(0.10)	1,700	-	SPAL11C1807A	-	-	-	-	THCO28C1901A	0.26	0.06	95,623	-
SAWA08C1808A	-	-	-	-	SPAL11C1905A	0.13	(0.01)	4,063	-	TISCO1C1808A	0.21	-	70,357	-
SAWA08C1811A	0.02	(0.01)	5,300	-	SPAL23C1811A	0.49	(0.05)	1,000	-	TISCO1C1808B	0.02	-	119	-
SAWA08C1902A	0.53	(0.47)	101,213	-	SPAL24C1808A	-	-	-	-	TISCO8C1808A	0.03	0.01	7,188	-
SAWA11C1808A	-	-	1,000	-	SPAL24C1812A	0.17	(0.02)	5,500	-	TISCI1C1903A	0.23	0.01	44,231	-
SAWA13C1810A	-	-	-	-	SPR001C1808A	0.15	(0.01)	13,972	-	TISCI13C1811A	0.29	0.01	95,755	-
SAWA13C1811A	0.03	-	4,											

Main Board Quotation

Main Board Quotation					Main Board Quotation					Issue Date : Thursday August 02, 2018				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN24C1807A	-	-	-	-	TRUE28C1812A	0.21	(0.02)	1,586	-	WORK19C1811A	0.26	(0.07)	88,224	-
TKN24C1811A	-	-	-	-	TTA01C1807A	-	-	-	-	WORK23C1807A	-	-	-	-
TKN24C1812A	-	-	-	-	TTA01P1807A	-	-	-	-	WORK24C1810A	0.02	(0.01)	32,624	-
TKN28C1808A	-	-	-	-	TTA08C1808A	-	-	-	-	WORK24C1812A	0.44	(0.11)	8,248	-
TKN28C1811A	0.12	-	18,252	-	TTA08C1906A	0.33	(0.01)	6,222	-	WORK28C1808A	-	-	-	-
TKN28C1812A	0.59	-	12,792	-	TTA13C1809A	-	-	-	-	WORK28C1809A	-	-	-	-
TMB01C1807A	-	-	-	-	TTA13C1901A	0.29	-	19,322	-	WORK28C1811A	0.17	(0.07)	48,945	-
TMB01C1810A	0.22	-	175,466	-	TTA18C1808A	-	-	-	-	Preferred/Foreign	-	-	-	-
TMB01C1810B	0.09	-	31,020	-	TTA19C1811A	0.14	-	1,200	-	BH-Q	-	-	-	-
TMB01P1807A	-	-	-	-	TTA23C1808A	-	-	-	-	CSC-Q	-	-	-	-
TMB01P1810A	0.42	-	71,522	-	TTA23C1901A	-	-	-	-	JUTHA-Q	-	-	-	-
TMB06C1809A	0.02	-	12,215	-	TTA24C1809A	-	-	-	-	KTB-Q	-	-	-	-
TMB06C1902A	0.14	-	22,142	-	TTA24C1902A	-	-	-	-	SCB-Q	-	-	-	-
TMB07C1811A	-	-	-	-	TTA28C1812A	-	-	-	-	TCAP-Q	-	-	-	-
TMB08C1808A	-	-	-	-	TU01C1808A	0.04	-	22,301	-	TIC-Q	-	-	-	-
TMB08C1901A	0.12	-	6,812	-	TU01C1808B	0.01	-	14,720	-	TISCO-Q	-	-	-	-
TMB11C1904A	0.12	0.01	1,420	-	TU01C1901A	0.58	0.01	55,349	-	U-Q	-	-	-	-
TMB13C1811A	0.08	-	73,496	-	TU01C1901B	0.54	-	33,309	-	Warrant	-	-	-	-
TMB13C1901A	0.25	(0.75)	56,654	-	TU01P1808A	0.86	(0.02)	29,774	-	7UP-W2	-	-	-	-
TMB19C1901A	0.17	0.01	145,862	-	TU01P1901A	0.26	(0.01)	43,388	-	ACC-W1	0.03	-	14,374	-
TMB23C1810A	-	-	-	-	TU06C1902A	0.29	(0.01)	32,896	-	AJA-W1	0.17	-	3,753	-
TMB24C1809A	-	-	-	-	TU08C1811A	0.07	(0.02)	2,700	-	ALT-W1	0.73	-	2,892	-
TMB24C1901A	0.08	-	300	-	TU11C1902A	0.05	-	2,520	-	APURE-W2	0.16	(0.01)	16,301	-
TMB28C1808A	-	-	-	-	TU13C1809A	0.01	-	7	-	AQ-W4	0.01	-	8,002	-
TMB28C1809A	-	-	-	-	TU23C1902A	0.29	(0.01)	23,000	-	AS-W1	0.44	(0.01)	527	-
TOA01C1901A	0.50	(0.03)	2,030	-	TU24C1808A	-	-	-	-	AYUD-W1	2.28	(0.12)	15,787	2.00
TOA01C1901B	0.40	(0.03)	940	-	TU24C1901A	0.19	(0.02)	3,152	-	B-W3	-	-	-	-
TOA08C1902A	0.30	(0.05)	15,226	-	TU27C1807A	-	-	-	-	B-W4	0.23	0.01	27,886	-
TOA13C1812A	0.40	(0.03)	10,874	-	TVO01C1809A	0.17	0.02	48,343	-	BTS-W3	0.03	0.01	754,000	-
TOA19C1901A	0.37	(0.04)	2,010	-	TVO01C1809B	-	-	-	-	BWG-W4	0.08	-	1,871	-
TOA24C1812A	-	-	-	-	TVO08C1808A	0.01	-	10,025	-	CEN-W4	0.05	0.01	13,231	-
TOA28C1812A	0.35	(0.03)	2,028	-	TVO11C1903A	0.12	0.01	5,556	-	CGD-W4	0.23	0.02	161,529	-
TOP01C1808A	0.07	(0.01)	5,107	-	TVO13C1809A	-	-	-	-	CGH-W3	0.07	0.01	509	-
TOP01C1808B	0.01	-	12,050	-	TVO23C1808A	-	-	-	-	CI-W1	0.36	(0.03)	7	-
TOP01C1901A	1.43	(0.04)	57,690	1.00	TVO24C1810A	-	-	-	-	CKP-W1	0.35	(0.02)	17,042	-
TOP01C1901B	1.36	(0.04)	31,326	1.00	TVO28C1808A	-	-	-	-	CRANE-W1	1.92	(0.07)	684	2.00
TOP01P1808A	1.13	0.03	22,085	1.00	UNI001C1809A	0.09	(0.03)	7,628	-	CWT-W4	0.53	(0.01)	10,191	-
TOP01P1901A	0.72	-	27,160	-	UNI001C1810A	0.25	(0.03)	18,438	-	DCC-W1	0.68	-	52,493	-
TOP06C1809A	0.04	-	6,390	-	UNI001C1810B	0.08	(0.02)	13,695	-	DCON-W1	4.00	(0.78)	4	3.00
TOP06C1903A	1.13	(0.02)	10,859	1.00	UNI001P1809A	0.60	0.04	31,752	-	DIGI-W1	0.04	-	1,338	-
TOP07C1812A	-	-	-	-	UNI008C1808A	-	-	-	-	DIGI-W2	0.01	(0.01)	100	-
TOP08C1811A	0.14	-	30,808	-	UNI008C1810A	-	-	-	-	EARTH-W4	-	-	-	-
TOP11C1808A	-	-	-	-	UNI008C1906A	0.26	(0.02)	23,402	-	EIC-W2	0.01	(0.01)	160	-
TOP11C1905A	1.03	(0.02)	26,200	1.00	UNI011C1811A	0.09	(0.02)	907	-	EIC-W3	0.02	(0.01)	96	-
TOP13C1811A	0.12	(0.01)	31,447	-	UNI013C1809A	0.04	(0.01)	2,500	-	EIC-W4	-	-	-	-
TOP13C1901A	0.63	(0.03)	88,594	-	UNI013C1901A	0.26	(0.02)	35,804	-	EVER-W3	0.02	(0.01)	27,670	-
TOP18C1808A	-	-	-	-	UNI019C1811A	-	-	-	-	GJS-W3	0.03	-	85	-
TOP19C1901A	0.46	(0.02)	22,869	-	UNI023C1901A	-	-	-	-	GSTEL-W1	-	-	-	-
TOP23C1811A	0.18	(0.01)	20,000	-	UNI024C1811A	-	-	-	-	GSTEL-W2	-	-	-	-
TOP24C1901A	-	-	-	-	UNI028C1809A	-	-	-	-	IEC-W2	-	-	-	-
TOP24C1902A	0.66	(0.04)	244	-	UNI028C1811A	0.11	(0.01)	82,120	-	IHL-W1	4.96	0.06	257	4.00
TOP28C1810A	-	-	-	-	UV01C1807A	-	-	-	-	ITD-W1	0.11	(0.01)	37,715	-
TOP28C1812A	0.58	(0.42)	26,180	-	UV08C1807A	-	-	-	-	IVL-W2	-	-	-	-
TP101C1807A	-	-	-	-	UV13C1808A	-	-	-	-	JAS-W3	2.00	(0.04)	46,881	2.00
TP101C1807B	-	-	-	-	UV13C1812A	0.47	(0.04)	235,878	-	JCK-W5	0.46	0.01	139	-
TP101C1812A	0.20	(0.01)	6,359	-	UV23C1809A	-	-	-	-	JMART-W2	1.63	(0.02)	4,683	1.00
TP101C1812B	0.14	-	910	-	UV24C1807A	-	-	-	-	MIDA-W2	0.03	-	27	-
TP107C1812A	-	-	-	-	UV24C1812A	-	-	-	-	MILL-W3	0.04	0.01	1,051	-
TP108C1807A	-	-	-	-	UV28C1808A	-	-	-	-	MILL-W4	0.30	-	857	-
TP113C1809A	-	-	-	-	VGI01C1812A	0.56	0.01	27,548	-	MILL-W5	0.17	0.01	94,413	-
TP119C1901A	0.22	(0.03)	1,944	-	VGI06C1904A	5.75	-	400	5.00	ML-W2	0.04	0.02	13,449	-
TP123C1809A	-	-	-	-	VGI06C1904B	5.85	-	20	5.00	MONO-W1	0.65	(0.01)	6,460	-
TP124C1808A	-	-	-	-	VGI06C1904C	-	-	-	-	NEP-W3	0.14	0.02	1,400	-
TP124C1902A	-	-	-	-	VGI08C1811A	0.46	(0.02)	17,344	-	NOK-W1	0.98	(0.01)	66	-
TP128C1808A	-	-	-	-	VGI23C1905A	-	-	-	-	NPPG-W3	0.19	0.03	391,046	-
TP1P01C1810A	0.43	-	11,260	-	VGI23C1911A	1.25	(0.04)	5	1.00	NUSA-W3	-	-	-	-
TP1P01C1810B	0.16	(0.03)	7,918	-	VGI27C1812A	0.29	(0.04)	13,938	-	NVD-W1	0.24	-	47,439	-
TP1P01P1810A	0.56	(0.01)	11,729	-	VGI28C1810A	0.26	(0.01)	37,720	-	ORI-W1	2.60	(0.08)	9,629	2.00
TP1P08C1808A	0.01	-	25,260	-	WHA01C1807A	-	-	-	-	PACE-W1	-	-	-	-
TP1P11C1811A	0.10	-	700	-	WHA01C1807B	-	-	-	-	PACE-W2	0.10	(0.01)	65,731	-
TP1P13C1811A	0.23	(0.02)	13,911	-	WHA01C1812A	0.58	(0.02)	62,623	-	PDI-W1	1.49	(0.04)	19,284	1.00
TP1P23C1808A	-	-	-	-	WHA01C1812B	0.50	(0.01)	68,081	-	PDJ-W2	-	-	-	-
TP1P24C1901A	-	-	-	-	WHA01P1812A	0.65	0.01	39,824	-	PDJ-W3	1.49	(0.03)	1	1.00
TP1P27C1812A	0.06	(0.01)	3	-	WHA06C1809A	0.14	(0.02)	32,500	-	PDJ-W4	1.44	0.02	224	1.00
TRUE01C1808A	0.23	(0.02)	28,936	-	WHA07C1810A	0.18	(0.02)	1,278	-	PLE-W3	0.10	-	14,913	-
TRUE01C1808B	0.03	(0.02)	1,006	-	WHA08C1811A	0.18	(0.01)	65,489	-	RICH-W1	-	-	-	-
TRUE01C1902A	0.51	(0.01)	14,432	-	WHA11C1903A	0.23	(0.01)	13,776	-	RICHY-W1	0.30	-	3,220	-
TRUE01C1902B	0.43	(0.01)	14,371	-	WHA13C1808A	0.05	-	400	-	RICHY-W2	0.17	-	18,216	-
TRUE01P1808A	0.28	0.01	87,443	-	WHA13C1812A	0.45	(0.02)	215,386	-	RS-W3	8.60	(0.25)	256	8.00
TRUE01P1902A	0.52	-	21,834	-	WHA19C1901A	0.44	(0.01)	35,987	-	S-W1	0.14	(0.01)	2,876	-
TRUE01P1902B	0.40	0.01	29,229	-	WHA23C1810A	0.26	(0.01)	6,600	-	SAMART-W2	0.33	-	4,491	-
TRUE06C1811A	0.12	(0.01)	10,000	-	WHA24C1807A	-	-	-	-	SAWAD-W1	4.82	(0.48)	2,556	4.00
TRUE06C1906A	0.30	(0.02)	12,000	-	WHA24C1811A	0.12	(0.01)	12,200	-	SDC-W1	0.06	-	2,555	-
TRUE08C1809A	-	-	-	-	WHA28C1808A	-	-	-	-	SMM-W4	0.08	-	163	-
TRUE08C1902A	0.39	(0.02)	40,715	-	WHA28C1808B	-	-	-	-	SMT-W1	0.09	0.01	6,272	-
TRUE08P1809A	0.11	0.01	22,462	-	WHA28C1809A	0.38	(0.02)	63,954	-	SMT-W2	0.55	(0.02)	4,810	-
TRUE11C1807A	-	-	-	-	WHAU01C1810A	0.18	(0.03)	7,030	-	SPALI-W4	19.00	(0.10)	175	19.00
TRUE11C1905A	0.34	(0.01)	15,154	-	WHAU01C1810B	0.04	(0.01)	3,000	-	SPORT-W5	0.09	-	1,911	-
TRUE13C1807A	-	-	-	-	WHAU24C1812A	0.04	(0.01)	2,222	-	SUPER-W4	0.12	0.01	202,536	-
TRUE13C1810A	0.05	-	3,050	-	WORK01C1811A	0.64	(0.09)	100,119	-	SUSCO-W1	0.18	-	2,833	-
TRUE13C1812A	0.26	(0.02)	214,129	-	WORK01C1811B	0.44	(0.08)	56,190	-	SVI-W3	1.20	(0.05)	37	1.00
TRUE16C1812A	-	-	-	-	WORK08C1809A	-	-	-	-	TCC-W3	-	-	-	-
TRUE19C1901A	0.18	(0.01)	115,535	-	WORK08C1901A	0.51	(0.09)	18,992	-	TCC-W4	0.13	0.01	3	-
TRUE23C1902A	-	-	-	-	WORK11C1903A	0.17	(0.03)	21,480	-	TCC-W5	0.17	(0.01)	1,018	-
TRUE27C1809A	-	-	-	-	WORK13C1809A	-	-	-	-	TCJ-W2	1.10	(0.04)	7,500	

Main Board Quotation

Issue Date :

Thursday August 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TH-W2	0.14	-	31	-	NEWS-W6	-	-	-	-	-	-	-	-	-
THE-W2	0.07	-	111,597	-	PHOL-W1	0.06	0.01	7,333	-	-	-	-	-	-
TNITY-W1	0.93	0.03	2,401	-	PIMO-W1	1.99	-	3,962	2.00	-	-	-	-	-
TNPC-W1	0.45	-	139	-	PPS-W1	0.86	0.07	524	-	-	-	-	-	-
TRITN-W3	0.15	(0.01)	81,699	-	PSTC-W1	0.26	(0.01)	38,254	-	-	-	-	-	-
TSR-W1	0.48	-	4,801	-	SIMAT-W2	0.44	(0.03)	200	-	-	-	-	-	-
TTA-W5	0.39	(0.01)	4,723	-	SIMAT-W3	0.63	(0.01)	893	-	-	-	-	-	-
TTCL-W1	1.46	0.37	666,980	1.00	SIMAT-W4	1.41	(0.02)	1,315	1.00	-	-	-	-	-
U-W1	-	-	-	-	SKY-W1	12.30	0.10	226	12.00	-	-	-	-	-
U-W4	0.01	-	1	-	STAR-W3	1.94	0.02	3,054	1.00	-	-	-	-	-
VIBHA-W2	1.37	0.01	2,060	1.00	T-W3	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.31	(0.02)	18,531	-	TAKUNI-W	0.20	-	800	-	-	-	-	-	-
WAVE-W1	0.42	0.01	2,272	-	TAPAC-W3	2.66	(0.02)	1,314	2.00	-	-	-	-	-
WHA-W1	6.55	0.10	4,664	6.00	TMILL-W1	1.06	(0.01)	1,770	1.00	-	-	-	-	-
WORK-W1	11.80	(0.20)	50	11.00	TSF-W4	0.01	-	10,000	-	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W5	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	TVD-W2	0.53	-	1,154	-	-	-	-	-	-
CSC-P	-	-	-	-	UAC-W2	0.93	0.06	37,036	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UKEM-W2	0.54	-	1,770	-	-	-	-	-	-
KTB-P	-	-	-	-	UWC-W2	0.02	0.01	110,295	-	-	-	-	-	-
SCB-P	-	-	-	-	XO-W1	5.00	(0.15)	2,210	5.00	-	-	-	-	-
TCAP-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TIC-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	0.03	-	290,488	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.16	0.01	87,200	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	2.82	(0.10)	922	2.00	-	-	-	-	-	-	-	-	-	-
AIRA-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.06	-	31	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.84	0.02	4,366	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.18	(0.01)	1,039	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.09	-	13,996	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	0.02	-	2,819	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.17	-	195,310	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.00	(0.01)	118	-	-	-	-	-	-	-	-	-	-	-
ECF-W2	3.98	-	2,908	3.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	2.96	0.06	9,779	2.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.01	-	19,431	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.02	-	7,391	-	-	-	-	-	-	-	-	-	-	-
FC-W1	0.07	0.01	5,001	-	-	-	-	-	-	-	-	-	-	-
FC-W2	0.03	-	1,102	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.26	(0.01)	909	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.41	-	3,769	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.34	(0.01)	19,322	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	2.88	(0.06)	25,408	2.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.44	0.06	1,464	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.06	0.01	2,829	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.11	-	3,439	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-