

Main Board Quotation

Issue Date :

Monday August 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.10	-	814	10.18	SE-ED	2.78	(0.06)	111	2.79
POMPI	-	-	-	-	ILINK	5.40	-	6,566	5.47	SMM	0.85	-	138	0.87
SAFARI	-	-	-	-	INET	3.80	-	668	3.82	SPORT	0.55	0.02	2,061	0.54
VI	-	-	-	-	INTUCH	56.00	-	75,854	56.11	TBSP	15.90	(0.10)	10	15.90
WORLD	-	-	-	-	JAS	5.15	(0.05)	187,825	5.20	TH	0.63	-	1,785	0.63
WR	-	-	-	-	JASIF	10.50	0.10	82,015	10.50	TKS	10.60	(0.10)	5,278	10.66
Agribusiness					JMART	10.10	0.95	92,300	9.95	TRITN	0.30	-	99,231	0.30
CHOTI	144.00	5.00	1	144.00	JTS	1.58	0.02	18	1.57	VGI	7.05	(0.05)	62,512	7.09
EE	0.73	(0.01)	15,157	0.74	MFEC	3.96	(0.06)	1,128	3.99	WAVE	-	-	-	-
GPPT	12.50	(1.00)	82,985	12.98	MSC	5.90	(0.10)	420	5.91	WORK	42.50	(1.25)	48,443	43.03
LEE	2.82	0.02	469	2.82	PT	6.80	0.05	2,083	6.80	Finance & Securities				
STA	11.10	(0.20)	23,989	11.20	SAMART	7.25	-	4,420	7.20	AEC	0.50	0.01	3,687	0.49
TLUXE	6.15	-	6,757	6.11	SAMTEL	8.20	(0.40)	609	8.32	AEONTS	167.50	-	3,489	167.47
TRUBB	1.68	(0.01)	3,494	1.69	SDC	0.24	-	27,847	0.24	AMANAHA	2.10	(0.08)	329,486	2.14
TWPC	9.25	(0.05)	2,325	9.25	SIS	9.00	0.10	2,963	8.98	ASAP	5.95	(0.25)	39,619	6.01
UPOIC	4.18	-	74	4.19	SVOA	1.39	(0.01)	11,917	1.40	ASK	23.00	0.10	341	22.95
UVAN	7.60	(0.05)	2,133	7.65	SYMC	5.20	(0.25)	213	5.33	ASP	3.86	(0.04)	24,873	3.89
VPO	0.66	-	2,076	0.66	SYNEX	13.80	(0.20)	9,565	13.92	BFIT	28.25	(0.50)	3,140	28.29
Banking					THCOM	8.75	0.10	53,495	8.90	CGH	1.09	-	8,329	1.08
BAY	39.75	-	6,738	40.05	TRUE	6.35	-	1,298,736	6.40	CNS	2.66	0.02	661	2.65
BBL	205.00	-	35,370	205.57	TWZ	0.13	(0.01)	30,794	0.13	ECL	2.06	(0.02)	334,906	2.09
CIMBT	0.86	(0.01)	28,066	0.87	Electronic Componer	-	-	-	-	FNS	4.62	-	1,104	4.64
KBANK	217.00	1.00	68,732	217.74	CCET	2.24	0.04	15,887	2.23	FSS	2.52	0.02	599	2.51
KKP	74.50	(0.25)	41,216	74.95	DELTA	70.00	(0.50)	22,003	70.23	GBX	0.69	0.01	2,298	0.69
KTB	18.90	(0.40)	413,087	19.17	EIC	0.05	-	11,282	0.05	GL	6.90	(0.20)	89,313	7.08
LHFG	1.59	(0.01)	11,566	1.60	HANA	37.50	0.75	65,786	37.70	IFS	3.06	-	697	3.06
SCB	141.50	-	102,926	142.29	KCE	42.00	(1.25)	60,486	42.68	JMT	26.50	0.25	11,591	26.74
TCAP	52.50	0.25	45,268	52.83	METCO	-	-	-	-	KCAR	14.00	-	669	14.00
TISCO	78.75	(0.25)	18,498	78.82	SMT	2.38	(0.04)	15,930	2.43	KGI	4.18	-	15,432	4.20
TMB	2.26	(0.04)	2,946,110	2.29	SPPT	3.90	-	4,871	3.84	KTC	29.25	0.50	347,084	29.68
Construction Materia					SVI	4.20	(0.06)	57,288	4.26	MBKET	13.00	(0.10)	3,925	13.15
CCP	0.40	(0.01)	8,586	0.41	TEAM	1.14	(0.03)	25,844	1.16	MFC	15.40	0.10	3,268	15.40
COTTO	3.34	(0.06)	1,339,516	3.46	Energy & Utilities	-	-	-	-	ML	1.09	0.06	116,448	1.09
DCC	2.24	(0.02)	241,220	2.35	ABPIF	8.55	-	1,163	8.53	MTC	39.25	(0.75)	43,002	39.56
DCON	0.56	-	8,701	0.56	AI	-	-	-	-	PE	0.33	0.01	2,664	0.35
DRT	5.80	0.05	2,201	5.79	AKR	1.08	-	202,051	1.11	PL	3.54	-	330	3.56
EPG	8.40	(0.20)	66,060	8.44	BAFS	35.25	-	877	35.24	S11	7.75	(0.15)	3,053	7.94
GEL	0.37	0.01	174,004	0.37	BANPU	20.70	(0.10)	424,752	20.83	SAWAD	35.50	(1.25)	97,764	36.01
PPP	3.62	-	861	3.62	BCP	36.00	-	19,122	35.88	THANI	7.80	(0.25)	32,501	7.91
Q-CON	-	-	-	-	BCPG	19.00	0.10	118,857	19.01	TK	11.10	(0.30)	5,651	11.11
RCI	3.08	0.20	506,603	3.16	BGRIM	25.75	(0.25)	108,311	26.23	TNITY	6.20	0.10	1,262	6.16
SCC	452.00	-	18,612	453.54	BPP	24.90	0.10	30,705	24.91	UOBKH	4.24	(0.06)	1	4.24
SCCC	235.00	(3.00)	1,420	236.01	BRRGIF	10.20	-	4,355	10.20	ZMICO	1.03	-	3,565	1.03
SCP	8.00	(0.10)	1,607	8.00	CKP	4.06	(0.06)	134,577	4.10	Food & Beverage				
SKN	5.40	(0.15)	2,114	5.48	DEMCO	4.08	(0.02)	1,547	4.09	APURE	1.36	(0.01)	17,643	1.38
TASCO	14.30	(0.40)	78,411	14.54	EA	35.50	(1.25)	188,362	35.91	ASIAN	9.20	0.35	537,085	9.35
TCMC	2.52	(0.08)	14,122	2.55	EARTH	-	-	-	-	BR	5.65	-	11,004	5.68
TOA	38.25	(0.25)	6,755	38.54	EASTW	11.30	(0.10)	3,020	11.31	BRR	6.75	-	1,865	6.76
TPIPL	1.86	(0.01)	115,207	1.86	EGATTIF	10.80	-	31,408	10.77	CBG	48.00	1.00	24,021	47.90
UMI	1.63	0.28	605,353	1.66	EGCO	231.00	-	5,542	232.29	CFRESH	4.44	(0.06)	450	4.48
VNG	8.00	-	1,647	7.93	ESSO	14.50	(0.30)	76,299	14.64	CM	4.68	(0.04)	16,339	4.74
WIJK	2.60	(0.08)	58,034	2.69	GLOW	93.75	(0.25)	9,246	93.84	CPF	25.50	(1.25)	383,478	26.00
Petrochemicals & Ch					GPSC	70.25	-	17,939	70.21	CPI	1.70	(0.05)	4,171	1.73
BCT	58.50	1.50	474	58.32	GULF	66.25	2.00	85,185	65.97	F&D	-	-	-	-
CMAN	3.40	(0.12)	28,635	3.49	GUNKUL	3.00	-	32,439	2.98	HTC	18.70	(0.70)	2,723	18.85
GC	5.15	(0.05)	348	5.18	IEC	-	-	-	-	ICHI	4.74	(0.14)	24,850	4.80
GGC	10.50	-	17,928	10.60	IFEC	-	-	-	-	KBS	4.48	0.02	738	4.48
GIFT	4.04	-	413	4.08	IRPC	6.60	-	838,955	6.60	KSL	3.30	(0.04)	10,715	3.34
IVL	57.00	(3.50)	664,400	58.11	LANNA	15.50	(0.10)	693	15.48	KTIS	5.90	(0.05)	123	5.90
NFC	11.80	0.10	1,287	11.81	MDX	4.16	(0.04)	1,954	4.20	LST	5.10	(0.05)	8,798	5.16
PATO	15.00	0.10	508	14.94	PTG	14.30	(0.80)	116,911	14.68	M	73.25	(0.75)	2,353	73.44
PMTA	16.50	-	159	16.59	PTT	51.50	(0.25)	397,548	51.75	MALEE	13.30	(0.30)	46,698	13.37
PTTGC	83.25	(1.25)	180,322	84.05	PTTEP	139.50	(1.00)	55,011	140.61	MINT	38.00	0.25	120,638	38.09
SUTHA	4.14	(0.02)	125	4.15	RATCH	52.25	0.50	21,190	52.18	OISHI	94.00	(1.00)	56	94.07
TCCC	35.25	(0.25)	437	35.71	RPC	0.55	-	1,272	0.55	PB	61.50	-	17	61.34
TPA	6.40	0.05	21	6.44	SCG	4.78	0.08	77	4.78	PM	10.30	-	8,548	10.27
UP	-	-	-	-	SCI	3.44	0.10	76,216	3.43	PRG	13.50	(0.30)	100	14.17
VNT	23.60	(0.40)	10,388	23.73	SCN	3.74	(0.04)	4,203	3.76	SAPPE	25.50	(0.50)	5,963	25.64
WG	155.50	0.50	1	155.50	SGP	11.60	(0.70)	229,519	11.90	SAUCE	21.70	0.10	11	21.71
YCI	-	-	-	-	SKE	1.29	-	8,380	1.29	SFP	-	-	-	-
Commerce					SOLAR	2.32	(0.12)	14,625	2.39	SNP	21.10	0.30	202	24.66
BEAUTY	7.10	(0.05)	543,590	7.21	SPCG	21.00	(0.30)	10,147	21.37	SORKON	72.00	4.00	23	68.42
BIG	2.12	(0.12)	109,177	2.18	SPRC	14.80	(0.10)	75,542	14.90	SSC	40.00	0.25	5	40.10
BJC	55.50	-	68,856	55.61	SUPER	0.72	(0.01)	662,192	0.73	SSF	8.40	(0.10)	6	8.44
COL	27.75	(0.25)	2,690	27.91	SUSCO	3.38	(0.02)	16,381	3.40	SST	5.95	(0.35)	896	6.19
COM7	18.20	(0.30)	68,288	18.45	TAE	2.12	(0.04)	3,672	2.16	TC	3.06	(0.08)	374	3.13
CPALL	72.75	(1.00)	373,099	73.34	TCC	0.38	(0.01)	16,660	0.38	TFG	4.16	(0.02)	42,328	4.21
CSS	2.12	(0.06)	16,281	2.13	TOP	80.75	(2.00)	78,730	81.80	TFMAMA	155.00	(0.50)	7	155.29
FN	2.96	(0.14)	12,323	3.02	TPIPP	5.95	(0.10)	118,987	6.03	TIPCO	9.60	(0.25)	5,656	9.76
FTE	2.28	-	6,328	2.29	TTW	12.60	(0.20)	31,811	12.68	TKN	15.40	(0.50)	151,555	16.15
GLOBAL	17.20	(0.20)	21,608	17.28	WHAUP	5.85	-	57,247	5.91	TU	17.40	(0.10)	94,374	17.44
HMPRO	14.20	(0.20)	287,488	14.30	WP	7.40	(0.30)	14,566	7.54	TVO	30.00	(0.25)	16,721	30.20
IT	4.92	-	6,249	4.97	Media & Publishing					Health Care Services				
KAMART	4.88	(0.17)	19,298	4.94	AMARIN	4.98	(0.02)	1,429	5.00	AHC	20.00	(0.40)	1,221	20.05
LOXLEY	2.22	(0.02)	16,831	2.23	AQUA	0.50	(0.01)	34,212	0.50	BCH	16.30	-	74,983	16.38
MAKRO	36.00	(0.25)	7,806	36.24	AS	1.49	(0.01)	988	1.49	BDMS	26.00	(1.00)	570,084	26.18
MC	11.90	(0.30)	6,743	12.14	BEC	8.80	(0.45)	77,019	9.00	BH	182.50	(1.50)	8,885	183.49
MEGA	40.25	(0.25)	7,858	40.41	EPCO	4.82	(0.06)	11,751	4.86	CHG	2.22	(0.02)	85,733	2.24
MIDA	0.63	-	3,759	0.63	FE	170.00	(12.00)	1	170.00	CMR	3.30	0.02	662	3.28
ROBINS	62.00	-	19,349	62.68	GPI	2.90	-	1,168	2.88	EKH	5.10	(0.05)	4,860	5.10
RSP	4.96	(0.04)	19,082	5.11	GRAMMY	8.15	(0.10)	64	8.18	KDH	101.50	0.50	20	101.50
SINGER	10.60	0.60	15,425	10.63	MACO	1.76	-	26,894	1.78	LPH	6.10	-</		

Main Board Quotation

Issue Date :

Monday August 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	3.00	(0.06)	2,706	3.02	MJD	3.30	0.04	481	3.26	CPT	2.74	(0.04)	69,160	2.79
Tourism & Leisure					MK	4.40	(0.18)	39,798	4.56	CRANE	2.84	-	1,373	2.84
ASIA	6.80	(0.10)	40	6.80	NCH	0.89	(0.01)	253	0.90	CTW	8.20	0.05	1,543	8.25
CENTEL	43.25	(0.25)	37,949	43.75	NNCL	1.70	-	18,378	1.70	FMT	26.25	-	13	26.25
CSR	-	-	-	-	NOBLE	12.10	-	1,299	12.10	HTECH	7.80	0.15	49,637	7.90
DTC	11.90	(0.20)	9,990	11.99	NUSA	0.30	-	43,449	0.30	KKC	1.76	(0.01)	461	1.75
ERW	7.20	(0.10)	29,421	7.30	NVD	3.86	0.06	265	3.87	PK	3.96	(0.04)	40,430	4.04
GRAND	0.93	(0.01)	2,877	0.94	ORI	18.90	(0.10)	22,541	19.02	SNC	14.90	-	8,482	14.89
LRH	37.00	-	2	37.00	PACE	0.50	0.01	570,652	0.51	TCJ	6.30	(0.15)	167	6.40
MANRIN	32.00	-	51	32.00	PF	0.96	-	428,389	0.96	VARO	7.00	(0.25)	56	7.00
OHTL	-	-	-	-	PLAT	7.45	(0.10)	25,507	7.50	Property Fund & REI				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.00	(0.10)	2,448	10.08
SHANG	73.00	-	169	72.65	PRECHA	1.40	-	104	1.40	AMATAR	10.50	(0.10)	1,200	10.56
Home & Office Prod.					PRIN	1.68	0.01	13,544	1.68	B-WORK	10.60	0.10	36	10.56
ACC	0.47	-	3,844	0.46	PRINC	5.30	0.05	7,401	5.28	BKKCP	12.00	-	37	12.00
AJA	0.39	-	58,728	0.39	PSH	21.10	(0.30)	15,602	21.15	BOFFICE	12.60	-	643	12.68
DTCI	-	-	-	-	QH	3.34	(0.26)	3,694,709	3.38	CPNCG	14.70	(0.20)	2,592	14.72
FANCY	1.03	-	60,107	1.06	RICHY	1.81	0.01	27,245	1.82	CPNREIT	24.50	(0.10)	4,075	24.64
KYE	400.00	-	156	400.39	RML	1.41	(0.01)	160,719	1.42	CPTGF	13.30	-	15,052	13.30
L&E	2.74	0.02	216	2.71	ROJNA	5.55	(0.15)	13,699	5.60	CRYSTAL	10.20	(0.10)	1,993	10.20
MODERN	4.58	(0.04)	764	4.59	S	2.98	(0.02)	63,743	2.99	CTARAF	4.74	0.02	39	4.72
OGC	40.25	0.75	6	40.17	SAMCO	2.26	0.04	38	2.27	DREIT	5.90	0.05	3,869	5.94
ROCK	-	-	-	-	SC	3.60	-	14,932	3.60	ERWPF	5.60	(0.05)	80	5.60
SIAM	1.93	(0.01)	4,140	1.90	SENA	3.80	(0.02)	7,888	3.80	FUTUREPF	21.40	0.10	74	21.32
TSR	2.40	0.04	45,365	2.43	SF	8.05	-	11,951	8.08	GAHREIT	9.85	0.15	1,399	9.80
Insurance					SIRI	1.64	(0.02)	429,969	1.66	GLANDRT	12.40	(0.10)	4,000	12.40
AYUD	39.00	0.25	51	38.91	SPALI	23.60	(0.30)	23,197	23.85	GOLDPF	7.40	0.10	1	7.40
BKI	351.00	(1.00)	11	351.00	TIGON	16.50	-	1,077	16.50	GVREIT	14.70	-	5,628	14.73
BLA	32.75	(0.50)	4,135	32.99	U	0.02	(0.01)	832,236	0.02	HPF	5.40	(0.10)	1,182	5.44
BUI	-	-	-	-	UV	7.95	(0.15)	46,350	8.07	HREIT	6.40	(0.05)	3,004	6.41
CHARAN	-	-	-	-	WHA	3.94	(0.06)	342,678	3.95	IMPACT	17.90	0.10	1,208	17.83
INSURE	-	-	-	-	WIN	0.60	-	3,861	0.60	KPNPF	-	-	-	-
MTI	113.00	(0.50)	12	113.00	Paper & Printing Mat					LHHOTEL	15.90	0.40	764	15.84
NKI	53.75	0.25	2	53.75	UTP	11.70	(0.10)	5,383	11.79	LHPF	8.45	-	86	8.45
NSI	84.00	-	32	83.85	Fashion					LHSC	15.80	-	350	15.80
SMK	41.00	-	28	40.92	AFC	8.95	0.10	8	8.95	LUXF	8.10	(0.05)	1,287	8.10
THRE	1.19	(0.01)	2,972	1.19	BTNC	-	-	-	-	M-II	9.00	(0.10)	15	9.00
THREL	8.05	0.05	1,440	8.05	CPH	6.00	0.30	11	6.00	M-PAT	-	-	-	-
TIC	34.25	0.25	190	34.22	CPL	-	-	-	-	M-STOR	-	-	-	-
TIP	23.60	(0.10)	3,215	23.64	DIGI	0.44	(0.01)	13,622	0.45	MIPF	-	-	-	-
TSI	0.50	(0.01)	6,522	0.50	ICC	40.00	-	35	40.00	MIT	-	-	-	-
TVI	3.74	0.02	40	3.74	LTX	102.00	(2.00)	258	104.24	MJLF	12.60	(0.10)	703	12.60
Mining					NC	15.20	(0.60)	18	15.20	MNIT	1.65	-	1,756	1.65
PDI	18.70	(0.10)	2,651	18.91	PAF	1.01	0.10	451,447	1.05	MNIT2	5.25	(0.10)	15	5.25
THL	-	-	-	-	PDJ	2.84	(0.02)	3,414	2.84	MNRF	-	-	-	-
Packaging					PG	7.05	(0.05)	20	7.05	MONTRI	6.00	(0.50)	1,001	5.95
AJ	10.40	-	4,870	10.40	SABINA	31.25	-	170	31.38	POPF	13.50	(0.10)	2,413	13.51
ALUCON	192.00	-	47	191.99	SAWANG	14.30	(2.00)	10	14.30	PPF	11.00	(0.10)	420	11.02
CSC	45.00	-	2	45.00	SUC	44.75	(0.50)	591	44.83	QHHR	8.50	-	1,499	8.50
NEP	0.43	-	22,287	0.43	TNL	-	-	-	-	QHOP	3.70	(0.10)	4	3.70
NPPG	1.17	(0.05)	59,245	1.19	TPCORP	15.30	0.10	1	15.30	QHPF	12.30	(0.10)	7,014	12.38
PTL	16.90	(0.20)	9,628	17.03	TR	47.25	(0.25)	201	47.49	SBPF	3.48	0.44	108	2.96
SITHAI	1.21	(0.02)	17,386	1.21	TTI	-	-	-	-	SHREIT	9.20	(0.05)	342	9.19
SLP	1.01	0.10	176,129	1.04	TTL	-	-	-	-	SIRIP	11.20	(0.30)	101	11.01
SMPC	12.80	-	1,229	12.81	TTMT	144.50	1.00	26	145.08	SPF	23.50	-	1,334	23.42
SPACK	1.95	(0.01)	6	1.96	UPF	-	-	-	-	SRIPANWA	11.10	-	40	11.10
TCOAT	-	-	-	-	UT	13.70	0.10	64	13.70	SSPF	10.00	-	1,000	10.00
TFI	0.36	(0.04)	4,361	0.38	WACOAL	44.50	(1.00)	6	44.92	SSTPF	6.55	(0.25)	14	6.68
THIP	36.00	-	404	36.03	Transportation & Log					SSTRT	6.25	-	152	6.25
TMD	22.00	-	38	21.90	AAV	4.50	(0.02)	212,272	4.50	TIF1	8.60	-	20	8.60
TOPP	-	-	-	-	AOT	65.25	(1.00)	200,813	65.63	TLGF	18.60	(0.50)	2,977	19.08
TPBI	8.30	(0.10)	117	8.34	ASIMAR	2.94	-	1,652	2.96	TLHPF	11.30	(0.10)	4	11.30
TPP	-	-	-	-	B	0.70	-	31,283	0.71	TNPF	3.70	-	128	3.70
Personal Products &					BA	12.40	(0.30)	19,055	12.54	TPRIME	12.30	-	1,379	12.34
APCO	4.44	(0.02)	637	4.45	BEM	8.20	(0.10)	673,207	8.31	TREIT	11.30	(0.10)	1,203	11.38
DDD	48.50	-	4,814	48.91	BTS	9.25	0.05	217,835	9.28	TTLPF	23.50	(0.10)	20	23.50
JCT	88.50	-	9	88.50	BTSIGIF	12.30	-	181,115	12.29	TU-PF	-	-	-	-
OCC	17.30	0.10	1	17.30	III	5.00	(0.15)	40,102	5.17	URBNPF	3.20	0.10	240	3.18
S & J	25.00	(0.25)	1	25.00	JUTHA	1.83	0.03	575	1.85	WHABT	10.10	(0.10)	4,324	10.19
STHAI	-	-	-	-	JWD	7.20	(0.25)	39,542	7.32	WHART	10.30	-	13,196	10.30
TNR	12.70	(0.30)	440	12.73	KWC	-	-	-	-	Steel	-	-	-	-
TOG	5.20	(0.05)	148	5.21	NOK	2.66	-	5,047	2.65	AMC	2.74	-	1,518	2.73
Professional Service					NYT	5.35	(0.05)	1,531	5.38	BSBM	1.15	-	830	1.15
BWG	1.02	(0.01)	209,476	1.03	PRM	7.05	(0.10)	24,695	7.11	CEN	1.30	-	8,503	1.33
GENCO	0.81	-	6,348	0.82	PSL	11.80	(0.30)	23,920	12.03	CITY	2.64	(0.02)	7	2.64
PRO	-	-	-	-	RCL	5.35	(0.20)	9,970	5.47	CSP	1.40	-	30	1.40
TEAMG	2.26	(0.06)	159,485	2.34	THAI	14.80	0.50	64,592	14.73	GJS	0.32	-	38,075	0.32
Property Developme					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	0.05	849	6.70	TTA	7.20	(0.05)	11,242	7.28	INOX	1.08	(0.02)	2,984	1.09
AMATA	20.00	(0.80)	235,000	20.50	WICE	4.04	(0.08)	26,911	4.08	LHK	4.98	0.02	3,373	4.99
AMATAV	6.70	(0.05)	781	6.72	Automotive					MAX	0.02	-	190,808	0.02
ANAN	4.96	(0.04)	73,215	5.02	AH	34.00	(0.25)	6,072	34.38	MCS	8.10	(0.05)	7,161	8.16
AP	9.15	(0.25)	138,459	9.31	APCS	5.30	-	583	5.15	MILL	1.59	-	39,856	1.60
APEX	0.20	-	12,838	0.20	BAT-3K	205.00	(5.00)	20	205.00	PAP	4.30	(0.04)	724	4.34
AQ	0.04	0.01	260,553	0.04	CWT	3.18	(0.04)	6,120	3.21	PERM	2.48	(0.04)	1,771	2.49
BLAND	1.82	(0.09)	480,569	1.82	EASON	2.74	(0.04)	3,144	2.75	RICH	-	-	-	-
BROCK	2.38	(0.02)	275	2.39	GYT	385.00	-	3	385.00	SAM	0.75	0.02	4,854	0.74
CGD	1.40	(0.04)	32,125	1.41	HFT	3.32	0.06	2,969	3.28	SMIT	6.05	-	1,128	6.02
CI	1.58	(0.01)	295	1.58	IHL	8.70	(0.05)	2,227	8.70	SSI	-	-	-	-
CPN	79.50	(0.25)	75,423	79.79	INGRS	0.76	(0.01)	13,045	0.78	SSSC	2.94	0.06	1,254	2.95
ESTAR	0.67	-	12,079	0.67	IRC	21.10	0.60	118	21.02	TGPRO	0.18	0.01	13,298	0.18
EVER	0.39	(0.01)	44,741	0.40	PCSGH	7.30	(0.15)	8,102	7.44	THE	3.72	(0.08)	128,697	3.74
GLAND	2.64	-	108,507	2.62	SAT	23.10	(0.90)	28,509	24.03	TIW	396.00	(4.00)	19	392.32
GOLD	10.50	-	26,445	10.50	SPG	14.30	(0.30)	402	14.36	TMT	14.70	(0.20)	203	14.78
GREEN	1.23	(0.01)	9,032	1.24	STANLY	267.00	(17.00)	509	273.52	TSTH	0.74	0.01	5,905	0.73
J	1.71	-	110	1.72	TKT	1.67	(0.02)	7,802	1.70	TWP	4.14	0.02	3,298	4.19</

Main Board Quotation

Issue Date :

Monday August 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	UMS	0.76	(0.01)	51	-	ADVA11P1807A	-	-	-	-
ABICO	6.75	(0.40)	13,878	7.00	UWC	0.08	-	80,397	-	ADVA11P1905A	0.41	(0.01)	18,750	-
AU	8.75	(0.15)	9,603	8.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.06	-	3,165	-
FC	0.32	-	15,912	-	ADAM	-	-	-	-	ADVA13C1811A	0.56	0.01	87,704	-
JCKH	1.16	0.04	9,024	1.00	AKP	1.69	0.02	1,249	1.00	ADVA13C1901A	0.30	(0.70)	43,390	-
KASET	2.14	(0.04)	364	2.00	AMA	6.30	(0.40)	8,225	6.00	ADVA13P1809A	0.13	(0.02)	11,408	-
MM	4.00	(0.06)	3,958	4.00	ARIP	0.51	0.01	1,638	-	ADVA16C1812A	0.51	0.01	302	-
SUN	3.54	-	9,616	3.00	ATP30	1.75	(0.03)	12,887	1.00	ADVA18C1808A	0.33	(0.01)	5,582	-
TACC	4.08	0.02	5,922	4.00	AUCT	5.95	(0.05)	6,773	5.00	ADVA19C1901A	0.59	-	10,649	-
TMILL	3.18	(0.08)	2,024	3.00	BOL	1.91	(0.03)	45	1.00	ADVA23C1902A	0.47	0.01	10,000	-
XO	8.15	-	3,825	8.00	CHUO	-	-	-	-	ADVA24C1810A	0.37	0.02	9,300	-
Consumer Products	-	-	-	-	CMO	1.59	-	2,444	1.00	ADVA24P1810A	0.07	(0.01)	1,500	-
BGT	1.11	(0.02)	3,681	1.00	D	11.00	-	6,161	10.00	ADVA28C1808A	-	-	-	-
BIZ	2.94	0.08	1,425	2.00	DCORP	2.72	0.14	9,497	2.00	ADVA28C1811A	0.47	-	56,470	-
DOD	15.50	(0.60)	437,887	15.00	DNA	0.54	0.05	640,787	-	ADVA28C1901A	0.19	(0.81)	31,190	-
ECF	7.85	0.30	239,749	7.00	EFORL	0.08	-	206,785	-	ADVA28P1810A	0.16	(0.02)	32,602	-
HPT	1.12	(0.05)	44,106	1.00	ETE	2.12	-	18,011	2.00	AMAT01C1810A	0.71	(0.07)	95,212	-
JUBILE	21.50	(0.20)	399	21.00	FSMART	9.05	(0.25)	7,757	9.00	AMAT01C1810B	0.45	(0.07)	125,161	-
MOONG	6.20	(0.20)	5,006	6.00	FVC	1.36	(0.03)	13,880	1.00	AMAT01P1810A	1.12	0.08	42,768	1.00
NPK	-	-	-	-	HARN	2.68	-	2,323	2.00	AMAT06C1809A	0.03	(0.01)	10,800	-
OCEAN	1.70	(0.05)	30,133	1.00	JKN	11.30	(0.20)	34,659	11.00	AMAT08C1809A	0.07	(0.02)	1,212	-
TM	2.00	(0.02)	541	2.00	KIAT	0.45	(0.02)	52,614	-	AMAT11C1903A	0.33	(0.03)	29,453	-
Financials (MAI)	-	-	-	-	KOOL	1.89	(0.07)	72,379	1.00	AMAT13C1809A	0.05	(0.01)	24,327	-
ACAP	8.35	0.20	6,092	8.00	LDC	1.13	0.01	5,242	1.00	AMAT13C1812A	0.40	(0.08)	292,856	-
AF	0.78	0.01	477	-	MPG	0.23	0.01	8,549	-	AMAT19C1811A	0.18	(0.03)	20,712	-
AIRA	-	-	-	-	NBC	0.64	-	1,501	-	AMAT23C1810A	0.16	(0.02)	17,820	-
ASN	3.46	0.02	1,462	3.00	NCL	1.50	0.03	1,685	1.00	AMAT24C1807A	-	-	-	-
BROOK	0.57	-	20,229	-	NEWS	0.01	-	200,885	-	AMAT24C1811A	0.29	(0.01)	4,000	-
CHAYO	3.84	(0.42)	294,039	3.00	NINE	1.52	(0.02)	25	1.00	AMAT28C1808A	-	-	-	-
GCAP	4.40	(0.16)	16,978	4.00	OTO	2.72	(0.06)	129	2.00	ANAN01C1810A	1.03	(0.05)	25,973	1.00
LIT	8.85	0.05	3,004	8.00	PHOL	2.36	(0.02)	313	2.00	ANAN01C1810B	0.80	(0.09)	6,222	-
SGF	0.14	(0.01)	694,565	-	PICO	5.85	(0.20)	136	5.00	ANAN08C1808A	0.01	-	38,802	-
Industrials (MAI)	-	-	-	-	PORT	7.00	(0.10)	18,504	7.00	ANAN08C1810A	0.94	(0.12)	10	-
2S	3.12	0.02	12,235	3.00	QLT	4.76	(0.04)	3,629	4.00	ANAN08C1906A	0.28	0.01	23,142	-
ADB	1.23	(0.04)	12,135	1.00	RP	3.12	-	369	3.00	ANAN13C1901A	0.21	-	33,263	-
BM	3.60	-	7,038	3.00	SE	2.10	0.06	1,666	2.00	ANAN19C1811A	0.57	(0.01)	3,252	-
CHO	1.21	0.02	6,169	1.00	SPA	15.10	-	7,949	15.00	ANAN23C1901A	0.34	(0.01)	4,500	-
CHOW	4.92	(0.06)	376	4.00	THMUI	1.68	(0.11)	100,956	1.00	ANAN24C1807A	-	-	-	-
CIG	0.39	-	2,209	-	TNDT	5.60	(0.50)	24,278	5.00	ANAN24C1811A	0.83	(0.02)	830	-
COLOR	1.13	0.01	13,345	1.00	TNH	39.75	-	76	39.00	ANAN28C1809A	0.49	(0.05)	4,120	-
CPR	5.80	(0.35)	42,767	5.00	TNP	1.85	(0.19)	75,716	1.00	AOT01C1808A	0.20	(0.05)	170,442	-
FPI	2.72	-	1,346	2.00	TSF	0.05	-	28,895	-	AOT01C1808B	0.01	-	4,745	-
GTB	0.79	0.01	16,318	-	TVD	1.39	(0.04)	1,765	1.00	AOT01C1810A	0.29	(0.04)	64,552	-
KCM	1.28	(0.02)	48,952	1.00	TVT	1.01	(0.01)	4,604	1.00	AOT01C1902A	0.57	(0.04)	115,797	-
LVT	-	-	-	-	WINNER	3.34	(0.04)	262	3.00	AOT01C1902B	0.44	(0.03)	46,100	-
MBAX	4.10	(0.02)	974	4.00	Technology (MAI)	-	-	-	-	AOT01P1808A	0.85	0.05	71,768	-
MGT	2.10	-	11,826	2.00	COMAN	3.56	(0.04)	747	3.00	AOT01P1808B	0.12	0.02	170,825	-
NDR	2.28	0.02	1,508	2.00	ICN	2.42	(0.02)	22,149	2.00	AOT01P1902A	0.88	0.04	71,387	-
PDG	3.64	0.02	465	3.00	IRCP	1.27	(0.01)	5,524	1.00	AOT01P1902B	0.63	0.03	120,412	-
PIMO	3.02	-	5,289	3.00	ITEL	3.20	(0.16)	8,249	3.00	AOT06C1809A	0.04	(0.01)	14,052	-
PJW	1.75	0.01	3,545	1.00	NETBAY	34.25	0.50	2,668	34.00	AOT06C1903A	0.55	(0.45)	18,150	-
PPM	2.22	0.04	10,408	2.00	PLANET	1.52	(0.08)	751	1.00	AOT06P1903A	0.59	(0.41)	12,000	-
RWI	1.68	0.03	28,215	1.00	SIMAT	2.14	(0.02)	6,227	2.00	AOT08C1901A	0.35	(0.03)	65,185	-
SALEE	1.25	0.16	190,437	1.00	SKY	13.90	0.20	10,186	13.00	AOT11C1808A	0.39	(0.04)	22,741	-
SANKO	1.27	(0.01)	8,272	1.00	SPVI	1.45	(0.01)	27,993	1.00	AOT11P1808A	0.02	-	2,144	-
SELIC	1.85	(0.01)	15,891	1.00	UPA	0.47	0.01	52,701	-	AOT13C1809A	0.02	(0.01)	3,185	-
SWC	23.00	-	267	23.00	VCOM	3.10	(0.06)	3,717	3.00	AOT13C1811A	0.20	(0.02)	23,481	-
TMC	0.95	0.03	43,394	-	Unit Trust	-	-	-	-	AOT13C1812A	0.35	(0.05)	36,306	-
TMI	0.81	0.01	11,227	-	MGE	-	-	-	-	AOT13P1810A	0.37	0.03	61,104	-
TMW	66.50	(0.50)	205	66.00	SCBSET	-	-	-	-	AOT13P1812A	0.19	0.01	35,689	-
TPAC	12.00	-	2,475	11.00	ETF	-	-	-	-	AOT19C1809A	0.10	(0.02)	7,902	-
UAC	4.76	(0.02)	563	4.00	IDIV	12.99	0.06	985	12.00	AOT19C1901A	0.48	(0.03)	22,831	-
UBIS	4.92	-	150	4.00	ABFTH	-	-	-	-	AOT23C1807A	-	-	-	-
UEC	1.37	(0.01)	4,268	1.00	BMSCG	9.14	(0.09)	325	9.00	AOT23P1807A	-	-	-	-
UKEM	0.90	-	8,473	-	BMSCITH	12.72	(0.13)	4,811	12.00	AOT24C1807A	-	-	-	-
UREKA	0.60	0.05	139,108	-	BSET100	10.85	(0.12)	802	10.00	AOT24C1811A	0.10	(0.02)	6,120	-
YUASA	17.60	(0.40)	3,707	17.00	CHINA	5.30	0.02	1,410	5.00	AOT24C1901A	-	-	-	-
ZIGA	3.46	(0.02)	89,787	3.00	EBANK	5.86	0.06	161	5.00	AOT24P1809A	0.05	-	1,880	-
Property & Construc	-	-	-	-	ECOMM	8.17	(0.12)	12	8.00	AOT28C1809A	0.04	(0.02)	130	-
ARROW	9.40	0.15	529	9.00	EFOOD	-	-	-	-	AOT28C1812A	0.30	(0.04)	102,077	-
BKD	3.18	-	2,910	3.00	EICT	4.77	(0.06)	2	4.00	AOT28C1901A	0.25	(0.75)	37,404	-
BSM	0.68	-	20,367	-	ENGY	6.46	0.04	11	6.00	AOT28P1812A	0.33	(0.67)	95,035	-
BTW	1.86	(0.10)	19,931	1.00	ENY	-	-	-	-	AP01C1809A	0.53	(0.04)	22,246	-
CHEWA	1.10	0.02	47,635	1.00	ESET50	-	-	-	-	AP01C1809B	0.15	(0.04)	36,635	-
CRD	1.10	0.01	2,608	1.00	GLD	1.73	(0.01)	1,802	1.00	AP08C1810A	0.42	(0.04)	41,908	-
DIMET	1.13	(0.04)	33,421	1.00	TDEX	11.09	(0.06)	3,822	11.00	AP23C1901A	0.19	(0.02)	4,050	-
FLOYD	2.34	(0.10)	27,250	2.00	TGOLDETF	3.78	-	254	3.00	AP24C1901A	0.31	(0.03)	1,607	-
FOCUS	0.89	(0.01)	2,005	-	TH100	5.06	0.16	1	5.00	AP42C1901A	0.33	(0.02)	9,412	-
HYDRO	1.45	-	30,223	1.00	Warrant Foreign	-	-	-	-	AP42P1901A	0.36	0.03	9,695	-
JSP	0.68	-	9,910	-	AAV01C1808A	0.02	-	14,500	-	BA11C1902A	0.05	(0.02)	2,430	-
K	2.84													

Main Board Quotation

Issue Date :

Monday August 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP23C1901A	0.27	-	18,946	-	BEC13C1808A	-	-	-	-	BTS42P1901A	0.30	(0.01)	8,032	-
BANP24C1808A	-	-	-	-	BEC13C1811A	0.17	(0.07)	37,856	-	CBG01C1809A	0.01	-	90	-
BANP24C1812A	-	-	-	-	BEC13C1901A	0.41	(0.09)	84,442	-	CBG01C1811A	0.36	0.02	121,394	-
BANP24P1808A	-	-	-	-	BEC19C1809A	-	-	-	-	CBG01C1811B	0.15	0.02	33,305	-
BANP24P1901A	0.34	0.02	1	-	BEC23C1807A	-	-	-	-	CBG01P1811A	1.13	(0.04)	26,847	1.00
BANP27C1809A	0.14	(0.02)	40,064	-	BEC23C1809A	0.01	(0.02)	4,000	-	CBG01P1811B	0.70	(0.04)	43,806	-
BANP28C1809A	-	-	-	-	BEC24C1809A	-	-	-	-	CBG06C1807A	-	-	-	-
BANP28C1810A	0.26	(0.01)	185,398	-	BEC24C1812A	-	-	-	-	CBG06C1809A	0.03	-	4,000	-
BBL06C1902A	0.87	-	19,468	-	BEC28C1808A	-	-	-	-	CBG06C1903A	0.61	0.02	28,563	-
BBL08C1808A	0.03	-	4	-	BEC28C1809A	-	-	-	-	CBG06P1809A	1.38	(0.03)	3,820	1.00
BBL08C1809A	0.09	(0.01)	64,845	-	BEC28C1811A	0.34	(0.06)	152,400	-	CBG07C1812A	0.32	(0.05)	149	-
BBL08C1902A	0.70	-	58,364	-	BEM01C1808A	0.41	(0.02)	46,527	-	CBG08C1808A	-	-	-	-
BBL08P1810A	0.11	(0.01)	50,859	-	BEM01C1808B	0.04	(0.01)	64,842	-	CBG08C1810A	0.02	-	4,074	-
BBL11C1903A	0.59	-	21,018	-	BEM01P1808A	0.10	0.01	8,300	-	CBG08C1902A	0.39	0.02	88,420	-
BBL11P1903A	0.37	-	25,516	-	BEM08C1809A	0.22	-	50,057	-	CBG11C1902A	0.11	0.01	4,909	-
BBL13C1810A	0.48	(0.01)	2,430	-	BEM11C1903A	0.26	(0.01)	42,190	-	CBG13C1808A	-	-	-	-
BBL13C1901A	0.32	(0.01)	34,127	-	BEM13C1809A	0.20	(0.03)	101,510	-	CBG13C1809A	-	-	-	-
BBL19C1901A	0.32	-	25,526	-	BEM19C1901A	0.35	(0.01)	17,092	-	CBG13C1811A	0.10	0.01	24,670	-
BBL23C1811A	0.29	0.01	10,000	-	BEM23C1901A	0.20	(0.01)	48,148	-	CBG13C1812A	0.21	0.02	38,230	-
BBL24C1809A	0.06	0.02	1	-	BEM24C1809A	0.20	(0.04)	60,100	-	CBG18C1808A	-	-	-	-
BBL24C1812A	-	-	-	-	BEM28C1808A	-	-	-	-	CBG19C1810A	0.04	(0.02)	5,000	-
BBL24P1810A	0.08	(0.02)	80	-	BGRI01C1901A	1.05	-	7,200	1.00	CBG19C1901A	0.46	0.04	19,036	-
BBL27C1809A	0.13	-	13,948	-	BGR01C1901B	0.93	0.01	6,179	-	CBG23C1901A	0.11	0.02	22,200	-
BBL28C1808A	-	-	-	-	BGR10C1903A	-	-	-	-	CBG24C1807A	-	-	-	-
BBL28C1811A	0.55	(0.01)	46,896	-	BGR10C1902A	0.78	-	13,482	-	CBG24C1809A	-	-	-	-
BBL28C1901A	0.26	(0.74)	134,418	-	BGR11C1812A	0.76	-	22,988	-	CBG24C1811A	0.14	-	1,719	-
BCH01C1808A	0.33	(0.01)	78,372	-	BGR11C1812B	0.22	(0.01)	41,314	-	CBG28C1808A	-	-	-	-
BCH01C1808B	-	-	-	-	BGR19C1901A	0.63	-	6,000	-	CBG28C1808B	-	-	-	-
BCH01P1808A	0.26	-	67,061	-	BGR21C1901A	0.66	(0.04)	34,140	-	CBG28C1811A	0.09	-	30,537	-
BCH06C1811A	0.16	0.01	5,200	-	BGR28C1812A	0.74	0.02	35,732	-	CBG28C1812A	0.32	(0.68)	30,100	-
BCH08C1901A	0.27	(0.01)	87,428	-	BH01C1811A	0.64	(0.04)	63,028	-	CENT01C1810A	0.25	(0.02)	25,170	-
BCH11C1807A	-	-	-	-	BH01C1811B	0.22	(0.02)	10,076	-	CENT01C1810B	0.09	(0.01)	9,724	-
BCH11C1905A	0.26	-	6,656	-	BH01P1811A	1.33	0.05	26,648	1.00	CENT01P1810A	0.99	0.03	25,916	-
BCH13C1810A	0.08	(0.01)	3,001	-	BH07C1810A	0.01	(0.02)	1,023	-	CENT08C1809A	-	-	-	-
BCH19C1809A	0.09	0.01	1,324	-	BH08C1811A	0.05	-	5,000	-	CENT11C1904A	0.24	-	13,000	-
BCH23C1811A	0.23	-	9,000	-	BH11C1902A	-	-	-	-	CENT13C1811A	0.06	(0.01)	5,800	-
BCH24C1811A	-	-	-	-	BH11C1905A	0.69	(0.05)	6,816	-	CENT23C1902A	0.24	-	8,000	-
BCH28C1811A	0.17	-	94,568	-	BH19C1901A	0.67	(0.04)	10,136	-	CENT24C1807A	-	-	-	-
BCP01C1810A	0.24	(0.01)	32,444	-	BH24C1809A	-	-	-	-	CENT24C1810A	-	-	-	-
BCP01C1810B	0.10	(0.01)	7,451	-	BH24C1811A	-	-	-	-	CENT24C1901A	0.27	(0.04)	2,135	-
BCP01P1810A	0.39	-	34,067	-	BH24C1902A	0.60	(0.07)	4,300	-	CENT28C1808A	-	-	-	-
BCP08C1901A	0.30	0.01	62,351	-	BIG08C1906A	0.26	(0.06)	64,863	-	CHG01C1809A	0.32	-	10,606	-
BCP11C1811A	0.12	-	11,904	-	BIG13C1808A	-	-	-	-	CHG01C1809B	0.32	-	24,096	-
BCP13C1810A	0.07	-	4,600	-	BIG13C1901A	0.18	(0.04)	121,700	-	CHG01P1809A	0.20	-	7,433	-
BCP24C1808A	-	-	-	-	BIG19C1811A	0.11	(0.04)	30,640	-	CHG11C1807A	-	-	-	-
BCP24C1811A	0.10	(0.01)	1,000	-	BIG24C1808A	-	-	-	-	CHG11C1904A	-	-	-	-
BCP28C1809A	0.02	-	400	-	BIG24C1812A	0.12	(0.04)	2,050	-	CHG13C1809A	0.43	(0.03)	10,174	-
BCP28C1809B	-	-	-	-	BJ001C1812A	0.61	(0.03)	51,926	-	CHG13C1812A	0.16	-	52,237	-
BCP28C1901A	0.24	(0.76)	24,280	-	BJ001C1812B	0.48	(0.02)	49,388	-	CHG23C1811A	-	-	-	-
BCPG01C1811A	0.45	-	194,342	-	BJ001P1812A	0.46	0.01	48,958	-	CHG24C1808A	-	-	-	-
BCPG01C1811B	0.23	0.01	79,501	-	BJ006C1807A	-	-	-	-	CHG24C1811A	-	-	-	-
BCPG06C1807A	-	-	-	-	BJ006C1901A	0.25	(0.02)	14,680	-	CHG28C1808A	-	-	-	-
BCPG06C1811A	0.27	-	16,286	-	BJ007C1809A	0.01	(0.01)	22	-	CHG28C1812A	0.17	(0.01)	48,960	-
BCPG08C1810A	0.26	-	88,322	-	BJ008C1809A	0.05	(0.01)	30	-	CK01C1808A	0.21	(0.02)	38,842	-
BCPG11C1807A	-	-	-	-	BJ011C1807A	-	-	-	-	CK01C1809B	0.25	(0.03)	45,097	-
BCPG11C1902A	0.18	-	8,935	-	BJ011C1905A	0.47	(0.02)	15,976	-	CK01P1809A	0.23	0.02	26,510	-
BCPG13C1810A	0.20	-	140,372	-	BJ013C1808A	-	-	-	-	CK08C1809A	-	-	-	-
BCPG13C1812A	0.51	-	142,713	-	BJ013C1810A	0.15	(0.01)	8,938	-	CK08C1901A	0.17	(0.02)	22,308	-
BCPG23C1902A	0.43	-	12,500	-	BJ013C1812A	0.43	(0.01)	74,203	-	CK11C1904A	0.19	(0.01)	7,800	-
BCPG24C1807A	-	-	-	-	BJ019C1809A	0.14	(0.01)	33,341	-	CK13C1809A	0.09	(0.01)	15,236	-
BCPG24C1810A	0.21	-	770	-	BJ023C1901A	0.25	(0.02)	23,500	-	CK16C1812A	-	-	-	-
BCPG28C1808A	-	-	-	-	BJ024C1808A	-	-	-	-	CK19C1811A	0.13	(0.02)	102,766	-
BCPG28C1809A	0.16	(0.01)	95,470	-	BJ024C1901A	0.43	(0.03)	4	-	CK23C1808A	-	-	-	-
BCPG28C1812A	0.49	-	215,445	-	BJ027C1807A	-	-	-	-	CK24C1808A	-	-	-	-
BDMS01C1811A	0.20	(0.07)	35,268	-	BJ028C1808A	-	-	-	-	CK24C1901A	-	-	-	-
BDMS01C1811B	0.09	(0.05)	77,413	-	BJ028C1812A	0.40	(0.03)	201,440	-	CK28C1809A	0.31	(0.04)	20,460	-
BDMS01P1811A	0.30	0.04	89,402	-	BLA01C1812A	0.22	(0.01)	15,792	-	CK28C1812A	0.09	(0.01)	21,110	-
BDMS06C1811A	0.67	(0.17)	5,488	-	BLA08C1811A	-	-	-	-	CKP01C1812A	0.48	(0.03)	38,686	-
BDMS08C1901A	0.14	(0.07)	30,491	-	BLA13C1809A	-	-	-	-	CKP01C1812B	0.34	(0.03)	37,204	-
BDMS11C1811A	0.82	(0.26)	3,040	-	BLA28C1810A	-	-	-	-	CKP11C1807A	-	-	-	-
BDMS11C1904A	0.12	(0.03)	5,670	-	BLAN01C1809A	0.55	0.02	4,767	-	CKP13C1810A	0.27	(0.04)	46,143	-
BDMS13C1810A	-	-	-	-	BLAN01C1809B	0.07	-	811	-	CKP23C1810A	0.32	(0.02)	2,500	-
BDMS13C1812A	0.13	(0.04)	26,432	-	BLAN01P1809A	0.10	(0.01)	6,457	-	CKP24C1811A	0.33	(0.03)	200	-
BDMS16C1812A	-	-	-	-	BLAN08C1810A	0.19	0.01	1,600	-	CKP28C1809A	-	-	-	-
BDMS19C1901A	0.28	(0.06)	16,157	-	BLAN11C1902A	0.23	0.02	4,012	-	CKP28C1809B	0.33	(0.02)	18,893	-
BDMS23C1810A	-	-	-	-	BLAN23C1807A	-	-	-	-	COM701C1811A	0.52	(0.05)	51,259	-
BDMS24C1811A	0.30	(0.15)	4,190	-	BPP01C1811A	0.21	-	37,769	-	COM701C1811B	0.28	(0.08)	62,261	-
BDMS24C1812A	0.09	(0.03)	2,000	-	BPP01C1811B	0.11	0.01	11,678	-	COM706C1809A	0.20	(0.04)	20,700	-
BDMS28C1811A	0.08	(0.04)	76,320	-	BPP01P1811A	0.57	-	28,859	-	COM708C1811A	0.13	(0.02)	50,009	-
BEAU01C1812A	0.06	(0.01)	22,140	-	BPP06C1809A	0.33	0.01	28,600	-	COM711C1811A	0.36	(0.06)	30,225	-
BEAU01C1812B	0.03	0.01	88,508	-	BPP08C1810A	0.20	-	81,710	-	COM713C1809A	0.04	(0.01)	6,992	-
BEAU01P1812A	2.26	0.04	55,097	2.00	BPP11C1807A	-	-	-	-	COM713C1812A	0.32	(0.04)	78,325	-
BEAU06C1809A	0.02	0.01	4,019	-	BPP13C1808A	0.22	-	53,823	-	COM719C1811A	0.25	(0.04)	179,501	-
BEAU07C1809A	-	-	-	-	BPP13C1811A	0.09	0.01	120	-	COM723C1901A	0.32	(0.03)	16,750	-
BEAU08C1808A	-	-	-	-	BPP23C1901A	0.28	-	5,000	-	COM724C1811A	-	-	-	-
BEAU08C1901A	0.02	(0.01)	2,000	-	BPP24C1809A	-	-	-	-	COM728C1808A	-	-	-	-
BEAU11C1902A	0.03	-	10,000	-	BPP28C1808A	-	-	-	-	COM728C1811A	0.27	(0.02)	147,380	-
BEAU13C1811A	0.01	-	7,053	-	BPP28C1812A	0.43	(0.57)	98,240	-	CPAL01C1808A	0.25	(0.04)	142,939	-
BEAU13C1812A	0.02	-	30,968	-	BTS01C1810A	0.42								

Main Board Quotation

Issue Date :

Monday August 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL24C1808A	-	-	-	-	EPG08C1810B	0.56	-	8,682	-	IRPC01P1808A	0.44	0.02	37,521	-
CPAL24C1811A	0.04	(0.01)	2,800	-	EPG11C1903A	0.48	-	8,119	-	IRPC01P1810A	0.37	0.01	70,803	-
CPAL24C1901A	0.33	(0.05)	28,355	-	EPG13C1808A	0.01	(0.03)	1,000	-	IRPC01P1810B	0.16	0.01	115,799	-
CPAL24P1901A	0.42	0.03	73,362	-	EPG13C1811A	0.34	-	12,251	-	IRPC06C1811A	0.21	(0.01)	33,145	-
CPAL28C1809A	0.02	-	503	-	EPG23C1808A	-	-	-	-	IRPC07C1812A	-	-	-	-
CPAL28C1811A	0.14	(0.02)	233,080	-	EPG24C1807A	-	-	-	-	IRPC08C1808A	0.02	-	2,001	-
CPF01C1809A	0.82	(0.19)	44,437	-	EPG24C1808A	-	-	-	-	IRPC08C1902A	0.29	0.01	170,386	-
CPF01C1809B	0.08	(0.07)	39,943	-	EPG24C1810A	0.55	(0.01)	820	-	IRPC11C1902A	0.06	-	2,988	-
CPF01C1810A	0.23	(0.05)	47,418	-	EPG28C1808A	-	-	-	-	IRPC11C1905A	0.34	(0.01)	29,108	-
CPF01P1809A	0.24	0.06	59,236	-	ESS001C1812A	0.46	(0.04)	41,900	-	IRPC13C1808A	-	-	-	-
CPF06C1809A	0.47	(0.17)	8,000	-	ESS001C1812B	0.32	(0.01)	16,045	-	IRPC13C1811A	0.14	-	33,466	-
CPF07C1810A	-	-	-	-	ESS001P1812A	0.67	0.02	25,425	-	IRPC13C1812A	0.27	-	253,029	-
CPF08C1809A	0.28	(0.16)	8,350	-	ESS011C1905A	0.62	(0.02)	9,000	-	IRPC19C1901A	0.33	-	44,246	-
CPF08C1901A	0.18	(0.04)	31,466	-	ESS013C1811A	0.21	(0.03)	11,094	-	IRPC23C1810A	-	-	-	-
CPF11C1902A	0.09	(0.03)	17,595	-	ESS023C1809A	-	-	-	-	IRPC24C1808A	0.20	(0.05)	8,400	-
CPF11P1902A	0.27	0.04	42,906	-	ESS024C1812A	0.18	(0.01)	1,560	-	IRPC24C1809A	-	-	-	-
CPF13C1809A	0.41	(0.14)	12,606	-	ESS028C1811A	0.19	(0.03)	57,080	-	IRPC24C1812A	0.15	(0.01)	5,600	-
CPF13C1810A	0.10	(0.04)	23,105	-	GFPT08C1906A	0.36	(0.09)	140,644	-	IRPC27C1809A	-	-	-	-
CPF19C1901A	0.20	(0.06)	20,888	-	GFPT19C1811A	0.31	(0.10)	28,529	-	IRPC28C1811A	-	-	-	-
CPF23C1810A	-	-	-	-	GFPT24C1812A	0.25	(0.12)	2,460	-	IRPC28C1812A	0.29	(0.01)	281,899	-
CPF24C1809A	0.16	(0.11)	4,000	-	GGC01C1810A	0.10	0.01	24,928	-	ITD01C1808A	0.01	-	2,600	-
CPF24C1901A	-	-	-	-	GGC01C1810B	0.03	-	534	-	ITD01C1808B	-	-	-	-
CPF28C1808A	-	-	-	-	GGC08C1906A	0.12	-	37,244	-	ITD01P1808A	1.30	0.04	4,925	1.00
CPF28C1811A	0.11	(0.05)	90,656	-	GGC13C1811A	-	-	-	-	ITD08C1810A	-	-	-	-
CPN01C1808A	0.37	(0.01)	95,083	-	GGC19C1811A	-	-	-	-	ITD11C1903A	-	-	-	-
CPN01C1808B	0.02	-	654	-	GGC23C1901A	-	-	-	-	ITD13C1809A	-	-	-	-
CPN06C1811A	0.58	(0.02)	63,746	-	GGC24C1812A	-	-	-	-	ITD13C1812A	0.15	(0.01)	1,919	-
CPN08C1809A	0.06	(0.01)	6,200	-	GGC28C1811A	-	-	-	-	ITD19C1811A	-	-	-	-
CPN11C1903A	0.36	(0.01)	58,937	-	GLOB01C1809A	0.46	(0.02)	1,574	-	ITD23C1808A	-	-	-	-
CPN11P1903A	0.39	-	73,368	-	GLOB01C1809B	0.18	(0.02)	5,050	-	ITD24C1807A	-	-	-	-
CPN13C1812A	0.41	(0.02)	74,103	-	GLOB06C1809A	0.24	(0.01)	3,600	-	ITD24C1810A	-	-	-	-
CPN19C1901A	0.62	(0.01)	26,622	-	GLOB11C1808A	0.17	(0.01)	3,780	-	ITD28C1808A	-	-	-	-
CPN23C1810A	0.26	(0.01)	34,196	-	GLOB23C1811A	-	-	-	-	ITD28C1808B	-	-	-	-
CPN24C1901A	-	-	-	-	GLOB24C1810A	-	-	-	-	IVL01C1808A	0.29	(0.16)	421,046	-
CPN28C1810A	0.24	-	204,095	-	GLOB27C1809A	-	-	-	-	IVL01C1808B	0.03	(0.05)	71,131	-
DELTO6C1903A	1.10	-	60	1.00	GLOB28C1808A	-	-	-	-	IVL01C1812A	0.48	(0.12)	393,324	-
DELTO8C1811A	0.18	-	290	-	GLOW08C1811A	-	-	-	-	IVL01C1812B	0.29	(0.12)	290,949	-
DELTO13C1809A	-	-	-	-	GLOW11C1807A	-	-	-	-	IVL01P1808A	0.72	0.21	436,469	-
DELTO24C1901A	-	-	-	-	GLOW19C1901A	0.70	-	904	-	IVL01P1808B	0.13	0.06	180,465	-
DELTO27C1812A	-	-	-	-	GLOW27C1812A	-	-	-	-	IVL01P1812A	0.90	0.14	257,829	-
DTACO1C1808A	0.10	(0.02)	39,982	-	GPS001C1808A	0.22	(0.01)	18,916	-	IVL01P1812B	0.69	0.14	236,340	-
DTACO1C1808B	0.01	-	1,300	-	GPS001C1808B	-	-	-	-	IVL06C1807A	-	-	-	-
DTACO1C1810A	0.32	(0.03)	52,117	-	GPS001P1808A	1.11	-	29,573	1.00	IVL06C1901A	0.33	(0.12)	66,615	-
DTACO1C1810B	0.07	-	7,600	-	GPS006C1811A	0.24	(0.01)	6,400	-	IVL07C1811A	0.36	(0.12)	60	-
DTACO1C1902A	0.70	(0.03)	51,283	-	GPS08C1808A	-	-	-	-	IVL08C1901A	0.46	(0.14)	192,460	-
DTACO1C1902B	0.57	(0.04)	36,035	-	GPS11C1808A	0.79	(0.05)	12,701	-	IVL08P1809A	0.02	-	9,677	-
DTACO1P1808A	0.82	0.04	19,268	-	GPS11C1902A	0.27	-	11,500	-	IVL11C1808A	0.72	(0.21)	59,915	-
DTACO1P1810A	1.22	0.05	66,641	1.00	GPS13C1808A	-	-	-	-	IVL11P1808A	0.02	-	1,700	-
DTACO1P1810B	0.75	0.04	45,457	-	GPS13C1812A	0.46	-	68,145	-	IVL13C1809A	0.11	(0.12)	103,867	-
DTACO1P1902A	0.95	0.01	52,659	-	GPS19C1901A	0.55	(0.01)	76,591	-	IVL13C1810A	0.18	(0.08)	144,736	-
DTACO1P1902B	0.76	0.02	42,097	-	GPS24C1807A	-	-	-	-	IVL13C1812A	0.40	(0.14)	309,589	-
DTACO6C1901A	0.25	(0.02)	7,546	-	GPS24C1808A	-	-	-	-	IVL13P1809A	0.03	0.01	1,000	-
DTACO6P1809A	0.37	0.03	26,378	-	GPS24C1812A	-	-	-	-	IVL13P1811A	0.37	0.09	87,987	-
DTACO7C1809A	-	-	-	-	GPS28C1811A	0.37	(0.02)	30,460	-	IVL19C1809A	0.34	(0.19)	95,149	-
DTACO8C1809A	0.03	(0.01)	5,100	-	GUNK01C1808A	-	-	-	-	IVL23C1810A	0.40	(0.16)	10,600	-
DTACO8P1902A	0.40	0.03	63,914	-	GUNK01C1808B	-	-	-	-	IVL24C1808A	0.04	(0.08)	295	-
DTAC11C1904A	0.27	(0.02)	11,201	-	GUNK08C1902A	0.29	-	3,652	-	IVL24C1812A	0.17	(0.10)	9,052	-
DTAC13C1811A	0.10	(0.01)	8,689	-	GUNK11C1903A	0.16	-	1,280	-	IVL24C1901A	0.43	(0.13)	240	-
DTAC13C1812A	0.38	(0.03)	49,640	-	GUNK24C1807A	-	-	-	-	IVL28C1808A	-	-	-	-
DTAC13P1811A	0.66	(0.01)	4	-	GUNK24C1812A	0.23	(0.01)	3,500	-	IVL28C1811A	0.21	(0.09)	377,731	-
DTAC13P1812A	0.21	0.01	59,173	-	GUNK28C1808A	-	-	-	-	IVL28C1812A	0.45	(0.13)	455,624	-
DTAC19C1811A	0.21	(0.02)	8,742	-	GUNK28C1810A	0.23	(0.02)	6,084	-	IVL28P1811A	0.44	0.12	285,494	-
DTAC23C1807A	-	-	-	-	HANA01C1811A	0.47	0.05	90,642	-	KBAN01C1808A	0.28	-	134,807	-
DTAC23P1807A	-	-	-	-	HANA01C1811B	0.30	0.04	152,378	-	KBAN01C1808B	0.01	-	4,000	-
DTAC24C1809A	-	-	-	-	HANA08C1809A	0.14	0.03	29,873	-	KBAN01C1810A	1.40	0.02	44,340	1.00
DTAC27C1809A	-	-	-	-	HANA11C1904A	0.27	0.02	11,356	-	KBAN01C1901A	1.48	(0.01)	13,372	1.00
DTAC27P1809A	0.13	-	45,222	-	HANA13C1809A	0.16	0.03	181,289	-	KBAN01C1901B	0.94	0.02	19,604	-
DTAC28C1810A	-	-	-	-	HANA23C1811A	0.46	0.05	75,840	-	KBAN01P1808A	0.62	-	34,041	-
DTAC28C1812A	0.43	(0.04)	159,798	-	HANA24C1808A	-	-	-	-	KBAN01P1808B	0.07	(0.01)	85,065	-
EA01C1809A	0.66	(0.06)	64,317	-	HANA24C1810A	0.14	0.01	125	-	KBAN01P1810A	0.15	0.01	8,837	-
EA01C1809B	0.31	(0.06)	49,988	-	HANA28C1808A	-	-	-	-	KBAN01P1901A	0.84	-	44,486	-
EA01P1809A	0.78	0.06	62,955	-	HANA28C1812A	0.38	0.04	61,959	-	KBAN01P1901B	0.35	(0.01)	229,357	-
EA06C1809A	-	-	-	-	HMPR01C1808A	0.26	(0.04)	40,226	-	KBAN06C1811A	0.95	(0.01)	17,640	-
EA07C1810A	-	-	-	-	HMPR01C1808B	-	-	-	-	KBAN07C1811A	-	-	-	-
EA08C1809A	-	-	-	-	HMPR01P1808A	0.28	0.04	35,372	-	KBAN08C1811A	0.86	-	16,526	-
EA08C1810A	0.19	(0.02)	51,548	-	HMPR06C1811A	0.12	(0.03)	4,031	-	KBAN08P1811A	0.17	(0.01)	6,179	-
EA11C1902A	0.10	(0.01)	5,839	-	HMPR08C1810A	0.09	(0.02)	5,982	-	KBAN13C1810A	0.21	0.01	65,256	-
EA13C1808A	-	-	-	-	HMPR11C1808A	0.27	(0.03)	9,540	-	KBAN13C1811A	0.99	0.01	28,629	1.00
EA13C1808B	0.01	-	1	-	HMPR11P1808A	-	-	-	-	KBAN19C1901A	0.48	0.01	19,619	-
EA13C1809A	-	-	-	-	HMPR13C1812A	0.24	(0.02)	54,207	-	KBAN23C1902A	0.78	-	9,000	-
EA13C1810A	0.02	-	538	-	HMPR19C1901A	0.35	(0.03)	12,984	-	KBAN24C1902A	-	-	-	-
EA13C1811A	0.11	(0.03)	21,519	-	HMPR23C1901A	0.12	-	3,500	-	KBAN24P1811A	0.14	(0.01)	2,630	-
EA13C1812A	0.18	(0.04)	328,486	-	HMPR24C1808A	-	-	-	-	KBAN27C1809A	0.09	(0.01)	8,300	-
EA13C1812B	0.38	(0.07)	7,788	-	HMPR27C1901A	-	-	-	-	KBAN27P1809A	0.32	(0.03)	900	-
EA13P1809A	0.58	0.05	3,145	-	HMPR27C1807A	-	-	-	-	KBAN28C1809A	-	-	-	-
EA19C1811A	0.33	(0.05)	33,646	-	HMPR28C1811A	0.11	(0.02)	59,862	-	KBAN28C1811A	0.91	0.01	31,583	-
EA23C1901A	0.32	(0.03)	100,720	-	INTU01C1809A	0.37	(0.01)	34,857	-	KBAN28C1812A	0.36	(0.04)	95,866	-
EA24C1807A	-	-	-	-	INTU01C1809B	0.03	(0.01)	1,266	-	KBAN28P1811A	0.13	(0.01)	47,580	-
EA24C1809A	-	-	-	-	INTU01P1809									

Main Board Quotation

Issue Date :

Monday August 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE28C1808A	-	-	-	-	MINT13C1812A	0.42	0.01	111,037	-	PTT13P1812A	0.27	-	133,382	-
KCE28C1811A	0.51	(0.05)	21,757	-	MINT19C1901A	0.42	0.01	11,218	-	PTT19C1809A	0.08	(0.01)	15,515	-
KKP01C1808A	0.28	(0.02)	31,878	-	MINT23C1810A	0.10	-	16,500	-	PTT19C1901A	0.45	(0.02)	59,201	-
KKP01C1808B	0.01	-	40,150	-	MINT24C1807A	-	-	-	-	PTT23C1901A	0.13	(0.01)	2,000	-
KKP08C1811A	0.45	(0.01)	59,453	-	MINT24C1812A	-	-	-	-	PTT24C1809A	-	-	-	-
KKP11C1903A	0.36	(0.01)	25,421	-	MINT24C1901A	-	-	-	-	PTT24C1812A	-	-	-	-
KKP13C1811A	0.36	(0.02)	27,127	-	MINT28C1808A	-	-	-	-	PTT24P1808A	-	-	-	-
KKP19C1901A	0.58	(0.02)	16,843	-	MINT28C1811A	0.25	-	83,968	-	PTT24P1901A	-	-	-	-
KKP23C1807A	-	-	-	-	MON00C1810A	0.07	-	40	-	PTT27C1809A	0.43	-	2,508	-
KKP24C1807A	-	-	-	-	MON00C1810B	-	-	-	-	PTT27P1809A	-	-	-	-
KKP24C1812A	0.46	0.06	184	-	MON008C1808A	-	-	-	-	PTT28C1808A	-	-	-	-
KKP28C1810A	0.22	(0.03)	62,280	-	MON008C1906A	0.13	(0.02)	22,635	-	PTT28C1808B	-	-	-	-
KTB01C1808A	0.24	(0.02)	20,477	-	MON013C1808A	-	-	-	-	PTT28C1811A	0.07	-	1,000	-
KTB01C1810A	0.44	(0.03)	29,568	-	MON013C1811A	-	-	-	-	PTT28C1811B	0.23	(0.02)	158,980	-
KTB01C1810B	0.26	(0.01)	46,266	-	MON013C1901A	0.24	(0.03)	16,033	-	PTT28C1812A	0.37	(0.02)	469,308	-
KTB01P1808A	0.30	0.05	42,686	-	MON019C1811A	0.12	(0.02)	4,039	-	PTT28C1901A	0.21	(0.79)	32,983	-
KTB06C1902A	0.40	(0.02)	6,102	-	MON023C1809A	-	-	-	-	PTT28P1808A	-	-	-	-
KTB08C1809A	-	-	-	-	MON023C1901A	0.24	(0.01)	3,000	-	PTT28P1808B	-	-	-	-
KTB11C1811A	0.24	0.01	10,620	-	MON024C1807A	-	-	-	-	PTT28P1812A	0.20	-	107,439	-
KTB13C1809A	0.08	(0.02)	2,001	-	MON024C1812A	-	-	-	-	PTTE01C1808A	1.19	(0.04)	14,744	1.00
KTB13C1901A	0.49	(0.01)	17,332	-	MON024C1812B	-	-	-	-	PTTE01C1808B	0.57	(0.04)	20,052	-
KTB19C1901A	0.38	0.01	5,920	-	MON028C1808A	-	-	-	-	PTTE01C1901A	0.79	(0.03)	31,685	-
KTB23C1811A	0.32	0.01	10,000	-	MON028C1811A	-	-	-	-	PTTE01C1901B	0.54	(0.03)	13,933	-
KTB24C1808A	-	-	-	-	MON028C1901A	0.24	-	6,284	-	PTTE01P1808A	0.03	(0.01)	15,088	-
KTB24C1811A	-	-	-	-	MTC06C1901A	0.55	(0.05)	26,340	-	PTTE01P1901A	1.18	0.03	48,906	1.00
KTB24P1901A	0.22	0.03	4,380	-	MTC08C1811A	0.19	(0.02)	22,202	-	PTTE01P1901B	0.75	0.02	76,861	-
KTB28C1809A	0.04	(0.02)	2,000	-	MTC08C1902A	0.43	(0.03)	100,194	-	PTTE06C1811A	0.52	-	13,123	-
KTB28C1811A	0.21	(0.04)	102,884	-	MTC11C1904A	0.38	(0.03)	25,866	-	PTTE07C1809A	0.24	(0.02)	3,230	-
KT01C1808A	0.72	0.02	69,293	-	MTC13C1809A	0.06	(0.01)	18,425	-	PTTE08C1811A	0.42	0.01	27,432	-
KT01C1808B	0.07	(0.01)	55,283	-	MTC13C1811A	0.52	(0.04)	263,551	-	PTTE08P1809A	0.03	(0.01)	5,212	-
KT01C1810A	0.26	(0.01)	139,134	-	MTC19C1901A	0.42	(0.04)	14,830	-	PTTE08P1811A	0.22	-	18,468	-
KT01C1810B	0.16	(0.01)	40,365	-	MTC23C1808A	0.06	(0.04)	1,500	-	PTTE11C1902A	0.65	(0.03)	3,151	-
KT06C1807A	-	-	-	-	MTC24C1808A	-	-	-	-	PTTE13C1807A	-	-	-	-
KT08C1808A	0.51	(0.01)	37,277	-	MTC24C1810A	0.24	(0.05)	3,273	-	PTTE13C1811A	0.34	(0.02)	72,561	-
KTC11C1902A	0.90	0.01	12,793	-	MTC24C1812A	-	-	-	-	PTTE13C1812A	0.64	(0.02)	12,035	-
KTC13C1808A	0.16	(0.03)	8,267	-	MTC27C1807A	-	-	-	-	PTTE13P1807A	-	-	-	-
KTC13C1809A	0.10	(0.01)	202,465	-	MTC28C1808A	-	-	-	-	PTTE13P1811A	0.19	0.01	64,362	-
KTC13C1809B	0.13	-	213,448	-	MTC28C1809A	0.32	(0.05)	31,858	-	PTTE19C1811A	0.54	(0.03)	26,252	-
KTC13C1812A	0.19	-	178,574	-	ORI11C1811A	0.23	(0.01)	11,214	-	PTTE23C1901A	0.13	(0.01)	11,066	-
KTC19C1811A	0.25	-	104,022	-	ORI13C1810A	0.47	(0.02)	24,846	-	PTTE24C1807A	-	-	-	-
KTC19C1901A	0.65	0.02	59,369	-	ORI19C1811A	0.29	(0.01)	25,890	-	PTTE24C1811A	0.20	(0.04)	6,000	-
KTC23C1809A	0.56	(0.01)	198,837	-	ORI23C1809A	0.10	(0.01)	2,000	-	PTTE24C1901A	-	-	-	-
KTC24C1808A	0.47	0.01	11,500	-	ORIZ24C1810A	-	-	-	-	PTTE24P1809A	0.01	-	2,055	-
KTC24C1810A	0.15	-	721	-	ORIZ28C1808A	-	-	-	-	PTTE27C1809A	-	-	-	-
KTC28C1808A	-	-	-	-	PLAN08C1811A	0.15	(0.02)	12,815	-	PTTE27P1809A	-	-	-	-
KTC28C1808B	-	-	-	-	PLAN13C1809A	0.06	(0.01)	2,376	-	PTTE28C1810A	0.26	(0.03)	1,370	-
KTC28C1809A	0.15	(0.03)	21,001	-	PLAN28C1810A	0.11	-	4,100	-	PTTE28C1811A	0.19	0.01	1,500	-
KTC28C1810A	0.30	0.05	9,379	-	PSH01C1810A	0.37	(0.03)	17,228	-	PTTE28P1811A	0.20	-	12,638	-
LH01C1809A	0.30	(0.11)	76,240	-	PSH01C1810B	0.11	(0.01)	6,468	-	PTTG01C1808A	0.16	(0.05)	168,622	-
LH01C1809B	0.12	(0.12)	253,433	-	PSH01P1810A	0.71	0.04	17,633	-	PTTG01C1810A	0.25	(0.05)	112,823	-
LH01P1809A	0.11	0.04	147,211	-	PSH08C1811A	0.11	(0.01)	7,572	-	PTTG01C1810B	0.03	(0.01)	48,938	-
LH06C1809A	0.22	(0.15)	20,162	-	PSH11C1902A	0.26	(0.03)	8,612	-	PTTG01C1811A	0.48	(0.06)	126,143	-
LH07C1810A	0.10	(0.07)	9,300	-	PSH23C1811A	0.25	0.03	1,000	-	PTTG01C1901A	1.21	(0.07)	116,526	1.00
LH11C1808A	0.16	(0.15)	9,036	-	PSL01C1812A	0.36	(0.04)	48,533	-	PTTG01C1901B	0.96	(0.07)	132,298	1.00
LH13C1808A	-	-	-	-	PSL01C1812B	0.31	(0.02)	20,574	-	PTTG01P1808A	0.95	0.08	93,260	-
LH19C1901A	0.20	(0.09)	21,141	-	PSL11C1905A	0.26	(0.01)	5,070	-	PTTG01P1811A	1.50	0.07	32,396	1.00
LH23C1901A	0.12	(0.06)	4,501	-	PSL23C1809A	0.04	(0.01)	17,500	-	PTTG01P1901A	0.87	0.04	79,966	-
LH24C1809A	0.04	(0.08)	91,670	-	PSL24C1807A	-	-	-	-	PTTG01P1901B	0.64	0.04	49,014	-
LH28C1808A	-	-	-	-	PTG01C1811A	0.15	(0.05)	153,107	-	PTTG06C1809A	0.04	(0.01)	3,500	-
LPN01C1809A	0.07	(0.04)	36,743	-	PTG01C1811B	0.05	(0.02)	19,216	-	PTTG06C1903A	1.20	(0.08)	35,630	1.00
LPN01C1811A	0.34	(0.05)	19,555	-	PTG01P1811A	1.22	0.11	25,589	1.00	PTTG06P1903A	0.45	0.03	31,910	-
LPN01C1811B	0.16	(0.05)	75,446	-	PTG06C1810A	0.07	(0.02)	750	-	PTTG07C1812A	0.55	(0.01)	350	-
LPN01P1809A	0.52	0.07	11,659	-	PTG06C1904A	0.37	(0.08)	11,159	-	PTTG08C1811A	0.08	(0.01)	2,000	-
LPN08C1810A	0.07	(0.01)	3,600	-	PTG08C1902A	0.26	(0.05)	49,979	-	PTTG08C1902A	0.72	(0.05)	81,570	-
LPN08C1906A	0.20	(0.03)	10,909	-	PTG11C1903A	0.13	(0.03)	21,337	-	PTTG08P1811A	0.79	0.05	4,996	-
LPN19C1811A	0.16	(0.04)	21,631	-	PTG13C1809A	0.01	-	1,280	-	PTTG11C1902A	0.15	(0.02)	23,250	-
LPN24C1808A	-	-	-	-	PTG13C1812A	0.14	(0.05)	76,736	-	PTTG13C1808A	-	-	-	-
LPN24C1812A	0.22	(0.06)	3,000	-	PTG23C1808A	-	-	-	-	PTTG13C1812A	0.32	(0.04)	130,415	-
LPN27C1807A	-	-	-	-	PTG24C1809A	-	-	-	-	PTTG13C1812B	0.89	(0.07)	135,171	-
MAJO08C1811A	-	-	-	-	PTG27C1809A	-	-	-	-	PTTG19C1811A	0.29	(0.05)	42,123	-
MAJO11C1902A	-	-	-	-	PTG28C1808A	-	-	-	-	PTTG23C1901A	0.11	(0.01)	36,840	-
MAJO24C1809A	-	-	-	-	PTG28C1812A	0.21	(0.06)	161,580	-	PTTG24C1808A	-	-	-	-
MALE01C1812A	0.02	-	5,140	-	PTL08C1811A	0.55	(0.01)	8,034	-	PTTG24C1812A	-	-	-	-
MALE08C1811A	-	-	-	-	PTL13C1809A	0.22	(0.03)	39,323	-	PTTG24C1901A	0.74	-	2,101	-
MALE13C1809A	0.03	0.02	1	-	PTL23C1807A	-	-	-	-	PTTG24P1808A	0.01	(0.01)	2,996	-
MALE27C1812A	-	-	-	-	PTL28C1810A	0.43	0.01	4,481	-	PTTG24P1901A	0.33	(0.01)	60	-
MALE28C1810A	-	-	-	-	PTT01C1808A	0.67	(0.03)	163,838	-	PTTG27C1807A	-	-	-	-
MC19C1811A	-	-	-	-	PTT01C1808B	0.11	(0.03)	290,747	-	PTTG27P1807A	-	-	-	-
MC23C1809A	0.03	(0.02)	8,000	-	PTT01C1810A	0.21	(0.01)	200,549	-	PTTG28C1811A	0.25	(0.03)	66,976	-
MC24C1807A	-	-	-	-	PTT01C1810B	0.08	-	5,649	-	PTTG28C1812A	0.79	(0.07)	67,383	-
MC24C1812A	-	-	-	-	PTT01C1901A	0.71	(0.01)	241,032	-	QH01C1810A	0.45	(0.18)	310,199	-
MEGA01C1811A	0.37	(0.03)	11,826	-	PTT01C1901B	0.57	(0.02)	141,948	-	QH01C1810B	0.24	(0.23)	258,773	-
MEGA01C1811B	0.21	(0.02)	13,916	-	PTT01P1808A	0.29	0.03	236,299	-	QH01P1810A	0.28	0.10	130,700	-
MEGA08C1811A	0.20	(0.01)	17,298	-	PTT01P1808B	0.02	-	8,418	-	QH08C1808A	0.17	(0.19)	141,499	-
MEGA11C1902A	0.21	(0.01)	3,504	-	PTT01P1810A	0.93	0.04	65,429	-	QH11C1902A	0.37	(0.16)	69,784	-
MEGA13C1809A	0.04	(0.01)	6,600	-	PTT01P1810B	0.40	0.03	238,772	-	QH23C1808A	0.28	(0.23)	15,417	-
MEGA23C1902A	-	-	-	-	PTT01P1901A	0.56	0.03	106,645	-	QH24C1812A				

Main Board Quotation

Issue Date :

Monday August 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001C1809H	2.16	(0.10)	411,809	2.00	SCC08C1902A	0.43	(0.02)	68,792	-	TASC13C1810A	-	-	-	-
S5001C1809I	1.57	(0.22)	1,343,272	1.00	SCC11C1811A	0.13	-	30,666	-	TASC23C1902A	0.26	(0.03)	52,110	-
S5001C1810A	1.36	(0.09)	37,331	1.00	SCC11P1811A	0.26	(0.01)	107,505	-	TASC24C1810A	0.01	(0.01)	1	-
S5001C1810B	1.38	(0.12)	277,772	1.00	SCC13C1809A	0.04	(0.01)	1,000	-	TASC28C1808A	-	-	-	-
S5001P1808A	0.83	0.08	60,110	-	SCC13C1812A	0.24	-	7,935	-	TCAP01C1901A	0.64	0.02	48,982	-
S5001P1808B	0.95	0.13	105,951	-	SCC13C1901A	0.47	(0.01)	14,016	-	TCAP01C1901B	0.55	0.02	41,632	-
S5001P1809F	1.46	0.12	2,110,026	1.00	SCC19C1811A	0.18	-	5,200	-	TCAP01P1901A	0.36	(0.01)	17,055	-
S5001P1809G	0.77	0.13	818,400	-	SCC19C1901A	0.44	-	17,950	-	TCAP08C1810A	0.11	0.01	25,160	-
S5001P1809H	0.11	0.02	304,664	-	SCC23C1811A	-	-	-	-	TCAP11C1811A	0.16	0.02	6,598	-
S5001P1809I	0.04	0.01	196,334	-	SCC24C1812A	0.07	(0.01)	20,900	-	TCAP13C1809A	0.04	0.01	227	-
S5001P1810A	0.29	0.05	138,526	-	SCC24C1901A	-	-	-	-	TCAP13C1901A	0.51	0.02	85,216	-
S5001P1810B	0.20	0.03	156,687	-	SCC24P1901A	0.25	(0.02)	2,751	-	TCAP23C1807A	-	-	-	-
S5006C1809A	-	-	-	-	SCC27C1809A	-	-	-	-	TCAP24C1807A	-	-	-	-
S5006C1809B	0.10	(0.04)	53,705	-	SCC27P1809A	0.31	(0.01)	35,092	-	TCAP24C1903A	-	-	-	-
S5006C1809C	0.41	(0.11)	10	-	SCC28C1811A	0.19	0.01	145,174	-	TCAP27C1807A	-	-	-	-
S5006C1809D	0.13	(0.05)	756	-	SCC28C1812A	0.44	(0.01)	72,873	-	THAI01C1808A	0.10	0.02	15,878	-
S5006C1812A	0.67	(0.08)	14,116	-	SCCC08C1811A	-	-	-	-	THAI01C1808B	-	-	-	-
S5006C1812B	0.72	(0.10)	14,976	-	SCCC13C1809A	-	-	-	-	THAI01C1901A	0.41	0.03	61,400	-
S5006P1809A	1.32	0.15	15,623	1.00	SCCC27C1812A	0.09	(0.01)	298	-	THAI01C1901B	0.27	0.03	67,492	-
S5006P1809B	0.61	0.08	13,483	-	SGP08C1808A	0.01	-	133,905	-	THAI01P1808A	0.55	(0.08)	14,383	-
S5006P1809C	0.75	0.09	7,600	-	SGP08C1901A	0.41	(0.08)	135,332	-	THAI01P1901A	0.73	(0.06)	17,656	-
S5006P1809D	-	-	-	-	SGP11C1904A	0.20	(0.04)	25,451	-	THAI06C1809A	0.15	0.02	18,370	-
S5006P1812A	1.23	0.10	10,273	1.00	SGP13C1808A	-	-	-	-	THAI07C1811A	0.17	0.02	2,900	-
S5006P1812B	0.45	0.04	12,534	-	SGP13C1811A	0.12	(0.04)	19,931	-	THAI08C1808A	0.02	0.01	47,411	-
S5008C1809A	0.84	(0.16)	162,250	-	SGP13C1812A	0.29	(0.09)	248,923	-	THAI11C1808A	-	-	-	-
S5008P1809A	0.12	0.02	18,148	-	SGP19C1811A	0.31	(0.08)	59,091	-	THAI13C1811A	0.09	-	41,600	-
S5013C1809A	0.14	(0.05)	2,368,735	-	SGP24C1808A	-	-	-	-	THAI23C1901A	0.05	0.02	5,066	-
S5013C1809B	0.31	(0.09)	826,325	-	SGP24C1811A	0.14	(0.02)	3,200	-	THAI24C1808A	0.01	-	155,344	-
S5013C1809C	0.25	(0.09)	1,445,799	-	SGP24C1902A	1.04	(0.06)	400	1.00	THAI24C1901A	0.30	0.05	2,200	-
S5013C1809D	0.60	(0.14)	4,574,600	-	SGP28C1808A	-	-	-	-	THAI27C1809A	-	-	-	-
S5013C1809E	1.05	(0.18)	3,132,139	1.00	SGP28C1809A	-	-	-	-	THAI28C1808A	-	-	-	-
S5013C1809F	0.67	(0.10)	1,363,326	-	SGP28C1811A	0.14	(0.06)	113,942	-	THAN01C1812A	0.45	(0.04)	11,220	-
S5013P1809A	1.14	0.14	37,392	-	SIRI01C1808A	0.01	(0.01)	11,102	-	THAN13C1809A	-	-	-	-
S5013P1809B	0.55	0.08	2,926,949	-	SIRI01C1808B	-	-	-	-	THAN23C1807A	-	-	-	-
S5013P1809C	0.75	0.10	2,641,551	-	SIRI01C1901A	0.40	(0.02)	7,663	-	THAN28C1810A	0.10	(0.02)	10,626	-
S5013P1809D	0.27	0.05	2,035,760	-	SIRI01C1901B	0.18	(0.01)	145	-	THCO01C1809A	0.07	0.01	14,039	-
S5013P1809E	0.09	0.01	2,876,831	-	SIRI01P1808A	0.57	-	50	-	THCO01P1809A	0.63	(0.03)	2,695	-
S5013P1809F	0.91	0.09	1,888,246	-	SIRI01P1901A	0.59	(0.01)	647	-	THCO08C1906A	0.21	0.01	77,636	-
S5028C1809A	0.23	(0.08)	1,463,078	-	SIRI08C1808A	-	-	-	-	THCO11C1902A	0.12	0.01	11,178	-
S5028C1809B	0.95	(0.16)	1,243,807	1.00	SIRI08C1810A	0.12	(0.01)	20	-	THCO19C1811A	0.11	0.01	4,825	-
S5028P1809A	0.50	0.06	1,963,507	-	SIRI11C1902A	0.14	-	20	-	THCO23C1808A	-	-	-	-
S5028P1809B	0.15	0.02	359,033	-	SIRI13C1809A	-	-	-	-	THCO24C1807A	-	-	-	-
SAWA01C1808A	0.01	-	5,019	-	SIRI23C1811A	-	-	-	-	THCO24C1810A	0.18	0.01	1	-
SAWA01C1808B	0.02	-	10,201	-	SIRI24C1809A	0.02	(0.01)	400	-	THCO28C1808A	-	-	-	-
SAWA01C1901A	0.46	(0.04)	101,187	-	SIRI28C1809A	-	-	-	-	THCO28C1901A	0.26	-	74,475	-
SAWA01C1901B	0.35	(0.04)	63,357	-	SIRI28C1901A	0.33	-	1,020	-	TISCO1C1808A	0.18	(0.02)	13,476	-
SAWA01P1808A	2.20	0.08	35,349	2.00	SPAL01C1808A	0.34	-	5,805	-	TISCO1C1808B	0.02	-	4,775	-
SAWA01P1901A	0.95	0.05	78,708	-	SPAL01C1808B	-	-	-	-	TISCO8C1808A	-	-	-	-
SAWA06C1807A	-	-	-	-	SPAL06C1809A	0.43	0.01	5,200	-	TISCI1C1903A	0.22	(0.01)	21,093	-
SAWA06C1811A	0.04	(0.01)	16,900	-	SPAL08C1808A	-	-	-	-	TISCI3C1811A	0.28	(0.01)	20,259	-
SAWA06C1903A	0.64	(0.36)	9,200	-	SPAL11C1807A	-	-	-	-	TISCI3C1812A	0.66	(0.02)	18,883	-
SAWA07C1812A	0.31	(0.06)	4,451	-	SPAL11C1905A	0.14	0.01	5,584	-	TISCI9C1901A	0.39	(0.01)	11,082	-
SAWA08C1808A	-	-	-	-	SPAL23C1811A	0.51	-	1,500	-	TISC24C1812A	0.19	(0.01)	1,510	-
SAWA08C1811A	0.02	-	9,083	-	SPAL24C1808A	-	-	-	-	TISC27C1807A	-	-	-	-
SAWA08C1902A	0.47	(0.04)	60,506	-	SPAL24C1812A	0.17	(0.01)	5,500	-	TISC28C1901A	0.64	(0.36)	49,907	-
SAWA11C1808A	-	-	-	-	SPRC01C1808A	0.14	(0.01)	67,910	-	TKN01C1808A	0.04	(0.01)	34,644	-
SAWA13C1810A	0.02	-	21	-	SPRC01C1808B	-	-	-	-	TKN01C1808B	0.01	-	9,690	-
SAWA13C1811A	0.02	(0.01)	1,201	-	SPRC06C1809A	-	-	-	-	TKN01C1901A	0.61	(0.04)	90,611	-
SAWA13C1812A	0.14	(0.04)	125,263	-	SPRC06C1902A	0.55	-	13,986	-	TKN01C1901B	0.48	(0.05)	67,184	-
SAWA13C1901A	0.43	(0.06)	76,828	-	SPRC08C1808A	-	-	-	-	TKN08C1808A	-	-	-	-
SAWA19C1901A	0.48	(0.05)	31,549	-	SPRC11C1902A	0.11	-	12,760	-	TKN08C1811A	0.11	(0.02)	122,600	-
SAWA23C1807A	-	-	-	-	SPRC13C1808A	-	-	-	-	TKN11C1902A	0.17	(0.03)	67,118	-
SAWA24C1808A	-	-	-	-	SPRC13C1812A	0.33	(0.01)	147,372	-	TKN13C1808A	-	-	-	-
SAWA24C1812A	0.15	(0.05)	500	-	SPRC19C1901A	0.38	(0.02)	11,090	-	TKN13C1810A	0.07	(0.02)	45,043	-
SAWA28C1809A	-	-	-	-	SPRC23C1810A	0.11	(0.01)	15,572	-	TKN13C1811A	0.09	(0.01)	49,310	-
SAWA28C1810A	-	-	-	-	SPRC24C1808A	-	-	-	-	TKN13C1812A	0.32	(0.06)	191,835	-
SAWA28C1811A	0.16	(0.05)	152,300	-	SPRC24C1903A	0.36	(0.01)	1,115	-	TKN19C1811A	0.11	(0.01)	31,355	-
SAWA28C1812A	0.47	(0.06)	237,697	-	STA01C1812A	0.22	(0.03)	18,059	-	TKN23C1902A	0.38	(0.01)	20,000	-
SCB01C1808A	0.23	0.01	40,342	-	STA01C1812B	0.16	-	1,940	-	TKN24C1807A	-	-	-	-
SCB01C1808B	0.01	-	2,000	-	STA13C1808A	-	-	-	-	TKN24C1811A	0.24	-	1,500	-
SCB01C1810A	0.55	0.02	92,314	-	STA13C1812A	0.24	(0.02)	73,724	-	TKN24C1812A	-	-	-	-
SCB01C1902A	0.99	0.02	35,644	1.00	STA19C1811A	0.10	(0.01)	798	-	TKN28C1808A	-	-	-	-
SCB01C1902B	0.91	0.01	30,084	-	STA23C1809A	0.06	-	1,500	-	TKN28C1811A	0.10	(0.02)	55,222	-
SCB01P1808A	1.00	(0.02)	51,105	-	STA24C1808A	-	-	-	-	TKN28C1812A	0.52	(0.06)	39,160	-
SCB01P1808B	0.14	(0.02)	78,621	-	STEC01C1809A	0.18	(0.03)	152,776	-	TMB01C1810A	0.21	(0.01)	217,491	-
SCB01P1902A	0.50	(0.01)	74,324	-	STEC01C1809B	0.51	(0.13)	43,566	-	TMB01C1810B	0.07	(0.02)	46,937	-
SCB01P1902B	0.25	(0.01)	42,634	-	STEC01P1809A	0.96	0.11	39,309	-	TMB01P1810A	0.43	0.01	134,235	-
SCB06C1811A	0.67	0.01	14,546	-	STEC06C1809A	0.20	(0.04)	26,992	-	TMB06C1809A	0.01	-	2,868	-
SCB08C1901A	0.54	0.02	60,868	-	STEC08C1809A	0.13	(0.02)	45,336	-	TMB06C1902A	0.12	(0.02)	56,836	-
SCB11C1901A	0.29	0.01	5,580	-	STEC11C1903A	0.41	(0.07)	34,729	-	TMB07C1811A	-	-	-	-
SCB11P1901A	0.43	(0.01)	79,826	-	STEC13C1809A	0.07	(0.01)	10,684	-	TMB08C1808A	-	-	-	-
SCB13C1809A	0.07	0.02	10,120	-	STEC23C1808A	-	-	-	-	TMB08C1901A	0.11	(0.01)	378,986	-
SCB13C1812A	0.63	(0.01)	77,039	-	STEC24C1808A	-	-	-	-	TMB11C1904A	0.10	(0.02)	103,591	-
SCB13P1812A	0.13	0.01	28,292	-	STEC24C1901A	-	-	-	-	TMB13C1811A	0.07	-	105,087	-
SCB19C1811A	0.35	-	27,086	-	STEC28C1808A	-	-	-	-	TMB13C1901A	0.25	(0.01)	884	-
SCB24C1901A	0.84	0.03	406	-	STEC28C1810A	0.36	(0.06)	30,420	-	TMB19C1901A				

Main Board Quotation

Issue Date :

Monday August 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Monday August 06, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP01P1808A	1.22	0.12	41,199	1.00	UNI08C1810A	0.07	-	41	-	EVER-W3	0.02	(0.01)	100	-
TOP01P1901A	0.77	0.05	35,077	-	UNI08C1906A	0.25	(0.02)	45,388	-	GJS-W3	0.03	-	1	-
TOP06C1809A	0.03	(0.02)	4,000	-	UNI011C1811A	-	-	-	-	GSTEL-W1	-	-	-	-
TOP06C1903A	1.06	(0.08)	28,917	1.00	UNI013C1809A	0.03	(0.01)	2,000	-	GSTEL-W2	-	-	-	-
TOP07C1812A	-	-	-	-	UNI013C1901A	0.25	(0.01)	47,131	-	IEC-W2	-	-	-	-
TOP08C1811A	0.12	(0.02)	40,381	-	UNI019C1811A	0.08	(0.02)	500	-	IHL-W1	4.82	(0.18)	520	4.00
TOP11C1808A	-	-	-	-	UNI023C1901A	0.10	(0.01)	8,000	-	ITD-W1	0.11	-	8,226	-
TOP11C1905A	0.96	(0.08)	19,248	1.00	UNI024C1811A	-	-	-	-	IVL-W2	-	-	-	-
TOP13C1811A	0.10	(0.02)	17,205	-	UNI028C1809A	0.02	-	1,000	-	JAS-W3	2.02	(0.02)	15,362	2.00
TOP13C1901A	0.56	(0.08)	65,804	-	UNI028C1811A	0.10	(0.01)	66,560	-	JCK-W5	0.44	-	38,239	-
TOP18C1808A	-	-	-	-	UV13C1808A	-	-	-	-	JMART-W2	2.10	0.35	322,895	2.00
TOP19C1901A	0.40	(0.07)	24,364	-	UV13C1812A	0.45	(0.03)	138,162	-	MIDA-W2	0.03	-	65	-
TOP23C1811A	0.14	(0.04)	20,400	-	UV23C1809A	-	-	-	-	MILL-W3	0.03	(0.01)	820	-
TOP24C1901A	-	-	-	-	UV24C1807A	-	-	-	-	MILL-W4	0.34	0.03	1,238	-
TOP24C1902A	0.59	(0.09)	15,101	-	UV24C1812A	-	-	-	-	MILL-W5	0.19	0.01	31,215	-
TOP28C1810A	-	-	-	-	UV28C1808A	-	-	-	-	ML-W2	0.04	0.01	14,811	-
TOP28C1812A	0.50	(0.09)	55,471	-	VGI01C1812A	0.54	(0.01)	890	-	MONO-W1	0.62	(0.02)	13,221	-
TP101C1812A	0.19	(0.01)	22,419	-	VGI06C1904A	-	-	-	-	NEP-W3	0.14	-	5,400	-
TP101C1812B	0.12	(0.02)	8,840	-	VGI06C1904B	-	-	-	-	NOK-W1	0.97	0.04	226	-
TP107C1812A	-	-	-	-	VGI06C1904C	-	-	-	-	NPPG-W3	0.16	(0.02)	18,073	-
TP113C1809A	-	-	-	-	VGI08C1811A	-	-	-	-	NUSA-W3	0.15	0.03	7	-
TP119C1901A	0.21	(0.01)	10,591	-	VGI23C1905A	-	-	-	-	NVD-W1	0.17	(0.04)	75,233	-
TP123C1809A	-	-	-	-	VGI23C1911A	-	-	-	-	ORI-W1	2.64	(0.02)	8,752	2.00
TP124C1808A	-	-	-	-	VGI27C1812A	-	-	-	-	PACE-W1	-	-	-	-
TP124C1902A	-	-	-	-	VGI28C1810A	-	-	-	-	PACE-W2	0.10	-	73,094	-
TP128C1808A	-	-	-	-	WHA01C1812A	0.56	(0.03)	6,826	-	PDI-W1	1.48	(0.01)	27,383	1.00
TP1P01C1810A	0.39	(0.03)	3,341	-	WHA01C1812B	0.48	(0.03)	12,468	-	PDJ-W2	1.59	0.01	11	1.00
TP1P01C1810B	0.16	-	2,840	-	WHA01P1812A	0.67	0.03	14,349	-	PDJ-W3	1.48	(0.01)	12	1.00
TP1P01P1810A	0.60	0.05	11,393	-	WHA06C1809A	0.12	(0.02)	8,850	-	PDJ-W4	1.48	0.01	106	1.00
TP1P08C1808A	-	-	-	-	WHA07C1810A	-	-	-	-	PLE-W3	0.11	-	90,285	-
TP1P11C1811A	0.10	-	552	-	WHA08C1811A	0.17	(0.01)	21,838	-	RICH-W1	-	-	-	-
TP1P13C1811A	0.22	(0.03)	10,043	-	WHA11C1903A	0.22	(0.02)	13,138	-	RICHY-W1	0.33	0.03	559	-
TP1P23C1808A	-	-	-	-	WHA13C1808A	0.03	(0.01)	1,020	-	RICHY-W2	0.17	-	1,320	-
TP1P24C1901A	-	-	-	-	WHA13C1812A	0.43	(0.03)	39,664	-	RS-W3	8.45	(0.15)	68	8.00
TP1P27C1812A	-	-	-	-	WHA19C1901A	0.41	(0.04)	8,072	-	S-W1	0.13	-	7,093	-
TRUE01C1808A	0.24	-	178,895	-	WHA23C1810A	-	-	-	-	SAMART-W2	0.31	-	2,983	-
TRUE01C1808B	0.03	-	35,000	-	WHA24C1807A	-	-	-	-	SAWAD-W1	4.90	(0.08)	714	4.00
TRUE01C1902A	0.52	-	110,459	-	WHA24C1811A	-	-	-	-	SDC-W1	0.06	-	4,363	-
TRUE01C1902B	0.44	-	75,621	-	WHA28C1808A	-	-	-	-	SMM-W4	0.08	-	73	-
TRUE01P1808A	0.26	-	114,698	-	WHA28C1808B	-	-	-	-	SMT-W1	0.07	(0.01)	6,699	-
TRUE01P1902A	0.51	-	32,328	-	WHA28C1809A	0.34	(0.04)	11,160	-	SMT-W2	0.62	0.03	23,873	-
TRUE01P1902B	0.39	-	32,844	-	WHAU01C1810A	0.19	0.01	48,497	-	SPALI-W4	18.90	(0.10)	280	19.00
TRUE06C1811A	0.12	-	9,136	-	WHAU01C1810B	0.05	-	300	-	SPORT-W5	0.08	(0.01)	2,835	-
TRUE06C1906A	0.31	-	19,340	-	WHAU24C1812A	0.05	0.01	1	-	SUPER-W4	0.11	(0.01)	101,025	-
TRUE08C1809A	0.08	(0.02)	156	-	WORK01C1811A	0.51	(0.05)	51,511	-	SUSCO-W1	0.18	-	6,098	-
TRUE08C1902A	0.40	-	45,106	-	WORK01C1811B	0.32	(0.04)	34,175	-	SVI-W3	1.24	0.01	10	1.00
TRUE08P1809A	0.10	-	22,724	-	WORK08C1809A	0.01	-	20,010	-	TCC-W3	-	-	-	-
TRUE11C1807A	-	-	-	-	WORK08C1901A	0.40	(0.04)	21,890	-	TCC-W4	0.13	-	4	-
TRUE11C1905A	0.34	-	16,580	-	WORK11C1903A	0.12	(0.01)	9,236	-	TCC-W5	0.19	0.01	541	-
TRUE13C1807A	-	-	-	-	WORK13C1809A	-	-	-	-	TCJ-W2	1.08	-	2,638	1.00
TRUE13C1810A	0.05	-	520	-	WORK13C1810A	0.02	(0.01)	110	-	TCMC-W2	0.31	(0.01)	10,406	-
TRUE13C1812A	0.26	(0.01)	259,838	-	WORK13C1811A	0.11	(0.02)	82,416	-	TFG-W1	-	-	-	-
TRUE16C1812A	0.30	-	7,500	-	WORK13C1812A	0.44	(0.07)	107,018	-	TFG-W2	0.85	0.02	35,931	-
TRUE19C1901A	0.18	-	98,238	-	WORK19C1811A	0.17	(0.04)	19,239	-	TH-W2	0.15	0.01	12	-
TRUE23C1902A	0.24	-	68,400	-	WORK23C1807A	-	-	-	-	THE-W2	0.07	-	35,810	-
TRUE27C1809A	0.16	0.01	3,194	-	WORK24C1810A	0.02	-	20,801	-	TNITY-W1	1.16	0.23	95,503	1.00
TRUE27P1809A	0.25	-	3,000	-	WORK24C1812A	0.31	(0.05)	90,126	-	TNPC-W1	0.46	-	1,946	-
TRUE28C1808A	-	-	-	-	WORK28C1808A	-	-	-	-	TRITN-W3	0.16	-	7,980	-
TRUE28C1810A	0.05	-	300,200	-	WORK28C1809A	-	-	-	-	TSR-W1	0.59	0.06	58,133	-
TRUE28C1812A	0.21	-	117,304	-	WORK28C1811A	0.09	(0.04)	67,174	-	TTA-W5	0.37	(0.02)	5,651	-
TTA08C1808A	-	-	-	-	Preferred/Foreign	-	-	-	-	TTL-W1	1.18	(0.04)	144,503	1.00
TTA08C1906A	0.32	-	13,898	-	BH-Q	-	-	-	-	U-W1	0.01	-	10	-
TTA13C1809A	-	-	-	-	CSC-Q	-	-	-	-	U-W4	0.01	-	102	-
TTA13C1901A	0.28	(0.01)	57,637	-	JUTHA-Q	-	-	-	-	VIBHA-W2	1.37	0.01	3,113	1.00
TTA18C1808A	-	-	-	-	KTB-Q	-	-	-	-	VIBHA-W3	0.30	-	1,242	-
TTA19C1811A	0.14	-	1,600	-	SCB-Q	-	-	-	-	WAVE-W1	0.39	(0.02)	2,063	-
TTA23C1808A	-	-	-	-	TCAP-Q	-	-	-	-	WHA-W1	6.45	(0.10)	1,382	6.00
TTA23C1901A	0.16	-	4,000	-	TIC-Q	-	-	-	-	WORK-W1	11.30	0.30	5	11.00
TTA24C1809A	-	-	-	-	TISCO-Q	-	-	-	-	Preferred Shares	-	-	-	-
TTA24C1902A	-	-	-	-	U-Q	-	-	-	-	BH-P	-	-	-	-
TTA28C1812A	0.14	-	10,240	-	Warrant	-	-	-	-	CSC-P	-	-	-	-
TU01C1808A	0.04	(0.02)	2,011	-	7UP-W2	0.15	(0.04)	9,085	-	JUTHA-P	-	-	-	-
TU01C1808B	-	-	-	-	ACC-W1	0.02	(0.01)	191	-	KTB-P	-	-	-	-
TU01C1901A	0.61	(0.01)	33,896	-	AJA-W1	0.18	-	108	-	SCB-P	-	-	-	-
TU01C1901B	0.59	(0.01)	21,125	-	ALT-W1	0.73	-	931	-	TCAP-P	-	-	-	-
TU01P1808A	0.78	0.01	35,293	-	APURE-W2	0.18	(0.01)	101,768	-	TIC-P	-	-	-	-
TU01P1901A	0.23	-	85,679	-	AQ-W4	0.01	-	138,098	-	TISCO-P	-	-	-	-
TU06C1902A	0.33	(0.01)	12,074	-	AS-W1	0.47	-	7,703	-	U-P	0.03	-	875,335	-
TU08C1811A	0.09	-	400	-	AYUD-W1	2.80	0.54	131,109	2.00	Warrant (MAI)	-	-	-	-
TU11C1902A	-	-	-	-	B-W3	-	-	-	-	2S-W1	0.16	-	42,988	-
TU13C1809A	-	-	-	-	B-W4	0.20	(0.03)	78,689	-	ACAP-W2	2.78	-	1,414	2.00
TU23C1902A	0.32	(0.03)	3,300	-	BTS-W3	0.02	-	105,285	-	AIRA-W2	0.06	-	1,001	-
TU24C1808A	-	-	-	-	BWG-W4	0.08	-	2,307	-	ATP30-W1	0.85	(0.01)	5,548	-
TU24C1901A	-	-	-	-	CEN-W4	0.04	-	13,013	-	BSM-W2	0.19	0.01	1,635	-
TU27C1807A	-	-	-	-	CGD-W4	0.22	(0.01)	50,102	-	CHEWA-W1	0.10	0.01	80,958	-
TVO01C1809A	0.17	(0.01)	20,433	-	CGH-W3	0.07	-	8,413	-	CIG-W7	0.03	-	502	-
TVO01C1809B	-	-	-	-	CI-W1	0.33	(0.06)	32	-	DIMET-W2	0.15	(0.02)	95,756	-
TVO08C1808A	0.01	-	2,000	-	CKP-W1	0.35	(0.01)	32,841	-	DNA-W1	1.40	(0.17)	137,688	1.00
TVO11C1903A	0.12	(0.02)	19,488	-	CRANE-W1	-	-	-	-	ECF-W2	4.16	0.08	19,932	4.00
TVO13C1809A	-	-	-	-	CWT-W4	0.51	(0.01)	3,413	-	ECF-W3	3.38	(0.02)	128,997	3.00
TVO23C1808A	-	-	-	-	DCC-W1	0.74	0.03	615,072	-	EFORL-W3	0.01	-	-	-

