

## Main Board Quotation

Issue Date :

Tuesday August 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.00	(0.10)	5,139	10.09	SE-ED	2.80	0.02	98	2.79
POMPI	-	-	-	-	ILINK	5.50	0.10	1,249	5.43	SMM	0.87	0.02	298	0.87
SAFARI	-	-	-	-	INET	3.92	0.12	32,713	3.95	SPORT	0.55	-	7,181	0.56
VI	-	-	-	-	INTUCH	56.25	0.25	80,805	56.20	TBSP	15.90	-	10	15.90
WORLD	-	-	-	-	JAS	5.20	0.05	141,468	5.20	TH	0.63	-	62	0.63
WR	-	-	-	-	JASIF	10.40	(0.10)	42,820	10.48	TKS	10.50	(0.10)	5,616	10.54
Agribusiness	-	-	-	-	JMART	9.95	(0.15)	51,662	10.08	TRITN	0.30	-	134,581	0.31
CHOTI	-	-	-	-	JTS	1.57	(0.01)	427	1.57	VGI	7.05	-	74,444	7.06
EE	0.72	(0.01)	75,105	0.72	MFEK	4.00	0.04	124	3.98	WAVE	-	-	-	-
GFPT	12.80	0.30	21,434	12.68	MSC	5.95	0.05	143	5.91	WORK	43.00	0.50	27,391	43.15
LEE	2.80	(0.02)	1,161	2.80	PT	6.80	-	2,316	6.84	Finance & Securities	-	-	-	-
STA	11.40	0.30	22,100	11.28	SAMART	7.30	0.05	2,790	7.23	AEC	0.50	-	2,228	0.50
TLUXE	6.10	(0.05)	645	6.12	SAMTEL	8.40	0.20	265	8.32	AEONTS	167.50	-	1,940	167.05
TRUBB	1.78	0.10	10,195	1.75	SDC	0.25	0.01	1,328	0.24	AMANAH	2.14	0.04	110,322	2.13
TWPC	9.20	(0.05)	771	9.19	SIS	9.00	-	1,402	8.96	ASAP	6.30	0.35	43,429	6.19
UPOIC	4.24	0.06	63	4.19	SVOA	1.39	-	9,323	1.39	ASK	23.00	-	951	22.97
UVAN	7.60	-	1,229	7.61	SYMC	5.35	0.15	59	5.39	ASP	3.88	0.02	27,718	3.86
VPO	0.65	(0.01)	1,261	0.65	SYNEX	13.80	-	6,399	13.73	BFIT	28.25	-	463	28.26
Banking	-	-	-	-	THCOM	9.20	0.45	173,242	9.19	CGH	1.11	0.02	7,299	1.09
BAY	39.75	-	1,119	39.78	TRUE	6.50	0.15	581,711	6.44	CNS	2.64	(0.02)	383	2.62
BBL	206.00	1.00	30,685	205.70	TWZ	0.13	-	89,718	0.13	ECL	2.10	0.04	110,805	2.09
CIMBT	0.86	-	22,960	0.86	Electronic Componen	-	-	-	-	FNS	4.64	0.02	1,265	4.66
KBANK	214.00	(3.00)	98,326	214.47	CCET	2.22	(0.02)	16,846	2.23	FSS	2.52	-	944	2.49
KKP	74.25	(0.25)	33,251	74.28	DELTA	70.50	0.50	24,686	70.40	GBX	0.69	-	8,376	0.68
KTB	19.10	0.20	301,821	19.12	EIC	0.05	-	10,452	0.06	GL	7.05	0.15	62,554	7.05
LHFG	1.59	-	12,611	1.59	HANA	38.25	0.75	26,968	38.15	IFS	3.12	0.06	4,039	3.11
SCB	143.00	1.50	108,182	141.57	KCE	42.50	0.50	32,011	42.54	JMT	26.00	(0.50)	12,684	25.85
TCAP	52.50	-	28,222	52.66	METCO	193.50	0.50	3	193.50	KCAR	14.00	-	1,273	13.88
TISCO	79.25	0.50	25,250	78.86	SMT	2.56	0.18	164,545	2.59	KGI	4.20	0.02	13,207	4.19
TMB	2.26	-	1,570,474	2.26	SPPT	3.88	(0.02)	4,152	3.86	KTC	29.00	(0.25)	220,327	29.09
Construction Materia	-	-	-	-	SVI	4.24	0.04	26,336	4.24	MBKET	13.20	0.20	2,167	13.13
CCP	0.41	0.01	2,724	0.41	TEAM	1.15	0.01	13,533	1.16	MFC	15.40	-	2,466	15.40
COTTO	3.16	(0.18)	371,791	3.22	Energy & Utilities	-	-	-	-	ML	1.08	(0.01)	33,883	1.10
DCC	2.26	0.02	87,164	2.27	ABPIF	8.55	-	391	8.55	MTC	39.25	-	51,367	39.01
DCON	0.56	-	9,404	0.56	AI	-	-	-	-	PE	0.36	0.03	18,678	0.36
DRT	5.80	-	1,673	5.80	AKR	1.09	0.01	45,699	1.09	PL	3.56	0.02	392	3.54
EPG	8.35	(0.05)	100,444	8.19	BAFS	35.25	-	1,606	34.95	S11	7.75	-	1,242	7.83
GEL	0.36	(0.01)	64,668	0.36	BANPU	20.60	(0.10)	390,969	20.64	SAWAD	36.00	0.50	78,512	36.03
PPP	3.62	-	348	3.60	BCP	35.75	(0.25)	11,515	35.66	THANI	7.85	0.05	33,079	7.80
O-CON	5.60	(0.05)	900	5.61	BCPG	19.00	-	52,379	18.89	TK	11.20	0.10	818	11.17
RCI	2.96	(0.12)	126,361	3.01	BGRIM	26.00	0.25	77,453	26.01	TNITY	6.20	-	300	6.18
SCC	454.00	2.00	20,649	454.01	BPP	24.80	(0.10)	24,344	24.99	UOBKH	-	-	-	-
SCCC	230.00	(5.00)	1,630	229.89	BRRGIF	10.20	-	382	10.19	ZMICO	1.03	-	5,853	1.02
SCP	8.05	0.05	844	7.97	CKP	4.06	-	79,125	4.06	Food & Beverage	-	-	-	-
SKN	5.40	-	1,290	5.36	DEMCO	4.08	-	676	4.08	APURE	1.36	-	3,244	1.36
TASCO	14.30	-	45,690	14.24	EA	36.25	0.75	106,823	36.09	ASIAN	9.15	(0.05)	158,836	9.21
TCMC	2.48	(0.04)	6,700	2.50	EARTH	-	-	-	-	BR	5.65	-	20,795	5.61
TOA	38.50	0.25	6,614	38.41	EASTW	11.30	-	3,074	11.22	BRR	6.70	(0.05)	1,119	6.75
TPPL	1.85	(0.01)	39,680	1.85	EGATIF	10.90	0.10	12,244	10.87	CBG	45.50	(2.50)	48,340	46.07
UMI	1.60	(0.03)	364,432	1.75	EGCO	229.00	(2.00)	6,419	230.22	CFRESH	4.46	0.02	683	4.47
VNG	8.00	-	233	8.00	ESSO	14.80	0.30	227,522	14.91	CM	4.68	-	4,277	4.70
WIHK	2.52	(0.08)	19,161	2.54	GLOW	94.00	0.25	17,050	93.94	CPF	26.50	1.00	328,909	26.03
Petrochemicals & Che	-	-	-	-	GPSC	70.00	(0.25)	28,194	69.92	CPI	1.70	-	1,253	1.71
BCT	59.50	1.00	547	59.36	GULF	67.00	0.75	52,772	66.42	F&D	-	-	-	-
CMAN	3.44	0.04	9,484	3.43	GUNKUL	3.02	0.02	25,584	3.00	HTC	18.90	0.20	206	18.82
GC	5.20	0.05	224	5.19	IEC	-	-	-	-	ICHI	4.76	0.02	27,527	4.80
GGC	10.60	0.10	19,308	10.54	IFEC	-	-	-	-	KBS	4.48	-	5,674	4.48
GIFT	4.02	(0.02)	1,665	4.04	IRPC	6.50	(0.10)	1,055,930	6.52	KSL	3.34	0.04	20,699	3.32
IVL	59.25	2.25	521,993	58.18	LANNA	15.60	0.10	1,099	15.48	KTIS	5.90	-	171	5.85
NFC	11.70	(0.10)	995	11.75	MDX	4.20	0.04	1,020	4.21	LST	5.10	-	4,006	5.11
PATO	15.00	-	51	14.82	PTG	14.40	0.10	44,087	14.50	M	74.75	1.50	8,729	74.48
PMTA	16.60	0.10	57	16.60	PTT	52.25	0.75	589,944	52.07	MALEE	13.40	0.10	19,330	13.44
PTTGC	84.25	1.00	162,418	84.04	PTTPE	142.50	3.00	145,168	142.15	MINT	38.75	0.75	183,581	38.46
SUTHA	4.20	0.06	552	4.19	RATCH	52.25	-	6,858	52.13	OISHI	92.50	(1.50)	32	93.27
TCCC	35.75	0.50	51	35.37	RPC	0.57	0.02	35,545	0.58	PB	61.50	-	6	61.58
TPA	6.20	(0.20)	62	6.31	SCG	4.72	(0.06)	25	4.73	PM	10.30	-	5,063	10.35
UP	28.00	0.75	24	28.52	SCI	3.38	(0.06)	85,553	3.45	PRG	13.50	-	107	13.17
VNT	23.30	(0.30)	13,003	23.37	SCN	3.72	(0.02)	3,184	3.74	SAPPE	25.25	(0.25)	5,264	25.27
WG	-	-	-	-	SGP	11.90	0.30	229,430	11.83	SAUCE	21.60	(0.10)	45	21.70
YCI	-	-	-	-	SKE	1.28	(0.01)	4,564	1.29	SFP	213.00	(3.00)	1	213.00
Commerce	-	-	-	-	SOLAR	2.30	(0.02)	5,700	2.31	SNP	21.50	0.40	49	21.11
BEAUTY	6.95	(0.15)	801,242	6.99	SPCG	21.00	-	7,857	21.07	SORKON	-	-	-	-
BIG	2.14	0.02	32,671	2.14	SPRC	14.80	-	115,044	14.82	SSC	40.25	0.25	9	40.14
BJC	55.50	-	36,607	55.69	SUPER	0.73	0.01	1,745,753	0.73	SSF	8.70	0.30	10	8.70
COL	29.25	1.50	11,801	29.01	SUSCO	3.40	0.02	14,468	3.38	SST	6.00	0.05	204	5.91
COM7	18.30	0.10	54,480	18.33	TAE	2.16	0.04	1,743	2.14	TC	3.12	0.06	644	3.18
CPALL	73.25	0.50	540,236	72.60	TCC	0.39	0.01	9,189	0.39	TFG	4.16	-	12,373	4.15
CSS	2.14	0.02	5,261	2.13	TOP	80.25	(0.50)	131,386	80.02	TFMAMA	153.50	(1.50)	63	151.29
FN	2.94	(0.02)	11,076	2.99	TPIPP	6.00	0.05	16,143	6.02	TIPCO	9.60	-	3,115	9.63
FTE	2.30	0.02	1,785	2.27	TTW	12.50	(0.10)	38,166	12.53	TKN	15.60	0.20	33,626	15.62
GLOBAL	17.60	0.40	27,482	17.47	WHAPU	5.90	0.05	33,320	5.89	TU	18.10	0.70	266,928	17.98
HMPRO	14.20	-	329,748	14.07	WP	7.50	0.10	10,945	7.44	TVO	29.75	(0.25)	10,584	29.64
IT	4.92	-	1,444	4.92	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.94	0.06	5,981	4.93	AMARIN	4.98	-	504	4.98	AHC	20.00	-	72	20.00
LOXLEY	2.24	0.02	5,004	2.22	AQUA	0.50	-	61,022	0.50	BCH	16.20	(0.10)	64,907	16.17
MAKRO	36.75	0.75	3,563	36.44	AS	1.48	(0.01)	620	1.47	BDMS	26.00	-	417,009	25.86
MC	12.00	0.10	4,142	12.02	BEC	8.95	0.15	37,782	8.94	BH	184.00	1.50	12,084	183.25
MEGA	40.50	0.25	6,648	40.31	EPCO	4.82	-	3,966	4.82	CHG	2.26	0.04	227,632	2.25
MIDA	0.62	(0.01)	13,924	0.63	FE	-	-	-	-	CMR	3.28	(0.02)	1,782	3.26
ROBINS	62.25	0.25	15,794	62.09	GPI	2.88	(0.02)	1,472	2.89	EKH	5.10	-	1,766	5.10
RSP	4.98	0.02	3,360	5.01	GRAMMY	8.10	(0.05)	216	8.00	KDH	98.00	(3.50)	174	98.66
SINGER	10.40	(0.20)	4,328	10.52	MACO	1.77	0.01	37,860	1.78	LPH	6.05	(0.05)	6,230	6.09
SPC														

## Main Board Quotation

Issue Date :

Tuesday August 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	3.00	-	1,867	3.00	MJD	3.30	-	394	3.28	CPT	2.72	(0.02)	51,134	2.73
Tourism & Leisure					MK	4.42	0.02	10,971	4.44	CRANE	2.84	-	1,212	2.84
ASIA	6.80	-	153	6.80	NCH	0.89	-	2,692	0.88	CTW	8.40	0.20	3,251	8.38
CENTEL	44.50	1.25	32,284	44.18	NNCL	1.69	(0.01)	7,289	1.69	FMT	25.50	(0.75)	12	25.44
CSR	-	-	-	-	NOBLE	12.20	0.10	1,786	12.14	HTECH	8.15	0.35	67,037	8.08
DTC	12.00	0.10	5,636	12.03	NUSA	0.30	-	16,986	0.30	KKC	1.74	(0.02)	563	1.75
ERW	7.20	-	30,712	7.11	NVD	3.74	(0.12)	1,409	3.80	PK	3.98	0.02	14,289	3.99
GRAND	0.95	0.02	14,845	0.95	ORI	18.90	-	7,981	18.92	SNC	14.70	(0.20)	17,950	14.72
LRH	-	-	-	-	PACE	0.52	0.02	518,977	0.51	TCJ	6.40	0.10	333	6.33
MANRIN	-	-	-	-	PF	0.97	0.01	513,474	0.97	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	7.35	(0.10)	43,994	7.39	Property Fund & REIT				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.00	-	831	10.03
SHANG	74.00	1.00	176	73.54	PRECHA	1.47	0.07	351	1.41	AMATAR	10.50	-	176	10.58
Home & Office Produ					PRIN	1.69	0.01	14,489	1.69	B-WORK	10.70	0.10	7,624	10.60
ACC	0.47	-	1,570	0.46	PRINC	5.30	-	3,408	5.25	BKKCP	12.00	-	200	12.00
AJA	0.39	-	11,475	0.39	PSH	21.20	0.10	5,440	21.09	BOFFICE	12.50	(0.10)	563	12.68
DTCI	-	-	-	-	OH	3.40	0.06	1,282,884	3.40	CPNCG	14.70	-	5,703	14.70
FANCY	1.03	-	19,310	1.04	RICHY	1.80	(0.01)	10,613	1.81	CPNREIT	24.60	0.10	5,946	24.60
KYE	400.00	-	84	399.35	RML	1.40	(0.01)	211,730	1.37	CPTGF	13.30	-	16	13.30
L&E	2.72	(0.02)	10	2.72	ROJNA	5.50	(0.05)	12,567	5.51	CRYSTAL	10.20	-	486	10.20
MODERN	4.58	-	7,265	4.56	S	3.00	0.02	27,952	2.98	CTARAF	4.70	(0.04)	1,020	4.60
OGC	39.50	(0.75)	43	39.48	SAMCO	2.26	-	49	2.28	DREIT	5.90	-	3,301	5.90
ROCK	-	-	-	-	SC	3.66	0.06	29,593	3.62	ERWPF	5.60	-	227	5.60
SIAM	1.92	(0.01)	225	1.90	SENA	3.80	-	4,397	3.79	FUTUREPF	21.50	0.10	13,672	21.46
TSR	2.40	-	20,863	2.42	SF	8.15	0.10	18,030	8.09	GAHREIT	9.85	-	2,594	9.85
Insurance					SIRI	1.65	0.01	282,652	1.65	GLANDRT	12.50	0.10	660	12.58
AYUD	38.75	(0.25)	21	38.74	SPALI	23.80	0.20	10,102	23.78	GOLDPF	-	-	-	-
BKI	352.00	1.00	10	352.00	TICON	16.50	-	706	16.50	GVREIT	14.60	(0.10)	839	14.69
BLA	33.00	0.25	4,500	32.98	U	0.03	0.01	965,565	0.03	HPF	5.45	0.05	753	5.45
BUI	-	-	-	-	UV	8.00	0.05	34,746	7.99	HREIT	6.45	0.05	3,186	6.45
CHARAN	33.75	-	205	32.27	WHA	3.96	0.02	375,502	3.96	IMPACT	17.90	-	3,802	17.83
INSURE	-	-	-	-	WIN	0.60	-	34,196	0.61	KPNPF	-	-	-	-
MTI	112.00	(1.00)	19	112.37	Paper & Printing Mat					LHHOTEL	15.80	(0.10)	1,218	15.80
NKI	-	-	-	-	UTP	11.80	0.10	2,824	11.80	LHPF	8.50	0.05	507	8.45
NSI	83.75	(0.25)	8	83.56	Fashion					LHSC	15.80	-	681	15.80
SMK	41.00	-	108	40.97	AFC	8.95	-	30	8.95	LUXF	8.20	0.10	57	8.20
THRE	1.19	-	4,462	1.18	BTNC	22.50	(0.20)	1	22.50	M-II	-	-	-	-
THREL	8.05	-	3,473	8.01	CPH	6.15	0.15	220	6.75	M-PAT	10.20	(0.10)	14	10.20
TIC	34.00	(0.25)	179	34.07	CPL	3.26	(0.02)	55	3.05	M-STOR	-	-	-	-
TIP	23.60	-	1,229	23.54	DIGI	0.43	(0.01)	12,391	0.44	MIPF	-	-	-	-
TSI	0.51	0.01	618	0.50	ICC	-	-	-	-	MIT	-	-	-	-
TVI	3.80	0.06	228	3.77	LTX	100.00	(2.00)	256	100.16	MJLF	12.60	-	101	12.60
Mining					NC	-	-	-	-	MNIT	1.65	-	2,826	1.65
PDI	18.40	(0.30)	3,188	18.52	PAF	1.00	(0.01)	44,477	1.01	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.84	-	525	2.85	MNRF	-	-	-	-
Packaging					PG	-	-	-	-	MONTRI	-	-	-	-
AJ	10.50	0.10	250	10.49	SABINA	31.25	-	226	31.27	POPF	13.50	-	2,564	13.50
ALUCON	191.50	(0.50)	32	191.84	SAWANG	-	-	-	-	PPF	11.20	0.20	886	11.10
CSC	45.00	-	5	45.00	SUC	44.75	-	222	44.75	QHHR	8.50	-	2,513	8.46
NEP	0.45	0.02	61,058	0.45	TNL	20.00	1.10	6	20.00	QHOP	3.80	0.10	16	3.61
NPPG	1.18	0.01	60,441	1.19	TPCORP	-	-	-	-	QHPF	12.30	-	355	12.30
PTL	16.50	(0.40)	7,368	16.48	TR	47.25	-	197	47.47	SBPF	-	-	-	-
SITHAI	1.24	0.03	81,213	1.30	TTI	-	-	-	-	SHREIT	9.20	-	220	9.20
SLP	0.97	(0.04)	18,835	0.99	TTL	-	-	-	-	SIRIP	-	-	-	-
SMPC	12.80	-	1,269	12.81	TTTM	145.50	1.00	146	146.33	SPF	23.50	-	1,606	23.50
SPACK	1.95	-	1	1.95	UPF	71.50	1.50	5	71.60	SRIPANWA	11.10	-	592	11.10
TCOAT	-	-	-	-	UT	13.50	(0.20)	3	13.50	SSPF	-	-	-	-
TFI	0.46	0.10	57,845	0.45	WACOAL	44.75	0.25	4	44.81	SSTPF	6.55	-	26	6.70
THIP	36.00	-	89	35.92	Transportation & Log					SSTRT	6.25	-	7	6.25
TMD	-	-	-	-	AAV	4.46	(0.04)	191,283	4.47	TIF1	8.65	0.05	70	8.65
TOPP	-	-	-	-	AOT	65.50	0.25	134,418	65.75	TLGF	18.90	0.30	5,787	18.90
TPBI	8.35	0.05	165	8.36	ASIMAR	2.94	-	3,345	2.96	TLHPF	-	-	-	-
TPP	-	-	-	-	B	0.70	-	4,542	0.70	TNPF	3.72	0.02	107	3.70
Personal Products &					BA	12.20	(0.20)	24,296	12.28	TPRIME	12.40	0.10	2,846	12.40
APCO	4.46	0.02	980	4.47	BEM	8.20	-	236,915	8.16	TREIT	11.50	0.20	8,120	11.42
DDD	46.75	(1.75)	4,370	47.31	BTS	9.40	0.15	241,646	9.35	TTLPF	-	-	-	-
JCT	90.00	1.50	10	90.00	BTSIGF	12.30	-	68,458	12.30	TU-PF	2.00	0.30	5	2.00
OCC	17.00	(0.30)	2	17.00	III	4.94	(0.06)	10,835	4.94	URBNPF	3.20	-	51	3.20
S & J	-	-	-	-	JUTHA	1.83	-	153	1.84	WHABT	10.00	(0.10)	50	10.00
STHAI	-	-	-	-	JWD	7.20	-	14,858	7.13	WHART	10.10	(0.20)	2,674	10.19
TNR	13.10	0.40	497	12.96	KWC	-	-	-	-	Steel	-	-	-	-
TOG	5.30	0.10	77	5.16	NOK	2.66	-	3,531	2.66	AMC	2.74	-	620	2.72
Professional Service					NYT	5.40	0.05	3,079	5.43	BSBM	1.14	(0.01)	5,109	1.13
BWG	1.01	(0.01)	215,647	1.01	PRM	7.10	0.05	25,209	7.03	CEN	1.30	-	1,320	1.30
GENCO	0.81	-	2,170	0.81	PSL	12.00	0.20	22,007	11.92	CITY	2.64	-	11	2.64
PRO	-	-	-	-	RCL	5.45	0.10	2,441	5.40	CSP	1.40	-	4	1.40
TEAMG	2.30	0.04	95,834	2.30	THAI	14.70	(0.10)	14,521	14.66	GJS	0.32	-	65,691	0.31
Property Developmer					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	1,000	6.70	TTA	7.20	-	11,319	7.20	INOX	1.07	(0.01)	11,403	1.10
AMATA	20.00	-	213,653	20.00	WICE	4.02	(0.02)	14,189	3.98	LHK	4.98	-	1,311	4.99
AMATAV	6.65	(0.05)	5,288	6.67	Automotive					MAX	0.02	-	185,934	0.02
ANAN	5.00	0.04	45,689	4.98	AH	33.75	(0.25)	5,171	34.04	MCS	7.95	(0.15)	7,171	8.02
AP	9.10	(0.05)	53,534	9.14	APCS	5.05	(0.25)	6,879	5.12	MILL	1.62	0.03	53,273	1.62
APEX	0.20	-	9,896	0.20	BAT-3K	-	-	-	-	PAP	4.30	-	1,239	4.30
AQ	0.03	(0.01)	166,796	0.03	CWT	3.20	0.02	3,720	3.20	PERM	2.54	0.06	3,165	2.52
BLAND	1.83	0.01	233,364	1.82	EASON	2.72	(0.02)	2,450	2.70	RICH	-	-	-	-
BROCK	-	-	-	-	GYT	385.00	-	5	390.20	SAM	0.74	(0.01)	4,428	0.74
CGD	1.40	-	23,320	1.41	HFT	3.26	(0.06)	11,410	3.28	SMIT	6.05	-	3,003	6.04
CI	1.56	(0.02)	855	1.58	IHL	8.60	(0.10)	1,480	8.61	SSI	-	-	-	-
CPN	79.75	0.25	58,505	79.79	INGRS	0.77	0.01	6,048	0.77	SSSC	2.96	0.02	7,465	2.96
ESTAR	0.67	-	8,576	0.67	IRC	20.90	(0.20)	243	20.96	TGPRO	0.17	(0.01)	6,126	0.18
EVER	0.41	0.02	95,738	0.41	PCSGH	7.45	0.15	3,571	7.40	THE	3.68	(0.04)	114,954	3.69
GLAND	2.68	0.04	101,401	2.68	SAT	23.10	-	11,928	23.25	TIW	400.00	4.00	16	390.81
GOLD	10.50	-	23,163	10.53	SPG	14.10	(0.20)	296	14.22	TMT	14.80	0.10	166	14.79
GREEN	1.23	-	7,841	1.24	STANLY	273.00	6.00	210	271.25	TSTH</				

## Main Board Quotation

Issue Date :

Tuesday August 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	UMS	0.81	0.05	542	-	ADVA13C1809A	0.06	-	286	-
ABICO	6.90	0.15	15,882	6.00	UWC	0.08	-	45,134	-	ADVA13C1811A	0.55	(0.01)	107,755	-
AU	8.80	0.05	21,540	8.00	Services (MAI)	-	-	-	-	ADVA13C1901A	0.30	-	48,310	-
FC	0.31	(0.01)	33,862	-	ADAM	-	-	-	-	ADVA13P1809A	0.12	(0.01)	20,834	-
JCKH	1.15	(0.01)	2,278	1.00	AKP	1.69	-	934	1.00	ADVA16C1812A	-	-	-	-
KASET	2.16	0.02	1,908	2.00	AMA	6.05	(0.25)	12,167	6.00	ADVA18C1808A	0.34	0.01	5,704	-
MM	4.06	0.06	657	4.00	ARIP	0.52	0.01	38,959	-	ADVA19C1901A	0.60	0.01	17,098	-
SUN	3.52	(0.02)	2,056	3.00	ATP30	1.74	(0.01)	6,025	1.00	ADVA23C1902A	0.45	(0.02)	34,550	-
TACC	4.06	(0.02)	726	4.00	AUCT	5.90	(0.05)	1,838	5.00	ADVA24C1810A	-	-	-	-
TMILL	3.22	0.04	2,159	3.00	BOL	2.08	0.17	95,406	2.00	ADVA24P1810A	-	-	-	-
XO	8.25	0.10	1,715	8.00	CHUO	-	-	-	-	ADVA28C1808A	-	-	-	-
Consumer Products	-	-	-	-	CMO	1.61	0.02	111,533	1.00	ADVA28C1811A	0.47	-	118,025	-
BGT	1.14	0.03	10,677	1.00	D	11.10	0.10	6,797	11.00	ADVA28C1901A	0.19	-	128,747	-
BIZ	2.92	(0.02)	200	2.00	DCORP	2.80	0.08	3,512	2.00	ADVA28P1810A	0.16	-	40,948	-
DOD	16.00	0.50	445,766	16.00	DNA	0.70	0.16	1,307,946	-	AMAT01C1810A	0.69	(0.02)	82,543	-
ECF	8.00	0.15	155,288	7.00	EFORL	0.08	-	60,055	-	AMAT01C1810B	0.43	(0.02)	76,684	-
HPT	1.12	-	29,304	1.00	ETE	2.10	(0.02)	7,896	2.00	AMAT01P1810A	1.13	0.01	37,353	1.00
JUBILE	21.50	-	201	21.00	FSMART	9.20	0.15	7,084	9.00	AMAT06C1809A	-	-	-	-
MOONG	6.35	0.15	2,352	6.00	FVC	1.36	-	4,681	1.00	AMAT08C1809A	0.06	(0.01)	3,038	-
NPK	32.25	7.25	19	31.00	HARN	2.68	-	146	2.00	AMAT11C1903A	0.31	(0.02)	33,167	-
OCEAN	1.66	(0.04)	5,756	1.00	JKN	11.40	0.10	27,429	11.00	AMAT13C1809A	0.05	-	515	-
TM	2.02	0.02	210	2.00	KIAT	0.48	0.03	433,437	-	AMAT13C1812A	0.40	-	252,425	-
Financials (MAI)	-	-	-	-	KOOL	1.88	(0.01)	14,504	1.00	AMAT19C1811A	0.16	(0.02)	19,104	-
ACAP	8.25	(0.10)	3,067	8.00	LDC	1.13	-	13,539	1.00	AMAT23C1810A	0.14	(0.02)	19,981	-
AF	0.77	(0.01)	242	-	MPG	0.23	-	4,057	-	AMAT24C1811A	0.24	(0.05)	20,261	-
AIRA	2.00	(0.02)	53	2.00	MVP	3.26	1.36	4,391,416	3.00	AMAT28C1808A	-	-	-	-
ASN	3.54	0.08	675	3.00	NBC	0.65	0.01	1,293	-	ANANO1C1810A	1.03	-	11,227	1.00
BROOK	0.58	0.01	5,162	-	NCL	1.47	(0.03)	1,808	1.00	ANANO1C1810B	0.82	0.02	13,624	-
CHAYO	4.02	0.18	183,117	3.00	NEWS	0.01	-	61,263	-	ANANO8C1808A	-	-	-	-
GCAP	4.40	-	3,048	4.00	NINE	1.56	0.04	3,544	1.00	ANANO8C1810A	-	-	-	-
LIT	8.70	(0.15)	3,693	8.00	OTO	2.72	-	436	2.00	ANANO8C1906A	-	-	-	-
SGF	0.15	0.01	374,752	-	PHOL	2.36	-	17	2.00	ANAN13C1901A	0.21	-	91,257	-
Industrials (MAI)	-	-	-	-	PICO	6.00	0.15	121	5.00	ANAN19C1811A	0.57	-	15,053	-
ZS	3.10	(0.02)	1,329	3.00	PORT	6.95	(0.05)	3,874	6.00	ANAN23C1901A	0.31	(0.03)	21,000	-
ADB	1.25	0.02	3,318	1.00	QLT	4.72	(0.04)	2,581	4.00	ANAN24C1811A	-	-	-	-
BM	3.62	0.02	35,426	3.00	RP	3.12	-	643	3.00	ANAN28C1809A	0.52	0.03	6,688	-
CHO	1.22	0.01	4,555	1.00	SE	2.10	-	1	2.00	AOT01C1808A	0.21	0.01	125,519	-
CHOW	4.90	(0.02)	725	4.00	SPA	15.30	0.20	10,884	15.00	AOT01C1808B	0.01	-	15,224	-
CIG	0.39	-	326	-	THMUI	1.68	-	20,630	1.00	AOT01C1810A	0.30	0.01	22,397	-
COLOR	1.14	0.01	421	1.00	TNDT	5.60	-	27,436	5.00	AOT01C1902A	0.60	0.03	67,253	-
CPR	5.85	0.05	28,844	5.00	TNH	40.00	0.25	34	40.00	AOT01C1902B	0.45	0.01	48,902	-
FPI	2.72	-	1,442	2.00	TNP	1.88	0.03	40,541	1.00	AOT01P1808A	0.82	(0.03)	30,108	-
GTB	0.79	-	4,525	-	TSF	0.05	-	20,265	-	AOT01P1808B	0.10	(0.02)	250,529	-
KCM	1.24	(0.04)	49,501	1.00	TVD	1.39	-	6,972	1.00	AOT01P1902A	0.86	(0.02)	32,671	-
LVT	-	-	-	-	TVT	1.02	0.01	2,303	1.00	AOT01P1902B	0.59	(0.04)	55,480	-
MBAX	4.12	0.02	94	4.00	WINNER	3.36	0.02	302	3.00	AOT06C1809A	0.04	-	2,000	-
MGT	2.18	0.08	8,024	2.00	Technology (MAI)	-	-	-	-	AOT06C1903A	0.54	(0.01)	20,312	-
NDR	2.28	-	446	2.00	COMAN	3.52	(0.04)	214	3.00	AOT06P1903A	0.57	(0.02)	9,728	-
PDG	3.68	0.04	830	3.00	ICN	2.42	-	9,150	2.00	AOT08C1901A	0.36	0.01	32,224	-
PIMO	3.24	0.22	68,831	3.00	IRCP	1.19	(0.08)	6,838	1.00	AOT11C1808A	0.40	0.01	19,447	-
PJW	1.75	-	407	1.00	ITEL	3.20	-	1,565	3.00	AOT11P1808A	0.02	-	150	-
PPM	2.20	(0.02)	4,738	2.00	NETBAY	34.25	-	1,557	34.00	AOT13C1809A	0.03	0.01	1,140	-
RWI	1.68	-	6,313	1.00	PLANET	1.60	0.08	2	1.00	AOT13C1811A	0.20	-	18,922	-
SALEE	1.20	(0.05)	18,908	1.00	SIMAT	2.22	0.08	30,879	2.00	AOT13C1812A	0.37	0.02	80,294	-
SANKO	1.27	-	1,821	1.00	SKY	13.80	(0.10)	3,670	13.00	AOT13P1810A	0.36	(0.01)	52,203	-
SELIC	1.87	0.02	6,732	1.00	SPVI	1.43	(0.02)	23,382	1.00	AOT13P1812A	0.18	(0.01)	7,047	-
SWC	23.50	0.50	184	23.00	UPA	0.46	(0.01)	7,809	-	AOT19C1809A	0.11	0.01	17,509	-
TMC	0.95	-	3,681	-	VCOM	3.06	(0.04)	4,524	3.00	AOT19C1901A	0.48	-	24,797	-
TMI	0.80	(0.01)	14,366	-	Unit Trust	-	-	-	-	AOT24C1811A	0.10	-	1	-
TMW	66.75	0.25	99	67.00	MGE	-	-	-	-	AOT24C1901A	0.36	(0.02)	100	-
TPAC	11.90	(0.10)	154	11.00	SCBSET	-	-	-	-	AOT24P1809A	0.04	(0.01)	910	-
UAC	4.78	0.02	680	4.00	ETF	-	-	-	-	AOT28C1809A	0.05	0.01	61	-
UBIS	4.76	(0.16)	162	4.00	1DIV	13.09	0.10	100	13.00	AOT28C1812A	0.32	0.02	49,220	-
UEC	1.47	0.10	8,020	1.00	ABFTH	-	-	-	-	AOT28C1901A	0.27	0.02	73,656	-
UKEM	0.93	0.03	65,412	-	BMSCG	9.18	0.04	763	9.00	AOT28P1812A	0.31	(0.02)	58,634	-
UREKA	0.60	-	59,173	-	BMSC10H	12.83	0.11	5,322	12.00	AP01C1809A	0.50	(0.03)	50,657	-
YUASA	17.90	0.30	546	17.00	BSET100	10.93	0.08	575	10.00	AP01C1809B	0.14	(0.01)	17,594	-
ZIGA	3.58	0.12	190,572	3.00	CHINA	5.30	-	1,547	5.00	AP08C1810A	0.40	(0.02)	33,698	-
Property & Construc	-	-	-	-	EBANK	5.81	(0.05)	40	5.00	AP23C1901A	0.18	(0.01)	3,050	-
ARROW	9.40	-	454	9.00	ECOMM	8.21	0.04	4	8.00	AP24C1901A	0.28	(0.03)	127	-
BKD	3.20	0.02	608	3.00	EFOOD	-	-	-	-	AP42C1901A	0.31	(0.02)	16,056	-
BSM	0.69	0.01	2,043	-	EICT	4.83	0.06	1	4.00	AP42P1901A	0.35	(0.01)	6,358	-
BTW	1.84	(0.02)	24,841	1.00	ENGY	6.45	(0.01)	12	6.00	BA11C1902A	0.05	-	10,849	-
CHEWA	1.09	(0.01)	16,761	1.00	ENY	-	-	-	-	BA19C1811A	0.03	(0.02)	300	-
CRD	1.09	(0.01)	1,130	1.00	ESET50	5.85	(0.06)	10	5.00	BA24C1810A	0.09	(0.02)	39,179	-
DIMET	1.11	(0.02)	42,456	1.00	GLD	1.73	-	1,060	1.00	BA24C1901A	-	-	-	-
FLOYD	2.34	-	4,553	2.00	TDEX	11.09	-	7,358	11.00	BA28C1809A	-	-	-	-
FOCUS	0.90	0.01	102	-	TGOLDEF	3.79	0.01	387	3.00	BANP01C1808A	0.20	(0.01)	119,050	-
HYDRO	1.47	0.02	2,793	1.00	TH100	-	-	-	-	BANP01C1808B	0.02	-	5,001	-
JSP	0.68	-	32,305	-	Warrant Foreign	-	-	-	-	BANP01C1812A	0.42	(0.01)	31,295	-
K	2.84	-	303	2.00	AAV01C1808A	0.02	-	13,750	-	BANP01C1812B	0.28	-	85,669	-
META	2.12	-	176,712	2.00	AAV01C1808B</									

## Main Board Quotation

Issue Date :

Tuesday August 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP28C1810A	0.25	(0.01)	51,251	-	BEM01P1808A	0.10	-	3,927	-	CBG18C1808A	-	-	-	-
BBL06C1902A	0.89	0.02	21,533	-	BEM08C1809A	0.18	(0.04)	38,749	-	CBG19C1810A	0.03	(0.01)	10,233	-
BBL08C1808A	0.03	-	507	-	BEM11C1903A	0.24	(0.02)	12,800	-	CBG19C1901A	0.37	(0.09)	19,074	-
BBL08C1809A	0.10	0.01	41,822	-	BEM13C1809A	0.19	(0.01)	91,395	-	CBG23C1901A	0.08	(0.03)	12,600	-
BBL08C1902A	0.72	0.02	11,202	-	BEM19C1901A	0.33	(0.02)	14,267	-	CBG24C1809A	-	-	-	-
BBL08P1810A	0.10	(0.01)	42,370	-	BEM23C1901A	0.20	-	580	-	CBG24C1811A	0.10	(0.04)	12,662	-
BBL11C1903A	0.60	0.01	13,593	-	BEM24C1809A	0.17	(0.03)	30,100	-	CBG28C1808A	-	-	-	-
BBL11P1903A	0.35	(0.02)	10,716	-	BEM28C1808A	-	-	-	-	CBG28C1808B	-	-	-	-
BBL13C1810A	0.48	-	3,146	-	BGRI01C1901A	1.02	(0.03)	8,127	1.00	CBG28C1811A	0.07	(0.02)	16,124	-
BBL13C1901A	0.33	0.01	52,826	-	BGRI01C1901B	0.88	(0.05)	8,298	-	CBG28C1812A	0.25	(0.07)	41,193	-
BBL19C1901A	0.32	-	25,809	-	BGRI06C1903A	0.83	(0.17)	6,000	-	CENTO1C1810A	0.30	0.05	121,227	-
BBL23C1811A	0.29	-	29,122	-	BGRI08C1902A	0.80	0.02	10,186	-	CENTO1C1810B	0.12	0.03	8,824	-
BBL24C1809A	-	-	-	-	BGRI13C1812A	0.77	0.01	2,686	-	CENTO1P1810A	0.91	(0.08)	27,844	-
BBL24C1812A	-	-	-	-	BGR113C1812B	0.23	0.01	44,082	-	CENT08C1809A	-	-	-	-
BBL24P1810A	0.09	0.01	3,062	-	BGRI19C1901A	0.60	(0.03)	6,142	-	CENT11C1904A	0.27	0.03	10,401	-
BBL27C1809A	0.13	-	17,946	-	BGRI24C1901A	0.69	0.03	1,552	-	CENT13C1811A	0.08	0.02	1,163	-
BBL28C1808A	-	-	-	-	BGRI28C1812A	0.72	(0.02)	24,980	-	CENT23C1902A	0.26	0.02	16,000	-
BBL28C1811A	0.57	0.02	66,498	-	BH01C1811A	0.68	0.04	37,726	-	CENT24C1810A	-	-	-	-
BBL28C1901A	0.27	0.01	154,869	-	BH01C1811B	0.23	0.01	25,026	-	CENT24C1901A	0.31	0.04	43,537	-
BCH01C1808A	0.31	(0.02)	77,980	-	BH01P1811A	1.29	(0.04)	36,881	1.00	CENT28C1808A	-	-	-	-
BCH01C1808B	-	-	-	-	BH07C1810A	0.02	0.01	36	-	CHG01C1809A	0.35	0.03	17,867	-
BCH01P1808A	0.27	0.01	35,046	-	BH08C1811A	0.05	-	111	-	CHG01C1809B	0.36	0.04	21,066	-
BCH06C1811A	0.14	(0.02)	10,466	-	BH11C1902A	-	-	-	-	CHG01P1809A	0.18	(0.02)	4,244	-
BCH08C1901A	0.27	-	38,506	-	BH11C1905A	0.72	0.03	12,129	-	CHG11C1904A	0.20	0.01	4,760	-
BCH11C1905A	0.25	(0.01)	7,056	-	BH19C1901A	0.69	0.02	19,438	-	CHG13C1809A	0.48	0.05	19,913	-
BCH13C1810A	0.09	0.01	1,602	-	BH24C1809A	0.04	-	100	-	CHG13C1812A	0.17	0.01	51,351	-
BCH19C1809A	-	-	-	-	BH24C1811A	-	-	-	-	CHG23C1811A	-	-	-	-
BCH23C1811A	-	-	-	-	BH24C1902A	0.62	0.02	4,000	-	CHG24C1808A	-	-	-	-
BCH24C1811A	-	-	-	-	BIG08C1906A	0.28	0.02	18,057	-	CHG24C1811A	-	-	-	-
BCH28C1811A	0.16	(0.01)	62,800	-	BIG13C1808A	-	-	-	-	CHG28C1808A	-	-	-	-
BCP01C1810A	0.24	-	140	-	BIG13C1901A	0.18	-	5,149	-	CHG28C1812A	0.19	0.02	63,722	-
BCP01C1810B	-	-	-	-	BIG19C1811A	0.11	-	7,800	-	CK01C1809A	0.20	(0.01)	1,774	-
BCP01P1810A	0.40	0.01	4,588	-	BIG24C1808A	-	-	-	-	CK01C1809B	0.21	(0.04)	39,065	-
BCP08C1901A	-	-	-	-	BIG24C1812A	0.12	-	2,000	-	CK01P1809A	0.23	-	9,354	-
BCP11C1811A	0.11	(0.01)	10	-	BJC01C1812A	0.64	0.03	39,068	-	CK08C1809A	-	-	-	-
BCP13C1810A	-	-	-	-	BJC01C1812B	0.50	0.02	19,748	-	CK08C1901A	0.17	-	1,600	-
BCP24C1808A	-	-	-	-	BJC01P1812A	0.45	(0.01)	8,458	-	CK11C1904A	0.18	(0.01)	1,300	-
BCP24C1811A	-	-	-	-	BJC06C1901A	0.25	-	13,600	-	CK13C1809A	0.08	(0.01)	4,000	-
BCP28C1809A	-	-	-	-	BJC07C1809A	0.02	0.01	56	-	CK16C1812A	-	-	-	-
BCP28C1809B	-	-	-	-	BJC08C1809A	0.06	0.01	40	-	CK19C1811A	0.13	-	4,800	-
BCP28C1901A	-	-	-	-	BJC11C1905A	0.50	0.03	5,586	-	CK23C1808A	-	-	-	-
BCPG01C1811A	0.45	-	32,838	-	BJC13C1808A	0.01	(0.01)	11,040	-	CK24C1808A	-	-	-	-
BCPG01C1811B	0.22	(0.01)	44,643	-	BJC13C1810A	0.14	(0.01)	21,227	-	CK24C1901A	-	-	-	-
BCPG06C1811A	0.27	-	21,986	-	BJC13C1812A	0.43	-	48,906	-	CK28C1809A	0.31	-	6,138	-
BCPG08C1810A	0.26	-	52,072	-	BJC19C1809A	0.14	-	12,832	-	CK28C1812A	0.09	-	2,392	-
BCPG11C1902A	0.18	-	18,074	-	BJC23C1901A	0.26	0.01	1,000	-	CKP01C1812A	0.47	(0.01)	16,918	-
BCPG13C1810A	0.19	(0.01)	98,089	-	BJC24C1808A	-	-	-	-	CKP01C1812B	0.34	-	18,396	-
BCPG13C1812A	0.51	-	92,384	-	BJC24C1901A	0.44	0.01	3,916	-	CKP13C1810A	0.27	-	55,338	-
BCPG23C1902A	0.42	(0.01)	7,264	-	BJC28C1808A	-	-	-	-	CKP23C1810A	0.32	-	2,000	-
BCPG24C1810A	0.20	(0.01)	401	-	BJC28C1812A	0.42	0.02	94,260	-	CKP24C1811A	0.31	(0.02)	1	-
BCPG28C1808A	-	-	-	-	BLA01C1812A	0.23	0.01	35,453	-	CKP28C1809A	-	-	-	-
BCPG28C1809A	0.16	-	34,326	-	BLA08C1811A	-	-	-	-	CKP28C1809B	0.33	-	8,448	-
BCPG28C1812A	0.50	0.01	106,138	-	BLA13C1809A	-	-	-	-	COM701C1811A	0.53	0.01	73,262	-
BDMS01C1811A	0.21	0.01	49,541	-	BLA28C1810A	-	-	-	-	COM701C1811B	0.31	0.03	40,257	-
BDMS01C1811B	0.09	-	94,964	-	BLAN01C1809A	0.55	-	1,333	-	COM706C1809A	0.19	(0.01)	35,980	-
BDMS01P1811A	0.30	-	26,304	-	BLAN01C1809B	-	-	-	-	COM708C1811A	0.13	-	25,058	-
BDMS06C1811A	0.63	(0.04)	3,294	-	BLAN01P1809A	0.10	-	1,500	-	COM711C1811A	0.38	0.02	37,388	-
BDMS08C1901A	0.16	0.02	1,600	-	BLAN08C1810A	0.19	-	8,050	-	COM713C1809A	0.04	-	360	-
BDMS11C1811A	0.72	(0.10)	34	-	BLAN11C1902A	0.22	(0.01)	1,003	-	COM713C1812A	0.33	0.01	71,923	-
BDMS11C1904A	0.12	-	8,042	-	BPP01C1811A	0.23	0.02	18,576	-	COM719C1811A	0.26	0.01	32,008	-
BDMS13C1810A	-	-	-	-	BPP01C1811B	0.11	-	4,044	-	COM723C1901A	0.31	(0.01)	12,000	-
BDMS13C1812A	0.13	-	26,517	-	BPP01P1811A	0.55	(0.02)	27,845	-	COM724C1811A	0.20	(0.01)	1	-
BDMS16C1812A	-	-	-	-	BPP06C1809A	0.35	0.02	12,400	-	COM728C1808A	-	-	-	-
BDMS19C1901A	0.28	-	12,866	-	BPP08C1810A	0.20	-	4,740	-	COM728C1811A	0.27	-	138,841	-
BDMS23C1810A	-	-	-	-	BPP13C1808A	0.21	(0.01)	19,979	-	CPAL01C1808A	0.25	-	389,767	-
BDMS24C1811A	0.30	-	15,807	-	BPP13C1811A	-	-	-	-	CPAL01C1808B	0.04	0.01	46,276	-
BDMS24C1812A	-	-	-	-	BPP23C1901A	-	-	-	-	CPAL01C1901A	0.44	0.01	288,450	-
BDMS28C1811A	0.08	-	118	-	BPP24C1809A	-	-	-	-	CPAL01C1901B	0.27	-	232,544	-
BEAU01C1812A	0.05	(0.01)	70,105	-	BPP28C1808A	-	-	-	-	CPAL01P1808A	0.99	(0.03)	439,976	1.00
BEAU01C1812B	0.02	(0.01)	68,935	-	BPP28C1812A	0.46	0.03	40,960	-	CPAL01P1901A	1.26	(0.01)	108,698	1.00
BEAU01P1812A	2.26	-	103,910	2.00	BTS01C1810A	0.44	0.02	48,835	-	CPAL01P1901B	0.97	(0.01)	71,172	-
BEAU06C1809A	0.02	-	975	-	BTS01C1810B	0.12	-	69,962	-	CPAL06C1811A	0.80	0.01	97,825	-
BEAU07C1809A	0.01	-	100	-	BTS01P1810A	0.44	(0.03)	3,061	-	CPAL06C1811B	0.07	(0.03)	43,066	-
BEAU08C1808A	-	-	-	-	BTS06C1903A	-	-	-	-	CPAL08C1902A	0.32	-	62,666	-
BEAU08C1901A	0.02	-	6,444	-	BTS06C1903B	-	-	-	-	CPAL08P1810A	0.92	(0.05)	25,530	-
BEAU11C1902A	0.02	(0.01)	22,689	-	BTS06C1903C	-	-	-	-	CPAL11C1903A	0.15	0.01	46,961	-
BEAU13C1811A	0.01	-	10,705	-	BTS08C1810A	0.28	0.02	44,988	-	CPAL11P1903A	0.94	(0.02)	48,097	-
BEAU13C1812A	0.02	-	28,538	-	BTS11C1904A	-	-	-	-	CPAL13C1812A	0.33	0.01	508,226	-
BEAU13C1812B	0.19	(0.01)	629,219	-	BTS19C1901A	0.34	0.01	15,294	-	CPAL19C1811A	0.18	0.01	49,257	-
BEAU19C1811A	-	-	-	-	BTS23C1905A	-	-	-	-	CPAL23C1810A	0.05	-	8,511	-
BEAU19C1901A	0.29	(0.01)	44,255	-	BTS24C1808A	-	-	-	-	CPAL24C1808A	-	-	-	-
BEAU23C1901A	0.01	-	90	-	BTS24C1901A	-	-	-	-	CPAL24C1811A	0.03	(0.01)	9,500	-
BEAU24C1902A	-	-	-	-	BTS28C1809A	0.22	0.03	35,288	-	CPAL24C1901A	0.34	0.01	68,558	-
BEAU28C1810A	-	-	-	-	BTS28C1811A	0.05	-	50	-	CPAL24P1901A	0.41	(0.01)	43,431	-
BEAU28C1811A	0.02	-	1,250	-	BTS42C1901A	0.25	0.01	4,016	-	CPAL28C1809A	-	-	-	-
BEC01C1808A	0.02	0.01	1	-	BTS42P1901A	0.29	(0.01)	8,032	-	CPAL28C1811A	0.13	(0.01)	128,127	-
BEC01C1808B	0.01	-	2,101	-	CBG01C1809A	0.01	-	22,794	-	CPF01C1809A	0.93	0.11	63,159	-
BEC01C1812A	0.28	0.03	23,558	-	CBG01C1811A	0.29	(0.07)	172,189	-	CPF01C1809B	0.11	0.03	38,901	-
BEC01C1812B	0.35	0.03	15											

## Main Board Quotation

Issue Date :

Tuesday August 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF28C1808A	-	-	-	-	GGC13C1811A	0.03	0.01	292	-	ITD24C1810A	-	-	-	-
CPF28C1811A	0.14	0.03	81,138	-	GGC19C1811A	-	-	-	-	ITD24C1902A	0.28	(0.72)	50	-
CPN01C1808A	0.38	0.01	52,688	-	GGC23C1901A	0.05	0.01	100	-	ITD28C1808A	-	-	-	-
CPN01C1808B	-	-	-	-	GGC24C1812A	-	-	-	-	ITD28C1808B	-	-	-	-
CPN06C1811A	0.60	0.02	76,666	-	GGC24C1901A	0.22	(0.78)	220	-	IVL01C1808A	0.39	0.10	364,369	-
CPN08C1809A	-	-	-	-	GGC28C1811A	-	-	-	-	IVL01C1808B	0.05	0.02	46,404	-
CPN11C1903A	0.36	-	59,144	-	GLOB01C1809A	0.50	0.04	21,317	-	IVL01C1812A	0.56	0.08	347,762	-
CPN11P1903A	0.38	(0.01)	77,484	-	GLOB01C1809B	0.21	0.03	38,127	-	IVL01C1812B	0.36	0.07	303,169	-
CPN13C1812A	0.42	0.01	114,886	-	GLOB06C1809A	0.27	0.03	16,200	-	IVL01P1808A	0.58	(0.14)	192,777	-
CPN19C1901A	0.62	-	29,662	-	GLOB11C1808A	0.19	0.02	9,720	-	IVL01P1808B	0.07	(0.06)	129,580	-
CPN23C1810A	0.26	-	39,500	-	GLOB23C1811A	-	-	-	-	IVL01P1812A	0.80	(0.10)	71,851	-
CPN24C1901A	-	-	-	-	GLOB24C1810A	-	-	-	-	IVL01P1812B	0.59	(0.10)	87,258	-
CPN28C1810A	0.23	(0.01)	247,570	-	GLOB27C1809A	-	-	-	-	IVL06C1901A	0.40	0.07	53,394	-
DELT06C1903A	1.10	-	4,379	1.00	GLOB28C1808A	-	-	-	-	IVL07C1811A	0.43	0.07	360	-
DELT08C1811A	-	-	-	-	GLOW08C1811A	-	-	-	-	IVL08C1901A	0.54	0.08	88,072	-
DELT13C1809A	-	-	-	-	GLOW19C1901A	0.70	-	9,000	-	IVL08P1809A	-	-	-	-
DELT24C1901A	-	-	-	-	GLOW27C1812A	-	-	-	-	IVL11C1808A	0.85	0.13	103,708	-
DELT27C1812A	-	-	-	-	GPSCO1C1808A	0.22	-	30,597	-	IVL11P1808A	0.01	(0.01)	1,550	-
DTAC01C1808A	0.08	(0.02)	49,563	-	GPSCO1C1808B	-	-	-	-	IVL13C1809A	0.16	0.05	42,786	-
DTAC01C1808B	0.01	-	1,000	-	GPSCO1P1808A	1.11	-	60,894	1.00	IVL13C1810A	0.21	0.03	102,806	-
DTAC01C1810A	0.28	(0.04)	19,038	-	GPSCO6C1811A	0.25	0.01	10,213	-	IVL13C1812A	0.47	0.07	437,992	-
DTAC01C1810B	0.06	(0.04)	2,760	-	GPSCO8C1808A	-	-	-	-	IVL13P1809A	0.01	(0.02)	2,000	-
DTAC01C1902A	0.66	(0.04)	25,030	-	GPSCI1C1808A	0.79	-	12,590	-	IVL13P1811A	0.29	(0.08)	57,757	-
DTAC01C1902B	0.53	(0.04)	40,036	-	GPSCI1C1902A	0.26	(0.01)	32,809	-	IVL19C1809A	0.45	0.11	105,316	-
DTAC01P1808A	0.90	0.08	15,062	-	GPSC13C1808A	-	-	-	-	IVL23C1810A	0.47	0.07	18,499	-
DTAC01P1810A	1.28	0.06	22,019	1.00	GPSC13C1812A	0.45	(0.01)	78,834	-	IVL24C1808A	0.05	0.01	27,297	-
DTAC01P1810B	0.82	0.07	28,644	-	GPSCI9C1901A	0.54	(0.01)	110,563	-	IVL24C1812A	0.21	0.04	19,973	-
DTAC01P1902A	0.99	0.04	36,249	-	GPSC24C1808A	-	-	-	-	IVL24C1901A	0.48	0.05	1,002	-
DTAC01P1902B	0.79	0.03	42,064	-	GPSC24C1812A	0.32	(0.01)	16,000	-	IVL28C1808A	-	-	-	-
DTAC06C1901A	0.21	(0.04)	4,520	-	GPSC28C1811A	0.36	(0.01)	28,542	-	IVL28C1811A	0.27	0.06	268,411	-
DTAC06P1809A	0.42	0.05	32,995	-	GUNK01C1808A	0.01	(0.01)	1,000	-	IVL28C1812A	0.53	0.08	515,692	-
DTAC07C1809A	0.01	(0.01)	1,000	-	GUNK01C1808B	-	-	-	-	IVL28P1811A	0.34	(0.10)	59,894	-
DTAC08C1809A	0.03	-	2,400	-	GUNK08C1902A	0.28	(0.01)	13,456	-	KBAN01C1808A	0.25	(0.03)	211,236	-
DTAC08P1902A	0.43	0.03	41,700	-	GUNK11C1903A	0.16	-	5,200	-	KBAN01C1808B	0.01	-	18,412	-
DTAC11C1904A	0.25	(0.02)	9,260	-	GUNK24C1812A	-	-	-	-	KBAN01C1810A	1.32	(0.08)	70,187	1.00
DTAC13C1811A	0.08	(0.02)	5,435	-	GUNK28C1808A	-	-	-	-	KBAN01C1901A	1.43	(0.05)	33,392	1.00
DTAC13C1812A	0.34	(0.04)	28,520	-	GUNK28C1810A	0.27	0.04	14,668	-	KBAN01C1901B	0.88	(0.06)	72,441	-
DTAC13P1811A	0.70	0.04	2	-	HANA01C1811A	0.50	0.03	56,060	-	KBAN01P1808A	0.65	0.03	69,827	-
DTAC13P1812A	0.22	0.01	54,798	-	HANA01C1811B	0.33	0.03	44,523	-	KBAN01P1808B	0.07	-	201,761	-
DTAC19C1811A	0.18	(0.03)	13,422	-	HANA08C1809A	0.15	0.01	14,610	-	KBAN01P1810A	0.15	-	4,667	-
DTAC24C1809A	-	-	-	-	HANA11C1904A	0.29	0.02	17,707	-	KBAN01P1901A	0.86	0.02	65,941	-
DTAC24C1901A	0.39	(0.61)	10	-	HANA13C1809A	0.17	0.01	96,814	-	KBAN01P1901B	0.37	0.02	246,890	-
DTAC27C1809A	-	-	-	-	HANA23C1811A	0.50	0.04	3,000	-	KBAN06C1811A	0.86	(0.09)	4,578	-
DTAC27P1809A	0.15	0.02	24,294	-	HANA24C1808A	-	-	-	-	KBAN07C1811A	-	-	-	-
DTAC28C1810A	0.03	(0.01)	3,900	-	HANA24C1810A	-	-	-	-	KBAN08C1811A	0.78	(0.08)	10,820	-
DTAC28C1812A	0.40	(0.03)	79,215	-	HANA28C1808A	-	-	-	-	KBAN08P1811A	0.19	0.02	32,085	-
EA01C1809A	0.69	0.03	60,333	-	HANA28C1812A	0.40	0.02	47,892	-	KBAN13C1810A	0.18	(0.03)	86,078	-
EA01C1809B	0.33	0.02	26,093	-	HMPR01C1808A	0.26	-	20,994	-	KBAN13C1811A	0.95	(0.04)	69,926	-
EA01P1809A	0.73	(0.05)	26,601	-	HMPR01C1808B	0.03	(0.03)	2,101	-	KBAN19C1901A	0.44	(0.04)	101,031	-
EA06C1809A	-	-	-	-	HMPR01P1808A	0.28	-	23,008	-	KBAN23C1902A	0.72	(0.06)	14,250	-
EA07C1810A	-	-	-	-	HMPR06C1811A	0.11	(0.01)	6,076	-	KBAN24C1902A	-	-	-	-
EA08C1809A	-	-	-	-	HMPR08C1810A	-	-	-	-	KBAN24P1811A	0.15	0.01	2,630	-
EA08C1810A	0.20	0.01	43,592	-	HMPR11C1808A	0.25	(0.02)	5,088	-	KBAN27C1809A	-	-	-	-
EA11C1902A	0.10	-	3,373	-	HMPR11P1808A	-	-	-	-	KBAN27P1809A	0.35	0.03	8,020	-
EA13C1808A	-	-	-	-	HMPR13C1812A	0.23	(0.01)	34,546	-	KBAN28C1809A	-	-	-	-
EA13C1808B	-	-	-	-	HMPR19C1901A	0.35	-	17,610	-	KBAN28C1811A	0.84	(0.07)	60,023	-
EA13C1809A	-	-	-	-	HMPR23C1901A	0.10	(0.02)	9,500	-	KBAN28C1812A	0.33	(0.03)	271,623	-
EA13C1810A	0.02	-	1,042	-	HMPR24C1808A	-	-	-	-	KBAN28P1811A	0.14	0.01	97,800	-
EA13C1811A	0.12	0.01	37,442	-	HMPR24C1901A	-	-	-	-	KCE01C1810A	0.71	0.01	17,578	-
EA13C1812A	0.21	0.03	220,036	-	HMPR28C1811A	0.10	(0.01)	230	-	KCE01C1810B	0.58	0.01	39,448	-
EA13C1812B	0.41	0.03	34,369	-	INTU01C1809A	0.38	0.01	54,142	-	KCE06C1809A	0.95	0.02	7,600	-
EA13P1809A	0.53	(0.05)	203	-	INTU01C1809B	0.04	0.01	92	-	KCE07C1808A	0.10	0.02	17,177	-
EA19C1811A	0.36	0.03	33,682	-	INTU01P1809A	0.32	(0.01)	11,230	-	KCE08C1809A	0.68	0.02	28,800	-
EA23C1901A	0.34	0.02	19,600	-	INTU01P1809B	0.09	-	200	-	KCE11C1808A	0.02	0.01	3	-
EA24C1809A	0.08	(0.04)	20	-	INTU11C1905A	0.32	-	6,336	-	KCE11C1904A	0.41	-	2,224	-
EA28C1809A	0.23	0.02	48,412	-	INTU11P1905A	0.43	(0.02)	3,168	-	KCE13C1808A	0.31	(0.06)	4,702	-
EA28C1809B	0.01	(0.03)	661	-	INTU13C1810A	0.15	-	10,058	-	KCE13C1811A	0.58	0.01	63	-
EGCO01C1809A	0.48	(0.04)	14,889	-	INTU13C1812A	0.40	0.01	109,422	-	KCE13C1812A	0.34	0.02	26,978	-
EGCO08C1809A	0.05	-	8,974	-	INTU19C1901A	0.34	-	10,200	-	KCE19C1901A	0.43	0.01	16,951	-
EGCO13C1809A	0.04	(0.02)	100	-	INTU24C1901A	-	-	-	-	KCE23C1901A	0.29	0.02	22,051	-
EGCO19C1901A	0.37	(0.03)	7,318	-	INTU28C1809A	0.08	-	10,000	-	KCE24C1808A	0.22	0.02	2,500	-
EGCO23C1811A	0.26	(0.04)	16,600	-	IRPC01C1808A	0.10	(0.02)	99,521	-	KCE24C1901A	0.41	-	2,100	-
EGCO24C1808A	-	-	-	-	IRPC01C1810A	0.13	(0.01)	283,508	-	KCE28C1808A	-	-	-	-
EGCO24C1901A	0.30	(0.01)	600	-	IRPC01C1810B	0.02	-	15,750	-	KCE28C1811A	0.52	0.01	22,632	-
EGCO28C1808A	-	-	-	-	IRPC01P1808A	0.46	0.02	33,618	-	KKP01C1808A	0.29	0.01	32,251	-
EPG01C1809A	0.16	(0.03)	134,983	-	IRPC01P1810A	0.39	0.02	135,695	-	KKP01C1808B	-	-	-	-
EPG01P1809A	0.64	0.07	21,563	-	IRPC01P1810B	0.17	0.01	75,979	-	KKP08C1811A	0.46	0.01	65,194	-
EPG07C1811A	-	-	-	-	IRPC06C1811A	0.19	(0.02)	21,892	-	KKP11C1903A	0.37	0.01	14,790	-
EPG08C1810A	-	-	-	-	IRPC07C1812A	-	-	-	-	KKP13C1811A	0.36	-	40,597	-
EPG08C1810B	0.50	(0.06)	66,340	-	IRPC08C1808A	0.01	(0.01)	1,999	-	KKP19C1901A	0.58	-	12,886	-
EPG11C1903A	0.44	(0.04)	29,283	-	IRPC08C1902A	0.27	(0.02)	75,320	-	KKP24C1812A	-	-	-	-
EPG13C1808A	-	-	-	-	IRPC11C1902A	0.06	-	6,147	-	KKP28C1810A	0.23	0.01	86,571	-
EPG13C1811A	0.33	(0.01)	51,351	-	IRPC11C1905A	0.34	-	8,918	-	KTBO1C1808A	0.24	-	27,202	-
EPG23C1808A	-	-	-	-	IRPC13C1808A	-	-	-	-	KTBO1C1810A	0.45	0.01	13,442	-
EPG24C1808A	-	-	-	-	IRPC13C1811A	0.12	(0.02)	138,906	-	KTBO1C1810B	0.25	(0.01)	35,948	-
EPG24C1810A	-	-	-	-	IRPC13C1812A	0.25	(0.02)	123,747	-	KTBO1P1808A	0.28	(0.02)	10,176	-
EPG28C1808A	-	-	-	-	IRPC19C1901A	0.30	(0.03)	9,732	-	KTBO6C1902A	0.41	0.01	4,520	-
ER														



## Main Board Quotation

Issue Date :

Tuesday August 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTC11C1902A	0.89	(0.01)	1,357	-	ORI13C1810A	0.46	(0.01)	18,475	-	PTTE27P1809A	-	-	-	-
KTC13C1808A	0.06	(0.10)	990	-	ORI19C1811A	0.29	-	1,942	-	PTTE28C1810A	0.30	0.04	83,190	-
KTC13C1809A	0.09	(0.01)	141,745	-	ORI23C1809A	0.10	-	1	-	PTTE28C1811A	0.20	0.01	40,828	-
KTC13C1809B	0.12	(0.01)	118,257	-	ORI24C1810A	-	-	-	-	PTTE28P1811A	0.17	(0.03)	25,054	-
KTC13C1812A	0.19	-	77,287	-	ORI28C1808A	-	-	-	-	PTTG01C1808A	0.19	0.03	235,221	-
KTC19C1811A	0.24	(0.01)	68,922	-	PLAN08C1811A	0.16	0.01	21,815	-	PTTG01C1810A	0.28	0.03	189,414	-
KTC19C1901A	0.64	(0.01)	49,342	-	PLAN13C1809A	-	-	-	-	PTTG01C1810B	0.04	0.01	7,393	-
KTC23C1809A	0.55	(0.01)	25	-	PLAN28C1810A	0.11	-	81,920	-	PTTG01C1811A	0.52	0.04	176,240	-
KTC24C1808A	0.42	(0.05)	3,000	-	PSH01C1810A	0.38	0.01	12,023	-	PTTG01C1901A	1.25	0.04	104,527	1.00
KTC24C1810A	0.14	(0.01)	12,014	-	PSH01C1810B	0.10	(0.01)	1,110	-	PTTG01C1901B	1.01	0.05	170,847	-
KTC28C1808A	-	-	-	-	PSH01P1810A	0.69	(0.02)	7,217	-	PTTG01P1808A	0.89	(0.06)	117,329	-
KTC28C1808B	-	-	-	-	PSH08C1811A	0.11	-	10	-	PTTG01P1811A	1.45	(0.05)	33,046	1.00
KTC28C1809A	0.16	0.01	2,720	-	PSH11C1902A	0.27	0.01	1,014	-	PTTG01P1901A	0.84	(0.03)	64,748	-
KTC28C1810A	0.22	(0.08)	5,444	-	PSH23C1811A	0.24	(0.01)	2,400	-	PTTG01P1901B	0.61	(0.03)	59,074	-
LH01C1809A	0.33	0.03	93,530	-	PSL01C1812A	0.38	0.02	34,126	-	PTTG06C1809A	0.04	-	200	-
LH01C1809B	0.14	0.02	198,621	-	PSL01C1812B	0.31	-	24,567	-	PTTG06C1903A	1.24	0.04	73,797	1.00
LH01P1809A	0.10	(0.01)	39,029	-	PSL11C1905A	0.25	(0.01)	16,661	-	PTTG06P1903A	0.42	(0.03)	45,256	-
LH06C1809A	0.25	0.03	44,984	-	PSL23C1809A	0.04	-	13,000	-	PTTG07C1812A	0.52	(0.03)	3,280	-
LH07C1810A	0.11	0.01	100	-	PTG01C1811A	0.15	-	41,126	-	PTTG08C1811A	0.09	0.01	600	-
LH11C1808A	0.19	0.03	19,972	-	PTG01C1811B	0.04	(0.01)	25,400	-	PTTG08C1902A	0.75	0.03	108,978	-
LH13C1808A	-	-	-	-	PTG01P1811A	1.22	-	12,054	1.00	PTTG08P1811A	0.75	(0.04)	40	-
LH19C1901A	0.22	0.02	38,189	-	PTG06C1810A	0.07	-	300	-	PTTGG11C1902A	0.15	-	34,300	-
LH23C1901A	0.13	0.01	4,854	-	PTG06C1904A	0.39	0.02	9,500	-	PTTGG13C1808A	0.01	-	50	-
LH24C1809A	0.06	0.02	33,580	-	PTG08C1902A	0.25	(0.01)	32,050	-	PTTGG13C1812A	0.34	0.02	90,990	-
LH28C1808A	-	-	-	-	PTG11C1903A	0.12	(0.01)	7,702	-	PTTGG13C1812B	0.93	0.04	345,908	-
LPN01C1809A	0.09	0.02	84,740	-	PTG13C1809A	-	-	-	-	PTTGG19C1811A	0.31	0.02	37,884	-
LPN01C1811A	0.37	0.03	66,137	-	PTG13C1812A	0.14	-	58,252	-	PTTGG23C1901A	0.11	-	41,308	-
LPN01C1811B	0.18	0.02	37,477	-	PTG23C1808A	-	-	-	-	PTTGG24C1808A	-	-	-	-
LPN01P1809A	0.47	(0.05)	11,830	-	PTG24C1809A	-	-	-	-	PTTGG24C1812A	-	-	-	-
LPN08C1810A	0.07	-	2,610	-	PTG24C1902A	0.27	(0.73)	4,001	-	PTTGG24C1901A	0.70	(0.04)	103	-
LPN08C1906A	0.22	0.02	32,816	-	PTG27C1809A	-	-	-	-	PTTGG24P1808A	0.01	-	1,478	-
LPN19C1811A	0.18	0.02	18,015	-	PTG28C1808A	-	-	-	-	PTTGG24P1901A	0.35	0.02	500	-
LPN24C1808A	-	-	-	-	PTG28C1812A	0.20	(0.01)	80,092	-	PTTGG28C1811A	0.26	0.01	64,729	-
LPN24C1812A	0.25	0.03	10,010	-	PTL08C1811A	0.54	(0.01)	4,675	-	PTTGG28C1812A	0.84	0.05	121,109	-
MAJ008C1811A	-	-	-	-	PTL13C1809A	0.20	(0.02)	16,248	-	QH01C1810A	0.50	0.05	66,914	-
MAJ011C1902A	0.09	-	700	-	PTL28C1810A	0.40	(0.03)	4,661	-	QH01C1810B	0.30	0.06	87,688	-
MAJ024C1809A	-	-	-	-	PTT01C1808A	0.75	0.08	226,658	-	QH01P1810A	0.24	(0.04)	32,723	-
MAJ024C1902A	0.53	(0.47)	50	-	PTT01C1808B	0.14	0.03	472,308	-	QH08C1808A	0.22	0.05	26,733	-
MALE01C1812A	0.03	0.01	11	-	PTT01C1810A	0.23	0.02	175,401	-	QH11C1902A	0.40	0.03	32,802	-
MALE08C1811A	0.01	-	1,000	-	PTT01C1810B	0.09	0.01	1,671	-	QH23C1808A	0.32	0.04	4,012	-
MALE13C1809A	0.02	(0.01)	1	-	PTT01C1901A	0.74	0.03	246,488	-	QH24C1812A	0.13	(0.03)	132,113	-
MALE27C1812A	-	-	-	-	PTT01C1901B	0.61	0.04	154,821	-	QH28C1808A	-	-	-	-
MALE28C1810A	-	-	-	-	PTT01P1808A	0.22	(0.07)	245,831	-	RATC19C1901A	0.36	-	9,400	-
MC19C1811A	0.12	(0.02)	3,602	-	PTT01P1808B	0.01	(0.01)	3,790	-	RATC24C1902A	-	-	-	-
MC23C1809A	-	-	-	-	PTT01P1810A	0.86	(0.07)	107,193	-	RATC27C1812A	-	-	-	-
MC24C1812A	0.18	(0.05)	140	-	PTT01P1810B	0.34	(0.06)	232,232	-	ROBIO1C1809A	0.26	-	12,594	-
MEGA01C1811A	0.38	0.01	6,726	-	PTT01P1901A	0.51	(0.05)	117,832	-	ROBIO6C1809A	0.23	-	7,166	-
MEGA01C1811B	0.21	-	10,916	-	PTT01P1901B	0.34	(0.04)	68,751	-	ROBIO8C1808A	0.01	-	70	-
MEGA08C1811A	0.19	(0.01)	8,630	-	PTT06C1811A	0.12	0.01	29,843	-	ROB11C1808A	0.04	0.01	1	-
MEGA11C1902A	-	-	-	-	PTT06C1901A	0.45	0.02	72,282	-	ROB19C1901A	0.57	-	14,634	-
MEGA13C1809A	0.03	(0.01)	2,400	-	PTT06P1901A	0.38	(0.04)	45,965	-	ROB124C1901A	-	-	-	-
MEGA23C1902A	-	-	-	-	PTT07C1811A	-	-	-	-	ROB124C1903A	-	-	-	-
MEGA24C1812A	-	-	-	-	PTT08C1809A	0.03	-	2,585	-	RS24C1811A	0.50	(0.50)	24,830	-
MEGA28C1808A	-	-	-	-	PTT08C1902A	0.41	0.02	157,008	-	S1000C1811A	0.59	0.02	13,680	-
MINT01C1808A	0.06	0.02	54,667	-	PTT08P1809A	0.25	(0.04)	87,498	-	S5001C1808A	0.71	0.06	105,862	-
MINT01C1808B	0.01	-	721	-	PTT11C1902A	0.21	0.02	43,838	-	S5001C1808B	0.53	0.06	77,296	-
MINT01C1901A	0.53	0.05	121,082	-	PTT13C1808A	-	-	-	-	S5001C1809F	0.92	0.09	2,305,339	-
MINT01C1901B	0.41	0.05	205,419	-	PTT13C1810A	0.07	-	11,788	-	S5001C1809G	0.29	0.05	1,189,936	-
MINT01P1808A	0.48	(0.06)	49,518	-	PTT13C1811A	0.27	0.02	170,617	-	S5001C1809H	2.26	0.10	454,658	2.00
MINT01P1901A	0.27	(0.04)	47,103	-	PTT13C1812A	0.44	0.04	278,318	-	S5001C1809I	1.75	0.18	1,940,812	1.00
MINT06C1809A	0.07	0.01	6,000	-	PTT13P1808A	-	-	-	-	S5001C1810A	1.42	0.06	69,843	1.00
MINT06C1901A	0.36	0.04	36,018	-	PTT13P1812A	0.25	(0.02)	131,800	-	S5001C1810B	1.46	0.08	421,918	1.00
MINT07C1810A	-	-	-	-	PTT19C1809A	0.09	0.01	10,010	-	S5001P1808A	0.77	(0.06)	62,895	-
MINT08C1809A	-	-	-	-	PTT19C1901A	0.49	0.04	48,051	-	S5001P1808B	0.85	(0.10)	173,469	-
MINT11C1902A	0.17	0.02	31,186	-	PTT23C1901A	0.14	0.01	132,478	-	S5001P1809F	1.34	(0.12)	2,258,997	1.00
MINT11P1902A	0.17	(0.03)	16,781	-	PTT24C1809A	-	-	-	-	S5001P1809G	0.63	(0.14)	1,324,305	-
MINT13C1810A	0.15	0.03	66,184	-	PTT24C1812A	-	-	-	-	S5001P1809H	0.08	(0.03)	251,631	-
MINT13C1812A	0.45	0.03	120,499	-	PTT24P1808A	-	-	-	-	S5001P1809I	0.04	-	380,462	-
MINT19C1901A	0.47	0.05	23,760	-	PTT24P1901A	-	-	-	-	S5001P1810A	0.26	(0.03)	202,733	-
MINT23C1810A	0.12	0.02	8,000	-	PTT27C1809A	0.44	0.01	6,500	-	S5001P1810B	0.17	(0.03)	70,057	-
MINT24C1812A	-	-	-	-	PTT27P1809A	-	-	-	-	S5006C1809A	0.27	(0.02)	13,081	-
MINT24C1901A	-	-	-	-	PTT28C1808A	-	-	-	-	S5006C1809B	0.12	0.02	65,761	-
MINT28C1808A	-	-	-	-	PTT28C1808B	-	-	-	-	S5006C1809C	0.45	0.04	10	-
MINT28C1811A	0.29	0.04	150,155	-	PTT28C1811A	0.07	-	710	-	S5006C1809D	0.15	0.02	3,550	-
MONO01C1810A	0.07	-	6,860	-	PTT28C1811B	0.25	0.02	326,565	-	S5006C1812A	0.73	0.06	15,832	-
MONO01C1810B	-	-	-	-	PTT28C1812A	0.41	0.04	446,170	-	S5006C1812B	0.77	0.05	20,481	-
MONO08C1808A	-	-	-	-	PTT28C1901A	0.22	0.01	377,132	-	S5006P1809A	1.20	(0.12)	10,763	1.00
MONO08C1906A	0.13	-	15,284	-	PTT28P1808A	-	-	-	-	S5006P1809B	0.50	(0.11)	4,220	-
MONO13C1808A	-	-	-	-	PTT28P1808B	-	-	-	-	S5006P1809C	-	-	-	-
MONO13C1811A	-	-	-	-	PTT28P1812A	0.18	(0.02)	331,918	-	S5006P1809D	0.25	(0.02)	393	-
MONO13C1901A	0.23	(0.01)	19,349	-	PTTE01C1808A	1.30	0.11	117,247	1.00	S5006P1812A	1.11	(0.12)	19,132	1.00
MONO19C1811A	0.12	-	3,599	-	PTTE01C1808B	0.69	0.12	214,443	-	S5006P1812B	0.40	(0.05)	50,127	-
MONO23C1809A	-	-	-	-	PTTE01C1901A	0.85	0.06	228,382	-	S5008C1809A	0.99	0.15	163,808	-
MONO23C1901A	0.21	(0.03)	3,000	-	PTTE01C1901B	0.61	0.07	129,952	-	S5008P1809A	0.09	(0.03)	37,883	-
MONO24C1812A	-	-	-	-	PTTE01P1808A	0.02	(0.01)	22,822	-	S5013C1809A	0.17	0.03	2,840,925	-
MONO24C1812B	-	-												

## Main Board Quotation

Issue Date :

Tuesday August 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA01C1901B	0.36	0.01	71,605	-	SPAL01C1808A	0.34	-	57,071	-	TISC13C1812A	0.67	0.01	37,562	-
SAWA01P1808A	2.20	-	9,620	2.00	SPAL01C1808B	-	-	-	-	TISC19C1901A	0.40	0.01	17,658	-
SAWA01P1901A	0.94	(0.01)	38,027	-	SPAL06C1809A	0.42	(0.01)	7,200	-	TISC24C1812A	0.19	-	1,112	-
SAWA06C1811A	0.04	-	14,001	-	SPAL08C1808A	-	-	-	-	TISC28C1901A	0.65	0.01	147,036	-
SAWA06C1903A	0.66	0.02	24,620	-	SPAL11C1905A	-	-	-	-	TKN01C1808A	0.04	-	2,269	-
SAWA07C1812A	0.32	0.01	1,510	-	SPAL23C1811A	0.50	(0.01)	1,500	-	TKN01C1808B	0.01	-	6,653	-
SAWA08C1808A	-	-	-	-	SPAL24C1808A	-	-	-	-	TKN01C1901A	0.62	0.01	18,443	-
SAWA08C1811A	0.02	-	1,001	-	SPAL24C1812A	0.17	-	100	-	TKN01C1901B	0.49	0.01	18,476	-
SAWA08C1902A	0.47	-	71,063	-	SPRC01C1808A	0.13	(0.01)	78,136	-	TKN08C1808A	0.01	-	1	-
SAWA11C1808A	-	-	-	-	SPRC01C1808B	-	-	-	-	TKN08C1811A	0.11	-	8,904	-
SAWA13C1810A	0.02	-	1,002	-	SPRC06C1809A	-	-	-	-	TKN11C1902A	0.18	0.01	15,891	-
SAWA13C1811A	0.03	0.01	5,001	-	SPRC06C1902A	0.53	(0.02)	15,034	-	TKN13C1808A	0.03	-	3	-
SAWA13C1812A	0.16	0.02	54,356	-	SPRC08C1808A	-	-	-	-	TKN13C1810A	0.07	-	500	-
SAWA13C1901A	0.44	0.01	72,938	-	SPRC11C1902A	0.11	-	11,460	-	TKN13C1811A	0.09	-	130	-
SAWA19C1901A	0.49	0.01	48,298	-	SPRC13C1808A	-	-	-	-	TKN13C1812A	0.34	0.02	36,575	-
SAWA24C1808A	-	-	-	-	SPRC13C1812A	0.32	(0.01)	147,171	-	TKN19C1811A	0.11	-	4,353	-
SAWA24C1812A	-	-	-	-	SPRC19C1901A	0.38	-	22,046	-	TKN23C1902A	0.34	(0.04)	4,000	-
SAWA28C1809A	-	-	-	-	SPRC23C1810A	0.12	0.01	1,000	-	TKN24C1811A	0.22	(0.02)	2,800	-
SAWA28C1810A	-	-	-	-	SPRC24C1808A	-	-	-	-	TKN24C1812A	-	-	-	-
SAWA28C1811A	0.18	0.02	129,481	-	SPRC24C1903A	-	-	-	-	TKN28C1808A	-	-	-	-
SAWA28C1812A	0.48	0.01	184,995	-	STA01C1812A	0.25	0.03	9,001	-	TKN28C1811A	0.10	-	252	-
SCB01C1808A	0.23	-	92,466	-	STA01C1812B	0.16	-	3,481	-	TKN28C1812A	0.54	0.02	12,236	-
SCB01C1808B	0.01	-	52	-	STA13C1808A	-	-	-	-	TMB01C1810A	0.21	-	41,260	-
SCB01C1810A	0.55	-	187,256	-	STA13C1812A	0.27	0.03	51,415	-	TMB01C1810B	0.08	0.01	61,019	-
SCB01C1902A	0.99	-	72,502	-	STA19C1811A	0.10	-	13,306	-	TMB01P1810A	0.43	-	19,744	-
SCB01C1902B	0.94	0.03	61,303	-	STA23C1809A	-	-	-	-	TMB06C1809A	-	-	-	-
SCB01P1808A	0.97	(0.03)	95,486	1.00	STA24C1808A	-	-	-	-	TMB06C1902A	0.13	0.01	41,758	-
SCB01P1808B	0.12	(0.02)	336,139	-	STEC01C1809A	0.18	-	106,856	-	TMB07C1811A	-	-	-	-
SCB01P1902A	0.49	(0.01)	325,026	-	STEC01C1809B	0.53	0.02	58,370	-	TMB08C1808A	-	-	-	-
SCB01P1902B	0.25	-	151,066	-	STEC01P1809A	0.94	(0.02)	15,768	-	TMB08C1901A	0.11	-	2,328	-
SCB06C1811A	0.68	0.01	46,260	-	STEC06C1809A	0.20	-	2,400	-	TMB11C1904A	-	-	-	-
SCB08C1901A	0.53	(0.01)	147,434	-	STEC08C1809A	0.12	(0.01)	32,848	-	TMB13C1811A	0.06	(0.01)	30,710	-
SCB11C1901A	0.28	(0.01)	31,331	-	STEC11C1903A	0.43	0.02	23,749	-	TMB13C1901A	0.24	(0.01)	12,396	-
SCB11P1901A	0.40	(0.03)	109,790	-	STEC13C1809A	0.06	(0.01)	1,465	-	TMB19C1901A	0.15	-	11,155	-
SCB13C1809A	0.05	(0.02)	7,000	-	STEC23C1808A	-	-	-	-	TMB23C1810A	-	-	-	-
SCB13C1812A	0.64	0.01	131,637	-	STEC24C1808A	-	-	-	-	TMB24C1809A	-	-	-	-
SCB13P1812A	0.12	(0.01)	75,910	-	STEC24C1901A	-	-	-	-	TMB24C1901A	-	-	-	-
SCB19C1811A	0.36	0.01	29,458	-	STEC28C1808A	-	-	-	-	TMB28C1808A	-	-	-	-
SCB24C1901A	-	-	-	-	STEC28C1810A	0.36	-	31,691	-	TMB28C1809A	-	-	-	-
SCB24C1902A	-	-	-	-	STPI08C1811A	0.05	(0.02)	3,000	-	TMB28C1901A	0.18	-	81,842	-
SCB24P1811A	0.14	(0.01)	9,329	-	SUPE08C1808A	0.01	-	3,237	-	TOA01C1901A	0.48	(0.01)	3,040	-
SCB28C1808A	-	-	-	-	SUPE08C1811A	0.12	-	1	-	TOA01C1901B	0.38	-	920	-
SCB28C1809A	0.09	0.02	700	-	SUPE13C1810A	-	-	-	-	TOA08C1902A	0.28	(0.01)	3,190	-
SCB28C1812A	0.55	0.02	288,854	-	SUPE13C1811A	0.10	0.01	1,983	-	TOA13C1812A	0.37	-	7,493	-
SCB28P1808A	-	-	-	-	SUPE23C1811A	0.14	0.02	153	-	TOA19C1901A	0.36	-	200	-
SCB28P1812A	0.08	-	24,310	-	SUPE23C1901A	0.06	(0.01)	50	-	TOA24C1812A	-	-	-	-
SCC01C1808A	0.16	-	79,028	-	SUPE28C1810A	-	-	-	-	TOA28C1812A	-	-	-	-
SCC01C1808B	0.01	-	70,704	-	SUPE28C1811A	-	-	-	-	TOP01C1808A	0.04	-	23,331	-
SCC01C1901A	0.74	0.02	34,881	-	TASC01C1809A	-	-	-	-	TOP01C1808B	0.01	-	8,163	-
SCC01C1901B	0.62	0.01	24,814	-	TASC01C1810A	0.11	-	25,821	-	TOP01C1901A	1.34	(0.02)	107,695	1.00
SCC01P1808A	0.52	-	23,023	-	TASC01C1810B	-	-	-	-	TOP01C1901B	1.21	(0.04)	68,408	1.00
SCC01P1901A	0.34	(0.01)	52,270	-	TASC01P1809A	1.96	0.02	18,461	1.00	TOP01P1808A	1.23	0.01	123,118	1.00
SCC06C1809A	-	-	-	-	TASC01P1810A	0.87	0.01	19,300	-	TOP01P1901A	0.76	(0.01)	121,273	-
SCC06C1902A	0.38	0.01	9,090	-	TASC07C1811A	-	-	-	-	TOP06C1809A	0.03	-	48,842	-
SCC07C1812A	-	-	-	-	TASC08C1808A	-	-	-	-	TOP06C1903A	0.99	(0.07)	39,040	1.00
SCC08C1809A	0.04	-	50	-	TASC11C1904A	0.10	(0.01)	6,535	-	TOP07C1812A	0.42	(0.07)	4,775	-
SCC08C1902A	0.44	0.01	41,368	-	TASC13C1810A	0.02	(0.01)	8,000	-	TOP08C1811A	0.10	(0.02)	37,957	-
SCC11C1811A	0.12	(0.01)	3,000	-	TASC23C1902A	0.24	(0.02)	62,130	-	TOP11C1808A	-	-	-	-
SCC11P1811A	0.26	-	40,786	-	TASC24C1810A	0.01	-	1,024	-	TOP11C1905A	0.92	(0.04)	54,339	-
SCC13C1809A	0.04	-	43,487	-	TASC24C1903A	0.25	(0.75)	100	-	TOP13C1811A	0.09	(0.01)	43,931	-
SCC13C1812A	0.24	-	33,485	-	TASC28C1808A	-	-	-	-	TOP13C1901A	0.54	(0.02)	154,608	-
SCC13C1901A	0.49	0.02	14,403	-	TCAP01C1901A	0.63	(0.01)	16,792	-	TOP18C1808A	-	-	-	-
SCC19C1811A	0.17	(0.01)	11,000	-	TCAP01C1901B	0.54	(0.01)	21,820	-	TOP19C1901A	0.39	(0.01)	27,828	-
SCC19C1901A	0.44	-	24,382	-	TCAP01P1901A	0.36	-	22,166	-	TOP23C1811A	0.14	-	55,518	-
SCC23C1811A	-	-	-	-	TCAP08C1810A	0.11	-	18,928	-	TOP24C1901A	-	-	-	-
SCC24C1812A	0.07	-	8,000	-	TCAP11C1811A	0.15	(0.01)	3,804	-	TOP24C1902A	0.55	(0.04)	59,040	-
SCC24C1901A	-	-	-	-	TCAP13C1809A	-	-	-	-	TOP28C1810A	-	-	-	-
SCC24P1901A	0.25	-	6,960	-	TCAP13C1901A	0.51	-	40,418	-	TOP28C1812A	0.49	(0.01)	91,064	-
SCC27C1809A	-	-	-	-	TCAP24C1903A	-	-	-	-	TP101C1812A	0.20	0.01	1	-
SCC27P1809A	-	-	-	-	THAI01C1808A	0.08	(0.02)	1,660	-	TP101C1812B	-	-	-	-
SCC28C1811A	0.18	(0.01)	8,000	-	THAI01C1808B	-	-	-	-	TP107C1812A	-	-	-	-
SCC28C1812A	0.45	0.01	50,063	-	THAI01C1901A	0.41	-	4,816	-	TP13C1809A	-	-	-	-
SCC08C1811A	0.03	(0.02)	958	-	THAI01C1901B	0.28	0.01	7,515	-	TP19C1901A	0.21	-	3,778	-
SCCC13C1809A	-	-	-	-	THAI01P1808A	0.55	-	1,196	-	TP123C1809A	-	-	-	-
SCCC27C1812A	-	-	-	-	THAI01P1901A	0.75	0.02	5,698	-	TP124C1808A	-	-	-	-
SGP08C1808A	0.01	-	1,110	-	THAI06C1809A	0.15	-	400	-	TP124C1902A	0.09	(0.01)	1	-
SGP08C1901A	0.44	0.03	88,838	-	THAI07C1811A	-	-	-	-	TP128C1808A	-	-	-	-
SGP11C1904A	0.21	0.01	11,884	-	THAI08C1808A	0.01	(0.01)	9,139	-	TP101C1810A	0.39	-	31	-
SGP13C1808A	-	-	-	-	THAI11C1808A	-	-	-	-	TP101C1810B	-	-	-	-
SGP13C1811A	0.15	0.03	200	-	THAI13C1811A	-	-	-	-	TP101P1810A	0.59	(0.01)	961	-
SGP13C1812A	0.32	0.03	172,561	-	THAI23C1901A	0.04	(0.01)	3,177	-	TP108C1808A	-	-	-	-
SGP19C1811A	0.34	0.03	164,288	-	THAI24C1808A	-	-	-	-	TP11C1811A	-	-	-	-
SGP24C1808A	-	-	-	-	THAI24C1901A	-	-	-	-	TP113C1811A	-	-	-	-
SGP24C1811A	0.16	0.02	1,200	-	THAI27C1809A	0.05	0.01	10,000	-	TP123C1808A	-	-	-	-
SGP24C1902A	-	-	-	-	THAI28C1808A	-	-	-	-	TP124C1901A	-	-	-	-
SGP28C1808A	-	-	-	-	THAN01C1812A	0.44	(0.01)	8,528	-	TP127C1812A	-	-	-	-
SGP28C1809A	0.01	(0.01)	25,448	-	THAN13C1809A	-	-	-	-	TRUE01C1808A	0.27	0.03	95,054	-
SGP28C1811A	0.16	0.02	56,250	-	THAN24C1903A	0.48	(0.52)	5	-	TRUE01C1808B	0.04	0.01	510	-
SIRI01C1808A	0.02	0.01	5,198	-	THAN28C1810A	0.10	-	10,112	-	TRUE01C1902A	0.54	0.02	33,438	-
SIRI01C1808B	0.01	(0.01)	20,501	-	THCO01C1809A	0.09	0.02	79,873	-	TRUE01C1902B	0.46	0.02	30,063	-

## Main Board Quotation

Issue Date :

Tuesday August 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price
SIRI28C1901A	0.33	-	167,840	-

Securities	Close	Change	Volume (Lot)	Average Price
TISC13C1811A	0.28	-	41,760	-

Securities	Close	Change	Volume (Lot)	Average Price
TRUE19C1901A	0.20	0.02	22,469	-



## Main Board Quotation

Issue Date :

Tuesday August 07, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE23C1902A	-	-	-	-	WORK28C1808A	-	-	-	-	TRITN-W3	0.16	-	69,193	-
TRUE27C1809A	0.15	(0.01)	5,415	-	WORK28C1809A	-	-	-	-	TSR-W1	0.68	0.09	74,096	-
TRUE27P1809A	0.22	(0.03)	15,160	-	WORK28C1811A	0.12	0.03	28,154	-	TTA-W5	0.37	-	4,604	-
TRUE28C1808A	-	-	-	-	Preferred/Foreign	-	-	-	-	TTCL-W1	1.15	(0.03)	55,584	1.00
TRUE28C1810A	0.05	-	200	-	BH-Q	-	-	-	-	U-W1	-	-	-	-
TRUE28C1812A	0.23	0.02	52,265	-	CSC-Q	-	-	-	-	U-W4	0.01	-	2	-
TTA08C1808A	-	-	-	-	JUTHA-Q	-	-	-	-	VIBHA-W2	1.40	0.03	2,023	1.00
TTA08C1906A	0.30	(0.02)	36,312	-	KTB-Q	-	-	-	-	VIBHA-W3	0.32	0.02	6,787	-
TTA13C1809A	-	-	-	-	SCB-Q	-	-	-	-	WAVE-W1	0.40	0.01	1,364	-
TTA13C1901A	0.25	(0.03)	23,344	-	TCAP-Q	-	-	-	-	WHA-W1	6.55	0.10	1,210	6.00
TTA18C1808A	-	-	-	-	TIC-Q	-	-	-	-	WORK-W1	11.50	0.20	16	11.00
TTA19C1811A	0.12	(0.02)	4,864	-	TISCO-Q	-	-	-	-	Preferred Shares	-	-	-	-
TTA23C1808A	-	-	-	-	U-Q	-	-	-	-	BH-P	-	-	-	-
TTA23C1901A	0.14	(0.02)	6,000	-	Warrant	-	-	-	-	CSC-P	-	-	-	-
TTA24C1809A	-	-	-	-	7UP-W2	0.16	0.01	81	-	JUTHA-P	-	-	-	-
TTA24C1902A	0.13	(0.02)	2,000	-	ACC-W1	0.03	0.01	21,556	-	KTB-P	-	-	-	-
TTA28C1812A	0.13	(0.01)	44,960	-	AJA-W1	0.18	-	855	-	SCB-P	-	-	-	-
TU01C1808A	0.08	0.04	66,695	-	ALT-W1	0.73	-	838	-	TCAP-P	-	-	-	-
TU01C1808B	-	-	-	-	APURE-W2	0.17	(0.01)	23,705	-	TIC-P	-	-	-	-
TU01C1901A	0.69	0.08	46,360	-	AQ-W4	0.01	-	651	-	TISCO-P	-	-	-	-
TU01C1901B	0.67	0.08	51,406	-	AS-W1	0.49	0.02	5,347	-	U-P	0.03	-	40,230	-
TU01P1808A	0.64	(0.14)	30,479	-	AYUD-W1	2.62	(0.18)	30,483	2.00	Warrant (MAI)	-	-	-	-
TU01P1901A	0.20	(0.03)	67,890	-	B-W3	-	-	-	-	2S-W1	0.15	(0.01)	6,062	-
TU06C1902A	0.40	0.07	39,248	-	B-W4	0.20	-	7,257	-	ACAP-W2	2.72	(0.06)	120	2.00
TU08C1811A	0.12	0.03	17,580	-	BTS-W3	0.02	-	122,242	-	AIRA-W2	0.06	-	212	-
TU11C1902A	0.08	0.01	18,070	-	BWG-W4	0.08	-	4,644	-	ATP30-W1	0.85	-	2,116	-
TU13C1809A	-	-	-	-	CEN-W4	0.04	-	5,696	-	BSM-W2	0.19	-	1,046	-
TU23C1902A	0.41	0.09	48,626	-	CGD-W4	0.23	0.01	4,502	-	CHEWA-W1	0.10	-	11,774	-
TU24C1808A	-	-	-	-	CGH-W3	0.07	-	2,116	-	CIG-W7	0.03	-	81	-
TU24C1901A	0.31	0.12	600	-	CI-W1	0.36	0.03	77	-	DIMET-W2	0.15	-	48,427	-
TVO01C1809A	0.15	(0.02)	34,496	-	CKP-W1	0.36	0.01	8,022	-	DNA-W1	1.93	0.53	605,862	1.00
TVO01C1809B	-	-	-	-	CRANE-W1	-	-	-	-	ECF-W2	4.22	0.06	14,735	4.00
TVO08C1808A	0.01	-	22,000	-	CWT-W4	0.56	0.05	145,888	-	ECF-W3	3.22	(0.16)	86,109	3.00
TVO11C1903A	0.10	(0.02)	3,925	-	DCC-W1	0.73	(0.01)	132,698	-	EFORL-W3	0.01	-	1,095	-
TVO13C1809A	-	-	-	-	DCON-W1	-	-	-	-	EFORL-W4	0.02	(0.01)	561	-
TVO23C1808A	-	-	-	-	DIGI-W1	0.04	-	10	-	FC-W1	0.06	(0.01)	301	-
TVO24C1810A	-	-	-	-	DIGI-W2	0.03	0.01	3,354	-	FC-W2	0.03	-	20,100	-
TVO24C1903A	0.29	(0.71)	3	-	EARTH-W4	-	-	-	-	FOCUS-W2	0.26	-	180	-
TVO28C1808A	-	-	-	-	EIC-W2	-	-	-	-	FVC-W2	0.46	(0.02)	8,794	-
UNI001C1809A	0.09	0.01	303,995	-	EIC-W3	0.04	0.01	794	-	ITEL-W1	0.32	-	7,904	-
UNI001C1810A	0.24	0.01	23,643	-	EIC-W4	-	-	-	-	JKN-W1	2.78	(0.02)	7,198	2.00
UNI001C1810B	0.07	-	51,570	-	EVER-W3	0.03	0.01	7	-	LIT-W1	2.50	-	1,202	2.00
UNI001P1809A	0.58	(0.04)	13,646	-	GJS-W3	0.02	(0.01)	301	-	META-W2	0.05	-	11,092	-
UNI008C1808A	-	-	-	-	GSTEL-W1	-	-	-	-	NDR-W1	0.12	0.01	64,872	-
UNI008C1810A	-	-	-	-	GSTEL-W2	-	-	-	-	NEWS-W4	-	-	-	-
UNI008C1906A	0.27	0.02	45,562	-	IEC-W2	-	-	-	-	NEWS-W5	-	-	-	-
UNI011C1811A	-	-	-	-	IHL-W1	4.82	-	11	4.00	NEWS-W6	-	-	-	-
UNI013C1809A	0.04	0.01	3,475	-	ITD-W1	0.10	(0.01)	85,364	-	PHOL-W1	0.07	0.01	10,411	-
UNI013C1901A	0.25	-	37,833	-	IVL-W2	-	-	-	-	PIMO-W1	2.00	0.01	31,840	2.00
UNI019C1811A	-	-	-	-	JAS-W3	2.02	-	6,414	2.00	PPS-W1	0.79	(0.06)	5	-
UNI023C1901A	0.10	-	1,000	-	JCK-W5	0.48	0.04	1,188	-	PSTC-W1	0.26	-	1,751	-
UNI024C1811A	-	-	-	-	JMART-W2	2.00	(0.10)	112,149	2.00	SIMAT-W2	0.43	(0.04)	1,102	-
UNI028C1809A	-	-	-	-	MIDA-W2	0.02	(0.01)	62	-	SIMAT-W3	0.63	(0.01)	2,466	-
UNI028C1811A	0.11	0.01	71,680	-	MILL-W3	0.04	0.01	201	-	SIMAT-W4	1.43	0.09	22,968	1.00
UV13C1808A	-	-	-	-	MILL-W4	0.35	0.01	2,391	-	SKY-W1	12.40	-	10	12.00
UV13C1812A	0.45	-	194,593	-	MILL-W5	0.20	0.01	86,389	-	STAR-W3	2.10	0.10	30,099	2.00
UV23C1809A	-	-	-	-	ML-W2	0.03	(0.01)	3,927	-	T-W3	-	-	-	-
UV24C1812A	-	-	-	-	MONO-W1	0.62	-	4,773	-	TAKUNI-W	0.20	-	524	-
UV28C1808A	-	-	-	-	NEP-W3	0.13	(0.01)	1,322	-	TAPAC-W3	2.54	0.02	890	2.00
VGI01C1812A	0.54	-	2,348	-	NOK-W1	0.97	-	82	-	TMILL-W1	1.06	-	2,266	1.00
VGI06C1904A	5.70	(0.05)	100	5.00	NPPG-W3	0.13	(0.03)	76,036	-	TSF-W4	-	-	-	-
VGI06C1904B	5.70	(0.15)	20	5.00	NUSA-W3	-	-	-	-	TSF-W5	0.02	-	3,767	-
VGI06C1904C	5.75	(0.05)	3,600	5.00	NVD-W1	0.16	(0.01)	35,110	-	TVD-W2	0.51	0.01	3,258	-
VGI08C1811A	0.43	(0.03)	7,652	-	ORI-W1	2.64	-	4,232	2.00	UAC-W2	0.92	0.02	17,481	-
VGI23C1905A	-	-	-	-	PACE-W1	-	-	-	-	UKEM-W2	0.55	0.03	23,097	-
VGI23C1911A	1.24	(0.01)	2	1.00	PACE-W2	0.14	0.04	122,609	-	UKW-W2	0.01	-	87,406	-
VGI27C1812A	-	-	-	-	PDI-W1	1.54	0.06	168,290	1.00	XO-W1	5.10	(0.05)	2,985	5.00
VGI28C1810A	0.23	(0.02)	23,480	-	PDJ-W2	1.59	-	31	1.00	Preferred Shares	-	-	-	-
WHA01C1812A	0.57	0.01	39,080	-	PDJ-W3	1.48	-	26	1.00	SGF-P1	-	-	-	-
WHA01C1812B	0.48	-	35,944	-	PDJ-W4	1.48	-	62	1.00	-	-	-	-	-
WHA01P1812A	0.65	(0.02)	10,102	-	PLE-W3	0.11	-	21,548	-	-	-	-	-	-
WHA06C1809A	0.13	0.01	12,870	-	RICH-W1	-	-	-	-	-	-	-	-	-
WHA07C1810A	0.17	(0.01)	1,199	-	RICHY-W1	0.31	(0.02)	380	-	-	-	-	-	-
WHA08C1811A	0.17	-	42,484	-	RICHY-W2	0.18	0.01	222	-	-	-	-	-	-
WHA11C1903A	0.22	-	8,540	-	RS-W3	8.25	(0.20)	435	8.00	-	-	-	-	-
WHA13C1808A	0.02	(0.01)	9,130	-	S-W1	0.14	0.01	7,061	-	-	-	-	-	-
WHA13C1812A	0.43	-	61,216	-	SAMART-W2	0.30	(0.01)	21,122	-	-	-	-	-	-
WHA19C1901A	0.41	-	12,134	-	SAWAD-W1	4.96	0.06	21	4.00	-	-	-	-	-
WHA23C1810A	0.24	(0.02)	3,000	-	SDC-W1	0.06	-	889	-	-	-	-	-	-
WHA24C1811A	-	-	-	-	SMM-W4	0.06	(0.02)	19,602	-	-	-	-	-	-
WHA28C1808A	-	-	-	-	SMT-W1	0.10	0.03	100,204	-	-	-	-	-	-
WHA28C1808B	-	-	-	-	SMT-W2	0.74	0.12	380,358	-	-	-	-	-	-
WHA28C1809A	0.35	0.01	36,920	-	SPALI-W4	18.90	-	146	18.00	-	-	-	-	-
WHAU01C1810A	0.18	(0.01)	17,851	-	SPORT-W5	0.09	0.01	2,153	-	-	-	-	-	-
WHAU01C1810B	0.05	-	601	-	SUPER-W4	0.11	-	121,674	-	-	-	-	-	-
WHAU24C1812A	0.04	(0.01)	490	-	SUSCO-W1	0.18	-	3,982	-	-	-	-	-	-
WORK01C1811A	0.53	0.02	42,756	-	SVI-W3	1.24	-	201	1.00	-	-	-	-	-
WORK01C1811B	0.34	0.02	15,599	-	TCC-W3	-	-	-	-	-	-	-	-	-
WORK08C1809A	-	-	-	-	TCC-W4	0.14	0.01	195	-	-	-	-	-	-
WORK08C1901A	0.42	0.02	16,601	-	TCC-W5	0.18	(0.01)	1,599	-	-	-	-	-	-

