

Main Board Quotation

Main Board Quotation					Main Board Quotation					Issue Date : Friday August 10, 2018				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.50	0.40	25,399	10.55	SE-ED	2.72	0.02	194	2.74
POMPUI	-	-	-	-	ILINK	5.30	(0.10)	2,122	5.33	SMM	0.88	-	4,055	0.90
SAFARI	-	-	-	-	INET	3.94	(0.10)	6,605	3.98	SPORT	0.58	0.04	3,775	0.55
VI	-	-	-	-	INTUCH	56.25	(0.25)	51,058	56.41	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	5.30	(0.10)	211,579	5.33	TH	0.62	-	1,016	0.62
WR	-	-	-	-	JASIF	10.50	(0.10)	130,374	10.45	TKS	10.40	(0.20)	19,352	10.37
Agribusiness					JMART	9.80	(0.60)	51,181	10.23	TRITN	0.31	-	350,492	0.30
CHOTI	140.00	-	3	140.00	JTS	1.56	0.01	623	1.56	VGI	7.35	(0.15)	231,636	7.40
EE	0.78	0.03	209,614	0.78	MFEI	3.94	(0.02)	931	3.95	WAVE	2.70	-	20	2.68
GFPT	12.60	(0.20)	16,397	12.59	MSC	5.90	(0.05)	698	5.91	WORK	39.00	(3.00)	74,625	39.47
LEE	2.76	(0.06)	9,605	2.76	PT	6.65	(0.20)	8,987	6.65	Finance & Securities				
STA	11.30	(0.10)	15,137	11.30	SAMART	7.25	(0.05)	2,561	7.29	AEC	0.49	(0.01)	7,719	0.50
TLUXE	5.90	(0.20)	19,508	5.96	SAMTEL	8.20	(0.10)	14	8.29	AEONTS	170.00	(1.00)	2,986	170.25
TRUBB	1.79	-	9,124	1.78	SDC	0.24	0.01	1,305	0.23	AMANAHAH	1.90	(0.05)	373,348	1.91
TWPC	9.00	(0.10)	42,079	9.02	SIS	8.90	-	5,622	8.88	ASAP	6.20	(0.05)	26,192	6.25
UPOIC	4.20	-	312	4.25	SVOA	1.38	(0.06)	26,532	1.40	ASK	22.90	(0.20)	720	22.89
UVAN	7.60	-	4,660	7.65	SVMC	5.35	0.20	88	5.20	ASP	3.88	(0.02)	18,204	3.88
VPO	0.65	-	78,172	0.70	SYNEX	11.90	(1.80)	132,020	12.24	BFIT	27.00	(1.00)	4,963	27.33
Banking					THCOM	9.25	0.25	120,303	9.34	CGH	1.06	(0.01)	15,677	1.06
BAY	41.75	0.25	6,233	41.36	TRUE	6.60	0.05	797,494	6.57	CNS	2.60	(0.02)	1,800	2.60
BBL	206.00	(2.00)	33,995	206.94	TWZ	0.13	-	37,259	0.13	ECL	1.89	(0.13)	203,269	1.90
CIMBT	0.86	-	7,400	0.86	Electronic Componer					FNS	4.32	(0.04)	3,423	4.31
KBANK	217.00	-	65,345	218.84	CCET	2.26	0.10	52,271	2.22	FSS	2.42	(0.04)	1,599	2.42
KKP	76.00	0.25	25,850	75.70	DELTA	70.25	(0.25)	8,195	70.27	GBX	0.68	(0.01)	4,200	0.68
KTB	19.40	-	424,634	19.45	EIC	0.05	-	51,296	0.06	GL	6.85	(0.05)	25,654	6.90
LHFG	1.60	-	48,632	1.60	HANA	38.25	(0.50)	45,729	37.65	IFS	3.06	-	1,891	3.04
SCB	145.50	(2.00)	80,345	145.79	KCE	44.75	-	48,157	44.33	JMT	27.00	0.75	30,577	26.70
TCAP	53.25	-	21,377	53.14	METCO	191.00	-	1	191.00	KCAR	13.30	(0.70)	4,406	13.27
TISCO	78.50	(1.00)	16,236	78.92	SMT	2.44	-	23,403	2.48	KGI	4.18	(0.06)	30,026	4.20
TMB	2.28	(0.02)	1,555,087	2.28	SPPT	3.84	-	824	3.83	KTC	28.50	(0.75)	135,276	28.91
Construction Materia					SVI	4.48	0.06	143,741	4.44	MBKET	13.30	(0.10)	3,933	13.26
CCP	0.40	-	25,633	0.40	TEAM	1.14	(0.01)	9,772	1.14	MFC	15.40	-	683	15.40
COTTO	2.92	(0.18)	219,767	2.98	Energy & Utilities					ML	1.07	(0.02)	7,989	1.08
DCC	2.32	0.04	118,686	2.33	ABPIF	8.55	(0.05)	418	8.58	MTC	39.75	(0.25)	67,977	39.77
DCON	0.57	0.01	20,284	0.57	AI	-	-	-	-	PE	0.33	(0.01)	1,101	0.33
DRT	5.80	-	3,366	5.80	AKR	1.02	(0.02)	83,468	1.02	PL	3.54	(0.02)	648	3.53
EPG	8.15	(0.20)	65,351	8.22	BAFS	35.75	0.25	1,227	35.69	S11	7.90	0.05	1,252	7.85
GEL	0.35	(0.01)	145,653	0.36	BANPU	20.40	(0.40)	570,368	20.53	SAWAD	37.25	(0.25)	65,776	37.33
PPP	3.60	-	154	3.58	BCP	35.50	(0.25)	24,806	35.77	THANI	7.85	0.05	35,508	7.79
Q-CON	5.45	(0.25)	1,127	5.51	BCPG	18.60	(0.30)	36,819	18.64	TK	10.90	(0.20)	2,256	10.91
RCI	2.98	(0.02)	52,343	3.06	BGRIM	25.50	(0.50)	46,561	25.56	TNITY	6.20	-	481	6.14
SCC	452.00	(2.00)	14,846	452.94	BPP	25.25	(0.50)	14,996	25.33	UOBKH	4.10	(0.14)	347	4.14
SCCC	236.00	4.00	2,827	235.50	BRRGIF	10.20	-	8,587	10.10	ZMICO	1.04	-	1,018	1.03
SCP	8.25	0.15	1,938	8.14	CKP	4.06	(0.08)	176,816	4.07	Food & Beverage				
SKN	4.90	(0.35)	36,522	4.90	DEMCO	4.06	-	604	4.04	APURE	1.33	(0.01)	3,707	1.34
TASCO	14.20	(0.20)	45,685	14.42	EA	36.00	-	84,550	36.12	ASIAN	7.75	0.20	166,281	7.84
TCMC	2.50	(0.06)	8,920	2.50	EARTH	-	-	-	-	BR	5.60	(0.10)	26,289	5.58
TOA	37.50	(0.50)	18,449	37.64	EASTW	11.20	-	8,303	11.12	BRR	7.10	0.05	3,714	7.09
TIPL	1.85	(0.02)	26,592	1.86	EGATIF	10.90	-	40,033	10.82	CBG	44.00	(2.25)	36,918	44.55
UMI	1.45	(0.01)	56,480	1.47	EGCO	226.00	(6.00)	19,429	226.99	CFRESH	4.40	(0.02)	717	4.36
VNG	7.95	(0.05)	1,659	7.96	ESSO	14.90	0.20	177,605	14.97	CM	4.42	(0.02)	1,347	4.45
WIHK	2.40	(0.14)	30,777	2.42	GLOW	93.75	-	5,042	93.84	CPF	24.90	(1.35)	718,768	25.21
Petrochemicals & Ch					GPSC	70.75	(1.25)	18,721	71.13	CPI	1.83	0.10	272,186	1.89
BCT	57.50	(2.25)	347	57.75	GULF	67.00	(0.50)	53,035	67.81	F&D	-	-	-	-
CMAN	3.38	0.04	34,839	3.37	GUNKUL	2.96	(0.04)	14,646	2.97	HTC	18.80	-	1,134	18.76
GC	5.25	(0.05)	917	5.23	IEC	-	-	-	-	ICHI	4.58	(0.10)	23,478	4.60
GGC	10.20	(0.30)	28,795	10.30	IFEC	-	-	-	-	KBS	4.42	(0.02)	1,101	4.44
GIFT	4.14	0.02	2,140	4.12	IRPC	6.45	(0.15)	1,206,344	6.49	KSL	3.26	(0.02)	11,133	3.25
IVL	57.75	(1.00)	130,943	58.30	LANNA	15.70	-	924	15.53	KTIS	5.90	-	183	5.85
NFC	11.60	-	2,449	11.57	MDX	4.20	(0.06)	2,058	4.22	LST	4.94	(0.06)	835	4.99
PATO	14.90	-	91	14.81	PTG	14.00	(0.20)	27,413	14.12	M	73.00	(1.50)	3,300	73.75
PMTA	16.80	0.10	105	16.83	PTT	51.75	(0.75)	470,116	52.20	MALEE	14.00	(0.30)	15,415	14.19
PTTGC	82.00	(1.75)	209,882	82.75	PTTEP	138.50	(3.00)	69,924	139.54	MINT	38.00	(0.50)	167,543	38.20
SUTHA	4.30	0.08	283	4.27	RATCH	52.25	-	9,382	52.19	OISHI	92.50	(2.00)	88	92.67
TCCC	35.00	(0.25)	445	35.01	RPC	0.55	(0.04)	40,749	0.57	PB	61.50	-	46	61.28
TPA	6.50	0.10	216	6.48	SCG	4.70	-	92	4.70	PM	8.90	(0.40)	80,119	8.89
UP	28.00	-	57	28.35	SCI	3.34	(0.12)	75,357	3.44	PRG	13.30	-	50	13.30
VNT	22.90	(0.10)	25,586	22.93	SCN	3.70	(0.08)	8,019	3.70	SAPPE	25.00	(0.50)	10,259	24.87
WG	-	-	-	-	SGP	11.70	(0.10)	59,563	11.77	SAUCE	22.50	0.30	179	22.17
YCI	-	-	-	-	SKE	1.22	(0.04)	13,662	1.24	SFP	-	-	-	-
Commerce					SOLAR	2.32	-	3,555	2.33	SNP	20.90	(0.40)	57	20.92
BEAUTY	6.80	(0.25)	755,271	6.89	SPCG	20.60	(0.40)	21,011	20.71	SORKON	71.00	2.00	237	71.88
BIG	2.08	(0.12)	86,565	2.12	SPRC	14.80	-	43,595	14.86	SSC	39.75	-	2	40.00
BJC	56.25	(0.50)	41,586	56.25	SUPER	0.75	0.02	3,472,611	0.75	SSF	-	-	-	-
COL	29.00	-	2,630	28.97	SUSCO	3.26	(0.16)	59,575	3.31	SST	6.00	-	129	6.01
COM7	18.50	(0.10)	21,401	18.55	TAE	2.22	-	8,265	2.20	TC	3.14	-	964	3.18
CPALL	71.25	(2.75)	1,208,658	71.15	TCC	0.39	-	8,560	0.39	TFG	3.94	(0.02)	11,980	3.96
CSS	2.16	-	9,058	2.18	TOP	80.00	1.25	158,236	80.15	TFMAMA	155.00	-	1	155.00
FN	2.84	(0.12)	11,178	2.89	TIPIP	6.15	-	133,043	6.16	TIPCO	9.50	(0.15)	6,767	9.56
FTE	2.16	(0.08)	10,940	2.14	TTW	12.40	(0.10)	15,836	12.46	TKN	14.80	(0.90)	146,322	14.99
GLOBAL	18.50	0.10	45,376	18.47	WHAUP	5.80	(0.10)	88,807	5.83	TU	18.10	(0.10)	41,840	18.04
HMPRO	14.40	(0.30)	150,645	14.51	WP	7.30	(0.20)	20,386	7.43	TVO	30.00	-	6,773	29.95
IT	4.88	0.08	2,311	4.84	Media & Publishing					AHC	20.30	0.30	782	20.45
KAMART	4.38	(0.48)	74,389	4.46	AMARIN	4.90	(0.04)	668	4.93	BCH	17.70	0.20	134,978	17.61
LOXLEY	2.22	(0.02)	7,985	2.22	AQUA	0.49	-	85,464	0.49	BDMS	26.75	(0.25)	137,633	26.92
MAKRO	36.25	(0.50)	9,208	36.52	AS	1.45	-	674	1.45	BH	178.00	(1.00)	24,077	177.97
MC	11.80	(0.20)	11,277	11.85	BEC	8.05	(0.75)	211,808	8.23	CHG	2.48	0.08	3,146,064	2.48
MEGA	39.75	0.25	6,919	39.90	EPCO	4.90	0.34	115,630	4.80	CMR	3.30	(0.02)	361	3.31
MIDA	0.61	-	2,549	0.60										

Main Board Quotation

Issue Date :

Friday August 10, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.84	(0.02)	2,379	2.85	MJD	3.30	(0.02)	1,732	3.29	CPT	2.80	-	90,035	2.83
Tourism & Leisure	-	-	-	-	MK	4.30	(0.16)	36,475	4.36	CRANE	2.76	(0.10)	4,725	2.78
ASIA	6.75	-	71	6.75	NCH	0.90	(0.01)	1,121	0.90	CTW	8.45	0.05	570	8.31
CENDEL	43.75	(0.25)	46,220	43.27	NNCL	1.75	0.01	11,763	1.74	FMT	25.00	(0.25)	47	25.00
CSR	-	-	-	-	NOBLE	12.20	-	5,886	12.20	HTECH	7.55	-	17,447	7.55
DTC	12.10	-	4,515	12.13	NUSA	0.33	0.02	147,318	0.32	KKC	1.73	(0.02)	2,338	1.74
ERW	7.10	-	63,362	7.15	NVD	3.74	(0.02)	3,615	3.76	PK	3.94	0.04	6,801	3.91
GRAND	0.94	(0.01)	13,991	0.94	ORI	19.20	0.10	57,097	19.22	SNC	14.80	0.10	5,392	14.72
LRH	38.00	0.75	15	37.97	PACE	0.64	0.04	2,533,595	0.62	TCJ	5.95	(0.05)	240	5.99
MANRIN	-	-	-	-	PF	1.06	0.03	1,008,316	1.04	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	7.15	(0.15)	29,413	7.20	Property Fund & REI	-	-	-	-
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.20	0.10	451	10.18
SHANG	78.75	0.25	329	78.53	PRECHA	1.42	(0.02)	296	1.42	AMATAR	10.60	-	522	10.60
Home & Office Prodt	-	-	-	-	PRIN	1.67	(0.02)	25,592	1.66	B-WORK	10.70	-	2,934	10.52
ACC	0.47	-	1,121	0.47	PRINC	5.40	(0.05)	6,534	5.41	BKKCP	12.00	-	55	12.00
AJA	0.40	0.01	276,627	0.41	PSH	21.40	(0.20)	14,946	21.43	BOFFICE	12.70	0.10	5,246	12.70
DTCI	-	-	-	-	QH	3.50	(0.02)	388,659	3.49	CPNCG	14.70	(0.10)	582	14.71
FANCY	1.00	(0.01)	18,100	1.00	RICHY	1.80	(0.01)	35,495	1.80	CPNREIT	25.00	0.20	11,377	24.93
KYE	386.00	(2.00)	138	385.16	RML	1.48	0.07	347,112	1.46	CPTGF	13.30	-	98	13.39
L&E	2.74	(0.06)	1,445	2.76	ROJNA	5.45	(0.05)	6,171	5.48	CRYSTAL	10.20	-	740	10.20
MODERN	4.56	-	7,961	4.56	S	2.80	(0.08)	77,229	2.82	CTARAF	4.64	(0.12)	102	4.64
OGC	38.50	(1.00)	1,126	38.01	SAMCO	2.28	0.10	1,149	2.22	DREIT	5.90	(0.05)	3,763	5.91
ROCK	-	-	-	-	SC	3.64	(0.02)	36,276	3.62	ERWPF	5.70	0.05	246	5.67
SIAM	1.92	-	235	1.90	SENA	3.80	(0.02)	8,376	3.80	FUTUREPF	21.50	-	315	21.52
TSR	2.46	(0.08)	15,344	2.48	SF	8.05	(0.10)	36,417	8.04	GAHREIT	9.75	-	21	9.75
Insurance	-	-	-	-	SIRI	1.66	(0.01)	362,306	1.66	GLANDRT	12.60	0.10	102	12.50
AYUD	38.75	-	105	38.81	SPALI	24.30	(0.20)	30,030	24.34	GOLDPF	7.20	(0.20)	1,030	7.20
BKI	350.00	(2.00)	12	350.08	TICON	16.50	-	489	16.50	GVREIT	14.90	0.20	3,238	14.83
BLA	33.25	-	4,234	33.08	U	0.03	-	683,593	0.03	HPF	5.45	(0.05)	713	5.49
BUI	-	-	-	-	UV	7.90	(0.15)	32,754	7.97	HREIT	6.65	0.20	19,462	6.54
CHARAN	34.00	0.25	44	34.33	WHA	3.86	(0.02)	407,026	3.87	IMPACT	18.00	0.20	4,474	17.93
INSURE	-	-	-	-	WIN	0.60	-	2,803	0.59	KPNPF	9.35	(0.10)	60	9.38
MTI	113.50	1.50	43	113.81	Paper & Printing Mat	-	-	-	-	LHHOTEL	15.90	-	679	15.90
NKI	53.00	(0.50)	10	53.00	UTP	12.10	-	11,721	12.09	LHPF	8.50	-	22	8.40
NSI	83.50	(0.50)	3	83.50	Fashion	-	-	-	-	LHSC	15.80	0.10	213	15.79
SMK	41.25	0.25	31	40.31	AFC	8.70	0.05	7	8.70	LUXF	8.25	0.05	121	8.21
THRE	1.09	(0.03)	12,235	1.11	BTNC	-	-	-	-	M-II	9.05	0.05	40	9.05
THREL	7.75	(0.05)	11,624	7.73	CPH	5.85	(0.20)	137	5.86	M-PAT	10.20	-	4	10.23
TIC	34.00	-	650	34.00	CPL	-	-	-	-	M-STOR	10.30	-	168	10.28
TIP	23.60	(0.10)	2,735	23.58	DIGI	0.43	-	14,201	0.44	MIPF	-	-	-	-
TSI	0.52	-	14,747	0.52	ICC	39.25	(0.75)	1	39.25	MIT	-	-	-	-
TVI	3.76	(0.02)	615	3.78	LTX	102.00	2.00	36	100.90	MJLF	12.70	0.10	1,012	12.60
Mining	-	-	-	-	NC	-	-	-	-	MNIT	1.80	0.15	651	1.69
PDI	15.20	(0.30)	9,153	15.35	PAF	0.94	(0.06)	20,056	0.98	MNIT2	5.20	(0.05)	1,360	5.20
THL	-	-	-	-	PDJ	2.86	-	1,221	2.81	MNRF	3.50	0.22	502	3.34
Packaging	-	-	-	-	PG	-	-	-	-	MONTRI	-	-	-	-
AJ	10.50	(0.10)	4,245	10.74	SABINA	35.75	(0.25)	130	35.72	POPF	13.60	-	1,389	13.60
ALUCON	192.00	-	13	192.00	SAWANG	-	-	-	-	PPF	11.20	0.10	786	11.17
CSC	45.00	-	30	44.49	SUC	45.00	-	167	45.00	QHHR	8.60	-	519	8.51
NEP	0.41	(0.03)	34,648	0.42	TNL	20.40	0.40	2	20.45	QHOP	3.68	-	12	3.61
NPPG	1.12	(0.03)	58,612	1.14	TPCORP	15.40	0.10	2	15.40	QHQP	12.50	0.10	8,282	12.40
PTL	16.90	0.30	31,371	17.19	TR	48.00	(1.00)	129	48.31	SBPF	3.02	0.02	17	2.99
SITHAI	1.23	(0.01)	5,146	1.25	TTI	-	-	-	-	SHREIT	9.15	-	141	9.15
SLP	0.95	(0.02)	7,609	0.96	TTL	-	-	-	-	SIRIP	11.30	-	11	11.30
SMPG	12.90	0.10	896	12.87	TTTM	152.00	8.00	47	151.24	SPF	23.60	-	2,154	23.61
SPACK	1.96	(0.02)	27	1.96	UPF	-	-	-	-	SRIPANWA	11.20	0.10	649	11.11
TCOAT	-	-	-	-	UT	13.40	(0.10)	1	13.40	SSPF	10.10	0.10	454	10.11
TFI	0.46	-	25,434	0.47	WACOAL	43.75	(1.75)	18	43.68	SSTPF	6.70	0.15	10	6.70
THIP	36.00	-	319	35.73	Transportation & Log	-	-	-	-	SSTRT	6.25	(0.05)	9	6.25
TMD	22.10	0.10	171	22.01	AAV	4.24	(0.14)	542,397	4.22	TIF1	8.70	0.05	279	8.70
TOPP	-	-	-	-	AOT	65.50	-	163,836	65.56	TLGF	19.00	-	9,641	19.02
TPBI	8.35	-	11	8.31	ASIMAR	2.90	(0.04)	2,068	2.94	TLHPF	11.30	-	92	11.30
TPP	18.90	(0.10)	2	18.90	B	0.68	-	20,939	0.67	TNPF	3.70	-	10	3.70
Personal Products &	-	-	-	-	BA	12.00	(0.10)	20,433	12.06	TPRIME	12.40	(0.10)	4,131	12.50
APCO	4.46	0.02	2,429	4.46	BEM	8.25	(0.10)	246,054	8.24	TREIT	11.40	-	3,671	11.40
DDD	44.50	(1.50)	4,644	44.95	BTS	9.25	(0.15)	173,479	9.32	TTLPF	-	-	-	-
JCT	-	-	-	-	BTSGIF	12.30	(0.10)	6,131	12.30	TU-PF	-	-	-	-
OCC	-	-	-	-	III	5.75	(0.20)	80,610	5.78	URBNPF	3.26	0.02	85	3.24
S & J	-	-	-	-	JUTHA	1.85	0.05	9	1.80	WHABT	10.00	-	203	10.00
STHAI	-	-	-	-	JWD	7.05	(0.15)	24,536	7.08	WHART	10.20	-	14,398	10.20
TNR	13.30	0.20	7,103	13.21	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.98	(0.17)	1,973	4.99	NOK	2.42	(0.28)	31,979	2.50	AMC	2.76	0.04	1,103	2.73
Professional Service	-	-	-	-	NYT	5.15	(0.15)	4,869	5.19	BSBM	1.14	-	502	1.14
BWG	1.00	(0.01)	205,353	1.00	PRM	7.20	0.05	92,557	7.30	CEN	1.26	(0.03)	9,109	1.27
GENCO	0.81	-	1,893	0.81	PSL	11.80	-	11,702	11.81	CITY	2.66	-	184	2.66
PRO	-	-	-	-	RCL	5.45	(0.05)	3,218	5.51	CSP	1.41	-	252	1.40
TEAMG	2.22	0.02	159,605	2.25	THAI	14.80	(0.20)	39,661	14.92	GJS	0.31	(0.01)	108,133	0.32
Property Developer	-	-	-	-	TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	806	6.70	TTA	7.10	0.05	3,759	7.08	INOX	1.20	0.13	241,516	1.28
AMATA	20.00	(0.20)	95,985	20.10	WICE	4.16	(0.10)	98,706	4.26	LHK	4.98	-	6,664	4.96
AMATAV	6.60	(0.05)	1,010	6.61	Automotive	-	-	-	-	MAX	0.02	-	113,906	0.02
ANAN	5.25	(0.10)	105,160	5.29	AH	33.00	(0.50)	6,288	33.15	MCS	8.05	0.10	9,609	8.02
AP	9.50	-	76,504	9.47	APCS	5.15	(0.05)	1,193	5.17	MILL	1.62	(0.03)	54,293	1.64
APEX	0.20	-	10,583	0.19	BAT-3K	-	-	-	-	PAP	4.16	-	1,377	4.16
AQ	0.04	0.01	185,292	0.03	CWT	3.12	(0.02)	1,186	3.12	PERM	2.56	0.06	8,220	2.56
BLAND	1.81	-	410,316	1.81	EASON	2.60	(0.04)	11,801	2.60	RICH	-	-	-	-
BROCK	2.46	-	420	2.48	GYT	383.00	(12.00)	15	383.93	SAM	0.75	0.01	3,288	0.74
CGD	1.34	(0.05)	80,546	1.35	HFT	3.26	(0.02)	1,742	3.28	SMIT	6.05	0.05	11,411	6.09
CI	1.58	(0.02)	1,180	1.58	IHL	9.10	(0.05)	5,837	9.04	SSI	-	-	-	-
CPN	80.50	0.75	53,389	80.66	INGRS	0.76	(0.01)	14,414	0.76	SSSC	2.98	0.04	341	2.96
ESTAR	0.67	(0.01)	27,455	0.67	IRC	21.00	0.10	49	20.99	TGPRO	0.17	-	7,123	0.17
EVER	0.40	(0.01)	40,300	0.41	PCSGH	7.10	(0.35)	17,252	7.13	THE	3.40	(0.12)	150,899	3.43
GLAND	2.92	(0.06)	315,771	2.93	SAT	23.40	(0.90)							

Main Board Quotation

Issue Date :

Friday August 10, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	UMS	0.91	(0.14)	38,457	1.00	ADVA13C1809A	0.06	(0.01)	32	-
ABICO	6.50	(0.35)	8,521	6.00	UWC	0.08	-	34,153	-	ADVA13C1811A	0.59	(0.05)	32,375	-
AU	8.80	-	5,625	8.00	Services (MAI)	-	-	-	-	ADVA13C1901A	0.31	(0.02)	30,267	-
FC	0.33	-	17,467	-	ADAM	-	-	-	-	ADVA13P1809A	0.09	-	14,015	-
JCKH	1.17	0.03	5,504	1.00	AKP	1.65	(0.02)	1,220	1.00	ADVA16C1812A	-	-	-	-
KASET	2.20	0.06	11,300	2.00	AMA	5.85	(0.20)	5,812	5.00	ADVA18C1808A	-	-	-	-
MM	4.02	0.02	435	4.00	ARIP	0.51	(0.01)	4,137	-	ADVA19C1901A	0.63	(0.04)	6,122	-
SUN	3.26	-	4,579	3.00	ATP30	1.75	(0.02)	10,321	1.00	ADVA23C1902A	0.46	(0.05)	33,500	-
TACC	4.06	-	6,547	4.00	AUCT	6.10	-	38,189	6.00	ADVA24C1810A	-	-	-	-
TMILL	3.08	(0.08)	3,576	3.00	BOL	1.90	(0.12)	5,602	1.00	ADVA24P1810A	-	-	-	-
XO	9.70	1.15	62,967	9.00	CHUO	-	-	-	-	ADVA28C1811A	0.50	(0.03)	34,690	-
Consumer Products	-	-	-	-	CMO	1.57	(0.02)	2,284	1.00	ADVA28C1901A	0.20	(0.02)	4,200	-
BGT	1.10	(0.03)	1,379	1.00	D	11.10	-	3,984	11.00	ADVA28P1810A	0.13	0.01	56,442	-
BIZ	2.88	-	1,250	2.00	DCORP	2.86	0.04	11,001	2.00	AMAT01C1810A	0.68	(0.03)	18,610	-
DOD	14.20	(0.40)	499,482	14.00	DNA	0.50	(0.21)	4,859,244	-	AMAT01C1810B	0.42	(0.03)	30,073	-
ECF	7.95	-	48,717	7.00	EFORL	0.08	-	231,237	-	AMAT01P1810A	1.12	0.03	16,634	1.00
HPT	1.13	(0.01)	26,989	1.00	ETE	2.08	(0.04)	16,127	2.00	AMAT06C1809A	-	-	-	-
JUBILE	20.20	(0.10)	1,515	20.00	FSMART	8.90	(0.25)	55,161	9.00	AMAT08C1809A	0.05	(0.02)	2,000	-
MOONG	6.35	-	28,513	6.00	FVC	1.35	(0.02)	1,652	1.00	AMAT11C1903A	0.30	(0.02)	5,660	-
NPK	-	-	-	-	HARN	2.66	-	15,124	2.00	AMAT13C1809A	0.04	-	12	-
OCEAN	1.67	-	10,006	1.00	JKN	10.00	-	21,377	10.00	AMAT13C1812A	0.39	(0.03)	94,792	-
TM	1.97	(0.07)	394	1.00	KIAT	0.47	(0.01)	66,060	-	AMAT19C1811A	0.16	(0.01)	10,816	-
Financials (MAI)	-	-	-	-	KOOL	1.78	(0.17)	92,761	1.00	AMAT23C1810A	0.14	-	4,000	-
ACAP	6.95	(0.90)	28,628	7.00	LDC	1.16	-	12,994	1.00	AMAT24C1811A	0.24	-	18,000	-
AF	0.77	-	1,165	-	MPG	0.22	-	36,857	-	ANAN01C1810A	1.24	(0.06)	3,854	1.00
AIRA	2.04	(0.06)	18	2.00	MVP	2.80	(0.30)	209,616	2.00	ANAN01C1810B	1.12	(0.12)	4,896	1.00
ASN	3.48	(0.02)	335	3.00	NBC	0.63	0.01	8,039	-	ANAN08C1808A	0.01	-	13,098	-
BROOK	0.59	-	49,599	-	NCL	1.48	(0.03)	3,727	1.00	ANAN08C1810A	-	-	-	-
CHAYO	4.02	0.04	93,137	4.00	NEWS	0.01	-	175,058	-	ANAN08C1906A	0.32	-	20,209	-
GCAP	4.30	-	2,647	4.00	NINE	1.55	-	5,612	1.00	ANAN13C1901A	0.25	(0.02)	30,639	-
LIT	8.45	(0.40)	5,223	8.00	OTO	2.62	(0.08)	684	2.00	ANAN19C1811A	0.71	(0.08)	9,442	-
SGF	0.14	(0.01)	157,562	-	PHOL	2.34	-	398	2.00	ANAN23C1901A	-	-	-	-
Industrials (MAI)	-	-	-	-	PICO	6.25	0.30	610	6.00	ANAN24C1811A	-	-	-	-
ZS	3.12	-	1,955	3.00	PORT	7.15	0.15	11,028	7.00	ANAN28C1809A	0.69	(0.05)	5,696	-
ADB	1.23	(0.01)	8,190	1.00	QLT	4.74	-	449	4.00	AOT01C1808A	0.20	(0.01)	94,246	-
BM	3.34	(0.06)	2,776	3.00	RP	3.08	(0.02)	333	3.00	AOT01C1808B	0.01	-	22,397	-
CHO	1.24	-	8,118	1.00	SE	2.02	(0.02)	334	2.00	AOT01C1810A	0.29	(0.02)	86,809	-
CHOW	4.90	(0.04)	188	4.00	SPA	15.00	(0.20)	7,541	15.00	AOT01C1902A	0.56	(0.03)	75,001	-
CIG	0.39	0.01	348	-	THMUI	1.60	(0.05)	19,938	1.00	AOT01C1902B	0.42	(0.03)	35,379	-
COLOR	1.12	(0.02)	219	1.00	TNDT	5.20	(0.25)	1,393	5.00	AOT01P1808A	0.85	0.03	29,656	-
CPR	5.55	(0.35)	14,194	5.00	TNH	40.25	(0.25)	217	40.00	AOT01P1808B	0.08	-	82,730	-
FPI	2.70	-	1,285	2.00	TNP	1.84	(0.01)	3,553	1.00	AOT01P1902A	0.87	0.02	35,081	-
GTB	0.64	(0.02)	2,243	-	TSF	0.05	-	21,224	-	AOT01P1902B	0.62	0.02	57,159	-
KCM	1.27	0.02	95,979	1.00	TVD	1.35	(0.03)	2,471	1.00	AOT06C1809A	0.03	(0.01)	17,031	-
LVT	-	-	-	-	TVT	1.01	(0.01)	24,467	1.00	AOT06C1903A	0.53	(0.03)	29,840	-
MBAX	4.12	(0.02)	1,478	4.00	WINNER	3.38	(0.02)	1,977	3.00	AOT06P1903A	0.57	0.01	24,112	-
MGT	2.18	(0.02)	2,554	2.00	Technology (MAI)	-	-	-	-	AOT08C1901A	0.35	(0.01)	53,618	-
NDR	2.28	-	106	2.00	COMAN	3.90	0.42	35,136	4.00	AOT11C1808A	0.36	(0.04)	27,301	-
PDG	3.62	0.02	1,434	3.00	ICN	2.30	(0.04)	11,954	2.00	AOT11P1808A	0.02	0.01	6,710	-
PIMO	3.28	(0.04)	7,589	3.00	IRCP	1.05	(0.11)	29,619	1.00	AOT13C1809A	-	-	-	-
PJW	1.73	0.01	1,246	1.00	ITEL	3.02	(0.14)	8,228	3.00	AOT13C1811A	0.19	(0.01)	34,743	-
PPM	2.24	-	3,011	2.00	NETBAY	34.00	0.25	2,560	33.00	AOT13C1812A	0.35	(0.02)	68,590	-
RWI	1.64	0.01	1,246	1.00	PLANET	1.66	0.04	2	1.00	AOT13P1810A	0.34	(0.01)	29,228	-
SALEE	1.12	(0.05)	5,278	1.00	SIMAT	2.22	(0.02)	13,522	2.00	AOT13P1812A	0.18	0.01	16,812	-
SANKO	1.27	0.01	5,431	1.00	SKY	13.50	(0.40)	6,449	13.00	AOT19C1809A	0.09	(0.02)	33,340	-
SELIC	1.85	(0.01)	1,365	1.00	SPVI	1.34	(0.07)	37,165	1.00	AOT19C1901A	0.47	(0.02)	29,784	-
SWC	23.40	(0.20)	920	23.00	UPA	0.45	(0.02)	34,274	-	AOT24C1811A	-	-	-	-
TMC	0.93	(0.02)	2,700	-	VCOM	3.06	(0.02)	1,840	3.00	AOT24C1901A	-	-	-	-
TMI	0.81	(0.02)	13,388	-	Unit Trust	-	-	-	-	AOT24P1809A	0.03	-	8,950	-
TMW	69.25	0.25	585	69.00	MGE	-	-	-	-	AOT28C1809A	0.04	-	19	-
TPAC	11.60	(0.20)	2,733	11.00	SCBSET	-	-	-	-	AOT28C1812A	0.31	(0.01)	54,237	-
UAC	4.72	(0.10)	1,516	4.00	ETF	-	-	-	-	AOT28C1901A	0.24	(0.03)	130,228	-
UBIS	4.92	0.06	1,881	5.00	1DIV	13.10	-	18	13.00	AOT28P1812A	0.31	-	4,400	-
UEC	1.35	(0.05)	3,209	1.00	ABFTH	-	-	-	-	AP01C1809A	0.59	(0.02)	17,807	-
UKEM	0.91	(0.03)	32,126	-	BMSCG	9.05	(0.08)	1,779	8.00	AP01C1809B	0.19	(0.01)	20,309	-
UREKA	0.64	(0.01)	46,112	-	BMSCITH	12.79	(0.16)	5,707	12.00	AP08C1810A	0.48	(0.01)	21,204	-
YUASA	17.30	-	346	17.00	BSET100	10.93	(0.12)	1,235	10.00	AP23C1901A	0.21	-	11,000	-
ZIGA	3.34	-	114,668	3.00	CHINA	5.46	0.09	1,891	5.00	AP24C1901A	0.34	-	40	-
Property & Construc	-	-	-	-	EBANK	5.95	0.01	506	5.00	AP42C1901A	0.38	-	10,040	-
ARROW	8.95	(0.40)	3,152	8.00	ECOMM	8.14	(0.15)	9	8.00	AP42P1901A	0.30	0.01	7,298	-
BKD	3.12	(0.04)	3,362	3.00	EFOOD	5.70	(0.16)	59	5.00	BA11C1902A	0.05	(0.01)	271	-
BSM	0.68	-	1,571	-	EICT	4.87	0.04	11	4.00	BA19C1811A	0.03	-	300	-
BTW	1.84	(0.05)	4,849	1.00	ENGY	6.43	(0.06)	14	6.00	BA24C1810A	0.06	(0.03)	6,973	-
CHEWA	1.19	0.03	143,671	1.00	ENY	7.66	(0.10)	3	7.00	BA24C1901A	-	-	-	-
CRD	1.11	(0.04)	10,123	1.00	ESET50	5.90	(0.02)	25	5.00	BA28C1809A	-	-	-	-
DIMET	1.05	(0.04)	35,968	1.00	GLD	1.73	-	5,081	1.00	BANP01C1808A	0.17	(0.04)	293,916	-
FLOYD	2.32	(0.04)	10,267	2.00	TDEX	11.17	(0.06)	967	11.00	BANP01C1808B	0.02	-	5,001	-
FOCUS	0.88	(0.01)	1,708	-	TGOLDEF	3.78	(0.01)	86	3.00	BANP01C1812A	0.40	(0.04)	129,179	-
HYDRO	1.41	(0.03)	11,080	1.00	TH100	5.03	(0.03)	43	5.00	BANP01C1812B	0.25	(0.04)	128,327	-
JSP	0.67	(0.01)	11,411	-	Warrant Foreign	-	-	-	-	BANP01P1808A	0.42	0.05	33,903	-
K	2.82	-	102	2.00	AAV01C1808A	0.01								

Main Board Quotation

Issue Date :

Friday August 10, 2018

Main Board Quotation					Main Board Quotation					Main Board Quotation				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BBL08C1808A	-	-	-	-	BEM13C1901A	0.35	(0.65)	5,236	-	CBG28C1811A	0.05	(0.02)	25,168	-
BBL08C1809A	0.10	(0.01)	110,483	-	BEM19C1901A	0.35	(0.01)	2,059	-	CBG28C1812A	0.21	(0.06)	35,398	-
BBL08C1902A	0.73	-	17,800	-	BEM23C1901A	0.21	-	500	-	CENT01C1810A	0.23	(0.03)	109,738	-
BBL08P1810A	0.09	0.01	3,052	-	BEM24C1809A	0.18	(0.02)	36,400	-	CENT01C1810B	0.08	(0.01)	12,267	-
BBL11C1903A	0.61	-	13,300	-	BGR10C1901A	0.96	(0.06)	17,074	-	CENT01P1810A	0.98	0.05	33,478	-
BBL11P1903A	0.33	-	26,939	-	BGR10C1901B	0.81	(0.06)	11,002	-	CENT08C1809A	-	-	-	-
BBL13C1810A	0.46	(0.03)	200	-	BGR10C1903A	0.79	(0.07)	4,000	-	CENT11C1904A	0.24	(0.01)	23,609	-
BBL13C1901A	0.34	(0.01)	40,254	-	BGR10C1902A	0.71	(0.06)	11,204	-	CENT13C1811A	0.06	(0.01)	5,000	-
BBL19C1901A	0.33	(0.01)	32,109	-	BGR13C1812A	0.74	-	410	-	CENT19C1901A	0.37	(0.03)	20,944	-
BBL23C1811A	-	-	-	-	BGR13C1812B	0.20	(0.02)	47,072	-	CENT23C1902A	0.22	(0.03)	26,000	-
BBL24C1809A	-	-	-	-	BGR19C1901A	0.57	(0.05)	3,758	-	CENT24C1810A	-	-	-	-
BBL24C1812A	-	-	-	-	BGR24C1901A	-	-	-	-	CENT24C1901A	0.27	(0.02)	10,200	-
BBL24P1810A	0.08	-	110	-	BGR28C1812A	0.66	(0.05)	34,506	-	CHG01C1809A	0.51	0.06	130,938	-
BBL27C1809A	0.12	(0.01)	3,324	-	BH01C1811A	0.55	(0.03)	69,463	-	CHG01C1809B	0.67	0.14	16,106	-
BBL28C1811A	0.56	(0.04)	77,986	-	BH01C1811B	0.16	(0.01)	79,823	-	CHG01P1809A	0.08	(0.03)	18,166	-
BBL28C1901A	0.28	(0.01)	2,001	-	BH01P1811A	1.41	0.01	72,304	1.00	CHG11C1904A	0.28	0.03	16,002	-
BCH01C1808A	0.53	0.02	59,321	-	BH07C1810A	0.02	-	2	-	CHG13C1809A	0.80	0.14	31,337	-
BCH01C1808B	0.11	0.01	13,838	-	BH08C1811A	-	-	-	-	CHG13C1812A	0.27	0.04	204,121	-
BCH01P1808A	0.09	(0.03)	55,041	-	BH11C1902A	-	-	-	-	CHG23C1811A	1.04	0.17	1,000	1.00
BCH06C1811A	0.25	0.01	24,815	-	BH11C1905A	0.63	(0.01)	19,278	-	CHG24C1808A	-	-	-	-
BCH08C1901A	0.42	0.03	72,465	-	BH19C1901A	0.56	(0.03)	44,588	-	CHG24C1811A	-	-	-	-
BCH11C1905A	0.39	0.04	29,684	-	BH24C1809A	-	-	-	-	CHG28C1812A	0.29	0.05	124,750	-
BCH13C1810A	0.16	0.01	52,849	-	BH24C1811A	-	-	-	-	CK01C1809A	0.19	(0.01)	7,949	-
BCH19C1809A	0.17	0.02	13,866	-	BH24C1902A	0.50	(0.02)	6,342	-	CK01C1809B	0.19	(0.03)	821	-
BCH23C1811A	0.34	0.01	22,500	-	BIG08C1906A	0.25	(0.05)	31,072	-	CK01P1809A	0.23	0.01	2,178	-
BCH24C1811A	0.16	0.01	6,380	-	BIG13C1808A	-	-	-	-	CK08C1809A	-	-	-	-
BCH28C1811A	0.29	0.02	156,463	-	BIG13C1901A	0.16	(0.04)	52,386	-	CK08C1901A	0.16	(0.01)	260	-
BCP01C1810A	0.24	-	20,078	-	BIG19C1811A	0.10	(0.03)	24,723	-	CK11C1904A	0.18	-	205	-
BCP01C1810B	0.09	(0.01)	2,650	-	BIG24C1808A	-	-	-	-	CK13C1809A	-	-	-	-
BCP01P1810A	0.39	0.01	17,190	-	BIG24C1812A	0.10	(0.04)	5,000	-	CK13C1902A	-	-	-	-
BCP08C1901A	0.28	(0.01)	49,108	-	BJC01C1812A	0.65	(0.05)	37,924	-	CK16C1812A	-	-	-	-
BCP11C1811A	0.11	(0.01)	22,085	-	BJC01C1812B	0.49	(0.05)	41,647	-	CK19C1811A	0.13	(0.01)	5,000	-
BCP13C1810A	-	-	-	-	BJC01P1812A	0.43	0.03	29,317	-	CK23C1808A	-	-	-	-
BCP24C1808A	-	-	-	-	BJC06C1901A	0.25	(0.04)	20,000	-	CK24C1808A	-	-	-	-
BCP24C1811A	-	-	-	-	BJC07C1809A	-	-	-	-	CK24C1901A	-	-	-	-
BCP28C1809A	-	-	-	-	BJC08C1809A	-	-	-	-	CK28C1809A	-	-	-	-
BCP28C1809B	-	-	-	-	BJC11C1905A	0.49	(0.05)	9,454	-	CK28C1812A	0.08	(0.01)	1,247	-
BCP28C1901A	0.24	-	20,280	-	BJC13C1808A	-	-	-	-	CKP01C1812A	0.47	(0.03)	41,768	-
BCPG01C1811A	0.41	(0.02)	11,090	-	BJC13C1810A	0.14	(0.03)	8,165	-	CKP01C1812B	0.33	(0.02)	15,769	-
BCPG01C1811B	0.18	(0.02)	8,413	-	BJC13C1812A	0.46	(0.03)	38,992	-	CKP13C1810A	0.26	(0.04)	32,621	-
BCPG06C1811A	0.22	(0.03)	16,858	-	BJC19C1809A	0.15	(0.01)	27,126	-	CKP23C1810A	0.29	(0.04)	8,500	-
BCPG08C1810A	0.21	(0.02)	53,557	-	BJC23C1901A	0.26	(0.02)	8,000	-	CKP24C1811A	0.32	(0.03)	3,000	-
BCPG11C1902A	0.16	(0.01)	5,868	-	BJC24C1808A	-	-	-	-	CKP28C1809A	-	-	-	-
BCPG13C1810A	0.15	(0.02)	74,814	-	BJC24C1901A	-	-	-	-	CKP28C1809B	0.30	(0.03)	39,218	-
BCPG13C1812A	0.45	(0.04)	68,275	-	BJC28C1812A	0.43	(0.03)	136,143	-	COM701C1811A	0.55	(0.02)	14,244	-
BCPG19C1901A	0.45	(0.02)	7,590	-	BLA01C1812A	0.23	-	5,789	-	COM701C1811B	0.32	(0.01)	34,334	-
BCPG23C1902A	0.40	(0.02)	8,100	-	BLA08C1811A	-	-	-	-	COM706C1809A	0.22	-	7,000	-
BCPG24C1810A	-	-	-	-	BLA13C1809A	-	-	-	-	COM708C1811A	0.14	-	31,522	-
BCPG28C1809A	0.12	(0.02)	71,880	-	BLA28C1810A	-	-	-	-	COM711C1811A	0.40	(0.01)	10,815	-
BCPG28C1812A	0.45	(0.02)	78,206	-	BLAN01C1809A	0.53	(0.01)	8,126	-	COM713C1809A	0.04	-	11,121	-
BDMS01C1811A	0.25	(0.01)	24,122	-	BLAN01C1809B	-	-	-	-	COM713C1812A	0.34	-	19,494	-
BDMS01C1811B	0.12	(0.01)	38,152	-	BLAN01P1809A	0.10	0.01	1,056	-	COM719C1811A	0.27	(0.01)	15,662	-
BDMS01P1811A	0.27	0.01	92,321	-	BLAN08C1810A	0.17	(0.02)	11,040	-	COM723C1901A	-	-	-	-
BDMS06C1811A	0.82	(0.05)	1,944	-	BLAN11C1902A	0.21	-	23,796	-	COM724C1811A	-	-	-	-
BDMS08C1901A	0.19	(0.01)	4,522	-	BPP01C1811A	0.22	(0.03)	23,260	-	COM728C1811A	0.29	(0.01)	65,940	-
BDMS11C1811A	1.01	(0.06)	1,002	1.00	BPP01C1811B	0.12	(0.01)	25	-	CPAL01C1808A	0.15	(0.12)	468,121	-
BDMS11C1904A	0.14	(0.01)	11,744	-	BPP01P1811A	0.52	0.02	50,296	-	CPAL01C1808B	0.02	-	3,105	-
BDMS13C1810A	-	-	-	-	BPP06C1809A	0.36	(0.05)	3,000	-	CPAL01C1901A	0.37	(0.08)	438,079	-
BDMS13C1812A	0.16	(0.01)	24,024	-	BPP08C1810A	0.21	(0.03)	18,840	-	CPAL01C1901B	0.20	(0.08)	413,191	-
BDMS16C1812A	-	-	-	-	BPP13C1808A	0.22	(0.07)	21,980	-	CPAL01P1808A	1.16	0.22	414,158	1.00
BDMS19C1901A	0.33	-	5,466	-	BPP13C1811A	0.08	(0.01)	3,836	-	CPAL01P1901A	1.34	0.12	132,392	1.00
BDMS23C1810A	-	-	-	-	BPP23C1901A	0.29	(0.03)	4,000	-	CPAL01P1901B	1.06	0.15	80,641	1.00
BDMS24C1811A	-	-	-	-	BPP24C1809A	-	-	-	-	CPAL06C1811A	0.72	(0.13)	86,442	-
BDMS24C1812A	0.11	-	685	-	BPP28C1812A	0.48	(0.05)	30,380	-	CPAL06C1811B	0.06	(0.03)	15,299	-
BDMS28C1811A	0.11	(0.01)	32,276	-	BTS01C1810A	-	-	-	-	CPAL08C1902A	0.27	(0.06)	104,370	-
BEAU01C1812A	0.04	(0.01)	35,348	-	BTS01C1810B	-	-	-	-	CPAL08P1810A	1.05	0.20	72,013	1.00
BEAU01C1812B	0.02	-	1,551	-	BTS01P1810A	0.44	0.01	2,293	-	CPAL11C1903A	0.12	(0.03)	43,266	-
BEAU01P1812A	2.32	0.06	81,065	2.00	BTS06C1903A	-	-	-	-	CPAL11P1903A	1.05	0.18	88,204	1.00
BEAU06C1809A	0.02	-	12,104	-	BTS06C1903B	-	-	-	-	CPAL13C1812A	0.27	(0.08)	474,300	-
BEAU07C1809A	-	-	-	-	BTS06C1903C	-	-	-	-	CPAL19C1811A	0.13	(0.06)	322,517	-
BEAU08C1808A	-	-	-	-	BTS08C1810A	-	-	-	-	CPAL23C1810A	0.04	(0.01)	501	-
BEAU08C1901A	0.02	-	1,001	-	BTS11C1904A	-	-	-	-	CPAL24C1808A	-	-	-	-
BEAU11C1902A	0.02	-	2,411	-	BTS19C1901A	-	-	-	-	CPAL24C1811A	0.02	(0.02)	1,701	-
BEAU13C1811A	0.02	-	11,590	-	BTS23C1905A	-	-	-	-	CPAL24C1901A	0.28	(0.09)	58,722	-
BEAU13C1812A	0.01	(0.01)	540	-	BTS24C1808A	-	-	-	-	CPAL24P1901A	0.48	0.10	33,812	-
BEAU13C1812B	0.17	(0.03)	348,966	-	BTS24C1901A	-	-	-	-	CPAL28C1809A	0.02	0.01	38,308	-
BEAU19C1811A	0.01	-	5,400	-	BTS28C1809A	-	-	-	-	CPAL28C1811A	0.11	(0.03)	65,440	-
BEAU19C1901A	0.25	(0.04)	43,515	-	BTS28C1811A	-	-	-	-	CPF01C1809A	0.70	(0.22)	18,356	-
BEAU23C1901A	0.01	-	31	-	BTS42C1901A	-	-	-	-	CPF01C1809B	0.05	(0.05)	33,761	-
BEAU24C1902A	0.01	-	1,500	-	BTS42P1901A	0.29	-	2,018	-	CPF01C1810A	0.19	(0.06)	97,082	-
BEAU28C1810A	0.01	(0.01)	1,237	-	CBG01C1809A	0.01	-	10,480	-	CPF01P1809A	0.28	0.10	112,065	-
BEAU28C1811A	-	-	-	-	CBG01C1811A	0.24	(0.07)	110,372	-	CPF06C1809A	0.34	(0.24)	4,800	-
BEC01C1808A	0.02	0.01	35,710	-	CBG01C1811B	0.07	(0.05)	41,836	-	CPF07C1810A	-	-	-	-
BEC01C1808B	0.01	-	2,193	-	CBG01P1811A	1.34	0.13	30,542	1.00	CPF08C1809A	0.20	(0.18)	16,334	-
BEC01C1812A	0.19	(0.06)	70,884	-	CBG01P1811B	0.93	0.16	77,648	-	CPF08C1901A	0.15	(0.05)	13,522	-
BEC01C1812B	0.23	(0.10)	49,099	-	CBG06C1809A	0.01	(0.01)	47,500	-	CPF11C1902A	0.08	(0.03)	5,809	-
BEC07C1808A	-	-	-	-	CBG06C1903A	0.47	(0.09)	21,821	-	CPF11P1902A	0.29	0.06	36	

Main Board Quotation

Issue Date :
Friday August 10, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPN23C1810A	0.27	-	8,750	-	GLOB23C1811A	0.57	0.01	3,620	-	IVL08C1901A	0.49	(0.04)	46,712	-
CPN24C1901A	-	-	-	-	GLOB24C1810A	0.26	0.02	14,000	-	IVL08P1809A	-	-	-	-
CPN28C1810A	0.25	0.03	129,205	-	GLOB27C1809A	0.11	-	11,696	-	IVL11C1808A	0.76	(0.10)	19,192	-
DEL106C1903A	1.09	-	4,404	1.00	GLOW08C1811A	-	-	-	-	IVL11P1808A	-	-	-	-
DEL108C1811A	0.16	(0.01)	1,000	-	GLOW19C1901A	0.68	(0.01)	60	-	IVL13C1809A	0.11	(0.03)	902	-
DEL113C1809A	-	-	-	-	GLOW27C1812A	-	-	-	-	IVL13C1810A	0.18	(0.03)	15,732	-
DEL124C1901A	-	-	-	-	GPSCO1C1808A	0.21	(0.05)	27,341	-	IVL13C1812A	0.41	(0.05)	50,436	-
DEL127C1812A	-	-	-	-	GPSCO1C1808B	-	-	-	-	IVL13P1809A	-	-	-	-
DTAC01C1808A	0.20	-	91,994	-	GPSCO1P1808A	1.05	0.05	54,263	1.00	IVL13P1811A	0.32	0.02	90,829	-
DTAC01C1808B	0.02	-	12	-	GPSCO6C1811A	0.25	(0.03)	35,564	-	IVL19C1809A	0.36	(0.05)	13,638	-
DTAC01C1810A	0.47	-	63,819	-	GPSCO8C1808A	-	-	-	-	IVL23C1810A	0.41	(0.07)	450	-
DTAC01C1810B	0.12	-	56,061	-	GPSC11C1808A	0.83	(0.09)	6,266	-	IVL24C1808A	0.04	(0.03)	4,014	-
DTAC01C1902A	0.86	(0.01)	56,319	-	GPSC11C1902A	0.27	(0.02)	9,310	-	IVL24C1812A	0.19	(0.01)	8,735	-
DTAC01C1902B	0.75	-	49,815	-	GPSC13C1808A	-	-	-	-	IVL24C1901A	-	-	-	-
DTAC01P1808A	0.51	0.01	41,134	-	GPSC13C1812A	0.46	(0.05)	75,817	-	IVL28C1811A	0.24	(0.02)	66,070	-
DTAC01P1810A	0.93	(0.02)	58,268	-	GPSC19C1901A	0.56	(0.04)	24,001	-	IVL28C1812A	0.49	(0.04)	50,523	-
DTAC01P1810B	0.46	(0.01)	106,258	-	GPSC24C1808A	-	-	-	-	IVL28P1811A	0.39	0.05	89,941	-
DTAC01P1902A	0.80	-	29,243	-	GPSC24C1812A	0.33	(0.04)	13,006	-	KBAN01C1808A	0.27	-	152,635	-
DTAC01P1902B	0.59	(0.01)	30,265	-	GPSC28C1811A	0.37	(0.03)	34,946	-	KBAN01C1808B	0.01	-	89,999	-
DTAC06C1901A	0.38	-	51,664	-	GUNK01C1808A	-	-	-	-	KBAN01C1810A	1.41	(0.01)	45,972	1.00
DTAC06P1809A	0.17	-	37,712	-	GUNK01C1808B	-	-	-	-	KBAN01C1901A	1.50	(0.01)	29,596	1.00
DTAC07C1809A	-	-	-	-	GUNK08C1902A	-	-	-	-	KBAN01C1901B	0.93	0.01	49,669	-
DTAC08C1809A	-	-	-	-	GUNK11C1903A	-	-	-	-	KBAN01P1808A	0.58	(0.01)	60,980	-
DTAC08P1902A	0.28	-	38,006	-	GUNK24C1812A	-	-	-	-	KBAN01P1808B	0.04	(0.01)	19,233	-
DTAC11C1904A	0.37	(0.01)	20,961	-	GUNK28C1810A	0.24	-	7,098	-	KBAN01P1810A	0.09	(0.02)	13,336	-
DTAC13C1811A	0.16	-	63,942	-	HANA01C1811A	0.49	(0.02)	58,718	-	KBAN01P1901A	0.81	-	52,050	-
DTAC13C1812A	0.54	(0.01)	72,110	-	HANA01C1811B	0.31	(0.02)	72,464	-	KBAN01P1901B	0.32	(0.02)	142,735	-
DTAC13P1811A	0.46	0.01	55,913	-	HANA08C1809A	0.13	(0.02)	57,672	-	KBAN06C1811A	0.92	(0.04)	10,020	-
DTAC13P1812A	0.12	-	35,262	-	HANA11C1904A	0.28	(0.02)	13,526	-	KBAN07C1811A	-	-	-	-
DTAC19C1811A	0.33	-	40,290	-	HANA13C1809A	0.16	(0.03)	232,900	-	KBAN08C1811A	0.89	0.02	23,993	-
DTAC24C1809A	0.09	-	1	-	HANA13C1901A	0.35	(0.65)	92,591	-	KBAN08P1811A	0.15	-	15,863	-
DTAC24C1901A	-	-	-	-	HANA23C1811A	0.47	(0.03)	4,120	-	KBAN13C1810A	0.19	(0.01)	117,281	-
DTAC27C1809A	-	-	-	-	HANA24C1808A	-	-	-	-	KBAN13C1811A	0.97	-	39,048	1.00
DTAC27P1809A	0.07	(0.01)	21,550	-	HANA24C1810A	-	-	-	-	KBAN19C1901A	0.47	(0.01)	87,708	-
DTAC28C1810A	0.07	0.02	1,000	-	HANA28C1812A	0.38	(0.03)	50,797	-	KBAN23C1902A	0.81	0.03	20,500	-
DTAC28C1812A	0.60	(0.01)	172,342	-	HMPR01C1808A	0.29	(0.04)	16,262	-	KBAN24C1902A	-	-	-	-
EA01C1809A	0.66	(0.03)	53,070	-	HMPR01C1808B	-	-	-	-	KBAN24P1811A	0.12	-	9,580	-
EA01C1809B	0.30	(0.02)	37,652	-	HMPR01P1808A	0.23	0.03	23,925	-	KBAN27C1809A	-	-	-	-
EA01P1809A	0.71	-	20,798	-	HMPR06C1811A	0.13	(0.02)	9,992	-	KBAN27P1809A	0.31	(0.01)	8,128	-
EA06C1809A	0.01	(0.01)	1,000	-	HMPR08C1810A	-	-	-	-	KBAN28C1809A	0.05	0.01	190	-
EA07C1810A	-	-	-	-	HMPR11C1808A	0.29	(0.04)	13,745	-	KBAN28C1811A	0.95	0.05	35,145	-
EA08C1809A	-	-	-	-	HMPR11P1808A	-	-	-	-	KBAN28C1812A	0.36	-	199,524	-
EA08C1810A	0.19	-	48,632	-	HMPR13C1812A	0.25	(0.03)	70,348	-	KBAN28P1811A	0.12	-	8,700	-
EA11C1902A	0.09	(0.01)	1,221	-	HMPR19C1901A	0.38	(0.02)	6,300	-	KCE01C1810A	0.79	(0.02)	23,034	-
EA13C1808A	-	-	-	-	HMPR23C1901A	-	-	-	-	KCE01C1810B	0.67	(0.02)	17,103	-
EA13C1808B	-	-	-	-	HMPR24C1808A	-	-	-	-	KCE06C1809A	1.26	0.03	3,302	1.00
EA13C1809A	-	-	-	-	HMPR24C1901A	-	-	-	-	KCE07C1808A	0.01	(0.19)	21,740	-
EA13C1810A	0.02	-	1,479	-	HMPR28C1811A	0.12	(0.02)	400	-	KCE07C1902A	-	-	-	-
EA13C1811A	0.11	(0.01)	7,774	-	INTU01C1809A	0.38	(0.02)	22,850	-	KCE08C1809A	0.91	(0.05)	27,293	-
EA13C1812A	0.19	-	186,693	-	INTU01C1809B	-	-	-	-	KCE11C1808A	0.02	0.01	2	-
EA13C1812B	0.39	(0.01)	47,753	-	INTU01P1809A	0.30	0.01	23,290	-	KCE11C1904A	0.48	(0.01)	12,984	-
EA13P1809A	0.52	(0.01)	733	-	INTU01P1809B	0.07	0.01	5,040	-	KCE13C1808A	-	-	-	-
EA19C1811A	0.34	(0.01)	8,610	-	INTU11C1905A	0.32	(0.01)	3,206	-	KCE13C1811A	-	-	-	-
EA23C1901A	0.32	(0.01)	37,912	-	INTU11P1905A	0.41	-	17,010	-	KCE13C1812A	0.41	(0.01)	53,263	-
EA24C1809A	-	-	-	-	INTU13C1810A	0.14	(0.01)	32,056	-	KCE19C1901A	0.52	0.01	23,099	-
EA28C1809A	0.21	-	21,320	-	INTU13C1812A	0.39	(0.03)	92,944	-	KCE23C1901A	0.36	-	37,100	-
EA28C1809B	0.01	-	650	-	INTU19C1901A	0.34	(0.03)	12,495	-	KCE24C1808A	-	-	-	-
EGCO01C1809A	0.45	(0.06)	43,932	-	INTU24C1901A	-	-	-	-	KCE24C1901A	0.46	(0.05)	20	-
EGCO08C1809A	-	-	-	-	INTU28C1809A	0.08	(0.01)	10,000	-	KCE28C1811A	0.63	-	15,437	-
EGCO13C1809A	0.03	(0.01)	3,000	-	IRPC01C1808A	0.09	(0.03)	167,414	-	KRP01C1808A	0.33	-	29,498	-
EGCO19C1901A	0.34	(0.05)	32,214	-	IRPC01C1810A	0.12	(0.03)	218,734	-	KRP01C1808B	0.01	-	5,857	-
EGCO23C1811A	0.23	(0.05)	32,010	-	IRPC01C1810B	0.02	-	24,247	-	KRP08C1811A	0.51	(0.01)	25,262	-
EGCO24C1808A	-	-	-	-	IRPC01P1808A	0.48	0.08	22,816	-	KRP11C1903A	0.40	(0.01)	9,220	-
EGCO24C1901A	-	-	-	-	IRPC01P1810A	0.39	0.04	32,909	-	KRP13C1811A	0.40	-	40,110	-
EPG01C1809A	0.14	(0.03)	140,905	-	IRPC01P1810B	0.17	0.03	100,483	-	KRP19C1901A	0.64	0.01	11,921	-
EPG01P1809A	0.63	0.06	9,202	-	IRPC06C1811A	0.19	(0.03)	29,638	-	KRP24C1812A	0.46	(0.01)	82	-
EPG07C1811A	-	-	-	-	IRPC07C1812A	-	-	-	-	KRP28C1810A	0.26	-	51,800	-
EPG08C1810A	0.04	-	1	-	IRPC08C1808A	-	-	-	-	KTB01C1808A	0.27	(0.02)	42,123	-
EPG08C1810B	0.48	(0.06)	22,158	-	IRPC08C1902A	0.25	(0.03)	45,903	-	KTB01C1810A	0.49	-	47,722	-
EPG11C1903A	0.43	(0.04)	40,390	-	IRPC11C1902A	0.05	(0.01)	15,707	-	KTB01C1810B	0.27	(0.01)	88,613	-
EPG13C1808A	-	-	-	-	IRPC11C1905A	0.32	(0.03)	10,492	-	KTB01P1808A	0.22	0.01	59,848	-
EPG13C1811A	0.28	(0.04)	24,167	-	IRPC13C1808A	-	-	-	-	KTB06C1902A	0.43	(0.02)	18,681	-
EPG23C1808A	-	-	-	-	IRPC13C1811A	0.11	(0.02)	41,022	-	KTB08C1809A	-	-	-	-
EPG24C1808A	-	-	-	-	IRPC13C1812A	0.23	(0.03)	221,054	-	KTB11C1811A	0.23	(0.02)	21,736	-
EPG24C1810A	-	-	-	-	IRPC19C1901A	0.29	(0.03)	48,004	-	KTB13C1809A	-	-	-	-
ERW24C1904A	-	-	-	-	IRPC23C1810A	-	-	-	-	KTB13C1901A	0.51	(0.02)	46,071	-
ESSO01C1812A	0.50	0.02	100,416	-	IRPC24C1808A	0.13	(0.07)	26,305	-	KTB19C1901A	0.37	(0.01)	22,670	-
ESSO01C1812B	0.32	(0.01)	85,434	-	IRPC24C1809A	-	-	-	-	KTB23C1811A	0.32	(0.01)	20,000	-
ESSO01P1812A	0.62	(0.02)	192,164	-	IRPC24C1812A	0.14	(0.01)	1,000	-	KTB24C1808A	-	-	-	-
ESSO11C1905A	0.64	0.01	14,890	-	IRPC27C1809A	-	-	-	-	KTB24C1811A	-	-	-	-
ESSO13C1811A	0.23	0.01	88,496	-	IRPC28C1811A	-	-	-	-	KTB24P1901A	0.18	-	27,445	-
ESSO19C1901A	0.38	0.02	25,985	-	IRPC28C1812A	0.26	(0.04)	210,432	-	KTB28C1809A	-	-	-	-
ESSO23C1809A	-	-	-	-	ITD01C1808A	0.01	-	20,940	-	KTB28C1811A	0.26	(0.01)	136,719	-
ESSO24C1812A	-	-	-	-	ITD01C1808B	-	-	-	-	KTC01C1808A	0.66	(0.01)	15,951	-
ESSO24C1902A	0.42	(0.02)	12,096	-	ITD01P1808A	1.30	0.04	15,071	1.00	KTC01C1808B	0.02	(0.01)	248,171	-
ESSO28C1811A	0.21	0.01	133,997	-	ITD08C1810A	-	-	-	-	KTC01C1810A	0.24	(0.01)	61,263	-
GFPT08C1906A	0.35	(0.01)	33,128	-	ITD11C1903A	0.12	(0.01)	620	-	KTC01C1810B	0.13	(0.02)	28,561	-
GFPT19C1811A	0.29	(0.02)	3,160	-	ITD13C1809A	-								

Main Board Quotation

Issue Date :

Friday August 10, 2018

Main Board Quotation					Main Board Quotation					Main Board Quotation				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
LH06C1809A	0.27	(0.04)	21,048	-	PTG08C1902A	0.20	(0.03)	7,308	-	PTTG24C1808A	-	-	-	-
LH07C1810A	-	-	-	-	PTG11C1903A	0.11	-	2,350	-	PTTG24C1812A	0.19	(0.06)	85	-
LH11C1808A	0.21	(0.04)	8,064	-	PTG13C1809A	-	-	-	-	PTTG24C1901A	0.64	(0.04)	1,000	-
LH13C1808A	-	-	-	-	PTG13C1812A	0.11	(0.02)	8,363	-	PTTG24P1808A	0.01	-	11,459	-
LH19C1901A	0.24	(0.01)	23,215	-	PTG23C1808A	-	-	-	-	PTTG24P1901A	0.37	0.05	50	-
LH23C1901A	0.14	(0.01)	10,030	-	PTG24C1809A	-	-	-	-	PTTG28C1811A	0.20	(0.06)	177,236	-
LH24C1809A	0.06	(0.02)	502	-	PTG24C1902A	-	-	-	-	PTTG28C1812A	0.73	(0.09)	109,793	-
LPN01C1809A	0.11	0.02	68,198	-	PTG27C1809A	-	-	-	-	QH01C1810A	0.55	(0.01)	163,435	-
LPN01C1811A	0.40	0.05	84,796	-	PTG28C1812A	-	-	-	-	QH01C1810B	0.34	(0.03)	25,702	-
LPN01C1811B	0.20	0.03	73,633	-	PTL08C1811A	0.58	0.03	26,959	-	QH01P1810A	0.20	-	15,620	-
LPN01P1809A	0.43	(0.05)	35,917	-	PTL13C1809A	0.24	0.02	86,276	-	QH08C1808A	0.25	(0.03)	39,250	-
LPN08C1810A	0.08	0.01	4,851	-	PTL28C1810A	0.44	0.04	35,044	-	QH11C1902A	0.45	(0.01)	6,970	-
LPN08C1906A	0.24	0.02	83,152	-	PTT01C1808A	0.70	(0.06)	76,115	-	QH19C1901A	0.26	(0.01)	19,178	-
LPN19C1811A	0.19	0.02	37,742	-	PTT01C1808B	0.10	(0.04)	536,174	-	QH23C1808A	0.38	(0.01)	1,015	-
LPN24C1808A	-	-	-	-	PTT01C1810A	0.22	(0.03)	110,599	-	QH24C1812A	0.22	(0.01)	10,240	-
LPN24C1812A	0.29	0.05	3,572	-	PTT01C1810B	0.06	(0.01)	24,677	-	RATC19C1901A	0.36	(0.01)	150	-
MAJ008C1811A	0.06	-	100	-	PTT01C1901A	0.73	(0.02)	87,912	-	RATC24C1902A	-	-	-	-
MAJ011C1902A	0.09	(0.01)	50	-	PTT01C1901B	0.58	(0.03)	135,993	-	RATC27C1812A	-	-	-	-
MAJ024C1809A	-	-	-	-	PTT01P1808A	0.21	0.01	343,553	-	ROBI01C1809A	0.28	(0.03)	17,644	-
MAJ024C1902A	0.58	(0.03)	30	-	PTT01P1808B	0.01	(0.01)	4,604	-	ROBI06C1809A	0.26	(0.02)	11,532	-
MALE01C1812A	0.02	-	6,740	-	PTT01P1810A	0.88	0.04	77,438	-	ROBI08C1808A	-	-	-	-
MALE08C1811A	-	-	-	-	PTT01P1810B	0.34	0.03	142,808	-	ROBI11C1808A	0.02	(0.03)	20	-
MALE13C1809A	-	-	-	-	PTT01P1901A	0.52	0.02	44,155	-	ROBI19C1901A	0.60	(0.04)	15,154	-
MALE27C1812A	-	-	-	-	PTT01P1901B	0.34	0.01	82,576	-	ROBI24C1901A	-	-	-	-
MALE28C1810A	-	-	-	-	PTT06C1811A	0.12	-	4,500	-	ROBI24C1903A	0.63	(0.03)	4,000	-
MC19C1811A	0.11	-	600	-	PTT06C1901A	0.45	(0.01)	26,518	-	RS13C1901A	0.58	(0.42)	71,870	-
MC23C1809A	-	-	-	-	PTT06P1901A	0.38	-	11,328	-	RS19C1901A	0.54	(0.01)	29,421	-
MC24C1812A	-	-	-	-	PTT07C1811A	-	-	-	-	RS24C1811A	0.53	-	13,659	-
MEGA01C1811A	0.34	(0.01)	26,162	-	PTT08C1809A	0.02	(0.01)	5,092	-	S10001C1811A	0.59	(0.04)	3,540	-
MEGA01C1811B	0.17	(0.01)	5,283	-	PTT08C1902A	0.39	(0.04)	81,005	-	S5001C1808A	0.70	(0.09)	95,936	-
MEGA08C1811A	0.16	(0.02)	9,241	-	PTT08P1809A	0.24	0.02	27,566	-	S5001C1808B	0.49	(0.13)	35,298	-
MEGA11C1902A	0.18	-	4,818	-	PTT11C1902A	0.19	(0.03)	21,527	-	S5001C1809F	0.87	(0.15)	1,684,861	-
MEGA13C1809A	0.03	-	300	-	PTT13C1808A	-	-	-	-	S5001C1809G	0.23	(0.10)	1,135,485	-
MEGA23C1902A	0.23	-	3,000	-	PTT13C1810A	0.07	(0.01)	9,100	-	S5001C1809H	2.20	(0.20)	457,838	2.00
MEGA24C1812A	-	-	-	-	PTT13C1811A	0.26	(0.02)	55,451	-	S5001C1809I	1.64	(0.31)	1,380,475	1.00
MINT01C1808A	0.04	(0.01)	14,000	-	PTT13C1812A	0.40	(0.03)	212,393	-	S5001C1810A	1.40	(0.10)	80,392	1.00
MINT01C1808B	0.01	-	145	-	PTT13P1808A	-	-	-	-	S5001C1810B	1.42	(0.14)	156,923	1.00
MINT01C1901A	0.48	(0.02)	66,706	-	PTT13P1812A	-	0.26	38,942	-	S5001P1808A	0.79	0.08	99,803	-
MINT01C1901B	0.35	(0.03)	136,860	-	PTT19C1809A	-	-	-	-	S5001P1808B	0.87	0.14	139,653	-
MINT01P1808A	0.57	0.07	54,066	-	PTT19C1901A	0.46	(0.04)	38,127	-	S5001P1809F	1.37	0.16	2,957,187	1.00
MINT01P1901A	0.30	0.02	44,115	-	PTT23C1901A	0.14	(0.01)	18,168	-	S5001P1809G	0.61	0.12	1,272,106	-
MINT06C1809A	0.04	(0.03)	13,240	-	PTT24C1809A	-	-	-	-	S5001P1809H	0.07	0.01	109,758	-
MINT06C1901A	0.31	(0.03)	48,565	-	PTT24C1812A	0.34	(0.05)	300	-	S5001P1809I	0.04	-	58,756	-
MINT07C1810A	-	-	-	-	PTT24P1808A	-	-	-	-	S5001P1810A	0.25	0.04	181,397	-
MINT08C1809A	0.04	(0.01)	5,000	-	PTT24P1901A	0.16	0.01	3,260	-	S5001P1810B	0.16	0.03	61,513	-
MINT11C1902A	0.14	(0.03)	11,689	-	PTT27C1809A	-	-	-	-	S5006C1812B	0.23	(0.09)	8,130	-
MINT11P1902A	0.19	0.01	14,930	-	PTT27P1809A	0.07	-	6,900	-	S5006C1809B	0.10	(0.05)	44,516	-
MINT13C1810A	0.12	(0.02)	63,055	-	PTT28C1811A	0.07	(0.01)	19,195	-	S5006C1809C	0.44	(0.13)	4,340	-
MINT13C1812A	0.41	(0.02)	117,338	-	PTT28C1811B	0.25	(0.01)	88,150	-	S5006C1809D	0.14	(0.06)	7,337	-
MINT19C1901A	0.42	(0.04)	23,187	-	PTT28C1812A	0.39	(0.02)	263,933	-	S5006C1812A	0.71	(0.12)	35,315	-
MINT23C1810A	0.09	(0.03)	7,000	-	PTT28C1901A	0.21	(0.02)	116,790	-	S5006C1812B	0.76	(0.12)	16,598	-
MINT24C1812A	-	-	-	-	PTT28P1812A	0.18	0.01	27,021	-	S5006P1809A	1.19	0.17	13,776	1.00
MINT24C1901A	0.42	(0.05)	6,001	-	PTTE01C1808A	1.23	(0.08)	40,477	1.00	S5006P1809B	0.51	0.10	1,190	-
MINT28C1811A	0.24	(0.02)	116,866	-	PTTE01C1808B	0.57	(0.12)	49,017	-	S5006P1809C	0.57	0.07	21,162	-
MON001C1810A	0.03	(0.01)	4,364	-	PTTE01C1901A	0.80	(0.05)	83,301	-	S5006P1809D	0.22	0.04	342	-
MON001C1810B	-	-	-	-	PTTE01C1901B	0.55	(0.05)	60,298	-	S5006P1812A	1.12	0.11	21,508	1.00
MON008C1808A	-	-	-	-	PTTE01P1808A	0.02	-	69,217	-	S5006P1812B	0.40	0.05	44,477	-
MON008C1906A	0.08	(0.01)	8,260	-	PTTE01P1901A	1.14	0.04	37,314	1.00	S5008C1809A	0.87	(0.23)	219,921	-
MON013C1808A	-	-	-	-	PTTE01P1901B	0.71	0.06	71,323	-	S5008P1809A	0.08	0.02	34,350	-
MON013C1811A	0.02	(0.01)	8,100	-	PTTE06C1811A	0.49	(0.08)	20,361	-	S5013C1809A	0.14	(0.06)	2,081,889	-
MON013C1901A	0.16	(0.02)	12,535	-	PTTE07C1809A	0.22	(0.08)	800	-	S5013C1809B	0.33	(0.11)	1,887,177	-
MON019C1811A	0.07	(0.02)	13,769	-	PTTE08C1811A	0.39	(0.07)	79,081	-	S5013C1809C	0.27	(0.11)	1,646,448	-
MON023C1809A	-	-	-	-	PTTE08P1809A	-	-	-	-	S5013C1809D	0.65	(0.19)	6,658,217	-
MON023C1901A	-	-	-	-	PTTE08P1811A	0.20	0.03	33,705	-	S5013C1809E	1.14	(0.22)	1,821,173	1.00
MON024C1812A	0.01	-	650	-	PTTE11C1902A	0.67	(0.08)	18,397	-	S5013C1809F	0.72	(0.11)	1,626,341	-
MON024C1812B	0.10	-	480	-	PTTE13C1811A	0.33	(0.06)	121,198	-	S5013P1809A	0.97	0.17	1,282,369	-
MON028C1811A	-	-	-	-	PTTE13C1812A	0.64	(0.07)	46,895	-	S5013P1809B	0.44	0.10	4,275,745	-
MON028C1901A	0.14	(0.02)	22,809	-	PTTE13P1811A	0.16	0.02	129,675	-	S5013P1809C	0.61	0.11	4,917,704	-
MTC06C1901A	0.58	(0.02)	199,953	-	PTTE13P1901A	0.57	0.04	59,627	-	S5013P1809D	0.20	0.05	2,205,172	-
MTC08C1811A	0.19	-	132,776	-	PTTE19C1811A	0.55	(0.06)	15,106	-	S5013P1809E	0.06	0.01	3,344,756	-
MTC08C1902A	0.43	(0.03)	13,681	-	PTTE23C1901A	0.13	(0.02)	15,628	-	S5013P1809F	0.82	0.11	2,892,303	-
MTC11C1904A	0.39	(0.01)	38,708	-	PTTE24C1811A	0.22	(0.03)	1,000	-	S5028C1809A	0.25	(0.09)	1,707,261	-
MTC13C1809A	0.05	(0.01)	10,500	-	PTTE24C1901A	-	-	-	-	S5028C1809B	1.03	(0.19)	1,311,116	1.00
MTC13C1811A	0.54	(0.02)	640,832	-	PTTE24P1809A	0.01	-	22	-	S5028P1809A	0.41	0.08	2,387,357	-
MTC19C1901A	0.45	-	27,715	-	PTTE24P1901A	0.62	0.04	150	-	S5028P1809B	0.11	0.02	243,715	-
MTC23C1808A	-	-	-	-	PTTE27C1809A	0.78	(0.03)	2,000	-	SAWA01C1808A	0.02	0.01	4,001	-
MTC24C1808A	-	-	-	-	PTTE27P1809A	-	-	-	-	SAWA01C1808B	0.02	0.01	37,676	-
MTC24C1810A	0.26	-	147,600	-	PTTE28C1810A	0.26	(0.06)	38,669	-	SAWA01C1901A	0.50	(0.02)	175,488	-
MTC24C1812A	0.51	(0.01)	2,100	-	PTTE28C1811A	0.17	(0.03)	32,764	-	SAWA01C1901B	0.38	(0.03)	116,223	-
MTC28C1809A	0.35	-	66,903	-	PTTE28P1811A	0.18	0.02	24,686	-	SAWA01P1808A	2.08	0.04	25,747	2.00
ORI11C1811A	0.23	(0.01)	16,246	-	PTTG01C1808A	0.11	(0.06)	174,886	-	SAWA01P1901A	0.89	0.03	42,581	-
ORI13C1810A	0.49	0.01	118,948	-	PTTG01C1810A	0.21	(0.06)	145,210	-	SAWA06C1811A	0.05	-	13,000	-
ORI19C1811A	0.30	(0.01)	30,222	-	PTTG01C1810B	0.02	(0.01)	54,692	-	SAWA06C1903A	0.70	(0.05)	44,330	-
ORI23C1809A	0.09	(0.01)	13,000	-	PTTG01C1811A	0.44	(0.							

Main Board Quotation

Issue Date :

Friday August 10, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB01C1902B	1.02	(0.06)	32,874	1.00	STEC01P1809A	1.04	0.11	49,746	1.00	TMB13C1811A	0.06	(0.01)	8,087	-
SCB01P1808A	0.86	0.06	73,134	-	STEC06C1809A	0.14	(0.05)	17,920	-	TMB13C1901A	0.24	-	29,846	-
SCB01P1808B	0.05	-	215,512	-	STEC08C1809A	0.08	(0.03)	12,214	-	TMB19C1901A	0.16	(0.01)	21,651	-
SCB01P1902A	0.43	0.01	286,666	-	STEC11C1903A	0.36	(0.06)	13,215	-	TMB23C1810A	-	-	-	-
SCB01P1902B	0.22	0.01	52,190	-	STEC13C1809A	0.04	(0.02)	3,011	-	TMB24C1809A	-	-	-	-
SCB06C1811A	0.77	(0.03)	31,938	-	STEC19C1901A	0.37	(0.06)	5,750	-	TMB24C1901A	-	-	-	-
SCB08C1901A	0.62	(0.02)	41,358	-	STEC23C1808A	-	-	-	-	TMB28C1809A	-	-	-	-
SCB11C1901A	0.33	(0.02)	23,310	-	STEC24C1808A	-	-	-	-	TMB28C1901A	0.18	(0.02)	91,388	-
SCB11P1901A	0.35	0.03	87,850	-	STEC24C1901A	-	-	-	-	TOA01C1901A	0.43	(0.04)	8,758	-
SCB13C1809A	0.07	(0.03)	2,665	-	STEC28C1810A	0.30	(0.06)	18,084	-	TOA01C1901B	0.34	(0.02)	10,704	-
SCB13C1812A	0.73	(0.05)	185,419	-	STPI08C1811A	-	-	-	-	TOA08C1902A	0.25	(0.02)	18,914	-
SCB13P1812A	0.10	0.01	18,086	-	SUPE08C1808A	-	-	-	-	TOA13C1812A	0.34	(0.02)	50,083	-
SCB19C1811A	0.41	(0.05)	29,353	-	SUPE08C1811A	0.12	-	2,151	-	TOA19C1901A	0.32	(0.03)	12,510	-
SCB24C1901A	-	-	-	-	SUPE13C1810A	0.05	(0.01)	2,560	-	TOA24C1812A	-	-	-	-
SCB24C1902A	-	-	-	-	SUPE13C1811A	0.10	-	1,059	-	TOA28C1812A	0.29	(0.01)	12,140	-
SCB24P1811A	0.11	0.01	23,546	-	SUPE23C1811A	-	-	-	-	TOP01C1808A	0.03	-	17,145	-
SCB28C1809A	0.10	(0.03)	145,174	-	SUPE23C1901A	0.07	0.01	1,300	-	TOP01C1808B	-	-	-	-
SCB28C1812A	0.60	(0.03)	73,451	-	SUPE28C1810A	-	-	-	-	TOP01C1901A	1.29	0.03	58,619	1.00
SCB28P1812A	0.06	-	25,637	-	SUPE28C1811A	-	-	-	-	TOP01C1901B	1.16	0.02	52,979	1.00
SCC01C1808A	0.19	0.01	75,030	-	TASCO1C1809A	-	-	-	-	TOP01P1808A	1.29	(0.02)	28,946	1.00
SCC01C1808B	0.01	-	32,609	-	TASCO1C1810A	0.10	(0.01)	33,658	-	TOP01P1901A	0.78	(0.02)	46,809	-
SCC01C1901A	0.76	(0.02)	49,804	-	TASCO1C1810B	-	-	-	-	TOP06C1809A	0.02	-	46,058	-
SCC01C1901B	0.67	-	37,988	-	TASCO1P1809A	1.95	0.02	57,690	1.00	TOP06C1903A	0.96	0.03	48,205	-
SCC01P1808A	0.44	-	21,794	-	TASCO1P1810A	0.87	0.02	40,219	-	TOP07C1812A	-	-	-	-
SCC01P1901A	0.32	-	167,315	-	TASCO7C1811A	-	-	-	-	TOP08C1811A	0.10	0.01	50,691	-
SCC06C1809A	0.05	(0.01)	350	-	TASCO8C1808A	-	-	-	-	TOP11C1808A	-	-	-	-
SCC06C1902A	0.41	-	28,578	-	TASCI1C1904A	0.10	-	17,920	-	TOP11C1905A	0.88	0.02	45,065	-
SCC07C1812A	-	-	-	-	TASCI3C1810A	-	-	-	-	TOP13C1811A	0.08	0.01	38,539	-
SCC08C1809A	0.05	-	1,000	-	TASC23C1902A	0.24	(0.01)	23,500	-	TOP13C1901A	0.52	0.04	159,075	-
SCC08C1902A	0.47	(0.02)	74,470	-	TASC24C1810A	-	-	-	-	TOP18C1808A	-	-	-	-
SCC11C1811A	0.14	-	20,848	-	TASC24C1903A	0.27	-	5,560	-	TOP19C1901A	0.37	0.02	40,367	-
SCC11P1811A	0.21	(0.01)	51,659	-	TCAP01C1901A	0.65	(0.02)	92,926	-	TOP23C1811A	0.13	0.01	37,682	-
SCC13C1809A	0.05	(0.01)	720	-	TCAP01C1901B	0.56	(0.01)	24,818	-	TOP24C1901A	0.15	0.01	3,370	-
SCC13C1812A	0.26	(0.01)	44,174	-	TCAP01P1901A	0.33	(0.01)	53,804	-	TOP24C1902A	0.56	0.08	10,700	-
SCC13C1901A	0.52	(0.01)	121	-	TCAP08C1810A	0.11	(0.01)	7,270	-	TOP28C1810A	-	-	-	-
SCC19C1811A	0.19	(0.01)	34,190	-	TCAP11C1811A	0.16	(0.01)	11,537	-	TOP28C1812A	0.48	0.03	93,619	-
SCC19C1901A	0.49	-	31,610	-	TCAP13C1809A	-	-	-	-	TP101C1812A	0.21	(0.01)	32,962	-
SCC23C1811A	-	-	-	-	TCAP13C1901A	0.51	(0.02)	141,758	-	TP101C1812B	0.14	(0.01)	25,886	-
SCC24C1812A	0.09	-	630	-	TCAP19C1901A	0.42	(0.02)	13,346	-	TP107C1812A	-	-	-	-
SCC24C1901A	-	-	-	-	TCAP24C1903A	-	-	-	-	TP113C1809A	-	-	-	-
SCC24P1901A	0.21	(0.01)	20,980	-	THAI01C1808A	0.09	(0.01)	5,642	-	TP119C1901A	0.24	(0.01)	5,940	-
SCC27C1809A	-	-	-	-	THAI01C1808B	-	-	-	-	TP123C1809A	-	-	-	-
SCC27P1809A	0.25	(0.02)	9,498	-	THAI01C1901A	0.43	(0.02)	56,537	-	TP124C1808A	-	-	-	-
SCC28C1811A	0.21	-	90,828	-	THAI01C1901B	0.29	(0.01)	15,324	-	TP124C1902A	-	-	-	-
SCC28C1812A	0.49	-	173,315	-	THAI01P1808A	0.48	0.01	15,377	-	TP1P01C1810A	0.39	(0.02)	15,382	-
SCC08C1811A	0.05	0.01	16,690	-	THAI01P1901A	0.70	0.02	36,540	-	TP1P01C1810B	0.13	(0.02)	22,982	-
SCC13C1809A	-	-	-	-	THAI06C1809A	0.15	(0.01)	14,250	-	TP1P01P1810A	0.56	(0.01)	17,102	-
SCC27C1812A	0.10	0.02	1	-	THAI07C1811A	-	-	-	-	TP1P08C1808A	-	-	-	-
SGP08C1808A	0.02	0.01	1	-	THAI08C1808A	0.01	-	9,849	-	TP1P11C1811A	0.09	-	21	-
SGP08C1901A	0.42	(0.01)	20,562	-	THAI11C1808A	-	-	-	-	TP1P13C1811A	0.22	-	500	-
SGP11C1904A	0.20	(0.01)	3,169	-	THAI13C1811A	0.11	(0.01)	14,864	-	TP1P23C1808A	-	-	-	-
SGP13C1811A	-	-	-	-	THAI19C1901A	0.42	(0.02)	23,877	-	TP1P24C1901A	0.35	-	117	-
SGP13C1812A	0.29	(0.02)	37,213	-	THAI23C1901A	0.04	-	1,300	-	TP1P27C1812A	0.05	(0.01)	41	-
SGP19C1811A	0.32	-	12,237	-	THAI24C1808A	-	-	-	-	TRUE01C1808A	0.30	0.01	187,834	-
SGP24C1808A	-	-	-	-	THAI24C1901A	0.29	(0.03)	23,000	-	TRUE01C1808B	0.04	-	24,774	-
SGP24C1811A	-	-	-	-	THAI27C1809A	-	-	-	-	TRUE01C1902A	0.56	0.01	71,005	-
SGP24C1902A	-	-	-	-	THAN01C1812A	0.44	0.01	9,810	-	TRUE01C1902B	0.48	0.01	44,696	-
SGP28C1809A	0.01	-	46,710	-	THAN13C1809A	-	-	-	-	TRUN01P1808A	0.19	(0.02)	65,244	-
SGP28C1811A	0.14	(0.01)	29,600	-	THAN24C1903A	0.46	0.01	5	-	TRUN01P1902A	0.47	(0.01)	19,150	-
SRI01C1808A	0.01	-	15,015	-	THAN28C1810A	-	-	-	-	TRUN01P1902B	0.36	-	100	-
SRI01C1808B	0.01	-	5,000	-	THCO01C1809A	0.09	0.01	50,793	-	TRUE06C1811A	0.15	0.02	10,298	-
SRI01C1901A	0.41	(0.01)	60,029	-	THCO01P1809A	0.54	(0.05)	3,003	-	TRUE06C1906A	0.35	0.02	10,501	-
SRI01C1901B	0.18	-	51,868	-	THCO08C1906A	0.24	0.02	68,959	-	TRUN08C1809A	0.10	0.01	4,702	-
SRI01P1808A	0.57	0.02	22,062	-	THCO11C1902A	0.15	0.01	9,279	-	TRUN08C1902A	0.45	0.02	44,726	-
SRI01P1901A	0.59	0.01	18,737	-	THCO19C1811A	0.14	0.01	13,059	-	TRUN08P1809A	0.06	(0.01)	4,690	-
SRI08C1808A	-	-	-	-	THCO23C1808A	0.01	-	10	-	TRUE11C1905A	0.37	-	13,364	-
SRI08C1810A	-	-	-	-	THCO24C1810A	0.24	0.02	7	-	TRUE13C1810A	0.06	0.01	1,990	-
SRI11C1902A	0.14	-	42,702	-	THCO28C1901A	0.32	0.03	118,339	-	TRUE13C1812A	0.31	0.01	144,794	-
SRI13C1809A	-	-	-	-	TISC01C1808A	0.17	(0.03)	23,674	-	TRUE16C1812A	0.32	-	11,795	-
SRI13C1811A	-	-	-	-	TISC01C1808B	0.01	-	38,396	-	TRUE19C1901A	0.21	-	10,327	-
SRI13C1812A	-	-	-	-	TISC08C1808A	0.01	(0.01)	3,202	-	TRUE23C1902A	0.26	(0.02)	20,000	-
SRI24C1809A	-	-	-	-	TISC11C1903A	0.21	(0.02)	5,071	-	TRUE27C1809A	0.17	(0.01)	1,653	-
SRI24C1903A	-	-	-	-	TISC13C1811A	0.26	(0.03)	17,219	-	TRUE27P1809A	0.20	(0.01)	7,738	-
SRI28C1809A	0.02	(0.01)	11	-	TISC13C1812A	0.66	(0.03)	7,222	-	TRUE28C1810A	-	-	-	-
SRI28C1901A	0.34	(0.01)	122,990	-	TISC19C1901A	0.38	(0.02)	9,663	-	TRUE28C1812A	0.25	0.02	100,687	-
SPAL01C1808A	0.40	-	14,652	-	TISC24C1812A	0.18	(0.02)	532	-	TTA08C1808A	-	-	-	-
SPAL01C1808B	0.02	-	20,001	-	TISC28C1901A	0.63	(0.04)	56,624	-	TTA08C1906A	0.29	-	3,600	-
SPAL06C1809A	0.48	-	23,160	-	TKN01C1808A	0.02	(0.02)	50,889	-	TTA13C1809A	0.01	(0.01)	1,000	-
SPAL08C1808A	-	-	-	-	TKN01C1808B	0.01	-	2,691	-	TTA13C1901A	0.24	-	2,000	-
SPAL11C1905A	0.15	-	2,116	-	TKN01C1901A	0.56	(0.06)	97,904	-	TTA18C1808A	-	-	-	-
SPAL23C1811A	0.56	(0.01)	15,200	-	TKN01C1901B	0.43	(0.07)	127,895	-	TTA19C1811A	-	-	-	-
SPAL24C1808A	-	-	-	-	TKN08C1808A	-	-	-	-	TTA23C1808A	-	-	-	-
SPAL24C1812A	0.21	0.01	1,000	-	TKN08C1811A	0.07	(0.04)	18,304	-	TTA23C1901A	-	-	-	-
SPRC01C1808A	0.13	(0.01)	18,496	-	TKN11C1902A	0.15	(0.04)	47,378	-	TTA24C1809A	-	-	-	-
SPRC01C1808B	-	-	-	-	TKN13C1808A	-	-	-	-	TTA24C1902A	-	-	-	-
SPRC06C1809A	-	-	-	-	TKN13C1810A	0.05	(0.02)	8,579	-	TTA28C1812A	0.11	(0.01)	8,250	-
SPRC06C1902A	0.53	0.01	4,524	-	TKN13C1811A	0.06	(0.03)	9,229	-	TU01C1808A	0.07	-	12,554	-
SPRC08C1808A	-	-	-	-	TKN13C1812A	0.26	(0.09)	178,413	-	TU01C1808B	0.01	-	2,780	-
SPRC11C1902A														

Main Board Quotation

Issue Date :

Friday August 10, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TVO11C1903A	0.11	-	1,000	-	EIC-W2	0.02	-	100	-	FVC-W2	0.46	-	1,895	-
TVO13C1809A	-	-	-	-	EIC-W3	-	-	-	-	ITEL-W1	0.30	(0.01)	8,663	-
TVO23C1808A	-	-	-	-	EIC-W4	-	-	-	-	JKN-W1	2.44	-	4,215	2.00
TVO24C1810A	-	-	-	-	EVER-W3	0.03	-	150	-	LIT-W1	2.26	(0.20)	1,393	2.00
TVO24C1903A	0.28	-	97	-	GJS-W3	-	-	-	-	META-W2	0.06	-	10,797	-
UNI001C1809A	0.07	(0.02)	353,643	-	GSTEL-W1	-	-	-	-	NDR-W1	0.12	-	10,893	-
UNI001C1810A	0.22	(0.03)	25,351	-	GSTEL-W2	-	-	-	-	NEWS-W4	-	-	-	-
UNI001C1810B	0.06	(0.01)	23,620	-	IEC-W2	-	-	-	-	NEWS-W5	-	-	-	-
UNI001P1809A	0.61	0.03	5,488	-	IHL-W1	5.05	(0.15)	299	5.00	NEWS-W6	-	-	-	-
UNI008C1808A	-	-	-	-	ITD-W1	0.11	-	7,911	-	PHOL-W1	0.06	-	55,730	-
UNI008C1810A	-	-	-	-	IVL-W2	-	-	-	-	PIMO-W1	1.98	(0.02)	2,931	1.00
UNI008C1906A	0.24	(0.03)	26,548	-	JAS-W3	2.06	(0.06)	30,077	2.00	PPS-W1	0.85	(0.02)	1	-
UNI011C1811A	-	-	-	-	JCK-W5	0.49	-	440	-	PSTC-W1	0.26	0.01	1,292	-
UNI013C1809A	-	-	-	-	JMART-W2	1.98	(0.22)	124,779	2.00	SIMAT-W2	0.44	-	65	-
UNI013C1901A	0.24	(0.02)	67,245	-	MIDA-W2	-	-	-	-	SIMAT-W3	0.60	-	587	-
UNI019C1811A	-	-	-	-	MILL-W3	0.02	(0.02)	17,161	-	SIMAT-W4	1.36	(0.07)	7,367	1.00
UNI023C1901A	0.10	-	3,000	-	MILL-W4	0.29	(0.02)	6,848	-	SKY-W1	-	-	-	-
UNI024C1811A	-	-	-	-	MILL-W5	0.19	-	34,200	-	STAR-W3	1.98	(0.02)	2,861	1.00
UNI028C1809A	-	-	-	-	ML-W2	0.02	-	1,339	-	TAKUNI-W	0.20	-	7,110	-
UNI028C1811A	0.10	(0.01)	20,240	-	MONO-W1	0.41	(0.07)	124,551	-	TAPAC-W3	2.44	0.06	510	2.00
UV13C1808A	-	-	-	-	NEP-W3	0.10	(0.03)	2,250	-	TMILL-W1	1.00	(0.05)	1,051	1.00
UV13C1812A	0.42	(0.03)	88,278	-	NOK-W1	0.78	(0.20)	4,925	-	TSF-W4	-	-	-	-
UV23C1809A	-	-	-	-	NPPG-W3	0.09	0.02	88,182	-	TSF-W5	0.03	0.01	1,001	-
UV24C1812A	-	-	-	-	NUSA-W3	-	-	-	-	TVD-W2	0.48	(0.02)	6,333	-
VGI01C1812A	0.60	(0.03)	107,992	-	NVD-W1	0.18	0.01	77,132	-	UAC-W2	0.88	(0.02)	5,268	-
VGI06C1904A	5.95	(0.25)	200	6.00	ORI-W1	2.74	-	45,901	2.00	UKEM-W2	0.52	(0.03)	1,182	-
VGI06C1904B	6.00	-	20	6.00	PACE-W1	-	-	-	-	UWC-W2	0.01	-	211	-
VGI06C1904C	6.00	(0.15)	400	6.00	PACE-W2	0.27	0.08	471,217	-	XO-W1	6.30	0.95	52,839	6.00
VGI08C1811A	0.53	(0.02)	4,252	-	PDI-W1	1.14	(0.01)	23,517	1.00	Preferred Shares	-	-	-	-
VGI23C1905A	-	-	-	-	PDJ-W2	1.55	(0.03)	97	1.00	SGF-P1	-	-	-	-
VGI23C1911A	-	-	-	-	PDJ-W3	1.45	(0.01)	97	1.00	-	-	-	-	-
VGI27C1812A	-	-	-	-	PDJ-W4	1.43	-	198	1.00	-	-	-	-	-
VGI28C1810A	0.28	(0.05)	33,841	-	PLE-W3	0.11	-	1,582	-	-	-	-	-	-
WHA01C1812A	0.52	(0.01)	10,840	-	RICH-W1	-	-	-	-	-	-	-	-	-
WHA01C1812B	0.43	(0.01)	12,227	-	RICHY-W1	0.30	(0.02)	31,195	-	-	-	-	-	-
WHA01P1812A	0.69	0.02	13,619	-	RICHY-W2	0.17	-	2,359	-	-	-	-	-	-
WHA06C1809A	0.09	(0.01)	14,296	-	RS-W3	7.85	(0.15)	184	7.00	-	-	-	-	-
WHA07C1810A	0.14	(0.01)	500	-	S-W1	0.12	(0.01)	10,708	-	-	-	-	-	-
WHA08C1811A	0.14	-	19,766	-	SAMART-W2	0.31	-	5,912	-	-	-	-	-	-
WHA11C1903A	0.20	(0.01)	21,914	-	SAWAD-W1	4.82	(0.06)	485	4.00	-	-	-	-	-
WHA13C1808A	-	-	-	-	SDC-W1	0.06	-	1,000	-	-	-	-	-	-
WHA13C1812A	0.39	(0.01)	26,429	-	SMM-W4	0.02	(0.01)	96,139	-	-	-	-	-	-
WHA19C1901A	0.37	(0.01)	5,436	-	SMT-W1	0.10	0.01	12,338	-	-	-	-	-	-
WHA23C1810A	-	-	-	-	SMT-W2	0.65	(0.05)	65,963	-	-	-	-	-	-
WHA24C1811A	0.09	-	5,280	-	SPALI-W4	19.40	(0.10)	91	19.00	-	-	-	-	-
WHA28C1809A	0.28	(0.01)	21,488	-	SPORT-W5	0.08	-	1,124	-	-	-	-	-	-
WHAU01C1810A	0.17	(0.03)	36,074	-	SUPER-W4	0.11	-	513,335	-	-	-	-	-	-
WHAU01C1810B	0.03	(0.02)	7,477	-	SUSCO-W1	0.17	-	13,690	-	-	-	-	-	-
WHAU24C1812A	-	-	-	-	SVI-W3	1.30	0.05	549	1.00	-	-	-	-	-
WORK01C1811A	0.37	(0.11)	47,717	-	TCC-W3	0.29	(0.14)	72	-	-	-	-	-	-
WORK01C1811B	0.21	(0.08)	26,957	-	TCC-W4	0.12	(0.01)	267	-	-	-	-	-	-
WORK08C1809A	-	-	-	-	TCC-W5	0.17	0.01	302	-	-	-	-	-	-
WORK08C1901A	0.28	(0.09)	16,823	-	TCJ-W2	1.03	0.02	521	1.00	-	-	-	-	-
WORK11C1903A	0.07	(0.04)	37,891	-	TCMC-W2	0.32	-	1,103	-	-	-	-	-	-
WORK13C1809A	-	-	-	-	TFG-W1	-	-	-	-	-	-	-	-	-
WORK13C1810A	0.01	-	16,308	-	TFG-W2	0.69	-	5,937	-	-	-	-	-	-
WORK13C1811A	0.06	(0.04)	34,229	-	TH-W2	-	-	-	-	-	-	-	-	-
WORK13C1812A	0.28	(0.13)	115,295	-	THE-W2	0.06	-	16,089	-	-	-	-	-	-
WORK19C1811A	0.09	(0.06)	21,645	-	TNITY-W1	0.99	(0.02)	5,786	1.00	-	-	-	-	-
WORK24C1810A	-	-	-	-	TNPC-W1	0.51	-	12,319	-	-	-	-	-	-
WORK24C1812A	0.20	(0.09)	22,508	-	TRITN-W3	0.15	(0.02)	287,866	-	-	-	-	-	-
WORK28C1809A	-	-	-	-	TSR-W1	0.69	(0.11)	77,170	-	-	-	-	-	-
WORK28C1811A	0.05	(0.04)	57,894	-	TTA-W5	0.23	(0.01)	45,366	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	TTCL-W1	1.08	(0.02)	16,441	1.00	-	-	-	-	-
BH-Q	-	-	-	-	U-W1	0.01	-	30,000	-	-	-	-	-	-
CSC-Q	-	-	-	-	U-W4	0.01	-	21,021	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	VIBHA-W2	1.43	-	848	1.00	-	-	-	-	-
KTB-Q	-	-	-	-	VIBHA-W3	0.31	(0.02)	5,885	-	-	-	-	-	-
SCB-Q	-	-	-	-	WAVE-W1	0.39	0.01	245	-	-	-	-	-	-
TCAP-Q	-	-	-	-	WHA-W1	6.55	0.25	1,125	6.00	-	-	-	-	-
TIC-Q	-	-	-	-	WORK-W1	8.85	(2.45)	1,002	8.00	-	-	-	-	-
TISCO-Q	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	CSC-P	-	-	-	-	-	-	-	-	-
7UP-W2	0.08	(0.02)	168,886	-	JUTHA-P	-	-	-	-	-	-	-	-	-
ACC-W1	0.03	0.01	5	-	KTB-P	-	-	-	-	-	-	-	-	-
AJA-W1	0.20	-	7,908	-	SCB-P	-	-	-	-	-	-	-	-	-
ALT-W1	0.71	(0.01)	3,264	-	TCAP-P	-	-	-	-	-	-	-	-	-
APURE-W2	0.17	(0.01)	6,371	-	TIC-P	-	-	-	-	-	-	-	-	-
AQ-W4	0.01	-	11	-	TISCO-P	-	-	-	-	-	-	-	-	-
AS-W1	0.46	(0.02)	4,336	-	U-P	0.03	-	2,139,169	-	-	-	-	-	-
AYUD-W1	2.32	(0.08)	14,792	2.00	Warrant (MAI)	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	2S-W1	0.16	0.01	6,279	-	-	-	-	-	-
B-W4	0.18	-	16,488	-	ACAP-W2	2.40	(0.22)	2,235	2.00	-	-	-	-	-
BTS-W3	0.01	-	74,731	-	AIRA-W2	0.06	-	305	-	-	-	-	-	-
BWG-W4	0.06	(0.01)	6,268	-	ATP30-W1	0.84	(0.02)	5,289	-	-	-	-	-	-
CEN-W4	0.03	(0.01)	25,350	-	BSM-W2	0.18	(0.01)	322	-	-	-	-	-	-
CGD-W4	0.21	(0.01)	150,334	-	CHEWA-W1	0.13	0.01	88,845	-	-	-	-	-	-
CGH-W3	0.06	-	4,342	-	CIG-W7	0.03	-	6	-	-	-	-	-	-
CI-W1	0.38	(0.02)	67	-	DIMET-W2	0.13	(0.02)	132,116	-	-	-	-	-	-
CKP-W1	0.36	-	10,270	-	DNA-W1	1.28	(0.58)	452,844	1.00	-	-	-	-	-
CRANE-W1	-	-	-	-	ECF-W2	4.28	0.02	12,177	4.00	-	-	-	-	-
CWT-W4	0.46	(0.04)	9,560	-	ECF-W3	3.14	(0.04)	12,665	3.00	-	-	-	-	-
DCC-W1	0.75	0.01	138,880	-	EFORL-W3	0.02	-	48,971	-	-	-	-	-	-
DCON-W1	-	-	-	-	EFORL-W4	0.02	-	67,530	-	-	-	-	-	-
DIGI-W1	0.04	(0.01)	3,690	-	FC-W1	0.06	(0.01)	27,391	-	-	-	-	-	-
DIGI-W2	0.02	-	12,968	-	FC-W2	0.04	0.01	10	-	-	-	-	-	-
EARTH-W4	-	-	-	-	FOCUS-W2	0.25	-	102	-	-	-	-	-	-

