

Main Board Quotation

Issue Date :

Tuesday August 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	11.00	0.50	72,687	10.91	SE-ED	2.84	0.12	827	2.84
POMPI	-	-	-	-	ILINK	5.40	0.10	5,618	5.33	SMM	0.86	(0.02)	173	0.86
SAFARI	-	-	-	-	INET	3.98	0.04	4,266	3.94	SPORT	0.58	-	1,500	0.56
VI	-	-	-	-	INTUCH	56.25	-	49,074	56.16	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	5.20	(0.10)	231,130	5.21	TH	0.69	0.07	63,287	0.69
WR	-	-	-	-	JASIF	10.60	0.10	65,967	10.47	TKS	10.30	(0.10)	9,876	10.27
Agribusiness	-	-	-	-	JMART	9.35	(0.45)	26,088	9.45	TRITN	0.31	-	65,691	0.30
CHOTI	140.00	-	6	140.00	JTS	1.54	(0.02)	846	1.56	VGI	7.10	(0.25)	164,263	7.06
EE	0.71	(0.07)	213,843	0.70	MFEF	3.96	0.02	1,495	3.94	WAVE	2.68	(0.02)	1	2.68
GFPT	12.70	0.10	16,188	12.50	MSC	6.25	0.35	8,373	6.27	WORK	39.00	-	15,803	38.76
LEE	2.76	-	1,048	2.76	PT	6.75	0.10	4,808	6.68	Finance & Securities	-	-	-	-
STA	11.30	-	15,788	11.27	SAMART	7.25	-	741	7.24	AEC	0.49	-	219	0.49
TLUXE	5.80	(0.10)	3,347	5.77	SAMTEL	8.00	(0.20)	535	8.11	AEONTS	168.00	(2.00)	5,086	167.06
TRUBB	1.77	(0.02)	6,928	1.77	SDC	0.24	-	1,046	0.23	AMANAHA	1.94	0.04	152,317	1.91
TWPC	9.00	-	6,426	9.00	SIS	9.15	0.25	11,349	9.15	ASAP	6.25	0.05	17,934	6.22
UPOIC	4.16	(0.04)	270	4.15	SVOA	1.37	(0.01)	32,718	1.34	ASK	22.90	-	819	22.92
UVAN	6.90	(0.70)	38,734	6.97	SYMC	5.35	-	7	5.20	ASP	3.82	(0.06)	40,986	3.85
VPO	0.66	0.01	2,163	0.65	SYNEX	11.20	(0.70)	103,012	11.32	BFIT	26.75	(0.25)	1,360	26.54
Banking	-	-	-	-	THCOM	9.15	(0.10)	28,140	9.13	CGH	1.06	-	2,197	1.05
BAY	40.50	(1.25)	8,088	40.71	TRUE	6.35	(0.25)	1,411,513	6.38	CNS	2.62	0.02	813	2.60
BBL	204.00	(2.00)	32,548	204.12	TWZ	0.13	-	53,544	0.13	ECL	1.88	(0.01)	54,609	1.85
CIMBT	0.86	-	10,294	0.86	Electronic Componen	-	-	-	-	FNS	4.32	-	1,099	4.28
KBANK	215.00	(2.00)	57,199	214.03	CCET	2.16	(0.10)	34,348	2.16	FSS	2.42	-	3,255	2.41
KKP	76.25	0.25	41,545	75.88	DELTA	70.50	0.25	8,937	70.25	GBX	0.68	-	9	0.68
KTB	19.40	-	335,626	19.22	EIC	0.06	0.01	17,776	0.05	GL	7.10	0.25	37,521	7.01
LHFG	1.58	(0.02)	76,716	1.58	HANA	39.25	1.00	29,027	38.73	IFS	3.04	(0.02)	770	3.05
SCB	143.50	(2.00)	70,559	143.77	KCE	45.50	0.75	83,887	45.47	JMT	26.00	(1.00)	6,627	26.10
TCAP	53.00	(0.25)	35,750	52.61	METCO	-	-	-	-	KCAR	13.40	0.10	876	13.36
TISCO	78.75	0.25	34,218	78.35	SMT	2.48	0.04	14,874	2.46	KGI	4.16	(0.02)	24,756	4.15
TMB	2.26	(0.02)	2,159,622	2.26	SPPT	3.80	(0.04)	2,758	3.79	KTC	27.75	(0.75)	206,567	27.94
Construction Materia	-	-	-	-	SVI	4.84	0.36	611,201	4.81	MBKET	13.30	-	8,313	13.20
CCP	0.40	-	41,229	0.40	TEAM	1.12	(0.02)	5,796	1.12	MFC	15.30	(0.10)	416	15.31
COTTO	2.80	(0.12)	50,538	2.75	Energy & Utilities	-	-	-	-	ML	1.06	(0.01)	3,424	1.06
DCC	2.24	(0.08)	75,528	2.25	ABPIF	8.60	0.05	678	8.60	MTC	39.75	-	58,524	39.69
DCON	0.57	-	13,602	0.57	AI	-	-	-	-	PE	-	-	-	-
DRT	5.80	-	2,744	5.76	AKR	1.00	(0.02)	156,890	0.98	PL	3.52	(0.02)	7,267	3.52
EPG	8.40	0.25	56,719	8.32	BAFS	35.00	(0.75)	1,180	35.16	S11	7.90	-	1,627	7.73
GEL	0.35	-	38,991	0.35	BANPU	20.40	-	488,306	20.33	SAWAD	36.50	(0.75)	76,865	36.48
PPP	3.42	(0.18)	1,857	3.43	BCP	35.50	-	24,396	35.27	THANI	7.80	(0.05)	12,458	7.75
O-CON	5.45	-	30	5.42	BCPG	18.10	(0.50)	61,185	18.17	TK	10.80	(0.10)	1,958	10.69
RCI	2.96	(0.02)	8,167	2.93	BGRIM	24.90	(0.60)	106,110	24.92	TNITY	6.15	(0.05)	311	6.15
SCC	446.00	(6.00)	31,952	445.78	BPP	24.90	(0.35)	22,774	24.87	UOBKH	4.00	(0.10)	202	4.05
SCCC	233.00	(3.00)	2,468	232.79	BRRGIF	10.20	-	18,498	10.12	ZMICO	1.04	-	1,754	1.03
SCP	8.55	0.30	22,258	8.53	CKP	4.04	(0.02)	102,662	4.03	Food & Beverage	-	-	-	-
SKN	4.86	(0.04)	10,936	4.83	DEMCO	4.02	(0.04)	400	4.03	APURE	1.36	0.03	15,156	1.36
TASCO	13.80	(0.40)	79,255	13.72	EA	35.25	(0.75)	91,005	35.34	ASIAN	7.60	(0.15)	32,949	7.59
TCMC	2.66	0.16	55,964	2.65	EARTH	-	-	-	-	BR	5.55	(0.05)	8,158	5.57
TOA	37.00	(0.50)	18,462	36.90	EASTW	11.00	(0.20)	9,579	11.02	BRR	7.10	-	1,132	7.09
TPIPL	1.86	0.01	55,118	1.85	EGATIF	10.80	(0.10)	16,514	10.80	CBG	42.50	(1.50)	45,620	42.14
UMI	1.37	(0.08)	14,741	1.37	EGCO	229.00	3.00	8,188	227.71	CFRESH	4.36	(0.04)	220	4.39
VNG	7.85	(0.10)	3,795	7.88	ESSO	15.00	0.10	129,297	14.82	CM	4.40	(0.02)	4,283	4.33
WIHK	2.32	(0.08)	12,461	2.31	GLOW	93.75	-	31,604	93.81	CPF	25.75	0.85	699,421	25.08
Petrochemicals & Che	-	-	-	-	GPSC	70.00	(0.75)	12,963	70.01	CPI	1.82	(0.01)	18,177	1.79
BCT	57.00	(0.50)	168	56.56	GULF	66.00	(1.00)	64,632	65.83	F&D	-	-	-	-
CMAN	3.32	(0.06)	14,043	3.31	GUNKUL	2.94	(0.02)	36,245	2.91	HTC	18.70	(0.10)	3,915	18.69
GC	5.25	-	2,677	5.29	IEC	-	-	-	-	ICHI	4.48	(0.10)	20,431	4.51
GGC	10.20	-	16,989	10.07	IFEC	-	-	-	-	KBS	4.38	(0.04)	3,101	4.35
GIFT	4.12	(0.02)	2,725	4.12	IRPC	6.45	-	795,693	6.40	KSL	3.18	(0.08)	22,055	3.16
IVL	57.50	(0.25)	178,076	57.59	LANNA	15.80	0.10	923	15.57	KTIS	5.90	-	264	5.83
NFC	11.50	(0.10)	298	11.52	MDX	4.16	(0.04)	456	4.18	LST	4.88	(0.06)	5,040	4.92
PATO	14.70	(0.20)	281	14.79	PTG	13.40	(0.60)	183,616	13.29	M	73.00	-	5,335	72.30
PMTA	13.80	(3.00)	3,714	14.15	PTT	51.75	-	583,404	51.46	MALEE	13.60	(0.40)	5,829	13.76
PTTGC	82.00	-	216,934	81.66	PTTEP	139.00	0.50	73,099	137.75	MINT	38.25	0.25	112,226	37.89
SUTHA	4.20	(0.10)	1,110	4.20	RATCH	52.25	-	14,024	52.12	OISHI	92.50	-	98	90.86
TCCC	35.50	0.50	137	35.47	RPC	0.54	(0.01)	8,759	0.55	PB	61.75	0.25	70	61.32
TPA	6.40	(0.10)	57	6.36	SCG	4.70	-	13	4.71	PM	8.80	(0.10)	29,561	8.86
UP	-	-	-	-	SCI	3.36	0.02	15,460	3.36	PRG	13.70	0.40	20	13.70
VNT	22.30	(0.60)	15,162	22.43	SCN	3.70	-	3,047	3.68	SAPPE	25.25	0.25	2,119	24.98
WG	156.50	-	5	156.50	SGP	11.20	(0.50)	274,319	11.31	SAUCE	22.60	0.10	45	22.58
YCI	-	-	-	-	SKE	1.22	-	8,074	1.22	SFP	-	-	-	-
Commerce	-	-	-	-	SOLAR	2.28	(0.04)	4,843	2.28	SNP	20.70	(0.20)	109	20.51
BEAUTY	7.45	0.65	1,962,191	7.36	SPCG	21.00	0.40	11,305	20.91	SORKON	75.00	4.00	531	72.31
BIG	1.90	(0.18)	237,220	1.92	SPRC	14.70	(0.10)	71,352	14.63	SSC	40.25	0.50	1	40.25
BJC	55.00	(1.25)	63,971	54.84	SUPER	0.73	(0.02)	1,557,923	0.74	SSF	8.35	(0.10)	15	8.23
COL	28.00	(1.00)	20,491	27.44	SUSCO	3.34	0.08	12,342	3.30	SST	6.00	-	443	5.94
COM7	18.80	0.30	42,239	18.54	TAE	2.22	-	950	2.21	TC	3.14	-	1,182	3.17
CPALL	69.25	(2.00)	867,887	69.49	TCC	0.40	0.01	30,499	0.39	TFG	3.88	(0.06)	8,873	3.88
CSS	2.14	(0.02)	5,220	2.15	TOP	80.50	0.50	102,862	79.81	TFMAMA	156.50	1.50	189	156.29
FN	2.80	(0.04)	2,537	2.81	TPIPP	6.05	(0.10)	108,638	6.06	TIPCO	9.25	(0.25)	7,539	9.34
FTE	2.30	0.14	13,244	2.28	TTW	12.50	0.10	22,855	12.48	TKN	15.10	0.30	51,237	14.95
GLOBAL	18.80	0.30	117,963	18.67	WHAPU	5.75	(0.05)	85,422	5.66	TU	18.00	(0.10)	60,717	18.00
HMPRO	14.60	0.20	143,636	14.43	WP	7.40	0.10	4,068	7.38	TVO	29.50	(0.50)	22,368	29.19
IT	4.80	(0.08)	5,587	4.86	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.30	(0.08)	12,075	4.30	AMARIN	4.94	0.04	339	4.90	AHC	20.40	0.10	84	20.26
LOXLEY	2.22	-	14,839	2.22	AQUA	0.50	0.01	86,697	0.49	BCH	17.70	-	173,417	17.79
MAKRO	36.25	-	15,081	35.87	AS	1.40	(0.05)	1,848	1.41	BDMS	26.25	(0.50)	425,159	26.38
MC	11.90	0.10	4,285	11.94	BEC	7.75	(0.30)	89,520	7.77	BH	180.00	2.00	26,772	178.72
MEGA	40.00	0.25	8,286	39.80	EPCO	4.50	(0.40)	121,053	4.58	CHG	2.54	0.06	1,555,136	2.50
MIDA	0.61	-	3,018	0.60	FE	-	-	-	-	CMR	3.30	-	2,090	3.32
ROBINS	64.25	0.75	17,250	63.70	GPI	2.88	(0.06)	4,965	2.87	EKH	5.20	-	3,686	5.17
RSP	4.08	(0.72)	58,432	4.40	GRAMMY	8.30	0.30	707	8.19	KDH	98.00	-	16	98.00
SINGER	9.40	(0.50)	5,453	9.60	MACO	1.81	0.08	1						

Main Board Quotation

Issue Date :

Tuesday August 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.80	(0.04)	2,472	2.78	MJD	3.32	0.02	951	3.29	CPT	2.78	(0.02)	41,686	2.76
Tourism & Leisure					MK	4.36	0.06	12,321	4.31	CRANE	2.84	0.08	216	2.71
ASIA	6.75	-	354	6.75	NCH	0.90	-	8,174	0.91	CTW	8.95	0.50	25,676	8.99
CENTEL	43.00	(0.75)	43,705	42.73	NNCL	1.74	(0.01)	11,617	1.74	FMT	25.00	-	25	24.99
CSR	99.75	0.75	2	99.75	NOBLE	12.20	-	3,778	12.20	HTECH	7.30	(0.25)	26,584	7.32
DTC	12.10	-	4,578	12.00	NUSA	0.31	(0.02)	82,477	0.32	KKC	1.69	(0.04)	1,451	1.70
ERW	7.00	(0.10)	44,828	7.02	NVD	3.74	-	1,634	3.76	PK	3.74	(0.20)	10,140	3.81
GRAND	0.98	0.04	55,749	0.97	ORI	19.50	0.30	116,359	19.51	SNC	14.80	-	8,636	14.73
LRH	37.75	(0.25)	1	37.75	PACE	0.71	0.07	3,497,568	0.69	TCJ	5.90	(0.05)	430	5.88
MANRIN	-	-	-	-	PF	1.10	0.04	1,919,963	1.08	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	7.15	-	15,202	7.13	Property Fund & REIT				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.10	(0.10)	3,859	10.10
SHANG	79.50	0.75	170	79.12	PRECHA	1.42	-	55	1.42	AMATAR	10.60	-	470	10.60
Home & Office Produ					PRIN	1.66	(0.01)	13,203	1.65	B-WORK	10.70	-	11,778	10.67
ACC	0.47	-	3,035	0.46	PRINC	5.30	(0.10)	5,012	5.31	BKKCP	12.00	-	22	12.00
AJA	0.39	(0.01)	174,048	0.39	PSH	21.50	0.10	14,986	21.28	BOFFICE	12.80	0.10	3,454	12.71
DTCI	-	-	-	-	OH	3.50	-	749,811	3.45	CPNCG	14.70	-	313	14.72
FANCY	0.98	(0.02)	6,666	0.96	RICHY	1.82	0.02	45,853	1.80	CPNREIT	25.25	0.25	7,749	25.25
KYE	381.00	(5.00)	192	380.51	RML	1.55	0.07	541,777	1.53	CPTGF	13.30	-	577	13.40
L&E	2.74	-	592	2.71	ROJNA	5.45	-	10,647	5.39	CRYSTAL	10.30	0.10	229	10.20
MODERN	4.54	(0.02)	2,896	4.52	S	2.78	(0.02)	74,295	2.79	CTARAF	4.70	0.06	58	4.70
OGC	-	-	-	-	SAMCO	2.20	(0.08)	80	2.21	DREIT	5.45	(0.45)	1,517	5.48
ROCK	16.00	(0.90)	30	16.03	SC	3.64	-	28,215	3.61	ERWPF	5.70	-	305	5.69
SIAM	1.92	-	364	1.91	SENA	3.80	-	13,276	3.77	FUTUREPF	21.60	0.10	21,884	21.52
TSR	2.52	0.06	9,833	2.49	SF	8.10	0.05	21,570	8.07	GAHREIT	9.75	-	43	9.75
Insurance					SIRI	1.63	(0.03)	655,518	1.63	GLANDRT	12.50	(0.10)	10	12.50
AYUD	39.25	0.50	162	39.33	SPALI	24.30	-	41,932	24.30	GOLDPF	7.30	0.10	1,030	7.30
BKI	350.00	-	38	350.05	TICON	16.20	(0.30)	380	16.24	GVREIT	14.80	(0.10)	4,497	14.96
BLA	33.00	(0.25)	4,997	32.84	U	0.02	(0.01)	872,060	0.03	HPF	5.45	-	142	5.45
BUI	-	-	-	-	UV	7.75	(0.15)	15,377	7.77	HREIT	6.80	0.15	22,641	6.81
CHARAN	35.00	1.00	5	35.00	WHA	3.74	(0.12)	1,205,406	3.77	IMPACT	17.80	(0.20)	7,338	17.94
INSURE	-	-	-	-	WIN	0.60	-	1,491	0.60	KPNPF	9.45	0.10	10	9.45
MTI	112.50	(1.00)	22	112.57	Paper & Printing Mat					LHHOTEL	15.90	-	1,463	15.87
NKI	53.00	-	80	53.00	UTP	11.80	(0.30)	41,943	11.81	LHPF	8.45	(0.05)	1,421	8.41
NSI	80.50	(3.00)	67	80.41	Fashion					LHSC	15.80	-	2,447	15.79
SMK	40.00	(1.25)	15	40.33	AFC	-	-	-	-	LUXF	-	-	-	-
THRE	1.07	(0.02)	23,613	1.07	BTNC	-	-	-	-	M-II	9.15	0.10	21	9.17
THREL	7.75	-	8,980	7.69	CPH	5.80	(0.05)	1	5.80	M-PAT	10.20	-	5	10.20
TIC	34.75	0.75	454	34.36	CPL	3.10	(0.18)	33	3.10	M-STOR	10.20	(0.10)	7	10.20
TIP	24.20	0.60	9,383	23.88	DIGI	0.43	-	21,080	0.43	MIPF	-	-	-	-
TSI	0.51	(0.01)	82,119	0.50	ICC	40.00	0.75	21	40.00	MIT	-	-	-	-
TVI	3.46	(0.30)	6,899	3.45	LTX	100.50	(1.50)	32	101.17	MJLF	12.60	(0.10)	1,148	12.60
Mining					NC	-	-	-	-	MNIT	1.65	(0.15)	211	1.64
PDI	14.90	(0.30)	9,097	14.87	PAF	0.92	(0.02)	4,248	0.92	MNIT2	5.15	(0.05)	622	5.15
THL	-	-	-	-	PDJ	2.80	(0.06)	1,923	2.80	MNRF	3.50	-	5	3.50
Packaging					PG	7.05	-	23	7.05	MONTRI	-	-	-	-
AJ	10.40	(0.10)	1,456	10.33	SABINA	35.00	(0.75)	78	34.54	POPF	13.70	0.10	2,328	13.59
ALUCON	192.00	-	1	192.00	SAWANG	-	-	-	-	PPF	-	-	-	-
CSC	45.00	-	10	44.60	SUC	45.00	-	31	44.95	QHHR	8.65	0.05	1,523	8.60
NEP	0.40	(0.01)	13,283	0.39	TNL	-	-	-	-	QHOP	3.64	(0.04)	14	3.62
NPPG	1.15	0.03	91,440	1.15	TPCORP	-	-	-	-	QHPF	12.50	-	7,794	12.40
PTL	15.50	(1.40)	54,170	15.86	TR	47.75	(0.25)	142	47.58	SBPF	3.16	0.14	1	3.16
SITHAI	1.24	0.01	2,671	1.24	TTI	29.00	-	4	27.69	SHREIT	9.20	0.05	74	9.20
SLP	0.96	0.01	4,986	0.96	TTL	-	-	-	-	SIRIP	11.30	-	40	11.30
SMPC	13.40	0.50	11,205	13.39	TTTM	152.00	-	19	154.00	SPF	23.60	-	3,465	23.55
SPACK	1.95	(0.01)	720	1.93	UPF	-	-	-	-	SRIPANWA	11.20	-	289	11.20
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	-	-	-	-
TFI	-	-	-	-	WACOAL	44.75	1.00	15	44.48	SSTPF	6.65	(0.05)	97	6.68
THIP	35.50	(0.50)	530	35.54	Transportation & Log					SSSTR	6.30	0.05	830	6.32
TMD	22.00	(0.10)	435	21.91	AAV	4.24	-	138,208	4.21	TIF1	8.65	(0.05)	100	8.65
TOPP	-	-	-	-	AOT	65.50	-	228,020	65.12	TLGF	18.90	(0.10)	7,756	18.98
TPBI	8.35	-	108	8.39	ASIMAR	2.70	(0.20)	22,008	2.73	TLHPF	-	-	-	-
TPP	18.00	(0.90)	220	18.34	B	0.67	(0.01)	17,107	0.67	TNPF	3.70	-	22	3.71
Personal Products &					BA	11.80	(0.20)	31,508	11.83	TPRIME	12.50	0.10	8,356	12.49
APCO	4.46	-	520	4.43	BEM	8.10	(0.15)	448,049	8.09	TREIT	11.50	0.10	6,931	11.41
DDD	44.75	0.25	2,564	44.55	BTS	9.25	-	322,049	9.21	TTLPF	-	-	-	-
JCT	88.50	(1.50)	1	88.50	BTSIGF	12.30	-	43,989	12.30	TU-PF	-	-	-	-
OCC	17.30	0.10	50	17.26	III	5.85	0.10	66,768	5.73	URBNPF	3.26	-	449	3.24
S & J	-	-	-	-	JUTHA	1.74	(0.11)	250	1.74	WHABT	10.10	0.10	15	10.10
STHAI	-	-	-	-	JWD	6.90	(0.15)	12,831	6.94	WHART	10.10	(0.10)	2,358	10.20
TNR	13.50	0.20	142	13.32	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.98	-	554	4.98	NOK	2.26	(0.16)	60,251	2.10	AMC	2.60	(0.16)	15,017	2.61
Professional Service					NYT	5.10	(0.05)	8,343	5.09	BSBM	1.13	(0.01)	345	1.14
BWG	0.98	(0.02)	284,082	0.98	PRM	7.00	(0.20)	39,648	7.00	CEN	1.28	0.02	4,344	1.26
GENCO	0.80	(0.01)	5,133	0.80	PSL	11.90	0.10	12,101	11.76	CITY	2.66	-	662	2.64
PRO	-	-	-	-	RCL	5.20	(0.25)	5,828	5.26	CSP	1.40	(0.01)	264	1.40
TEAMG	2.28	0.06	188,677	2.28	THAI	13.30	(1.50)	140,944	13.65	GJS	0.31	-	84,094	0.31
Property Developmer					TSTE	7.25	(0.20)	8	7.25	GSTEL	-	-	-	-
A	6.70	-	595	6.70	TTA	6.95	(0.15)	14,374	6.99	INOX	1.16	(0.04)	20,693	1.18
AMATA	19.80	(0.20)	90,178	19.83	WICE	4.22	0.06	21,231	4.17	LHK	5.05	0.07	2,511	4.99
AMATAV	6.65	0.05	10,425	6.65	Automotive					MAX	0.02	-	138,493	0.02
ANAN	5.10	(0.15)	195,057	5.13	AH	33.50	0.50	3,833	32.86	MCS	7.60	(0.45)	33,320	7.66
AP	9.60	0.10	297,437	9.39	APCS	5.15	-	1,558	5.20	MILL	1.59	(0.03)	8,467	1.60
APEX	0.20	-	16,723	0.20	BAT-3K	-	-	-	-	PAP	4.16	-	1,778	4.13
AQ	0.03	(0.01)	196,871	0.04	CWT	2.98	(0.14)	18,904	3.01	PERM	2.50	(0.06)	4,244	2.49
BLAND	1.82	0.01	300,322	1.81	EASON	2.58	(

Main Board Quotation

Issue Date :

Tuesday August 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UMS	0.91	-	993	-	ADVA13C1809A	0.04	(0.02)	5,000	-
ABICO	6.25	(0.25)	4,870	6.00	UWC	0.07	(0.01)	107,592	-	ADVA13C1811A	0.54	(0.05)	189,564	-
AU	8.50	(0.30)	23,285	8.00	Services (MAI)	-	-	-	-	ADVA13C1901A	0.29	(0.02)	46,518	-
FC	0.32	(0.01)	13,249	-	ADAM	-	-	-	-	ADVA13P1809A	0.10	0.01	12,762	-
JCKH	1.17	-	2,881	1.00	AKP	1.65	-	50	1.00	ADVA16C1812A	0.50	(0.05)	90	-
KASET	2.18	(0.02)	1,018	2.00	AMA	5.75	(0.10)	3,351	5.00	ADVA18C1808A	0.25	(0.10)	3,842	-
MM	4.06	0.04	924	4.00	ARIP	0.51	-	4,614	-	ADVA19C1901A	0.58	(0.05)	24,668	-
SUN	3.18	(0.08)	7,534	3.00	ATP30	1.73	(0.02)	10,838	1.00	ADVA23C1902A	1.44	(0.02)	23,500	-
TACC	4.02	(0.04)	7,060	4.00	AUCT	6.10	-	5,438	6.00	ADVA24C1810A	0.31	(0.14)	2,000	-
TMILL	3.10	0.02	1,081	3.00	BOL	1.94	0.04	5,700	1.00	ADVA24P1810A	0.06	(0.01)	500	-
XO	9.65	(0.05)	26,333	9.00	CHUO	-	-	-	-	ADVA28C1811A	0.45	(0.05)	71,943	-
Consumer Products	-	-	-	-	CMO	1.54	(0.03)	8,337	1.00	ADVA28C1901A	0.18	(0.02)	78,056	-
BGT	1.03	(0.07)	4,463	1.00	D	11.10	-	4,947	10.00	ADVA28P1810A	0.13	-	67,880	-
BIZ	2.88	-	790	2.00	DCORP	2.74	(0.12)	5,562	2.00	AMAT01C1810A	0.65	(0.03)	58,546	-
DOD	14.40	0.20	136,003	14.00	DNA	0.58	0.08	1,926,346	-	AMAT01C1810B	0.38	(0.04)	45,039	-
ECF	7.90	(0.05)	64,607	7.00	EFORL	0.09	0.01	1,561,106	-	AMAT01P1810A	1.14	0.02	7,764	1.00
HPT	1.06	(0.07)	27,036	1.00	ETE	2.04	(0.04)	7,909	2.00	AMAT06C1809A	-	-	-	-
JUBILE	20.10	(0.10)	286	20.00	FSMART	8.75	(0.15)	19,256	8.00	AMAT08C1809A	0.04	(0.01)	3,000	-
MOONG	6.40	0.05	36,557	6.00	FVC	1.33	(0.02)	671	1.00	AMAT11C1903A	0.29	(0.01)	10,963	-
NPK	25.75	(0.75)	11	26.00	HARN	2.64	(0.02)	659	2.00	AMAT13C1809A	0.03	(0.01)	701	-
OCEAN	1.66	(0.01)	10,346	1.00	JKN	10.30	0.30	54,617	10.00	AMAT13C1812A	0.37	(0.02)	13,769	-
TM	1.98	0.01	1,289	1.00	KIAT	0.48	0.01	189,381	-	AMAT19C1811A	0.15	(0.01)	1,050	-
Financials (MAI)	-	-	-	-	KOOL	1.80	0.02	32,447	1.00	AMAT23C1810A	0.12	(0.02)	2,000	-
ACAP	6.60	(0.35)	22,679	6.00	LDC	1.18	0.02	4,282	1.00	AMAT24C1811A	-	-	-	-
AF	0.76	(0.01)	1,144	-	MPG	0.21	(0.01)	2,601	-	ANAN01C1810A	1.14	(0.10)	8,549	1.00
AIRA	2.06	0.02	30	2.00	MVP	3.06	0.26	437,160	3.00	ANAN01C1810B	0.91	(0.21)	39,331	-
ASN	3.48	-	29	3.00	NBC	0.61	(0.02)	5,535	-	ANAN08C1808A	-	-	-	-
BROOK	0.59	-	43,320	-	NCL	1.47	(0.01)	525	1.00	ANAN08C1810A	1.16	-	1	1.00
CHAYO	4.00	(0.02)	81,794	3.00	NEWS	0.01	-	126,082	-	ANAN08C1906A	0.28	(0.04)	101,924	-
GCAP	4.38	0.08	9,107	4.00	NINE	1.55	-	733	1.00	ANAN13C1901A	0.22	(0.03)	174,586	-
LIT	8.25	(0.20)	4,518	8.00	OTO	2.60	(0.02)	723	2.00	ANAN19C1811A	0.61	(0.10)	10,588	-
SGF	0.16	0.02	464,161	-	PHOL	2.36	0.02	215	2.00	ANAN23C1901A	0.37	(0.11)	1,001	-
Industrials (MAI)	-	-	-	-	PICO	6.25	-	138	6.00	ANAN24C1811A	0.97	0.14	1	-
ZS	3.10	(0.02)	1,241	3.00	PORT	6.75	(0.40)	22,285	6.00	ANAN28C1809A	0.54	(0.15)	11,210	-
ADB	1.26	0.03	123,234	1.00	QLT	4.68	(0.06)	773	4.00	AOT01C1808A	0.18	(0.02)	277,027	-
BM	3.22	(0.12)	7,751	3.00	RP	3.00	(0.08)	1,102	3.00	AOT01C1808B	0.01	-	27,171	-
CHO	1.23	(0.01)	4,386	1.00	SE	2.02	-	175	2.00	AOT01C1810A	0.28	(0.01)	74,834	-
CHOW	4.92	0.02	891	4.00	SPA	14.70	(0.30)	6,002	14.00	AOT01C1902A	0.57	0.01	108,326	-
CIG	0.38	(0.01)	765	-	THMUI	1.67	0.07	26,694	1.00	AOT01C1902B	0.41	(0.01)	116,881	-
COLOR	1.14	0.02	963	1.00	TNDT	5.15	(0.05)	985	5.00	AOT01P1808A	0.85	-	34,182	-
CPR	5.45	(0.10)	7,891	5.00	TNH	40.00	(0.25)	39	40.00	AOT01P1808B	0.08	-	153,094	-
FPI	2.72	0.02	463	2.00	TNP	1.84	-	3,276	1.00	AOT01P1902A	0.88	0.01	36,767	-
GTB	0.66	0.02	2,168	-	TSF	0.05	-	103,456	-	AOT01P1902B	0.61	(0.01)	37,252	-
KCM	1.24	(0.03)	30,733	1.00	TVD	1.32	(0.03)	3,095	1.00	AOT06C1809A	-	-	-	-
LVT	-	-	-	-	TVT	1.01	-	2,155	1.00	AOT06C1903A	0.52	(0.01)	47,302	-
MBAX	4.14	0.02	278	4.00	WINNER	3.40	0.02	2,928	3.00	AOT06P1903A	0.59	0.02	32,212	-
MGT	2.16	(0.02)	4,641	2.00	Technology (MAI)	-	-	-	-	AOT08C1901A	0.33	(0.02)	39,244	-
NDR	2.26	(0.02)	331	2.00	COMAN	3.82	(0.08)	8,142	3.00	AOT11C1808A	0.35	(0.01)	17,885	-
PDG	3.60	(0.02)	268	3.00	ICN	2.32	0.02	10,659	2.00	AOT11P1808A	-	-	-	-
PIMO	3.24	(0.04)	18,996	3.00	IRCP	0.97	(0.08)	46,838	1.00	AOT13C1809A	0.02	(0.01)	72	-
PJW	1.70	(0.03)	2,772	1.00	ITEL	3.08	0.06	7,260	3.00	AOT13C1811A	0.18	(0.01)	10,708	-
PPM	2.16	(0.08)	3,084	2.00	NETBAY	33.75	(0.25)	1,978	33.00	AOT13C1812A	0.34	(0.01)	17,699	-
RWI	1.64	-	3,554	1.00	PLANET	1.51	(0.15)	20	1.00	AOT13P1810A	0.34	-	50,567	-
SALEE	1.12	-	4,871	1.00	SIMAT	2.18	(0.04)	4,440	2.00	AOT13P1812A	0.17	(0.01)	30,740	-
SANKO	1.15	(0.12)	31,868	1.00	SKY	13.80	0.30	15,360	13.00	AOT19C1809A	0.08	(0.01)	8,500	-
SELIC	1.83	(0.02)	4,521	1.00	SPVI	1.36	0.02	14,083	1.00	AOT19C1901A	0.46	(0.01)	19,170	-
SWC	22.80	(0.60)	1,135	22.00	UPA	0.46	0.01	7,918	-	AOT24C1811A	0.09	(0.02)	400	-
TMC	0.91	(0.02)	2,403	-	VCOM	3.04	(0.02)	3,042	3.00	AOT24C1901A	0.30	(0.06)	1	-
TMI	0.80	(0.01)	3,628	-	Unit Trust	-	-	-	-	AOT24P1809A	0.03	-	1,600	-
TMW	69.50	0.25	837	69.00	MGE	-	-	-	-	AOT28C1809A	-	-	-	-
TPAC	11.80	0.20	3,819	11.00	SCBSET	-	-	-	-	AOT28C1812A	0.29	(0.02)	86,741	-
UAC	4.52	(0.20)	3,938	4.00	ETF	-	-	-	-	AOT28C1901A	0.23	(0.01)	107,555	-
UBIS	5.00	0.08	770	5.00	1DIV	13.10	-	24	13.00	AOT28P1812A	0.31	-	210,989	-
UEC	1.41	0.06	6,206	1.00	ABFTH	-	-	-	-	AP01C1809A	0.63	0.04	57,683	-
UKEM	0.86	(0.05)	29,464	-	BMSCG	9.03	(0.02)	917	8.00	AP01C1809B	0.22	0.03	107,946	-
UREKA	0.64	-	32,375	-	BMSCITH	12.72	(0.07)	10,162	12.00	AP08C1810A	0.50	0.02	43,436	-
YUASA	17.40	0.10	83	17.00	BSET100	10.87	(0.06)	1,486	10.00	AP23C1901A	0.21	-	18,559	-
ZIGA	3.30	(0.04)	43,311	3.00	CHINA	5.50	0.04	1,181	5.00	AP24C1901A	0.31	(0.03)	2,030	-
Property & Construc	-	-	-	-	EBANK	5.90	(0.05)	3	5.00	AP42C1901A	0.37	(0.01)	18,072	-
ARROW	9.00	0.05	652	8.00	ECOMM	8.00	(0.14)	30	8.00	AP42P1901A	0.28	(0.02)	24,476	-
BKD	3.14	0.02	3,416	3.00	EFOOD	-	-	-	-	BA11C1902A	0.04	(0.01)	16,622	-
BSM	0.69	0.01	2,060	-	EICT	4.81	(0.06)	1	4.00	BA19C1811A	0.02	(0.01)	7,456	-
BTW	1.84	-	2,279	1.00	ENGY	6.38	(0.05)	10	6.00	BA24C1810A	0.05	(0.01)	22,537	-
CHEWA	1.24	0.05	359,019	1.00	ENY	7.61	(0.05)	20	7.00	BA24C1901A	-	-	-	-
CRD	1.11	-	2,549	1.00	ESET50	5.84	(0.06)	14	5.00	BA28C1809A	-	-	-	-
DIMET	1.05	-	18,998	1.00	GLD	1.70	(0.03)	8,903	1.00	BANP01C1808A	0.16	(0.01)	420,079	-
FLOYD	2.24	(0.08)	10,158	2.00	TDEX	11.05	(0.12)	4,315	11.00	BANP01C1808B	0.02	-	67,799	-
FOCUS	0.87	(0.01)	2,129	-	TGOLDETF	3.74	(0.04)	459	3.00	BANP01C1812A	0.40	-	240,232	-
HYDRO	1.41	-	6,892	1.00	TH100	5.03	-	12	5.00	BANP01C1812B	0.24	(0.01)	154,288	-
JSP	0.67	-	44,726	-	Warrant Foreign	-	-	-	-	BANP01P1808A	0.43	0.01	28,880	-
K	2.76	(0.06)												

Main Board Quotation

Issue Date :

Tuesday August 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BBL08C1808A	0.02	(0.01)	10	-	BEM13C1901A	0.32	(0.03)	30,176	-	CBG24C1811A	-	-	-	-
BBL08C1809A	0.08	(0.02)	5,701	-	BEM19C1901A	0.31	(0.04)	6,321	-	CBG28C1811A	0.04	(0.01)	19,154	-
BBL08C1902A	0.62	(0.11)	40,291	-	BEM23C1901A	-	-	-	-	CBG28C1812A	0.18	(0.03)	71,725	-
BBL08P1810A	0.10	0.01	12,055	-	BEM24C1809A	-	-	-	-	CENT01C1810A	0.24	0.01	44,726	-
BBL11C1903A	0.55	(0.06)	10,766	-	BGR101C1901A	0.90	(0.06)	62,061	-	CENT01C1810B	0.08	-	16,955	-
BBL11P1903A	0.36	0.03	8,515	-	BGR101C1901B	0.75	(0.06)	24,008	-	CENT01P1810A	0.99	0.01	37,633	1.00
BBL13C1810A	0.40	(0.06)	450	-	BGR106C1903A	0.72	(0.07)	28,022	-	CENT08C1809A	-	-	-	-
BBL13C1901A	0.32	(0.02)	19,006	-	BGR108C1902A	0.64	(0.07)	95,339	-	CENT11C1904A	0.22	(0.02)	16,900	-
BBL19C1901A	0.29	(0.04)	14,324	-	BGR113C1812A	0.62	(0.12)	8,624	-	CENT13C1811A	0.05	(0.01)	5,687	-
BBL23C1811A	0.26	(0.03)	10,200	-	BGR113C1812B	0.18	(0.02)	28,175	-	CENT19C1901A	0.35	(0.02)	12,896	-
BBL24C1809A	0.03	(0.02)	347	-	BGR119C1901A	0.51	(0.06)	17,769	-	CENT23C1902A	0.21	(0.01)	3,500	-
BBL24C1812A	-	-	-	-	BGR124C1901A	0.55	(0.14)	120	-	CENT24C1810A	-	-	-	-
BBL24P1810A	0.09	0.01	200	-	BGR128C1812A	0.60	(0.06)	85,116	-	CENT24C1901A	0.24	(0.03)	12,358	-
BBL27C1809A	0.10	(0.02)	5,228	-	BH01C1811A	0.58	0.03	73,249	-	CHG01C1809A	0.55	0.04	134,966	-
BBL28C1811A	0.50	(0.06)	26,191	-	BH01C1811B	0.17	0.01	59,711	-	CHG01C1809B	0.79	0.12	17,988	-
BBL28C1901A	0.25	(0.03)	16,276	-	BH01P1811A	1.36	(0.05)	69,439	1.00	CHG01P1809A	0.07	(0.01)	22,322	-
BCH01C1808A	0.54	0.01	45,373	-	BH07C1810A	-	-	-	-	CHG11C1904A	0.30	0.02	17,213	-
BCH01C1808B	0.11	-	17,483	-	BH08C1811A	0.03	(0.01)	2,113	-	CHG13C1809A	0.94	0.14	35,960	-
BCH01P1808A	0.09	-	34,506	-	BH11C1902A	0.05	(0.01)	1,000	-	CHG13C1812A	0.30	0.03	228,833	-
BCH06C1811A	0.26	0.01	33,778	-	BH11C1905A	0.65	0.02	25,947	-	CHG23C1811A	1.15	0.11	5,000	1.00
BCH08C1901A	0.42	-	24,900	-	BH19C1901A	0.59	0.03	48,540	-	CHG24C1808A	-	-	-	-
BCH11C1905A	0.37	(0.02)	16,520	-	BH24C1809A	0.02	(0.01)	20	-	CHG24C1811A	-	-	-	-
BCH13C1810A	0.15	(0.01)	54,430	-	BH24C1811A	-	-	-	-	CHG28C1812A	0.33	0.04	204,606	-
BCH19C1809A	0.16	(0.01)	13,392	-	BH24C1902A	0.51	0.01	12,200	-	CHK1C1809A	0.16	(0.03)	11,430	-
BCH23C1811A	0.35	0.01	61,646	-	BIG08C1906A	0.19	(0.06)	18,522	-	CK01C1809B	0.10	(0.09)	81,653	-
BCH24C1811A	-	-	-	-	BIG13C1808A	-	-	-	-	CK01P1809A	0.27	0.04	9,792	-
BCH28C1811A	0.28	(0.01)	161,320	-	BIG13C1901A	0.11	(0.05)	38,611	-	CK08C1809A	-	-	-	-
BCP01C1810A	0.21	(0.03)	2,860	-	BIG19C1811A	0.05	(0.05)	24,826	-	CK08C1901A	-	-	-	-
BCP01C1810B	0.08	(0.01)	804	-	BIG24C1808A	-	-	-	-	CK11C1904A	0.15	(0.03)	1,320	-
BCP01P1810A	0.41	0.02	7,018	-	BIG24C1812A	-	-	-	-	CK13C1809A	0.06	(0.02)	1,000	-
BCP08C1901A	0.26	(0.02)	3,194	-	BJC01C1812A	0.58	(0.07)	56,752	-	CK13C1902A	-	-	-	-
BCP11C1811A	0.10	(0.01)	110	-	BJC01C1812B	0.43	(0.06)	46,761	-	CK16C1812A	-	-	-	-
BCP13C1810A	-	-	-	-	BJC01P1812A	0.48	0.05	52,186	-	CK19C1811A	0.12	(0.01)	5,600	-
BCP24C1808A	-	-	-	-	BJC06C1901A	0.21	(0.04)	56,600	-	CK23C1808A	-	-	-	-
BCP24C1811A	-	-	-	-	BJC07C1809A	-	-	-	-	CK24C1808A	0.03	(0.03)	500	-
BCP28C1809A	-	-	-	-	BJC08C1809A	0.04	(0.02)	5,750	-	CK24C1901A	-	-	-	-
BCP28C1809B	-	-	-	-	BJC11C1905A	0.44	(0.05)	15,550	-	CK28C1809A	0.20	(0.08)	5,092	-
BCP28C1901A	0.22	(0.02)	4,000	-	BJC13C1808A	-	-	-	-	CK28C1812A	-	-	-	-
BCPG01C1811A	0.36	(0.05)	26,888	-	BJC13C1810A	0.11	(0.03)	24,602	-	CKP01C1812A	0.45	(0.02)	14,531	-
BCPG01C1811B	0.15	(0.03)	17,412	-	BJC13C1812A	0.39	(0.07)	104,553	-	CKP01C1812B	0.31	(0.02)	14,216	-
BCPG06C1811A	0.19	(0.03)	13,286	-	BJC19C1809A	0.11	(0.04)	27,233	-	CKP13C1810A	0.23	(0.03)	24,266	-
BCPG08C1810A	0.18	(0.03)	54,411	-	BJC23C1901A	0.22	(0.04)	22,500	-	CKP23C1810A	0.28	(0.01)	3,000	-
BCPG11C1902A	0.14	(0.02)	1,786	-	BJC24C1808A	-	-	-	-	CKP24C1811A	-	-	-	-
BCPG13C1810A	0.12	(0.03)	5,930	-	BJC24C1901A	-	-	-	-	CKP28C1809A	0.03	(0.02)	38,544	-
BCPG13C1812A	0.39	(0.06)	114,859	-	BJC28C1812A	0.37	(0.06)	203,040	-	CKP28C1809B	0.28	(0.02)	5,187	-
BCPG19C1901A	0.39	(0.06)	11,227	-	BLA01C1812A	0.22	(0.01)	32,124	-	COM701C1811A	0.57	0.02	26,995	-
BCPG23C1902A	0.36	(0.04)	1,400	-	BLA08C1811A	-	-	-	-	COM701C1811B	0.34	0.02	23,063	-
BCPG24C1810A	-	-	-	-	BLA13C1809A	-	-	-	-	COM706C1809A	0.22	-	26,880	-
BCPG28C1809A	0.08	(0.04)	110,150	-	BLA28C1810A	-	-	-	-	COM708C1811A	0.14	-	22,484	-
BCPG28C1812A	0.40	(0.05)	91,866	-	BLAN01C1809A	0.54	0.01	3,338	-	COM711C1811A	0.42	0.02	23,228	-
BDMS01C1811A	0.23	(0.02)	10,735	-	BLAN01C1809B	-	-	-	-	COM713C1809A	0.03	(0.01)	34,000	-
BDMS01C1811B	0.10	(0.02)	45,044	-	BLAN01P1809A	-	-	-	-	COM713C1812A	0.36	0.02	57,882	-
BDMS01P1811A	0.29	0.02	117,714	-	BLAN08C1810A	0.17	-	8,064	-	COM719C1811A	0.29	0.02	50,697	-
BDMS06C1811A	0.69	(0.13)	2,544	-	BLAN11C1902A	0.20	(0.01)	17,812	-	COM723C1901A	0.32	-	14,000	-
BDMS08C1901A	0.16	(0.03)	20,728	-	BPP01C1811A	0.21	(0.01)	35,002	-	COM724C1811A	-	-	-	-
BDMS11C1811A	0.85	(0.16)	2,004	-	BPP01C1811B	0.10	(0.02)	5,614	-	COM728C1811A	0.28	(0.01)	127,090	-
BDMS11C1904A	0.13	(0.01)	2,004	-	BPP01P1811A	0.56	0.04	24,985	-	CPAL01C1808A	0.12	(0.03)	138,093	-
BDMS13C1810A	-	-	-	-	BPP06C1809A	0.30	(0.06)	19,714	-	CPAL01C1808B	0.01	(0.01)	203,621	-
BDMS13C1812A	0.14	(0.02)	18,391	-	BPP08C1810A	0.18	(0.03)	8,068	-	CPAL01C1901A	0.31	(0.06)	272,868	-
BDMS16C1812A	-	-	-	-	BPP13C1808A	0.16	(0.06)	28,547	-	CPAL01C1901B	0.16	(0.04)	194,403	-
BDMS19C1901A	0.28	(0.05)	15,484	-	BPP13C1811A	0.08	-	4,268	-	CPAL01P1808A	1.29	0.13	121,306	1.00
BDMS23C1810A	0.51	(0.08)	1,000	-	BPP13C1901A	-	-	-	-	CPAL01P1901A	1.45	0.11	46,696	1.00
BDMS24C1811A	-	-	-	-	BPP23C1901A	0.27	(0.02)	4,000	-	CPAL01P1901B	1.19	0.13	22,727	1.00
BDMS24C1812A	-	-	-	-	BPP24C1809A	0.06	(0.03)	600	-	CPAL06C1811A	0.63	(0.09)	58,476	-
BDMS28C1811A	0.09	(0.02)	24,520	-	BPP28C1812A	0.43	(0.05)	125,520	-	CPAL06C1811B	0.04	(0.02)	21,992	-
BEAU01C1812A	0.05	0.01	158,264	-	BTS01C1810A	0.40	(0.04)	13,547	-	CPAL08C1902A	0.22	(0.05)	31,822	-
BEAU01C1812B	0.02	-	67,908	-	BTS01C1810B	-	-	-	-	CPAL08P1810A	1.19	0.14	11,793	1.00
BEAU01P1812A	2.14	(0.18)	63,458	2.00	BTS01P1810A	0.48	0.04	4,245	-	CPAL11C1903A	0.10	(0.02)	25,945	-
BEAU06C1809A	0.02	-	220	-	BTS06C1903A	8.90	(0.15)	300	8.00	CPAL11P1903A	1.17	0.12	23,162	1.00
BEAU07C1809A	-	-	-	-	BTS06C1903B	-	-	-	-	CPAL13C1812A	0.22	(0.05)	152,436	-
BEAU08C1808A	-	-	-	-	BTS06C1903C	-	-	-	-	CPAL19C1811A	0.10	(0.03)	116,992	-
BEAU08C1901A	0.03	0.01	35,896	-	BTS08C1810A	0.23	(0.05)	399	-	CPAL23C1810A	-	-	-	-
BEAU11C1902A	0.03	0.01	2,061	-	BTS11C1904A	-	-	-	-	CPAL24C1808A	-	-	-	-
BEAU13C1811A	0.02	-	2,346	-	BTS19C1901A	0.30	(0.04)	7,362	-	CPAL24C1811A	0.02	-	1,800	-
BEAU13C1812A	0.02	0.01	10,608	-	BTS23C1905A	-	-	-	-	CPAL24C1901A	0.20	(0.08)	25,843	-
BEAU13C1812B	0.23	0.06	596,495	-	BTS24C1808A	-	-	-	-	CPAL24P1901A	0.56	0.08	7,617	-
BEAU19C1811A	-	-	-	-	BTS24C1901A	-	-	-	-	CPAL28C1809A	0.01	(0.01)	1	-
BEAU19C1901A	0.34	0.09	115,321	-	BTS28C1809A	0.16	(0.05)	19,384	-	CPAL28C1811A	0.07	(0.04)	26,241	-
BEAU23C1901A	0.01	-	2,616	-	BTS28C1811A	-	-	-	-	CPF01C1809A	0.82	0.12	39,717	-
BEAU24C1902A	0.02	0.01	2,150	-	BTS42C1901A	0.22	(0.03)	4,016	-	CPF01C1809B	0.07	0.02	85,251	-
BEAU28C1810A	0.01	-	87	-	BTS42P1901A	0.30	0.01	2,008	-	CPF01C1810A	0.22	0.03	187,503	-
BEAU28C1811A	-	-	-	-	CBG01C1809A	0.01	-	35,168	-	CPF01P1809A	0.22	(0.06)	100,440	-
BEC01C1808A	0.01	(0.01)	26,561	-	CBG01C1811A	0.21	(0.03)	126,692	-	CPF06C1809A	0.45	0.11	27,404	-
BEC01C1808B	0.01	-	1,055	-	CBG01C1811B	0.07	-	39,902	-	CPF07C1810A	-	-	-	-
BEC01C1812A	0.16	(0.03)	13,250	-	CBG01P1811A	1.42	0.08	37,622	1.00	CPF08C1809A	0.24	0.04	31,565	-
BEC01C1812B	0.18	(0.05)	3,640	-	CBG01P1811B	1.00	0.07	140,081	1.00	CPF08C1901A	0.18	0.03		

Main Board Quotation

Issue Date :

Tuesday August 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPN19C1901A	0.56	(0.10)	50,783	-	GLOB13C1901A	0.41	(0.59)	82,495	-	IVL06C1901A	0.33	(0.01)	34,953	-
CPN23C1810A	0.22	(0.05)	47,944	-	GLOB19C1901A	0.55	0.04	21,864	-	IVL07C1811A	0.36	(0.06)	54	-
CPN24C1901A	-	-	-	-	GLOB23C1811A	0.62	0.05	2,000	-	IVL08C1901A	0.47	(0.02)	63,444	-
CPN28C1810A	0.19	(0.06)	227,115	-	GLOB24C1810A	0.27	0.01	21,112	-	IVL08P1809A	-	-	-	-
DELT06C1903A	1.09	-	7,950	1.00	GLOB27C1809A	0.12	0.01	15,632	-	IVL11C1808A	0.75	(0.01)	48,655	-
DELT08C1811A	0.16	-	3,000	-	GLOW08C1811A	0.66	(0.03)	12,346	-	IVL11P1808A	-	-	-	-
DELT13C1809A	-	-	-	-	GLOW19C1901A	0.68	-	9,628	-	IVL13C1809A	0.09	(0.02)	15,744	-
DELT24C1901A	0.88	(0.03)	120	-	GLOW27C1812A	-	-	-	-	IVL13C1810A	0.16	(0.02)	128,938	-
DELT27C1812A	-	-	-	-	GPSC01C1808A	0.19	(0.02)	28,514	-	IVL13C1812A	0.40	(0.01)	119,501	-
DTAC01C1808A	0.22	0.02	111,462	-	GPSC01C1808B	-	-	-	-	IVL13P1809A	-	-	-	-
DTAC01C1808B	-	-	-	-	GPSC01P1808A	1.10	0.05	29,726	1.00	IVL13P1811A	0.32	-	54,272	-
DTAC01C1810A	0.50	0.03	89,175	-	GPSC06C1811A	0.22	(0.03)	13,616	-	IVL19C1809A	0.33	(0.03)	46,765	-
DTAC01C1810B	0.14	0.02	43,935	-	GPSC08C1808A	-	-	-	-	IVL23C1810A	0.42	0.01	2,000	-
DTAC01C1902A	0.90	0.04	56,038	-	GPSC11C1808A	0.78	(0.05)	6,462	-	IVL24C1808A	0.03	(0.01)	1	-
DTAC01C1902B	0.78	0.03	59,481	-	GPSC11C1902A	0.25	(0.02)	12,698	-	IVL24C1812A	-	-	-	-
DTAC01P1808A	0.44	(0.07)	19,071	-	GPSC13C1808A	-	-	-	-	IVL24C1901A	-	-	-	-
DTAC01P1810A	0.89	(0.04)	24,647	-	GPSC13C1812A	0.43	(0.03)	39,060	-	IVL28C1811A	0.21	(0.03)	73,526	-
DTAC01P1810B	0.42	(0.04)	53,719	-	GPSC19C1901A	0.52	(0.04)	15,759	-	IVL28C1812A	0.45	(0.04)	135,351	-
DTAC01P1902A	0.76	(0.04)	25,382	-	GPSC24C1808A	-	-	-	-	IVL28P1811A	0.38	(0.01)	103,959	-
DTAC01P1902B	0.56	(0.03)	29,349	-	GPSC24C1812A	0.30	(0.03)	6,800	-	KBAN01C1808A	0.23	(0.04)	72,721	-
DTAC06C1901A	0.41	0.03	20,573	-	GPSC28C1811A	0.33	(0.04)	24,436	-	KBAN01C1808B	0.01	-	9,707	-
DTAC06P1809A	0.13	(0.04)	24,412	-	GUNK01C1808A	0.01	-	9,000	-	KBAN01C1810A	1.31	(0.10)	28,846	1.00
DTAC07C1809A	-	-	-	-	GUNK01C1808B	0.01	-	4,365	-	KBAN01C1901A	1.42	(0.08)	32,548	1.00
DTAC08C1809A	0.08	0.01	1,000	-	GUNK08C1902A	0.25	(0.04)	7,820	-	KBAN01C1901B	0.85	(0.08)	58,587	-
DTAC08P1902A	0.25	(0.03)	48,441	-	GUNK11C1903A	0.13	(0.03)	640	-	KBAN01P1808A	0.62	0.04	45,536	-
DTAC11C1904A	0.39	0.02	23,273	-	GUNK24C1812A	-	-	-	-	KBAN01P1808B	0.05	0.01	46,432	-
DTAC13C1811A	0.17	0.01	28,776	-	GUNK28C1810A	0.20	(0.04)	6,594	-	KBAN01P1810A	0.10	0.01	14,641	-
DTAC13C1812A	0.59	0.05	77,211	-	HANA01C1811A	0.53	0.04	19,214	-	KBAN01P1901A	0.85	0.04	43,360	-
DTAC13P1811A	0.39	(0.07)	32,165	-	HANA01C1811B	0.35	0.04	31,624	-	KBAN01P1901B	0.34	0.02	137,600	-
DTAC13P1812A	0.10	(0.02)	38,717	-	HANA08C1809A	0.16	0.03	14,562	-	KBAN06C1811A	0.83	(0.09)	11,600	-
DTAC19C1811A	0.36	0.03	36,994	-	HANA11C1904A	0.32	0.04	5,134	-	KBAN07C1811A	-	-	-	-
DTAC24C1809A	-	-	-	-	HANA13C1809A	0.19	0.03	67,076	-	KBAN08C1811A	0.76	(0.13)	6,238	-
DTAC24C1901A	-	-	-	-	HANA13C1901A	0.38	0.03	39,100	-	KBAN08P1811A	0.17	0.02	9,502	-
DTAC27C1809A	-	-	-	-	HANA23C1811A	0.53	0.06	2	-	KBAN13C1810A	0.16	(0.03)	56,998	-
DTAC27P1809A	0.05	(0.02)	11,000	-	HANA24C1808A	-	-	-	-	KBAN13C1811A	0.89	(0.08)	49,020	-
DTAC28C1810A	-	-	-	-	HANA24C1810A	-	-	-	-	KBAN13C1901A	0.36	(0.64)	39,244	-
DTAC28C1812A	0.65	0.05	174,940	-	HANA28C1812A	0.43	0.05	15,998	-	KBAN19C1901A	0.42	(0.05)	32,254	-
EA01C1809A	0.63	(0.03)	40,568	-	HMPR01C1808A	0.29	-	41,650	-	KBAN23C1902A	0.70	(0.11)	34,902	-
EA01C1809B	0.27	(0.03)	36,391	-	HMPR01C1808B	0.02	(0.02)	1,500	-	KBAN24C1902A	-	-	-	-
EA01P1809A	0.74	0.03	58,642	-	HMPR01P1808A	0.21	(0.02)	14,894	-	KBAN24P1811A	0.13	0.01	23,900	-
EA06C1809A	-	-	-	-	HMPR06C1811A	0.12	(0.01)	7,800	-	KBAN27C1809A	-	-	-	-
EA07C1810A	-	-	-	-	HMPR08C1810A	-	-	-	-	KBAN27P1809A	0.34	0.03	22,190	-
EA08C1809A	-	-	-	-	HMPR11C1808A	0.28	(0.01)	10,304	-	KBAN28C1809A	0.04	(0.01)	20,001	-
EA08C1810A	0.17	(0.02)	71,618	-	HMPR11P1808A	-	-	-	-	KBAN28C1811A	0.82	(0.13)	36,368	-
EA11C1902A	0.09	-	1,571	-	HMPR13C1812A	0.26	0.01	52,222	-	KBAN28C1812A	0.33	(0.03)	69,140	-
EA13C1808A	-	-	-	-	HMPR19C1901A	0.37	(0.01)	14,178	-	KBAN28P1811A	0.12	-	204,942	-
EA13C1808B	-	-	-	-	HMPR23C1901A	0.11	(0.02)	13,000	-	KCE01C1810A	0.85	0.06	31,806	-
EA13C1809A	-	-	-	-	HMPR24C1808A	-	-	-	-	KCE01C1810B	0.77	0.10	30,009	-
EA13C1810A	0.02	-	3,904	-	HMPR24C1901A	-	-	-	-	KCE06C1809A	1.38	0.12	6,910	1.00
EA13C1811A	0.10	(0.01)	4,442	-	HMPR28C1811A	0.12	-	97,097	-	KCE07C1808A	0.24	0.23	9,443	-
EA13C1812A	0.16	(0.03)	219,494	-	INTU01C1809A	0.37	(0.01)	11,576	-	KCE07C1902A	0.53	0.02	400	-
EA13C1812B	0.35	(0.04)	99,624	-	INTU01C1809B	-	-	-	-	KCE08C1809A	1.05	0.14	20,461	1.00
EA13P1809A	0.56	0.04	200	-	INTU01P1809A	0.30	-	15,734	-	KCE11C1808A	-	-	-	-
EA19C1811A	0.30	(0.04)	51,331	-	INTU01P1809B	-	-	-	-	KCE11C1904A	0.52	0.04	25,489	-
EA23C1901A	0.30	(0.02)	30,000	-	INTU11C1905A	0.32	-	2,112	-	KCE13C1808A	0.61	0.07	40	-
EA24C1809A	0.06	(0.02)	2,000	-	INTU11P1905A	0.42	0.01	5,048	-	KCE13C1811A	0.77	0.06	11,178	-
EA28C1809A	0.17	(0.04)	54,010	-	INTU13C1810A	0.13	(0.01)	14,810	-	KCE13C1812A	0.44	0.03	119,152	-
EA28C1809B	0.01	-	3,000	-	INTU13C1812A	0.39	-	28,063	-	KCE19C1901A	0.55	0.03	36,360	-
EGCO01C1809A	0.46	0.01	12,396	-	INTU19C1901A	0.34	-	6,401	-	KCE23C1901A	0.39	0.03	1,117	-
EGCO08C1809A	0.02	(0.03)	200	-	INTU24C1901A	-	-	-	-	KCE24C1808A	0.40	-	400	-
EGCO13C1809A	0.02	(0.01)	100	-	INTU28C1809A	-	-	-	-	KCE24C1901A	0.52	0.06	5,220	-
EGCO19C1901A	0.35	0.01	7,678	-	IRPC01C1808A	0.08	(0.01)	80,220	-	KCE28C1811A	0.66	0.03	20,674	-
EGCO23C1811A	0.24	0.01	7,000	-	IRPC01C1810A	0.12	-	14,021	-	KKP01C1808A	0.33	-	81,488	-
EGCO24C1808A	-	-	-	-	IRPC01C1810B	0.02	-	4	-	KKP01C1808B	0.01	-	20,000	-
EGCO24C1901A	0.25	(0.05)	200	-	IRPC01P1808A	0.48	-	22,470	-	KKP08C1811A	0.50	(0.01)	27,929	-
EPGO1C1809A	0.17	0.03	22,359	-	IRPC01P1810A	0.40	0.01	30,445	-	KKP11C1903A	0.40	-	19,078	-
EPGO1P1809A	0.58	(0.05)	5,653	-	IRPC01P1810B	0.17	-	66,696	-	KKP13C1811A	0.40	-	64,326	-
EPGO7C1811A	-	-	-	-	IRPC06C1811A	0.18	(0.01)	18,018	-	KRP19C1901A	0.62	(0.02)	19,891	-
EPGO8C1810A	-	-	-	-	IRPC07C1812A	-	-	-	-	KRP24C1812A	-	-	-	-
EPGO8C1810B	0.53	0.05	17,877	-	IRPC08C1808A	-	-	-	-	KRP28C1810A	0.26	-	104,400	-
EPG11C1903A	0.47	0.04	13,921	-	IRPC08C1902A	0.25	-	57,328	-	KTB01C1808A	0.25	(0.02)	18,998	-
EPG13C1808A	-	-	-	-	IRPC11C1902A	-	-	-	-	KTB01C1810A	0.47	(0.02)	26,122	-
EPG13C1811A	0.32	0.04	35,247	-	IRPC11C1905A	0.30	(0.02)	14,014	-	KTB01C1810B	0.26	(0.01)	77,451	-
EPG23C1808A	-	-	-	-	IRPC13C1808A	-	-	-	-	KTB01P1808A	0.22	-	12,945	-
EPG24C1808A	-	-	-	-	IRPC13C1811A	0.11	-	91,676	-	KTB06C1902A	0.43	-	14,500	-
EPG24C1810A	0.47	(0.07)	1	-	IRPC13C1812A	0.23	-	150,182	-	KTB08C1809A	-	-	-	-
ERW24C1904A	0.38	(0.03)	2,192	-	IRPC19C1901A	0.28	(0.01)	49,272	-	KTB11C1811A	0.22	(0.01)	29,952	-
ESSO01C1812A	0.51	0.01	56,800	-	IRPC23C1810A	0.04	-	5,500	-	KTB13C1809A	0.07	(0.02)	3,001	-
ESSO01C1812B	0.34	0.02	59,457	-	IRPC24C1808A	0.08	(0.05)	4,300	-	KTB13C1901A	0.50	(0.01)	54,221	-
ESSO01P1812A	0.61	(0.01)	128,563	-	IRPC24C1809A	-	-	-	-	KTB19C1901A	0.36	(0.01)	26,734	-
ESSO11C1905A	0.66	0.02	16,280	-	IRPC24C1812A	0.11	(0.03)	2,000	-	KTB23C1811A	0.30	(0.02)	20,000	-
ESSO13C1811A	0.24	0.01	61,986	-	IRPC27C1809A	-	-	-	-	KTB24C1808A	-	-	-	-
ESSO19C1901A	0.39	0.01	22,038	-	IRPC28C1811A	-	-	-	-	KTB24C1811A	-	-	-	-
ESSO23C1809A	-	-	-	-	IRPC28C1812A	0.26	-	112,196	-	KTB24P1901A	0.18	-	42,696	-
ESSO24C1812A	0.20	-	116	-	ITD01C1808A	0.01	-	59,533	-	KTB28C1809A	-	-	-	-
ESSO24C1902A	0.43	0.01	3,500	-	ITD01C1808B	-	-	-	-	KTB28C1811A	0.24	(0.02)	154,493	-
ESSO28C1811A	0.22	0.01	103,360	-	ITD01P1808A	1.36	0.06	8						

Main Board Quotation

Issue Date :

Tuesday August 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
LH01C1809A	0.37	0.01	41,761	-	PTG01C1811B	0.03	(0.01)	72,101	-	PTTG13C1812A	0.28	0.01	123,853	-
LH01C1809B	0.17	0.01	70,868	-	PTG01P1811A	1.41	0.13	62,369	1.00	PTTG13C1812B	0.81	(0.02)	402,021	-
LH01P1809A	0.07	(0.01)	7,957	-	PTG06C1810A	0.04	(0.03)	5,550	-	PTTG19C1811A	0.24	-	121,309	-
LH06C1809A	0.29	0.02	9,224	-	PTG06C1904A	0.29	(0.06)	28,664	-	PTTG23C1901A	0.09	(0.02)	200	-
LH07C1810A	-	-	-	-	PTG08C1902A	0.15	(0.05)	124,523	-	PTTG24C1808A	-	-	-	-
LH11C1808A	0.23	0.02	24,256	-	PTG11C1903A	0.08	(0.03)	13,102	-	PTTG24C1812A	0.16	(0.03)	85	-
LH13C1808A	-	-	-	-	PTG13C1809A	-	-	-	-	PTTG24C1901A	0.59	(0.05)	1,250	-
LH13C1902A	0.31	(0.69)	12,200	-	PTG13C1812A	0.08	(0.03)	105,929	-	PTTG24P1808A	-	-	-	-
LH19C1901A	0.24	-	11,980	-	PTG23C1808A	-	-	-	-	PTTG24P1901A	-	-	-	-
LH23C1901A	0.14	-	4,690	-	PTG24C1809A	-	-	-	-	PTTG28C1811A	0.19	(0.01)	111,504	-
LH24C1809A	0.06	-	200	-	PTG24C1902A	0.18	(0.08)	16,501	-	PTTG28C1812A	0.71	(0.02)	144,533	-
LPN01C1809A	0.13	0.02	34,544	-	PTG27C1809A	0.01	(0.01)	3,400	-	QH01C1810A	0.55	-	138,442	-
LPN01C1811A	0.43	0.03	33,238	-	PTG28C1812A	0.13	(0.06)	248,485	-	QH01C1810B	0.34	-	79,101	-
LPN01C1811B	0.23	0.03	58,612	-	PTL08C1811A	0.41	(0.17)	34,212	-	QH01P1810A	0.20	-	16,791	-
LPN01P1809A	0.39	(0.04)	9,280	-	PTL13C1809A	0.11	(0.13)	178,160	-	QH08C1808A	0.26	0.01	82,445	-
LPN08C1810A	0.09	0.01	9,400	-	PTL28C1810A	0.28	(0.16)	132,379	-	QH11C1902A	0.44	(0.01)	26,003	-
LPN08C1906A	0.25	0.01	22,064	-	PTT01C1808A	0.71	0.01	78,662	-	QH19C1901A	0.26	-	28,432	-
LPN19C1811A	0.23	0.04	22,180	-	PTT01C1808B	0.10	-	318,804	-	QH23C1808A	0.36	(0.02)	3,000	-
LPN24C1808A	-	-	-	-	PTT01C1810A	0.22	-	146,206	-	QH24C1812A	0.21	(0.01)	13,140	-
LPN24C1812A	0.27	(0.02)	400	-	PTT01C1810B	0.05	(0.01)	28,504	-	RATC19C1901A	-	-	-	-
MAJ08C1811A	0.05	(0.01)	1,500	-	PTT01C1901A	0.73	-	100,057	-	RATC24C1902A	-	-	-	-
MAJ011C1902A	-	-	-	-	PTT01C1901B	0.58	-	99,313	-	RATC27C1812A	-	-	-	-
MAJ024C1809A	-	-	-	-	PTT01P1808A	0.22	0.01	209,661	-	ROBI01C1809A	0.31	0.03	57,209	-
MAJ024C1902A	0.54	(0.04)	230	-	PTT01P1808B	0.02	0.01	10,490	-	ROBI06C1809A	0.27	0.01	24,630	-
MALE01C1812A	0.02	-	7,491	-	PTT01P1810A	0.88	-	77,904	-	ROBI08C1808A	-	-	-	-
MALE08C1811A	0.01	-	1,000	-	PTT01P1810B	0.33	(0.01)	135,548	-	ROBI11C1808A	0.03	0.01	42	-
MALE13C1809A	-	-	-	-	PTT01P1901A	0.52	-	68,094	-	ROBI19C1901A	0.64	0.04	20,746	-
MALE27C1812A	-	-	-	-	PTT01P1901B	0.36	0.02	52,624	-	ROBI24C1901A	0.24	(0.02)	10,000	-
MALE28C1810A	-	-	-	-	PTT06C1811A	0.10	(0.02)	6,059	-	ROBI24C1903A	-	-	-	-
MC19C1811A	0.10	(0.01)	3,626	-	PTT06C1901A	0.43	(0.02)	27,496	-	RS13C1901A	0.54	(0.04)	84,288	-
MC23C1809A	-	-	-	-	PTT06P1901A	0.39	0.01	17,957	-	RS19C1901A	0.50	(0.04)	18,068	-
MC24C1812A	0.15	(0.03)	416	-	PTT07C1811A	0.17	(0.02)	1,000	-	RS24C1811A	0.47	(0.06)	1,044	-
MEGA01C1811A	0.36	0.02	12,634	-	PTT08C1809A	0.02	-	20,182	-	S10001C1811A	0.56	(0.03)	6,778	-
MEGA01C1811B	0.18	0.01	9,972	-	PTT08C1902A	0.38	(0.01)	20,498	-	S5001C1808A	0.64	(0.06)	71,845	-
MEGA08C1811A	0.17	0.01	13,614	-	PTT08P1809A	0.24	-	31,710	-	S5001C1808B	0.43	(0.06)	49,781	-
MEGA11C1902A	0.19	0.01	876	-	PTT11C1902A	0.19	-	44,790	-	S5001C1809F	0.80	(0.07)	2,031,870	-
MEGA13C1809A	0.03	-	1,456	-	PTT13C1808A	-	-	-	-	S5001C1809G	0.19	(0.04)	256,466	-
MEGA23C1902A	-	-	-	-	PTT13C1810A	0.06	(0.01)	6,671	-	S5001C1809H	2.14	(0.06)	518,906	2.00
MEGA24C1812A	-	-	-	-	PTT13C1811A	0.24	(0.02)	134,845	-	S5001C1809I	1.49	(0.15)	1,721,033	1.00
MINT01C1808A	0.04	-	6,800	-	PTT13C1812A	0.40	-	105,140	-	S5001C1810A	1.35	(0.05)	73,054	1.00
MINT01C1808B	0.01	-	75,000	-	PTT13P1808A	-	-	-	-	S5001C1810B	1.36	(0.06)	186,947	1.00
MINT01C1901A	0.48	-	113,743	-	PTT13P1812A	0.24	(0.02)	133,302	-	S5001P1808A	0.84	0.05	59,336	-
MINT01C1901B	0.36	0.01	105,378	-	PTT19C1809A	0.07	(0.03)	5,200	-	S5001P1808B	0.95	0.08	414,693	-
MINT01P1808A	0.53	(0.04)	32,285	-	PTT19C1901A	0.47	0.01	32,874	-	S5001P1809F	1.46	0.09	2,512,629	1.00
MINT01P1901A	0.29	(0.01)	44,511	-	PTT23C1901A	0.12	(0.02)	34,704	-	S5001P1809G	0.68	0.07	1,911,718	-
MINT06C1809A	0.05	0.01	4,000	-	PTT24C1809A	0.02	(0.02)	910	-	S5001P1809H	0.08	0.01	40,513	-
MINT06C1901A	0.32	0.01	33,240	-	PTT24C1812A	0.32	(0.02)	800	-	S5001P1809I	0.04	-	38,203	-
MINT07C1810A	-	-	-	-	PTT24P1808A	-	-	-	-	S5001P1810A	0.28	0.03	252,072	-
MINT08C1809A	0.02	(0.02)	408	-	PTT24P1901A	-	-	-	-	S5001P1810B	0.18	0.02	97,373	-
MINT11C1902A	0.15	0.01	10,038	-	PTT27C1809A	0.38	(0.07)	2,000	-	S5006C1809A	0.19	(0.04)	14,811	-
MINT11P1902A	0.18	(0.01)	19,280	-	PTT27P1809A	0.07	-	4,000	-	S5006C1809B	0.08	(0.02)	39,493	-
MINT13C1810A	0.12	-	69,607	-	PTT28C1811A	0.07	-	29,030	-	S5006C1809C	0.39	(0.05)	754	-
MINT13C1812A	0.41	-	141,505	-	PTT28C1811B	0.23	(0.02)	57,058	-	S5006C1809D	0.10	(0.04)	6,874	-
MINT19C1901A	0.43	0.01	22,802	-	PTT28C1812A	0.38	(0.01)	139,707	-	S5006C1812A	0.66	(0.05)	48,480	-
MINT23C1810A	0.10	0.01	3,800	-	PTT28C1901A	0.22	0.01	47,637	-	S5006C1812B	0.69	(0.07)	17,055	-
MINT24C1812A	-	-	-	-	PTT28P1812A	0.18	-	33,857	-	S5006P1809A	1.26	0.07	15,175	1.00
MINT24C1901A	0.41	(0.01)	3	-	PTTE01C1808A	1.21	(0.02)	51,558	1.00	S5006P1809B	0.55	0.04	1,646	-
MINT28C1811A	0.25	0.01	168,314	-	PTTE01C1808B	0.56	(0.01)	102,146	-	S5006P1809C	0.68	0.11	3,854	-
MON001C1810A	0.03	-	14,626	-	PTTE01C1901A	0.79	(0.01)	132,875	-	S5006P1809D	0.30	0.08	8,832	-
MON001C1810B	0.01	(0.01)	2,000	-	PTTE01C1901B	0.53	(0.02)	94,913	-	S5006P1812A	1.17	0.05	4,671	1.00
MON008C1808A	-	-	-	-	PTTE01P1808A	0.02	-	16,544	-	S5006P1812B	0.42	0.02	26,469	-
MON008C1906A	0.08	-	1,274	-	PTTE01P1901A	1.13	(0.01)	37,637	1.00	S5008C1809A	0.78	(0.09)	133,397	-
MON013C1808A	-	-	-	-	PTTE01P1901B	0.69	(0.02)	55,533	-	S5008P1809A	0.09	0.01	66,005	-
MON013C1811A	-	-	-	-	PTTE06C1811A	0.47	(0.02)	25,182	-	S5013C1809A	0.11	(0.03)	2,631,928	-
MON013C1901A	0.14	(0.02)	22,100	-	PTTE07C1809A	0.19	(0.03)	1,319	-	S5013C1809B	0.29	(0.04)	956,590	-
MON019C1811A	0.07	-	20,387	-	PTTE08C1811A	0.39	-	51,409	-	S5013C1809C	0.22	(0.05)	962,547	-
MON023C1809A	-	-	-	-	PTTE08P1809A	0.02	-	2,500	-	S5013C1809D	0.57	(0.08)	7,541,999	-
MON023C1901A	0.12	(0.04)	3,500	-	PTTE08P1811A	0.20	-	21,830	-	S5013C1809E	1.04	(0.10)	2,748,086	-
MON024C1812A	0.01	-	375	-	PTTE11C1902A	0.64	(0.03)	41,542	-	S5013P1809F	0.67	(0.05)	1,073,291	-
MON024C1812B	-	-	-	-	PTTE13C1811A	0.33	-	126,873	-	S5013P1809A	1.00	0.03	305,011	1.00
MON028C1811A	-	-	-	-	PTTE13C1812A	0.64	-	104,809	-	S5013P1809B	0.45	0.01	3,577,577	-
MON028C1901A	0.13	(0.01)	10,601	-	PTTE13P1811A	0.15	(0.01)	59,092	-	S5013P1809C	0.64	0.03	2,610,694	-
MTC06C1901A	0.56	(0.02)	41,780	-	PTTE13P1901A	0.56	(0.01)	91,123	-	S5013P1809D	0.21	0.01	2,226,381	-
MTC08C1811A	0.18	(0.01)	45,672	-	PTTE19C1811A	0.52	(0.03)	45,416	-	S5013P1809E	0.07	0.01	2,726,646	-
MTC08C1902A	0.44	0.01	22,382	-	PTTE23C1901A	0.12	(0.01)	25,000	-	S5013P1809F	0.85	0.03	1,564,840	-
MTC11C1904A	0.39	-	11,718	-	PTTE24C1811A	-	-	-	-	S5028C1809A	0.20	(0.05)	1,122,308	-
MTC13C1809A	0.04	(0.01)	8,400	-	PTTE24C1901A	-	-	-	-	S5028C1809B	0.95	(0.08)	1,422,005	-
MTC13C1811A	0.54	-	166,374	-	PTTE24P1809A	0.01	-	920	-	S5028P1809A	0.41	-	1,811,795	-
MTC19C1901A	0.42	(0.03)	12,263	-	PTTE24P1901A	0.61	(0.01)	10	-	S5028P1809B	0.11	-	426,097	-
MTC23C1808A	-	-	-	-	PTTE27C1809A	0.76	(0.02)	40	-	SAWA01C1808A	0.01	(0.01)	2,301	-
MTC24C1808A	-	-	-	-	PTTE27P1809A	-	-	-	-	SAWA01C1808B	0.02	-	5,001	-
MTC24C1810A	0.22	(0.04)	5,850	-	PTTE28C1810A	0.25	(0.01)	70,248	-	SAWA01C1901A	0.47	(0.03)	108,106	-
MTC24C1812A	-	-	-	-	PTTE28C1811A	0.15	(0.02)	22,139	-	SAWA01C1901B	0.35	(0.03)	71,757	-
MTC28C1809A	0.32	(0.03)	40,102	-	PTTE28P1811A	0.18	-	26,760	-	SAWA01P1808A	2.18	0.10	18,090	2.00
ORI11C1811A	0.25													

Main Board Quotation

Issue Date :

Tuesday August 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB01C1808A	0.23	(0.05)	42,500	-	STA23C1809A	-	-	-	-	TMB07C1811A	-	-	-	-
SCB01C1808B	0.01	-	1,111	-	STA24C1808A	-	-	-	-	TMB08C1808A	-	-	-	-
SCB01C1810A	0.57	(0.05)	99,604	-	STEC01C1809A	0.19	0.06	127,372	-	TMB08C1901A	0.10	(0.01)	59,283	-
SCB01C1902A	1.02	(0.05)	11,400	1.00	STEC01C1809B	0.56	0.20	97,872	-	TMB11C1904A	-	-	-	-
SCB01C1902B	0.96	(0.06)	38,779	-	STEC01P1809A	0.84	(0.20)	29,039	-	TMB13C1811A	0.06	-	1	-
SCB01P1808A	0.91	0.05	37,752	-	STEC06C1809A	0.20	0.06	32,692	-	TMB13C1901A	0.23	(0.01)	95,287	-
SCB01P1808B	0.07	0.02	104,708	-	STEC08C1809A	0.12	0.04	62,077	-	TMB19C1901A	0.15	(0.01)	37,845	-
SCB01P1902A	0.46	0.03	69,155	-	STEC11C1903A	0.47	0.11	68,807	-	TMB23C1810A	-	-	-	-
SCB01P1902B	0.22	-	64,576	-	STEC13C1809A	0.05	0.01	1,158	-	TMB24C1809A	-	-	-	-
SCB06C1811A	0.71	(0.06)	18,313	-	STEC19C1901A	0.46	0.09	31,917	-	TMB24C1901A	-	-	-	-
SCB08C1901A	0.57	(0.05)	18,381	-	STEC23C1808A	-	-	-	-	TMB28C1809A	-	-	-	-
SCB11C1901A	0.31	(0.02)	3,880	-	STEC24C1808A	-	-	-	-	TMB28C1901A	0.18	-	289,513	-
SCB11P1901A	0.38	0.03	27,533	-	STEC24C1901A	-	-	-	-	TOA01C1901A	0.40	(0.03)	8,020	-
SCB13C1809A	0.05	(0.02)	5,150	-	STEC28C1810A	0.40	0.10	118,634	-	TOA01C1901B	0.30	(0.04)	4,074	-
SCB13C1812A	0.68	(0.05)	52,230	-	STPI08C1811A	-	-	-	-	TOA08C1902A	0.22	(0.03)	23,314	-
SCB13P1812A	0.10	-	34,989	-	SUPE08C1808A	-	-	-	-	TOA13C1812A	0.30	(0.04)	28,055	-
SCB19C1811A	0.37	(0.04)	25,480	-	SUPE08C1811A	0.10	(0.02)	50	-	TOA19C1901A	0.29	(0.03)	3,092	-
SCB24C1901A	-	-	-	-	SUPE13C1810A	-	-	-	-	TOA24C1812A	-	-	-	-
SCB24C1902A	-	-	-	-	SUPE13C1811A	0.09	(0.01)	200	-	TOA28C1812A	0.27	(0.02)	4,056	-
SCB24P1811A	0.11	-	3,153	-	SUPE23C1811A	-	-	-	-	TOP01C1808A	0.03	-	5,576	-
SCB28C1809A	-	-	-	-	SUPE23C1901A	0.06	(0.01)	2,300	-	TOP01C1808B	0.01	-	1,085	-
SCB28C1812A	0.55	(0.05)	75,127	-	SUPE28C1810A	-	-	-	-	TOP01C1901A	1.32	0.03	61,720	1.00
SCB28P1812A	0.06	-	200	-	SUPE28C1811A	-	-	-	-	TOP01C1901B	1.21	0.05	66,950	1.00
SCC01C1808A	0.14	(0.05)	15,159	-	TASC01C1809A	-	-	-	-	TOP01P1808A	1.28	(0.01)	10,209	1.00
SCC01C1808B	0.01	-	16,726	-	TASC01C1810A	0.08	(0.02)	11,004	-	TOP01P1901A	0.74	(0.04)	30,045	-
SCC01C1901A	0.72	(0.04)	36,642	-	TASC01C1810B	-	-	-	-	TOP06C1809A	0.02	-	1	-
SCC01C1901B	0.61	(0.06)	50,883	-	TASC01P1809A	2.04	0.09	34,510	2.00	TOP06C1903A	0.99	0.03	27,653	-
SCC01P1808A	0.50	0.06	15,929	-	TASC01P1810A	0.94	0.07	123,651	-	TOP07C1812A	-	-	-	-
SCC01P1901A	0.33	0.01	293,694	-	TASC07C1811A	-	-	-	-	TOP08C1811A	0.10	-	530	-
SCC06C1809A	0.04	(0.01)	4,000	-	TASC08C1808A	-	-	-	-	TOP11C1808A	-	-	-	-
SCC06C1902A	0.36	(0.05)	9,799	-	TASC11C1904A	0.08	(0.02)	3,331	-	TOP11C1905A	0.91	0.03	35,506	-
SCC07C1812A	-	-	-	-	TASC13C1810A	-	-	-	-	TOP13C1811A	0.07	(0.01)	23,730	-
SCC08C1809A	-	-	-	-	TASC23C1902A	0.22	(0.02)	15,264	-	TOP13C1901A	0.53	0.01	107,564	-
SCC08C1902A	0.42	(0.05)	22,456	-	TASC24C1810A	-	-	-	-	TOP18C1808A	-	-	-	-
SCC11C1811A	0.11	(0.03)	6,212	-	TASC24C1903A	0.22	(0.05)	100	-	TOP19C1901A	0.39	0.02	35,694	-
SCC11P1811A	0.24	0.03	59,275	-	TCAP01C1901A	0.64	(0.01)	87,627	-	TOP23C1811A	0.12	(0.01)	9,500	-
SCC13C1809A	-	-	-	-	TCAP01C1901B	0.54	(0.02)	13,124	-	TOP24C1901A	0.13	(0.02)	2,009	-
SCC13C1812A	0.23	(0.03)	11,531	-	TCAP01P1901A	0.35	0.02	19,340	-	TOP24C1902A	0.52	(0.04)	23,505	-
SCC13C1901A	0.46	(0.06)	240	-	TCAP08C1810A	-	-	-	-	TOP28C1810A	-	-	-	-
SCC19C1811A	0.16	(0.03)	11,000	-	TCAP11C1811A	0.14	(0.02)	5,826	-	TOP28C1812A	0.48	-	49,710	-
SCC19C1901A	0.43	(0.06)	16,643	-	TCAP13C1809A	-	-	-	-	TP101C1812A	0.19	(0.02)	8,450	-
SCC23C1811A	-	-	-	-	TCAP13C1901A	0.49	(0.02)	80,512	-	TP101C1812B	0.12	(0.02)	1,000	-
SCC24C1812A	0.07	(0.02)	20,000	-	TCAP19C1901A	0.40	(0.02)	7,880	-	TP107C1812A	-	-	-	-
SCC24C1901A	-	-	-	-	TCAP24C1903A	-	-	-	-	TP113C1809A	-	-	-	-
SCC24P1901A	0.23	0.02	6,405	-	THAI01C1808A	0.02	(0.07)	13,171	-	TP119C1901A	0.21	(0.03)	2,558	-
SCC27C1809A	-	-	-	-	THAI01C1808B	-	-	-	-	TP123C1809A	-	-	-	-
SCC27P1809A	-	-	-	-	THAI01C1901A	0.30	(0.13)	117,128	-	TP124C1808A	-	-	-	-
SCC28C1811A	0.17	(0.04)	49,104	-	THAI01C1901B	0.17	(0.12)	25,305	-	TP124C1902A	-	-	-	-
SCC28C1812A	0.44	(0.05)	69,022	-	THAI01P1808A	0.77	0.29	39,717	-	TP1P01C1810A	0.38	(0.01)	4,054	-
SCC08C1811A	0.04	(0.01)	4,656	-	THAI01P1901A	0.90	0.20	54,258	-	TP1P01C1810B	0.13	-	2,307	-
SCC13C1809A	-	-	-	-	THAI06C1809A	0.06	(0.09)	22,235	-	TP1P01P1810A	0.60	0.04	5,418	-
SCC27C1812A	-	-	-	-	THAI07C1811A	-	-	-	-	TP1P08C1808A	-	-	-	-
SGP08C1808A	-	-	-	-	THAI08C1808A	-	-	-	-	TP1P11C1811A	-	-	-	-
SGP08C1901A	0.37	(0.05)	149,885	-	THAI11C1808A	-	-	-	-	TP1P13C1811A	-	-	-	-
SGP11C1904A	0.18	(0.02)	75,223	-	THAI13C1811A	0.05	(0.06)	21,910	-	TP1P23C1808A	-	-	-	-
SGP13C1811A	0.11	(0.03)	168	-	THAI19C1901A	0.28	(0.14)	68,757	-	TP1P24C1901A	0.31	(0.04)	153	-
SGP13C1812A	0.24	(0.05)	227,602	-	THAI23C1901A	-	-	-	-	TP1P27C1812A	-	-	-	-
SGP19C1811A	0.25	(0.07)	72,120	-	THAI24C1808A	-	-	-	-	TRUE01C1808A	0.23	(0.07)	71,558	-
SGP24C1808A	0.01	-	4	-	THAI24C1901A	0.17	(0.12)	25,578	-	TRUE01C1808B	0.02	(0.02)	143,581	-
SGP24C1811A	0.11	(0.03)	1	-	THAI27C1809A	-	-	-	-	TRUE01C1902A	0.52	(0.04)	27,196	-
SGP24C1902A	-	-	-	-	THAN01C1812A	0.43	(0.01)	5,796	-	TRUE01C1902B	0.44	(0.04)	63,500	-
SGP28C1809A	0.02	0.01	1	-	THAN13C1809A	-	-	-	-	TRUE01P1808A	0.24	0.05	78,723	-
SGP28C1811A	0.11	(0.03)	80,896	-	THAN24C1903A	0.45	(0.01)	100	-	TRUE01P1902A	0.51	0.04	20,549	-
SIRI01C1808A	0.01	-	81,698	-	THAN28C1810A	-	-	-	-	TRUE01P1902B	0.37	0.01	20,385	-
SIRI01C1808B	0.01	-	5,000	-	THCO01C1809A	0.08	(0.01)	22	-	TRUE06C1811A	-	-	-	-
SIRI01C1901A	0.38	(0.03)	21,547	-	THCO01P1809A	0.58	0.04	100	-	TRUE06C1906A	0.30	(0.05)	8,320	-
SIRI01C1901B	0.15	(0.03)	26,441	-	THCO08C1906A	0.22	(0.02)	5,847	-	TRUE08C1809A	0.07	(0.03)	5,580	-
SIRI01P1808A	0.60	0.03	10,546	-	THCO11C1902A	0.14	(0.01)	3,135	-	TRUE08C1902A	0.39	(0.06)	32,776	-
SIRI01P1901A	0.63	0.04	51,975	-	THCO19C1811A	0.12	(0.02)	2,012	-	TRUE08P1809A	0.09	0.03	15,635	-
SIRI08C1808A	-	-	-	-	THCO23C1808A	-	-	-	-	TRUE11C1905A	0.34	(0.03)	6,542	-
SIRI08C1810A	0.10	(0.02)	7,862	-	THCO24C1810A	-	-	-	-	TRUE13C1810A	0.04	(0.02)	81,561	-
SIRI11C1902A	0.12	(0.02)	10,424	-	THCO28C1901A	0.30	(0.02)	233,868	-	TRUE13C1812A	0.25	(0.06)	134,030	-
SIRI13C1809A	-	-	-	-	THCO28C1901A	0.16	(0.01)	29,790	-	TRUE16C1812A	0.30	(0.02)	3,000	-
SIRI23C1811A	0.15	(0.03)	8,000	-	TISCO1C1808A	-	-	-	-	TRUE19C1901A	0.17	(0.04)	47,127	-
SIRI24C1809A	-	-	-	-	TISCO1C1808B	0.01	-	4,991	-	TRUE23C1902A	-	-	-	-
SIRI24C1903A	-	-	-	-	TISCO8C1808A	0.01	-	550	-	TRUE27C1809A	0.13	(0.04)	11,279	-
SIRI28C1809A	-	-	-	-	TISC11C1903A	0.20	(0.01)	10,545	-	TRUE27P1809A	0.23	0.03	900	-
SIRI28C1901A	0.31	(0.03)	500	-	TISC13C1811A	0.25	(0.01)	68,312	-	TRUE28C1810A	-	-	-	-
SPAL01C1808A	0.38	(0.02)	44,334	-	TISC13C1812A	0.65	(0.01)	72,671	-	TRUE28C1812A	0.20	(0.05)	61,582	-
SPAL01C1808B	-	-	-	-	TISC19C1901A	0.37	(0.01)	19,772	-	TTA08C1808A	-	-	-	-
SPAL06C1809A	0.47	(0.01)	20,770	-	TISC24C1812A	0.17	(0.01)	10,717	-	TTA08C1906A	0.27	(0.02)	6,174	-
SPAL08C1808A	-	-	-	-	TISC28C1901A	0.62	(0.01)	234,920	-	TTA13C1809A	-	-	-	-
SPAL11C1905A	0.15	-	8,580	-	TKN01C1808A	0.02	-	1,008	-	TTA13C1901A	0.22	(0.02)	6,412	-
SPAL23C1811A	0.56	-	7,400	-	TKN01C1808B	0.01	-	1,000	-	TTA18C1808A	-	-	-	-
SPAL24C1808A	-	-	-	-	TKN01C1901A	0.55	(0.01)	27,420	-	TTA19C1811A	0.10	(0.01)	400	-
SPAL24C1812A	0.19	(0.02)	860	-	TKN01C1901B	0.42	(0.01)	25,316	-	TTA23C1808A	-	-	-	-
SPRC01C1808A	0.10	(0.03)	6,757	-	TKN08C1808A	-	-	-	-	TTA23C1901A	0.11	(0.02)	1,000	-
SPRC01C1808B	-	-	-	-	TKN08C1811A	0.06	(0.01)	1	-	TTA24C1809A	-	-	-	-
SPRC06C1809A	-	-	-	-	TKN11C1902A	0.15	-	19,393	-	TTA24C1902A	-	-	-	-
SPRC06C190														

Main Board Quotation

Issue Date :

Tuesday August 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STA19C1811A	0.10	-	2,640	-	TMB06C1902A	0.13	(0.01)	24,131	-	TU24C1808A	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday August 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU24C1901A	-	-	-	-	DCON-W1	3.60	(0.40)	10	3.00	EFORL-W4	0.03	0.01	16,704	-
TVO01C1809A	0.13	(0.02)	47,461	-	DIGI-W1	0.04	-	360	-	FC-W1	0.06	-	2,420	-
TVO01C1809B	-	-	-	-	DIGI-W2	0.02	-	326	-	FC-W2	0.04	-	13,493	-
TVO08C1808A	-	-	-	-	EARTH-W4	-	-	-	-	FOCUS-W2	0.25	-	678	-
TVO11C1903A	0.10	(0.01)	22,198	-	EIC-W2	0.02	-	502	-	FVC-W2	0.45	(0.01)	1,711	-
TVO13C1809A	-	-	-	-	EIC-W3	0.04	-	1,415	-	ITEL-W1	0.32	0.02	17,440	-
TVO23C1808A	-	-	-	-	EIC-W4	-	-	-	-	JKN-W1	2.52	0.08	13,646	2.00
TVO24C1810A	-	-	-	-	EVER-W3	0.03	-	610	-	LIT-W1	2.24	(0.02)	105	2.00
TVO24C1903A	-	-	-	-	GJS-W3	-	-	-	-	META-W2	0.06	-	18,526	-
UNIQ01C1809A	0.06	(0.01)	13,800	-	GSTEL-W1	-	-	-	-	NDR-W1	0.11	(0.01)	7,430	-
UNIQ01C1810A	0.19	(0.03)	47,771	-	GSTEL-W2	-	-	-	-	NEWS-W4	-	-	-	-
UNIQ01C1810B	0.04	(0.02)	20,590	-	IEC-W2	-	-	-	-	NEWS-W5	-	-	-	-
UNIQ01P1809A	0.67	0.06	18,011	-	IHL-W1	5.30	0.25	195	5.00	NEWS-W6	-	-	-	-
UNIQ08C1808A	-	-	-	-	ITD-W1	0.11	-	88,149	-	PHOL-W1	0.06	-	1,270	-
UNIQ08C1810A	-	-	-	-	IVL-W2	-	-	-	-	PIMO-W1	1.95	(0.03)	4,366	1.00
UNIQ08C1906A	0.22	(0.02)	65,037	-	JAS-W3	2.00	(0.06)	30,358	1.00	PPS-W1	0.72	(0.13)	1,371	-
UNIQ11C1811A	-	-	-	-	JCK-W5	0.49	-	386	-	PSTC-W1	0.26	-	6,664	-
UNIQ13C1809A	-	-	-	-	JMART-W2	1.86	(0.12)	21,533	1.00	SIMAT-W2	-	-	-	-
UNIQ13C1901A	0.22	(0.02)	62,199	-	MIDA-W2	0.03	-	10,615	-	SIMAT-W3	0.62	0.02	11	-
UNIQ19C1811A	-	-	-	-	MILL-W3	0.04	0.02	5,148	-	SIMAT-W4	1.36	-	2,973	1.00
UNIQ23C1901A	-	-	-	-	MILL-W4	0.30	0.01	1,380	-	SKY-W1	12.90	0.50	11	12.00
UNIQ24C1811A	-	-	-	-	MILL-W5	0.19	-	28,600	-	STAR-W3	1.86	(0.12)	3,202	1.00
UNIQ28C1809A	-	-	-	-	ML-W2	0.03	0.01	615	-	TAKUNI-W	0.21	0.01	143	-
UNIQ28C1811A	0.07	(0.03)	40,000	-	MONO-W1	0.40	(0.01)	31,245	-	TAPAC-W3	2.38	(0.06)	302	2.00
UV13C1808A	-	-	-	-	NEP-W3	0.10	-	299	-	TMILL-W1	1.00	-	101	1.00
UV13C1812A	0.38	(0.04)	104,790	-	NOK-W1	0.47	(0.31)	26,130	-	TSF-W4	-	-	-	-
UV23C1809A	-	-	-	-	NPPG-W3	0.11	0.02	125,166	-	TSF-W5	-	-	-	-
UV24C1812A	-	-	-	-	NUSA-W3	-	-	-	-	TVD-W2	0.45	(0.03)	4,508	-
VGI01C1812A	0.53	(0.07)	47,744	-	NVD-W1	0.18	-	16,066	-	UAC-W2	0.83	(0.05)	26,420	-
VGI06C1904A	5.70	(0.25)	100	5.00	ORI-W1	2.84	0.10	57,805	2.00	UKEM-W2	0.46	(0.06)	16,051	-
VGI06C1904B	5.70	(0.30)	20	5.00	PACE-W1	-	-	-	-	UWC-W2	0.01	-	10,220	-
VGI06C1904C	5.70	(0.30)	2,800	5.00	PACE-W2	0.30	0.03	673,079	-	XO-W1	6.10	(0.20)	14,436	6.00
VGI08C1811A	0.43	(0.10)	22,992	-	PDI-W1	1.12	(0.02)	6,284	1.00	Preferred Shares	-	-	-	-
VGI23C1905A	-	-	-	-	PDJ-W2	1.55	-	1	1.00	SGF-P1	-	-	-	-
VGI23C1911A	1.22	(0.06)	27	1.00	PDJ-W3	-	-	-	-	-	-	-	-	-
VGI27C1812A	0.26	(0.09)	16,046	-	PDJ-W4	-	-	-	-	-	-	-	-	-
VGI28C1810A	0.22	(0.06)	80,780	-	PLE-W3	0.11	-	6,325	-	-	-	-	-	-
WHA01C1812A	0.47	(0.05)	62,572	-	RICH-W1	-	-	-	-	-	-	-	-	-
WHA01C1812B	0.37	(0.06)	61,418	-	RICHY-W1	0.30	-	13,049	-	-	-	-	-	-
WHA01P1812A	0.74	0.05	38,925	-	RICHY-W2	0.17	-	2,150	-	-	-	-	-	-
WHA06C1809A	0.06	(0.03)	17,991	-	RS-W3	7.85	-	80	7.00	-	-	-	-	-
WHA07C1810A	0.09	(0.05)	1,000	-	S-W1	0.12	-	1,697	-	-	-	-	-	-
WHA08C1811A	0.10	(0.04)	61,059	-	SAMART-W2	0.30	(0.01)	1,801	-	-	-	-	-	-
WHA11C1903A	0.17	(0.03)	41,098	-	SAWAD-W1	4.70	(0.12)	129	4.00	-	-	-	-	-
WHA13C1808A	-	-	-	-	SDC-W1	0.06	-	6	-	-	-	-	-	-
WHA13C1812A	0.34	(0.05)	151,453	-	SMM-W4	0.02	-	120,663	-	-	-	-	-	-
WHA19C1901A	0.32	(0.05)	29,474	-	SMT-W1	0.10	-	6,827	-	-	-	-	-	-
WHA23C1810A	0.16	(0.05)	17,000	-	SMT-W2	0.66	0.01	14,610	-	-	-	-	-	-
WHA24C1811A	0.07	(0.02)	1,800	-	SPALI-W4	19.30	(0.10)	400	19.00	-	-	-	-	-
WHA28C1809A	0.21	(0.07)	53,604	-	SPORT-W5	0.08	-	420	-	-	-	-	-	-
WHAU01C1810A	0.16	(0.01)	27,595	-	SUPER-W4	0.11	-	100,400	-	-	-	-	-	-
WHAU01C1810B	0.02	(0.01)	1,500	-	SUSCO-W1	0.17	-	7,264	-	-	-	-	-	-
WHAU24C1812A	0.03	(0.01)	9,999	-	SVI-W3	1.27	(0.03)	6,489	1.00	-	-	-	-	-
WORK01C1811A	0.36	(0.01)	28,912	-	TCC-W3	0.30	0.01	10	-	-	-	-	-	-
WORK01C1811B	0.20	(0.01)	30,197	-	TCC-W4	0.13	0.01	3,438	-	-	-	-	-	-
WORK08C1809A	-	-	-	-	TCC-W5	0.17	-	1,263	-	-	-	-	-	-
WORK08C1901A	0.28	-	8,469	-	TCJ-W2	0.96	(0.07)	1,505	-	-	-	-	-	-
WORK11C1903A	0.07	-	9,771	-	TCMC-W2	0.32	-	53,914	-	-	-	-	-	-
WORK13C1809A	-	-	-	-	TFG-W1	1.46	-	40	1.00	-	-	-	-	-
WORK13C1810A	0.02	0.01	20,212	-	TFG-W2	0.70	0.01	1,281	-	-	-	-	-	-
WORK13C1811A	0.06	-	7,620	-	TH-W2	0.14	-	20,614	-	-	-	-	-	-
WORK13C1812A	0.27	(0.01)	40,948	-	THE-W2	0.06	-	30,555	-	-	-	-	-	-
WORK19C1811A	0.09	-	6,826	-	TNITY-W1	0.97	(0.02)	2,654	-	-	-	-	-	-
WORK24C1810A	-	-	-	-	TNPC-W1	0.42	(0.09)	11,696	-	-	-	-	-	-
WORK24C1812A	0.20	-	18,874	-	TRITN-W3	0.15	-	37,791	-	-	-	-	-	-
WORK28C1809A	-	-	-	-	TSR-W1	0.77	0.08	46,647	-	-	-	-	-	-
WORK28C1811A	0.05	-	3,002	-	TTA-W5	0.18	(0.05)	63,485	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	TTCL-W1	1.14	0.06	81,839	1.00	-	-	-	-	-
BH-Q	-	-	-	-	U-W1	-	-	-	-	-	-	-	-	-
CSC-Q	-	-	-	-	U-W4	0.01	-	1,035	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	VIBHA-W2	1.42	(0.01)	381	1.00	-	-	-	-	-
KTB-Q	-	-	-	-	VIBHA-W3	0.31	-	1,144	-	-	-	-	-	-
SCB-Q	-	-	-	-	WAVE-W1	0.39	-	1,695	-	-	-	-	-	-
TCAP-Q	-	-	-	-	WHA-W1	6.10	(0.45)	7,405	6.00	-	-	-	-	-
TIC-Q	-	-	-	-	WORK-W1	8.90	0.05	73	8.00	-	-	-	-	-
TISCO-Q	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	CSC-P	-	-	-	-	-	-	-	-	-
7UP-W2	0.09	0.01	26,164	-	JUTHA-P	-	-	-	-	-	-	-	-	-
ACC-W1	0.03	-	855	-	KTB-P	-	-	-	-	-	-	-	-	-
AJA-W1	0.19	(0.01)	1,620	-	SCB-P	-	-	-	-	-	-	-	-	-
ALT-W1	0.68	(0.03)	1,772	-	TCAP-P	-	-	-	-	-	-	-	-	-
APURE-W2	0.17	-	4,005	-	TIC-P	-	-	-	-	-	-	-	-	-
AQ-W4	0.01	-	1	-	TISCO-P	-	-	-	-	-	-	-	-	-
AS-W1	0.44	(0.02)	1,331	-	U-P	0.03	-	331,202	-	-	-	-	-	-
AYUD-W1	2.44	0.12	27,146	2.00	Warrant (MAI)	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	2S-W1	0.15	(0.01)	13,017	-	-	-	-	-	-
B-W4	0.19	0.01	1,587	-	ACAP-W2	2.26	(0.14)	1,806	2.00	-	-	-	-	-
BTS-W3	0.01	-	293,918	-	AIRA-W2	0.06	-	21	-	-	-	-	-	-
BWG-W4	0.07	0.01	17,484	-	ATP30-W1	0.83	(0.01)	1,338	-	-	-	-	-	-

