

Main Board Quotation

Issue Date :

Tuesday August 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.40	-	8,539	10.43	SE-ED	2.88	-	322	2.88
POMPI	-	-	-	-	ILINK	5.35	0.05	2,199	5.28	SMM	0.88	0.02	1,528	0.89
SAFARI	-	-	-	-	INET	3.86	-	16,342	3.90	SPORT	0.54	-	756	0.48
VI	-	-	-	-	INTUCH	54.50	(0.50)	19,120	54.69	TBSP	15.70	(0.10)	12	15.70
WORLD	-	-	-	-	JAS	5.25	0.05	339,614	5.29	TH	0.73	-	951	0.72
WR	-	-	-	-	JASIF	10.40	(0.10)	129,612	10.49	TKS	10.90	-	16,834	10.93
Agribusiness	-	-	-	-	JMART	9.30	(0.20)	16,308	9.46	TRITN	0.35	0.04	1,474,276	0.34
CHOTI	140.00	-	17	140.18	JTS	1.55	-	362	1.56	VGI	7.00	(0.15)	81,086	7.04
EE	0.66	-	9,551	0.66	MPEC	3.60	(0.02)	1,700	3.61	WAVE	2.64	-	14	2.65
GFPT	14.00	-	86,572	13.94	MSC	6.25	(0.10)	1,726	6.27	WORK	39.25	(0.50)	6,662	39.60
LEE	2.76	0.02	78	2.76	PT	6.75	-	4,598	6.73	Finance & Securities	-	-	-	-
STA	12.00	(0.10)	57,493	11.87	SAMART	6.95	-	2,300	6.92	AEC	0.50	(0.01)	4,255	0.50
TLUXE	5.75	(0.10)	1,456	5.80	SAMTEL	8.30	0.10	101	8.25	AEONTS	171.00	(1.50)	3,058	170.82
TRUBB	1.75	(0.04)	18,800	1.77	SDC	0.23	(0.01)	5,500	0.23	AMANAH	1.89	-	99,303	1.90
TWPC	8.85	0.05	1,083	8.83	SIS	8.95	-	1,565	8.97	ASAP	6.25	(0.05)	67,023	6.34
UPOIC	4.14	-	75	4.14	SVOA	1.36	-	5,884	1.36	ASK	22.80	0.10	532	22.82
UVAN	6.70	-	4,731	6.75	SYMC	5.55	(0.10)	91	5.53	ASP	3.88	-	35,604	3.89
VPO	0.65	(0.01)	15	0.65	SYNEX	12.00	-	14,177	11.96	BFIT	26.75	(0.50)	2,121	26.65
Banking	-	-	-	-	THCOM	9.70	0.45	64,487	9.49	CGH	1.07	-	608	1.06
BAY	40.25	-	2,194	40.24	TRUE	6.25	-	674,196	6.23	CNS	2.62	-	2,616	2.58
BBL	206.00	-	46,506	205.74	TWZ	0.13	-	39,164	0.13	ECL	1.84	(0.01)	31,430	1.86
CIMBT	0.85	(0.01)	15,373	0.85	Electronic Componen	-	-	-	-	FNS	4.14	(0.02)	204	4.14
KBANK	216.00	-	42,226	216.32	CCET	1.99	(0.07)	69,407	1.99	FSS	2.40	(0.02)	1,807	2.38
KKP	75.00	-	17,442	74.87	DELTA	69.50	-	10,949	69.63	GBX	0.68	0.01	1,023	0.67
KTB	19.40	(0.10)	254,715	19.40	EIC	0.06	0.01	1,356	0.05	GL	7.20	(0.40)	133,820	7.33
LHFG	1.57	(0.02)	57,041	1.57	HANA	36.25	(1.75)	66,028	36.55	IFS	3.02	-	187	3.02
SCB	144.50	(1.50)	81,110	144.89	KCE	44.00	(2.75)	109,922	44.04	JMT	12.40	(0.80)	10,368	12.61
TCAP	53.50	-	32,962	53.20	METCO	191.00	-	2	191.00	KCAR	13.30	-	1,048	13.38
TISCO	78.75	-	36,526	78.92	SMT	2.46	(0.06)	33,058	2.49	KGI	4.18	-	7,756	4.18
TMB	2.18	0.02	3,755,480	2.19	SPPT	3.82	0.04	367	3.79	KTC	28.50	(0.25)	190,092	28.42
Construction Materia	-	-	-	-	SVI	4.84	(0.16)	206,654	4.85	MBKET	12.60	(0.10)	2,754	12.57
CCP	0.40	-	8,304	0.40	TEAM	1.06	-	4,444	1.07	MFC	15.30	-	211	15.40
COTTO	2.74	(0.04)	12,938	2.76	Energy & Utilities	-	-	-	-	ML	1.07	0.02	829	1.05
DCC	2.22	(0.02)	48,976	2.22	ABPIF	8.70	-	1,091	8.71	MTC	40.00	(0.50)	67,176	40.04
DCON	0.57	-	4,433	0.57	AI	-	-	-	-	PE	0.27	-	3,206	0.27
DRT	5.80	-	1,044	5.80	AKR	0.99	(0.01)	15,621	0.99	PL	3.50	(0.02)	1,514	3.49
EPG	8.70	(0.35)	195,617	8.85	BAFS	34.25	(0.25)	2,617	34.13	S11	7.85	-	1,599	7.80
GEL	0.35	0.01	55,883	0.35	BANPU	20.00	(0.20)	570,544	20.06	SAWAD	41.25	0.75	130,451	40.48
PPP	3.44	0.02	39	3.41	BCP	35.50	-	10,444	35.55	THANI	7.75	0.05	23,261	7.71
O-CON	5.45	0.10	62	5.50	BCPG	17.80	(0.20)	28,207	17.98	TK	11.10	(0.10)	817	11.02
RCI	2.94	-	3,033	2.94	BGRIM	25.50	0.25	164,102	25.93	TNITY	6.00	-	460	6.00
SCC	458.00	(2.00)	33,923	458.29	BPP	24.60	(0.10)	35,688	24.47	UOBKH	4.30	0.04	320	4.28
SCCC	237.00	(1.00)	678	237.71	BRRGIF	10.30	-	4,529	10.30	ZMICO	1.03	-	853	1.03
SCP	8.45	(0.05)	3,402	8.44	CKP	4.04	(0.06)	102,660	4.07	Food & Beverage	-	-	-	-
SKN	4.56	(0.14)	19,366	4.58	DEMCO	4.12	(0.02)	2,328	4.13	APURE	1.37	0.01	5,840	1.36
TASCO	14.80	0.30	100,988	14.78	EA	36.75	0.25	207,096	36.91	ASIAN	8.25	0.15	219,549	8.39
TCMC	2.60	(0.02)	3,848	2.59	EARTH	-	-	-	-	BR	5.30	-	12,616	5.30
TOA	35.00	-	45,464	34.98	EASTW	11.30	0.20	10,614	11.15	BRR	6.85	-	464	6.77
TPIPL	1.80	(0.01)	20,223	1.81	EGATIF	11.00	0.20	57,560	10.93	CBG	42.75	(0.25)	10,156	42.70
UMI	1.35	(0.02)	10,539	1.36	EGCO	227.00	(3.00)	8,166	228.96	CFRESH	4.56	0.02	1,471	4.56
VNG	7.75	(0.10)	1,332	7.80	ESSO	15.50	(0.10)	125,792	15.58	CM	4.34	(0.04)	8,888	4.38
WIHK	2.40	0.04	14,410	2.38	GLOW	93.50	-	24,543	93.65	CPF	26.50	0.25	221,533	26.39
Petrochemicals & Ch	-	-	-	-	GPSC	71.00	(2.00)	42,948	71.78	CPI	1.75	0.01	937	1.76
BCT	56.50	(0.50)	262	56.46	GULF	68.75	(0.75)	41,299	69.04	F&D	-	-	-	-
CMAN	3.22	-	16,001	3.24	GUNKUL	2.90	(0.02)	10,684	2.91	HTC	17.30	(0.10)	1,172	17.29
GC	5.10	0.05	10,237	5.15	IEC	-	-	-	-	ICHI	4.38	0.02	23,272	4.45
GGC	11.10	0.10	134,349	11.12	IFEC	-	-	-	-	KBS	4.30	-	3,272	4.30
GIFT	4.38	0.08	9,309	4.42	IRPC	6.55	(0.05)	475,070	6.54	KSL	3.14	(0.02)	5,819	3.15
IVL	57.00	-	136,298	57.19	LANNA	16.00	(0.10)	474	15.97	KTIS	5.85	-	383	5.81
NFC	11.50	(0.10)	25	11.50	MDX	4.52	(0.04)	1,267	4.53	LST	4.84	(0.06)	751	4.87
PATO	14.40	0.20	273	14.34	PTG	12.40	(0.40)	201,247	12.37	M	71.50	0.25	936	71.66
PMTA	13.80	(0.20)	96	13.85	PTT	51.75	(0.50)	753,180	52.07	MALEE	13.30	(0.40)	17,324	13.33
PTTGC	81.75	0.25	190,596	81.84	PTTEP	135.00	(0.50)	71,884	135.54	MINT	37.25	(0.25)	144,881	37.22
SUTHA	4.20	-	135	4.20	RATCH	52.00	(0.25)	6,585	52.03	OISHI	93.00	1.00	50	92.85
TCCC	36.00	(0.50)	222	36.18	RPC	0.55	0.01	3,027	0.54	PB	61.50	-	22	61.47
TPA	6.40	-	6	6.40	SCG	4.62	-	35	4.62	PM	8.75	(0.15)	25,994	8.78
UP	26.00	-	3	26.00	SCI	3.10	(0.10)	6,482	3.13	PRG	-	-	-	-
VNT	22.70	0.10	24,926	22.78	SCN	3.68	(0.02)	1,975	3.68	SAPPE	23.30	(0.20)	3,667	23.37
WG	-	-	-	-	SGP	11.70	0.10	202,043	11.71	SAUCE	-	-	-	-
YCI	-	-	-	-	SKE	1.25	0.01	33,309	1.27	SFP	205.00	(5.00)	3	206.00
Commerce	-	-	-	-	SOLAR	2.28	(0.02)	3,507	2.28	SNP	20.50	(0.20)	44	20.57
BEAUTY	8.95	(0.50)	1,922,042	9.03	SPCG	21.10	-	6,672	21.05	SORKON	69.25	(0.75)	48	69.10
BIG	1.82	-	44,028	1.83	SPRC	15.60	0.10	82,394	15.52	SSC	39.75	-	11	39.98
BJC	56.00	(0.50)	62,852	55.79	SUPER	0.73	(0.02)	2,030,152	0.73	SSF	8.30	(0.20)	130	8.32
COL	26.00	(1.25)	13,114	26.30	SUSCO	3.22	(0.06)	58,187	3.22	SST	6.10	(0.15)	202	6.13
COM7	18.40	(0.20)	43,730	18.48	TAE	2.24	-	2,988	2.24	TC	3.14	(0.02)	101	3.14
CPALL	70.00	-	242,038	70.04	TCC	0.39	-	8,450	0.38	TFG	4.12	0.04	16,964	4.13
CSS	2.16	-	12,022	2.16	TOP	83.25	(0.75)	115,892	83.39	TFMAMA	161.00	0.50	36	160.33
FN	2.82	(0.02)	4,997	2.89	TPIPP	6.05	(0.05)	80,489	6.08	TIPCO	9.05	-	14,962	9.19
FTE	2.32	0.02	8,530	2.32	TTW	12.50	(0.30)	59,223	12.70	TKN	14.50	(0.30)	34,288	14.57
GLOBAL	18.10	(0.30)	82,749	18.24	WHAU	5.65	-	40,516	5.68	TU	17.70	(0.40)	159,451	17.78
HMPRO	14.50	0.20	161,185	14.49	WP	7.55	(0.10)	32,019	7.65	TVO	30.75	(0.25)	21,583	30.78
IT	4.64	(0.02)	272	4.66	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.24	(0.04)	16,457	4.24	AMARIN	4.98	-	1,061	4.96	AHC	21.30	(0.40)	188	21.45
LOXLEY	2.20	-	6,714	2.20	AQUA	0.50	0.01	12,187	0.50	BCH	18.50	0.10	168,746	18.52
MAKRO	34.50	-	25,055	34.51	AS	1.19	(0.11)	621	1.19	BDMS	25.75	(0.75)	572,096	25.78
MC	12.20	-	2,999	12.10	BEC	7.65	(0.10)	77,763	7.68	BH	177.00	-	18,001	177.24
MEGA	36.00	(0.50)	14,783	36.17	EPCO	4.06	(0.04)	14,336	4.09	CHG	2.52	-	608,442	2.52
MIDA	0.60	-	2,661	0.59	FE	-	-	-	-	CMR	3.22	(0.02)	699	3.23
ROBINS	62.25	(0.75)	29,156	62.12	GPI	2.80	(0.02)	2,413	2.79	EKH	5.40	-	8,264	5.40
RSP	4.22	(0.12)	21,202	4.23	GRAMMY	7.95	(0.10)	235	8.00	KDH	98.25	-	11	99.84
SINGER	9.20	(0.25)	410	9.26	MACO	1.81	0.02	119,324	1.80	LPH	6.10	(0.05)	4,710	6.10
SPC	53.00	-	73	52.9										

Main Board Quotation

Issue Date :

Tuesday August 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.74	(0.12)	17,576	2.77	MJD	3.40	-	5,995	3.38	CPT	2.52	(0.14)	62,856	2.59
Tourism & Leisure					MK	4.16	-	13,569	4.17	CRANE	2.80	0.06	1,618	2.80
ASIA	6.60	(0.05)	740	6.62	NCH	0.92	-	466	0.92	CTW	9.45	0.15	5,011	9.39
CENTEL	39.75	0.25	85,259	39.82	NNCL	1.72	(0.01)	6,789	1.73	FMT	-	-	-	-
CSR	-	-	-	-	NOBLE	12.20	(0.10)	444	12.20	HTECH	7.30	0.10	18,386	7.28
DTC	11.90	-	1,267	11.92	NUSA	0.30	(0.01)	73,948	0.30	KKC	1.65	0.01	704	1.64
ERW	7.70	(0.20)	28,991	7.68	NVD	3.76	(0.02)	440	3.74	PK	3.62	-	7,913	3.66
GRAND	1.04	0.07	321,693	1.02	ORI	18.50	(0.10)	35,349	18.62	SNC	14.30	-	3,227	14.29
LRH	37.25	(0.75)	3	37.25	PACE	0.62	0.03	561,263	0.62	TCJ	5.70	-	51	5.69
MANRIN	32.00	-	24	32.00	PF	1.10	-	1,175,496	1.10	VARO	-	-	-	-
OHTL	810.00	10.00	1	810.00	PLAT	7.45	0.20	21,686	7.33	Property Fund & REIT	-	-	-	-
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.30	0.10	2,023	10.29
SHANG	78.50	0.25	6	78.42	PRECHA	1.31	(0.06)	269	1.36	AMATAR	10.70	-	254	10.65
Home & Office Produ					PRIN	1.66	0.02	13,612	1.65	B-WORK	10.80	-	7,880	10.62
ACC	0.45	-	586	0.45	PRINC	5.55	(0.15)	11,176	5.58	BKKCP	12.10	-	17	12.06
AJA	0.40	-	95,226	0.40	PSH	21.10	(0.20)	34,072	21.15	BOFFICE	13.20	0.10	11,253	13.14
DTCI	-	-	-	-	OH	3.48	-	312,228	3.49	CPNCG	15.60	0.40	5,075	15.39
FANCY	0.96	(0.01)	10,511	0.96	RICHY	1.86	(0.01)	26,695	1.86	CPNREIT	27.50	1.25	42,389	26.56
KYE	386.00	(1.00)	24	386.96	RML	1.45	0.01	64,585	1.44	CPTGF	13.50	-	3,857	13.44
L&E	2.70	(0.04)	470	2.70	ROJNA	5.35	-	4,526	5.36	CRYSTAL	10.20	(0.10)	3,295	10.30
MODERN	4.42	(0.04)	4,105	4.43	S	2.82	(0.04)	23,753	2.84	CTARAF	4.70	0.04	56	4.68
OGC	-	-	-	-	SAMCO	2.22	-	27	2.22	DREIT	5.50	0.10	339	5.46
ROCK	-	-	-	-	SC	3.58	(0.02)	24,743	3.58	ERWPF	5.65	(0.05)	185	5.65
SIAM	1.96	0.02	2,727	1.96	SENA	3.86	-	16,232	3.85	FUTUREPF	22.10	0.20	3,940	22.02
TSR	2.58	(0.06)	18,549	2.60	SF	8.40	0.15	24,058	8.32	GAHREIT	9.90	-	160	9.90
Insurance					SIRI	1.64	-	291,412	1.64	GLANDRT	12.60	0.30	145	12.36
AYUD	39.50	(0.50)	236	39.70	SPALI	23.90	(0.40)	33,340	24.02	GOLDPF	7.25	(0.05)	27	7.25
BKI	352.00	-	34	352.00	TICON	16.20	0.10	360	16.21	GVREIT	15.80	0.50	4,995	15.63
BLA	32.00	(0.50)	4,983	32.08	U	0.03	-	482,287	0.03	HPF	5.35	-	371	5.36
BUI	-	-	-	-	UV	7.80	0.10	73,808	7.81	HREIT	6.60	(0.15)	4,152	6.56
CHARAN	-	-	-	-	WHA	3.78	(0.02)	418,643	3.78	IMPACT	18.60	0.10	7,074	18.54
INSURE	-	-	-	-	WIN	0.61	-	970	0.61	KPNPF	9.60	(0.35)	600	9.55
MTI	107.00	(3.50)	461	106.20	Paper & Printing Mat	-	-	-	-	LHHOTEL	16.10	0.40	491	15.92
NKI	-	-	-	-	UTP	11.60	-	3,796	11.69	LHPF	8.30	0.05	1,553	8.25
NSI	-	-	-	-	Fashion	-	-	-	-	LHSC	16.60	0.10	1,257	16.52
SMK	-	-	-	-	AFC	9.00	-	23	8.88	LUXF	8.20	-	250	8.20
THRE	1.07	(0.01)	3,305	1.07	BTNC	-	-	-	-	M-II	8.90	(0.30)	10	8.90
THREL	7.80	-	2,870	7.75	CPH	5.95	(0.15)	40	6.02	M-PAT	-	-	-	-
TIC	40.25	(0.25)	198	39.69	CPL	3.06	-	120	3.06	M-STOR	10.20	-	60	10.20
TIP	24.50	0.40	7,152	24.52	DIGI	0.38	-	3,195	0.38	MIPF	-	-	-	-
TSI	0.50	-	2,562	0.48	ICC	39.50	(0.25)	1	39.50	MIT	-	-	-	-
TVI	3.48	-	294	3.48	LTX	97.50	(0.25)	31	97.60	MJLF	12.70	-	4,453	12.63
Mining					NC	15.10	-	10	15.10	MNIT	1.67	0.06	1	1.67
PDI	14.50	(0.20)	1,633	14.66	PAF	0.94	(0.01)	2,818	0.95	MNIT2	5.40	(0.20)	50	5.40
THL	-	-	-	-	PDJ	2.68	(0.08)	2,729	2.71	MNRF	3.30	(0.10)	50	3.31
Packaging					PG	6.95	(0.30)	119	6.96	MONTRI	-	-	-	-
AJ	10.10	-	497	10.05	SABINA	35.75	0.25	131	35.54	POPF	13.60	(0.10)	2,071	13.61
ALUCON	192.00	1.50	4	192.75	SAWANG	-	-	-	-	PPF	11.30	(0.10)	301	11.21
CSC	44.00	(0.75)	696	44.08	SUC	45.00	-	182	45.00	QHHR	8.50	-	3,029	8.48
NEP	0.38	-	260	0.36	TNL	20.00	-	24	20.02	QHOP	3.64	(0.04)	70	3.56
NPPG	1.13	0.01	27,130	1.11	TPCORP	-	-	-	-	QHPF	12.20	-	11,741	12.11
PTL	16.00	(0.30)	6,726	16.10	TR	48.00	-	71	48.00	SBPF	3.02	(0.38)	249	3.00
SITHAI	1.23	(0.01)	7,244	1.24	TTI	27.75	(1.25)	9	27.19	SHREIT	9.10	(0.10)	383	9.13
SLP	0.94	0.01	3,012	0.94	TTL	-	-	-	-	SIRIP	11.00	(0.30)	82	11.00
SMPC	14.00	(0.10)	7,629	14.00	TTTM	175.00	8.50	337	169.22	SPF	23.60	(0.20)	6,302	23.52
SPACK	-	-	-	-	UPF	67.75	-	4	67.75	SRIPANWA	11.10	-	300	11.10
TCOAT	-	-	-	-	UT	13.20	(0.10)	1	13.20	SSPF	10.00	(0.10)	561	10.00
TFI	0.38	(0.02)	4,757	0.38	WACOAL	45.25	(0.25)	4	45.25	SSTPF	6.65	(0.15)	145	6.72
THIP	34.00	0.25	205	34.13	Transportation & Log	-	-	-	-	SSSTR	6.40	(0.35)	1,916	6.44
TMD	21.80	0.10	146	21.62	AAV	4.34	0.02	219,425	4.36	TIF1	8.65	-	121	8.65
TOPP	217.00	-	2	217.50	AOT	65.50	0.50	396,083	65.81	TLGF	19.40	-	7,791	19.34
TPBI	8.25	(0.10)	177	8.29	ASIMAR	2.66	(0.02)	2,655	2.68	TLHPF	11.10	(0.40)	426	11.01
TPP	17.60	(0.10)	3	17.50	B	0.59	(0.01)	12,214	0.60	TNPF	3.66	(0.02)	145	3.68
Personal Products &					BA	12.30	-	15,296	12.24	TPRIME	13.40	0.30	15,987	13.24
APCO	4.42	(0.02)	799	4.41	BEM	8.10	(0.15)	172,277	8.15	TREIT	11.70	0.10	22,608	11.62
DDD	42.50	(1.00)	975	42.78	BTS	9.20	-	142,575	9.18	TTLPF	-	-	-	-
JCT	90.00	1.75	20	90.00	BTSIGF	12.40	-	62,713	12.39	TU-PF	-	-	-	-
OCC	17.20	-	65	17.20	III	5.85	(0.05)	25,437	5.82	URBNPF	3.18	(0.08)	272	3.13
S & J	-	-	-	-	JUTHA	1.81	(0.04)	3	1.81	WHABT	10.10	0.10	101	10.00
STHAI	-	-	-	-	JWD	7.35	(0.15)	32,379	7.40	WHART	10.40	0.20	5,812	10.32
TNR	13.30	(0.10)	329	13.30	KWC	-	-	-	-	Steel	-	-	-	-
TOG	5.00	-	1,046	4.99	NOK	2.34	-	5,763	2.34	AMC	2.50	(0.02)	1,504	2.50
Professional Service					NYT	5.05	(0.05)	2,401	5.08	BSBM	1.12	(0.01)	451	1.13
BWG	1.00	0.04	599,212	1.00	PRM	7.15	(0.05)	13,279	7.13	CEN	1.29	-	3,974	1.29
GENCO	0.79	-	3,427	0.79	PSL	11.80	(0.30)	9,687	11.93	CITY	2.66	(0.02)	40	2.67
PRO	-	-	-	-	RCL	5.55	0.10	4,796	5.57	CSP	1.39	(0.02)	19	1.38
TEAMG	2.36	(0.04)	160,068	2.39	THAI	13.10	0.10	35,325	12.92	GJS	0.26	(0.01)	32,703	0.27
Property Developmer					TSTE	7.25	-	6	7.25	GSTEL	-	-	-	-
A	6.70	-	600	6.70	TTA	7.00	-	7,395	7.00	INOX	1.20	(0.01)	5,091	1.20
AMATA	19.20	(0.30)	158,567	19.28	WICE	4.66	0.18	105,189	4.59	LHK	4.92	(0.02)	1,213	4.94
AMATAV	6.65	-	5,919	6.64	Automotive	-	-	-	-	MAX	0.03	-	224,111	0.03
ANAN	5.15	(0.05)	142,180	5.13	AH	32.75	(0.50)	6,525	33.36	MCS	7.55	(0.10)	2,589	7.57
AP	9.40	0.10	197,217	9.38	APCS	5.20	(0.15)	2,185	5.13	MILL	1.61	0.01	73,466	1.62
APEX	0.19	-	38,198	0.17	BAT-3K	-	-	-	-	PAP	4.12	-	531	4.10
AQ	0.03	-	235,181	0.03	CWT	2.86	-	3,988	2.85	PERM	2.40	-	673	2.38
BLAND	1.80	(0.01)	238,127	1.80	EASON	2.56	-	1,726	2.56	RICH	-	-	-	-
BROCK	2.38	-	200	2.38	GYT	382.00	2.00	1	382.00	SAM	0.70	(0.01)	3,503	0.70
CGD	1.32	(0.01)	15,143	1.31	HFT	3.16	-	7,270	3.14	SMIT	6.00	(0.05)	3,627	6.03
CI	1.60	(0.01)	30	1.60	IHL	9.00	0.10	2,379	8.95	SSI	-	-	-	-
CPN	78.75	(0.50)	106,532	79.28	INGRS	0.74	-	10,923	0.74	SSSC	3.00	-	450	3.00
ESTAR	0.64	0.01	4,979	0.64	IRC	20.60	0.10	112	20.45	TGPRO	0.16	(0.01)	20,964	0.16
EVER	0.39	0.01	56,507	0.39	PCSGH	7.20	-	4,294	7.29	THE	3.52	0.02	153,775	3.53
GLAND	3.06	0.18	3,648,096	3.09	SAT	23.20	(0.10)	4,334	23.31	TIW	371.00	1.00	18	361.00
GOLD	9.90	(0.30)	64,480	10.02	SPG	14.00	-	4	14.05	TMT	14.80	0.10	290	14.70
GREEN	1.18	0.02	20,449	1.19	STANLY	255.00	(4.00)	392	257.32	TSTH	0.75	0.01	8,859	0.75
J	1.64	0.02	161	1.57	TKT	1.67	(0.03)	2,703	1.68	TWP</				

Main Board Quotation

Issue Date :

Tuesday August 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UMS	0.71	0.05	99	-	ADVA11C1905A	0.24	(0.02)	21,840	-
ABICO	7.00	0.10	15,518	7.00	UWC	0.07	-	29,547	-	ADVA11P1905A	0.37	0.01	5,141	-
AU	8.35	(0.05)	20,946	8.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.04	(0.01)	50	-
FC	0.29	(0.01)	9,740	-	ADAM	-	-	-	-	ADVA13C1811A	0.54	(0.05)	268,917	-
JCKH	1.18	(0.02)	4,333	1.00	AKP	1.65	(0.02)	35	1.00	ADVA13C1901A	0.30	(0.02)	54,304	-
KASET	2.18	0.02	85	2.00	AMA	5.80	(0.10)	629	5.00	ADVA13P1809A	0.06	-	4,200	-
MM	4.00	-	1,362	4.00	ARIP	0.50	-	181	-	ADVA16C1812A	-	-	-	-
SUN	3.22	(0.06)	3,316	3.00	ATP30	1.73	0.01	1,679	1.00	ADVA18C1808A	-	-	-	-
TACC	4.12	-	16,270	4.00	AUCT	5.95	(0.25)	7,283	6.00	ADVA19C1901A	0.59	(0.05)	27,995	-
TMILL	3.36	0.18	37,244	3.00	BOL	1.94	-	252	1.00	ADVA23C1902A	0.45	(0.03)	16,800	-
XO	10.50	1.00	129,843	10.00	CHUO	-	-	-	-	ADVA24C1810A	0.32	(0.03)	6,002	-
Consumer Products	-	-	-	-	CMO	1.51	(0.01)	1,620	1.00	ADVA24P1810A	-	-	-	-
BGT	0.99	0.03	1,207	-	D	11.10	-	1,504	11.00	ADVA28C1811A	0.46	(0.03)	176,834	-
BIZ	2.78	-	238	2.00	DCORP	2.78	-	2,939	2.00	ADVA28C1901A	0.19	(0.02)	135,585	-
DOD	13.70	(0.50)	154,893	13.00	DNA	0.45	-	22,805	-	ADVA28P1810A	0.09	0.01	17,168	-
ECF	7.95	-	49,201	7.00	EFORL	0.07	(0.01)	93,078	-	AMAT01C1810A	0.56	(0.04)	65,135	-
HPT	1.10	(0.02)	15,921	1.00	ETE	2.02	(0.02)	1,839	2.00	AMAT01C1810B	0.29	(0.03)	56,174	-
JUBILE	19.40	(0.50)	1,372	19.00	FSMART	9.10	(0.05)	16,207	9.00	AMAT01P1810A	1.21	0.02	22,754	1.00
MOONG	6.35	-	5,372	6.00	FVC	1.30	-	1,280	1.00	AMAT06C1809A	0.01	-	3,000	-
NPK	25.75	0.25	2	26.00	HARN	2.62	0.02	29	2.00	AMAT08C1809A	0.02	(0.01)	10,020	-
OCEAN	1.82	(0.03)	146,354	1.00	JKN	10.20	(0.10)	10,960	10.00	AMAT11C1903A	0.24	(0.02)	4,314	-
TM	2.02	0.02	873	2.00	KIAT	0.48	-	27,820	-	AMAT13C1809A	0.01	-	60,250	-
Financials (MAI)	-	-	-	-	KOOL	1.81	(0.04)	12,263	1.00	AMAT13C1812A	0.30	(0.03)	266,542	-
ACAP	6.35	(0.30)	19,532	6.00	LDC	1.16	(0.01)	1,637	1.00	AMAT19C1811A	0.10	(0.02)	21,010	-
AF	0.75	0.02	229	-	MPG	0.18	-	11,197	-	AMAT23C1810A	0.09	0.01	4,000	-
AIRA	2.04	0.05	3	2.00	MVP	2.94	(0.10)	106,988	2.00	AMAT24C1811A	-	-	-	-
ASN	3.30	-	107	3.00	NBC	0.61	(0.04)	9,037	-	ANANO1C1810A	1.16	(0.01)	10,832	1.00
BROOK	0.57	-	22,180	-	NCL	1.45	(0.02)	1,722	1.00	ANANO1C1810B	0.91	(0.06)	11,262	-
CHAYO	4.16	(0.10)	127,720	4.00	NEWS	0.01	-	265,467	-	ANANO8C1808A	-	-	-	-
GCAP	4.18	-	9,347	4.00	NINE	2.50	(0.20)	279,266	2.00	ANANO8C1810A	-	-	-	-
LIT	8.35	0.10	1,787	8.00	OTO	2.68	0.02	226	2.00	ANANO8C1906A	0.29	-	53,623	-
SGF	1.31	(0.05)	64,670	1.00	PHOL	2.28	(0.04)	699	2.00	ANAN13C1901A	0.22	(0.01)	78,979	-
Industrials (MAI)	-	-	-	-	PICO	5.90	0.05	71	5.00	ANAN19C1811A	0.62	(0.03)	11,688	-
ZS	3.14	0.02	6,584	3.00	PORT	7.05	-	7,011	7.00	ANAN23C1901A	0.35	(0.05)	300	-
ADB	1.23	(0.01)	6,683	1.00	QLT	4.60	(0.02)	714	4.00	ANAN24C1811A	-	-	-	-
BM	3.36	0.02	1,149	3.00	RP	3.00	(0.02)	173	3.00	ANAN28C1809A	0.57	(0.04)	340	-
CHO	1.22	(0.01)	2,278	1.00	SE	1.99	(0.01)	111	1.00	AOT01C1808A	0.16	0.01	306,838	-
CHOW	4.80	(0.02)	134	4.00	SPA	15.10	(0.50)	4,342	15.00	AOT01C1808B	0.01	-	2,281	-
CIG	0.38	-	99	-	THMUI	1.71	0.03	77,509	1.00	AOT01C1810A	0.28	0.02	199,372	-
COLOR	1.23	(0.01)	2,719	1.00	TNDT	5.35	0.05	177	5.00	AOT01C1902A	0.56	0.02	175,943	-
CPR	5.70	0.05	11,132	5.00	TNH	39.75	0.25	199	39.00	AOT01C1902B	0.41	0.02	177,325	-
FPI	2.46	(0.12)	9,943	2.00	TNP	1.79	(0.01)	2,206	1.00	AOT01P1808A	0.83	(0.05)	21,757	-
GTB	0.65	(0.02)	2,016	-	TSF	0.05	0.01	262,710	-	AOT01P1808B	0.03	(0.02)	94,117	-
KCM	1.24	(0.02)	13,414	1.00	TVD	1.36	0.02	2,428	1.00	AOT01P1902A	0.85	(0.02)	62,668	-
LVT	-	-	-	-	TVT	1.15	0.04	414,603	1.00	AOT01P1902B	0.58	(0.03)	72,661	-
MBAX	4.16	-	581	4.00	WINNER	3.42	-	224	3.00	AOT06C1809A	0.02	-	4,000	-
MGT	2.16	(0.06)	11,528	2.00	Technology (MAI)	-	-	-	-	AOT06C1903A	0.52	0.01	57,529	-
NDR	2.24	0.02	107	2.00	COMAN	3.48	(0.12)	5,543	3.00	AOT06P1903A	0.54	(0.03)	30,796	-
PDG	3.54	(0.12)	635	3.00	ICN	2.22	0.02	8,484	2.00	AOT07C1902A	0.50	(0.50)	200	-
PIMO	3.54	0.04	8,073	3.00	IRCP	0.98	(0.01)	4,548	-	AOT08C1901A	0.33	0.01	86,743	-
PJW	1.69	(0.01)	1,039	1.00	ITEL	3.08	(0.04)	1,860	3.00	AOT11C1808A	0.34	0.01	55,285	-
PPM	2.08	(0.02)	2,638	2.00	NETBAY	34.75	(0.75)	1,867	35.00	AOT11P1808A	-	-	-	-
RWI	1.61	-	35,531	1.00	PLANET	1.60	0.09	301	1.00	AOT13C1809A	0.01	-	1	-
SALEE	1.09	0.02	1,546	1.00	SIMAT	2.08	0.06	31,456	2.00	AOT13C1811A	0.17	0.01	52,671	-
SANKO	1.22	0.05	13,265	1.00	SKY	13.60	(0.10)	4,020	13.00	AOT13C1812A	0.33	0.01	336,065	-
SELIC	1.83	(0.01)	3,326	1.00	SPVI	1.38	-	21,566	1.00	AOT13P1810A	0.29	(0.03)	3,742	-
SWC	22.10	(0.50)	582	22.00	UPA	0.48	0.01	144,345	-	AOT13P1812A	0.15	(0.02)	16,738	-
TMC	0.89	(0.01)	67	-	VCOM	3.12	(0.02)	2,324	3.00	AOT19C1809A	0.08	0.02	2,300	-
TMI	0.81	(0.01)	1,936	-	Unit Trust	-	-	-	-	AOT19C1901A	0.45	0.01	83,243	-
TMW	69.00	(0.50)	329	69.00	MGE	-	-	-	-	AOT24C1811A	-	-	-	-
TPAC	11.60	(0.10)	525	11.00	SCBSET	-	-	-	-	AOT24C1901A	0.30	0.01	1,012	-
UAC	4.60	0.10	341	4.00	ETF	-	-	-	-	AOT24P1809A	0.02	-	7,220	-
UBIS	4.96	-	1,095	4.00	1DIV	13.34	-	187	13.00	AOT24P1903A	0.50	(0.04)	1,487	-
UEC	1.39	(0.02)	5,063	1.00	ABFTH	-	-	-	-	AOT28C1809A	0.01	(0.01)	5,400	-
UKEM	0.89	0.04	61,324	-	BMSCG	8.97	(0.05)	299	8.00	AOT28C1812A	0.28	0.01	215,486	-
UREKA	0.70	0.01	11,496	-	BMSCITH	12.72	(0.04)	5,369	12.00	AOT28C1901A	0.23	0.01	329,314	-
YUASA	16.90	0.10	621	16.00	BSET100	10.87	(0.05)	471	10.00	AOT28P1812A	0.27	(0.02)	205,488	-
ZIGA	3.42	0.10	90,570	3.00	CHINA	5.25	0.26	7,988	5.00	AP01C1809A	0.55	0.01	57,885	-
Property & Construc	-	-	-	-	EBANK	-	-	-	-	AP01C1809B	0.13	0.01	30,022	-
ARROW	9.15	-	821	9.00	ECOMM	8.06	(0.02)	1	8.00	AP08C1810A	0.44	0.02	53,397	-
BKD	3.18	0.02	4,604	3.00	EFOOD	5.72	-	20	5.00	AP23C1901A	0.18	-	10,750	-
BSM	0.68	-	480	-	EICT	-	-	-	-	AP24C1901A	-	-	-	-
BTW	1.84	(0.03)	783	1.00	ENGY	6.41	(0.03)	10	6.00	AP42C1901A	0.34	0.01	36,168	-
CHEWA	1.25	0.03	133,364	1.00	ENY	-	-	-	-	AP42P1901A	0.30	(0.01)	21,818	-
CRD	1.11	-	1,095	1.00	ESET50	-	-	-	-	BAT1C1902A	0.05	-	300	-
DIMET	1.04	-	21,936	1.00	GLD	1.70	-	741	1.00	BA19C1811A	0.02	(0.01)	570	-
FLOYD	2.18	(0.04)	5,442	2.00	TDEX	11.08	(0.02)	1,083	11.00	BA24C1810A	0.07	0.01	1,300	-
FOCUS	1.07	(0.01)	15,317	1.00	TGOLDET	3.67	(0.01)	464	3.00	BA24C1901A	-	-	-	-
HYDRO	1.19	(0.01)	5,387	1.00	TH100	-	-	-	-	BA28C1809A	-	-	-	-
JSP	0.64	0.01	1,901	-	Warrant Foreign	-	-	-	-	BANP01C1808A	0.10	(0.02)	57,316	-
K	2.86	0.04	19	2.00	AAV01C1808A	0.01	-	5,000	-	BANP01C1808B	0.01	-	75,97	

Main Board Quotation

Issue Date :

Tuesday August 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP28C1809A	-	-	-	-	BEM01C1808A	0.37	(0.03)	2,000	-	CBG11C1902A	0.05	(0.01)	10,236	-
BANP28C1810A	0.16	(0.02)	81,679	-	BEM01C1808B	0.01	(0.02)	2,020	-	CBG13C1808A	-	-	-	-
BBL06C1902A	0.82	(0.04)	15,467	-	BEM01P1808A	0.06	0.01	1,024	-	CBG13C1809A	-	-	-	-
BBL08C1808A	-	-	-	-	BEM08C1809A	-	-	-	-	CBG13C1811A	-	-	-	-
BBL08C1809A	0.07	(0.01)	19,951	-	BEM11C1903A	-	-	-	-	CBG13C1812A	0.08	(0.01)	21,311	-
BBL08C1902A	0.65	(0.03)	63,386	-	BEM13C1809A	0.13	(0.03)	21,388	-	CBG18C1808A	-	-	-	-
BBL08P1810A	0.07	(0.01)	2,214	-	BEM13C1901A	0.32	(0.03)	10,863	-	CBG19C1810A	-	-	-	-
BBL11C1903A	0.56	(0.01)	11,601	-	BEM19C1901A	0.32	(0.02)	500	-	CBG19C1901A	0.25	(0.02)	11,456	-
BBL11P1903A	0.33	0.01	21,219	-	BEM23C1901A	-	-	-	-	CBG23C1901A	0.05	-	6,070	-
BBL13C1810A	-	-	-	-	BEM24C1809A	-	-	-	-	CBG24C1809A	-	-	-	-
BBL13C1901A	0.31	(0.01)	45,373	-	BEM24C1902A	0.26	(0.74)	100	-	CBG24C1811A	0.05	(0.01)	500	-
BBL19C1901A	0.29	-	37,374	-	BGR10C1901A	0.98	0.01	11,027	1.00	CBG24C1901A	0.29	(0.02)	9,700	-
BBL23C1811A	0.26	(0.01)	18,180	-	BGR10C1901B	0.78	(0.01)	13,010	-	CBG28C1811A	0.03	(0.01)	19,056	-
BBL24C1809A	-	-	-	-	BGR10C1903A	0.87	0.09	400	-	CBG28C1812A	0.16	(0.01)	8,115	-
BBL24C1812A	-	-	-	-	BGR108C1902A	0.69	-	12,452	-	CENT01C1810A	0.14	0.01	134,477	-
BBL24C1902A	0.24	(0.76)	50	-	BGR113C1812A	0.71	0.04	7,570	-	CENT01C1810B	0.03	-	13,500	-
BBL24P1810A	0.07	0.01	4,010	-	BGR113C1812B	0.19	-	68,000	-	CENT01P1810A	1.19	(0.02)	71,911	1.00
BBL27C1809A	0.09	-	6,010	-	BGR119C1901A	0.55	0.02	10,883	-	CENT08C1809A	-	-	-	-
BBL28C1811A	0.50	(0.02)	56,868	-	BGR124C1901A	0.64	0.03	505	-	CENT11C1904A	0.15	-	14,822	-
BBL28C1901A	0.25	-	75,380	-	BGR124C1902A	-	-	-	-	CENT13C1811A	-	-	-	-
BCH01C1808A	0.65	0.02	49,987	-	BGR128C1812A	0.64	-	28,096	-	CENT19C1901A	0.24	0.01	172,955	-
BCH01C1808B	0.17	0.02	20,631	-	BH01C1811A	0.52	0.01	63,200	-	CENT23C1902A	0.12	(0.02)	14,060	-
BCH01P1808A	0.03	-	44,840	-	BH01C1811B	0.13	(0.01)	56,878	-	CENT24C1810A	-	-	-	-
BCH06C1811A	0.34	0.04	41,922	-	BH01P1811A	1.44	0.01	34,401	1.00	CENT24C1901A	0.15	-	7,372	-
BCH08C1901A	0.51	0.04	55,572	-	BH07C1810A	-	-	-	-	CHG01C1809A	0.53	(0.01)	27,150	-
BCH11C1905A	0.43	0.03	24,990	-	BH08C1811A	0.03	-	1,684	-	CHG01C1809B	0.69	(0.05)	6,468	-
BCH13C1810A	0.20	-	65,879	-	BH11C1902A	0.05	0.01	630	-	CHG01P1809A	0.06	-	3,994	-
BCH19C1809A	0.22	0.01	40,401	-	BH11C1905A	0.58	(0.01)	12,605	-	CHG07C1902A	-	-	-	-
BCH23C1811A	0.43	0.03	34,918	-	BH19C1901A	0.52	(0.01)	27,298	-	CHG11C1904A	0.29	(0.01)	13,250	-
BCH24C1811A	-	-	-	-	BH24C1809A	-	-	-	-	CHG13C1809A	0.89	-	18,522	-
BCH28C1811A	0.36	0.01	177,924	-	BH24C1811A	-	-	-	-	CHG13C1812A	0.28	(0.01)	107,881	-
BCP01C1810A	0.22	-	2,201	-	BH24C1902A	0.46	0.01	75	-	CHG19C1902A	0.33	(0.01)	9,786	-
BCP01C1810B	0.07	(0.01)	3,421	-	BIG08C1906A	0.16	-	2,675	-	CHG23C1811A	1.17	0.04	1,000	1.00
BCP01P1810A	0.40	0.01	4,268	-	BIG13C1808A	-	-	-	-	CHG24C1808A	-	-	-	-
BCP08C1901A	0.27	(0.01)	4,398	-	BIG13C1901A	0.08	(0.01)	3,081	-	CHG24C1811A	-	-	-	-
BCP11C1811A	0.09	(0.01)	1,200	-	BIG19C1811A	0.04	-	3	-	CHG28C1812A	0.30	-	91,240	-
BCP13C1810A	0.05	-	18	-	BIG24C1808A	-	-	-	-	CK01C1809A	0.19	0.01	91,024	-
BCP19C1902A	0.25	-	1,640	-	BIG24C1812A	-	-	-	-	CK01C1809B	0.14	0.01	252,554	-
BCP24C1808A	-	-	-	-	BJC01C1812A	0.62	(0.04)	60,534	-	CK01P1809A	0.20	(0.02)	13,763	-
BCP24C1811A	-	-	-	-	BJC01C1812B	0.46	(0.04)	60,586	-	CK08C1809A	0.19	0.05	1,404	-
BCP28C1809A	-	-	-	-	BJC01P1812A	0.42	0.01	53,088	-	CK08C1901A	0.16	0.01	44,326	-
BCP28C1809B	-	-	-	-	BJC06C1901A	0.24	(0.01)	18,640	-	CK11C1904A	0.17	-	10,521	-
BCP28C1901A	0.22	(0.01)	7,098	-	BJC07C1809A	-	-	-	-	CK13C1809A	0.06	-	21,748	-
BCPG01C1811A	0.33	(0.01)	13,793	-	BJC08C1809A	0.03	-	3,047	-	CK13C1902A	0.25	0.02	186,973	-
BCPG01C1811B	0.12	(0.02)	2,500	-	BJC11C1905A	0.47	(0.03)	24,874	-	CK16C1812A	-	-	-	-
BCPG06C1811A	0.16	(0.01)	7,772	-	BJC13C1808A	-	-	-	-	CK19C1811A	0.12	0.01	12,394	-
BCPG08C1810A	0.16	-	22,480	-	BJC13C1810A	0.11	(0.01)	49,648	-	CK23C1808A	-	-	-	-
BCPG11C1902A	0.12	(0.01)	2,408	-	BJC13C1812A	0.42	(0.02)	110,975	-	CK24C1808A	-	-	-	-
BCPG13C1810A	0.09	(0.01)	42,954	-	BJC19C1809A	0.11	(0.01)	29,303	-	CK24C1901A	0.11	-	62,500	-
BCPG13C1812A	0.34	(0.03)	76,613	-	BJC23C1901A	0.23	(0.02)	56,000	-	CK28C1809A	0.21	0.02	24,592	-
BCPG19C1901A	0.37	(0.01)	3,346	-	BJC24C1808A	-	-	-	-	CK28C1812A	0.07	-	4	-
BCPG23C1902A	0.31	(0.02)	4,000	-	BJC24C1901A	-	-	-	-	CKP01C1812A	0.46	(0.01)	17,226	-
BCPG24C1810A	-	-	-	-	BJC28C1812A	0.40	(0.02)	295,690	-	CKP01C1812B	0.30	(0.03)	30,374	-
BCPG28C1809A	-	-	-	-	BLA01C1812A	0.18	(0.02)	5,130	-	CKP13C1810A	0.23	(0.02)	60,598	-
BCPG28C1812A	0.37	(0.01)	42,708	-	BLA08C1811A	-	-	-	-	CKP19C1902A	0.37	(0.01)	8,205	-
BDMS01C1811A	0.19	(0.05)	124,609	-	BLA13C1809A	-	-	-	-	CKP23C1810A	-	-	-	-
BDMS01C1811B	0.08	(0.02)	228,061	-	BLA28C1810A	-	-	-	-	CKP24C1811A	-	-	-	-
BDMS01P1811A	0.30	0.03	109,902	-	BLAN01C1809A	0.51	-	10,868	-	CKP28C1809A	-	-	-	-
BDMS06C1811A	0.60	(0.12)	8,486	-	BLAN01C1809B	0.03	(0.04)	100	-	CKP28C1809B	0.26	(0.02)	28,612	-
BDMS08C1901A	0.13	(0.03)	28,537	-	BLAN01P1809A	-	-	-	-	COM701C1811A	0.52	(0.03)	31,902	-
BDMS11C1811A	0.68	(0.21)	3,307	-	BLAN08C1810A	0.15	(0.01)	1,690	-	COM701C1811B	0.27	(0.04)	21,214	-
BDMS11C1904A	0.11	(0.02)	10,721	-	BLAN11C1902A	0.20	0.01	4,408	-	COM706C1809A	0.17	(0.03)	14,020	-
BDMS13C1810A	0.40	-	1,428	-	BLAN19C1902A	0.23	(0.01)	1,200	-	COM708C1811A	0.12	(0.02)	36,490	-
BDMS13C1812A	0.11	(0.03)	112,005	-	BPP01C1811A	0.19	(0.02)	21,860	-	COM711C1811A	0.36	(0.04)	22,751	-
BDMS16C1812A	0.85	(0.12)	180	-	BPP01C1811B	0.08	(0.01)	1,000	-	COM713C1809A	0.01	(0.02)	3,388	-
BDMS19C1901A	0.25	(0.04)	25,019	-	BPP01P1811A	0.58	0.04	41,040	-	COM713C1812A	0.31	(0.03)	63,656	-
BDMS23C1810A	0.39	(0.11)	1,000	-	BPP06C1809A	0.25	(0.02)	31,778	-	COM719C1811A	0.24	(0.03)	14,713	-
BDMS24C1811A	0.23	(0.07)	15,033	-	BPP08C1810A	0.14	(0.02)	115,087	-	COM723C1901A	0.31	(0.02)	16,000	-
BDMS24C1812A	-	-	-	-	BPP13C1808A	0.07	(0.04)	74,692	-	COM724C1811A	-	-	-	-
BDMS24C1905A	0.22	(0.78)	1,001	-	BPP13C1811A	-	-	-	-	COM728C1811A	0.25	(0.02)	59,200	-
BDMS28C1811A	0.07	(0.01)	4,000	-	BPP13C1901A	0.17	-	99,940	-	CPAL01C1808A	0.09	(0.01)	17,910	-
BEAU01C1812A	0.04	(0.01)	79,639	-	BPP23C1901A	0.23	(0.03)	29,500	-	CPAL01C1808B	0.01	-	15,821	-
BEAU01C1812B	0.02	-	38,343	-	BPP24C1809A	-	-	-	-	CPAL01C1901A	0.31	(0.01)	158,246	-
BEAU01P1812A	1.76	0.12	673,840	1.00	BPP24C1902A	-	-	-	-	CPAL01C1901B	0.16	(0.01)	120,461	-
BEAU06C1809A	0.01	-	150	-	BPP28C1812A	0.39	(0.02)	506,589	-	CPAL01P1808A	1.25	0.02	93,102	1.00
BEAU07C1809A	0.01	-	120	-	BTS01C1810A	-	-	-	-	CPAL01P1901A	1.41	0.01	23,616	1.00
BEAU08C1808A	-	-	-	-	BTS01C1810B	-	-	-	-	CPAL01P1901B	1.12	0.01	19,302	1.00
BEAU08C1901A	0.03	(0.01)	38,743	-	BTS01P1810A	0.47	-	619	-	CPAL06C1811A	0.65	(0.01)	61,879	-
BEAU11C1902A	-	-	-	-	BTS06C1903A	-	-	-	-	CPAL06C1811B	0.04	-	31,000	-
BEAU13C1811A	0.01	-	22,134	-	BTS06C1903B	-	-	-	-	CPAL07C1902A	-	-	-	-
BEAU13C1812A	0.01	(0.01)	20,519	-	BTS06C1903C	-	-	-	-	CPAL08C1902A	0.22	(0.01)	36,650	-
BEAU13C1812B	0.47	(0.12)	2,272,154	-	BTS08C1810A	0.20	(0.01)	5,200	-	CPAL08P1810A	1.11	0.01	31,964	1.00
BEAU19C1811A	-	-	-	-	BTS11C1904A	0.08	-	1	-	CPAL11C1903A	0.10	(0.01)	15,676	-
BEAU19C1901A	0.58	(0.10)	143,660	-	BTS19C1901A	0.29	-	1,051	-	CPAL11P1903A	1.08	0.01	36,840	1.00
BEAU23C1901A	0.01	-	800	-	BTS23C1905A	1.57	0.01	1	1.00	CPAL13C1812A	0.21	(0.01)	145,983	-
BEAU24C1902A	0.03	(0.01)	3,308	-	BTS24C1808A	-	-	-	-	CPAL13C1901A	0.46	-	360,811	-
BEAU28C1810A	-	-	-	-	BTS24C1901A	-	-	-	-	CPAL19C1811A	0.10	-	52,400	-
BEAU28C1811A	-	-	-	-	BTS28C1809A	0.12	-	5,000						

Main Board Quotation

Issue Date :

Tuesday August 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF11P1902A	0.23	0.01	4,163	-	ESSO24C1812A	-	-	-	-	IRPC28C1812A	0.28	(0.01)	184,979	-
CPF13C1809A	0.46	-	8,337	-	ESSO24C1902A	-	-	-	-	ITD01C1808A	-	-	-	-
CPF13C1810A	0.10	-	21,338	-	ESSO28C1811A	0.25	(0.01)	136,825	-	ITD01C1808B	-	-	-	-
CPF19C1901A	0.24	-	28,585	-	GFT08C1906A	0.49	0.01	80,432	-	ITD01P1808A	1.36	-	14,692	1.00
CPF23C1810A	-	-	-	-	GFT19C1811A	0.44	(0.02)	8,991	-	ITD08C1810A	-	-	-	-
CPF24C1809A	-	-	-	-	GFT24C1812A	0.37	(0.01)	729	-	ITD11C1903A	0.10	(0.01)	9,126	-
CPF24C1901A	-	-	-	-	GGC01C1810A	0.11	0.01	85,975	-	ITD13C1809A	-	-	-	-
CPF24C1902A	0.13	(0.01)	690	-	GGC01C1810B	0.03	0.01	6,319	-	ITD13C1812A	0.11	-	82,380	-
CPF28C1811A	0.13	-	29,093	-	GGC07C1902A	0.20	-	7,925	-	ITD19C1811A	-	-	-	-
CPN01C1808A	0.30	(0.03)	43,178	-	GGC08C1906A	0.14	(0.01)	86,830	-	ITD23C1808A	-	-	-	-
CPN01C1808B	0.01	-	1,000	-	GGC13C1811A	-	-	-	-	ITD24C1810A	-	-	-	-
CPN06C1811A	0.54	(0.02)	56,752	-	GGC19C1811A	0.02	-	1,500	-	ITD24C1902A	0.23	0.01	9,720	-
CPN07C1902A	0.47	(0.53)	4	-	GGC23C1901A	0.05	-	9,070	-	IVL01C1808A	0.29	-	102,954	-
CPN08C1809A	0.03	-	46	-	GGC24C1812A	-	-	-	-	IVL01C1808B	0.01	-	6,544	-
CPN11C1903A	0.32	(0.02)	4,254	-	GGC24C1901A	0.26	0.01	67,695	-	IVL01C1812A	0.47	(0.01)	113,322	-
CPN11P1903A	0.37	0.01	26,050	-	GGC28C1811A	-	-	-	-	IVL01C1812B	0.27	(0.01)	167,384	-
CPN13C1812A	0.34	(0.02)	151,957	-	GLOB01C1809A	0.56	(0.04)	67,745	-	IVL01P1808A	0.60	(0.01)	33,183	-
CPN19C1901A	0.55	(0.03)	35,235	-	GLOB01C1809B	0.20	(0.05)	57,979	-	IVL01P1808B	0.02	(0.01)	8,190	-
CPN23C1810A	0.19	(0.02)	24,000	-	GLOB06C1809A	0.28	(0.05)	21,864	-	IVL01P1812A	0.83	(0.01)	30,326	-
CPN24C1901A	0.34	(0.08)	11,004	-	GLOB11C1808A	0.19	(0.04)	15,904	-	IVL01P1812B	0.61	-	33,757	-
CPN28C1810A	0.15	(0.02)	134,451	-	GLOB13C1901A	0.33	(0.03)	83,240	-	IVL06C1901A	0.33	-	24,552	-
DELT06C1903A	1.03	-	10	1.00	GLOB19C1901A	0.45	(0.03)	40,297	-	IVL07C1811A	-	-	-	-
DELT08C1811A	-	-	-	-	GLOB23C1811A	0.53	(0.01)	7,000	-	IVL08C1901A	0.47	-	70,286	-
DELT13C1809A	-	-	-	-	GLOB24C1810A	-	-	-	-	IVL08P1809A	-	-	-	-
DELT24C1901A	-	-	-	-	GLOB27C1809A	0.08	-	4,000	-	IVL11C1808A	0.76	(0.01)	18,138	-
DELT27C1812A	-	-	-	-	GLOW08C1811A	0.63	(0.01)	158	-	IVL11P1808A	-	-	-	-
DTAC01C1808A	0.14	(0.05)	115,669	-	GLOW19C1901A	-	-	-	-	IVL13C1809A	0.05	(0.01)	43,005	-
DTAC01C1808B	-	-	-	-	GLOW27C1812A	-	-	-	-	IVL13C1810A	0.14	(0.01)	95,716	-
DTAC01C1810A	0.43	(0.06)	191,864	-	GPSC01C1808A	0.16	(0.07)	29,446	-	IVL13C1812A	0.38	(0.01)	162,883	-
DTAC01C1810B	0.09	(0.03)	30,612	-	GPSC01C1808B	0.01	(0.02)	500	-	IVL13P1809A	-	-	-	-
DTAC01C1902A	0.85	(0.04)	75,039	-	GPSC01P1808A	1.03	0.13	48,938	-	IVL13P1811A	0.29	-	14,396	-
DTAC01C1902B	0.70	(0.05)	86,045	-	GPSC06C1811A	0.23	(0.05)	11,997	-	IVL19C1809A	0.31	(0.01)	50,209	-
DTAC01P1808A	0.49	0.09	50,882	-	GPSC08C1808A	-	-	-	-	IVL23C1810A	0.38	(0.01)	2,300	-
DTAC01P1810A	0.94	0.06	47,734	-	GPSC11C1808A	0.86	(0.13)	11,535	-	IVL24C1808A	-	-	-	-
DTAC01P1810B	0.44	0.06	87,737	-	GPSC11C1902A	0.26	(0.04)	20,507	-	IVL24C1812A	-	-	-	-
DTAC01P1902A	0.80	0.04	46,371	-	GPSC13C1812A	0.43	(0.08)	65,042	-	IVL24C1901A	0.43	0.02	3,000	-
DTAC01P1902B	0.58	0.03	35,339	-	GPSC19C1901A	0.54	(0.07)	113,626	-	IVL28C1811A	0.19	(0.01)	158,122	-
DTAC06C1901A	0.35	(0.05)	36,622	-	GPSC24C1808A	-	-	-	-	IVL28C1812A	0.44	-	135,963	-
DTAC06P1809A	0.15	0.03	43,980	-	GPSC24C1812A	0.31	(0.07)	51,321	-	IVL28P1811A	0.36	0.02	53,286	-
DTAC07C1809A	-	-	-	-	GPSC28C1811A	0.34	(0.08)	28,876	-	KBAN01C1808A	0.23	(0.01)	30,027	-
DTAC07C1902A	-	-	-	-	GUNK01C1808A	-	-	-	-	KBAN01C1808B	0.01	-	7,134	-
DTAC08C1809A	0.04	(0.02)	5,000	-	GUNK01C1808B	0.01	-	2,501	-	KBAN01C1810A	1.35	0.03	18,490	1.00
DTAC08P1902A	0.27	0.03	70,356	-	GUNK08C1902A	0.24	(0.01)	2,766	-	KBAN01C1901A	1.43	-	12,031	1.00
DTAC11C1904A	0.35	(0.04)	13,374	-	GUNK11C1903A	-	-	-	-	KBAN01C1901B	0.85	(0.01)	19,449	-
DTAC13C1811A	0.14	(0.01)	28,863	-	GUNK24C1812A	0.18	(0.03)	100	-	KBAN01P1808A	0.59	-	22,366	-
DTAC13C1812A	0.51	(0.05)	109,113	-	GUNK28C1810A	0.18	(0.01)	6,056	-	KBAN01P1808B	0.02	-	2,000	-
DTAC13P1811A	0.42	0.04	103,440	-	HANA01C1811A	0.39	(0.07)	98,526	-	KBAN01P1810A	0.10	-	53	-
DTAC13P1812A	0.12	0.02	57,073	-	HANA01C1811B	0.21	(0.07)	31,812	-	KBAN01P1901A	0.82	0.02	22,204	-
DTAC19C1811A	0.29	(0.05)	55,237	-	HANA08C1809A	0.07	(0.03)	6,086	-	KBAN01P1901B	0.32	-	45,368	-
DTAC24C1809A	0.05	(0.02)	70	-	HANA11C1904A	0.22	(0.05)	3,010	-	KBAN06C1811A	0.85	(0.01)	7,200	-
DTAC24C1901A	0.51	(0.06)	3,211	-	HANA13C1809A	0.07	(0.05)	98,318	-	KBAN07C1811A	-	-	-	-
DTAC27C1809A	-	-	-	-	HANA13C1901A	0.27	(0.06)	106,062	-	KBAN08C1811A	0.78	-	6,914	-
DTAC27P1809A	0.05	-	14,501	-	HANA19C1902A	0.25	(0.05)	6,327	-	KBAN08P1811A	0.14	-	6,721	-
DTAC28C1810A	0.04	(0.03)	3,201	-	HANA23C1811A	0.38	(0.08)	7,000	-	KBAN13C1810A	0.15	(0.01)	54,930	-
DTAC28C1812A	0.57	(0.07)	226,598	-	HANA24C1808A	-	-	-	-	KBAN13C1811A	0.88	-	20,254	-
EA01C1809A	0.68	-	198,601	-	HANA24C1810A	-	-	-	-	KBAN13C1901A	0.36	-	53,833	-
EA01C1809B	0.27	(0.02)	65,815	-	HANA28C1812A	0.30	(0.07)	20,530	-	KBAN19C1901A	0.45	0.01	21,037	-
EA01P1809A	0.61	(0.03)	84,698	-	HMPR01C1808A	0.28	0.01	47,673	-	KBAN23C1902A	0.71	(0.01)	8,250	-
EA06C1809A	-	-	-	-	HMPR01C1808B	-	-	-	-	KBAN24C1902A	-	-	-	-
EA07C1810A	-	-	-	-	HMPR01P1808A	0.20	(0.02)	11,198	-	KBAN24C1903A	0.35	(0.65)	40	-
EA08C1809A	0.01	-	1	-	HMPR06C1811A	0.11	0.01	2,946	-	KBAN24P1811A	0.10	(0.01)	100	-
EA08C1810A	0.18	-	132,728	-	HMPR08C1810A	0.08	-	1,000	-	KBAN27C1809A	-	-	-	-
EA11C1902A	0.09	(0.01)	14,940	-	HMPR11C1808A	0.28	-	22,711	-	KBAN27P1809A	0.30	0.01	800	-
EA13C1808B	-	-	-	-	HMPR11P1808A	-	-	-	-	KBAN28C1809A	-	-	-	-
EA13C1809A	-	-	-	-	HMPR13C1812A	0.24	0.01	139,158	-	KBAN28C1811A	0.84	(0.01)	22,322	-
EA13C1810A	0.02	-	219	-	HMPR19C1901A	0.37	0.03	13,027	-	KBAN28C1812A	0.33	-	93,647	-
EA13C1811A	0.10	-	50,568	-	HMPR23C1901A	0.10	-	7,000	-	KBAN28P1811A	0.10	-	14,910	-
EA13C1812A	0.19	0.01	261,954	-	HMPR24C1808A	-	-	-	-	KCE01C1810A	0.79	(0.15)	47,020	-
EA13C1812B	0.40	0.01	107,499	-	HMPR24C1901A	0.23	(0.01)	200	-	KCE01C1810B	0.65	(0.18)	46,597	-
EA13P1809A	0.38	(0.10)	1,480	-	HMPR28C1811A	0.11	-	127,704	-	KCE06C1809A	1.19	(0.43)	15,030	1.00
EA19C1811A	0.33	0.01	55,327	-	INTU01C1809A	0.35	(0.01)	2,105	-	KCE07C1808A	0.06	(0.30)	52,772	-
EA23C1901A	0.32	-	59,678	-	INTU01C1809B	-	-	-	-	KCE07C1902A	-	-	-	-
EA24C1809A	-	-	-	-	INTU01P1809A	0.29	0.01	4,401	-	KCE08C1809A	0.83	(0.48)	13,759	-
EA28C1809A	0.16	-	40,642	-	INTU01P1809B	0.04	(0.01)	2,502	-	KCE11C1808A	0.02	-	14,727	-
EA28C1809B	-	-	-	-	INTU11C1905A	0.30	(0.02)	4,976	-	KCE11C1904A	0.47	(0.10)	15,249	-
EGCO01C1809A	0.44	(0.03)	15,995	-	INTU11P1905A	0.41	-	1,030	-	KCE13C1808A	-	-	-	-
EGCO08C1809A	-	-	-	-	INTU13C1810A	0.12	(0.01)	1,000	-	KCE13C1811A	0.66	(0.18)	110	-
EGCO13C1809A	-	-	-	-	INTU13C1812A	-	-	-	-	KCE13C1812A	0.38	(0.12)		

Main Board Quotation

Issue Date :

Tuesday August 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KT24C1811A	-	-	-	-	MTC28C1809A	-	-	-	-	PTTE28P1811A	0.19	-	31,322	-
KT24P1901A	0.16	-	2,267	-	ORI11C1811A	0.19	-	9,812	-	PTTG01C1808A	0.07	-	74,141	-
KT28C1809A	-	-	-	-	ORI13C1810A	0.37	(0.03)	37,351	-	PTTG01C1810A	0.18	(0.01)	111,538	-
KT28C1811A	0.24	(0.01)	30,770	-	ORI19C1811A	0.23	(0.01)	43,183	-	PTTG01C1810B	0.02	-	10,710	-
KTC01C1808A	0.57	(0.03)	11,584	-	ORI23C1809A	-	-	-	-	PTTG01C1811A	0.41	(0.01)	61,759	-
KTC01C1808B	0.01	-	90,018	-	ORI24C1810A	0.21	-	150	-	PTTG01C1901A	1.10	-	55,033	1.00
KTC01C1810A	0.21	(0.02)	68,640	-	PLAN08C1811A	0.18	0.01	85,765	-	PTTG01C1901B	0.84	0.01	76,575	-
KTC01C1810B	0.12	-	25,339	-	PLAN13C1809A	0.06	-	13,858	-	PTTG01P1808A	1.04	-	43,638	1.00
KTC08C1808A	0.28	0.05	187	-	PLAN28C1812A	0.12	0.01	108,928	-	PTTG01P1811A	1.57	(0.01)	12,022	1.00
KTC11C1902A	0.80	-	251	-	PRM19C1902A	0.37	(0.02)	9,261	-	PTTG01P1901A	0.88	-	43,848	-
KTC13C1809A	0.02	-	68,246	-	PSH01C1810A	0.35	(0.04)	26,808	-	PTTG01P1901B	0.64	-	12,705	-
KTC13C1809B	0.06	-	9,831	-	PSH01C1810B	0.08	-	210	-	PTTG06C1809A	-	-	-	-
KTC13C1812A	0.14	(0.01)	191,588	-	PSH01P1810A	0.67	0.02	24,317	-	PTTG06C1903A	1.07	0.01	15,236	1.00
KTC19C1811A	0.16	(0.02)	54,180	-	PSH08C1811A	0.10	(0.01)	10,168	-	PTTG06P1903A	0.45	(0.01)	20,440	-
KTC19C1901A	0.58	(0.01)	43,712	-	PSH11C1902A	0.26	(0.01)	16,026	-	PTTG07C1812A	0.38	0.02	19,610	-
KTC23C1809A	0.50	0.02	31,250	-	PSH23C1811A	-	-	-	-	PTTG08C1811A	0.05	-	4,000	-
KTC24C1808A	0.17	(0.07)	1,000	-	PSL01C1812A	0.34	(0.03)	5,814	-	PTTG08C1902A	0.60	(0.01)	30,926	-
KTC24C1810A	0.08	-	60,006	-	PSL01C1812B	0.28	(0.02)	4,800	-	PTTG08P1811A	0.79	(0.01)	23,076	-
KTC28C1809A	0.06	-	51	-	PSL11C1905A	0.25	-	1,258	-	PTTG11C1902A	0.13	-	20,493	-
KTC28C1810A	0.13	(0.02)	51,299	-	PSL23C1809A	0.02	(0.01)	22,218	-	PTTG13C1812A	0.24	-	114,326	-
LHO1C1809A	0.29	0.01	32,595	-	PTG01C1811A	0.06	-	76,600	-	PTTG13C1812B	0.77	0.01	140,892	-
LHO1C1809B	0.09	0.01	102,413	-	PTG01C1811B	0.02	-	20,002	-	PTTG19C1811A	0.21	-	27,343	-
LHO1P1809A	0.10	(0.01)	103,669	-	PTG01P1811A	1.58	0.06	85,440	1.00	PTTG23C1901A	-	-	-	-
LHO6C1809A	0.21	0.03	17,369	-	PTG06C1810A	0.03	-	394,241	-	PTTG24C1808A	-	-	-	-
LHO7C1810A	0.08	-	9	-	PTG06C1904A	0.22	(0.03)	63,536	-	PTTG24C1812A	-	-	-	-
LH11C1808A	0.16	0.03	9,514	-	PTG08C1902A	0.09	(0.02)	28,325	-	PTTG24C1901A	0.53	(0.01)	6,721	-
LH13C1902A	0.27	0.01	72,129	-	PTG11C1903A	0.06	(0.02)	14,124	-	PTTG24P1808A	-	-	-	-
LH19C1901A	0.18	0.01	23,290	-	PTG13C1809A	-	-	-	-	PTTG24P1901A	0.32	(0.02)	20	-
LH23C1901A	0.10	-	14,818	-	PTG13C1812A	0.06	-	4,956	-	PTTG28C1811A	0.17	-	44,782	-
LH24C1809A	0.03	-	1,243	-	PTG19C1902A	0.16	(0.03)	94,749	-	PTTG28C1812A	0.68	0.01	59,310	-
LPN01C1809A	0.09	-	1,134	-	PTG23C1808A	-	-	-	-	QH01C1810A	0.54	(0.01)	62,093	-
LPN01C1811A	0.39	-	2,536	-	PTG24C1809A	-	-	-	-	QH01C1810B	0.29	-	17,406	-
LPN01C1811B	0.18	-	2,106	-	PTG24C1902A	0.11	(0.04)	27,002	-	QH01P1810A	0.20	-	6,839	-
LPN01P1809A	0.42	(0.01)	1,114	-	PTG27C1809A	-	-	-	-	QH08C1808A	0.23	-	8,058	-
LPN08C1810A	0.07	-	200	-	PTG28C1812A	0.07	(0.02)	128,975	-	QH11C1902A	0.43	-	7,512	-
LPN08C1906A	0.23	-	3,682	-	PTL08C1811A	0.46	(0.02)	16,200	-	QH19C1901A	0.24	-	5,475	-
LPN19C1811A	0.18	-	4,200	-	PTL13C1809A	0.14	(0.01)	30,156	-	QH23C1808A	0.33	(0.04)	2,032	-
LPN24C1808A	-	-	-	-	PTL28C1810A	0.31	(0.03)	7,460	-	QH24C1812A	0.18	(0.01)	20,456	-
LPN24C1812A	-	-	-	-	PTT01C1808A	0.68	(0.04)	106,964	-	RATC19C1901A	0.33	(0.01)	2,788	-
MAJO08C1811A	-	-	-	-	PTT01C1808B	0.04	(0.03)	99,974	-	RATC24C1902A	-	-	-	-
MAJO11C1902A	-	-	-	-	PTT01C1810A	0.19	(0.02)	99,204	-	RATC27C1812A	0.09	-	2,000	-
MAJO24C1809A	-	-	-	-	PTT01C1810B	0.05	(0.01)	11,280	-	ROBI01C1809A	0.21	(0.04)	63,464	-
MAJO24C1902A	0.47	(0.04)	40	-	PTT01C1901A	0.68	(0.04)	71,495	-	ROBI06C1809A	0.18	(0.04)	22,766	-
MALE01C1812A	-	-	-	-	PTT01C1901B	0.55	(0.04)	77,249	-	ROBI08C1808A	-	-	-	-
MALE08C1811A	0.01	-	3	-	PTT01P1808A	0.18	0.02	264,226	-	ROBI11C1808A	-	-	-	-
MALE13C1809A	-	-	-	-	PTT01P1808B	0.01	-	69,754	-	ROBI19C1901A	0.53	(0.04)	22,925	-
MALE27C1812A	-	-	-	-	PTT01P1810A	0.89	0.04	54,409	-	ROBI24C1901A	-	-	-	-
MALE28C1810A	-	-	-	-	PTT01P1810B	0.32	0.03	270,790	-	ROBI24C1903A	0.53	(0.02)	8,000	-
MC19C1811A	0.12	0.01	650	-	PTT01P1901A	0.53	0.02	37,234	-	RS13C1901A	0.48	(0.01)	65,748	-
MC23C1809A	-	-	-	-	PTT01P1901B	0.34	0.02	81,438	-	RS19C1901A	0.44	(0.01)	5,197	-
MC24C1812A	-	-	-	-	PTT06C1811A	0.09	(0.01)	5,000	-	RS24C1811A	0.41	(0.01)	4,950	-
MEGA01C1811A	0.20	(0.02)	42,441	-	PTT06C1901A	0.40	(0.02)	17,091	-	S10001C1811A	0.55	(0.02)	5,523	-
MEGA01C1811B	0.08	(0.01)	4,825	-	PTT06P1901A	0.39	0.02	17,214	-	S5001C1808A	0.61	(0.04)	73,864	-
MEGA08C1811A	0.09	0.01	1,864	-	PTT07C1811A	-	-	-	-	S5001C1808B	0.39	(0.07)	68,050	-
MEGA11C1902A	0.12	-	607	-	PTT08C1809A	0.01	(0.01)	34,772	-	S5001C1809F	0.71	(0.09)	1,529,930	-
MEGA13C1809A	-	-	-	-	PTT08C1902A	0.36	(0.03)	24,996	-	S5001C1809G	0.14	(0.03)	232,502	-
MEGA23C1902A	0.14	-	11,000	-	PTT08P1809A	0.21	0.01	26,868	-	S5001C1809H	2.06	(0.10)	423,915	2.00
MEGA24C1812A	-	-	-	-	PTT11C1902A	0.18	(0.01)	24,577	-	S5001C1809I	1.31	(0.18)	1,422,983	1.00
MINT01C1808A	0.02	(0.01)	3,802	-	PTT13C1810A	0.05	-	15,448	-	S5001C1810A	1.32	(0.05)	145,924	1.00
MINT01C1808B	0.01	-	2,000	-	PTT13C1811A	0.23	(0.02)	108,565	-	S5001C1810B	1.33	(0.06)	459,278	1.00
MINT01C1901A	0.43	-	86,184	-	PTT13C1812A	0.38	(0.02)	171,089	-	S5001P1808A	0.85	0.04	20,372	-
MINT01C1901B	0.29	(0.01)	98,036	-	PTT13P1812A	0.24	0.02	123,767	-	S5001P1808B	0.96	0.05	138,263	-
MINT01P1808A	0.60	0.01	30,053	-	PTT19C1809A	0.06	-	4,000	-	S5001P1809F	1.50	0.11	2,489,250	1.00
MINT01P1901A	0.32	-	22,740	-	PTT19C1901A	0.44	(0.03)	22,395	-	S5001P1809G	0.64	0.07	2,005,698	-
MINT06C1809A	0.02	(0.02)	12,000	-	PTT23C1901A	0.11	(0.01)	1,111	-	S5001P1809H	0.07	0.02	78,372	-
MINT06C1901A	0.25	-	17,572	-	PTT24C1809A	-	-	-	-	S5001P1809I	0.02	0.01	27,739	-
MINT07C1810A	0.03	(0.01)	50	-	PTT24C1812A	-	-	-	-	S5001P1810A	0.27	0.02	372,022	-
MINT08C1809A	0.02	(0.01)	20,000	-	PTT24P1808A	-	-	-	-	S5001P1810B	0.17	0.01	115,764	-
MINT11C1902A	0.11	(0.02)	12,746	-	PTT24P1901A	-	-	-	-	S5006C1809A	0.14	(0.04)	1,608	-
MINT11P1902A	0.20	-	15,710	-	PTT27C1809A	-	-	-	-	S5006C1809B	0.05	(0.02)	102,545	-
MINT13C1810A	0.08	(0.01)	8,220	-	PTT27P1809A	0.05	-	2,000	-	S5006C1809C	0.29	(0.07)	2,137	-
MINT13C1812A	0.35	(0.02)	125,580	-	PTT28C1811A	0.07	0.01	100	-	S5006C1809D	0.08	(0.02)	3,237	-
MINT19C1901A	0.37	(0.01)	11,694	-	PTT28C1811B	0.20	(0.03)	62,845	-	S5006C1812A	0.58	(0.06)	20,095	-
MINT23C1810A	-	-	-	-	PTT28C1812A	0.36	(0.03)	89,614	-	S5006C1812B	0.65	(0.06)	26,698	-
MINT24C1812A	-	-	-	-	PTT28C1901A	0.19	(0.01)	84,356	-	S5006P1809A	1.29	0.08	10,970	1.00
MINT24C1901A	0.33	-	54,000	-	PTT28P1812A	0.17	0.01	26,490	-	S5006P1809B	0.57	0.08	5,642	-
MINT24C1902A	0.23	(0.77)	50	-	PTTE01C1808A	1.09	(0.03)	54,082	1.00	S5006P1809C	0.71	0.08	502	-
MINT28C1811A	0.20	(0.01)	134,629	-	PTTE01C1808B	0.36	(0.05)	82,584	-	S5006P1809D	0.27	(0.02)	8,580	-
MON001C1810A	0.03	0.01	1	-	PTTE01C1901A	0.70	(0.02)	70,221	-	S5006P1812A	1.19	0.08	14,197	1.00
MON001C1810B	-	-	-	-	PTTE01C1901B	0.44	(0.02)	120,450	-	S5006P1812B	0.43	0.04	64,104	-
MON008C1808A	-	-	-	-	PTTE01P1808A	0.02	0.01	12,653	-	S5008C1809A	0.60	(0.14)	163,062	-
MON008C1906A	0.08	-	974	-	PTTE01P1901A	1.22	0.02	35,513	1.00	S5008P1809A	0.07	0.01	4,311	-
MON013C1811A	-	-	-	-	PTTE01P1901B	0.76	0.01	27,737	-	S5013C1809A	0.07	(0.02)	1,774,102	-
MON013C1901A	0.14	-	10,245	-	PTTE06C1811A	0.37	(0.01)	44,065	-	S5013C1809B	0.21	(0.05)	1,230,744	-
MON019C1811A	0.05	-	1,798	-	PTTE07C1809A	0.11	(0.01)	1,500	-	S5013C1809C	0.15	(0.04)	1,926,966	-
MON023C1809A	-	-	-	-	PTTE08C1811A	0.								

Main Board Quotation

Issue Date :

Tuesday August 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA01C1901B	0.54	0.04	151,650	-	SPAL06C1809A	0.40	(0.04)	11,508	-	TISC13C1812A	0.62	-	75,150	-
SAWA01P1808A	1.74	(0.07)	22,398	1.00	SPAL08C1808A	-	-	-	-	TISC19C1901A	0.36	-	29,503	-
SAWA01P1901A	0.70	(0.02)	142,402	-	SPAL11C1905A	0.13	(0.01)	1,830	-	TISC24C1812A	0.14	(0.02)	6,030	-
SAWA06C1811A	0.08	0.01	15,500	-	SPAL23C1811A	0.50	(0.03)	2,600	-	TISC28C1901A	0.60	(0.01)	320,279	-
SAWA06C1903A	0.91	0.02	28,285	-	SPAL24C1808A	-	-	-	-	TKN01C1808A	0.01	-	5,480	-
SAWA07C1812A	0.48	-	630	-	SPAL24C1812A	0.15	(0.03)	5,000	-	TKN01C1808B	-	-	-	-
SAWA08C1808A	-	-	-	-	SPRC01C1808A	0.17	-	40,969	-	TKN01C1901A	0.48	(0.03)	36,742	-
SAWA08C1811A	0.03	(0.01)	16,256	-	SPRC01C1808B	-	-	-	-	TKN01C1901B	0.36	(0.02)	34,881	-
SAWA08C1902A	0.70	0.01	37,242	-	SPRC06C1809A	0.04	-	2,000	-	TKN08C1808A	-	-	-	-
SAWA11C1808A	0.02	0.01	891	-	SPRC06C1902A	0.63	-	6,736	-	TKN08C1811A	0.05	(0.01)	4,000	-
SAWA13C1810A	0.02	-	1,001	-	SPRC08C1808A	-	-	-	-	TKN11C1902A	0.13	-	5,097	-
SAWA13C1811A	0.03	(0.01)	1,000	-	SPRC11C1902A	0.13	-	4,608	-	TKN13C1808A	-	-	-	-
SAWA13C1812A	0.26	0.01	147,683	-	SPRC13C1808A	-	-	-	-	TKN13C1810A	-	-	-	-
SAWA13C1901A	0.70	0.04	23,610	-	SPRC13C1812A	0.39	0.01	88,121	-	TKN13C1811A	-	-	-	-
SAWA19C1901A	0.73	0.04	28,640	-	SPRC19C1901A	0.46	0.02	11,932	-	TKN13C1812A	0.21	(0.03)	27,166	-
SAWA24C1808A	-	-	-	-	SPRC23C1810A	0.13	(0.01)	7,000	-	TKN19C1811A	-	-	-	-
SAWA24C1812A	0.27	0.01	1,432	-	SPRC24C1808A	-	-	-	-	TKN23C1902A	0.27	-	2,000	-
SAWA24C1902A	0.61	0.02	1	-	SPRC24C1903A	-	-	-	-	TKN24C1811A	0.13	(0.02)	13,520	-
SAWA28C1809A	-	-	-	-	STA01C1812A	0.30	(0.01)	45,039	-	TKN24C1812A	0.03	(0.01)	500	-
SAWA28C1810A	-	-	-	-	STA01C1812B	0.19	-	47,024	-	TKN28C1811A	0.05	(0.01)	100	-
SAWA28C1811A	0.30	0.01	134,759	-	STA13C1808A	-	-	-	-	TKN28C1812A	0.41	(0.03)	13,332	-
SAWA28C1812A	0.67	0.02	13,473	-	STA13C1812A	0.31	(0.02)	394,045	-	TMB01C1810A	0.16	0.02	233,017	-
SCB01C1808A	0.23	(0.03)	38,977	-	STA19C1811A	0.13	(0.01)	13,156	-	TMB01C1810B	0.04	-	112,340	-
SCB01C1808B	0.01	-	13	-	STA23C1809A	-	-	-	-	TMB01P1810A	0.48	(0.03)	48,168	-
SCB01C1810A	0.56	(0.04)	55,128	-	STA24C1808A	-	-	-	-	TMB06C1809A	-	-	-	-
SCB01C1902A	1.04	(0.03)	19,697	1.00	STEC01C1809A	0.21	-	167,992	-	TMB06C1902A	0.09	-	10,357	-
SCB01C1902B	0.97	(0.03)	34,812	-	STEC01C1809B	0.60	0.01	61,071	-	TMB07C1811A	-	-	-	-
SCB01P1808A	0.89	0.05	44,534	-	STEC01P1809A	0.74	-	22,098	-	TMB08C1808A	-	-	-	-
SCB01P1808B	0.02	-	19,851	-	STEC06C1809A	0.23	(0.01)	52,170	-	TMB08C1901A	0.08	0.01	3,202	-
SCB01P1902A	0.45	0.02	147,941	-	STEC08C1809A	0.13	(0.01)	68,853	-	TMB11C1904A	0.09	0.01	11,401	-
SCB01P1902B	0.21	0.01	56,556	-	STEC11C1903A	0.51	0.01	41,741	-	TMB13C1811A	0.05	-	622	-
SCB06C1811A	0.72	(0.02)	25,922	-	STEC13C1809A	0.05	0.01	450	-	TMB13C1901A	0.19	0.01	67,059	-
SCB08C1901A	0.56	(0.03)	75,363	-	STEC19C1901A	0.50	-	34,540	-	TMB19C1901A	0.11	(0.01)	60,666	-
SCB11C1901A	0.30	(0.02)	35,691	-	STEC23C1808A	-	-	-	-	TMB23C1810A	-	-	-	-
SCB11P1901A	0.35	0.02	28,241	-	STEC24C1808A	-	-	-	-	TMB24C1809A	-	-	-	-
SCB13C1809A	-	-	-	-	STEC24C1901A	0.53	0.01	16,500	-	TMB24C1901A	-	-	-	-
SCB13C1812A	0.67	(0.05)	147,882	-	STEC28C1810A	0.44	0.01	127,972	-	TMB24C1902A	0.17	(0.83)	1,020	-
SCB13P1812A	0.08	(0.02)	2,490	-	STPI08C1811A	0.04	-	6,000	-	TMB28C1809A	-	-	-	-
SCB19C1811A	0.37	(0.02)	27,734	-	SUPE08C1808A	-	-	-	-	TMB28C1901A	0.14	-	109,540	-
SCB24C1901A	-	-	-	-	SUPE08C1811A	0.09	-	5,001	-	TOA01C1901A	0.32	(0.01)	29,346	-
SCB24C1902A	-	-	-	-	SUPE13C1810A	0.04	-	1	-	TOA01C1901B	0.23	(0.01)	32,043	-
SCB24P1811A	0.09	(0.01)	200	-	SUPE13C1811A	-	-	-	-	TOA08C1902A	0.15	(0.01)	12,866	-
SCB28C1809A	-	-	-	-	SUPE19C1902A	0.22	(0.02)	10,812	-	TOA13C1812A	0.23	-	81,502	-
SCB28C1812A	0.55	(0.03)	115,338	-	SUPE23C1811A	0.08	-	3,100	-	TOA19C1901A	0.22	(0.01)	12,506	-
SCB28P1812A	0.06	-	2,339	-	SUPE23C1901A	-	-	-	-	TOA24C1812A	-	-	-	-
SCC01C1808A	0.18	(0.02)	80,583	-	SUPE28C1810A	-	-	-	-	TOA28C1812A	0.18	(0.01)	18,137	-
SCC01C1808B	-	-	-	-	SUPE28C1811A	-	-	-	-	TOP01C1808A	0.03	(0.02)	6,104	-
SCC01C1901A	0.79	(0.01)	39,660	-	TASC01C1809A	-	-	-	-	TOP01C1808B	-	-	-	-
SCC01C1901B	0.68	(0.02)	30,889	-	TASC01C1810A	0.11	-	30,718	-	TOP01C1901A	1.46	(0.03)	38,510	1.00
SCC01P1808A	0.38	0.02	31,394	-	TASC01C1810B	-	-	-	-	TOP01C1901B	1.34	(0.05)	42,436	1.00
SCC01P1901A	0.29	-	18,939	-	TASC01P1809A	1.85	(0.04)	3,600	1.00	TOP01P1808A	1.07	0.05	21,461	1.00
SCC06C1809A	0.05	-	20,000	-	TASC01P1810A	0.77	(0.06)	110,106	-	TOP01P1901A	0.65	0.01	36,944	-
SCC06C1902A	0.42	(0.03)	17,956	-	TASC07C1811A	-	-	-	-	TOP06C1809A	0.02	(0.01)	2,000	-
SCC07C1812A	0.66	0.07	70	-	TASC08C1808A	-	-	-	-	TOP06C1903A	1.15	(0.05)	25,762	1.00
SCC08C1809A	-	-	-	-	TASC11C1904A	0.11	0.01	18,275	-	TOP07C1812A	-	-	-	-
SCC08C1902A	0.48	(0.03)	61,686	-	TASC13C1810A	0.02	-	100	-	TOP08C1811A	0.12	(0.02)	40,398	-
SCC11C1811A	0.14	(0.01)	18,200	-	TASC19C1902A	0.33	0.02	62,641	-	TOP11C1808A	-	-	-	-
SCC11P1811A	0.18	0.01	16,952	-	TASC23C1902A	0.28	0.04	61,700	-	TOP11C1905A	1.04	(0.06)	10,546	1.00
SCC13C1809A	0.04	-	4,300	-	TASC24C1810A	-	-	-	-	TOP13C1811A	0.09	(0.01)	9,885	-
SCC13C1812A	0.27	-	93,745	-	TASC24C1903A	0.28	0.03	18,071	-	TOP13C1901A	0.62	(0.04)	72,692	-
SCC13C1901A	0.54	(0.02)	1	-	TCAP01C1901A	0.65	(0.02)	28,890	-	TOP18C1808A	-	-	-	-
SCC19C1811A	0.19	(0.01)	36,100	-	TCAP01C1901B	0.54	(0.03)	16,165	-	TOP19C1901A	0.45	(0.04)	12,368	-
SCC19C1901A	0.49	(0.01)	39,090	-	TCAP01P1901A	0.33	-	32,659	-	TOP23C1811A	0.15	(0.03)	13,500	-
SCC23C1811A	0.14	0.02	15,444	-	TCAP08C1810A	-	-	-	-	TOP24C1901A	-	-	-	-
SCC24C1812A	0.08	(0.01)	10,110	-	TCAP11C1811A	0.14	(0.02)	2,100	-	TOP24C1902A	0.63	(0.06)	1,389	-
SCC24C1901A	-	-	-	-	TCAP13C1809A	-	-	-	-	TOP28C1810A	-	-	-	-
SCC24C1902A	0.38	(0.62)	35	-	TCAP13C1901A	0.50	(0.02)	133,896	-	TOP28C1812A	0.56	(0.04)	51,539	-
SCC24P1901A	0.18	0.01	150	-	TCAP19C1901A	0.43	-	20,890	-	TP101C1812A	0.19	-	2,238	-
SCC27C1809A	-	-	-	-	TCAP24C1903A	-	-	-	-	TP101C1812B	0.12	(0.01)	1,346	-
SCC27P1809A	0.22	0.02	10	-	THAI01C1808A	0.01	-	13,780	-	TP107C1812A	0.21	(0.01)	1,000	-
SCC28C1811A	0.20	(0.02)	134,430	-	THAI01C1808B	-	-	-	-	TP113C1809A	-	-	-	-
SCC28C1812A	0.49	(0.02)	14,322	-	THAI01C1901A	0.25	(0.02)	73,758	-	TP19C1901A	0.20	-	7,778	-
SCC08C1811A	0.04	-	8,010	-	THAI01C1901B	0.14	(0.01)	16,153	-	TP123C1809A	-	-	-	-
SCCC13C1809A	-	-	-	-	THAI01P1808A	0.84	(0.02)	22,611	-	TP124C1808A	-	-	-	-
SCCC27C1812A	0.09	(0.01)	10,000	-	THAI01P1901A	0.94	-	11,283	-	TP124C1902A	-	-	-	-
SGP08C1808A	-	-	-	-	THAI06C1809A	0.03	(0.01)	5,820	-	TP1P01C1810A	0.33	(0.01)	7,410	-
SGP08C1901A	0.43	0.01	152,895	-	THAI07C1811A	-	-	-	-	TP1P01C1810B	0.08	(0.01)	900	-
SGP11C1904A	0.20	-	18,930	-	THAI08C1808A	-	-	-	-	TP1P01P1810A	0.62	0.01	9,297	-
SGP13C1811A	0.11	-	100	-	THAI11C1808A	-	-	-	-	TP1P08C1808A	-	-	-	-
SGP13C1812A	0.30	-	244,260	-	THAI13C1811A	-	-	-	-	TP1P11C1811A	-	-	-	-
SGP19C1811A	0.31	-	36,142	-	THAI19C1901A	0.24	-	19,088	-	TP1P13C1811A	0.17	-	1,984	-
SGP24C1808A	-	-	-	-	THAI23C1901A	-	-	-	-	TP1P23C1808A	-	-	-	-
SGP24C1811A	0.13	0.01	10,000	-	THAI24C1808A	-	-	-	-	TP1P24C1901A	-	-	-	-
SGP24C1902A	0.99	0.05	1,600	1.00	THAI24C1901A	0.13	(0.01)	2,101	-	TP1P27C1812A	-	-	-	-
SGP28C1809A	-	-	-	-	THAI27C1809A	-	-	-	-	TRUE01C1808A	0.18	(0.01)	67,956	-
SGP28C1811A	0.14	0.01	89,660	-	THAN01C1812A	0.41	-	6,303	-	TRUE01C1808B	0.01	(0.01)	2,501	-
SIRI01C1808A	0.01	-	22,476	-	THAN13C1809A	-	-	-	-	TRUE01C1902A	0.48	-	18,386	-
SIRI01C1808B	0.01	-	7,000	-	THAN24C1903A	-	-	-	-	TRUE01C1902B	0.38	(0.01)	22,931	-
SIRI01C1901A	0.38	-	6,818	-	THAN28C1810A	-	-	-	-	TRUE01P18				

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday August 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPAL01C1808B	0.01	-	10,000	-	TISC13C1811A	0.24	-	42,077	-	TRUE23C1902A	0.20	(0.02)	34,446	-

Main Board Quotation

Issue Date :

Tuesday August 21, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE27C1809A	0.10	-	3,394	-	CSC-Q	-	-	-	-	U-W4	-	-	-	-
TRUE27P1809A	0.23	-	16,544	-	JUTHA-Q	-	-	-	-	VIBHA-W2	1.37	(0.01)	1	1.00
TRUE28C1810A	0.02	(0.01)	1	-	KTB-Q	-	-	-	-	VIBHA-W3	0.29	(0.01)	239	-
TRUE28C1812A	0.17	(0.01)	65,326	-	SCB-Q	-	-	-	-	WAVE-W1	0.38	0.01	602	-
TTA08C1808A	-	-	-	-	TCAP-Q	-	-	-	-	WHA-W1	5.95	(0.05)	805	5.00
TTA08C1906A	0.27	-	6,236	-	TIC-Q	-	-	-	-	WORK-W1	8.70	0.10	792	8.00
TTA13C1809A	-	-	-	-	TISCO-Q	-	-	-	-	Preferred Shares	-	-	-	-
TTA13C1901A	0.22	0.01	13,202	-	U-Q	-	-	-	-	BH-P	-	-	-	-
TTA18C1808A	-	-	-	-	Warrant	-	-	-	-	CSC-P	-	-	-	-
TTA19C1811A	-	-	-	-	7UP-W2	0.07	(0.01)	11,267	-	JUTHA-P	-	-	-	-
TTA23C1808A	-	-	-	-	ACC-W1	0.02	0.01	6,021	-	KTB-P	-	-	-	-
TTA23C1901A	-	-	-	-	AJA-W1	0.19	(0.02)	6,909	-	SCB-P	-	-	-	-
TTA24C1809A	-	-	-	-	ALT-W1	0.57	(0.03)	1,476	-	TCAP-P	-	-	-	-
TTA24C1902A	0.09	(0.04)	16	-	APURE-W2	0.16	(0.01)	9,887	-	TIC-P	-	-	-	-
TTA28C1812A	0.09	-	4,200	-	AQ-W4	0.01	-	24	-	TISCO-P	-	-	-	-
TU01C1808A	0.04	(0.04)	19,102	-	AS-W1	0.26	-	632	-	U-P	0.03	-	80,435	-
TU01C1808B	-	-	-	-	AYUD-W1	2.54	0.08	24,176	2.00	Warrant (MAI)	-	-	-	-
TU01C1901A	0.66	(0.07)	53,455	-	B-W3	-	-	-	-	2S-W1	0.16	0.01	7,856	-
TU01C1901B	0.63	(0.10)	44,682	-	B-W4	0.17	-	1,738	-	ACAP-W2	1.98	(0.12)	1,668	2.00
TU01P1808A	0.68	0.10	25,912	-	BTS-W3	0.01	-	7,709	-	AIRA-W2	0.04	-	1,002	-
TU01P1901A	0.20	0.03	52,031	-	BWG-W4	0.08	-	2,573	-	ATP30-W1	0.84	(0.02)	173	-
TU06C1902A	0.36	(0.08)	35,908	-	CEN-W4	0.04	-	1,270	-	BSM-W2	0.16	-	50	-
TU07C1902A	-	-	-	-	CGD-W4	0.21	(0.01)	22,566	-	CHEWA-W1	0.17	0.01	72,934	-
TU08C1811A	0.09	(0.03)	25,376	-	CGH-W3	0.06	-	176	-	CIG-W7	0.01	-	24,092	-
TU11C1902A	0.07	(0.02)	8,100	-	CI-W1	0.36	0.01	32	-	DIMET-W2	0.14	0.01	70,165	-
TU13C1809A	-	-	-	-	CKP-W1	0.34	(0.02)	43,529	-	DNA-W1	1.13	(0.04)	5,646	1.00
TU19C1901A	0.36	(0.05)	32,344	-	CRANE-W1	2.06	0.18	536	1.00	ECF-W2	4.26	(0.04)	2,049	4.00
TU23C1902A	0.37	(0.04)	25,000	-	CWT-W4	0.42	(0.02)	11,789	-	ECF-W3	3.08	(0.02)	3,295	3.00
TU24C1808A	-	-	-	-	DCC-W1	0.71	(0.01)	32,764	-	EFORL-W3	0.01	(0.01)	5,200	-
TU24C1901A	-	-	-	-	DCON-W1	-	-	-	-	EFORL-W4	0.02	-	7,262	-
TVO01C1809A	0.16	(0.03)	10,776	-	DIGI-W1	0.04	-	12,572	-	FC-W1	0.05	(0.01)	2,605	-
TVO01C1809B	-	-	-	-	DIGI-W2	0.02	-	288	-	FC-W2	0.03	-	14	-
TVO08C1808A	-	-	-	-	EARTH-W4	-	-	-	-	FOCUS-W2	0.43	(0.03)	31,629	-
TVO11C1903A	0.12	(0.01)	1,404	-	EIC-W2	0.01	-	240	-	FVC-W2	0.41	0.01	757	-
TVO13C1809A	-	-	-	-	EIC-W3	0.02	-	170	-	ITEL-W1	0.32	-	4,522	-
TVO23C1808A	-	-	-	-	EIC-W4	-	-	-	-	JKN-W1	2.46	(0.10)	2,762	2.00
TVO24C1810A	-	-	-	-	EVER-W3	0.02	-	18,833	-	LIT-W1	2.24	(0.02)	390	2.00
TVO24C1903A	0.30	0.02	700	-	GJS-W3	0.02	-	100	-	META-W2	0.06	-	2,941	-
UNIQ01C1809A	0.06	-	3,000	-	GSTEL-W1	-	-	-	-	NCL-W3	0.38	(0.03)	23,545	-
UNIQ01C1810A	0.20	-	87,087	-	GSTEL-W2	-	-	-	-	NDR-W1	0.07	(0.02)	21,928	-
UNIQ01C1810B	0.04	-	6,045	-	IEC-W2	-	-	-	-	NEWS-W4	0.01	-	10,000	-
UNIQ01P1809A	0.64	(0.01)	7,228	-	IHL-W1	4.90	0.02	60	4.00	NEWS-W5	-	-	-	-
UNIQ08C1808A	-	-	-	-	ITD-W1	0.09	-	32,539	-	NEWS-W6	-	-	-	-
UNIQ08C1810A	0.04	-	7,000	-	IVL-W2	-	-	-	-	PHOL-W1	0.04	-	557	-
UNIQ08C1906A	0.23	-	18,870	-	JAS-W3	2.04	0.02	25,351	2.00	PIMO-W1	2.06	0.02	4,446	2.00
UNIQ11C1811A	-	-	-	-	JCK-W5	0.49	0.06	1,193	-	PPS-W1	0.69	(0.01)	350	-
UNIQ13C1809A	-	-	-	-	JMART-W2	1.84	(0.07)	14,151	1.00	PSTC-W1	0.24	-	10,505	-
UNIQ13C1901A	0.22	-	28,482	-	MIDA-W2	0.03	-	11,222	-	SIMAT-W2	0.34	-	728	-
UNIQ19C1811A	-	-	-	-	MILL-W3	0.03	-	4,323	-	SIMAT-W3	0.55	(0.04)	488	-
UNIQ23C1901A	0.08	-	9,000	-	MILL-W4	0.30	-	98	-	SIMAT-W4	1.29	-	7,035	1.00
UNIQ24C1811A	-	-	-	-	MILL-W5	0.19	-	34,989	-	SKY-W1	13.00	0.10	27	13.00
UNIQ28C1809A	-	-	-	-	ML-W2	0.03	-	33,794	-	STAR-W3	1.99	-	1,081	2.00
UNIQ28C1811A	-	-	-	-	MONO-W1	0.40	-	9,800	-	TAKUNI-W	0.19	(0.02)	629	-
UV13C1812A	0.37	-	122,371	-	NEP-W3	-	-	-	-	TAPAC-W3	2.38	0.02	34	2.00
UV23C1809A	-	-	-	-	NOK-W1	0.54	0.02	1,898	-	TMILL-W1	1.40	0.39	165,572	1.00
UV24C1812A	-	-	-	-	NPPG-W3	-	-	-	-	TSF-W4	-	-	-	-
VGI01C1812A	0.52	(0.02)	18,039	-	NUSA-W3	-	-	-	-	TSF-W5	0.03	-	250	-
VGI06C1904A	5.65	(0.10)	20	5.00	NVD-W1	0.21	(0.01)	22,749	-	TVD-W2	0.44	0.01	4,002	-
VGI06C1904B	5.65	(0.05)	20	5.00	ORI-W1	2.56	(0.08)	8,613	2.00	UAC-W2	0.76	(0.01)	1,412	-
VGI06C1904C	5.65	(0.25)	2,000	5.00	PACE-W1	-	-	-	-	UKEM-W2	0.50	0.04	6,225	-
VGI08C1811A	0.40	(0.03)	10,476	-	PACE-W2	0.24	0.03	52,914	-	UWC-W2	-	-	-	-
VGI23C1905A	-	-	-	-	PDI-W1	1.14	(0.03)	2,019	1.00	XO-W1	6.20	0.40	73,170	6.00
VGI23C1911A	-	-	-	-	PDJ-W2	1.50	(0.03)	23	1.00	Preferred Shares	-	-	-	-
VGI27C1812A	-	-	-	-	PDJ-W3	1.40	0.01	19	1.00	SGF-P1	-	-	-	-
VGI28C1810A	0.19	(0.03)	46,220	-	PDJ-W4	1.40	0.02	10	1.00	-	-	-	-	-
WHA01C1812A	0.46	(0.02)	24,493	-	PLE-W3	0.10	(0.01)	10,564	-	-	-	-	-	-
WHA01C1812B	0.36	(0.02)	33,002	-	RICH-W1	-	-	-	-	-	-	-	-	-
WHA01P1812A	0.72	0.01	23,646	-	RICHY-W1	0.41	0.04	1,523	-	-	-	-	-	-
WHA06C1809A	0.04	(0.02)	4,009	-	RICHY-W2	0.20	(0.01)	11,876	-	-	-	-	-	-
WHA07C1810A	0.09	-	1,010	-	RS-W3	7.50	-	12	7.00	-	-	-	-	-
WHA08C1811A	0.11	-	1,600	-	S-W1	0.12	-	10	-	-	-	-	-	-
WHA11C1903A	0.16	(0.01)	17,999	-	SAMART-W2	0.29	-	5,836	-	-	-	-	-	-
WHA13C1808A	-	-	-	-	SAWAD-W1	5.75	0.10	2,085	5.00	-	-	-	-	-
WHA13C1812A	0.32	(0.02)	47,906	-	SDC-W1	-	-	-	-	-	-	-	-	-
WHA19C1901A	0.31	(0.02)	15,648	-	SMM-W4	0.03	0.01	11,112	-	-	-	-	-	-
WHA23C1810A	0.14	(0.02)	16,000	-	SMT-W1	0.09	-	9,771	-	-	-	-	-	-
WHA24C1811A	-	-	-	-	SMT-W2	0.70	(0.02)	13,050	-	-	-	-	-	-
WHA28C1809A	0.19	(0.02)	68,818	-	SPALI-W4	19.20	(0.30)	83	19.00	-	-	-	-	-
WHAU01C1810A	0.13	-	23,204	-	SPORT-W5	-	-	-	-	-	-	-	-	-
WHAU01C1810B	-	-	-	-	SUPER-W4	0.10	(0.01)	793,746	-	-	-	-	-	-
WHAU24C1812A	-	-	-	-	SUSCO-W1	0.11	(0.04)	31,869	-	-	-	-	-	-
WHAU24C1902A	0.25	(0.75)	30	-	SVI-W3	1.41	(0.13)	1,019	1.00	-	-	-	-	-
WORK01C1811A	0.37	(0.02)	11,348	-	TCC-W3	-	-	-	-	-	-	-	-	-
WORK01C1811B	0.21	(0.01)	1,011	-	TCC-W4	0.11	(0.02)	1,106	-	-	-	-	-	-
WORK08C1809A	0.01	-	1	-	TCC-W5	0.16	(0.01)	2,304	-	-	-	-	-	-
WORK08C1901A	0.28	(0.02)	13,882	-	TCJ-W2	0.87	(0.02)	1,244	-	-	-	-	-	-
WORK11C1903A	0.08	-	111	-	TCMC-W2	0.32	-	1,996	-	-	-	-	-	-
WORK13C1809A	-	-	-	-	TFG-W1	1.60	-	740	1.00	-	-	-	-	-
WORK13C1810A	-	-	-	-	TFG-W2	0.74	0.03	10,036	-	-	-	-	-	-
WORK13C1811A	0.06	(0.01)	437	-	TH-W2	0.13	(0.02)	3,549	-	-	-	-	-	-

