

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

**Issue Date :**
*Friday August 24, 2018*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.60	-	4,772	10.59	SE-ED	2.94	-	470	2.91
POMPI	-	-	-	-	ILINK	5.40	(0.05)	2,975	5.40	SMM	0.87	(0.02)	316	0.87
SAFARI	-	-	-	-	INET	3.84	(0.02)	1,507	3.84	SPORT	0.39	-	9,135	0.38
VI	-	-	-	-	INTUCH	55.25	-	15,469	55.30	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	5.25	-	97,166	5.26	TH	0.73	-	580	0.73
WR	-	-	-	-	JASIF	10.30	(0.20)	63,728	10.29	TKS	10.90	-	4,706	10.86
Agribusiness	-	-	-	-	JMART	9.30	(0.10)	3,666	9.37	TRITN	0.34	-	219,439	0.33
CHOTI	147.00	7.00	2	145.50	JTS	1.59	(0.02)	9,461	1.63	VGI	7.15	0.15	142,916	7.17
EE	0.66	-	3,983	0.66	MFEC	3.60	-	642	3.60	WAVE	2.64	(0.06)	1	2.64
GFPT	14.60	0.10	98,044	14.50	MSC	6.45	0.10	467	6.40	WORK	41.50	1.25	22,953	40.74
LEE	2.74	-	2,680	2.73	PT	6.50	(0.15)	3,383	6.55	Finance & Securities	-	-	-	-
STA	13.00	0.20	38,511	12.89	SAMART	6.85	(0.05)	5,281	6.84	AEC	0.50	0.01	4	0.50
TLUXE	5.80	(0.10)	615	5.83	SAMTEL	8.55	0.10	423	8.48	AEONTS	179.00	3.00	3,284	176.98
TRUBB	1.78	(0.02)	8,805	1.78	SDC	0.24	0.01	109,783	0.25	AMANAHA	1.95	-	113,996	1.95
TWPC	9.00	-	2,716	8.96	SIS	9.00	0.05	889	8.97	ASAP	6.10	(0.15)	19,437	6.13
UPOIC	4.20	-	129	4.22	SVOA	1.36	0.01	2,601	1.36	ASK	22.70	(0.20)	350	22.80
UVAN	6.75	0.10	8,943	6.67	SYMC	5.60	0.10	61	5.62	ASP	3.88	(0.04)	95,663	3.91
VPO	0.64	(0.01)	896	0.64	SYNEX	12.00	-	8,921	11.99	BFIT	26.25	-	805	26.20
Banking	-	-	-	-	THCOM	9.85	0.30	66,536	9.79	CGH	1.06	(0.01)	763	1.07
BAY	39.75	-	951	39.78	TRUE	6.45	0.20	1,443,696	6.40	CNS	2.62	0.02	284	2.60
BBL	207.00	-	15,888	206.96	TWZ	0.13	(0.01)	38,986	0.13	ECL	1.86	0.01	10,572	1.86
CIMBT	0.85	(0.02)	13,556	0.86	Electronic Componen	-	-	-	-	FNS	4.12	0.06	34,339	4.17
KBANK	215.00	(2.00)	16,781	215.49	CCET	1.99	-	15,927	1.98	FSS	2.34	(0.02)	1,098	2.35
KKP	75.00	-	17,041	74.85	DELTA	69.50	(0.25)	8,360	69.45	GBX	-	-	-	-
KTB	19.50	-	245,371	19.47	EIC	0.05	-	475	0.05	GL	7.20	(0.05)	27,448	7.22
LHFG	1.58	0.01	18,398	1.57	HANA	37.75	1.00	29,672	37.37	IFS	3.06	0.04	409	3.02
SCB	147.00	-	30,738	146.60	KCE	42.75	(1.00)	64,515	42.97	JMT	12.80	0.10	7,486	12.79
TCAP	53.25	-	8,196	53.07	METCO	-	-	-	-	KCAR	13.00	0.10	2,615	12.98
TISCO	78.75	-	11,732	78.72	SMT	2.46	(0.02)	22,778	2.51	KGI	4.28	0.10	85,113	4.27
TMB	2.18	-	411,605	2.18	SPPT	3.78	-	12,188	3.72	KTC	29.75	-	65,685	29.55
Construction Materia	-	-	-	-	SVI	5.45	0.10	429,045	5.45	MBKET	12.60	0.10	1,940	12.51
CCP	0.40	-	14,677	0.39	TEAM	1.08	0.01	4,540	1.08	MFC	15.50	-	146	15.56
COTTO	2.70	0.06	12,678	2.70	Energy & Utilities	-	-	-	-	ML	1.06	0.02	1,210	1.04
DCC	2.50	0.20	489,881	2.40	ABPIF	8.75	-	948	8.73	MTC	40.50	0.25	40,758	40.33
DCON	0.58	0.01	3,889	0.57	AI	-	-	-	-	PE	0.26	-	139	0.26
DRT	5.80	(0.05)	280	5.81	AKR	1.00	-	21,311	1.00	PL	3.48	-	4,179	3.48
EPG	9.00	0.10	40,771	8.92	BAFS	34.00	-	906	33.95	S11	7.55	(0.15)	859	7.64
GEL	0.34	-	8,050	0.34	BANPU	19.70	(0.20)	551,292	19.71	SAWAD	42.50	0.25	130,647	42.17
PPP	3.48	-	303	3.48	BCP	35.75	-	12,472	35.75	THANI	7.70	(0.10)	13,617	7.69
O-CON	5.40	-	2	5.40	BCPG	18.40	(0.10)	33,660	18.35	TK	11.00	(0.10)	523	11.01
RCI	3.12	0.14	80,353	3.10	BGRIM	26.00	(0.25)	30,592	26.02	TNITY	6.00	(0.05)	1,095	6.00
SCC	454.00	(4.00)	19,639	454.40	BPP	24.40	-	16,558	24.34	UOBKH	-	-	-	-
SCCC	236.00	(1.00)	535	236.01	BRRGIF	10.00	-	2,598	9.98	ZMICO	1.03	0.01	17,332	1.04
SCP	8.40	-	2,619	8.38	CKP	4.08	(0.02)	90,061	4.08	Food & Beverage	-	-	-	-
SKN	4.50	(0.06)	7,106	4.50	DEMCO	4.10	(0.02)	2,209	4.09	APURE	1.36	(0.02)	3,911	1.37
TASCO	14.80	-	18,692	14.72	EA	38.25	(0.25)	75,998	38.07	ASIAN	8.20	(0.05)	18,294	8.23
TCMC	2.56	(0.06)	5,181	2.58	EARTH	-	-	-	-	BR	5.10	(0.05)	23,736	5.10
TOA	33.75	-	28,880	33.77	EASTW	11.00	(0.10)	2,174	11.09	BRR	6.70	(0.10)	3,061	6.70
TPPL	1.82	-	12,626	1.82	EGATIF	11.00	-	2,372	10.99	CBG	46.75	2.00	35,529	45.87
UMI	1.43	0.03	44,986	1.42	EGCO	231.00	2.00	5,904	230.29	CFRESH	4.44	(0.06)	389	4.46
VNG	7.70	(0.10)	5,605	7.70	ESSO	15.90	0.20	30,875	15.88	CM	4.22	(0.02)	1,630	4.23
WIHK	2.42	0.02	4,369	2.41	GLOW	93.75	-	9,672	93.83	CPF	26.25	(0.25)	106,048	26.24
Petrochemicals & Ch	-	-	-	-	GPSC	72.25	0.75	9,298	71.89	CPI	1.78	(0.01)	2,345	1.78
BCT	55.00	-	884	55.07	GULF	69.50	0.75	14,076	69.05	F&D	17.00	0.60	1,006	17.00
CMAN	3.18	-	5,992	3.19	GUNKUL	2.90	(0.02)	8,878	2.92	HTC	17.50	0.50	4,653	17.35
GC	5.10	0.05	90	5.10	IEC	-	-	-	-	ICHI	4.36	(0.02)	5,242	4.36
GGC	11.10	-	48,084	11.16	IFEC	-	-	-	-	KBS	4.28	(0.02)	648	4.29
GIFT	4.54	0.02	2,347	4.48	IRPC	6.65	-	321,147	6.65	KSL	3.22	-	2,401	3.21
IVL	58.25	0.50	102,695	57.91	LANNA	15.70	(0.20)	538	15.74	KTIS	5.90	-	43	5.89
NFC	11.40	(0.10)	460	11.48	MDX	4.56	0.02	3,734	4.59	LST	4.84	-	1,335	4.84
PATO	14.30	(0.10)	1,086	14.27	PTG	11.40	0.30	737,706	10.75	M	71.25	(0.50)	1,862	71.49
PMTA	13.90	-	14	13.88	PTT	51.75	(0.25)	559,007	51.75	MALEE	13.30	(0.10)	4,425	13.23
PTTGC	80.50	(0.75)	188,871	80.42	PTTEP	139.50	(0.50)	41,792	139.26	MINT	37.25	(0.25)	88,360	37.07
SUTHA	4.26	0.10	215	4.15	RATCH	52.25	0.25	3,067	52.16	OISHI	93.75	2.25	1	93.75
TCCC	36.00	(0.25)	267	36.00	RPC	0.54	-	1,647	0.53	PB	61.50	-	146	61.50
TPA	6.40	-	10	6.40	SCG	4.62	-	1,036	4.62	PM	8.65	0.05	5,779	8.67
UP	26.00	(0.50)	19	25.88	SCI	3.16	-	9,803	3.18	PRG	-	-	-	-
VNT	24.80	0.20	39,870	24.90	SCN	3.76	0.04	25,365	3.76	SAPPE	23.20	-	5,641	23.40
WG	160.00	3.00	1	160.00	SGP	11.90	0.10	70,104	11.82	SAUCE	22.20	(0.10)	16	22.26
YCI	-	-	-	-	SKE	1.27	0.02	18,578	1.27	SFP	197.00	(2.50)	5	196.20
Commerce	-	-	-	-	SOLAR	2.32	(0.02)	7,083	2.34	SNP	20.60	(0.10)	45	20.49
BEAUTY	9.60	0.25	1,240,698	9.44	SPCG	20.60	(0.50)	8,887	20.51	SORKON	68.50	(1.50)	10	69.75
BIG	1.75	(0.02)	64,986	1.76	SPRC	15.80	0.10	134,648	15.69	SSC	39.00	-	12	38.75
BJC	57.00	0.50	45,749	56.54	SUPER	0.73	(0.02)	1,891,213	0.74	SSF	8.50	0.20	1	8.50
COL	27.00	1.00	7,984	26.97	SUSCO	3.24	0.02	25,828	3.27	SST	6.10	0.05	124	6.04
COM7	18.70	0.10	10,321	18.69	TAE	2.32	0.02	4,809	2.32	TC	3.22	0.08	2,017	3.14
CPALL	69.00	(0.50)	248,313	69.00	TCC	0.39	-	15,328	0.38	TFG	4.20	0.04	13,653	4.19
CSS	2.06	(0.02)	3,284	2.07	TOP	85.00	-	91,254	84.42	TFMAMA	161.00	0.50	2	161.00
FN	2.84	(0.02)	1,216	2.86	TPIPP	6.20	0.10	163,048	6.20	TIPCO	8.90	(0.05)	4,000	8.89
FTE	2.24	0.04	4,566	2.22	TTW	12.90	0.20	32,901	12.82	TKN	14.60	0.10	25,122	14.56
GLOBAL	18.40	0.30	41,646	18.26	WHAPU	5.85	0.15	131,930	5.81	TU	17.90	-	23,724	17.82
HMPRO	14.40	-	70,242	14.45	WP	7.55	-	17,000	7.57	TVO	30.75	-	22,696	30.78
IT	4.54	(0.02)	1,993	4.52	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.14	(0.04)	8,515	4.15	AMARIN	4.90	(0.04)	1,398	4.96	AHC	21.30	0.20	26	21.35
LOXLEY	2.22	0.02	5,090	2.20	AQUA	0.49	-	183,496	0.48	BCH	18.60	0.30	112,259	18.54
MAKRO	34.50	0.25	3,438	34.49	AS	1.16	0.03	983	1.14	BDMG	26.50	-	116,985	26.35
MC	12.30	0.20	7,558	12.23	BEC	7.70	(0.10)	40,099	7.73	BH	179.00	-	8,302	178.17
MEGA	36.00	-	8,442	36.15	EPCO	4.00	(0.02)	14,242	4.02	CHG	2.58	0.08	685,807	2.56
MIDA	0.59	-	5,199	0.59	FE	-	-	-	-	CMR	3.26	0.02	360	

## Main Board Quotation

Issue Date :

Friday August 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.70	-	8,951	2.69	MJD	3.44	0.02	1,002	3.44	CPT	2.16	(0.30)	325,092	2.26
Tourism & Leisure	-	-	-	-	MK	4.10	-	15,751	4.10	CRANE	2.82	-	681	2.84
ASIA	6.60	-	493	6.60	NCH	0.90	-	78	0.91	CTW	9.35	0.05	350	9.34
CENTEL	37.50	(1.00)	94,321	37.52	NNCL	1.73	(0.01)	3,780	1.74	FMT	-	-	-	-
CSR	-	-	-	-	NOBLE	12.20	-	2,155	12.29	HTECH	7.15	(0.05)	6,208	7.18
DTC	11.90	(0.10)	10,433	12.07	NUSA	0.30	(0.01)	18,521	0.30	KKC	1.66	(0.01)	140	1.66
ERW	7.50	(0.05)	58,354	7.50	NVD	3.82	0.02	1,681	3.81	PK	3.60	(0.02)	3,619	3.59
GRAND	1.06	0.02	70,878	1.05	ORI	18.50	(0.10)	6,275	18.55	SNC	14.40	(0.10)	1,601	14.35
LRH	38.50	(0.50)	103	38.50	PACE	0.64	0.02	368,456	0.63	TCJ	5.70	(0.10)	334	5.65
MANRIN	-	-	-	-	PF	1.10	0.02	2,018,889	1.10	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	7.35	-	7,345	7.35	Property Fund & REIT	-	-	-	-
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.10	(0.10)	980	10.10
SHANG	77.75	-	13	77.15	PRECHA	1.41	0.04	243	1.40	AMATAR	10.50	(0.10)	648	10.50
Home & Office Produ	-	-	-	-	PRIN	1.61	0.01	2,615	1.60	B-WORK	10.90	0.10	2,865	10.80
ACC	0.45	-	504	0.45	PRINC	5.60	(0.05)	9,208	5.57	BKKCP	12.10	(0.20)	2	12.10
AJA	0.40	-	18,435	0.40	PSH	20.40	(0.30)	21,359	20.49	BOFFICE	13.40	-	666	13.35
DTCI	-	-	-	-	OH	3.44	(0.08)	259,781	3.45	CPNCG	15.30	(0.10)	749	15.35
FANCY	0.95	(0.01)	2,699	0.96	RICHY	1.80	(0.06)	59,189	1.82	CPNREIT	25.75	-	9,916	25.92
KYE	386.00	1.00	13	385.69	RML	1.37	(0.02)	40,840	1.39	CPTGF	13.50	(0.10)	22,140	13.43
L&E	2.70	(0.02)	641	2.69	ROJNA	5.35	-	2,864	5.35	CRYSTAL	10.20	1.70	3,326	10.07
MODERN	4.46	(0.02)	396	4.47	S	2.98	(0.04)	174,884	2.99	CTARAF	4.76	0.06	610	4.76
OGC	-	-	-	-	SAMCO	2.18	-	830	2.20	DREIT	5.50	-	335	5.50
ROCK	-	-	-	-	SC	3.58	0.02	31,461	3.54	ERWPF	5.70	0.10	110	5.69
SIAM	1.92	0.02	2,397	1.90	SENA	3.86	-	6,964	3.85	FUTUREPF	22.10	(0.10)	20,102	21.81
TSR	2.58	(0.04)	11,024	2.59	SF	8.50	0.15	14,891	8.40	GAHREIT	9.60	(0.25)	826	9.59
Insurance	-	-	-	-	SIRI	1.64	-	275,037	1.63	GLANDRT	12.60	(0.20)	815	12.39
AYUD	38.75	(1.25)	294	38.74	SPALI	24.10	0.20	22,632	24.02	GOLDPF	7.15	-	529	7.15
BKI	351.00	1.00	4	350.25	TICON	16.20	0.10	521	16.23	GVREIT	15.60	-	6,500	15.60
BLA	31.75	(0.25)	5,194	31.55	U	0.03	-	496,066	0.03	HPF	5.35	-	51	5.35
BUI	-	-	-	-	UV	8.05	-	36,391	8.05	HREIT	7.05	(0.05)	3,596	7.08
CHARAN	-	-	-	-	WHA	3.82	(0.02)	411,187	3.82	IMPACT	18.30	(0.10)	5,523	18.17
INSURE	-	-	-	-	WIN	0.62	0.01	921	0.62	KPNPF	9.50	-	150	9.50
MTI	109.50	-	23	109.07	Paper & Printing Mat	-	-	-	-	LHHOTEL	16.50	0.30	432	16.29
NKI	-	-	-	-	UTP	11.60	(0.10)	6,438	11.61	LHPF	8.30	(0.10)	31	8.35
NSI	82.75	(0.25)	1	82.75	Fashion	-	-	-	-	LHSC	16.50	(0.10)	164	16.29
SMK	40.00	-	16	40.31	AFC	9.10	0.10	3	9.10	LUXF	8.25	(0.10)	4	8.30
THRE	1.07	-	6,315	1.07	BTNC	-	-	-	-	M-II	-	-	-	-
THREL	7.85	-	4,399	7.85	CPH	-	-	-	-	M-PAT	10.00	-	100	10.00
TIC	39.75	1.00	16	39.59	CPL	3.10	(0.02)	2	3.10	M-STOR	10.30	0.10	1	10.30
TIP	24.70	(0.10)	1,633	24.75	DIGI	0.37	-	8,039	0.36	MIPF	-	-	-	-
TSI	0.48	0.01	305	0.48	ICC	39.50	0.50	5	39.50	MIT	-	-	-	-
TVI	3.50	-	208	3.49	LTX	105.00	2.00	14	105.64	MJLF	12.80	0.10	805	12.80
Mining	-	-	-	-	NC	-	-	-	-	MNIT	1.70	0.03	1,161	1.65
PDI	14.30	0.30	14,901	14.42	PAF	0.93	(0.02)	3,910	0.94	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.58	(0.12)	6,752	2.60	MNRF	3.38	(0.02)	4	3.38
Packaging	-	-	-	-	PG	6.95	(0.10)	2	6.95	MONTRI	-	-	-	-
AJ	10.10	-	610	10.02	SABINA	36.75	0.50	383	36.51	POPF	13.70	-	699	13.62
ALUCON	-	-	-	-	SAWANG	-	-	-	-	PPF	11.20	-	12	11.11
CSC	45.50	0.50	2	45.50	SUC	45.00	0.25	20	45.00	QHHR	8.55	0.05	327	8.50
NEP	0.39	-	509	0.39	TNL	-	-	-	-	QHOP	3.44	(0.20)	60	3.46
NPPG	1.09	(0.02)	34,473	1.09	TPCORP	14.80	-	51	14.80	QHPF	12.10	(0.10)	29,235	12.10
PTL	16.10	-	4,973	16.09	TR	49.00	(0.50)	72	49.10	SBPF	-	-	-	-
SITHAI	1.26	(0.01)	3,576	1.27	TTI	-	-	-	-	SHREIT	9.35	0.20	4,130	9.33
SLP	0.93	(0.01)	748	0.93	TTL	-	-	-	-	SIRIP	11.30	-	106	11.30
SMPC	13.80	0.10	1,568	13.76	TTTM	169.00	(5.00)	37	173.15	SPF	23.60	-	452	23.61
SPACK	-	-	-	-	UPF	71.75	3.50	1	71.75	SRIPANWA	11.10	-	1,000	11.10
TCOAT	-	-	-	-	UT	13.50	0.30	45	13.21	SSPF	-	-	-	-
TFI	0.35	-	2,174	0.36	WACOAL	-	-	-	-	SSTPF	6.70	0.35	64	6.58
THIP	34.50	-	215	34.26	Transportation & Log	-	-	-	-	SSSTR	6.25	-	100	6.25
TMD	21.80	(0.20)	81	21.72	AAV	4.36	-	119,505	4.37	TIF1	8.75	(0.05)	12	8.67
TOPP	-	-	-	-	AOT	65.75	(0.25)	128,238	65.96	TLGF	20.00	0.20	8,808	19.94
TPBI	8.30	-	18	8.29	ASIMAR	2.64	(0.02)	791	2.62	TLHPF	11.10	-	107	10.94
TPP	-	-	-	-	B	0.62	0.01	35,032	0.62	TNPF	-	-	-	-
Personal Products &	-	-	-	-	BA	12.70	0.40	164,859	12.79	TPRIME	12.90	(0.10)	116	12.91
APCO	4.44	-	503	4.41	BEM	8.25	-	115,587	8.25	TREIT	11.70	-	23,980	11.75
DDD	42.50	(1.00)	1,772	42.72	BTS	9.15	-	90,343	9.17	TTLPF	23.50	0.10	8	23.50
JCT	-	-	-	-	BTSGIF	12.10	(0.30)	66,921	12.12	TU-PF	-	-	-	-
OCC	-	-	-	-	III	5.90	(0.05)	16,303	5.99	URBNPF	3.22	(0.08)	4	3.22
S & J	24.50	-	5	24.50	JUTHA	-	-	-	-	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	7.35	-	14,427	7.32	WHART	10.30	(0.10)	17,285	10.25
TNR	13.20	-	673	13.24	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.90	(0.06)	2,497	4.89	NOK	2.32	-	7,182	2.31	AMC	2.50	0.02	470	2.49
Professional Service	-	-	-	-	NYT	5.10	0.05	5,938	5.07	BSBM	1.13	-	1,783	1.13
BWG	0.99	(0.01)	151,806	0.99	PRM	7.15	-	6,667	7.16	CEN	1.32	(0.02)	2,025	1.33
GENCO	0.81	(0.02)	20,846	0.82	PSL	12.00	-	5,483	11.90	CITY	2.66	(0.02)	105	2.67
PRO	-	-	-	-	RCL	5.70	-	3,015	5.72	CSP	1.39	(0.01)	16	1.39
TEAMG	2.26	(0.02)	29,599	2.27	THAI	13.10	-	10,832	13.12	GJS	0.27	-	76,182	0.26
Property Developmer	-	-	-	-	TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	760	6.70	TTA	7.00	-	10,787	7.01	INOX	1.22	0.01	1,616	1.21
AMATA	19.70	0.10	88,253	19.63	WICE	4.62	-	18,545	4.61	LHK	4.92	0.02	1,287	4.91
AMATAV	6.60	(0.05)	985	6.61	Automotive	-	-	-	-	MAX	0.02	-	232,455	0.02
ANAN	5.05	-	28,734	5.03	AH	33.00	0.25	1,513	32.95	MCS	7.60	(0.05)	3,565	7.59
AP	9.10	(0.20)	88,013	9.18	APCS	5.20	(0.15)	3,187	5.23	MILL	1.62	-	17,360	1.63
APEX	0.20	-	11,500	0.20	BAT-3K	207.00	-	5	207.00	PAP	4.10	-	594	4.09
AQ	0.03	-	234,782	0.03	CWT	2.84	-	15,474	2.88	PERM	2.38	-	389	2.38
BLAND	1.80	-	193,266	1.80	EASON	2.56	0.02	6,464	2.56	RICH	-	-	-	-
BROCK	2.38	(0.02)	5	2.38	GYT	-	-	-	-	SAM	0.69	-	1,454	0.69
CGD	1.33	-	14,818	1.32	HFT	3.18	0.02	2,821	3.16	SMIT	5.90	-	27	5.91
CI	1.58	0.01	540	1.57	IHL	9.10	0.15	2,715	8.98	SSI	-	-	-	-
CPN	79.75	-	31,118	79.23	INGRS	0.74	-	3,746	0.74	SSSC	2.96	0.02	123	2.97
ESTAR	0.64	-	7,321	0.64	IRC	20.50	(0.10)	73	20.48	TGPRO	0.16	-	37,772	0.16
EVER	0.39	-	77,640	0.39	PCSGH	7.30	-	2,495	7.29	THE	3.52	(0.06)	139,172	3.55
GLAND	3.10	0.08	763,648	3.07	SAT	23.20	-	1,751	23.17	TIW	368.00	6.00	12	354.75
GOLD	10.20	(0.10)	8,921	10.22	SPG	14.10	0.10	18	14.03	TMT	14.60	(0.10)	557	14.65
GREEN	1.29	0.01	119,721	1.34	STANLY	261.00	(2.00)	48	261.56	TSTH	0.75	-		

## Main Board Quotation

Issue Date :

Friday August 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	UMS	0.78	0.12	51	-	ADVA11C1905A	0.25	-	1,640	-
ABICO	7.05	0.05	6,921	7.00	UWC	0.07	-	47,374	-	ADVA11P1905A	-	-	-	-
AU	7.55	(0.65)	161,966	7.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.03	-	50	-
FC	0.29	-	15,634	-	ADAM	-	-	-	-	ADVA13C1811A	0.55	(0.01)	164,223	-
JCKH	1.19	-	1,223	1.00	AKP	1.65	(0.04)	1,526	1.00	ADVA13C1901A	0.30	(0.01)	36,002	-
KASET	2.18	-	171	2.00	AMA	5.65	0.05	2,562	5.00	ADVA13P1809A	0.05	0.01	80	-
MM	4.00	(0.04)	436	4.00	ARIP	0.51	-	122	-	ADVA16C1812A	-	-	-	-
SUN	3.20	(0.02)	6,704	3.00	ATP30	1.71	(0.01)	963	1.00	ADVA18C1808A	-	-	-	-
TACC	4.04	-	1,715	4.00	AUCT	5.90	(0.10)	521	5.00	ADVA19C1901A	0.60	(0.01)	8,573	-
TMILL	3.34	-	7,736	3.00	BOL	1.94	-	4,862	1.00	ADVA23C1902A	0.44	(0.02)	37,500	-
XO	10.50	-	8,114	10.00	CHUO	-	-	-	-	ADVA24C1810A	-	-	-	-
Consumer Products	-	-	-	-	CMO	1.52	-	565	1.00	ADVA24P1810A	-	-	-	-
BGT	1.00	-	1,287	1.00	D	11.00	-	892	10.00	ADVA27C1902A	0.31	(0.69)	13,216	-
BIZ	2.76	(0.02)	92	2.00	DCORP	2.82	0.02	7,028	2.00	ADVA28C1811A	0.47	-	64,578	-
DOD	13.90	(0.10)	28,080	13.00	DNA	0.49	-	53,273	-	ADVA28C1901A	-	-	-	-
ECF	8.15	0.15	118,983	8.00	EFORL	0.07	-	12,450	-	ADVA28P1810A	-	-	-	-
HPT	1.09	(0.01)	4,587	1.00	ETE	2.02	-	683	2.00	AMAT01C1810A	0.62	0.01	55,347	-
JUBILE	19.30	(0.30)	1,396	19.00	FSMART	8.85	(0.05)	12,076	8.00	AMAT01C1810B	0.32	-	55,533	-
MOONG	6.25	(0.15)	7,737	6.00	FVC	1.23	-	138,786	1.00	AMAT01P1810A	1.11	(0.03)	20,572	1.00
NPK	-	-	-	-	HARN	2.66	0.04	2,551	2.00	AMAT06C1809A	0.01	-	50	-
OCEAN	1.78	(0.02)	90,529	1.00	JKN	10.30	-	19,226	10.00	AMAT08C1809A	0.02	-	6,026	-
TM	2.04	0.04	203	2.00	KIAT	0.47	(0.01)	11,638	-	AMAT11C1903A	0.26	-	4,668	-
Financials (MAI)	-	-	-	-	KOOL	1.78	(0.01)	4,381	1.00	AMAT13C1809A	-	-	-	-
ACAP	6.65	(0.25)	32,320	6.00	LDC	1.16	0.01	1,431	1.00	AMAT13C1812A	0.34	0.01	171,634	-
AF	0.74	-	1,130	-	MPG	0.17	-	2,077	-	AMAT19C1811A	0.12	0.01	53,688	-
AIRA	-	-	-	-	MVP	2.88	(0.08)	52,520	2.00	AMAT23C1810A	0.08	(0.01)	1,000	-
ASN	3.14	0.02	261	3.00	NBC	0.63	(0.01)	979	-	AMAT24C1811A	-	-	-	-
BROOK	0.55	-	5,045	-	NCL	1.50	(0.01)	26,800	1.00	ANAN01C1810A	-	-	-	-
CHAYO	4.30	(0.12)	275,202	4.00	NEWS	0.01	-	114,215	-	ANAN01C1810B	-	-	-	-
GCAP	4.12	-	2,421	4.00	NINE	2.40	-	80,907	2.00	ANAN08C1808A	-	-	-	-
LIT	8.55	0.15	884	8.00	OTO	2.56	(0.04)	607	2.00	ANAN08C1810A	-	-	-	-
SGF	1.37	(0.02)	126,493	1.00	PHOL	2.32	-	13	2.00	ANAN08C1906A	0.29	-	3,646	-
Industrials (MAI)	-	-	-	-	PICO	6.10	(0.10)	182	6.00	ANAN13C1901A	0.22	(0.01)	4,320	-
ZS	3.20	(0.02)	2,523	3.00	PORT	7.00	-	3,661	7.00	ANAN19C1811A	0.61	(0.05)	1,550	-
ADB	1.22	-	3,233	1.00	QLT	4.48	0.02	438	4.00	ANAN23C1901A	-	-	-	-
BM	3.36	(0.02)	1,621	3.00	RP	3.00	0.02	210	2.00	ANAN24C1811A	-	-	-	-
CHO	1.22	-	1,054	1.00	SE	-	-	-	-	ANAN28C1809A	-	-	-	-
CHOW	4.80	0.02	606	4.00	SPA	15.30	-	3,467	15.00	AOT01C1808A	0.15	(0.02)	58,797	-
CIG	0.38	0.01	50,519	-	THMUI	1.69	0.02	24,860	1.00	AOT01C1808B	0.01	-	63,580	-
COLOR	1.18	(0.01)	10,029	1.00	TNDT	5.20	(0.05)	260	5.00	AOT01C1810A	0.27	(0.01)	43,110	-
CPR	5.75	(0.15)	6,821	5.00	TNH	40.00	-	246	39.00	AOT01C1902A	0.57	(0.01)	75,118	-
FPI	2.48	-	5,309	2.00	TNP	1.80	-	1,470	1.00	AOT01C1902B	0.41	-	64,166	-
GTB	0.66	-	7	-	TSF	0.04	-	84,825	-	AOT01P1808A	0.82	0.02	20,424	-
KCM	1.20	(0.03)	14,087	1.00	TVD	1.45	-	25,039	1.00	AOT01P1808B	0.01	-	10,240	-
LVT	-	-	-	-	TVT	1.13	0.02	79,324	1.00	AOT01P1902A	0.84	0.01	49,900	-
MBAX	3.98	-	155	3.00	WINNER	3.32	0.02	363	3.00	AOT01P1902B	0.56	0.01	84,854	-
MGT	2.12	(0.04)	14,212	2.00	Technology (MAI)	-	-	-	-	AOT06C1809A	-	-	-	-
NDR	2.26	(0.02)	165	2.00	COMAN	3.40	(0.02)	1,177	3.00	AOT06C1903A	0.52	(0.02)	57,807	-
PDG	3.60	0.04	453	3.00	ICN	2.18	-	2,671	2.00	AOT06P1903A	0.53	-	20,532	-
PIMO	3.54	0.02	3,197	3.00	IRCP	1.00	(0.01)	21,214	1.00	AOT07C1902A	-	-	-	-
PJW	1.69	-	234	1.00	ITEL	3.18	0.04	5,486	3.00	AOT08C1901A	0.33	(0.01)	37,894	-
PPM	2.06	(0.02)	3,060	2.00	NETBAY	33.75	0.25	682	33.00	AOT11C1808A	0.36	(0.01)	13,601	-
RWI	1.61	-	2,259	1.00	PLANET	1.53	0.02	16	1.00	AOT11P1808A	-	-	-	-
SALÉE	1.09	(0.01)	150	1.00	SIMAT	2.04	(0.02)	3,070	2.00	AOT13C1809A	0.01	-	200	-
SANKO	1.23	(0.01)	2,068	1.00	SKY	13.50	-	5,364	13.00	AOT13C1811A	0.17	-	15,983	-
SELIC	1.84	0.01	69	1.00	SPVI	1.38	0.04	26,375	1.00	AOT13C1812A	0.33	(0.01)	209,872	-
SWC	21.80	-	927	21.00	UPA	0.47	-	8,857	-	AOT13P1810A	0.27	0.01	38,220	-
TMC	0.89	-	577	-	VCOM	3.10	-	534	3.00	AOT13P1812A	0.14	-	30,296	-
TMI	0.80	0.01	6,365	-	Unit Trust	-	-	-	-	AOT19C1809A	-	-	-	-
TMW	69.00	(0.50)	191	69.00	MGE	-	-	-	-	AOT19C1901A	0.45	(0.01)	46,830	-
TPAC	11.90	0.30	1	11.00	SCBSET	-	-	-	-	AOT24C1811A	-	-	-	-
UAC	4.56	-	202	4.00	ETF	-	-	-	-	AOT24C1901A	-	-	-	-
UBIS	4.94	-	145	4.00	1DIV	13.45	-	33	13.00	AOT24P1809A	0.01	-	4,800	-
UEC	1.37	(0.01)	1,329	1.00	ABFTH	-	-	-	-	AOT24P1903A	-	-	-	-
UKEM	0.92	(0.02)	34,748	-	BMSCG	8.99	-	79	8.00	AOT28C1809A	0.01	-	539	-
UREKA	0.73	0.01	7,033	-	BMSCIH	12.78	(0.04)	3,881	12.00	AOT28C1812A	0.29	-	94,218	-
YUASA	17.30	0.20	2,511	17.00	BMSSET100	10.95	(0.01)	681	10.00	AOT28C1901A	0.23	(0.01)	187,153	-
ZIGA	3.44	0.02	100,872	3.00	CHINA	5.14	(0.02)	113	5.00	AOT28P1812A	0.25	-	2,791	-
Property & Construc	-	-	-	-	EBANK	5.90	-	116	5.00	AP01C1809A	0.47	(0.05)	11,116	-
ARROW	9.00	(0.05)	115	9.00	ECOMM	8.07	-	3	8.00	AP01C1809B	0.08	(0.02)	13,720	-
BKD	3.16	-	29,773	3.00	EFOOD	-	-	-	-	AP08C1810A	0.34	(0.06)	9,165	-
BSM	0.67	(0.01)	6,586	-	EICT	-	-	-	-	AP23C1901A	0.16	(0.01)	2,000	-
BTW	1.90	0.01	170	1.00	ENGY	6.44	(0.02)	6	6.00	AP24C1901A	0.25	(0.03)	400	-
CHEWA	1.20	0.02	54,035	1.00	ENY	7.72	(0.07)	4	7.00	AP42C1901A	0.31	(0.01)	4,016	-
CRD	1.11	-	479	1.00	ESET50	5.89	(0.01)	3	5.00	AP42P1901A	0.33	0.02	6,270	-
DIMET	1.04	(0.01)	9,706	1.00	GLD	1.69	(0.01)	2,146	1.00	BA11C1902A	0.06	0.03	91,868	-
FLOYD	2.26	0.06	10,900	2.00	TDEX	11.10	(0.01)	186	11.00	BA19C1811A	0.04	0.02	9,681	-
FOCUS	1.11	(0.01)	36,305	1.00	TGOLDETF	3.66	(0.01)	400	3.00	BA24C1810A	0.11	0.04	88,728	-
HYDRO	1.22	0.01	2,494	1.00	TH100	-	-	-	-	BA24C1901A	0.05	0.02	11,446	-
JSP	0.60	(0.01)	59,877	-	Warrant Foreign	-	-	-	-	BA28C1809A	-	-	-	-
K	-	-	-	-	AAV01C1808A	-	-	-	-	BANP01C1808A	0.05	(0.03)	158,731	-
META	2.12	(0.04)	35,135	2.00	AAV01C1808B	-	-	-	-	BANP01C1808B	0.01	-	43,433	-
PPS	0.95	-	2,756	-	AAV01P1808A	0.67	(0.01)	5,584	-	BANP01C1812A	0.33	(0.01)	122,689	-
SMART	0.85	-	311	-	AAV06C1809A	-	-	-	-	BANP01C1812B	0.18	(0.02)	130,218	-
STAR	6.30	0.10	40	6.00	AAV08C1811A	0.02	-	2,000	-	BANP01P1808A	0.48	0.04	11,727	-
T	0.05	-	4,057	-	AAV11C1904A	0.04	-	165	-	BANP01P1812A	0.92	0.03	29,303	-
TAPAC	7.25	-	2,486	7.00	AAV13C1811A	-	-	-	-	BANP01P1812B	0.64	0.03	77,730	-
THANA	2.12	(0.02)	1,252	2.00	AAV13C1901A	0.46	(0.01)	70,030	-	BANP06C1810A	0.12	(0.03)	3,393	-
TITLE	7.40	0.15	23,624	7.00	AAV19C1902A	0.35	(0.01)	12,486	-	BANP07C1810A	-	-	-	-
Resources (MAI)	-	-	-	-	AAV23C1811A	-	-	-	-	BANP08C1808A	-	-	-	-
ABM	1.11	(0.01)	2,679	1.00	AAV24C1809A	-	-	-	-	BANP08C1811A	0.19	(0.02)	24,376	-
AGE	1.42	-	1,288	1.00	AAV24C1903A	0.31	(0.01)	4,311	-	BANP08P1901A	0.39	0.01	32,438	-
AIE	-	-	-	-	AAV28C1810A	-	-	-	-	BANP11C1902A	0.11	(0.01)	3,001	-
PSTC	0.70	0.01	32,797	-	ADVA01C1808A	0.97	(0.01)	43,						

Main Board Quotation

Issue Date :

Friday August 24, 2018

Table with 5 main columns: Securities, Close, Change, Volume, and Average Price. The table is divided into three sections, each containing 100 securities listed with their respective market data for August 24, 2018.

## Main Board Quotation

Issue Date :

Friday August 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF08C1901A	0.18	(0.01)	19,205	-	ESSO19C1901A	0.46	0.01	1,684	-	IRPC28C1811A	-	-	-	-
CPF11C1902A	0.08	(0.02)	7,302	-	ESSO23C1809A	-	-	-	-	IRPC28C1812A	0.29	(0.01)	124,270	-
CPF11P1902A	0.23	-	3,306	-	ESSO24C1812A	-	-	-	-	ITD001C1808A	0.01	-	6,864	-
CPF13C1809A	0.41	(0.04)	27,720	-	ESSO24C1902A	-	-	-	-	ITD01C1808B	0.01	-	3,800	-
CPF13C1810A	0.09	(0.01)	9,633	-	ESSO28C1811A	0.28	0.01	6,077	-	ITD01P1808A	1.39	0.03	4,110	1.00
CPF19C1901A	0.22	(0.01)	15,912	-	GFPT08C1906A	0.56	0.03	85,438	-	ITD08C1810A	0.01	-	12,943	-
CPF23C1810A	-	-	-	-	GFPT19C1811A	0.53	-	9,191	-	ITD11C1903A	-	-	-	-
CPF24C1809A	-	-	-	-	GFPT24C1812A	0.47	0.03	5,700	-	ITD13C1809A	-	-	-	-
CPF24C1901A	-	-	-	-	GGC01C1810A	0.11	-	19,110	-	ITD13C1812A	0.10	-	4,000	-
CPF24C1902A	-	-	-	-	GGC01C1810B	-	-	-	-	ITD19C1811A	-	-	-	-
CPF28C1811A	0.11	(0.02)	39,466	-	GGC07C1902A	-	-	-	-	ITD23C1808A	-	-	-	-
CPN01C1808A	0.30	(0.02)	17,044	-	GGC08C1906A	0.14	-	20,502	-	ITD24C1810A	-	-	-	-
CPN01C1808B	0.01	-	1	-	GGC13C1811A	0.02	(0.01)	500	-	ITD24C1902A	0.22	-	1,110	-
CPN06C1811A	0.55	(0.01)	20,907	-	GGC19C1811A	0.02	-	200	-	IVL01C1808A	0.32	0.02	51,029	-
CPN07C1902A	-	-	-	-	GGC23C1901A	0.05	-	9,000	-	IVL01C1808B	0.01	-	19,929	-
CPN08C1809A	-	-	-	-	GGC24C1812A	-	-	-	-	IVL01C1812A	0.51	0.02	51,248	-
CPN11C1903A	0.33	(0.01)	706	-	GGC24C1901A	0.25	-	205,775	-	IVL01C1812B	0.30	0.02	64,058	-
CPN11P1903A	0.35	0.01	1,879	-	GGC28C1811A	-	-	-	-	IVL01P1808A	0.51	(0.04)	53,950	-
CPN13C1812A	0.37	-	26,262	-	GLOB01C1809A	0.61	0.03	12,756	-	IVL01P1808B	0.01	-	500	-
CPN19C1901A	0.57	(0.01)	9,842	-	GLOB01C1809B	0.23	0.03	22,734	-	IVL01P1812A	0.77	(0.02)	72,645	-
CPN23C1810A	0.20	(0.01)	8,200	-	GLOB06C1809A	0.32	0.03	8,464	-	IVL01P1812B	0.54	(0.02)	34,750	-
CPN24C1901A	-	-	-	-	GLOB11C1808A	0.22	0.03	9,270	-	IVL06C1901A	0.35	-	7,300	-
CPN28C1810A	0.17	-	68,182	-	GLOB13C1901A	0.35	0.02	22,810	-	IVL07C1811A	-	-	-	-
DELT06C1903A	1.00	(0.03)	5,093	1.00	GLOB19C1901A	0.48	0.03	5,130	-	IVL08C1901A	0.50	0.01	44,864	-
DELT08C1811A	0.13	(0.01)	3,050	-	GLOB23C1811A	0.51	(0.01)	4,025	-	IVL08P1809A	-	-	-	-
DELT13C1809A	-	-	-	-	GLOB24C1810A	-	-	-	-	IVL11C1808A	0.82	0.01	8,090	-
DELT24C1901A	-	-	-	-	GLOB27C1809A	0.07	0.01	900	-	IVL11P1808A	-	-	-	-
DELT27C1812A	-	-	-	-	GLOW08C1811A	-	-	-	-	IVL13C1809A	0.05	-	829	-
DTAC01C1808A	0.15	-	48,751	-	GLOW19C1901A	-	-	-	-	IVL13C1810A	0.16	0.01	38,958	-
DTAC01C1808B	0.01	-	2	-	GLOW27C1812A	-	-	-	-	IVL13C1812A	0.42	0.01	53,384	-
DTAC01C1810A	0.47	0.02	20,397	-	GPSCO1C1808A	0.17	0.01	24,683	-	IVL13P1809A	-	-	-	-
DTAC01C1810B	0.10	0.01	6,467	-	GPSCO1C1808B	0.01	-	500	-	IVL13P1811A	0.24	(0.01)	44,594	-
DTAC01C1902A	0.87	0.01	28,731	-	GPSCO1P1808A	0.94	(0.07)	13,678	1.00	IVL19C1809A	0.36	0.02	26,018	-
DTAC01C1902B	0.74	0.01	28,703	-	GPSCO6C1811A	0.25	0.02	8,301	-	IVL23C1810A	0.41	0.02	1,000	-
DTAC01P1808A	0.35	(0.05)	3,297	-	GPSCO8C1808A	-	-	-	-	IVL24C1808A	-	-	-	-
DTAC01P1810A	0.88	(0.03)	23,687	-	GPSCI1C1808A	0.92	0.05	3,594	-	IVL24C1812A	0.17	-	7,730	-
DTAC01P1810B	0.38	(0.01)	20,901	-	GPSCI1C1902A	0.28	0.01	20	-	IVL24C1901A	0.46	0.01	550	-
DTAC01P1902A	0.77	-	440	-	GPSCI3C1812A	0.46	0.02	18,297	-	IVL28C1811A	0.21	-	65,834	-
DTAC01P1902B	0.55	(0.01)	7,855	-	GPSCI9C1901A	0.57	0.03	15,579	-	IVL28C1812A	0.48	0.01	71,948	-
DTAC06C1901A	0.38	0.02	9,424	-	GPSC24C1808A	-	-	-	-	IVL28P1811A	0.29	(0.03)	44,065	-
DTAC06P1809A	0.11	(0.01)	12,912	-	GPSC24C1812A	0.31	-	300	-	KBAN01C1808A	0.21	(0.03)	800	-
DTAC07C1809A	-	-	-	-	GPSC28C1811A	0.36	0.02	19,937	-	KBAN01C1808B	0.01	-	35,296	-
DTAC07C1902A	-	-	-	-	GUNK01C1808A	-	-	-	-	KBAN01C1810A	1.32	(0.05)	557	1.00
DTAC08C1809A	-	-	-	-	GUNK01C1808B	-	-	-	-	KBAN01C1901A	1.42	(0.04)	5,190	1.00
DTAC08P1902A	0.24	(0.01)	20,274	-	GUNK08C1902A	0.24	(0.01)	4,210	-	KBAN01C1901B	0.82	(0.04)	3,675	-
DTAC11C1904A	0.37	-	5,695	-	GUNK11C1903A	0.13	-	100	-	KBAN01P1808A	0.60	0.03	11,542	-
DTAC13C1811A	0.15	0.02	13,693	-	GUNK24C1812A	0.17	-	1,139	-	KBAN01P1808B	0.01	-	3	-
DTAC13C1812A	0.55	0.02	41,374	-	GUNK28C1810A	0.18	-	2,028	-	KBAN01P1810A	0.07	-	133,768	-
DTAC13P1811A	0.37	(0.01)	21,053	-	HANA01C1811A	0.47	0.07	97,668	-	KBAN01P1901A	0.81	0.03	20,399	-
DTAC13P1812A	0.10	-	6,782	-	HANA01C1811B	0.26	0.04	43,091	-	KBAN01P1901B	0.30	0.01	10,961	-
DTAC19C1811A	0.33	0.01	18,146	-	HANA08C1809A	-	-	-	-	KBAN06C1811A	0.80	(0.07)	1,600	-
DTAC24C1809A	-	-	-	-	HANA11C1904A	0.26	0.03	13,357	-	KBAN07C1811A	-	-	-	-
DTAC24C1901A	0.53	(0.01)	1	-	HANA13C1809A	0.11	0.05	30,668	-	KBAN08C1811A	0.76	(0.03)	18	-
DTAC27C1809A	-	-	-	-	HANA13C1901A	0.31	0.03	87,167	-	KBAN08P1811A	0.13	0.01	1,411	-
DTAC27P1809A	0.03	(0.01)	900	-	HANA19C1902A	0.30	0.03	17,988	-	KBAN13C1810A	0.13	(0.02)	1,060	-
DTAC28C1810A	0.05	0.01	500	-	HANA23C1811A	0.44	0.05	5,000	-	KBAN13C1811A	0.85	(0.04)	10	-
DTAC28C1812A	0.62	0.02	66,736	-	HANA24C1808A	-	-	-	-	KBAN13C1901A	0.35	(0.01)	1,852	-
EA01C1809A	0.75	(0.02)	71,834	-	HANA24C1810A	-	-	-	-	KBAN19C1901A	0.42	(0.02)	520	-
EA01C1809B	0.30	(0.02)	34,170	-	HANA28C1812A	0.36	0.04	33,364	-	KBAN23C1902A	-	-	-	-
EA01P1809A	0.53	0.01	53,857	-	HMPR01C1808A	0.28	0.02	6,938	-	KBAN24C1902A	-	-	-	-
EA06C1809A	0.01	-	2,000	-	HMPR01C1808B	0.01	-	2	-	KBAN24C1903A	0.35	(0.01)	2	-
EA07C1810A	-	-	-	-	HMPR01P1808A	0.19	(0.02)	13,207	-	KBAN24P1811A	-	-	-	-
EA08C1809A	-	-	-	-	HMPR06C1811A	0.11	0.01	2,000	-	KBAN27C1809A	-	-	-	-
EA08C1810A	0.21	-	40,968	-	HMPR08C1810A	-	-	-	-	KBAN27P1809A	-	-	-	-
EA11C1902A	0.11	-	9,933	-	HMPR11C1808A	-	-	-	-	KBAN28C1809A	-	-	-	-
EA13C1808B	-	-	-	-	HMPR11P1808A	-	-	-	-	KBAN28C1811A	0.81	(0.05)	10,400	-
EA13C1809A	-	-	-	-	HMPR13C1812A	0.23	-	20,000	-	KBAN28C1812A	0.33	(0.01)	43,258	-
EA13C1810A	0.02	-	426	-	HMPR19C1901A	0.35	0.01	759	-	KBAN28P1811A	0.09	0.01	6,601	-
EA13C1811A	0.12	(0.01)	33,856	-	HMPR23C1901A	-	-	-	-	KCE01C1810A	0.72	(0.07)	13,670	-
EA13C1812A	0.23	(0.01)	113,346	-	HMPR24C1808A	-	-	-	-	KCE02C1810B	0.54	(0.10)	16,818	-
EA13C1812B	0.47	(0.02)	861	-	HMPR24C1901A	-	-	-	-	KCE06C1809A	0.98	(0.16)	6,170	1.00
EA13P1809A	0.26	(0.04)	13,926	-	HMPR28C1811A	0.10	-	5,534	-	KCE07C1808A	0.01	(0.01)	16,582	-
EA19C1811A	0.36	(0.01)	32,512	-	INTU01C1809A	0.38	(0.02)	6,767	-	KCE07C1902A	0.43	(0.06)	258	-
EA23C1901A	-	-	-	-	INTU01C1809B	-	-	-	-	KCE08C1809A	0.59	(0.21)	18,882	-
EA24C1809A	-	-	-	-	INTU01P1809A	0.24	(0.01)	1	-	KCE11C1808A	0.05	0.02	3	-
EA28C1809A	-	-	-	-	INTU01P1809B	0.03	(0.01)	50,000	-	KCE11C1904A	0.43	(0.04)	2,904	-
EA28C1809B	-	-	-	-	INTU11C1905A	0.32	-	4,893	-	KCE13C1811A	0.61	(0.07)	150	-
EGCO01C1809A	0.47	0.01	9,751	-	INTU11P1905A	-	-	-	-	KCE13C1812A	0.33	(0.05)	50,320	-
EGCO08C1809A	-	-	-	-	INTU13C1810A	0.12	(0.01)	22,028	-	KCE19C1901A	0.44	(0.05)	10,760	-
EGCO13C1809A	-	-	-	-	INTU13C1812A	0.38	-	22,046	-	KCE23C1901A	0.28	(0.06)	45,305	-
EGCO19C1901A	0.35	0.01	6,501	-	INTU19C1901A	0.34	-	1,800	-	KCE24C1808A	-	-	-	-
EGCO23C1811A	0.24	0.02	23,500	-	INTU24C1901A	-	-	-	-	KCE24C1901A	0.38	(0.07)	2,580	-
EGCO24C1808A	-	-	-	-	INTU28C1809A	-	-	-	-	KCE28C1811A	-	-	-	-
EGCO24C1901A	-	-	-	-	IRPC01C1808A	0.11	0.01	60,407	-	KKP01C1808A	0.24	(0.02)	11,058	-
EPG01C1809A	0.26	0.02	29,717	-	IRPC01C1810A	0.14	-	28,654	-	KKP01C1808B	0.01	-	4,008	-
EPG01P1809A	0.36	(0.01)	39,411	-	IRPC01C1810B	0.01	(0.01)	21	-	KKP08C1811A	0.42	(0.01)	12,904	-
EPG07C1811A	-	-	-	-	IRPC01P1808A	0.39	-	4,940	-	KKP11C1903A	0.35	(0.01)	4,242	-
EPG08C1810A	-	-	-	-	IRPC01P1810A	0.34	0.02	17,344	-	KKP13C1811A	0.32	(0.01)	36,634	-
EPG08C1810B	0.70	(0.01)	16,476	-	IRPC01P1810B	0.10	-	32,789	-	KKP19C1901A	0.56	-	11,843	-
EPG11C1903A	0.57	-	5,7											



## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date :

Friday August 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KT24C1811A	-	-	-	-	MTC24C1812A	-	-	-	-	PTTE28C1811A	0.14	(0.01)	34,094	-
KT24P1901A	0.15	-	320	-	MTC28C1809A	0.36	-	900	-	PTTE28P1811A	0.14	-	18,276	-
KT28C1809A	0.02	(0.04)	5,400	-	OR11C1811A	0.19	0.01	5	-	PTTG01C1808A	0.02	(0.02)	107,750	-
KT28C1811A	0.24	-	49,104	-	OR113C1810A	0.36	(0.01)	10,674	-	PTTG01C1810A	0.15	(0.02)	85,809	-
KTC01C1808A	0.72	0.01	7,540	-	OR19C1811A	0.22	(0.01)	2,604	-	PTTG01C1810B	0.02	-	10	-
KTC01C1808B	0.01	-	35,668	-	OR123C1809A	0.04	(0.01)	1	-	PTTG01C1811A	0.37	(0.03)	45,116	-
KTC01C1810A	0.24	-	26,550	-	OR124C1810A	-	-	-	-	PTTG01C1901A	1.04	(0.04)	69,178	1.00
KTC01C1810B	0.13	-	23,855	-	PLAN08C1811A	0.17	(0.01)	5,110	-	PTTG01C1901B	0.77	(0.02)	75,148	-
KTC08C1808A	-	-	-	-	PLAN13C1809A	0.05	-	200	-	PTTG01P1808A	1.14	0.05	38,211	1.00
KTC11C1902A	0.87	(0.03)	160	-	PLAN28C1810A	0.10	(0.01)	27,803	-	PTTG01P1811A	1.65	0.05	16,215	1.00
KTC13C1809A	0.02	-	26,423	-	PRM19C1902A	0.36	-	2,410	-	PTTG01P1901A	0.91	0.02	64,664	-
KTC13C1809B	0.06	(0.01)	5,788	-	PSH01C1810A	0.33	(0.02)	20,758	-	PTTG01P1901B	0.66	0.02	39,864	-
KTC13C1812A	0.17	-	18,396	-	PSH01C1810B	0.07	(0.01)	900	-	PTTG06C1809A	-	-	-	-
KTC13C1812B	0.33	-	113,970	-	PSH01P1810A	0.69	0.03	16,515	-	PTTG06C1903A	0.97	(0.05)	20,205	-
KTC19C1811A	0.18	(0.01)	16,437	-	PSH08C1811A	-	-	-	-	PTTG06P1903A	0.48	0.02	20,320	-
KTC19C1901A	0.64	(0.02)	11,875	-	PSH11C1902A	0.24	(0.02)	9,566	-	PTTG07C1812A	0.32	(0.02)	17,022	-
KTC23C1809A	-	-	-	-	PSH23C1811A	0.19	(0.05)	5,000	-	PTTG08C1811A	0.04	(0.01)	200	-
KTC24C1808A	-	-	-	-	PSL01C1812A	0.35	-	12,660	-	PTTG08C1902A	0.54	(0.02)	28,312	-
KTC24C1810A	0.09	(0.01)	1,129	-	PSL01C1812B	0.28	0.01	11,835	-	PTTG08P1811A	0.84	0.04	31,052	-
KTC28C1809A	0.05	(0.01)	1,541	-	PSL11C1905A	0.24	-	4,270	-	PTTG11C1902A	0.10	(0.02)	13,495	-
KTC28C1810A	0.16	-	34,646	-	PSL23C1809A	0.02	-	15,507	-	PTTG13C1812A	0.20	(0.02)	81,765	-
LH01C1809A	0.33	0.03	21,326	-	PTG01C1811A	0.04	0.01	174,062	-	PTTG13C1812B	0.70	(0.04)	152,282	-
LH01C1809B	0.10	-	64,894	-	PTG01C1811B	0.02	-	14,201	-	PTTG19C1811A	0.18	(0.01)	159,081	-
LH01P1809A	0.07	(0.01)	4,647	-	PTG01P1811A	1.79	(0.04)	251,706	1.00	PTTG23C1901A	-	-	-	-
LH06C1809A	0.23	0.02	4,000	-	PTG06C1810A	0.03	0.01	2,818	-	PTTG24C1808A	-	-	-	-
LH07C1810A	-	-	-	-	PTG06C1904A	0.24	0.06	74,491	-	PTTG24C1812A	-	-	-	-
LH11C1808A	0.17	-	2,502	-	PTG08C1902A	0.05	-	725,751	-	PTTG24C1901A	0.48	(0.04)	15,492	-
LH13C1902A	0.28	0.01	75,795	-	PTG11C1903A	0.05	0.01	21,015	-	PTTG24P1808A	-	-	-	-
LH19C1901A	0.19	0.01	9,010	-	PTG13C1809A	-	-	-	-	PTTG24P1901A	0.36	0.01	1	-
LH23C1901A	0.11	0.01	5,001	-	PTG13C1812A	0.05	0.01	11,780	-	PTTG28C1811A	0.14	(0.02)	47,486	-
LH24C1809A	0.03	-	1,000	-	PTG19C1902A	0.10	0.01	750,243	-	PTTG28C1812A	0.60	(0.05)	69,375	-
LPN01C1809A	0.09	-	36,857	-	PTG23C1808A	-	-	-	-	PTG28C1810A	0.57	0.01	15,089	-
LPN01C1811A	0.39	(0.01)	21,460	-	PTG24C1809A	-	-	-	-	QH01C1810B	0.33	0.01	670	-
LPN01C1811B	0.17	-	31,618	-	PTG24C1902A	0.07	0.01	62,889	-	QH01P1810A	0.17	(0.01)	4,092	-
LPN01P1809A	0.42	(0.01)	6,280	-	PTG27C1809A	-	-	-	-	QH08C1808A	-	-	-	-
LPN08C1810A	0.07	-	14,272	-	PTG28C1812A	0.03	(0.01)	156,138	-	QH11C1902A	-	-	-	-
LPN08C1906A	0.23	-	22,198	-	PTH08C1811A	0.46	(0.01)	50,905	-	QH19C1901A	0.25	-	3,890	-
LPN19C1811A	0.19	-	32,370	-	PTL13C1809A	0.12	(0.01)	29,862	-	QH23C1808A	-	-	-	-
LPN24C1808A	-	-	-	-	PTL28C1810A	0.30	(0.01)	15,978	-	QH24C1812A	0.19	-	15,150	-
LPN24C1812A	0.25	0.01	1,000	-	PTT01C1808A	0.67	(0.03)	56,201	-	RATC19C1901A	-	-	-	-
MAJO08C1811A	0.03	(0.03)	379	-	PTT01C1808B	0.02	(0.01)	136,960	-	RATC24C1902A	-	-	-	-
MAJO11C1902A	-	-	-	-	PTT01C1810A	0.18	(0.01)	152,608	-	RATC27C1812A	-	-	-	-
MAJO24C1809A	-	-	-	-	PTT01C1810B	0.05	-	503	-	ROBI01C1809A	0.24	0.01	12,366	-
MAJO24C1902A	-	-	-	-	PTT01C1901A	0.69	(0.03)	155,991	-	ROBI06C1809A	0.20	(0.01)	5,566	-
MALE01C1812A	0.02	0.01	200	-	PTT01C1901B	0.54	(0.03)	178,225	-	ROBI08C1808A	-	-	-	-
MALE08C1811A	0.01	-	2,000	-	PTT01P1808A	0.15	0.01	128,961	-	ROBI11C1808A	-	-	-	-
MALE13C1809A	-	-	-	-	PTT01P1808B	0.01	-	5,540	-	ROBI19C1901A	0.58	0.01	6,956	-
MALE27C1812A	-	-	-	-	PTT01P1810A	0.88	0.03	40,654	-	ROBI24C1901A	0.22	0.01	100	-
MALE28C1810A	-	-	-	-	PTT01P1810B	0.29	0.02	108,833	-	ROBI24C1903A	0.57	0.04	6,000	-
MC19C1811A	0.11	-	6,107	-	PTT01P1901A	0.51	0.01	149,587	-	RS13C1901A	0.50	-	110,850	-
MC23C1809A	-	-	-	-	PTT01P1901B	0.33	0.01	50,620	-	RS19C1901A	0.46	-	15,349	-
MC24C1812A	-	-	-	-	PTT06C1811A	0.08	(0.01)	2,000	-	RS24C1811A	-	-	-	-
MEGA01C1811A	0.21	-	5,923	-	PTT06C1901A	0.41	(0.01)	29,442	-	S1000C1811A	0.56	(0.01)	2,901	-
MEGA01C1811B	0.07	(0.01)	11,642	-	PTT06P1901A	0.38	0.01	30,264	-	S5001C1808A	0.67	(0.02)	28,501	-
MEGA08C1811A	0.07	(0.02)	4,800	-	PTT07C1811A	-	-	-	-	S5001C1808B	0.46	(0.02)	36,823	-
MEGA11C1902A	0.11	(0.01)	1,806	-	PTT08C1809A	0.01	-	33,621	-	S5001C1809F	0.79	(0.04)	1,415,211	-
MEGA13C1809A	-	-	-	-	PTT08C1902A	0.36	(0.01)	57,025	-	S5001C1809G	0.13	(0.03)	310,646	-
MEGA23C1902A	-	-	-	-	PTT08P1809A	0.19	-	44,468	-	S5001C1809H	2.18	(0.02)	400,060	2.00
MEGA24C1812A	-	-	-	-	PTT11C1902A	0.18	-	17,956	-	S5001C1809I	1.45	(0.08)	1,084,255	1.00
MINT01C1808A	0.01	-	25,839	-	PTT13C1810A	0.04	(0.01)	5,601	-	S5001C1810A	1.37	(0.02)	19,612	1.00
MINT01C1808B	-	-	-	-	PTT13C1811A	0.22	(0.01)	217,656	-	S5001C1810B	1.39	(0.02)	127,381	1.00
MINT01C1901A	0.42	(0.03)	122,770	-	PTT13C1812A	0.37	(0.01)	210,074	-	S5001P1808A	0.80	0.01	16,607	-
MINT01C1901B	0.28	(0.03)	124,330	-	PTT13P1812A	0.22	-	16,503	-	S5001P1808B	0.88	0.02	120,545	-
MINT01P1808A	0.62	0.04	22,877	-	PTT19C1809A	-	-	-	-	S5001P1809F	1.35	0.03	1,540,037	1.00
MINT01P1901A	0.31	0.02	63,006	-	PTT19C1901A	0.44	(0.01)	37,338	-	S5001P1809G	0.48	-	790,481	-
MINT06C1809A	0.02	(0.01)	15,610	-	PTT23C1901A	0.11	(0.01)	33,444	-	S5001P1809H	0.04	-	96,585	-
MINT06C1901A	0.25	(0.02)	71,135	-	PTT24C1809A	-	-	-	-	S5001P1809I	0.01	(0.01)	2,567	-
MINT07C1810A	0.02	(0.01)	1,700	-	PTT24C1812A	0.29	(0.02)	6,600	-	S5001P1810A	0.23	-	294,359	-
MINT08C1809A	-	-	-	-	PTT24P1808A	-	-	-	-	S5001P1810B	0.14	0.01	75,367	-
MINT11C1902A	0.11	(0.01)	14,408	-	PTT24P1901A	-	-	-	-	S5006C1809A	0.13	(0.05)	302	-
MINT11P1902A	0.19	0.01	19,403	-	PTT27C1809A	0.35	(0.03)	6,190	-	S5006C1809B	0.05	(0.01)	61,735	-
MINT13C1810A	0.08	(0.01)	7,420	-	PTT27P1809A	-	-	-	-	S5006C1809C	0.32	(0.04)	1,810	-
MINT13C1812A	0.35	(0.01)	116,688	-	PTT28C1811A	0.06	-	1	-	S5006C1809D	0.08	(0.01)	701	-
MINT19C1901A	0.36	(0.02)	41,510	-	PTT28C1811B	0.20	(0.02)	24,552	-	S5006C1812A	0.62	(0.02)	18,340	-
MINT23C1810A	-	-	-	-	PTT28C1812A	0.36	(0.02)	38,562	-	S5006C1812B	0.70	(0.01)	8,005	-
MINT24C1812A	-	-	-	-	PTT28C1901A	0.18	(0.02)	39,430	-	S5006P1809A	1.14	0.03	10,500	1.00
MINT24C1901A	0.34	(0.01)	21,048	-	PTT28P1812A	0.16	-	132,852	-	S5006P1809B	0.45	0.01	3,170	-
MINT24C1902A	0.22	(0.03)	503	-	PTTE01C1808A	1.24	(0.02)	48,281	1.00	S5006P1809C	0.52	0.02	281	-
MINT28C1811A	0.19	(0.02)	159,614	-	PTTE01C1808B	0.52	(0.04)	61,958	-	S5006P1809D	0.19	0.01	5,140	-
MONO01C1810A	0.02	-	14,095	-	PTTE01C1901A	0.79	-	102,402	-	S5006P1812A	1.07	0.01	17,468	1.00
MONO01C1810B	-	-	-	-	PTTE01C1901B	0.50	(0.03)	94,673	-	S5006P1812B	0.37	-	37,734	-
MONO08C1808A	-	-	-	-	PTTE01P1808A	0.01	-	2,875	-	S5008C1809A	0.67	(0.07)	119,822	-
MONO08C1906A	0.07	(0.01)	200	-	PTTE01P1901A	1.10	0.01	40,155	1.00	S5008P1809A	0.03	(0.01)	5,643	-
MONO13C1811A	-	-	-	-	PTTE01P1901B	0.63	-	72,534	-	S5013C1809A	0.07	(0.01)	1,131,936	-
MONO13C1901A	0.14	-	10,274	-	PTTE06C1811A	0.45	(0.02)	41,003	-	S5013C1809B	0.25	(0.02)	668,679	-
MONO19C1811A	0.05	-	3,201	-	PTTE07C1809A	0.16	(0.01)	520	-	S5013C1809C	0.16	(0.02)	1,116,952	

**Main Board Quotation**

**Issue Date :**

Friday August 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA01C1808A	0.01	-	5,676	-	SIRI28C1901A	0.30	(0.01)	1,000	-	TISC08C1808A	-	-	-	-
SAWA01C1808B	0.02	-	2,851	-	SPAL01C1808A	0.31	(0.01)	30,209	-	TISC11C1903A	0.19	-	1,030	-
SAWA01C1901A	0.70	-	202,396	-	SPAL01C1808B	0.01	-	5	-	TISC13C1811A	0.23	-	37,472	-
SAWA01C1901B	0.57	-	116,892	-	SPAL06C1809A	0.40	(0.02)	12,200	-	TISC13C1812A	0.61	-	9,633	-
SAWA01P1808A	1.63	-	27,453	1.00	SPAL08C1808A	-	-	-	-	TISC19C1901A	0.35	-	400	-
SAWA01P1901A	0.64	(0.01)	94,403	-	SPAL11C1905A	-	-	-	-	TISC24C1812A	0.14	(0.01)	3,580	-
SAWA06C1811A	0.11	0.01	24,481	-	SPAL23C1811A	0.48	0.02	3,200	-	TISC28C1901A	0.60	-	41,328	-
SAWA06C1903A	0.98	(0.03)	71,075	-	SPAL24C1808A	-	-	-	-	TKN01C1808A	0.01	-	2,011	-
SAWA07C1812A	0.56	-	149	-	SPAL24C1812A	0.15	(0.01)	200	-	TKN01C1808B	-	-	-	-
SAWA08C1808A	-	-	-	-	SPRC01C1808A	0.18	(0.01)	25,618	-	TKN01C1901A	0.50	0.01	44,957	-
SAWA08C1811A	0.04	-	1,750	-	SPRC01C1808B	0.01	-	10,700	-	TKN01C1901B	0.37	0.01	42,938	-
SAWA08C1902A	0.78	(0.02)	64,786	-	SPRC06C1809A	0.04	-	3,200	-	TKN08C1808A	-	-	-	-
SAWA11C1808A	-	-	-	-	SPRC06C1902A	0.67	-	4,800	-	TKN08C1811A	0.05	-	200	-
SAWA13C1810A	0.02	0.01	1	-	SPRC08C1808A	-	-	-	-	TKN11C1902A	0.12	-	3,612	-
SAWA13C1811A	0.03	(0.01)	46,471	-	SPRC11C1902A	-	-	-	-	TKN13C1808A	-	-	-	-
SAWA13C1812A	0.30	-	219,889	-	SPRC13C1808A	-	-	-	-	TKN13C1810A	-	-	-	-
SAWA13C1901A	0.77	0.01	24,449	-	SPRC13C1812A	0.41	0.01	106,916	-	SPKN13C1811A	0.04	(0.03)	500	-
SAWA19C1901A	0.79	0.01	39,653	-	SPRC19C1901A	0.47	0.01	35,097	-	TKN13C1812A	0.22	0.01	50,832	-
SAWA24C1808A	-	-	-	-	SPRC23C1810A	0.13	(0.01)	4,500	-	TKN19C1811A	0.06	-	100	-
SAWA24C1812A	0.31	-	3,840	-	SPRC24C1808A	-	-	-	-	TKN23C1902A	0.26	(0.01)	7,015	-
SAWA24C1902A	0.68	(0.01)	81,000	-	SPRC24C1903A	0.44	-	2,020	-	TKN24C1811A	-	-	-	-
SAWA28C1809A	-	-	-	-	STA01C1812A	0.38	-	22,534	-	TKN24C1812A	-	-	-	-
SAWA28C1810A	0.03	0.01	1	-	STA01C1812B	0.26	0.01	13,213	-	TKN28C1811A	-	-	-	-
SAWA28C1811A	0.34	(0.01)	133,832	-	STA13C1808A	0.01	-	2,000	-	TKN28C1812A	0.42	-	21,518	-
SAWA28C1812A	0.74	(0.02)	17,640	-	STA13C1812A	0.45	0.04	80,519	-	TMB01C1810A	0.16	0.01	1,734	-
SCB01C1808A	0.26	(0.01)	35,072	-	STA19C1811A	0.20	0.02	11,656	-	TMB01C1810B	0.03	-	21,619	-
SCB01C1808B	0.01	-	108	-	STA23C1809A	-	-	-	-	TMB01P1810A	0.49	-	1,272	-
SCB01C1810A	0.62	-	18,382	-	STA24C1808A	-	-	-	-	TMB06C1809A	-	-	-	-
SCB01C1902A	1.08	(0.01)	10,670	1.00	STEC01C1809A	0.23	0.01	67,037	-	TMB06C1902A	0.09	-	2,266	-
SCB01C1902B	1.02	-	9,564	1.00	STEC01C1809B	0.64	-	43,641	-	TMB07C1811A	-	-	-	-
SCB01P1808A	0.80	-	16,550	-	STEC01P1809A	0.65	(0.03)	18,081	-	TMB08C1808A	-	-	-	-
SCB01P1808B	0.01	-	1,001	-	STEC06C1809A	0.25	-	17,908	-	TMB08C1901A	0.06	(0.01)	1,660	-
SCB01P1902A	0.41	-	399,890	-	STEC08C1809A	0.15	-	59,710	-	TMB11C1904A	0.08	-	10,912	-
SCB01P1902B	0.19	-	2,816	-	STEC11C1903A	0.54	0.01	15,295	-	TMB13C1811A	0.05	0.02	2,004	-
SCB06C1811A	0.77	-	8,638	-	STEC13C1809A	-	-	-	-	TMB13C1901A	0.19	-	535	-
SCB08C1901A	0.60	0.01	10,606	-	STEC19C1901A	0.53	0.01	33,099	-	TMB19C1901A	0.11	-	3,652	-
SCB11C1901A	0.32	-	5,040	-	STEC23C1808A	-	-	-	-	TMB23C1810A	-	-	-	-
SCB11P1901A	0.30	(0.01)	11,462	-	STEC24C1808A	-	-	-	-	TMB24C1809A	-	-	-	-
SCB13C1809A	-	-	-	-	STEC24C1901A	0.57	0.01	1,300	-	TMB24C1901A	-	-	-	-
SCB13C1812A	0.72	-	22,214	-	STEC28C1810A	0.48	0.03	57,399	-	TMB24C1902A	-	-	-	-
SCB13P1812A	0.09	0.02	350	-	STP108C1811A	0.04	-	4,426	-	TMB28C1809A	-	-	-	-
SCB19C1811A	0.41	-	40,712	-	SUPE08C1808A	-	-	-	-	TMB28C1901A	0.14	-	38	-
SCB24C1901A	-	-	-	-	SUPE08C1811A	-	-	-	-	TOA01C1901A	0.29	-	46,624	-
SCB24C1902A	-	-	-	-	SUPE13C1810A	0.02	(0.02)	6,966	-	TOA01C1901B	0.18	(0.02)	66,219	-
SCB24P1811A	0.07	-	100	-	SUPE13C1811A	-	-	-	-	TOA08C1902A	0.13	-	1,800	-
SCB28C1809A	-	-	-	-	SUPE19C1902A	0.22	(0.02)	3,982	-	TOA13C1812A	0.19	-	125,872	-
SCB28C1812A	0.60	0.01	52,376	-	SUPE23C1811A	-	-	-	-	TOA19C1901A	0.20	-	10,818	-
SCB28P1812A	0.04	-	9,811	-	SUPE23C1901A	-	-	-	-	TOA24C1812A	-	-	-	-
SCC01C1808A	0.14	(0.05)	12,263	-	SUPE28C1810A	0.01	-	2,001	-	TOA28C1812A	0.17	-	47,176	-
SCC01C1808B	0.01	-	21,096	-	SUPE28C1811A	-	-	-	-	TOP01C1808A	0.03	(0.02)	10,010	-
SCC01C1901A	0.76	(0.04)	39,126	-	TASCO1C1809A	0.01	-	45	-	TOP01C1808B	-	-	-	-
SCC01C1901B	0.64	(0.05)	14,135	-	TASCO1C1810A	0.10	(0.01)	2,050	-	TOP01C1901A	1.52	(0.01)	37,707	1.00
SCC01P1808A	0.41	0.06	23,439	-	TASCO1C1810B	-	-	-	-	TOP01C1901B	1.41	(0.02)	35,745	1.00
SCC01P1901A	0.30	0.01	24,024	-	TASCO1P1809A	1.87	0.02	5,471	1.00	TOP01P1808A	0.98	0.02	25,488	1.00
SCC06C1809A	-	-	-	-	TASCO1P1810A	0.77	-	31,493	-	TOP01P1901A	0.61	0.01	57,739	-
SCC06C1902A	0.39	(0.04)	12,579	-	TASCO7C1811A	-	-	-	-	TOP06C1809A	0.03	-	19,201	-
SCC07C1812A	-	-	-	-	TASCO8C1808A	-	-	-	-	TOP06C1903A	1.23	(0.03)	26,884	1.00
SCC08C1809A	0.03	(0.01)	4,600	-	TASCO11C1904A	0.11	-	3,852	-	TOP07C1812A	0.51	(0.03)	60,000	-
SCC08C1902A	0.46	(0.03)	51,551	-	TASCI13C1810A	-	-	-	-	TOP08C1811A	0.13	(0.01)	76,904	-
SCC11C1811A	-	-	-	-	TASCI19C1902A	0.33	-	16,025	-	TOP11C1808A	-	-	-	-
SCC11P1811A	0.18	0.02	15,870	-	TASC23C1902A	0.26	-	9,300	-	TOP11C1905A	1.11	(0.03)	14,945	1.00
SCC13C1809A	-	-	-	-	TASC24C1810A	-	-	-	-	TOP13C1811A	0.10	-	23,615	-
SCC13C1812A	0.24	(0.03)	23,726	-	TASC24C1903A	0.27	-	20	-	TOP13C1901A	0.68	-	83,568	-
SCC13C1901A	-	-	-	-	TCAP01C1901A	0.64	-	4,522	-	TOP18C1808A	-	-	-	-
SCC19C1811A	0.18	(0.01)	381	-	TCAP01C1901B	0.54	-	12,860	-	TOP19C1901A	0.50	-	29,050	-
SCC19C1901A	0.45	(0.04)	26,683	-	TCAP01P1901A	0.33	-	940	-	TOP23C1811A	0.17	-	15,000	-
SCC23C1811A	-	-	-	-	TCAP08C1810A	-	-	-	-	TOP24C1901A	0.20	(0.01)	18,953	-
SCC24C1812A	0.07	(0.01)	20,000	-	TCAP11C1811A	0.13	(0.01)	1,800	-	TOP24C1902A	0.69	(0.01)	4,931	-
SCC24C1901A	-	-	-	-	TCAP13C1809A	-	-	-	-	TOP28C1810A	-	-	-	-
SCC24C1902A	-	-	-	-	TCAP13C1901A	0.49	-	23,856	-	TOP28C1812A	0.61	(0.01)	64,848	-
SCC24P1901A	-	-	-	-	TCAP19C1901A	0.40	0.01	2,887	-	TP101C1812A	0.20	0.01	34,448	-
SCC27C1809A	-	-	-	-	TCAP24C1903A	-	-	-	-	TP101C1812B	0.12	-	29,346	-
SCC27P1809A	0.21	0.02	23,250	-	THAI01C1808A	-	-	-	-	TP107C1812A	-	-	-	-
SCC28C1811A	-	-	-	-	THAI01C1808B	-	-	-	-	TP113C1809A	-	-	-	-
SCC28C1812A	0.47	(0.03)	10,230	-	THAI01C1901A	0.27	-	31,798	-	TP119C1901A	0.22	0.01	21,509	-
SCC08C1811A	-	-	-	-	THAI01C1901B	-	-	-	-	TP123C1809A	-	-	-	-
SCCC13C1809A	-	-	-	-	THAI01P1808A	0.83	(0.03)	7,308	-	TP124C1808A	-	-	-	-
SCCC27C1812A	-	-	-	-	THAI01P1901A	0.91	(0.01)	16,237	-	TP124C1902A	-	-	-	-
SGP08C1808A	-	-	-	-	THAI06C1809A	0.03	-	2,714	-	TP101C1810A	0.33	-	20,104	-
SGP08C1901A	0.44	0.01	51,555	-	THAI07C1811A	-	-	-	-	TP101C1810B	-	-	-	-
SGP11C1904A	0.22	0.01	34,840	-	THAI08C1808A	-	-	-	-	TP101P1810A	0.59	-	10,794	-
SGP13C1811A	0.12	-	16,631	-	THAI11C1808A	-	-	-	-	TP108C1808A	-	-	-	-
SGP13C1812A	0.32	0.01	73,945	-	THAI13C1811A	-	-	-	-	TP11C1811A	-	-	-	-
SGP19C1811A	0.33	0.01	29,322	-	THAI19C1901A	0.24	-	9,560	-	TP113C1811A	-	-	-	-
SGP24C1808A	-	-	-	-	THAI23C1901A	-	-	-	-	TP123C1808A	-	-	-	-
SGP24C1811A	0.14	-	1	-	THAI24C1808A	-	-	-	-	TP124C1901A	-	-	-	-
SGP24C1902A	1.04	-	500	1.00	THAI24C1901A	-	-	-	-	TP127C1812A	-	-	-	-
SGP28C1809A	-	-	-	-	THAI27C1809A	-	-	-	-	TRUE01C1808A	0.23	0.04	184,511	-
SGP28C1811A	0.15	0.01	61,946	-	THAN01C1812A	0.40	(0.02)	28,643	-	TRUE01C1808B	0.01	-	2,277	-
SIRI01C1808A	0.01	-	6,800	-	THAN13C1809A	-	-	-	-	TRUE01C1902A	0.53	0.04	93,178	-
SIRI01C1808B	0.01	-	3,643	-	THAN24C1903A	-	-	-	-	TRUE01C1902B	0.42	0.03	110,498	-
SIRI01C19														

**Main Board Quotation**

**Issue Date :**

*Friday August 24, 2018*

Securities	Close	Change	Volume (Lot)	Average Price
SIRI28C1809A	0.01	-	6	-

Securities	Close	Change	Volume (Lot)	Average Price
TISC07C1902A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
TRUE13C1812A	0.25	0.03	300,571	-



## Main Board Quotation

Issue Date :

Friday August 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE16C1812A	0.31	0.05	348	-	WORK28C1811A	0.06	0.01	106	-	TTCL-W1	1.12	(0.01)	18,530	1.00
TRUE19C1901A	0.17	0.02	29,515	-	Preferred/Foreign	-	-	-	-	U-W1	-	-	-	-
TRUE23C1902A	0.23	0.02	36,163	-	BH-Q	-	-	-	-	U-W4	0.01	-	1,551,728	-
TRUE27C1809A	0.13	0.03	1,350	-	CSC-Q	-	-	-	-	VIBHA-W2	1.37	-	481	1.00
TRUE27P1809A	-	-	-	-	JUTHA-Q	-	-	-	-	VIBHA-W3	0.29	-	6,567	-
TRUE28C1810A	-	-	-	-	KTB-Q	-	-	-	-	WAVE-W1	0.38	(0.03)	11,083	-
TRUE28C1812A	0.20	0.02	108,472	-	SCB-Q	-	-	-	-	WHA-W1	5.95	(0.05)	1,007	6.00
TTA08C1808A	-	-	-	-	TCAP-Q	-	-	-	-	WORK-W1	9.00	-	20	9.00
TTA08C1906A	0.26	-	9,222	-	TIC-Q	-	-	-	-	Preferred Shares	-	-	-	-
TTA13C1809A	-	-	-	-	TISCO-Q	-	-	-	-	BH-P	-	-	-	-
TTA13C1901A	0.21	-	8,440	-	U-Q	-	-	-	-	CSC-P	-	-	-	-
TTA18C1808A	-	-	-	-	Warrant	-	-	-	-	JUTHA-P	-	-	-	-
TTA19C1811A	0.09	-	400	-	7UP-W2	0.07	(0.01)	602	-	KTB-P	-	-	-	-
TTA23C1808A	-	-	-	-	ACC-W1	0.02	-	1	-	SCB-P	-	-	-	-
TTA23C1901A	0.10	(0.01)	1,000	-	AJA-W1	0.19	(0.01)	3,954	-	TCAP-P	-	-	-	-
TTA24C1809A	-	-	-	-	ALT-W1	0.55	-	1,675	-	TIC-P	-	-	-	-
TTA24C1902A	-	-	-	-	APURE-W2	0.17	-	1,653	-	TISCO-P	-	-	-	-
TTA28C1812A	0.09	-	10,000	-	AQ-W4	0.01	-	1	-	U-P	0.03	-	3,208,060	-
TU01C1808A	0.04	(0.01)	2,172	-	AS-W1	0.27	0.01	784	-	Warrant (MAI)	-	-	-	-
TU01C1808B	-	-	-	-	AYUD-W1	2.68	-	12,633	2.00	2S-W1	0.15	(0.02)	4,895	-
TU01C1901A	0.69	-	14,039	-	B-W3	-	-	-	-	ACAP-W2	2.06	(0.16)	5,852	2.00
TU01C1901B	0.68	-	19,888	-	B-W4	0.17	-	12,646	-	AIRA-W2	0.04	-	803	-
TU01P1808A	0.63	0.01	10,067	-	BTS-W3	0.01	-	1,556	-	ATP30-W1	0.83	-	10	-
TU01P1901A	0.18	-	3,928	-	BWG-W4	0.07	-	147	-	BSM-W2	-	-	-	-
TU06C1902A	0.39	(0.02)	10,950	-	CEN-W4	0.05	0.01	413	-	CHEWA-W1	0.21	0.03	75,502	-
TU07C1902A	-	-	-	-	CGD-W4	0.22	-	1,712	-	CIG-W7	0.01	-	13,310	-
TU08C1811A	0.09	(0.01)	3,500	-	CGH-W3	0.05	-	1,901	-	DIMET-W2	0.14	0.01	12,983	-
TU11C1902A	-	-	-	-	CI-W1	0.39	-	171	-	DNA-W1	1.21	-	1,341	1.00
TU13C1809A	-	-	-	-	CKP-W1	0.35	-	2,899	-	ECF-W2	4.36	0.04	6,764	4.00
TU19C1901A	0.37	(0.02)	4,474	-	CRANE-W1	-	-	-	-	ECF-W3	3.18	0.04	10,271	3.00
TU23C1902A	-	-	-	-	CWT-W4	0.45	0.02	43,630	-	EFORL-W3	0.02	-	514	-
TU24C1808A	-	-	-	-	DCC-W1	0.84	0.12	1,280,293	-	EFORL-W4	0.02	-	1	-
TU24C1901A	0.26	0.03	199	-	DCON-W1	-	-	-	-	FC-W1	0.05	-	301	-
TVO01C1809A	0.17	-	12,511	-	DIGI-W1	0.03	-	3,343	-	FC-W2	0.02	(0.01)	388	-
TVO01C1809B	-	-	-	-	DIGI-W2	-	-	-	-	FOCUS-W2	0.58	0.01	70,550	-
TVO08C1808A	-	-	-	-	EARTH-W4	-	-	-	-	FC-W2	0.46	0.06	192,447	-
TVO11C1903A	-	-	-	-	EIC-W2	0.01	-	6,379	-	ITEL-W1	0.33	0.01	31,572	-
TVO13C1809A	-	-	-	-	EIC-W3	-	-	-	-	JKN-W1	2.44	0.04	1,693	2.00
TVO13C1902A	0.27	-	46,040	-	EIC-W4	-	-	-	-	LIT-W1	2.40	0.20	2	2.00
TVO23C1808A	-	-	-	-	EVER-W3	0.02	-	17,182	-	META-W2	0.05	0.01	1,588	-
TVO24C1810A	-	-	-	-	GJS-W3	0.02	0.01	10	-	NCL-W3	0.49	(0.04)	199,864	-
TVO24C1903A	0.31	-	200	-	GSTEL-W1	-	-	-	-	NDR-W1	0.06	(0.01)	3,501	-
UNIQ01C1809A	-	-	-	-	GSTEL-W2	-	-	-	-	NEWS-W4	-	-	-	-
UNIQ01C1810A	0.19	(0.01)	24,000	-	IEC-W2	-	-	-	-	NEWS-W5	-	-	-	-
UNIQ01C1810B	0.03	(0.01)	4,500	-	IHL-W1	5.00	-	423	5.00	NEWS-W6	-	-	-	-
UNIQ01P1809A	0.64	0.02	5,356	-	ITD-W1	0.09	-	13,396	-	PHOL-W1	0.05	(0.01)	17,153	-
UNIQ08C1808A	-	-	-	-	IVL-W2	-	-	-	-	PIMO-W1	2.02	(0.04)	993	2.00
UNIQ08C1810A	-	-	-	-	JAS-W3	2.04	-	2,428	2.00	PPS-W1	-	-	-	-
UNIQ08C1906A	0.22	-	3,062	-	JCK-W5	0.48	(0.01)	160	-	PSTC-W1	0.25	-	9,303	-
UNIQ11C1811A	-	-	-	-	JMART-W2	1.80	(0.05)	4,034	1.00	SIMAT-W2	0.33	(0.02)	883	-
UNIQ13C1809A	-	-	-	-	MIDA-W2	0.02	0.01	61	-	SIMAT-W3	0.53	(0.03)	601	-
UNIQ13C1901A	0.21	-	65,100	-	MILL-W3	0.03	-	108,215	-	SIMAT-W4	1.26	(0.03)	3,715	1.00
UNIQ19C1811A	-	-	-	-	MILL-W4	0.30	-	2,313	-	SKY-W1	-	-	-	-
UNIQ23C1901A	-	-	-	-	MILL-W5	0.20	-	15,035	-	STAR-W3	-	-	-	-
UNIQ24C1811A	-	-	-	-	ML-W2	0.02	-	571	-	TAKUNI-W	0.19	-	2,200	-
UNIQ28C1809A	-	-	-	-	MONO-W1	0.40	(0.01)	12,067	-	TAPAC-W3	2.32	-	180	2.00
UNIQ28C1811A	0.07	-	70,000	-	NEP-W3	-	-	-	-	TMILL-W1	1.32	(0.01)	28,976	1.00
UV13C1812A	0.42	-	78,701	-	NOK-W1	0.52	(0.02)	60	-	TSF-W4	-	-	-	-
UV23C1809A	-	-	-	-	NPPG-W3	-	-	-	-	TSF-W5	-	-	-	-
UV24C1812A	-	-	-	-	NUSA-W3	0.17	0.02	277	-	TVD-W2	0.59	(0.02)	95,168	-
VGI01C1812A	0.55	0.04	15,223	-	NVD-W1	0.20	(0.01)	12,181	-	UAC-W2	0.77	-	6,874	-
VGI06C1904A	-	-	-	-	ORI-W1	2.62	-	777	2.00	UKEM-W2	0.52	(0.03)	11,435	-
VGI06C1904B	-	-	-	-	PACE-W2	0.25	0.02	55,514	-	UWC-W2	-	-	-	-
VGI06C1904C	-	-	-	-	PDI-W1	1.17	0.04	28,460	1.00	XO-W1	6.15	(0.10)	3,168	6.00
VGI08C1811A	0.42	0.02	17,320	-	PDJ-W2	1.40	(0.08)	46	1.00	Preferred Shares	-	-	-	-
VGI23C1905A	-	-	-	-	PDJ-W3	1.40	-	46	1.00	SGF-P1	-	-	-	-
VGI23C1911A	1.23	-	36	1.00	PDJ-W4	-	-	-	-	-	-	-	-	-
VGI27C1812A	0.27	0.02	3,798	-	PLE-W3	0.11	0.01	631	-	-	-	-	-	-
VGI28C1810A	0.21	0.01	96,399	-	RICH-W1	-	-	-	-	-	-	-	-	-
WHA01C1812A	0.48	(0.01)	32,037	-	RICHY-W1	0.35	(0.03)	9,068	-	-	-	-	-	-
WHA01C1812B	0.38	-	9,156	-	RICHY-W2	0.19	-	4,519	-	-	-	-	-	-
WHA01P1812A	0.68	(0.01)	16,762	-	RS-W3	7.25	(0.05)	129	7.00	-	-	-	-	-
WHA06C1809A	-	-	-	-	S-W1	0.13	(0.02)	18,235	-	-	-	-	-	-
WHA07C1810A	-	-	-	-	SAMART-W2	0.29	-	10,108	-	-	-	-	-	-
WHA08C1811A	-	-	-	-	SAWAD-W1	5.70	(0.10)	649	5.00	-	-	-	-	-
WHA11C1903A	0.17	-	9,846	-	SDC-W1	0.06	-	11,871	-	-	-	-	-	-
WHA13C1812A	0.34	(0.01)	37,986	-	SMM-W4	0.01	-	5,955	-	-	-	-	-	-
WHA19C1901A	0.33	-	28,779	-	SMT-W1	0.10	-	1,130	-	-	-	-	-	-
WHA23C1810A	0.15	-	4,000	-	SMT-W2	0.71	0.01	42,163	-	-	-	-	-	-
WHA24C1811A	-	-	-	-	SPALI-W4	19.30	0.10	564	19.00	-	-	-	-	-
WHA28C1809A	0.20	-	28,608	-	SPORT-W5	0.03	-	6	-	-	-	-	-	-
WHAU01C1810A	0.16	0.02	119,228	-	SUPER-W4	0.10	(0.01)	146,139	-	-	-	-	-	-
WHAU01C1810B	0.02	-	8,581	-	SUSCO-W1	0.11	0.01	32,044	-	-	-	-	-	-
WHAU24C1812A	0.03	-	1,500	-	SVI-W3	2.14	0.35	24,614	2.00	-	-	-	-	-
WHAU24C1902A	0.26	0.02	1,800	-	TCC-W3	0.21	0.03	30	-	-	-	-	-	-
WORK01C1811A	0.43	0.03	146,104	-	TCC-W4	0.14	-	306	-	-	-	-	-	-
WORK01C1811B	0.24	0.03	24,568	-	TCC-W5	0.16	-	1,627	-	-	-	-	-	-
WORK08C1809A	0.01	-	1	-	TCJ-W2	0.91	(0.01)	573	-	-	-	-	-	-
WORK08C1901A	0.32	0.03	31,274	-	TCMC-W2	0.32	(0.01)	3,203	-	-	-	-	-	-
WORK11C1903A	0.08	-	993	-	TFG-W1	-	-	-	-	-	-	-	-	-

