

## Main Board Quotation

Issue Date :

Thursday August 30, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.80	-	5,586	10.81	SE-ED	3.10	0.02	98	3.09
POMPUI	-	-	-	-	ILINK	5.35	0.05	3,796	5.34	SMM	0.93	0.03	8,253	0.92
SAFARI	-	-	-	-	INET	3.92	0.04	11,415	3.96	SPORT	0.40	0.01	2,095	0.39
VI	-	-	-	-	INTUCH	55.50	(0.75)	60,398	55.58	TBSP	15.40	-	10	15.40
WORLD	-	-	-	-	JAS	5.35	-	79,039	5.36	TH	0.68	(0.02)	10,034	0.67
WR	-	-	-	-	JASIF	10.30	(0.10)	106,082	10.31	TKS	11.10	(0.20)	9,833	11.20
Agribusiness					JMART	9.70	0.20	18,873	9.69	TRITN	0.35	-	72,402	0.35
CHOTI	147.00	-	1	147.00	JTS	1.63	0.01	400	1.61	VGI	7.60	0.45	431,290	7.45
EE	0.68	-	15,959	0.68	MFEC	3.46	(0.04)	2,850	3.47	WAVE	2.66	(0.02)	10	2.66
GFPT	14.80	-	17,832	14.75	MSC	6.50	(0.05)	2,984	6.50	WORK	41.50	1.25	46,243	41.21
LEE	2.78	0.02	1,706	2.76	PT	6.55	0.15	5,966	6.46	Finance & Securities	-	-	-	-
STA	12.60	-	55,015	12.71	SAMART	6.95	0.10	3,523	6.86	AEC	0.49	-	426	0.49
TLUXE	5.75	0.05	3,181	5.73	SAMTEL	8.45	(0.05)	132	8.50	AEONTS	178.00	(0.50)	592	179.21
TRUBB	1.77	(0.01)	11,678	1.77	SDC	0.25	(0.01)	12,762	0.25	AMANAH	1.94	-	83,380	1.95
TWPC	9.10	-	1,003	9.10	SIS	9.00	-	1,220	8.95	ASAP	6.00	(0.10)	14,106	6.05
UPOIC	4.30	0.14	287	4.42	SVOA	1.40	0.01	14,784	1.41	ASK	23.70	0.90	15,609	23.44
UVAN	6.70	0.05	1,686	6.67	SYMC	5.70	(0.05)	2,830	5.80	ASP	3.84	-	13,725	3.85
VPO	0.66	-	3,150	0.65	SYNEX	12.70	0.10	11,967	12.69	BFIT	26.50	0.75	1,987	26.69
Banking					THCOM	10.00	(0.10)	14,694	10.07	CGH	1.05	(0.03)	3,096	1.06
BAY	41.00	0.50	3,002	41.02	TRUE	6.60	(0.10)	2,061,661	6.71	CNS	2.58	0.02	438	2.57
BBL	206.00	(1.00)	19,604	207.42	TWZ	0.13	-	90,030	0.14	ECL	1.92	-	56,257	1.92
CIMBT	0.87	0.01	5,440	0.86	Electronic Componer	-	-	-	-	FNS	4.14	0.02	565	4.13
KBANK	213.00	(2.00)	39,217	213.77	CCET	1.98	-	16,284	1.98	FSS	2.36	0.02	1,167	2.35
KKP	76.75	0.25	34,176	76.37	DELTA	69.75	-	5,312	69.87	GBX	0.67	(0.01)	325	0.67
KTB	19.40	(0.10)	157,190	19.49	EIC	0.05	-	2,918	0.05	GL	7.75	(0.05)	9,069	7.75
LHFG	1.62	0.02	209,411	1.61	HANA	38.25	0.50	31,601	38.09	IFS	3.06	-	1,326	3.06
SCB	146.50	0.50	23,273	146.86	KCE	45.25	1.75	106,669	44.85	JMT	12.60	0.10	2,920	12.60
TCAP	53.50	(0.25)	26,702	53.49	METCO	194.50	(3.50)	4	194.50	KCAR	13.00	0.20	739	12.89
TISCO	81.00	-	13,706	81.15	SMT	2.40	0.02	7,042	2.40	KGI	4.44	0.04	41,047	4.43
TMB	2.20	0.02	1,551,476	2.20	SPPT	3.78	0.02	1,382	3.77	KTC	29.50	0.25	84,768	29.46
Construction Materia					SVI	5.55	(0.20)	273,162	5.58	MBKET	13.60	1.00	40,731	13.42
CCP	0.39	-	7,605	0.39	TEAM	1.24	0.12	172,524	1.20	MFC	16.20	-	265	16.22
COTTO	2.82	0.12	48,580	2.77	Energy & Utilities	-	-	-	-	ML	1.07	-	869	1.06
DCC	2.60	0.12	444,015	2.61	ABPIF	8.95	0.05	1,649	8.93	MTC	41.50	-	44,888	41.65
DCON	0.57	-	7,955	0.58	AI	-	-	-	-	PE	0.27	0.01	354	0.26
DRT	5.95	0.05	5,471	5.90	AKR	1.04	0.01	94,829	1.05	PL	3.52	0.04	2,051	3.52
EPG	9.20	0.40	288,396	9.10	BAFS	34.50	-	1,630	34.50	S11	7.40	(0.10)	3,934	7.45
GEL	0.34	(0.01)	126,637	0.35	BANPU	20.20	(0.10)	248,857	20.35	SAWAD	40.75	(0.75)	77,878	41.00
PPP	3.52	0.02	1,200	3.50	BCP	36.25	-	38,165	36.45	THANI	8.00	0.35	361,727	7.96
Q-CON	5.35	0.05	43	5.33	BCPG	19.10	0.50	172,381	19.07	TK	11.20	0.10	1,152	11.11
RCI	3.18	-	12,690	3.17	BGRIM	27.00	0.50	116,018	26.97	TNITY	5.85	(0.10)	315	5.90
SCC	454.00	2.00	17,532	454.88	BPP	24.80	(0.10)	16,936	24.92	UOBKH	4.38	0.06	763	4.35
SCCC	236.00	(1.00)	508	236.20	BRRGIF	10.00	-	192	10.00	ZMICO	1.15	(0.01)	28,455	1.15
SCP	8.50	0.10	7,101	8.45	CKP	4.28	0.08	531,889	4.26	Food & Beverage	-	-	-	-
SKN	4.64	0.04	2,764	4.57	DEMCO	4.12	0.04	3,329	4.13	APURE	1.36	(0.01)	5,172	1.37
TASCO	15.50	(0.10)	40,287	15.59	EA	38.50	-	60,969	38.63	ASIAN	8.65	(0.20)	580,194	9.14
TCMC	2.66	0.02	13,220	2.69	EARTH	-	-	-	-	BR	5.20	(0.05)	9,435	5.21
TOA	35.00	0.50	27,049	35.08	EASTW	11.20	0.10	1,158	11.16	BRR	6.70	-	2,402	6.71
TPIPL	1.86	-	169,857	1.87	EGATIF	10.90	-	1,295	10.86	CBG	47.75	(0.75)	20,910	47.92
UMI	1.41	-	5,672	1.42	EGCO	233.00	-	11,107	232.37	CFRESH	4.46	-	257	4.49
VNG	7.70	-	1,105	7.73	ESSO	15.70	-	217,895	15.89	CM	4.28	-	3,539	4.33
WIHK	2.42	(0.04)	5,087	2.43	GLOW	93.75	(0.25)	9,774	93.78	CPF	26.00	(0.25)	136,504	26.01
Petrochemicals & Ch					GPSC	73.00	0.75	29,326	73.22	CPI	1.78	(0.04)	4,951	1.78
BCT	54.75	-	394	54.94	GULF	68.75	-	43,930	69.29	F&D	-	-	-	-
CMAN	3.26	(0.04)	132,861	3.32	GUNKUL	2.88	-	12,728	2.89	HTC	17.40	0.10	1,071	17.48
GC	5.10	-	2,113	5.10	IEC	-	-	-	-	ICHI	4.44	(0.06)	5,935	4.47
GGC	11.40	-	52,099	11.48	IFEC	-	-	-	-	KBS	4.30	-	7,339	4.30
GIFT	4.58	0.08	8,625	4.58	IRPC	6.95	0.10	1,463,368	6.99	KSL	3.26	0.04	3,039	3.25
IVL	60.25	1.50	190,674	59.94	LANNA	15.90	0.10	1,456	15.88	KTIS	5.90	-	233	5.86
NFC	11.50	(0.10)	14	11.50	MDX	4.72	0.02	2,640	4.72	LST	4.84	(0.02)	1,288	4.84
PATO	14.30	0.10	217	14.34	PTG	11.60	(0.10)	316,757	11.85	M	71.75	-	2,087	72.37
PMTA	13.90	-	124	13.93	PTT	52.00	(0.50)	496,622	52.29	MALEE	13.70	-	9,230	13.82
PTTGC	83.25	-	228,191	83.14	PTTEP	142.50	(0.50)	63,582	143.53	MINT	39.25	0.25	128,424	39.19
SUTHA	4.30	0.14	877	4.21	RATCH	52.25	-	20,325	52.19	OISHI	95.50	3.50	64	94.66
TCCC	36.00	0.25	129	35.81	RPC	0.54	0.01	5,006	0.54	PB	61.00	(0.25)	1,514	60.73
TPA	6.60	0.10	304	6.50	SCG	4.62	0.02	245	4.60	PM	8.70	0.05	9,519	8.68
UP	26.00	(0.50)	30	26.00	SCI	3.24	(0.04)	11,154	3.28	PRG	14.20	-	170	14.28
VNT	24.90	(0.10)	5,577	24.95	SCN	3.88	0.04	15,052	3.87	SAPPE	23.40	0.20	1,591	23.29
WG	167.00	7.00	21	164.48	SGP	11.90	-	126,127	12.03	SAUCE	22.00	(0.20)	31	22.42
YCI	-	-	-	-	SKE	1.26	-	5,038	1.26	SFP	196.50	8.50	10	196.35
Commerce					SOLAR	2.32	(0.02)	6,994	2.34	SNP	20.70	0.20	58	20.60
BEAUTY	10.50	(0.20)	995,667	10.67	SPCG	21.00	0.20	15,963	21.03	SPORKON	72.50	0.50	1	72.50
BIG	1.81	0.01	56,342	1.82	SPRC	15.20	(0.10)	93,925	15.30	SSC	40.00	0.50	6	39.83
BJC	57.75	(0.75)	12,050	58.00	SUPER	0.75	-	654,935	0.75	SSF	-	-	-	-
COL	29.75	2.00	38,026	29.22	SUSCO	3.24	(0.04)	22,351	3.25	SST	6.00	-	140	5.93
COM7	19.10	(0.10)	65,651	19.32	TAE	2.20	(0.02)	2,624	2.20	TC	3.16	0.02	702	3.15
CPALL	68.50	(0.75)	286,695	68.70	TCC	0.40	-	11,729	0.39	TFG	4.26	(0.04)	21,291	4.24
CSS	2.08	0.02	12,763	2.09	TOP	83.50	(1.25)	67,090	84.31	TFMAMA	161.00	0.50	10	161.00
FN	2.96	0.12	42,498	2.97	TRIPP	6.50	0.15	261,185	6.45	TIPCO	9.35	(0.10)	3,618	9.42
FTE	2.30	0.02	3,990	2.30	TTW	12.40	-	8,261	12.39	TKN	15.50	(0.20)	54,352	15.57
GLOBAL	18.90	(0.20)	126,553	19.18	WHAUP	5.95	(0.05)	37,877	5.99	TU	17.60	0.10	58,220	17.59
HMPRO	14.70	(0.20)	133,734	14.78	WP	7.65	(0.10)	74,389	7.77	TVO	29.50	(0.50)	30,664	29.75
IT	4.36	(0.12)	18,205	4.40	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.30	0.04	9,197	4.30	AMARIN	4.90	(0.02)	432	4.91	AHC	21.10	-	24	21.10
LOXLEY	2.20	(0.02)	7,902	2.22	AQUA	0.48	-	47,510	0.48	BCH	18.90	0.30	124,898	18.86
MAKRO	34.50	(0.50)	13,434	34.56	AS	1.17	0.02	278	1.14	BDMS	26.25	(0.50)	126,589	26.50
MC	12.90	(0.10)	8,223	13.00	BEC	7.65	0.05	49,465	7.68	BH	178.50	(1.00)	4,360	179.01
MEGA	35.00	(0.50)	17,985	35.12	EPCO	4.12	0.06	26,616	4.12	CHG	2.48	(0.02)	957,974	2.50
MIDA	0.59	(0.01)	2,660	0.59	FE	-	-	-	-	CMR	3.24	(0.02)	4,698	3.22
ROBINS	66.00	-	10,822	66.21	GPI	2.72	(0.02)	770	2.72	EKH	5.60	0.20	27,531	5.58
RSP	4.08	-	2,314	4.11	GRAMMY	8.00	(0.05)	237	8.01	KDH	96.50	(0.25)	36	96.92
SINGER	9.15	-	995	9.15	MACO	1.94	0.0							

## Main Board Quotation

Issue Date :

Thursday August 30, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.70	-	7,365	2.71	MJD	3.44	-	649	3.44	CPT	2.10	0.02	61,172	2.11
Tourism & Leisure					MK	4.12	-	4,648	4.12	CRANE	2.86	0.02	281	2.86
ASIA	6.65	0.05	190	6.60	NCH	0.93	0.01	383	0.92	CTW	9.30	(0.05)	1,162	9.35
CENTEL	39.75	0.25	38,507	39.54	NNCL	1.79	0.03	15,380	1.78	FMT	25.00	(0.75)	55	25.00
CSR	-	-	-	-	NOBLE	12.30	-	92	12.20	HTECH	7.40	(0.10)	9,941	7.50
DTC	12.10	-	567	12.07	NUSA	0.30	0.01	52,767	0.30	KKC	1.64	-	339	1.65
ERW	7.80	(0.20)	87,648	7.93	NVD	4.06	0.18	22,482	3.99	PK	3.70	(0.08)	13,918	3.74
GRAND	1.03	(0.03)	89,902	1.05	ORI	18.60	(0.10)	24,692	18.62	SNC	14.30	(0.20)	1,578	14.36
LRH	38.50	(0.25)	101	38.50	PACE	0.68	(0.04)	950,435	0.69	TCJ	5.80	0.05	758	5.81
MANRIN	32.00	-	36	32.22	PF	1.17	0.02	2,685,955	1.16	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	7.55	0.10	17,571	7.53	Property Fund & REI				
ROH	40.00	-	2	40.00	POLAR	-	-	-	-	AIMIRT	10.20	-	1,028	10.20
SHANG	76.75	-	5	76.85	PRECHA	1.36	-	25	1.37	AMATAR	10.50	-	1,822	10.53
Home & Office Prod.					PRIN	1.60	-	47,794	1.60	B-WORK	10.90	-	4	10.90
ACC	0.45	-	770	0.45	PRINC	5.60	0.05	6,047	5.54	BKKCP	12.10	-	105	12.02
AJA	0.40	-	31,237	0.40	PSH	20.40	-	26,772	20.38	BOFFICE	13.40	0.10	76	13.36
DTCI	-	-	-	-	QH	3.46	0.06	765,587	3.44	CPNCG	15.50	0.10	889	15.50
FANCY	0.98	-	7,305	0.98	RICHY	1.79	0.01	19,242	1.79	CPNREIT	25.75	(0.25)	27,375	25.80
KYE	395.00	10.00	271	392.99	RML	1.28	0.01	47,287	1.27	CPTGF	13.40	-	458	13.50
L&E	2.70	-	642	2.68	ROJNA	5.30	-	5,371	5.30	CRYSTAL	10.00	(0.10)	1,464	10.02
MODERN	4.52	0.02	2,035	4.50	S	3.22	(0.02)	256,350	3.25	CTARAF	4.80	0.02	2,890	4.78
OGC	-	-	-	-	SAMCO	2.16	0.02	4,253	2.20	DREIT	5.50	(0.05)	115	5.46
ROCK	-	-	-	-	SC	3.58	(0.02)	3,468	3.58	ERWPF	5.70	-	50	5.70
SIAM	1.92	(0.01)	1,153	1.89	SENA	3.76	-	12,611	3.75	FUTUREPF	22.10	-	1,382	22.13
TSR	2.38	(0.02)	8,336	2.40	SF	9.05	0.50	96,434	8.92	GAHREIT	9.70	-	373	9.70
Insurance					SIRI	1.62	-	240,677	1.62	GLANDRT	12.70	0.10	3,230	12.51
AYUD	38.75	0.25	7	38.57	SPALI	24.40	0.20	53,189	24.36	GOLDPF	7.20	-	21	7.20
BKI	350.00	(1.00)	19	350.00	TICON	16.30	-	750	16.35	GVREIT	15.50	0.10	1,316	15.60
BLA	32.75	-	1,219	32.68	U	0.03	0.01	18,986,757	0.03	HPF	5.40	-	30	5.37
BUI	-	-	-	-	UV	8.35	(0.10)	90,962	8.41	HREIT	6.80	(0.05)	2,229	6.74
CHARAN	33.00	(0.50)	86	32.80	WHA	4.04	0.04	1,666,023	4.02	IMPACT	18.40	-	1,600	18.39
INSURE	-	-	-	-	WIN	0.63	-	819	0.63	KPNPF	9.45	(0.10)	346	9.45
MTI	109.00	(1.00)	17	109.26	Paper & Printing Mat					LHHOTEL	16.20	0.10	150	16.18
NKI	-	-	-	-	UTP	11.50	-	2,220	11.49	LHPF	8.35	-	1,698	8.31
NSI	82.75	0.25	46	82.84	Fashion					LHSC	16.10	0.20	140	15.98
SMK	-	-	-	-	AFC	9.10	0.25	16	9.02	LUXF	8.45	0.20	282	8.41
THRE	1.13	0.03	5,443	1.12	BTNC	-	-	-	-	M-II	8.85	(0.05)	9	8.85
THREL	8.05	0.10	4,344	8.03	CPH	-	-	-	-	M-PAT	9.90	-	430	9.91
TIC	40.75	1.00	49	39.94	CPL	3.06	0.02	12	3.06	M-STOR	-	-	-	-
TIP	24.80	0.10	3,185	24.75	DIGI	0.36	-	16,506	0.36	MIPF	-	-	-	-
TSI	0.47	(0.02)	2,643	0.47	ICC	39.50	0.25	10	39.50	MIT	-	-	-	-
TVI	3.50	-	10	3.50	LTX	103.50	(0.50)	73	103.88	MJLF	12.80	-	1,208	12.80
Mining					NC	15.50	0.40	3	15.50	MNIT	1.70	-	2	1.70
PDI	14.30	(0.20)	5,162	14.37	PAF	0.95	-	3,284	0.96	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.78	0.10	1,161	2.72	MNRF	3.40	-	93	3.40
Packaging					PG	-	-	-	-	MONTRI	6.00	0.05	2	5.98
AJ	10.00	0.05	929	10.02	SABINA	35.25	(0.75)	714	35.51	POPF	13.60	-	158	13.60
ALUCON	192.00	1.00	2	192.00	SAWANG	-	-	-	-	PPF	11.20	0.10	500	11.20
CSC	-	-	-	-	SUC	45.00	(0.25)	7	45.21	QHHR	8.50	-	765	8.50
NEP	0.37	-	2,231	0.37	TNL	-	-	-	-	QHOP	3.58	(0.02)	5	3.55
NPPG	1.08	0.01	19,798	1.07	TPCORP	-	-	-	-	QHPF	12.20	0.20	4,131	12.14
PTL	16.40	0.30	23,015	16.33	TR	49.00	-	34	48.99	SBPF	3.02	0.04	1	3.02
SITHAI	1.27	0.01	6,119	1.28	TTI	-	-	-	-	SHREIT	9.50	0.10	2,298	9.58
SLP	0.95	-	1,276	0.95	TTL	-	-	-	-	SIRIP	-	-	-	-
SMPC	14.00	-	1,535	14.00	TTTTM	181.00	0.50	4	180.25	SPF	23.90	0.10	6,258	23.93
SPACK	1.96	0.02	10	1.95	UPF	71.00	-	6	71.00	SRIPANWA	11.00	-	657	11.00
TCOAT	-	-	-	-	UT	13.60	0.10	1	13.60	SSPF	10.30	0.20	180	10.30
TFI	0.33	0.01	5,692	0.32	WACOAL	-	-	-	-	SSTPF	6.70	(0.05)	220	6.68
THIP	34.25	0.25	154	34.19	Transportation & Log					SSTRT	6.20	-	151	6.22
TMD	21.70	-	142	21.70	AAV	4.38	(0.06)	132,958	4.40	TIF1	8.60	(0.05)	44	8.55
TOPP	-	-	-	-	AOT	66.50	0.25	302,820	66.67	TLGF	19.80	-	6,580	19.73
TPBI	8.20	-	205	8.24	ASIMAR	2.66	0.02	2,239	2.66	TLHPF	10.80	-	200	10.80
TPP	-	-	-	-	B	0.60	-	7,723	0.61	TNPF	3.64	(0.02)	14	3.64
Personal Products &					BA	12.70	-	20,924	12.78	TPRIME	-	-	-	-
APCO	4.42	-	663	4.40	BEM	8.40	-	173,504	8.44	TREIT	11.70	-	9,855	11.69
DDD	42.75	(0.25)	1,805	43.07	BTS	9.30	-	75,334	9.29	TTLPF	23.50	(0.10)	25	23.50
JCT	-	-	-	-	BTSGIF	12.20	0.10	15,083	12.17	TU-PF	-	-	-	-
OCC	-	-	-	-	III	6.45	0.40	101,509	6.29	URBNPF	3.28	0.02	668	3.28
S & J	25.00	0.50	100	25.00	JUTHA	1.78	-	18	1.76	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	7.75	(0.05)	29,478	7.76	WHART	10.30	0.10	2,382	10.30
TNR	13.30	-	1,969	13.27	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.72	(0.08)	2,399	4.74	NOK	2.34	0.08	18,836	2.29	AMC	2.44	-	1,324	2.44
Professional Service					NYT	5.20	0.05	7,332	5.20	BSBM	1.13	-	1,786	1.13
BWG	0.98	-	100,077	0.98	PRM	7.90	(0.10)	59,587	8.00	CEN	1.34	0.01	2,236	1.34
GENCO	0.80	-	5,508	0.80	PSL	12.10	(0.20)	32,512	12.25	CITY	2.74	0.02	1,418	2.73
PRO	-	-	-	-	RCL	5.70	0.05	4,133	5.70	CSP	1.38	(0.01)	105	1.37
TEAMG	2.44	0.06	466,544	2.49	THAI	13.30	0.10	39,417	13.36	GJS	0.26	-	17,406	0.26
Property Developme					TSTE	7.25	-	51	7.24	GSTEL	-	-	-	-
A	6.70	0.05	1,310	6.66	TTA	7.10	(0.05)	12,444	7.15	INOX	1.21	(0.01)	4,391	1.22
AMATA	21.10	0.30	308,144	21.09	WICE	4.86	0.02	134,205	4.90	LHK	4.90	-	3,131	4.91
AMATAV	6.00	(0.35)	67,874	6.08	Automotive					MAX	0.02	(0.01)	203,443	0.02
ANAN	4.90	-	134,638	4.90	AH	33.75	0.50	3,809	33.54	MCS	7.70	0.05	3,084	7.66
AP	9.35	0.10	51,262	9.30	APCS	5.15	-	1,797	5.16	MILL	1.60	(0.02)	14,966	1.61
APEX	0.20	-	5,843	0.20	BAT-3K	-	-	-	-	PAP	4.12	(0.02)	338	4.11
AQ	0.03	-	62,121	0.03	CWT	2.84	-	4,081	2.84	PERM	2.36	0.02	716	2.36
BLAND	1.82	-	317,059	1.83	EASON	2.44	(0.04)	6,447	2.42	RICH	-	-	-	-
BROCK	2.48	0.02	425	2.48	GYT	379.00	(3.00)	1	379.00					

## Main Board Quotation

Issue Date :

Thursday August 30, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	UMS	0.71	0.03	251	-	ADVA06C1809A	0.53	(0.03)	8,135	-
ABICO	7.60	0.05	8,193	7.00	UWC	0.07	-	315,861	-	ADVA08C1809A	0.10	(0.01)	30,900	-
AU	7.60	(0.10)	71,070	7.00	Services (MAI)	-	-	-	-	ADVA08P1809A	0.03	(0.03)	15,056	-
FC	0.28	-	13,621	-	ADAM	-	-	-	-	ADVA11C1905A	0.26	-	1,039	-
JCKH	1.19	-	1,690	1.00	AKP	1.62	(0.01)	718	1.00	ADVA11P1905A	0.32	-	9,669	-
KASET	2.22	-	1,103	2.00	AMA	6.15	(0.05)	20,621	6.00	ADVA13C1809A	0.02	-	1,250	-
MM	3.96	-	609	3.00	ARIP	0.52	0.03	37,975	-	ADVA13C1811A	0.56	(0.05)	60,250	-
SUN	3.28	0.06	6,429	3.00	ATP30	1.71	(0.02)	2,950	1.00	ADVA13C1901A	0.31	(0.02)	80,440	-
TACC	4.02	-	2,814	4.00	AUCT	6.45	0.40	35,947	6.00	ADVA13P1809A	-	-	-	-
TMILL	3.20	0.04	7,377	3.00	BOL	1.93	(0.02)	2,458	1.00	ADVA16C1812A	-	-	-	-
XO	10.50	0.10	4,253	10.00	CHUO	-	-	-	-	ADVA18C1808A	-	-	-	-
<b>Consumer Products</b>														
BGT	1.04	0.03	566	1.00	CMO	1.53	(0.03)	2,205	1.00	ADVA19C1901A	0.63	(0.04)	19,461	-
BIZ	2.84	(0.04)	775	2.00	DCORP	2.80	-	2,717	2.00	ADVA23C1902A	0.46	(0.02)	28,000	-
DOD	13.90	0.10	64,635	13.00	DNA	0.58	(0.02)	103,166	-	ADVA24C1810A	-	-	-	-
ECF	8.25	0.10	76,613	8.00	EFORL	0.08	-	150,052	-	ADVA24P1810A	-	-	-	-
HPT	1.10	0.01	7,702	1.00	ETE	2.04	0.02	8,516	2.00	ADVA27C1902A	0.34	0.02	5,674	-
JUBILE	19.20	-	509	19.00	FSMART	9.25	0.25	53,361	9.00	ADVA28C1811A	0.48	(0.04)	63,673	-
MOONG	6.35	-	3,499	6.00	FVC	1.20	-	6,015	1.00	ADVA28P1810A	0.21	(0.01)	49,916	-
NPK	-	-	-	-	HARN	2.68	-	1,537	2.00	AMAT01C1810A	0.81	0.04	155,250	-
OCEAN	1.82	0.02	45,167	1.00	JKN	10.90	(0.20)	49,745	10.00	AMAT01C1810B	0.48	0.04	143,067	-
TM	1.99	-	1,743	1.00	KIAT	0.49	0.02	237,222	-	AMAT01P1810A	0.86	(0.06)	48,373	-
<b>Financials (MAI)</b>														
ACAP	6.65	(0.05)	5,040	6.00	KOOL	1.88	(0.05)	104,423	1.00	AMAT06C1809A	0.02	0.01	70,251	-
AF	0.73	-	3,085	-	LDC	1.19	0.01	38,179	1.00	AMAT08C1809A	-	-	-	-
AIRA	2.00	(0.02)	1,122	2.00	MPG	0.18	-	2,407	-	AMAT08C1903A	0.53	0.05	76,232	-
ASN	3.44	0.12	820	3.00	MVP	2.82	0.02	59,402	2.00	AMAT11C1903A	0.37	0.03	27,768	-
BROOK	0.53	(0.01)	14,410	-	NBC	0.66	0.03	4,745	-	AMAT13C1809A	0.01	-	8,892	-
CHAYO	4.48	0.02	129,999	4.00	NCL	1.62	-	70,647	1.00	AMAT13C1812A	0.48	0.03	526,876	-
GCAP	4.16	(0.02)	2,275	4.00	NEWS	0.01	-	389,619	-	AMAT19C1811A	0.18	0.01	43,620	-
LIT	8.75	0.10	1,298	8.00	NINE	2.42	(0.10)	43,950	2.00	AMAT19C1902A	0.64	0.03	41,918	-
SGF	1.49	(0.03)	306,550	1.00	OTO	2.72	0.02	330	2.00	AMAT23C1810A	0.14	0.01	14,192	-
<b>Industrials (MAI)</b>														
2S	3.12	(0.02)	1,046	3.00	PHOL	2.32	-	101	2.00	AMAT24C1811A	-	-	-	-
ADB	1.23	-	61,086	1.00	PICO	6.20	-	68	6.00	AMAT27C1902A	0.77	0.10	6,000	-
BM	3.36	(0.02)	11,496	3.00	PORT	6.90	(0.10)	10,213	6.00	ANAN01C1810A	1.03	(0.01)	63,230	1.00
CHO	1.32	0.08	55,549	1.00	QLT	4.46	(0.02)	77	4.00	ANAN01C1810B	0.72	(0.03)	31,343	-
CHOW	4.70	(0.06)	1,066	4.00	RP	3.02	0.02	69	3.00	ANAN08C1808A	-	-	-	-
CIG	0.38	0.01	3,520	-	SE	2.00	-	205	2.00	ANAN08C1810A	0.85	(0.04)	73	-
COLOR	1.22	-	3,733	1.00	SPA	15.10	-	3,676	15.00	ANAN08C1906A	0.26	-	6,550	-
CPR	6.05	0.10	10,623	6.00	THMUJ	1.69	0.01	12,530	1.00	ANAN13C1901A	0.19	-	401	-
FPI	2.44	0.04	5,783	2.00	TNDT	5.20	(0.10)	528	5.00	ANAN19C1811A	0.49	(0.01)	12,665	-
GTB	0.66	0.01	896	-	TNH	40.25	(0.25)	212	40.00	ANAN23C1901A	0.27	(0.01)	9,000	-
KCM	1.23	0.03	25,367	1.00	TNP	1.88	0.01	12,722	1.00	ANAN24C1811A	-	-	-	-
LVT	-	-	-	-	TSF	0.04	-	48,891	-	ANAN28C1809A	-	-	-	-
MBAX	3.96	(0.04)	150	3.00	TVD	1.55	-	7,676	1.00	AOT01C1808A	0.17	0.02	104,729	-
MGT	2.14	0.02	2,236	2.00	TVT	1.11	-	6,235	1.00	AOT01C1808B	0.01	-	39,799	-
NDR	2.34	0.02	1,725	2.00	WINNER	3.34	0.04	2,657	3.00	AOT01C1810A	0.28	-	165,384	-
PDG	3.60	-	99	3.00	<b>Technology (MAI)</b>									
PIMO	3.68	0.06	7,335	3.00	COMAN	3.36	0.06	2,327	3.00	AOT01C1902A	0.58	0.01	254,750	-
PJW	2.00	(0.02)	47,390	2.00	ICN	2.24	(0.04)	9,312	2.00	AOT01C1902B	0.43	0.01	82,971	-
PPM	2.08	(0.02)	317	2.00	IRCP	1.00	(0.01)	11,519	1.00	AOT01P1808A	0.76	(0.04)	13,183	-
RWI	1.63	(0.01)	12,133	1.00	ITEL	3.26	(0.02)	904	3.00	AOT01P1808B	0.01	-	45,770	-
SALEE	1.15	0.01	4,663	1.00	NETBAY	33.75	0.50	329	33.00	AOT01P1902A	0.81	(0.01)	23,357	-
SANKO	1.44	(0.10)	119,419	1.00	PLANET	-	-	-	-	AOT01P1902B	0.51	(0.03)	34,259	-
SELIC	1.86	0.02	1,246	1.00	SIMAT	2.22	0.12	51,532	2.00	AOT06C1809A	0.01	-	750	-
SWC	20.00	1.60	3,413	19.00	SKY	13.40	(0.10)	5,055	13.00	AOT06C1903A	0.55	0.01	34,802	-
TMC	0.88	-	1,727	-	SPVI	1.46	0.01	186,976	1.00	AOT06P1903A	0.49	(0.02)	17,688	-
TMI	0.80	(0.01)	7,782	-	UPA	0.50	(0.01)	100,434	-	AOT07C1902A	0.52	0.01	20,006	-
TMW	69.00	-	421	68.00	VCOM	3.16	(0.02)	2,636	3.00	AOT08C1901A	0.34	-	38,091	-
TPAC	13.90	0.10	6,468	13.00	<b>Unit Trust</b>									
UAC	4.52	(0.02)	2,561	4.00	MGE	-	-	-	-	AOT08P1903A	0.48	(0.03)	14,771	-
UBIS	4.84	(0.04)	402	4.00	SCBSET	-	-	-	-	AOT11C1808A	0.39	0.01	11,987	-
UEC	1.56	0.04	32,799	1.00	ETF	-	-	-	-	AOT11C1906A	0.43	(0.57)	14,387	-
UKEM	0.91	(0.01)	20,000	-	1DIV	13.80	(0.17)	169	13.00	AOT11P1808A	0.01	-	600	-
UREKA	0.77	0.03	105,341	-	ABFTH	-	-	-	-	AOT11P1906A	-	-	-	-
YUASA	17.30	0.20	585	17.00	BMSCG	9.19	0.07	409	9.00	AOT13C1810A	-	-	-	-
ZIGA	3.32	(0.06)	15,068	3.00	BMSCI1H	12.88	(0.03)	4,535	12.00	AOT13C1811A	0.17	-	48,273	-
<b>Property &amp; Construc</b>														
ARROW	9.00	0.05	45	8.00	BSET100	11.07	(0.01)	1,253	11.00	AOT13C1812A	0.34	0.01	259,504	-
BKD	3.14	-	3,607	3.00	CHINA	5.15	(0.07)	157	5.00	AOT13P1810A	0.21	(0.02)	6,620	-
BSM	0.67	0.01	1,001	-	EBANK	5.92	0.05	2	5.00	AOT13P1812A	0.12	(0.01)	6,570	-
BTW	1.88	-	121	1.00	ECOMM	8.15	(0.06)	31	8.00	AOT19C1809A	0.06	0.01	700	-
CHEWA	1.18	-	25,262	1.00	EFOOD	-	-	-	-	AOT19C1901A	0.47	0.01	140,348	-
CRD	1.11	0.01	702	1.00	EICT	-	-	-	-	AOT24C1811A	0.07	0.01	1,000	-
DIMET	1.05	0.02	10,701	1.00	ENGY	6.55	(0.01)	155	6.00	AOT24C1901A	0.32	0.01	8,919	-
FLOYD	2.24	-	2,846	2.00	ENY	7.85	0.06	2	7.00	AOT24P1809A	-	-	-	-
FOCUS	1.15	-	30,004	1.00	ESET50	-	-	-	-	AOT27C1902A	0.56	-	2,000	-
HYDRO	1.21	-	3,354	1.00	GLD	1.70	-	128	1.00	AOT28C1809A	0.01	-	100	-
JSP	0.61	0.02	22,217	-	TDEX	11.24	0.01	495	11.00	AOT28C1812A	0.29	-	103,331	-
K	2.82	-	227	2.00	TGOLDETF	3.69	0.01	402	3.00	AOT28C1901A	0.25	0.01	53,572	-
META	2.12	0.02	49,084	2.00	TH100	6.00	1.00	3	6.00	AOT28P1812A	0.22	(0.01)	57,289	-
PPS	0.99	0.01	10,575	-	<b>Warrant Foreign</b>									
SMART	0.86	-	372	-	AAV01C1808A	0.01	-	15,388	-	AP01C1809A	0.08	-	4,657	-
STAR	6.25	-	58	6.00	AAV01C1808B	-	-	-	-	AP08C1810A	0.40	0.02	4,568	-
T	0.05	-	58,863	-	AAV01P1808A	0.67	0.03	7,380	-	AP19C1902A	0.40	0.01	2,451	-

## Main Board Quotation

Issue Date :

Thursday August 30, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP08P1901A	0.33	-	10,182	-	BEAU23C1901A	0.02	0.01	2,000	-	BTS11C1904A	-	-	-	-
BANP11C1902A	0.13	(0.01)	4,660	-	BEAU24C1902A	0.06	-	1,283	-	BTS19C1901A	0.30	-	2,300	-
BANP13C1811A	0.22	(0.01)	100,299	-	BEAU28C1810A	-	-	-	-	BTS23C1905A	-	-	-	-
BANP13P1809A	0.07	-	10,760	-	BEAU28C1811A	0.01	(0.01)	5	-	BTS24C1808A	-	-	-	-
BANP16C1812A	0.75	(0.04)	5,320	-	BEC01C1808A	0.01	-	26,118	-	BTS24C1901A	0.18	-	1,000	-
BANP19C1811A	0.14	(0.01)	7,200	-	BEC01C1808B	0.01	-	10,200	-	BTS28C1809A	0.10	(0.02)	1,000	-
BANP23C1901A	-	-	-	-	BEC01C1812A	0.14	(0.01)	23,377	-	BTS28C1811A	-	-	-	-
BANP24C1808A	-	-	-	-	BEC01C1812B	0.15	-	16,137	-	BTS28C1902A	-	-	-	-
BANP24C1812A	-	-	-	-	BEC07C1808A	-	-	-	-	BTS42C1901A	-	-	-	-
BANP24P1808A	-	-	-	-	BEC08C1809A	-	-	-	-	BTS42P1901A	0.28	-	1,044	-
BANP24P1901A	-	-	-	-	BECT13C1808A	-	-	-	-	CBG01C1809A	0.01	-	1,000	-
BANP27C1809A	-	-	-	-	BECT13C1811A	0.04	(0.01)	506	-	CBG01C1811A	0.32	(0.04)	97,926	-
BANP28C1809A	-	-	-	-	BECT13C1901A	0.19	0.01	19,962	-	CBG01C1811B	0.11	(0.02)	39,829	-
BANP28C1810A	0.15	(0.01)	106,043	-	BEC19C1809A	-	-	-	-	CBG01P1811A	1.09	0.06	15,736	1.00
BBL06C1902A	0.83	(0.03)	2,547	-	BEC23C1809A	-	-	-	-	CBG01P1811B	0.57	0.03	76,542	-
BBL08C1808A	-	-	-	-	BEC24C1809A	-	-	-	-	CBG06C1809A	-	-	-	-
BBL08C1809A	0.06	(0.01)	134	-	BEC24C1812A	0.06	-	1,000	-	CBG06C1903A	0.58	(0.04)	22,125	-
BBL08C1902A	0.69	-	6,200	-	BEC28C1809A	-	-	-	-	CBG06P1809A	1.25	(0.15)	11,600	1.00
BBL08P1810A	0.04	(0.01)	100	-	BEC28C1811A	0.12	-	113,921	-	CBG07C1812A	-	-	-	-
BBL11C1903A	0.57	-	2,808	-	BEM01C1808A	0.46	-	1,209	-	CBG08C1808A	-	-	-	-
BBL11P1903A	0.28	-	4,052	-	BEM01C1808B	-	-	-	-	CBG08C1810A	-	-	-	-
BBL13C1810A	0.36	(0.03)	798	-	BEM01P1808A	0.01	-	1,000	-	CBG08C1902A	0.34	(0.03)	61,376	-
BBL13C1901A	0.32	0.01	15,108	-	BEM08C1809A	0.19	-	37,600	-	CBG11C1902A	0.08	(0.02)	100	-
BBL19C1901A	0.30	(0.01)	4,672	-	BEM11C1903A	0.25	(0.01)	2,530	-	CBG13C1808A	-	-	-	-
BBL23C1811A	-	-	-	-	BEM13C1809A	0.17	-	5,000	-	CBG13C1809A	-	-	-	-
BBL24C1809A	-	-	-	-	BEM13C1901A	0.37	-	22,355	-	CBG13C1811A	-	-	-	-
BBL24C1812A	-	-	-	-	BEM19C1901A	0.37	-	5,612	-	CBG13C1812A	0.16	(0.02)	45,671	-
BBL24C1902A	-	-	-	-	BEM23C1901A	0.21	-	200	-	CBG13C1901A	0.52	(0.03)	168,448	-
BBL24P1810A	-	-	-	-	BEM24C1809A	0.15	(0.01)	1,500	-	CBG18C1808A	-	-	-	-
BBL27C1809A	-	-	-	-	BEM24C1902A	0.31	0.02	400	-	CBG19C1810A	-	-	-	-
BBL28C1811A	0.50	(0.01)	8,184	-	BGR10C1901A	1.15	0.06	17,522	1.00	CBG19C1901A	0.41	(0.03)	31,672	-
BBL28C1901A	0.25	(0.01)	40,914	-	BGR10C1901B	0.99	0.13	19,831	-	CBG23C1901A	0.08	(0.02)	1,350	-
BCH01C1808A	0.74	0.06	3,783	-	BGR10C1903A	0.97	0.09	15,112	-	CBG24C1809A	-	-	-	-
BCH01C1808B	0.15	0.05	8,730	-	BGR10C1902A	0.85	0.12	21,316	-	CBG24C1811A	0.10	-	1	-
BCH01P1808A	0.01	-	56,851	-	BGR11C1812A	0.82	0.07	23,650	-	CBG24C1901A	0.45	(0.05)	77,388	-
BCH06C1811A	0.37	0.04	13,467	-	BGR11C1812B	0.24	0.03	68,350	-	CBG28C1811A	-	-	-	-
BCH08C1901A	0.55	0.04	31,004	-	BGR19C1901A	0.69	0.05	6,110	-	CBG28C1812A	0.26	(0.03)	29,911	-
BCH11C1905A	0.47	0.04	6,017	-	BGR12C1901A	0.81	0.08	42,162	-	CENT01C1810A	0.12	0.01	9,129	-
BCH13C1810A	0.23	0.02	36,370	-	BGR12C1902A	0.29	0.03	4,911	-	CENT01C1810B	0.02	0.01	1,700	-
BCH19C1809A	0.25	0.03	27,069	-	BGR12C1812A	0.78	0.09	13,444	-	CENT01P1810A	1.18	(0.01)	24,422	1.00
BCH23C1811A	0.48	0.05	1,000	-	BH01C1811A	0.54	(0.01)	11,069	-	CENT06C1904A	-	-	-	-
BCH24C1811A	-	-	-	-	BH01C1811B	0.13	-	5,443	-	CENT08C1809A	-	-	-	-
BCH27C1902A	-	-	-	-	BH01P1811A	1.34	0.01	4,400	1.00	CENT08C1902A	0.23	0.01	139,861	-
BCH28C1811A	0.41	0.04	35,956	-	BH07C1810A	0.02	-	10,000	-	CENT11C1904A	0.14	0.01	5,302	-
BCP01C1810A	0.24	-	42,075	-	BH08C1811A	-	-	-	-	CENT13C1811A	-	-	-	-
BCP01C1810B	0.07	-	3,280	-	BH08C1902A	0.51	(0.01)	14,946	-	CENT13C1902A	0.31	0.01	312,076	-
BCP01P1810A	0.34	-	10,878	-	BH11C1902A	0.06	0.02	518	-	CENT19C1901A	0.22	-	72,016	-
BCP08C1901A	0.30	0.01	9,322	-	BH11C1905A	0.61	(0.01)	1,830	-	CENT23C1902A	0.13	-	57,500	-
BCP11C1811A	0.10	-	5,410	-	BH19C1901A	0.54	(0.02)	3,958	-	CENT24C1810A	-	-	-	-
BCP13C1810A	0.05	-	5,320	-	BH24C1809A	-	-	-	-	CENT24C1901A	0.14	0.01	1,242	-
BCP19C1902A	0.28	0.01	12,917	-	BH24C1811A	-	-	-	-	CENT24C1902A	0.32	0.01	134,901	-
BCP24C1808A	-	-	-	-	BH24C1902A	-	-	-	-	CHG01C1809A	0.52	(0.02)	84,734	-
BCP24C1811A	-	-	-	-	BIG08C1906A	0.16	0.02	2,182	-	CHG01C1809B	0.61	(0.05)	23,036	-
BCP28C1809A	-	-	-	-	BIG13C1808A	-	-	-	-	CHG01P1809A	0.05	0.01	6,022	-
BCP28C1809B	-	-	-	-	BIG13C1901A	0.07	(0.01)	1,288	-	CHG07C1902A	0.26	(0.02)	1,072	-
BCP28C1901A	0.24	-	10,081	-	BIG19C1811A	0.03	-	28	-	CHG11C1904A	0.28	(0.02)	14,245	-
BCPG01C1811A	0.43	0.05	105,796	-	BIG24C1808A	-	-	-	-	CHG13C1809A	-	-	-	-
BCPG01C1811B	0.17	0.03	84,392	-	BIG24C1812A	-	-	-	-	CHG13C1812A	0.26	(0.01)	268,433	-
BCPG06C1811A	0.24	0.05	12,276	-	BJC01C1812A	0.71	(0.05)	10,882	-	CHG19C1902A	0.32	(0.02)	22,327	-
BCPG08C1810A	0.21	0.02	39,836	-	BJC01C1812B	0.55	(0.03)	3,855	-	CHG23C1811A	1.14	(0.01)	1,000	1.00
BCPG11C1902A	0.16	0.02	23,326	-	BJC01P1812A	0.34	0.01	6,571	-	CHG24C1808A	-	-	-	-
BCPG13C1810A	0.12	0.02	114,700	-	BJC06C1901A	0.29	(0.02)	7,200	-	CHG24C1811A	0.18	(0.03)	21,653	-
BCPG13C1812A	0.46	0.05	233,072	-	BJC07C1809A	-	-	-	-	CHG28C1812A	0.28	(0.03)	214,721	-
BCPG19C1901A	0.47	0.05	43,302	-	BJC08C1809A	-	-	-	-	CK01C1809A	0.25	0.03	137,100	-
BCPG23C1902A	0.39	0.02	32,000	-	BJC11C1905A	0.55	(0.02)	1,830	-	CK01C1809B	0.22	0.07	124,670	-
BCPG24C1810A	-	-	-	-	BJC13C1808A	-	-	-	-	CK01P1809A	0.10	(0.04)	21,932	-
BCPG28C1809A	0.07	0.02	31,240	-	BJC13C1810A	0.13	(0.01)	2,360	-	CK08C1809A	-	-	-	-
BCPG28C1812A	0.46	0.03	95,327	-	BJC13C1812A	0.48	(0.04)	13,308	-	CK08C1901A	0.20	0.02	85,411	-
BDM01C1811A	0.22	(0.01)	10,327	-	BJC19C1809A	0.14	(0.01)	1,103	-	CK11C1904A	0.20	-	15,885	-
BDM01C1811B	0.08	(0.01)	13,224	-	BJC19C1902A	0.54	-	1,200	-	CK13C1809A	0.09	0.01	75,788	-
BDM01P1811A	0.26	0.02	44,960	-	BJC23C1901A	-	-	-	-	CK13C1902A	0.28	0.03	177,050	-
BDM06C1811A	0.66	(0.12)	450	-	BJC24C1808A	-	-	-	-	CK16C1812A	-	-	-	-
BDM08C1901A	0.16	-	1,000	-	BJC24C1901A	0.48	(0.03)	50	-	CK19C1811A	0.16	0.03	89,856	-
BDM11C1811A	-	-	-	-	BJC28C1812A	0.47	(0.02)	33,064	-	CK23C1808A	-	-	-	-
BDM11C1904A	0.12	(0.01)	3,760	-	BLA01C1812A	0.21	-	2,571	-	CK24C1808A	-	-	-	-
BDM13C1810A	0.43	(0.07)	150	-	BLA08C1811A	-	-	-	-	CK24C1901A	0.14	0.02	1,850	-
BDM13C1812A	0.13	(0.01)	45,860	-	BLA13C1809A	-	-	-	-	CK28C1809A	0.33	0.07	44,562	-
BDM16C1812A	-	-	-	-	BLA28C1810A	-	-	-	-	CK28C1812A	0.10	0.01	24,959	-
BDM19C1901A	0.28	(0.02)	4,429	-	BLAN01C1809A	0.53	-	10,567	-	CK28C1902A	0.19	(0.81)	46,288	-
BDM23C1810A	0.49	(0.01)	11	-	BLAN01C1809B	-	-	-	-	CKP01C1812A	0.55	0.06	63,091	-
BDM24C1811A	0.24	(0.03)	3,000	-	BLAN01P1809A	-	-	-	-	CKP01C1812B	0.39	0.04	39,385	-
BDM24C1812A	-	-	-	-	BLAN08C1810A	0.15	-	6,853	-	CKP08C1903A	0.51	0.05	63,567	-
BDM24C1905A	-	-	-	-	BLAN11C1902A	0.20	-	1,102	-	CKP13C1810A	0.29	0.03	66,228	-
BDM28C1811A	0.08	-	6,910	-	BLAN19C1902A	0.25	-	2,964	-	CKP13C1902A	0.51	(0.49)	69,314	-
BEAU01C1812A	0.08	(0.01)	124,310	-	BPP01C1811A	0.20	-	7,708	-	CKP19C1902A	0.44	0.03	17,458	-
BEAU01C1812B	0.04	-	100,322	-	BPP01C1811B	0.07	(0.01)	2,708	-	CKP23C1810A	0.35	0.05	9,400	-
BEAU01C1902A	1.04	(0.02)	162,772	1.00	BPP01P1811A	0.51	(0.01)	7,816	-	CKP24C1811A	0.37	0.08	8,301	-
BEAU01C1902B	0.92	(0.06)	133,230	-	BPP06C1809A	0.25	-	30,391	-	CKP28C1809A	0.03	-	300	-
BEAU01P1812A	1.38	0.02	124,105	1.00	BPP08C1810A	0.13	-	38,178	-	CKP28C1809B	0.36	0.04	668	-
BEAU01P1902A	0.87	0.02	110,8											

## Main Board Quotation

Issue Date :

Thursday August 30, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL01C1901A	0.29	0.01	53,431	-	EA13C1812B	0.47	0.01	7,499	-	HMPR01C1808A	0.32	(0.02)	29,401	-
CPAL01C1901B	0.14	(0.01)	15,492	-	EA13P1809A	0.19	(0.01)	1,545	-	HMPR01C1808B	-	-	-	-
CPAL01P1808A	1.35	0.06	35,454	1.00	EA19C1811A	0.35	-	25,470	-	HMPR01C1902A	0.39	(0.01)	54,960	-
CPAL01P1901A	1.48	0.03	29,856	1.00	EA23C1901A	0.36	0.02	3,000	-	HMPR01C1902B	0.32	(0.68)	37,987	-
CPAL01P1901B	1.17	0.01	21,362	1.00	EA24C1809A	-	-	-	-	HMPR01P1808A	0.12	0.02	51,231	-
CPAL06C1811A	0.59	(0.02)	49,246	-	EA27C1902A	-	-	-	-	HMPR01P1902A	0.43	0.01	45,672	-
CPAL06C1811B	0.03	-	2,257	-	EA28C1809A	0.13	(0.01)	15,875	-	HMPR06C1811A	0.13	0.01	7,364	-
CPAL07C1902A	0.33	(0.01)	3,250	-	EA28C1809B	-	-	-	-	HMPR08C1810A	-	-	-	-
CPAL08C1902A	0.18	(0.01)	56,009	-	EGC001C1809A	0.49	(0.01)	21,976	-	HMPR11C1808A	0.32	(0.03)	7,279	-
CPAL08P1810A	1.17	0.02	23,808	1.00	EGC008C1809A	-	-	-	-	HMPR11C1906A	0.25	(0.75)	5,150	-
CPAL11C1903A	0.08	-	16,620	-	EGC013C1809A	-	-	-	-	HMPR11P1808A	-	-	-	-
CPAL11P1903A	1.13	0.01	31,296	1.00	EGC019C1901A	0.35	(0.01)	1,450	-	HMPR13C1812A	0.25	(0.02)	185,273	-
CPAL13C1812A	0.16	(0.02)	48,806	-	EGC023C1811A	0.23	(0.01)	8,658	-	HMPR19C1901A	0.38	(0.03)	14,536	-
CPAL13C1901A	0.39	(0.03)	261,321	-	EGC024C1808A	-	-	-	-	HMPR23C1901A	0.11	-	910	-
CPAL19C1811A	0.07	(0.02)	72,726	-	EGC024C1901A	0.26	0.02	200	-	HMPR24C1808A	-	-	-	-
CPAL19C1902A	0.48	(0.03)	69,787	-	EPG01C1809A	0.28	0.08	128,419	-	HMPR24C1901A	-	-	-	-
CPAL23C1810A	-	-	-	-	EPG01P1809A	0.29	(0.11)	25,920	-	HMPR28C1811A	0.11	(0.01)	120,208	-
CPAL24C1808A	-	-	-	-	EPG07C1811A	-	-	-	-	INTU01C1809A	0.39	(0.03)	36,266	-
CPAL24C1811A	0.01	(0.01)	6,510	-	EPG08C1810A	0.06	0.02	12,001	-	INTU01C1809B	-	-	-	-
CPAL24C1901A	0.16	(0.01)	304	-	EPG08C1810B	0.78	0.14	47,958	-	INTU01P1809A	0.21	0.01	14,667	-
CPAL24C1903A	0.41	(0.01)	12,898	-	EPG11C1903A	0.62	0.08	24,800	-	INTU01P1809B	-	-	-	-
CPAL24P1901A	0.52	0.04	17,031	-	EPG13C1808A	-	-	-	-	INTU11C1905A	0.32	(0.02)	10,354	-
CPAL28C1809A	-	-	-	-	EPG13C1811A	0.47	0.10	115,044	-	INTU11P1905A	0.35	0.01	15,969	-
CPAL28C1811A	0.06	-	4,000	-	EPG19C1902A	0.49	0.08	42,819	-	INTU13C1810A	0.11	(0.02)	6,000	-
CPF01C1809A	0.92	-	9,084	-	EPG23C1808A	-	-	-	-	INTU13C1812A	0.38	(0.04)	90,510	-
CPF01C1809B	0.05	-	20,981	-	EPG24C1808A	-	-	-	-	INTU19C1901A	0.34	(0.02)	10,791	-
CPF01C1810A	0.24	-	41,112	-	EPG24C1810A	0.76	0.16	2,750	-	INTU24C1901A	-	-	-	-
CPF01P1809A	0.11	(0.02)	30,921	-	EPG24C1902A	0.57	0.04	2,050	-	INTU28C1809A	0.02	(0.04)	1	-
CPF06C1809A	0.47	-	10,000	-	ERW19C1902A	0.53	(0.03)	26,176	-	INTU28C1901A	0.26	(0.74)	69,228	-
CPF07C1810A	0.04	(0.06)	2	-	ERW24C1904A	0.53	-	18,893	-	IRPC01C1808A	0.17	0.01	49,145	-
CPF08C1809A	0.29	0.02	13,400	-	ESS001C1812A	0.57	0.01	126,434	-	IRPC01C1810A	0.19	0.02	104,607	-
CPF08C1901A	0.19	-	33,394	-	ESS001C1812B	0.36	(0.01)	75,919	-	IRPC01C1810B	0.02	-	10,052	-
CPF11C1902A	0.09	-	2,000	-	ESS001P1812A	0.50	(0.01)	76,456	-	IRPC01P1808A	0.26	(0.02)	8,871	-
CPF11P1902A	0.22	-	15,243	-	ESS008C1902A	0.46	(0.01)	109,706	-	IRPC01P1810A	0.27	-	36,030	-
CPF13C1809A	0.40	(0.01)	15,629	-	ESS011C1905A	0.73	-	18,405	-	IRPC01P1810B	0.06	-	7,151	-
CPF13C1810A	0.09	(0.01)	4,050	-	ESSO13C1811A	0.26	-	132,682	-	IRPC06C1811A	0.27	0.01	25,213	-
CPF19C1901A	0.22	-	18,638	-	ESSO19C1901A	0.43	-	36,428	-	IRPC07C1812A	0.29	0.01	2,502	-
CPF23C1810A	-	-	-	-	ESSO23C1809A	-	-	-	-	IRPC08C1808A	-	-	-	-
CPF24C1809A	0.13	-	5,120	-	ESSO24C1812A	-	-	-	-	IRPC08C1902A	0.35	0.01	41,766	-
CPF24C1901A	-	-	-	-	ESSO24C1902A	-	-	-	-	IRPC11C1902A	0.07	0.01	6,103	-
CPF24C1902A	-	-	-	-	ESSO28C1811A	0.25	-	213,635	-	IRPC11C1905A	0.41	0.01	4,118	-
CPF28C1811A	0.13	-	70,427	-	GFPT08C1906A	0.58	-	23,116	-	IRPC13C1811A	0.15	0.01	110,982	-
CPN01C1808A	0.48	-	73,908	-	GFPT13C1902A	0.35	(0.65)	85,827	-	IRPC13C1812A	0.32	0.02	215,977	-
CPN01C1808B	0.01	(0.01)	550	-	GFPT19C1811A	0.55	(0.01)	3,600	-	IRPC19C1901A	0.39	0.01	26,046	-
CPN06C1811A	0.67	(0.02)	105,909	-	GFPT24C1812A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPN07C1902A	0.53	-	395	-	GGC01C1810A	0.12	-	30,322	-	IRPC24C1808A	-	-	-	-
CPN08C1809A	-	-	-	-	GGC01C1810B	0.03	(0.01)	1,800	-	IRPC24C1809A	0.02	-	2	-
CPN08C1903A	0.67	0.01	144,714	-	GGC07C1902A	-	-	-	-	IRPC24C1812A	0.20	0.06	1,643	-
CPN11C1903A	0.43	0.02	715	-	GGC08C1906A	0.16	0.01	16,296	-	IRPC27C1809A	0.05	0.01	202	-
CPN11P1903A	0.26	0.01	26,740	-	GGC13C1811A	0.02	(0.01)	2,700	-	IRPC28C1811A	0.09	-	20,000	-
CPN13C1812A	0.45	(0.03)	220,272	-	GGC13C1902A	0.25	-	104,801	-	IRPC28C1812A	0.35	0.01	147,772	-
CPN19C1901A	0.70	(0.02)	17,178	-	GGC19C1811A	-	-	-	-	ITD01C1808A	0.01	-	1,482	-
CPN23C1810A	0.26	(0.02)	23,100	-	GGC23C1901A	-	-	-	-	ITD01C1808B	-	-	-	-
CPN24C1901A	-	-	-	-	GGC24C1812A	-	-	-	-	ITD01P1808A	1.17	(0.04)	21,438	1.00
CPN28C1810A	0.22	(0.02)	643,493	-	GGC24C1901A	0.27	-	3,544	-	ITD06C1904A	-	-	-	-
DELTO6C1903A	-	-	-	-	GGC28C1811A	-	-	-	-	ITD08C1810A	0.02	-	9,550	-
DELTO8C1811A	-	-	-	-	GLOB01C1809A	0.68	(0.02)	69,629	-	ITD11C1903A	0.13	0.01	3,564	-
DELTO13C1809A	-	-	-	-	GLOB01C1809B	0.26	(0.02)	104,715	-	ITD13C1809A	-	-	-	-
DELTO24C1901A	-	-	-	-	GLOB06C1809A	0.37	(0.03)	25,800	-	ITD13C1812A	0.15	0.01	68,420	-
DELTO27C1812A	0.13	(0.04)	2,916	-	GLOB11C1808A	0.28	(0.03)	10,024	-	ITD19C1811A	-	-	-	-
DTAC01C1808A	0.16	(0.02)	8,637	-	GLOB11C1906A	0.38	(0.62)	14,246	-	ITD23C1808A	-	-	-	-
DTAC01C1808B	-	-	-	-	GLOB13C1901A	0.39	(0.02)	90,284	-	ITD24C1810A	-	-	-	-
DTAC01C1810A	0.51	-	36,838	-	GLOB19C1901A	0.53	(0.03)	21,819	-	ITD24C1902A	0.29	0.01	10,183	-
DTAC01C1810B	-	-	-	-	GLOB23C1811A	0.66	0.01	8,500	-	IVL01C1808A	0.43	0.07	24,779	-
DTAC01C1902A	0.91	-	10,805	-	GLOB24C1810A	0.22	(0.02)	95,032	-	IVL01C1808B	-	-	-	-
DTAC01C1902B	0.77	(0.01)	12,428	-	GLOB27C1809A	0.10	-	2,630	-	IVL01C1812A	0.58	0.05	191,081	-
DTAC01P1808A	0.24	(0.02)	10,893	-	GLOW08C1811A	-	-	-	-	IVL01C1812B	0.35	0.05	167,067	-
DTAC01P1810A	0.81	0.01	14,642	-	GLOW19C1901A	-	-	-	-	IVL01P1808A	0.33	(0.11)	31,340	-
DTAC01P1810B	0.30	(0.01)	37,964	-	GLOW27C1812A	-	-	-	-	IVL01P1808B	0.01	-	4,110	-
DTAC01P1902A	0.71	-	11,969	-	GPSC01C1808A	0.81	-	37,055	-	IVL01P1812A	0.68	(0.06)	68,722	-
DTAC01P1902B	0.51	0.01	4,600	-	GPSC01C1808B	-	-	-	-	IVL01P1812B	0.43	(0.06)	35,641	-
DTAC06C1901A	0.40	(0.02)	8,216	-	GPSC01C1902A	0.81	0.01	48,851	-	IVL06C1901A	0.42	0.05	22,686	-
DTAC06P1809A	0.06	(0.01)	601	-	GPSC01C1902B	0.65	(0.35)	37,130	-	IVL07C1811A	-	-	-	-
DTAC07C1809A	-	-	-	-	GPSC01P1808A	0.88	(0.03)	10,438	-	IVL08C1901A	0.57	0.04	99,008	-
DTAC07C1902A	-	-	-	-	GPSC01P1902A	0.99	(0.13)	11,962	1.00	IVL08P1809A	-	-	-	-
DTAC08C1809A	0.04	-	4,000	-	GPSC06C1811A	0.28	0.02	16,830	-	IVL08P1903A	0.55	(0.05)	76,193	-
DTAC08C1903A	0.52	-	34,759	-	GPSC08C1808A	-	-	-	-	IVL11C1808A	0.96	0.09	28,681	-
DTAC08P1902A	0.21	-	14,309	-	GPSC08C1902A	0.60	0.04	54,141	-	IVL11C1906A	0.55	(0.45)	19,220	-
DTAC11C1904A	0.39	(0.01)	1,001	-	GPSC11C1808A	1.00	0.03	6,526	1.00	IVL11P1808A	0.01	-	400	-
DTAC13C1811A	0.15	(0.01)	11,477	-	GPSC11C1902A	0.29	0.01	3,569	-	IVL13C1809A	0.04	0.01	600	-
DTAC13C1812A	0.58	-	29,881	-	GPSC13C1812A	0.48	-	55,353	-	IVL13C1810A	0.19	0.03	78,398	-
DTAC13P1811A	0.30	-	13,775	-	GPSC19C1901A	0.60	0.01	10,688	-	IVL13C1812A	0.49	0.06	163,564	-
DTAC13P1812A	0.10	0.01	369	-	GPSC24C1808A	-	-	-	-	IVL13P1809A	-	-	-	-
DTAC19C1811A	0.35	-	22,120	-	GPSC24C1812A	0.35	0.02	1,501	-	IVL13P1811A	0.18	(0.03)	5,121	-
DTAC24C1809A	-	-	-	-	GPSC27C1902A	0.76	0.03	14,000	-	IVL19C1809A	0.44	0.08	20,137	-
DTAC24C1901A	-	-	-	-	GPSC28C1811A	0.37	0.01	46,410	-	IVL23C1810A	0.50	0.06	19,650	-
DTAC27C1809A	-	-	-	-	GUNK01C1808A	0.01	-	8,966	-	IVL24C1808A	-	-	-	-
DTAC27P1809														

## Main Board Quotation

Issue Date :

Thursday August 30, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN06C1811A	0.78	0.03	4,050	-	MAJO24C1809A	-	-	-	-	PTG28C1901A	0.22	(0.78)	81,760	-
KBAN07C1811A	-	-	-	-	MAJO24C1902A	0.49	0.02	1,000	-	PTL08C1811A	0.49	0.03	24,961	-
KBAN08C1811A	0.69	(0.03)	2,364	-	MALE01C1812A	0.03	-	150	-	PTL13C1809A	0.12	0.02	38,739	-
KBAN08C1903A	0.30	-	19,225	-	MALE08C1811A	0.01	-	70	-	PTL28C1810A	0.32	0.04	10,422	-
KBAN08P1811A	0.12	-	1,000	-	MALE13C1809A	-	-	-	-	PTT01C1808A	0.71	(0.02)	10,894	-
KBAN13C1810A	0.10	(0.02)	37,955	-	MALE27C1812A	-	-	-	-	PTT01C1808B	0.01	-	109,159	-
KBAN13C1811A	0.74	(0.06)	23,948	-	MALE28C1810A	-	-	-	-	PTT01C1810A	0.18	(0.01)	232,266	-
KBAN13C1901A	0.32	(0.01)	20,328	-	MC19C1811A	0.14	(0.01)	9,027	-	PTT01C1810B	0.05	-	2,619	-
KBAN19C1901A	0.38	(0.03)	19,172	-	MC23C1809A	-	-	-	-	PTT01C1901A	0.71	(0.02)	37,430	-
KBAN23C1902A	0.66	0.01	5,000	-	MC24C1812A	0.21	(0.01)	2,012	-	PTT01C1901B	0.55	(0.02)	145,866	-
KBAN24C1902A	-	-	-	-	MEGA01C1811A	0.18	(0.02)	32,477	-	PTT01P1808A	0.05	(0.01)	25,811	-
KBAN24C1903A	0.31	(0.01)	3	-	MEGA01C1811B	0.06	-	9,940	-	PTT01P1808B	0.01	-	58,522	-
KBAN24P1811A	-	-	-	-	MEGA08C1811A	-	-	-	-	PTT01P1810A	0.84	0.02	22,490	-
KBAN27C1809A	-	-	-	-	MEGA11C1902A	-	-	-	-	PTT01P1810B	0.24	0.01	60,731	-
KBAN27P1809A	-	-	-	-	MEGA13C1809A	-	-	-	-	PTT01P1901A	0.49	0.01	15,755	-
KBAN28C1809A	-	-	-	-	MEGA19C1902A	0.28	(0.02)	10,951	-	PTT01P1901B	0.30	-	39,324	-
KBAN28C1811A	0.77	-	18,434	-	MEGA23C1902A	0.12	(0.01)	8,500	-	PTT06C1811A	0.08	(0.03)	21,800	-
KBAN28C1812A	0.29	(0.01)	88,345	-	MEGA24C1812A	0.06	-	21	-	PTT06C1901A	0.40	(0.02)	15,114	-
KBAN28P1811A	0.08	(0.03)	151	-	MINT01C1808A	0.01	-	68,701	-	PTT06P1901A	0.35	(0.01)	7,005	-
KCE01C1810A	0.84	0.08	100,726	-	MINT01C1808B	0.01	-	13,257	-	PTT07C1811A	-	-	-	-
KCE01C1810B	0.69	0.11	110,108	-	MINT01C1901A	0.51	-	94,893	-	PTT08C1809A	0.01	(0.01)	220	-
KCE06C1809A	1.36	0.24	19,906	1.00	MINT01C1901B	0.38	0.02	80,374	-	PTT08C1902A	0.37	(0.01)	17,819	-
KCE07C1808A	-	-	-	-	MINT01P1808A	0.45	(0.09)	21,569	-	PTT08P1809A	0.14	-	16,480	-
KCE07C1902A	0.49	0.04	3,048	-	MINT01P1901A	0.24	(0.01)	67,302	-	PTT11C1902A	0.19	-	39,051	-
KCE08C1809A	0.96	0.34	45,833	-	MINT06C1809A	0.04	-	7,081	-	PTT13C1810A	0.04	-	21,011	-
KCE08C1902A	0.44	0.07	63,380	-	MINT06C1901A	0.34	0.01	46,192	-	PTT13C1811A	0.22	-	66,178	-
KCE11C1808A	0.01	-	10	-	MINT07C1810A	-	-	-	-	PTT13C1812A	0.36	(0.03)	173,889	-
KCE11C1904A	0.50	0.07	2,628	-	MINT08C1809A	0.03	0.01	5,000	-	PTT13P1812A	0.20	0.01	24,142	-
KCE13C1811A	0.71	0.07	614	-	MINT08C1903A	0.34	0.03	76,150	-	PTT19C1809A	-	-	-	-
KCE13C1812A	0.41	0.07	244,934	-	MINT11C1902A	0.16	(0.01)	1,946	-	PTT19C1901A	0.44	(0.03)	70,266	-
KCE19C1901A	0.54	0.08	49,633	-	MINT11P1902A	0.14	-	11,902	-	PTT23C1901A	0.11	(0.01)	11,472	-
KCE23C1901A	0.37	0.08	99,035	-	MINT13C1810A	0.12	0.01	49,842	-	PTT24C1809A	-	-	-	-
KCE24C1808A	-	-	-	-	MINT13C1812A	0.43	0.01	99,589	-	PTT24C1812A	-	-	-	-
KCE24C1901A	0.49	0.08	7,077	-	MINT19C1901A	0.46	0.04	23,886	-	PTT24P1808A	-	-	-	-
KCE27C1902A	0.56	0.05	7,627	-	MINT23C1810A	0.09	0.01	2,330	-	PTT24P1901A	-	-	-	-
KCE28C1811A	0.65	0.14	1	-	MINT24C1812A	0.08	(0.03)	24	-	PTT27C1809A	-	-	-	-
KKP01C1808A	0.30	0.01	9,636	-	MINT24C1901A	0.43	0.04	11	-	PTT27P1809A	-	-	-	-
KKP01C1808B	-	-	-	-	MINT24C1902A	0.31	0.03	3,104	-	PTT28C1811A	0.07	-	129	-
KKP08C1811A	0.48	0.01	15,813	-	MINT28C1811A	0.26	0.03	162,523	-	PTT28C1811B	0.21	(0.01)	26,460	-
KKP11C1903A	0.38	-	5,714	-	MONO01C1810A	0.02	0.01	5	-	PTT28C1812A	0.36	(0.03)	72,980	-
KKP13C1811A	0.36	-	42,233	-	MONO01C1810B	-	-	-	-	PTT28C1901A	0.19	(0.02)	55,989	-
KKP19C1901A	0.63	0.01	8,744	-	MONO08C1808A	-	-	-	-	PTT28P1812A	0.14	-	49,104	-
KKP24C1812A	-	-	-	-	MONO08C1906A	0.08	-	100	-	PTTE01C1808A	1.34	-	1,730	1.00
KKP28C1810A	0.19	(0.01)	14,240	-	MONO13C1811A	-	-	-	-	PTTE01C1808B	0.65	(0.01)	2,212	-
KTB01C1808A	0.23	-	49,473	-	MONO13C1901A	0.14	-	3,290	-	PTTE01C1901A	0.83	(0.01)	70,859	-
KTB01C1810A	0.46	-	51,353	-	MONO19C1811A	0.05	-	1	-	PTTE01C1901B	0.55	-	80,350	-
KTB01C1810B	0.20	(0.03)	61,230	-	MONO23C1809A	-	-	-	-	PTTE01P1808A	0.01	-	35,320	-
KTB01P1808A	0.11	(0.02)	9,262	-	MONO23C1901A	-	-	-	-	PTTE01P1901A	1.03	0.01	43,314	1.00
KTB06C1902A	0.43	0.01	23,710	-	MONO24C1812A	-	-	-	-	PTTE01P1901B	0.57	0.01	70,449	-
KTB08C1809A	-	-	-	-	MONO24C1812B	-	-	-	-	PTTE06C1811A	0.50	(0.01)	12,262	-
KTB08C1903A	0.30	(0.02)	40,362	-	MONO28C1811A	-	-	-	-	PTTE07C1809A	0.20	-	10,903	-
KTB11C1811A	0.20	(0.02)	12,100	-	MONO28C1901A	-	-	-	-	PTTE08C1811A	0.40	(0.01)	37,242	-
KTB13C1809A	-	-	-	-	MTC06C1901A	0.65	-	40,156	-	PTTE08P1809A	-	-	-	-
KTB13C1901A	0.49	(0.01)	42,956	-	MTC08C1811A	0.19	(0.02)	24,054	-	PTTE08P1811A	0.11	(0.01)	1,000	-
KTB19C1901A	0.35	-	12,898	-	MTC08C1902A	0.48	(0.01)	20,167	-	PTTE11C1902A	0.71	(0.01)	14,658	-
KTB23C1811A	0.29	-	1,000	-	MTC11C1904A	0.43	(0.01)	135	-	PTTE13C1811A	0.34	-	74,127	-
KTB24C1808A	-	-	-	-	MTC13C1809A	0.02	(0.01)	3,100	-	PTTE13C1812A	0.67	(0.02)	58,480	-
KTB24C1811A	-	-	-	-	MTC13C1811A	0.60	-	194,914	-	PTTE13P1811A	0.08	-	14,859	-
KTB24P1901A	0.14	-	140	-	MTC19C1901A	0.48	-	26,649	-	PTTE13P1901A	0.46	0.01	44,926	-
KTB28C1809A	-	-	-	-	MTC23C1808A	0.01	(0.03)	1,000	-	PTTE19C1811A	0.57	-	34,866	-
KTB28C1811A	0.22	(0.01)	148,306	-	MTC24C1808A	-	-	-	-	PTTE23C1901A	0.13	-	12,561	-
KT001C1808A	0.66	0.03	12,005	-	MTC24C1810A	0.26	-	2,480	-	PTTE24C1811A	-	-	-	-
KT001C1808B	0.01	-	69,476	-	MTC24C1812A	0.57	0.02	2,000	-	PTTE24C1901A	-	-	-	-
KT001C1810A	0.22	(0.01)	88,356	-	MTC28C1809A	0.40	(0.02)	1,200	-	PTTE24P1809A	0.01	-	1	-
KT001C1810B	0.11	0.01	61,689	-	MTC28C1902A	0.37	(0.63)	24,296	-	PTTE24P1901A	-	-	-	-
KT08C1808A	-	-	-	-	ORI11C1811A	-	-	-	-	PTTE27C1809A	-	-	-	-
KTC11C1902A	0.88	(0.03)	796	-	ORI13C1810A	0.35	(0.01)	69,410	-	PTTE27P1809A	-	-	-	-
KTC13C1809A	0.01	-	7,673	-	ORI19C1811A	0.22	-	26,264	-	PTTE28C1810A	0.25	0.01	21,098	-
KTC13C1809B	0.03	-	55,321	-	ORI23C1809A	-	-	-	-	PTTE28C1811A	0.16	-	34,265	-
KTC13C1812A	0.15	-	284,416	-	ORI24C1810A	0.17	(0.01)	2,000	-	PTTE28P1811A	-	-	-	-
KTC13C1812B	0.30	-	25,842	-	PLAN08C1811A	0.19	(0.01)	12,177	-	PTTG01C1808A	0.01	(0.02)	10,577	-
KTC19C1811A	0.15	(0.01)	22,220	-	PLAN13C1809A	-	-	-	-	PTTG01C1810A	0.19	(0.01)	113,434	-
KTC19C1901A	0.62	(0.01)	14,106	-	PLAN28C1810A	0.11	(0.01)	32,240	-	PTTG01C1810B	-	-	-	-
KTC23C1809A	0.53	0.02	26,500	-	PRM13C1901A	0.47	(0.02)	35,880	-	PTTG01C1811A	0.44	-	177,753	-
KTC24C1808A	0.05	(0.04)	1,500	-	PRM19C1902A	0.49	(0.03)	7,976	-	PTTG01C1901A	1.15	-	90,190	1.00
KTC24C1810A	0.07	-	264	-	PSH01C1810A	0.31	(0.02)	8,060	-	PTTG01C1901B	0.85	(0.01)	35,382	-
KTC28C1809A	0.01	(0.03)	3,704	-	PSH01C1810B	0.05	(0.01)	1,260	-	PTTG01P1808A	0.93	0.02	22,705	-
KTC28C1810A	0.12	0.01	50,170	-	PSH01P1810A	0.69	0.01	2,758	-	PTTG01P1811A	1.46	(0.01)	27,279	1.00
KTC28C1901A	0.28	(0.72)	1,200	-	PSH08C1811A	-	-	-	-	PTTG01P1901A	0.80	(0.01)	40,585	-
LH01C1809A	0.34	(0.02)	5,616	-	PSH11C1902A	0.23	-	3,706	-	PTTG01P1901B	0.55	(0.01)	25,893	-
LH01C1809B	0.12	(0.02)	17,703	-	PSH23C1811A	0.17	(0.01)	2,000	-	PTTG06C1809A	-	-	-	-
LH01P1809A	0.06	0.01	169	-	PSLO1C1812A	0.36	(0.02)	15,360	-	PTTG06C1903A	1.12	(0.01)	40,899	1.00
LH06C1809A	-	-	-	-	PSLO1C1812B	0.28	(0.01)	20,824	-	PTTG06P1903A	0.39	(0.04)	5,170	-
LH07C1810A	-	-	-	-	PSL11C1905A	0.25	-	5,490	-	PTTG07C1812A	0.40	0.01	43,479	-
LH11C1808A	-	-	-	-	PSL23C1809A	-	-	-	-	PTTG08C1811A	-	-	-	-
LH11C1906A	0.18	(0.82)	1,325	-	PTG01C1811A	0.04	-	28,704	-	PTTG08C1902A	0.64	(0.01)	33,690	-
LH13C1902A	-	-	-	-	PTG01C1811B	0.01	(0.01)	3,060	-	PTTG08P1811A	0.65	(0.01)	25,600	-
LH19C1901A	0.21	(0.01)	5,986	-	PTG01P1811A	1.74	0.02	19,400	1.00	PTTG11C1902A	-	-	-</	

## Main Board Quotation

Issue Date :

Thursday August 30, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OH11C1902A	0.45	0.03	22,941	-	SCB01P1808A	0.80	(0.02)	8,964	-	STA13C1812A	0.38	0.01	68,570	-
OH19C1901A	0.25	0.02	32,016	-	SCB01P1808B	0.01	-	25,907	-	STA13C1901A	0.24	(0.76)	51,300	-
QH23C1808A	0.37	(0.09)	4,000	-	SCB01P1902A	0.40	(0.01)	11,783	-	STA19C1811A	0.16	(0.01)	22,604	-
QH24C1812A	0.19	0.02	19,050	-	SCB01P1902B	0.17	(0.01)	13,929	-	STA23C1809A	0.08	0.01	3,200	-
RATC19C1901A	0.34	-	3,460	-	SCB06C1811A	0.77	0.03	9,074	-	STA24C1808A	-	-	-	-
RATC24C1902A	-	-	-	-	SCB08C1901A	0.59	0.02	18,322	-	STEC01C1809A	0.25	-	77,974	-
RATC27C1812A	-	-	-	-	SCB11C1901A	0.32	0.01	5,390	-	STEC01C1809B	0.68	(0.01)	25,666	-
ROBI01C1809A	0.31	0.01	8,344	-	SCB11P1901A	0.30	(0.01)	12,374	-	STEC01C1809A	0.57	(0.03)	16,603	-
ROBI06C1809A	0.29	0.01	17,194	-	SCB13C1809A	-	-	-	-	STEC06C1809A	0.28	-	32,949	-
ROBI08C1808A	-	-	-	-	SCB13C1812A	0.70	0.01	56,840	-	STEC08C1809A	0.16	-	85,750	-
ROBI11C1808A	0.03	0.02	1	-	SCB13P1812A	-	-	-	-	STEC11C1903A	0.57	0.01	22,585	-
ROBI11C1906A	0.55	(0.45)	2,008	-	SCB19C1811A	0.39	0.02	28,278	-	STEC13C1809A	0.02	-	601	-
ROBI19C1901A	0.69	0.01	3,304	-	SCB24C1901A	-	-	-	-	STEC19C1901A	0.56	0.01	33,490	-
ROBI24C1901A	0.28	(0.01)	600	-	SCB24C1902A	-	-	-	-	STEC23C1808A	-	-	-	-
ROBI24C1903A	-	-	-	-	SCB24P1811A	-	-	-	-	STEC24C1808A	-	-	-	-
RS08C1901A	0.53	0.02	47,436	-	SCB27C1902A	0.61	(0.01)	8,000	-	STEC24C1901A	0.62	0.02	600	-
RS13C1901A	0.57	(0.02)	125,778	-	SCB28C1809A	0.03	(0.01)	300	-	STEC27C1902A	-	-	-	-
RS19C1901A	0.54	(0.01)	20,830	-	SCB28C1812A	0.59	0.02	18,414	-	STEC28C1810A	0.51	0.01	37,209	-
RS24C1811A	0.48	0.03	351	-	SCB28P1812A	0.05	-	300	-	STPI08C1811A	0.04	-	300	-
S10001C1811A	0.62	0.02	1,301	-	SCCO1C1808A	0.12	(0.01)	72,089	-	SUPE08C1808A	-	-	-	-
S5001C1808A	0.78	0.02	3,776	-	SCCO1C1808B	0.01	-	500	-	SUPE08C1811A	0.06	-	2,204	-
S5001C1808B	0.58	0.01	8,387	-	SCCO1C1901A	0.77	0.02	144,823	-	SUPE13C1810A	0.03	-	102	-
S5001C1809F	0.90	(0.03)	1,363,214	-	SCCO1C1901B	0.65	0.03	75,239	-	SUPE13C1811A	-	-	-	-
S5001C1809G	0.15	(0.02)	261,598	-	SCCO1P1808A	0.38	(0.03)	12,549	-	SUPE19C1902A	0.21	(0.01)	1,610	-
S5001C1809H	2.34	(0.02)	250,398	2.00	SCCO1P1901A	0.28	(0.02)	24,464	-	SUPE23C1811A	0.07	-	4,150	-
S5001C1809I	1.64	(0.07)	1,526,154	1.00	SCCO6C1809A	-	-	-	-	SUPE23C1901A	0.06	(0.01)	70	-
S5001C1810A	1.46	(0.02)	50,365	1.00	SCCO6C1902A	0.39	0.01	30,150	-	SUPE28C1810A	-	-	-	-
S5001C1810B	1.48	(0.03)	63,349	1.00	SCCO7C1812A	0.63	-	1	-	SUPE28C1811A	-	-	-	-
S5001P1808A	0.73	-	5,664	-	SCCO8C1809A	0.02	(0.01)	24,000	-	TASCO1C1809A	-	-	-	-
S5001P1808B	0.77	0.02	11,013	-	SCCO8C1902A	0.45	0.01	31,274	-	TASCO1C1810A	0.14	(0.01)	40,414	-
S5001P1809F	1.21	0.03	63,347	1.00	SCC11C1811A	0.12	0.01	7,891	-	TASCO1C1810B	-	-	-	-
S5001P1809G	0.35	-	100,320	-	SCC11C1906A	0.32	(0.68)	7,353	-	TASCO1P1809A	1.71	0.04	4,843	1.00
S5001P1809H	0.02	-	692	-	SCC11P1811A	0.16	(0.02)	9,050	-	TASCO1P1810A	0.65	0.03	7,589	-
S5001P1809I	0.01	(0.01)	17,845	-	SCC13C1809A	0.02	-	1,178	-	TASCO7C1811A	-	-	-	-
S5001P1810A	0.18	-	206,491	-	SCC13C1812A	0.24	0.01	16,352	-	TASCO8C1808A	-	-	-	-
S5001P1810B	0.10	-	118,059	-	SCC13C1901A	-	-	-	-	TASCO8C1903A	0.42	(0.01)	71,445	-
S5006C1809A	0.20	0.02	1,600	-	SCC19C1811A	0.17	0.01	25,374	-	TASC11C1904A	0.13	-	7,450	-
S5006C1809B	0.05	(0.01)	13,230	-	SCC19C1901A	0.45	0.01	103,080	-	TASC13C1810A	-	-	-	-
S5006C1809C	0.39	(0.03)	509	-	SCC23C1811A	-	-	-	-	TASC19C1902A	0.39	(0.01)	61,546	-
S5006C1809D	0.09	(0.02)	604	-	SCC24C1812A	-	-	-	-	TASC23C1902A	0.31	(0.01)	23,480	-
S5006C1812A	0.69	(0.04)	25,686	-	SCC24C1901A	-	-	-	-	TASC24C1810A	-	-	-	-
S5006C1812B	0.75	(0.06)	12,387	-	SCC24C1902A	0.34	0.02	6,000	-	TASC24C1903A	0.34	(0.01)	2,500	-
S5006C1812C	-	-	-	-	SCC24P1901A	-	-	-	-	TCAP01C1901A	0.66	-	18,348	-
S5006P1809A	0.94	0.05	4,010	-	SCC27C1809A	-	-	-	-	TCAP01C1901B	0.55	-	21,717	-
S5006P1809B	0.31	-	17,111	-	SCC27P1809A	0.17	(0.03)	2,330	-	TCAP01P1901A	0.31	-	2,553	-
S5006P1809C	0.34	-	901	-	SCC28C1811A	0.18	0.01	163,036	-	TCAP08C1810A	-	-	-	-
S5006P1809D	0.10	(0.02)	1,800	-	SCC28C1812A	0.48	0.02	27,074	-	TCAP11C1811A	0.14	-	3,600	-
S5006P1812A	0.93	0.04	14,484	-	SCCC08C1811A	-	-	-	-	TCAP13C1809A	-	-	-	-
S5006P1812B	0.30	-	29,173	-	SCCC13C1809A	-	-	-	-	TCAP13C1901A	0.51	(0.01)	76,775	-
S5006P1812C	-	-	-	-	SCCC27C1812A	0.08	-	200	-	TCAP19C1901A	0.41	(0.02)	3,286	-
S5008C1809A	0.73	(0.11)	127,870	-	SGP06C1812A	-	-	-	-	TCAP24C1903A	0.34	(0.03)	120	-
S5008P1809A	0.01	-	5,040	-	SGP08C1808A	-	-	-	-	THAI01C1808A	-	-	-	-
S5013C1809A	0.08	(0.01)	269,991	-	SGP08C1901A	0.44	(0.01)	102,827	-	THAI01C1808B	-	-	-	-
S5013C1809B	0.25	(0.06)	711,366	-	SGP11C1904A	-	-	-	-	THAI01C1901A	0.27	0.01	22,937	-
S5013C1809C	0.17	(0.03)	673,133	-	SGP13C1811A	0.13	-	1	-	THAI01C1901B	0.14	(0.01)	9,600	-
S5013C1809D	0.54	(0.08)	3,785,251	-	SGP13C1812A	0.31	-	184,889	-	THAI01P1808A	0.81	(0.02)	5,258	-
S5013C1809E	1.13	(0.10)	837,472	1.00	SGP19C1811A	0.32	-	69,605	-	THAI01P1901A	0.88	(0.02)	6,580	-
S5013C1809F	0.73	(0.05)	392,853	-	SGP24C1808A	-	-	-	-	THAI06C1809A	-	-	-	-
S5013C1812A	1.11	(0.06)	766,294	1.00	SGP24C1811A	0.14	0.01	10,601	-	THAI07C1811A	-	-	-	-
S5013P1809A	0.60	0.05	564,554	-	SGP24C1902A	1.08	0.03	100	1.00	THAI08C1808A	-	-	-	-
S5013P1809B	0.19	0.01	1,790,830	-	SGP28C1809A	-	-	-	-	THAI08C1903A	0.24	-	30,364	-
S5013P1809C	0.33	0.03	1,699,040	-	SGP28C1811A	0.14	-	41,900	-	THAI11C1808A	-	-	-	-
S5013P1809D	0.06	-	315,504	-	SIRI01C1808A	0.01	-	1,530	-	THAI11C1906A	0.33	(0.67)	5,664	-
S5013P1809E	0.02	-	574,101	-	SIRI01C1808B	0.01	-	32,756	-	THAI13C1811A	-	-	-	-
S5013P1809F	0.62	0.04	1,021,962	-	SIRI01C1901A	0.39	0.01	8,877	-	THAI19C1901A	0.24	-	10,204	-
S5013P1812A	0.84	0.04	927,701	-	SIRI01C1901B	0.15	-	9,450	-	THAI23C1901A	0.01	(0.01)	300	-
S5028C1809A	0.18	(0.02)	377,263	-	SIRI01P1808A	0.57	-	2,150	-	THAI24C1808A	-	-	-	-
S5028C1809B	1.03	(0.08)	708,973	1.00	SIRI01P1901A	0.57	(0.01)	6,574	-	THAI24C1901A	0.14	-	3,500	-
S5028C1810A	0.63	(0.04)	323,100	-	SIRI06C1904A	-	-	-	-	THAI27C1809A	-	-	-	-
S5028P1809A	0.19	0.02	408,730	-	SIRI08C1808A	-	-	-	-	THAI28C1901A	0.24	(0.76)	36,480	-
S5028P1809B	0.03	-	9,312	-	SIRI08C1810A	-	-	-	-	THAN01C1812A	0.45	0.06	69,405	-
S5028P1810A	0.65	0.02	593,537	-	SIRI11C1902A	-	-	-	-	THAN13C1809A	-	-	-	-
SAWA01C1808A	0.01	-	15,547	-	SIRI13C1809A	-	-	-	-	THAN24C1903A	0.46	0.03	4,820	-
SAWA01C1808B	0.01	-	19,107	-	SIRI19C1902A	0.25	0.01	5,052	-	THAN28C1810A	0.07	0.01	1	-
SAWA01C1901A	0.63	(0.03)	106,861	-	SIRI23C1811A	0.14	-	1,000	-	THCO01C1809A	0.12	(0.01)	4,068	-
SAWA01C1901B	0.49	(0.03)	55,879	-	SIRI24C1809A	-	-	-	-	THCO01P1809A	0.37	-	2,402	-
SAWA01P1808A	1.79	0.07	10,594	1.00	SIRI24C1903A	-	-	-	-	THCO08C1906A	0.28	(0.02)	16,809	-
SAWA01P1901A	0.69	0.02	35,637	-	SIRI28C1809A	-	-	-	-	THCO11C1902A	0.19	(0.01)	1,807	-
SAWA06C1811A	0.08	-	2,600	-	SIRI28C1901A	0.32	0.01	80,080	-	THCO19C1811A	0.18	-	2,710	-
SAWA06C1903A	0.89	(0.05)	19,580	-	SPAL01C1808A	0.43	0.05	10,230	-	THCO23C1808A	-	-	-	-
SAWA07C1812A	0.46	(0.05)	1,094	-	SPAL01C1808B	0.01	-	1,000	-	THCO24C1810A	0.29	0.03	1	-
SAWA08C1808A	-	-	-	-	SPAL06C1809A	0.48	0.02	22,348	-	THCO28C1901A	0.41	(0.02)	7,363	-
SAWA08C1811A	0.02	(0.02)	11,495	-	SPAL08C1808A	-	-	-	-	TISCO1C1808A	0.09	(0.02)	7,371	-
SAWA08C1902A	0.67	(0.05)	25,060	-	SPAL11C1905A	-	-	-	-	TISCO1C1808B	0.01	-	14,514	-
SAWA11C1808A	0.01	-	500	-	SPAL19C1902A	0.46	0.02	880	-	TISCO7C1902A	0.82	-	450	-
SAWA11C1906A	0.44	(0.56)	4,264	-	SPAL23C1811A	0.56	0.04	8,800	-	TISCO8C1808A	-	-	-	-
SAWA13C1810A	0.02	0.01	1,698	-	SPAL24C1808A	-	-	-	-	TISCO8C1903A	0.64	-	48,250	-
SAWA13C1811A	-	-	-	-	SPAL24C1812A	-								

## Main Board Quotation

Issue Date :

Thursday August 30, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN13C1812A	0.31	(0.01)	93,982	-	TTA13C1901A	0.22	-	3,299	-	KTB-Q	-	-	-	-
TKN19C1811A	0.08	(0.01)	4,551	-	TTA18C1808A	-	-	-	-	SCB-Q	-	-	-	-
TKN23C1902A	0.34	-	500	-	TTA19C1811A	-	-	-	-	TCAP-Q	-	-	-	-
TKN24C1811A	0.18	(0.02)	4,000	-	TTA23C1808A	-	-	-	-	TIC-Q	-	-	-	-
TKN24C1812A	-	-	-	-	TTA23C1901A	-	-	-	-	TISCO-Q	-	-	-	-
TKN28C1811A	-	-	-	-	TTA24C1809A	-	-	-	-	U-Q	-	-	-	-
TKN28C1812A	0.50	(0.02)	16,540	-	TTA24C1902A	0.10	0.01	1,900	-	Warrant	-	-	-	-
TMB01C1810A	0.16	0.01	43,182	-	TTA28C1812A	0.10	-	107,368	-	7UP-W2	0.07	-	1,113	-
TMB01C1810B	0.04	0.02	7,169	-	TU01C1808A	0.01	-	9,580	-	ACC-W1	0.02	-	15,720	-
TMB01P1810A	0.46	(0.01)	7,423	-	TU01C1808B	-	-	-	-	AJA-W1	0.21	0.01	4,230	-
TMB06C1809A	-	-	-	-	TU01C1901A	0.65	0.01	15,322	-	ALT-W1	0.52	(0.01)	1,214	-
TMB06C1902A	-	-	-	-	TU01C1901B	0.62	0.03	12,720	-	APURE-W2	0.17	-	1,148	-
TMB07C1811A	-	-	-	-	TU01P1808A	0.69	(0.04)	5,322	-	AO-W4	-	-	-	-
TMB08C1808A	-	-	-	-	TU01P1901A	0.19	(0.01)	10,072	-	AS-W1	0.26	-	36	-
TMB08C1901A	0.07	-	9,052	-	TU06C1902A	0.35	0.01	9,164	-	AYUD-W1	2.86	0.06	26,070	2.00
TMB11C1904A	0.08	-	1,302	-	TU07C1902A	-	-	-	-	B-W3	-	-	-	-
TMB13C1811A	0.04	(0.01)	152	-	TU08C1811A	-	-	-	-	B-W4	0.18	-	5,857	-
TMB13C1901A	0.19	0.01	24,953	-	TU11C1902A	0.06	(0.01)	7,612	-	BTS-W3	0.01	-	7,379	-
TMB19C1901A	0.11	-	14,985	-	TU11C1906A	0.26	(0.74)	7,510	-	BWG-W4	0.07	-	4,818	-
TMB23C1810A	-	-	-	-	TU13C1809A	-	-	-	-	CEN-W4	0.05	0.01	4,251	-
TMB24C1809A	-	-	-	-	TU19C1901A	0.33	0.01	6,366	-	CGD-W4	0.21	0.01	12,469	-
TMB24C1901A	-	-	-	-	TU23C1902A	0.34	0.01	6,000	-	CGH-W3	0.06	-	5,329	-
TMB24C1902A	0.17	0.01	3,250	-	TU24C1808A	-	-	-	-	CI-W1	0.39	-	7	-
TMB28C1809A	-	-	-	-	TU24C1901A	0.23	0.01	100	-	CKP-W1	0.38	0.02	115,402	-
TMB28C1901A	0.14	-	7,382	-	TVO01C1809A	0.15	(0.02)	183,424	-	CRANE-W1	2.08	0.02	130	1.00
TOA01C1901A	0.33	0.02	56,082	-	TVO01C1809B	-	-	-	-	CWT-W4	0.42	-	4,425	-
TOA01C1901B	0.23	0.02	43,015	-	TVO08C1808A	-	-	-	-	DCC-W1	0.93	0.07	1,447,426	-
TOA08C1902A	0.16	0.02	22,430	-	TVO11C1903A	0.11	(0.01)	4,105	-	DCON-W1	-	-	-	-
TOA13C1812A	0.22	0.01	125,885	-	TVO13C1809A	-	-	-	-	DIGI-W1	0.03	-	233	-
TOA19C1901A	0.23	0.02	15,604	-	TVO13C1902A	0.25	(0.02)	34,912	-	DIGI-W2	0.02	-	550	-
TOA24C1812A	-	-	-	-	TVO19C1902A	0.26	(0.01)	17,812	-	EARTH-W4	-	-	-	-
TOA28C1812A	0.19	0.01	25,723	-	TVO23C1808A	-	-	-	-	EIC-W2	-	-	-	-
TOP01C1808A	0.02	0.01	9,700	-	TVO24C1810A	-	-	-	-	EIC-W3	-	-	-	-
TOP01C1808B	0.01	-	4,600	-	TVO24C1903A	0.30	-	22,420	-	EIC-W4	-	-	-	-
TOP01C1901A	1.45	(0.06)	14,532	1.00	UNI001C1809A	0.08	0.01	12,560	-	EVER-W3	0.03	0.01	21,708	-
TOP01C1901B	1.35	(0.02)	10,337	1.00	UNI001C1810A	0.27	0.04	101,959	-	GJS-W3	0.01	-	900	-
TOP01P1808A	1.04	0.05	11,498	1.00	UNI001C1810B	0.06	0.02	11,070	-	GSTEL-W1	-	-	-	-
TOP01P1901A	0.62	0.02	37,919	-	UNI001P1809A	0.50	(0.04)	6,540	-	GSTEL-W2	-	-	-	-
TOP06C1809A	-	-	-	-	UNI008C1808A	-	-	-	-	IEC-W2	-	-	-	-
TOP06C1903A	1.18	(0.04)	10,500	1.00	UNI008C1810A	-	-	-	-	IHL-W1	5.50	0.30	111	5.00
TOP07C1812A	0.44	(0.05)	2,725	-	UNI008C1906A	0.27	0.02	9,634	-	ITD-W1	0.10	0.01	136,992	-
TOP08C1811A	0.10	(0.02)	7,606	-	UNI011C1811A	0.09	-	100	-	JAS-W3	2.04	-	11,656	2.00
TOP08C1902A	0.61	(0.03)	19,284	-	UNI013C1809A	-	-	-	-	JCK-W5	0.47	(0.02)	1,003	-
TOP11C1808A	-	-	-	-	UNI013C1901A	0.25	0.02	73,209	-	JMART-W2	1.87	0.03	20,036	1.00
TOP11C1905A	1.07	(0.02)	4,938	1.00	UNI019C1811A	-	-	-	-	MIDA-W2	0.02	-	130	-
TOP13C1811A	0.08	(0.01)	6,492	-	UNI023C1901A	0.10	0.02	10,000	-	MILL-W3	0.04	-	5,020	-
TOP13C1901A	0.61	(0.05)	49,174	-	UNI024C1811A	-	-	-	-	MILL-W4	0.29	(0.01)	52	-
TOP18C1808A	-	-	-	-	UNI028C1809A	-	-	-	-	MILL-W5	0.21	-	19,513	-
TOP19C1901A	0.44	(0.04)	22,460	-	UNI028C1811A	0.09	0.01	10,000	-	ML-W2	0.03	-	120	-
TOP23C1811A	-	-	-	-	UV06C1812A	-	-	-	-	MONO-W1	0.41	(0.01)	7,369	-
TOP24C1901A	0.17	(0.03)	100	-	UV13C1812A	0.47	(0.02)	411,262	-	NEP-W3	0.08	(0.02)	100	-
TOP24C1902A	-	-	-	-	UV19C1902A	0.52	(0.02)	36,141	-	NOK-W1	0.53	0.03	231	-
TOP28C1810A	-	-	-	-	UV23C1809A	-	-	-	-	NPPG-W3	-	-	-	-
TOP28C1812A	0.55	(0.04)	20,422	-	UV24C1812A	0.24	(0.01)	200	-	NUSA-W3	-	-	-	-
TP101C1812A	0.26	0.04	51,766	-	VGI01C1812A	0.66	0.11	41,810	-	NVD-W1	0.25	0.04	68,829	-
TP101C1812B	0.18	0.04	42,392	-	VGI06C1904A	-	-	-	-	ORI-W1	2.60	-	2,319	2.00
TP107C1812A	-	-	-	-	VGI06C1904C	-	-	-	-	PACE-W2	0.24	(0.02)	111,992	-
TP113C1809A	-	-	-	-	VGI08C1811A	0.54	0.13	29,885	-	PDI-W1	1.17	0.01	848	1.00
TP119C1901A	0.28	0.03	12,144	-	VGI23C1905A	-	-	-	-	PDJ-W2	1.46	(0.02)	25	1.00
TP123C1809A	0.01	-	12	-	VGI23C1911A	1.30	0.03	140	1.00	PDJ-W3	1.41	(0.03)	13	1.00
TP124C1808A	-	-	-	-	VGI27C1812A	0.31	0.05	8,490	-	PDJ-W4	1.40	-	27	1.00
TP124C1902A	0.12	0.02	1	-	VGI28C1810A	0.29	0.09	225,228	-	PLE-W3	0.11	-	5,517	-
TP1P01C1810A	0.37	0.02	13,264	-	WHA01C1812A	0.58	0.02	102,290	-	RICH-W1	-	-	-	-
TP1P01C1810B	0.09	-	5,716	-	WHA01C1812B	0.48	0.03	96,191	-	RICHY-W1	0.34	(0.02)	15,563	-
TP1P01P1810A	0.52	(0.02)	23,340	-	WHA01P1812A	0.56	(0.04)	3,640	-	RICHY-W2	0.20	0.01	3,336	-
TP1P08C1808A	-	-	-	-	WHA06C1809A	0.08	-	10,004	-	RS-W3	7.55	0.05	255	7.00
TP1P11C1811A	-	-	-	-	WHA07C1810A	0.14	0.01	12,052	-	S-W1	0.15	(0.01)	62,840	-
TP1P13C1811A	0.18	0.01	15,939	-	WHA08C1811A	0.15	0.02	37,862	-	SAMART-W2	0.29	-	875	-
TP1P19C1902A	0.40	0.02	15,087	-	WHA11C1903A	0.22	0.02	19,671	-	SAWAD-W1	5.65	(0.05)	174	5.00
TP1P23C1808A	-	-	-	-	WHA13C1812A	0.42	0.01	171,577	-	SDC-W1	0.07	-	722	-
TP1P24C1901A	-	-	-	-	WHA19C1901A	0.43	0.02	38,642	-	SMM-W4	0.01	-	31,926	-
TP1P27C1812A	-	-	-	-	WHA23C1810A	0.21	0.02	7,500	-	SMT-W1	0.09	-	1,051	-
TRUE01C1808A	0.29	(0.01)	38,970	-	WHA24C1811A	0.08	-	1,901	-	SMT-W2	0.69	-	1,506	-
TRUE01C1808B	0.01	(0.01)	211,731	-	WHA28C1809A	0.32	0.03	6,090	-	SPALI-W4	20.00	0.20	3,904	19.00
TRUE01C1902A	0.55	(0.02)	274,255	-	WHA28C1901A	0.42	(0.58)	81,206	-	SPORT-W5	0.03	-	73	-
TRUE01C1902B	0.46	(0.01)	176,841	-	WHAU01C1810A	0.18	-	72,165	-	SUPER-W4	0.09	(0.01)	170,166	-
TRUE01P1808A	0.10	0.02	25,679	-	WHAU01C1810B	0.02	(0.01)	4,699	-	SUSCO-W1	0.09	-	13,740	-
TRUE01P1902A	0.45	0.02	76,727	-	WHAU24C1812A	0.03	-	502	-	SVI-W3	1.99	(0.13)	4,579	2.00
TRUE01P1902B	0.32	0.02	104,116	-	WHAU24C1902A	0.30	0.02	50	-	TCC-W3	0.12	(0.13)	202	-
TRUE06C1811A	0.13	(0.01)	13,066	-	WORK01C1811A	0.42	0.04	140,440	-	TCC-W4	0.13	-	10	-
TRUE06C1906A	0.32	(0.02)	28,094	-	WORK01C1811B	0.22	0.02	151,410	-	TCC-W5	0.16	(0.01)	763	-
TRUE07C1902A	-	-	-	-	WORK08C1809A	-	-	-	-	TCJ-W2	0.95	(0.02)	9,348	-
TRUE08C1809A	0.07	-	4,384	-	WORK08C1901A	0.31	0.02	160,489	-	TCMC-W2	0.32	-	20,185	-
TRUE08C1902A	0.42	(0.02)	99,054	-	WORK11C1903A	0.09	0.02	15,815	-	TFG-W1	1.56	(0.14)	153	1.00
TRUE08P1809A	0.03	-	40	-	WORK13C1809A	-	-	-	-	TFG-W2	0.77	(0.01)	2,300	-
TRUE11C1905A	0.37	(0.02)	15,020	-	WORK13C1810A	0.02	0.01	660	-	TH-W2	0.15	-	101	-
TRUE13C1810A	0.03	(0.01)	48,322	-	WORK13C1811A	0.06	-	3,177	-	THE-W2	0.06	-	4,850	-
TRUE13C1812A	0.27	(0.03)	587,291	-	WORK13C1812A	0.33	0.06	177,897	-	TNITY-W1	0.92	(0.03)	4,213	-
TRUE16C1812A	0.34	0.01	70	-	WORK19C1811A	0.10	0.01	8,574	-	TNPC-W1	0.43	-	2,822	-
TRUE19C1901A	0.19	(0.02)	50,511	-	WORK24C1810A	-	-	-	-	TRITN-W3	0.19	-	60,984	-
TRUE23C1902A	0.27	0.02	47,806	-	WORK24C1812A	0.22	0.03	10,935	-	TSR-W1	0.60	(0.02)	10,028	-
TRUE27C1809A	0.17	0.03	10,318	-	WORK28C1809A	-	-	-	-	TTA-W5	0.18	-	8,884	-
TRUE27P1809A	0.14	-	17,006	-	WORK28C1811A	0.06	-	31	-	TTCL-W1	1.14	(0.01)	122,340	1.00
TRUE2														

Main Board Quotation

Issue Date :

Thursday August 30, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA-W1	6.50	0.30	9,864	6.00	TMILL-W1	1.09	(0.07)	12,847	1.00	-	-	-	-	-
WORK-W1	9.00	-	1	9.00	TSF-W4	0.01	-	14	-	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W5	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	TVD-W2	0.63	0.01	26,430	-	-	-	-	-	-
CSC-P	-	-	-	-	UAC-W2	0.76	(0.04)	23,673	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UKEM-W2	0.50	(0.02)	5,895	-	-	-	-	-	-
KTB-P	-	-	-	-	UWC-W2	0.01	-	7,000	-	-	-	-	-	-
SCB-P	-	-	-	-	XO-W1	6.15	0.10	3,179	6.00	-	-	-	-	-
TCAP-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TIC-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	0.03	-	3,792,385	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.15	-	60	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	1.96	(0.04)	3,501	1.00	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.04	-	952	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.82	(0.01)	2,264	-	-	-	-	-	-	-	-	-	-	-
BM-W1	0.64	0.64	1,412,948	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.16	-	110	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.23	0.01	14,772	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	0.02	0.01	1,006	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.15	0.02	202,910	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.29	-	1,487	1.00	-	-	-	-	-	-	-	-	-	-
ECF-W2	4.40	0.04	5,638	4.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	3.22	0.02	5,027	3.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.02	0.01	63,238	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.02	-	29,875	-	-	-	-	-	-	-	-	-	-	-
FC-W1	0.05	(0.01)	4,001	-	-	-	-	-	-	-	-	-	-	-
FC-W2	0.02	(0.01)	531	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.66	0.02	37,510	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.43	-	3,019	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.33	0.01	2,006	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	2.32	(0.04)	11,307	2.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.34	0.04	279	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.05	-	6,824	-	-	-	-	-	-	-	-	-	-	-
NCL-W3	0.52	(0.03)	88,827	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.07	(0.01)	4,410	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	0.01	-	40	-	-	-	-	-	-	-	-	-	-	-
PHOL-W1	0.04	(0.01)	4,425	-	-	-	-	-	-	-	-	-	-	-
PIMO-W1	2.14	0.06	6,260	2.00	-	-	-	-	-	-	-	-	-	-
PPS-W1	0.74	(0.01)	370	-	-	-	-	-	-	-	-	-	-	-
PSTC-W1	0.26	-	500	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W2	0.35	-	753	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W3	0.56	0.01	1,149	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W4	1.31	0.04	9,030	1.00	-	-	-	-	-	-	-	-	-	-
SKY-W1	13.00	-	1	13.00	-	-	-	-	-	-	-	-	-	-
STAR-W3	2.04	(0.02)	617	2.00	-	-	-	-	-	-	-	-	-	-
TAKUNI-W	0.20	-	52	-	-	-	-	-	-	-	-	-	-	-
TAPAC-W3	2.20	(0.04)	545	2.00	-	-	-	-	-	-	-	-	-	-