

## Main Board Quotation

Issue Date :

Monday September 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.90	0.20	16,095	10.91	SE-ED	3.22	0.10	426	3.25
POMPIU	-	-	-	-	ILINK	5.15	(0.15)	10,683	5.21	SMM	0.93	-	740	0.94
SAFARI	-	-	-	-	INET	3.92	-	1,839	3.92	SPORT	0.41	0.02	135	0.41
VI	-	-	-	-	INTUCH	55.50	-	13,491	55.34	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	5.30	(0.05)	92,911	5.31	TH	0.70	0.01	3,975	0.71
WR	-	-	-	-	JASIF	10.30	(0.10)	52,612	10.34	TKS	11.50	0.40	33,398	11.40
Agribusiness					JMART	9.50	(0.10)	3,972	9.53	TRITN	0.36	0.02	840,618	0.37
CHOTI	148.50	1.50	5	148.10	JTS	1.61	(0.01)	241	1.60	VGI	7.55	(0.15)	103,734	7.63
EE	0.67	-	3,746	0.67	MFECC	3.40	(0.04)	8,775	3.38	WAVE	-	-	-	-
GFPT	15.00	0.20	31,884	14.81	MSC	6.50	-	1,086	6.50	WORK	39.25	(1.00)	19,969	39.50
LEE	2.72	(0.04)	519	2.74	PT	6.55	0.05	2,779	6.53	Finance & Securities				
STA	12.10	(0.50)	97,177	12.23	SAMART	7.00	-	9,763	7.02	AEC	0.50	-	9,376	0.50
TLUXE	5.65	(0.05)	1,465	5.63	SDC	8.40	(0.20)	780	8.48	AEONTS	181.50	1.50	3,036	180.74
TRUBB	1.77	(0.01)	3,296	1.78	SDMTEL	0.26	0.01	12,116	0.24	AMANAHA	1.92	(0.02)	58,954	1.93
TWPC	8.95	(0.15)	899	9.03	SIS	8.90	0.05	1,291	8.85	ASAP	6.25	0.25	55,629	6.17
UPOIC	4.30	-	168	4.34	SVOA	1.40	-	8,897	1.40	ASK	24.00	0.40	4,573	23.98
UVAN	6.75	0.05	3,610	6.73	SYMC	5.70	(0.05)	75	5.69	ASP	3.84	0.02	9,986	3.82
VPO	0.65	(0.01)	1,141	0.65	SYNEX	13.20	0.50	18,954	12.90	BFIT	27.50	0.25	5,038	27.37
Banking					THCOM	10.30	0.20	18,954	10.21	CGH	1.06	0.01	436	1.06
BAY	41.25	0.25	1,855	41.11	TRUE	6.60	(0.10)	712,165	6.62	CNS	2.56	(0.02)	278	2.56
BBL	206.00	1.00	30,208	205.94	TWZ	0.14	0.01	8,397	0.13	ECL	1.87	(0.03)	41,568	1.88
CIMBT	0.86	(0.01)	3,709	0.86	Electronic Componer					FNS	4.14	0.02	669	4.13
KBANK	212.00	1.00	23,833	211.41	CCET	1.94	(0.05)	22,463	1.93	FSS	2.36	-	157	2.36
KKP	76.75	(0.50)	41,479	76.84	DELTA	69.50	(0.25)	12,304	69.75	GBX	0.68	-	73	0.68
KTB	19.20	(0.20)	176,556	19.28	EIC	0.06	0.01	29,083	0.06	GL	7.60	(0.20)	40,509	7.55
LHFG	1.61	0.01	70,246	1.61	HANA	39.50	1.00	48,889	39.46	IFS	3.04	(0.04)	1,253	3.06
SCB	146.50	(1.50)	66,260	146.44	KCE	46.00	0.75	63,463	46.00	JMT	12.60	0.10	3,852	12.57
TCAP	53.25	(0.50)	17,608	53.37	METCO	199.00	4.50	4	199.00	KCAR	12.80	-	1,055	12.82
TISCO	83.50	1.50	45,515	83.22	SMT	2.36	(0.02)	4,993	2.37	KGI	4.44	-	9,661	4.42
TMB	2.20	-	836,184	2.20	SPPT	3.72	-	1,731	3.71	KTC	31.50	(0.25)	292,033	31.82
Construction Materia					SVI	5.80	-	44,566	5.78	MBKET	13.00	(0.10)	2,992	13.08
CCP	0.40	0.01	31,482	0.40	TEAM	1.24	0.02	30,755	1.21	MFC	16.10	0.10	1,027	16.00
COTTO	2.82	0.02	23,905	2.81	Energy & Utilities					ML	1.06	-	385	1.06
DCC	2.66	0.04	140,408	2.64	ABPIF	9.00	0.05	2,153	9.00	MTC	41.75	-	57,775	41.87
DCON	0.58	0.01	8,467	0.57	AI	-	-	-	-	PE	0.26	0.01	1,161	0.26
DRT	5.90	(0.05)	8,966	5.92	AKR	1.03	(0.02)	56,280	1.04	PL	3.50	-	1,700	3.51
EPG	9.00	(0.10)	69,020	8.99	BAFS	34.25	-	976	34.24	S11	7.50	0.10	968	7.38
GEL	0.35	0.01	33,841	0.34	BANPU	20.10	(0.20)	181,091	20.17	SAWAD	42.25	-	100,595	42.40
PPP	3.52	-	483	3.50	BCP	36.50	0.50	52,005	36.48	THANI	8.00	-	98,250	8.04
Q-CON	5.50	(0.10)	238	5.50	BCPG	19.00	(0.30)	34,714	19.03	TK	11.50	0.20	3,266	11.28
RCI	3.38	0.14	41,919	3.34	BGRIM	26.75	-	37,339	26.75	TNITY	5.95	-	117	5.95
SCC	452.00	-	5,399	452.35	BPP	24.80	(0.10)	16,304	24.87	UOBKH	4.40	-	940	4.40
SCCC	239.00	3.00	1,218	237.26	BRRGIF	9.95	(0.05)	1,042	9.95	ZMICO	1.15	-	27,155	1.15
SCP	8.50	-	1,925	8.54	CKP	4.18	(0.06)	193,117	4.21	Food & Beverage				
SKN	4.54	(0.02)	2,177	4.55	DEMCO	4.08	(0.02)	1,194	4.09	APURE	1.36	-	4,581	1.36
TASCO	15.70	0.40	201,662	15.79	EA	38.50	(0.25)	70,715	38.48	ASIAN	8.75	0.05	69,957	8.77
TCMC	2.70	0.02	6,722	2.69	EARTH	-	-	-	-	BR	5.20	-	6,598	5.20
TOA	36.50	0.75	33,145	36.35	EASTW	11.00	(0.20)	3,065	11.10	BRR	6.70	(0.05)	910	6.67
TPIPL	1.85	(0.04)	74,983	1.87	EGATTIF	11.00	0.10	9,757	10.90	CBG	49.25	3.00	46,294	48.20
UMI	1.43	0.03	19,439	1.43	EGCO	226.00	-	12,802	227.82	CFRESH	4.52	0.06	3,625	4.51
VNG	7.75	0.05	942	7.70	ESSO	15.80	-	47,081	15.88	CM	4.26	(0.02)	1,748	4.29
WIJK	2.42	(0.04)	2,675	2.42	GLOW	93.75	(0.25)	15,246	93.75	CPF	25.75	-	194,040	25.83
Petrochemicals & Ch					GPSC	72.50	(0.25)	4,836	72.50	CPI	1.78	-	1,907	1.78
BCT	54.00	(0.25)	202	53.91	GULF	68.00	(0.25)	45,150	68.00	F&D	-	-	-	-
CMAN	3.28	-	30,692	3.30	GUNKUL	2.88	(0.02)	39,101	2.89	HTC	17.60	0.20	491	17.56
GC	5.10	-	703	5.10	IEC	-	-	-	-	ICHI	4.38	(0.06)	7,148	4.42
GGC	11.30	(0.10)	17,817	11.39	IFEC	-	-	-	-	KBS	4.30	-	1,070	4.30
GIFT	4.64	0.06	2,260	4.65	IRPC	6.95	-	835,081	6.98	KSL	3.30	-	14,147	3.31
IVL	59.25	(0.75)	180,208	59.78	LANNA	15.80	-	622	15.79	KTIS	5.90	-	572	5.84
NFC	11.60	0.10	320	11.57	MDX	4.70	(0.02)	1,308	4.75	LST	4.80	0.02	1,581	4.80
PATO	14.50	0.20	566	14.61	PTG	11.90	0.20	284,387	11.77	M	72.50	-	6,035	72.67
PMTA	14.00	(0.10)	45	14.07	PTT	52.75	0.25	375,717	52.52	MALEE	14.40	0.60	31,322	14.28
PTTGC	81.75	-	96,675	81.75	PTTEP	142.00	(0.50)	60,953	141.58	MINT	39.25	(0.25)	72,796	39.19
SUTHA	4.30	-	404	4.30	RATCH	52.25	-	19,747	52.25	OISHI	95.75	-	148	96.24
TCCC	36.25	0.25	91	36.01	RPC	0.53	-	3,197	0.54	PB	60.75	-	84	60.69
TPA	6.60	0.05	31	6.53	SCG	4.58	-	81	4.56	PM	8.65	(0.05)	7,091	8.69
UP	26.00	-	1	26.00	SCI	3.26	(0.06)	30,081	3.32	PRG	14.30	0.10	12	14.26
VNT	24.90	-	6,541	24.81	SCN	3.80	(0.02)	10,612	3.82	SAPPE	23.20	-	1,886	23.21
WG	162.00	(5.00)	22	167.55	SGP	12.30	0.30	239,296	12.29	SAUCE	22.00	(0.10)	56	21.65
YCI	-	-	-	-	SKE	1.26	-	5,295	1.26	SFP	-	-	-	-
Commerce					SOLAR	2.32	-	2,223	2.33	SNP	20.70	-	11	20.70
BEAUTY	10.80	(0.50)	2,329,916	11.10	SPGC	20.80	-	3,263	20.87	SORKON	-	-	-	-
BIG	1.79	(0.04)	261,051	1.83	SPRC	14.90	-	177,544	14.99	SSC	40.25	0.25	9	40.64
BIC	57.75	(0.25)	28,197	57.65	SUPER	0.74	(0.01)	378,999	0.74	SSF	8.40	-	25	8.40
COL	30.25	0.25	23,089	30.25	SUSCO	3.20	-	5,661	3.21	SST	5.95	(0.05)	106	5.93
COM7	19.20	-	44,130	19.27	TAE	2.18	(0.02)	3,858	2.20	TC	3.10	(0.08)	644	3.09
CPALL	67.75	0.25	307,398	68.00	TCC	0.40	-	13,776	0.40	TFG	4.22	(0.04)	12,393	4.23
CSS	2.08	(0.02)	917	2.08	TOP	86.00	1.75	111,714	85.78	TFMAMA	159.50	(0.50)	19	159.71
FN	2.86	(0.02)	1,470	2.87	TPIPP	6.40	(0.05)	149,960	6.48	TIPCO	9.40	0.10	42,383	9.52
FTE	2.40	(0.04)	15,722	2.40	TTW	12.50	0.10	32,216	12.36	TKN	16.20	0.50	164,482	16.07
GLOBAL	18.90	(0.20)	39,753	18.95	WHAUP	5.95	(0.05)	62,826	5.99	TU	17.50	-	81,867	17.64
HMPRO	14.70	0.10	53,236	14.69	WP	7.70	-	15,405	7.69	TVO	29.50	-	6,255	29.57
IT	4.24	0.02	4,239	4.25	Media & Publishing					Health Care Services				
KAMART	4.28	(0.04)	23,902	4.33	AMARIN	4.92	0.04	841	4.89	AHC	21.10	(0.10)	167	21.13
LOXLEY	2.22	-	4,516	2.21	AQUA	0.49	-	179,099	0.49	BCH	19.00	(0.10)	119,520	18.92
MAKRO	34.50	0.25	20,378	33.90	AS	1.17	0.03	479	1.17	BDMS	26.25	-	133,112	26.19
MC	13.20	0.10	16,361	13.18	BEC	7.40	(0.20)	114,313	7.47	BH	180.00	(1.50)	14,899	181.01
MEGA	35.00	(0.25)	7,437	35.21	EPCO	4.16	(0.12)	49,141	4.20	CHG	2.56	0.06	510,578	2.55
MIDA	0.60	-	7,988	0.59	FE	-	-	-	-	CMR	3.20	(0.02)	1,084	3.20
ROBINS	65.75	0.50	16,043	65.66	GPI	2.74	-	877	2.72	EKH	5.60	(0.05)	8,030	5.62
RSP	4.12	0.06	527	4.08	GRAMMY	7.95	(0.05)	63	7.96	KDH	96.00	(1.00)	53	96.17
SINGER	9.15	(0.05)	157	9.14	MACO	1.90	(0.08)	428,706	1.94	LPH	6.40	0.05	5,703	6.34
SPC	53.25	0.50	77	53.24	MAJOR	25.25	0.35							

## Main Board Quotation

Issue Date :

Monday September 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.68	(0.02)	6,904	2.68	MJD	3.48	0.04	2,332	3.48	CPT	2.04	(0.02)	20,881	2.06
Tourism & Leisure					MK	4.16	0.06	60,511	4.17	CRANE	2.90	-	2,124	2.88
ASIA	6.65	0.05	142	6.63	NCH	0.94	-	1,640	0.94	CTW	9.35	0.05	317	9.30
CENTEL	39.25	(0.50)	42,147	39.26	NNCL	1.77	(0.03)	12,861	1.78	FMT	-	-	-	-
CSR	-	-	-	-	NOBLE	12.30	-	200	12.30	HTECH	7.35	(0.15)	5,211	7.41
DTC	12.10	0.20	2,120	11.99	NUSA	0.30	-	24,480	0.30	KKC	1.67	0.02	518	1.66
ERW	7.95	(0.15)	99,756	8.07	NVD	4.00	(0.06)	12,430	4.00	PK	3.70	-	4,644	3.70
GRAND	1.04	-	8,842	1.04	ORI	18.70	-	39,151	18.60	SNC	14.60	0.10	4,148	14.59
LRH	39.00	0.75	177	38.98	PACE	0.66	(0.02)	225,569	0.67	TCJ	5.70	-	88	5.69
MANRIN	-	-	-	-	PF	1.15	-	648,372	1.14	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	7.80	(0.05)	7,540	7.78	Property Fund & REI				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.40	0.10	2,990	10.38
SHANG	76.00	(0.75)	38	76.26	PRECHA	1.40	0.03	21	1.38	AMATAR	10.70	0.10	35	10.61
Home & Office Prod.					PRIN	1.60	-	5,659	1.60	B-WORK	10.90	-	921	10.90
ACC	0.44	(0.01)	3,378	0.44	PRINC	5.55	(0.05)	12,282	5.58	BKKCP	12.10	-	91	12.10
AJA	0.39	(0.01)	13,912	0.40	PSH	20.20	-	15,682	20.30	BOFFICE	13.70	0.30	2,588	13.62
DTCI	-	-	-	-	QH	3.40	(0.06)	741,684	3.41	CPNCG	15.80	(0.10)	4,531	15.89
FANCY	0.96	(0.01)	4,512	0.97	RICHY	1.78	(0.01)	28,424	1.79	CPNREIT	26.25	0.25	5,575	26.19
KYE	408.00	4.00	117	405.33	RML	1.29	(0.01)	50,771	1.30	CPTGF	13.40	-	124	13.48
L&E	2.68	-	398	2.69	ROJNA	5.20	(0.05)	8,824	5.23	CRYSTAL	10.20	0.10	10,311	10.20
MODERN	4.48	(0.04)	355	4.50	S	3.30	-	257,189	3.33	CTARAF	4.78	0.02	86	4.78
OGC	38.00	(0.25)	30	38.00	SAMCO	2.14	(0.02)	721	2.16	DREIT	5.50	0.05	357	5.50
ROCK	-	-	-	-	SC	3.54	-	13,613	3.54	ERWPF	5.65	-	532	5.65
SIAM	1.92	0.01	218	1.91	SENA	3.74	-	6,135	3.73	FUTUREPF	22.30	-	2,890	22.30
TSR	2.42	0.04	6,947	2.41	SF	9.05	(0.05)	61,139	9.13	GAHREIT	9.85	0.10	186	9.81
Insurance					SIRI	1.61	-	143,950	1.61	GLANDRT	12.90	0.10	1,584	12.90
AYUD	38.50	-	33	38.60	SPALI	24.10	(0.10)	28,627	24.23	GOLDPF	7.20	-	625	7.20
BKI	350.00	1.00	13	349.92	TICON	16.40	-	319	16.47	GVREIT	15.50	(0.10)	2,937	15.59
BLA	32.50	(0.25)	9,795	32.62	U	0.03	-	4,589,357	0.03	HPF	5.40	-	324	5.43
BUI	-	-	-	-	UV	8.35	-	37,060	8.41	HREIT	6.75	(0.05)	1,228	6.77
CHARAN	32.25	(1.25)	169	32.31	WHA	4.06	0.04	895,310	4.05	IMPACT	18.60	0.10	1,446	18.53
INSURE	-	-	-	-	WIN	0.63	-	757	0.63	KPNPF	9.45	-	364	9.45
MTI	109.50	0.50	107	109.10	Paper & Printing Mat					LHHOTEL	16.30	0.30	3	16.30
NKI	52.25	1.00	12	52.58	UTP	11.40	(0.10)	2,315	11.43	LHPP	8.30	(0.05)	1,837	8.34
NSI	82.50	(1.00)	46	83.09	Fashion					LHSC	16.40	0.10	1,129	16.30
SMK	40.00	(0.75)	148	40.00	AFC	9.15	0.05	50	9.15	LUXF	8.60	0.15	351	8.59
THRE	1.09	(0.03)	5,932	1.10	BTNC	-	-	-	-	M-II	-	-	-	-
THREL	8.10	(0.05)	8,135	8.02	CPH	-	-	-	-	M-PAT	9.90	(0.10)	10	9.90
TIC	42.50	1.50	232	41.99	CPL	3.24	(0.02)	215	3.24	M-STOR	-	-	-	-
TIP	24.90	-	2,088	24.90	DIGI	0.36	-	5,642	0.35	MIPF	-	-	-	-
TSI	0.47	0.01	35,801	0.47	ICC	39.75	0.25	15	39.98	MIT	5.00	(0.10)	7	5.00
TVI	3.52	-	732	3.46	LTX	104.00	-	115	103.80	MJLF	12.80	-	408	12.75
Mining					NC	-	-	-	-	MNIT	-	-	-	-
PDI	14.60	0.30	5,855	14.47	PAF	0.94	(0.01)	2,118	0.94	MNIT2	5.30	0.05	1	5.30
THL	-	-	-	-	PDJ	2.74	-	663	2.67	MNRF	3.44	0.04	20	3.44
Packaging					PG	-	-	-	-	MONTRI	5.90	(0.10)	35	5.90
AJ	10.00	(0.10)	155	10.05	SABINA	35.25	(0.25)	160	35.28	POPF	13.70	0.10	7,281	13.64
ALUCON	189.00	(2.50)	8	191.31	SAWANG	-	-	-	-	PPF	11.20	-	152	11.19
CSC	-	-	-	-	SUC	45.00	(0.25)	769	45.02	QHHR	8.50	-	2,497	8.46
NEP	0.36	-	534	0.36	TNL	20.00	-	1	20.00	QHOP	3.60	0.08	1	3.60
NPPG	1.08	(0.03)	60,444	1.11	TPCORP	15.10	0.30	1	15.10	QHPF	12.30	-	25,658	12.27
PTL	16.50	0.10	4,827	16.45	TR	49.00	-	219	48.87	SBPF	3.00	(0.02)	1	3.00
SITHAI	1.26	(0.01)	2,565	1.27	TTI	-	-	-	-	SHREIT	9.60	(0.05)	4,113	9.60
SLP	0.94	-	1,117	0.94	TTL	-	-	-	-	SIRIP	11.30	-	551	11.30
SMPC	14.00	-	764	14.00	TTTM	180.00	1.00	19	181.76	SPF	24.10	0.10	1,516	24.11
SPACK	-	-	-	-	UPF	-	-	-	-	SRIPANWA	11.10	0.10	28	11.03
TCOAT	29.25	-	5	29.25	UT	-	-	-	-	SSPF	10.40	-	317	10.40
TFI	0.33	-	56	0.33	WACOAL	46.00	1.00	1	46.00	SSTPF	6.70	0.05	248	6.66
THIP	34.50	-	218	34.28	Transportation & Log					SSTRT	6.35	0.10	1	6.35
TMD	-	-	-	-	AAV	4.40	(0.06)	113,237	4.42	TIF1	8.65	-	43	8.65
TOPP	203.00	(3.00)	1	203.00	AOT	66.50	(0.25)	110,785	66.67	TLGF	19.70	(0.10)	11,376	19.63
TPBI	8.20	(0.10)	77	8.24	ASIMAR	2.64	0.02	3,699	2.66	TLHPF	10.90	-	1,020	10.90
TPP	-	-	-	-	B	0.61	0.01	3,298	0.61	TNPF	-	-	-	-
Personal Products &					BA	12.90	(0.10)	16,615	12.96	TPRIME	12.80	0.10	3,896	12.74
APCO	4.42	-	574	4.40	BEM	8.45	0.05	192,416	8.43	TREIT	11.80	0.10	24,501	11.70
DDD	49.25	5.25	55,253	48.12	BTS	9.20	(0.05)	164,087	9.20	TTLPF	-	-	-	-
JCT	89.00	(1.00)	8	89.00	BTSIGIF	12.30	0.10	55,470	12.28	TU-PF	1.76	(0.03)	8	1.76
OCC	-	-	-	-	III	6.40	0.05	83,040	6.49	URBNPF	3.34	0.04	78	3.31
S & J	24.90	(0.10)	150	24.93	JUTHA	1.79	0.01	108	1.78	WHABT	10.00	-	501	10.00
STHAI	-	-	-	-	JWD	7.75	(0.05)	10,582	7.75	WHART	10.30	0.10	2,370	10.28
TNR	13.60	(0.10)	608	13.60	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.72	(0.06)	1,803	4.72	NOK	2.38	0.06	13,786	2.32	AMC	2.42	(0.02)	215	2.43
Professional Service					NYT	5.20	0.05	7,055	5.15	BSBM	1.13	(0.01)	1,953	1.13
BWG	0.97	(0.02)	186,434	0.98	PRM	7.95	(0.05)	30,071	7.96	CEN	1.33	(0.01)	1,764	1.34
GENCO	0.80	-	1,253	0.80	PRL	12.10	0.10	8,932	12.00	CITY	2.76	-	27	2.74
PRO	-	-	-	-	RCL	5.70	(0.05)	2,463	5.77	CSP	1.38	-	500	1.38
TEAMG	2.50	-	122,012	2.50	THAI	13.70	0.60	143,447	13.63	GJS	0.26	0.01	10,853	0.26
Property Developme					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	0.05	365	6.70	TTA	7.15	(0.05)	6,925	7.17	INOX	1.22	0.01	180	1.22
AMATA	21.10	(0.20)	162,980	21.24	WICE	4.84	0.02	43,487	4.86	LHK	4.90	0.02	1,889	4.92
AMATAV	5.95	0.05	21,322	6.00	Automotive					MAX	0.03	0.01	205,413	0.03
ANAN	4.90	0.02	156,405	4.91	AH	33.50	-	8,991	33.49	MCS	7.45	(0.20)	19,914	7.45
AP	9.35	(0.05)	68,610	9.38	APCS	5.15	-	912	5.11	MILL	1.61	(0.01)	9,668	1.60
APEX	0.20	-	11,355	0.20	BAT-3K	213.00	6.00	14	212.71	PAP	4.12	-	666	4.12
AQ	0.03	-	438,874	0.03	CWT	2.86	0.02	19,340	2.88	PERM	2.20	(0.14)	13,036	2.23
BLAND	1.83	(0.02)	328,789	1.83	EASON	2.36	(0.02)	1,526	2.36	RICH	-	-	-</	

## Main Board Quotation

Issue Date :

Monday September 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	UMS	0.71	-	213	-	ADVA06C1809A	0.54	0.02	23,764	-
ABICO	7.55	0.05	6,577	7.00	UWC	0.07	-	66,738	-	ADVA08C1809A	0.09	-	5,994	-
AU	7.95	0.65	204,439	7.00	Services (MAI)	-	-	-	-	ADVA08P1809A	0.03	-	5	-
FC	0.27	(0.01)	14,951	-	ADAM	-	-	-	-	ADVA11C1905A	0.25	0.01	1,030	-
JCKH	1.19	-	58	1.00	AKP	1.62	0.01	622	1.00	ADVA11P1905A	0.31	-	365	-
KASET	2.24	0.02	604	2.00	AMA	5.95	(0.10)	2,893	5.00	ADVA13C1809A	0.01	(0.01)	405	-
MM	3.94	(0.04)	388	3.00	ARIP	0.50	-	5,131	-	ADVA13C1811A	0.55	(0.03)	37,998	-
SUN	3.22	(0.02)	9,043	3.00	ATP30	1.72	-	464	1.00	ADVA13C1901A	0.31	(0.01)	63,233	-
TACC	4.02	(0.02)	2,157	4.00	AUCT	6.60	0.20	22,868	6.00	ADVA13P1809A	-	-	-	-
TMILL	3.18	(0.02)	5,179	3.00	BOL	1.93	(0.01)	962	1.00	ADVA16C1812A	0.55	0.01	850	-
XO	10.80	0.30	13,268	10.00	CHUO	-	-	-	-	ADVA19C1901A	0.64	0.02	2,399	-
<b>Consumer Products</b>														
BGT	1.03	-	380	1.00	CMO	1.52	(0.01)	2,215	1.00	ADVA23C1902A	0.47	0.01	7,500	-
BIZ	2.82	(0.04)	564	2.00	D	11.00	-	1,834	10.00	ADVA24C1810A	0.32	-	6,572	-
DOD	13.70	(0.10)	191,235	13.00	DCORP	2.80	-	2,224	2.00	ADVA24P1810A	-	-	-	-
ECF	8.20	(0.05)	35,533	8.00	DNA	0.58	-	20,215	-	ADVA27C1902A	0.31	-	8,866	-
HPT	1.08	(0.01)	1,443	1.00	EFORL	0.07	(0.01)	43,918	-	ADVA28C1811A	0.48	-	48,992	-
JUBILE	18.90	(0.20)	1,212	18.00	ETE	2.00	(0.04)	7,201	2.00	ADVA28C1901A	0.20	(0.01)	125,038	-
MOONG	6.35	(0.05)	4,412	6.00	FSMART	9.05	(0.05)	6,970	9.00	ADVA28P1810A	-	-	-	-
NPK	-	-	-	-	FVC	1.19	(0.01)	17,260	1.00	AMAT01C1810A	0.81	(0.02)	110,380	-
OCEAN	1.77	(0.03)	31,795	1.00	HARN	2.62	(0.04)	783	2.00	AMAT01C1810B	0.47	(0.02)	82,959	-
TM	1.99	(0.03)	646	2.00	JKN	11.10	0.10	70,531	11.00	AMAT01P1810A	0.86	0.03	17,942	-
<b>Financials (MAI)</b>														
ACAP	6.50	(0.10)	6,506	6.00	KIAT	0.47	(0.01)	28,894	-	AMAT06C1809A	0.01	(0.01)	597	-
AF	0.72	(0.02)	3,607	-	KOOL	1.88	0.01	29,205	1.00	AMAT08C1809A	0.04	0.01	20	-
AIRA	2.08	0.09	659	2.00	LDC	1.19	-	871	1.00	AMAT08C1903A	0.53	(0.02)	37,411	-
ASN	3.40	0.08	446	3.00	MPG	0.18	0.01	10,595	-	AMAT11C1903A	0.37	-	5,882	-
BROOK	0.53	-	5,133	-	MVP	2.90	0.02	39,619	2.00	AMAT13C1809A	-	-	-	-
CHAYO	4.62	0.02	191,278	4.00	NBC	0.68	0.01	2,889	-	AMAT13C1812A	0.47	(0.03)	331,715	-
GCAP	4.10	0.02	2,818	4.00	NCL	1.60	-	29,845	1.00	AMAT19C1811A	0.19	-	19,764	-
LIT	8.70	(0.05)	2,352	8.00	NEWS	0.01	-	53,703	-	AMAT19C1902A	0.64	(0.01)	11,006	-
SGF	1.56	0.07	348,763	1.00	NINE	2.30	(0.08)	28,365	2.00	AMAT23C1810A	0.15	(0.01)	4,190	-
<b>Industrials (MAI)</b>														
2S	3.04	0.02	3,235	3.00	OTO	2.70	(0.02)	45	2.00	AMAT24C1811A	-	-	-	-
ADB	1.21	-	2,652	1.00	PHOL	2.32	-	83	2.00	AMAT27C1902A	0.75	-	1,355	-
BM	3.28	(0.04)	4,393	3.00	PICO	4.86	(0.02)	2,493	4.00	ANAN01C1810A	1.03	-	76,006	1.00
CHO	1.27	-	7,340	1.00	PORT	6.95	(0.05)	3,262	6.00	ANAN01C1810B	0.70	(0.01)	51,306	-
CHOW	4.80	0.06	256	4.00	QLT	4.46	0.02	428	4.00	ANAN08C1808A	-	-	-	-
CIG	0.38	-	129	-	RP	3.00	-	531	2.00	ANAN08C1810A	-	-	-	-
COLOR	1.25	0.01	1,770	1.00	SE	2.00	0.01	26	2.00	ANAN08C1906A	0.26	-	34,498	-
CPR	5.85	(0.10)	5,866	5.00	SPA	15.20	0.10	27,040	15.00	ANAN13C1901A	0.19	-	106,906	-
FPI	2.42	(0.10)	10,535	2.00	THMUI	1.73	-	103,629	1.00	ANAN19C1811A	0.49	(0.01)	22,814	-
GTB	0.67	0.01	1,584	-	TNDT	5.10	(0.05)	623	5.00	ANAN23C1901A	0.27	-	17,214	-
KCM	1.25	0.03	60,391	1.00	TNH	40.50	-	767	40.00	ANAN24C1811A	-	-	-	-
LVT	-	-	-	-	TNP	1.88	-	29,770	1.00	ANAN28C1809A	-	-	-	-
MBAX	3.98	-	65	3.00	TSF	0.04	-	48,057	-	AOT01C1808A	-	-	-	-
MGT	2.14	-	851	2.00	TVD	1.53	(0.01)	2,495	1.00	AOT01C1808B	-	-	-	-
NDR	2.34	-	1,420	2.00	TVT	1.12	0.01	7,666	1.00	AOT01C1810A	0.28	-	50,087	-
PDG	3.62	0.02	122	3.00	WINNER	3.38	-	233	3.00	AOT01C1902A	0.59	-	57,306	-
PIMO	3.68	0.02	11,129	3.00	Technology (MAI)	-	-	-	-	AOT01C1902B	0.42	-	30,252	-
PJW	2.00	(0.02)	57,103	2.00	COMAN	3.40	-	986	3.00	AOT01P1808A	-	-	-	-
PPM	2.04	(0.04)	473	2.00	ICN	2.26	0.02	5,568	2.00	AOT01P1808B	-	-	-	-
RWI	1.62	(0.01)	3,559	1.00	IRCP	1.00	-	2,913	1.00	AOT01P1902A	0.80	(0.01)	15,349	-
SALEE	1.16	0.02	3,710	1.00	ITEL	3.24	(0.10)	7,966	3.00	AOT01P1902B	0.52	0.02	22,752	-
SANKO	1.46	(0.01)	105,054	1.00	NETBAY	33.25	-	542	33.00	AOT06C1809A	0.01	-	13,801	-
SELIC	1.85	-	3,250	1.00	PLANET	1.53	(0.16)	122	1.00	AOT06C1903A	0.54	0.01	19,126	-
SWC	20.10	0.20	307	20.00	SIMAT	2.22	0.02	21,384	2.00	AOT06P1903A	0.48	-	16,566	-
TMC	0.89	-	805	-	SKY	13.50	0.10	6,929	13.00	AOT07C1902A	0.52	0.01	1,200	-
TMI	0.82	0.01	10,743	-	SPVI	1.47	0.01	35,357	1.00	AOT08C1901A	0.35	0.01	16,906	-
TMW	69.00	0.75	100	68.00	UPA	0.48	(0.02)	98,338	-	AOT08P1903A	0.49	0.01	6,262	-
TPAC	13.40	(0.60)	2,276	13.00	VCOM	3.36	0.12	41,977	3.00	AOT11C1808A	-	-	-	-
UAC	4.52	(0.02)	247	4.00	Unit Trust	-	-	-	-	AOT11C1906A	0.41	(0.01)	30,605	-
UBIS	4.84	0.04	350	4.00	MGE	-	-	-	-	AOT11P1808A	-	-	-	-
UEC	1.56	0.02	15,703	1.00	SCBSET	-	-	-	-	AOT11P1906A	0.38	(0.62)	6,640	-
UKEM	0.90	-	4,459	-	ETF	-	-	-	-	AOT13C1809A	0.01	-	560	-
UREKA	0.84	0.04	139,507	-	IDIV	13.84	(0.16)	143	13.00	AOT13C1811A	0.17	-	25,473	-
YUASA	17.10	-	113	17.00	ABFTH	-	-	-	-	AOT13C1812A	0.33	(0.02)	87,987	-
ZIGA	3.36	0.04	14,710	3.00	BMSGC	9.24	0.06	73	9.00	AOT13P1810A	0.20	-	9,944	-
<b>Property &amp; Construc</b>														
ARROW	9.15	0.10	658	9.00	BMSCITH	12.87	(0.02)	2,400	12.00	AOT13P1812A	0.10	(0.02)	9,003	-
BKD	3.16	0.02	1,579	3.00	BSET100	11.07	(0.01)	494	11.00	AOT19C1809A	-	-	-	-
BSM	0.68	0.01	689	-	CHINA	5.16	-	76	5.00	AOT19C1901A	0.46	(0.02)	34,591	-
BTW	1.91	0.01	253	1.00	EBANK	5.85	(0.02)	9	5.00	AOT24C1811A	0.06	(0.01)	400	-
CHEWA	1.22	0.04	248,270	1.00	ECONM	8.13	0.05	19	8.00	AOT24C1901A	0.30	(0.01)	10,646	-
CRD	1.09	(0.01)	6,968	1.00	EFOOD	-	-	-	-	AOT24P1809A	-	-	-	-
DIMET	1.04	(0.02)	16,630	1.00	EICT	-	-	-	-	AOT24P1903A	-	-	-	-
FLOYD	2.22	-	1,764	2.00	ENGY	-	-	-	-	AOT27C1902A	-	-	-	-
FOCUS	1.16	0.01	11,192	1.00	ENY	7.84	(0.01)	1	7.00	AOT28C1809A	-	-	-	-
HYDRO	1.19	(0.02)	4,131	1.00	ESET50	5.91	0.01	27	5.00	AOT28C1812A	0.29	(0.01)	43,691	-
JSP	0.58	(0.02)	129,655	-	GLD	1.70	-	406	1.00	AOT28C1901A	0.24	(0.01)	64,950	-
K	2.80	(0.08)	27	2.00	TDEX	11.23	-	240	11.00	AOT28P1812A	0.21	(0.02)	24,552	-
META	2.18	0.06	140,587	2.00	TGOLDETF	3.68	(0.01)	165	3.00	AP01C1809A	0.54	-	9,110	-
PPS	0.98	-	4,250	-	TH100	5.00	(0.95)	54	5.00	AP01C1809B	0.08	-	600	-
SMART	1.03	0.03	71,596	1.00	<b>Warrant Foreign</b>									
STAR	6.20	-	547	6.00	AAV01C1808A	-	-	-	-	AP08C1810A	0.39	(0.01)	2,333	-
T	0.06	0.01	12,388	-	AAV01C1808B	-	-	-	-	AP19C1902A	0.40	-	1,5	

# Asia Plus Securities Company Limited

## Main Board Quotation

# Daily Quotation

Issue Date :

Monday September 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP11C1902A	0.12	(0.03)	17,666	-	BEAU24C1902A	0.06	(0.03)	19,296	-	BTS23C1905A	-	-	-	-
BANP13C1811A	0.20	(0.02)	53,204	-	BEAU28C1810A	-	-	-	-	BTS24C1808A	-	-	-	-
BANP13P1809A	0.02	(0.03)	14,500	-	BEAU28C1811A	-	-	-	-	BTS24C1901A	-	-	-	-
BANP16C1812A	0.74	(0.01)	130	-	BEC01C1808A	-	-	-	-	BTS28C1809A	0.05	(0.05)	1,000	-
BANP19C1811A	0.14	(0.01)	25,100	-	BEC01C1808B	-	-	-	-	BTS28C1811A	-	-	-	-
BANP23C1901A	0.17	(0.03)	6,000	-	BEC01C1812A	0.13	(0.02)	32,416	-	BTS28C1902A	0.21	(0.01)	60,360	-
BANP24C1808A	-	-	-	-	BEC01C1812B	0.13	(0.01)	6,601	-	BTS42C1901A	0.20	(0.01)	8,032	-
BANP24C1812A	-	-	-	-	BEC08C1809A	-	-	-	-	BTS42P1901A	0.28	-	3,004	-
BANP24P1808A	-	-	-	-	BEC13C1811A	0.03	(0.01)	7,500	-	CBG01C1809A	0.01	(0.01)	401	-
BANP24P1901A	-	-	-	-	BEC13C1901A	0.15	(0.03)	61,504	-	CBG01C1811A	0.37	0.10	207,702	-
BANP27C1809A	-	-	-	-	BEC19C1809A	-	-	-	-	CBG01C1811B	0.13	0.04	87,713	-
BANP28C1809A	-	-	-	-	BEC23C1809A	-	-	-	-	CBG01P1811A	0.98	(0.17)	29,061	1.00
BANP28C1810A	0.12	(0.03)	43,833	-	BEC24C1809A	-	-	-	-	CBG01P1811B	0.49	(0.15)	175,635	-
BBL06C1902A	0.80	-	8,760	-	BEC24C1812A	-	-	-	-	CBG06C1809A	0.01	-	3,000	-
BBL08C1808A	-	-	-	-	BEC28C1809A	-	-	-	-	CBG06C1903A	0.64	0.12	45,370	-
BBL08C1809A	0.04	-	2,546	-	BEC28C1811A	0.10	(0.02)	16,001	-	CBG06P1809A	1.02	(0.39)	8,450	1.00
BBL08C1902A	0.61	-	36,130	-	BEM01C1808A	-	-	-	-	CBG07C1812A	0.32	0.02	1,900	-
BBL08P1810A	0.04	(0.01)	400	-	BEM01C1808B	-	-	-	-	CBG08C1808A	-	-	-	-
BBL11C1903A	0.52	0.01	2,456	-	BEM01P1808A	-	-	-	-	CBG08C1810A	0.01	-	500	-
BBL11P1903A	0.29	(0.01)	3,520	-	BEM08C1809A	0.17	0.02	103,046	-	CBG08C1902A	0.39	0.10	107,539	-
BBL13C1810A	0.30	(0.02)	540	-	BEM11C1903A	0.25	-	13,029	-	CBG11C1902A	0.09	0.02	5,042	-
BBL13C1901A	0.30	0.01	21,323	-	BEM13C1809A	0.14	0.01	108,984	-	CBG13C1808A	-	-	-	-
BBL19C1901A	0.28	-	14,500	-	BEM13C1901A	0.36	0.01	99,477	-	CBG13C1809A	-	-	-	-
BBL23C1811A	-	-	-	-	BEM19C1901A	0.35	-	11,662	-	CBG13C1811A	0.08	0.03	35,678	-
BBL24C1809A	-	-	-	-	BEM23C1901A	0.21	0.01	1,000	-	CBG13C1812A	0.18	0.05	82,981	-
BBL24C1812A	-	-	-	-	BEM24C1809A	0.14	(0.01)	400	-	CBG13C1901A	0.57	0.12	328,228	-
BBL24C1902A	0.22	(0.01)	250	-	BEM24C1902A	0.29	(0.02)	100	-	CBG19C1810A	-	-	-	-
BBL24P1810A	-	-	-	-	BGR01C1901A	1.08	-	15,321	1.00	CBG19C1901A	0.46	0.11	58,764	-
BBL27C1809A	-	-	-	-	BGR01C1901B	0.91	(0.01)	9,075	-	CBG23C1901A	0.10	0.03	207	-
BBL28C1811A	0.47	0.01	27,214	-	BGR06C1903A	0.90	(0.04)	3,200	-	CBG24C1809A	-	-	-	-
BBL28C1901A	0.24	0.01	53,546	-	BGR08C1902A	0.78	(0.03)	30,824	-	CBG24C1811A	0.10	-	4,001	-
BCH01C1808A	-	-	-	-	BGR11C1812A	-	-	-	-	CBG24C1901A	0.51	0.11	2,835	-
BCH01C1808B	-	-	-	-	BGR11C1812B	0.23	-	64,738	-	CBG28C1811A	0.06	0.01	4,000	-
BCH01P1808A	-	-	-	-	BGR19C1901A	0.65	(0.01)	16,922	-	CBG28C1812A	0.29	0.07	74,004	-
BCH06C1811A	0.37	(0.03)	23,689	-	BGR24C1901A	-	-	-	-	CENT01C1810A	0.10	(0.01)	18,017	-
BCH08C1901A	0.56	(0.03)	34,358	-	BGR24C1902A	0.28	0.01	210	-	CENT01C1810B	0.01	(0.01)	1,302	-
BCH11C1905A	0.48	(0.01)	16,911	-	BGR28C1812A	-	-	-	-	CENT01P1810A	1.22	0.04	22,022	1.00
BCH13C1810A	0.23	(0.02)	73,049	-	BH01C1811A	0.55	(0.03)	58,857	-	CENT06C1904A	0.20	(0.02)	32,944	-
BCH19C1809A	0.24	(0.03)	61,154	-	BH01C1811B	0.12	(0.02)	28,228	-	CENT08C1809A	-	-	-	-
BCH23C1811A	0.48	(0.02)	5,000	-	BH01P1811A	1.29	0.01	13,496	1.00	CENT08C1902A	0.22	-	3,440	-
BCH24C1811A	-	-	-	-	BH07C1810A	-	-	-	-	CENT11C1904A	0.13	(0.01)	7,773	-
BCH27C1902A	-	-	-	-	BH08C1811A	0.03	-	6,000	-	CENT13C1811A	-	-	-	-
BCH28C1811A	0.42	(0.02)	38,308	-	BH08C1902A	0.52	(0.02)	51,140	-	CENT13C1902A	0.28	(0.02)	99,903	-
BCP01C1810A	0.25	0.02	58,263	-	BH11C1902A	0.05	-	1,790	-	CENT19C1901A	0.21	(0.01)	42,017	-
BCP01C1810B	0.07	-	45,400	-	BH11C1905A	0.63	(0.01)	10,581	-	CENT23C1902A	0.12	(0.01)	16,011	-
BCP01P1810A	0.32	(0.03)	9,975	-	BH13C1901A	0.56	(0.02)	75,018	-	CENT24C1810A	-	-	-	-
BCP08C1901A	0.29	0.02	17,514	-	BH19C1901A	0.55	(0.04)	12,807	-	CENT24C1901A	0.11	(0.01)	2,001	-
BCP11C1811A	0.10	-	4,200	-	BH24C1809A	-	-	-	-	CENT24C1902A	0.30	(0.01)	67,941	-
BCP13C1810A	0.05	-	300	-	BH24C1811A	-	-	-	-	CHG01C1809A	0.58	0.05	53,358	-
BCP19C1902A	0.28	0.01	28,944	-	BH24C1902A	-	-	-	-	CHG01C1809B	0.77	0.18	27,038	-
BCP24C1808A	-	-	-	-	BIG08C1906A	0.14	(0.01)	41,184	-	CHG01P1809A	0.02	(0.02)	331	-
BCP24C1811A	-	-	-	-	BIG13C1808A	-	-	-	-	CHG07C1902A	0.29	0.01	348	-
BCP28C1809A	-	-	-	-	BIG13C1901A	0.07	(0.01)	30,153	-	CHG11C1904A	0.31	0.03	13,379	-
BCP28C1809B	-	-	-	-	BIG19C1811A	0.02	(0.01)	19,945	-	CHG13C1809A	1.00	0.08	1,000	1.00
BCP28C1901A	0.24	0.02	14,276	-	BIG24C1808A	-	-	-	-	CHG13C1812A	0.30	0.04	183,304	-
BCPG01C1811A	0.43	(0.03)	30,319	-	BIG24C1812A	0.03	-	1,900	-	CHG19C1902A	0.36	0.03	10,285	-
BCPG01C1811B	0.17	(0.01)	940	-	BJCO1C1812A	0.71	(0.01)	31,515	-	CHG23C1811A	1.21	0.07	1,000	1.00
BCPG06C1811A	0.23	-	3,100	-	BJCO1C1812B	0.53	(0.02)	19,716	-	CHG24C1808A	-	-	-	-
BCPG08C1810A	0.22	(0.01)	300	-	BJCO1P1812A	0.34	0.01	10,538	-	CHG24C1811A	0.22	0.04	600	-
BCPG11C1902A	0.16	-	602	-	BJCO6C1901A	0.28	(0.01)	12,564	-	CHG28C1812A	0.32	0.03	188,036	-
BCPG13C1810A	0.12	-	425	-	BJCO7C1809A	0.01	-	2,239	-	CK01C1809A	0.22	(0.01)	77,799	-
BCPG13C1812A	0.46	(0.02)	7,110	-	BJCO8C1809A	-	-	-	-	CK01C1809B	0.12	(0.04)	45,056	-
BCPG19C1901A	0.47	(0.01)	2,425	-	BJC11C1905A	0.53	(0.01)	9,760	-	CK01P1809A	0.13	(0.01)	11,892	-
BCPG23C1902A	-	-	-	-	BJC13C1810A	0.11	(0.01)	34,951	-	CK08C1809A	-	-	-	-
BCPG24C1810A	-	-	-	-	BJC13C1812A	0.47	(0.02)	45,523	-	CK08C1901A	0.18	-	24,700	-
BCPG28C1809A	-	-	-	-	BJC19C1809A	0.11	(0.02)	6,744	-	CK11C1904A	0.20	0.01	100	-
BCPG28C1812A	-	-	-	-	BJC19C1902A	0.51	(0.01)	13,161	-	CK13C1809A	-	-	-	-
BDM01C1811A	0.20	(0.02)	30,917	-	BJC23C1901A	0.27	(0.01)	4,000	-	CK13C1902A	0.26	-	49,844	-
BDM01C1811B	0.07	(0.01)	3,500	-	BJC24C1808A	-	-	-	-	CK16C1812A	-	-	-	-
BDM01P1811A	0.27	0.01	9,618	-	BJC24C1901A	-	-	-	-	CK19C1811A	0.14	(0.01)	46,570	-
BDM06C1811A	0.61	(0.05)	1,600	-	BJC28C1812A	0.45	(0.01)	112,152	-	CK23C1808A	-	-	-	-
BDM08C1901A	0.13	(0.01)	11,601	-	BLA01C1812A	0.20	-	23,511	-	CK24C1808A	-	-	-	-
BDM11C1811A	0.75	(0.05)	1,200	-	BLA08C1811A	-	-	-	-	CK24C1901A	0.14	-	630	-
BDM11C1904A	-	-	-	-	BLA13C1809A	-	-	-	-	CK28C1809A	0.22	(0.03)	4,442	-
BDM13C1810A	0.39	-	1,100	-	BLA13C1902A	0.20	(0.80)	22,992	-	CK28C1812A	0.08	(0.01)	57,673	-
BDM13C1812A	0.12	-	69,812	-	BLA28C1810A	-	-	-	-	CK28C1902A	0.17	-	67,528	-
BDM16C1812A	-	-	-	-	BLAN01C1809A	0.53	(0.03)	11,254	-	CKP01C1812A	0.50	(0.02)	11,292	-
BDM19C1901A	0.27	-	10,054	-	BLAN01C1809B	-	-	-	-	CKP01C1812B	0.33	(0.03)	7,768	-
BDM23C1810A	-	-	-	-	BLAN01P1809A	-	-	-	-	CKP08C1903A	0.47	(0.01)	24,280	-
BDM24C1811A	0.23	(0.01)	10,000	-	BLAN08C1810A	0.14	(0.01)	30,059	-	CKP13C1810A	0.23	(0.04)	20,943	-
BDM24C1812A	-	-	-	-	BLAN11C1902A	0.19	(0.03)	8,963	-	CKP13C1902A	0.46	(0.02)	46,483	-
BDM24C1905A	0.24	-	3,385	-	BLAN19C1902A	0.24	(0.02)	4,242	-	CKP19C1902A	0.40	(0.03)	5,329	-
BDM28C1811A	-	-	-	-	BPP01C1811A	0.20	-	35,996	-	CKP23C1810A	0.31	(0.03)	500	-
BEAU01C1812A	0.10	(0.02)	581,861	-	BPP01C1811B	0.08	0.01	7,878	-	CKP24C1811A	0.32	(0.02)	8,250	-
BEAU01C1812B	0.04	(0.02)	99,895	-	BPP01P1811A	0.51	-	14,927	-	CKP28C1809A	-	-	-	-
BEAU01C1902A	1.10	(0.11)	180,514	1.00	BPP06C1809A	0.22	(0.01)	51,467	-	CKP28C1809B	0.26	(0.10)	7,860	-
BEAU01C1902B	0.95	(0.15)	171,980	1.00	BPP08C1810A	0.11	(0.01)	4,764	-	COM701C1811A	0.60	0.01	19,905	-
BEAU01P1812A	1.32	0.09	284,364	1.00	BPP13C1808A	-	-	-	-	COM701C1811B	0.32	0.01	13,384	-
BEAU01P1902A	0.82	0.06	204,845	-	BPP13C1811A	-	-	-	-	COM706C1809A	0.20	(0		

## Main Board Quotation

## Issue Date :

Monday September 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL01P1901A	1.50	(0.02)	31,258	1.00	EA23C1901A	0.35	(0.02)	37,500	-	HMPR01C1902B	0.32	0.01	13,924	-
CPAL01P1901B	1.22	(0.05)	21,839	1.00	EA24C1809A	-	-	-	-	HMPR01P1808A	-	-	-	-
CPAL06C1811A	0.56	0.02	49,811	-	EA27C1902A	0.53	(0.03)	5,166	-	HMPR01P1902A	0.43	(0.01)	3,643	-
CPAL06C1811B	0.02	-	1,101	-	EA28C1809A	-	-	-	-	HMPR06C1811A	0.11	0.01	11,292	-
CPAL07C1902A	0.31	0.01	890	-	EA28C1809B	-	-	-	-	HMPR08C1810A	-	-	-	-
CPAL08C1902A	0.16	-	40,812	-	EGCO01C1809A	0.52	0.03	13,889	-	HMPR11C1808A	-	-	-	-
CPAL08P1810A	1.22	(0.06)	36,962	1.00	EGCO08C1809A	-	-	-	-	HMPR11C1906A	0.23	-	4,635	-
CPAL11C1903A	0.07	-	13,520	-	EGCO13C1809A	-	-	-	-	HMPR11P1808A	-	-	-	-
CPAL11P1903A	1.18	(0.07)	36,729	1.00	EGCO19C1901A	0.36	0.01	17,388	-	HMPR13C1812A	0.24	-	43,578	-
CPAL13C1812A	0.15	-	256,463	-	EGCO23C1811A	0.23	-	18,000	-	HMPR19C1901A	0.38	-	1,546	-
CPAL13C1901A	0.36	0.01	181,793	-	EGCO24C1808A	-	-	-	-	HMPR23C1901A	0.09	(0.01)	1,000	-
CPAL19C1811A	0.06	0.01	131,311	-	EGCO24C1901A	0.25	-	200	-	HMPR24C1808A	-	-	-	-
CPAL19C1902A	0.44	-	71,293	-	EPG01C1809A	0.24	(0.02)	55,002	-	HMPR24C1901A	0.22	(0.02)	369	-
CPAL23C1810A	0.02	-	203	-	EPG01P1809A	0.33	0.02	13,664	-	HMPR28C1811A	0.10	-	27,052	-
CPAL24C1808A	-	-	-	-	EPG07C1811A	-	-	-	-	INTU01C1809A	-	-	-	-
CPAL24C1811A	-	-	-	-	EPG08C1810A	0.05	(0.01)	2,000	-	INTU01C1809B	-	-	-	-
CPAL24C1901A	0.14	-	11,279	-	EPG08C1810B	0.70	(0.02)	17,081	-	INTU01P1809A	0.22	(0.01)	15	-
CPAL24C1903A	0.37	0.01	32,510	-	EPG11C1903A	0.58	(0.01)	11,522	-	INTU01P1809B	-	-	-	-
CPAL24P1901A	0.53	(0.02)	16,838	-	EPG13C1811A	0.40	(0.03)	41,578	-	INTU11C1905A	-	-	-	-
CPAL28C1809A	-	-	-	-	EPG19C1902A	0.44	(0.03)	8,886	-	INTU11P1905A	-	-	-	-
CPAL28C1811A	0.05	0.01	2,000	-	EPG23C1808A	-	-	-	-	INTU13C1810A	-	-	-	-
CPF01C1809A	0.88	0.02	11,752	-	EPG24C1808A	-	-	-	-	INTU13C1812A	-	-	-	-
CPF01C1809B	0.04	(0.01)	10,083	-	EPG24C1810A	0.66	(0.05)	3,027	-	INTU19C1901A	-	-	-	-
CPF01C1810A	0.22	0.01	45,831	-	EPG24C1902A	-	-	-	-	INTU24C1901A	-	-	-	-
CPF01P1809A	0.12	(0.02)	13,520	-	ERW13C1902A	0.39	(0.03)	175,737	-	INTU28C1809A	0.04	0.02	1	-
CPF06C1809A	0.45	(0.02)	9,036	-	ERW19C1902A	0.55	(0.03)	15,103	-	INTU28C1901A	-	-	-	-
CPF07C1810A	-	-	-	-	ERW24C1904A	0.53	(0.03)	2,500	-	IRPC01C1808A	-	-	-	-
CPF08C1809A	0.25	(0.04)	10,864	-	ESS001C1812A	0.57	0.01	13,075	-	IRPC01C1810A	0.18	0.01	85,038	-
CPF08C1901A	0.18	-	24,974	-	ESS001C1812B	0.38	0.01	16,400	-	IRPC01C1810B	0.02	-	2,615	-
CPF11C1902A	0.08	(0.01)	8,142	-	ESS001P1812A	0.50	-	6,784	-	IRPC01P1808A	-	-	-	-
CPF11P1902A	0.21	(0.02)	15,365	-	ESS008C1902A	0.48	0.02	36,271	-	IRPC01P1810A	0.24	(0.02)	46,502	-
CPF13C1809A	0.38	(0.02)	10,274	-	ESS011C1905A	0.74	0.01	10,184	-	IRPC01P1810B	0.05	(0.01)	5,000	-
CPF13C1810A	0.08	-	19,125	-	ESS013C1811A	0.27	-	22,012	-	IRPC06C1811A	0.28	0.02	23,583	-
CPF19C1901A	0.21	-	12,752	-	ESS019C1901A	0.43	(0.01)	28,519	-	IRPC07C1812A	0.29	-	500	-
CPF23C1810A	0.34	(0.07)	1,000	-	ESS023C1809A	0.02	(0.02)	2,000	-	IRPC08C1808A	-	-	-	-
CPF24C1809A	0.09	(0.03)	11,200	-	ESS024C1812A	0.22	0.01	4,000	-	IRPC08C1902A	0.35	-	64,939	-
CPF24C1901A	-	-	-	-	ESS024C1902A	-	-	-	-	IRPC11C1902A	0.08	0.01	1	-
CPF24C1902A	0.11	(0.02)	3,033	-	ESS028C1811A	0.25	(0.01)	73,052	-	IRPC11C1905A	0.41	0.01	17,764	-
CPF28C1811A	0.11	(0.02)	40,940	-	GFPT08C1906A	0.60	0.03	31,658	-	IRPC13C1811A	0.15	0.01	194,795	-
CPN01C1808A	-	-	-	-	GFPT13C1902A	0.35	0.01	112,688	-	IRPC13C1812A	0.31	(0.01)	245,362	-
CPN01C1808B	-	-	-	-	GFPT19C1811A	0.56	0.01	1,212	-	IRPC19C1901A	0.40	0.01	16,006	-
CPN06C1811A	0.64	-	31,447	-	GFPT24C1812A	0.47	(0.03)	800	-	IRPC23C1810A	-	-	-	-
CPN07C1902A	-	-	-	-	GGC01C1810A	0.12	0.01	30,649	-	IRPC24C1808A	-	-	-	-
CPN08C1809A	-	-	-	-	GGC01C1810B	-	-	-	-	IRPC24C1809A	0.02	-	1	-
CPN08C1903A	0.64	-	29,808	-	GGC07C1902A	-	-	-	-	IRPC24C1812A	0.19	-	30	-
CPN11C1903A	0.39	0.01	1,505	-	GGC08C1906A	0.15	-	63,010	-	IRPC27C1809A	0.04	(0.01)	10,001	-
CPN11P1903A	0.25	(0.01)	13,152	-	GGC13C1811A	-	-	-	-	IRPC28C1811A	0.10	0.01	44,386	-
CPN13C1812A	0.42	(0.03)	74,753	-	GGC13C1902A	0.24	(0.01)	137,324	-	IRPC28C1812A	0.37	0.01	98,689	-
CPN19C1901A	0.67	(0.02)	24,019	-	GGC19C1811A	-	-	-	-	ITD01C1808A	-	-	-	-
CPN23C1810A	0.25	0.01	5,700	-	GGC23C1901A	-	-	-	-	ITD01C1808B	-	-	-	-
CPN24C1901A	-	-	-	-	GGC24C1812A	0.03	(0.01)	1	-	ITD01P1808A	-	-	-	-
CPN28C1810A	0.18	(0.04)	181,367	-	GGC24C1901A	0.26	-	63	-	ITD06C1904A	0.33	(0.01)	5,200	-
DELTO6C1903A	1.00	(0.01)	7,100	1.00	GGC28C1811A	-	-	-	-	ITD08C1810A	-	-	-	-
DELTO8C1811A	0.12	(0.01)	26,298	-	GLOB01C1809A	0.68	(0.01)	69,881	-	ITD11C1903A	0.13	-	852	-
DELTO13C1809A	0.01	(0.02)	498	-	GLOB01C1809B	0.24	(0.04)	31,926	-	ITD13C1809A	-	-	-	-
DELTO24C1901A	-	-	-	-	GLOB06C1809A	0.36	(0.02)	6,000	-	ITD13C1812A	0.13	-	68,930	-
DELTO27C1812A	-	-	-	-	GLOB11C1808A	-	-	-	-	ITD19C1811A	-	-	-	-
DTACO1C1808A	-	-	-	-	GLOB11C1906A	0.38	(0.01)	13,313	-	ITD23C1808A	-	-	-	-
DTACO1C1808B	-	-	-	-	GLOB13C1901A	0.38	(0.03)	30,664	-	ITD24C1810A	-	-	-	-
DTACO1C1810A	0.45	(0.01)	36,969	-	GLOB19C1901A	0.52	(0.02)	4,690	-	ITD24C1902A	0.26	(0.02)	1,011	-
DTACO1C1810B	0.08	(0.01)	5,400	-	GLOB23C1811A	0.59	(0.07)	1,001	-	IVL01C1808A	-	-	-	-
DTACO1C1902A	0.86	(0.02)	47,841	-	GLOB24C1810A	0.22	(0.01)	1,010	-	IVL01C1808B	-	-	-	-
DTACO1C1902B	0.72	(0.04)	29,766	-	GLOB27C1809A	-	-	-	-	IVL01C1812A	0.54	(0.03)	225,732	-
DTACO1P1808A	-	-	-	-	GLOW08C1811A	-	-	-	-	IVL01C1812B	0.31	(0.02)	237,299	-
DTACO1P1810A	0.86	0.01	22,274	-	GLOW19C1901A	-	-	-	-	IVL01P1808A	-	-	-	-
DTACO1P1810B	0.33	0.01	98,398	-	GLOW27C1812A	-	-	-	-	IVL01P1808B	-	-	-	-
DTACO1P1902A	0.73	-	15,152	-	GPSC01C1808A	-	-	-	-	IVL01P1812A	0.70	0.01	69,172	-
DTACO1P1902B	0.52	-	17,262	-	GPSC01C1808B	-	-	-	-	IVL01P1812B	0.46	0.02	66,818	-
DTAC06C1901A	0.36	(0.02)	26,844	-	GPSC01C1902A	0.79	(0.01)	10,264	-	IVL06C1901A	0.38	(0.02)	26,124	-
DTAC06P1809A	0.08	0.01	2,146	-	GPSC01C1902B	0.63	(0.01)	2,182	-	IVL07C1811A	0.42	0.07	500	-
DTAC07C1809A	-	-	-	-	GPSC01P1808A	-	-	-	-	IVL08C1901A	0.53	(0.03)	108,436	-
DTAC07C1902A	-	-	-	-	GPSC01P1902A	1.01	0.01	5,192	1.00	IVL08P1809A	-	-	-	-
DTAC08C1809A	-	-	-	-	GPSC06C1811A	0.24	(0.01)	3,856	-	IVL08P1903A	0.57	0.01	20,243	-
DTAC08C1903A	0.48	(0.03)	77,640	-	GPSC08C1808A	-	-	-	-	IVL11C1808A	-	-	-	-
DTAC08P1902A	0.22	-	65,691	-	GPSC08C1902A	0.57	(0.02)	15,021	-	IVL11C1906A	0.52	(0.02)	49,220	-
DTAC11C1904A	0.38	-	9,282	-	GPSC11C1808A	-	-	-	-	IVL11P1808A	-	-	-	-
DTAC13C1811A	0.13	-	7,217	-	GPSC11C1902A	0.27	(0.02)	616	-	IVL13C1809A	0.01	(0.01)	1,260	-
DTAC13C1812A	0.51	(0.02)	60,755	-	GPSC13C1812A	0.45	(0.02)	13,394	-	IVL13C1810A	0.15	(0.03)	77,000	-
DTAC13P1811A	0.32	(0.01)	50,166	-	GPSC19C1901A	0.57	(0.02)	5,930	-	IVL13C1812A	0.44	(0.04)	258,642	-
DTAC13P1812A	0.10	0.01	1,026	-	GPSC24C1808A	-	-	-	-	IVL13P1809A	-	-	-	-
DTAC19C1811A	0.29	(0.02)	27,512	-	GPSC24C1812A	0.32	(0.02)	15,000	-	IVL13P1811A	0.18	0.01	18,593	-
DTAC24C1809A	0.03	(0.03)	1	-	GPSC27C1902A	-	-	-	-	IVL19C1809A	0.38	(0.04)	39,603	-
DTAC24C1901A	0.53	(0.07)	10	-	GPSC28C1811A	0.34	(0.02)	6,084	-	IVL23C1810A	0.46	(0.02)	4,100	-
DTAC27C1809A	-	-	-	-	GUNK01C1808A	-	-	-	-	IVL24C1808A	-	-	-	-
DTAC27P1809A	-	-	-	-	GUNK01C1808B	-	-	-	-	IVL24C1812A	-	-	-	-
DTAC28C1810A	-	-	-	-	GUNK08C1902A	0.22	-	7,628	-	IVL24C1901A	0.52	0.01	3,780	-
DTAC28C1812A	0.60	(0.02)	206,481	-	GUNK11C1903A	0.12	-	602	-	IVL27C1902A	-	-	-	-
EA01C1809A	0.74	(0.03)	106,479	-	GUNK24C1812A	-	-	-	-	IVL28C1811A	0.23	(0.01)	128,734	-
EA01C1809B	0.25	(0.02)	22,972	-	GUNK28C1810A	0.14	-	10,140	-	IVL28C1812A	0.50	(0.04)	145,679	-
EA01P1809A	0.45	0.01	56,416	-	HANA01C1811A	0.55	0.08	45						



# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

**Issue Date :**

Monday September 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN08C1903A	0.27	-	20,613	-	MALE13C1809A	0.02	-	11	-	PTL13C1809A	0.11	(0.01)	1,158	-
KBAN08P1811A	0.13	-	1,180	-	MALE27C1812A	-	-	-	-	PTL28C1810A	0.32	(0.01)	8,214	-
KBAN13C1810A	0.09	(0.01)	13,997	-	MALE28C1810A	-	-	-	-	PTT01C1808A	-	-	-	-
KBAN13C1811A	0.70	0.01	24,932	-	MC19C1811A	0.16	0.02	29,255	-	PTT01C1808B	-	-	-	-
KBAN13C1901A	0.29	(0.01)	22,941	-	MC23C1809A	-	-	-	-	PTT01C1810A	0.19	-	56,770	-
KBAN19C1901A	0.36	-	20,650	-	MC24C1812A	0.23	0.01	6,000	-	PTT01C1810B	0.05	-	21,211	-
KBAN23C1902A	0.58	(0.01)	6,000	-	MEGA01C1811A	0.18	(0.01)	3,474	-	PTT01C1901A	0.74	0.02	55,088	-
KBAN24C1902A	0.73	(0.07)	1	-	MEGA01C1811B	0.06	-	3,554	-	PTT01C1901B	0.57	0.01	57,142	-
KBAN24C1903A	0.29	-	2	-	MEGA08C1811A	0.06	-	601	-	PTT01P1808A	-	-	-	-
KBAN24P1811A	0.09	(0.01)	12	-	MEGA11C1902A	-	-	-	-	PTT01P1808B	-	-	-	-
KBAN27C1809A	-	-	-	-	MEGA13C1809A	-	-	-	-	PTT01P1810A	0.80	(0.02)	17,799	-
KBAN27P1809A	-	-	-	-	MEGA13C1902A	0.33	(0.67)	47	-	PTT01P1810B	0.20	(0.02)	173,385	-
KBAN28C1809A	-	-	-	-	MEGA19C1902A	0.27	(0.02)	11,800	-	PTT01P1901A	0.47	(0.01)	16,647	-
KBAN28C1811A	0.68	(0.01)	9,206	-	MEGA23C1902A	-	-	-	-	PTT01P1901B	0.28	(0.02)	26,028	-
KBAN28C1812A	0.28	0.01	90,353	-	MEGA24C1812A	-	-	-	-	PTT06C1811A	-	-	-	-
KBAN28P1811A	0.10	(0.02)	400	-	MINT01C1808A	-	-	-	-	PTT06C1901A	0.43	0.01	19,994	-
KCE01C1810A	0.89	0.04	38,113	-	MINT01C1808B	-	-	-	-	PTT06P1901A	0.34	-	9,520	-
KCE01C1810B	0.73	0.05	44,121	-	MINT01C1901A	0.51	(0.02)	98,927	-	PTT07C1811A	-	-	-	-
KCE06C1809A	1.49	0.13	16,356	1.00	MINT01C1901B	0.36	(0.02)	140,296	-	PTT08C1809A	-	-	-	-
KCE07C1902A	0.56	0.07	10,340	-	MINT01P1808A	-	-	-	-	PTT08C1902A	0.38	0.01	18,456	-
KCE08C1809A	1.01	0.11	17,703	1.00	MINT01P1901A	0.24	0.01	88,664	-	PTT08P1809A	0.11	(0.02)	12,206	-
KCE08C1902A	0.46	0.03	37,750	-	MINT06C1809A	0.03	(0.01)	2	-	PTT11C1902A	0.19	0.01	6,631	-
KCE11C1808A	-	-	-	-	MINT06C1901A	0.34	(0.02)	23,882	-	PTT13C1810A	0.04	-	5,390	-
KCE11C1904A	0.54	0.04	1,201	-	MINT07C1810A	0.03	0.01	3,000	-	PTT13C1811A	0.23	-	68,471	-
KCE13C1811A	0.78	0.07	165	-	MINT08C1809A	-	-	-	-	PTT13C1812A	0.39	0.01	117,225	-
KCE13C1812A	0.43	0.02	123,646	-	MINT08C1903A	0.33	-	60,450	-	PTT13P1812A	0.18	(0.02)	10	-
KCE19C1901A	0.58	0.05	59,631	-	MINT11C1902A	0.15	(0.01)	7,708	-	PTT19C1809A	-	-	-	-
KCE23C1901A	0.39	0.02	149,613	-	MINT11P1902A	0.13	(0.01)	44,553	-	PTT19C1901A	0.47	0.01	10,945	-
KCE24C1808A	-	-	-	-	MINT13C1810A	0.11	(0.01)	82,039	-	PTT23C1901A	-	-	-	-
KCE24C1901A	0.53	0.04	14,305	-	MINT13C1812A	0.42	(0.02)	115,208	-	PTT24C1809A	-	-	-	-
KCE27C1902A	-	-	-	-	MINT19C1901A	0.44	(0.01)	2,000	-	PTT24C1812A	-	-	-	-
KCE28C1811A	-	-	-	-	MINT23C1810A	0.09	-	5,000	-	PTT24P1808A	-	-	-	-
KKP01C1808A	-	-	-	-	MINT24C1812A	-	-	-	-	PTT24P1901A	-	-	-	-
KKP01C1808B	-	-	-	-	MINT24C1901A	-	-	-	-	PTT27C1809A	-	-	-	-
KKP08C1811A	0.48	(0.02)	27,220	-	MINT24C1902A	0.29	(0.01)	5,253	-	PTT27P1809A	-	-	-	-
KKP11C1903A	0.38	(0.01)	7,978	-	MINT28C1811A	0.26	0.01	172,033	-	PTT28C1811A	0.06	(0.01)	35	-
KKP13C1811A	0.35	(0.03)	101,112	-	MON001C1810A	-	-	-	-	PTT28C1811B	0.21	-	10,148	-
KKP19C1901A	0.62	(0.03)	18,753	-	MON001C1810B	-	-	-	-	PTT28C1812A	0.39	0.01	43,718	-
KKP24C1812A	0.40	(0.01)	335	-	MON008C1808A	-	-	-	-	PTT28C1901A	0.19	(0.01)	1,730	-
KKP28C1810A	0.18	(0.03)	89,183	-	MON008C1906A	0.07	-	71	-	PTT28P1812A	0.12	(0.02)	12,286	-
KTB01C1808A	-	-	-	-	MON013C1811A	-	-	-	-	PTTE01C1808A	-	-	-	-
KTB01C1810A	0.45	-	10,716	-	MON013C1901A	0.13	-	13,131	-	PTTE01C1808B	-	-	-	-
KTB01C1810B	0.18	(0.01)	12,050	-	MON019C1811A	0.04	-	4,919	-	PTTE01C1901A	0.81	(0.03)	69,548	-
KTB01P1808A	-	-	-	-	MON023C1809A	-	-	-	-	PTTE01C1901B	0.52	(0.02)	83,960	-
KTB06C1902A	0.40	-	8,824	-	MON023C1901A	-	-	-	-	PTTE01P1808A	-	-	-	-
KTB08C1809A	-	-	-	-	MON024C1812A	-	-	-	-	PTTE01P1901A	1.05	0.03	33,653	1.00
KTB08C1903A	0.27	(0.03)	25,628	-	MON024C1812B	-	-	-	-	PTTE01P1901B	0.56	0.01	66,370	-
KTB11C1811A	0.18	(0.01)	2,700	-	MON028C1811A	-	-	-	-	PTTE06C1811A	0.46	(0.05)	13,762	-
KTB13C1809A	-	-	-	-	MON028C1901A	-	-	-	-	PTTE07C1809A	0.14	(0.05)	9,348	-
KTB13C1901A	0.46	(0.03)	9,049	-	MTC06C1901A	0.66	-	41,115	-	PTTE08C1811A	0.37	(0.05)	16,858	-
KTB19C1901A	0.34	-	7,120	-	MTC08C1811A	0.19	(0.01)	19,622	-	PTTE08P1809A	-	-	-	-
KTB23C1811A	0.25	(0.02)	4,500	-	MTC08C1902A	0.49	-	56,178	-	PTTE08P1811A	0.12	0.01	13,364	-
KTB24C1808A	-	-	-	-	MTC11C1904A	0.43	(0.01)	689	-	PTTE11C1902A	0.69	(0.03)	10,426	-
KTB24C1811A	0.17	(0.07)	1,500	-	MTC13C1809A	0.01	-	22,095	-	PTTE13C1811A	0.30	(0.02)	32,532	-
KTB24P1901A	-	-	-	-	MTC13C1811A	0.61	0.01	268,675	-	PTTE13C1812A	0.65	(0.03)	59,839	-
KTB28C1809A	-	-	-	-	MTC13C1901A	0.38	(0.01)	413,171	-	PTTE13P1811A	0.08	-	11,809	-
KTB28C1811A	0.20	(0.01)	42,966	-	MTC19C1901A	0.48	(0.01)	83,941	-	PTTE13P1901A	0.45	-	51,275	-
KTC01C1808A	-	-	-	-	MTC23C1808A	-	-	-	-	PTTE19C1811A	0.55	(0.04)	13,164	-
KTC01C1808B	-	-	-	-	MTC24C1808A	-	-	-	-	PTTE23C1901A	0.11	(0.02)	5,000	-
KTC01C1810A	0.28	(0.01)	395,288	-	MTC24C1810A	0.27	0.02	5,950	-	PTTE24C1811A	-	-	-	-
KTC01C1810B	0.14	-	153,471	-	MTC24C1812A	0.55	(0.02)	1,330	-	PTTE24C1901A	-	-	-	-
KTC08C1808A	-	-	-	-	MTC28C1809A	0.40	-	400	-	PTTE24P1809A	0.01	-	1	-
KTC11C1902A	1.05	(0.04)	1,795	1.00	MTC28C1902A	0.37	(0.02)	95,112	-	PTTE24P1901A	0.46	(0.08)	400	-
KTC13C1809A	0.01	-	4,070	-	ORI11C1811A	-	-	-	-	PTTE27C1809A	-	-	-	-
KTC13C1809B	0.05	(0.01)	12,362	-	ORI13C1810A	0.35	(0.01)	86,283	-	PTTE27P1809A	0.02	-	1	-
KTC13C1812A	0.19	(0.02)	466,565	-	ORI19C1811A	0.21	(0.01)	33,539	-	PTTE28C1810A	0.21	(0.02)	52,652	-
KTC13C1812B	0.36	(0.03)	636,792	-	ORI23C1809A	-	-	-	-	PTTE28C1811A	0.13	(0.02)	10	-
KTC19C1811A	0.19	(0.03)	81,688	-	ORI24C1810A	0.16	(0.01)	1,000	-	PTTE28P1811A	0.11	-	160	-
KTC19C1901A	0.76	(0.01)	42,926	-	PLAN08C1811A	0.19	0.01	23,708	-	PTTG01C1808A	-	-	-	-
KTC23C1809A	0.83	(0.01)	2,971	-	PLAN13C1809A	0.05	0.01	600	-	PTTG01C1810A	0.20	-	121,398	-
KTC24C1808A	-	-	-	-	PLAN28C1810A	0.11	0.01	141,181	-	PTTG01C1810B	0.02	-	29,420	-
KTC24C1810A	0.08	(0.01)	4,838	-	PRM13C1901A	0.47	(0.01)	52,288	-	PTTG01C1811A	0.44	(0.01)	116,979	-
KTC28C1809A	0.03	(0.02)	406	-	PRM19C1902A	0.51	-	17,548	-	PTTG01C1901A	1.17	-	82,328	1.00
KTC28C1810A	0.15	(0.02)	132,444	-	PSH01C1810A	0.29	-	19,001	-	PTTG01C1901B	0.87	-	94,874	-
KTC28C1901A	0.34	(0.01)	85,966	-	PSH01C1810B	-	-	-	-	PTTG01P1808A	-	-	-	-
LH01C1809A	0.34	0.02	3,590	-	PSH01P1810A	0.69	-	4,694	-	PTTG01P1811A	1.43	(0.02)	13,578	1.00
LH01C1809B	0.11	0.01	17,975	-	PSH08C1811A	-	-	-	-	PTTG01P1901A	0.78	(0.02)	4,502	-
LH01P1809A	0.04	(0.01)	204	-	PSH11C1902A	0.22	(0.01)	2,204	-	PTTG01P1901B	0.53	-	18,066	-
LH06C1809A	-	-	-	-	PSH23C1811A	-	-	-	-	PTTG06C1809A	0.01	-	3,250	-
LH07C1810A	0.09	(0.01)	5,000	-	PSL01C1812A	0.34	-	8,121	-	PTTG06C1903A	1.14	0.01	32,404	1.00
LH11C1808A	-	-	-	-	PSL01C1812B	0.27	-	6,150	-	PTTG06P1903A	0.37	(0.01)	11,600	-
LH11C1906A	-	-	-	-	PSL11C1905A	0.24	-	6,135	-	PTTG07C1812A	0.41	-	5,511	-
LH13C1902A	0.29	-	10	-	PSL23C1809A	-	-	-	-	PTTG08C1811A	0.04	-	5,408	-
LH19C1901A	0.20	(0.01)	49	-	PTG01C1811A	0.05	0.01	35,310	-	PTTG08C1902A	0.65	0.01	42,030	-
LH23C1901A	-	-	-	-	PTG01C1811B	0.02	-	205	-	PTTG08P1811A	0.60	(0.02)	38,736	-
LH24C1809A	-	-	-	-	PTG01P1811A	1.70	(0.02)	15,780	1.00	PTTG11C1902A	0.11	(0.01)	8,010	-
LH24C1903A	0.15	0.01	3,000	-	PTG06C1810A	-	-	-	-	PTTG13C1812A	0.25	-	65,318	-
LPN01C1809A	0.07	-	1	-	PTG06C1904A	0.20	-	4,004	-	PTTG13C1812B	0.79	(0.01)	190,491	-
LPN01C1811A	0.36	0.01	43,357	-	PTG08C1902A	0.06	-	15,600	-	PTTG19C1811A	0.23	0.01	33,739	-
LPN01C1811B														

## Main Board Quotation

## Issue Date :

Monday September 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
QH23C1808A	-	-	-	-	SCB01P1902A	0.40	0.01	34,078	-	STA13C1812A	0.30	(0.07)	145,357	-
QH24C1812A	0.16	(0.03)	14,750	-	SCB01P1902B	0.17	0.01	36,800	-	STA13C1901A	0.19	(0.03)	267,572	-
RATC19C1901A	0.33	-	6,464	-	SCB06C1811A	0.74	(0.02)	16,182	-	STA19C1811A	0.12	(0.03)	31,491	-
RATC24C1902A	-	-	-	-	SCB08C1901A	0.57	(0.02)	28,509	-	STA23C1809A	-	-	-	-
RATC27C1812A	-	-	-	-	SCB11C1901A	0.32	0.01	10,000	-	STA24C1808A	-	-	-	-
ROBI01C1809A	0.29	0.02	33,735	-	SCB11P1901A	0.29	0.02	43,049	-	STEC01C1809A	0.22	-	17,415	-
ROBI06C1809A	0.26	0.05	36,168	-	SCB13C1809A	-	-	-	STEC01C1809B	0.61	0.01	11,470	-	
ROBI08C1808A	-	-	-	-	SCB13C1812A	0.67	(0.04)	83,349	-	STEC01P1809A	0.58	(0.02)	12,860	-
ROBI11C1808A	-	-	-	-	SCB13C1902A	0.44	(0.56)	55,175	-	STEC06C1809A	0.24	(0.01)	11,274	-
ROBI11C1906A	0.53	0.04	10,040	-	SCB13P1812A	0.09	0.02	520	-	STEC08C1809A	0.13	(0.01)	32,902	-
ROBI19C1901A	0.66	0.02	9,976	-	SCB19C1811A	0.37	(0.04)	25,427	-	STEC11C1903A	0.55	-	8,479	-
ROBI24C1901A	0.28	0.03	3,000	-	SCB24C1901A	-	-	-	STEC13C1809A	-	-	-	-	
ROBI24C1903A	-	-	-	-	SCB24C1902A	-	-	-	STEC19C1901A	0.54	0.01	10,162	-	
RS08C1901A	0.56	0.04	62,660	-	SCB24P1811A	-	-	-	STEC23C1808A	-	-	-	-	
RS13C1901A	0.61	0.04	227,740	-	SCB27C1902A	0.60	(0.01)	3,894	-	STEC24C1808A	-	-	-	-
RS19C1901A	0.58	0.05	22,245	-	SCB28C1809A	-	-	-	STEC24C1901A	-	-	-	-	
RS24C1811A	0.51	0.03	1,220	-	SCB28C1812A	0.56	(0.03)	114,688	-	STEC27C1902A	-	-	-	-
S10001C1811A	0.60	0.01	560	-	SCB28P1812A	0.05	-	200	-	STEC28C1810A	0.49	0.01	16,366	-
S5001C1808A	-	-	-	-	SCCO1C1808A	-	-	-	STPI08C1811A	0.05	-	300	-	
S5001C1808B	-	-	-	-	SCCO1C1808B	-	-	-	SUPE08C1808A	-	-	-	-	
S5001C1809F	0.87	(0.03)	1,691,430	-	SCCO1C1901A	0.75	0.01	12,128	-	SUPE08C1811A	0.05	-	1,000	-
S5001C1809G	0.12	(0.02)	515,167	-	SCCO1C1901B	0.62	-	9,566	-	SUPE13C1810A	0.02	(0.01)	100	-
S5001C1809H	2.32	-	339,042	2.00	SCCO1P1808A	-	-	-	SUPE13C1811A	0.05	-	702	-	
S5001C1809I	1.57	(0.05)	1,306,626	1.00	SCCO1P1901A	0.29	(0.02)	1,053	-	SUPE19C1902A	0.20	(0.01)	15,905	-
S5001C1810A	1.44	(0.02)	99,963	1.00	SCCO6C1809A	-	-	-	SUPE23C1811A	-	-	-	-	
S5001C1810B	1.47	(0.01)	155,953	1.00	SCCO6C1902A	0.37	-	3,540	-	SUPE23C1901A	-	-	-	-
S5001P1808A	-	-	-	-	SCCO7C1812A	-	-	-	SUPE28C1810A	-	-	-	-	
S5001P1808B	-	-	-	-	SCCO8C1809A	-	-	-	SUPE28C1811A	-	-	-	-	
S5001P1809F	1.19	-	42,781	1.00	SCCO8C1902A	0.43	-	24,960	-	TASCO1C1809A	-	-	-	-
S5001P1809G	0.32	(0.01)	38,214	-	SCC11C1811A	-	-	-	TASCO1C1810A	0.15	0.02	197,532	-	
S5001P1809H	0.02	0.01	12	-	SCC11C1906A	0.30	-	600	-	TASCO1C1810B	0.03	0.01	1	-
S5001P1809I	0.01	-	19,769	-	SCC11P1811A	0.17	-	5,950	-	TASCO1P1809A	1.65	(0.08)	13,077	1.00
S5001P1810A	0.18	-	134,677	-	SCC13C1809A	0.01	-	590	-	TASCO1P1810A	0.60	(0.06)	79,050	-
S5001P1810B	0.10	0.01	45,618	-	SCC13C1812A	0.22	-	7,080	-	TASCO7C1811A	0.05	(0.24)	1	-
S5006C1809A	0.17	-	1,220	-	SCC13C1901A	-	-	-	TASCO8C1808A	-	-	-	-	
S5006C1809B	0.05	-	9,421	-	SCC19C1811A	0.15	(0.01)	13,816	-	TASCO8C1903A	0.43	0.04	182,482	-
S5006C1809C	0.35	(0.01)	4,085	-	SCC19C1901A	0.44	-	17,911	-	TASC11C1904A	0.14	0.02	25,094	-
S5006C1809D	0.08	(0.01)	1,170	-	SCC23C1811A	-	-	-	TASC13C1810A	0.03	0.01	302	-	
S5006C1812A	0.67	(0.02)	27,454	-	SCC24C1812A	-	-	-	TASC13C1901A	0.32	0.03	198,417	-	
S5006C1812B	0.75	(0.02)	1,720	-	SCC24C1901A	-	-	-	TASC19C1902A	0.40	0.02	127,055	-	
S5006C1812C	0.66	(0.01)	70	-	SCC24C1902A	0.32	(0.02)	300	-	TASC23C1902A	0.33	0.02	46,836	-
S5006P1809A	0.93	0.01	31,830	-	SCC24P1901A	-	-	-	TASC24C1810A	0.01	-	800	-	
S5006P1809B	0.30	-	3,507	-	SCC27C1809A	-	-	-	TASC24C1903A	0.36	0.04	33,020	-	
S5006P1809C	-	-	-	-	SCC27P1809A	-	-	-	TCAPO1C1901A	0.65	(0.02)	19,400	-	
S5006P1809D	0.09	(0.03)	895	-	SCC28C1811A	-	-	-	TCAPO1C1901B	0.53	(0.02)	4,338	-	
S5006P1812A	0.90	-	22,349	-	SCC28C1812A	0.45	-	5,114	-	TCAPO1P1901A	0.30	-	4,890	-
S5006P1812B	0.30	-	66,579	-	SCCC08C1811A	-	-	-	TCAPO8C1810A	-	-	-	-	
S5006P1812C	0.55	(0.45)	720	-	SCCC13C1809A	-	-	-	TCAPI1C1811A	-	-	-	-	
S5008C1809A	0.69	(0.07)	92,265	-	SCCC27C1812A	-	-	-	TCAPI3C1809A	-	-	-	-	
S5008P1809A	0.02	-	500	-	SGPO6C1812A	0.28	0.04	33,314	-	TCAPI3C1901A	0.49	(0.02)	35,153	-
S5013C1809A	0.06	(0.01)	933,864	-	SGPO8C1808A	-	-	-	TCAPI9C1901A	0.41	-	664	-	
S5013C1809B	0.22	(0.04)	580,631	-	SGPO8C1901A	0.48	0.04	59,619	-	TCAPI24C1903A	-	-	-	-
S5013C1809C	0.13	(0.05)	1,486,953	-	SGP11C1904A	0.25	0.03	6,351	-	THAI01C1808A	-	-	-	-
S5013C1809D	0.48	(0.07)	4,546,334	-	SGP13C1811A	0.13	0.03	3,323	-	THAI01C1808B	-	-	-	-
S5013C1809E	1.08	(0.09)	699,724	1.00	SGP13C1812A	0.35	0.03	216,772	-	THAI01C1901A	0.31	0.05	96,641	-
S5013C1809F	0.72	(0.03)	706,592	-	SGP19C1811A	0.36	0.04	155,018	-	THAI01C1901B	0.17	0.03	142,093	-
S5013C1812A	1.07	(0.05)	1,544,977	1.00	SGP24C1808A	-	-	-	THAI01P1808A	-	-	-	-	
S5013P1809A	0.54	-	742,866	-	SGP24C1811A	0.15	0.01	9,520	-	THAI01P1901A	0.82	(0.09)	23,376	-
S5013P1809B	0.16	-	1,274,142	-	SGP24C1902A	1.15	0.07	3,296	1.00	THAI06C1809A	0.03	-	48	-
S5013P1809C	0.29	(0.01)	1,576,549	-	SGP28C1809A	-	-	-	THAI07C1811A	-	-	-	-	
S5013P1809D	0.05	-	791,385	-	SGP28C1811A	0.16	0.02	124,960	-	THAI08C1808A	-	-	-	-
S5013P1809E	0.01	-	855,673	-	SIRI01C1808A	-	-	-	THAI08C1903A	0.26	0.03	57,480	-	
S5013P1809F	0.59	-	1,060,823	-	SIRI01C1808B	-	-	-	THAI11C1808A	-	-	-	-	
S5013P1812A	0.82	0.01	1,000,919	-	SIRI01C1901A	0.38	-	38,859	-	THAI11C1906A	0.36	0.04	24,715	-
S5028C1809A	0.14	(0.03)	278,631	-	SIRI01C1901B	0.14	-	24,105	-	THAI13C1811A	-	-	-	-
S5028C1809B	0.99	(0.08)	118,516	1.00	SIRI01P1808A	-	-	-	THAI19C1901A	0.28	0.05	266,188	-	
S5028C1810A	0.60	(0.03)	969,484	-	SIRI01P1901A	0.57	(0.02)	10,930	-	THAI23C1901A	0.01	-	2,197	-
S5028P1809A	0.16	(0.01)	397,940	-	SIRI06C1904A	0.32	-	7,800	-	THAI24C1808A	-	-	-	-
S5028P1809B	0.02	(0.02)	44,322	-	SIRI08C1808A	-	-	-	THAI24C1901A	0.16	0.02	10,100	-	
S5028P1810A	0.64	-	726,200	-	SIRI08C1810A	-	-	-	THAI27C1809A	0.01	(0.04)	300	-	
SAWA01C1808A	-	-	-	-	SIRI11C1902A	-	-	-	THAI28C1901A	0.26	0.03	239,974	-	
SAWA01C1808B	-	-	-	-	SIRI13C1809A	-	-	-	THAN01C1812A	0.44	-	10,188	-	
SAWA01C1901A	0.68	(0.01)	224,448	-	SIRI13C1902A	0.25	(0.75)	64,790	-	THAN13C1809A	-	-	-	-
SAWA01C1901B	0.56	0.02	210,096	-	SIRI19C1902A	0.23	(0.01)	3,000	-	THAN24C1903A	0.46	-	28,325	-
SAWA01P1808A	-	-	-	-	SIRI23C1811A	-	-	-	THAN28C1810A	0.07	-	3,200	-	
SAWA01P1901A	0.64	0.01	95,103	-	SIRI24C1809A	-	-	-	THCO01C1809A	0.14	-	64,744	-	
SAWA06C1811A	0.09	0.01	6,084	-	SIRI24C1903A	-	-	-	THCO01P1809A	0.32	(0.03)	2,810	-	
SAWA06C1903A	0.98	(0.03)	82,541	-	SIRI28C1809A	-	-	-	THCO08C1906A	0.31	0.02	23,602	-	
SAWA07C1812A	0.56	0.02	5,208	-	SIRI28C1901A	0.30	(0.01)	102,160	-	THCO11C1902A	0.22	0.02	200	-
SAWA08C1808A	-	-	-	-	SPAL01C1808A	-	-	-	THCO19C1811A	0.20	0.01	3,849	-	
SAWA08C1811A	0.03	-	1,800	-	SPAL01C1808B	-	-	-	THCO23C1808A	-	-	-	-	
SAWA08C1902A	0.75	(0.04)	82,821	-	SPAL06C1809A	0.45	(0.02)	17,674	-	THCO24C1810A	-	-	-	-
SAWA11C1808A	-	-	-	-	SPAL08C1808A	-	-	-	THCO28C1901A	0.44	-	4,800	-	
SAWA11C1906A	0.49	(0.02)	34,770	-	SPAL11C1905A	-	-	-	TISCO1C1808A	-	-	-	-	
SAWA13C1810A	0.02	-	15	-	SPAL19C1902A	0.43	(0.02)	7,484	-	TISCO1C1808B	-	-	-	-
SAWA13C1811A	0.03	-	300	-	SPAL23C1811A	0.52	(0.02)	6,600	-	TISCO7C1902A	0.92	0.07	652	-
SAWA13C1812A	0.26	(0.01)	272,157	-	SPAL24C1808A	-	-	-	TISCO8C1808A	-	-	-	-	
SAWA13C1901A	0.73	(0.04)	25,301	-	SPAL24C1812A	-	-	-	TISCO8C1903A	0.72	0.05	71,525	-	
SAWA19C1901A	0.75	(0.02)	63,967	-	SPRC01C1808A	-	-	-	TISCO11C1903A	0.25	0.02	7,812	-	
SAWA24C1808A	-	-	-	-	SPRC01C1808B	-	-	-	TISC13C1811A	0.30	0.02	55,636	-	
SAWA24C1812A	0.26	(0.03)	9,998	-	SPRC06C1809A	0.02	-	300	-	TISC13C1812A	0.75	0.05	111,843	-
SAWA24C1902A	0													

**Main Board Quotation**

**Issue Date :**

*Monday September 03, 2018*

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------



## Main Board Quotation

Issue Date :

Monday September 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN13C1812A	0.35	0.03	158,538	-	TTA13C1901A	0.22	-	12,705	-	KT8-Q	-	-	-	-
TKN19C1811A	0.10	0.02	16,564	-	TTA19C1811A	-	-	-	-	SCB-Q	-	-	-	-
TKN23C1902A	0.37	0.03	13,781	-	TTA23C1808A	-	-	-	-	TCAP-Q	-	-	-	-
TKN24C1811A	0.22	0.03	2,672	-	TTA23C1901A	-	-	-	-	TIC-Q	-	-	-	-
TKN24C1812A	-	-	-	-	TTA24C1809A	-	-	-	-	TISCO-Q	-	-	-	-
TKN28C1811A	0.08	0.01	50	-	TTA24C1902A	-	-	-	-	U-Q	-	-	-	-
TKN28C1812A	0.55	0.02	25,824	-	TTA28C1812A	0.09	-	24	-	Warrant	-	-	-	-
TMB01C1810A	0.16	-	168,572	-	TU01C1808A	-	-	-	-	7UP-W2	0.08	-	456	-
TMB01C1810B	0.03	-	1,000	-	TU01C1808B	-	-	-	-	ACC-W1	0.02	-	1,504	-
TMB01P1810A	0.45	-	63,096	-	TU01C1901A	0.64	-	32,887	-	AJA-W1	0.21	0.01	70	-
TMB06C1809A	0.01	-	12,751	-	TU01C1901B	0.62	0.01	30,330	-	ALT-W1	0.51	(0.01)	1,256	-
TMB06C1902A	0.09	-	2,796	-	TU01P1808A	-	-	-	-	APURE-W2	0.17	-	4,041	-
TMB07C1811A	-	-	-	-	TU01P1901A	0.19	-	7,808	-	AQ-W4	0.01	-	1	-
TMB08C1808A	-	-	-	-	TU06C1902A	0.35	0.01	24,624	-	AS-W1	0.25	-	342	-
TMB08C1901A	-	-	-	-	TU07C1902A	0.25	(0.03)	50	-	AYUD-W1	3.22	0.02	38,136	3.00
TMB11C1904A	0.08	(0.01)	500	-	TU08C1811A	-	-	-	-	B-W3	0.01	-	10	-
TMB13C1811A	0.04	-	358	-	TU11C1902A	-	-	-	-	B-W4	0.17	(0.01)	104,375	-
TMB13C1901A	0.18	-	88,872	-	TU11C1906A	0.25	-	14,408	-	BTS-W3	0.01	-	644	-
TMB19C1901A	0.11	-	56,555	-	TU13C1809A	-	-	-	-	BWG-W4	0.08	-	1,434	-
TMB23C1810A	-	-	-	-	TU13C1902A	0.31	0.01	50,203	-	CEN-W4	0.05	-	5,252	-
TMB24C1809A	-	-	-	-	TU19C1901A	0.32	(0.01)	15,015	-	CGD-W4	0.22	-	13,690	-
TMB24C1901A	-	-	-	-	TU23C1902A	0.35	0.02	19,500	-	CGH-W3	0.05	(0.01)	1,516	-
TMB24C1902A	0.16	(0.01)	82	-	TU24C1808A	-	-	-	-	CJ-W1	0.37	(0.02)	540	-
TMB28C1809A	-	-	-	-	TU24C1901A	-	-	-	-	CKP-W1	0.37	-	7,103	-
TMB28C1901A	0.14	-	466,671	-	TVO01C1809A	0.15	-	20,594	-	CRANE-W1	-	-	-	-
TOA01C1901A	0.37	0.01	58,354	-	TVO01C1809B	-	-	-	-	CWT-W4	0.45	0.02	38,847	-
TOA01C1901B	0.26	0.01	49,495	-	TVO08C1808A	-	-	-	-	DCC-W1	1.00	0.03	867,084	1.00
TOA08C1902A	0.19	0.01	42,990	-	TVO11C1903A	-	-	-	-	DCON-W1	-	-	-	-
TOA13C1812A	0.26	0.02	86,883	-	TVO13C1809A	-	-	-	-	DIGI-W1	0.03	-	245	-
TOA19C1901A	0.26	0.02	14,219	-	TVO13C1902A	0.25	-	4,284	-	DIGI-W2	0.02	0.01	1	-
TOA24C1812A	0.17	-	5,003	-	TVO19C1902A	0.25	(0.01)	1,166	-	EARTH-W4	-	-	-	-
TOA28C1812A	0.22	0.01	24,084	-	TVO23C1808A	-	-	-	-	EIC-W2	-	-	-	-
TOP01C1808A	-	-	-	-	TVO24C1810A	-	-	-	-	EIC-W3	0.02	-	80	-
TOP01C1808B	-	-	-	-	TVO24C1903A	-	-	-	-	EIC-W4	-	-	-	-
TOP01C1901A	1.55	0.08	118,981	1.00	UNIQ01C1809A	-	-	-	-	EVER-W3	0.02	-	10,493	-
TOP01C1901B	1.42	0.11	75,706	1.00	UNIQ01C1810A	0.23	(0.01)	64,551	-	GJS-W3	-	-	-	-
TOP01P1808A	-	-	-	-	UNIQ01C1810B	0.04	(0.01)	15,500	-	GSTEL-W1	-	-	-	-
TOP01P1901A	0.56	(0.04)	71,822	-	UNIQ01P1809A	0.55	0.02	7,542	-	GSTEL-W2	-	-	-	-
TOP06C1809A	-	-	-	-	UNIQ08C1808A	-	-	-	-	IEC-W2	-	-	-	-
TOP06C1903A	1.27	0.12	56,452	1.00	UNIQ08C1810A	-	-	-	-	IHL-W1	5.00	0.12	625	5.00
TOP07C1812A	0.50	0.06	33,009	-	UNIQ08C1906A	0.25	(0.01)	30,498	-	ITD-W1	0.10	-	40,628	-
TOP08C1811A	0.13	0.03	73,509	-	UNIQ11C1811A	-	-	-	-	JAS-W3	2.00	(0.02)	22,902	2.00
TOP08C1902A	0.68	0.07	50,243	-	UNIQ13C1809A	-	-	-	-	JCK-W5	0.47	0.01	357	-
TOP11C1808A	-	-	-	-	UNIQ13C1901A	0.23	(0.01)	59,751	-	JMART-W2	1.80	(0.05)	9,179	1.00
TOP11C1905A	1.15	0.11	23,058	1.00	UNIQ19C1811A	-	-	-	-	MIDA-W2	0.02	-	32	-
TOP13C1811A	0.09	0.01	22,426	-	UNIQ23C1901A	-	-	-	-	MILL-W3	0.04	-	11,922	-
TOP13C1901A	0.70	0.07	163,727	-	UNIQ24C1811A	-	-	-	-	MILL-W4	0.30	-	35	-
TOP19C1901A	0.50	0.04	109,975	-	UNIQ28C1809A	-	-	-	-	MILL-W5	0.20	(0.01)	7,914	-
TOP23C1811A	0.16	0.03	22,000	-	UNIQ28C1811A	0.08	(0.01)	30,000	-	ML-W2	0.03	0.01	33	-
TOP24C1901A	-	-	-	-	UV06C1812A	0.44	(0.01)	12,900	-	MONO-W1	0.41	0.01	3,825	-
TOP24C1902A	0.69	0.09	1,370	-	UV13C1812A	0.46	-	110,488	-	NEP-W3	-	-	-	-
TOP28C1810A	-	-	-	-	UV19C1902A	0.51	(0.01)	4,532	-	NOK-W1	0.53	0.03	17	-
TOP28C1812A	0.62	0.07	93,287	-	UV23C1809A	-	-	-	-	NPPG-W3	-	-	-	-
TP101C1812A	0.26	0.01	16,511	-	UV24C1812A	-	-	-	-	NUSA-W3	0.09	(0.01)	301	-
TP101C1812B	0.17	-	5,672	-	VGI01C1812A	0.64	(0.04)	71,291	-	NVD-W1	0.33	0.04	132,763	-
TP107C1812A	-	-	-	-	VGI06C1904A	-	-	-	-	ORI-W1	2.58	(0.04)	8,004	2.00
TP113C1809A	-	-	-	-	VGI06C1904B	6.25	(0.35)	16	6.00	PACE-W2	0.23	(0.01)	35,249	-
TP119C1901A	0.28	-	5,588	-	VGI06C1904C	-	-	-	-	PDI-W1	1.18	-	1,481	1.00
TP123C1809A	-	-	-	-	VGI08C1811A	0.53	(0.04)	12,189	-	PDJ-W2	1.45	-	54	1.00
TP124C1808A	-	-	-	-	VGI23C1905A	-	-	-	-	PDJ-W3	1.40	-	44	1.00
TP124C1902A	-	-	-	-	VGI23C1911A	1.32	(0.04)	10	1.00	PDJ-W4	1.40	-	91	1.00
TP1P01C1810A	-	-	-	-	VGI27C1812A	-	-	-	-	PLE-W3	0.12	0.01	3,679	-
TP1P01C1810B	0.08	(0.01)	691	-	VGI28C1810A	0.28	(0.03)	40,287	-	RICH-W1	-	-	-	-
TP1P01P1810A	0.51	-	7,790	-	WHA01C1812A	0.58	0.02	96,689	-	RICHY-W1	0.33	(0.01)	1,020	-
TP1P08C1808A	-	-	-	-	WHA01C1812B	0.47	0.03	77,324	-	RICHY-W2	0.19	(0.01)	3,001	-
TP1P11C1811A	-	-	-	-	WHA01P1812A	0.54	(0.02)	11,112	-	RS-W3	8.40	0.75	431	8.00
TP1P13C1811A	-	-	-	-	WHA06C1809A	0.08	-	11,501	-	S-W1	0.17	0.02	313,146	-
TP1P13C1902A	0.34	(0.66)	6,156	-	WHA07C1810A	0.14	-	3,420	-	SAMART-W2	0.30	0.01	10,228	-
TP1P19C1902A	0.41	-	800	-	WHA08C1811A	0.14	-	44,913	-	SAWAD-W1	5.85	-	1,120	5.00
TP1P23C1808A	-	-	-	-	WHA11C1903A	0.21	-	29,642	-	SDC-W1	0.06	(0.01)	6,025	-
TP1P24C1901A	-	-	-	-	WHA13C1812A	0.43	0.02	144,202	-	SMM-W4	0.01	-	10	-
TP1P27C1812A	-	-	-	-	WHA19C1901A	0.43	0.03	11,299	-	SMT-W1	0.06	(0.03)	6,200	-
TRUE01C1808A	-	-	-	-	WHA23C1810A	0.21	0.01	2,500	-	SMT-W2	0.69	(0.01)	2,565	-
TRUE01C1808B	-	-	-	-	WHA24C1811A	-	-	-	-	SPALI-W4	19.90	-	651	19.00
TRUE01C1902A	0.56	(0.01)	54,649	-	WHA28C1809A	0.32	0.02	4	-	SPORT-W5	0.03	-	2	-
TRUE01C1902B	0.46	-	58,228	-	WHA28C1901A	0.43	0.02	146,999	-	SUPER-W4	0.10	0.01	106,830	-
TRUE01P1808A	-	-	-	-	WHAU01C1810A	0.19	0.02	3,378	-	SUSCO-W1	0.08	(0.01)	5,981	-
TRUE01P1902A	0.44	0.01	19,428	-	WHAU01C1810B	0.02	-	2,000	-	SVI-W3	2.06	(0.02)	2,136	2.00
TRUE01P1902B	0.31	0.01	17,487	-	WHAU24C1812A	0.03	-	9,999	-	TCC-W3	-	-	-	-
TRUE06C1811A	0.13	-	4,000	-	WHAU24C1902A	-	-	-	-	TCC-W4	0.13	-	1,203	-
TRUE06C1906A	0.33	-	10,424	-	WORK01C1811A	0.34	(0.03)	26,034	-	TCC-W5	0.16	(0.01)	3,439	-
TRUE07C1902A	-	-	-	-	WORK01C1811B	0.17	(0.02)	14,360	-	TCJ-W2	0.93	(0.02)	1,530	-
TRUE08C1809A	0.06	-	5,000	-	WORK08C1809A	-	-	-	-	TCMC-W2	0.33	0.01	6,268	-
TRUE08C1902A	0.43	(0.02)	24,026	-	WORK08C1901A	0.26	(0.01)	21,373	-	TFG-W1	1.62	0.01	180	1.00
TRUE08P1809A	0.03	0.01	1,586	-	WORK11C1903A	0.08	-	7,052	-	TFG-W2	0.74	(0.02)	1,079	-
TRUE11C1905A	0.37	(0.02)	3,146	-	WORK13C1809A	-	-	-	-	TH-W2	0.15	-	6	-
TRUE13C1810A	0.03	-	2,001	-	WORK13C1810A	-	-	-	-	THE-W2	0.06	-	5,616	-
TRUE13C1812A	0.27	(0.02)	137,282	-	WORK13C1811A	0.05	-	520	-	TNITY-W1	0.94	0.01	169	-
TRUE16C1812A	-	-	-	-	WORK13C1812A	0.23	(0.04)	69,873	-	TNPC-W1	0.44	-	4,312	-
TRUE19C1901A	0.18	(0.02)	3,418	-	WORK19C1811A	0.07	(0.02)	4,450	-	TRITN-W3	0.19	0.01	133,426	-
TRUE23C1902A	0.25	(0.02)	6,000	-	WORK24C1810A	-	-	-	-	TSR-W1	0.60	-	-	-

Main Board Quotation

Issue Date :

Monday September 03, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE27C1809A	0.12	(0.05)	11,070	-	WORK24C1812A	0.17	(0.02)	8,530	-	TTA-W5	0.19	0.01	5,878	-
TRUE27P1809A	-	-	-	-	WORK28C1809A	-	-	-	-	TTCL-W1	1.52	0.37	1,251,365	1.00
TRUE28C1810A	0.04	-	1,200	-	WORK28C1811A	-	-	-	-	U-W1	0.01	-	20,024	-
TRUE28C1812A	0.22	(0.02)	73,198	-	Preferred/Foreign	-	-	-	-	U-W4	0.01	-	130,500	-
TTA08C1808A	-	-	-	-	BH-Q	-	-	-	-	VIBHA-W2	1.38	(0.01)	1,400	1.00
TTA08C1906A	0.28	0.01	6,930	-	CSC-Q	-	-	-	-	VIBHA-W3	0.29	-	482	-
TTA13C1809A	-	-	-	-	JUTHA-Q	-	-	-	-	WAVE-W1	0.39	0.01	445	-
WHA-W1	6.50	-	4,406	6.00	TMILL-W1	1.13	0.01	5,149	1.00	-	-	-	-	-
WORK-W1	8.60	0.05	130	8.00	TSF-W4	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W5	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	TVD-W2	0.60	-	5,914	-	-	-	-	-	-
CSC-P	-	-	-	-	UAC-W2	0.76	-	2,160	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UKEM-W2	0.50	-	302	-	-	-	-	-	-
KTB-P	-	-	-	-	UWC-W2	-	-	-	-	-	-	-	-	-
SCB-P	145.00	-	1	145.00	XO-W1	6.35	0.15	11,660	6.00	-	-	-	-	-
TCAP-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TIC-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	0.03	-	76,551	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.15	-	2,733	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	1.93	(0.02)	531	1.00	-	-	-	-	-	-	-	-	-	-
AIRA-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.82	0.01	678	-	-	-	-	-	-	-	-	-	-	-
BM-W1	0.52	(0.06)	102,237	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.15	(0.01)	640	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.26	0.03	78,916	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	0.02	0.01	5	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.13	(0.01)	11,331	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.27	(0.04)	1,160	1.00	-	-	-	-	-	-	-	-	-	-
ECF-W2	4.70	-	2,761	4.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	3.20	(0.02)	5,721	3.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.02	0.01	61,047	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.02	-	6	-	-	-	-	-	-	-	-	-	-	-
FC-W1	0.05	-	100	-	-	-	-	-	-	-	-	-	-	-
FC-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.64	0.02	25,093	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.43	-	16,951	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.36	(0.01)	137,370	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	2.36	0.04	19,700	2.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.32	-	343	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.06	0.01	44,800	-	-	-	-	-	-	-	-	-	-	-
NCL-W3	0.51	0.01	57,214	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.07	-	41,759	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	0.01	-	100	-	-	-	-	-	-	-	-	-	-	-
PHOL-W1	0.04	(0.01)	5,531	-	-	-	-	-	-	-	-	-	-	-
PIMO-W1	2.16	-	7,233	2.00	-	-	-	-	-	-	-	-	-	-
PPS-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PSTC-W1	0.25	(0.01)	5,370	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W2	0.32	(0.05)	555	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W3	0.56	0.01	72	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W4	1.34	0.05	9,640	1.00	-	-	-	-	-	-	-	-	-	-
SKY-W1	13.00	-	2	12.00	-	-	-	-	-	-	-	-	-	-
STAR-W3	2.06	0.04	297	2.00	-	-	-	-	-	-	-	-	-	-
TAKUNI-W	0.20	-	4,174	-	-	-	-	-	-	-	-	-	-	-
TAPAC-W3	2.28	0.14	2,122	2.00	-	-	-	-	-	-	-	-	-	-