

Main Board Quotation

Issue Date :

Wednesday September 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.30	(0.30)	20,928	10.45	SE-ED	3.10	(0.06)	52	3.12
POMPI	-	-	-	-	ILINK	5.05	(0.10)	4,863	5.09	SMM	0.90	-	749	0.89
SAFARI	-	-	-	-	INET	3.80	(0.04)	7,274	3.82	SPORT	0.40	(0.01)	5,432	0.39
VI	-	-	-	-	INTUCH	54.75	(0.50)	52,634	54.96	TBSP	15.30	(0.10)	20	15.30
WORLD	-	-	-	-	JAS	5.20	(0.05)	191,926	5.22	TH	0.73	0.01	1,192	0.71
WR	-	-	-	-	JASIF	10.30	-	143,854	10.36	TKS	11.00	(0.30)	20,131	11.12
Agribusiness	-	-	-	-	JMART	9.05	(0.30)	13,551	9.16	TRITN	0.40	0.03	1,696,186	0.39
CHOTI	141.00	(0.50)	2	141.25	JTS	1.58	(0.03)	569	1.59	VGI	7.50	(0.05)	99,894	7.54
EE	0.66	(0.01)	7,926	0.66	MFEF	3.36	(0.02)	5,109	3.38	WAVE	2.60	(0.06)	64	2.54
GFPT	15.20	(0.30)	46,173	15.19	MSC	6.50	(0.05)	2,712	6.52	WORK	38.75	(1.50)	57,683	39.97
LEE	2.74	(0.02)	1,711	2.74	PT	6.50	-	9,432	6.54	Finance & Securities	-	-	-	-
STA	12.10	-	59,455	12.16	SAMART	7.00	(0.10)	8,897	7.03	AEC	0.51	0.01	4,713	0.50
TLUXE	5.60	(0.05)	1,588	5.61	SAMTEL	8.40	(0.20)	29	8.58	AEONTS	179.50	(3.50)	5,564	180.04
TRUBB	1.74	(0.03)	1,949	1.77	SDC	0.24	(0.02)	22,723	0.25	AMANAHA	2.00	(0.04)	343,279	2.01
TWPC	9.00	-	396	8.96	SIS	8.80	(0.15)	1,551	8.85	ASAP	6.00	(0.15)	36,792	6.04
UPOIC	4.22	(0.08)	13	4.22	SVOA	1.37	(0.07)	44,248	1.40	ASK	23.60	(0.30)	4,891	23.53
UVAN	6.70	-	2,911	6.68	SYMC	5.60	(0.10)	161	5.57	ASP	3.80	-	33,570	3.81
VPO	0.64	(0.01)	5,624	0.64	SYNEX	12.80	(0.20)	32,045	12.88	BFIT	26.00	(1.00)	3,070	26.34
Banking	-	-	-	-	THCOM	9.80	(0.40)	30,381	9.91	CGH	1.08	0.03	2,370	1.07
BAY	39.75	(1.00)	2,806	39.93	TRUE	6.40	(0.15)	1,533,877	6.45	CNS	2.54	(0.02)	2,079	2.53
BBL	204.00	(1.00)	30,474	204.42	TWZ	0.13	-	166,853	0.13	ECL	1.88	(0.03)	40,376	1.89
CIMBT	0.85	(0.01)	64,258	0.85	Electronic Componen	-	-	-	-	FNS	4.10	(0.02)	1,551	4.11
KBANK	208.00	(4.00)	64,097	208.98	CCET	1.92	(0.03)	13,311	1.93	FSS	2.34	(0.04)	1,104	2.34
KKP	73.25	(3.25)	58,742	73.97	DELTA	69.75	-	6,976	69.65	GBX	0.66	(0.02)	1,682	0.67
KTB	18.90	(0.30)	329,529	19.07	EIC	0.06	-	175,985	0.06	GL	7.25	(0.15)	16,516	7.29
LHFG	1.59	(0.02)	45,458	1.59	HANA	41.00	1.00	122,410	41.07	IFS	3.06	-	1,093	3.05
SCB	141.50	(4.00)	77,500	143.07	KCE	45.75	(0.25)	61,350	45.71	JMT	12.40	(0.30)	19,208	12.57
TCAP	52.25	(0.75)	32,365	52.70	METCO	-	-	-	-	KCAR	12.90	(0.10)	806	12.90
TISCO	81.00	(1.00)	38,843	81.41	SMT	2.36	(0.02)	6,096	2.36	KGI	4.30	(0.08)	42,027	4.33
TMB	2.18	(0.02)	2,127,431	2.18	SPPT	3.34	(0.14)	12,468	3.32	KTC	29.75	(1.50)	307,478	30.30
Construction Materia	-	-	-	-	SVI	5.80	0.05	84,926	5.75	MBKET	12.70	(0.20)	3,821	12.82
CCP	0.40	(0.01)	11,964	0.40	TEAM	1.15	(0.05)	19,890	1.18	MFC	15.90	(0.10)	590	15.94
COTTO	2.78	(0.06)	9,867	2.81	Energy & Utilities	-	-	-	-	ML	1.03	(0.03)	2,862	1.04
DCC	2.70	0.08	370,636	2.64	ABPIF	9.00	-	4,145	8.99	MTC	40.50	-	55,126	40.35
DCON	0.58	-	49,643	0.57	AI	-	-	-	-	PE	0.26	(0.01)	645	0.26
DRT	5.90	-	3,593	5.89	AKR	1.00	(0.03)	59,312	1.01	PL	3.50	(0.02)	457	3.51
EPG	9.15	-	76,229	9.14	BAFS	34.00	-	2,229	33.84	S11	7.60	(0.05)	401	7.57
GEL	0.35	-	238,995	0.35	BANPU	19.80	(0.40)	729,962	19.87	SAWAD	41.00	(0.25)	52,834	40.88
PPP	3.50	(0.02)	391	3.49	BCP	36.25	(0.25)	69,663	36.13	THANI	7.75	(0.20)	36,717	7.80
O-CON	5.35	(0.10)	477	5.37	BCPG	18.00	(0.90)	134,829	18.34	TK	11.60	(0.20)	4,699	11.70
RCI	3.42	0.02	23,573	3.42	BGRIM	26.00	(0.50)	51,243	26.15	TNITY	5.95	-	313	5.95
SCC	442.00	(10.00)	24,534	446.35	BPP	24.80	(0.20)	23,561	24.93	UOBKH	4.36	(0.04)	769	4.34
SCCC	241.00	(2.00)	1,735	241.70	BRRGIF	10.00	-	1,568	9.95	ZMICO	1.15	(0.01)	44,646	1.15
SCP	8.40	(0.10)	1,952	8.42	CKP	4.12	(0.10)	257,126	4.16	Food & Beverage	-	-	-	-
SKN	4.56	-	3,228	4.51	DEMCO	4.04	(0.06)	2,839	4.06	APURE	1.37	0.01	8,288	1.37
TASCO	15.10	(0.70)	90,067	15.34	EA	38.50	(1.75)	283,983	39.04	ASIAN	8.75	0.05	196,365	8.81
TCMC	2.60	(0.06)	17,682	2.63	EARTH	-	-	-	-	BR	5.20	0.05	9,756	5.18
TOA	35.50	(0.25)	14,523	35.51	EASTW	11.10	-	5,211	11.02	BRR	6.55	-	4,258	6.47
TPIPL	1.83	(0.02)	116,337	1.84	EGATIF	10.90	(0.10)	7,764	10.90	CBG	49.75	(2.50)	68,782	50.75
UMI	1.38	(0.05)	14,712	1.40	EGCO	225.00	(1.00)	15,383	226.11	CFRESH	4.50	(0.08)	2,966	4.54
VNG	7.70	(0.05)	781	7.77	ESSO	16.00	(0.30)	112,302	16.16	CM	4.22	(0.06)	3,497	4.25
WIHK	2.38	(0.04)	2,359	2.39	GLOW	93.75	(0.25)	11,159	93.83	CPF	26.00	(0.25)	536,257	26.16
Petrochemicals & Che	-	-	-	-	GPSC	70.00	(2.25)	43,564	70.19	CPI	1.75	(0.04)	1,196	1.77
BCT	53.50	(0.25)	126	53.08	GULF	67.00	(1.25)	31,119	67.27	F&D	-	-	-	-
CMAN	3.10	(0.12)	58,121	3.14	GUNKUL	2.84	(0.04)	62,162	2.85	HTC	17.40	(0.20)	3,282	17.36
GC	5.10	-	795	5.10	IEC	-	-	-	-	ICHI	4.34	(0.04)	9,516	4.36
GGC	11.10	(0.30)	26,122	11.23	IFEC	-	-	-	-	KBS	4.28	(0.02)	1,434	4.27
GIFT	4.62	-	4,400	4.61	IRPC	6.75	(0.10)	784,265	6.76	KSL	3.26	(0.06)	9,355	3.28
IVL	57.00	(1.25)	270,527	57.79	LANNA	15.60	(0.10)	2,598	15.64	KTIS	5.85	-	140	5.83
NFC	11.40	(0.10)	328	11.47	MDX	4.62	(0.04)	1,405	4.66	LST	4.74	(0.06)	7,365	4.77
PATO	14.30	(0.20)	80	14.39	PTG	11.70	(0.50)	378,349	11.91	M	71.50	(1.00)	2,333	71.94
PMTA	14.00	(0.10)	43	14.02	PTT	50.50	(1.75)	814,979	51.11	MALEE	13.40	(0.60)	19,028	13.65
PTTGC	78.75	(1.50)	262,771	79.34	PTTEP	139.00	(3.50)	96,912	140.12	MINT	38.25	(0.50)	78,805	38.59
SUTHA	4.24	(0.04)	221	4.24	RATCH	51.00	(1.25)	26,447	51.11	OISHI	95.00	-	45	94.51
TCCC	35.25	(0.50)	98	35.34	RPC	0.53	-	1,745	0.53	PB	60.50	(0.50)	207	60.51
TPA	6.55	0.20	114	6.46	SCG	4.58	-	72	4.58	PM	8.60	(0.10)	19,683	8.63
UP	-	-	-	-	SCI	3.16	(0.08)	4,916	3.19	PRG	13.90	(0.40)	2	14.05
VNT	23.80	(0.70)	24,121	24.01	SCN	3.80	(0.06)	6,399	3.82	SAPPE	23.60	0.10	6,038	23.51
WG	160.00	(2.00)	5	162.00	SGP	12.00	(0.60)	214,194	12.20	SAUCE	22.00	0.10	4	22.00
YCI	-	-	-	-	SKE	1.26	-	12,577	1.26	SFP	198.00	1.50	1	198.00
Commerce	-	-	-	-	SOLAR	2.30	-	6,948	2.29	SNP	20.50	(0.20)	10	20.44
BEAUTY	10.50	-	1,884,871	10.53	SPCG	20.70	(0.10)	6,418	20.73	SORKON	-	-	-	-
BIG	1.76	(0.05)	196,875	1.78	SPRC	14.70	0.10	128,711	14.68	SSC	39.00	(1.25)	13	39.52
BJC	55.75	(1.75)	79,898	56.17	SUPER	0.73	(0.01)	1,152,745	0.73	SSF	8.30	(0.10)	90	8.30
COL	30.50	-	50,899	30.02	SUSCO	3.18	(0.04)	15,469	3.19	SST	5.80	(0.10)	172	5.84
COM7	19.20	(0.20)	30,669	19.22	TAE	2.16	(0.02)	4,535	2.18	TC	3.08	(0.02)	600	3.08
CPALL	65.25	(1.75)	1,049,849	65.63	TCC	0.38	(0.02)	12,985	0.39	TFG	4.22	(0.04)	20,539	4.26
CSS	2.08	-	2,828	2.07	TOP	84.75	(1.00)	73,277	85.01	TFMAMA	158.00	(1.00)	18	158.94
FN	2.78	(0.06)	5,715	2.80	TPIPP	6.30	(0.10)	193,209	6.34	TIPCO	9.15	(0.25)	22,490	9.28
FTE	2.42	(0.12)	75,965	2.53	TTW	12.30	(0.20)	12,678	12.39	TKN	15.50	(1.00)	181,210	15.94
GLOBAL	18.80	-	37,559	18.85	WHAPU	5.75	(0.15)	74,605	5.83	TU	17.30	(0.30)	136,934	17.30
HMPRO	14.40	(0.10)	229,890	14.53	WP	7.25	(0.35)	34,196	7.37	TVO	28.75	(0.75)	26,979	29.00
IT	4.12	(0.08)	10,049	4.15	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.18	(0.06)	14,410	4.20	AMARIN	4.86	(0.06)	968	4.88	AHC	21.00	(0.10)	848	21.08
LOXLEY	2.18	(0.02)	20,960	2.19	AQUA	0.47	(0.02)	146,390	0.48	BCH	18.60	(0.30)	158,559	18.84
MAKRO	33.50	(0.50)	33,562	33.49	AS	1.15	(0.02)	195	1.16	BDMS	26.25	0.25	306,769	26.27
MC	12.90	(0.30)	12,165	12.92	BEC	7.25	(0.20)	79,472	7.30	BH	178.50	(1.00)	11,889	179.30
MEGA	34.50	(0.50)	20,695	34.60	EPCO	4.24	0.02	70,624	4.26	CHG	2.56	-	510,268	2.55
MIDA	0.60	-	209	0.59	FE	-	-	-	-	CMR	3.16	(0.04)	3,723	3.17
ROBINS	63.75	(1.25)	9,953	64.01	GPI	2.72	(0.02)	4,576	2.71	EKH	5.75	-	21,912	5.71
RSP	4.02	(0.12)	3,185	4.03	GRAMMY	7.90	(0.05)	116	7.95	KDH				

Main Board Quotation

Issue Date :

Wednesday September 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.68	-	8,173	2.67	MJD	3.40	(0.06)	2,297	3.38	CPT	1.99	(0.01)	91,808	2.00
Tourism & Leisure					MK	4.14	(0.12)	53,432	4.22	CRANE	2.88	-	1,693	2.89
ASIA	6.60	(0.05)	314	6.56	NCH	0.93	(0.01)	1,190	0.93	CTW	9.20	(0.15)	1,117	9.16
CENTEL	38.00	(0.25)	26,097	38.02	NNCL	1.73	(0.04)	20,245	1.75	FMT	24.70	(0.20)	3	24.83
CSR	-	-	-	-	NOBLE	13.10	0.90	3,222	12.87	HTECH	7.20	(0.15)	14,268	7.19
DTC	11.70	(0.30)	3,149	11.77	NUSA	0.32	-	172,210	0.33	KKC	1.64	(0.03)	133	1.66
ERW	7.70	(0.30)	75,838	7.86	NVD	3.98	(0.02)	4,104	3.99	PK	3.52	(0.12)	7,948	3.57
GRAND	1.01	(0.03)	31,455	1.03	ORI	17.60	(0.80)	63,403	17.90	SNC	14.40	(0.30)	7,106	14.45
LRH	38.50	(0.25)	81	38.63	PACE	0.64	(0.02)	184,610	0.64	TCJ	5.65	(0.10)	487	5.67
MANRIN	29.00	(1.00)	32	28.30	PF	1.10	-	633,573	1.09	VARO	7.00	-	66	7.00
OHTL	-	-	-	-	PLAT	7.75	(0.15)	13,195	7.76	Property Fund & REIT	-	-	-	-
ROH	38.00	(2.00)	1	38.00	POLAR	-	-	-	-	AIMIRT	10.50	0.10	3,869	10.41
SHANG	75.00	(1.00)	100	75.47	PRECHA	-	-	-	-	AMATAR	10.70	-	200	10.60
Home & Office Produ					PRIN	1.60	-	23,915	1.60	B-WORK	10.90	-	1,707	10.90
ACC	0.45	-	534	0.44	PRINC	5.35	(0.25)	19,440	5.41	BKKCP	12.10	-	323	12.10
AJA	0.39	-	115,187	0.39	PSH	20.00	(0.20)	23,350	20.11	BOFFICE	13.60	-	3,658	13.68
DTCI	-	-	-	-	OH	3.34	(0.06)	582,711	3.35	CPNCG	15.70	-	1,087	15.71
FANCY	0.94	(0.01)	5,663	0.95	RICHY	1.73	(0.02)	19,276	1.74	CPNREIT	26.75	-	6,278	26.46
KYE	418.00	-	1,667	419.29	RML	1.29	-	30,316	1.28	CPTGF	13.50	0.10	564	13.45
L&E	2.68	-	434	2.68	ROJNA	5.10	(0.10)	12,742	5.14	CRYSTAL	10.10	(0.10)	1	10.10
MODERN	4.46	(0.02)	550	4.47	S	3.42	(0.06)	225,434	3.41	CTARAF	4.74	-	327	4.74
OGC	37.25	(0.75)	14	37.54	SAMCO	2.12	(0.02)	2,133	2.11	DREIT	5.45	(0.05)	667	5.45
ROCK	-	-	-	-	SC	3.48	(0.04)	33,047	3.50	ERWPF	5.65	-	53	5.65
SIAM	1.91	(0.02)	1,134	1.90	SENA	3.70	(0.04)	24,945	3.70	FUTUREPF	22.20	(0.10)	1,209	22.30
TSR	2.34	(0.06)	7,173	2.36	SF	9.05	(0.05)	35,969	9.08	GAHREIT	9.70	-	200	9.70
Insurance					SIRI	1.60	(0.01)	544,345	1.60	GLANDRT	13.10	0.20	2,830	14.78
AYUD	38.75	0.25	532	38.74	SPALI	24.00	(0.10)	31,820	24.10	GOLDPF	7.20	-	1,001	7.20
BKI	350.00	(1.00)	33	350.15	TICON	16.30	(0.20)	1,211	16.31	GVREIT	15.80	0.20	3,007	15.80
BLA	31.25	(1.00)	5,595	31.65	U	0.03	-	1,290,197	0.03	HPF	5.35	(0.05)	93	5.35
BUI	-	-	-	-	UV	8.00	(0.35)	49,377	8.12	HREIT	6.90	0.05	2,342	6.85
CHARAN	32.25	-	3	32.25	WHA	3.98	(0.10)	1,092,490	4.00	IMPACT	18.40	(0.20)	4,468	18.60
INSURE	-	-	-	-	WIN	0.64	-	5,631	0.63	KPNPF	-	-	-	-
MTI	108.50	(1.50)	24	108.83	Paper & Printing Mat					LHHOTEL	16.00	(0.20)	394	15.94
NKI	52.00	(6.50)	42	52.32	UTP	11.30	(0.20)	15,892	11.26	LHPF	8.30	-	452	8.35
NSI	81.75	(1.25)	52	82.23	Fashion					LHSC	16.30	-	654	16.27
SMK	39.75	(0.25)	184	39.76	AFC	9.15	-	1	9.15	LUXF	8.80	(0.05)	429	8.81
THRE	1.07	(0.02)	4,067	1.08	BTNC	21.60	-	1	21.60	M-II	8.85	-	50	8.85
THREL	8.00	(0.10)	13,206	7.99	CPH	5.95	-	5	5.95	M-PAT	9.95	0.05	71	10.00
TIC	43.75	1.00	111	43.08	CPL	3.16	(0.02)	71	3.16	M-STOR	10.20	(0.10)	44	10.20
TIP	25.00	-	10,016	25.14	DIGI	0.34	(0.01)	12,728	0.35	MIPF	22.00	-	2	22.00
TSI	0.46	-	5,784	0.46	ICC	39.75	0.25	1	39.75	MIT	5.00	-	16	5.00
TVI	3.46	(0.04)	663	3.46	LTX	103.50	(0.50)	72	103.82	MJLF	12.60	0.10	567	12.50
Mining					NC	15.10	-	7	15.10	MNIT	1.65	0.01	2	1.66
PDI	13.80	(0.60)	13,773	13.97	PAF	0.91	(0.02)	4,490	0.92	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.62	(0.08)	1,090	2.64	MNRF	3.38	(0.06)	29	3.39
Packaging					PG	7.00	(0.20)	20	7.00	MONTRI	-	-	-	-
AJ	10.40	-	1,386	10.42	SABINA	34.75	-	405	34.41	POPF	13.70	-	7,662	13.65
ALUCON	190.50	(0.50)	2	190.25	SAWANG	14.80	(0.20)	3	15.80	PPF	11.10	(0.10)	11	11.10
CSC	45.75	-	2	45.75	SUC	45.00	-	4,135	45.00	QHHR	8.50	-	212	8.50
NEP	0.36	(0.01)	3,675	0.36	TNL	18.80	(0.70)	4	18.95	QHOP	-	-	-	-
NPPG	1.09	(0.01)	23,822	1.10	TPCORP	15.00	(0.10)	105	15.00	QHPP	12.30	-	19,095	12.28
PTL	16.30	(0.10)	20,258	16.41	TR	48.00	(1.00)	245	48.19	SBPF	-	-	-	-
SITHAI	1.26	-	1,682	1.26	TTI	29.00	-	1	29.00	SHREIT	9.50	0.10	4,366	9.54
SLP	0.92	(0.03)	4,351	0.94	TTL	-	-	-	-	SIRIP	11.30	-	1	11.30
SMPC	13.90	(0.10)	1,294	13.93	TTTM	179.50	(0.50)	92	179.88	SPF	24.10	(0.10)	2,510	24.10
SPACK	1.95	0.02	215	1.97	UPF	68.00	-	9	68.03	SRIPANWA	11.20	0.10	100	11.20
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	10.30	-	55	10.34
TFI	0.30	(0.03)	7,077	0.30	WACOAL	45.00	0.50	4	44.88	SSTPF	6.75	-	17	6.75
THIP	34.25	-	117	34.04	Transportation & Log					SSSTR	6.25	-	482	6.25
TMD	21.80	(0.10)	8	21.69	AAV	4.30	(0.10)	136,259	4.33	TIF1	8.65	(0.05)	152	8.65
TOPP	203.00	-	1	203.00	AOT	65.00	(0.50)	191,379	64.91	TLGF	19.70	-	4,199	19.80
TPBI	8.10	(0.15)	299	8.15	ASIMAR	2.62	(0.02)	2,161	2.64	TLHPF	10.90	(0.10)	590	10.90
TPP	-	-	-	-	B	0.60	(0.01)	11,169	0.60	TNPF	3.64	-	120	3.64
Personal Products &					BA	12.70	(0.20)	36,687	12.82	TPRIME	12.80	(0.10)	1,259	12.95
APCO	4.38	(0.02)	1,228	4.38	BEM	8.15	(0.20)	469,803	8.20	TREIT	11.90	0.10	31,924	11.80
DDD	45.50	(2.50)	19,064	47.79	BTS	9.05	(0.10)	202,939	9.09	TTLPF	23.10	(0.10)	1	23.10
JCT	-	-	-	-	BTSGIF	12.40	-	47,328	12.44	TU-PF	-	-	-	-
OCC	-	-	-	-	III	6.35	(0.05)	29,502	6.36	URBNPF	3.38	(0.02)	1,141	3.42
S & J	-	-	-	-	JUTHA	1.78	-	144	1.79	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	7.50	(0.40)	68,698	7.75	WHART	10.40	-	1,379	10.34
TNR	13.90	(0.10)	542	13.89	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.72	(0.04)	1,393	4.72	NOK	2.42	0.04	9,449	2.40	AMC	2.38	-	498	2.39
Professional Service					NYT	5.10	(0.05)	4,158	5.09	BSBM	1.13	-	432	1.13
BWG	0.94	(0.01)	385,140	0.95	PRM	7.65	(0.40)	151,091	7.80	CEN	1.30	(0.02)	3,476	1.31
GENCO	0.79	(0.01)	8,205	0.80	PSL	12.40	(0.20)	54,446	12.40	CITY	2.70	(0.04)	1,087	2.70
PRO	-	-	-	-	RCL	5.55	(0.15)	4,376	5.62	CSP	1.38	(0.03)	187	1.39
TEAMG	2.32	(0.12)	130,806	2.38	THAI	13.20	(0.30)	38,173	13.38	GJS	0.25	-	14,250	0.26
Property Developmer					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.65	(0.05)	501	6.65	TTA	7.00	(0.20)	22,860	7.10	INOX	1.20	(0.01)	10,924	1.21
AMATA	20.20	(0.80)	405,115	20.42	WICE	4.46	(0.14)	44,587	4.53	LHK	4.90	-	1,396	4.90
AMATAV	5.85	(0.10)	11,370	5.92	Automotive					MAX	0.02	-	300,305	0.02
ANAN	4.90	(0.08)	101,275	4.93	AH	32.25	(1.00)	5,045	32.67	MCS	7.15	(0.05)	16,279	7.18
AP	9.10	(0.20)	98,072	9.11	APCS	5.10	-	312	5.10	MILL	1.60	(0.01)	11,714	1.61
APEX	0.20	-	13,374	0.19	BAT-3K	-	-	-	-	PAP	4.10	(0.02)	489	4.10
AQ	0.03	-	190,648	0.03	CWT	2.82	(0.02)	2,769	2.84	PERM	2.1			

Main Board Quotation

Issue Date :

Wednesday September 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	TSE	3.12	(0.04)	1,182	3.00	ADVA01P1810A	0.54	0.02	83,862	-
ABICO	7.40	(0.25)	3,786	7.00	UMS	0.80	0.09	4,367	-	ADVA06C1809A	0.44	(0.09)	15,682	-
AU	7.80	(0.05)	57,327	7.00	UWC	0.07	-	18,470	-	ADVA08C1809A	0.07	(0.01)	1,000	-
FC	0.28	-	24,660	-	Services (MAI)	-	-	-	-	ADVA08P1809A	-	-	-	-
JCKH	1.18	(0.01)	2,715	1.00	ADAM	-	-	-	-	ADVA11C1905A	0.24	(0.01)	54	-
KASET	2.18	(0.08)	1,558	2.00	AKP	1.62	(0.01)	511	1.00	ADVA11P1905A	0.33	0.02	60	-
MM	3.90	(0.04)	821	3.00	AMA	5.90	(0.40)	16,777	6.00	ADVA13C1809A	-	-	-	-
SUN	3.20	-	2,284	3.00	ARIP	0.50	-	994	-	ADVA13C1811A	0.48	(0.08)	56,569	-
TACC	4.02	(0.06)	9,070	4.00	ATP30	1.69	-	3,819	1.00	ADVA13C1901A	0.29	(0.02)	48,089	-
TMILL	3.30	(0.06)	15,085	3.00	AUCT	6.35	(0.20)	15,895	6.00	ADVA13P1809A	-	-	-	-
XO	10.20	(0.40)	19,894	10.00	BOL	1.92	(0.01)	367	1.00	ADVA16C1812A	0.53	(0.02)	850	-
Consumer Products					CHUO	-	-	-	-	ADVA19C1901A	0.58	(0.06)	4,853	-
BGT	1.00	0.01	2	1.00	CMO	1.51	(0.01)	1,243	1.00	ADVA23C1902A	0.42	(0.03)	30,700	-
BIZ	2.80	(0.02)	338	2.00	D	10.80	(0.20)	1,741	10.00	ADVA24C1810A	0.28	(0.04)	6,101	-
DOD	13.40	(0.20)	39,084	13.00	DCORP	2.76	-	4,169	2.00	ADVA24P1810A	0.02	(0.03)	1,302	-
ECF	8.25	0.05	59,560	8.00	DNA	0.55	(0.01)	45,510	-	ADVA27C1902A	0.30	(0.01)	6,396	-
HPT	1.06	(0.01)	6,319	1.00	EFORL	0.08	-	23,429	-	ADVA28C1811A	0.41	(0.07)	67,006	-
JUBILE	18.70	-	4,721	18.00	ETE	1.99	(0.03)	15,637	2.00	ADVA28C1901A	0.18	(0.03)	5,100	-
MOONG	6.25	(0.10)	8,412	6.00	FSMART	8.85	(0.25)	17,029	8.00	ADVA28P1810A	0.04	(0.03)	50	-
NPK	-	-	-	-	FVC	1.12	(0.07)	20,107	1.00	ADVA42C1903A	-	-	-	-
OCEAN	1.77	(0.03)	23,090	1.00	HARN	2.58	(0.04)	4,008	2.00	AMAT01C1810A	0.68	(0.12)	144,918	-
TM	2.00	(0.02)	438	1.00	JKN	10.30	(0.70)	85,744	10.00	AMAT01C1810B	0.34	(0.10)	96,591	-
Financials (MAI)					KIAT	0.49	-	72,487	-	AMAT01P1810A	0.99	0.13	34,682	-
ACAP	6.55	(0.15)	8,161	6.00	KOOL	1.82	(0.07)	16,451	1.00	AMAT06C1809A	0.01	-	100	-
AF	0.71	(0.01)	1,882	-	LDC	1.18	(0.02)	1,344	1.00	AMAT08C1809A	0.02	(0.02)	12,000	-
AIRA	2.08	-	4	2.00	MPG	0.18	-	1,303	-	AMAT08C1903A	0.43	(0.07)	68,470	-
ASN	3.38	(0.06)	1,241	3.00	MVP	2.86	(0.10)	61,942	2.00	AMAT11C1903A	0.30	(0.06)	32,009	-
BROOK	0.53	-	2,797	-	NBC	0.70	0.07	4,028	-	AMAT13C1809A	-	-	-	-
CHAYO	4.52	(0.14)	87,777	4.00	NCL	1.59	-	9,936	1.00	AMAT13C1812A	0.37	(0.08)	519,105	-
GCAP	4.04	(0.06)	4,907	4.00	NEWS	0.01	(0.01)	12,945	-	AMAT19C1811A	0.13	(0.05)	20,046	-
LIT	8.35	(0.30)	2,815	8.00	NINE	2.22	(0.06)	16,942	2.00	AMAT19C1902A	0.54	(0.09)	32,738	-
SGF	1.49	(0.07)	222,144	1.00	OTO	2.62	(0.06)	187	2.00	AMAT23C1810A	0.08	(0.07)	20,500	-
Industrials (MAI)					PHOL	2.34	0.02	73	2.00	AMAT24C1811A	-	-	-	-
ZS	3.10	0.02	756	3.00	PICO	4.78	(0.04)	380	4.00	AMAT27C1902A	0.68	(0.07)	40,000	-
ADB	1.18	(0.02)	11,021	1.00	PORT	7.05	-	7,005	6.00	ANAN01C1810A	1.04	(0.04)	42,640	1.00
BM	3.26	0.04	11,119	3.00	QLT	4.46	(0.02)	745	4.00	ANAN01C1810B	0.70	(0.09)	17,300	-
CHO	1.22	(0.03)	11,232	1.00	RP	2.98	(0.04)	255	2.00	ANAN08C1808A	-	-	-	-
CHOW	4.70	(0.02)	357	4.00	SE	2.00	(0.02)	488	1.00	ANAN08C1810A	0.87	0.01	184	-
CIG	0.38	-	5,109	-	SPA	14.90	(0.40)	15,157	14.00	ANAN08C1906A	0.26	(0.01)	13,076	-
COLOR	1.24	(0.02)	4,874	1.00	THMUI	1.68	(0.05)	23,976	1.00	ANAN13C1901A	0.19	(0.01)	31,402	-
CPR	5.55	(0.35)	10,474	5.00	TNDT	4.98	(0.02)	427	5.00	ANAN19C1811A	0.48	(0.07)	7,527	-
FPI	2.40	(0.02)	11,953	2.00	TNH	40.50	(0.25)	761	40.00	ANAN23C1901A	0.27	(0.02)	8,000	-
GTB	0.65	(0.02)	1,574	-	TNP	1.82	(0.05)	4,475	1.00	ANAN24C1811A	-	-	-	-
KCM	1.25	0.01	138,584	1.00	TSF	0.04	-	17,886	-	ANAN28C1809A	-	-	-	-
LVT	-	-	-	-	TVD	1.52	(0.03)	3,743	1.00	AOT01C1808A	-	-	-	-
MBAX	3.98	-	95	3.00	TVT	1.07	(0.03)	6,677	1.00	AOT01C1808B	-	-	-	-
MGT	2.14	0.02	703	2.00	WINNER	3.38	-	622	3.00	AOT01C1810A	0.21	(0.02)	112,305	-
NDR	2.30	(0.02)	837	2.00	Technology (MAI)	-	-	-	-	AOT01C1902A	0.52	(0.02)	55,770	-
PDG	3.62	-	831	3.00	COMAN	3.32	(0.06)	923	3.00	AOT01C1902B	0.35	(0.03)	41,644	-
PIMO	3.66	-	1,987	3.00	ICN	2.30	(0.04)	19,227	2.00	AOT01P1808A	-	-	-	-
PJW	1.96	(0.06)	35,185	1.00	IRCP	0.97	(0.02)	4,817	-	AOT01P1808B	-	-	-	-
PPM	2.08	0.02	693	2.00	ITEL	3.18	(0.02)	2,901	3.00	AOT01P1902A	0.87	0.02	46,460	-
RWI	1.67	0.02	7,264	1.00	NETBAY	32.25	(0.75)	1,016	32.00	AOT01P1902B	0.58	0.02	49,921	-
SALEE	1.14	(0.04)	4,668	1.00	PLANET	1.63	(0.01)	9	1.00	AOT06C1809A	0.01	-	500	-
SANKO	1.30	(0.04)	39,137	1.00	SIMAT	2.20	(0.04)	12,218	2.00	AOT06C1903A	0.47	(0.01)	12,671	-
SELIC	1.86	0.01	3,247	1.00	SKY	14.10	-	45,320	14.00	AOT06P1903A	0.55	0.03	19,848	-
SWC	20.50	(0.20)	564	20.00	SPVI	1.52	(0.04)	76,359	1.00	AOT07C1902A	0.45	(0.04)	1,000	-
TMC	0.87	(0.02)	681	-	UPA	0.51	-	135,107	-	AOT08C1901A	0.28	(0.01)	18,249	-
TMI	0.80	(0.02)	8,839	-	VCOM	3.22	(0.14)	13,788	3.00	AOT08P1903A	0.55	0.03	17,940	-
TMW	68.00	(0.75)	288	68.00	Unit Trust	-	-	-	-	AOT11C1808A	-	-	-	-
TPAC	13.60	(0.10)	2,220	13.00	MGE	-	-	-	-	AOT11C1906A	0.36	(0.02)	8,214	-
TPLAS	2.38	0.90	2,677,686	2.00	SCBSET	-	-	-	-	AOT11P1808A	-	-	-	-
UAC	4.48	(0.08)	451	4.00	ETF	-	-	-	-	AOT11P1906A	0.42	0.01	9,020	-
UBIS	4.64	(0.18)	1,186	4.00	IDIV	13.75	-	14	13.00	AOT13C1809A	-	-	-	-
UEC	1.57	-	13,319	1.00	ABFTH	-	-	-	-	AOT13C1811A	0.12	(0.02)	22,192	-
UKEM	0.87	(0.02)	17,273	-	BMSCG	9.14	(0.11)	477	9.00	AOT13C1812A	0.27	(0.02)	93,123	-
UREKA	0.82	(0.01)	66,105	-	BMSCITH	12.68	(0.14)	12,516	12.00	AOT13P1810A	0.23	0.01	12,226	-
YUASA	16.60	(0.50)	478	16.00	BSET100	10.83	(0.19)	2,368	10.00	AOT13P1812A	0.13	0.01	7,612	-
ZIGA	3.32	(0.08)	48,080	3.00	CHINA	5.10	(0.13)	1,689	5.00	AOT19C1809A	0.02	(0.02)	1,000	-
Property & Construc					EBANK	5.79	(0.07)	13	5.00	AOT19C1901A	0.40	(0.02)	37,555	-
ARROW	9.05	(0.15)	113	9.00	ECOMM	7.87	(0.16)	65	7.00	AOT24C1811A	-	-	-	-
BKD	3.18	0.02	12,358	3.00	EFOOD	-	-	-	-	AOT24C1901A	0.24	(0.03)	1,209	-
BSM	0.68	0.02	12,757	-	EICT	4.83	(0.06)	1	4.00	AOT24P1809A	-	-	-	-
BTW	1.83	(0.05)	2,702	1.00	ENGY	6.44	(0.15)	44	6.00	AOT24P1903A	-	-	-	-
CHEWA	1.21	-	136,312	1.00	ENY	-	-	-	-	AOT27C1902A	-	-	-	-
CRD	1.08	(0.03)	4,238	1.00	ESET50	5.84	(0.07)	4	5.00	AOT27P1903A	0.70	(0.30)	6,000	-
DIMET	1.03	(0.01)	11,446	1.00	GLD	1.68	(0.02)	722	1.00	AOT28C1809A	-	-	-	-
FLOYD	2.22	0.02	5,301	2.00	TDEX	11.06	(0.14)	4,311	11.00	AOT28C1812A	0.23	(0.02)	30,755	-
FOCUS	1.12	(0.04)	18,678	1.00	TGOLDETF	3.67	(0.01)	294	3.00	AOT28C1901A	0.19	(0.02)	33,452	-
HYDRO	1.17	(0.02)	625	1.00	TH100	5.00	-	1	5.00	AOT28P1812A	0.25	0.01	36,828	-
JSP	0.56	(0.01)	63,715	-	Warrant Foreign	-	-	-	-	AOT42C1903A	0.31	(0.69)	2,890	-
K														

Main Board Quotation

Issue Date :

Wednesday September 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP07C1810A	-	-	-	-	BEAU08C1901A	0.05	-	45,842	-	BTS01C1810A	0.33	(0.03)	18,045	-
BANP08C1808A	-	-	-	-	BEAU08C1902A	0.86	(0.03)	35,221	-	BTS01C1810B	-	-	-	-
BANP08C1811A	0.16	(0.04)	52,744	-	BEAU11C1902A	0.03	(0.01)	1,000	-	BTS01P1810A	0.49	0.05	9,360	-
BANP08P1901A	0.36	0.04	35,290	-	BEAU13C1811A	0.01	(0.01)	8,781	-	BTS06C1903A	-	-	-	-
BANP11C1902A	0.10	(0.03)	36,537	-	BEAU13C1812A	0.03	-	84,035	-	BTS06C1903B	-	-	-	-
BANP13C1811A	0.17	(0.03)	737,878	-	BEAU13C1812B	0.83	(0.01)	395,757	-	BTS06C1903C	-	-	-	-
BANP13P1809A	-	-	-	-	BEAU13C1901A	0.22	-	1,489,004	-	BTS08C1810A	0.14	(0.02)	12,971	-
BANP16C1812A	0.69	(0.06)	24,070	-	BEAU19C1811A	0.01	(0.01)	22,401	-	BTS11C1904A	0.07	-	50	-
BANP19C1811A	0.11	(0.02)	147,908	-	BEAU19C1901A	0.90	(0.01)	65,459	-	BTS19C1901A	0.24	(0.02)	17,352	-
BANP19C1902A	0.46	(0.54)	71	-	BEAU23C1901A	0.01	(0.01)	1,000	-	BTS23C1905A	-	-	-	-
BANP23C1901A	0.16	(0.02)	3,000	-	BEAU24C1902A	0.06	-	3,130	-	BTS24C1808A	-	-	-	-
BANP24C1808A	-	-	-	-	BEAU27C1903A	0.28	(0.72)	20,600	-	BTS24C1901A	0.14	(0.04)	777	-
BANP24C1812A	-	-	-	-	BEAU28C1810A	0.02	-	300	-	BTS28C1809A	-	-	-	-
BANP24P1808A	-	-	-	-	BEAU28C1811A	-	-	-	-	BTS28C1811A	-	-	-	-
BANP24P1901A	-	-	-	-	BEC01C1808A	-	-	-	-	BTS28C1902A	-	-	-	-
BANP27C1809A	-	-	-	-	BEC01C1808B	-	-	-	-	BTS42C1901A	0.17	(0.03)	1,999	-
BANP28C1809A	-	-	-	-	BEC01C1812A	0.11	(0.02)	14,893	-	BTS42P1901A	0.30	0.02	2,008	-
BANP28C1810A	0.10	(0.04)	269,434	-	BEC01C1812B	0.11	(0.01)	11,790	-	CBG01C1809A	-	-	-	-
BANP42C1903A	0.28	(0.72)	2,000	-	BEC08C1809A	-	-	-	-	CBG01C1811A	0.39	(0.08)	228,155	-
BANP42P1903A	0.53	(0.47)	2,406	-	BEC13C1811A	0.02	(0.01)	520	-	CBG01C1811B	0.14	(0.05)	73,641	-
BBL06C1902A	0.76	(0.03)	5,349	-	BEC13C1901A	0.14	(0.01)	32,396	-	CBG01P1811A	0.93	0.11	121,323	-
BBL08C1808A	-	-	-	-	BEC19C1809A	-	-	-	-	CBG01P1811B	0.44	0.10	330,933	-
BBL08C1809A	-	-	-	-	BEC23C1809A	-	-	-	-	CBG06C1809A	0.01	(0.02)	5,000	-
BBL08C1902A	0.57	(0.03)	18,589	-	BEC24C1809A	-	-	-	-	CBG06C1903A	0.68	(0.11)	40,003	-
BBL08P1810A	-	-	-	-	BEC24C1812A	-	-	-	-	CBG06P1809A	0.95	0.26	29,379	-
BBL11C1903A	0.48	(0.02)	2,106	-	BEC28C1809A	-	-	-	-	CBG07C1812A	0.34	(0.08)	1,651	-
BBL11P1903A	0.30	0.02	4,410	-	BEC28C1811A	0.07	(0.02)	29,080	-	CBG08C1808A	-	-	-	-
BBL13C1810A	0.26	(0.01)	10,047	-	BEM01C1808A	-	-	-	-	CBG08C1810A	0.01	-	16,000	-
BBL13C1901A	0.28	(0.01)	3,381	-	BEM01C1808B	-	-	-	-	CBG08C1902A	0.40	(0.10)	62,621	-
BBL19C1901A	0.26	(0.01)	14,866	-	BEM01P1808A	-	-	-	-	CBG11C1902A	0.11	(0.02)	3,498	-
BBL23C1811A	-	-	-	-	BEM08C1809A	0.11	(0.06)	39,453	-	CBG13C1809A	-	-	-	-
BBL24C1809A	-	-	-	-	BEM11C1903A	0.22	(0.03)	10,240	-	CBG13C1811A	0.08	(0.03)	19,362	-
BBL24C1812A	-	-	-	-	BEM13C1809A	0.06	(0.07)	102,678	-	CBG13C1812A	0.19	(0.07)	88,586	-
BBL24C1902A	0.20	(0.02)	250	-	BEM13C1901A	0.31	(0.04)	35,958	-	CBG13C1901A	0.59	(0.13)	256,816	-
BBL24P1810A	-	-	-	-	BEM19C1901A	0.31	(0.04)	25,966	-	CBG19C1810A	-	-	-	-
BBL27C1809A	-	-	-	-	BEM23C1901A	-	-	-	-	CBG19C1901A	0.47	(0.10)	35,547	-
BBL28C1811A	0.42	(0.02)	12,446	-	BEM24C1809A	-	-	-	-	CBG23C1901A	0.10	(0.04)	21,070	-
BBL28C1901A	0.22	(0.01)	24,682	-	BEM24C1902A	0.27	-	600	-	CBG24C1809A	-	-	-	-
BBL42C1903A	0.27	(0.73)	4,000	-	BGR10C1901A	1.01	(0.10)	14,192	1.00	CBG24C1811A	-	-	-	-
BCH01C1808A	-	-	-	-	BGR10C1901B	0.81	(0.10)	13,580	-	CBG24C1901A	0.53	(0.11)	2,654	-
BCH01C1808B	-	-	-	-	BGR10C1903A	0.80	(0.10)	5,700	-	CBG28C1811A	0.06	(0.04)	4,000	-
BCH01P1808A	-	-	-	-	BGR108C1902A	0.71	(0.09)	24,156	-	CBG28C1812A	0.32	(0.09)	37,222	-
BCH06C1811A	0.34	(0.03)	25,425	-	BGR11C1812A	-	-	-	-	CENT01C1810A	0.07	(0.02)	31,720	-
BCH08C1901A	0.51	(0.03)	32,663	-	BGR11C1812B	0.20	(0.03)	52,930	-	CENT01C1810B	-	-	-	-
BCH11C1905A	0.43	(0.04)	16,752	-	BGR11C1901A	0.57	(0.08)	13,886	-	CENT01P1810A	1.30	0.02	17,659	1.00
BCH13C1810A	0.21	(0.02)	49,699	-	BGR12C1901A	-	-	-	-	CENT06C1904A	-	-	-	-
BCH19C1809A	0.20	(0.04)	27,746	-	BGR12C1902A	0.25	(0.03)	2,100	-	CENT08C1809A	-	-	-	-
BCH23C1811A	0.48	-	9,000	-	BGR128C1812A	-	-	-	-	CENT08C1902A	0.17	(0.01)	51,941	-
BCH24C1811A	0.20	(0.05)	3,720	-	BH01C1811A	0.54	0.01	38,153	-	CENT11C1904A	0.11	-	970	-
BCH27C1902A	-	-	-	-	BH01C1811B	0.11	-	14,118	-	CENT13C1811A	0.01	-	400	-
BCH28C1811A	0.36	(0.04)	28,286	-	BH01P1811A	1.32	(0.01)	9,428	1.00	CENT13C1902A	0.24	(0.02)	150,646	-
BCP01C1810A	0.23	(0.01)	26,628	-	BH07C1810A	0.02	-	351	-	CENT19C1901A	0.17	(0.01)	40,135	-
BCP01C1810B	0.06	(0.01)	438	-	BH08C1811A	0.02	(0.01)	9,961	-	CENT23C1902A	0.10	(0.01)	1,250	-
BCP01P1810A	0.35	0.02	11,980	-	BH08C1902A	0.51	-	28,374	-	CENT24C1810A	-	-	-	-
BCP08C1901A	0.28	-	5,248	-	BH11C1902A	-	-	-	-	CENT24C1901A	0.09	(0.02)	2	-
BCP11C1811A	-	-	-	-	BH11C1905A	0.61	0.01	7,930	-	CENT24C1902A	0.24	(0.01)	13,531	-
BCP13C1810A	0.04	(0.01)	2,500	-	BH13C1901A	0.53	(0.01)	83,706	-	CHG01C1809A	0.57	(0.02)	33,950	-
BCP19C1902A	0.26	(0.02)	8,000	-	BH19C1901A	0.53	-	11,988	-	CHG01C1809B	0.69	(0.06)	20,274	-
BCP24C1808A	-	-	-	-	BH24C1809A	0.01	-	2	-	CHG01P1809A	0.02	-	461	-
BCP24C1811A	-	-	-	-	BH24C1811A	-	-	-	-	CHG07C1902A	0.29	-	1	-
BCP28C1809A	-	-	-	-	BH24C1902A	0.45	(0.02)	400	-	CHG11C1904A	0.30	(0.01)	12,280	-
BCP28C1809B	0.01	(0.03)	800	-	BIG08C1906A	0.11	(0.03)	50,496	-	CHG13C1809A	-	-	-	-
BCP28C1901A	0.23	(0.01)	11,134	-	BIG13C1901A	0.06	(0.01)	8,667	-	CHG13C1812A	0.30	-	58,654	-
BCPG01C1811A	0.33	(0.09)	51,678	-	BIG19C1811A	0.02	-	10,517	-	CHG19C1902A	0.35	(0.01)	8,437	-
BCPG01C1811B	0.10	(0.07)	9,643	-	BIG24C1808A	-	-	-	-	CHG23C1811A	1.16	(0.05)	1,000	1.00
BCPG06C1811A	0.16	(0.06)	4,200	-	BIG24C1812A	-	-	-	-	CHG24C1808A	-	-	-	-
BCPG08C1810A	0.14	(0.07)	50,444	-	BJC01C1812A	0.61	(0.09)	57,798	-	CHG24C1811A	-	-	-	-
BCPG11C1902A	0.12	(0.04)	1,401	-	BJC01C1812B	0.42	(0.12)	62,848	-	CHG28C1812A	0.32	-	56,320	-
BCPG13C1810A	0.07	(0.04)	25,543	-	BJC01P1812A	0.39	0.06	15,906	-	CK01C1809A	0.19	-	34,128	-
BCPG13C1812A	0.35	(0.10)	267,406	-	BJC06C1901A	0.20	(0.08)	16,640	-	CK01C1809B	0.08	(0.01)	87,905	-
BCPG19C1901A	0.37	(0.08)	5,563	-	BJC07C1809A	-	-	-	-	CK01P1809A	0.14	-	8,786	-
BCPG23C1902A	0.33	(0.08)	3,005	-	BJC08C1809A	-	-	-	-	CK08C1809A	-	-	-	-
BCPG24C1810A	-	-	-	-	BJC11C1905A	0.44	(0.10)	10,787	-	CK08C1901A	0.16	-	30,072	-
BCPG27C1903A	0.35	(0.65)	1,200	-	BJC13C1810A	0.09	(0.02)	216	-	CK11C1904A	0.18	(0.01)	150	-
BCPG28C1809A	-	-	-	-	BJC13C1812A	0.37	(0.08)	101,118	-	CK13C1809A	-	-	-	-
BCPG28C1812A	0.38	(0.08)	90,580	-	BJC19C1809A	0.06	(0.04)	118	-	CK13C1902A	0.25	-	40,180	-
BDMS01C1811A	0.21	0.01	109,591	-	BJC19C1902A	0.43	(0.07)	25,994	-	CK16C1812A	-	-	-	-
BDMS01C1811B	0.07	-	323,750	-	BJC23C1901A	0.20	(0.07)	7,000	-	CK19C1811A	0.11	(0.01)	52,834	-
BDMS01P1811A	0.27	-	40,840	-	BJC24C1808A	-	-	-	-	CK23C1808A	-	-	-	-
BDMS06C1811A	0.65	0.04	10,510	-	BJC24C1901A	-	-	-	-	CK24C1808A	-	-	-	-
BDMS08C1901A	0.14	0.01	20,432	-	BJC28C1812A	0.37	(0.08)	195,314	-	CK24C1901A	0.11	-	15	-
BDMS11C1811A	0.79	0.05	1,800	-	BLA01C1812A	0.17	(0.02)	3,132	-	CK28C1809A	-	-	-	-
BDMS11C1904A	0.11	-	8,890	-	BLA08C1811A	-	-	-	-	CK28C1812A	0.07	(0.01)	101,389	-
BDMS13C1810A	0.38	0.02	2,413	-	BLA13C1809A	-	-	-	-	CK28C1902A	0.16	(0.01)	61,838	-
BDMS13C1812A	0.11	-	30,091	-	BLA13C1902A	0.16	(0.03)	29,493	-	CKP01C1812A	0.46	(0.04)	17,542	-
BDMS16C1812A	-	-	-	-	BLA28C1810A	-	-	-	-	CKP01C1812B	0.31	(0.04)	13,918	-
BDMS19C1901A	0.26	0.01	25,200	-	BLAN01C1809A	0.50	(0.03)	14,010	-	CKP08C1903A	0.43	(0.05)	24,626	-
BDMS23C1810A	-	-	-	-	BLAN01C1809B	-	-	-	-	CKP13C1810A	0.20	(0.04)	29,659	-
BDMS24C1811A	0.22	0.02	113,000	-	BLAN01P1809A	-	-	-	-	CKP13C1902A	0.42	(0.04)	122,942	-
BDMS24C1812A	-	-	-	-	BLAN08C1810A	0.1								

Main Board Quotation

Issue Date :

Wednesday September 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM724C1811A	-	-	-	-	EA01C1809B	0.23	(0.07)	84,127	-	GUNK28C1810A	-	-	-	-
COM727C1902A	-	-	-	-	EA01P1809A	0.41	0.06	140,452	-	HANA01C1811A	0.60	0.05	201,667	-
COM728C1811A	0.28	(0.01)	124,541	-	EA06C1809A	-	-	-	-	HANA01C1811B	0.39	0.06	131,447	-
CPAL01C1808A	-	-	-	-	EA07C1810A	-	-	-	-	HANA08C1809A	0.15	0.04	89,326	-
CPAL01C1808B	-	-	-	-	EA08C1809A	0.01	-	1	-	HANA11C1904A	0.35	0.04	34,079	-
CPAL01C1901A	0.27	-	86,177	-	EA08C1810A	0.19	(0.04)	25,120	-	HANA13C1809A	0.17	0.06	230,855	-
CPAL01C1901B	0.11	(0.02)	85,206	-	EA11C1902A	0.10	(0.03)	33,029	-	HANA13C1901A	0.41	0.03	387,450	-
CPAL01P1808A	-	-	-	-	EA13C1809A	0.01	-	1	-	HANA19C1902A	0.39	0.04	63,292	-
CPAL01P1901A	1.66	0.11	119,325	1.00	EA13C1810A	0.01	-	5,300	-	HANA23C1811A	0.57	0.01	6,700	-
CPAL01P1901B	1.46	0.18	69,238	1.00	EA13C1811A	0.10	(0.03)	42,732	-	HANA24C1808A	-	-	-	-
CPAL06C1811A	0.47	(0.05)	25,209	-	EA13C1812A	0.20	(0.07)	537,150	-	HANA24C1810A	-	-	-	-
CPAL06C1811B	-	-	-	-	EA13C1812B	0.48	(0.07)	11,134	-	HANA28C1812A	0.48	0.05	116,550	-
CPAL07C1902A	0.23	(0.06)	15,996	-	EA13P1809A	0.12	0.01	10,254	-	HMPR01C1808A	-	-	-	-
CPAL08C1902A	0.11	(0.04)	46,087	-	EA19C1811A	0.32	(0.07)	42,742	-	HMPR01C1808B	-	-	-	-
CPAL09P1810A	1.50	0.21	37,605	1.00	EA23C1901A	0.36	(0.05)	123,136	-	HMPR01C1902A	0.36	-	141,179	-
CPAL11C1903A	0.06	(0.01)	78,186	-	EA24C1809A	-	-	-	-	HMPR01C1902B	0.30	-	51,083	-
CPAL11P1903A	1.40	0.15	71,744	1.00	EA27C1902A	0.55	(0.07)	184	-	HMPR01P1808A	-	-	-	-
CPAL13C1812A	0.10	(0.03)	684,554	-	EA28C1809A	0.05	(0.06)	2,000	-	HMPR01P1902A	0.45	-	24,778	-
CPAL13C1901A	0.28	(0.05)	580,364	-	EA28C1809B	-	-	-	-	HMPR06C1811A	-	-	-	-
CPAL13P1902A	0.67	0.08	428,395	-	EGCO01C1809A	0.47	(0.01)	6,738	-	HMPR08C1810A	0.05	(0.01)	2,500	-
CPAL19C1811A	0.03	(0.02)	70,629	-	EGCO08C1809A	-	-	-	-	HMPR11C1808A	-	-	-	-
CPAL19C1902A	0.35	(0.07)	174,652	-	EGCO13C1809A	-	-	-	-	HMPR11C1906A	0.22	-	12,418	-
CPAL23C1810A	-	-	-	-	EGCO19C1901A	0.35	-	4,200	-	HMPR11P1808A	-	-	-	-
CPAL24C1808A	-	-	-	-	EGCO23C1811A	0.22	(0.01)	2,000	-	HMPR13C1812A	0.21	(0.01)	70,096	-
CPAL24C1811A	0.01	-	2	-	EGCO24C1808A	-	-	-	-	HMPR19C1901A	0.34	(0.01)	11,330	-
CPAL24C1901A	0.10	(0.03)	59,140	-	EGCO24C1901A	0.24	-	4,100	-	HMPR23C1901A	-	-	-	-
CPAL24C1903A	0.28	(0.07)	68,614	-	EPG01C1809A	0.26	(0.01)	20,147	-	HMPR24C1808A	-	-	-	-
CPAL24P1901A	0.67	0.11	36,638	-	EPG01P1809A	0.28	0.01	16,340	-	HMPR24C1901A	0.21	(0.01)	956	-
CPAL27C1903A	0.32	(0.68)	20,680	-	EPG07C1811A	-	-	-	-	HMPR28C1811A	0.09	(0.01)	20,000	-
CPAL28C1809A	0.01	-	1,000	-	EPG08C1810A	-	-	-	-	INTU01C1809A	0.35	(0.03)	32,803	-
CPAL28C1811A	0.03	(0.01)	100	-	EPG08C1810B	0.73	(0.02)	6,650	-	INTU01C1809B	-	-	-	-
CPF01C1809A	0.92	0.02	110,134	-	EPG11C1903A	0.59	(0.02)	3,009	-	INTU01P1809A	0.23	0.02	17,256	-
CPF01C1809B	0.03	-	7,627	-	EPG13C1811A	0.45	0.01	13,631	-	INTU01P1809B	-	-	-	-
CPF01C1810A	0.23	-	432,762	-	EPG19C1902A	0.47	-	6,459	-	INTU11C1905A	0.29	(0.02)	10,528	-
CPF01P1809A	0.11	0.01	110,024	-	EPG23C1808A	-	-	-	-	INTU11P1905A	0.37	0.02	14,430	-
CPF06C1809A	0.48	0.03	29,600	-	EPG24C1808A	-	-	-	-	INTU13C1810A	0.09	(0.01)	33,001	-
CPF07C1810A	-	-	-	-	EPG24C1810A	-	-	-	-	INTU13C1812A	0.34	(0.03)	134,124	-
CPF08C1809A	0.26	0.02	40,432	-	EPG24C1902A	-	-	-	-	INTU19C1901A	0.31	(0.02)	6,868	-
CPF08C1901A	0.18	-	105,624	-	ERW13C1902A	0.35	(0.05)	59,418	-	INTU24C1901A	-	-	-	-
CPF11C1902A	0.09	0.01	4,704	-	ERW19C1902A	0.50	(0.05)	8,315	-	INTU28C1809A	-	-	-	-
CPF11P1902A	0.21	-	79,118	-	ERW24C1904A	0.47	(0.08)	2,950	-	INTU28C1901A	0.23	(0.02)	12,276	-
CPF13C1809A	0.37	(0.04)	146,752	-	ESSO01C1812A	0.59	(0.04)	20,370	-	IRPC01C1808A	-	-	-	-
CPF13C1810A	0.07	(0.01)	9,010	-	ESSO01C1812B	0.38	(0.04)	16,446	-	IRPC01C1810A	0.15	(0.03)	63,403	-
CPF19C1901A	0.21	(0.02)	54,577	-	ESSO01P1812A	0.46	0.01	23,372	-	IRPC01C1810B	0.01	(0.01)	1,500	-
CPF23C1810A	0.35	0.02	6,000	-	ESSO08C1902A	0.49	(0.04)	25,824	-	IRPC01P1808A	-	-	-	-
CPF24C1809A	0.10	-	12,980	-	ESSO11C1905A	0.77	(0.03)	5,183	-	IRPC01P1810A	0.28	0.04	56,978	-
CPF24C1901A	0.43	0.03	1,000	-	ESSO13C1811A	0.28	(0.03)	40,712	-	IRPC01P1810B	0.06	0.01	107	-
CPF24C1902A	0.13	0.01	8,260	-	ESSO19C1901A	0.45	(0.03)	27,489	-	IRPC06C1811A	0.24	(0.04)	21,763	-
CPF27C1903A	-	-	-	-	ESSO23C1809A	-	-	-	-	IRPC07C1812A	-	-	-	-
CPF28C1811A	0.11	-	593,910	-	ESSO24C1812A	-	-	-	-	IRPC08C1808A	-	-	-	-
CPN01C1808A	-	-	-	-	ESSO24C1902A	-	-	-	-	IRPC08C1902A	0.31	(0.05)	26,374	-
CPN01C1808B	-	-	-	-	ESSO28C1811A	0.27	(0.03)	78,477	-	IRPC11C1902A	0.06	(0.02)	2,000	-
CPN06C1811A	0.60	(0.03)	66,473	-	GFPT08C1906A	0.61	(0.04)	32,596	-	IRPC11C1905A	0.38	(0.04)	8,240	-
CPN07C1902A	-	-	-	-	GFPT13C1902A	0.37	(0.03)	164,763	-	IRPC13C1811A	0.13	(0.03)	71,177	-
CPN08C1809A	-	-	-	-	GFPT19C1811A	0.61	(0.05)	6,786	-	IRPC13C1812A	0.29	(0.03)	121,702	-
CPN08C1903A	0.60	(0.04)	44,194	-	GFPT24C1812A	-	-	-	-	IRPC19C1901A	0.36	(0.04)	18,987	-
CPN11C1903A	0.34	(0.05)	21,665	-	GGC01C1810A	0.09	(0.03)	17,461	-	IRPC23C1810A	-	-	-	-
CPN11P1903A	0.28	0.01	12,497	-	GGC01C1810B	-	-	-	-	IRPC24C1808A	-	-	-	-
CPN13C1812A	0.37	(0.03)	153,209	-	GGC07C1902A	-	-	-	-	IRPC24C1809A	-	-	-	-
CPN19C1901A	0.62	(0.04)	30,729	-	GGC08C1906A	0.14	(0.01)	22,402	-	IRPC24C1812A	0.16	(0.03)	3	-
CPN23C1810A	0.19	(0.04)	26,613	-	GGC13C1811A	0.01	(0.01)	300	-	IRPC27C1809A	-	-	-	-
CPN24C1901A	0.39	0.01	1,420	-	GGC13C1902A	0.21	(0.03)	27,012	-	IRPC27C1903A	-	-	-	-
CPN27C1903A	0.54	(0.46)	4,800	-	GGC19C1811A	-	-	-	-	IRPC28C1811A	-	-	-	-
CPN28C1810A	0.15	(0.02)	107,828	-	GGC19C1902A	0.38	(0.62)	105	-	IRPC28C1812A	0.33	(0.04)	52,572	-
DELT06C1903A	1.00	-	15	1.00	GGC23C1901A	-	-	-	-	ITD01C1808A	-	-	-	-
DELT08C1811A	-	-	-	-	GGC24C1812A	0.02	(0.01)	1,498	-	ITD01C1808B	-	-	-	-
DELT13C1809A	-	-	-	-	GGC24C1901A	0.23	(0.03)	2,364	-	ITD01P1808A	-	-	-	-
DELT24C1901A	-	-	-	-	GGC28C1811A	-	-	-	-	ITD06C1904A	0.30	(0.04)	7,120	-
DELT27C1812A	-	-	-	-	GLOB01C1809A	0.66	-	41,992	-	ITD08C1810A	0.01	(0.01)	238	-
DTAC01C1808A	-	-	-	-	GLOB01C1809B	0.21	-	24,704	-	ITD11C1903A	0.11	(0.01)	4,160	-
DTAC01C1808B	-	-	-	-	GLOB06C1809A	0.33	(0.02)	11,370	-	ITD13C1809A	-	-	-	-
DTAC01C1810A	0.38	(0.01)	65,310	-	GLOB11C1808A	-	-	-	-	ITD13C1812A	0.11	(0.02)	50,817	-
DTAC01C1810B	0.06	-	1,486	-	GLOB11C1906A	0.37	(0.01)	3,090	-	ITD19C1811A	-	-	-	-
DTAC01C1902A	0.80	(0.02)	71,282	-	GLOB13C1901A	0.38	0.01	26,695	-	ITD23C1808A	-	-	-	-
DTAC01C1902B	0.67	0.01	45,790	-	GLOB19C1901A	0.51	(0.02)	7,095	-	ITD24C1810A	-	-	-	-
DTAC01P1808A	-	-	-	-	GLOB23C1811A	0.57	(0.01)	5,000	-	ITD24C1902A	0.23	(0.03)	2,150	-
DTAC01P1810A	0.93	-	26,135	-	GLOB24C1810A	0.19	(0.01)	13,042	-	IVL01C1808A	-	-	-	-
DTAC01P1810B	0.37	(0.01)	31,365	-	GLOB27C1809A	-	-	-	-	IVL01C1808B	-	-	-	-
DTAC01P1902A	0.76	(0.01)	8,010	-	GLOW08C1811A	-	-	-	-	IVL01C1812A	0.45	(0.05)	178,516	-
DTAC01P1902B	0.55	-	20,240	-	GLOW19C1901A	-	-	-	-	IVL01C1812B	0.24	(0.04)	153,200	-
DTAC06C1901A	0.30	-	14,087	-	GLOW27C1812A	-	-	-	-	IVL01P1808A	-	-	-	-
DTAC06P1809A	0.08	(0.01)	8,084	-	GPSC01C1808A	-	-	-	-	IVL01P1808B	-	-	-	-
DTAC07C1809A	-	-	-	-	GPSC01C1808B	-	-	-	-	IVL01P1812A	0.81	0.06	134,936	-
DTAC07C1902A	-	-	-	-	GPSC01C1902A	0.69	(0.10)	49,918	-	IVL01P1812B	0.54	0.04	91,162	-
DTAC08C1809A	-	-	-	-	GPSC01C1902B	0.52	(0.10)	43,328	-	IVL06C1901A	0.29	(0.06)	25,017	-
DTAC08C1903A	0.42	(0.01)	53,034	-	GPSC01P1808A	-	-	-	-	IVL07C1811A	0.34	(0.08)	8	-
DTAC08P1902A	0.24	-	38,398	-	GPSC01P1902A	1.12	0.11	72,443	1.00	IVL08C1901A	0.43	(0.05)	91,245	-
DTAC11C1904A	0.33	(0.05)	3,216	-	GPSC06C1811A	0.16	(0.07)	25,300	-	IVL08P1809A	-	-	-	-
DTAC13C1811A	0.09	(0.01)	22,150	-	GPSC08C1808A	-	-	-	-	IVL08P1903A	0.64	0.05	25,623	-

Main Board Quotation

Issue Date :

Wednesday September 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL28C1811A	0.16	(0.04)	114,898	-	LH11C1906A	0.17	(0.01)	14,508	-	PSL01C1812B	0.30	(0.01)	27,407	-
IVL28C1812A	0.41	(0.07)	147,934	-	LH13C1902A	0.29	-	51,845	-	PSL11C1905A	0.26	(0.02)	10,205	-
IVL28P1811A	0.29	0.04	144,232	-	LH19C1901A	0.21	-	12,602	-	PSL23C1809A	0.02	-	28,500	-
IVL42C1903A	0.38	(0.62)	504	-	LH23C1901A	0.12	-	6,000	-	PTG01C1811A	0.04	-	23,670	-
KBAN01C1808A	-	-	-	-	LH24C1809A	-	-	-	-	PTG01C1811B	-	-	-	-
KBAN01C1808B	-	-	-	-	LH24C1903A	0.15	-	251	-	PTG01P1811A	1.73	0.10	24,427	1.00
KBAN01C1810A	1.09	(0.11)	24,619	1.00	LPN01C1809A	0.06	(0.01)	5,500	-	PTG06C1810A	-	-	-	-
KBAN01C1901A	1.21	(0.10)	37,621	1.00	LPN01C1811A	0.34	(0.02)	11,144	-	PTG06C1904A	0.20	(0.01)	1,725	-
KBAN01C1901B	0.61	(0.07)	48,730	-	LPN01C1811B	0.13	(0.02)	36,102	-	PTG08C1902A	0.06	(0.01)	49,795	-
KBAN01P1808A	-	-	-	-	LPN01P1809A	0.44	0.02	3,279	-	PTG11C1903A	0.04	(0.02)	65,876	-
KBAN01P1808B	-	-	-	-	LPN08C1810A	0.05	-	1,500	-	PTG13C1809A	-	-	-	-
KBAN01P1810A	0.07	0.01	15,827	-	LPN08C1906A	0.21	-	3,050	-	PTG13C1812A	0.04	(0.01)	1,900	-
KBAN01P1901A	0.91	0.07	53,167	-	LPN19C1811A	0.16	-	2,441	-	PTG13C1901A	0.20	(0.05)	459,811	-
KBAN01P1901B	0.34	0.04	109,166	-	LPN24C1808A	-	-	-	-	PTG19C1902A	0.11	(0.02)	208,064	-
KBAN06C1811A	0.57	(0.10)	12,364	-	LPN24C1812A	0.18	(0.05)	1	-	PTG19C1902B	0.33	(0.67)	46,618	-
KBAN07C1811A	-	-	-	-	MAJO08C1811A	-	-	-	-	PTG23C1808A	-	-	-	-
KBAN08C1811A	0.53	(0.10)	5,647	-	MAJO11C1902A	-	-	-	-	PTG24C1809A	-	-	-	-
KBAN08C1903A	0.23	(0.04)	17,827	-	MAJO19C1902A	0.19	(0.02)	3,920	-	PTG24C1901A	0.24	(0.06)	150,922	-
KBAN08P1811A	0.13	0.01	3,276	-	MAJO24C1809A	-	-	-	-	PTG24C1902A	0.08	(0.01)	146,220	-
KBAN13C1810A	0.06	(0.03)	53,560	-	MAJO24C1902A	-	-	-	-	PTG27C1809A	-	-	-	-
KBAN13C1811A	0.59	(0.10)	42,042	-	MALE01C1812A	0.01	(0.01)	291	-	PTG27C1902A	0.13	(0.03)	30,095	-
KBAN13C1901A	0.27	(0.03)	47,657	-	MALE08C1811A	-	-	-	-	PTG28C1812A	0.05	(0.01)	8,698	-
KBAN19C1901A	0.31	(0.05)	23,024	-	MALE13C1809A	-	-	-	-	PTG28C1901A	0.23	(0.04)	191,646	-
KBAN23C1902A	0.53	(0.07)	10,600	-	MALE27C1812A	-	-	-	-	PTL08C1811A	0.48	-	47,272	-
KBAN24C1902A	-	-	-	-	MALE28C1810A	-	-	-	-	PTL13C1809A	0.10	-	20,115	-
KBAN24C1903A	-	-	-	-	MC19C1811A	0.14	(0.01)	826	-	PTL28C1810A	0.28	(0.03)	68,107	-
KBAN24P1811A	0.11	0.02	30,032	-	MC23C1809A	-	-	-	-	PTT01C1808A	-	-	-	-
KBAN27C1809A	-	-	-	-	MC24C1811A	-	-	-	-	PTT01C1808B	-	-	-	-
KBAN27C1903A	-	-	-	-	MEGA01C1811A	0.15	(0.03)	11,162	-	PTT01C1810A	0.13	(0.05)	279,904	-
KBAN27P1809A	0.34	0.06	7,150	-	MEGA01C1811B	0.05	(0.01)	21,500	-	PTT01C1810B	0.04	-	4,758	-
KBAN28C1809A	-	-	-	-	MEGA08C1811A	-	-	-	-	PTT01C1901A	0.63	(0.09)	61,819	-
KBAN28C1811A	0.61	(0.07)	24,552	-	MEGA11C1902A	0.08	(0.02)	2,650	-	PTT01C1901B	0.47	(0.08)	47,492	-
KBAN28C1812A	0.23	(0.03)	106,484	-	MEGA13C1809A	-	-	-	-	PTT01P1808A	-	-	-	-
KBAN28P1811A	0.11	0.02	1,102	-	MEGA13C1902A	0.29	(0.03)	12,351	-	PTT01P1808B	-	-	-	-
KCE01C1810A	0.86	(0.03)	26,495	-	MEGA19C1902A	0.25	(0.02)	10,074	-	PTT01P1810A	0.94	0.13	31,460	-
KCE01C1810B	0.68	(0.02)	25,306	-	MEGA23C1902A	0.11	(0.01)	14,100	-	PTT01P1810B	0.28	0.07	115,991	-
KCE06C1809A	1.42	(0.06)	12,500	1.00	MEGA24C1812A	-	-	-	-	PTT01P1901A	0.54	0.07	44,603	-
KCE07C1902A	-	-	-	-	MINT01C1808A	-	-	-	-	PTT01P1901B	0.33	0.05	92,600	-
KCE08C1809A	0.93	(0.07)	8,567	-	MINT01C1808B	-	-	-	-	PTT06C1811A	0.07	(0.01)	8	-
KCE08C1902A	0.43	(0.01)	21,156	-	MINT01C1901A	0.47	(0.01)	111,903	-	PTT06C1901A	0.34	(0.08)	18,917	-
KCE11C1808A	-	-	-	-	MINT01C1901B	0.32	(0.03)	171,723	-	PTT06P1901A	0.40	0.07	8,431	-
KCE11C1904A	0.52	(0.02)	1,451	-	MINT01P1808A	-	-	-	-	PTT07C1811A	-	-	-	-
KCE13C1811A	-	-	-	-	MINT01P1901A	0.25	-	71,171	-	PTT08C1809A	-	-	-	-
KCE13C1812A	0.42	(0.01)	65,010	-	MINT06C1809A	-	-	-	-	PTT08C1902A	0.30	(0.08)	12,281	-
KCE19C1901A	0.55	(0.01)	15,303	-	MINT06C1901A	0.30	(0.02)	41,150	-	PTT08P1809A	0.16	0.05	13,112	-
KCE23C1901A	0.36	(0.01)	22,114	-	MINT07C1810A	-	-	-	-	PTT11C1902A	0.14	(0.03)	36,400	-
KCE24C1808A	-	-	-	-	MINT08C1809A	0.01	(0.01)	6,071	-	PTT13C1810A	0.03	(0.01)	16,206	-
KCE24C1901A	-	-	-	-	MINT08C1903A	0.29	(0.02)	73,911	-	PTT13C1811A	0.16	(0.06)	39,485	-
KCE27C1902A	-	-	-	-	MINT11C1902A	0.13	(0.02)	9,410	-	PTT13C1812A	0.30	(0.06)	75,764	-
KCE28C1811A	-	-	-	-	MINT11P1902A	0.15	0.01	38,316	-	PTT13P1812A	0.22	0.04	96,324	-
KKP01C1808A	-	-	-	-	MINT13C1810A	-	-	-	-	PTT19C1809A	0.01	(0.02)	12,100	-
KKP01C1808B	-	-	-	-	MINT13C1812A	0.37	(0.03)	135,266	-	PTT19C1901A	0.37	(0.08)	61,894	-
KKP08C1811A	0.39	(0.06)	35,306	-	MINT19C1901A	0.40	(0.03)	18,160	-	PTT23C1901A	0.09	(0.02)	3,000	-
KKP11C1903A	0.35	(0.02)	8,439	-	MINT23C1810A	0.07	(0.02)	10,000	-	PTT24C1809A	-	-	-	-
KKP13C1811A	0.32	(0.02)	260	-	MINT24C1812A	-	-	-	-	PTT24C1812A	0.22	(0.05)	2,425	-
KKP19C1901A	0.55	(0.05)	12,215	-	MINT24C1901A	-	-	-	-	PTT24P1808A	-	-	-	-
KKP24C1812A	0.31	(0.09)	5	-	MINT24C1902A	-	-	-	-	PTT24P1901A	0.13	0.01	40	-
KKP28C1810A	0.15	(0.03)	103,400	-	MINT27C1903A	-	-	-	-	PTT27C1809A	-	-	-	-
KTB01C1808A	-	-	-	-	MINT28C1811A	0.21	(0.03)	123,990	-	PTT27C1903A	-	-	-	-
KTB01C1810A	0.42	(0.03)	42,266	-	MONO01C1810A	-	-	-	-	PTT27P1809A	0.03	(0.02)	600	-
KTB01C1810B	0.14	(0.02)	87,529	-	MONO01C1810B	-	-	-	-	PTT27P1903A	-	-	-	-
KTB01P1808A	-	-	-	-	MONO08C1808A	-	-	-	-	PTT28C1811A	0.05	(0.01)	2,350	-
KTB06C1902A	0.35	(0.06)	14,950	-	MONO08C1906A	0.09	-	3,501	-	PTT28C1811B	-	-	-	-
KTB08C1809A	-	-	-	-	MONO13C1811A	-	-	-	-	PTT28C1812A	0.32	(0.04)	12,476	-
KTB08C1903A	0.26	(0.02)	18,926	-	MONO13C1901A	0.12	(0.03)	36,221	-	PTT28C1901A	0.14	(0.05)	48,891	-
KTB11C1811A	0.16	(0.02)	6,000	-	MONO19C1811A	0.04	(0.02)	1,700	-	PTT28P1812A	0.16	0.03	28,552	-
KTB13C1809A	-	-	-	-	MONO23C1809A	-	-	-	-	PTTE01C1808A	-	-	-	-
KTB13C1901A	0.42	(0.05)	25,684	-	MONO23C1901A	0.10	(0.02)	8,500	-	PTTE01C1808B	-	-	-	-
KTB19C1901A	0.30	(0.05)	12,266	-	MONO24C1812A	-	-	-	-	PTTE01C1901A	0.76	(0.06)	122,544	-
KTB23C1811A	0.23	(0.02)	1,000	-	MONO24C1812B	-	-	-	-	PTTE01C1901B	0.46	(0.07)	108,485	-
KTB24C1808A	-	-	-	-	MONO28C1811A	-	-	-	-	PTTE01P1808A	-	-	-	-
KTB24C1811A	0.15	(0.02)	1,036	-	MONO28C1901A	0.11	(0.02)	26,708	-	PTTE01P1901A	1.08	0.06	77,205	1.00
KTB24P1901A	0.15	0.01	1,200	-	MTC06C1901A	0.58	(0.01)	62,796	-	PTTE01P1901B	0.60	0.05	114,095	-
KTB28C1809A	-	-	-	-	MTC08C1811A	0.15	(0.03)	47,114	-	PTTE06C1811A	0.41	(0.06)	30,641	-
KTB28C1811A	0.17	(0.04)	130,314	-	MTC08C1902A	0.42	(0.01)	51,208	-	PTTE07C1809A	0.09	(0.05)	1,064	-
KTB42C1903A	0.27	(0.73)	2,140	-	MTC11C1904A	0.38	(0.02)	5,513	-	PTTE08C1811A	0.34	(0.04)	71,528	-
KTB42P1903A	0.32	(0.68)	2,410	-	MTC13C1809A	-	-	-	-	PTTE08P1809A	-	-	-	-
KTC01C1808A	-	-	-	-	MTC13C1811A	0.53	(0.01)	314,485	-	PTTE08P1811A	0.12	0.02	7,251	-
KTC01C1808B	-	-	-	-	MTC13C1901A	0.33	(0.01)	220,684	-	PTTE11C1902A	0.63	(0.06)	24,140	-
KTC01C1810A	0.22	(0.04)	366,994	-	MTC19C1901A	0.43	-	31,358	-	PTTE13C1811A	0.25	(0.06)	69,504	-
KTC01C1810B	0.10	(0.03)	69,840	-	MTC23C1808A	-	-	-	-	PTTE13C1812A	0.57	(0.09)	85,848	-
KTC08C1808A	-	-	-	-	MTC24C1808A	-	-	-	-	PTTE13P1811A	0.09	0.02	20,711	-
KTC11C1902A	0.86	(0.17)	1,720	-	MTC24C1810A	0.18	(0.01)	3,090	-	PTTE13P1901A	0.49	0.05	113,987	-
KTC13C1809A	-	-	-	-	MTC24C1812A	0.47	(0.02)	1,403	-	PTTE19C1811A	0.47	(0.07)	74,301	-
KTC13C1809B	0.02	(0.03)	11,715	-	MTC28C1809A	0.30	(0.10)	400	-	PTTE23C1901A	0.10	(0.02)	45,000	-
KTC13C1812A	0.14	(0.04)	395,723	-	MTC28C1902A	0.32	(0.02)	35,690	-	PTTE24C1811A	-	-	-	-
KTC13C1812B	0.30	(0.06)	296,647	-	ORI11C1811A	-	-	-	-	PTTE24C1901A	0.51	(0.14)	1,000	-
KTC19C1811A	0.14	(0.04)	59,442	-	ORI13C1810A	0.22	(0.09)	53,406	-	PTTE24P1809A	-	-	-	-
KTC19C1901A	0.63	(0.11)	43,821	-	ORI19C1811A	0.14	(0.05)	119,495	-	PTTE24P1901A	-			

Main Board Quotation

Issue Date :

Wednesday September 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG01P1808A	-	-	-	-	SAWA01P1808A	-	-	-	-	SIRI11C1902A	-	-	-	-
PTTG01P1811A	1.62	0.09	65,042	1.00	SAWA01P1901A	0.68	0.02	68,359	-	SIRI13C1809A	-	-	-	-
PTTG01P1901A	0.87	0.04	84,264	-	SAWA06C1811A	0.06	(0.01)	3,965	-	SIRI13C1902A	0.23	(0.02)	49,003	-
PTTG01P1901B	0.61	0.05	58,897	-	SAWA06C1903A	0.90	(0.02)	41,368	-	SIRI19C1902A	0.22	(0.01)	8,342	-
PTTG06C1809A	0.01	-	50	-	SAWA07C1812A	0.47	(0.06)	1,730	-	SIRI23C1811A	0.12	(0.01)	6,000	-
PTTG06C1903A	0.98	(0.06)	31,406	-	SAWA08C1808A	-	-	-	-	SIRI24C1809A	-	-	-	-
PTTG06P1903A	0.44	0.04	30,002	-	SAWA08C1811A	0.02	(0.01)	12,282	-	SIRI24C1903A	-	-	-	-
PTTG07C1812A	0.28	(0.06)	6,757	-	SAWA08C1902A	0.69	(0.02)	26,648	-	SIRI28C1809A	-	-	-	-
PTTG08C1811A	0.03	(0.01)	4,000	-	SAWA11C1808A	-	-	-	-	SIRI28C1901A	0.28	(0.02)	34,816	-
PTTG08C1902A	0.52	(0.06)	44,115	-	SAWA11C1906A	0.45	(0.01)	10,281	-	SPAL01C1808A	-	-	-	-
PTTG08P1811A	0.77	0.11	38,594	-	SAWA13C1810A	-	-	-	-	SPAL01C1808B	-	-	-	-
PTTG11C1902A	0.11	(0.01)	15,351	-	SAWA13C1811A	0.03	-	3,440	-	SPAL06C1809A	0.43	(0.02)	13,848	-
PTTG13C1812A	0.17	(0.04)	103,499	-	SAWA13C1812A	0.21	(0.01)	76,827	-	SPAL08C1808A	-	-	-	-
PTTG13C1812B	0.65	(0.07)	218,664	-	SAWA13C1901A	0.64	(0.05)	13,674	-	SPAL11C1905A	0.14	0.01	1,830	-
PTTG19C1811A	0.15	(0.03)	38,818	-	SAWA19C1901A	0.68	(0.03)	9,877	-	SPAL19C1902A	0.43	(0.01)	3,144	-
PTTG19C1902A	0.69	(0.31)	1,820	-	SAWA24C1808A	-	-	-	-	SPAL23C1811A	0.50	-	3,600	-
PTTG23C1901A	0.06	(0.01)	6	-	SAWA24C1812A	0.20	(0.03)	1,261	-	SPAL24C1808A	-	-	-	-
PTTG24C1808A	-	-	-	-	SAWA24C1902A	0.58	(0.03)	1,006	-	SPAL24C1812A	-	-	-	-
PTTG24C1812A	-	-	-	-	SAWA27C1903A	0.50	(0.50)	7,200	-	SPRC01C1808A	-	-	-	-
PTTG24C1901A	0.44	(0.05)	6,570	-	SAWA28C1809A	-	-	-	-	SPRC01C1808B	-	-	-	-
PTTG24P1808A	-	-	-	-	SAWA28C1810A	-	-	-	-	SPRC06C1809A	0.01	(0.01)	30,001	-
PTTG24P1901A	0.30	0.02	13,103	-	SAWA28C1811A	0.25	(0.02)	33,277	-	SPRC06C1902A	0.54	0.02	14,020	-
PTTG27C1903A	-	-	-	-	SAWA28C1812A	0.66	(0.02)	22,572	-	SPRC08C1808A	-	-	-	-
PTTG27P1903A	0.49	(0.51)	20,000	-	SCB01C1808A	-	-	-	-	SPRC11C1902A	0.10	(0.01)	551	-
PTTG28C1811A	-	-	-	-	SCB01C1808B	-	-	-	-	SPRC13C1812A	0.33	0.01	141,148	-
PTTG28C1812A	0.57	(0.07)	69,589	-	SCB01C1810A	0.51	(0.09)	36,068	-	SPRC19C1901A	0.39	0.01	39,175	-
QH01C1810A	0.50	(0.04)	20,059	-	SCB01C1902A	0.98	(0.10)	33,801	1.00	SPRC23C1810A	-	-	-	-
QH01C1810B	0.20	(0.03)	24,213	-	SCB01C1902B	0.87	(0.12)	31,353	-	SPRC24C1808A	-	-	-	-
QH01P1810A	0.20	0.03	11,772	-	SCB01P1808A	-	-	-	-	SPRC24C1903A	0.35	-	5,010	-
QH08C1808A	-	-	-	-	SCB01P1808B	-	-	-	-	STA01C1812A	0.29	-	49,281	-
QH11C1902A	0.38	(0.04)	5,056	-	SCB01P1902A	0.45	0.05	42,271	-	STA01C1812B	0.16	(0.02)	81,135	-
QH19C1901A	0.19	(0.03)	32,939	-	SCB01P1902B	0.20	0.04	42,055	-	STA13C1812A	0.30	(0.01)	80,548	-
QH23C1808A	-	-	-	-	SCB06C1811A	0.66	(0.09)	17,560	-	STA13C1901A	0.18	-	168,257	-
QH24C1812A	0.13	(0.03)	10,090	-	SCB08C1901A	0.49	(0.09)	23,314	-	STA19C1811A	0.11	(0.01)	10,440	-
QH27C1903A	-	-	-	-	SCB11C1901A	0.26	(0.04)	10,070	-	STA23C1809A	-	-	-	-
RATC19C1901A	0.32	(0.01)	754	-	SCB11P1901A	0.33	0.05	51,335	-	STA24C1808A	-	-	-	-
RATC24C1902A	-	-	-	-	SCB13C1809A	-	-	-	-	STEC01C1809A	0.15	(0.06)	85,420	-
RATC27C1812A	-	-	-	-	SCB13C1812A	0.58	(0.10)	42,770	-	STEC01C1809B	0.42	(0.14)	105,026	-
ROBI01C1809A	0.20	(0.05)	9,757	-	SCB13C1902A	0.38	(0.07)	95,334	-	STEC01P1809A	0.67	0.06	56,889	-
ROBI06C1809A	0.18	(0.05)	6,994	-	SCB13P1812A	0.08	-	13,102	-	STEC06C1809A	0.16	(0.06)	38,858	-
ROBI08C1808A	-	-	-	-	SCB19C1811A	0.31	(0.06)	9,188	-	STEC08C1809A	0.08	(0.04)	18,600	-
ROBI11C1808A	-	-	-	-	SCB24C1901A	-	-	-	-	STEC11C1903A	0.48	(0.04)	36,126	-
ROBI11C1906A	0.47	(0.04)	3,012	-	SCB24C1902A	0.45	(0.09)	222	-	STEC13C1809A	-	-	-	-
ROBI19C1901A	0.57	(0.05)	4,392	-	SCB24P1811A	-	-	-	-	STEC19C1901A	0.47	(0.05)	20,799	-
ROBI24C1901A	0.23	(0.05)	375	-	SCB27C1902A	0.57	(0.02)	3,748	-	STEC23C1808A	-	-	-	-
ROBI24C1903A	-	-	-	-	SCB27P1903A	0.59	(0.41)	3,510	-	STEC24C1808A	-	-	-	-
RS08C1901A	0.46	(0.08)	39,433	-	SCB28C1809A	-	-	-	-	STEC24C1901A	0.47	(0.08)	4,690	-
RS13C1901A	0.52	(0.07)	194,652	-	SCB28C1812A	0.50	(0.08)	63,652	-	STEC27C1902A	-	-	-	-
RS19C1901A	0.48	(0.07)	14,788	-	SCB28P1812A	-	-	-	-	STEC28C1810A	0.40	(0.06)	42,243	-
RS24C1811A	0.41	(0.09)	2,400	-	SCB42C1903A	-	-	-	-	STP108C1811A	0.04	(0.01)	2,074	-
S1000C1811A	0.50	(0.07)	10,270	-	SCC01C1808A	-	-	-	-	SUPE08C1808A	-	-	-	-
S5001C1809F	0.57	(0.22)	2,391,840	-	SCC01C1808B	-	-	-	-	SUPE08C1811A	0.05	-	3,101	-
S5001C1809G	0.08	(0.02)	115,444	-	SCC01C1901A	0.68	(0.09)	2,948	-	SUPE13C1810A	0.02	-	962	-
S5001C1809H	2.02	(0.20)	357,140	2.00	SCC01C1901B	0.54	(0.10)	8,623	-	SUPE13C1811A	-	-	-	-
S5001C1809I	1.00	(0.43)	1,850,365	1.00	SCC01P1808A	-	-	-	-	SUPE19C1902A	0.18	(0.01)	21,126	-
S5001C1810A	1.25	(0.15)	114,094	1.00	SCC01P1901A	0.33	0.03	41,482	-	SUPE23C1811A	0.07	-	100	-
S5001C1810B	1.23	(0.17)	110,066	1.00	SCC06C1809A	-	-	-	-	SUPE23C1901A	-	-	-	-
S5001P1809F	1.56	0.29	2,862,143	1.00	SCC06C1902A	0.34	(0.04)	2,443	-	SUPE28C1810A	-	-	-	-
S5001P1809G	0.51	0.20	1,463,094	-	SCC07C1812A	0.58	(0.05)	25	-	SUPE28C1811A	-	-	-	-
S5001P1809H	0.02	-	9,153	-	SCC08C1809A	0.01	(0.01)	5,000	-	TACC01C1809A	-	-	-	-
S5001P1809I	0.01	-	14,522	-	SCC08C1902A	0.39	(0.05)	1,705	-	TASC01C1810A	0.11	(0.05)	84,807	-
S5001P1810A	0.27	0.07	409,820	-	SCC11C1811A	0.09	(0.01)	2,000	-	TASC01C1810B	-	-	-	-
S5001P1810B	0.15	0.05	306,039	-	SCC11C1906A	0.28	(0.01)	600	-	TASC01P1809A	1.75	0.10	31,644	1.00
S5006C1809A	0.06	(0.06)	7,733	-	SCC11P1811A	0.19	0.03	21,335	-	TASC01P1810A	0.68	0.09	47,196	-
S5006C1809B	0.03	-	220,665	-	SCC13C1809A	-	-	-	-	TASC07C1811A	-	-	-	-
S5006C1809C	0.16	(0.11)	5,741	-	SCC13C1812A	0.17	(0.06)	8,471	-	TASC08C1808A	-	-	-	-
S5006C1809D	0.02	(0.03)	26,334	-	SCC13C1901A	-	-	-	-	TASC08C1903A	0.36	(0.08)	48,376	-
S5006C1812A	0.46	(0.14)	93,263	-	SCC19C1811A	0.12	(0.04)	10,846	-	TASC11C1904A	0.11	(0.03)	14,672	-
S5006C1812B	0.56	(0.14)	86,447	-	SCC19C1901A	0.39	(0.05)	21,326	-	TASC13C1810A	-	-	-	-
S5006C1812C	0.42	(0.15)	19,796	-	SCC23C1811A	-	-	-	-	TASC13C1901A	0.27	(0.05)	157,026	-
S5006P1809A	1.23	0.20	18,148	1.00	SCC24C1812A	0.04	(0.01)	21,000	-	TASC19C1902A	0.35	(0.06)	38,700	-
S5006P1809B	0.50	0.15	5,166	-	SCC24C1901A	-	-	-	-	TASC23C1902A	0.28	(0.05)	14,000	-
S5006P1809C	0.54	0.22	2,077	-	SCC24C1902A	-	-	-	-	TASC24C1810A	-	-	-	-
S5006P1809D	0.16	0.05	150	-	SCC24P1901A	0.19	0.01	690	-	TASC24C1903A	0.31	(0.06)	40,070	-
S5006P1812A	1.17	0.20	56,315	1.00	SCC27C1809A	-	-	-	-	TCAP01C1901A	0.61	(0.02)	34,584	-
S5006P1812B	0.40	0.08	68,779	-	SCC27P1809A	-	-	-	-	TCAP01C1901B	0.49	(0.03)	19,011	-
S5006P1812C	0.75	0.15	3,676	-	SCC28C1811A	0.14	(0.02)	4,000	-	TCAP01P1901A	0.33	0.02	25,320	-
S5008C1809A	0.33	(0.23)	163,037	-	SCC28C1812A	0.40	(0.06)	4,976	-	TCAP08C1810A	-	-	-	-
S5008P1809A	0.02	-	6,180	-	SCCC08C1811A	0.03	(0.01)	500	-	TCAP11C1811A	0.10	(0.02)	1,555	-
S5013C1809A	0.02	(0.03)	1,808,335	-	SCCC13C1809A	-	-	-	-	TCAP13C1809A	-	-	-	-
S5013C1809B	0.10	(0.08)	1,152,655	-	SCCC27C1812A	-	-	-	-	TCAP13C1901A	0.45	(0.03)	91,946	-
S5013C1809C	0.04	(0.07)	2,251,441	-	SGP06C1812A	0.25	(0.06)	38,708	-	TCAP19C1901A	0.35	(0.04)	13,863	-
S5013C1809D	0.21	(0.17)	4,951,063	-	SGP08C1808A	-	-	-	-	TCAP24C1903A	0.30	(0.04)	140	-
S5013C1809E	0.65	(0.31)	1,301,468	-	SGP08C1901A	0.45	(0.05)	76,513	-	THAI01C1808A	-	-	-	-
S5013C1809F	0.49	(0.16)	1,091,743	-	SGP11C1904A	0.22	(0.03)	4,380	-	THAI01C1808B	-	-	-	-
S5013C1812A	0.80	(0.20)	2,012,794	-	SGP13C1811A	0.12	(0.03)	1,300	-	THAI01C1901A	0.26	(0.03)	49,709	-
S5013P1809A	0.90	0.27	842,371	-	SGP13C1812A	0.31	(0.07)	225,206	-	THAI01C1901B	0.14	(0.02)	10,050	-
S5013P1809B	0.33	0.13	1,907,123											

Main Board Quotation

Issue Date :

Wednesday September 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA01C1901B	0.50	-	31,117	-	SIRI08C1810A	-	-	-	-	THAI28C1901A	0.22	(0.03)	93,637	-

Main Board Quotation

Issue Date :

Wednesday September 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THAN01C1812A	0.40	(0.03)	5,604	-	THIP08C1808A	-	-	-	-	WHA01C1812B	0.43	(0.05)	57,396	-
THAN13C1809A	0.02	0.01	674	-	THIP11C1811A	-	-	-	-	WHA01P1811A	0.58	0.04	37,253	-
THAN24C1903A	0.41	(0.04)	3,825	-	THIP13C1811A	0.16	(0.01)	8,224	-	WHA06C1809A	0.07	(0.01)	500	-
THAN28C1810A	-	-	-	-	THIP13C1902A	0.32	(0.02)	35,698	-	WHA07C1810A	0.12	(0.02)	50,690	-
THC001C1809A	0.09	(0.04)	43,884	-	THIP19C1902A	0.37	(0.01)	2,070	-	WHA08C1811A	0.12	(0.02)	48,978	-
THC001P1809A	0.40	0.08	17,941	-	THIP23C1808A	-	-	-	-	WHA11C1903A	0.19	(0.03)	53,962	-
THC008C1906A	0.28	(0.02)	10,534	-	THIP24C1901A	-	-	-	-	WHA13C1812A	0.38	(0.05)	164,257	-
THC011C1902A	0.18	(0.02)	355	-	THIP27C1812A	-	-	-	-	WHA19C1901A	0.39	(0.05)	29,056	-
THC019C1811A	0.15	(0.03)	1,010	-	TRUE01C1808A	-	-	-	-	WHA23C1810A	0.17	(0.05)	14,000	-
THC023C1808A	-	-	-	-	TRUE01C1808B	-	-	-	-	WHA24C1811A	-	-	-	-
THC024C1810A	0.21	(0.10)	11,144	-	TRUE01C1902A	0.51	(0.03)	292,739	-	WHA27C1903A	0.52	(0.48)	1,200	-
THC028C1901A	0.37	(0.07)	19,789	-	TRUE01C1902B	0.42	(0.02)	302,001	-	WHA28C1809A	-	-	-	-
TISCO1C1808A	-	-	-	-	TRUE01P1808A	-	-	-	-	WHA28C1901A	0.38	(0.05)	130,076	-
TISCO1C1808B	-	-	-	-	TRUE01P1902A	0.48	0.04	249,926	-	WHAU01C1810A	0.13	(0.03)	54,977	-
TISCO7C1902A	0.80	(0.07)	1,761	-	TRUE01P1902B	0.33	0.02	252,072	-	WHAU01C1810B	-	-	-	-
TISCO8C1808A	-	-	-	-	TRUE06C1811A	0.10	(0.02)	37,006	-	WHAU19C1902A	0.25	(0.75)	1	-
TISCO8C1903A	0.62	(0.05)	61,341	-	TRUE06C1906A	0.29	(0.03)	36,525	-	WHAU24C1812A	0.02	(0.01)	20,000	-
TISCO11C1903A	0.20	(0.03)	26,924	-	TRUE07C1902A	-	-	-	-	WHAU24C1902A	0.26	(0.04)	50	-
TISC13C1811A	0.23	(0.03)	48,949	-	TRUE08C1809A	0.04	(0.02)	70	-	WORK01C1811A	0.31	(0.05)	139,190	-
TISC13C1812A	0.64	(0.05)	108,705	-	TRUE08C1902A	0.38	(0.03)	96,152	-	WORK01C1811B	0.16	(0.02)	44,804	-
TISC19C1901A	0.39	(0.03)	11,207	-	TRUE08P1809A	0.02	(0.01)	21,238	-	WORK08C1809A	0.01	-	647	-
TISC24C1812A	0.15	(0.02)	2,664	-	TRUE11C1905A	0.34	(0.03)	24,714	-	WORK08C1901A	0.24	(0.03)	47,204	-
TISC28C1901A	0.64	(0.04)	333,804	-	TRUE13C1810A	0.02	(0.01)	215,516	-	WORK11C1903A	0.06	(0.02)	16,234	-
TKN01C1808A	-	-	-	-	TRUE13C1812A	0.23	(0.03)	731,573	-	WORK13C1809A	-	-	-	-
TKN01C1808B	-	-	-	-	TRUE16C1812A	-	-	-	-	WORK13C1810A	0.02	-	1	-
TKN01C1901A	0.59	(0.10)	110,903	-	TRUE19C1901A	0.17	(0.02)	15,660	-	WORK13C1811A	0.05	-	1,500	-
TKN01C1901B	0.45	(0.09)	41,859	-	TRUE23C1902A	0.22	(0.03)	48,000	-	WORK13C1812A	0.21	(0.05)	225,594	-
TKN08C1808A	-	-	-	-	TRUE27C1809A	0.10	(0.03)	30,160	-	WORK19C1811A	0.06	(0.02)	4,100	-
TKN08C1811A	0.07	(0.04)	32,568	-	TRUE27P1809A	0.16	0.03	234,128	-	WORK19C1902A	0.42	(0.58)	32,808	-
TKN11C1902A	0.16	(0.04)	20,730	-	TRUE28C1810A	-	-	-	-	WORK24C1810A	-	-	-	-
TKN13C1810A	0.06	0.01	561	-	TRUE28C1812A	0.19	(0.03)	412,058	-	WORK24C1812A	0.15	(0.03)	15,492	-
TKN13C1811A	-	-	-	-	TTA08C1808A	-	-	-	-	WORK27C1903A	0.35	(0.65)	1,202	-
TKN13C1812A	0.29	(0.10)	188,082	-	TTA08C1906A	0.25	(0.04)	19,496	-	WORK28C1809A	-	-	-	-
TKN19C1811A	0.07	(0.04)	15,942	-	TTA13C1809A	-	-	-	-	WORK28C1811A	-	-	-	-
TKN23C1902A	0.32	(0.08)	5,035	-	TTA13C1901A	0.20	(0.03)	43,589	-	Preferred/Foreign	-	-	-	-
TKN24C1811A	0.17	(0.07)	5,167	-	TTA19C1811A	-	-	-	-	BH-Q	-	-	-	-
TKN24C1812A	-	-	-	-	TTA23C1808A	-	-	-	-	CSC-Q	-	-	-	-
TKN28C1811A	-	-	-	-	TTA23C1901A	0.10	(0.01)	1,000	-	JUTHA-Q	-	-	-	-
TKN28C1812A	0.50	(0.09)	27,210	-	TTA24C1809A	-	-	-	-	KTB-Q	-	-	-	-
TMB01C1810A	0.14	(0.02)	103,650	-	TTA24C1902A	-	-	-	-	SCB-Q	-	-	-	-
TMB01C1810B	0.02	(0.01)	5,406	-	TTA28C1812A	0.08	(0.01)	35,500	-	TCAP-Q	-	-	-	-
TMB01P1810A	0.48	0.03	97,904	-	TU01C1808A	-	-	-	-	TIC-Q	-	-	-	-
TMB06C1809A	-	-	-	-	TU01C1808B	-	-	-	-	TISCO-Q	-	-	-	-
TMB06C1902A	-	-	-	-	TU01C1901A	0.61	(0.04)	45,502	-	U-Q	-	-	-	-
TMB07C1811A	-	-	-	-	TU01C1901B	0.57	(0.05)	106,394	-	Warrant	-	-	-	-
TMB08C1808A	-	-	-	-	TU01P1808A	-	-	-	-	7UP-W2	0.07	(0.01)	26,904	-
TMB08C1901A	-	-	-	-	TU01P1901A	0.21	0.02	71,705	-	ACC-W1	0.02	-	3,000	-
TMB11C1904A	-	-	-	-	TU06C1902A	0.31	(0.04)	41,915	-	AJA-W1	0.20	(0.01)	4,110	-
TMB13C1811A	0.04	-	3,833	-	TU07C1902A	-	-	-	-	ALT-W1	0.50	(0.03)	2,214	-
TMB13C1901A	0.17	(0.01)	147,629	-	TU08C1811A	0.05	(0.02)	5,000	-	APURE-W2	0.17	-	2,810	-
TMB19C1901A	0.10	(0.01)	63,898	-	TU11C1902A	0.06	-	300	-	AQ-W4	0.01	-	5,950	-
TMB23C1810A	-	-	-	-	TU11C1906A	0.23	(0.03)	24,035	-	AS-W1	0.24	(0.01)	223	-
TMB24C1809A	-	-	-	-	TU13C1809A	-	-	-	-	AYUD-W1	3.42	(0.04)	43,169	3.00
TMB24C1901A	-	-	-	-	TU13C1902A	0.28	(0.03)	51,639	-	B-W3	-	-	-	-
TMB24C1902A	-	-	-	-	TU19C1901A	0.29	(0.03)	14,114	-	B-W4	0.16	(0.01)	7,901	-
TMB27C1903A	0.24	(0.76)	200,000	-	TU23C1902A	0.29	(0.06)	140	-	BTS-W3	0.01	-	1,830	-
TMB28C1809A	-	-	-	-	TU24C1808A	-	-	-	-	BWG-W4	0.07	(0.01)	7,055	-
TMB28C1901A	0.13	(0.01)	663,574	-	TU24C1901A	0.19	(0.04)	200	-	CEN-W4	0.04	-	3,500	-
TOA01C1901A	0.33	(0.02)	9,349	-	TV001C1809A	0.12	(0.01)	2,631	-	CGD-W4	0.21	(0.01)	19,155	-
TOA01C1901B	0.23	(0.02)	1,240	-	TV001C1809B	0.01	(0.01)	49,000	-	CGH-W3	0.05	-	22,333	-
TOA08C1902A	0.16	(0.01)	27,788	-	TVO08C1808A	-	-	-	-	CI-W1	0.36	(0.01)	13	-
TOA13C1812A	0.22	(0.02)	4,079	-	TV011C1903A	0.09	(0.03)	13,280	-	CKP-W1	0.36	(0.01)	48,237	-
TOA19C1901A	0.23	(0.01)	18,932	-	TVO13C1809A	-	-	-	-	CRANE-W1	1.81	(0.21)	30	1.00
TOA24C1812A	0.15	-	70	-	TVO13C1902A	-	-	-	-	CWT-W4	0.42	(0.02)	14,022	-
TOA28C1812A	-	-	-	-	TVO19C1902A	-	-	-	-	DCC-W1	1.04	0.01	980,313	1.00
TOP01C1808A	-	-	-	-	TVO23C1808A	-	-	-	-	DCON-W1	4.00	(0.68)	121	4.00
TOP01C1808B	-	-	-	-	TVO24C1810A	-	-	-	-	DIGI-W1	0.03	-	6,614	-
TOP01C1901A	1.50	(0.04)	37,272	1.00	TVO24C1903A	0.24	(0.04)	2,000	-	DIGI-W2	0.02	-	2,485	-
TOP01C1901B	1.35	(0.05)	38,283	1.00	UNIQ01C1809A	0.04	(0.01)	2,944	-	EARTH-W4	-	-	-	-
TOP01P1808A	-	-	-	-	UNIQ01C1810A	0.17	(0.05)	134,800	-	EIC-W2	-	-	-	-
TOP01P1901A	0.57	0.01	13,869	-	UNIQ01C1810B	0.02	(0.02)	34,936	-	EIC-W3	-	-	-	-
TOP06C1809A	0.01	(0.01)	20,000	-	UNIQ01P1809A	0.61	0.06	15,926	-	EIC-W4	-	-	-	-
TOP06C1903A	1.20	(0.05)	21,054	1.00	UNIQ08C1808A	-	-	-	-	EVER-W3	0.02	-	936	-
TOP07C1812A	-	-	-	-	UNIQ08C1810A	0.02	(0.02)	4,000	-	GJS-W3	0.01	(0.01)	60	-
TOP08C1811A	0.11	(0.02)	28,499	-	UNIQ08C1906A	0.21	(0.03)	46,253	-	GSTEL-W1	-	-	-	-
TOP08C1902A	0.63	(0.02)	48,124	-	UNIQ11C1811A	0.06	(0.03)	1,400	-	GSTEL-W2	-	-	-	-
TOP11C1808A	-	-	-	-	UNIQ13C1809A	-	-	-	-	IEC-W2	-	-	-	-
TOP11C1905A	1.09	(0.05)	15,416	1.00	UNIQ13C1901A	0.19	(0.04)	81,488	-	IHL-W1	4.90	(0.10)	210	4.00
TOP13C1811A	0.07	(0.02)	3,550	-	UNIQ19C1811A	-	-	-	-	ITD-W1	0.09	(0.01)	15,909	-
TOP13C1901A	0.62	(0.06)	42,464	-	UNIQ23C1901A	0.07	(0.03)	1,500	-	JAS-W3	1.97	(0.03)	18,874	1.00
TOP19C1901A	0.46	(0.04)	33,544	-	UNIQ24C1811A	-	-	-	-	JCK-W5	-	-	-	-
TOP23C1811A	0.14	(0.01)	3,248	-	UNIQ28C1809A	-	-	-	-	JMART-W2	1.60	(0.12)	10,427	1.00
TOP24C1901A	-	-	-	-	UNIQ28C1811A	-	-	-	-	MIDA-W2	0.01	(0.01)	27	-
TOP24C1902A	0.64	(0.05)	108	-	UV06C1812A	0.38	(0.06)	12,500	-	MILL-W3	0.03	-	237,890	-
TOP27C1903A	-	-	-	-	UV13C1812A	0.39	(0.07)	143,376	-	MILL-W4	0.28	(0.02)	42,548	-
TOP28C1810A	-	-	-	-	UV19C1902A	0.44	(0.07)	20,862	-	MILL-W5	0.20	-	21,559	-
TOP28C1812A	0.58	(0.04)	42,006	-	UV23C1809A	-	-	-	-	ML-W2	0.03	0.01	4,420	-
TP101C1812A	0.21	(0.04)	16,807	-	UV24C1812A	-	-	-	-	MONO-W1	0.47	-	115,030	-
TP101C1812B	0.13	(0.03)	16,604	-	VGI01C1812A	0.63	(0.01)	67,389	-	NEP-W3	-	-	-	-
TP107C1812A	-	-	-	-	VGI06C1904A	-	-	-	-	NOK-W1	0.47	(0.01)	151	-

Main Board Quotation

Issue Date :

Wednesday September 05, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TPI13C1809A	-	-	-	-	VGI06C1904B	-	-	-	-	NPPG-W3	-	-	-	-
TPI19C1901A	0.23	(0.03)	5,996	-	VGI06C1904C	6.20	(0.40)	10	6.00	NUSA-W3	0.12	0.01	10	-
TPI23C1809A	-	-	-	-	VGI08C1811A	0.51	(0.02)	18,244	-	NVD-W1	0.30	(0.01)	19,711	-
TPI24C1808A	-	-	-	-	VGI23C1905A	-	-	-	-	ORI-W1	2.40	(0.10)	7,075	2.00
TPI24C1902A	-	-	-	-	VGI23C1911A	1.34	0.02	8	1.00	PACE-W2	0.21	(0.01)	37,673	-
TPIP01C1810A	0.32	(0.05)	23,357	-	VGI27C1812A	0.31	(0.01)	27,334	-	PDI-W1	1.17	(0.05)	14,680	1.00
TPIP01C1810B	-	-	-	-	VGI28C1810A	0.27	-	83,460	-	PDJ-W2	1.44	-	29	1.00
TPIP01P1810A	0.56	0.04	19,122	-	WHA01C1812A	0.54	(0.05)	51,833	-	PDJ-W3	-	-	-	-
PDJ-W4	-	-	-	-	2S-W1	0.13	(0.02)	2,031	-	-	-	-	-	-
PLE-W3	0.09	(0.01)	4,406	-	ACAP-W2	1.93	(0.13)	8,093	2.00	-	-	-	-	-
RICH-W1	-	-	-	-	AIRA-W2	0.03	(0.01)	471	-	-	-	-	-	-
RICHY-W1	0.32	-	2,086	-	ATP30-W1	0.79	(0.01)	368	-	-	-	-	-	-
RICHY-W2	0.19	0.01	5,280	-	BM-W1	0.47	0.01	153,059	-	-	-	-	-	-
RS-W3	7.70	(0.70)	319	7.00	BSM-W2	0.14	(0.01)	2,542	-	-	-	-	-	-
S-W1	0.16	(0.02)	126,048	-	CHEWA-W1	0.28	(0.01)	99,906	-	-	-	-	-	-
SAMART-W2	0.29	(0.01)	9,448	-	CIG-W7	0.01	-	10,017	-	-	-	-	-	-
SAWAD-W1	5.50	(0.25)	482	5.00	DIMET-W2	0.13	(0.01)	213,405	-	-	-	-	-	-
SDC-W1	0.06	0.01	1,491	-	DNA-W1	1.18	(0.15)	3,727	1.00	-	-	-	-	-
SMM-W4	-	-	-	-	ECF-W2	4.70	0.02	1,279	4.00	-	-	-	-	-
SMT-W1	0.09	(0.01)	2,321	-	ECF-W3	3.16	(0.04)	5,930	3.00	-	-	-	-	-
SMT-W2	0.67	(0.04)	5,854	-	EFORL-W3	0.02	-	4,201	-	-	-	-	-	-
SPALI-W4	19.70	(0.20)	505	19.00	EFORL-W4	0.02	-	19,363	-	-	-	-	-	-
SPORT-W5	0.02	(0.01)	3,406	-	FC-W1	-	-	-	-	-	-	-	-	-
SUPER-W4	0.08	(0.01)	148,160	-	FC-W2	0.02	-	230	-	-	-	-	-	-
SUSCO-W1	0.08	-	6,885	-	FOCUS-W2	0.60	(0.03)	49,416	-	-	-	-	-	-
SVI-W3	2.06	0.02	1,955	2.00	FVC-W2	0.39	(0.03)	14,835	-	-	-	-	-	-
TCC-W3	0.13	-	478	-	ITEL-W1	0.34	(0.02)	40,042	-	-	-	-	-	-
TCC-W4	0.13	-	218	-	JKN-W1	1.95	(0.35)	73,924	2.00	-	-	-	-	-
TCC-W5	0.15	-	1,325	-	LIT-W1	2.20	(0.06)	375	2.00	-	-	-	-	-
TCJ-W2	0.90	(0.06)	3,935	-	META-W2	0.06	-	6,211	-	-	-	-	-	-
TCMC-W2	0.32	-	6,405	-	NCL-W3	0.50	(0.02)	62,476	-	-	-	-	-	-
TFG-W1	-	-	-	-	NDR-W1	0.06	(0.02)	901	-	-	-	-	-	-
TFG-W2	0.76	(0.02)	15,714	-	NEWS-W4	-	-	-	-	-	-	-	-	-
TH-W2	0.15	-	1,501	-	NEWS-W6	0.01	-	300	-	-	-	-	-	-
THE-W2	0.05	-	99,219	-	PHOL-W1	0.04	-	3,065	-	-	-	-	-	-
TNITY-W1	0.95	(0.05)	16,922	-	PIMO-W1	2.14	(0.04)	781	2.00	-	-	-	-	-
TNPC-W1	0.42	(0.01)	1,088	-	PPS-W1	-	-	-	-	-	-	-	-	-
TRITN-W3	0.22	0.02	148,586	-	PSTC-W1	0.23	(0.02)	49,475	-	-	-	-	-	-
TSR-W1	0.59	(0.01)	2,639	-	SIMAT-W2	0.35	-	325	-	-	-	-	-	-
TTA-W5	0.16	(0.02)	52,388	-	SIMAT-W3	0.56	-	102	-	-	-	-	-	-
TTCL-W1	1.40	0.01	1,040,856	1.00	SIMAT-W4	1.28	(0.06)	2,329	1.00	-	-	-	-	-
U-W1	-	-	-	-	SKY-W1	-	-	-	-	-	-	-	-	-
U-W4	0.01	-	63,691	-	STAR-W3	2.02	(0.02)	1,326	1.00	-	-	-	-	-
VIBHA-W2	-	-	-	-	TAKUNI-W	0.18	(0.02)	3,183	-	-	-	-	-	-
VIBHA-W3	0.30	0.01	12,270	-	TAPAC-W3	2.16	(0.06)	241	2.00	-	-	-	-	-
WAVE-W1	0.36	(0.02)	25,753	-	TMILL-W1	1.29	(0.12)	106,675	1.00	-	-	-	-	-
WHA-W1	6.40	(0.20)	5,170	6.00	TSF-W4	-	-	-	-	-	-	-	-	-
WORK-W1	8.20	(0.30)	96	8.00	TSF-W5	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	TVD-W2	0.63	(0.01)	6,540	-	-	-	-	-	-
BH-P	-	-	-	-	UAC-W2	0.73	(0.03)	3,631	-	-	-	-	-	-
CSC-P	-	-	-	-	UKEM-W2	0.48	(0.01)	2,390	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UWC-W2	0.01	-	995	-	-	-	-	-	-
KTB-P	-	-	-	-	XO-W1	5.95	(0.20)	6,726	6.00	-	-	-	-	-
SCB-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TCAP-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
TIC-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	0.03	-	951,987	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-