

Main Board Quotation

Issue Date :

Tuesday September 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.30	-	3,030	10.31	SE-ED	3.20	0.04	216	3.20
POMPI	-	-	-	-	ILINK	5.05	-	2,054	5.11	SMM	0.90	0.01	8,345	0.92
SAFARI	-	-	-	-	INET	3.86	(0.06)	5,191	3.89	SPORT	0.40	0.01	1,310	0.40
VI	-	-	-	-	INTUCH	54.75	-	38,555	55.00	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	5.25	0.10	339,904	5.27	TH	0.74	-	1,721	0.73
WR	-	-	-	-	JASIF	10.30	(0.10)	62,456	10.34	TKS	11.10	-	29,394	11.10
Agribusiness	-	-	-	-	JMART	9.00	(0.05)	7,611	9.07	TRITN	0.40	0.01	174,951	0.40
CHOTI	145.00	1.00	3	145.00	JTS	1.59	(0.01)	4,149	1.61	VGI	7.85	(0.15)	257,539	7.86
EE	0.67	-	47,111	0.68	MFEK	3.36	-	884	3.36	WAVE	2.60	-	3	2.60
GFPT	14.20	(0.90)	87,698	14.46	MSC	6.40	-	218	6.39	WORK	37.25	(1.25)	27,644	37.64
LEE	2.76	0.02	467	2.74	PT	6.40	(0.05)	5,669	6.40	Finance & Securities	-	-	-	-
STA	12.00	(0.20)	37,502	12.15	SAMART	7.30	-	20,961	7.39	AEC	0.49	(0.01)	753	0.49
TLUXE	5.45	0.05	334	5.48	SAMTEL	8.30	-	12	8.32	AEONTS	177.50	1.50	4,769	177.98
TRUBB	1.72	(0.02)	950	1.74	SDC	0.25	-	8,181	0.25	AMANAHA	2.00	(0.06)	101,887	2.04
TWPC	8.90	0.05	191	8.91	SIS	9.00	0.20	2,140	8.91	ASAP	6.00	-	34,783	6.10
UPOIC	4.28	0.06	297	4.46	SVOA	1.35	(0.02)	16,978	1.37	ASK	23.00	(0.10)	5,734	23.09
UVAN	6.70	-	2,998	6.74	SYMC	5.40	0.05	141	5.43	ASP	3.78	(0.04)	9,356	3.80
VPO	0.65	0.01	101	0.65	SYNEX	13.30	0.60	76,237	13.22	BFIT	26.75	0.25	3,738	27.05
Banking	-	-	-	-	THCOM	9.75	(0.05)	8,681	9.83	CGH	1.05	-	329	1.05
BAY	39.75	(0.50)	755	39.86	TRUE	5.70	(0.10)	1,437,277	5.74	CNS	2.54	-	309	2.54
BBL	202.00	-	34,825	202.18	TWZ	0.13	-	267,602	0.13	ECL	1.88	-	39,178	1.90
CIMBT	0.85	(0.01)	11,440	0.86	Electronic Componen	-	-	-	-	FNS	4.10	(0.04)	894	4.11
KBANK	203.00	(5.00)	59,558	204.61	CCET	1.94	-	9,006	1.95	FSS	2.34	(0.02)	381	2.35
KKP	74.25	(0.25)	27,248	74.61	DELTA	69.75	-	6,416	69.57	GBX	0.67	-	563	0.67
KTB	19.00	(0.30)	208,066	19.11	EIC	0.06	0.01	2,987	0.05	GL	7.25	(0.15)	22,212	7.30
LHFG	1.58	-	17,026	1.57	HANA	40.75	0.25	38,243	40.94	IFS	3.04	0.02	1,040	3.01
SCB	143.50	(1.50)	42,710	144.86	KCE	45.75	0.50	74,325	46.08	JMT	12.50	-	7,787	12.49
TCAP	52.25	-	27,708	52.68	METCO	199.00	-	1	199.00	KCAR	12.70	(0.10)	890	12.78
TISCO	81.25	(0.25)	29,694	81.95	SMT	2.30	(0.02)	3,516	2.31	KGI	4.36	(0.02)	12,295	4.38
TMB	2.16	(0.02)	689,916	2.17	SPPT	3.56	(0.02)	1,500	3.51	KTC	31.00	-	224,907	31.41
Construction Materia	-	-	-	-	SVI	5.55	-	111,743	5.63	MBKET	12.70	(0.10)	3,855	12.88
CCP	0.41	-	10,584	0.41	TEAM	1.15	-	7,212	1.16	MFC	16.00	-	130	16.01
COTTO	2.98	0.16	82,628	2.92	Energy & Utilities	-	-	-	-	ML	1.02	(0.03)	3,544	1.03
DCC	2.58	(0.06)	217,125	2.63	ABPIF	8.95	0.05	8,356	8.92	MTC	39.75	-	63,144	39.94
DCON	0.57	(0.01)	4,169	0.57	AI	-	-	-	-	PE	0.25	(0.01)	1,072	0.23
DRT	5.60	(0.05)	3,615	5.61	AKR	1.00	-	38,821	1.02	PL	3.50	-	1,001	3.50
EPG	9.05	(0.10)	55,065	9.15	BAFS	33.25	(0.25)	1,828	33.50	S11	7.60	-	1,463	7.60
GEL	0.35	-	21,491	0.35	BANPU	19.10	(0.20)	554,896	19.26	SAWAD	43.50	1.50	217,615	43.40
PPP	3.52	0.02	49	3.51	BCP	34.25	(0.25)	17,188	34.34	THANI	7.80	0.05	21,989	7.80
O-CON	5.30	(0.10)	94	5.34	BCPG	18.30	0.10	36,257	18.32	TK	11.20	-	619	11.19
RCI	3.60	0.04	73,620	3.61	BGRIM	26.00	(0.50)	26,184	26.29	TNITY	5.95	-	1,012	5.96
SCC	434.00	(6.00)	18,225	436.07	BPP	24.50	(0.30)	24,846	24.74	UOBKH	4.42	0.04	2,503	4.40
SCCC	248.00	-	1,205	248.92	BRRGIF	9.95	(0.05)	1,026	9.97	ZMICO	1.15	(0.01)	18,816	1.15
SCP	8.35	(0.10)	985	8.38	CKP	4.24	0.08	241,443	4.22	Food & Beverage	-	-	-	-
SKN	4.54	(0.02)	1,669	4.51	DEMCO	3.98	(0.02)	2,363	4.00	APURE	1.52	0.03	96,108	1.52
TASCO	15.00	(0.20)	52,019	15.23	EA	41.50	0.50	443,331	41.57	ASIAN	8.85	(0.45)	125,753	9.15
TCMC	2.72	(0.08)	51,979	2.78	EARTH	-	-	-	-	BR	5.20	-	8,619	5.21
TOA	34.75	(1.25)	14,220	35.28	EASTW	11.00	(0.10)	1,307	11.02	BRR	6.75	0.05	4,615	6.81
TPPL	1.82	(0.01)	95,500	1.83	EGATIF	10.90	-	1,883	10.89	CBG	52.75	(1.75)	46,605	53.63
UMI	1.40	(0.01)	2,013	1.42	EGCO	228.00	(1.00)	17,745	228.07	CFRESH	4.50	(0.04)	2,426	4.51
VNG	7.55	(0.15)	930	7.64	ESSO	16.10	0.20	148,895	16.24	CM	4.24	0.02	8,377	4.25
WIHK	2.34	(0.02)	2,816	2.36	GLOW	91.00	(0.50)	12,693	91.19	CPF	25.50	(0.75)	297,054	25.80
Petrochemicals & Ch	-	-	-	-	GPSC	67.50	(1.00)	30,910	67.64	CPI	1.77	0.01	752	1.77
BCT	52.50	(0.25)	272	52.54	GULF	68.25	(1.00)	16,575	68.68	F&D	17.00	-	2	17.00
CMAN	3.10	(0.02)	8,944	3.12	GUNKUL	2.84	(0.04)	44,949	2.87	HTC	16.70	(0.10)	2,384	16.56
GC	5.10	(0.05)	318	5.13	IEC	-	-	-	-	ICHI	4.34	(0.04)	6,280	4.35
GGC	11.30	-	10,126	11.25	IFEC	-	-	-	-	KBS	4.28	(0.02)	6,502	4.30
GIFT	4.54	(0.06)	1,056	4.57	IRPC	6.70	(0.05)	524,692	6.75	KSL	3.52	0.04	75,883	3.54
IVL	56.50	(0.75)	109,311	56.84	LANNA	15.40	(0.20)	811	15.42	KTIS	5.80	(0.05)	303	5.77
NFC	11.50	-	395	11.50	MDX	4.58	(0.02)	1,539	4.61	LST	4.76	-	148	4.77
PATO	14.30	0.10	260	14.30	PTG	11.60	0.10	394,859	11.74	M	71.75	(0.75)	1,290	72.25
PMTA	14.00	0.10	21	14.00	PTT	48.75	(1.50)	895,415	49.38	MALEE	13.40	(0.20)	7,542	13.52
PTTGC	77.00	(2.00)	200,952	78.01	PTTEP	138.00	0.50	84,346	138.43	MINT	38.00	(0.25)	47,280	38.32
SUTHA	4.26	-	152	4.25	RATCH	50.50	(0.25)	9,275	50.70	OISHI	92.00	(2.00)	22	92.73
TCCC	34.50	(0.50)	201	34.40	RPC	0.54	0.01	15,911	0.55	PB	60.75	(0.25)	23	60.60
TPA	6.65	0.25	49	6.61	SCG	4.58	(0.10)	159	4.62	PM	8.60	(0.15)	9,601	8.62
UP	-	-	-	-	SCI	3.12	(0.04)	3,359	3.14	PRG	13.80	(0.20)	2	13.80
VNT	25.25	-	14,342	25.27	SCN	4.04	0.16	97,708	4.04	SAPPE	23.20	(0.20)	7,048	23.15
WG	-	-	-	-	SGP	12.40	-	319,499	12.57	SAUCE	22.00	-	2	22.00
YCI	-	-	-	-	SKE	1.25	-	12,322	1.26	SFP	-	-	-	-
Commerce	-	-	-	-	SOLAR	2.24	(0.02)	3,202	2.26	SNP	20.50	-	32	20.50
BEAUTY	10.80	(0.50)	1,276,966	11.11	SPCQ	20.30	(0.20)	9,834	20.39	SORKON	70.25	1.25	39	71.06
BIG	1.74	(0.01)	50,353	1.75	SPRC	14.70	-	156,785	14.79	SSC	38.75	(0.25)	34	39.03
BJC	55.25	(1.00)	42,493	55.67	SUPER	0.73	-	1,040,436	0.74	SSF	8.35	(0.25)	70	8.54
COL	29.25	(0.25)	4,468	29.21	SUSCO	3.18	(0.02)	5,432	3.21	SST	5.75	(0.10)	538	5.75
COM7	19.20	(0.20)	129,337	19.45	TAE	2.16	-	1,833	2.15	TC	3.12	0.04	704	3.07
CPALL	65.25	(1.25)	353,601	65.63	TCC	0.40	-	10,687	0.39	TFG	4.12	(0.08)	9,382	4.17
CSS	2.02	(0.02)	7,436	2.04	TOP	83.75	(1.25)	85,997	84.19	TFMAMA	158.50	-	10	158.70
FN	2.72	(0.06)	1,009	2.74	TPIPP	6.35	(0.05)	68,653	6.39	TIPCO	9.05	-	1,881	9.11
FTE	2.30	(0.02)	13,677	2.30	TTW	12.30	(0.10)	6,295	12.30	TKN	15.80	0.10	181,186	16.10
GLOBAL	19.00	-	67,247	19.22	WHAPU	5.75	(0.05)	38,097	5.79	TU	17.10	-	91,283	17.18
HMPRO	14.60	(0.10)	213,032	14.68	WP	7.45	(0.15)	14,358	7.60	TVO	29.00	-	7,748	29.25
IT	4.16	(0.04)	4,693	4.18	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.18	(0.04)	11,249	4.23	AMARIN	4.82	0.02	530	4.78	AHC	20.70	(0.20)	154	20.82
LOXLEY	2.16	(0.02)	6,154	2.17	AQUA	0.48	-	63,912	0.47	BCH	19.20	-	77,717	19.38
MAKRO	33.50	-	2,926	33.46	AS	1.16	(0.01)	35	1.18	BDMS	26.00	(0.50)	243,683	26.34
MC	12.80	(0.20)	4,949	12.91	BEC	7.00	(0.05)	29,193	7.06	BH	178.50	(1.00)	10,179	178.84
MEGA	35.25	(0.50)	10,363	35.58	EPCO	3.88	0.04	85,429	3.88	CHG	2.64	0.02	704,208	2.66
MIDA	0.59	(0.01)	3,368	0.60	FE	189.00	-	2	189.00	CMR	3.16	(0.02)	677	3.17
ROBINS	64.25	(1.00)	16,271	65.33	GPI	2.76	0.02	773	2.75	EKH	5.60	(0.10)	8,834	5.66
RSP	3.96	(0.02)	6,113	3.92	GRAMMY	8.00	-	5	8.00	KDH	-	-	-	-
SINGER	9.55	(0.25)	763	9.68	MACO	1.94	(0.02)	97,846	1.95	LPH	6.20	0.05	4,108	6.16

Main Board Quotation

Issue Date :

Tuesday September 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.70	-	2,827	2.69	MJD	3.40	-	2,581	3.40	CPT	1.91	0.02	88,951	1.92
Tourism & Leisure					MK	4.10	(0.02)	57,409	4.14	CRANE	2.86	(0.02)	803	2.88
ASIA	6.60	-	42	6.60	NCH	0.91	(0.01)	2,468	0.92	CTW	9.25	(0.10)	199	9.30
CENTEL	37.75	(1.00)	36,707	38.06	NNCL	1.71	(0.02)	19,116	1.72	FMT	24.50	(0.40)	33	24.50
CSR	-	-	-	-	NOBLE	13.10	(0.10)	524	13.02	HTECH	6.95	(0.10)	11,853	7.00
DTC	11.80	(0.20)	2,458	11.88	NUSA	0.33	-	338,892	0.34	KKC	1.66	0.02	566	1.66
ERW	7.75	0.05	58,726	7.81	NVD	4.20	0.02	9,952	4.15	PK	3.54	0.10	30,797	3.56
GRAND	1.00	(0.02)	14,302	1.01	ORI	17.30	(0.10)	16,213	17.43	SNC	14.40	-	2,104	14.53
LRH	38.75	-	20	38.75	PACE	0.66	0.01	580,967	0.66	TCJ	5.60	-	371	5.62
MANRIN	28.00	(1.00)	5	28.00	PF	1.04	0.01	461,185	1.05	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	7.80	(0.10)	12,182	7.86	Property Fund & REIT	-	-	-	-
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.70	0.10	1,467	10.69
SHANG	75.25	-	2	75.25	PRECHA	1.38	0.02	316	1.36	AMATAR	10.70	(0.10)	177	10.69
Home & Office Produ					PRIN	1.60	-	20,776	1.60	B-WORK	11.00	-	19	11.00
ACC	0.44	-	6,629	0.43	PRINC	5.30	(0.10)	4,428	5.31	BKKCP	12.30	0.10	37	12.30
AJA	0.39	-	11,055	0.39	PSH	20.00	(0.20)	15,277	20.09	BOFFICE	13.60	-	12	13.52
DTCI	-	-	-	-	OH	3.40	-	402,521	3.41	CPNCG	15.80	0.10	107	15.80
FANCY	0.90	(0.01)	24,085	0.92	RICHY	1.78	-	10,483	1.77	CPNREIT	26.75	-	8,405	26.75
KYE	410.00	(2.00)	191	411.82	RML	1.29	(0.01)	15,996	1.29	CPTGF	13.40	-	107	13.50
L&E	2.66	(0.02)	300	2.66	ROJNA	5.10	(0.05)	4,684	5.16	CRYSTAL	10.20	-	456	10.25
MODERN	4.46	(0.02)	662	4.46	S	3.36	(0.02)	240,959	3.40	CTARAF	4.74	-	2,444	4.76
OGC	-	-	-	-	SAMCO	2.12	-	125	2.11	DREIT	5.40	-	645	5.36
ROCK	16.90	(0.10)	2	16.55	SC	3.44	0.02	37,697	3.44	ERWPF	5.65	(0.05)	606	5.62
SIAM	2.46	(0.02)	50,105	2.52	SENA	3.68	-	11,227	3.69	FUTUREPF	22.20	(0.10)	885	22.30
TSR	2.40	0.02	42,398	2.42	SF	8.85	0.05	7,989	8.86	GAHREIT	-	-	-	-
Insurance					SIRI	1.59	-	196,421	1.60	GLANDRT	13.10	(0.10)	6,997	13.10
AYUD	38.75	-	263	38.63	SPALI	24.00	0.10	36,689	24.20	GOLDPF	7.20	(0.05)	1,001	7.20
BKI	349.00	-	62	349.92	TICON	16.70	0.20	135	16.58	GVREIT	15.70	-	1,051	15.70
BLA	31.00	(0.25)	4,163	31.16	U	0.03	-	1,576,302	0.03	HPF	5.40	0.05	1	5.40
BUI	-	-	-	-	UV	8.00	-	29,320	8.05	HREIT	6.80	(0.15)	7,640	6.84
CHARAN	32.75	(0.25)	67	32.32	WHA	3.94	(0.04)	253,005	3.98	IMPACT	18.70	-	11,543	18.72
INSURE	-	-	-	-	WIN	0.64	-	751	0.64	KPNPF	-	-	-	-
MTI	106.50	(2.50)	33	106.86	Paper & Printing Mat	-	-	-	-	LHHOTEL	-	-	-	-
NKI	51.00	(0.75)	3	51.00	UTP	11.30	0.50	30,488	11.25	LHPF	8.35	0.05	97	8.32
NSI	81.00	1.25	2	81.00	Fashion	-	-	-	-	LHSC	16.40	0.10	844	16.31
SMK	40.75	0.75	1	40.75	AFC	9.15	-	32	9.15	LUXF	9.00	0.20	2,198	8.85
THRE	1.08	(0.01)	3,805	1.09	BTNC	-	-	-	-	M-II	-	-	-	-
THREL	8.05	-	2,976	8.04	CPH	-	-	-	-	M-PAT	-	-	-	-
TIC	-	-	-	-	CPL	3.20	0.04	60	3.20	M-STOR	-	-	-	-
TIP	25.25	-	6,369	25.25	DIGI	0.31	0.01	15,885	0.30	MIPF	-	-	-	-
TSI	0.46	0.01	381	0.45	ICC	-	-	-	-	MIT	-	-	-	-
TVI	3.48	(0.02)	3	3.48	LTX	102.50	(1.00)	94	102.76	MJLF	12.60	-	515	12.60
Mining					NC	-	-	-	-	MNIT	1.62	(0.07)	21	1.62
PDI	13.50	0.20	49,372	13.64	PAF	0.86	-	15,156	0.89	MNIT2	5.05	0.05	7	5.05
THL	-	-	-	-	PDJ	2.60	(0.06)	1,489	2.61	MNRF	-	-	-	-
Packaging					PG	7.00	-	1	7.00	MONTRI	5.90	(0.05)	50	5.90
AJ	10.20	(0.40)	2,222	10.38	SABINA	35.50	-	298	35.45	POPF	13.70	-	2,630	13.72
ALUCON	191.00	1.00	2	191.00	SAWANG	-	-	-	-	PPF	11.20	-	10	11.20
CSC	-	-	-	-	SUC	45.00	-	102	45.00	QHHR	8.45	(0.05)	2,382	8.46
NEP	0.36	(0.03)	38	0.37	TNL	19.60	-	6	19.73	QHOP	3.48	(0.12)	117	3.50
NPPG	1.10	0.01	5,497	1.10	TPCORP	14.70	(0.10)	7	14.77	QHPP	12.50	0.10	16,816	12.50
PTL	16.20	(0.20)	5,292	16.25	TR	47.75	(0.25)	77	47.75	SBPF	3.02	-	3	3.02
SITHAI	1.27	0.01	1,652	1.26	TTI	-	-	-	-	SHREIT	9.45	0.10	1,835	9.53
SLP	0.94	0.01	522	0.94	TTL	-	-	-	-	SIRIP	-	-	-	-
SMPC	13.60	-	615	13.67	TTTM	181.50	(1.00)	13	181.65	SPF	24.40	0.10	868	24.32
SPACK	-	-	-	-	UPF	71.00	(0.75)	12	71.00	SRIPANWA	11.00	(0.20)	101	11.00
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	10.10	(0.10)	312	10.09
TFI	0.30	-	138	0.30	WACOAL	-	-	-	-	SSTPF	6.75	-	732	6.77
THIP	33.50	(0.25)	242	33.71	Transportation & Log	-	-	-	-	SSSTR	6.35	-	100	6.35
TMD	21.00	(0.30)	503	21.10	AAV	4.28	(0.02)	37,268	4.30	TIF1	8.70	-	94	8.70
TOPP	-	-	-	-	AOT	62.00	(2.25)	660,910	63.01	TLGF	19.90	-	4,002	19.90
TPBI	8.20	0.05	240	8.12	ASIMAR	2.62	0.02	956	2.60	TLHPF	-	-	-	-
TPP	-	-	-	-	B	0.62	0.01	58,906	0.64	TNPF	-	-	-	-
Personal Products &					BA	12.60	-	12,863	12.69	TPRIME	13.00	-	1,215	13.00
APCO	4.36	-	678	4.35	BEM	8.25	(0.10)	198,683	8.29	TREIT	11.80	(0.10)	13,021	11.87
DDD	49.25	(1.75)	18,647	50.19	BTS	9.10	(0.10)	190,310	9.15	TTLPF	23.30	(0.20)	11	23.30
JCT	-	-	-	-	BTSGIF	12.30	(0.10)	52,718	12.36	TU-PF	1.53	0.03	3	1.79
OCC	17.20	0.10	100	17.20	III	6.40	(0.10)	13,115	6.46	URBNPF	3.60	(0.14)	611	3.64
S & J	24.80	(0.20)	1	24.80	JUTHA	1.75	(0.06)	369	1.77	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	7.50	-	15,618	7.60	WHART	10.40	0.10	5,326	10.40
TNR	14.00	0.10	200	13.93	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.70	(0.02)	620	4.68	NOK	2.34	-	5,591	2.34	AMC	2.44	0.02	241	2.44
Professional Service					NYT	5.05	(0.05)	3,139	5.05	BSBM	1.13	-	246	1.13
BWG	0.97	(0.01)	195,112	0.98	PRM	7.65	-	56,693	7.69	CEN	1.32	-	2,848	1.32
GENCO	0.79	(0.01)	4,447	0.79	PSL	12.10	(0.20)	21,422	12.29	CITY	2.72	0.02	110	2.72
PRO	-	-	-	-	RCL	5.55	-	1,473	5.60	CSP	1.38	0.01	125	1.38
TEAMG	2.34	(0.02)	28,170	2.37	THAI	13.10	(0.20)	23,363	13.29	GJS	0.25	-	125,761	0.25
Property Developer					TSTE	7.25	-	50	7.25	GSTEL	-	-	-	-
A	6.70	-	300	6.70	TTA	6.95	(0.10)	5,152	6.99	INOX	1.20	(0.01)	1,173	1.21
AMATA	20.10	(0.40)	143,461	20.41	WICE	4.64	0.12	63,490	4.65	LHK	4.92	-	1,196	4.91
AMATAV	5.95	-	2,129	5.95	Automotive	-	-	-	-	MAX	0.02	(0.01)	375,127	0.02
ANAN	5.05	0.07	204,939	5.03	AH	30.50	(1.00)	7,692	31.17	MCS	7.20	(0.05)	6,837	7.22
AP	9.45	0.35	229,991	9.38	APCS	5.25	-	4,410	5.27	MILL	1.67	-	117,835	1.68
APEX	0.20	-	6,704	0.20	BAT-3K	-	-	-	-	PAP	4.08	(0.02)	487	4.08
AQ	0.03	-	19,594	0.03	CWT	2.82	(0.02)	11,660	2.84	PERM	2.34	0.04	5,410	2.35
BLAND	1.80	(0.02)	187,007	1.80	EASON	2.34	-	2,457	2.35	RICH	-	-	-	-
BROCK	2.34	(0.04)	430	2.36	GFT	382.00	3.00	2	382.50	SAM	0.			

Main Board Quotation

Issue Date :

Tuesday September 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	TSE	3.10	(0.02)	1,200	3.00	ADVA01P1902A	0.64	(0.36)	7,092	-
ABICO	7.30	(0.10)	994	7.00	UMS	0.79	0.03	2	-	ADVA01P1902B	0.47	(0.53)	10,232	-
AU	7.70	0.10	44,045	7.00	UWC	0.07	-	112,525	-	ADVA06C1809A	0.41	0.01	52,002	-
FC	0.26	-	9,738	-	Services (MAI)	-	-	-	-	ADVA08C1809A	-	-	-	-
JCKH	1.18	0.01	1,193	1.00	ADAM	-	-	-	-	ADVA08P1809A	-	-	-	-
KASET	2.18	(0.02)	396	2.00	AKP	1.60	(0.02)	330	1.00	ADVA11C1905A	0.23	0.01	15,036	-
MM	3.98	-	144	3.00	AMA	5.80	(0.05)	1,691	5.00	ADVA11P1905A	0.31	(0.02)	8,180	-
SUN	3.32	-	10,427	3.00	ARIP	0.49	(0.01)	4,059	-	ADVA13C1809A	-	-	-	-
TACC	4.02	-	2,124	4.00	ATP30	1.70	-	2,193	1.00	ADVA13C1811A	0.47	-	167,970	-
TMILL	3.30	-	10,570	3.00	AUCT	6.35	(0.15)	8,756	6.00	ADVA13C1901A	0.28	-	100,260	-
XO	10.40	(0.10)	3,647	10.00	BOL	1.93	-	109	1.00	ADVA13P1809A	-	-	-	-
Consumer Products					CHUO	-	-	-	-	ADVA16C1812A	0.53	0.05	8,000	-
BGT	1.00	-	180	1.00	CMO	1.51	-	1,326	1.00	ADVA19C1901A	0.57	0.01	31,498	-
BIZ	2.78	(0.02)	483	2.00	D	10.90	(0.10)	5,397	10.00	ADVA23C1902A	0.40	-	43,000	-
DOD	13.60	(0.10)	129,532	13.00	DCORP	2.80	0.02	10,587	2.00	ADVA24C1810A	0.24	0.05	1,827	-
ECF	8.40	(0.15)	115,692	8.00	DNA	0.57	-	47,348	-	ADVA24C1905A	0.33	(0.67)	50	-
HPT	1.04	-	4,436	1.00	EFORL	0.07	(0.01)	42,245	-	ADVA24P1810A	0.01	(0.01)	1,000	-
JUBILE	18.00	(0.10)	4,800	18.00	ETE	1.98	(0.01)	2,351	1.00	ADVA27C1902A	0.29	0.01	3,153	-
MOONG	6.35	-	1,589	6.00	FSMART	8.80	-	6,753	8.00	ADVA28C1811A	0.40	0.01	189,984	-
NPK	-	-	-	-	FVC	1.10	-	2,568	1.00	ADVA28C1901A	0.17	-	264,608	-
OCEAN	1.80	(0.04)	103,383	1.00	HARN	2.58	(0.02)	1,452	2.00	ADVA28P1810A	0.01	(0.03)	30	-
TM	2.00	-	495	1.00	JKN	10.80	-	44,753	10.00	ADVA42C1903A	0.27	0.01	25,500	-
Financials (MAI)					KIAT	0.50	-	21,479	-	AMAT01C1810A	0.66	(0.07)	65,609	-
ACAP	6.60	0.10	13,212	6.00	KOOL	1.82	(0.02)	5,875	1.00	AMAT01C1810B	0.30	(0.07)	42,802	-
AF	0.69	(0.02)	12,383	-	LDC	-	-	-	-	AMAT01P1810A	0.96	0.07	19,039	-
AIRA	2.00	-	950	2.00	MPG	0.16	-	31,979	-	AMAT06C1809A	-	-	-	-
ASN	3.52	(0.04)	376	3.00	MVP	2.90	(0.06)	45,426	2.00	AMAT08C1809A	0.01	-	6,000	-
BROOK	0.54	0.01	29,081	-	NBC	0.66	(0.02)	1,263	-	AMAT08C1903A	0.42	(0.04)	18,952	-
CHAYO	4.96	0.02	152,423	5.00	NCL	1.66	0.06	19,886	1.00	AMAT11C1903A	0.28	(0.03)	6,089	-
GCAP	3.88	(0.02)	4,737	3.00	NEWS	0.01	-	28,327	-	AMAT13C1809A	-	-	-	-
LIT	8.35	(0.05)	1,171	8.00	NINE	2.20	(0.02)	6,784	2.00	AMAT13C1812A	0.35	(0.04)	186,980	-
SGF	2.00	0.25	3,194,440	1.00	OTO	2.58	(0.02)	297	2.00	AMAT19C1811A	0.11	(0.02)	20,318	-
Industrials (MAI)					PHOL	2.28	(0.02)	70	2.00	AMAT19C1902A	0.52	(0.04)	15,658	-
ZS	3.16	0.08	1,806	3.00	PICO	4.70	0.02	326	4.00	AMAT23C1810A	0.08	(0.02)	3,500	-
ADB	1.17	-	1,349	1.00	PORT	6.80	(0.10)	8,292	6.00	AMAT24C1811A	-	-	-	-
BM	3.20	-	421	3.00	QLT	4.44	-	424	4.00	AMAT27C1902A	0.63	(0.02)	5,600	-
CHO	1.21	-	5,507	1.00	RP	3.02	(0.02)	1,043	3.00	ANAN01C1810A	1.17	0.09	97,748	1.00
CHOW	4.66	-	123	4.00	SE	2.00	(0.04)	187	2.00	ANAN01C1810B	0.86	0.10	12,995	-
CIG	0.36	(0.01)	8,472	-	SPA	15.50	0.10	58,011	15.00	ANAN08C1810A	-	-	-	-
COLOR	1.28	-	1,300	1.00	THMUI	1.69	-	4,193	1.00	ANAN08C1906A	0.27	0.01	17,088	-
CPR	5.75	(0.10)	5,495	5.00	TNDT	4.92	(0.06)	548	4.00	ANAN13C1901A	0.21	0.02	22,081	-
FPI	2.36	0.02	820	2.00	TNH	40.75	(0.25)	801	40.00	ANAN19C1811A	0.56	0.04	7,608	-
GTB	0.65	-	1,362	-	TNP	1.82	(0.03)	3,856	1.00	ANAN23C1901A	0.30	0.02	2,700	-
KCM	1.25	(0.01)	34,660	1.00	TSF	0.03	-	198,889	-	ANAN24C1811A	0.81	0.04	200	-
LVT	-	-	-	-	TVD	1.48	(0.02)	2,289	1.00	ANAN28C1809A	-	-	-	-
MBAX	3.98	-	52	3.00	TVT	1.04	(0.02)	4,178	1.00	AOT01C1810A	0.12	(0.07)	420,601	-
MGT	2.14	(0.02)	3,323	2.00	WINNER	3.44	0.08	7,768	3.00	AOT01C1902A	0.41	(0.09)	559,487	-
NDR	2.26	(0.02)	517	2.00	Technology (MAI)	-	-	-	-	AOT01C1902B	0.26	(0.08)	284,491	-
PDG	3.60	0.02	510	3.00	COMAN	3.36	(0.04)	671	3.00	AOT01P1902A	0.99	0.11	174,759	-
PIMO	4.14	(0.06)	14,738	4.00	ICN	2.28	-	5,704	2.00	AOT01P1902B	0.71	0.12	251,627	-
PJW	1.92	(0.03)	3,194	1.00	IRCP	0.96	-	19,553	-	AOT06C1809A	0.01	-	1	-
PPM	2.06	(0.02)	101	2.00	ITEL	3.28	0.08	32,768	3.00	AOT06C1903A	0.34	(0.09)	107,791	-
RWI	1.63	-	2,621	1.00	NETBAY	31.75	(0.25)	613	32.00	AOT06P1903A	0.65	0.10	106,031	-
SALEE	1.15	-	500	1.00	PLANET	1.53	-	192	1.00	AOT07C1902A	0.36	(0.06)	170	-
SANKO	1.45	(0.05)	83,171	1.00	SIMAT	2.14	-	5,907	2.00	AOT08C1901A	0.20	(0.05)	60,994	-
SELIC	1.99	(0.11)	13,850	2.00	SKY	13.50	(0.40)	11,885	13.00	AOT08P1903A	0.64	0.08	92,566	-
SWC	20.80	0.40	903	20.00	SPVI	1.57	0.03	131,514	1.00	AOT11C1906A	0.28	(0.05)	32,364	-
TMC	0.87	-	671	-	UPA	0.57	-	1,039,718	-	AOT11P1906A	0.50	0.08	51,740	-
TMI	0.79	(0.02)	6,638	-	VCOM	3.32	0.06	2,528	3.00	AOT13C1809A	-	-	-	-
TMW	67.50	(0.50)	137	67.00	Unit Trust	-	-	-	-	AOT13C1811A	0.08	(0.03)	33,433	-
TPAC	13.20	(0.30)	468	13.00	MGE	-	-	-	-	AOT13C1812A	0.18	(0.06)	335,810	-
TPLAS	2.14	(0.14)	179,120	2.00	SCBSET	-	-	-	-	AOT13P1810A	0.33	0.10	98,572	-
UAC	4.52	0.02	3,441	4.00	ETF	-	-	-	-	AOT13P1812A	0.17	0.04	111,643	-
UBIS	4.74	0.08	305	4.00	IDIV	13.80	0.06	8	13.00	AOT19C1809A	0.01	-	1,500	-
UEC	1.57	0.03	188	1.00	ABFTH	-	-	-	-	AOT19C1901A	0.29	(0.08)	204,665	-
UKEM	0.88	-	4,552	-	BMSCG	9.13	(0.04)	102	9.00	AOT24C1811A	0.03	(0.03)	1,000	-
UREKA	0.84	(0.01)	22,382	-	BMSCITH	12.43	(0.17)	14,618	12.00	AOT24C1901A	-	-	-	-
YUASA	16.70	(0.10)	219	16.00	BSET100	10.70	(0.15)	1,778	10.00	AOT24P1809A	-	-	-	-
ZIGA	3.36	(0.06)	91,028	3.00	CHINA	5.00	(0.03)	432	5.00	AOT24P1903A	0.57	0.08	4,411	-
Property & Construc					EBANK	5.78	(0.01)	4	5.00	AOT27C1902A	0.36	(0.08)	14,120	-
ARROW	8.90	(0.05)	164	8.00	ECOMM	8.01	0.07	20	8.00	AOT27P1903A	0.77	0.06	14,400	-
BKD	3.20	0.02	1,653	3.00	EFODD	5.80	0.04	20	5.00	AOT28C1809A	-	-	-	-
BSM	0.72	-	17,965	-	EICT	4.73	(0.02)	1	4.00	AOT28C1812A	0.15	(0.06)	57,564	-
BTW	1.81	(0.01)	640	1.00	ENGY	6.38	0.01	5	6.00	AOT28C1901A	0.12	(0.05)	387,306	-
CHEWA	1.21	(0.01)	34,469	1.00	ENY	-	-	-	-	AOT28P1812A	0.32	0.07	419,594	-
CRD	1.08	-	15,178	1.00	ESET50	-	-	-	-	AOT42C1903A	0.24	(0.05)	48,907	-
DIMET	1.03	-	4,464	1.00	GLD	1.70	-	764	1.00	AP01C1809A	0.55	0.11	62,073	-
FLOYD	2.18	(0.02)	2,292	2.00	TDEX	10.92	(0.05)	9,487	10.00	AP01C1809B	0.04	0.02	20,500	-
FOCUS	1.11	(0.01)	2,166	1.00	TGOLDETF	3.67	-	42	3.00	AP08C1810A	0.40	0.11	23,066	-
HYDRO	1.12	(0.02)	4,783	1.00	TH100	5.00	-	10	5.00	AP19C1902A	0.41	0.06	16,917	-
JSP	0.56	-	8,394	-	Warrant Foreign	-	-	-	-	AP23C1901A	0.16	0.03	16,884	-
K	2													

Main Board Quotation

Issue Date :

Tuesday September 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP13C1811A	0.11	(0.01)	90,958	-	BEAU13C1812B	0.92	(0.14)	230,551	1.00	BTS06C1903B	-	-	-	-
BANP13P1809A	-	-	-	-	BEAU13C1901A	0.25	(0.03)	768,420	-	BTS06C1903C	-	-	-	-
BANP16C1812A	0.62	(0.01)	3,240	-	BEAU19C1811A	-	-	-	-	BTS08C1810A	0.15	-	3,082	-
BANP19C1811A	0.07	(0.02)	38,445	-	BEAU19C1901A	0.96	(0.12)	31,237	1.00	BTS11C1904A	-	-	-	-
BANP19C1902A	0.38	(0.03)	43,668	-	BEAU23C1901A	0.01	(0.01)	3,855	-	BTS19C1901A	0.24	(0.02)	6,248	-
BANP23C1901A	0.11	(0.01)	13,304	-	BEAU24C1902A	0.05	(0.02)	17,011	-	BTS23C1905A	-	-	-	-
BANP24C1812A	0.05	(0.01)	300	-	BEAU27C1903A	0.30	(0.03)	35,366	-	BTS24C1901A	-	-	-	-
BANP24P1901A	0.38	0.03	4,190	-	BEAU28C1810A	-	-	-	-	BTS28C1809A	-	-	-	-
BANP27C1809A	-	-	-	-	BEAU28C1811A	0.02	0.01	6,658	-	BTS28C1811A	-	-	-	-
BANP28C1809A	-	-	-	-	BEC01C1812A	0.10	0.01	38,960	-	BTS28C1902A	0.20	(0.01)	15,380	-
BANP28C1810A	0.06	-	23,400	-	BEC01C1812B	0.08	-	740	-	BTS42C1901A	-	-	-	-
BANP28C1902A	0.21	(0.01)	50,717	-	BEC08C1809A	-	-	-	-	BTS42P1901A	0.29	0.01	2,008	-
BANP42C1903A	0.24	0.01	1,020	-	BEC13C1811A	-	-	-	-	CBG01C1809A	-	-	-	-
BANP42P1903A	0.57	-	16,300	-	BEC13C1901A	0.11	-	34,931	-	CBG01C1811A	0.47	(0.09)	187,142	-
BBL06C1902A	0.68	(0.03)	4,762	-	BEC19C1809A	-	-	-	-	CBG01C1811B	0.18	(0.04)	94,690	-
BBL08C1809A	-	-	-	-	BEC23C1809A	-	-	-	-	CBG01P1811A	0.77	0.08	87,074	-
BBL08C1902A	0.52	(0.02)	8,259	-	BEC24C1809A	-	-	-	-	CBG01P1811B	0.30	0.05	259,115	-
BBL08P1810A	0.05	0.01	221	-	BEC24C1812A	-	-	-	-	CBG06C1809A	0.02	-	45,001	-
BBL11C1903A	0.43	(0.02)	745	-	BEC28C1809A	-	-	-	-	CBG06C1903A	0.82	(0.07)	21,857	-
BBL11P1903A	0.30	-	3,646	-	BEC28C1811A	-	-	-	-	CBG06P1809A	0.56	0.09	13,876	-
BBL13C1810A	0.20	0.01	30	-	BEM01C1902A	0.37	(0.63)	7,270	-	CBG07C1812A	-	-	-	-
BBL13C1901A	0.25	(0.01)	11,414	-	BEM01C1902B	0.31	(0.69)	5,506	-	CBG08C1810A	-	-	-	-
BBL19C1901A	0.23	(0.01)	5,801	-	BEM01P1902A	0.47	(0.53)	9,820	-	CBG08C1902A	0.51	(0.08)	37,222	-
BBL23C1811A	-	-	-	-	BEM07C1903A	-	-	-	-	CBG11C1902A	0.12	(0.03)	20,238	-
BBL24C1809A	-	-	-	-	BEM08C1809A	0.12	(0.01)	33,552	-	CBG13C1811A	0.11	(0.03)	35,192	-
BBL24C1812A	-	-	-	-	BEM11C1903A	0.24	-	1,080	-	CBG13C1812A	0.25	(0.06)	182,246	-
BBL24C1902A	-	-	-	-	BEM13C1809A	-	-	-	-	CBG13C1901A	0.73	(0.09)	140,999	-
BBL24P1810A	-	-	-	-	BEM13C1901A	0.33	(0.02)	42,484	-	CBG19C1810A	-	-	-	-
BBL27C1809A	-	-	-	-	BEM19C1901A	0.33	-	6,683	-	CBG19C1901A	0.58	(0.08)	35,469	-
BBL28C1811A	0.36	-	5,000	-	BEM23C1901A	0.18	(0.01)	2	-	CBG23C1901A	0.16	0.01	9,753	-
BBL28C1901A	0.20	-	11,603	-	BEM24C1809A	-	-	-	-	CBG24C1809A	-	-	-	-
BBL42C1903A	0.25	(0.01)	2,040	-	BEM24C1902A	-	-	-	-	CBG24C1811A	0.17	-	2,220	-
BCH01C1902A	0.51	(0.49)	1,004	-	BGR101C1901A	1.01	(0.06)	3,924	1.00	CBG24C1901A	0.67	(0.06)	2,628	-
BCH01C1902B	0.40	(0.60)	944	-	BGR101C1901B	0.82	(0.07)	3,740	-	CBG28C1811A	-	-	-	-
BCH01P1902A	0.46	(0.54)	11,188	-	BGR106C1903A	0.81	(0.08)	1,850	-	CBG28C1812A	0.39	(0.08)	34,504	-
BCH06C1811A	0.38	(0.02)	9,460	-	BGR107C1903A	-	-	-	-	CENT01C1810A	0.07	(0.01)	23,165	-
BCH08C1901A	0.60	0.02	22,568	-	BGR108C1902A	0.70	(0.06)	8,462	-	CENT01C1810B	-	-	-	-
BCH11C1905A	0.48	(0.01)	8,085	-	BGR113C1812A	0.72	(0.10)	200	-	CENT01P1810A	1.30	0.07	17,396	1.00
BCH13C1810A	0.23	-	19,189	-	BGR113C1812B	0.19	(0.02)	17,818	-	CENT06C1904A	0.16	(0.02)	19,472	-
BCH19C1809A	0.26	-	22,587	-	BGR119C1901A	0.55	(0.03)	60	-	CENT08C1809A	-	-	-	-
BCH23C1811A	0.52	0.02	15	-	BGR124C1901A	0.69	0.05	10,000	-	CENT08C1902A	0.16	(0.02)	10,064	-
BCH24C1811A	0.25	0.02	2,200	-	BGR124C1902A	-	-	-	-	CENT11C1904A	0.10	(0.02)	11,313	-
BCH27C1902A	0.78	0.03	1,200	-	BGR128C1812A	-	-	-	-	CENT13C1811A	0.02	-	100	-
BCH28C1811A	0.45	0.02	28,311	-	BGR128C1901A	0.15	(0.02)	35,675	-	CENT13C1902A	0.23	(0.04)	216,025	-
BCP01C1810A	0.18	(0.01)	12,988	-	BH01C1811A	0.51	(0.01)	25,083	-	CENT19C1901A	0.16	(0.03)	33,128	-
BCP01C1810B	-	-	-	-	BH01C1811B	0.10	-	17,811	-	CENT23C1902A	0.09	(0.02)	11,000	-
BCP01P1810A	0.39	0.01	12,950	-	BH01P1811A	1.32	0.02	17,894	1.00	CENT24C1810A	-	-	-	-
BCP08C1901A	0.22	-	33,901	-	BH07C1810A	-	-	-	-	CENT24C1901A	-	-	-	-
BCP11C1811A	0.07	(0.01)	252	-	BH08C1811A	0.02	-	15,000	-	CENT24C1902A	0.23	(0.03)	19,460	-
BCP13C1810A	-	-	-	-	BH08C1902A	0.48	(0.01)	39,476	-	CHG01C1809A	0.65	0.01	55,986	-
BCP19C1902A	0.21	(0.03)	7,996	-	BH11C1902A	-	-	-	-	CHG01C1809B	0.85	(0.01)	14,596	-
BCP24C1811A	-	-	-	-	BH11C1905A	0.58	(0.01)	12,152	-	CHG01P1809A	0.01	-	110	-
BCP24C1904A	0.15	(0.85)	55	-	BH13C1901A	0.51	(0.01)	53,665	-	CHG07C1902A	0.33	-	12	-
BCP28C1809A	-	-	-	-	BH19C1901A	0.50	(0.01)	17,670	-	CHG11C1904A	0.33	-	9,423	-
BCP28C1809B	-	-	-	-	BH24C1809A	-	-	-	-	CHG13C1809A	-	-	-	-
BCP28C1901A	0.19	-	12,224	-	BH24C1811A	-	-	-	-	CHG13C1812A	0.34	0.01	127,060	-
BCPG01C1811A	0.35	0.01	24,314	-	BH24C1902A	0.43	(0.02)	1,000	-	CHG19C1902A	0.40	0.02	7,074	-
BCPG01C1811B	0.11	0.01	6,612	-	BIG08C1906A	0.12	(0.01)	1,982	-	CHG23C1811A	1.44	0.08	1,006	1.00
BCPG06C1811A	0.16	0.01	5,944	-	BIG13C1901A	0.05	(0.01)	2,038	-	CHG24C1811A	0.25	-	2,800	-
BCPG08C1810A	0.14	-	16,840	-	BIG19C1811A	0.02	-	850	-	CHG28C1812A	0.36	0.01	111,788	-
BCPG11C1902A	-	-	-	-	BIG24C1812A	-	-	-	-	CK01C1809A	0.19	0.02	119,918	-
BCPG13C1810A	0.06	-	5,000	-	BJC01C1812A	0.58	(0.05)	21,390	-	CK01C1809B	0.05	-	142,273	-
BCPG13C1812A	0.36	0.01	93,528	-	BJC01C1812B	0.40	(0.04)	30,449	-	CK01P1809A	0.12	(0.02)	11,419	-
BCPG19C1901A	0.38	0.01	8,275	-	BJC01P1812A	0.40	0.03	21,698	-	CK08C1809A	0.09	(0.02)	710	-
BCPG23C1902A	0.33	0.02	4,500	-	BJC06C1901A	0.19	(0.03)	4,705	-	CK08C1901A	0.15	-	27,870	-
BCPG24C1810A	-	-	-	-	BJC07C1809A	-	-	-	-	CK11C1904A	0.18	0.01	8,218	-
BCPG27C1903A	0.33	-	2,900	-	BJC08C1809A	-	-	-	-	CK13C1809A	0.03	(0.04)	32,052	-
BCPG28C1809A	-	-	-	-	BJC08C1903A	0.37	(0.02)	27,630	-	CK13C1902A	0.24	0.01	153,124	-
BCPG28C1812A	0.39	0.01	65,301	-	BJC11C1905A	0.42	(0.04)	12,170	-	CK16C1812A	0.19	(0.01)	6,600	-
BCPG28C1901A	0.21	0.01	67,520	-	BJC13C1810A	-	-	-	-	CK19C1811A	0.11	-	89,226	-
BDMS01C1811A	0.20	(0.01)	50,057	-	BJC13C1812A	0.32	(0.04)	51,076	-	CK24C1901A	0.11	0.01	1,015	-
BDMS01C1811B	0.06	-	3,206	-	BJC19C1809A	0.05	(0.01)	1,200	-	CK28C1809A	-	-	-	-
BDMS01P1811A	0.27	0.01	28,492	-	BJC19C1902A	0.39	(0.04)	17,520	-	CK28C1812A	0.07	-	1,426	-
BDMS06C1811A	0.68	0.04	50	-	BJC23C1901A	0.20	(0.01)	4,500	-	CK28C1902A	0.16	0.01	140,794	-
BDMS08C1901A	0.13	-	8,176	-	BJC24C1901A	-	-	-	-	CKP01C1812A	0.50	0.03	46,550	-
BDMS11C1811A	0.83	0.05	600	-	BJC28C1812A	0.34	(0.03)	133,159	-	CKP01C1812B	0.32	0.01	32,064	-
BDMS11C1904A	-	-	-	-	BLA01C1812A	0.16	-	993	-	CKP08C1903A	0.47	0.03	20,148	-
BDMS13C1810A	-	-	-	-	BLA08C1811A	-	-	-	-	CKP13C1810A	0.22	0.03	33,498	-
BDMS13C1812A	0.11	(0.01)	34,190	-	BLA13C1809A	-	-	-	-	CKP13C1902A	0.46	0.03	41,087	-
BDMS16C1812A	-	-	-	-	BLA13C1902A	0.14	(0.01)	68,647	-	CKP19C1902A	0.40	0.03	11,035	-
BDMS19C1901A	0.24	(0.03)	1,585	-	BLA28C1810A	-	-	-	-	CKP23C1810A	0.28	0.04	7,500	-
BDMS23C1810A	0.42	0.03	1,000	-	BLAN01C1809A	0.50	(0.01)	2,203	-	CKP24C1811A	0.28	-	9	-
BDMS24C1811A	-	-	-	-	BLAN01C1809B	-	-	-	-	CKP28C1809A	-	-	-	-
BDMS24C1812A	-	-	-	-	BLAN01P1809A	-	-	-	-	CKP28C1809B	-	-	-	-
BDMS24C1905A	0.22	(0.02)	1,240	-	BLAN08C1810A	-	-	-	-	CKP28C1902A	0.38	0.02	22,308	-
BDMS27C1903A	0.17	0.01	1,800	-	BLAN11C1902A	-	-	-	-	COM701C1811A	0.59	(0.01)	51,576	-
BDMS28C1811A	0.06	(0.01)	750	-	BLAN19C1902A	-	-	-	-	COM701C1811B	0.29	(0.01)	54,413	-
BEAU01C1812A	0.09	(0.02)	250,214	-	BPP01C1811A	0.20	0.01	6,294	-	COM706C1809A	0.15	(0.03)	28,955	-
BEAU01C1812B	0.04	(0.01)	89,708	-	BPP01C1811B	-	-	-	-	COM708C1811A	0.11	(0.		

Main Board Quotation

Issue Date :

Tuesday September 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL08C1902A	0.12	(0.01)	14,112	-	EA13C1810A	0.01	-	26,141	-	HMPR08C1810A	-	-	-	-
CPAL08P1810A	1.47	0.13	15,494	1.00	EA13C1811A	0.15	-	68,000	-	HMPR11C1906A	0.24	0.02	7,650	-
CPAL11C1903A	0.06	-	13,721	-	EA13C1812A	0.29	0.01	601,607	-	HMPR13C1812A	0.23	-	41,541	-
CPAL11P1903A	1.37	0.10	10,308	1.00	EA13C1812B	0.60	0.02	25,617	-	HMPR19C1901A	0.37	-	13,662	-
CPAL13C1812A	0.09	(0.02)	216,976	-	EA13P1809A	-	-	-	-	HMPR23C1901A	-	-	-	-
CPAL13C1901A	0.27	(0.03)	190,547	-	EA19C1811A	0.40	0.01	77,736	-	HMPR24C1901A	-	-	-	-
CPAL13P1902A	0.66	0.06	127,496	-	EA23C1901A	0.45	0.02	186,388	-	HMPR28C1811A	0.09	0.01	53,424	-
CPAL19C1811A	0.03	(0.01)	41,230	-	EA24C1809A	-	-	-	-	INTU01C1809A	0.31	(0.01)	58,798	-
CPAL19C1902A	0.34	(0.05)	93,699	-	EA27C1902A	0.67	0.05	22,896	-	INTU01C1809B	-	-	-	-
CPAL23C1810A	-	-	-	-	EA28C1809A	-	-	-	-	INTU01P1809A	0.20	(0.01)	17,033	-
CPAL24C1811A	-	-	-	-	EA28C1809B	-	-	-	-	INTU01P1809B	-	-	-	-
CPAL24C1901A	0.09	(0.02)	78,200	-	EA28C1901A	0.38	0.01	74,037	-	INTU11C1905A	0.29	0.01	8,240	-
CPAL24C1903A	0.28	(0.02)	8,800	-	EGCO01C1809A	0.50	(0.01)	22,298	-	INTU11P1905A	0.36	-	4,137	-
CPAL24P1901A	0.63	0.07	3,424	-	EGCO08C1809A	-	-	-	-	INTU13C1810A	-	-	-	-
CPAL27C1903A	0.33	(0.02)	12,388	-	EGCO13C1809A	-	-	-	-	INTU13C1812A	0.33	-	96,344	-
CPAL28C1809A	-	-	-	-	EGCO19C1901A	0.35	-	26,449	-	INTU19C1901A	0.29	-	15,004	-
CPAL28C1811A	0.01	(0.01)	500	-	EGCO23C1811A	0.22	-	17,000	-	INTU24C1901A	-	-	-	-
CPAL28C1901A	0.23	(0.03)	72,986	-	EGCO24C1901A	-	-	-	-	INTU28C1809A	-	-	-	-
CPF01C1809A	0.83	(0.06)	16,312	-	EPG01C1809A	0.23	(0.03)	16,191	-	INTU28C1901A	0.23	0.01	67,104	-
CPF01C1809B	0.02	-	108	-	EPG01P1809A	0.27	0.01	42,316	-	IRPC01C1810A	0.15	-	86,656	-
CPF01C1810A	0.20	(0.03)	78,600	-	EPG07C1811A	-	-	-	-	IRPC01C1810B	-	-	-	-
CPF01C1902A	0.25	(0.75)	1,870	-	EPG08C1810A	-	-	-	-	IRPC01P1810A	0.28	0.01	41,123	-
CPF01C1902B	0.17	(0.83)	22,280	-	EPG08C1810B	0.70	(0.01)	15,200	-	IRPC01P1810B	0.06	(0.01)	201	-
CPF01P1809A	0.10	0.01	16,208	-	EPG11C1903A	0.59	0.01	9,564	-	IRPC06C1811A	0.23	-	57,226	-
CPF01P1902A	0.40	(0.60)	8,200	-	EPG13C1811A	0.39	(0.04)	12,002	-	IRPC07C1812A	-	-	-	-
CPF01P1902B	-	-	-	-	EPG13C1902A	0.35	(0.02)	29,475	-	IRPC08C1902A	0.31	(0.01)	79,048	-
CPF06C1809A	0.31	(0.11)	9,536	-	EPG19C1902A	0.44	(0.02)	10,524	-	IRPC11C1902A	0.06	-	1,226	-
CPF07C1810A	-	-	-	-	EPG24C1810A	-	-	-	-	IRPC11C1905A	0.37	-	23,172	-
CPF08C1809A	0.17	(0.04)	4,800	-	EPG24C1902A	-	-	-	-	IRPC13C1811A	0.11	(0.01)	125,128	-
CPF08C1901A	0.16	(0.02)	18,218	-	EPG28C1902A	0.35	(0.01)	75,200	-	IRPC13C1812A	0.27	(0.01)	241,248	-
CPF11C1902A	0.08	-	1,000	-	ERW13C1902A	0.33	-	94,762	-	IRPC19C1901A	0.34	(0.01)	33,592	-
CPF11P1902A	0.22	0.01	13,626	-	ERW19C1902A	0.48	-	28,326	-	IRPC23C1810A	-	-	-	-
CPF13C1809A	0.27	(0.12)	7,440	-	ERW24C1904A	0.51	0.04	2,001	-	IRPC24C1809A	-	-	-	-
CPF13C1810A	0.05	(0.02)	11,870	-	ESSO01C1812A	0.60	0.04	73,918	-	IRPC24C1812A	0.14	-	1,298	-
CPF13C1902A	0.17	(0.02)	27,041	-	ESSO01C1812B	0.39	0.02	60,880	-	IRPC27C1809A	-	-	-	-
CPF19C1901A	0.19	(0.02)	19,440	-	ESSO01P1812A	0.45	(0.01)	12,485	-	IRPC27C1903A	0.29	0.01	8,342	-
CPF23C1810A	0.27	(0.05)	10,000	-	ESSO08C1902A	0.49	0.01	42,752	-	IRPC28C1811A	-	-	-	-
CPF24C1809A	0.04	(0.05)	14,475	-	ESSO11C1905A	0.78	0.03	7,624	-	IRPC28C1812A	0.31	-	226,968	-
CPF24C1901A	0.33	(0.10)	700	-	ESSO13C1811A	0.27	-	81,391	-	ITD06C1904A	0.27	(0.02)	24,265	-
CPF24C1902A	-	-	-	-	ESSO19C1901A	0.45	0.01	17,592	-	ITD08C1810A	-	-	-	-
CPF27C1903A	0.11	-	17,106	-	ESSO23C1809A	-	-	-	-	ITD11C1903A	0.10	-	12,164	-
CPF28C1811A	0.10	(0.01)	45,837	-	ESSO24C1812A	0.23	0.01	9,740	-	ITD13C1812A	0.09	(0.01)	118,612	-
CPN01C1902A	0.62	(0.38)	36,968	-	ESSO24C1902A	-	-	-	-	ITD19C1811A	0.02	(0.02)	11,900	-
CPN01C1902B	0.46	(0.54)	31,677	-	ESSO28C1811A	0.26	-	150,408	-	ITD24C1810A	-	-	-	-
CPN01P1902A	0.88	(0.12)	18,980	-	GFFT08C1906A	0.50	(0.09)	41,785	-	ITD24C1902A	0.21	(0.01)	34,600	-
CPN06C1811A	0.56	(0.04)	73,255	-	GFFT13C1902A	0.28	(0.07)	146,262	-	IVL01C1812A	0.41	(0.04)	100,748	-
CPN07C1902A	0.48	(0.03)	394	-	GFFT19C1811A	0.45	(0.12)	32,663	-	IVL01C1812B	0.20	(0.02)	37,170	-
CPN08C1809A	-	-	-	-	GFFT24C1812A	0.37	(0.11)	15,180	-	IVL01C1903A	0.51	(0.49)	14,574	-
CPN08C1903A	0.56	(0.04)	96,658	-	GGC01C1810A	0.10	-	3,040	-	IVL01C1903B	0.42	(0.58)	5,492	-
CPN11C1903A	0.32	(0.02)	29,057	-	GGC01C1810B	-	-	-	-	IVL01P1812A	0.82	0.04	68,222	-
CPN11P1903A	0.28	0.02	23,835	-	GGC07C1902A	-	-	-	-	IVL01P1812B	0.55	0.03	86,981	-
CPN13C1812A	0.34	(0.04)	201,719	-	GGC08C1906A	0.14	0.01	7,658	-	IVL01P1903A	1.05	0.05	23,521	1.00
CPN19C1901A	0.57	(0.05)	73,352	-	GGC13C1811A	0.01	-	400	-	IVL01P1903B	0.89	(0.11)	28,624	-
CPN23C1810A	0.17	(0.02)	38,000	-	GGC13C1902A	0.21	(0.01)	4,868	-	IVL06C1901A	0.27	(0.02)	22,797	-
CPN24C1901A	-	-	-	-	GGC19C1811A	-	-	-	-	IVL07C1811A	0.29	(0.04)	550	-
CPN27C1903A	0.50	(0.01)	22,648	-	GGC19C1902A	0.37	-	2,136	-	IVL08C1901A	0.42	(0.01)	28,948	-
CPN28C1810A	0.11	(0.02)	223,141	-	GGC23C1901A	-	-	-	-	IVL08P1809A	-	-	-	-
DELT06C1903A	0.98	(0.01)	2,260	-	GGC24C1812A	-	-	-	-	IVL08P1903A	0.65	0.03	35,872	-
DELT08C1811A	0.10	-	3,532	-	GGC24C1901A	0.23	-	500	-	IVL11C1906A	0.41	(0.03)	20,088	-
DELT13C1809A	-	-	-	-	GGC28C1811A	-	-	-	-	IVL13C1809A	-	-	-	-
DELT24C1901A	-	-	-	-	GGC28C1905A	0.33	(0.67)	55,200	-	IVL13C1810A	0.08	(0.01)	28,168	-
DELT27C1812A	-	-	-	-	GLOB01C1809A	0.70	0.02	44,525	-	IVL13C1812A	0.31	(0.03)	61,347	-
DTAC01C1810A	0.37	(0.01)	53,181	-	GLOB01C1809B	0.18	(0.02)	53,023	-	IVL13P1809A	-	-	-	-
DTAC01C1810B	0.04	-	2,002	-	GLOB06C1809A	0.33	(0.01)	15,176	-	IVL13P1811A	0.22	0.02	30,827	-
DTAC01C1902A	0.77	(0.05)	56,026	-	GLOB11C1906A	0.38	-	13,290	-	IVL19C1809A	0.18	(0.05)	26,979	-
DTAC01C1902B	0.63	(0.04)	36,314	-	GLOB13C1901A	0.38	-	51,092	-	IVL23C1810A	-	-	-	-
DTAC01P1810A	0.95	0.04	30,693	-	GLOB19C1901A	0.52	-	9,279	-	IVL24C1812A	0.11	(0.04)	25	-
DTAC01P1810B	0.35	0.02	61,993	-	GLOB23C1811A	0.59	0.02	7,000	-	IVL24C1901A	0.36	(0.02)	1,500	-
DTAC01P1902A	0.77	0.02	48,637	-	GLOB24C1810A	0.19	-	51,321	-	IVL27C1902A	0.43	(0.01)	7,200	-
DTAC01P1902B	0.55	0.02	51,657	-	GLOB27C1809A	-	-	-	-	IVL28C1811A	0.14	(0.01)	79,006	-
DTAC06C1901A	0.27	(0.04)	27,915	-	GLOW08C1811A	0.47	0.01	7,164	-	IVL28C1812A	0.38	(0.03)	92,618	-
DTAC06P1809A	0.07	0.01	14,934	-	GLOW19C1901A	0.51	-	3,624	-	IVL28P1811A	0.29	0.03	69,492	-
DTAC07C1809A	-	-	-	-	GLOW27C1812A	0.29	-	3,700	-	IVL42C1903A	0.32	(0.02)	8,160	-
DTAC07C1902A	-	-	-	-	GPSCO1C1902A	0.59	(0.05)	53,831	-	KBAN01C1810A	0.90	(0.19)	55,413	1.00
DTAC08C1809A	-	-	-	-	GPSCO1C1902B	0.42	(0.05)	16,376	-	KBAN01C1901A	1.08	(0.12)	70,154	1.00
DTAC08C1903A	0.41	(0.01)	52,384	-	GPSCO1P1902A	1.22	0.06	52,749	1.00	KBAN01C1901B	0.49	(0.08)	90,121	-
DTAC08P1902A	0.23	0.01	21,255	-	GPSCO6C1811A	0.10	(0.03)	18,400	-	KBAN01P1810A	0.07	0.01	4,636	-
DTAC11C1904A	0.31	(0.01)	6,622	-	GPSCO8C1902A	0.36	(0.06)	24,528	-	KBAN01P1901A	0.99	0.09	42,456	-
DTAC13C1811A	0.08	(0.02)	1,699	-	GPSC11C1902A	0.16	(0.03)	1,208	-	KBAN01P1901B	0.40	0.07	125,631	-
DTAC13C1812A	0.42	(0.04)	54,457	-	GPSC13C1812A	0.27	(0.03)	49,820	-	KBAN06C1811A	0.41	(0.11)	36,636	-
DTAC13P1811A	0.35	0.02	57,028	-	GPSC19C1901A	0.37	(0.05)	23,560	-	KBAN07C1811A	0.24	(0.03)	1,000	-
DTAC13P1812A	0.08	-	100	-	GPSC24C1812A	0.16	(0.03)	12,810	-	KBAN08C1811A	0.40	(0.12)	16,928	-
DTAC19C1811A	0.22	(0.02)	36,421	-	GPSC27C1902A	0.47	(0.06)	10,000	-	KBAN08C1903A	0.22	-	56,703	-
DTAC24C1809A	0.01	(0.01)	10	-	GPSC28C1811A	0.18	(0.03)	44,052	-	KBAN08P1811A	0.16	0.03	15,792	-
DTAC24C1901A	0.43	(0.03)	2,040	-	GUNK08C1902A	0.20	(0.01)	300	-	KBAN13C1810A	0.04	(0.01)	2,000	-
DTAC27C1809A	-	-	-	-	GUNK11C1903A	0.10	(0.02)	4,954	-	KBAN13C1811A	0.46	(0.10)	65,534	-</

Main Board Quotation

Issue Date :

Tuesday September 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE08C1809A	0.90	0.12	2,766	-	MINT13C1810A	0.07	-	7,850	-	PTT24C1809A	-	-	-	-
KCE08C1902A	0.44	0.03	23,438	-	MINT13C1812A	0.36	(0.01)	126,086	-	PTT24C1812A	0.15	(0.03)	1,500	-
KCE11C1904A	0.51	0.02	17,294	-	MINT19C1901A	0.38	(0.03)	9,370	-	PTT24P1901A	-	-	-	-
KCE13C1811A	0.76	0.06	110	-	MINT23C1810A	-	-	-	-	PTT27C1809A	-	-	-	-
KCE13C1812A	0.40	0.01	99,282	-	MINT24C1812A	-	-	-	-	PTT27C1903A	0.32	(0.03)	258	-
KCE19C1901A	0.54	0.01	37,661	-	MINT24C1901A	-	-	-	-	PTT27P1809A	0.03	(0.01)	300	-
KCE23C1901A	0.37	0.03	86,780	-	MINT24C1902A	-	-	-	-	PTT27P1903A	0.62	(0.01)	7,200	-
KCE24C1901A	0.51	0.03	12,000	-	MINT27C1903A	0.25	-	8,600	-	PTT28C1811A	-	-	-	-
KCE27C1902A	-	-	-	-	MINT28C1811A	0.19	(0.03)	251,329	-	PTT28C1811B	0.11	(0.01)	16,000	-
KCE28C1811A	-	-	-	-	MONO01C1810A	-	-	-	-	PTT28C1812A	0.24	(0.04)	59,782	-
KCE28C1902A	0.38	0.01	55,871	-	MONO01C1810B	-	-	-	-	PTT28C1901A	0.10	(0.02)	33,990	-
KKP01C1902A	-	-	-	-	MONO08C1906A	-	-	-	-	PTT28P1812A	0.19	0.02	35,276	-
KKP01C1902B	0.43	(0.57)	27,734	-	MONO13C1811A	-	-	-	-	PTTE01C1901A	0.72	-	186,223	-
KKP08C1811A	0.42	(0.01)	27,487	-	MONO13C1901A	0.12	(0.01)	11,064	-	PTTE01C1901B	0.43	0.01	144,410	-
KKP11C1903A	0.35	(0.01)	10,558	-	MONO19C1811A	-	-	-	-	PTTE01P1901A	1.09	(0.03)	36,746	1.00
KKP13C1811A	0.30	-	37,380	-	MONO23C1809A	-	-	-	-	PTTE01P1901B	0.60	(0.02)	48,337	-
KKP19C1901A	0.57	-	5,142	-	MONO23C1901A	0.11	-	1,000	-	PTTE06C1811A	0.35	0.01	40,771	-
KKP24C1812A	0.37	0.04	104	-	MONO24C1812A	-	-	-	-	PTTE07C1809A	0.03	(0.01)	6,007	-
KKP28C1810A	0.14	0.01	52,200	-	MONO24C1812B	-	-	-	-	PTTE08C1811A	0.30	0.03	51,460	-
KTBO1C1810A	0.40	(0.03)	7,658	-	MONO28C1811A	-	-	-	-	PTTE08P1809A	-	-	-	-
KTBO1C1810B	0.13	(0.01)	26,990	-	MONO28C1901A	0.11	-	4,100	-	PTTE08P1811A	0.11	(0.02)	43,840	-
KTBO6C1902A	0.34	(0.03)	8,824	-	MTC06C1901A	0.54	0.01	49,726	-	PTTE11C1902A	0.57	0.01	23,797	-
KTBO8C1809A	-	-	-	-	MTC08C1811A	0.13	-	12,715	-	PTTE13C1811A	0.22	0.01	101,719	-
KTBO8C1903A	0.25	(0.03)	10,284	-	MTC08C1902A	0.40	0.02	59,498	-	PTTE13C1812A	0.54	0.01	186,362	-
KTB11C1811A	0.16	-	600	-	MTC11C1904A	0.35	-	11,438	-	PTTE13P1811A	0.08	(0.01)	3,444	-
KTB13C1809A	-	-	-	-	MTC13C1809A	-	-	-	-	PTTE13P1901A	0.48	(0.02)	32,657	-
KTB13C1901A	0.41	(0.05)	13,131	-	MTC13C1811A	0.49	-	304,414	-	PTTE19C1811A	0.43	0.01	57,916	-
KTB19C1901A	0.29	(0.03)	10,500	-	MTC13C1901A	0.31	0.01	274,996	-	PTTE23C1901A	0.09	0.01	1,020	-
KTB23C1811A	-	-	-	-	MTC19C1901A	0.39	0.01	52,876	-	PTTE24C1811A	-	-	-	-
KTB24C1811A	-	-	-	-	MTC24C1810A	0.13	(0.01)	7,381	-	PTTE24C1901A	0.43	(0.01)	3,350	-
KTB24P1901A	0.15	0.02	760	-	MTC24C1812A	0.43	(0.01)	45,755	-	PTTE24P1809A	-	-	-	-
KTB28C1809A	-	-	-	-	MTC28C1809A	-	-	-	-	PTTE24P1901A	-	-	-	-
KTB28C1811A	0.16	(0.04)	63,621	-	MTC28C1902A	0.30	0.01	45,630	-	PTTE27C1809A	0.66	(0.01)	290	-
KTB42C1903A	0.28	-	2,040	-	ORI11C1811A	0.10	(0.01)	1	-	PTTE27C1903A	0.45	0.02	17,744	-
KTB42P1903A	0.31	0.02	3,041	-	ORI13C1810A	0.17	(0.01)	31,172	-	PTTE27P1809A	-	-	-	-
KTC01C1810A	0.24	-	306,423	-	ORI19C1811A	0.12	-	9,747	-	PTTE27P1903A	-	-	-	-
KTC01C1810B	0.11	-	83,994	-	ORI23C1809A	-	-	-	-	PTTE28C1810A	0.12	0.01	41,803	-
KTC08C1903A	0.44	(0.56)	67,402	-	ORI24C1810A	-	-	-	-	PTTE28C1811A	0.09	0.01	1,573	-
KTC11C1902A	0.97	-	1,514	1.00	PLAN08C1811A	0.16	0.01	30,858	-	PTTE28P1811A	-	-	-	-
KTC13C1809B	0.01	(0.01)	5,417	-	PLAN13C1809A	-	-	-	-	PTTE42C1903A	0.48	0.02	18,280	-
KTC13C1812A	0.16	-	750,221	-	PLAN28C1810A	0.07	(0.01)	12,500	-	PTTG01C1810A	0.08	(0.03)	155,799	-
KTC13C1812B	0.33	-	664,841	-	PRM08C1902A	0.36	(0.64)	11,934	-	PTTG01C1810B	0.02	-	11,550	-
KTC19C1811A	0.15	-	78,295	-	PRM13C1901A	0.38	-	36,739	-	PTTG01C1811A	0.29	(0.04)	80,175	-
KTC19C1901A	0.70	-	63,484	-	PRM19C1902A	0.41	(0.01)	5,449	-	PTTG01C1901A	0.92	(0.10)	62,589	1.00
KTC23C1809A	0.85	0.12	4,755	-	PSH01C1810A	0.26	(0.02)	1,755	-	PTTG01C1901B	0.62	(0.08)	78,363	-
KTC24C1810A	0.06	0.01	3	-	PSH01C1810B	-	-	-	-	PTTG01P1811A	1.73	0.12	55,583	1.00
KTC27C1903A	0.43	0.01	62,546	-	PSH01P1810A	0.72	0.03	4,793	-	PTTG01P1901A	0.92	0.06	76,573	-
KTC27P1903A	0.50	(0.01)	2,850	-	PSH08C1811A	-	-	-	-	PTTG01P1901B	0.64	0.05	50,946	-
KTC28C1809A	-	-	-	-	PSH11C1902A	-	-	-	-	PTTG06C1809A	-	-	-	-
KTC28C1810A	0.09	-	49,479	-	PSH23C1811A	-	-	-	-	PTTG06C1903A	0.84	(0.10)	51,665	-
KTC28C1901A	0.31	-	58,402	-	PSL01C1812A	0.34	(0.04)	19,507	-	PTTG06P1903A	0.47	0.04	42,644	-
LH01C1809A	0.33	(0.01)	6,603	-	PSL01C1812B	0.28	0.01	17,828	-	PTTG07C1812A	0.23	(0.03)	1,200	-
LH01C1809B	0.08	(0.01)	6,000	-	PSL11C1905A	0.25	-	15,625	-	PTTG08C1811A	-	-	-	-
LH01P1809A	0.03	-	2	-	PSL23C1809A	0.01	-	7,131	-	PTTG08C1902A	0.45	(0.04)	64,742	-
LH06C1809A	-	-	-	-	PTG01C1811A	0.02	(0.01)	9,242	-	PTTG08P1811A	0.83	0.11	50,327	-
LH07C1810A	0.08	(0.02)	10,000	-	PTG01C1811B	0.02	-	1	-	PTTG11C1902A	0.10	-	30	-
LH11C1906A	-	-	-	-	PTG01C1902A	0.34	(0.66)	88,526	-	PTTG13C1812A	0.14	(0.03)	86,866	-
LH13C1902A	-	-	-	-	PTG01C1902B	0.21	(0.79)	68,302	-	PTTG13C1812B	0.56	(0.08)	203,334	-
LH19C1901A	-	-	-	-	PTG01P1811A	1.74	(0.02)	17,322	1.00	PTTG19C1811A	0.11	(0.03)	40,456	-
LH23C1901A	-	-	-	-	PTG01P1902A	0.61	(0.39)	13,089	-	PTTG19C1902A	0.60	(0.07)	36,700	-
LH24C1809A	-	-	-	-	PTG06C1810A	0.01	(0.01)	21,189	-	PTTG23C1901A	-	-	-	-
LH24C1903A	0.14	(0.01)	6,000	-	PTG06C1904A	0.21	0.01	852	-	PTTG24C1812A	-	-	-	-
LPN01C1809A	0.06	-	1,000	-	PTG08C1902A	0.05	-	69,037	-	PTTG24C1901A	0.35	(0.05)	9,659	-
LPN01C1811A	0.35	-	11,371	-	PTG08C1903A	0.24	-	65,610	-	PTTG24P1901A	0.31	-	17,286	-
LPN01C1811B	0.13	(0.01)	2,480	-	PTG11C1903A	0.05	-	1,000	-	PTTG27C1903A	0.36	(0.03)	19,498	-
LPN01P1809A	0.40	(0.02)	32	-	PTG13C1809A	-	-	-	-	PTTG27P1903A	0.52	0.04	18,152	-
LPN08C1810A	-	-	-	-	PTG13C1812A	0.03	-	7,327	-	PTTG28C1811A	0.08	(0.02)	12,576	-
LPN08C1906A	0.21	-	5,080	-	PTG13C1901A	0.18	-	627,845	-	PTTG28C1812A	0.49	(0.07)	107,139	-
LPN19C1811A	0.15	(0.01)	507	-	PTG19C1902A	0.10	0.01	326,551	-	QH01C1810A	0.54	-	19,640	-
LPN24C1812A	-	-	-	-	PTG19C1902B	0.31	-	75,145	-	QH01C1810B	0.22	-	17,534	-
MAJO08C1811A	-	-	-	-	PTG24C1809A	-	-	-	-	QH01P1810A	0.17	0.01	13,489	-
MAJO11C1902A	-	-	-	-	PTG24C1901A	0.22	0.01	149,525	-	QH11C1902A	0.41	-	16,980	-
MAJO19C1902A	0.16	(0.02)	7,953	-	PTG24C1902A	0.07	0.01	33,931	-	QH19C1901A	0.21	-	5,111	-
MAJO24C1809A	-	-	-	-	PTG27C1809A	-	-	-	-	QH24C1812A	0.14	(0.01)	18,100	-
MAJO24C1902A	0.41	(0.03)	6,438	-	PTG27C1902A	0.13	0.01	13,675	-	QH27C1903A	0.26	-	8,246	-
MALE01C1812A	0.01	(0.01)	829	-	PTG28C1812A	0.05	(0.01)	3,300	-	RATC19C1901A	0.30	(0.01)	100	-
MALE08C1811A	0.01	-	100	-	PTG28C1901A	0.20	(0.01)	245,475	-	RATC24C1902A	-	-	-	-
MALE13C1809A	-	-	-	-	PTL08C1811A	0.46	(0.01)	3,654	-	RATC27C1812A	-	-	-	-
MALE27C1812A	-	-	-	-	PTL13C1809A	0.06	(0.01)	5,000	-	ROBI01C1809A	0.22	(0.01)	27,518	-
MALE28C1810A	-	-	-	-	PTL28C1810A	-	-	-	-	ROBI06C1809A	0.16	(0.04)	31,230	-
MC19C1811A	0.13	(0.01)	2,000	-	PTT01C1810A	0.08	(0.03)	211,519	-	ROBI11C1906A	0.48	(0.01)	10,060	-
MC23C1809A	-	-	-	-	PTT01C1810B	0.03	(0.01)	953	-	ROBI19C1901A	0.59	(0.03)	24,246	-
MC24C1812A	0.19	(0.01)	200	-	PTT01C1901A	0.54	(0.07)	176,735	-	ROBI24C1901A	0.25	0.01	1	-
MEGA01C1811A	0.16	(0.02)	40,505	-	PTT01C1901B	0.39	(0.05)	107,397	-	ROBI24C1903A	0.61	-	1	-
MEGA01C1811B	0.05	-	400	-	PTT01P1810A	1.06	0.10	55,488	1.00	RS08C1901A	0.46	(0.02)	41,602	-
MEGA08C1811A	-	-	-	-	PTT01P1810B	0.34	0.06	204,844	-	RS13C1901A	0.50	(0.03)	197,688	-
MEGA08C1903A	0.32	(0.68)	15,520	-	PTT01P1901A	0.58	0.03	102,458	-	RS19C1901A	0.47	(0.02)	38,128	-
MEGA11C1902A	0.09	0.01	1,000	-	PTT01P1901B	0.38	0.04	80,118	-	RS24C1811A	0.			

Main Board Quotation

Issue Date :

Tuesday September 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001P1810A	0.31	0.07	259,560	-	SCC19C1811A	0.09	(0.01)	201	-	TCAP01P1901A	0.32	(0.01)	7,252	-
S5001P1810B	0.18	0.05	259,082	-	SCC19C1901A	0.34	(0.02)	13,596	-	TCAP08C1810A	-	-	-	-
S5001P1811A	1.13	0.13	25,800	1.00	SCC23C1811A	-	-	-	-	TCAP11C1811A	0.09	(0.01)	106	-
S5001P1811B	1.06	0.06	113,001	-	SCC24C1812A	-	-	-	-	TCAP13C1809A	-	-	-	-
S5001P1812F	1.60	0.38	39,459	1.00	SCC24C1901A	0.35	(0.17)	1,000	-	TCAP13C1901A	0.44	0.01	103,608	-
S5001P1812G	1.33	0.20	54,206	1.00	SCC24C1902A	-	-	-	-	TCAP19C1901A	0.34	(0.01)	8,004	-
S5006C1809A	0.02	(0.01)	150,020	-	SCC24P1901A	0.20	-	2,000	-	TCAP24C1903A	0.27	(0.03)	185	-
S5006C1809B	0.02	(0.01)	2,564	-	SCC27C1809A	-	-	-	-	THAI01C1901A	0.25	(0.01)	53,710	-
S5006C1809C	0.06	(0.08)	7,774	-	SCC27P1809A	-	-	-	-	THAI01C1901B	0.12	(0.01)	37,954	-
S5006C1809D	0.01	(0.01)	12,140	-	SCC28C1811A	0.09	(0.01)	16,440	-	THAI01P1901A	0.87	0.01	10,245	-
S5006C1812A	0.35	(0.11)	109,025	-	SCC28C1812A	0.35	(0.02)	12,574	-	THAI06C1809A	-	-	-	-
S5006C1812B	0.43	(0.12)	53,999	-	SCCC08C1811A	-	-	-	-	THAI07C1811A	-	-	-	-
S5006C1812C	0.29	(0.12)	26,753	-	SCCC13C1809A	-	-	-	-	THAI08C1903A	0.22	(0.01)	12,589	-
S5006P1809A	1.57	0.33	8,335	1.00	SCCC27C1812A	0.11	0.01	1	-	THAI11C1906A	0.30	(0.01)	7,530	-
S5006P1809B	0.64	0.19	13,753	-	SGP06C1812A	0.29	0.01	38,132	-	THAI13C1811A	0.05	0.01	3,802	-
S5006P1809C	0.59	0.15	1,250	-	SGP08C1901A	0.48	-	68,438	-	THAI13C1902A	0.27	(0.01)	63,300	-
S5006P1809D	0.20	0.04	1,180	-	SGP11C1904A	0.25	0.01	45,551	-	THAI19C1901A	0.22	(0.01)	11,600	-
S5006P1812A	1.35	0.22	22,141	1.00	SGP13C1811A	0.12	-	14,000	-	THAI23C1901A	0.01	(0.01)	5,007	-
S5006P1812B	0.47	0.08	68,809	-	SGP13C1812A	0.34	(0.01)	189,010	-	THAI24C1901A	0.13	0.01	2,500	-
S5006P1812C	0.91	0.20	4,804	-	SGP19C1811A	0.35	-	54,898	-	THAI27C1809A	-	-	-	-
S5008C1809A	0.14	(0.15)	152,540	-	SGP24C1811A	0.14	0.01	300	-	THAI28C1901A	0.21	(0.01)	149,568	-
S5008P1809A	0.02	0.01	544	-	SGP24C1902A	-	-	-	-	THAN01C1812A	0.40	0.02	23,940	-
S5013C1809A	0.01	-	1,372,984	-	SGP27C1903A	0.42	0.02	4,800	-	THAN13C1809A	-	-	-	-
S5013C1809B	0.03	(0.04)	674,481	-	SGP28C1809A	-	-	-	-	THAN24C1903A	0.41	0.02	100	-
S5013C1809C	0.02	(0.02)	393,467	-	SGP28C1811A	0.15	-	90,180	-	THAN28C1810A	-	-	-	-
S5013C1809D	0.08	(0.11)	4,341,461	-	SIRI01C1901A	0.36	0.01	3,382	-	THCO01C1809A	0.08	-	400	-
S5013C1809E	0.38	(0.25)	2,733,390	-	SIRI01C1901B	0.12	-	12,775	-	THCO01P1809A	0.40	0.01	23,525	-
S5013C1809F	0.34	(0.15)	1,354,091	-	SIRI01P1901A	0.59	-	12,206	-	THCO08C1906A	0.26	-	8,045	-
S5013C1812A	0.64	(0.17)	3,071,652	-	SIRI06C1904A	0.31	-	2,000	-	THCO11C1902A	-	-	-	-
S5013C1812B	0.46	(0.13)	1,211,191	-	SIRI08C1810A	-	-	-	-	THCO19C1811A	0.14	(0.01)	4,100	-
S5013P1809A	1.13	0.35	665,727	-	SIRI11C1902A	0.11	-	10	-	THCO24C1810A	0.20	(0.03)	1	-
S5013P1809B	0.39	0.17	2,157,274	-	SIRI13C1809A	-	-	-	-	THCO28C1901A	0.34	(0.01)	6,741	-
S5013P1809C	0.64	0.23	1,621,536	-	SIRI13C1902A	0.22	(0.01)	24,698	-	TISCO1C1902A	0.85	(0.15)	8,790	-
S5013P1809D	0.12	0.06	566,144	-	SIRI19C1902A	0.21	(0.01)	4,200	-	TISCO1C1902B	0.68	(0.32)	11,608	-
S5013P1809E	0.02	0.01	1,173,942	-	SIRI23C1811A	0.11	(0.01)	2,000	-	TISCO7C1902A	0.85	0.08	130	-
S5013P1809F	0.98	0.20	237,827	-	SIRI24C1809A	-	-	-	-	TISCO8C1903A	0.63	0.01	34,410	-
S5013P1812A	1.19	0.20	2,828,391	1.00	SIRI24C1903A	-	-	-	-	TISC11C1903A	0.20	(0.01)	17,390	-
S5013P1812B	1.71	0.25	1,031,431	1.00	SIRI28C1809A	-	-	-	-	TISC13C1811A	0.23	-	29,781	-
S5028C1809A	0.02	(0.01)	120,000	-	SIRI28C1901A	0.29	0.01	20,420	-	TISC13C1812A	0.65	0.01	31,872	-
S5028C1809B	0.39	(0.23)	886,420	-	SPAL01C1902A	0.62	(0.38)	9,478	-	TISC19C1901A	0.40	0.01	6,448	-
S5028C1810A	0.25	(0.12)	658,688	-	SPAL01C1902B	0.45	(0.55)	6,796	-	TISC24C1812A	-	-	-	-
S5028P1809A	0.35	0.14	1,219,533	-	SPAL06C1809A	0.42	(0.01)	18,816	-	TISC24C1904A	0.65	(0.35)	15	-
S5028P1809B	0.04	0.01	29,992	-	SPAL11C1905A	0.14	-	2,000	-	TISC28C1901A	0.64	-	145,587	-
S5028P1810A	0.99	0.19	1,489,070	-	SPAL19C1902A	0.42	-	8,061	-	TKN01C1901A	0.60	-	113,611	-
SAWA01C1901A	0.72	0.06	334,208	-	SPAL23C1811A	0.49	-	11,600	-	TKN01C1901B	0.45	-	85,102	-
SAWA01C1901B	0.57	0.05	337,950	-	SPAL24C1812A	0.14	-	7,000	-	TKN08C1811A	0.08	0.02	4,105	-
SAWA01P1901A	0.57	(0.06)	81,154	-	SPRC01C1902A	0.37	(0.63)	2,698	-	TKN11C1902A	0.17	0.01	18,739	-
SAWA06C1811A	0.09	0.02	16,270	-	SPRC01C1902B	-	-	-	-	TKN13C1810A	0.03	-	8,461	-
SAWA06C1903A	1.03	0.08	99,844	1.00	SPRC06C1809A	-	-	-	-	TKN13C1811A	-	-	-	-
SAWA07C1812A	0.57	0.05	400	-	SPRC06C1902A	0.52	-	13,040	-	TKN13C1812A	0.30	0.01	194,736	-
SAWA08C1811A	0.04	0.01	22,702	-	SPRC07C1903A	-	-	-	-	TKN19C1811A	0.09	0.02	13,001	-
SAWA08C1902A	0.81	0.09	34,471	-	SPRC11C1902A	-	-	-	-	TKN23C1902A	0.33	0.01	33,924	-
SAWA11C1906A	0.50	0.03	38,287	-	SPRC13C1812A	0.32	-	98,234	-	TKN24C1811A	0.20	0.04	9,000	-
SAWA13C1810A	-	-	-	-	SPRC19C1901A	0.39	-	23,544	-	TKN24C1812A	0.04	(0.01)	10,000	-
SAWA13C1811A	0.02	(0.01)	90,000	-	SPRC23C1810A	-	-	-	-	TKN28C1811A	0.07	-	240	-
SAWA13C1812A	0.28	0.05	292,424	-	SPRC24C1903A	0.35	0.01	78,510	-	TKN28C1812A	0.51	0.02	39,921	-
SAWA13C1901A	0.78	0.09	27,935	-	STA01C1812A	0.27	(0.02)	14,505	-	TMB01C1810A	0.13	(0.01)	4,521	-
SAWA19C1901A	0.81	0.08	43,598	-	STA01C1812B	0.17	-	23,995	-	TMB01C1810B	0.02	-	2,060	-
SAWA24C1812A	0.28	0.06	7,850	-	STA13C1812A	0.28	(0.02)	52,259	-	TMB01P1810A	0.48	0.02	16,356	-
SAWA24C1902A	0.69	0.08	2,520	-	STA13C1901A	0.17	(0.01)	44,378	-	TMB06C1809A	-	-	-	-
SAWA27C1903A	0.55	0.03	10,145	-	STA19C1811A	0.10	(0.01)	16,884	-	TMB06C1902A	0.07	(0.01)	40,000	-
SAWA28C1809A	-	-	-	-	STA23C1809A	0.03	-	5,600	-	TMB07C1811A	-	-	-	-
SAWA28C1810A	-	-	-	-	STEC01C1809A	0.20	0.04	70,007	-	TMB07C1903A	0.19	0.01	200	-
SAWA28C1811A	0.32	0.05	268,159	-	STEC01C1809B	0.52	0.10	41,486	-	TMB08C1901A	0.06	(0.01)	1,000	-
SAWA28C1812A	0.77	0.08	93,452	-	STEC01C1902A	0.64	(0.36)	26,584	-	TMB11C1904A	0.07	-	1,003	-
SCB01C1810A	0.55	(0.02)	16,186	-	STEC01C1902B	0.55	(0.45)	27,520	-	TMB13C1811A	0.03	-	399	-
SCB01C1902A	1.03	(0.04)	20,546	1.00	STEC01P1809A	0.53	(0.08)	23,006	-	TMB13C1901A	0.17	-	1,872	-
SCB01C1902B	0.92	(0.04)	19,264	-	STEC01P1902A	0.76	(0.24)	14,779	-	TMB19C1901A	0.10	-	11,550	-
SCB01P1902A	0.40	0.01	14,942	-	STEC06C1809A	0.22	0.05	38,712	-	TMB23C1810A	-	-	-	-
SCB01P1902B	0.17	0.01	18,310	-	STEC08C1809A	0.10	0.01	47,182	-	TMB24C1809A	-	-	-	-
SCB06C1811A	0.69	(0.03)	10,528	-	STEC11C1903A	0.55	0.05	34,186	-	TMB24C1901A	-	-	-	-
SCB08C1901A	0.52	(0.03)	20,774	-	STEC19C1901A	0.54	0.04	31,154	-	TMB24C1902A	-	-	-	-
SCB11C1901A	0.27	(0.01)	5,540	-	STEC24C1901A	0.57	0.06	64,160	-	TMB27C1903A	-	-	-	-
SCB11P1901A	0.30	0.02	21,748	-	STEC27C1902A	0.72	0.05	6,092	-	TMB28C1809A	-	-	-	-
SCB13C1809A	-	-	-	-	STEC28C1810A	0.48	0.06	6,784	-	TMB28C1901A	-	-	-	-
SCB13C1812A	0.62	(0.03)	20,480	-	STPI08C1811A	0.03	(0.01)	1,300	-	TOA01C1901A	0.31	(0.04)	55,505	-
SCB13C1902A	0.40	(0.03)	41,008	-	SUPE08C1811A	0.04	(0.01)	45,410	-	TOA01C1901B	0.19	(0.05)	8,340	-
SCB13P1812A	0.05	(0.02)	1,464	-	SUPE13C1810A	0.01	-	103,866	-	TOA08C1902A	0.14	(0.03)	38,744	-
SCB19C1811A	0.32	(0.02)	14,598	-	SUPE13C1811A	0.03	(0.01)	241	-	TOA13C1812A	0.22	(0.01)	35,832	-
SCB24C1901A	-	-	-	-	SUPE19C1902A	0.17	-	19,778	-	TOA19C1901A	0.21	(0.03)	7,480	-
SCB24C1902A	-	-	-	-	SUPE23C1811A	0.04	-	4,840	-	TOA24C1812A	-	-	-	-
SCB24P1811A	0.04	(0.03)	10	-	SUPE23C1901A	-	-	-	-	TOA28C1812A	0.19	(0.01)	12,168	-
SCB27C1902A	0.54	(0.02)	6,000	-	SUPE28C1810A	-	-	-	-	TOP01C1901A	1.44	(0.05)	77,466	1.00
SCB27P1903A	0.53	-	6,400	-	SUPE28C1811A	-	-	-	-	TOP01C1901B	1.27	(0.07)	43,367	1.00
SCB28C1809A	-	-	-	-	TASC01C1809A	-	-	-	-	TOP01P1901A	0.58	0.02	31,052	-
SCB														

Main Board Quotation

Issue Date :

Tuesday September 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCC13C1901A	-	-	-	-	TCAP01C1901B	0.47	-	32,030	-	TPI01C1812B	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday September 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TP107C1812A	-	-	-	-	WHA06C1809A	0.04	(0.01)	4	-	PDJ-W3	1.35	(0.04)	13	1.00
TP113C1809A	-	-	-	-	WHA07C1810A	-	-	-	-	PDJ-W4	1.35	-	36	1.00
TP113C1902A	0.22	(0.01)	1,178	-	WHA08C1811A	0.10	(0.02)	196	-	PLE-W3	0.14	0.03	299,660	-
TP119C1901A	0.25	(0.01)	600	-	WHA11C1903A	0.19	-	200	-	RICH-W1	-	-	-	-
TP123C1809A	-	-	-	-	WHA13C1812A	0.35	(0.02)	72,512	-	RICHY-W1	0.32	-	2,004	-
TP124C1902A	-	-	-	-	WHA19C1901A	0.36	(0.03)	10,785	-	RICHY-W2	0.20	-	7,678	-
TPIP01C1810A	0.30	(0.01)	6,509	-	WHA23C1810A	-	-	-	-	RS-W3	-	-	-	-
TPIP01C1810B	-	-	-	-	WHA24C1811A	0.05	(0.03)	5,340	-	S-W1	0.17	0.01	49,972	-
TPIP01P1810A	0.54	(0.01)	6,366	-	WHA24C1902A	0.36	(0.64)	50	-	SAMART-W2	0.39	-	163,882	-
TPIP11C1811A	-	-	-	-	WHA27C1903A	0.49	(0.03)	8,000	-	SAWAD-W1	5.70	0.05	1,300	5.00
TPIP13C1811A	0.13	(0.01)	3,992	-	WHA28C1809A	-	-	-	-	SDC-W1	0.07	0.01	12,996	-
TPIP13C1902A	0.30	0.01	6,150	-	WHA28C1901A	0.37	(0.02)	76,313	-	SMM-W4	0.01	-	290	-
TPIP19C1902A	0.34	(0.01)	4,552	-	WHAU01C1810A	0.14	0.01	15,641	-	SMT-W1	0.07	(0.01)	6,307	-
TPIP24C1901A	-	-	-	-	WHAU01C1810B	0.01	-	4,995	-	SMT-W2	0.68	-	1,685	-
TPIP27C1812A	-	-	-	-	WHAU13C1902A	0.21	0.01	11,938	-	SPALI-W4	19.80	-	3,348	19.00
TRUE01C1902A	0.35	(0.02)	196,295	-	WHAU19C1902A	0.25	0.01	3,600	-	SPORT-W5	0.02	(0.01)	399	-
TRUE01C1902B	0.26	(0.02)	189,114	-	WHAU24C1812A	-	-	-	-	SUPER-W4	0.09	-	127,532	-
TRUE01P1902A	0.60	0.02	145,303	-	WHAU24C1902A	-	-	-	-	SUSCO-W1	0.07	(0.01)	3,216	-
TRUE01P1902B	0.46	0.03	165,776	-	WORK01C1811A	0.26	(0.02)	46,334	-	SVI-W3	2.00	(0.04)	626	2.00
TRUE06C1811A	0.04	(0.01)	27,941	-	WORK01C1811B	0.11	(0.02)	13,322	-	TCC-W3	0.16	0.03	25	-
TRUE06C1906A	0.18	(0.02)	17,345	-	WORK08C1809A	-	-	-	-	TCC-W4	0.13	-	1	-
TRUE07C1902A	-	-	-	-	WORK08C1901A	0.19	(0.03)	9,588	-	TCC-W5	0.16	-	2,705	-
TRUE08C1809A	-	-	-	-	WORK11C1903A	0.06	(0.01)	8,137	-	TCJ-W2	0.93	(0.01)	566	-
TRUE08C1902A	0.21	(0.03)	31,866	-	WORK13C1809A	-	-	-	-	TCMC-W2	0.33	(0.02)	59,546	-
TRUE08P1809A	0.08	-	40,089	-	WORK13C1810A	-	-	-	-	TFG-W1	-	-	-	-
TRUE11C1905A	0.22	(0.01)	2,985	-	WORK13C1811A	0.02	-	527	-	TFG-W2	0.77	-	3,834	-
TRUE13C1810A	0.01	-	10	-	WORK13C1812A	0.16	(0.03)	34,744	-	TH-W2	-	-	-	-
TRUE13C1812A	0.10	(0.02)	173,464	-	WORK19C1811A	0.04	(0.01)	6,400	-	THE-W2	0.06	0.01	6,471	-
TRUE13C1901A	0.22	(0.78)	103,879	-	WORK19C1902A	0.36	(0.04)	6,800	-	TNITY-W1	0.97	0.01	47,277	1.00
TRUE16C1812A	0.17	(0.02)	1,500	-	WORK24C1810A	-	-	-	-	TNPC-W1	0.46	-	27,709	-
TRUE19C1901A	0.08	-	19,213	-	WORK24C1812A	0.10	(0.03)	520	-	TRITN-W3	0.23	0.01	74,934	-
TRUE23C1902A	0.12	(0.01)	46,721	-	WORK27C1903A	0.29	(0.03)	5,202	-	TSR-W1	0.61	(0.01)	65,716	-
TRUE27C1809A	0.02	(0.01)	1,000	-	WORK28C1809A	-	-	-	-	TTA-W5	0.14	(0.01)	13,650	-
TRUE27P1809A	-	-	-	-	WORK28C1811A	0.03	-	2,002	-	TTCL-W1	1.48	(0.10)	187,480	1.00
TRUE28C1810A	0.01	(0.03)	1,000	-	WORK28C1901A	0.20	(0.02)	9,085	-	U-W1	0.01	-	8,026	-
TRUE28C1812A	0.08	(0.02)	45,153	-	Preferred/Foreign	-	-	-	-	U-W4	0.01	-	40,101	-
TTA08C1906A	0.25	(0.01)	5,000	-	BH-Q	-	-	-	-	VIBHA-W2	1.36	(0.01)	2,035	1.00
TTA13C1809A	-	-	-	-	CSC-Q	-	-	-	-	VIBHA-W3	0.29	(0.01)	1,973	-
TTA13C1901A	0.19	-	28,884	-	JUTHA-Q	-	-	-	-	WAVE-W1	0.38	0.01	10,579	-
TTA19C1811A	-	-	-	-	KTB-Q	-	-	-	-	WHA-W1	6.25	(0.05)	523	6.00
TTA23C1901A	-	-	-	-	SCB-Q	-	-	-	-	WORK-W1	-	-	-	-
TTA24C1809A	-	-	-	-	TCAP-Q	-	-	-	-	Preferred Shares	-	-	-	-
TTA24C1902A	-	-	-	-	TIC-Q	-	-	-	-	BH-P	-	-	-	-
TTA28C1812A	0.07	-	500	-	TISCO-Q	-	-	-	-	CSC-P	-	-	-	-
TU01C1901A	0.58	0.01	69,101	-	U-Q	-	-	-	-	JUTHA-P	-	-	-	-
TU01C1901B	0.53	0.01	48,046	-	Warrant	-	-	-	-	KTB-P	-	-	-	-
TU01P1901A	0.21	(0.01)	23,468	-	7UP-W2	0.07	-	3	-	SCB-P	-	-	-	-
TU06C1902A	0.29	0.02	39,655	-	ACC-W1	0.03	0.01	23,449	-	TCAP-P	-	-	-	-
TU07C1902A	-	-	-	-	AJA-W1	0.20	(0.02)	2,284	-	TIC-P	-	-	-	-
TU08C1811A	-	-	-	-	ALT-W1	0.50	-	724	-	TISCO-P	-	-	-	-
TU11C1902A	-	-	-	-	APURE-W2	0.24	-	226,538	-	U-P	0.03	-	45,406	-
TU11C1906A	0.21	-	26,479	-	AQ-W4	0.01	-	240	-	Warrant (MAI)	-	-	-	-
TU13C1809A	-	-	-	-	AS-W1	0.25	-	20	-	2S-W1	0.15	-	41	-
TU13C1902A	0.26	-	7,657	-	AYUD-W1	3.34	(0.24)	33,983	3.00	ACAP-W2	1.95	0.03	14,091	2.00
TU19C1901A	0.26	-	22,006	-	B-W3	0.01	-	9	-	AIRA-W2	0.03	-	2,465	-
TU23C1902A	0.27	0.01	27,000	-	B-W4	0.18	-	40,912	-	ATP30-W1	0.81	(0.01)	1,837	-
TU24C1901A	0.18	(0.01)	2,000	-	BTS-W3	-	-	-	-	BM-W1	0.44	(0.01)	56,322	-
TVO01C1809A	0.11	-	8,901	-	BWG-W4	0.07	-	17,119	-	BSM-W2	0.18	(0.01)	5,592	-
TVO01C1809B	-	-	-	-	CEN-W4	0.05	0.01	164	-	CHEWA-W1	0.31	0.01	53,499	-
TVO11C1903A	0.10	-	2,106	-	CGD-W4	0.22	-	10,498	-	CIG-W7	0.01	-	5,020	-
TVO13C1809A	-	-	-	-	CGH-W3	0.06	0.01	6,698	-	DIMET-W2	0.13	(0.02)	6,905	-
TVO13C1902A	0.23	0.01	17,791	-	CI-W1	0.48	-	15,721	-	DNA-W1	1.25	(0.01)	3,369	1.00
TVO19C1902A	0.23	-	2,486	-	CKP-W1	0.37	0.01	47,667	-	ECF-W2	5.10	(0.05)	2,852	5.00
TVO24C1810A	-	-	-	-	CRANE-W1	1.78	(0.16)	50	1.00	ECF-W3	3.30	(0.08)	9,040	3.00
TVO24C1903A	-	-	-	-	CWT-W4	0.41	(0.02)	12,642	-	EFORL-W3	0.01	(0.01)	251	-
UNIQ01C1809A	-	-	-	-	DCC-W1	1.12	0.05	800,567	1.00	EFORL-W4	0.02	-	35	-
UNIQ01C1810A	0.17	-	156,158	-	DCON-W1	-	-	-	-	FC-W1	0.05	-	2,001	-
UNIQ01C1810B	0.02	-	12,000	-	DIGI-W1	0.03	-	9,424	-	FC-W2	0.02	-	20,678	-
UNIQ01P1809A	0.64	-	8,938	-	DIGI-W2	0.02	0.01	403	-	FOCUS-W2	0.58	(0.02)	3,560	-
UNIQ08C1810A	-	-	-	-	EARTH-W4	-	-	-	-	FVC-W2	0.38	(0.01)	13,476	-
UNIQ08C1906A	0.21	-	35,733	-	EIC-W2	0.01	(0.01)	70	-	ITEL-W1	0.37	0.01	72,878	-
UNIQ11C1811A	-	-	-	-	EIC-W3	0.02	-	98	-	JKN-W1	1.96	(0.02)	31,768	2.00
UNIQ13C1809A	-	-	-	-	EIC-W4	-	-	-	-	LIT-W1	-	-	-	-
UNIQ13C1901A	0.19	-	93,135	-	EVER-W3	0.02	-	1,006	-	META-W2	0.04	(0.01)	7,367	-
UNIQ19C1811A	-	-	-	-	GJS-W3	0.01	-	7,125	-	NCL-W3	0.51	(0.01)	42,500	-
UNIQ23C1901A	-	-	-	-	GSTEL-W1	-	-	-	-	NDR-W1	0.06	-	4,352	-
UNIQ24C1811A	-	-	-	-	GSTEL-W2	-	-	-	-	NEWS-W4	-	-	-	-
UNIQ28C1809A	-	-	-	-	IEC-W2	-	-	-	-	NEWS-W6	-	-	-	-
UNIQ28C1811A	-	-	-	-	IHL-W1	5.00	-	615	5.00	PHOL-W1	0.03	-	54,612	-
UV01C1902A	0.57	(0.43)	8,236	-	ITD-W1	0.09	(0.01)	46,405	-	PIMO-W1	2.30	(0.04)	1,375	2.00
UV01C1902B	0.46	(0.54)	4,760	-	JAS-W3	1.98	0.02	19,267	2.00	PPS-W1	0.76	0.04	418	-
UV06C1812A	0.35	0.02	12,201	-	JCK-W5	-	-	-	-	PSTC-W1	0.23	-	104,437	-
UV13C1812A	0.37	0.01	94,398	-	JMART-W2	1.58	(0.01)	2,896	1.00	SIMAT-W2	-	-	-	-
UV19C1902A	0.43	(0.01)	4,500	-	JMT-W2	2.26	2.26	567,570	2.00	SIMAT-W3	0.54	-	423	-
UV23C1809A	-	-	-	-	MIDA-W2	0.01	(0.01)	13,732	-	SIMAT-W4	1.26	0.02	970	1.00
UV24C1812A	-	-	-	-	MILL-W3	0.02	(0.01)	20,540	-	SKY-W1	-	-	-	-
VGI01C1812A	0.71	(0.05)	30,943	-	MILL-W4	0.29	-	3,083	-	STAR-W3	1.90	(0.03)	1,415	1.00
VGI06C1904A	6.55	(0.05)	6	6.00	MILL-W5	0.24	0.03	135,893	-	TAKUNI-W	0.19	-	2,071	-
VGI06C1904B	-	-	-	-	ML-W2	0.02	-	535	-	TAPAC-W3	2.94	-	145,742	3.00
VGI06C1904C	-	-	-	-	MONO-W1	0.46	(0.01)	45,715	-	TMILL-W1	1.22	(0.07)	34,385	1.00

Main Board Quotation

Issue Date :

Tuesday September 11, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VGI08C1811A	0.59	(0.04)	26,270	-	NEP-W3	-	-	-	-	TSF-W4	-	-	-	-
VGI23C1905A	1.42	0.06	1,000	1.00	NOK-W1	0.51	0.02	7	-	TSF-W5	-	-	-	-
VGI23C1911A	1.38	-	1	1.00	NUSA-W3	0.14	0.04	55	-	TVD-W2	0.56	(0.02)	4,195	-
VGI27C1812A	0.37	-	1,200	-	NVD-W1	0.57	0.01	151,800	-	UAC-W2	0.74	-	4,110	-
VGI28C1810A	0.35	(0.02)	7,000	-	ORI-W1	2.24	(0.10)	1,600	2.00	UKEM-W2	0.48	(0.01)	499	-
WHA01C1812A	0.52	(0.03)	12,665	-	PACE-W2	0.20	(0.01)	64,115	-	UWC-W2	-	-	-	-
WHA01C1812B	0.40	(0.02)	11,655	-	PDI-W1	1.21	0.01	55,004	1.00	XO-W1	6.20	(0.15)	1,315	6.00
WHA01P1812A	0.58	0.03	10,939	-	PDJ-W2	1.41	(0.01)	14	1.00	Preferred Shares	-	-	-	-
SGF-P1	-	-	-	-	-	-	-	-	-	-	-	-	-	-