

Main Board Quotation

Issue Date :

Friday September 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.50	0.10	24,879	10.61	SE-ED	3.14	0.02	67	3.10
POMPUI	-	-	-	-	ILINK	5.10	(0.05)	838	5.12	SMM	0.89	(0.01)	1,031	0.90
SAFARI	-	-	-	-	INET	3.90	(0.02)	1,758	3.92	SPORT	0.40	-	635	0.39
VI	-	-	-	-	INTUCH	55.00	(0.25)	38,416	55.04	TBSP	15.30	-	20	15.30
WORLD	-	-	-	-	JAS	5.65	-	790,294	5.70	TH	0.73	0.03	440	0.72
WR	-	-	-	-	JASIF	10.30	-	77,504	10.33	TKS	11.30	(0.10)	28,812	11.44
Agribusiness					JMART	9.45	0.15	10,497	9.45	TRITN	0.41	0.01	1,278,032	0.41
CHOTI	141.50	(3.50)	23	141.72	JTS	1.62	0.01	4,692	1.62	VGI	8.10	(0.05)	305,017	8.08
EE	0.67	-	24,332	0.67	MFEC	3.36	-	1,751	3.36	WAVE	2.66	0.02	1	2.66
GFPT	14.10	(0.40)	68,190	14.36	MSC	6.50	-	289	6.40	WORK	38.25	1.50	140,444	37.78
LEE	2.74	(0.04)	4,068	2.74	PT	6.55	0.05	6,044	6.55	Finance & Securities				
STA	13.00	0.80	139,610	12.70	SAMART	8.00	-	103,175	8.05	AEC	0.49	(0.01)	2,007	0.49
TLUXE	5.50	(0.10)	329	5.50	SAMTEL	8.80	0.35	3,324	8.85	AEONTS	180.00	-	5,960	180.02
TRUBB	1.79	0.03	6,473	1.78	SDC	0.34	0.02	718,444	0.37	AMANAHA	2.02	(0.02)	119,888	2.03
TWPC	8.80	-	2,142	8.80	SIS	9.05	0.05	1,392	9.03	ASAP	6.30	0.25	117,603	6.28
UPOIC	4.20	-	269	4.21	SVOA	1.40	(0.01)	18,514	1.40	ASK	23.30	-	1,949	23.34
UVAN	6.80	-	2,624	6.82	SYMC	5.45	(0.05)	51	5.45	ASP	3.84	0.02	16,542	3.82
VPO	0.65	0.01	583	0.65	SYNEX	14.20	0.40	33,058	14.04	BFIT	28.00	(0.25)	2,354	28.23
Banking					THCOM	10.10	0.35	44,796	9.98	CGH	1.07	0.01	2,329	1.06
BAY	40.25	(0.25)	2,240	40.51	TRUE	5.80	0.05	832,538	5.80	CNS	2.56	-	754	2.56
BBL	209.00	-	58,718	210.16	TWZ	0.13	-	29,058	0.13	ECL	2.00	0.09	276,519	1.97
CIMBT	0.85	(0.01)	29,558	0.85	Electronic Componer					FNS	4.10	-	746	4.10
KBANK	217.00	3.00	58,659	216.56	CCET	1.97	0.03	8,577	1.96	FSS	2.34	(0.02)	2,324	2.34
KKP	75.50	-	36,874	75.32	DELTA	69.75	(0.25)	12,325	69.60	GBX	0.67	0.01	854	0.66
KTB	20.00	0.30	803,963	19.91	EIC	0.05	(0.01)	7,896	0.05	GL	7.25	0.10	27,748	7.22
LHFG	1.59	(0.01)	46,193	1.59	HANA	40.50	(0.25)	29,992	40.76	IFS	3.02	(0.02)	470	3.05
SCB	149.50	-	88,203	149.42	KCE	45.75	(0.50)	45,378	45.84	JMT	12.50	0.10	14,339	12.54
TCAP	53.75	-	60,939	54.01	METCO	200.00	1.00	5	200.00	KCAR	12.80	-	574	12.80
TISCO	81.75	(0.75)	52,364	82.00	SMT	2.30	-	9,279	2.32	KGI	4.42	0.02	28,840	4.42
TMB	2.20	0.02	2,703,719	2.20	SPPT	3.54	-	93	3.54	KTC	32.75	0.25	167,805	32.84
Construction Materia					SVI	5.70	-	42,742	5.73	MBKET	12.90	-	2,675	12.90
CCP	0.42	-	4,388	0.41	TEAM	1.15	(0.01)	7,079	1.16	MFC	16.20	0.20	719	16.16
COTTO	3.02	0.06	71,530	3.00	Energy & Utilities					ML	1.05	(0.01)	1,884	1.05
DCC	2.52	(0.04)	211,228	2.55	ABPIF	8.40	0.05	1,490	8.36	MTC	42.50	0.50	136,841	42.17
DCON	0.57	0.01	6,645	0.56	AI	-	-	-	-	PE	0.23	-	118	0.23
DRT	5.70	0.05	901	5.69	AKR	1.02	-	33,590	1.02	PL	3.50	(0.02)	1,852	3.50
EPG	9.35	0.25	194,681	9.28	BAFS	34.00	0.25	1,415	34.09	S11	7.60	0.10	2,479	7.54
GEL	0.35	-	54,129	0.35	BANPU	19.30	0.10	356,745	19.30	SAWAD	46.25	(0.25)	136,234	46.49
PPP	3.52	0.02	453	3.49	BCP	35.75	0.75	68,844	35.28	THANI	7.85	(0.05)	43,436	7.88
Q-CON	5.25	(0.05)	254	5.26	BCPG	19.50	0.80	246,226	19.22	TK	11.60	0.10	514	11.47
RCI	3.56	0.06	14,606	3.52	BGRIM	27.50	0.75	281,055	27.52	TNITY	6.00	-	87	5.96
SCC	444.00	2.00	15,515	444.33	BPP	24.60	(0.10)	19,854	24.76	UOBKH	4.34	(0.08)	35	4.34
SCCC	250.00	-	638	248.97	BRRGIF	10.00	-	284	9.97	ZMICO	1.15	-	11,882	1.15
SCP	8.35	0.05	923	8.33	CKP	4.34	(0.02)	294,543	4.35	Food & Beverage				
SKN	4.60	-	2,475	4.60	DEMCO	3.98	0.02	19,974	4.02	APURE	1.52	-	24,353	1.53
TASCO	15.30	-	21,431	15.24	EA	44.75	2.50	620,544	43.79	ASIAN	8.95	(0.15)	47,610	9.05
TCMC	2.76	0.02	23,623	2.76	EARTH	-	-	-	-	BR	5.25	0.05	10,602	5.25
TOA	35.25	-	16,934	35.45	EASTW	11.00	-	5,717	11.00	BRR	6.65	(0.10)	2,826	6.64
TPIPL	1.84	-	53,122	1.84	EGATTIF	10.90	(0.10)	16,361	10.90	CBG	54.50	0.75	46,680	54.33
UMI	1.40	0.01	1,847	1.39	EGCO	239.00	3.00	27,544	238.71	CFRESH	4.52	(0.02)	265	4.51
VNG	7.80	0.05	489	7.76	ESSO	16.60	0.20	134,446	16.63	CM	4.24	-	818	4.26
WIIK	2.40	0.02	3,571	2.39	GLOW	90.75	(0.25)	11,239	90.83	CPF	25.75	(0.50)	255,248	25.89
Petrochemicals & Ch					GPSC	66.25	(0.50)	27,369	66.72	CPI	1.82	0.04	4,078	1.80
BCT	52.00	(0.25)	319	52.06	GULF	70.50	1.00	403,542	70.60	F&D	16.90	0.10	2	16.45
CMAN	3.18	0.06	53,431	3.18	GUNKUL	2.82	(0.02)	39,319	2.84	HTC	16.60	-	557	16.68
GC	5.10	-	1,457	5.07	IEC	-	-	-	-	ICHI	4.38	(0.02)	3,797	4.38
GGC	11.70	0.20	149,635	11.79	IFEC	-	-	-	-	KBS	4.26	(0.02)	481	4.27
GIFT	4.52	(0.06)	1,639	4.52	IRPC	6.85	-	1,030,285	6.88	KSL	3.32	-	47,647	3.30
IVL	58.00	-	156,333	58.23	LANNA	15.60	-	832	15.48	KTIS	5.80	-	307	5.79
NFC	11.30	-	756	11.41	MDX	4.58	(0.04)	1,871	4.59	LST	4.84	(0.06)	1,855	4.86
PATO	14.40	0.10	223	14.43	PTG	11.60	(0.10)	143,025	11.68	M	73.00	0.25	3,801	72.98
PMTA	14.00	-	31	13.98	PTT	51.75	(0.25)	486,766	51.89	MALEE	13.60	-	5,087	13.67
PTTGC	80.75	0.75	173,447	80.81	PTTEP	149.50	1.50	170,439	149.03	MINT	39.50	1.00	111,886	39.32
SUTHA	4.20	(0.04)	231	4.21	RATCH	51.25	0.25	16,304	51.41	OISHI	93.00	-	10	92.98
TCCC	34.75	(0.25)	53	34.93	RPC	0.52	0.01	4,685	0.52	PB	60.75	0.25	216	60.60
TPA	6.55	-	4	6.51	SCG	4.58	-	388	4.58	PM	8.60	(0.10)	13,181	8.61
UP	-	-	-	-	SCI	3.08	(0.02)	3,606	3.09	PRG	-	-	-	-
VNT	25.50	0.60	11,288	25.40	SCN	4.14	0.18	118,454	4.09	SAPPE	23.00	(0.10)	4,502	23.05
WG	162.00	1.00	2	162.00	SGP	12.40	(0.30)	337,769	12.62	SAUCE	21.90	-	157	22.00
YCI	-	-	-	-	SKE	1.27	0.02	8,033	1.26	SFP	-	-	-	-
Commerce					SOLAR	2.26	(0.02)	2,556	2.28	SNP	20.40	(0.10)	306	20.26
BEAUTY	11.10	(0.10)	889,940	11.20	SPCG	20.70	-	4,423	20.68	SORKON	72.50	0.25	16	72.52
BIG	1.74	-	39,651	1.74	SPRC	14.80	-	237,925	14.84	SSC	39.25	0.25	6	39.04
BJC	58.75	0.25	59,788	58.61	SUPER	0.74	-	917,997	0.74	SSF	8.30	(0.15)	90	8.26
COL	29.75	-	1,014	29.77	SUSCO	3.28	0.06	10,657	3.25	SST	5.80	-	205	5.82
COM7	19.40	-	38,130	19.48	TAE	2.20	0.04	2,475	2.19	TC	3.06	(0.02)	670	3.06
CPALL	68.50	-	546,413	68.46	TCC	0.40	-	24,611	0.40	TFG	4.18	0.02	12,664	4.19
CSS	2.12	(0.04)	91,000	2.16	TOP	86.00	1.50	75,872	85.57	TFMAMA	158.00	(0.50)	57	158.05
FN	2.84	0.06	14,196	2.83	TPIPP	6.65	0.10	219,854	6.57	TIPCO	9.10	-	6,079	9.13
FTE	2.34	-	17,914	2.34	TTW	12.30	-	26,792	12.33	TKN	15.70	(0.10)	49,227	15.76
GLOBAL	19.90	0.30	122,439	19.87	WHAUP	5.95	0.05	68,133	5.90	TU	17.30	(0.10)	71,203	17.44
HMPRO	14.60	(0.10)	120,286	14.69	WP	7.65	0.05	41,242	7.72	TVO	29.50	-	6,967	29.54
IT	4.20	(0.02)	1,420	4.22	Media & Publishing					Health Care Services				
KAMART	4.22	(0.02)	3,199	4.23	AMARIN	4.76	(0.02)	671	4.79	AHC	21.00	-	24	21.01
LOXLEY	2.18	(0.02)	14,824	2.19	AQUA	0.47	-	76,341	0.47	BCH	19.20	(0.10)	55,819	19.26
MAKRO	34.50	-	5,532	34.58	AS	1.17	(0.01)	110	1.17	BDMS	25.75	(0.50)	376,591	26.11
MC	12.90	(0.20)	4,703	12.92	BEC	7.15	0.15	300,426	7.23	BH	180.00	(1.00)	12,694	180.38
MEGA	36.75	0.75	10,471	36.40	EPCO	3.68	(0.08)	28,465	3.73	CHG	2.66	(0.02)	118,862	2.67
MIDA	0.61	0.01	2,359	0.60	FE	-	-	-	-	CMR	3.18	-	642	

Main Board Quotation

Main Board Quotation					Main Board Quotation					Issue Date : Friday September 14, 2018				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.70	(0.02)	4,220	2.72	MJD	3.48	0.02	148	3.46	CPT	2.04	(0.02)	42,184	2.04
Tourism & Leisure					MK	3.98	0.02	54,934	4.02	CRANE	2.80	(0.04)	1,721	2.79
ASIA	6.60	0.05	113	6.60	NCH	0.91	(0.01)	911	0.92	CTW	9.35	0.05	516	9.34
CENDEL	38.75	0.25	24,123	38.63	NNCL	1.76	-	7,628	1.77	FMT	-	-	-	-
CSR	-	-	-	-	NOBLE	12.90	(0.10)	929	12.92	HTECH	7.10	(0.05)	5,880	7.14
DTC	12.00	0.10	2,378	11.89	NUSA	0.33	-	48,151	0.33	KKC	1.67	0.01	440	1.66
ERW	7.85	(0.05)	19,392	7.89	NVD	4.08	(0.14)	5,439	4.16	PK	3.38	(0.02)	13,851	3.40
GRAND	1.01	0.02	10,077	1.01	ORI	18.00	-	47,057	18.07	SNC	14.50	(0.10)	3,104	14.54
LRH	39.00	-	61	39.02	PACE	0.62	(0.02)	216,766	0.63	TCJ	5.75	0.10	331	5.66
MANRIN	-	-	-	-	PF	1.01	-	382,138	1.01	VARO	7.00	-	20	7.00
OHTL	810.00	10.00	1	810.00	PLAT	8.00	(0.10)	5,685	8.00	Property Fund & REI	-	-	-	-
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.80	0.10	296	10.75
SHANG	75.25	-	3	75.25	PRECHA	1.35	(0.01)	221	1.36	AMATAR	10.70	-	1,412	10.70
Home & Office Prod.					PRIN	1.61	0.01	28,923	1.60	B-WORK	11.20	0.10	1,122	11.11
ACC	0.43	(0.01)	2,378	0.44	PRINC	5.30	(0.20)	10,110	5.33	BKKCP	12.50	0.10	15	12.50
AJA	0.38	(0.02)	23,074	0.39	PSH	20.50	-	10,911	20.58	BOFFICE	13.70	-	61	13.77
DTCI	-	-	-	-	QH	3.50	-	643,768	3.49	CPNCG	15.90	0.10	612	15.95
FANCY	0.89	-	3,963	0.89	RICHY	1.79	(0.01)	20,470	1.80	CPNREIT	27.25	0.25	5,428	27.15
KYE	416.00	6.00	284	414.01	RML	1.30	0.03	119,977	1.32	CPTGF	13.30	(0.10)	1,569	13.40
L&E	2.66	-	150	2.66	ROJNA	5.20	(0.05)	12,506	5.19	CRYSTAL	10.30	-	1,503	10.30
MODERN	4.40	0.02	4,075	4.38	S	3.34	(0.08)	219,744	3.38	CTARAF	4.76	(0.02)	789	4.76
OGC	37.25	-	16	37.27	SAMCO	2.10	(0.02)	206	2.11	DREIT	5.50	-	795	5.50
ROCK	-	-	-	-	SC	3.48	(0.04)	48,541	3.50	ERWPF	5.65	-	600	5.63
SIAM	2.50	(0.02)	46,656	2.52	SENA	3.76	0.02	5,069	3.75	FUTUREPF	22.40	-	284	22.40
TSR	2.38	(0.02)	2,825	2.40	SF	9.00	0.15	133,164	9.00	GAHREIT	9.60	0.10	11	9.59
Insurance					SIRI	1.62	-	193,573	1.62	GLANDRT	13.40	-	1,364	13.50
AYUD	38.50	-	89	38.49	SPALI	24.70	0.40	72,660	24.72	GOLDFP	7.20	-	1,011	7.20
BKI	350.00	-	16	349.88	TICON	16.80	0.30	1,131	16.90	GVREIT	16.00	0.20	1,048	16.00
BLA	31.50	(0.25)	4,880	31.62	U	0.03	-	2,800,441	0.03	HPF	5.40	-	3	5.40
BUI	-	-	-	-	UV	8.30	0.10	54,124	8.25	HREIT	6.80	-	3,079	6.80
CHARAN	32.75	0.25	7	32.57	WHA	4.08	0.02	802,501	4.08	IMPACT	19.20	-	5,980	19.08
INSURE	-	-	-	-	WIN	0.64	-	1,481	0.63	KPNPF	9.50	0.10	132	9.49
MTI	107.50	0.50	38	107.01	Paper & Printing Mat	-	-	-	-	LHHOTEL	16.10	-	1,360	16.10
NKI	-	-	-	-	UTP	11.20	-	8,482	11.29	LHPF	8.35	-	1,598	8.30
NSI	80.00	(0.25)	17	80.71	Fashion	-	-	-	-	LHSC	16.50	-	193	16.47
SMK	40.00	(0.50)	62	40.01	AFC	9.15	-	12	9.15	LUXF	8.55	-	578	8.50
THRE	1.11	-	5,536	1.12	BTNC	-	-	-	-	M-II	8.90	0.10	1,860	8.90
THREL	8.20	0.05	2,266	8.15	CPH	5.70	-	1	5.70	M-PAT	10.00	-	47	10.00
TIC	44.25	-	13	43.56	CPL	-	-	-	-	M-STOR	10.30	-	3	10.17
TIP	24.70	-	1,408	24.63	DIGI	0.28	(0.01)	7,545	0.28	MIPF	-	-	-	-
TSI	0.44	(0.02)	143	0.44	ICC	39.50	0.25	23	39.48	MIT	-	-	-	-
TVI	3.50	-	2	3.50	LTX	103.50	1.00	263	102.89	MJLF	12.60	(0.10)	1,002	12.60
Mining					NC	-	-	-	-	MNIT	-	-	-	-
PDI	13.50	-	9,296	13.55	PAF	0.89	0.01	208	0.89	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.66	(0.04)	554	2.64	MNRF	-	-	-	-
Packaging					PG	7.00	-	48	7.00	MONTRI	6.00	(0.05)	1,985	6.00
AJ	10.50	0.10	3,287	10.59	SABINA	36.50	0.50	605	36.08	POPF	13.90	0.10	5,490	13.80
ALUCON	191.00	-	5	190.20	SAWANG	-	-	-	-	PPF	11.30	-	1,000	11.30
CSC	46.25	-	6	46.25	SUC	45.00	-	614	45.14	QHR	8.45	-	5,635	8.48
NEP	0.35	(0.01)	575	0.35	TNL	-	-	-	-	QHOP	3.56	0.06	1	3.56
NPPG	1.10	-	4,187	1.09	TPCORP	-	-	-	-	QHFP	12.70	-	6,392	12.70
PTL	16.60	0.30	11,297	16.51	TR	47.75	0.25	52	47.75	SBPF	2.98	(0.08)	37	3.00
SITHAI	1.25	(0.02)	5,819	1.25	TTI	-	-	-	-	SHREIT	9.60	0.05	2,007	9.57
SLP	0.95	0.01	2,884	0.95	TTL	-	-	-	-	SIRIP	11.10	(0.20)	2	11.10
SMPC	13.60	(0.10)	2,136	13.65	TTTM	181.00	-	32	181.05	SPF	24.50	-	591	24.49
SPACK	-	-	-	-	UPF	-	-	-	-	SRIPANWA	11.20	0.10	91	11.10
TCOAT	30.00	0.75	1	30.00	UT	-	-	-	-	SSPF	10.00	-	31	10.00
TFI	0.28	(0.01)	1,936	0.27	WACOAL	46.00	-	15	46.00	SSTPF	6.45	(0.05)	271	6.49
THIP	34.00	0.75	69	33.85	Transportation & Log	-	-	-	-	SSTRT	-	-	-	-
TMD	21.10	(0.30)	206	21.12	AAV	4.26	(0.02)	85,113	4.28	TIF1	8.70	-	1,058	8.70
TOPP	-	-	-	-	AOT	64.50	-	195,108	64.75	TLGF	20.10	(0.10)	5,081	20.10
TPBI	8.15	0.10	41	8.15	ASIMAR	2.64	-	1,663	2.65	TLHPF	11.10	-	124	11.04
TPP	16.90	(0.50)	116	16.32	B	0.63	0.01	2,272	0.63	TNPF	3.60	-	1,111	3.60
Personal Products &					BA	12.80	0.10	8,453	12.77	TPRIME	13.80	0.30	38	13.80
APCO	4.38	-	369	4.36	BEM	8.40	-	122,202	8.41	TREIT	12.10	-	11,768	12.11
DDD	50.00	(0.25)	4,658	50.03	BTS	9.20	(0.05)	304,786	9.24	TTLPF	23.10	(0.20)	24	23.10
JCT	89.00	-	1	89.00	BTSGIF	12.40	0.10	86,421	12.31	TU-PF	-	-	-	-
OCC	-	-	-	-	III	6.50	0.05	15,328	6.49	URBNPF	3.62	0.02	752	3.58
S & J	-	-	-	-	JUTHA	1.77	(0.01)	224	1.77	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	7.70	(0.05)	19,791	7.73	WHART	10.50	0.10	3,082	10.49
TNR	13.90	(0.10)	28	13.93	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.74	0.02	110	4.74	NOK	2.40	0.04	7,717	2.38	AMC	2.52	0.02	824	2.50
Professional Service					NYT	5.15	(0.05)	2,370	5.15	BSBM	1.14	0.01	2,946	1.14
BWG	1.06	0.01	319,321	1.06	PRM	7.80	0.05	85,771	7.81	CEN	1.33	-	5,230	1.34
GENCO	0.79	-	2,706	0.79	PSL	12.30	-	14,658	12.22	CITY	2.72	0.02	130	2.71
PRO	-	-	-	-	RCL	5.65	0.05	1,114	5.61	CSP	1.41	-	251	1.40
TEAMG	2.46	0.10	282,233	2.44	THAI	13.10	(0.10)	20,613	13.24	GJS	0.25	-	5,937	0.25
Property Developme					TSTE	7.20	(0.05)	258	7.24	GSTEL	-	-	-	-
A	6.70	-	401	6.70	TTA	7.00	0.05	14,440	7.02	INOX	1.21	0.01	2,495	1.21
AMATA	21.80	0.40	380,481	21.60	WICE	4.72	-	17,990	4.71	LHK	4.96	(0.02)	720	4.97
AMATAV	6.00	0.10	3,334	5.95	Automotive	-	-	-	-	MAX	0.02	-	303,888	0.02
ANAN	5.25	0.15	251,962	5.23	AH	31.50	0.25	4,351	31.27	MCS	7.30	0.05	13,269	7.29
AP	9.50	0.05	76,627	9.50	APCS	5.20	0.05	1,453	5.07	MILL	1.72	0.01	42,098	1.72
APEX	0.20	-	20,745	0.19	BAT-3K	-	-	-	-	PAP	4.10	0.02	892	4.08
AQ	0.03	0.01	62,077	0.03	CWT	3.00	0.14	33,224	2.96	PERM	2.36	-	1,577	2.38
BLAND	1.80	(0.01)	456,999	1.80	EASON	2.38	0.04	6,337	2.36	RICH	-	-	-	-
BROCK	2.32	(0.02)	721	2.32	GYT	384.00	(2.00)	2	384.00	SAM	0.70	0.01	10,108	0.69
CGD	1.34	0.01	20,928	1.33	HFT	3.18	-	1,401	3.18	SMIT	5.90	-	847	5.87
CI	1.62	-	18	1.62	IHL	9.00	0.10	9,070	9.00	SSI	-	-	-	-
CPN	82.50	(0.25)	42,621	82.62	INGRS	0.67	(0.08)	240,721	0.69	SSSC	3.02	-	676	3.02
ESTAR	0.64	0.01	4,181	0.64	IRC	20.70	(0.10)	168	20.96	TGPRO	0.14	-	91,420	0.14
EVER	0.40	-	46,900	0.40	PCSGH	6.90	(0.05)	2,919	6.92	THE	3.46	0.06	114,065	3.45
GLAND	3.06	-	261,410	3.06	SAT	23.20	-	6,819	23.08	TIW	246.00	(23.00)	104	248.98
GOLD	10.70	0.40	121,058	10.65	SPG	14.00	-	29	14.00	TMT	14.40	(0.10)	720	14.49
GREEN	1.23	-	5,877	1.23	STANLY	266.00	1.00	45	265.69	TSTH	0.78	0.03	34,565	0.78
J	1.66	0.03	417	1.64	TKT	1.70	(0.01)	275	1.71	TWP	3.90	0.02	212	3.90
JCK	1.47	(0.02)	2,534	1.47	TNPC	1.47	-	45	1.47	TYCN	2.94	-	387	2.94
KC	-	-	-	-	TRU	4.60	-	831	4.51	Construction Service</				

Main Board Quotation

Issue Date :

Friday September 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TSE	3.08	-	1,196	3.00	ADVA01P1902A	0.63	0.02	21,877	-
ABICO	7.25	(0.15)	719	7.00	UMS	0.80	0.06	2,217	-	ADVA01P1902B	0.45	0.02	36,060	-
AU	7.90	0.20	95,297	7.00	UWC	0.07	-	26,872	-	ADVA06C1809A	0.41	(0.07)	17,462	-
FC	0.26	0.01	2,758	-	Services (MAI)	-	-	-	-	ADVA08C1809A	-	-	-	-
JCKH	1.16	(0.01)	826	1.00	ADAM	-	-	-	-	ADVA08P1809A	-	-	-	-
KASET	2.18	0.02	3,969	2.00	AKP	1.59	0.01	1,133	1.00	ADVA11C1905A	0.23	(0.01)	21,600	-
MM	3.90	(0.06)	101	3.00	AMA	6.15	0.20	33,289	6.00	ADVA11P1905A	0.29	-	27,170	-
SUN	3.40	0.12	21,371	3.00	ARIP	0.50	-	1,626	-	ADVA13C1809A	-	-	-	-
TACC	4.04	0.02	2,305	4.00	ATP30	1.73	-	18,875	1.00	ADVA13C1811A	0.47	(0.05)	189,972	-
TMILL	3.28	(0.04)	3,295	3.00	AUCT	6.40	0.05	4,897	6.00	ADVA13C1901A	0.29	(0.01)	40,173	-
XO	10.30	(0.20)	1,841	10.00	BOL	1.92	-	616	1.00	ADVA13P1809A	-	-	-	-
Consumer Products														
BGT	1.00	-	85	1.00	CHUO	-	-	-	-	ADVA16C1812A	0.51	(0.01)	700	-
BIZ	2.76	(0.02)	365	2.00	CMO	1.51	0.01	2,091	1.00	ADVA19C1901A	0.59	(0.02)	19,389	-
DOD	13.50	(0.10)	42,503	13.00	D	10.90	-	3,995	10.00	ADVA23C1902A	0.40	(0.03)	26,000	-
ECF	8.70	0.15	102,294	8.00	DCORP	2.76	(0.02)	3,453	2.00	ADVA24C1810A	-	-	-	-
HPT	1.04	(0.01)	2,923	1.00	DNA	0.58	(0.02)	85,240	-	ADVA24C1905A	-	-	-	-
JUBILE	18.30	0.10	1,502	18.00	EFORL	0.07	-	124,026	-	ADVA24P1810A	-	-	-	-
MOONG	6.50	0.20	19,323	6.00	ETE	1.99	0.03	36,629	1.00	ADVA27C1902A	0.29	(0.02)	10,000	-
NPK	25.50	(0.25)	201	25.00	FSMART	8.80	(0.15)	5,246	8.00	ADVA28C1811A	0.40	(0.04)	25,218	-
OCEAN	1.80	-	9,304	1.00	FVC	1.07	0.02	7,379	1.00	ADVA28C1901A	0.18	(0.01)	165,622	-
TM	2.02	0.02	721	2.00	HARN	2.60	0.02	549	2.00	ADVA28P1810A	-	-	-	-
Financials (MAI)														
ACAP	6.55	(0.15)	14,679	6.00	JKN	10.80	-	17,092	10.00	ADVA42C1903A	0.27	(0.01)	16,320	-
AF	0.71	-	916	-	KIAT	0.49	(0.01)	14,009	-	AMAT01C1810A	0.88	0.06	299,969	-
AIRA	2.02	0.02	1,132	2.00	KOOL	1.83	-	20,673	1.00	AMAT01C1810B	0.47	0.04	245,525	-
ASN	3.62	0.04	167	3.00	LDC	1.20	0.02	2,534	1.00	AMAT01P1810A	0.71	(0.06)	31,503	-
BROOK	0.54	-	38,193	-	MPG	0.15	(0.01)	7,778	-	AMAT06C1809A	-	-	-	-
CHAYO	5.40	0.25	347,963	5.00	MVP	3.12	0.18	269,180	3.00	AMAT08C1809A	-	-	-	-
GCAP	3.98	0.08	9,558	3.00	NBC	0.72	0.04	830	-	AMAT08C1903A	0.57	0.05	65,622	-
LIT	8.40	(0.05)	1,661	8.00	NCL	1.74	0.01	8,539	1.00	AMAT11C1903A	0.39	0.03	14,903	-
SGF	2.14	0.12	1,304,003	2.00	NEWS	0.01	-	115,558	-	AMAT13C1809A	-	-	-	-
Industrials (MAI)														
2S	3.18	0.06	1,559	3.00	NINE	2.22	0.02	8,007	2.00	AMAT13C1812A	0.50	0.03	649,130	-
ADB	1.15	(0.01)	813	1.00	OTO	3.22	0.58	345,368	3.00	AMAT19C1811A	0.19	0.02	23,159	-
BM	3.30	0.02	19,698	3.00	PHOL	2.20	(0.02)	1,252	2.00	AMAT19C1902A	0.69	0.05	47,331	-
CHO	1.21	0.01	3,455	1.00	PICO	4.66	-	95	4.00	AMAT23C1810A	0.13	0.01	35,001	-
CHOW	4.80	0.12	2,160	4.00	PORT	6.80	(0.15)	5,691	6.00	AMAT24C1811A	-	-	-	-
CIG	0.37	-	703	-	QLT	4.40	0.02	727	4.00	AMAT27C1902A	0.79	0.05	11,255	-
COLOR	1.31	0.01	4,565	1.00	RP	3.10	0.06	23,218	3.00	ANANO1C1810A	1.31	0.15	16,625	1.00
CPR	5.85	0.05	3,641	5.00	SE	2.06	0.07	46,096	2.00	ANANO1C1810B	1.07	0.23	11,825	1.00
FPI	2.38	-	962	2.00	SPA	15.80	-	7,493	15.00	ANAN08C1810A	1.16	0.16	3,172	1.00
GTB	0.65	(0.01)	3,040	-	THMUI	1.73	0.01	32,113	1.00	ANAN08C1906A	0.32	0.04	61,707	-
KCM	1.25	(0.01)	24,046	1.00	TNDT	4.90	0.08	324	4.00	ANAN13C1901A	0.23	0.02	89,791	-
LVT	-	-	-	-	TNH	41.00	-	467	40.00	ANAN19C1811A	0.68	0.13	5,445	-
MBAX	4.00	-	342	4.00	TNP	1.83	0.02	1,910	1.00	ANAN23C1901A	-	-	-	-
MGT	2.12	(0.04)	1,784	2.00	TSF	0.04	0.01	126,447	-	ANAN24C1811A	-	-	-	-
NDR	2.24	(0.02)	217	2.00	TVD	1.50	0.03	4,084	1.00	AOT01C1810A	0.18	(0.01)	80,824	-
PDG	3.60	0.02	176	3.00	TVT	1.02	(0.01)	1,872	1.00	AOT01C1902A	0.50	0.01	83,439	-
PIMO	4.24	0.02	1,554	4.00	WINNER	3.44	-	2,072	3.00	AOT01C1902B	0.33	-	227,954	-
PJW	1.92	(0.02)	13,502	1.00	Technology (MAI)	-	-	-	-	AOT01P1902A	0.87	0.01	46,063	-
PPM	1.89	(0.01)	1,294	1.00	COMAN	3.36	-	5,552	3.00	AOT01P1902B	0.56	0.01	82,546	-
RWI	1.65	0.01	2,196	1.00	ICN	2.30	-	5,661	2.00	AOT06C1809A	0.01	-	4	-
SALEE	1.16	-	3,929	1.00	IRCP	0.98	0.02	6,654	-	AOT06C1903A	0.41	(0.03)	74,982	-
SANKO	1.40	-	19,700	1.00	ITEL	3.34	0.06	16,058	3.00	AOT06P1903A	0.53	0.01	26,838	-
SELIC	2.04	-	2,060	2.00	NETBAY	32.25	(0.50)	1,355	32.00	AOT07C1902A	0.43	(0.01)	504	-
SWC	23.40	1.30	1,831	23.00	PLANET	1.55	-	63	1.00	AOT08C1901A	0.26	-	46,492	-
TMC	0.89	0.01	450	-	SIMAT	2.14	0.02	7,928	2.00	AOT08P1903A	0.54	-	23,765	-
TMI	0.80	(0.01)	5,936	-	SKY	13.80	(0.10)	5,069	13.00	AOT11C1906A	0.34	-	28,902	-
TMW	67.25	-	137	67.00	SPVI	1.59	(0.03)	116,824	1.00	AOT11P1906A	0.40	-	21,320	-
TPAC	13.10	0.10	3,316	12.00	UPA	0.56	0.02	106,921	-	AOT13C1811A	0.10	(0.01)	10,711	-
TPLAS	2.16	(0.02)	108,455	2.00	VCOM	3.40	(0.02)	3,050	3.00	AOT13C1812A	0.23	-	149,678	-
UAC	4.58	0.02	637	4.00	Unit Trust					AOT13C1902A	0.45	(0.55)	41,011	-
UBIS	4.64	-	243	4.00	MGE	-	-	-	-	AOT13P1810A	0.20	(0.01)	35,331	-
UEC	1.54	-	1,240	1.00	SCBSET	-	-	-	-	AOT13P1812A	0.12	-	60,778	-
UKEM	0.90	0.01	20,166	-	ETF	-	-	-	-	AOT19C1809A	-	-	-	-
UREKA	0.88	0.03	61,537	-	1DIV	13.85	(0.14)	3	13.00	AOT19C1901A	0.36	(0.01)	98,768	-
YUASA	16.60	(0.30)	123	16.00	ABFTH	-	-	-	-	AOT24C1811A	-	-	-	-
ZIGA	3.48	(0.04)	106,807	3.00	BMSCG	9.30	0.05	385	9.00	AOT24C1901A	-	-	-	-
Property & Construc														
ARROW	8.90	(0.05)	335	8.00	BMSCITH	12.90	0.03	8,456	12.00	AOT24P1809A	-	-	-	-
BKD	3.16	(0.02)	10,367	3.00	BSET100	11.08	0.02	1,543	11.00	AOT24P1903A	0.46	-	268	-
BSM	0.77	-	37,759	-	CHINA	5.01	(0.04)	716	5.00	AOT27C1902A	0.44	-	30,982	-
BTW	1.82	-	2,632	1.00	EBANK	5.97	0.01	11	5.00	AOT27P1903A	0.69	0.01	38,740	-
CHEWA	1.34	0.02	146,730	1.00	ECOMM	-	-	-	-	AOT28C1812A	0.20	(0.01)	76,511	-
CRD	1.10	0.01	1,360	1.00	EFOOD	5.80	(0.05)	11	5.00	AOT28C1901A	0.17	-	210,760	-
DIMET	1.04	0.01	3,731	1.00	EICT	-	-	-	-	AOT28P1812A	0.23	(0.01)	29,975	-
FLOYD	2.20	-	5,773	2.00	ENGY	6.60	0.04	71	6.00	AOT42C1903A	-	-	-	-
FOCUS	1.11	(0.01)	2,204	1.00	ENY	7.89	0.23	1	7.00	AP01C1809A	0.58	0.03	9,050	-
HYDRO	1.18	0.03	3,782	1.00	ESET50	5.92	0.18	7	5.00	AP01C1809B	0.03	(0.01)	15,625	-
JSP	0.57	0.01	9,420	-	GLD	1.70	0.01	494	1.00	AP08C1810A	0.40	0.01	3,560	-
K	3.04	0.16	2,823	3.00	TDEX	11.24	0.14	3,339	11.00	AP19C1902A	0.41	0.01	10,631	-
META	2.10	0.02	97,460	2.00	TGDELTF	3.68	-	146	3.00	AP23C1901A	-	-	-	-
PPS	1.05	0.07	152,047	1.00	TH100	5.09	-	1	5.00	AP24C1901A	-	-	-	-
SMART	0.95	(0.02)	5,095											

Main Board Quotation

Main Board Quotation					Main Board Quotation					Issue Date : Friday September 14, 2018				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP19C1811A	0.09	-	8,223	-	BEAU24C1902A	0.06	-	43	-	BTS23C1905A	-	-	-	-
BANP19C1902A	0.42	-	39,164	-	BEAU27C1903A	0.31	(0.02)	29,900	-	BTS24C1901A	-	-	-	-
BANP23C1901A	0.13	-	2,000	-	BEAU28C1810A	-	-	-	-	BTS28C1811A	-	-	-	-
BANP24C1812A	-	-	-	-	BEAU28C1811A	-	-	-	-	BTS28C1902A	0.20	-	37,984	-
BANP24P1901A	-	-	-	-	BEC01C1812A	0.10	0.01	68,718	-	BTS42C1901A	0.19	-	4,008	-
BANP27C1809A	-	-	-	-	BEC01C1812B	0.09	0.01	12,622	-	BTS42P1901A	0.26	-	4,016	-
BANP28C1810A	0.06	-	1,000	-	BEC08C1809A	-	-	-	-	CBG01C1809A	0.01	-	5	-
BANP28C1902A	0.24	-	13,681	-	BEC13C1811A	0.02	-	4,035	-	CBG01C1811A	0.55	0.02	184,756	-
BANP42C1903A	0.25	0.01	22,841	-	BEC13C1901A	0.11	0.01	98,294	-	CBG01C1811B	0.21	0.01	68,070	-
BANP42P1903A	0.53	(0.01)	32,028	-	BEC19C1809A	-	-	-	-	CBG01P1811A	0.67	(0.03)	68,971	-
BBL06C1902A	0.91	0.01	12,896	-	BEC23C1809A	-	-	-	-	CBG01P1811B	0.23	(0.02)	53,772	-
BBL08C1809A	0.03	-	6,026	-	BEC24C1809A	0.01	-	2	-	CBG06C1809A	-	-	-	-
BBL08C1902A	0.70	0.02	12,904	-	BEC24C1812A	0.03	-	1,000	-	CBG06C1903A	0.91	0.05	33,469	-
BBL08P1810A	0.01	(0.01)	6,825	-	BEC28C1811A	-	-	-	-	CBG06P1809A	0.38	(0.04)	18,056	-
BBL11C1903A	0.59	0.03	11,204	-	BEM01C1902A	0.39	-	6,850	-	CBG07C1812A	-	-	-	-
BBL11P1903A	0.21	(0.01)	19,295	-	BEM01C1902B	0.32	-	4,872	-	CBG08C1810A	-	-	-	-
BBL13C1810A	0.31	0.09	30	-	BEM01P1902A	0.44	-	2,876	-	CBG08C1902A	0.59	0.04	32,894	-
BBL13C1901A	0.33	-	68,933	-	BEM07C1903A	-	-	-	-	CBG11C1902A	0.15	-	11,600	-
BBL19C1901A	0.31	-	40,555	-	BEM08C1809A	0.13	(0.02)	1,600	-	CBG13C1811A	0.13	0.01	5,993	-
BBL23C1811A	0.27	0.02	25,000	-	BEM11C1903A	-	-	-	-	CBG13C1812A	0.31	0.03	209,094	-
BBL24C1809A	-	-	-	-	BEM13C1809A	-	-	-	-	CBG13C1901A	0.82	0.04	92,611	-
BBL24C1812A	0.79	0.05	25,000	-	BEM13C1901A	0.35	0.01	33,658	-	CBG19C1810A	-	-	-	-
BBL24C1902A	0.26	0.02	6	-	BEM19C1901A	0.35	-	4,006	-	CBG19C1901A	0.66	0.04	32,165	-
BBL24P1810A	-	-	-	-	BEM23C1901A	0.20	(0.01)	1,000	-	CBG23C1901A	0.15	0.01	15,000	-
BBL27C1809A	-	-	-	-	BEM24C1809A	-	-	-	-	CBG24C1809A	-	-	-	-
BBL28C1811A	-	-	-	-	BEM24C1902A	-	-	-	-	CBG24C1811A	-	-	-	-
BBL28C1901A	0.27	-	23,375	-	BGRI01C1901A	1.18	0.12	18,778	1.00	CBG24C1901A	0.72	(0.03)	4	-
BBL42C1903A	0.32	0.01	16,322	-	BGR01C1901B	1.00	0.13	19,133	-	CBG28C1811A	-	-	-	-
BCH01C1902A	0.49	(0.01)	16,181	-	BGR06C1903A	1.01	0.13	17,606	-	CBG28C1812A	0.46	0.01	49,845	-
BCH01C1902B	0.36	(0.03)	21,436	-	BGR07C1903A	0.31	0.07	1,113	-	CENT01C1810A	0.07	-	20,522	-
BCH01P1902A	0.45	-	18,985	-	BGR08C1902A	0.86	0.09	19,419	-	CENT01C1810B	-	-	-	-
BCH06C1811A	0.40	-	6,000	-	BGR11C1812A	-	-	-	-	CENT01P1810A	1.23	(0.01)	7,272	1.00
BCH08C1901A	0.57	(0.02)	13,040	-	BGR11C1812B	0.25	0.04	131,948	-	CENT06C1904A	0.18	-	19,072	-
BCH11C1905A	0.48	(0.02)	15,270	-	BGR19C1901A	0.71	0.06	5,650	-	CENT08C1809A	-	-	-	-
BCH13C1810A	0.23	(0.01)	29,015	-	BGR24C1901A	0.87	0.15	30,256	-	CENT08C1902A	0.18	-	5,162	-
BCH19C1809A	0.24	(0.02)	7,784	-	BGR24C1902A	0.31	0.05	1,200	-	CENT11C1904A	0.11	-	4,221	-
BCH19C1903A	0.58	0.01	5,064	-	BGR28C1812A	-	-	-	-	CENT13C1811A	-	-	-	-
BCH23C1811A	0.50	-	1,000	-	BGR28C1901A	0.19	0.02	108,145	-	CENT13C1902A	0.26	0.01	129,639	-
BCH24C1811A	0.22	(0.01)	180	-	BH01C1811A	0.52	(0.03)	20,037	-	CENT19C1901A	0.18	0.01	16,663	-
BCH27C1902A	0.74	(0.02)	4,500	-	BH01C1811B	0.09	-	116	-	CENT23C1902A	0.10	-	10,060	-
BCH28C1811A	0.42	(0.02)	10,559	-	BH01P1811A	1.25	0.02	11,770	1.00	CENT24C1810A	-	-	-	-
BCP01C1810A	0.23	0.03	75,096	-	BH07C1810A	-	-	-	-	CENT24C1901A	0.11	0.01	1	-
BCP01C1810B	-	-	-	-	BH08C1811A	-	-	-	-	CENT24C1902A	0.25	-	4,600	-
BCP01P1810A	0.33	(0.03)	20,626	-	BH08C1902A	0.50	(0.02)	15,216	-	CHG01C1809A	0.67	-	10,396	-
BCP08C1901A	0.26	0.03	33,276	-	BH11C1902A	0.05	(0.01)	1	-	CHG01C1809B	0.92	(0.08)	3,264	-
BCP11C1811A	0.07	-	299	-	BH11C1905A	0.60	(0.03)	5,490	-	CHG01P1809A	-	-	-	-
BCP13C1810A	0.03	(0.01)	12,800	-	BH13C1901A	0.53	(0.03)	16,422	-	CHG07C1902A	-	-	-	-
BCP13C1902A	0.26	0.02	120,414	-	BH19C1901A	0.52	(0.04)	16,810	-	CHG11C1904A	0.35	-	5,204	-
BCP19C1902A	0.25	0.01	14,161	-	BH24C1809A	-	-	-	-	CHG13C1809A	-	-	-	-
BCP24C1811A	-	-	-	-	BH24C1811A	-	-	-	-	CHG13C1812A	0.36	-	12,277	-
BCP24C1904A	-	-	-	-	BH24C1902A	0.45	0.02	27,120	-	CHG19C1902A	0.40	-	2,547	-
BCP28C1901A	0.23	0.02	25,422	-	BIG08C1906A	0.13	0.01	80	-	CHG23C1811A	-	-	-	-
BCPG01C1811A	0.45	0.07	90,159	-	BIG13C1901A	0.05	-	2,001	-	CHG24C1811A	-	-	-	-
BCPG01C1811B	0.16	0.04	72,786	-	BIG19C1811A	0.01	(0.01)	1,000	-	CHG28C1812A	0.37	(0.01)	17,791	-
BCPG06C1811A	0.23	0.05	26,978	-	BIG24C1812A	-	-	-	-	CK01C1809A	0.24	-	29,476	-
BCPG08C1810A	0.23	0.08	55,942	-	BJC01C1812A	0.74	-	22,795	-	CK01C1809B	0.08	(0.02)	32,916	-
BCPG11C1902A	0.16	0.03	6,677	-	BJC01C1812B	0.55	0.01	19,965	-	CK01P1809A	0.07	0.01	9,464	-
BCPG13C1810A	0.10	0.04	1,307	-	BJC01P1812A	0.29	(0.01)	20,998	-	CK08C1809A	0.15	(0.02)	1,572	-
BCPG13C1812A	0.50	0.10	327,952	-	BJC06C1901A	0.29	0.01	10,102	-	CK08C1901A	0.17	(0.01)	22,745	-
BCPG19C1901A	0.50	0.10	192,233	-	BJC07C1809A	-	-	-	-	CK11C1904A	0.20	(0.01)	15,688	-
BCPG23C1902A	0.41	0.07	56,900	-	BJC08C1809A	0.01	(0.03)	1,000	-	CK13C1809A	0.05	(0.01)	39,412	-
BCPG24C1810A	-	-	-	-	BJC08C1903A	0.46	0.01	27,248	-	CK13C1902A	0.27	-	113,627	-
BCPG27C1903A	0.41	0.05	12,000	-	BJC11C1905A	0.56	0.01	14,127	-	CK16C1812A	-	-	-	-
BCPG28C1812A	0.51	0.08	200,402	-	BJC13C1810A	0.09	0.04	300	-	CK19C1811A	0.14	-	62,428	-
BCPG28C1901A	0.29	0.07	329,904	-	BJC13C1812A	0.48	0.01	48,429	-	CK24C1901A	-	-	-	-
BDM501C1811A	0.19	(0.02)	78,069	-	BJC19C1809A	-	-	-	-	CK28C1812A	0.09	-	7,600	-
BDM501C1811B	0.05	(0.02)	53,052	-	BJC19C1902A	0.52	0.01	26,227	-	CK28C1902A	0.18	(0.01)	99,186	-
BDM501P1811A	0.28	0.03	50,650	-	BJC23C1901A	0.27	-	26,456	-	CKP01C1812A	0.56	-	54,694	-
BDM506C1811A	0.56	(0.13)	3,100	-	BJC24C1901A	0.47	0.10	360	-	CKP01C1812B	0.38	(0.01)	31,582	-
BDM508C1901A	0.13	(0.01)	10,582	-	BKC28C1812A	0.46	0.01	75,975	-	CKP08C1903A	0.54	0.02	27,666	-
BDM511C1811A	0.74	(0.11)	600	-	BLA01C1812A	0.16	-	10,316	-	CKP13C1810A	0.26	-	26,848	-
BDM511C1904A	0.11	-	1,030	-	BLA08C1811A	-	-	-	-	CKP13C1902A	0.51	(0.01)	23,978	-
BDM513C1810A	0.37	-	250	-	BLA13C1809A	-	-	-	-	CKP19C1902A	0.45	-	9,416	-
BDM513C1812A	0.10	(0.02)	121,285	-	BLA13C1902A	0.16	-	10,400	-	CKP23C1810A	0.31	(0.02)	1,300	-
BDM516C1812A	-	-	-	-	BLA28C1810A	-	-	-	-	CKP24C1811A	0.35	-	6,250	-
BDM519C1901A	0.25	(0.03)	16,961	-	BLAN01C1809A	0.48	(0.02)	7,169	-	CKP28C1902A	0.43	(0.01)	20,280	-
BDM523C1810A	0.35	(0.08)	1,000	-	BLAN01C1809B	-	-	-	-	COM701C1811A	0.62	-	9,292	-
BDM524C1811A	0.20	-	1,500	-	BLAN01P1809A	-	-	-	-	COM701C1811B	0.29	(0.01)	12,065	-
BDM524C1812A	-	-	-	-	BLAN08C1810A	0.09	(0.02)	13,404	-	COM706C1809A	0.15	(0.04)	3,201	-
BDM524C1905A	0.22	(0.02)	450	-	BLAN11C1902A	0.16	(0.01)	4,408	-	COM708C1811A	0.12	(0.01)	18,457	-
BDM527C1903A	0.16	(0.01)	2,000	-	BLAN19C1902A	0.21	-	4,000	-	COM711C1811A	0.43	(0.03)	2,400	-
BDM528C1811A	-	-	-	-	BPP01C1811A	0.20	(0.02)	4,874	-	COM713C1812A	0.34	-	23,946	-
BEAU01C1812A	0.09	(0.01)	120,795	-	BPP01C1811B	-	-	-	-	COM719C1811A	0.27	(0.01)	31,044	-
BEAU01C1812B	0.04	-	14,405	-	BPP01P1811A	0.45	(0.01)	11,494	-	COM719C1904A	0.58	-	2,143	-
BEAU01C1901A	0.43	(0.02)	232,600	-	BPP06C1809A	0.18	-	18,800	-	COM723C1901A	0.32	(0.03)	15,000	-
BEAU01C1901B	0.36	(0.02)	304,674	-	BPP08C1810A	0.09	-	1,080	-	COM724C1811A	-	-	-	-
BEAU01C1902A	1.13	(0.01)	91,999	1.00	BPP13C1811A	-	-	-	-	COM727C1902A	0.52	(0.02)	3,600	-
BEAU01C1902B	1.02	(0.02)	92,016	1.00	BPP13C1901A	0.17	-	60,838	-	COM728C1811A	0.28	(0.01)	36,503	-
BEAU01														

Main Board Quotation

Issue Date :

Friday September 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL19C1902A	0.44	-	65,657	-	EA28C1901A	0.50	0.09	234,627	-	INTU11C1905A	0.28	(0.01)	5,160	-
CPAL23C1810A	-	-	-	-	EGCO01C1809A	0.67	0.04	18,215	-	INTU11P1905A	0.35	0.02	515	-
CPAL24C1811A	-	-	-	-	EGCO08C1809A	-	-	-	-	INTU13C1810A	0.07	-	1	-
CPAL24C1901A	0.13	-	10,465	-	EGCO13C1809A	-	-	-	-	INTU13C1812A	0.33	(0.01)	97,786	-
CPAL24C1903A	0.37	-	185,652	-	EGCO19C1901A	0.47	0.04	15,712	-	INTU19C1901A	0.29	(0.01)	11,000	-
CPAL24P1901A	0.45	(0.01)	54,973	-	EGCO23C1811A	0.31	0.03	74,798	-	INTU24C1901A	-	-	-	-
CPAL27C1903A	0.41	0.01	14,018	-	EGCO24C1901A	0.34	0.04	1,100	-	INTU28C1901A	0.22	(0.01)	73,084	-
CPAL28C1811A	0.02	-	30	-	EPG01C1809A	0.28	0.05	58,357	-	IRPC01C1810A	0.17	-	82,729	-
CPAL28C1901A	0.32	-	190,994	-	EPG01P1809A	0.18	(0.07)	48,250	-	IRPC01C1810B	0.02	-	2	-
CPF01C1809A	0.86	(0.06)	26,719	-	EPG07C1811A	-	-	-	-	IRPC01P1810A	0.24	0.01	57,559	-
CPF01C1809B	0.02	-	220	-	EPG08C1810A	-	-	-	-	IRPC01P1810B	0.03	(0.01)	2,050	-
CPF01C1810A	0.21	(0.02)	88,514	-	EPG08C1810B	0.79	0.08	18,512	-	IRPC06C1811A	0.26	-	23,960	-
CPF01C1902A	0.26	(0.01)	202,824	-	EPG11C1903A	0.63	0.04	18,553	-	IRPC07C1812A	-	-	-	-
CPF01C1902B	0.18	(0.01)	19,020	-	EPG13C1811A	0.46	0.06	15,490	-	IRPC08C1902A	0.34	(0.01)	44,875	-
CPF01P1809A	0.08	0.01	35,786	-	EPG13C1902A	0.40	0.04	129,987	-	IRPC11C1902A	0.06	-	3,500	-
CPF01P1902A	0.40	0.01	98,649	-	EPG19C1902A	0.50	0.06	102,211	-	IRPC11C1905A	0.40	-	9,270	-
CPF01P1902B	0.31	-	97,366	-	EPG24C1810A	0.74	0.12	700	-	IRPC13C1811A	0.13	-	111,850	-
CPF06C1809A	0.34	(0.05)	14,800	-	EPG24C1902A	-	-	-	-	IRPC13C1812A	0.30	-	120,341	-
CPF07C1810A	-	-	-	-	EPG28C1902A	0.38	0.03	150,490	-	IRPC19C1901A	0.37	-	37,287	-
CPF08C1809A	0.14	(0.03)	11,476	-	ERW13C1902A	0.35	(0.01)	15,538	-	IRPC23C1810A	-	-	-	-
CPF08C1901A	0.16	(0.02)	29,838	-	ERW19C1902A	0.51	-	2,510	-	IRPC24C1809A	-	-	-	-
CPF11C1902A	0.08	-	450	-	ERW24C1904A	0.50	(0.01)	1,600	-	IRPC24C1812A	0.16	-	4,843	-
CPF11P1902A	0.21	0.01	24,428	-	ESS001C1812A	0.64	0.02	49,817	-	IRPC27C1809A	-	-	-	-
CPF13C1809A	0.28	(0.09)	44,516	-	ESS001C1812B	0.44	0.02	38,025	-	IRPC27C1903A	0.30	0.02	10,800	-
CPF13C1810A	0.05	(0.01)	16,050	-	ESS001P1812A	0.39	(0.02)	1,622	-	IRPC28C1811A	0.08	-	39,978	-
CPF13C1902A	0.18	-	141,075	-	ESS008C1902A	0.54	0.02	34,862	-	IRPC28C1812A	0.34	-	31,002	-
CPF19C1901A	0.19	(0.03)	66,951	-	ESS011C1905A	0.82	0.02	12,200	-	ITD06C1904A	0.32	-	20,166	-
CPF23C1810A	0.29	-	1	-	ESS013C1811A	0.32	0.02	75,676	-	ITD08C1810A	0.01	-	500	-
CPF24C1809A	-	-	-	-	ESS019C1901A	0.50	0.02	24,469	-	ITD11C1903A	0.11	(0.01)	13,703	-
CPF24C1901A	-	-	-	-	ESS023C1809A	-	-	-	-	ITD13C1812A	0.12	-	151,468	-
CPF24C1902A	0.10	(0.01)	4,000	-	ESS024C1812A	0.26	0.03	1,000	-	ITD19C1811A	-	-	-	-
CPF27C1903A	0.11	0.01	19,078	-	ESS024C1902A	0.54	0.01	15	-	ITD24C1810A	-	-	-	-
CPF28C1811A	0.10	(0.01)	90,250	-	ESS028C1811A	0.31	0.01	165,906	-	ITD24C1902A	0.25	-	30,000	-
CPN01C1902A	0.69	(0.01)	37,735	-	GFPT08C1906A	0.48	(0.05)	38,853	-	IVL01C1812A	0.45	(0.01)	179,359	-
CPN01C1902B	0.50	(0.01)	43,057	-	GFPT13C1902A	0.26	(0.04)	265,180	-	IVL01C1812B	0.23	(0.01)	158,733	-
CPN01P1902A	0.78	0.01	18,524	-	GFPT19C1811A	0.42	(0.06)	85,624	-	IVL01C1903A	0.56	(0.01)	144,385	-
CPN06C1811A	0.64	-	13,312	-	GFPT24C1812A	0.35	(0.05)	7,300	-	IVL01C1903B	0.45	-	70,696	-
CPN07C1902A	-	-	-	-	GGC01C1810A	0.13	0.01	210,083	-	IVL01P1812A	0.73	-	70,426	-
CPN08C1809A	-	-	-	-	GGC01C1810B	0.03	0.01	2,661	-	IVL01P1812B	0.46	-	58,905	-
CPN08C1903A	0.63	(0.02)	27,948	-	GGC07C1902A	-	-	-	-	IVL01P1903A	0.97	-	25,924	-
CPN11C1903A	0.36	(0.02)	13,487	-	GGC08C1906A	0.17	0.03	43,320	-	IVL01P1903B	0.80	(0.01)	34,510	-
CPN11P1903A	0.23	0.01	6,119	-	GGC13C1811A	0.02	0.01	1,500	-	IVL06C1901A	0.31	(0.01)	36,447	-
CPN13C1812A	0.39	(0.02)	99,840	-	GGC13C1902A	0.26	0.03	44,108	-	IVL07C1811A	0.33	0.04	110	-
CPN19C1901A	0.65	(0.01)	20,056	-	GGC19C1811A	0.02	0.01	1	-	IVL08C1901A	0.45	-	84,241	-
CPN23C1810A	0.19	(0.03)	26,860	-	GGC19C1902A	0.42	0.03	76,775	-	IVL08P1809A	-	-	-	-
CPN24C1901A	-	-	-	-	GGC23C1901A	0.06	0.02	7,530	-	IVL08P1903A	0.58	(0.01)	63,786	-
CPN27C1903A	0.54	(0.02)	5,700	-	GGC24C1812A	-	-	-	-	IVL11C1906A	0.46	(0.01)	23,040	-
CPN28C1810A	0.14	(0.01)	49,372	-	GGC24C1901A	0.28	0.03	74,247	-	IVL13C1810A	0.10	-	48,461	-
DELTO6C1903A	0.97	(0.02)	7,300	-	GGC28C1811A	-	-	-	-	IVL13C1812A	0.35	(0.01)	186,531	-
DELTO8C1811A	0.09	(0.01)	1,000	-	GGC28C1905A	0.37	0.03	241,010	-	IVL13P1811A	0.16	(0.01)	46,334	-
DELT13C1809A	-	-	-	-	GLOB01C1809A	0.83	0.05	19,159	-	IVL19C1809A	0.22	(0.03)	31,014	-
DELT24C1901A	-	-	-	-	GLOB01C1809B	0.29	0.02	54,073	-	IVL19C1903A	0.59	-	42,024	-
DELT27C1812A	0.11	-	3,000	-	GLOB06C1809A	0.48	0.04	8,400	-	IVL23C1810A	0.32	(0.01)	3,400	-
DTACO1C1810A	0.37	0.06	377,975	-	GLOB11C1906A	0.44	0.02	20,982	-	IVL24C1812A	0.12	-	640	-
DTACO1C1810B	0.04	0.01	130,303	-	GLOB13C1901A	0.46	0.03	70,987	-	IVL24C1901A	0.41	(0.01)	5,500	-
DTACO1C1902A	0.79	0.07	282,755	-	GLOB19C1901A	0.62	0.03	14,941	-	IVL27C1902A	0.46	-	20,282	-
DTACO1C1902B	0.63	0.07	264,379	-	GLOB23C1811A	-	-	-	-	IVL28C1811A	0.16	-	138,704	-
DTACO1P1810A	0.91	(0.11)	128,149	-	GLOB24C1810A	0.26	0.05	11	-	IVL28C1812A	0.43	-	112,881	-
DTACO1P1810B	0.30	(0.09)	388,639	-	GLOB27C1809A	-	-	-	-	IVL28P1811A	0.22	-	25,017	-
DTACO1P1902A	0.75	(0.06)	160,999	-	GLOW08C1811A	0.44	-	12,792	-	IVL42C1903A	0.36	-	16,280	-
DTACO1P1902B	0.51	(0.08)	156,369	-	GLOW19C1901A	0.49	0.01	6,402	-	KBAN01C1810A	1.31	0.02	62,413	1.00
DTACO6C1901A	0.28	0.07	94,384	-	GLOW27C1812A	0.28	(0.01)	4,801	-	KBAN01C1901A	1.43	0.03	52,154	1.00
DTACO6P1809A	0.03	(0.05)	415,473	-	GPSC01C1902A	0.55	(0.01)	35,126	-	KBAN01C1901B	0.76	0.03	65,165	-
DTACO7C1809A	-	-	-	-	GPSC01C1902B	0.40	(0.02)	22,658	-	KBAN01P1810A	0.02	(0.01)	6,367	-
DTACO7C1902A	-	-	-	-	GPSC01P1902A	1.24	0.02	28,026	1.00	KBAN01P1901A	0.72	(0.02)	43,596	-
DTACO8C1809A	-	-	-	-	GPSC06C1811A	-	-	-	-	KBAN01P1901B	0.22	(0.01)	159,433	-
DTACO8C1903A	0.42	0.07	97,469	-	GPSC08C1902A	0.34	(0.01)	26,723	-	KBAN06C1811A	0.74	0.02	23,228	-
DTACO8P1902A	0.20	(0.07)	37,939	-	GPSC11C1902A	0.14	(0.01)	4,510	-	KBAN07C1811A	-	-	-	-
DTAC11C1904A	0.31	0.05	16,954	-	GPSC13C1812A	0.23	(0.01)	47,195	-	KBAN08C1811A	0.71	0.04	16,801	-
DTAC13C1811A	0.08	0.01	33,344	-	GPSC19C1901A	0.35	(0.01)	24,959	-	KBAN08C1903A	0.29	-	52,616	-
DTAC13C1812A	0.43	0.07	365,062	-	GPSC24C1812A	0.14	-	15,880	-	KBAN08P1811A	0.07	(0.01)	3,000	-
DTAC13P1811A	0.31	(0.09)	153,416	-	GPSC27C1902A	0.45	(0.01)	7,200	-	KBAN13C1810A	0.08	0.01	9,976	-
DTAC13P1812A	0.07	(0.03)	119,400	-	GPSC28C1811A	0.16	-	14,136	-	KBAN13C1811A	0.75	0.05	28,478	-
DTAC19C1811A	0.23	0.05	245,762	-	GUNK08C1902A	0.19	-	2,010	-	KBAN13C1901A	0.32	0.01	121,288	-
DTAC24C1809A	-	-	-	-	GUNK11C1903A	0.09	(0.01)	2,500	-	KBAN19C1901A	0.42	0.05	28,404	-
DTAC24C1901A	0.47	0.12	9,117	-	GUNK24C1812A	0.11	-	50	-	KBAN23C1902A	0.63	-	17,100	-
DTAC27C1809A	-	-	-	-	GUNK28C1810A	-	-	-	-	KBAN24C1902A	0.80	0.10	10	-
DTAC27C1903A	0.41	0.07	21,303	-	HANA01C1811A	0.59	-	52,785	-	KBAN24C1903A	0.31	0.04	2	-
DTAC27P1809A	0.01	-	3,300	-	HANA01C1811B	0.35	-	43,294	-	KBAN24P1811A	-	-	-	-
DTAC27P1903A	0.57	(0.07)	29,990	-	HANA08C1809A	-	-	-	-	KBAN27C1809A	-	-	-	-
DTAC28C1810A	-	-	-	-	HANA08C1903A	0.46	(0.01)	21,768	-	KBAN27C1903A	0.43	-	6,900	-
DTAC28C1812A	0.52	0.08	271,029	-	HANA11C1904A	0.32	(0.01)	4,414	-	KBAN27P1809A	0.20	(0.14)	228	-
DTAC42C1903A	0.38	0.05	37,77											

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday September 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KKP11C1903A	0.37	(0.02)	2,260	-	MONO23C1901A	0.11	-	2,000	-	PTTE06C1811A	0.59	0.02	55,213	-
KKP13C1811A	0.33	-	45,674	-	MONO24C1812A	-	-	-	-	PTTE07C1809A	0.18	-	10,521	-
KKP19C1901A	0.62	(0.01)	2,818	-	MONO24C1812B	-	-	-	-	PTTE08C1811A	0.48	0.02	94,875	-
KKP24C1812A	0.36	(0.03)	171	-	MONO28C1811A	-	-	-	-	PTTE08P1809A	-	-	-	-
KKP28C1810A	0.14	(0.02)	14,740	-	MONO28C1901A	0.12	-	9,584	-	PTTE08P1811A	0.05	-	3,690	-
KT801C1810A	0.52	0.04	117,151	-	MTC006C1901A	0.68	0.02	84,203	-	PTTE11C1902A	0.87	0.04	48,526	-
KT801C1810B	0.20	0.02	166,255	-	MTC008C1811A	0.18	0.01	50,068	-	PTTE13C1811A	0.39	0.03	183,646	-
KT806C1902A	0.46	0.03	29,070	-	MTC008C1902A	0.50	0.02	65,532	-	PTTE13C1812A	0.79	0.03	172,867	-
KT808C1809A	-	-	-	-	MTC11C1904A	0.44	0.01	29,549	-	PTTE13P1811A	0.05	-	14,270	-
KT808C1903A	0.33	0.03	51,100	-	MTC13C1809A	-	-	-	-	PTTE13P1901A	0.31	(0.02)	182,253	-
KT811C1811A	0.21	0.03	9,859	-	MTC13C1811A	0.63	0.03	236,380	-	PTTE19C1811A	0.69	0.03	78,694	-
KT813C1809A	-	-	-	-	MTC13C1901A	0.39	0.02	528,449	-	PTTE23C1901A	0.14	-	20,589	-
KT813C1901A	0.55	0.04	139,404	-	MTC19C1901A	0.50	0.02	66,207	-	PTTE24C1811A	-	-	-	-
KT819C1901A	0.39	0.02	20,544	-	MTC24C1810A	0.25	0.03	24,109	-	PTTE24C1901A	-	-	-	-
KT823C1811A	0.29	0.02	28,000	-	MTC24C1812A	0.54	(0.01)	30	-	PTTE24P1809A	-	-	-	-
KT824C1811A	-	-	-	-	MTC28C1902A	0.38	0.02	88,814	-	PTTE24P1901A	0.33	-	2,147	-
KT824P1901A	0.09	(0.02)	4,360	-	ORI11C1811A	0.13	-	232	-	PTTE27C1809A	-	-	-	-
KT828C1811A	0.25	0.03	192,783	-	ORI13C1810A	0.22	(0.01)	40,886	-	PTTE27C1903A	-	-	-	-
KT842C1903A	0.32	0.01	18,280	-	ORI19C1811A	0.14	-	50,331	-	PTTE27P1809A	0.03	-	1	-
KT842P1903A	0.24	(0.02)	18,444	-	ORI19C1904A	0.57	(0.01)	30,235	-	PTTE28C1810A	0.28	0.02	109,129	-
KT801C1810A	0.28	(0.01)	143,411	-	ORI23C1809A	-	-	-	-	PTTE28C1811A	0.18	0.01	3,002	-
KTC01C1810B	0.12	-	60,447	-	ORI24C1810A	-	-	-	-	PTTE28P1811A	0.06	-	1,001	-
KTC08C1903A	0.50	0.01	42,910	-	PLAN08C1811A	0.19	(0.01)	43,565	-	PTTE42C1903A	0.61	0.01	20,408	-
KTC11C1902A	1.12	(0.04)	2,090	1.00	PLAN13C1809A	0.03	0.01	2,299	-	PTTG01C1810A	0.14	0.01	156,468	-
KTC13C1809B	0.01	-	13,709	-	PLAN28C1810A	0.08	(0.02)	49,101	-	PTTG01C1810B	-	-	-	-
KTC13C1812A	0.20	-	225,172	-	PRM08C1902A	0.36	(0.01)	21,819	-	PTTG01C1811A	0.38	0.03	117,409	-
KTC13C1812B	0.39	-	209,134	-	PRM13C1901A	0.39	-	54,273	-	PTTG01C1901A	1.08	0.03	96,230	1.00
KTC19C1811A	0.17	-	25,106	-	PRM19C1902A	0.44	0.01	48,265	-	PTTG01C1901B	0.78	0.05	104,627	-
KTC19C1901A	0.82	0.02	33,304	-	PSH01C1810A	0.29	-	7,365	-	PTTG01P1811A	1.47	(0.05)	25,250	1.00
KTC23C1809A	0.98	(0.05)	38,479	1.00	PSH01C1810B	-	-	-	-	PTTG01P1901A	0.77	(0.03)	25,839	-
KTC24C1810A	0.06	-	15	-	PSH01P1810A	0.64	(0.01)	8,812	-	PTTG01P1901B	0.50	(0.03)	17,604	-
KTC27C1903A	0.49	-	14,901	-	PSH08C1811A	-	-	-	-	PTTG06C1809A	0.01	-	16,750	-
KTC27P1903A	0.44	(0.01)	5,720	-	PSH11C1902A	0.22	0.01	4,908	-	PTTG06C1903A	1.04	0.04	56,705	1.00
KTC28C1810A	0.11	-	34,040	-	PSH23C1811A	0.16	0.01	4,000	-	PTTG06P1903A	0.36	(0.02)	20,714	-
KTC28C1901A	0.36	0.01	27,588	-	PSL01C1812A	0.33	(0.02)	27,142	-	PTTG07C1812A	0.33	0.04	101	-
LH01C1809A	0.36	0.02	9,455	-	PSL01C1812B	0.26	-	30,169	-	PTTG08C1811A	-	-	-	-
LH01C1809B	0.08	0.01	74,126	-	PSL11C1905A	0.23	(0.01)	8,540	-	PTTG08C1902A	0.55	0.02	88,431	-
LH01P1809A	0.02	(0.01)	1,500	-	PSL23C1809A	-	-	-	-	PTTG08P1811A	0.59	(0.05)	9,695	-
LH06C1809A	0.27	0.02	5,402	-	PTG01C1811A	0.03	-	14,925	-	PTTG11C1902A	0.10	-	657	-
LH07C1810A	-	-	-	-	PTG01C1811B	-	-	-	-	PTTG13C1812A	0.19	-	84,521	-
LH11C1906A	0.17	0.01	2,000	-	PTG01C1902A	0.33	0.01	26,558	-	PTTG13C1812B	0.69	0.03	254,418	-
LH13C1902A	0.29	0.01	28,192	-	PTG01C1902B	0.20	-	94,971	-	PTTG19C1811A	0.17	0.02	14,590	-
LH19C1901A	0.20	0.01	9,755	-	PTG01P1811A	1.74	(0.02)	11,926	1.00	PTTG19C1902A	0.73	0.02	26,891	-
LH23C1901A	0.11	-	5,000	-	PTG01P1902A	0.59	(0.02)	34,900	-	PTTG23C1901A	0.06	-	300	-
LH24C1809A	-	-	-	-	PTG06C1810A	0.02	0.01	20	-	PTTG24C1812A	-	-	-	-
LH24C1903A	-	-	-	-	PTG06C1904A	-	-	-	-	PTTG24C1901A	0.48	0.04	14,519	-
LPN01C1809A	0.10	0.01	38,752	-	PTG08C1902A	0.05	-	2,720	-	PTTG24P1901A	0.24	(0.01)	13	-
LPN01C1811A	0.48	0.04	67,404	-	PTG08C1903A	0.24	(0.01)	16,573	-	PTTG27C1903A	0.43	0.01	17,200	-
LPN01C1811B	0.21	0.04	60,524	-	PTG11C1903A	0.05	0.01	1,167	-	PTTG27P1903A	0.42	(0.02)	14,400	-
LPN01P1809A	0.28	(0.06)	15,454	-	PTG13C1809A	-	-	-	-	PTTG28C1811A	0.13	0.01	81,678	-
LPN08C1810A	0.07	0.02	14,990	-	PTG13C1812A	0.03	(0.01)	1,700	-	PTTG28C1812A	0.65	0.05	114,185	-
LPN08C1906A	0.27	0.04	24,107	-	PTG13C1901A	0.19	-	424,689	-	QH01C1810A	0.61	0.02	18,495	-
LPN19C1811A	0.22	0.02	28,828	-	PTG19C1902A	0.09	-	282,169	-	QH01C1810B	0.28	0.01	21,772	-
LPN24C1812A	0.28	0.03	7,100	-	PTG19C1902B	0.31	(0.01)	16,762	-	QH01P1810A	0.13	0.01	19,242	-
MAJO08C1811A	-	-	-	-	PTG24C1809A	-	-	-	-	QH11C1902A	0.45	(0.02)	17,080	-
MAJO11C1902A	-	-	-	-	PTG24C1901A	0.21	(0.02)	199,173	-	QH19C1901A	0.25	-	37,946	-
MAJO19C1902A	0.19	-	2,522	-	PTG24C1902A	0.06	-	520	-	QH24C1812A	0.18	0.01	9,800	-
MAJO24C1809A	-	-	-	-	PTG27C1809A	-	-	-	-	QH27C1903A	0.29	-	19,200	-
MAJO24C1902A	0.48	0.03	50	-	PTG27C1902A	0.12	0.01	16,500	-	RATC19C1901A	0.32	0.01	18,762	-
MALE01C1812A	0.01	(0.01)	1,010	-	PTG28C1812A	0.03	(0.02)	83,491	-	RATC24C1902A	0.31	-	500	-
MALE08C1811A	0.01	-	100	-	PTG28C1901A	0.21	-	108,960	-	RATC27C1812A	-	-	-	-
MALE13C1809A	-	-	-	-	PTL08C1811A	0.49	0.04	22,840	-	ROBI01C1809A	0.26	(0.05)	19,544	-
MALE27C1812A	-	-	-	-	PTL13C1809A	-	-	-	-	ROBI06C1809A	0.23	(0.05)	20,000	-
MALE28C1810A	-	-	-	-	PTL28C1810A	0.29	0.03	33,104	-	ROBI11C1906A	0.53	(0.04)	10,273	-
MC19C1811A	0.12	-	1,300	-	PTT01C1810A	0.13	(0.02)	224,734	-	ROBI19C1901A	0.67	(0.04)	17,366	-
MC23C1809A	-	-	-	-	PTT01C1810B	0.02	0.01	33,139	-	ROBI24C1901A	0.30	-	2,230	-
MC24C1812A	0.18	-	250	-	PTT01C1901A	0.68	-	139,278	-	ROBI24C1903A	0.69	(0.02)	103	-
MEGA01C1811A	0.20	0.01	22,410	-	PTT01C1901B	0.51	(0.02)	208,076	-	RS08C1901A	0.53	0.04	32,086	-
MEGA01C1811B	-	-	-	-	PTT01P1810A	0.83	0.02	24,621	-	RS13C1901A	0.58	0.03	258,192	-
MEGA08C1811A	0.05	-	100	-	PTT01P1810B	0.17	(0.01)	82,079	-	RS19C1901A	0.56	0.05	30,885	-
MEGA08C1903A	0.36	0.02	6,320	-	PTT01P1901A	0.47	-	40,422	-	RS24C1811A	0.44	0.03	1	-
MEGA11C1902A	-	-	-	-	PTT01P1901B	0.27	(0.01)	35,735	-	S10001C1811A	0.58	0.02	15,712	-
MEGA13C1809A	-	-	-	-	PTT06C1811A	-	-	-	-	S5001C1809F	0.83	0.02	2,128,841	-
MEGA13C1902A	0.35	0.01	19,621	-	PTT06C1901A	0.37	(0.02)	17,359	-	S5001C1809G	0.04	-	205,332	-
MEGA19C1902A	0.30	0.01	6,970	-	PTT06P1901A	0.33	(0.02)	2,100	-	S5001C1809H	2.34	0.02	191,125	2.00
MEGA23C1902A	-	-	-	-	PTT07C1811A	-	-	-	-	S5001C1809I	1.43	0.07	1,763,556	1.00
MEGA24C1812A	-	-	-	-	PTT08C1809A	-	-	-	-	S5001C1810A	1.43	0.02	48,241	1.00
MINT01C1901A	0.51	0.05	94,609	-	PTT08C1902A	0.32	(0.01)	37,582	-	S5001C1810B	1.44	0.03	19,317	1.00
MINT01C1901B	0.35	0.04	88,136	-	PTT08P1809A	0.06	(0.01)	2,000	-	S5001C1811A	0.79	0.01	21,379	-
MINT01P1901A	0.21	(0.03)	58,644	-	PTT11C1902A	0.15	-	7,528	-	S5001C1811B	0.73	0.01	95,680	-
MINT06C1809A	-	-	-	-	PTT13C1810A	0.02	(0.01)	1,940	-	S5001C1812F	1.07	-	729,154	1.00
MINT06C1901A	0.33	0.02	24,080	-	PTT13C1811A	0.17	(0.01)	76,125	-	S5001C1812G	0.81	0.02	633,934	-
MINT07C1810A	-	-	-	-	PTT13C1812A	0.32	(0.01)	161,252	-	S5001P1809F	1.12	(0.06)	3,203,855	1.00
MINT08C1809A	-	-	-	-	PTT13P1812A	0.17	-	48,947	-	S5001P1809G	0.13	(0.02)	157,260	-
MINT08C1903A	0.32	0.02	15,828	-	PTT19C1809A	-	-	-	-	S5001P1809H	0.01	-	640	-
MINT11C1902A	0.14	0.01	14,337	-	PTT19C1901A									

Main Board Quotation

Issue Date :

Friday September 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5006P1812A	0.83	(0.04)	116,854	-	SGP19C1811A	0.34	(0.03)	61,748	-	THAI27C1809A	-	-	-	-
S5006P1812B	0.26	(0.01)	190,147	-	SGP19C1904A	0.41	(0.01)	25,780	-	THAI28C1901A	0.21	-	41,046	-
S5006P1812C	0.44	(0.02)	9,197	-	SGP24C1811A	0.13	(0.01)	7,472	-	THAN01C1812A	0.41	0.01	3,435	-
S5008C1809A	0.49	0.02	21,361	-	SGP24C1902A	1.17	(0.03)	6,020	1.00	THAN13C1809A	-	-	-	-
S5008P1809A	-	-	-	-	SGP27C1903A	0.40	(0.01)	9,600	-	THAN19C1903A	0.50	-	12,382	-
S5013C1809A	0.02	0.01	730,052	-	SGP28C1811A	0.14	(0.02)	60,717	-	THAN24C1903A	-	-	-	-
S5013C1809B	0.13	-	529,475	-	SIRI01C1901A	0.37	(0.02)	10,480	-	THAN28C1810A	-	-	-	-
S5013C1809C	0.05	-	2,477,224	-	SIRI01C1901B	0.13	-	14,000	-	THCO01C1809A	0.10	0.02	103,663	-
S5013C1809D	0.35	-	3,437,341	-	SIRI01P1901A	0.54	-	4,010	-	THCO01P1809A	0.34	(0.05)	5,886	-
S5013C1809E	1.03	0.04	1,050,622	1.00	SIRI06C1904A	0.32	-	5,092	-	THCO08C1906A	0.29	0.03	25,365	-
S5013C1809F	0.71	0.02	250,069	-	SIRI08C1810A	0.05	-	500	-	THCO11C1902A	0.19	0.03	20	-
S5013C1812A	1.04	0.02	2,527,468	1.00	SIRI11C1902A	0.11	0.01	551	-	THCO19C1811A	0.16	0.03	22,060	-
S5013C1812B	0.76	0.01	1,236,710	-	SIRI13C1809A	-	-	-	-	THCO24C1810A	0.20	0.03	53,652	-
S5013P1809A	0.32	(0.05)	1,485,843	-	SIRI13C1902A	0.25	-	5,568	-	THCO28C1901A	0.39	0.05	27,828	-
S5013P1809B	0.05	(0.01)	2,396,120	-	SIRI19C1902A	-	-	-	-	TISCO1C1902A	0.85	(0.03)	31,416	-
S5013P1809C	0.13	(0.02)	1,638,323	-	SIRI23C1811A	-	-	-	-	TISCO1C1902B	0.65	(0.04)	30,224	-
S5013P1809D	0.01	-	321,495	-	SIRI24C1809A	-	-	-	-	TISCO7C1902A	0.79	(0.01)	1	-
S5013P1809E	0.01	-	24,548	-	SIRI24C1903A	-	-	-	-	TISCO8C1903A	0.62	(0.04)	41,604	-
S5013P1809F	0.47	(0.04)	114,851	-	SIRI28C1901A	0.30	-	10,240	-	TISCI1C1903A	0.20	(0.01)	7,960	-
S5013P1812A	0.71	(0.03)	3,880,195	-	SPAL01C1902A	0.67	0.05	41,187	-	TISCI3C1811A	0.22	(0.02)	27,737	-
S5013P1812B	1.08	(0.05)	1,019,361	1.00	SPAL01C1902B	0.51	0.05	36,440	-	TISCI3C1812A	0.63	(0.04)	55,039	-
S5028C1809A	0.06	(0.01)	41,642	-	SPAL06C1809A	0.50	0.04	31,650	-	TISCI9C1901A	0.39	(0.02)	12,252	-
S5028C1809B	1.05	0.12	2,665	-	SPAL11C1905A	0.15	0.01	9,290	-	TISC24C1812A	0.14	0.01	10	-
S5028C1810A	0.53	-	1,057,751	-	SPAL19C1902A	0.46	0.03	8,855	-	TISC24C1904A	-	-	-	-
S5028P1809A	0.05	(0.02)	223,399	-	SPAL23C1811A	0.53	0.04	12,600	-	TISC28C1901A	0.64	(0.03)	210,416	-
S5028P1809B	0.02	0.01	10	-	SPAL24C1812A	-	-	-	-	TKN01C1901A	0.60	(0.01)	32,532	-
S5028P1810A	0.51	(0.03)	1,162,931	-	SPRC01C1902A	0.38	-	39,287	-	TKN01C1901B	0.44	(0.02)	11,711	-
SAWA01C1901A	0.85	(0.01)	181,331	-	SPRC01C1902B	0.28	-	45,657	-	TKN08C1811A	-	-	-	-
SAWA01C1901B	0.71	(0.01)	260,537	-	SPRC06C1809A	-	-	-	-	TKN11C1902A	0.16	(0.01)	5,001	-
SAWA01P1901A	0.49	0.01	129,887	-	SPRC06C1902A	0.51	-	12,920	-	TKN13C1810A	0.02	-	6,070	-
SAWA06C1811A	0.14	(0.01)	17,550	-	SPRC07C1903A	-	-	-	-	TKN13C1811A	-	-	-	-
SAWA06C1903A	1.22	(0.02)	26,384	1.00	SPRC11C1902A	-	-	-	-	TKN13C1812A	0.28	(0.01)	152,604	-
SAWA07C1812A	-	-	-	-	SPRC13C1812A	0.32	-	155,199	-	TKN19C1811A	0.06	(0.01)	11,802	-
SAWA08C1811A	0.05	-	10,413	-	SPRC19C1901A	0.39	-	19,418	-	TKN19C1903A	0.46	(0.01)	11,699	-
SAWA08C1902A	0.98	-	29,717	-	SPRC23C1810A	0.07	(0.02)	1,730	-	TKN23C1902A	0.33	-	3,093	-
SAWA11C1906A	0.62	-	19,171	-	SPRC24C1903A	0.35	-	6,634	-	TKN24C1811A	0.16	(0.01)	4,000	-
SAWA13C1810A	-	-	-	-	STA01C1812A	0.39	0.07	53,413	-	TKN24C1812A	-	-	-	-
SAWA13C1811A	0.04	(0.01)	4,634	-	STA01C1812B	0.26	0.07	45,521	-	TKN28C1811A	0.05	(0.02)	1	-
SAWA13C1812A	0.39	(0.02)	198,217	-	STA13C1812A	0.43	0.09	159,565	-	TKN28C1812A	0.48	(0.03)	26,822	-
SAWA13C1901A	0.97	(0.03)	4,556	-	STA13C1901A	0.27	0.07	182,205	-	TMB01C1810A	0.14	-	110,090	-
SAWA19C1901A	0.98	-	32,282	-	STA19C1811A	0.18	0.05	74,140	-	TMB01C1810B	-	-	-	-
SAWA24C1812A	0.38	-	2,232	-	STA23C1809A	-	-	-	-	TMB01P1810A	0.46	-	26,604	-
SAWA24C1902A	0.87	0.02	9,462	-	STEC01C1809A	0.34	(0.03)	157,629	-	TMB06C1809A	-	-	-	-
SAWA27C1903A	0.69	-	5,700	-	STEC01C1809B	0.90	(0.11)	43,639	-	TMB06C1902A	0.08	0.01	100	-
SAWA28C1810A	-	-	-	-	STEC01C1902A	0.79	(0.03)	115,964	-	TMB07C1811A	-	-	-	-
SAWA28C1811A	0.44	(0.01)	109,147	-	STEC01C1902B	0.68	(0.02)	77,881	-	TMB07C1903A	0.18	(0.01)	200	-
SAWA28C1812A	0.92	(0.03)	180	-	STEC01P1809A	0.27	-	31,912	-	TMB08C1901A	0.06	0.01	50	-
SCB01C1810A	0.68	-	75,447	-	STEC01P1902A	0.63	0.01	72,367	-	TMB11C1904A	0.07	-	5,500	-
SCB01C1902A	1.18	0.02	30,217	1.00	STEC06C1809A	0.37	(0.06)	27,952	-	TMB13C1811A	0.03	(0.01)	200	-
SCB01C1902B	1.09	-	17,000	1.00	STEC08C1809A	0.20	(0.04)	59,596	-	TMB13C1901A	0.17	0.01	68,614	-
SCB01P1902A	0.33	-	9,500	-	STEC11C1903A	0.70	(0.04)	40,550	-	TMB19C1901A	0.10	-	33,863	-
SCB01P1902B	0.12	(0.01)	58,539	-	STEC13C1902A	0.66	(0.34)	174,331	-	TMB23C1810A	-	-	-	-
SCB06C1811A	0.86	0.01	5,128	-	STEC19C1901A	0.70	(0.01)	60,215	-	TMB24C1809A	-	-	-	-
SCB08C1901A	0.66	0.01	16,487	-	STEC24C1901A	-	-	-	-	TMB24C1901A	0.04	-	250	-
SCB11C1901A	0.34	-	17,380	-	STEC27C1902A	0.87	0.01	10,002	-	TMB24C1902A	0.15	0.01	4,200	-
SCB11P1901A	0.21	-	21,990	-	STEC28C1810A	-	-	-	-	TMB27C1903A	0.24	0.01	16,532	-
SCB13C1809A	-	-	-	-	STPI08C1811A	-	-	-	-	TMB28C1901A	0.13	-	140,933	-
SCB13C1812A	0.79	-	25,638	-	SUPE08C1811A	0.03	-	5,011	-	TOA01C1901A	0.32	-	30,641	-
SCB13C1902A	0.50	(0.01)	143,202	-	SUPE13C1810A	-	-	-	-	TOA01C1901B	0.21	-	28,150	-
SCB13P1812A	0.03	-	3	-	SUPE13C1811A	0.03	(0.02)	7,697	-	TOA08C1902A	0.14	-	25,826	-
SCB19C1811A	0.42	(0.01)	18,442	-	SUPE19C1902A	0.16	(0.01)	10,849	-	TOA13C1812A	0.20	-	173,651	-
SCB24C1901A	-	-	-	-	SUPE23C1811A	0.02	-	10,881	-	TOA19C1901A	0.21	-	10,562	-
SCB24C1902A	-	-	-	-	SUPE23C1901A	0.01	(0.05)	4	-	TOA24C1812A	-	-	-	-
SCB24P1811A	-	-	-	-	SUPE28C1810A	-	-	-	-	TOA28C1812A	0.17	-	14,196	-
SCB27C1902A	-	-	-	-	SUPE28C1811A	-	-	-	-	TOP01C1901A	1.62	0.06	80,351	1.00
SCB27P1903A	0.45	(0.01)	9,600	-	TASCO1C1809A	-	-	-	-	TOP01C1901B	1.47	0.07	63,300	1.00
SCB28C1812A	0.65	(0.01)	65,104	-	TASCO1C1810A	0.10	(0.01)	5,795	-	TOP01P1901A	0.49	(0.03)	8,118	-
SCB28P1812A	-	-	-	-	TASCO1C1810B	-	-	-	-	TOP06C1809A	-	-	-	-
SCB28P1901A	0.34	(0.01)	145,324	-	TASCO1C1903A	0.43	(0.01)	11,078	-	TOP06C1903A	1.35	0.08	29,842	1.00
SCB42C1903A	0.50	-	12,200	-	TASCO1C1903B	0.31	(0.01)	8,790	-	TOP07C1812A	0.53	0.04	41,800	-
SCC01C1901A	0.68	-	124,395	-	TASCO1P1809A	1.75	-	9,223	1.00	TOP08C1811A	0.12	0.02	13,005	-
SCC01C1901B	0.54	0.01	53,446	-	TASCO1P1810A	0.65	-	8,154	-	TOP08C1902A	0.70	0.05	60,057	-
SCC01P1901A	0.30	(0.02)	19,995	-	TASCO1P1903A	0.63	-	9,180	-	TOP11C1905A	1.21	0.07	16,311	1.00
SCC06C1809A	-	-	-	-	TASCO1P1811A	0.03	(0.02)	1	-	TOP13C1811A	0.09	0.01	16,217	-
SCC06C1902A	0.30	-	12,166	-	TASCO8C1903A	0.36	-	13,761	-	TOP13C1901A	0.73	0.07	103,913	-
SCC07C1812A	0.57	0.01	151	-	TASCI1C1904A	0.11	0.01	1,817	-	TOP19C1901A	0.54	0.05	34,347	-
SCC08C1809A	-	-	-	-	TASC13C1810A	-	-	-	-	TOP23C1811A	0.15	0.02	17,000	-
SCC08C1902A	0.36	0.01	32,753	-	TASC13C1901A	0.26	-	53,929	-	TOP24C1901A	-	-	-	-
SCC11C1811A	-	-	-	-	TASC19C1902A	0.35	-	10,630	-	TOP24C1902A	0.70	0.05	3,070	-
SCC11C1906A	0.26	0.01	8,389	-	TASC23C1902A	0.27	-	10,500	-	TOP24C1903A	0.51	0.05	2,600	-
SCC11P1811A	0.16	(0.01)	11,516	-	TASC24C1810A	-	-	-	-	TOP27C1903A	0.61	0.02	9,000	-
SCC13C1809A	-	-	-	-	TASC24C1903A	0.29	(0.01)	8,024	-	TOP28C1810A	-	-	-	-
SCC13C1812A	0.16	(0.01)	10,590	-	TCAP01C1901A	0.66	0.01	39,547	-	TOP28C1812A	0.66	0.05	101,925	-
SCC13C1901A	0.43	0.04	376	-	TCAP01C1901B	0.53	(0.01)	37,280	-	TP101C1812A	0.27	0.01	6,407	-
SCC19C1811A	0.11	0.01	10,100	-	TCAP01P1901A	0.29	-	32,792	-	TP101C1812B	0.18	0.01	13,438	-
SCC19C1901A	0.37	0.01	27,205	-	TCAP08C1810A	-	-	-	-	TP107C1812A	-	-	-	

Main Board Quotation

Issue Date :

Friday September 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Friday September 14, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE01P1902B	0.43	(0.01)	159,903	-	WORK08C1809A	-	-	-	-	TCC-W3	-	-	-	-
TRUE06C1811A	0.04	-	1,874	-	WORK08C1901A	0.19	0.02	55,517	-	TCC-W4	0.13	-	1,320	-
TRUE06C1906A	0.20	0.01	5,546	-	WORK11C1903A	0.07	0.01	4,012	-	TCC-W5	0.15	(0.01)	6,226	-
TRUE07C1902A	-	-	-	-	WORK13C1809A	-	-	-	-	TCJ-W2	0.93	0.01	1,266	-
TRUE08C1809A	0.01	-	1	-	WORK13C1810A	0.02	0.01	1	-	TCMC-W2	0.37	0.03	113,874	-
TRUE08C1902A	0.23	0.01	88,778	-	WORK13C1811A	0.02	-	1,770	-	TFG-W1	1.59	0.10	144	1.00
TRUE08P1809A	0.05	(0.02)	2,082	-	WORK13C1812A	0.17	0.02	158,775	-	TFG-W2	0.77	-	3,282	-
TRUE11C1905A	0.22	-	200	-	WORK13C1902A	0.34	(0.66)	173,813	-	TH-W2	0.14	-	1,135	-
TRUE13C1810A	0.01	-	401	-	WORK19C1811A	0.04	0.01	15,200	-	THE-W2	0.06	-	16,939	-
TRUE13C1812A	0.11	-	7,220	-	WORK19C1902A	0.39	0.04	266,002	-	TNITY-W1	1.02	(0.01)	21,225	1.00
TRUE13C1901A	0.23	-	66,750	-	WORK24C1810A	0.01	-	10	-	TNPC-W1	0.43	(0.02)	795	-
TRUE13P1901A	0.36	-	496,759	-	WORK24C1812A	0.12	0.03	21,451	-	TRITN-W3	0.26	0.03	345,311	-
TRUE16C1812A	0.19	-	80	-	WORK27C1903A	0.31	0.03	18,900	-	TSR-W1	0.58	(0.02)	2,681	-
TRUE19C1901A	0.08	-	9,498	-	WORK28C1811A	0.01	(0.01)	1	-	TTA-W5	0.12	(0.04)	212,039	-
TRUE23C1902A	0.13	0.01	139,300	-	WORK28C1901A	0.21	0.03	108,875	-	TTCL-W1	1.50	(0.03)	70,173	1.00
TRUE27C1809A	-	-	-	-	Preferred/Foreign	-	-	-	-	U-W1	-	-	-	-
TRUE27P1809A	-	-	-	-	BH-Q	-	-	-	-	U-W4	0.01	-	210,214	-
TRUE28C1810A	-	-	-	-	CSC-Q	-	-	-	-	VIBHA-W2	1.39	0.02	324	1.00
TRUE28C1812A	0.09	-	2,170	-	JUTHA-Q	-	-	-	-	VIBHA-W3	0.31	-	23,858	-
TTA08C1906A	0.24	-	11,920	-	KTB-Q	-	-	-	-	WAVE-W1	0.35	-	2,011	-
TTA13C1809A	-	-	-	-	SCB-Q	-	-	-	-	WHA-W1	6.70	0.20	5,249	6.00
TTA13C1901A	0.18	-	47,280	-	TCAP-Q	-	-	-	-	WORK-W1	8.60	-	64	8.00
TTA19C1811A	-	-	-	-	TIC-Q	-	-	-	-	Preferred Shares	-	-	-	-
TTA23C1901A	-	-	-	-	TISCO-Q	-	-	-	-	BH-P	-	-	-	-
TTA24C1809A	-	-	-	-	U-Q	-	-	-	-	CSC-P	-	-	-	-
TTA24C1902A	-	-	-	-	Warrant	-	-	-	-	JUTHA-P	-	-	-	-
TTA28C1812A	0.07	-	100	-	7UP-W2	0.06	-	1,226	-	KTB-P	-	-	-	-
TU01C1901A	0.60	(0.02)	30,428	-	ACC-W1	0.03	0.01	3,081	-	SCB-P	-	-	-	-
TU01C1901B	0.56	(0.01)	38,122	-	AJA-W1	0.21	-	4,966	-	TCAP-P	-	-	-	-
TU01P1901A	0.18	-	17,494	-	ALT-W1	0.53	-	14,980	-	TIC-P	-	-	-	-
TU06C1902A	0.32	-	19,350	-	APURE-W2	0.29	0.04	305,991	-	TISCO-P	-	-	-	-
TU07C1902A	0.22	0.05	160	-	AQ-W4	0.01	-	1,200	-	U-P	0.03	(0.01)	122,200	-
TU08C1811A	-	-	-	-	AS-W1	0.26	0.03	1,502	-	Warrant (MAI)	-	-	-	-
TU11C1902A	-	-	-	-	AYUD-W1	3.24	(0.02)	9,048	3.00	2S-W1	0.15	(0.01)	1,676	-
TU11C1906A	0.24	0.01	10,408	-	B-W3	-	-	-	-	ACAP-W2	1.95	-	428	1.00
TU13C1902A	0.29	-	17,050	-	B-W4	0.19	0.01	11,682	-	AIRA-W2	0.03	-	310	-
TU19C1901A	0.29	-	14,469	-	BTS-W3	0.01	-	1,510	-	ATP30-W1	0.82	-	6,711	-
TU23C1902A	0.29	(0.02)	10,200	-	BWG-W4	0.08	0.01	21,195	-	BKD-W2	0.30	(0.02)	202,619	-
TU24C1901A	-	-	-	-	CEN-W4	0.05	0.02	2,885	-	BM-W1	0.51	0.04	251,967	-
TVO01C1809A	0.12	0.01	7,686	-	CGD-W4	0.22	-	18,300	-	BSM-W2	0.24	(0.01)	23,268	-
TVO01C1809B	-	-	-	-	CGH-W3	0.05	-	35,700	-	CHEWA-W1	0.30	0.01	34,317	-
TVO11C1903A	0.10	-	117	-	CI-W1	0.44	(0.01)	735	-	CIG-W7	0.01	-	10,000	-
TVO13C1809A	-	-	-	-	CKP-W1	0.42	0.02	91,966	-	DIMET-W2	0.14	-	23,512	-
TVO13C1902A	0.24	-	2,257	-	CRANE-W1	1.80	(0.08)	195	1.00	DNA-W1	1.34	(0.01)	1,601	1.00
TVO19C1902A	0.23	-	739	-	CWT-W4	0.59	0.09	316,288	-	ECF-W2	5.50	0.25	3,639	5.00
TVO24C1810A	-	-	-	-	DCC-W1	1.05	(0.03)	280,277	1.00	ECF-W3	3.34	-	15,925	3.00
TVO24C1903A	-	-	-	-	DCON-W1	3.90	0.20	20	3.00	EFORL-W3	0.02	-	3,115	-
UNI001C1809A	0.06	-	37,363	-	DIGI-W1	0.02	-	8,239	-	EFORL-W4	0.02	-	474	-
UNI001C1810A	0.30	0.01	123,983	-	DIGI-W2	0.01	(0.01)	17,025	-	FC-W1	0.05	-	56	-
UNI001C1810B	0.06	0.01	28,624	-	EARTH-W4	-	-	-	-	FC-W2	0.03	-	8,509	-
UNI001P1809A	0.39	(0.03)	25,365	-	EIC-W2	0.01	-	1,435	-	FOCUS-W2	0.56	0.01	1,168	-
UNI008C1810A	-	-	-	-	EIC-W3	-	-	-	-	FVC-W2	0.40	0.03	4,537	-
UNI008C1906A	0.30	0.01	44,524	-	EIC-W4	-	-	-	-	ITEL-W1	0.43	0.06	132,841	-
UNI011C1811A	0.08	0.01	100	-	EVER-W3	0.02	0.01	5	-	JKN-W1	1.93	(0.02)	6,029	1.00
UNI013C1809A	-	-	-	-	GIS-W3	0.01	(0.01)	300	-	LIT-W1	2.28	-	508	2.00
UNI013C1901A	0.27	0.01	238,885	-	GSTEL-W1	-	-	-	-	META-W2	0.04	(0.01)	5,091	-
UNI019C1811A	-	-	-	-	GSTEL-W2	-	-	-	-	NCL-W3	0.49	(0.04)	40,286	-
UNI023C1901A	0.10	-	27,500	-	IEC-W2	-	-	-	-	NDR-W1	0.07	0.02	1,091	-
UNI024C1811A	-	-	-	-	IHL-W1	5.10	-	2,351	5.00	NEWS-W4	-	-	-	-
UNI028C1811A	0.10	0.01	30,720	-	ITD-W1	0.10	(0.01)	18,563	-	NEWS-W6	-	-	-	-
UV01C1902A	0.60	0.02	46,680	-	JAS-W3	2.30	0.12	266,086	2.00	PHOL-W1	0.02	(0.01)	16,780	-
UV01C1902B	0.49	0.02	24,916	-	JCK-W5	0.49	0.02	1,908	-	PIMO-W1	2.38	(0.04)	1,775	2.00
UV06C1812A	0.39	0.02	17,910	-	JMART-W2	1.63	-	9,905	1.00	PPS-W1	0.83	-	1,528	-
UV13C1812A	0.41	0.01	247,258	-	JMT-W2	1.95	(0.05)	110,865	2.00	PSTC-W2	0.24	-	18,223	-
UV19C1902A	0.48	0.03	17,537	-	MACO-W2	0.26	0.26	1,572,670	-	SIMAT-W2	0.41	0.06	3,867	-
UV23C1809A	-	-	-	-	MIDA-W2	0.02	-	276	-	SIMAT-W3	0.56	0.02	2,799	-
UV24C1812A	-	-	-	-	MILL-W3	0.02	(0.01)	14,319	-	SIMAT-W4	1.25	-	1,361	1.00
VGI01C1812A	0.77	-	7,847	-	MILL-W4	0.29	0.01	25,966	-	SKY-W1	-	-	-	-
VGI06C1904A	6.80	(0.05)	60	6.00	MILL-W5	0.26	(0.01)	53,751	-	STAR-W3	1.88	-	340	1.00
VGI06C1904B	-	-	-	-	ML-W2	0.02	-	1,043	-	TAKUNI-W	0.19	-	5,593	-
VGI06C1904C	-	-	-	-	MONO-W1	0.47	0.01	26,321	-	TAPAC-W3	2.74	(0.18)	11,317	2.00
VGI08C1811A	0.67	(0.04)	10,108	-	NEP-W3	-	-	-	-	TMILL-W1	1.18	(0.04)	2,854	1.00
VGI23C1905A	1.49	0.04	50	1.00	NOK-W1	0.48	0.03	8	-	TSF-W4	-	-	-	-
VGI23C1911A	-	-	-	-	NUSA-W3	-	-	-	-	TSF-W5	0.02	-	4,900	-
VGI27C1812A	0.40	(0.03)	200	-	NVD-W1	0.56	(0.02)	177,024	-	TVD-W2	0.59	0.03	4,460	-
VGI28C1810A	-	-	-	-	ORI-W1	2.22	(0.04)	17,713	2.00	UAC-W2	0.85	(0.07)	86,893	-
WHA01C1812A	0.59	0.02	48,458	-	PACE-W2	0.19	(0.01)	16,926	-	UKEM-W2	0.51	0.03	7,142	-
WHA01C1812B	0.45	0.01	99,069	-	PDI-W1	1.21	(0.02)	4,393	1.00	UWC-W2	0.01	-	284,001	-
WHA01P1812A	0.50	(0.02)	11,474	-	PDJ-W2	1.35	(0.05)	256	1.00	XO-W1	6.25	-	719	6.00
WHA06C1809A	-	-	-	-	PDJ-W3	1.34	(0.01)	529	1.00	Preferred Shares	-	-	-	-
WHA07C1810A	0.12	0.01	40	-	PDJ-W4	1.31	(0.04)	422	1.00	SGF-P1	-	-	-	-
WHA08C1811A	-	-	-	-	PLE-W3	0.14	-	28,092	-	-	-	-	-	-
WHA11C1903A	0.21	0.01	12,286	-	RICH-W1	-	-	-	-	-	-	-	-	-
WHA13C1812A	0.41	0.01	107,128	-	RICHY-W1	0.35	0.02	17,744	-	-	-	-	-	-
WHA19C1901A	0.42	0.01	24,078	-	RICHY-W2	0.20	0.01	13,266	-	-	-	-	-	-
WHA23C1810A	-	-	-	-	RS-W3	8.35	0.10	141	8.00	-	-	-	-	-
WHA24C1811A	-	-	-	-	S-W1	0.15	-	44,705	-	-	-	-	-	-
WHA24C1902A	0.40	0.01	60,069	-	SAMART-W2	0.60	(0.03)	516,250	-	-	-	-	-	-
WHA27C1903A	0.55	0.01	7,800	-	SAWAD-W1	6.20	(0.10)	1,348	6.00	-	-	-	-	-
WHA28C1901A	0.42	0.02	97,152	-	SDC-W1	0.15	0.01	220,079	-	-	-	-	-	-
WHAU01C1810A	0.15	-	28,539	-	SMM-W4	0.01	-	25	-	-	-	-	-	-

