

Main Board Quotation

Issue Date :

Tuesday September 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.80	0.40	14,167	10.60	SE-ED	3.10	-	60	3.09
POMPI	-	-	-	-	ILINK	5.20	0.05	3,947	5.23	SMM	0.89	-	391	0.88
SAFARI	-	-	-	-	INET	3.96	-	2,560	3.96	SPORT	0.39	-	173	0.38
VI	-	-	-	-	INTUCH	55.75	0.50	48,695	55.57	TBSP	15.30	-	1	15.30
WORLD	-	-	-	-	JAS	5.70	0.05	669,119	5.70	TH	0.74	-	1,483	0.72
WR	-	-	-	-	JASIF	10.40	0.10	144,188	10.40	TKS	11.50	0.30	64,870	11.50
Agribusiness	-	-	-	-	JMART	9.40	(0.05)	13,532	9.55	TRITN	0.44	0.02	674,506	0.43
CHOTI	-	-	-	-	JTS	1.59	(0.02)	2,715	1.61	VGI	8.05	(0.05)	337,981	8.06
EE	0.68	0.01	6,470	0.68	MFEK	3.36	-	3,686	3.35	WAVE	2.54	(0.12)	246	2.56
GFPT	14.70	(0.20)	32,276	14.75	MSC	6.55	0.05	1,944	6.50	WORK	40.50	2.50	98,260	39.84
LEE	2.76	-	1,440	2.76	PT	6.65	0.05	3,760	6.64	Finance & Securities	-	-	-	-
STA	15.30	0.40	369,480	15.02	SAMART	8.70	0.10	55,796	8.57	AEC	0.50	0.01	211	0.49
TLUXE	5.50	-	316	5.50	SAMTEL	8.95	-	896	9.08	AEONTS	180.00	3.50	4,098	178.86
TRUBB	1.88	0.03	37,196	1.87	SDC	0.35	(0.01)	64,982	0.35	AMANAHA	2.00	-	60,179	2.02
TWPC	8.70	(0.10)	5,162	8.75	SIS	9.05	0.10	684	9.00	ASAP	6.55	-	69,958	6.59
UPOIC	4.24	0.04	632	4.22	SVOA	1.39	-	39,183	1.39	ASK	23.50	(0.10)	650	23.54
UVAN	7.10	0.15	1,923	7.10	SYMC	5.50	(0.05)	129	5.48	ASP	3.86	0.02	26,118	3.85
VPO	0.64	-	1,532	0.65	SYNEX	14.10	0.10	21,370	14.10	BFIT	27.75	0.50	3,065	27.52
Banking	-	-	-	-	THCOM	10.20	0.20	20,943	10.14	CGH	1.05	0.01	5,328	1.06
BAY	40.50	0.75	2,244	40.34	TRUE	6.00	0.20	2,570,698	5.96	CNS	2.56	-	604	2.55
BBL	213.00	4.00	66,129	211.70	TWZ	0.12	(0.01)	45,563	0.12	ECL	2.00	(0.02)	112,086	2.00
CIMBT	0.86	-	14,342	0.86	Electronic Componen	-	-	-	-	FNS	4.08	-	1,924	4.06
KBANK	216.00	4.00	100,170	214.08	CCET	1.96	0.02	4,598	1.96	FSS	2.32	-	3,071	2.30
KKP	75.50	0.50	46,945	75.41	DELTA	69.25	-	9,645	69.35	GBX	0.68	0.01	1,491	0.67
KTB	20.20	0.40	623,587	20.01	EIC	0.05	(0.01)	8,109	0.06	GL	7.55	0.15	255,996	7.79
LHFG	1.58	-	61,671	1.59	HANA	40.50	0.75	29,360	40.18	IFS	3.08	0.06	10,289	3.09
SCB	149.00	2.00	132,087	148.78	KCE	45.75	-	36,616	45.80	JMT	12.30	(0.10)	9,512	12.27
TCAP	53.50	0.50	33,912	53.38	METCO	200.00	-	2	200.00	KCAR	12.80	(0.10)	895	12.86
TISCO	82.75	0.50	29,389	82.85	SMT	2.30	(0.02)	5,617	2.31	KGI	4.48	0.04	49,151	4.47
TMB	2.28	0.04	6,211,326	2.28	SPPT	3.48	0.08	5,567	3.46	KTC	33.00	0.75	227,906	33.09
Construction Materia	-	-	-	-	SVI	5.80	0.05	59,983	5.81	MBKET	12.90	-	2,119	12.93
CCP	0.41	0.01	12,786	0.41	TEAM	16.30	0.02	17,625	16.30	MFC	12.90	0.10	123	16.30
COTTO	3.02	-	22,983	3.01	Energy & Utilities	-	-	-	-	ML	1.06	0.02	10,317	1.07
DCC	2.80	0.12	402,408	2.75	ABPIF	8.40	0.05	12,247	8.38	MTC	42.25	0.75	70,663	42.12
DCON	0.56	(0.01)	21,636	0.57	AI	-	-	-	-	PE	0.24	0.01	186	0.23
DRT	5.65	(0.05)	7,127	5.64	AKR	1.04	0.02	170,075	1.04	PL	3.52	0.02	2,519	3.51
EPG	9.35	(0.05)	63,366	9.39	BAFS	35.00	0.75	3,445	34.64	S11	7.60	0.05	722	7.62
GEL	0.36	0.01	48,928	0.36	BANPU	19.40	0.30	801,593	19.27	SAWAD	45.75	(0.50)	187,033	45.79
PPP	3.48	-	377	3.47	BCP	36.00	0.25	61,450	35.61	THANI	8.10	0.30	113,432	8.01
O-CON	5.30	0.05	338	5.20	BCPG	20.70	0.10	428,174	20.70	TK	11.70	0.10	1,287	11.58
RCI	3.66	0.10	24,329	3.64	BGRIM	28.25	0.50	160,360	28.26	TNITY	6.00	-	415	6.00
SCC	448.00	6.00	34,752	446.49	BPP	25.25	0.25	54,192	25.13	UOBKH	4.32	(0.02)	136	4.33
SCCC	250.00	-	491	249.44	BRRGIF	10.00	-	6,451	9.97	ZMICO	1.16	-	6,726	1.15
SCP	8.40	0.10	2,071	8.38	CKP	4.72	0.08	559,043	4.65	Food & Beverage	-	-	-	-
SKN	4.58	(0.02)	2,553	4.58	DEMCO	3.96	(0.02)	6,416	3.98	APURE	1.54	-	10,646	1.54
TASCO	16.30	0.30	204,052	16.29	EA	47.00	0.25	454,704	46.91	ASIAN	9.15	0.05	77,995	9.19
TCMC	2.78	0.02	14,768	2.77	EARTH	-	-	-	-	BR	5.35	0.15	37,734	5.34
TOA	35.75	-	15,040	35.84	EASTW	11.10	0.10	12,490	11.03	BRR	6.75	0.10	1,674	6.72
TPPL	1.83	-	92,420	1.84	EGATIF	10.90	(0.10)	3,464	10.91	CBG	55.00	(0.50)	34,244	55.08
UMI	1.47	0.02	57,633	1.49	EGCO	243.00	2.00	13,850	241.36	CFRESH	4.58	0.02	822	4.58
VNG	7.80	-	284	7.71	ESSO	16.40	(0.20)	76,597	16.43	CM	4.32	0.06	1,406	4.31
WIHK	2.38	-	9,892	2.40	GLOW	90.75	2.75	55,194	89.36	CPF	25.75	0.50	367,160	25.53
Petrochemicals & Ch	-	-	-	-	GPSC	69.25	2.50	111,740	68.08	CPI	1.83	0.01	1,494	1.84
BCT	52.25	0.25	680	52.06	GULF	73.00	1.25	146,440	72.35	F&D	-	-	-	-
CMAN	3.32	0.12	165,944	3.29	GUNKUL	2.82	(0.04)	247,904	2.79	HTC	16.60	-	445	16.68
GC	5.10	-	722	5.08	IEC	-	-	-	-	ICHI	4.38	0.04	3,812	4.38
GGC	11.80	0.20	72,484	11.78	IFEC	-	-	-	-	KBS	4.28	-	1,310	4.28
GIFT	4.56	-	1,875	4.55	IRPC	6.95	0.10	978,695	6.92	KSL	3.28	(0.02)	21,353	3.29
IVL	59.50	2.25	325,085	58.70	LANNA	15.90	0.20	4,026	15.98	KTIS	5.75	0.05	2,441	5.64
NFC	11.40	-	777	11.49	MDX	4.58	(0.02)	1,821	4.57	LST	4.84	(0.06)	6,875	4.84
PATO	14.40	-	152	14.48	PTG	11.80	0.10	194,502	11.83	M	72.75	0.50	4,587	72.50
PMTA	14.30	0.30	157	14.26	PTT	52.00	1.00	1,027,070	51.75	MALEE	13.80	0.20	12,793	13.86
PTTGC	82.00	1.75	247,597	81.19	PTTEP	152.00	-	205,664	150.89	MINT	40.00	0.50	141,186	39.70
SUTHA	4.20	0.04	220	4.19	RATCH	51.75	0.50	9,476	51.74	OISHI	93.00	(0.25)	29	92.66
TCCC	35.00	-	82	34.98	RPC	0.52	-	3,409	0.52	PB	60.50	(0.25)	421	60.54
TPA	6.65	0.05	15	6.67	SCG	4.66	0.08	215	4.60	PM	8.80	0.05	16,878	8.81
UP	-	-	-	-	SCI	3.16	0.06	13,268	3.14	PRG	14.30	0.10	43	14.30
VNT	25.75	(0.25)	25,464	25.99	SCN	4.20	(0.04)	67,021	4.26	SAPPE	23.20	0.20	2,402	23.09
WG	161.00	(1.00)	11	161.00	SGP	12.40	0.10	91,124	12.47	SAUCE	21.90	-	86	21.91
YCI	-	-	-	-	SKE	1.27	0.01	12,483	1.28	SFP	-	-	-	-
Commerce	-	-	-	-	SOLAR	2.32	0.02	27,399	2.34	SNP	20.40	-	263	20.32
BEAUTY	11.10	0.10	1,131,769	11.09	SPCG	20.90	0.20	11,813	20.91	SORKON	74.00	(0.50)	2	74.00
BIG	1.77	0.01	78,393	1.77	SPRC	14.90	0.10	153,825	14.87	SSC	40.00	0.50	7	40.14
BJC	59.50	1.00	60,434	59.41	SUPER	0.74	0.01	617,560	0.73	SSF	8.40	0.10	30	8.33
COL	29.75	-	4,624	29.87	SUSCO	3.26	-	6,781	3.27	SST	5.75	(0.10)	785	5.73
COM7	19.60	0.20	61,451	19.61	TAE	2.20	0.02	6,709	2.20	TC	3.04	-	1,101	3.04
CPALL	68.50	0.50	544,100	68.01	TCC	0.40	0.01	12,010	0.39	TFG	4.18	(0.02)	10,437	4.20
CSS	2.20	0.02	117,422	2.22	TOP	84.50	(0.25)	105,335	84.38	TFMAMA	162.00	2.00	42	158.49
FN	2.84	0.04	50,816	2.93	TPIPP	6.65	0.10	323,347	6.63	TIPCO	9.45	0.15	15,779	9.40
FTE	2.32	0.02	16,468	2.31	TTW	12.40	0.10	45,272	12.47	TKN	15.70	-	138,796	15.77
GLOBAL	20.00	0.60	112,368	19.85	WHAPU	6.30	0.25	483,686	6.27	TU	17.60	0.30	91,717	17.64
HMPRO	15.00	0.40	481,963	15.02	WP	7.55	(0.05)	20,493	7.61	TVO	29.50	0.25	9,235	29.48
IT	4.24	0.02	1,218	4.23	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.24	0.04	5,695	4.23	AMARIN	4.80	0.04	141	4.79	AHC	21.00	0.20	2	20.90
LOXLEY	2.24	0.08	35,023	2.21	AQUA	0.48	0.01	18,880	0.47	BCH	19.40	0.50	297,456	19.53
MAKRO	34.75	0.50	16,642	34.99	AS	1.20	0.03	418	1.20	BDMS	26.00	0.25	430,764	25.96
MC	13.00	-	5,934	13.00	BEC	7.15	0.15	205,291	7.12	BH	181.00	2.00	14,533	180.29
MEGA	37.25	(0.25)	31,258	37.45	EPCO	3.76	0.04	21,235	3.76	CHG	2.74	0.06	805,915	2.73
MIDA	0.62	-	14,437	0.62	FE	187.00	(2.00)	1	187.00	CMR	3.16	-	2,499	3.15
ROBINS	69.00	1.50	35,247	68.86	GPI	2.74	0.02	1,168	2.72	EKH	5.65	-	6,992	5.63
RSP	3.94	0.08	9,292	3.92	GRAMMY	8.05	0.10	475	7.98	KDH	95.00	(0.25)	24	9

Main Board Quotation

Issue Date :

Tuesday September 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.72	-	3,430	2.72	MJD	3.46	0.08	826	3.41	CPT	2.00	(0.04)	105,542	2.01
Tourism & Leisure					MK	3.92	(0.04)	39,511	3.92	CRANE	2.78	-	2,264	2.79
ASIA	6.60	0.05	138	6.59	NCH	0.93	0.02	773	0.92	CTW	9.45	0.15	1,829	9.43
CENTEL	39.75	1.00	81,449	39.42	NNCL	1.77	0.02	8,381	1.77	FMT	25.00	-	17	25.00
CSR	-	-	-	-	NOBLE	12.30	(0.50)	4,111	12.42	HTECH	7.40	-	21,294	7.45
DTC	11.80	-	4,035	11.81	NUSA	0.34	0.02	101,209	0.33	KKC	1.67	-	162	1.66
ERW	8.05	0.15	107,448	7.97	NVD	4.14	-	3,671	4.11	PK	3.36	0.02	12,000	3.37
GRAND	1.03	0.01	52,828	1.02	ORI	18.30	0.60	56,387	18.19	SNC	14.40	(0.10)	2,932	14.50
LRH	39.00	-	20	39.00	PACE	0.59	(0.01)	123,255	0.59	TCJ	5.75	0.10	503	5.68
MANRIN	-	-	-	-	PF	1.03	0.03	678,793	1.02	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	8.35	0.25	36,358	8.23	Property Fund & REIT				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.80	-	248	10.80
SHANG	75.75	(0.25)	50	75.98	PRECHA	1.44	0.09	521	1.41	AMATAR	10.70	-	326	10.69
Home & Office Produ					PRIN	1.60	-	15,159	1.60	B-WORK	11.40	0.20	3,243	11.38
ACC	0.44	-	1,408	0.44	PRINC	5.30	-	9,227	5.30	BKKCP	12.50	0.10	20	12.45
AJA	0.40	0.01	390,399	0.40	PSH	20.90	0.10	16,539	20.89	BOFFICE	13.70	(0.10)	11	13.70
DTCI	-	-	-	-	OH	3.56	0.08	1,370,703	3.54	CPNCG	16.00	0.10	1,260	15.95
FANCY	0.90	0.01	1,932	0.90	RICHY	1.81	0.01	26,712	1.80	CPNREIT	27.25	0.25	12,667	27.25
KYE	416.00	2.00	292	415.05	RML	1.32	(0.01)	14,947	1.33	CPTGF	13.40	0.10	134	13.40
L&E	2.68	0.02	584	2.69	ROJNA	5.25	0.05	29,218	5.23	CRYSTAL	10.30	-	5,270	10.30
MODERN	4.38	(0.02)	10,759	4.39	S	3.52	0.18	390,133	3.45	CTARAF	4.80	0.02	701	4.77
OGC	38.00	1.00	11	38.00	SAMCO	2.16	0.04	602	2.16	DREIT	5.50	(0.05)	896	5.49
ROCK	16.40	(0.50)	3	16.27	SC	3.54	0.04	24,309	3.53	ERWPF	5.60	(0.05)	280	5.61
SIAM	2.26	(0.06)	27,052	2.25	SENA	3.74	0.02	10,457	3.75	FUTUREPF	22.50	0.10	251	22.48
TSR	2.38	-	5,600	2.38	SF	8.95	-	33,496	8.93	GAHREIT	9.70	-	66	9.70
Insurance					SIRI	1.64	0.03	664,376	1.63	GLANDRT	13.50	0.40	6,868	13.28
AYUD	38.50	-	221	38.59	SPALI	25.00	-	62,088	24.87	GOLDPF	7.20	-	1,009	7.20
BKI	349.00	(1.00)	104	349.67	TICON	16.90	0.10	263	16.85	GVREIT	15.80	-	3,057	15.80
BLA	32.00	0.25	9,553	32.06	U	0.03	0.01	1,763,647	0.03	HPF	5.45	-	140	5.42
BUI	-	-	-	-	UV	8.35	0.20	168,484	8.35	HREIT	6.80	0.05	13,032	6.80
CHARAN	32.50	-	92	32.51	WHA	4.28	0.22	3,667,920	4.21	IMPACT	18.90	(0.30)	8,456	19.07
INSURE	-	-	-	-	WIN	0.67	0.01	2,571	0.66	KPNPF	9.40	(0.10)	100	9.40
MTI	107.00	0.50	5	107.10	Paper & Printing Mat					LHHOTEL	16.10	(0.10)	2,584	16.13
NKI	-	-	-	-	UTP	11.40	0.20	5,955	11.34	LHPF	8.30	-	525	8.30
NSI	-	-	-	-	Fashion					LHSC	16.60	0.20	1,216	16.44
SMK	40.50	0.25	19	40.49	AFC	9.15	-	23	9.15	LUXF	8.50	(0.05)	1,747	8.51
THRE	1.13	0.03	9,903	1.11	BTNC	-	-	-	-	M-II	9.00	-	5	9.00
THREL	8.35	0.15	9,822	8.25	CPH	5.70	-	20	5.70	M-PAT	10.00	-	142	9.95
TIC	42.50	0.75	10	42.18	CPL	-	-	-	-	M-STOR	10.30	0.10	3	10.17
TIP	24.70	-	3,875	24.66	DIGI	0.28	-	10,716	0.28	MIPF	-	-	-	-
TSI	0.44	(0.01)	417	0.45	ICC	40.00	-	100	40.00	MIT	-	-	-	-
TVI	3.50	-	489	3.50	LTX	103.50	-	73	103.86	MJLF	12.60	-	1,266	12.60
Mining					NC	-	-	-	-	MNIT	1.62	(0.06)	149	1.62
PDI	13.60	-	5,298	13.56	PAF	0.91	0.02	3,999	0.89	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.60	0.02	4,406	2.59	MNRF	3.42	-	44	3.40
Packaging					PG	-	-	-	-	MONTRI	5.95	(0.05)	9	5.94
AJ	10.50	(0.10)	959	10.57	SABINA	36.00	(2.25)	2,683	37.48	POPF	13.90	-	3,070	13.90
ALUCON	178.50	(0.50)	155	178.92	SAWANG	-	-	-	-	PPF	11.40	0.10	10	11.31
CSC	45.75	0.50	4	45.63	SUC	45.00	-	441	45.00	QHHR	8.50	-	12,476	8.50
NEP	0.37	0.01	3,248	0.35	TNL	19.50	(0.10)	21	19.50	QHOP	3.46	(0.10)	318	3.48
NPPG	1.08	(0.01)	8,123	1.08	TPCORP	14.80	-	287	14.94	QHPF	12.80	-	18,805	12.90
PTL	16.80	(0.10)	7,801	16.87	TR	47.50	-	315	47.31	SBPF	2.98	(0.06)	100	2.98
SITHAI	1.25	(0.01)	6,354	1.25	TTI	-	-	-	-	SHREIT	9.50	-	5,046	9.33
SLP	0.96	0.01	6,414	0.97	TTL	-	-	-	-	SIRIP	11.80	0.70	10	11.80
SMPC	13.70	0.10	1,491	13.60	TTTM	179.00	(2.00)	63	180.51	SPF	24.80	0.30	1,397	24.64
SPACK	2.00	0.05	3	2.00	UPF	71.75	0.50	2	71.75	SRIPANWA	11.00	(0.20)	533	11.04
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	10.00	-	3	10.00
TFI	0.31	0.02	3,039	0.30	WACOAL	-	-	-	-	SSTPF	6.45	0.05	45	6.40
THIP	33.25	(0.25)	314	33.37	Transportation & Log					SSSTR	6.25	(0.05)	20	6.25
TMD	21.30	-	78	21.29	AAV	4.42	0.04	168,756	4.41	TIF1	8.70	-	185	8.73
TOPP	-	-	-	-	AOT	66.00	1.50	333,272	65.56	TLGF	20.00	-	2,320	20.00
TPBI	8.20	0.10	218	8.11	ASIMAR	2.62	(0.02)	1,374	2.62	TLHPF	11.10	(0.10)	112	11.10
TPP	-	-	-	-	B	0.62	(0.01)	44,566	0.61	TNPF	3.58	(0.02)	131	3.58
Personal Products &					BA	13.00	0.10	14,071	12.91	TPRIME	13.60	(0.10)	18	13.66
APCO	4.38	-	907	4.36	BEM	8.80	0.25	797,425	8.70	TREIT	12.00	(0.20)	7,616	12.08
DDD	49.00	(0.25)	26,878	49.81	BTS	9.35	0.05	427,064	9.38	TTLPF	23.30	-	201	23.30
JCT	-	-	-	-	BTSIGF	12.30	-	59,701	12.30	TU-PF	-	-	-	-
OCC	17.20	-	371	17.20	III	6.80	-	28,471	6.80	URBNPF	3.72	0.14	249	3.57
S & J	-	-	-	-	JUTHA	1.76	(0.04)	110	1.76	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	7.85	0.15	43,758	7.84	WHART	10.70	0.20	7,408	10.60
TNR	14.10	0.10	125	14.01	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.76	0.06	686	4.71	NOK	2.34	(0.02)	9,600	2.33	AMC	2.48	(0.02)	744	2.47
Professional Service					NYT	5.10	-	44,668	5.09	BSBM	1.15	-	1,159	1.15
BWG	1.14	0.01	887,494	1.15	PRM	7.85	0.20	123,264	7.78	CEN	1.36	-	3,297	1.36
GENCO	0.80	-	3,991	0.80	PSL	12.40	0.30	18,217	12.35	CITY	2.72	-	118	2.70
PRO	-	-	-	-	RCL	5.75	0.15	4,206	5.69	CSP	1.45	0.02	223	1.46
TEAMG	2.52	0.04	253,351	2.53	THAI	13.40	0.10	27,092	13.36	GJS	0.26	-	123,941	0.26
Property Developer					TSTE	7.25	-	213	7.25	GSTEL	-	-	-	-
A	6.70	-	500	6.70	TTA	7.00	(0.05)	10,923	7.02	INOX	1.20	-	3,431	1.21
AMATA	22.70	1.10	517,761	22.29	WICE	4.98	0.22	290,766	4.94	LHK	4.94	-	3,329	4.92
AMATAV	5.95	-	11,518	5.97	Automotive					MAX	0.02	-	477,119	0.02
ANAN	5.35	0.10	92,504	5.28	AH	31.50	0.25	8,792	31.61	MCS	7.25	-	10,034	7.25
AP	9.45	(0.10)	98,296	9.48	APCS	5.15	(0.05)	1,567	5.18	MILL	1.72	(0.02)	28,585	1.74
APEX	0.20	-	30,297	0.20	BAT-3K	-	-	-	-	PAP	4.12	0.02	393	4.11
AQ	0.03	-	69,118	0.03	CWT	3.02	-	9,245	3.03	PERM	2.40	-	1,035	2.40
BLAND	1.81	0.02	514,306	1.81	EASON	2.86	0.44	575,615</						

Main Board Quotation

Issue Date :

Tuesday September 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	TSE	3.10	-	2,856	3.00	ADVA01P1902A	0.59	(0.03)	10,002	-
ABICO	7.50	0.20	2,149	7.00	UMS	0.78	(0.02)	730	-	ADVA01P1902B	0.43	(0.01)	15,244	-
AU	8.00	(0.20)	62,330	8.00	UWC	0.07	-	161,815	-	ADVA06C1809A	0.45	0.02	5,100	-
FC	0.26	-	5,923	-	Services (MAI)	-	-	-	-	ADVA06C1903A	0.58	(0.43)	2,400	-
JCKH	1.14	0.02	2,914	1.00	ADAM	-	-	-	-	ADVA08C1809A	0.04	(0.01)	5,552	-
KASET	2.20	0.02	3,616	2.00	AKP	1.65	0.05	8,393	1.00	ADVA08P1809A	-	-	-	-
MM	3.96	(0.06)	1,135	3.00	AMA	6.10	0.10	9,155	6.00	ADVA11C1905A	0.25	0.02	10,216	-
SUN	3.56	0.20	260,484	3.00	ARIP	0.50	0.01	1,131	-	ADVA11P1905A	0.28	(0.01)	4,120	-
TACC	4.04	(0.02)	16,108	4.00	ATP30	1.72	-	3,752	1.00	ADVA13C1811A	0.51	0.03	55,301	-
TMILL	3.26	0.04	6,551	3.00	AUCT	6.65	0.15	48,202	6.00	ADVA13C1901A	0.31	0.02	120,238	-
XO	10.30	-	745	10.00	BOL	1.94	0.02	680	1.00	ADVA13P1809A	-	-	-	-
Consumer Products	-	-	-	-	CHUO	-	-	-	-	ADVA16C1812A	0.55	0.03	3	-
BGT	1.00	-	101	1.00	CMO	1.49	-	4,850	1.00	ADVA19C1901A	0.64	0.06	5,948	-
BIZ	2.74	(0.04)	391	2.00	D	11.20	0.30	7,184	11.00	ADVA23C1902A	0.43	0.03	38,400	-
DOD	14.30	0.30	160,173	14.00	DCORP	2.80	0.02	13,047	2.00	ADVA24C1810A	0.25	0.03	201	-
ECF	8.75	(0.05)	40,463	8.00	DNA	0.57	0.02	40,342	-	ADVA24C1905A	0.34	0.03	800	-
HPT	1.07	-	2,764	1.00	EFORL	0.07	-	103,637	-	ADVA24P1810A	-	-	-	-
JUBILE	18.70	0.40	3,504	18.00	ETE	1.93	(0.02)	42,831	1.00	ADVA27C1902A	0.30	-	8,000	-
MOONG	6.50	0.05	2,607	6.00	FSMART	8.75	0.10	6,222	8.00	ADVA28C1811A	-	-	-	-
NPK	-	-	-	-	FVC	1.07	(0.01)	1,555	1.00	ADVA28C1901A	0.21	0.03	91,780	-
OCEAN	1.81	0.01	43,355	1.00	HARN	2.64	0.04	17,457	2.00	ADVA28P1810A	0.02	0.01	10	-
TM	2.20	0.20	33,717	2.00	JKN	10.80	0.20	33,726	10.00	ADVA42C1903A	0.28	0.01	1,020	-
Financials (MAI)	-	-	-	-	KIAT	0.51	0.02	106,585	-	AMAT01C1810A	1.00	0.15	280,594	-
ACAP	6.50	-	7,763	6.00	KOOL	1.85	0.01	27,942	1.00	AMAT01C1810B	0.59	0.14	399,203	-
AF	0.70	-	486	-	LDC	1.19	0.01	2,340	1.00	AMAT01C1903A	0.78	(0.22)	78,473	-
AIRA	1.98	(0.02)	3,214	1.00	MPG	0.17	0.02	8,357	-	AMAT01C1903B	0.66	(0.34)	77,170	-
ASN	3.54	0.02	236	3.00	MVP	3.12	-	35,119	3.00	AMAT01P1810A	0.58	(0.14)	68,190	-
BROOK	0.56	0.02	29,607	-	NBC	0.76	(0.02)	341	-	AMAT01P1903A	0.80	(0.20)	12,138	-
CHAYO	5.85	0.20	165,359	5.00	NCL	1.75	(0.05)	8,469	1.00	AMAT06C1809A	-	-	-	-
GCAP	3.92	-	3,872	3.00	NEWS	0.01	-	11,694	-	AMAT08C1809A	0.02	0.01	1,000	-
LIT	8.30	-	2,509	8.00	NINE	2.26	-	2,711	2.00	AMAT08C1903A	0.66	0.11	78,089	-
SGF	2.12	(0.06)	808,459	2.00	OTO	3.24	(0.02)	33,508	3.00	AMAT11C1903A	0.45	0.08	25,148	-
Industrials (MAI)	-	-	-	-	PHOL	2.22	0.04	5,405	2.00	AMAT13C1812A	0.61	0.12	653,182	-
ZS	3.22	-	1,162	3.00	PICO	4.60	(0.08)	320	4.00	AMAT19C1811A	0.23	0.06	55,275	-
ADB	1.22	0.03	38,626	1.00	PORT	7.00	0.10	30,254	7.00	AMAT19C1902A	0.78	0.13	72,786	-
BM	3.30	(0.02)	3,892	3.00	QLT	4.40	-	1,457	4.00	AMAT23C1810A	0.18	0.05	24,748	-
CHO	1.23	0.02	7,301	1.00	RP	3.10	0.02	4,366	3.00	AMAT24C1811A	0.32	0.04	350	-
CHOW	4.78	0.06	765	4.00	SE	2.22	0.10	80,250	2.00	AMAT27C1902A	0.86	0.10	3,600	-
CIG	0.37	-	2,505	-	SPA	15.80	0.20	10,763	15.00	ANAN01C1810A	1.34	0.07	7,942	1.00
COLOR	1.33	0.02	1,607	1.00	THMUI	1.94	0.20	599,847	1.00	ANAN01C1810B	1.11	0.11	9,052	1.00
CPR	5.75	-	3,421	5.00	TNDT	4.86	0.06	581	4.00	ANAN08C1810A	1.21	0.06	5,864	1.00
FPI	2.32	(0.06)	1,874	2.00	TNH	39.50	(1.00)	2,037	39.00	ANAN08C1906A	0.33	0.02	37,612	-
GTB	0.65	0.01	1,726	-	TNP	1.91	0.08	62,220	1.00	ANAN13C1901A	0.24	0.01	92,071	-
KCM	1.26	0.02	32,492	1.00	TSF	0.05	0.01	11,584	-	ANAN19C1811A	0.69	0.05	1,140	-
LVT	-	-	-	-	TVD	1.57	0.05	7,072	1.00	ANAN23C1901A	0.38	0.08	5,000	-
MBAX	4.02	-	275	4.00	TVT	1.03	0.01	3,257	1.00	ANAN24C1811A	0.96	0.15	1	-
MGT	2.18	0.06	25,189	2.00	WINNER	3.48	-	8,758	3.00	AOT01C1810A	0.21	0.04	326,983	-
NDR	2.28	0.02	331	2.00	Technology (MAI)	-	-	-	-	AOT01C1902A	0.55	0.06	299,192	-
PDG	3.62	0.02	863	3.00	COMAN	3.46	0.10	30,803	3.00	AOT01C1902B	0.37	0.06	246,013	-
PIMO	4.26	0.04	3,444	4.00	ICN	2.34	(0.02)	49,532	2.00	AOT01P1902A	0.81	(0.07)	53,676	-
PJW	1.92	(0.02)	2,073	1.00	IRCP	0.97	-	5,162	-	AOT01P1902B	0.49	(0.09)	210,387	-
PPM	1.86	(0.02)	442	1.00	ITEL	3.56	-	29,307	3.00	AOT06C1809A	-	-	-	-
RWI	1.68	0.03	9,586	1.00	NETBAY	32.50	-	1,016	32.00	AOT06C1903A	0.48	0.09	103,722	-
SALEE	1.14	0.01	1,327	1.00	PLANET	1.52	0.01	827	1.00	AOT06P1903A	0.47	(0.07)	33,213	-
SANKO	1.40	-	6,926	1.00	SIMAT	2.14	-	4,535	2.00	AOT07C1902A	0.47	0.06	1	-
SELIC	2.52	(0.12)	170,664	2.00	SKY	13.90	0.20	8,991	13.00	AOT08C1901A	0.28	0.04	38,262	-
SWC	24.40	(0.40)	1,290	24.00	SPVI	1.63	0.03	69,584	1.00	AOT08P1903A	0.47	(0.06)	49,259	-
TMC	0.88	(0.01)	3,209	-	UPA	0.55	(0.01)	143,640	-	AOT11C1906A	0.37	0.05	55,161	-
TMI	0.80	-	2,341	-	VCOM	3.40	0.02	5,548	3.00	AOT11P1906A	0.36	(0.05)	26,270	-
TMW	68.50	0.25	290	68.00	Unit Trust	-	-	-	-	AOT13C1811A	0.12	0.03	46,808	-
TPAC	12.60	0.10	535	12.00	MGE	-	-	-	-	AOT13C1812A	0.27	0.05	403,505	-
TPLAS	2.10	(0.02)	103,246	2.00	SCBSET	-	-	-	-	AOT13C1902A	0.50	0.07	144,365	-
UAC	4.58	-	948	4.00	ETF	-	-	-	-	AOT13P1810A	0.13	(0.06)	34,141	-
UBIS	4.60	(0.04)	2,622	4.00	IDIV	13.92	(0.05)	22	13.00	AOT13P1812A	0.10	(0.02)	11,638	-
UEC	1.54	(0.01)	2,870	1.00	ABFTH	-	-	-	-	AOT19C1809A	-	-	-	-
UKEM	0.90	(0.01)	18,514	-	BMSCG	9.43	0.14	2,583	9.00	AOT19C1901A	0.41	0.06	129,666	-
UREKA	0.95	0.03	87,505	-	BMSCITH	13.04	0.22	16,993	12.00	AOT24C1811A	-	-	-	-
YUASA	16.80	0.10	105	16.00	BSET100	11.24	0.18	5,841	11.00	AOT24C1901A	0.24	0.04	1,000	-
ZIGA	3.56	0.04	102,627	3.00	CHINA	5.01	0.06	1,223	4.00	AOT24P1809A	-	-	-	-
Property & Construc	-	-	-	-	EBANK	6.02	0.05	2	5.00	AOT24P1903A	-	-	-	-
ARROW	8.95	0.05	413	8.00	ECOMM	-	-	-	-	AOT27C1902A	0.48	0.06	18,050	-
BKD	3.20	0.02	6,057	3.00	EFOOD	-	-	-	-	AOT27P1903A	0.63	(0.06)	14,248	-
BSM	0.75	(0.03)	16,628	-	EICT	-	-	-	-	AOT28C1812A	0.24	0.05	101,502	-
BTW	1.82	(0.02)	1,370	1.00	ENGY	6.65	0.05	173	6.00	AOT28C1901A	0.20	0.05	226,004	-
CHEWA	1.37	-	190,277	1.00	ENY	-	-	-	-	AOT28P1812A	0.17	(0.05)	119,938	-
CRD	1.09	0.01	2,126	1.00	ESET50	-	-	-	-	AOT42C1903A	0.32	0.04	18,320	-
DIMET	1.08	0.02	92,896	1.00	GLD	1.70	-	2,610	1.00	AP01C1809A	0.54	(0.04)	16,574	-
FLOYD	2.28	0.04	97,404	2.00	TDEX	11.37	0.13	3,194	11.00	AP01C1809B	-	-	-	-
FOCUS	1.10	-	956	1.00	TGOLDETF	3.67	-	381	3.00	AP01C1903A	0.53	(0.47)	9,364	-
HYDRO	1.18	0.03	4,014	1.00	TH100	-	-	-	-	AP01C1903B	0.44	(0.56)	8,554	-
JSP	0.57	-	38,433	-	Warrant Foreign	-	-	-	-	AP0				

Main Board Quotation

Issue Date :

Tuesday September 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP11C1902A	0.09	-	4,839	-	BEAU13C1812B	0.94	0.02	120,254	-	BPP28C1902A	0.16	-	39,884	-
BANP13C1811A	0.13	0.01	978,149	-	BEAU13C1901A	0.25	0.01	545,889	-	BTS01C1810A	0.40	0.01	39,332	-
BANP13C1902A	0.34	0.02	307,215	-	BEAU19C1811A	0.01	(0.01)	800	-	BTS01C1810B	0.05	-	500	-
BANP16C1812A	0.69	0.05	1,719	-	BEAU19C1901A	1.01	0.02	41,472	1.00	BTS01P1810A	0.38	(0.02)	5,015	-
BANP19C1811A	0.09	0.01	8,651	-	BEAU23C1901A	0.01	-	32,632	-	BTS06C1903A	-	-	-	-
BANP19C1902A	0.44	0.03	78,554	-	BEAU24C1902A	0.06	0.01	1,101	-	BTS06C1903B	-	-	-	-
BANP23C1901A	0.13	0.01	119,000	-	BEAU27C1903A	0.30	-	31,102	-	BTS06C1903C	-	-	-	-
BANP24C1812A	-	-	-	-	BEAU28C1810A	-	-	-	-	BTS08C1810A	0.16	0.01	17,316	-
BANP24P1901A	0.30	(0.03)	10,000	-	BEAU28C1811A	0.01	(0.01)	10,900	-	BTS11C1904A	0.07	-	1,896	-
BANP27C1809A	-	-	-	-	BEC01C1812A	0.10	0.01	22,024	-	BTS19C1901A	0.28	-	8,200	-
BANP28C1810A	0.06	0.01	11,015	-	BEC01C1812B	0.08	-	2,500	-	BTS23C1905A	1.58	0.01	6,002	1.00
BANP28C1902A	0.24	0.01	440,993	-	BEC08C1809A	-	-	-	-	BTS24C1901A	-	-	-	-
BANP42C1903A	0.25	0.01	66,355	-	BEC13C1811A	0.02	-	500	-	BTS28C1811A	-	-	-	-
BANP42P1903A	0.51	(0.03)	67,571	-	BEC13C1901A	0.11	0.01	87,569	-	BTS28C1902A	0.22	0.01	34,232	-
BBL06C1902A	1.01	0.10	12,482	1.00	BEC19C1809A	-	-	-	-	BTS42C1901A	0.21	0.02	4,008	-
BBL08C1809A	0.03	-	13,000	-	BEC23C1809A	-	-	-	-	BTS42P1901A	0.24	(0.01)	3,012	-
BBL08C1902A	0.79	0.09	29,654	-	BEC24C1809A	0.02	0.01	1	-	CBG01C1809A	0.01	-	8,090	-
BBL08P1810A	0.02	-	21,199	-	BEC24C1812A	-	-	-	-	CBG01C1811A	0.57	(0.01)	236,757	-
BBL11C1903A	0.64	0.07	18,625	-	BEC28C1811A	-	-	-	-	CBG01C1811B	0.21	(0.02)	51,416	-
BBL11P1903A	0.18	(0.03)	2,310	-	BEM01C1902A	0.47	0.05	72,485	-	CBG01C1902A	0.87	(0.13)	13,602	-
BBL13C1810A	0.34	0.03	102	-	BEM01C1902B	0.39	0.04	108,713	-	CBG01C1902B	0.75	(0.25)	13,538	-
BBL13C1901A	0.36	0.04	94,794	-	BEM01P1902A	0.38	(0.03)	15,097	-	CBG01P1811A	0.64	0.01	30,744	-
BBL19C1901A	0.35	0.04	37,865	-	BEM07C1903A	-	-	-	-	CBG01P1811B	0.21	-	72,278	-
BBL23C1811A	0.30	0.05	44,500	-	BEM08C1809A	0.22	0.06	12,725	-	CBM06C1809A	0.01	(0.01)	27,481	-
BBL24C1809A	0.03	-	3	-	BEM11C1903A	0.30	0.03	16,260	-	CBG06C1903A	0.91	(0.01)	21,730	-
BBL24C1812A	-	-	-	-	BEM13C1901A	0.42	0.04	158,446	-	CBG06P1809A	0.30	0.01	9,477	-
BBL24C1902A	-	-	-	-	BEM19C1901A	0.45	0.06	32,671	-	CBG07C1812A	-	-	-	-
BBL24P1810A	-	-	-	-	BEM23C1901A	0.25	0.03	2,602	-	CBG08C1810A	-	-	-	-
BBL27C1809A	-	-	-	-	BEM24C1809A	0.15	0.04	300	-	CBG08C1902A	0.59	(0.02)	45,286	-
BBL28C1811A	-	-	-	-	BEM24C1902A	0.35	0.08	13,802	-	CBG11C1902A	0.15	(0.02)	19,404	-
BBL28C1901A	0.30	0.04	183,055	-	BGR101C1901A	1.27	0.06	23,572	1.00	CBG13C1811A	0.14	-	24,110	-
BBL42C1903A	0.34	0.03	10,240	-	BGR101C1901B	1.10	0.07	8,663	1.00	CBG13C1812A	0.30	(0.02)	192,788	-
BCH01C1902A	0.51	0.05	121,782	-	BGR101C1903A	0.40	(0.60)	14,798	-	CBG13C1901A	0.84	(0.02)	102,696	-
BCH01C1902B	0.39	0.04	115,615	-	BGR101C1903B	0.33	(0.67)	5,005	-	CBG19C1810A	-	-	-	-
BCH01P1902A	0.44	(0.03)	56,270	-	BGR106C1903A	1.12	0.07	2,000	1.00	CBG19C1901A	0.66	(0.03)	44,690	-
BCH06C1811A	0.39	0.05	32,272	-	BGR107C1903A	0.33	0.03	360	-	CBG23C1901A	0.16	0.01	12,500	-
BCH08C1901A	0.60	0.06	42,044	-	BGR108C1902A	0.95	0.05	8,312	-	CBG24C1809A	-	-	-	-
BCH11C1905A	0.50	0.03	66,272	-	BGR113C1812A	0.94	0.04	300	-	CBG24C1811A	-	-	-	-
BCH13C1810A	0.24	0.05	131,179	-	BGR113C1812B	0.27	0.02	75,462	-	CBG24C1901A	0.73	(0.01)	100	-
BCH13C1902A	0.33	0.04	144,735	-	BGR119C1901A	0.77	0.05	6,543	-	CBG28C1811A	0.10	-	100	-
BCH19C1809A	0.25	0.05	19,592	-	BGR124C1901A	0.98	0.11	280	-	CBG28C1812A	0.47	(0.02)	40,356	-
BCH19C1903A	0.58	0.04	18,440	-	BGR124C1902A	0.33	0.03	11,820	-	CENT01C1810A	0.08	0.01	6,748	-
BCH23C1811A	0.49	0.05	46,870	-	BGR128C1812A	-	-	-	-	CENT01C1810B	-	-	-	-
BCH24C1811A	0.25	0.07	10,025	-	BGR128C1901A	0.22	0.02	27,581	-	CENT01C1903A	0.45	(0.55)	39,351	-
BCH27C1902A	0.77	0.04	12,204	-	BH01C1811A	0.53	0.02	127,177	-	CENT01C1903B	0.38	(0.62)	30,484	-
BCH28C1811A	0.45	0.08	69,728	-	BH01C1811B	0.09	-	1,031	-	CENT01P1810A	1.17	(0.06)	18,112	1.00
BCP01C1810A	0.24	0.02	35,317	-	BH01P1811A	1.24	(0.05)	16,399	1.00	CENT01P1903A	0.52	(0.48)	1,200	-
BCP01C1810B	0.04	-	40	-	BH07C1810A	0.02	-	4	-	CENT06C1904A	0.19	0.01	22,870	-
BCP01P1810A	0.30	(0.01)	14,250	-	BH08C1811A	-	-	-	-	CENT08C1809A	-	-	-	-
BCP08C1901A	0.27	0.01	7,682	-	BH08C1902A	0.50	0.03	17,905	-	CENT08C1902A	0.20	0.02	37,379	-
BCP11C1811A	0.08	0.01	200	-	BH11C1902A	-	-	-	-	CENT11C1904A	0.12	0.01	6,622	-
BCP13C1810A	-	-	-	-	BH11C1905A	0.60	0.02	11,906	-	CENT13C1811A	-	-	-	-
BCP13C1902A	0.27	-	46,100	-	BH13C1901A	0.53	0.03	37,966	-	CENT13C1902A	0.28	0.03	243,828	-
BCP19C1902A	0.28	0.01	7,703	-	BH19C1901A	0.52	0.03	21,820	-	CENT19C1901A	0.21	0.04	26,332	-
BCP24C1811A	-	-	-	-	BH24C1809A	-	-	-	-	CENT23C1902A	0.11	0.01	23,433	-
BCP24C1904A	-	-	-	-	BH24C1811A	-	-	-	-	CENT24C1810A	-	-	-	-
BCP28C1901A	0.23	-	14,168	-	BH24C1902A	0.41	0.01	2,001	-	CENT24C1901A	-	-	-	-
BCPG01C1811A	0.61	0.03	206,319	-	BIG08C1906A	0.12	-	17,022	-	CENT24C1902A	0.28	0.03	15,310	-
BCPG01C1811B	0.26	0.01	175,219	-	BIG13C1901A	0.06	-	1,320	-	CHG01C1809A	0.73	0.06	45,557	-
BCPG06C1811A	0.36	-	53,168	-	BIG19C1811A	0.02	0.01	455	-	CHG01C1809B	1.16	0.25	11,280	1.00
BCPG08C1810A	0.34	-	101,574	-	BIG24C1812A	-	-	-	-	CHG01C1903A	0.48	(0.52)	43,638	-
BCPG11C1902A	0.23	-	41,165	-	BJC01C1812A	0.79	0.05	28,759	-	CHG01C1903B	0.41	(0.59)	11,000	-
BCPG13C1810A	0.18	0.01	301,372	-	BJC01C1812B	0.59	0.05	24,298	-	CHG01P1809A	-	-	-	-
BCPG13C1812A	0.65	0.03	396,115	-	BJC01P1812A	0.27	(0.01)	11,801	-	CHG01P1903A	-	-	-	-
BCPG19C1901A	0.63	0.01	90,843	-	BJC06C1901A	0.32	0.03	10,000	-	CHG07C1902A	-	-	-	-
BCPG23C1902A	0.54	0.01	99,711	-	BJC07C1809A	-	-	-	-	CHG11C1904A	0.38	0.03	10,350	-
BCPG24C1810A	0.20	0.03	3,100	-	BJC08C1809A	-	-	-	-	CHG13C1812A	0.40	0.04	82,466	-
BCPG27C1903A	0.54	0.02	7,853	-	BJC08C1903A	0.49	0.03	17,320	-	CHG19C1902A	0.45	0.05	7,558	-
BCPG28C1812A	0.67	0.04	100	-	BJC11C1905A	0.59	0.05	10,594	-	CHG23C1811A	1.56	0.12	2,000	1.00
BCPG28C1901A	0.39	0.02	423,079	-	BJC13C1810A	0.09	-	41	-	CHG24C1811A	-	-	-	-
BDMS01C1811A	0.20	0.01	162,344	-	BJC13C1812A	0.50	0.04	71,271	-	CHG28C1812A	0.43	0.05	63,262	-
BDMS01C1811B	0.04	(0.01)	31,001	-	BJC19C1809A	0.10	0.02	1,000	-	CK01C1809A	0.28	0.05	100,461	-
BDMS01P1811A	0.27	-	33,777	-	BJC19C1902A	0.57	0.05	14,283	-	CK01C1809B	0.10	0.05	51,846	-
BDMS06C1811A	0.56	-	11,204	-	BJC23C1901A	0.29	0.02	4,000	-	CK01C1902A	0.36	(0.64)	59,034	-
BDMS08C1901A	0.12	-	9,171	-	BJC24C1901A	0.50	0.03	850	-	CK01C1902B	0.29	(0.71)	38,228	-
BDMS11C1811A	0.68	-	3,600	-	BJC28C1812A	0.50	0.06	88,916	-	CK01P1809A	0.04	(0.04)	16,609	-
BDMS11C1904A	0.10	-	16,270	-	BLA01C1812A	0.17	-	72,146	-	CK01P1902A	0.34	(0.66)	13,582	-
BDMS13C1810A	-	-	-	-	BLA08C1811A	-	-	-	-	CK08C1809A	0.18	0.07	3,744	-
BDMS13C1812A	0.09	-	114,264	-	BLA13C1809A	-	-	-	-	CK08C1901A	0.21	0.03	74,204	-
BDMS16C1812A	-	-	-	-	BLA13C1902A	0.17	-	98,382	-	CK11C1904A	0.22	0.03	38,883	-
BDMS19C1901A	0.24	0.01	83,782	-	BLA28C1810A	-	-	-	-	CK13C1809A	0.06	0.02	80,564	-
BDMS23C1810A	0.37	0.02	1,000	-	BLAN01C1809A	0.51	0.03	16,172	-	CK13C1902A	0.29	0.03	225,291	-
BDMS24C1811A	0.18	(0.02)	10,340	-	BLAN01C1809B	-	-	-	-	CK16C1812A	-	-	-	-
BDMS24C1812A	-	-	-	-	BLAN01C1903A	0.40	(0.60)	15,755	-	CK19C1811A	0.17	0.04	173,214	-
BDMS24C1905A	0.23	0.01	350	-	BLAN01C1903B	0.28	(0.72)	12,568	-	CK24C1901A	0.14	0.01	12	-
BDMS27C1903A	0.15	-	15,057	-	BLAN01P1809A	-	-	-	-	CK28C1812A	0.10	0.02	71,352	-
BDMS2														

Main Board Quotation

Issue Date :

Tuesday September 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM719C1811A	0.28	0.01	19,536	-	DTAC24C1809A	-	-	-	-	GPSC08C1902A	0.41	0.06	135,527	-
COM719C1904A	0.60	0.02	9,442	-	DTAC24C1901A	-	-	-	-	GPSC11C1902A	0.18	0.04	23,523	-
COM723C1901A	0.34	0.02	1,000	-	DTAC27C1809A	-	-	-	-	GPSC13C1812A	0.29	0.06	171,703	-
COM724C1811A	0.18	-	1,985	-	DTAC27C1903A	0.51	0.04	19,200	-	GPSC19C1901A	0.42	0.07	105,036	-
COM727C1902A	0.52	-	16,800	-	DTAC27P1809A	-	-	-	-	GPSC24C1812A	0.17	0.03	19,980	-
COM728C1811A	0.28	0.02	125,592	-	DTAC27P1903A	0.47	(0.03)	7,260	-	GPSC27C1902A	0.51	0.06	19,660	-
CPAL01C1901A	0.24	0.01	598,527	-	DTAC28C1810A	0.01	-	115	-	GPSC28C1811A	0.19	0.04	74,845	-
CPAL01C1901B	0.10	0.01	263,093	-	DTAC28C1812A	0.67	0.05	115,114	-	GUNK08C1902A	0.18	(0.01)	61,510	-
CPAL01C1904A	0.73	(0.27)	55,503	-	DTAC42C1903A	0.45	0.01	8,080	-	GUNK11C1903A	0.09	(0.01)	16,775	-
CPAL01C1904B	0.58	(0.42)	71,607	-	EA01C1809A	1.20	0.01	133,128	1.00	GUNK24C1812A	0.10	(0.01)	2,000	-
CPAL01P1901A	1.46	(0.02)	43,490	1.00	EA01C1809B	0.49	0.01	166,525	-	GUNK28C1810A	0.06	(0.02)	10,000	-
CPAL01P1901B	1.07	(0.05)	42,597	1.00	EA01P1809A	0.05	(0.02)	114,227	-	HANA01C1811A	0.56	0.03	47,956	-
CPAL01P1904A	0.78	(0.22)	16,818	-	EA06C1809A	0.01	-	50,039	-	HANA01C1811B	0.31	0.03	30,631	-
CPAL01P1904B	0.58	(0.42)	27,114	-	EA07C1810A	0.07	0.01	2,228	-	HANA08C1809A	0.06	(0.03)	1,046	-
CPAL06C1811A	0.57	0.03	49,587	-	EA07C1903A	0.82	0.01	521	-	HANA08C1903A	0.44	0.02	30,792	-
CPAL06C1811B	0.01	(0.01)	28	-	EA08C1809A	0.01	-	4	-	HANA11C1904A	0.31	0.01	5,429	-
CPAL07C1902A	0.30	0.01	9,983	-	EA08C1810A	0.43	0.01	151,030	-	HANA13C1901A	0.36	0.01	29,791	-
CPAL08C1902A	0.16	0.01	22,906	-	EA08C1903A	0.81	0.02	80,173	-	HANA19C1902A	0.34	0.01	3,212	-
CPAL08P1810A	1.05	(0.09)	7,408	1.00	EA11C1902A	0.25	0.02	183,649	-	HANA23C1811A	0.53	(0.07)	1,500	-
CPAL11C1903A	0.06	-	5,544	-	EA13C1809A	-	-	-	-	HANA24C1810A	-	-	-	-
CPAL11P1903A	1.06	(0.05)	7,570	1.00	EA13C1810A	0.02	-	8,601	-	HANA28C1812A	0.44	0.03	21,434	-
CPAL13C1812A	0.13	0.01	136,417	-	EA13C1811A	0.29	0.01	215,106	-	HANA28C1902A	0.31	0.01	22,343	-
CPAL13C1901A	0.35	0.02	272,186	-	EA13C1812A	0.59	0.02	203,673	-	HMPR01C1902A	0.42	0.04	128,086	-
CPAL13P1902A	0.50	(0.02)	84,882	-	EA13C1812B	0.99	0.01	10,466	-	HMPR01C1902B	0.36	0.05	94,592	-
CPAL19C1811A	0.04	-	48,165	-	EA13C1901A	0.51	(0.49)	138,644	-	HMPR01P1902A	0.37	(0.04)	24,094	-
CPAL19C1902A	0.43	0.01	48,457	-	EA13P1809A	-	-	-	-	HMPR06C1811A	0.12	0.02	20,310	-
CPAL23C1810A	0.02	-	3	-	EA19C1811A	0.57	-	102,145	-	HMPR08C1810A	0.07	0.02	6,000	-
CPAL24C1811A	0.01	-	1,000	-	EA23C1901A	0.66	(0.01)	163,418	-	HMPR11C1906A	0.26	0.03	26,270	-
CPAL24C1901A	0.12	-	3,186	-	EA24C1809A	-	-	-	-	HMPR13C1812A	0.26	0.03	124,657	-
CPAL24C1903A	0.36	0.02	146,800	-	EA27C1902A	0.90	0.01	14,844	-	HMPR19C1901A	0.42	0.04	39,386	-
CPAL24P1901A	0.43	(0.03)	6,030	-	EA28C1901A	0.59	0.01	277,865	-	HMPR23C1901A	0.10	0.01	12,000	-
CPAL27C1903A	0.40	0.01	3,600	-	EGCO01C1809A	0.72	0.02	25,369	-	HMPR24C1901A	0.25	0.01	2,834	-
CPAL28C1811A	0.04	0.02	21	-	EGCO01C1903A	0.71	(0.29)	23,450	-	HMPR28C1811A	0.12	0.03	68,772	-
CPAL28C1901A	0.32	0.03	106,648	-	EGCO01C1903B	0.59	(0.41)	31,970	-	INTU01C1809A	0.36	0.03	39,814	-
CPF01C1809A	0.88	0.09	19,406	-	EGCO08C1809A	-	-	-	-	INTU01C1809B	0.01	-	1,100	-
CPF01C1809B	-	-	-	-	EGCO13C1809A	-	-	-	-	INTU01C1903A	0.51	(0.49)	30,687	-
CPF01C1810A	0.19	0.01	91,964	-	EGCO19C1901A	0.48	(0.01)	32,544	-	INTU01C1903B	0.38	(0.62)	25,588	-
CPF01C1902A	0.24	-	80,210	-	EGCO23C1811A	0.34	0.01	43,296	-	INTU01P1809A	0.13	(0.04)	11,937	-
CPF01C1902B	0.17	0.01	20,162	-	EGCO24C1901A	0.33	(0.01)	400	-	INTU01P1809B	-	-	-	-
CPF01P1809A	0.05	(0.02)	12,235	-	EPG01C1809A	0.28	-	23,117	-	INTU01P1903A	0.66	(0.34)	8,852	-
CPF01P1902A	0.40	(0.02)	28,034	-	EPG01C1903A	0.63	(0.37)	6,449	-	INTU01P1903B	0.49	(0.51)	9,744	-
CPF01P1902B	0.32	(0.01)	27,513	-	EPG01C1903B	0.55	(0.45)	5,240	-	INTU11C1905A	0.29	0.01	17,730	-
CPF06C1809A	0.32	0.04	10,458	-	EPG01P1809A	0.16	-	8,945	-	INTU11P1905A	-	-	-	-
CPF07C1810A	-	-	-	-	EPG01P1903A	0.76	(0.24)	4,286	-	INTU13C1810A	-	-	-	-
CPF08C1809A	0.09	0.01	8,166	-	EPG07C1811A	-	-	-	-	INTU13C1812A	0.35	0.03	121,190	-
CPF08C1901A	0.16	0.01	45,770	-	EPG08C1810A	-	-	-	-	INTU19C1901A	0.32	0.03	13,544	-
CPF11C1902A	0.06	-	1,500	-	EPG08C1810B	0.82	0.02	10,004	-	INTU24C1901A	-	-	-	-
CPF11P1902A	0.21	(0.01)	11,414	-	EPG11C1903A	0.64	0.01	7,978	-	INTU28C1901A	0.24	0.02	119,684	-
CPF13C1809A	-	-	-	-	EPG13C1811A	0.46	(0.01)	3,879	-	IRPC01C1810A	0.17	-	88,044	-
CPF13C1810A	0.04	-	7,180	-	EPG13C1902A	0.40	(0.01)	31,975	-	IRPC01C1810B	-	-	-	-
CPF13C1902A	0.17	-	119,952	-	EPG19C1902A	0.49	(0.01)	28,680	-	IRPC01C1903A	0.38	(0.62)	5,800	-
CPF19C1901A	0.19	0.01	43,583	-	EPG24C1810A	0.74	-	300	-	IRPC01C1903B	0.28	(0.72)	59,516	-
CPF23C1810A	0.22	(0.07)	10,000	-	EPG24C1902A	-	-	-	-	IRPC01P1810A	0.21	(0.02)	4,460	-
CPF24C1809A	0.03	0.01	10,001	-	EPG28C1902A	0.38	-	71,850	-	IRPC01P1810B	-	-	-	-
CPF24C1901A	-	-	-	-	ERW13C1902A	0.38	0.03	140,502	-	IRPC01P1903A	0.44	(0.56)	16,358	-
CPF24C1902A	0.10	-	11,361	-	ERW19C1902A	0.55	0.04	23,521	-	IRPC01P1903B	0.33	(0.67)	19,712	-
CPF27C1903A	0.10	(0.01)	8,000	-	ERW24C1904A	-	-	-	-	IRPC06C1811A	0.25	(0.01)	15,392	-
CPF28C1811A	0.09	0.01	9,001	-	ESSO01C1812A	0.65	-	29,903	-	IRPC07C1812A	-	-	-	-
CPF28C1902A	0.15	(0.85)	95,235	-	ESSO01C1812B	0.42	-	15,649	-	IRPC08C1902A	0.35	0.01	20,313	-
CPN01C1902A	0.84	0.17	151,107	-	ESSO01P1812A	0.40	-	935	-	IRPC01C1902A	0.06	-	2,160	-
CPN01C1902B	0.62	0.14	132,307	-	ESSO08C1902A	0.53	0.01	12,811	-	IRPC11C1905A	0.41	0.01	4,121	-
CPN01P1902A	0.64	(0.16)	201,926	-	ESSO11C1905A	0.82	0.01	1,369	-	IRPC13C1811A	0.14	0.02	68,809	-
CPN06C1811A	0.82	0.21	54,898	-	ESSO13C1811A	0.31	0.01	33,801	-	IRPC13C1812A	0.31	0.02	93,233	-
CPN07C1902A	0.65	0.17	1	-	ESSO19C1901A	0.49	0.01	3,950	-	IRPC19C1901A	0.38	0.01	36,638	-
CPN08C1809A	-	-	-	-	ESSO23C1809A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPN08C1903A	0.75	0.14	77,807	-	ESSO24C1812A	-	-	-	-	IRPC24C1809A	0.02	-	2	-
CPN11C1903A	0.45	0.10	53,583	-	ESSO24C1902A	0.54	-	26	-	IRPC24C1812A	-	-	-	-
CPN11P1903A	0.17	(0.06)	40,321	-	ESSO28C1811A	0.30	-	35,480	-	IRPC27C1809A	-	-	-	-
CPN13C1812A	0.54	0.17	321,317	-	GFFT08C1906A	0.55	(0.02)	20,798	-	IRPC27C1903A	0.31	0.01	10,800	-
CPN19C1901A	0.83	0.21	93,012	-	GFFT13C1902A	0.32	(0.02)	154,013	-	IRPC28C1811A	-	-	-	-
CPN23C1810A	0.29	0.11	46,565	-	GFFT19C1811A	0.51	(0.03)	20,982	-	IRPC28C1812A	0.35	0.01	166,326	-
CPN24C1901A	0.51	0.15	200	-	GFFT24C1812A	0.42	(0.03)	5,410	-	ITD06C1904A	0.46	0.11	99,754	-
CPN27C1903A	0.61	0.10	6,000	-	GGC01C1810A	0.12	-	29,230	-	ITD08C1810A	0.02	0.01	4,983	-
CPN28C1810A	0.23	0.12	231,190	-	GGC01C1810B	0.02	(0.01)	5,068	-	ITD11C1903A	0.16	0.03	27,805	-
CPN28C1902A	0.57	0.13	428,769	-	GGC07C1902A	-	-	-	-	ITD13C1812A	0.18	0.05	94,693	-
DELTO6C1903A	0.95	(0.02)	40	-	GGC08C1906A	0.16	-	32,516	-	ITD13C1902A	0.37	(0.63)	139,936	-
DELTO8C1811A	-	-	-	-	GGC13C1811A	0.02	-	500	-	ITD19C1811A	0.05	0.02	8,200	-
DELTO13C1809A	-	-	-	-	GGC13C1902A	0.26	0.02	78,112	-	ITD19C1903A	0.52	0.10	29,353	-
DELTO24C1901A	-	-	-	-	GGC19C1811A	-	-	-	-	ITD24C1810A	-	-	-	-
DELTO27C1812A	-	-	-	-	GGC19C1902A	0.42	0.01	24,535	-	ITD24C1902A	0.35	0.08	77,105	-
DTAC01C1810A	0.52	0.04	120,780	-	GGC23C1901A	0.05	(0.01)	1	-	IVL01C1812A	0.51	0.09	534,147	-
DTAC01C1810B	0.07	0.01	27,610	-	GGC24C1812A	-	-	-	-	IVL01C1812B	0.27	0.07	302,541	-
DTAC01C1902A	0.93	0.04	62,351	-	GGC24C1901A	0.28	0.02	41,271	-	IVL01C1903A	0.62	0.08	262,216	-
DTAC01C1902B	0.77	0.04	39,420	-	GGC28C1811A	0.02	(0.01)	899	-	IVL01C1903B	0.49	0.07	209,429	-
DTAC01P1810A	0.68	(0.06)	61,864	-	GGC28C1905A	0.37								

Main Board Quotation

Issue Date :

Tuesday September 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL28C1811A	0.18	0.05	177,077	-	LH24C1903A	-	-	-	-	PTG01P1902A	0.57	(0.02)	21,012	-
IVL28C1812A	0.49	0.10	199,972	-	LPN01C1809A	0.11	0.02	6,201	-	PTG06C1810A	0.02	-	800	-
IVL28P1811A	0.16	(0.07)	67,160	-	LPN01C1811A	0.49	0.04	32,222	-	PTG06C1904A	0.20	-	145	-
IVL42C1903A	0.40	0.07	30,467	-	LPN01C1811B	0.22	0.03	57,364	-	PTG08C1902A	0.06	0.01	1,970	-
KBAN01C1810A	1.31	0.11	64,227	1.00	LPN01P1809A	0.25	(0.04)	10,047	-	PTG08C1903A	0.25	0.02	23,069	-
KBAN01C1901A	1.43	0.11	83,002	1.00	LPN08C1810A	-	-	-	-	PTG11C1903A	0.04	-	5,410	-
KBAN01C1901B	0.71	0.06	135,599	-	LPN08C1906A	0.27	0.01	12,506	-	PTG13C1812A	0.03	-	6,320	-
KBAN01C1904A	0.54	(0.46)	93,386	-	LPN19C1811A	0.23	0.02	17,930	-	PTG13C1901A	0.19	0.01	239,578	-
KBAN01C1904B	0.43	(0.57)	48,087	-	LPN24C1812A	0.29	0.02	2,000	-	PTG19C1902A	0.09	-	201,535	-
KBAN01P1810A	0.02	-	1,001	-	MAJO8C1811A	-	-	-	-	PTG19C1902B	0.34	0.02	35,883	-
KBAN01P1901A	0.72	(0.06)	14,731	-	MAJO11C1902A	-	-	-	-	PTG24C1809A	-	-	-	-
KBAN01P1901B	0.22	(0.03)	29,831	-	MAJO19C1902A	0.19	-	5,449	-	PTG24C1901A	0.23	0.01	93,408	-
KBAN01P1904A	0.67	(0.33)	14,952	-	MAJO24C1809A	-	-	-	-	PTG24C1902A	0.06	(0.01)	9,502	-
KBAN01P1904B	0.51	(0.49)	12,742	-	MAJO24C1902A	0.46	-	8,300	-	PTG27C1809A	-	-	-	-
KBAN06C1811A	0.72	0.10	23,808	-	MALE01C1812A	0.02	0.01	35	-	PTG27C1902A	0.12	-	8,567	-
KBAN07C1811A	0.33	-	1,000	-	MALE08C1811A	-	-	-	-	PTG28C1812A	0.03	(0.01)	5,125	-
KBAN08C1811A	0.67	0.09	14,967	-	MALE13C1809A	-	-	-	-	PTG28C1901A	0.21	0.01	106,264	-
KBAN08C1903A	0.30	0.04	32,232	-	MALE27C1812A	-	-	-	-	PTL08C1811A	0.51	-	16,709	-
KBAN08P1811A	0.06	(0.02)	2,010	-	MALE28C1810A	-	-	-	-	PTL13C1809A	0.05	(0.02)	3,000	-
KBAN13C1810A	0.07	0.01	20	-	MC19C1811A	0.12	-	7,200	-	PTL28C1810A	0.30	(0.02)	37,397	-
KBAN13C1811A	0.72	0.11	44,309	-	MC23C1809A	-	-	-	-	PTT01C1810A	0.14	0.03	357,715	-
KBAN13C1901A	0.31	0.03	167,834	-	MC24C1812A	-	-	-	-	PTT01C1810B	0.01	-	4,273	-
KBAN19C1901A	0.40	0.06	150,161	-	MEGA01C1811A	0.22	(0.01)	35,141	-	PTT01C1901A	0.67	0.03	209,592	-
KBAN23C1902A	0.62	0.04	22,000	-	MEGA01C1811B	0.06	(0.01)	100	-	PTT01C1901B	0.51	0.04	270,217	-
KBAN24C1902A	0.78	0.10	60	-	MEGA01C1904A	0.55	(0.45)	10,946	-	PTT01P1810A	0.83	(0.05)	22,172	-
KBAN24C1903A	-	-	-	-	MEGA01C1904B	0.50	(0.50)	14,748	-	PTT01P1810B	0.15	(0.04)	123,239	-
KBAN24P1811A	-	-	-	-	MEGA08C1811A	-	-	-	-	PTT01P1901A	0.48	(0.02)	67,412	-
KBAN27C1809A	-	-	-	-	MEGA08C1903A	0.38	(0.02)	33,808	-	PTT01P1901B	0.27	(0.03)	83,227	-
KBAN27C1903A	0.44	0.04	11,400	-	MEGA11C1902A	0.11	(0.01)	8,022	-	PTT06C1811A	0.06	(0.01)	579	-
KBAN27P1809A	-	-	-	-	MEGA13C1902A	0.38	-	75,196	-	PTT06C1901A	0.38	0.04	34,040	-
KBAN28C1811A	0.77	(0.03)	100	-	MEGA19C1902A	0.32	(0.01)	26,132	-	PTT06P1901A	0.33	(0.04)	14,800	-
KBAN28C1812A	0.30	0.05	169,298	-	MEGA23C1902A	0.14	(0.02)	21,238	-	PTT07C1811A	0.08	-	19,063	-
KBAN28P1811A	0.03	(0.01)	20	-	MEGA24C1812A	-	-	-	-	PTT08C1809A	0.01	-	100	-
KCE01C1810A	0.86	-	12,021	-	MINT01C1901A	0.53	0.01	118,541	-	PTT08C1902A	0.33	0.03	82,706	-
KCE01C1810B	0.60	(0.03)	23,317	-	MINT01C1901B	0.37	0.03	100,382	-	PTT08P1809A	0.05	(0.03)	3,000	-
KCE06C1809A	1.40	(0.10)	3,700	1.00	MINT01P1901A	0.19	(0.02)	37,660	-	PTT11C1902A	0.14	0.01	20,181	-
KCE07C1902A	0.52	(0.02)	201	-	MINT06C1809A	-	-	-	-	PTT13C1810A	0.02	-	1,034	-
KCE08C1809A	0.74	(0.02)	3,044	-	MINT06C1901A	0.35	0.02	28,544	-	PTT13C1811A	0.17	0.02	160,210	-
KCE08C1902A	0.41	(0.01)	10,046	-	MINT06C1903A	0.31	(0.69)	26,380	-	PTT13C1812A	0.32	0.03	339,488	-
KCE11C1904A	0.50	(0.01)	7,244	-	MINT07C1810A	-	-	-	-	PTT13P1812A	0.16	(0.02)	101,490	-
KCE13C1811A	-	-	-	-	MINT08C1809A	-	-	-	-	PTT19C1809A	-	-	-	-
KCE13C1812A	0.38	(0.01)	30,614	-	MINT08C1903A	0.34	0.01	52,314	-	PTT19C1901A	0.41	0.03	97,737	-
KCE19C1901A	0.53	-	4,996	-	MINT11C1902A	0.15	0.01	16,947	-	PTT23C1901A	0.09	(0.01)	131	-
KCE23C1901A	0.32	-	34,605	-	MINT11P1902A	0.10	(0.01)	28,200	-	PTT24C1809A	-	-	-	-
KCE24C1901A	0.47	-	2	-	MINT13C1810A	0.09	0.01	16,500	-	PTT24C1812A	0.22	0.03	44,148	-
KCE27C1902A	0.55	(0.02)	4,800	-	MINT13C1812A	0.43	0.03	323,146	-	PTT24P1901A	-	-	-	-
KCE28C1811A	-	-	-	-	MINT19C1901A	0.48	0.03	17,179	-	PTT27C1809A	-	-	-	-
KCE28C1902A	0.37	-	13,574	-	MINT23C1810A	-	-	-	-	PTT27C1903A	0.40	0.03	22,706	-
KKP01C1902A	0.65	0.02	36,108	-	MINT24C1812A	-	-	-	-	PTT27P1809A	-	-	-	-
KKP01C1902B	0.45	0.01	43,946	-	MINT24C1901A	-	-	-	-	PTT27P1903A	-	-	-	-
KKP08C1811A	0.44	-	28,401	-	MINT24C1902A	0.30	0.01	2,509	-	PTT28C1811A	0.04	-	1	-
KKP11C1903A	0.37	0.01	9,985	-	MINT27C1903A	0.29	0.01	22,118	-	PTT28C1811B	0.16	0.02	102,232	-
KKP13C1811A	0.31	0.01	148,387	-	MINT28C1811A	0.27	0.02	268,308	-	PTT28C1812A	0.33	0.03	90,171	-
KKP19C1901A	0.61	0.02	19,774	-	MON001C1810A	0.02	0.01	28	-	PTT28C1901A	0.16	0.02	110,896	-
KKP24C1812A	0.35	(0.01)	75	-	MON001C1810B	-	-	-	-	PTT28P1812A	-	-	-	-
KKP28C1810A	0.12	(0.02)	144,640	-	MON008C1906A	0.09	0.01	27,095	-	PTTE01C1901A	1.00	(0.01)	355,584	-
KKP28C1902A	0.40	0.01	151,120	-	MONO13C1811A	-	-	-	-	PTTE01C1901B	0.67	-	447,522	-
KTBO1C1810A	0.54	0.04	117,644	-	MONO13C1901A	0.17	0.04	80,972	-	PTTE01P1901A	0.80	(0.01)	123,764	-
KTBO1C1810B	0.21	0.03	192,689	-	MONO19C1811A	0.05	-	2,580	-	PTTE01P1901B	0.35	(0.01)	121,542	-
KTBO6C1902A	0.48	0.04	27,900	-	MONO23C1809A	-	-	-	-	PTTE06C1811A	0.65	(0.01)	59,091	-
KTBO8C1809A	-	-	-	-	MONO23C1901A	0.12	0.01	12,000	-	PTTE07C1809A	0.20	-	21,808	-
KTBO8C1903A	0.35	0.03	57,609	-	MONO24C1812A	-	-	-	-	PTTE08C1811A	0.53	-	136,605	-
KTB11C1811A	0.22	0.03	26,800	-	MONO24C1812B	-	-	-	-	PTTE08P1809A	-	-	-	-
KTB13C1809A	-	-	-	-	MONO28C1811A	-	-	-	-	PTTE08P1811A	0.03	(0.02)	7,600	-
KTB13C1901A	0.57	0.05	118,644	-	MONO28C1901A	0.13	0.02	15,726	-	PTTE11C1902A	0.94	0.01	49,614	-
KTB19C1901A	0.42	0.05	31,775	-	MTC06C1901A	0.66	0.04	31,245	-	PTTE13C1811A	0.42	(0.01)	403,555	-
KTB23C1811A	0.31	0.04	11,000	-	MTC08C1811A	0.17	0.01	107,621	-	PTTE13C1812A	0.85	-	22,104	-
KTB24C1811A	-	-	-	-	MTC08C1902A	0.49	0.04	56,547	-	PTTE13P1811A	0.03	(0.02)	6,700	-
KTB24P1901A	0.08	(0.02)	8,031	-	MTC11C1904A	0.43	0.03	27,786	-	PTTE13P1901A	0.27	(0.01)	81,786	-
KTB28C1811A	0.27	0.05	148,066	-	MTC13C1811A	0.61	0.03	2,106	-	PTTE19C1811A	0.76	(0.01)	63,676	-
KTB42C1903A	0.33	0.02	17,400	-	MTC13C1901A	0.38	0.03	377,267	-	PTTE23C1901A	0.16	-	18,501	-
KTB42P1903A	0.23	(0.02)	13,368	-	MTC19C1901A	0.48	0.03	46,650	-	PTTE24C1811A	0.25	0.05	4,010	-
KTC01C1810A	0.29	0.02	331,600	-	MTC24C1810A	0.20	0.03	10,249	-	PTTE24C1901A	-	-	-	-
KTC01C1810B	0.12	0.01	184,064	-	MTC24C1812A	0.53	(0.01)	1,500	-	PTTE24P1809A	-	-	-	-
KTC01C1901A	0.55	(0.45)	77,940	-	MTC28C1902A	0.37	0.03	123,582	-	PTTE24P1901A	0.28	(0.03)	350	-
KTC01C1901B	0.47	(0.53)	77,258	-	ORI11C1811A	0.16	-	1,619	-	PTTE27C1809A	-	-	-	-
KTC08C1903A	0.51	0.03	80,950	-	ORI13C1810A	0.22	0.03	89,367	-	PTTE27C1903A	0.67	-	4,560	-
KTC11C1902A	1.17	0.05	1,954	1.00	ORI13C1902A	0.47	0.04	75,415	-	PTTE27P1809A	0.03	-	1	-
KTC13C1809B	-	-	-	-	ORI19C1811A	0.15	0.02	18,834	-	PTTE28C1810A	0.31	0.01	65,605	-
KTC13C1812A	0.20	0.01	540,991	-	ORI19C1904A	0.60	0.05	14,581	-	PTTE28C1811A	-	-	-	-
KTC13C1812B	0.39	0.02	530,469	-	ORI23C1809A	-	-	-	-	PTTE28C1902A	0.72	-	412,936	-
KTC19C1811A	0.16	0.01	22,192	-	ORI24C1810A	0.09	-	2	-	PTTE28P1811A	0.04	-	1,303	-
KTC19C1901A	0.83	0.05	22,971	-	PLAN08C1811A	0.19	0.01	24,186	-	PTTE42C1903A	0.64	-	18,280	-
KTC23C1809A	1.17	0.23	46,705	1.00	PLAN13C1809A	-	-	-	-	PTTG01C1810A	0.15	0.03	198,808	-
KTC24C1810A	0.05	0.01	2,007	-	PLAN28C1810A	0.08	-	36,173	-	PTTG01C1810B	0.02	-	8,749	-
KTC27C1903A	0.51	0.03	32,935	-	PRM08C1902A	0.36	0.02	30,007	-	PTTG01C18				

Main Board Quotation

Issue Date :

Tuesday September 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG23C1901A	0.05	(0.01)	1,100	-	SAWA11C1906A	0.59	(0.02)	17,347	-	SPRC24C1903A	0.37	0.03	170,000	-
PTTG24C1812A	0.10	0.02	1,760	-	SAWA13C1810A	-	-	-	-	STA01C1812A	0.67	0.04	190,659	-
PTTG24C1901A	0.48	0.06	26,150	-	SAWA13C1811A	0.04	-	3	-	STA01C1812B	0.53	0.06	196,115	-
PTTG24P1901A	0.21	(0.03)	150	-	SAWA13C1812A	0.34	(0.04)	285,690	-	STA13C1812A	0.81	0.08	213,307	-
PTTG27C1903A	0.45	0.04	11,917	-	SAWA13C1901A	0.96	-	467	-	STA13C1901A	0.54	0.05	833,459	-
PTTG27P1903A	0.39	(0.04)	6,000	-	SAWA19C1901A	0.94	(0.02)	29,204	-	STA19C1811A	0.45	0.05	100,532	-
PTTG28C1811A	0.12	0.01	104,874	-	SAWA24C1812A	0.32	(0.03)	3,824	-	STA19C1903A	0.76	0.05	66,981	-
PTTG28C1812A	0.68	0.08	172,558	-	SAWA24C1902A	0.84	0.02	427	-	STA23C1809A	0.43	0.06	21,281	-
QH01C1810A	0.65	0.06	42,963	-	SAWA27C1903A	0.64	(0.04)	16,000	-	STEC01C1809A	0.44	0.13	360,055	-
QH01C1810B	0.33	0.07	58,370	-	SAWA28C1810A	0.01	(0.01)	5,600	-	STEC01C1809B	1.14	0.35	72,174	1.00
QH01P1810A	0.09	(0.04)	10,835	-	SAWA28C1811A	0.39	(0.02)	156,001	-	STEC01C1902A	0.87	0.10	215,076	-
QH11C1902A	0.50	0.05	32,353	-	SAWA28C1812A	-	-	-	-	STEC01C1902B	0.76	0.12	165,235	-
QH19C1901A	0.27	0.04	35,306	-	SCB01C1810A	0.68	0.06	135,829	-	STEC01P1809A	0.18	(0.12)	21,844	-
QH24C1812A	0.19	0.03	8,720	-	SCB01C1902A	1.16	0.05	113,573	1.00	STEC01P1902A	0.55	(0.09)	78,055	-
QH27C1903A	0.30	0.01	19,700	-	SCB01C1902B	1.08	0.06	73,334	1.00	STEC06C1809A	0.51	0.16	36,530	-
RATC19C1901A	0.33	0.01	800	-	SCB01P1902A	0.33	(0.02)	21,095	-	STEC08C1809A	0.29	0.12	73,631	-
RATC24C1902A	0.31	0.01	3,100	-	SCB01P1902B	0.12	(0.01)	33,720	-	STEC11C1903A	0.80	0.11	60,128	-
RATC27C1812A	-	-	-	-	SCB06C1811A	0.84	0.06	22,871	-	STEC13C1902A	0.73	0.11	503,081	-
ROBI01C1809A	0.38	0.08	36,420	-	SCB08C1901A	0.64	0.05	19,700	-	STEC19C1901A	0.77	0.11	133,776	-
ROBI01C1903A	0.90	(0.10)	15,304	-	SCB11C1901A	0.33	0.03	42,838	-	STEC24C1901A	0.91	0.18	92,560	-
ROBI01C1903B	0.73	(0.27)	22,252	-	SCB11P1901A	0.21	(0.02)	18,980	-	STEC27C1902A	0.95	0.09	3,600	-
ROBI06C1809A	0.32	0.06	36,912	-	SCB13C1812A	0.76	0.06	135,769	-	STEC28C1810A	0.72	0.04	15	-
ROBI11C1906A	0.61	0.05	13,024	-	SCB13C1902A	0.48	0.03	364,007	-	STP108C1811A	0.04	0.01	7,500	-
ROBI13C1902A	0.58	(0.42)	88,924	-	SCB13P1812A	0.03	(0.01)	200	-	SUPE08C1811A	0.01	-	26,278	-
ROBI19C1901A	0.79	0.08	38,191	-	SCB19C1811A	0.41	0.03	106,305	-	SUPE13C1810A	0.01	-	17,800	-
ROBI24C1901A	-	-	-	-	SCB24C1901A	-	-	-	-	SUPE13C1811A	0.02	-	1,292	-
ROBI24C1903A	-	-	-	-	SCB24C1902A	-	-	-	-	SUPE19C1902A	0.16	0.01	719	-
RS08C1901A	0.64	0.13	126,544	-	SCB24P1811A	0.02	(0.01)	2,000	-	SUPE23C1811A	0.01	-	8,901	-
RS13C1901A	0.70	0.14	1,196,901	-	SCB27C1902A	0.63	0.05	7,200	-	SUPE23C1901A	0.03	0.02	10	-
RS19C1901A	0.66	0.13	388,733	-	SCB27P1903A	0.44	(0.04)	9,640	-	SUPE28C1810A	-	-	-	-
RS24C1811A	0.53	0.10	19,680	-	SCB28C1812A	0.64	0.05	31,596	-	SUPE28C1811A	-	-	-	-
S1000C1811A	0.64	0.08	37,239	-	SCB28C1902A	0.42	0.04	229,641	-	TASCO1C1809A	-	-	-	-
S5001C1809F	1.02	0.28	2,147,039	-	SCB28P1812A	-	-	-	-	TASCO1C1810A	0.17	0.03	101,341	-
S5001C1809G	0.04	0.02	107,713	-	SCB28P1901A	0.34	(0.03)	47,941	-	TASCO1C1810B	0.02	0.01	5,000	-
S5001C1809H	2.50	0.24	445,033	2.00	SCB42C1903A	0.49	0.04	16,280	-	TASCO1C1903A	0.53	0.03	111,621	-
S5001C1809I	1.73	0.50	2,322,685	1.00	SCC01C1901A	0.70	0.03	86,233	-	TASCO1C1903B	0.41	0.03	74,695	-
S5001C1810A	1.54	0.14	82,736	1.00	SCC01C1901B	0.56	0.05	106,882	-	TASCO1P1809A	1.53	(0.08)	28,584	1.00
S5001C1810B	1.60	0.20	173,600	1.00	SCC01P1901A	0.29	(0.02)	16,888	-	TASCO1P1810A	0.49	(0.03)	14,695	-
S5001C1811A	0.87	0.11	25,920	-	SCC06C1809A	-	-	-	-	TASCO1P1903A	0.52	(0.03)	85,390	-
S5001C1811B	0.84	0.14	13,859	-	SCC06C1902A	0.32	0.03	24,324	-	TASCO7C1811A	0.04	-	1	-
S5001C1812F	1.20	0.20	1,006,281	1.00	SCC07C1812A	-	-	-	-	TASCO8C1903A	0.48	0.03	73,885	-
S5001C1812G	0.93	0.20	1,237,448	-	SCC08C1809A	-	-	-	-	TASC11C1904A	0.15	0.01	21,690	-
S5001P1809F	0.91	(0.32)	1,511,422	1.00	SCC08C1902A	0.38	0.03	28,340	-	TASC13C1810A	-	-	-	-
S5001P1809G	0.08	(0.06)	115,789	-	SCC11C1811A	-	-	-	-	TASC13C1901A	0.34	0.02	453,081	-
S5001P1809H	0.01	-	24,452	-	SCC11C1906A	0.26	0.02	10,220	-	TASC19C1902A	0.45	0.03	226,158	-
S5001P1809I	0.01	-	37,701	-	SCC11P1811A	0.15	(0.02)	4,400	-	TASC23C1902A	0.35	0.01	283,840	-
S5001P1810A	0.14	(0.02)	170,206	-	SCC13C1809A	-	-	-	-	TASC24C1810A	-	-	-	-
S5001P1810B	0.05	(0.02)	322,273	-	SCC13C1812A	0.17	0.01	29,171	-	TASC24C1903A	0.40	0.04	46,045	-
S5001P1811A	0.72	(0.12)	120,952	-	SCC13C1901A	0.43	0.02	375	-	TCAP01C1901A	0.64	0.02	28,872	-
S5001P1811B	0.62	(0.15)	281,400	-	SCC19C1811A	0.11	0.01	4,026	-	TCAP01C1901B	0.52	0.01	10,830	-
S5001P1812F	0.98	(0.22)	841,923	1.00	SCC19C1901A	0.39	0.03	173,816	-	TCAP01P1901A	0.29	-	18,000	-
S5001P1812G	0.69	(0.20)	839,017	-	SCC23C1811A	-	-	-	-	TCAP08C1810A	-	-	-	-
S5006C1809A	0.10	0.06	49,909	-	SCC24C1812A	-	-	-	-	TCAP11C1811A	0.10	-	3,730	-
S5006C1809B	0.02	0.01	37,956	-	SCC24C1901A	-	-	-	-	TCAP13C1901A	0.48	0.01	110,929	-
S5006C1809C	0.32	0.15	57,520	-	SCC24C1902A	-	-	-	-	TCAP19C1901A	0.38	0.01	26,820	-
S5006C1809D	0.03	0.02	39,588	-	SCC24P1901A	0.15	(0.03)	2,120	-	TCAP24C1903A	-	-	-	-
S5006C1812A	0.70	0.16	85,851	-	SCC27C1809A	-	-	-	-	THAI01C1901A	0.25	(0.01)	33,933	-
S5006C1812B	0.81	0.16	23,364	-	SCC27P1809A	-	-	-	-	THAI01C1901B	0.12	(0.01)	15,324	-
S5006C1812C	0.66	0.17	32,262	-	SCC28C1811A	0.11	0.02	32,777	-	THAI01P1901A	0.83	0.01	12,319	-
S5006C1812D	0.97	0.05	1,200	-	SCC28C1812A	0.41	0.03	18,067	-	THAI06C1809A	-	-	-	-
S5006P1809A	0.57	(0.32)	6,743	-	SCCC08C1811A	-	-	-	-	THAI07C1811A	-	-	-	-
S5006P1809B	0.08	(0.15)	28,786	-	SCCC13C1809A	-	-	-	-	THAI08C1903A	0.22	-	3,595	-
S5006P1809C	0.05	(0.11)	12,149	-	SCCC27C1812A	0.10	0.01	1	-	THAI11C1906A	0.31	(0.01)	5,020	-
S5006P1809D	0.02	(0.01)	138,015	-	SGP06C1812A	0.26	-	17,784	-	THAI13C1811A	-	-	-	-
S5006P1812A	0.68	(0.21)	47,737	-	SGP08C1901A	0.47	0.01	31,267	-	THAI13C1902A	0.29	0.01	161,497	-
S5006P1812B	0.21	(0.06)	96,994	-	SGP11C1904A	0.23	-	12,329	-	THAI19C1901A	0.22	-	26,189	-
S5006P1812C	0.34	(0.14)	48,415	-	SGP13C1811A	-	-	-	-	THAI23C1901A	0.01	-	280	-
S5006P1812D	0.79	(0.23)	60	-	SGP13C1812A	0.33	0.01	61,470	-	THAI24C1901A	0.12	-	1	-
S5008C1809A	0.63	0.27	41,556	-	SGP19C1811A	0.33	0.01	8,390	-	THAI27C1809A	0.01	-	200	-
S5008P1809A	-	-	-	-	SGP19C1904A	0.41	0.02	13,339	-	THAI28C1901A	0.21	(0.01)	95,420	-
S5013C1809A	0.01	-	1,337,420	-	SGP24C1811A	0.12	(0.01)	660	-	THAN01C1812A	0.44	0.04	4,827	-
S5013C1809B	0.17	0.10	1,294,047	-	SGP24C1902A	1.12	0.02	10	1.00	THAN13C1809A	-	-	-	-
S5013C1809C	0.06	0.04	1,224,152	-	SGP27C1903A	0.39	0.01	3,600	-	THAN13C1902A	0.43	0.06	27,472	-
S5013C1809D	0.46	0.24	3,505,070	-	SGP28C1811A	0.14	0.01	25,480	-	THAN19C1903A	0.54	0.05	6,470	-
S5013C1809E	1.34	0.48	773,302	1.00	SIRI01C1901A	0.38	0.02	15,458	-	THAN24C1903A	0.44	0.04	1,230	-
S5013C1809F	0.86	0.22	196,639	-	SIRI01C1901B	0.13	-	3,346	-	THAN28C1810A	0.04	-	1	-
S5013C1812A	1.18	0.23	3,443,283	1.00	SIRI01P1901A	0.54	(0.03)	300	-	THCO01C1809A	0.09	-	370	-
S5013C1812B	0.88	0.18	1,307,312	-	SIRI06C1904A	0.33	0.01	13,218	-	THCO01P1809A	0.30	(0.05)	5,734	-
S5013P1809A	0.13	(0.22)	1,893,025	-	SIRI08C1810A	-	-	-	-	THCO08C1906A	0.29	0.01	6,619	-
S5013P1809B	0.02	(0.03)	1,623,256	-	SIRI11C1902A	0.11	0.01	551	-	THCO11C1902A	0.21	0.03	2,713	-
S5013P1809C	0.04	(0.09)	3,158,053	-	SIRI13C1809A	-	-	-	-	THCO19C1811A	0.16	0.01	1,721	-
S5013P1809D	0.01	-	150,789	-	SIRI13C1902A	0.26	0.03	81,116	-	THCO24C1810A	0.21	0.01	260	-
S5013P1809E	0.01	-	16,057	-	SIRI19C1902A	0.23	-	6,000	-	THCO28C1901A	0.40	0.04	24,691	-
S5013P1809F	0.30													

Main Board Quotation

Issue Date :

Tuesday September 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price
SAWA08C1902A	0.94	(0.03)	33,175	-
SPRC23C1810A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
TKN19C1903A	0.45	-	30,258	-

Main Board Quotation

Issue Date :

Tuesday September 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN23C1902A	0.31	0.01	38,736	-	TU01C1901B	0.61	0.05	25,784	-	7UP-W2	0.06	-	1	-
TKN24C1811A	0.15	(0.01)	63,200	-	TU01P1901A	0.17	(0.01)	16,114	-	ACC-W1	0.03	-	2,841	-
TKN24C1812A	-	-	-	-	TU06C1902A	0.34	0.03	28,088	-	AJA-W1	0.20	(0.01)	8,890	-
TKN28C1811A	-	-	-	-	TU07C1902A	-	-	-	-	ALT-W1	0.54	0.01	1,986	-
TKN28C1812A	0.47	-	72,903	-	TU08C1811A	-	-	-	-	APURE-W2	0.30	-	59,462	-
TMB01C1810A	0.19	0.04	281,573	-	TU11C1902A	0.06	-	500	-	AQ-W4	0.01	-	18	-
TMB01C1810B	0.03	0.01	3,326	-	TU11C1906A	0.25	0.02	19,673	-	AS-W1	0.26	-	283	-
TMB01P1810A	0.37	(0.07)	39,936	-	TU13C1902A	0.30	0.03	34,154	-	AYUD-W1	3.42	0.18	41,566	3.00
TMB06C1809A	-	-	-	-	TU19C1901A	0.30	0.03	20,281	-	B-W3	-	-	-	-
TMB06C1902A	0.11	0.03	1,520	-	TU23C1902A	0.32	0.04	10,000	-	B-W4	0.18	-	9,723	-
TMB06C1903A	0.28	0.05	38,332	-	TU24C1901A	-	-	-	-	BTS-W3	0.01	-	17,168	-
TMB07C1811A	-	-	-	-	TVO01C1809A	0.11	0.01	6,842	-	BWG-W4	0.09	-	188,776	-
TMB07C1903A	-	-	-	-	TV001C1809B	-	-	-	-	CEN-W4	0.05	0.01	1,013	-
TMB08C1901A	0.08	0.02	3,333	-	TV001C1903A	0.36	(0.64)	6,800	-	CGD-W1	0.32	0.01	197,250	-
TMB11C1904A	0.09	0.02	6,022	-	TV001C1903B	0.30	(0.70)	3,841	-	CGH-W3	0.07	0.01	83,632	-
TMB13C1811A	0.04	0.01	2,048	-	TV01C1903A	0.10	-	3,511	-	CI-W1	0.45	-	890	-
TMB13C1901A	0.21	0.03	196,502	-	TV013C1809A	-	-	-	-	CKP-W1	0.52	0.06	283,554	-
TMB19C1901A	0.13	0.02	82,278	-	TVO13C1902A	0.23	(0.01)	13,340	-	CRANE-W1	1.77	0.02	62	1.00
TMB23C1810A	-	-	-	-	TV019C1902A	0.23	0.01	3,702	-	CWT-W4	0.64	-	84,783	-
TMB24C1809A	-	-	-	-	TV024C1810A	-	-	-	-	DCC-W1	1.16	0.03	793,475	1.00
TMB24C1901A	0.05	0.01	3,350	-	TV024C1903A	0.27	-	2,202	-	DCON-W1	-	-	-	-
TMB24C1902A	0.18	0.02	48	-	UNIQ01C1809A	0.13	0.07	51,462	-	DIGI-W1	0.03	-	1,550	-
TMB27C1903A	0.27	0.02	17,300	-	UNIQ01C1810A	0.41	0.12	190,020	-	DIGI-W2	0.02	0.01	9,807	-
TMB28C1901A	0.17	0.03	249,405	-	UNIQ01C1810B	0.09	0.04	150,511	-	EARTH-W4	-	-	-	-
TOA01C1901A	0.33	(0.02)	17,768	-	UNIQ01P1809A	0.24	(0.15)	46,679	-	EIC-W2	-	-	-	-
TOA01C1901B	0.22	-	10,049	-	UNIQ08C1810A	0.08	0.04	1,638	-	EIC-W3	-	-	-	-
TOA08C1902A	0.15	-	8,395	-	UNIQ08C1906A	0.37	0.08	55,577	-	EIC-W4	-	-	-	-
TOA13C1812A	0.21	-	70,851	-	UNIQ11C1811A	0.12	0.04	1,200	-	EVER-W3	0.02	-	22,805	-
TOA19C1901A	0.22	-	9,550	-	UNIQ13C1901A	0.33	0.07	309,383	-	GJS-W3	-	-	-	-
TOA24C1812A	-	-	-	-	UNIQ19C1811A	0.12	0.05	15,098	-	GSTEL-W1	-	-	-	-
TOA28C1812A	0.17	(0.01)	12,168	-	UNIQ23C1901A	0.14	0.04	35,704	-	GSTEL-W2	-	-	-	-
TOP01C1901A	1.53	(0.01)	69,346	1.00	UNIQ24C1811A	-	-	-	-	IEC-W2	-	-	-	-
TOP01C1901B	1.36	(0.02)	42,063	1.00	UNIQ28C1811A	0.13	0.04	123,384	-	IHL-W1	5.30	0.20	1,592	5.00
TOP01P1901A	0.51	0.01	23,099	-	UV01C1902A	0.62	0.04	93,526	-	ITD-W1	0.17	0.06	1,031,853	-
TOP06C1809A	-	-	-	-	UV01C1902B	0.51	0.04	34,970	-	JAS-W3	2.32	0.08	180,244	2.00
TOP06C1903A	1.24	(0.02)	22,134	1.00	UV06C1812A	0.40	0.04	42,330	-	JCK-W5	-	-	-	-
TOP07C1812A	0.45	(0.03)	7,300	-	UV13C1812A	0.42	0.04	309,014	-	JMART-W2	1.62	0.03	9,926	1.00
TOP08C1811A	0.10	-	10,600	-	UV19C1902A	0.49	0.04	96,365	-	JMT-W2	1.83	(0.04)	32,072	1.00
TOP08C1902A	0.63	(0.03)	57,267	-	UV23C1809A	-	-	-	-	MACO-W2	0.30	0.02	958,430	-
TOP11C1905A	1.12	(0.01)	9,226	1.00	UV24C1812A	0.19	0.01	32,120	-	MIDA-W2	0.02	-	20,531	-
TOP13C1811A	0.06	(0.01)	10,188	-	VGI01C1812A	0.76	-	49,181	-	MILL-W3	0.02	-	679	-
TOP13C1901A	0.65	(0.01)	84,969	-	VGI06C1904A	6.85	0.15	17,304	6.00	MILL-W4	0.29	(0.01)	1,164	-
TOP19C1901A	0.47	(0.03)	48,883	-	VGI06C1904B	-	-	-	-	MILL-W5	0.28	-	12,165	-
TOP23C1811A	0.12	(0.01)	12,000	-	VGI06C1904C	-	-	-	-	ML-W2	0.02	(0.01)	31	-
TOP24C1901A	-	-	-	-	VGI08C1811A	0.66	(0.01)	10,624	-	MONO-W1	0.53	0.06	147,664	-
TOP24C1902A	0.62	(0.03)	2,900	-	VGI23C1905A	1.44	-	1,000	1.00	NEP-W3	-	-	-	-
TOP24C1903A	0.45	(0.02)	1,600	-	VGI23C1911A	1.40	-	1,000	1.00	NOK-W1	0.47	-	251	-
TOP27C1903A	0.57	(0.02)	3,200	-	VGI27C1812A	0.40	0.02	6,600	-	NUSA-W3	0.15	-	6	-
TOP28C1810A	-	-	-	-	VGI28C1810A	0.35	(0.03)	1	-	NVD-W1	0.55	0.01	67,357	-
TOP28C1812A	0.58	(0.02)	60,193	-	WHA01C1812A	0.68	0.11	197,582	-	ORI-W1	2.28	0.06	20,591	2.00
TP101C1812A	0.30	0.02	56,380	-	WHA01C1812B	0.57	0.13	206,837	-	PACE-W2	0.16	0.02	73,347	-
TP101C1812B	0.19	0.01	69,150	-	WHA01P1812A	0.41	(0.11)	19,585	-	PDI-W1	1.23	-	3,419	1.00
TP107C1812A	-	-	-	-	WHA06C1809A	0.10	0.05	53,052	-	PDJ-W2	1.36	(0.01)	29	1.00
TP113C1809A	-	-	-	-	WHA06C1903A	0.56	0.13	85,709	-	PDJ-W3	1.30	-	26	1.00
TP113C1902A	0.29	0.02	91,517	-	WHA07C1810A	0.19	0.09	115,885	-	PDJ-W4	1.33	0.03	296	1.00
TP119C1901A	0.34	0.03	151,066	-	WHA08C1811A	0.18	0.06	99,208	-	PLE-W3	0.15	(0.02)	59,830	-
TP123C1809A	-	-	-	-	WHA11C1903A	0.26	0.06	68,212	-	RICH-W1	-	-	-	-
TP124C1902A	0.14	0.03	282	-	WHA13C1812A	0.50	0.11	454,516	-	RICHY-W1	0.32	0.01	3,818	-
TP1P01C1810A	0.29	(0.01)	33,075	-	WHA19C1901A	0.53	0.12	372,893	-	RICHY-W2	0.19	-	5,824	-
TP1P01C1810B	0.04	(0.04)	8,000	-	WHA23C1810A	0.25	0.08	62,170	-	RS-W3	8.65	0.25	600	8.00
TP1P01P1810A	0.53	0.01	13,741	-	WHA24C1811A	-	-	-	-	S-W1	0.15	-	36,789	-
TP1P11C1811A	-	-	-	-	WHA24C1902A	0.49	0.12	525,345	-	SAMART-W2	0.72	0.03	201,234	-
TP1P13C1811A	0.13	-	1,000	-	WHA27C1903A	0.65	0.11	57,500	-	SAWAD-W1	6.15	0.05	735	6.00
TP1P13C1902A	0.30	-	11,160	-	WHA28C1901A	0.51	0.11	329,621	-	SDC-W1	0.15	(0.01)	46,022	-
TP1P19C1902A	0.34	(0.01)	38,979	-	WHAU01C1810A	0.24	0.07	343,493	-	SMM-W4	-	-	-	-
TP1P24C1901A	-	-	-	-	WHAU01C1810B	0.02	0.01	4,995	-	SMT-W1	0.08	0.01	6,237	-
TP1P27C1812A	-	-	-	-	WHAU13C1902A	0.30	0.06	177,111	-	SMT-W2	0.67	(0.01)	4,293	-
TRUE01C1902A	0.40	0.03	247,787	-	WHAU19C1902A	0.36	0.07	28,224	-	SPALI-W4	20.70	0.20	1,842	20.00
TRUE01C1902B	0.30	0.04	370,719	-	WHAU24C1812A	0.04	0.02	8,730	-	SPORT-W5	0.02	-	22,336	-
TRUE01P1902A	0.54	(0.04)	57,425	-	WHAU24C1902A	0.36	0.11	42,464	-	SUPER-W4	0.09	-	515,454	-
TRUE01P1902B	0.39	(0.04)	85,308	-	WORK01C1811A	0.34	0.08	207,662	-	SUSCO-W1	0.11	-	29,958	-
TRUE06C1811A	0.05	0.01	20,100	-	WORK01C1811B	0.15	0.04	108,133	-	SVI-W3	2.12	0.04	2,818	2.00
TRUE06C1906A	0.21	0.03	49,671	-	WORK08C1809A	-	-	-	-	TCC-W3	0.15	0.02	452	-
TRUE07C1902A	-	-	-	-	WORK08C1901A	0.25	0.05	47,597	-	TCC-W4	0.13	(0.01)	7,582	-
TRUE08C1809A	-	-	-	-	WORK11C1903A	0.08	0.01	5,018	-	TCC-W5	0.17	0.02	248	-
TRUE08C1902A	0.26	0.04	74,782	-	WORK13C1809A	-	-	-	-	TCJ-W2	0.95	0.01	1,945	-
TRUE08P1809A	0.03	(0.02)	8,974	-	WORK13C1810A	0.01	(0.01)	7,031	-	TCMC-W2	0.39	0.01	71,999	-
TRUE11C1905A	0.24	0.02	15,864	-	WORK13C1811A	0.03	-	30	-	TFG-W1	1.54	(0.05)	129	1.00
TRUE13C1810A	-	-	-	-	WORK13C1812A	0.24	0.07	282,358	-	TFG-W2	0.77	-	751	-
TRUE13C1812A	0.13	0.02	264,444	-	WORK13C1902A	0.42	0.10	372,359	-	TH-W2	0.14	(0.01)	1,600	-
TRUE13C1901A	0.27	0.04	348,227	-	WORK19C1811A	0.06	0.02	24,770	-	THE-W2	0.06	0.01	33,410	-
TRUE13P1901A	0.32	(0.03)	247,188	-	WORK19C1902A	0.47	0.10	133,205	-	TNITY-W1	1.03	-	3,747	1.00
TRUE16C1812A	0.21	0.03	12,500	-	WORK24C1810A	0.01	-	6,751	-	TNCP-W1	0.45	0.01	365	-
TRUE19C1901A	0.10	0.02	144,415	-	WORK24C1812A	0.16	0.05	5,855	-	TRITN-W3	0.34	0.05	278,327	-
TRUE19C1903A	0.46	0.05	29,468	-	WORK27C1903A	0.39	0.09	23,620	-	TSR-W1	0.59	0.01	4,637	-
TRUE23C1902A	0.14	0.01	99,690	-	WORK28C1811A	0.03	0.02	282	-	TTA-W5	0.13	-	18,554	-
TRUE27C1809A	0.02	-	500	-	WORK28C1901A	0.27	0.06	99,241	-	TTCL-W1	1.56	(0.03)	381,671	1.00
TRUE27P1809A	-	-	-	-	Preferred/Foreign	-	-	-	-	U-W1	0.01	-	1	-
TRUE28C1810A	-	-	-	-	BH-Q	-	-	-	-	U-W4	0.01	-	1,144,850	-
TRUE28C1812A	0.11	0.02	179,052	-	CSC-Q	-	-	-	-	VIBHA-W2	1.46			

Main Board Quotation

Issue Date :

Tuesday September 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TTA08C1906A	0.24	(0.01)	4,624	-	JUTHA-Q	-	-	-	-	VIBHA-W3	0.33	0.01	43,518	-
TTA13C1901A	0.18	-	32,466	-	KTB-Q	-	-	-	-	WAVE-W1	0.35	(0.01)	2,085	-
TTA19C1811A	0.06	0.01	3,137	-	SCB-Q	-	-	-	-	WHA-W1	7.40	0.75	16,948	7.00
TTA23C1901A	-	-	-	-	TCAP-Q	-	-	-	-	WORK-W1	8.75	0.25	146	8.00
TTA24C1809A	-	-	-	-	TIC-Q	-	-	-	-	Preferred Shares	-	-	-	-
TTA24C1902A	-	-	-	-	TISCO-Q	-	-	-	-	BH-P	-	-	-	-
TTA28C1812A	-	-	-	-	U-Q	0.03	(0.01)	8	-	CSC-P	-	-	-	-
TU01C1901A	0.65	0.05	24,531	-	Warrant	-	-	-	-	JUTHA-P	-	-	-	-
KTB-P	-	-	-	-	UWC-W2	0.01	-	102,359	-	-	-	-	-	-
SCB-P	-	-	-	-	XO-W1	6.10	(0.05)	459	6.00	-	-	-	-	-
TCAP-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TIC-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	0.04	0.01	26,401	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.16	-	5,247	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	1.93	(0.02)	2,006	1.00	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.03	(0.01)	851	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.80	(0.02)	1,582	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.29	(0.02)	128,646	-	-	-	-	-	-	-	-	-	-	-
BM-W1	0.49	-	29,667	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.21	(0.02)	24,988	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.30	(0.02)	81,367	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.18	0.02	369,749	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.29	(0.02)	1,303	1.00	-	-	-	-	-	-	-	-	-	-
ECF-W2	5.55	(0.05)	613	5.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	3.40	0.02	10,033	3.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.01	-	330	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.02	-	89	-	-	-	-	-	-	-	-	-	-	-
FC-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FC-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.54	(0.02)	2,203	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.39	-	1,123	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.49	(0.02)	87,898	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	1.96	-	15,483	1.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.10	(0.06)	1,145	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.05	-	610	-	-	-	-	-	-	-	-	-	-	-
NCL-W3	0.50	(0.01)	20,454	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.07	0.01	1,972	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	0.01	-	5	-	-	-	-	-	-	-	-	-	-	-
PHOL-W1	0.02	0.01	42,394	-	-	-	-	-	-	-	-	-	-	-
PIMO-W1	2.42	0.04	1,582	2.00	-	-	-	-	-	-	-	-	-	-
PPS-W1	0.84	0.06	264	-	-	-	-	-	-	-	-	-	-	-
PSTC-W1	0.26	(0.02)	39,548	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W2	0.52	0.05	1,875	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W3	0.55	-	603	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W4	1.23	0.01	1,048	1.00	-	-	-	-	-	-	-	-	-	-
SKY-W1	13.00	-	202	12.00	-	-	-	-	-	-	-	-	-	-
STAR-W3	1.90	-	1,866	1.00	-	-	-	-	-	-	-	-	-	-
TAKUNI-W	0.21	0.02	68,928	-	-	-	-	-	-	-	-	-	-	-
TAPAC-W3	2.88	-	16,141	2.00	-	-	-	-	-	-	-	-	-	-
TMILL-W1	1.13	0.04	7,235	1.00	-	-	-	-	-	-	-	-	-	-
TSF-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TSF-W5	0.01	(0.01)	54,000	-	-	-	-	-	-	-	-	-	-	-
TVD-W2	0.60	0.01	5,395	-	-	-	-	-	-	-	-	-	-	-
UAC-W2	0.86	(0.02)	19,480	-	-	-	-	-	-	-	-	-	-	-
UKEM-W2	0.51	0.01	1,921	-	-	-	-	-	-	-	-	-	-	-