

## Main Board Quotation

Issue Date :

Wednesday September 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.80	-	6,364	10.80	SE-ED	3.10	-	204	3.09
POMPI	-	-	-	-	ILINK	5.15	(0.05)	7,442	5.16	SMM	0.88	(0.01)	806	0.89
SAFARI	-	-	-	-	INET	3.94	(0.02)	1,588	3.95	SPORT	0.40	0.01	1,897	0.39
VI	-	-	-	-	INTUCH	56.00	0.25	109,660	55.96	TBSP	14.00	(1.30)	526	14.13
WORLD	-	-	-	-	JAS	5.65	(0.05)	194,154	5.68	TH	0.73	(0.01)	10,276	0.71
WR	-	-	-	-	JASIF	10.40	-	49,612	10.43	TKS	11.40	(0.10)	33,849	11.47
Agribusiness	-	-	-	-	JMART	9.60	0.20	21,462	9.70	TRITN	0.46	0.02	1,038,559	0.46
CHOTI	-	-	-	-	JTS	1.59	-	1,103	1.60	VGI	7.90	(0.15)	233,922	7.96
EE	0.68	-	19,656	0.68	MFEK	3.38	0.02	4,682	3.38	WAVE	2.56	0.02	37	2.56
GFPT	14.30	(0.40)	61,254	14.42	MSC	6.55	-	717	6.50	WORK	41.25	0.75	83,610	41.42
LEE	2.78	0.02	2,818	2.77	PT	6.70	0.05	4,789	6.70	Finance & Securities	-	-	-	-
STA	15.10	(0.20)	168,884	15.25	SAMART	8.45	(0.25)	94,840	8.67	AEC	0.49	(0.01)	711	0.50
TLUXE	5.45	(0.05)	1,400	5.45	SAMTEL	9.00	0.05	6,684	9.33	AEONTS	182.00	2.00	5,205	181.71
TRUBB	1.88	-	46,029	1.88	SDC	0.40	0.05	780,900	0.41	AMANAH	2.00	-	83,569	2.02
TWPC	8.70	-	8,301	8.68	SIS	9.00	(0.05)	1,832	9.01	ASAP	6.65	0.10	68,332	6.58
UPOIC	4.40	0.16	1,408	4.37	SVOA	1.39	-	48,004	1.40	ASK	23.60	0.10	2,310	23.75
UVAN	7.10	-	2,565	7.10	SYMC	5.55	0.05	236	5.60	ASP	3.88	0.02	35,621	3.87
VPO	0.64	-	4,165	0.64	SYNEX	14.20	0.10	16,661	14.28	BFIT	28.50	0.75	4,333	28.30
Banking	-	-	-	-	THCOM	10.10	(0.10)	18,869	10.20	CGH	1.05	-	40,616	1.06
BAY	40.50	-	4,191	40.75	TRUE	5.95	(0.05)	1,368,959	5.99	CNS	2.60	0.04	4,232	2.56
BBL	211.00	(2.00)	38,766	212.53	TWZ	0.13	0.01	157,836	0.13	ECL	2.06	0.06	269,460	2.07
CIMBT	0.86	-	17,415	0.86	Electronic Componen	-	-	-	-	FNS	4.06	(0.02)	1,030	4.07
KBANK	216.00	-	66,775	217.21	CCET	1.97	0.01	6,844	1.97	FSS	2.30	(0.02)	3,086	2.31
KKP	75.00	(0.50)	33,021	75.40	DELTA	69.50	0.25	5,458	69.40	GBX	0.67	(0.01)	3,095	0.66
KTB	20.40	0.20	827,271	20.39	EIC	0.05	-	7,838	0.05	GL	7.55	-	60,672	7.65
LHFG	1.58	-	137,714	1.58	HANA	39.00	(1.50)	86,322	39.66	IFS	3.08	-	1,685	3.08
SCB	148.50	(0.50)	73,808	149.37	KCE	44.00	(1.75)	85,515	44.53	JMT	12.90	0.60	160,217	12.88
TCAP	53.50	-	20,589	53.50	METCO	195.00	(5.00)	15	195.80	KCAR	12.80	-	611	12.84
TISCO	82.75	-	43,833	82.96	SMT	2.32	0.02	6,334	2.32	KGI	4.48	-	23,079	4.48
TMB	2.38	0.10	23,489,381	2.42	SPPT	3.50	0.02	12,710	3.53	KTC	34.00	1.00	282,979	33.95
Construction Materia	-	-	-	-	SVI	5.65	(0.15)	73,922	5.72	MBKET	12.90	-	5,612	13.06
CCP	0.41	-	27,844	0.40	TEAM	1.15	(0.01)	7,921	1.15	MFC	16.30	-	527	16.30
COTTO	2.98	(0.04)	49,903	3.02	Energy & Utilities	-	-	-	-	ML	1.07	0.01	12,104	1.08
DCC	2.66	(0.14)	371,047	2.68	ABPIF	8.45	0.05	3,168	8.44	MTC	43.50	1.25	167,839	43.48
DCON	0.57	0.01	11,949	0.56	AI	-	-	-	-	PE	0.24	-	1,019	0.24
DRT	5.70	0.05	2,509	5.66	AKR	1.04	-	128,408	1.05	PL	3.48	(0.04)	2,472	3.50
EPG	9.05	(0.30)	210,999	9.16	BAFS	35.00	-	2,820	35.12	S11	7.60	-	1,910	7.63
GEL	0.35	(0.01)	166,405	0.35	BANPU	19.30	(0.10)	650,334	19.41	SAWAD	46.75	1.00	213,046	46.95
PPP	3.48	-	224	3.46	BCP	36.00	-	41,130	35.76	THANI	8.50	0.40	444,120	8.44
O-CON	5.35	0.05	530	5.38	BCPG	20.90	0.20	411,604	21.08	TK	11.90	0.20	4,822	11.77
RCI	3.58	(0.08)	31,311	3.62	BGRIM	27.50	(0.75)	189,262	28.09	TNITY	6.00	-	3,072	6.00
SCC	454.00	6.00	28,819	453.70	BPP	25.00	(0.25)	25,428	25.22	UOBKH	4.30	(0.02)	95	4.29
SCCC	250.00	-	1,955	251.30	BRRGIF	10.00	-	24,124	10.00	ZMICO	1.16	-	29,236	1.15
SCP	8.80	0.40	16,016	8.76	CKP	4.90	0.18	1,221,303	4.84	Food & Beverage	-	-	-	-
SKN	4.70	0.12	7,109	4.65	DEMCO	3.96	-	12,183	3.99	APURE	1.53	(0.01)	8,047	1.54
TASCO	15.80	(0.50)	191,482	16.16	EA	47.25	0.25	363,231	47.39	ASIAN	8.95	(0.20)	53,607	9.02
TCMC	2.76	(0.02)	21,238	2.75	EARTH	-	-	-	-	BR	5.35	-	14,558	5.34
TOA	35.50	(0.25)	13,839	35.61	EASTW	11.20	0.10	5,345	11.10	BRR	6.60	(0.15)	3,215	6.61
TPPL	1.89	0.06	684,698	1.88	EGATIF	10.90	-	5,850	10.90	CBG	54.25	(0.75)	33,060	54.83
UMI	1.47	-	6,614	1.47	EGCO	237.00	(6.00)	15,622	238.18	CFRESH	4.52	(0.06)	333	4.52
VNG	7.70	(0.10)	2,469	7.79	ESSO	16.40	-	143,584	16.49	CM	4.30	(0.02)	2,970	4.32
WIHK	2.42	0.04	10,122	2.41	GLOW	90.50	(0.25)	30,661	90.55	CPF	25.50	(0.25)	356,450	25.73
Petrochemicals & Che	-	-	-	-	GPSC	68.50	(0.75)	46,845	68.93	CPI	1.84	0.01	3,736	1.85
BCT	52.00	(0.25)	837	52.02	GULF	74.50	1.50	184,627	74.09	F&D	-	-	-	-
CMAN	3.46	0.14	225,888	3.40	GUNKUL	2.84	0.02	113,092	2.85	HTC	16.70	0.10	4,164	16.55
GC	5.15	0.05	1,276	5.10	IEC	-	-	-	-	ICHI	4.40	0.02	4,844	4.40
GGC	11.70	(0.10)	46,468	11.82	IFEC	-	-	-	-	KBS	4.30	0.02	511	4.28
GIFT	4.58	0.02	3,241	4.58	IRPC	6.90	(0.05)	1,060,565	6.94	KSL	3.34	0.06	18,970	3.35
IVL	59.00	(0.50)	189,848	59.40	LANNA	15.90	-	7,165	15.96	KTIS	5.75	-	272	5.74
NFC	11.40	-	199	11.40	MDX	4.60	0.02	4,475	4.59	LST	4.96	0.12	5,880	4.92
PATO	14.40	-	123	14.39	PTG	13.00	1.20	1,538,902	12.56	M	72.50	(0.25)	2,255	72.88
PMTA	14.20	(0.10)	35	14.08	PTT	52.50	0.50	1,160,796	52.72	MALEE	13.80	-	21,669	13.99
PTTGC	81.75	(0.25)	241,556	82.10	PTTEP	153.00	1.00	164,667	153.59	MINT	40.25	0.25	254,903	40.55
SUTHA	4.30	0.10	1,300	4.32	RATCH	51.50	(0.25)	10,110	51.72	OISHI	92.50	(0.50)	31	92.35
TCCC	35.00	-	72	35.02	RPC	0.52	-	6,824	0.52	PB	60.75	0.25	55	60.98
TPA	6.45	(0.20)	89	6.51	SCG	4.64	(0.02)	198	4.62	PM	8.75	(0.05)	8,000	8.80
UP	-	-	-	-	SCI	3.14	(0.02)	14,638	3.14	PRG	14.00	(0.30)	16	14.14
VNT	26.00	0.25	58,064	26.31	SCN	4.16	(0.04)	64,115	4.19	SAPPE	23.20	-	4,327	23.16
WG	-	-	-	-	SGP	12.40	-	88,761	12.46	SAUCE	22.30	0.40	65	22.07
YCI	-	-	-	-	SKE	1.28	0.01	36,261	1.29	SFP	-	-	-	-
Commerce	-	-	-	-	SOLAR	2.34	0.02	34,694	2.37	SNP	20.40	-	25	20.33
BEAUTY	11.50	0.40	2,428,188	11.48	SPCQ	21.00	0.10	4,962	20.97	SORKON	72.25	(1.75)	33	72.17
BIG	1.89	0.12	603,538	1.87	SPRC	15.00	0.10	261,849	15.08	SSC	40.50	0.50	6	40.50
BJC	60.00	0.50	173,107	60.67	SUPER	0.74	-	1,136,365	0.74	SST	-	-	-	-
COL	29.75	-	6,188	29.74	SUSCO	3.30	0.04	9,283	3.28	SST	5.70	(0.05)	581	5.77
COM7	20.10	0.50	301,397	20.15	TAE	2.26	0.06	9,927	2.25	TC	3.08	0.04	751	3.04
CPALL	71.00	2.50	1,156,452	70.46	TCC	0.39	(0.01)	15,320	0.39	TFG	4.18	-	8,816	4.20
CSS	2.22	0.02	68,233	2.24	TOP	86.75	2.25	130,644	86.40	TFMAMA	160.00	(2.00)	75	160.91
FN	2.80	(0.04)	12,718	2.86	TPIPP	6.85	0.20	293,485	6.77	TIPCO	9.40	(0.05)	11,359	9.43
FTE	2.30	(0.02)	19,204	2.30	TTW	12.50	0.10	55,561	12.51	TKN	15.80	0.10	312,808	16.05
GLOBAL	20.60	0.60	242,701	20.66	WHAPU	6.30	-	132,204	6.32	TU	18.10	0.50	194,679	18.09
HMPRO	15.30	0.30	709,051	15.56	WP	7.50	(0.05)	23,742	7.49	TVO	29.75	0.25	10,420	29.62
IT	4.24	-	1,057	4.24	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.46	0.22	88,989	4.44	AMARIN	4.80	-	278	4.82	AHC	21.00	-	22	20.81
LOXLEY	2.24	-	32,993	2.24	AQUA	0.48	-	426,276	0.48	BCH	20.00	0.60	205,518	19.74
MAKRO	34.75	-	14,235	34.92	AS	1.18	(0.02)	139	1.18	BDMS	26.00	-	248,291	26.01
MC	13.00	-	6,099	13.00	BEC	7.10	(0.05)	65,803	7.14	BH	180.00	(1.00)	11,698	180.32
MEGA	37.25	-	21,328	37.28	EPCO	3.74	(0.02)	39,453	3.79	CHG	2.76	0.02	750,351	2.76
MIDA	0.62	-	12,852	0.62	FE	188.00	1.00	1	188.00	CMR	3.16	-	2,984	3.18
ROBINS	70.75	1.75	56,668	70.33	GPI	2.74	-	2,185	2.73	EKH	5.65	-	9,824	5.62
RSP	3.88	(0.06)	7,707	3.90	GRAMMY	8.00	(0.05)	16	8.04	KDH	95.25	0.25	14	95.13
SINGER	9.70	0.10	1,309	9.72										

## Main Board Quotation

Issue Date :

Wednesday September 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.72	-	6,006	2.73	MJD	3.46	-	351	3.44	CPT	2.00	-	22,224	2.00
Tourism & Leisure					MK	3.96	0.04	28,355	3.97	CRANE	2.88	0.10	2,451	2.86
ASIA	6.55	(0.05)	393	6.63	NCH	0.93	-	5,787	0.92	CTW	9.40	(0.05)	757	9.52
CENTEL	42.00	2.25	214,749	41.50	NNCL	1.78	0.01	4,931	1.78	FMT	25.00	-	10	25.00
CSR	-	-	-	-	NOBLE	12.30	-	1,068	12.44	HTECH	7.20	(0.20)	39,533	7.27
DTC	11.80	-	2,909	11.81	NUSA	0.34	-	97,871	0.34	KKC	1.67	-	1,872	1.65
ERW	8.00	(0.05)	76,821	8.06	NVD	4.14	-	4,315	4.18	PK	3.34	(0.02)	17,274	3.39
GRAND	1.02	(0.01)	40,254	1.03	ORI	18.30	-	56,915	18.41	SNC	14.50	0.10	2,855	14.52
LRH	39.25	0.25	36	39.03	PACE	0.61	0.02	201,837	0.60	TCJ	5.75	-	208	5.78
MANRIN	-	-	-	-	PF	1.06	0.03	882,000	1.05	VARO	7.00	-	9	7.00
OHTL	790.00	(20.00)	3	794.00	PLAT	8.60	0.25	56,457	8.48	Property Fund & REIT	-	-	-	-
ROH	38.00	-	20	38.00	POLAR	-	-	-	-	AIMIRT	10.90	0.10	1,049	10.88
SHANG	76.00	0.25	17	76.00	PRECHA	1.39	(0.05)	2,308	1.47	AMATAR	10.70	-	11	10.70
Home & Office Produ					PRIN	1.63	0.03	8,758	1.62	B-WORK	11.40	-	5,927	11.39
ACC	0.44	-	4,972	0.43	PRINC	5.35	0.05	23,336	5.29	BKKCP	12.50	-	35	12.50
AJA	0.39	(0.01)	139,968	0.40	PSH	20.90	-	11,873	21.06	BOFFICE	13.60	(0.10)	26	13.70
DTCI	-	-	-	-	OH	3.62	0.06	1,260,349	3.61	CPNCG	16.00	-	384	15.98
FANCY	0.89	(0.01)	4,024	0.90	RICHY	1.80	(0.01)	29,216	1.80	CPNREIT	27.25	-	5,039	27.25
KYE	412.00	(4.00)	850	412.51	RML	1.33	0.01	71,504	1.34	CPTGF	13.40	-	192	13.41
L&E	2.70	0.02	867	2.70	ROJNA	5.25	-	26,822	5.28	CRYSTAL	10.30	-	500	10.30
MODERN	4.42	0.04	27,351	4.39	S	3.64	0.12	744,966	3.64	CTARAF	4.80	-	1,076	4.80
OGC	38.00	-	11	38.02	SAMCO	2.14	(0.02)	737	2.15	DREIT	5.50	-	555	5.50
ROCK	16.90	0.50	1	16.90	SC	3.62	0.08	63,644	3.59	ERWPF	5.60	-	911	5.59
SIAM	2.30	0.04	42,034	2.32	SENA	3.80	0.06	14,644	3.78	FUTUREPF	22.50	-	164	22.50
TSR	2.34	(0.04)	6,167	2.35	SF	8.90	(0.05)	21,962	8.89	GAHREIT	9.70	-	127	9.70
Insurance					SIRI	1.71	0.07	2,639,089	1.68	GLANDRT	13.20	(0.30)	107	13.42
AYUD	38.25	(0.25)	231	38.50	SPALI	25.25	0.25	110,034	25.09	GOLDPF	7.15	(0.05)	1,148	7.12
BKI	349.00	-	34	349.00	TICON	16.90	-	475	16.94	GVREIT	15.90	0.10	78	15.82
BLA	32.00	-	12,880	32.29	U	0.03	-	493,744	0.03	HPF	-	-	-	-
BUI	-	-	-	-	UV	8.40	0.05	119,096	8.44	HREIT	6.80	-	9,864	6.80
CHARAN	-	-	-	-	WHA	4.30	0.02	1,916,914	4.31	IMPACT	19.10	0.20	3,356	19.04
INSURE	-	-	-	-	WIN	0.67	-	5,966	0.66	KPNPF	9.50	0.10	121	9.50
MTI	107.50	0.50	30	107.03	Paper & Printing Mat					LHHOTEL	16.20	0.10	86	16.20
NKI	-	-	-	-	UTP	11.40	-	6,790	11.35	LHPF	8.30	-	1,711	8.30
NSI	81.00	2.00	1	81.00	Fashion					LHSC	16.60	-	361	16.59
SMK	40.25	(0.25)	46	40.61	AFC	9.15	-	100	9.15	LUXF	8.55	0.05	126	8.51
THRE	1.11	(0.02)	12,825	1.12	BTNC	21.10	(0.60)	16	20.29	M-II	8.95	(0.05)	5	8.95
THREL	8.35	-	3,127	8.34	CPH	-	-	-	-	M-PAT	9.95	(0.05)	500	9.95
TIC	43.00	0.50	36	42.97	CPL	-	-	-	-	M-STOR	-	-	-	-
TIP	24.80	0.10	2,273	24.80	DIGI	0.28	-	30,447	0.28	MIPF	-	-	-	-
TSI	0.47	0.03	529	0.47	ICC	-	-	-	-	MIT	-	-	-	-
TVI	3.52	0.02	102	3.48	LTX	104.00	0.50	129	102.69	MJLF	12.60	-	2,837	12.58
Mining					NC	15.20	0.10	1	15.20	MNIT	1.63	0.01	17	1.63
PDI	14.30	0.70	23,612	14.20	PAF	0.89	(0.02)	1,731	0.90	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.56	(0.04)	12,477	2.54	MNRF	-	-	-	-
Packaging					PG	-	-	-	-	MONTRI	5.95	-	1	5.95
AJ	10.50	-	167	10.50	SABINA	34.25	(1.75)	2,480	35.01	POPF	13.90	-	2,739	13.91
ALUCON	178.00	(0.50)	68	178.46	SAWANG	13.60	(1.20)	1	13.60	PPF	-	-	-	-
CSC	46.00	0.25	36	45.33	SUC	45.00	-	421	45.18	QHHR	8.55	0.05	9,810	8.50
NEP	0.37	-	200	0.37	TNL	19.40	(0.10)	5	19.40	QHOP	3.48	0.02	256	3.46
NPPG	1.07	(0.01)	9,085	1.08	TPCORP	14.90	0.10	25	14.90	QHPF	12.90	0.10	17,675	12.99
PTL	16.80	-	3,417	16.83	TR	47.25	(0.25)	223	47.28	SBPF	3.00	0.02	17	3.03
SITHAI	1.25	-	4,975	1.25	TTI	-	-	-	-	SHREIT	9.60	0.10	765	9.57
SLP	0.98	0.02	32,948	1.00	TTL	-	-	-	-	SIRIP	12.50	0.70	40	12.32
SMPC	13.60	(0.10)	1,772	13.56	TTTM	165.00	(14.00)	44	168.85	SPF	24.50	(0.30)	2,552	24.61
SPACK	1.94	(0.06)	194	1.96	UPF	-	-	-	-	SRIPANWA	11.20	0.20	4	11.20
TCOAT	29.00	(1.00)	13	29.00	UT	-	-	-	-	SSPF	10.10	0.10	28	10.10
TFI	0.32	0.01	1,254	0.31	WACOAL	-	-	-	-	SSTPF	6.40	(0.05)	1,707	6.33
THIP	33.50	0.25	398	33.55	Transportation & Log					SSSTR	6.25	-	34	6.25
TMD	21.20	(0.10)	627	21.18	AAV	4.42	-	110,158	4.43	TIF1	8.75	0.05	422	8.73
TOPP	-	-	-	-	AOT	66.00	-	293,017	66.33	TLGF	20.10	0.10	10,466	20.00
TPBI	8.20	-	311	8.25	ASIMAR	2.62	-	9,219	2.62	TLHPF	11.10	-	24	11.12
TPP	-	-	-	-	B	0.62	-	9,819	0.62	TNPF	3.60	0.02	9	3.60
Personal Products &					BA	12.90	(0.10)	24,899	12.99	TPRIME	13.50	(0.10)	95	13.48
APCO	4.38	-	701	4.36	BEM	8.75	(0.05)	933,601	8.84	TREIT	12.10	0.10	2,618	12.11
DDD	48.00	(1.00)	39,479	49.46	BTS	9.30	(0.05)	704,292	9.35	TTLPF	23.30	-	20	23.30
JCT	90.25	1.25	1	90.25	BTSGIF	12.30	-	44,246	12.30	TU-PF	-	-	-	-
OCC	17.20	-	16	17.20	III	6.80	-	15,733	6.85	URBNPF	3.78	0.06	13	3.73
S & J	25.00	0.20	160	25.00	JUTHA	1.76	-	695	1.76	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	7.95	0.10	121,926	7.99	WHART	10.70	-	16,339	10.66
TNR	14.10	-	54	14.02	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.78	0.02	384	4.78	NOK	2.38	0.04	15,132	2.36	AMC	2.48	-	479	2.48
Professional Service					NYT	5.10	-	14,795	5.10	BSBM	1.15	-	2,222	1.15
BWG	1.12	(0.02)	466,254	1.13	PRM	8.25	0.40	407,535	8.16	CEN	1.37	0.01	18,250	1.40
GENCO	0.80	-	4,892	0.80	PSL	12.60	0.20	40,832	12.50	CITY	2.70	(0.02)	400	2.71
PRO	-	-	-	-	RCL	5.95	0.20	7,306	5.85	CSP	1.44	(0.01)	327	1.44
TEAMG	2.48	(0.04)	92,490	2.50	THAI	13.50	0.10	27,930	13.42	GJS	0.25	(0.01)	71,955	0.25
Property Developer					TSTE	7.25	-	141	7.25	GSTEL	-	-	-	-
A	6.70	-	401	6.70	TTA	7.30	0.30	51,377	7.21	INOX	1.21	0.01	1,836	1.21
AMATA	22.50	(0.20)	328,685	22.77	WICE	4.94	(0.04)	93,815	5.01	LHK	4.96	0.02	1,326	4.94
AMATAV	6.10	0.15	14,264	6.08	Automotive					MAX	0.02	-	281,927	0.02
ANAN	5.35	-	160,260	5.38	AH	31.50	-	4,087	31.60	MCS	7.35	0.10	23,595	7.40
AP	9.30	(0.15)	126,533	9.40	APCS	5.30	0.15	2,753	5.20	MILL	1.73	0.01	33,096	1.73
APEX	0.20	-	17,339	0.20	BAT-3K	-	-	-	-	PAP	4.12	-	1,282	4.11
AQ	0.03	-	2,625,836	0.03	CWT	2.94	(0.08)	17,414	2.99	PERM	2.34	(0.06)	1,590	2.37
BLAND	1.83	0.02	1,041,294	1.83	EASON	2.86	-	103,363</						

## Main Board Quotation

Issue Date :

Wednesday September 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	TSE	3.10	-	7,358	3.00	ADVA01P1902A	0.63	0.04	40,648	-
ABICO	7.50	-	2,179	7.00	UMS	0.81	0.03	198	-	ADVA01P1902B	0.44	0.01	64,425	-
AU	8.15	0.15	62,708	8.00	UWC	0.07	-	425,342	-	ADVA06C1809A	0.38	(0.07)	17,224	-
FC	0.26	-	3,975	-	Services (MAI)	-	-	-	-	ADVA06C1903A	0.53	(0.05)	14,420	-
JCKH	1.14	-	1,292	1.00	ADAM	-	-	-	-	ADVA08C1809A	0.03	(0.01)	5,036	-
KASET	2.20	-	4,789	2.00	AKP	1.66	0.01	401	1.00	ADVA08P1809A	-	-	-	-
MM	3.98	0.02	778	3.00	AMA	6.20	0.10	7,837	6.00	ADVA11C1905A	0.22	(0.03)	24,273	-
SUN	3.50	(0.06)	37,189	3.00	ARIP	0.50	-	511	-	ADVA11P1905A	0.29	0.01	16,420	-
TACC	4.30	0.26	111,800	4.00	ATP30	1.71	(0.01)	12,836	1.00	ADVA13C1811A	0.49	(0.02)	13,574	-
TMILL	3.24	(0.02)	3,052	3.00	AUCT	6.50	(0.15)	37,308	6.00	ADVA13C1901A	0.28	(0.03)	222,786	-
XO	10.50	0.20	8,317	10.00	BOL	1.94	-	563	1.00	ADVA13P1809A	-	-	-	-
Consumer Products	-	-	-	-	CHUO	-	-	-	-	ADVA16C1812A	0.55	-	46	-
BGT	1.02	0.02	3,125	1.00	CMO	1.49	-	2,990	1.00	ADVA19C1901A	0.57	(0.07)	27,059	-
BIZ	2.76	0.02	300	2.00	D	11.20	-	1,809	11.00	ADVA23C1902A	0.39	(0.04)	130,000	-
DOD	14.30	-	146,810	14.00	DCORP	2.72	(0.08)	17,182	2.00	ADVA24C1810A	0.24	(0.01)	8,000	-
ECF	8.75	-	27,348	8.00	DNA	0.56	(0.01)	40,316	-	ADVA24C1905A	0.34	-	1,400	-
HPT	1.10	0.03	6,118	1.00	EFORL	0.07	-	34,842	-	ADVA24P1810A	-	-	-	-
JUBILE	19.40	0.70	3,237	19.00	ETE	1.92	(0.01)	28,445	1.00	ADVA27C1902A	0.28	(0.02)	12,001	-
MOONG	6.40	(0.10)	3,751	6.00	FSMART	8.70	(0.05)	12,071	8.00	ADVA28C1811A	-	-	-	-
NPK	26.00	0.50	14	25.00	FVC	1.06	(0.01)	5,264	1.00	ADVA28C1901A	0.19	(0.02)	52,092	-
OCEAN	1.81	-	19,634	1.00	HARN	2.62	(0.02)	2,156	2.00	ADVA28P1810A	-	-	-	-
TM	2.16	(0.04)	20,862	2.00	JKN	11.30	0.50	115,786	11.00	ADVA42C1903A	0.27	(0.01)	9,640	-
Financials (MAI)	-	-	-	-	KIAT	0.50	(0.01)	65,966	-	AMAT01C1810A	0.99	(0.01)	131,466	1.00
ACAP	6.55	0.05	13,112	6.00	KOOL	1.84	(0.01)	9,270	1.00	AMAT01C1810B	0.56	(0.03)	153,597	-
AF	0.71	0.01	515	-	LDC	1.18	(0.01)	2,914	1.00	AMAT01C1903A	0.79	0.01	81,579	-
AIRA	1.98	-	1,240	1.00	MPG	0.17	-	2,402	-	AMAT01C1903B	0.66	-	79,761	-
ASN	3.52	(0.02)	685	3.00	MVP	3.04	(0.08)	73,086	3.00	AMAT01P1810A	0.60	0.02	106,594	-
BROOK	0.57	0.01	30,880	-	NBC	0.84	0.08	5,496	-	AMAT01P1903A	0.80	-	39,307	-
CHAYO	5.70	(0.15)	107,117	5.00	NCL	1.70	(0.05)	15,495	1.00	AMAT06C1809A	-	-	-	-
GCAP	3.92	-	4,751	3.00	NEWS	0.01	-	200,671	-	AMAT08C1809A	0.02	-	1,000	-
LIT	8.35	0.05	3,688	8.00	NINE	2.40	0.14	179,354	2.00	AMAT08C1903A	0.65	(0.01)	56,186	-
SGF	1.96	(0.16)	755,370	2.00	OTO	3.26	0.02	12,112	3.00	AMAT11C1903A	0.43	(0.02)	24,417	-
Industrials (MAI)	-	-	-	-	PHOL	2.22	-	199	2.00	AMAT13C1812A	0.59	(0.02)	447,913	-
ZS	3.24	0.02	990	3.00	PICO	4.66	0.06	130	4.00	AMAT19C1811A	0.22	(0.01)	59,992	-
ADB	1.21	(0.01)	12,560	1.00	PORT	7.05	0.05	1,421	7.00	AMAT19C1902A	0.76	(0.02)	40,090	-
BM	3.28	(0.02)	2,058	3.00	QLT	4.40	-	1,749	4.00	AMAT23C1810A	0.19	0.01	6,242	-
CHO	1.21	(0.02)	9,288	1.00	RP	3.10	-	989	3.00	AMAT24C1811A	-	-	-	-
CHOW	4.80	0.02	317	4.00	SE	2.20	(0.02)	12,277	2.00	AMAT27C1902A	0.87	0.01	4,800	-
CIG	0.38	0.01	38,374	-	SPA	16.10	0.30	52,291	16.00	ANAN01C1810A	1.38	0.04	13,062	1.00
COLOR	1.32	(0.01)	528	1.00	THMUI	1.92	(0.02)	147,793	1.00	ANAN01C1810B	1.17	0.06	6,768	1.00
CPR	5.65	(0.10)	3,158	5.00	TNDT	4.88	0.02	5,302	4.00	ANAN08C1810A	1.26	0.05	4,574	1.00
FPI	2.34	0.02	1,838	2.00	TNH	39.00	(0.50)	3,597	39.00	ANAN08C1906A	0.33	-	42,553	-
GTB	0.65	-	1,378	-	TNP	1.89	(0.02)	47,263	1.00	ANAN13C1901A	0.24	-	84,829	-
KCM	1.24	(0.02)	17,069	1.00	TSF	0.05	-	11,875	-	ANAN19C1811A	0.70	0.01	830	-
LVT	-	-	-	-	TVD	1.63	0.06	15,051	1.00	ANAN23C1901A	0.42	0.04	4,024	-
MBAX	4.02	-	203	4.00	TVT	1.04	0.01	2,867	1.00	ANAN24C1811A	-	-	-	-
MGT	2.14	(0.04)	7,327	2.00	WINNER	3.52	0.04	8,464	3.00	AOT01C1810A	0.21	-	104,654	-
NDR	2.28	-	313	2.00	Technology (MAI)	-	-	-	-	AOT01C1902A	0.55	-	128,686	-
PDG	3.62	-	434	3.00	COMAN	3.36	(0.10)	20,545	3.00	AOT01C1902B	0.37	-	57,809	-
PIMO	4.32	0.06	6,555	4.00	ICN	2.36	0.02	12,739	2.00	AOT01P1902A	0.80	(0.01)	34,999	-
PJW	1.92	-	3,064	1.00	IRCP	0.97	-	3,325	-	AOT01P1902B	0.48	(0.01)	23,052	-
PPM	1.87	0.01	1,217	1.00	ITEL	3.50	(0.06)	13,358	3.00	AOT06C1809A	-	-	-	-
RWI	1.66	(0.02)	1,146	1.00	NETBAY	33.25	0.75	3,146	33.00	AOT06C1903A	0.47	(0.01)	38,449	-
SALEE	1.14	-	3,874	1.00	PLANET	1.55	0.03	561	1.00	AOT06P1903A	0.45	(0.02)	17,524	-
SANKO	1.40	-	19,237	1.00	SIMAT	2.22	0.08	51,349	2.00	AOT07C1902A	-	-	-	-
SELIC	2.48	(0.04)	60,115	2.00	SKY	13.80	(0.10)	12,047	13.00	AOT08C1901A	0.30	0.02	5,680	-
SWC	24.70	0.30	1,808	24.00	SPVI	1.58	(0.05)	43,389	1.00	AOT08P1903A	0.46	(0.01)	7,720	-
TMC	0.88	-	3,617	-	UPA	0.55	-	69,725	-	AOT11C1906A	0.38	0.01	22,612	-
TMI	0.81	0.01	10,478	-	VCOM	3.42	0.02	12,700	3.00	AOT11P1906A	0.35	(0.01)	5,752	-
TMW	68.50	-	155	68.00	Unit Trust	-	-	-	-	AOT13C1811A	0.12	-	50,910	-
TPAC	12.80	0.20	816	12.00	MGE	-	-	-	-	AOT13C1812A	0.27	-	127,167	-
TPLAS	2.10	-	90,914	2.00	SCBSET	-	-	-	-	AOT13C1902A	0.50	-	105,842	-
UAC	4.60	0.02	5,853	4.00	ETF	-	-	-	-	AOT13P1810A	0.13	-	20,315	-
UBIS	4.60	-	574	4.00	IDIV	14.00	0.08	13	14.00	AOT13P1812A	0.10	-	11	-
UEC	1.54	-	2,455	1.00	ABFTH	-	-	-	-	AOT19C1809A	-	-	-	-
UKEM	0.90	-	12,004	-	BMSCG	9.44	0.01	191	9.00	AOT19C1901A	0.42	0.01	40,313	-
UREKA	0.97	0.02	50,128	-	BMSCITH	13.09	0.05	22,428	13.00	AOT24C1811A	-	-	-	-
YUASA	16.80	-	100	16.00	BSET100	11.29	0.05	16,194	11.00	AOT24C1901A	0.25	0.01	1,880	-
ZIGA	3.48	(0.08)	70,325	3.00	CHINA	5.03	0.02	990	5.00	AOT24P1809A	-	-	-	-
Property & Construc	-	-	-	-	EBANK	5.98	(0.04)	5	5.00	AOT24P1903A	0.38	(0.09)	118	-
ARROW	8.80	(0.15)	1,806	8.00	ECOMM	-	-	-	-	AOT27C1902A	0.49	0.01	7,200	-
BKD	3.22	0.02	22,513	3.00	EFODD	5.72	(0.08)	4	5.00	AOT27P1903A	0.61	(0.02)	63,567	-
BSM	0.77	0.02	10,832	-	EICT	4.88	0.15	2	4.00	AOT28C1812A	0.25	0.01	70,906	-
BTW	1.85	0.03	632	1.00	ENGY	6.76	0.11	30	6.00	AOT28C1901A	0.20	-	47,476	-
CHEWA	1.35	(0.02)	133,396	1.00	ENY	-	-	-	-	AOT28C1902A	0.46	(0.54)	61,230	-
CRD	1.10	0.01	5,155	1.00	ESET50	6.00	0.08	50	5.00	AOT28P1812A	0.17	-	55,770	-
DIMET	1.07	(0.01)	65,940	1.00	GLD	1.70	-	604	1.00	AOT42C1903A	0.33	0.01	4,080	-
FLOYD	2.26	(0.02)	14,574	2.00	TDEX	11.44	0.07	6,585	11.00	AP01C1809A	0.53	(0.01)	31,473	-
FOCUS	1.09	(0.01)	4,525	1.00	TGOLDETF	3.67	-	353	3.00	AP01C1809B	-	-	-	-
HYDRO	1.19	0.01	3,026	1.00	TH100	5.19	0.10	128	5.00	AP01C1903A	0.51	(0.02)	13,312	-
JSP	0.57	-	51,410	-	Warrant Foreign	-	-	-	-	AP01C1903B	0.40	(0.04)	13,992	-

## Main Board Quotation

Issue Date :

Wednesday September 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP08P1901A	0.32	(0.01)	64,259	-	BEAU11C1902A	0.04	-	6,223	-	BPP23C1901A	0.24	-	12,137	-
BANP11C1902A	0.09	-	4,971	-	BEAU13C1811A	0.01	-	2	-	BPP24C1809A	-	-	-	-
BANP13C1811A	0.12	(0.01)	926,468	-	BEAU13C1812A	0.03	-	97,652	-	BPP24C1902A	-	-	-	-
BANP13C1902A	0.34	-	860,593	-	BEAU13C1812B	1.07	0.13	311,733	1.00	BPP28C1812A	0.42	-	8,192	-
BANP16C1812A	0.68	(0.01)	16,064	-	BEAU13C1901A	0.28	0.03	1,494,419	-	BPP28C1902A	0.16	-	6,196	-
BANP19C1811A	0.08	(0.01)	2,000	-	BEAU19C1811A	0.01	-	12,364	-	BTS01C1810A	0.38	(0.02)	31,986	-
BANP19C1902A	0.43	(0.01)	50,451	-	BEAU19C1901A	1.11	0.10	43,659	1.00	BTS01C1810B	0.06	0.01	4,701	-
BANP23C1901A	0.12	(0.01)	94,698	-	BEAU23C1901A	0.02	0.01	1	-	BTS01P1810A	0.41	0.03	22,402	-
BANP24C1812A	0.06	0.01	400	-	BEAU24C1901A	0.29	(0.71)	78,200	-	BTS06C1903A	-	-	-	-
BANP24P1901A	0.29	(0.01)	16,000	-	BEAU24C1902A	0.06	-	560	-	BTS06C1903B	-	-	-	-
BANP27C1809A	-	-	-	-	BEAU27C1903A	0.33	0.03	26,173	-	BTS06C1903C	-	-	-	-
BANP28C1810A	0.05	(0.01)	3,000	-	BEAU28C1810A	-	-	-	-	BTS08C1810A	0.14	(0.02)	26,004	-
BANP28C1902A	0.23	(0.01)	266,387	-	BEAU28C1811A	0.02	0.01	9,019	-	BTS11C1904A	0.07	-	16,250	-
BANP42C1903A	0.25	-	55,100	-	BEC01C1812A	0.10	-	5,661	-	BTS19C1901A	0.27	(0.01)	18,128	-
BANP42P1903A	0.51	-	53,040	-	BEC01C1812B	0.08	-	3,031	-	BTS23C1905A	1.56	(0.02)	1,022	1.00
BBL06C1902A	0.95	(0.06)	13,229	1.00	BEC08C1809A	-	-	-	-	BTS24C1901A	-	-	-	-
BBL08C1809A	0.02	(0.01)	15,392	-	BEC13C1811A	-	-	-	-	BTS28C1811A	-	-	-	-
BBL08C1902A	0.74	(0.05)	23,572	-	BEC13C1901A	0.10	(0.01)	26,856	-	BTS28C1902A	0.21	(0.01)	26,336	-
BBL08P1810A	0.02	-	1,219	-	BEC19C1809A	0.02	0.01	100	-	BTS42C1901A	0.20	(0.01)	6,024	-
BBL11C1903A	0.60	(0.04)	4,422	-	BEC23C1809A	-	-	-	-	BTS42P1901A	0.24	-	9,041	-
BBL11P1903A	0.18	-	5,873	-	BEC24C1809A	-	-	-	-	CBG01C1809A	0.01	-	111	-
BBL13C1810A	-	-	-	-	BEC24C1812A	-	-	-	-	CBG01C1811A	0.53	(0.04)	166,059	-
BBL13C1901A	0.35	(0.01)	34,448	-	BEC28C1811A	-	-	-	-	CBG01C1811B	0.19	(0.02)	85,849	-
BBL19C1901A	0.33	(0.02)	32,695	-	BEM01C1902A	0.46	(0.01)	82,531	-	CBG01C1902A	0.85	(0.02)	72,543	-
BBL23C1811A	0.30	-	17,500	-	BEM01C1902B	0.41	0.02	104,135	-	CBG01C1902B	0.73	(0.02)	44,372	-
BBL24C1809A	-	-	-	-	BEM01P1902A	0.36	(0.02)	27,192	-	CBG01P1811A	0.66	0.02	47,213	-
BBL24C1812A	0.82	0.09	20	-	BEM07C1903A	-	-	-	-	CBG01P1811B	0.22	0.01	29,875	-
BBL24C1902A	0.28	0.02	100	-	BEM08C1809A	0.23	0.01	24,756	-	CBG06C1809A	0.01	-	1,000	-
BBL24P1810A	-	-	-	-	BEM11C1903A	0.33	0.03	19,935	-	CBG06C1903A	0.89	(0.02)	20,576	-
BBL27C1809A	-	-	-	-	BEM13C1901A	0.43	0.01	161,665	-	CBG06P1809A	0.32	0.02	8,574	-
BBL28C1811A	0.57	0.06	1	-	BEM19C1901A	0.46	0.01	21,264	-	CBG07C1812A	-	-	-	-
BBL28C1901A	0.28	(0.02)	59,836	-	BEM23C1901A	0.26	0.01	6,928	-	CBG08C1810A	0.02	-	230	-
BBL42C1903A	0.35	0.01	8,384	-	BEM24C1809A	0.20	0.05	501	-	CBG08C1902A	0.56	(0.03)	41,502	-
BCH01C1902A	0.58	0.07	94,222	-	BEM24C1902A	0.35	-	14,130	-	CBG11C1902A	0.14	(0.01)	20,315	-
BCH01C1902B	0.44	0.05	74,501	-	BGR101C1901A	1.20	(0.07)	25,601	1.00	CBG13C1811A	0.11	(0.03)	40,507	-
BCH01P1902A	0.38	(0.06)	23,868	-	BGR101C1901B	1.02	(0.08)	8,685	1.00	CBG13C1812A	0.27	(0.03)	241,330	-
BCH06C1811A	0.48	0.09	28,056	-	BGR101C1903A	0.38	(0.02)	72,916	-	CBG13C1901A	0.78	(0.06)	95,970	-
BCH08C1901A	0.67	0.07	48,685	-	BGR101C1903B	0.30	(0.03)	71,391	-	CBG19C1810A	0.03	(0.01)	15,906	-
BCH11C1905A	0.57	0.07	37,744	-	BGR106C1903A	1.01	(0.11)	27,950	1.00	CBG19C1901A	0.62	(0.04)	58,635	-
BCH13C1810A	0.28	0.04	115,582	-	BGR107C1903A	0.32	(0.01)	2	-	CBG23C1901A	0.15	(0.01)	17,720	-
BCH13C1902A	0.38	0.05	143,244	-	BGR108C1902A	0.86	(0.09)	13,372	-	CBG24C1809A	-	-	-	-
BCH19C1809A	0.34	0.09	3,560	-	BGR113C1812A	-	-	-	-	CBG24C1811A	-	-	-	-
BCH19C1903A	0.65	0.07	22,054	-	BGR113C1812B	0.25	(0.02)	129,584	-	CBG24C1901A	0.74	0.01	1,000	-
BCH23C1811A	0.58	0.09	25,000	-	BGR19C1901A	0.71	(0.06)	5,030	-	CBG28C1811A	-	-	-	-
BCH24C1811A	0.28	0.03	1,100	-	BGR124C1901A	0.89	(0.09)	3,303	-	CBG28C1812A	0.44	(0.03)	253,752	-
BCH27C1902A	0.83	0.06	7,200	-	BGR124C1902A	0.30	(0.03)	3,000	-	CENT01C1810A	0.13	0.05	109,264	-
BCH28C1811A	0.54	0.09	99,985	-	BGR128C1812A	-	-	-	-	CENT01C1810B	-	-	-	-
BCH28C1902A	0.31	(0.69)	50,964	-	BGR128C1901A	0.19	(0.03)	102,150	-	CENT01C1903A	0.53	0.08	220,268	-
BCP01C1810A	0.23	(0.01)	19,059	-	BH01C1811A	0.50	(0.03)	41,982	-	CENT01C1903B	0.48	0.10	194,585	-
BCP01C1810B	-	-	-	-	BH01C1811B	0.08	(0.01)	11,990	-	CENT01P1810A	0.99	(0.18)	25,589	1.00
BCP01P1810A	0.30	-	22,500	-	BH01P1811A	1.26	0.02	13,638	1.00	CENT01P1903A	0.43	(0.09)	29,834	-
BCP08C1901A	0.27	-	45,171	-	BH07C1810A	0.01	(0.01)	53	-	CENT06C1904A	0.27	0.08	56,967	-
BCP11C1811A	0.08	-	200	-	BH08C1811A	-	-	-	-	CENT08C1809A	-	-	-	-
BCP13C1810A	-	-	-	-	BH08C1902A	0.48	(0.02)	11,102	-	CENT08C1902A	0.27	0.07	99,986	-
BCP13C1902A	0.28	0.01	107,077	-	BH11C1902A	-	-	-	-	CENT11C1904A	0.17	0.05	22,434	-
BCP19C1902A	0.26	(0.02)	29,565	-	BH11C1905A	0.58	(0.02)	4,824	-	CENT13C1811A	0.02	-	1,000	-
BCP24C1811A	-	-	-	-	BH13C1901A	0.51	(0.02)	22,261	-	CENT13C1902A	0.37	0.09	492,669	-
BCP24C1904A	-	-	-	-	BH19C1901A	0.50	(0.02)	22,446	-	CENT19C1901A	0.27	0.06	95,262	-
BCP28C1901A	0.23	-	31,892	-	BH24C1809A	-	-	-	-	CENT23C1902A	0.15	0.04	74,813	-
BCPG01C1811A	0.61	-	331,899	-	BH24C1811A	-	-	-	-	CENT24C1810A	-	-	-	-
BCPG01C1811B	0.27	0.01	169,764	-	BH24C1902A	-	-	-	-	CENT24C1901A	0.16	0.05	2,001	-
BCPG06C1811A	0.38	0.02	94,232	-	BIG08C1906A	0.16	0.04	51,127	-	CENT24C1902A	0.38	0.10	216,141	-
BCPG08C1810A	0.37	0.03	124,474	-	BIG13C1901A	0.08	0.02	37,263	-	CHG01C1809A	0.74	0.01	39,156	-
BCPG11C1902A	0.25	0.02	50,831	-	BIG19C1811A	0.03	0.01	72,898	-	CHG01C1809B	1.15	(0.01)	17,392	1.00
BCPG13C1810A	0.19	0.01	1,227,495	-	BIG24C1812A	0.03	0.01	20,000	-	CHG01C1903A	0.48	-	44,439	-
BCPG13C1812A	0.67	0.02	416,084	-	BJC01C1812A	0.81	0.02	111,502	-	CHG01C1903B	0.43	0.02	45,308	-
BCPG19C1901A	0.66	0.03	346,730	-	BJC01C1812B	0.63	0.04	81,026	-	CHG01P1809A	-	-	-	-
BCPG23C1902A	0.56	0.02	128,291	-	BJC01P1812A	0.25	(0.02)	80,574	-	CHG01P1903A	0.38	(0.62)	13,954	-
BCPG24C1810A	0.23	0.03	2,147	-	BJC06C1901A	0.34	0.02	55,940	-	CHG07C1902A	-	-	-	-
BCPG27C1903A	0.57	0.03	10,150	-	BJC07C1809A	-	-	-	-	CHG11C1904A	0.38	-	11,738	-
BCPG28C1812A	0.68	0.01	4,400	-	BJC08C1809A	-	-	-	-	CHG13C1812A	0.40	-	108,073	-
BCPG28C1901A	0.41	0.02	546,342	-	BJC08C1903A	0.52	0.03	82,740	-	CHG19C1902A	0.46	0.01	10,640	-
BDMS01C1810A	0.19	(0.01)	52,890	-	BJC11C1905A	0.61	0.02	51,037	-	CHG23C1811A	1.60	0.04	1,000	1.00
BDMS01C1811B	0.05	0.01	1,733	-	BJC13C1810A	0.10	0.01	49,316	-	CHG24C1811A	-	-	-	-
BDMS01P1811A	0.27	-	15,876	-	BJC13C1812A	0.54	0.04	188,009	-	CHG28C1812A	0.42	(0.01)	73,540	-
BDMS06C1811A	0.55	(0.01)	5,650	-	BJC19C1809A	0.12	0.02	8,160	-	CHG28C1902A	0.27	(0.73)	18,176	-
BDMS08C1901A	0.11	(0.01)	8,130	-	BJC19C1902A	0.59	0.02	63,892	-	CK01C1809A	0.27	(0.01)	74,191	-
BDMS11C1811A	0.73	0.05	700	-	BJC23C1901A	0.31	0.02	56,008	-	CK01C1809B	0.08	(0.02)	89,690	-
BDMS11C1904A	0.10	-	9,710	-	BJC24C1901A	0.56	0.06	930	-	CK01C1902A	0.34	(0.02)	102,029	-
BDMS13C1810A	-	-	-	-	BJC28C1812A	0.53	0.03	180,370	-	CK01C1902B	0.29	-	49,598	-
BDMS13C1812A	0.10	0.01	99,909	-	BLA01C1812A	0.17	-	57,910	-	CK01P1809A	0.04	-	13,707	-
BDMS16C1812A	-	-	-	-	BLA08C1811A	-	-	-	-	CK01P1902A	0.33	(0.01)	45,299	-
BDMS19C1901A	0.24	-	33,773	-	BLA13C1809A	-	-	-	-	CK08C1809A	0.20	0.02	5,288	-
BDMS23C1810A	-	-	-	-	BLA13C1902A	0.18	0.01	14,724	-	CK08C1901A	0.19	(0.02)	48,479	-
BDMS24C1811A	0.14	(0.04)	4,983	-	BLA28C1810A	-	-	-	-	CK11C1904A	0.21	(0.01)	19,332	-
BDMS24C1812A	-	-	-	-	BLAN01C1809A	0.54	0.03	14,965	-					

## Main Board Quotation

Issue Date :

Wednesday September 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM706C1809A	0.21	0.05	58,051	-	DTAC13C1811A	0.11	(0.01)	14,324	-	GLOW19C1901A	0.47	-	22,853	-
COM706C1903A	0.50	0.05	78,418	-	DTAC13C1812A	0.55	(0.03)	29,323	-	GLOW27C1812A	0.27	(0.01)	11,750	-
COM708C1811A	0.14	0.02	157,191	-	DTAC13P1811A	0.20	0.01	29,319	-	GPSCO1C1902A	0.62	(0.03)	32,371	-
COM711C1811A	0.50	0.06	48,510	-	DTAC13P1812A	0.07	0.01	2,528	-	GPSCO1C1902B	0.45	(0.02)	59,694	-
COM713C1812A	0.40	0.04	517,085	-	DTAC19C1811A	0.30	(0.03)	23,998	-	GPSCO1P1902A	1.13	0.03	25,991	1.00
COM719C1811A	0.33	0.05	212,512	-	DTAC24C1809A	-	-	-	-	GPSCO6C1811A	0.11	(0.01)	23,550	-
COM719C1904A	0.65	0.05	67,331	-	DTAC24C1901A	-	-	-	-	GPSCO8C1902A	0.39	(0.02)	50,161	-
COM723C1901A	0.38	0.04	56,023	-	DTAC27C1809A	-	-	-	-	GPSC11C1902A	0.16	(0.02)	28,887	-
COM724C1811A	-	-	-	-	DTAC27C1903A	0.48	(0.03)	7,200	-	GPSC13C1812A	0.26	(0.03)	46,173	-
COM727C1902A	0.56	0.04	15,600	-	DTAC27P1809A	-	-	-	-	GPSC19C1901A	0.40	(0.02)	41,422	-
COM728C1811A	0.32	0.04	367,778	-	DTAC27P1903A	0.48	0.01	7,300	-	GPSC24C1812A	-	-	-	-
CPAL01C1901A	0.30	0.06	647,386	-	DTAC28C1810A	-	-	-	-	GPSC27C1902A	0.50	(0.01)	16,400	-
CPAL01C1901B	0.13	0.03	415,656	-	DTAC28C1812A	0.63	(0.04)	72,212	-	GPSC28C1811A	0.19	-	40,746	-
CPAL01C1904A	0.81	0.08	211,294	-	DTAC42C1903A	0.45	-	10,160	-	GUNK08C1902A	0.18	-	23,926	-
CPAL01C1904B	0.68	0.10	377,730	-	EA01C1809A	1.21	0.01	58,458	1.00	GUNK11C1903A	0.10	0.01	7	-
CPAL01P1901A	1.32	(0.14)	69,442	1.00	EA01C1809B	0.49	-	98,947	-	GUNK24C1812A	0.11	0.01	76	-
CPAL01P1901B	0.90	(0.17)	54,696	-	EA01P1809A	0.05	-	82,958	-	GUNK28C1810A	0.07	0.01	20	-
CPAL01P1904A	0.70	(0.08)	65,985	-	EA06C1809A	0.01	-	5,000	-	HANA01C1811A	0.51	(0.05)	151,416	-
CPAL01P1904B	0.50	(0.08)	79,970	-	EA07C1810A	0.08	0.01	1,005	-	HANA01C1811B	0.25	(0.06)	89,113	-
CPAL06C1811A	0.69	0.12	34,298	-	EA07C1903A	0.84	0.02	378	-	HANA08C1809A	0.05	(0.01)	780	-
CPAL06C1811B	0.01	-	56,346	-	EA08C1809A	0.01	-	4	-	HANA08C1903A	0.39	(0.05)	50,238	-
CPAL07C1902A	0.37	0.07	16,130	-	EA08C1810A	0.43	-	114,946	-	HANA11C1904A	0.29	(0.02)	18,677	-
CPAL08C1902A	0.20	0.04	77,058	-	EA08C1903A	0.82	0.01	66,275	-	HANA13C1901A	0.32	(0.04)	198,266	-
CPAL08P1810A	0.83	(0.22)	16,812	-	EA11C1902A	0.24	(0.01)	69,828	-	HANA19C1902A	0.30	(0.04)	28,360	-
CPAL11C1903A	0.08	0.02	73,449	-	EA13C1809A	-	-	-	-	HANA23C1811A	0.47	(0.06)	3,020	-
CPAL11P1903A	0.88	(0.18)	18,330	-	EA13C1810A	0.01	(0.01)	6,101	-	HANA24C1810A	-	-	-	-
CPAL13C1812A	0.18	0.05	340,869	-	EA13C1811A	0.28	(0.01)	166,706	-	HANA28C1812A	0.37	(0.07)	58,740	-
CPAL13C1901A	0.43	0.08	895,446	-	EA13C1812A	0.61	0.02	89,596	-	HANA28C1902A	0.28	(0.03)	64,784	-
CPAL13P1902A	0.41	(0.09)	104,195	-	EA13C1812B	0.98	(0.01)	8,599	1.00	HMPR01C1902A	0.45	0.03	133,750	-
CPAL19C1811A	0.06	0.02	126,855	-	EA13C1901A	0.52	0.01	165,945	-	HMPR01C1902B	0.38	0.02	133,992	-
CPAL19C1902A	0.52	0.09	161,333	-	EA13P1809A	-	-	-	-	HMPR01P1902A	0.33	(0.04)	65,012	-
CPAL23C1810A	0.02	-	314	-	EA19C1811A	0.58	0.01	62,566	-	HMPR06C1811A	0.12	-	24,908	-
CPAL24C1811A	-	-	-	-	EA23C1901A	0.67	0.01	50,106	-	HMPR08C1810A	0.12	0.05	29,088	-
CPAL24C1901A	0.17	0.05	29,026	-	EA24C1809A	-	-	-	-	HMPR11C1906A	0.28	0.02	58,308	-
CPAL24C1903A	0.44	0.08	163,883	-	EA24C1901A	0.58	(0.42)	821	-	HMPR13C1812A	0.30	0.04	160,752	-
CPAL24P1901A	0.33	(0.10)	6,604	-	EA27C1902A	0.94	0.04	4,805	-	HMPR19C1901A	0.47	0.05	60,414	-
CPAL27C1903A	0.51	0.11	20,200	-	EA28C1901A	0.60	0.01	176,485	-	HMPR23C1901A	0.12	0.02	49,828	-
CPAL28C1811A	0.04	-	221	-	EGCO01C1809A	0.62	(0.10)	9,327	-	HMPR24C1901A	0.30	0.05	2,602	-
CPAL28C1901A	0.39	0.07	349,831	-	EGCO01C1903A	0.64	(0.07)	20,244	-	HMPR28C1811A	0.13	0.01	153,525	-
CPF01C1809A	0.87	(0.01)	32,886	-	EGCO01C1903B	0.52	(0.07)	29,044	-	INTU01C1809A	0.39	0.03	22,611	-
CPF01C1809B	-	-	-	-	EGCO08C1809A	-	-	-	-	INTU01C1809B	0.01	-	13	-
CPF01C1810A	0.21	0.02	153,498	-	EGCO13C1809A	-	-	-	-	INTU01C1903A	0.52	0.01	58,156	-
CPF01C1902A	0.25	0.01	176,040	-	EGCO19C1901A	0.41	(0.07)	18,457	-	INTU01C1903B	0.39	0.01	49,280	-
CPF01C1902B	0.16	(0.01)	176,772	-	EGCO23C1811A	0.27	(0.07)	22,360	-	INTU01P1809A	0.12	(0.01)	26,796	-
CPF01P1809A	0.05	-	45,428	-	EGCO24C1901A	0.29	(0.04)	5,000	-	INTU01P1809B	-	-	-	-
CPF01P1902A	0.40	-	68,832	-	EPG01C1809A	0.20	(0.08)	206,791	-	INTU01P1903A	0.64	(0.02)	24,643	-
CPF01P1902B	0.32	-	89,201	-	EPG01C1903A	0.57	(0.06)	27,891	-	INTU01P1903B	0.47	(0.02)	43,834	-
CPF06C1809A	0.31	(0.01)	17,600	-	EPG01C1903B	0.46	(0.09)	33,642	-	INTU11C1905A	0.31	0.02	8,575	-
CPF07C1810A	-	-	-	-	EPG01P1809A	0.23	0.07	27,925	-	INTU11P1905A	0.30	(0.04)	4,120	-
CPF08C1809A	0.08	(0.01)	24,572	-	EPG01P1903A	0.82	0.06	41,044	-	INTU13C1810A	-	-	-	-
CPF08C1901A	0.15	(0.01)	72,808	-	EPG07C1811A	-	-	-	-	INTU13C1812A	0.36	0.01	191,200	-
CPF11C1902A	0.07	0.01	3,506	-	EPG08C1810A	0.05	(0.01)	10	-	INTU19C1901A	0.33	0.01	25,426	-
CPF11P1902A	0.21	-	32,852	-	EPG08C1810B	0.68	(0.14)	49,431	-	INTU24C1901A	-	-	-	-
CPF13C1809A	0.25	(0.03)	500	-	EPG11C1903A	0.57	(0.07)	25,008	-	INTU28C1901A	0.25	0.01	119,360	-
CPF13C1810A	-	-	-	-	EPG13C1811A	0.38	(0.08)	10,239	-	IRPC01C1810A	0.17	-	95,023	-
CPF13C1902A	0.17	-	268,228	-	EPG13C1902A	0.34	(0.06)	86,722	-	IRPC01C1810B	0.02	-	1	-
CPF19C1901A	0.18	(0.01)	79,438	-	EPG19C1902A	0.42	(0.07)	82,441	-	IRPC01C1903A	0.36	(0.02)	104,901	-
CPF23C1810A	0.23	0.01	20,000	-	EPG24C1810A	0.67	(0.07)	3,800	-	IRPC01C1903B	0.28	-	113,336	-
CPF24C1809A	-	-	-	-	EPG24C1902A	0.54	0.02	2,400	-	IRPC01P1810A	0.21	-	63,449	-
CPF24C1901A	-	-	-	-	EPG28C1902A	0.33	(0.05)	150,308	-	IRPC01P1810B	-	-	-	-
CPF24C1902A	-	-	-	-	ERW13C1902A	0.37	(0.01)	30,110	-	IRPC01P1903A	0.44	-	42,208	-
CPF27C1903A	-	-	-	-	ERW19C1902A	0.53	(0.02)	14,662	-	IRPC01P1903B	0.33	-	55,592	-
CPF28C1811A	0.10	0.01	60,668	-	ERW24C1904A	0.54	0.03	1,197	-	IRPC06C1811A	0.28	0.03	71,686	-
CPF28C1902A	0.15	-	84,410	-	ESSO01C1812A	0.64	(0.01)	60,233	-	IRPC07C1812A	-	-	-	-
CPN01C1902A	0.76	(0.08)	79,220	-	ESSO01C1812B	0.43	0.01	58,556	-	IRPC08C1902A	0.34	(0.01)	87,752	-
CPN01C1902B	0.56	(0.06)	72,559	-	ESSO01P1812A	0.38	(0.02)	8,396	-	IRPC11C1902A	-	-	-	-
CPN01P1902A	0.70	0.06	63,805	-	ESSO08C1902A	0.54	0.01	67,945	-	IRPC11C1905A	0.42	0.01	33,368	-
CPN06C1811A	0.71	(0.11)	32,203	-	ESSO11C1905A	0.82	-	19,399	-	IRPC13C1811A	0.14	-	195,242	-
CPN07C1902A	-	-	-	-	ESSO13C1811A	0.30	(0.01)	127,802	-	IRPC13C1812A	0.31	-	309,895	-
CPN08C1809A	-	-	-	-	ESSO19C1901A	0.50	0.01	36,387	-	IRPC19C1901A	0.40	0.02	86,681	-
CPN08C1903A	0.71	(0.04)	53,270	-	ESSO23C1809A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPN11C1903A	0.40	(0.05)	24,522	-	ESSO24C1812A	0.25	0.01	40,260	-	IRPC24C1809A	-	-	-	-
CPN11P1903A	0.19	0.02	15,833	-	ESSO24C1902A	0.55	0.01	550	-	IRPC24C1812A	0.17	0.01	5,200	-
CPN13C1812A	0.45	(0.09)	355,539	-	ESSO28C1811A	0.30	-	109,590	-	IRPC27C1809A	-	-	-	-
CPN19C1901A	0.74	(0.09)	52,117	-	GFPT08C1906A	0.50	(0.05)	18,671	-	IRPC27C1903A	0.31	-	28,990	-
CPN23C1810A	0.25	(0.04)	17,500	-	GFPT13C1902A	0.27	(0.05)	188,454	-	IRPC28C1811A	0.08	-	400	-
CPN24C1901A	-	-	-	-	GFPT19C1811A	0.44	(0.07)	14,300	-	IRPC28C1812A	0.35	-	157,001	-
CPN27C1903A	0.59	(0.02)	11,400	-	GFPT24C1812A	0.36	(0.06)	19,399	-	IRPC28C1902A	0.28	(0.72)	16,368	-
CPN28C1810A	0.16	(0.07)	175,200	-	GGC01C1810A	0.13	0.01	36,764	-	ITD06C1904A	0.43	(0.03)	114,432	-
CPN28C1902A	0.53	(0.04)	219,272	-	GGC01C1810B	-	-	-	-	ITD08C1810A	0.02	-	3,530	-
DELT06C1903A	0.95	-	2,560	-	GGC07C1902A	-	-	-	-	ITD11C1903A	0.17	0.01	15,237	-
DELT08C1811A	-	-	-	-	GGC08C1906A	0.17	0.01	7,026	-	ITD13C1812A	0.17	(0.01)	214,506	-
DELT13C1809A	-	-	-	-	GGC13C1811A	-	-	-	-	ITD13C1902A	0.36	(0.01)	289,704	-
DELT24C1901A	-	-	-	-	GGC13C1902A	0.26	-	47,475	-	ITD19C1811A	0.05	-	4,380	-
DELT27C1812A	-	-	-	-	GGC19C1811A	-	-	-	-	IT				

## Main Board Quotation

Issue Date :

Wednesday September 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL13P1811A	0.13	0.01	57,685	-	LH06C1903A	0.18	-	21,377	-	PSL01C1812A	0.38	0.02	31,356	-
IVL19C1809A	0.26	(0.03)	13,200	-	LH07C1810A	-	-	-	-	PSL01C1812B	0.29	0.01	11,108	-
IVL19C1903A	0.62	(0.03)	28,056	-	LH11C1906A	0.16	(0.01)	9,977	-	PSL11C1905A	0.26	0.02	7,110	-
IVL23C1810A	0.36	(0.02)	13,500	-	LH13C1902A	0.30	-	278,264	-	PSL23C1809A	-	-	-	-
IVL24C1812A	-	-	-	-	LH19C1901A	0.21	-	20,781	-	PTG01C1811A	0.05	0.02	150,279	-
IVL24C1901A	0.45	(0.03)	900	-	LH23C1901A	-	-	-	-	PTG01C1811B	0.02	0.01	2	-
IVL27C1902A	0.49	(0.01)	7,800	-	LH24C1809A	-	-	-	-	PTG01C1902A	0.45	0.10	597,535	-
IVL28C1811A	0.18	-	87,025	-	LH24C1903A	0.15	0.01	267	-	PTG01C1902B	0.31	0.10	429,389	-
IVL28C1812A	0.47	(0.02)	67,841	-	LPN01C1809A	0.18	0.07	125,984	-	PTG01P1811A	1.48	(0.22)	17,764	1.00
IVL28P1811A	0.17	0.01	57,842	-	LPN01C1811A	0.59	0.10	56,430	-	PTG01P1902A	0.46	(0.11)	78,279	-
IVL42C1903A	0.38	(0.02)	20,616	-	LPN01C1811B	0.26	0.04	59,086	-	PTG06C1810A	0.02	-	36,976	-
KBAN01C1810A	1.34	0.03	46,197	1.00	LPN01C1809A	0.21	(0.04)	11,775	-	PTG06C1904A	0.24	0.04	115,318	-
KBAN01C1901A	1.45	0.02	61,494	1.00	LPN08C1810A	0.11	0.04	34,804	-	PTG08C1902A	0.09	0.03	242,191	-
KBAN01C1901B	0.73	0.02	77,698	-	LPN08C1906A	0.33	0.06	276,470	-	PTG08C1903A	0.37	0.12	100,875	-
KBAN01C1904A	0.55	0.01	69,961	-	LPN19C1811A	0.32	0.09	86,545	-	PTG11C1903A	0.06	0.02	11,219	-
KBAN01C1904B	0.44	0.01	80,393	-	LPN24C1812A	-	-	-	-	PTG13C1812A	0.04	0.01	26,587	-
KBAN01P1810A	0.01	(0.01)	1	-	MAJO08C1811A	-	-	-	-	PTG13C1901A	0.28	0.09	1,305,673	-
KBAN01P1901A	0.71	(0.01)	28,720	-	MAJO11C1902A	0.07	(0.01)	550	-	PTG19C1902A	0.16	0.07	1,105,362	-
KBAN01P1901B	0.21	(0.01)	87,456	-	MAJO13C1903A	0.19	(0.81)	37,007	-	PTG19C1902B	0.46	0.12	189,903	-
KBAN01P1904A	0.65	(0.02)	32,708	-	MAJO19C1902A	0.19	-	5,226	-	PTG24C1809A	-	-	-	-
KBAN01P1904B	0.47	(0.04)	36,649	-	MAJO24C1809A	-	-	-	-	PTG24C1901A	0.34	0.11	461,010	-
KBAN06C1811A	0.74	0.02	14,352	-	MAJO24C1902A	0.46	-	150	-	PTG24C1902A	0.10	0.04	223,537	-
KBAN07C1811A	-	-	-	-	MALE01C1812A	0.01	(0.01)	500	-	PTG27C1809A	-	-	-	-
KBAN08C1811A	0.67	-	9,118	-	MALE08C1811A	0.01	-	100	-	PTG27C1902A	0.18	0.06	33,549	-
KBAN08C1903A	0.30	-	28,568	-	MALE13C1809A	-	-	-	-	PTG28C1812A	0.08	0.05	16,427	-
KBAN08P1811A	-	-	-	-	MALE27C1812A	-	-	-	-	PTG28C1901A	0.32	0.11	392,843	-
KBAN13C1810A	0.07	-	610	-	MALE28C1810A	-	-	-	-	PTL08C1811A	0.51	-	5,600	-
KBAN13C1811A	0.71	(0.01)	37,657	-	MC19C1811A	0.12	-	500	-	PTL13C1809A	0.04	(0.01)	1,000	-
KBAN13C1901A	0.32	0.01	129,998	-	MC23C1809A	-	-	-	-	PTL28C1810A	0.30	-	6,885	-
KBAN19C1901A	0.40	-	27,609	-	MC24C1812A	0.18	-	14,850	-	PTT01C1810A	0.15	0.01	559,204	-
KBAN23C1902A	0.63	0.01	12,250	-	MEGA01C1811A	0.21	(0.01)	9,911	-	PTT01C1810B	0.02	0.01	39,362	-
KBAN24C1902A	-	-	-	-	MEGA01C1811B	-	-	-	-	PTT01C1901A	0.71	0.04	179,205	-
KBAN24C1903A	0.31	-	2	-	MEGA01C1904A	0.54	(0.01)	5,670	-	PTT01C1901B	0.54	0.03	158,848	-
KBAN24P1811A	-	-	-	-	MEGA01C1904B	0.48	(0.02)	3,720	-	PTT01P1810A	0.77	(0.06)	38,321	-
KBAN27C1809A	-	-	-	-	MEGA08C1811A	0.06	(0.02)	24,870	-	PTT01P1810B	0.12	(0.03)	256,075	-
KBAN27C1903A	-	-	-	-	MEGA08C1903A	0.38	-	13,218	-	PTT01P1901A	0.45	(0.03)	26,813	-
KBAN27P1809A	-	-	-	-	MEGA11C1902A	0.11	-	1,304	-	PTT01P1901B	0.25	(0.02)	27,382	-
KBAN28C1811A	-	-	-	-	MEGA13C1902A	0.38	-	18,429	-	PTT06C1811A	0.07	0.01	501	-
KBAN28C1812A	0.30	-	15,930	-	MEGA19C1902A	0.31	(0.01)	15,758	-	PTT06C1901A	0.40	0.02	25,270	-
KBAN28P1811A	-	-	-	-	MEGA23C1902A	-	-	-	-	PTT06P1901A	0.30	(0.03)	8,500	-
KCE01C1810A	0.74	(0.12)	31,284	-	MEGA24C1812A	-	-	-	-	PTT07C1811A	0.09	0.01	675	-
KCE01C1810B	0.49	(0.11)	47,451	-	MINT01C1901A	0.56	0.03	266,467	-	PTT08C1809A	-	-	-	-
KCE06C1809A	0.98	(0.42)	14,530	1.00	MINT01C1901B	0.38	0.01	141,746	-	PTT08C1902A	0.35	0.02	51,986	-
KCE07C1902A	0.43	(0.09)	354	-	MINT01P1901A	0.18	(0.01)	102,888	-	PTT08P1809A	0.03	(0.02)	1,000	-
KCE08C1809A	0.40	(0.34)	17,310	-	MINT06C1809A	-	-	-	-	PTT11C1902A	0.17	0.03	30,848	-
KCE08C1902A	0.33	(0.08)	32,181	-	MINT06C1901A	0.38	0.03	71,726	-	PTT13C1810A	0.02	-	39,684	-
KCE11C1904A	0.41	(0.09)	31,019	-	MINT06C1903A	0.33	0.02	79,820	-	PTT13C1811A	0.19	0.02	108,281	-
KCE13C1811A	0.59	(0.20)	135	-	MINT07C1810A	-	-	-	-	PTT13C1812A	0.33	0.01	343,039	-
KCE13C1812A	0.31	(0.07)	96,068	-	MINT08C1809A	-	-	-	-	PTT13P1812A	0.14	(0.02)	80,975	-
KCE19C1901A	0.44	(0.09)	31,854	-	MINT08C1903A	0.37	0.03	123,775	-	PTT19C1809A	-	-	-	-
KCE23C1901A	0.25	(0.07)	52,085	-	MINT11C1902A	0.17	0.02	37,119	-	PTT19C1901A	0.43	0.02	191,991	-
KCE24C1901A	0.38	(0.09)	15,920	-	MINT11P1902A	0.09	(0.01)	14,708	-	PTT23C1901A	0.10	0.01	30,284	-
KCE27C1902A	0.46	(0.09)	16,803	-	MINT13C1810A	0.11	0.02	213,293	-	PTT24C1809A	-	-	-	-
KCE28C1811A	-	-	-	-	MINT13C1812A	0.44	0.01	596,490	-	PTT24C1812A	0.24	0.02	2,530	-
KCE28C1902A	0.31	(0.06)	26,536	-	MINT19C1901A	0.49	0.01	282,584	-	PTT24P1901A	-	-	-	-
KKP01C1902A	0.63	(0.02)	29,157	-	MINT23C1810A	0.09	0.03	5,000	-	PTT27C1809A	-	-	-	-
KKP01C1902B	0.45	-	30,914	-	MINT24C1812A	0.08	-	8,002	-	PTT27C1903A	0.42	0.02	4,800	-
KKP08C1811A	0.44	-	20,034	-	MINT24C1901A	-	-	-	-	PTT27P1809A	-	-	-	-
KKP11C1903A	0.36	(0.01)	12,633	-	MINT24C1902A	0.32	0.02	268,357	-	PTT27P1903A	0.51	(0.06)	6,000	-
KKP13C1811A	0.29	(0.02)	79,179	-	MINT27C1903A	0.30	0.01	7,200	-	PTT28C1811A	0.05	0.01	1	-
KKP19C1901A	0.60	(0.01)	24,297	-	MINT28C1811A	0.28	0.01	166,430	-	PTT28C1811B	0.17	0.01	50,361	-
KKP24C1812A	0.36	0.01	50	-	MONO01C1810A	0.01	(0.01)	1,531	-	PTT28C1812A	0.35	0.02	77,522	-
KKP28C1810A	0.11	(0.01)	4,000	-	MONO01C1810B	-	-	-	-	PTT28C1901A	0.18	0.02	41,133	-
KKP28C1902A	0.40	-	64,152	-	MONO08C1906A	0.09	-	39,973	-	PTT28P1812A	0.10	(0.03)	18,564	-
KTB01C1810A	0.60	0.06	91,275	-	MONO13C1811A	-	-	-	-	PTTE01C1901A	1.03	0.03	267,360	1.00
KTB01C1810B	0.25	0.04	78,392	-	MONO13C1901A	0.16	(0.01)	63,459	-	PTTE01C1901B	0.68	0.01	454,887	-
KTB06C1902A	0.52	0.04	16,916	-	MONO19C1811A	0.06	0.01	3,910	-	PTTE01P1901A	0.77	(0.03)	82,542	-
KTB08C1809A	0.02	(0.03)	60	-	MONO23C1809A	-	-	-	-	PTTE01P1901B	0.34	(0.01)	111,661	-
KTB08C1903A	0.38	0.03	32,802	-	MONO23C1901A	0.12	-	6,400	-	PTTE06C1811A	0.71	0.06	77,288	-
KTB11C1811A	0.24	0.02	11,800	-	MONO24C1812A	-	-	-	-	PTTE07C1809A	0.29	0.09	20,898	-
KTB13C1809A	-	-	-	-	MONO24C1812B	-	-	-	-	PTTE08C1811A	0.56	0.03	128,716	-
KTB13C1901A	0.60	0.03	67,951	-	MONO28C1811A	-	-	-	-	PTTE08P1809A	-	-	-	-
KTB19C1901A	0.44	0.02	14,628	-	MONO28C1901A	0.14	0.01	9,670	-	PTTE08P1811A	0.03	-	5,770	-
KTB23C1811A	0.34	0.03	20,000	-	MTC06C1901A	0.73	0.07	78,781	-	PTTE11C1902A	0.97	0.03	39,822	-
KTB24C1811A	-	-	-	-	MTC08C1811A	0.21	0.04	36,814	-	PTTE13C1811A	0.45	0.03	269,876	-
KTB24P1901A	0.08	-	1,040	-	MTC08C1902A	0.55	0.06	85,682	-	PTTE13C1812A	0.87	0.02	28,965	-
KTB28C1811A	0.29	0.02	49,231	-	MTC11C1904A	0.48	0.05	88,316	-	PTTE13P1811A	0.03	-	470	-
KTB42C1903A	0.36	0.03	13,160	-	MTC13C1811A	0.68	0.07	19,100	-	PTTE13P1901A	0.26	(0.01)	87,051	-
KTB42P1903A	0.21	(0.02)	44	-	MTC13C1901A	0.43	0.05	649,513	-	PTTE19C1811A	0.77	0.01	147,733	-
KTC01C1810A	0.32	0.03	290,169	-	MTC19C1901A	0.55	0.07	53,074	-	PTTE23C1901A	0.17	0.01	23,221	-
KTC01C1810B	0.14	0.02	89,615	-	MTC24C1810A	0.30	0.10	7,610	-	PTTE24C1811A	0.27	0.02	1,510	-
KTC01C1901A	0.59	0.04	184,370	-	MTC24C1812A	0.62	0.09	1,500	-	PTTE24C1901A	-	-	-	-
KTC01C1901B	0.51	0.04	187,546	-	MTC28C1902A	0.42	0.05	231,661	-	PTTE24P1809A	-	-	-	-
KTC08C1903A	0.55	0.04	76,906	-	ORI11C1811A	0.18	0.02	469	-	PTTE24P1901A	0.25	(0.03)	1,440	-
KTC11C1902A	1.29	0.12	1,947	1.00	ORI13C1810A	0.23	0.01	64,937	-	PTTE27C1809A	-	-	-	-
KTC13C1809B	-	-	-	-	ORI13C1902A									

## Main Board Quotation

Issue Date :

Wednesday September 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG07C1812A	0.33	0.01	7,247	-	S5028P1812A	0.40	(0.02)	539,401	-	SPRC01C1902A	0.40	0.02	44,454	-
PTTG08C1811A	-	-	-	-	SAWA01C1901A	0.86	0.05	191,046	-	SPRC01C1902B	0.29	0.01	90,319	-
PTTG08C1902A	0.59	0.01	67,245	-	SAWA01C1901B	0.71	0.03	228,647	-	SPRC06C1809A	-	-	-	-
PTTG08P1811A	0.50	(0.02)	18,274	-	SAWA01P1901A	0.46	(0.03)	73,393	-	SPRC06C1902A	0.55	0.04	39,723	-
PTTG11C1902A	0.10	-	15,494	-	SAWA06C1811A	0.14	0.02	26,350	-	SPRC07C1903A	0.26	0.02	15,554	-
PTTG13C1812A	0.20	(0.01)	82,377	-	SAWA06C1903A	1.27	0.09	19,541	1.00	SPRC11C1902A	-	-	-	-
PTTG13C1812B	0.72	(0.01)	262,866	-	SAWA07C1812A	-	-	-	-	SPRC13C1812A	0.34	0.01	265,687	-
PTTG19C1811A	0.18	-	19,591	-	SAWA08C1811A	0.04	-	999	-	SPRC19C1901A	0.41	0.01	121,015	-
PTTG19C1902A	0.77	-	64,454	-	SAWA08C1902A	1.02	0.08	25,680	1.00	SPRC23C1810A	-	-	-	-
PTTG23C1901A	0.06	0.01	1,393	-	SAWA11C1906A	0.62	0.03	13,308	-	SPRC24C1903A	0.39	0.02	56,042	-
PTTG24C1812A	0.10	-	3,574	-	SAWA13C1810A	0.01	(0.01)	131	-	STA01C1812A	0.66	(0.01)	57,438	-
PTTG24C1901A	0.51	0.03	13,820	-	SAWA13C1811A	0.05	0.01	41,101	-	STA01C1812B	0.50	(0.03)	36,799	-
PTTG24P1901A	0.20	(0.01)	30	-	SAWA13C1812A	0.38	0.04	273,690	-	STA13C1812A	0.77	(0.04)	143,013	-
PTTG27C1903A	0.46	0.01	7,200	-	SAWA13C1901A	1.00	0.04	5,334	1.00	STA13C1901A	0.51	(0.03)	690,192	-
PTTG27P1903A	0.37	(0.02)	13,200	-	SAWA19C1901A	1.00	0.06	64,388	1.00	STA19C1811A	0.42	(0.03)	67,740	-
PTTG28C1811A	0.13	0.01	38,321	-	SAWA24C1812A	0.38	0.06	3,234	-	STA19C1903A	0.73	(0.03)	16,955	-
PTTG28C1812A	0.68	-	134,406	-	SAWA24C1902A	0.88	0.04	243	-	STA23C1809A	0.38	(0.05)	3,692	-
QH01C1810A	0.69	0.04	34,822	-	SAWA27C1903A	-	-	-	-	STECO1C1809A	0.38	(0.06)	191,593	-
QH01C1810B	0.38	0.05	39,608	-	SAWA28C1810A	-	-	-	-	STECO1C1809B	0.98	(0.16)	45,363	1.00
QH01P1810A	0.08	(0.01)	7,147	-	SAWA28C1811A	0.44	0.05	145,403	-	STECO1C1902A	0.83	(0.04)	87,507	-
QH11C1902A	0.54	0.04	28,907	-	SAWA28C1812A	-	-	-	-	STECO1C1902B	0.72	(0.04)	89,088	-
QH19C1901A	0.30	0.03	28,580	-	SCB01C1810A	0.66	(0.02)	59,810	-	STECO1P1809A	0.20	0.02	38,783	-
QH24C1812A	0.21	0.02	6,000	-	SCB01C1902A	1.15	(0.01)	42,859	1.00	STECO1P1902A	0.59	0.04	49,151	-
QH27C1903A	0.35	0.05	15,300	-	SCB01C1902B	1.08	-	42,746	1.00	STECO6C1809A	0.44	(0.07)	25,862	-
RATC19C1901A	0.31	(0.02)	700	-	SCB01P1902A	0.33	-	2,255	-	STECO8C1809A	0.23	(0.06)	48,761	-
RATC24C1902A	0.31	-	710	-	SCB01P1902B	0.11	(0.01)	385	-	STEC11C1903A	0.76	(0.04)	32,694	-
RATC27C1812A	-	-	-	-	SCB06C1811A	0.82	(0.02)	13,470	-	STEC13C1902A	0.69	(0.04)	320,013	-
ROBI01C1809A	0.47	0.09	117,370	-	SCB08C1901A	0.65	0.01	16,864	-	STEC19C1901A	0.74	(0.03)	77,241	-
ROBI01C1903A	0.99	0.09	61,019	-	SCB11C1901A	0.34	0.01	11,440	-	STEC24C1901A	0.83	(0.08)	133,800	-
ROBI01C1903B	0.81	0.08	88,381	-	SCB11P1901A	0.21	-	25,410	-	STEC27C1902A	-	-	-	-
ROBI06C1809A	0.44	0.12	34,936	-	SCB13C1812A	0.75	(0.01)	65,512	-	STEC28C1810A	-	-	-	-
ROBI11C1906A	0.69	0.08	28,711	-	SCB13C1902A	0.48	-	160,826	-	STEC28C1902A	0.57	(0.43)	91,300	-
ROBI13C1902A	0.66	0.08	352,927	-	SCB13P1812A	0.03	-	1,000	-	STP108C1811A	0.06	0.02	40,989	-
ROBI19C1901A	0.87	0.08	59,927	-	SCB19C1811A	0.40	(0.01)	34,523	-	SUPE08C1811A	0.01	-	21	-
ROBI24C1901A	0.33	0.06	4,000	-	SCB24C1901A	-	-	-	-	SUPE13C1810A	0.01	-	600	-
ROBI24C1903A	0.79	0.07	3,000	-	SCB24C1902A	-	-	-	-	SUPE13C1811A	0.01	(0.01)	2,268	-
RS08C1901A	0.70	0.06	88,362	-	SCB24P1811A	-	-	-	-	SUPE19C1902A	0.15	(0.01)	4,277	-
RS13C1901A	0.76	0.06	786,953	-	SCB27C1902A	0.63	-	8,400	-	SUPE23C1811A	0.01	-	16,950	-
RS19C1901A	0.71	0.05	56,607	-	SCB27P1903A	-	-	-	-	SUPE23C1901A	0.06	0.03	500	-
RS24C1811A	0.64	0.11	3,609	-	SCB28C1812A	0.64	-	16,768	-	SUPE28C1810A	-	-	-	-
S1000C1811A	0.65	0.01	11,930	-	SCB28C1902A	0.42	-	63,213	-	SUPE28C1811A	-	-	-	-
S5001C1809F	1.05	0.03	2,669,128	1.00	SCB28P1812A	-	-	-	-	TASCO1C1809A	-	-	-	-
S5001C1809G	0.05	0.01	241,308	-	SCB28P1901A	0.34	-	39,936	-	TASCO1C1810A	0.13	(0.04)	75,937	-
S5001C1809H	2.56	0.06	282,665	2.00	SCB42C1903A	0.49	-	12,240	-	TASCO1C1810B	-	-	-	-
S5001C1809I	1.83	0.10	1,415,586	1.00	SCC01C1901A	0.75	0.05	95,515	-	TASCO1C1903A	0.48	(0.05)	100,404	-
S5001C1810A	1.58	0.04	57,803	1.00	SCC01C1901B	0.61	0.05	77,076	-	TASCO1C1903B	0.36	(0.05)	61,079	-
S5001C1810B	1.62	0.02	81,784	1.00	SCC01P1901A	0.26	(0.03)	9,018	-	TASCO1P1809A	1.63	0.10	36,394	1.00
S5001C1811A	0.91	0.04	47,599	-	SCC06C1809A	-	-	-	-	TASCO1P1810A	0.54	0.05	33,728	-
S5001C1811B	0.87	0.03	160,194	-	SCC06C1902A	0.35	0.03	29,645	-	TASCO1P1903A	0.56	0.04	89,748	-
S5001C1812F	1.24	0.04	958,448	1.00	SCC07C1812A	0.62	0.05	1	-	TASCO7C1811A	-	-	-	-
S5001C1812G	0.96	0.03	1,042,224	1.00	SCC08C1809A	-	-	-	-	TASCO8C1903A	0.43	(0.05)	63,911	-
S5001P1809F	0.85	(0.06)	2,086,705	-	SCC08C1902A	0.40	0.02	62,487	-	TASC11C1904A	0.12	(0.03)	14,165	-
S5001P1809G	0.06	(0.02)	59,372	-	SCC11C1811A	-	-	-	-	TASC13C1810A	-	-	-	-
S5001P1809H	0.01	-	5,254	-	SCC11C1906A	0.28	0.02	16,450	-	TASC13C1901A	0.29	(0.05)	380,599	-
S5001P1809I	0.01	-	5,279	-	SCC11P1811A	0.12	(0.03)	11,240	-	TASC19C1902A	0.39	(0.06)	182,004	-
S5001P1810A	0.14	-	76,060	-	SCC13C1809A	-	-	-	-	TASC23C1902A	0.32	(0.03)	362,742	-
S5001P1810B	0.04	(0.01)	93,215	-	SCC13C1812A	0.19	0.02	56,488	-	TASC24C1810A	-	-	-	-
S5001P1811A	0.68	(0.04)	240,020	-	SCC13C1901A	0.45	0.02	2	-	TASC24C1903A	0.34	(0.06)	133,955	-
S5001P1811B	0.60	(0.02)	482,137	-	SCC19C1811A	0.13	0.02	17,286	-	TCAP01C1901A	0.64	-	17,830	-
S5001P1812F	0.93	(0.05)	1,132,765	-	SCC19C1901A	0.42	0.03	103,268	-	TCAP01C1901B	0.51	(0.01)	5,746	-
S5001P1812G	0.65	(0.04)	921,949	-	SCC23C1811A	-	-	-	-	TCAP01P1901A	0.29	-	1,526	-
S5006C1809A	0.10	-	11,450	-	SCC24C1812A	-	-	-	-	TCAP08C1810A	-	-	-	-
S5006C1809B	-	-	-	-	SCC24C1901A	0.45	0.06	160	-	TCAP11C1811A	-	-	-	-
S5006C1809C	0.39	0.07	1,862	-	SCC24C1902A	-	-	-	-	TCAP13C1901A	0.48	-	20,505	-
S5006C1809D	0.03	-	129,897	-	SCC24P1901A	0.13	(0.02)	2,040	-	TCAP19C1901A	0.38	-	15,076	-
S5006C1812A	0.76	0.06	101,077	-	SCC27C1809A	-	-	-	-	TCAP24C1903A	-	-	-	-
S5006C1812B	0.88	0.07	19,726	-	SCC27P1809A	-	-	-	-	THAI01C1901A	0.26	0.01	15,157	-
S5006C1812C	0.72	0.06	5,881	-	SCC28C1811A	0.13	0.02	37,071	-	THAI01C1901B	0.13	0.01	8,102	-
S5006C1812D	1.26	0.29	501	1.00	SCC28C1812A	0.44	0.03	26,977	-	THAI01P1901A	0.83	-	4,799	-
S5006P1809A	0.46	(0.11)	68,760	-	SCC08C1811A	-	-	-	-	THAI06C1809A	-	-	-	-
S5006P1809B	0.05	(0.03)	8,267	-	SCCC13C1809A	-	-	-	-	THAI07C1811A	-	-	-	-
S5006P1809C	0.02	(0.03)	18,900	-	SCCC27C1812A	-	-	-	-	THAI08C1903A	0.22	-	14,759	-
S5006P1809D	0.01	(0.01)	9,218	-	SGP06C1812A	0.26	-	14,266	-	THAI11C1906A	0.32	0.01	8,210	-
S5006P1812A	0.63	(0.05)	95,095	-	SGP08C1901A	0.47	-	25,489	-	THAI13C1811A	-	-	-	-
S5006P1812B	0.19	(0.02)	90,870	-	SGP11C1904A	0.24	0.01	8,289	-	THAI13C1902A	0.29	-	39,860	-
S5006P1812C	0.29	(0.05)	46,669	-	SGP13C1811A	0.10	(0.03)	700	-	THAI19C1901A	0.24	0.02	6,798	-
S5006P1812D	0.71	(0.08)	80	-	SGP13C1812A	0.33	-	73,201	-	THAI23C1901A	0.01	-	20	-
S5008C1809A	0.67	0.04	73,179	-	SGP19C1811A	0.33	-	16,292	-	THAI24C1901A	-	-	-	-
S5008P1809A	-	-	-	-	SGP19C1904A	0.40	(0.01)	10,939	-	THAI27C1809A	-	-	-	-
S5013C1809A	0.02	0.01	841,994	-	SGP24C1811A	0.13	0.01	300	-	THAI28C1901A	0.22	0.01	19,456	-
S5013C1809B	0.17	-	1,202,164	-	SGP24C1902A	-	-	-	-	THAN01C1812A	0.51	0.07	60,713	-
S5013C1809C	0.06	-	1,965,021	-	SGP27C1903A	0.40	0.01	3,600	-	THAN13C1809A	-	-	-	-
S5013C1809D	0.50	0.04	2,247,902	-	SGP28C1811A	0.14	-	18,432	-	THAN13C1902A	0.50	0.07	121,582	-
S5013C1809E	1.41	0.07	180,051	1.00	SIRI01C1901A	0.47	0.09	88,543	-	THAN19C1903A	0.63	0.09	80,729	-
S5013C1809F	0.91	0.05	47,488	-	SIRI01C1901B	0.18	0.05	43,009</						

## Main Board Quotation

## Issue Date :

Wednesday September 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5028P1810A	0.34	(0.03)	720,339	-	SPAL24C1812A	0.19	0.02	3,150	-	TISC24C1904A	0.67	-	500	-



## Main Board Quotation

Issue Date :

Wednesday September 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TISC28C1901A	0.66	(0.01)	101,262	-	TRUE28C1810A	-	-	-	-	BH-Q	-	-	-	-
TKN01C1901A	0.60	0.01	265,147	-	TRUE28C1812A	0.10	(0.01)	27,572	-	CSC-Q	-	-	-	-
TKN01C1901B	0.44	-	111,310	-	TTA08C1906A	0.28	0.04	19,357	-	JUTHA-Q	-	-	-	-
TKN08C1811A	0.06	-	500	-	TTA13C1901A	0.21	0.03	53,340	-	KTB-Q	-	-	-	-
TKN11C1902A	0.16	-	64,040	-	TTA19C1811A	0.08	0.02	100	-	SCB-Q	-	-	-	-
TKN13C1810A	0.02	-	1,500	-	TTA23C1901A	-	-	-	-	TCAP-Q	-	-	-	-
TKN13C1811A	-	-	-	-	TTA24C1809A	-	-	-	-	TIC-Q	-	-	-	-
TKN13C1812A	0.28	0.01	609,310	-	TTA24C1902A	-	-	-	-	TISCO-Q	-	-	-	-
TKN19C1811A	0.07	0.01	1,000	-	TTA28C1812A	0.09	0.02	24,200	-	U-Q	-	-	-	-
TKN19C1903A	0.46	0.01	111,315	-	TU01C1901A	0.72	0.07	57,864	-	Warrant	-	-	-	-
TKN23C1902A	0.32	0.01	30,986	-	TU01C1901B	0.69	0.08	70,887	-	7UP-W2	0.06	-	1,215	-
TKN24C1811A	0.15	-	3,000	-	TU01P1901A	0.14	(0.03)	34,812	-	ACC-W1	0.02	(0.01)	407	-
TKN24C1812A	0.03	-	1,000	-	TU06C1902A	0.39	0.05	37,074	-	AJA-W1	0.20	-	5,026	-
TKN28C1811A	0.05	0.01	3	-	TU07C1902A	-	-	-	-	ALT-W1	0.54	-	4,411	-
TKN28C1812A	0.48	0.01	123,316	-	TU08C1811A	-	-	-	-	APURE-W2	0.30	-	12,311	-
TMB01C1810A	0.23	0.04	872,162	-	TU11C1902A	0.07	0.01	3,102	-	AQ-W4	0.01	-	12,524	-
TMB01C1810B	0.04	0.01	297,630	-	TU11C1906A	0.28	0.03	35,678	-	AS-W1	0.26	-	685	-
TMB01P1810A	0.31	(0.06)	475,336	-	TU13C1902A	0.35	0.05	49,508	-	AYUD-W1	3.32	(0.10)	14,773	3.00
TMB06C1809A	-	-	-	-	TU19C1901A	0.36	0.06	46,489	-	B-W3	0.01	-	1,176	-
TMB06C1902A	0.14	0.03	71,254	-	TU23C1902A	0.38	0.06	43,101	-	B-W4	0.18	-	8,184	-
TMB06C1903A	0.33	0.05	95,695	-	TU24C1901A	-	-	-	-	BTS-W3	0.01	-	21,000	-
TMB07C1811A	-	-	-	-	TV001C1809A	0.11	-	2,000	-	BWG-W4	0.09	-	168,855	-
TMB07C1903A	0.27	0.09	22	-	TV001C1809B	-	-	-	-	CEN-W4	0.04	(0.01)	6,222	-
TMB08C1901A	0.10	0.02	176,444	-	TV001C1903A	0.36	-	900	-	CGD-W4	0.32	-	251,413	-
TMB11C1904A	0.11	0.02	36,519	-	TV001C1903B	0.30	-	900	-	CGH-W3	0.07	-	467,753	-
TMB13C1811A	0.05	0.01	345,973	-	TVO11C1903A	-	-	-	-	CI-W1	0.44	(0.01)	3,261	-
TMB13C1901A	0.24	0.03	770,433	-	TVO13C1809A	-	-	-	-	CKP-W1	0.53	0.01	112,861	-
TMB19C1901A	0.16	0.03	673,393	-	TVO13C1902A	-	-	-	-	CRANE-W1	1.70	(0.07)	157	1.00
TMB23C1810A	0.01	(0.01)	4,000	-	TVO19C1902A	0.24	0.01	301	-	CWT-W4	0.60	(0.04)	68,040	-
TMB24C1809A	-	-	-	-	TVO24C1810A	-	-	-	-	DCC-W1	1.10	(0.06)	398,778	1.00
TMB24C1901A	0.07	0.02	4,874	-	TVO24C1903A	-	-	-	-	DCON-W1	-	-	-	-
TMB24C1902A	0.23	0.05	32,195	-	UNIQ01C1809A	0.13	-	14,075	-	DIGI-W1	0.03	-	2,662	-
TMB27C1903A	0.31	0.04	19,669	-	UNIQ01C1810A	0.41	-	106,589	-	DIGI-W2	0.01	(0.01)	5,641	-
TMB28C1901A	0.23	0.06	179,899	-	UNIQ01C1810B	0.12	0.03	129,143	-	EARTH-W4	-	-	-	-
TOA01C1901A	0.32	(0.01)	15,044	-	UNIQ01P1809A	0.21	(0.03)	5,763	-	EIC-W2	-	-	-	-
TOA01C1901B	0.22	-	9,967	-	UNIQ08C1810A	0.09	0.01	6,402	-	EIC-W3	-	-	-	-
TOA08C1902A	0.15	-	14,708	-	UNIQ08C1906A	0.37	-	23,231	-	EIC-W4	-	-	-	-
TOA13C1812A	0.20	(0.01)	26,708	-	UNIQ11C1811A	0.12	-	2,600	-	EVER-W3	0.10	0.08	2,100.061	-
TOA19C1901A	0.21	(0.01)	2,341	-	UNIQ13C1901A	0.33	-	175,733	-	GJS-W3	0.02	-	1,800	-
TOA24C1812A	-	-	-	-	UNIQ19C1811A	0.13	0.01	20,098	-	GSTEL-W1	-	-	-	-
TOA28C1812A	0.18	0.01	18,252	-	UNIQ23C1901A	0.14	-	12,700	-	GSTEL-W2	-	-	-	-
TOP01C1901A	1.65	0.12	109,505	1.00	UNIQ24C1811A	-	-	-	-	IEC-W2	-	-	-	-
TOP01C1901B	1.49	0.13	74,657	1.00	UNIQ28C1811A	0.14	0.01	100,262	-	IHL-W1	5.80	0.50	996	5.00
TOP01P1901A	0.44	(0.07)	21,453	-	UV01C1902A	0.62	-	38,395	-	ITD-W1	0.15	(0.02)	995,748	-
TOP06C1809A	0.01	-	5,000	-	UV01C1902B	0.51	-	25,030	-	JAS-W3	2.30	(0.02)	23,884	2.00
TOP06C1903A	1.41	0.17	41,668	1.00	UV06C1812A	0.41	0.01	25,108	-	JCK-W5	0.49	-	504	-
TOP07C1812A	0.56	0.11	11,472	-	UV13C1812A	0.42	-	183,051	-	JMART-W2	1.66	0.04	32,649	1.00
TOP08C1811A	0.11	0.01	29,560	-	UV19C1902A	0.49	-	75,348	-	JMT-W2	2.02	0.19	486,608	2.00
TOP08C1902A	0.74	0.11	106,950	-	UV23C1809A	-	-	-	-	MACO-W2	0.28	(0.02)	799,608	-
TOP11C1905A	1.25	0.13	19,641	1.00	UV24C1812A	-	-	-	-	MIDA-W2	0.02	-	4,487	-
TOP13C1811A	0.08	0.02	56,279	-	VGI01C1812A	0.71	(0.05)	34,572	-	MILL-W3	0.03	0.01	51	-
TOP13C1901A	0.76	0.11	154,217	-	VGI06C1904A	-	-	-	-	MILL-W4	0.29	-	3,433	-
TOP19C1901A	0.55	0.08	89,750	-	VGI06C1904B	-	-	-	-	MILL-W5	0.29	0.01	55,105	-
TOP23C1811A	0.16	0.04	36,000	-	VGI06C1904C	-	-	-	-	ML-W2	0.04	0.02	115,184	-
TOP24C1901A	-	-	-	-	VGI08C1811A	0.59	(0.07)	18,202	-	MONO-W1	0.50	(0.03)	73,393	-
TOP24C1902A	0.76	0.14	12,350	-	VGI23C1905A	1.41	(0.03)	1,500	1.00	NEP-W3	0.10	0.01	51	-
TOP24C1903A	0.53	0.08	11,066	-	VGI23C1911A	1.40	-	1,000	1.00	NOK-W1	0.52	0.05	302	-
TOP27C1903A	0.67	0.10	29,500	-	VGI27C1812A	0.35	(0.05)	3,600	-	NUSA-W3	0.15	-	79	-
TOP28C1810A	-	-	-	-	VGI28C1810A	0.34	(0.01)	60	-	NVD-W1	0.53	(0.02)	20,692	-
TOP28C1812A	0.68	0.10	185,594	-	WHA01C1812A	0.71	0.03	104,226	-	ORI-W1	2.26	(0.02)	14,109	2.00
TP101C1812A	0.33	0.03	34,480	-	WHA01C1812B	0.59	0.02	191,142	-	PACE-W2	0.19	0.03	45,221	-
TP101C1812B	0.23	0.04	25,366	-	WHA01P1812A	0.42	0.01	49,858	-	PDJ-W1	1.31	0.08	72,231	1.00
TP107C1812A	-	-	-	-	WHA06C1809A	0.09	(0.01)	55,711	-	PDJ-W2	1.36	-	34	1.00
TP113C1809A	-	-	-	-	WHA06C1903A	0.56	-	58,297	-	PDJ-W3	1.30	-	35	1.00
TP113C1902A	0.32	0.03	24,274	-	WHA07C1810A	0.21	0.02	9,750	-	PDJ-W4	1.30	(0.03)	56	1.00
TP119C1901A	0.39	0.05	61,954	-	WHA08C1811A	0.19	0.01	74,034	-	PLE-W3	0.14	(0.01)	45,240	-
TP123C1809A	-	-	-	-	WHA11C1903A	0.26	-	39,117	-	RICH-W1	-	-	-	-
TP124C1902A	0.16	0.02	392	-	WHA13C1812A	0.50	-	260,782	-	RICHY-W1	0.30	(0.02)	8,772	-
TP1P01C1810A	0.37	0.08	56,069	-	WHA19C1901A	0.54	0.01	68,091	-	RICHY-W2	0.19	-	4,864	-
TP1P01C1810B	-	-	-	-	WHA23C1810A	0.26	0.01	23,815	-	RS-W3	8.95	0.30	335	9.00
TP1P01P1810A	0.44	(0.09)	21,095	-	WHA24C1811A	-	-	-	-	S-W1	0.16	0.01	377,823	-
TP1P11C1811A	-	-	-	-	WHA24C1902A	0.52	0.03	266,062	-	SAMART-W2	0.72	-	478,884	-
TP1P13C1811A	0.15	0.02	24,534	-	WHA27C1903A	0.69	0.04	7,200	-	SAWAD-W1	6.35	0.20	3,059	6.00
TP1P13C1902A	0.35	0.05	40,414	-	WHA28C1901A	0.52	0.01	178,906	-	SDC-W1	0.23	0.08	310,325	-
TP1P19C1902A	0.39	0.05	79,009	-	WHAU01C1810A	0.23	(0.01)	14,110	-	SMM-W4	0.01	-	10	-
TP1P24C1901A	-	-	-	-	WHAU01C1810B	0.03	0.01	650	-	SMT-W1	0.07	(0.01)	5,666	-
TP1P27C1812A	-	-	-	-	WHAU13C1902A	0.30	-	39,099	-	SMT-W2	0.67	-	2,123	-
TRUE01C1902A	0.40	-	80,348	-	WHAU19C1902A	0.34	(0.02)	9,432	-	SPALI-W4	20.70	-	1,311	20.00
TRUE01C1902B	0.28	(0.02)	211,755	-	WHAU24C1812A	-	-	-	-	SPORT-W5	0.02	-	1,946	-
TRUE01P1902A	0.54	-	29,766	-	WHAU24C1902A	0.36	-	16,000	-	SUPER-W4	0.09	-	56,931	-
TRUE01P1902B	0.39	-	63,238	-	WORK01C1811A	0.36	0.02	79,626	-	SUSCO-W1	0.10	(0.01)	12,662	-
TRUE06C1811A	0.05	-	2,200	-	WORK01C1811B	0.16	0.01	91,842	-	SVI-W3	2.02	(0.10)	677	2.00
TRUE06C1906A	0.21	-	7,371	-	WORK08C1809A	0.01	-	1	-	TCC-W3	0.17	0.02	1,415	-
TRUE07C1902A	0.16	0.02	62	-	WORK08C1901A	0.28	0.03	33,596	-	TCC-W4	0.15	0.02	3,024	-
TRUE08C1809A	0.01	-	1	-	WORK11C1903A	0.08	-	2,010	-	TCC-W5	0.16	(0.01)	1,413	-
TRUE08C1902A	0.25	(0.01)	19,413	-	WORK13C1809A	-	-	-	-	TCJ-W2	0.94	(0.01)	13,063	-
TRUE08P1809A	0.02	(0.01)	18,278	-	WORK13C1810A	0.01	-	4,001	-	TCMC-W2	0.37	(0.02)	22,970	-
TRUE11C1905A	0.26	0.02	3,047	-	WORK13C1811A	0.04	0.01	5,500	-	TFG-W1	1.56	0.02	80	1.00
TRUE13C1810A	0.01	-	45	-	WORK13C1812A	0.25	0.01	146,773	-	TFG-W2	0.77	-	1,256	-
TRUE13C1812A	0.14	0.01	81,256	-	WORK13C1902A	0.46	0.04	187,198	-	TH-W2	0.14	-	9,950	-

## Main Board Quotation

Issue Date :

Wednesday September 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE13C1901A	0.26	(0.01)	168,745	-	WORK19C1811A	0.07	0.01	11,169	-	THE-W2	0.06	-	35,491	-
TRUE13P1901A	0.32	-	90,119	-	WORK19C1902A	0.49	0.02	92,566	-	TNITY-W1	1.04	0.01	21,447	1.00
TRUE16C1812A	0.20	(0.01)	12,651	-	WORK24C1810A	0.01	-	3	-	TNPC-W1	0.44	(0.01)	1,102	-
TRUE19C1901A	0.10	-	292,866	-	WORK24C1812A	0.18	0.02	12,400	-	TRITN-W3	0.36	0.02	312,252	-
TRUE19C1903A	0.44	(0.02)	106,108	-	WORK27C1903A	0.42	0.03	12,480	-	TSR-W1	0.56	(0.03)	3,959	-
TRUE23C1902A	-	-	-	-	WORK28C1811A	-	-	-	-	TTA-W5	0.14	0.01	150,916	-
TRUE27C1809A	-	-	-	-	WORK28C1901A	0.30	0.03	91,585	-	TTCL-W1	1.54	(0.02)	134,418	1.00
TRUE27P1809A	-	-	-	-	Preferred/Foreign	-	-	-	-	U-W1	0.01	-	1,000	-
U-W4	0.01	-	371,164	-	SKY-W1	13.00	-	149	12.00	-	-	-	-	-
VIBHA-W2	1.48	0.02	6,038	1.00	STAR-W3	1.89	(0.01)	1,575	1.00	-	-	-	-	-
VIBHA-W3	0.32	(0.01)	54,892	-	TAKUNI-W	0.20	(0.01)	15,643	-	-	-	-	-	-
WAVE-W1	0.36	0.01	128	-	TAPAC-W3	2.80	(0.08)	5,546	2.00	-	-	-	-	-
WHA-W1	7.60	0.20	10,413	7.00	TMILL-W1	1.12	(0.01)	3,856	1.00	-	-	-	-	-
WORK-W1	8.95	0.20	186	8.00	TSF-W4	0.01	-	200	-	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W5	0.01	-	7,114	-	-	-	-	-	-
BH-P	-	-	-	-	TV-D-W2	0.66	0.06	31,424	-	-	-	-	-	-
CSC-P	-	-	-	-	UAC-W2	0.87	0.01	49,091	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UKEM-W2	0.50	(0.01)	1,335	-	-	-	-	-	-
KTB-P	-	-	-	-	UWC-W2	0.01	-	631,515	-	-	-	-	-	-
SCB-P	-	-	-	-	XO-W1	6.30	0.20	4,790	6.00	-	-	-	-	-
TCAP-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TIC-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	0.04	-	79,562	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.16	-	663	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	1.93	-	4,056	1.00	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.03	-	14,602	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.80	-	1,590	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.30	0.01	226,961	-	-	-	-	-	-	-	-	-	-	-
BM-W1	0.47	(0.02)	15,990	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.20	(0.01)	30,277	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.30	-	15,517	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	0.01	-	6,000	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.18	-	257,376	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.30	0.01	1,990	1.00	-	-	-	-	-	-	-	-	-	-
ECF-W2	5.55	-	396	5.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	3.40	-	3,873	3.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.01	-	1,087	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.01	(0.01)	15	-	-	-	-	-	-	-	-	-	-	-
FC-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FC-W2	0.02	-	1,703	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.56	0.02	1,513	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.39	-	2,266	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.47	(0.02)	71,154	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	2.00	0.04	38,712	2.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.16	0.06	370	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.05	-	200	-	-	-	-	-	-	-	-	-	-	-
NCL-W3	0.49	(0.01)	17,411	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.06	(0.01)	5,388	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	0.01	-	1,000	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOL-W1	0.02	-	8,311	-	-	-	-	-	-	-	-	-	-	-
PIMO-W1	2.48	0.06	4,493	2.00	-	-	-	-	-	-	-	-	-	-
PPS-W1	0.84	-	399	-	-	-	-	-	-	-	-	-	-	-
PSTC-W1	0.25	(0.01)	25,811	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W2	0.54	0.02	1,616	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W3	0.55	-	2,179	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W4	1.29	0.06	4,830	1.00	-	-	-	-	-	-	-	-	-	-