

Main Board Quotation

Issue Date :

Thursday September 20, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	11.00	0.20	26,963	10.95	SE-ED	-	-	-	-
POMPUI	-	-	-	-	ILINK	5.05	(0.10)	12,679	5.06	SMM	0.88	-	4,177	0.90
SAFARI	-	-	-	-	INET	3.96	0.02	4,274	3.97	SPORT	0.40	-	1,364	0.39
VI	-	-	-	-	INTUCH	56.25	0.25	41,210	55.92	TBSP	14.00	-	381	13.59
WORLD	-	-	-	-	JAS	5.75	0.10	830,540	5.78	TH	0.72	(0.01)	775	0.72
WR	-	-	-	-	JASIF	10.40	-	56,698	10.41	TKS	11.20	(0.20)	25,968	11.24
Agribusiness					JMART	9.55	(0.05)	7,586	9.63	TRITN	0.46	-	671,240	0.46
CHOTI	141.00	(3.00)	6	140.83	JTS	1.60	0.01	5,175	1.64	VGI	8.00	0.10	168,720	7.98
EE	0.71	0.03	112,930	0.70	MFEC	3.38	-	1,705	3.36	WAVE	2.58	0.02	109	2.57
GFPT	14.40	0.10	35,538	14.49	MSC	6.50	(0.05)	1,614	6.50	WORK	42.00	0.75	24,769	41.39
LEE	2.78	-	1,295	2.78	PT	6.80	0.10	3,755	6.75	Finance & Securities	-	-	-	-
STA	15.10	-	79,542	15.17	SAMART	8.35	(0.10)	38,189	8.37	AEC	0.51	0.02	13,989	0.51
TLUXE	5.45	-	1,387	5.44	SAMTEL	8.90	(0.10)	789	8.97	AEONTS	179.00	(3.00)	4,399	180.34
TRUBB	1.88	-	4,441	1.89	SDC	0.41	0.01	259,829	0.42	AMANAH	2.00	-	67,174	2.00
TWPC	8.80	0.10	1,545	8.75	SIS	9.00	-	887	9.01	ASAP	6.95	0.30	121,826	6.86
UPOIC	4.46	0.06	272	4.42	SVOA	1.41	0.02	41,924	1.40	ASK	23.70	0.10	1,859	23.52
UVAN	7.35	0.25	4,603	7.20	SYMC	5.55	-	337	5.60	ASP	3.88	-	22,130	3.86
VPO	0.65	0.01	6,467	0.65	SYNEX	14.20	-	11,955	14.25	BFIT	29.00	0.50	2,541	29.12
Banking					THCOM	10.10	-	7,509	10.12	CGH	1.05	-	89,439	1.06
BAY	40.00	(0.50)	5,373	40.16	TRUE	5.95	-	902,207	5.98	CNS	2.60	-	519	2.61
BBL	208.00	(3.00)	59,440	208.74	TWZ	0.13	-	36,452	0.13	ECL	2.06	-	266,553	2.10
CIMBT	0.86	-	38,846	0.85	Electronic Componer	-	-	-	-	FNS	4.08	0.02	724	4.08
KBANK	214.00	(2.00)	46,580	214.85	CCET	1.95	(0.02)	14,890	1.94	FSS	2.32	0.02	1,058	2.32
KKP	75.75	0.75	46,086	75.66	DELTA	69.50	-	6,142	69.41	GBX	0.67	-	1,291	0.67
KTB	20.10	(0.30)	311,938	20.15	EIC	0.05	-	3,352	0.05	GL	5.50	(0.05)	25,702	5.62
LHFG	1.58	-	71,454	1.57	HANA	38.75	(0.25)	69,418	38.57	IFS	3.12	0.04	4,938	3.12
SCB	149.50	1.00	39,358	148.87	KCE	41.50	(2.50)	233,919	42.03	JMT	12.60	(0.30)	168,736	12.85
TCAP	53.25	(0.25)	39,224	53.11	METCO	-	-	-	-	KCAR	12.90	0.10	347	12.82
TISCO	83.25	0.50	53,327	83.13	SMT	2.32	-	8,556	2.35	KGI	4.48	-	17,306	4.48
TMB	2.38	-	3,550,165	2.36	SPPT	3.62	0.12	55,060	3.68	KTC	34.00	-	93,884	34.04
Construction Materia					SVI	5.50	(0.15)	159,967	5.50	MBKET	13.20	0.30	5,777	13.13
CCP	0.42	0.01	82,592	0.42	TEAM	1.14	(0.01)	7,078	1.14	MFC	16.70	0.40	2,304	16.58
COTTO	3.00	0.02	15,483	3.00	Energy & Utilities	-	-	-	-	ML	1.09	0.02	12,861	1.09
DCC	2.68	0.02	163,317	2.68	ABPIF	8.45	-	2,181	8.45	MTC	43.50	-	33,732	43.66
DCON	0.56	(0.01)	12,758	0.56	AI	-	-	-	-	PE	0.24	-	1,107	0.24
DRT	5.65	(0.05)	1,570	5.65	AKR	1.04	-	36,294	1.04	PL	3.52	0.04	411	3.51
EPG	8.80	(0.25)	226,899	8.90	BAFS	34.75	(0.25)	4,078	34.94	S11	7.60	-	1,493	7.56
GEL	0.36	0.01	15,346	0.36	BANPU	19.50	0.20	451,496	19.50	SAWAD	46.00	(0.75)	51,779	46.25
PPP	3.48	-	18	3.49	BCP	35.75	(0.25)	24,975	35.74	THANI	9.10	0.60	317,459	8.71
Q-CON	5.40	0.05	248	5.37	BCPG	20.90	-	146,606	20.97	TK	11.80	(0.10)	2,219	11.73
RCI	3.60	0.02	28,988	3.63	BGRIM	27.50	-	73,127	27.71	TNITY	6.00	-	1,070	6.00
SCC	450.00	(4.00)	20,784	451.75	BPP	25.75	0.75	42,136	25.47	UOBKH	4.30	-	11	4.30
SCCC	252.00	2.00	1,063	251.33	BRRGIF	10.00	-	4,926	10.00	ZMICO	1.15	(0.01)	12,292	1.15
SCP	9.05	0.25	16,863	8.99	CKP	5.05	0.15	953,751	4.94	Food & Beverage	-	-	-	-
SKN	4.66	(0.04)	2,617	4.68	DEMCO	3.98	0.02	1,996	4.01	APURE	1.52	(0.01)	19,362	1.52
TASCO	15.80	-	76,868	15.85	EA	48.50	1.25	378,183	48.65	ASIAN	9.05	0.10	91,896	9.05
TCMC	2.74	(0.02)	5,629	2.74	EARTH	-	-	-	-	BR	5.30	(0.05)	4,365	5.33
TOA	36.00	0.50	48,888	36.11	EASTW	11.00	(0.20)	8,771	11.08	BRR	6.70	0.10	2,549	6.62
TPIPL	1.88	(0.01)	248,499	1.89	EGATIF	10.90	-	642	10.95	CBG	54.75	0.50	59,124	55.35
UMI	1.44	(0.03)	10,184	1.45	EGCO	237.00	-	9,674	237.33	CFRESH	4.54	0.02	681	4.54
VNG	7.75	0.05	681	7.73	ESSO	16.70	0.30	176,510	16.67	CM	4.34	0.04	1,253	4.32
WIHK	2.52	0.10	17,993	2.48	GLOW	90.25	(0.25)	11,448	89.99	CPF	25.75	0.25	442,721	25.94
Petrochemicals & Ch					GPSC	69.00	0.50	26,286	68.90	CPI	1.85	0.01	897	1.85
BCT	51.75	(0.25)	160	52.03	GULF	74.00	(0.50)	43,204	74.07	F&D	-	-	-	-
CMAN	3.48	0.02	62,434	3.49	GUNKUL	2.92	0.08	186,686	2.89	HTC	16.90	0.20	959	16.79
GC	5.15	-	819	5.11	IEC	-	-	-	-	ICHI	4.40	-	6,058	4.40
GGC	11.70	-	15,017	11.70	IFEC	-	-	-	-	KBS	4.28	(0.02)	3,574	4.30
GIFT	4.58	-	3,326	4.51	IRPC	6.95	0.05	1,603,063	6.98	KSL	3.40	0.06	22,598	3.38
IVL	59.75	0.75	373,985	60.20	LANNA	16.00	0.10	3,518	16.00	KTIS	5.75	-	443	5.72
NFC	11.50	0.10	239	11.48	MDX	4.66	0.06	5,749	4.66	LST	4.92	(0.04)	1,927	4.97
PATO	14.40	-	189	14.51	PTG	12.90	(0.10)	907,462	13.07	M	73.25	0.75	2,536	72.63
PMTA	14.20	-	35	14.19	PTT	53.50	1.00	1,174,637	53.18	MALEE	15.00	1.20	96,090	14.60
PTTGC	81.25	(0.50)	167,467	81.69	PTTEP	154.00	1.00	114,458	154.82	MINT	40.00	(0.25)	104,480	40.36
SUTHA	4.32	0.02	110	4.30	RATCH	51.50	-	14,848	51.57	OISHI	93.00	0.50	48	92.83
TCCC	35.00	-	94	35.00	RPC	0.54	0.02	6,449	0.53	PB	60.75	-	30	60.83
TPA	6.65	0.20	72	6.62	SCG	4.64	-	228	4.64	PM	8.85	0.10	13,268	8.80
UP	-	-	-	-	SCI	3.14	-	6,326	3.14	PRG	14.30	0.30	90	14.13
VNT	26.75	0.75	11,201	26.32	SCN	4.18	0.02	32,301	4.21	SAPPE	23.50	0.30	12,158	23.52
WG	-	-	-	-	SGP	12.40	-	85,587	12.41	SAUCE	22.00	(0.30)	24	22.00
YCI	-	-	-	-	SKE	1.37	0.09	135,713	1.34	SFP	-	-	-	-
Commerce					SOLAR	2.32	(0.02)	9,818	2.32	SNP	20.50	0.10	27	20.41
BEAUTY	11.80	0.30	2,553,126	11.84	SPCG	20.90	(0.10)	6,235	20.94	SORKON	72.25	-	7	72.25
BIG	1.86	(0.03)	245,418	1.87	SPRC	15.20	0.20	324,319	15.11	SSC	39.75	(0.75)	7	39.96
BJC	59.50	(0.50)	35,966	59.99	SUPER	0.85	0.11	32,152,454	0.83	SSF	8.25	(0.15)	202	8.52
COL	29.75	-	7,844	29.66	SUSCO	3.28	(0.02)	18,880	3.29	SST	5.85	0.15	1,012	5.93
COM7	20.20	0.10	77,852	20.28	TAE	2.26	-	1,548	2.26	TC	3.06	(0.02)	47	3.04
CPALL	70.50	(0.50)	294,742	70.84	TCC	0.40	0.01	18,742	0.40	TFG	4.18	-	9,293	4.19
CSS	2.24	0.02	32,518	2.24	TOP	89.00	2.25	134,088	88.68	TFMAMA	160.00	-	49	160.38
FN	2.86	0.06	5,379	2.86	TPIPP	6.70	(0.15)	168,282	6.76	TIPCO	9.40	-	8,679	9.37
FTE	2.30	-	22,072	2.32	TTW	12.60	0.10	34,626	12.51	TKN	16.40	0.60	458,852	16.33
GLOBAL	20.30	(0.30)	81,792	20.50	WHAUP	6.25	(0.05)	63,945	6.28	TU	18.00	(0.10)	83,185	18.05
HMPRO	15.40	0.10	249,041	15.52	WP	7.70	0.20	40,808	7.66	TVO	30.25	0.50	16,161	29.93
IT	4.22	(0.02)	2,885	4.22	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.48	0.02	21,933	4.50	AMARIN	4.82	0.02	342	4.82	AHC	21.00	-	23	20.97
LOXLEY	2.22	(0.02)	11,596	2.23	AQUA	0.48	-	1,911,418	0.49	BCH	20.10	0.10	239,933	20.43
MAKRO	35.00	0.25	4,677	34.98	AS	1.17	(0.01)	15	1.17	BDMS	25.25	(0.75)	420,140	25.59
MC	12.90	(0.10)	7,423	12.98	BEC	7.00	(0.10)	84,944	7.06	BH	180.00	-	8,402	179.95
MEGA	37.00	(0.25)	14,299	36.88	EPCO	3.74	-	18,059	3.75	CHG	2.76	-	1,405,863	2.80
MIDA	0.61	(0.01)	3,375	0.62	FE	-	-	-	-	CMR	3.20	0.04	1,761	3.18
ROBINS	70.00	(0.75)	29,695	69.99	GPI	2.72	(0.02)	281	2.73	EKH	5.65	-	12,945	5.73
RSP	3.84	(0.04)	16,665	3.86	GRAMMY	8.05	0.05	221	8.05	KDH	94.75	(0.50)	61	95.00
SINGER	9.60	(0.10)	2,022	9.70	MACO	1.91	(0.04)	336,591	1.93	LPH	6.20	(0.05)	6,531	6.21

Main Board Quotation

Issue Date :

Thursday September 20, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.74	0.02	2,669	2.74	MJD	3.40	(0.06)	2,666	3.40	CPT	1.97	(0.03)	52,247	1.99
Tourism & Leisure					MK	4.00	0.04	9,233	3.98	CRANE	3.00	0.12	1,670	2.94
ASIA	6.75	0.20	1,501	6.70	NCH	0.92	(0.01)	896	0.92	CTW	9.50	0.10	178	9.48
CENTEL	42.00	-	42,910	41.82	NNCL	1.80	0.02	8,832	1.79	FMT	-	-	-	-
CSR	-	-	-	-	NOBLE	12.50	0.20	287	12.41	HTECH	7.20	-	11,580	7.23
DTC	12.10	0.30	2,861	11.97	NUSA	0.34	-	82,031	0.34	KKC	1.67	-	479	1.67
ERW	8.05	0.05	34,593	7.98	NVD	4.16	0.02	4,064	4.22	PK	3.32	(0.02)	14,606	3.35
GRAND	1.05	0.03	55,882	1.03	ORI	18.20	(0.10)	26,061	18.33	SNC	14.50	-	3,803	14.50
LRH	39.00	(0.25)	92	39.01	PACE	0.62	0.01	215,826	0.62	TCJ	5.75	-	60	5.75
MANRIN	-	-	-	-	PF	1.07	0.01	785,880	1.07	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	8.60	-	21,269	8.56	Property Fund & REI				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.80	(0.10)	2,610	10.80
SHANG	-	-	-	-	PRECHA	1.42	0.03	407	1.40	AMATAR	10.80	0.10	1,340	10.80
Home & Office Prod.					PRIN	1.63	-	2,479	1.62	B-WORK	11.30	(0.10)	1,821	11.37
ACC	0.44	-	8,160	0.44	PRINC	5.20	(0.15)	16,658	5.22	BKKCP	12.40	(0.10)	174	12.40
AJA	0.40	0.01	11,772	0.40	PSH	21.00	0.10	5,394	20.99	BOFFICE	13.50	(0.10)	2,589	13.57
DTCI	-	-	-	-	QH	3.62	-	465,802	3.61	CPNCG	15.90	(0.10)	1,291	15.91
FANCY	0.90	0.01	58,817	0.90	RICHY	1.80	-	15,252	1.80	CPNREIT	27.00	(0.25)	7,967	27.04
KYE	410.00	(2.00)	578	410.45	RML	1.32	(0.01)	48,723	1.33	CPTGF	13.40	-	52	13.50
L&E	2.70	-	582	2.71	ROJNA	5.50	0.25	105,224	5.39	CRYSTAL	10.30	-	66	10.30
MODERN	4.44	0.02	3,480	4.42	S	3.64	-	254,423	3.64	CTARAF	4.80	-	536	4.80
OGC	-	-	-	-	SAMCO	2.10	(0.04)	2,123	2.10	DREIT	5.55	0.05	659	5.50
ROCK	-	-	-	-	SC	3.76	0.14	270,368	3.72	ERWPF	5.60	-	609	5.61
SIAM	2.22	(0.08)	10,515	2.26	SENA	3.84	0.04	21,041	3.83	FUTUREPF	22.50	-	645	22.50
TSR	2.34	-	4,492	2.34	SF	8.75	(0.15)	29,404	8.80	GAHREIT	9.70	-	61	9.70
Insurance					SIRI	1.69	(0.02)	1,145,588	1.69	GLANDRT	13.20	-	4,047	13.17
AYUD	38.00	(0.25)	328	38.23	SPALI	25.00	(0.25)	47,371	24.92	GOLDFP	7.10	(0.05)	1,222	7.12
BKI	350.00	1.00	20	349.85	TICON	16.90	-	626	16.75	GVREIT	15.70	(0.20)	3,538	15.79
BLA	31.75	(0.25)	3,651	31.87	U	0.03	-	8,022,675	0.03	HPF	5.45	-	19	5.41
BUI	-	-	-	-	UV	8.70	0.30	192,557	8.61	HREIT	6.80	-	12,186	6.79
CHARAN	33.00	0.50	189	32.83	WHA	4.28	(0.02)	1,155,673	4.30	IMPACT	19.20	0.10	1,622	19.13
INSURE	-	-	-	-	WIN	0.68	0.01	1,310	0.68	KPNPF	9.50	-	31	9.50
MTI	107.00	(0.50)	71	107.40	Paper & Printing Mat					LHHOTEL	16.20	-	8	16.20
NKI	-	-	-	-	UTP	11.40	-	6,377	11.38	LHPF	8.25	(0.05)	1,306	8.30
NSI	-	-	-	-	Fashion					LHSC	16.20	(0.40)	2,622	16.27
SMK	40.00	(0.25)	24	40.15	AFC	9.15	-	21	9.15	LUXF	8.50	(0.05)	961	8.53
THRE	1.12	0.01	17,801	1.11	BTNC	-	-	-	-	M-II	8.95	-	1	8.95
THREL	8.30	(0.05)	1,900	8.29	CPH	5.90	0.20	21	5.71	M-PAT	9.95	-	200	9.95
TIC	40.75	(2.25)	86	41.34	CPL	3.38	-	234	3.08	M-STOR	10.20	(0.10)	44	10.20
TIP	24.90	0.10	1,233	24.78	DIGI	0.28	-	39,724	0.28	MIPF	-	-	-	-
TSI	0.43	(0.04)	11,676	0.43	ICC	40.00	-	5	40.00	MIT	-	-	-	-
TVI	3.60	0.08	510	3.54	LTX	104.00	-	49	103.32	MJLF	12.60	-	359	12.61
Mining					NC	15.10	(0.10)	1	15.10	MNIT	1.64	0.01	6	1.64
PDI	14.30	-	7,035	14.44	PAF	0.90	0.01	11,833	0.91	MNIT2	5.10	0.05	10	5.10
THL	-	-	-	-	PDJ	2.54	(0.02)	6,072	2.55	MNRF	3.38	(0.04)	30	3.39
Packaging					PG	-	-	-	-	MONTRI	-	-	-	-
AJ	10.40	(0.10)	478	10.43	SABINA	28.50	(5.75)	189,583	28.31	POPF	13.90	-	74	13.80
ALUCON	179.00	1.00	11	179.45	SAWANG	14.70	1.10	13	13.62	PPF	11.40	-	418	11.40
CSC	45.25	(0.75)	8	45.25	SUC	45.00	-	5	45.20	QHHR	8.50	(0.05)	2,585	8.49
NEP	-	-	-	-	TNL	-	-	-	-	QHOP	3.44	(0.04)	86	3.44
NPPG	1.06	(0.01)	29,991	1.07	TPCORP	-	-	-	-	QHPP	13.10	0.20	9,080	13.02
PTL	16.80	-	2,916	16.76	TR	48.00	0.75	151	47.72	SBPF	3.00	-	12	3.00
SITHAI	1.24	(0.01)	7,268	1.25	TTI	29.00	-	1	29.00	SHREIT	9.50	(0.10)	1,619	9.57
SLP	0.97	(0.01)	4,861	0.98	TTL	-	-	-	-	SIRIP	11.20	(1.30)	90	11.16
SMPC	13.40	(0.20)	3,499	13.41	TTTT	158.00	(7.00)	10	159.10	SPF	24.20	(0.30)	2,251	24.31
SPACK	1.94	-	1,566	1.94	UPF	71.00	(0.75)	1	71.00	SRIANWA	11.10	(0.10)	34	11.10
TCOAT	-	-	-	-	UT	13.50	-	10	13.50	SSPF	10.00	(0.10)	3	10.00
TFI	0.30	(0.02)	1,223	0.30	WACOAL	46.00	-	10	46.00	SSTPF	6.35	(0.05)	51	6.39
THIP	33.50	-	173	33.70	Transportation & Log					SSTRT	-	-	-	-
TMD	21.20	-	66	21.10	AAV	4.40	(0.02)	156,426	4.40	TIF1	8.75	-	539	8.73
TOPP	198.00	(6.00)	1	198.00	AOT	66.25	0.25	159,078	66.46	TLGF	20.10	-	10,385	20.05
TPBI	8.20	-	261	8.11	ASIMAR	2.62	-	7,480	2.62	TLHPF	11.10	-	170	11.10
TPP	16.90	-	1	16.90	B	0.62	-	16,648	0.62	TNPF	-	-	-	-
Personal Products &					BA	12.80	(0.10)	17,319	12.81	TPRIME	13.60	0.10	30	13.53
APCO	4.36	(0.02)	1,587	4.35	BEM	8.80	0.05	519,610	8.87	TREIT	12.10	-	5,234	12.06
DDD	47.00	(1.00)	23,070	47.58	BTS	9.35	0.05	318,836	9.34	TTLPF	-	-	-	-
JCT	90.00	(0.25)	2	89.50	BTSGIF	12.30	-	20,052	12.30	TU-PF	1.70	0.17	1	1.70
OCC	-	-	-	-	III	7.00	0.20	29,682	6.96	URBNPF	3.74	(0.04)	341	3.71
S & J	25.50	0.50	1	25.50	JUTHA	1.80	0.04	133	1.79	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	7.90	(0.05)	85,797	8.00	WHART	10.80	0.10	7,260	10.78
TNR	13.90	(0.20)	104	13.94	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.80	0.02	162	4.78	NOK	2.36	(0.02)	5,630	2.38	AMC	2.48	-	193	2.46
Professional Service					NYT	5.10	-	53,942	5.02	BSBM	1.14	(0.01)	748	1.14
BWG	1.15	0.03	747,459	1.13	PRM	8.20	(0.05)	88,623	8.19	CEN	1.39	0.02	3,814	1.40
GENCO	0.81	0.01	24,524	0.81	PSL	12.60	-	21,850	12.64	CITY	2.70	-	313	2.70
PRO	-	-	-	-	RCL	5.85	(0.10)	4,218	5.93	CSP	1.42	(0.02)	284	1.43
TEAMG	2.50	0.02	77,464	2.50	THAI	13.40	(0.10)	36,284	13.38	GJS	0.26	0.01	71,570	0.26
Property Developme					TSTE	7.20	(0.05)	100	7.20	GSTEL	-	-	-	-
A	6.70	-	500	6.70	TTA	7.25	(0.05)	31,323	7.29	INOX	1.22	0.01	10,150	1.23
AMATA	22.60	0.10	259,742	22.68	WICE	5.00	0.06	89,703	5.00	LHK	4.92	(0.04)	1,620	4.93
AMATAV	6.10	-	8,321	6.10	Automotive					MAX	0.02	-	5,101,797	0.02
ANAN	5.35	-	57,879	5.34	AH	30.50	(1.00)	14,188	30.84	MCS	7.35	-	31,474	7.40
AP	9.45	0.15	56,606	9.39	APCS	5.50	0.20	7,151	5.41	MILL	1.70	(0.03)	31,760	1.71
APEX	0.21	0.01	14,859	0.20	BAT-3K	-	-	-	-	PAP	4.12	-	765	4.10
AO	0.03	-	199,389	0.03	CWT	2.98	0.04	15,264	3.00	PERM	2.36	0.02	1,619	2.36
BLAND	1.84	0.01	568,182	1.83	EASON	2.74	(0.12)	42,189	2.81	RICH	-			

Main Board Quotation

Issue Date :

Thursday September 20, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TSE	3.12	0.02	6,405	3.00	ADVA01P1902A	0.61	(0.02)	19,155	-
ABICO	7.75	0.25	13,988	7.00	UMS	0.74	(0.07)	1	-	ADVA01P1902B	0.43	(0.01)	24,760	-
AU	8.55	0.40	137,245	8.00	UWC	0.07	-	157,470	-	ADVA06C1809A	0.43	0.05	2,800	-
FC	0.26	-	2,615	-	Services (MAI)	-	-	-	-	ADVA06C1903A	0.52	(0.01)	2,600	-
JCKH	1.15	0.01	532	1.00	ADAM	-	-	-	-	ADVA08C1809A	-	-	-	-
KASET	2.20	-	1,346	2.00	AKP	1.66	-	175	1.00	ADVA08P1809A	-	-	-	-
MM	3.94	(0.04)	692	3.00	AMA	6.20	-	10,492	6.00	ADVA11C1905A	0.23	0.01	14,042	-
SUN	3.50	-	28,030	3.00	ARIP	0.50	-	2,289	-	ADVA11P1905A	0.28	(0.01)	17,510	-
TACC	4.18	(0.12)	12,747	4.00	ATP30	1.71	-	3,031	1.00	ADVA13C1811A	0.46	(0.03)	14,830	-
TMILL	3.18	(0.06)	6,836	3.00	AUCT	6.50	-	8,413	6.00	ADVA13C1901A	0.29	0.01	100,797	-
XO	10.60	0.10	3,727	10.00	BOL	1.92	(0.02)	1,361	1.00	ADVA16C1812A	-	-	-	-
Consumer Products														
BGT	1.02	-	30,305	1.00	CHUO	-	-	-	-	ADVA19C1901A	0.57	-	1,645	-
BIZ	2.74	(0.02)	658	2.00	CMO	1.52	0.03	5,175	1.00	ADVA23C1902A	0.40	0.01	55,000	-
DOD	13.90	(0.40)	148,809	14.00	D	11.30	0.10	2,372	11.00	ADVA24C1810A	0.20	(0.04)	6,000	-
ECF	8.75	-	23,810	8.00	DCORP	2.74	0.02	5,604	2.00	ADVA24C1905A	-	-	-	-
HPT	1.09	(0.01)	4,123	1.00	DNA	0.58	0.02	68,716	-	ADVA24P1810A	-	-	-	-
JUBILE	19.50	0.10	2,414	19.00	EFORL	0.07	-	108,637	-	ADVA27C1902A	0.29	0.01	3,934	-
MOONG	6.50	0.10	20,253	6.00	ETE	1.90	(0.02)	18,659	1.00	ADVA28C1811A	-	-	-	-
NPK	26.00	-	19	26.00	FSMART	8.65	(0.05)	6,358	8.00	ADVA28C1901A	0.18	(0.01)	10,521	-
OCEAN	1.81	-	15,125	1.00	FVC	1.08	0.02	13,835	1.00	ADVA28P1810A	-	-	-	-
TM	2.18	0.02	8,499	2.00	HARN	2.68	0.06	9,660	2.00	ADVA42C1903A	0.27	-	2,040	-
Financials (MAI)														
ACAP	7.10	0.55	112,744	6.00	KJN	11.60	0.30	160,774	11.00	AMAT01C1810A	0.99	-	120,195	1.00
AF	0.71	-	1,895	-	KIAT	0.50	-	41,235	-	AMAT01C1810B	0.57	0.01	196,440	-
AIRA	1.99	0.01	429	1.00	KOOL	1.83	(0.01)	12,490	1.00	AMAT01C1903A	0.80	0.01	66,724	-
ASN	3.68	0.16	1,021	3.00	LDC	1.15	(0.03)	3,242	1.00	AMAT01C1903B	0.68	0.02	70,615	-
BROOK	0.57	-	32,997	-	MPG	0.18	0.01	10,854	-	AMAT01P1810A	0.58	(0.02)	32,557	-
CHAYO	5.75	0.05	89,524	5.00	MVP	3.04	-	18,390	3.00	AMAT01P1903A	0.79	(0.01)	46,093	-
GCAP	3.90	(0.02)	8,554	3.00	NBC	0.82	(0.02)	1,528	-	AMAT06C1809A	0.01	-	602	-
LIT	8.35	-	2,289	8.00	NCL	1.70	-	5,439	1.00	AMAT08C1809A	0.02	-	1,000	-
SGF	1.88	(0.08)	1,040,351	1.00	NEWS	0.01	-	4,883	-	AMAT08C1903A	0.65	-	41,274	-
Industrials (MAI)														
2S	3.24	-	2,386	3.00	NINE	2.52	0.12	90,612	2.00	AMAT11C1903A	0.44	0.01	22,002	-
ADB	1.19	(0.02)	6,636	1.00	OTO	3.20	(0.06)	20,343	3.00	AMAT13C1812A	0.59	-	298,514	-
BM	3.32	0.04	8,182	3.00	PHOL	2.22	-	496	2.00	AMAT19C1811A	0.22	-	30,071	-
CHO	1.21	-	2,829	1.00	PICO	4.66	-	38	4.00	AMAT19C1902A	0.76	-	40,899	-
CHOW	4.76	(0.04)	207	4.00	PORT	7.00	(0.05)	1,912	7.00	AMAT23C1810A	0.18	(0.01)	18,480	-
CIG	0.38	-	6,130	-	QLT	4.40	-	2,264	4.00	AMAT24C1811A	-	-	-	-
COLOR	1.31	(0.01)	733	1.00	RP	3.12	0.02	929	3.00	AMAT27C1902A	0.89	0.02	3,225	-
CPR	5.70	0.05	3,372	5.00	SE	2.24	0.04	4,796	2.00	ANAN01C1810A	1.38	-	12,354	1.00
FPI	2.34	-	1,981	2.00	SPA	16.00	(0.10)	25,203	16.00	ANAN01C1810B	1.16	(0.01)	7,138	1.00
GTB	0.66	0.01	7,155	-	THMUJ	1.81	(0.11)	111,554	1.00	ANAN08C1810A	1.25	(0.01)	3,026	1.00
KCM	1.23	(0.01)	20,151	1.00	TNDT	4.90	0.02	2,086	4.00	ANAN08C1906A	0.32	(0.01)	16,992	-
LVT	-	-	-	-	TNH	39.00	-	1,271	38.00	ANAN13C1901A	0.24	-	51,084	-
MBAX	2.98	(0.04)	736	3.00	TNP	1.90	0.01	11,122	1.00	ANAN19C1811A	0.72	0.02	1,840	-
MGT	2.14	-	4,086	2.00	TSF	0.05	-	16,378	-	ANAN23C1901A	0.39	(0.03)	2,000	-
NDR	2.30	0.02	3,530	2.00	TVD	1.65	0.02	10,806	1.00	ANAN24C1811A	-	-	-	-
PDG	3.60	(0.02)	671	3.00	TVT	1.03	(0.01)	4,929	1.00	AOT01C1810A	0.22	0.01	142,758	-
PIMO	4.36	0.04	3,086	4.00	WINNER	3.54	0.02	1,173	3.00	AOT01C1902A	0.56	0.01	10,984	-
PJW	1.92	-	4,576	1.00	Technology (MAI)									
PPM	1.90	0.03	1,324	1.00	COMAN	3.74	0.38	88,636	3.00	AOT01C1902B	0.37	-	117,199	-
RWI	1.67	0.01	585	1.00	ICN	2.32	(0.04)	6,992	2.00	AOT01P1902B	0.79	(0.01)	49,087	-
SALEE	1.14	-	1,834	1.00	IRCP	0.97	-	4,313	-	AOT06C1809A	0.01	-	500	-
SANKO	1.36	(0.04)	8,625	1.00	ITEL	3.52	0.02	7,027	3.00	AOT06C1903A	0.49	0.02	41,318	-
SELIC	2.46	(0.02)	22,373	2.00	NETBAY	33.25	-	829	33.00	AOT06P1903A	0.44	(0.01)	17,603	-
SWC	24.40	(0.30)	1,311	24.00	PLANET	1.54	(0.01)	75	1.00	AOT07C1902A	-	-	-	-
TMC	0.90	0.02	2,705	-	SIMAT	2.14	(0.08)	32,782	2.00	AOT08C1901A	0.30	-	47,926	-
TMI	0.81	-	1,255	-	SKY	14.50	0.70	83,180	14.00	AOT08P1903A	0.45	(0.01)	26,746	-
TMW	68.50	-	62	68.00	SPVI	1.58	-	53,009	1.00	AOT11C1906A	0.39	0.01	4,401	-
TPAC	12.90	0.10	109	12.00	UPA	0.54	(0.01)	441,199	-	AOT11P1906A	0.35	-	16,180	-
TPLAS	2.12	0.02	109,112	2.00	VCOM	3.40	(0.02)	55,766	3.00	AOT13C1811A	0.13	0.01	8,132	-
UAC	4.62	0.02	1,879	4.00	Unit Trust									
UBIS	4.64	0.04	2,565	4.00	MGE	-	-	-	-	AOT13C1902A	0.51	0.01	67,910	-
UEC	1.53	(0.01)	3,770	1.00	SCBSET	-	-	-	-	AOT13P1810A	0.12	(0.01)	36,839	-
UKEM	0.90	-	10,829	-	ETF	-	-	-	-	AOT13P1812A	-	-	-	-
UREKA	0.94	(0.03)	105,716	-	1DIV	14.00	-	171	13.00	AOT19C1809A	-	-	-	-
YUASA	16.90	0.10	237	16.00	ABFTH	-	-	-	-	AOT19C1901A	0.41	(0.01)	53,342	-
ZIGA	3.46	(0.02)	19,530	3.00	BMSCG	9.44	-	141	9.00	AOT24C1811A	-	-	-	-
Property & Construc														
ARROW	8.90	0.10	318	8.00	BMSCITH	13.13	0.04	6,801	13.00	AOT24C1901A	-	-	-	-
BKD	3.16	(0.06)	12,390	3.00	BSET100	11.31	0.02	6,135	11.00	AOT24P1809A	-	-	-	-
BSM	0.76	(0.01)	3,207	-	CHINA	5.06	0.03	399	5.00	AOT24P1903A	0.37	(0.01)	358	-
BTW	1.83	(0.02)	4,967	1.00	EBANK	5.80	(0.18)	10	5.00	AOT27C1902A	0.49	-	11,200	-
CHEWA	1.35	-	37,110	1.00	ECOMM	-	-	-	-	AOT27P1903A	0.61	-	19,424	-
CRD	1.11	0.01	1,902	1.00	EFOOD	5.50	(0.22)	2	5.00	AOT28C1812A	0.25	-	60,520	-
DIMET	1.06	(0.01)	13,035	1.00	EICT	4.80	(0.08)	2	4.00	AOT28C1901A	0.20	-	83,692	-
FLOYD	2.30	0.04	18,690	2.00	ENGY	6.88	0.12	13	7.00	AOT28C1902A	0.46	-	51,230	-
FOCUS	1.09	-	2,158	1.00	ENY	7.50	(0.39)	49	7.00	AOT28P1812A	0.17	-	37,532	-
HYDRO	1.20	0.01	4,734	1.00	ESET50	-	-	-	-	AOT42C1903A	0.33	-	16,240	-
JSP	0.59	0.02	114,975	-	GLD	11.49	(0.01)	5,260	1.00	AP01C1809A	0.54	0.01	4,060	-
K	2.92	-	139	2.00	TDEX	16.67	-	781	11.00	AP01C1809B	-	-	-	-
META	2.10	(0.02)	32,538	2.00	TGOLDETF	3.66	(0.01)	542	3.00	AP01C1903A	0.52	0.01	7,554	-
PPS	0.99	(0.01)	30,328	1.00	TH100	-	-	-	-	AP01C1903B	0.42	0.02	8,758	-
SMART	0.96	-	2,305	-	Warrant Foreign									
STAR	5.70	-	952	5.00	AAV01C1902A	0.55	(0.01)	4,843	-	AP08C1810A	0.33	0.03	2,134	-

Main Board Quotation

Issue Date :

Thursday September 20, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP11C1902A	0.10	0.01	5,449	-	BEAU11C1902A	0.04	-	3,003	-	BPP23C1901A	-	-	-	-
BANP13C1811A	0.13	0.01	391,268	-	BEAU13C1811A	0.01	-	73,401	-	BPP24C1809A	-	-	-	-
BANP13C1902A	0.35	0.01	95,943	-	BEAU13C1812A	0.03	-	153,567	-	BPP24C1902A	-	-	-	-
BANP16C1812A	0.69	0.01	808	-	BEAU13C1812B	1.17	0.10	206,617	1.00	BPP28C1812A	0.42	-	3,378	-
BANP19C1811A	0.09	0.01	2,000	-	BEAU13C1901A	0.31	0.03	1,464,131	-	BPP28C1902A	0.18	0.02	59,668	-
BANP19C1902A	0.46	0.03	36,158	-	BEAU19C1811A	0.01	-	23,231	-	BTS01C1810A	0.38	-	36,320	-
BANP23C1901A	0.14	0.02	41,188	-	BEAU19C1901A	1.18	0.07	38,499	1.00	BTS01C1810B	0.04	(0.02)	10,661	-
BANP24C1812A	0.05	(0.01)	500	-	BEAU23C1901A	0.02	-	4,005	-	BTS01P1810A	0.39	(0.02)	20,079	-
BANP24P1901A	-	-	-	-	BEAU24C1901A	0.31	0.02	417,016	-	BTS06C1903A	-	-	-	-
BANP27C1809A	0.01	(0.03)	20	-	BEAU24C1902A	0.07	0.01	41,065	-	BTS06C1903B	-	-	-	-
BANP28C1810A	0.05	-	2,000	-	BEAU27C1903A	0.37	0.04	153,288	-	BTS06C1903C	-	-	-	-
BANP28C1902A	0.25	0.02	74,647	-	BEAU28C1810A	0.02	-	100	-	BTS08C1810A	0.14	-	42,542	-
BANP42C1903A	0.26	0.01	22,700	-	BEAU28C1811A	0.03	0.01	3	-	BTS11C1904A	0.07	-	5,000	-
BANP42P1903A	0.49	(0.02)	26,480	-	BEC01C1812A	0.09	(0.01)	36,161	-	BTS19C1901A	0.28	0.01	6,298	-
BBL06C1902A	0.87	(0.08)	11,668	-	BEC01C1812B	0.07	(0.01)	21,958	-	BTS23C1905A	1.61	0.05	4,560	1.00
BBL08C1809A	0.01	(0.01)	10,400	-	BEC08C1809A	-	-	-	-	BTS24C1901A	-	-	-	-
BBL08C1902A	0.66	(0.08)	10,844	-	BEC13C1811A	-	-	-	-	BTS28C1811A	0.04	(0.01)	100	-
BBL08P1810A	0.02	-	3,570	-	BEC13C1901A	0.10	-	23,130	-	BTS28C1902A	0.22	0.01	63,408	-
BBL11C1903A	0.53	(0.07)	4,212	-	BEC19C1809A	-	-	-	-	BTS42C1901A	0.19	(0.01)	21,068	-
BBL11P1903A	0.21	0.03	6,221	-	BEC23C1809A	-	-	-	-	BTS42P1901A	0.24	-	15,060	-
BBL13C1810A	0.24	(0.10)	200	-	BEC24C1809A	-	-	-	-	CBG01C1809A	-	-	-	-
BBL13C1901A	0.32	(0.03)	140,747	-	BEC24C1812A	-	-	-	-	CBG01C1811A	0.56	0.03	410,450	-
BBL19C1901A	0.29	(0.04)	35,426	-	BEC28C1811A	-	-	-	-	CBG01C1811B	0.21	0.02	130,980	-
BBL23C1811A	0.24	(0.06)	28,500	-	BEM01C1902A	0.47	0.01	53,575	-	CBG01C1902A	0.86	0.01	87,446	-
BBL24C1809A	-	-	-	-	BEM01C1902B	0.40	(0.01)	56,259	-	CBG01C1902B	0.73	-	66,712	-
BBL24C1812A	-	-	-	-	BEM01P1902A	0.35	(0.01)	35,041	-	CBG01P1811A	0.63	(0.03)	49,233	-
BBL24C1902A	0.24	(0.04)	1,350	-	BEM07C1903A	-	-	-	-	CBG01P1811B	0.19	(0.03)	79,510	-
BBL24P1810A	0.02	-	2	-	BEM08C1809A	0.26	0.03	12,626	-	CBG06C1809A	-	-	-	-
BBL27C1809A	-	-	-	-	BEM11C1903A	0.31	(0.02)	10,705	-	CBG06C1903A	0.92	0.03	45,604	-
BBL28C1811A	0.48	(0.09)	1,060	-	BEM13C1901A	0.42	(0.01)	96,890	-	CBG06P1809A	0.25	(0.07)	15,630	-
BBL28C1901A	0.25	(0.03)	39,095	-	BEM19C1901A	0.44	(0.02)	4,618	-	CBG07C1812A	-	-	-	-
BBL42C1903A	0.30	(0.05)	8,160	-	BEM23C1901A	0.27	0.01	472	-	CBG08C1810A	0.01	(0.01)	170	-
BCH01C1902A	0.59	0.01	123,504	-	BEM24C1809A	0.20	-	100	-	CBG08C1902A	0.59	0.03	76,731	-
BCH01C1902B	0.47	0.03	92,586	-	BEM24C1902A	0.38	0.03	8,000	-	CBG11C1902A	0.16	0.02	4,511	-
BCH01P1902A	0.37	(0.01)	107,343	-	BGR101C1901A	1.17	(0.03)	15,473	1.00	CBG13C1811A	0.13	0.02	72,441	-
BCH06C1811A	0.52	0.04	50,796	-	BGR101C1901B	0.98	(0.04)	7,208	1.00	CBG13C1812A	0.29	0.02	537,061	-
BCH08C1901A	0.72	0.05	66,225	-	BGR101C1903A	0.38	-	11,958	-	CBG13C1901A	0.82	0.04	189,508	-
BCH11C1905A	0.58	0.01	28,120	-	BGR101C1903B	0.30	-	23,557	-	CBG19C1810A	0.03	-	15,908	-
BCH13C1810A	0.33	0.05	66,256	-	BGR106C1903A	1.03	0.02	10,500	1.00	CBG19C1901A	0.65	0.03	119,774	-
BCH13C1902A	0.39	0.01	171,911	-	BGR107C1903A	-	-	-	-	CBG23C1901A	0.16	0.01	17,110	-
BCH19C1809A	0.37	0.03	3,201	-	BGR108C1902A	0.87	0.01	8,363	-	CBG24C1809A	-	-	-	-
BCH19C1903A	0.68	0.03	46,334	-	BGR113C1812A	0.91	(0.03)	400	-	CBG24C1811A	-	-	-	-
BCH23C1811A	0.62	0.04	32,500	-	BGR113C1812B	0.23	(0.02)	100,381	-	CBG24C1901A	0.75	0.01	19,600	-
BCH24C1811A	0.30	0.02	4,300	-	BGR119C1901A	0.71	-	1,310	-	CBG28C1811A	0.10	-	298	-
BCH27C1902A	0.87	0.04	13,200	-	BGR124C1901A	-	-	-	-	CBG28C1812A	0.46	0.02	90,034	-
BCH28C1811A	0.59	0.05	760	-	BGR124C1902A	0.30	-	300	-	CENT01C1810A	0.12	(0.01)	23,702	-
BCH28C1902A	0.33	0.02	79,374	-	BGR128C1812A	0.82	0.04	14	-	CENT01C1810B	-	-	-	-
BCP01C1810A	0.23	-	2,680	-	BGR128C1901A	0.20	0.01	32,137	-	CENT01C1903A	0.54	0.01	22,526	-
BCP01C1810B	-	-	-	-	BH01C1811A	0.50	-	64,552	-	CENT01C1903B	0.46	(0.02)	23,080	-
BCP01P1810A	0.31	0.01	12,362	-	BH01C1811B	0.08	-	210	-	CENT01P1810A	1.00	0.01	12,320	1.00
BCP08C1901A	0.27	-	6,082	-	BH01P1811A	1.25	(0.01)	11,670	1.00	CENT01P1903A	0.44	0.01	6,989	-
BCP11C1811A	-	-	-	-	BH07C1810A	0.01	-	1,280	-	CENT06C1904A	0.26	(0.01)	25,848	-
BCP13C1810A	-	-	-	-	BH08C1811A	-	-	-	-	CENT08C1809A	-	-	-	-
BCP13C1902A	0.27	(0.01)	17,821	-	BH08C1902A	0.48	-	14,330	-	CENT08C1902A	0.25	(0.02)	31,626	-
BCP19C1902A	0.26	-	5,544	-	BH11C1902A	-	-	-	-	CENT11C1904A	0.16	(0.01)	5,867	-
BCP24C1811A	-	-	-	-	BH11C1905A	0.58	-	9,150	-	CENT13C1811A	-	-	-	-
BCP24C1904A	-	-	-	-	BH13C1901A	0.51	-	40,526	-	CENT13C1902A	0.36	(0.01)	103,182	-
BCP28C1901A	-	-	-	-	BH19C1901A	0.49	(0.01)	25,465	-	CENT19C1901A	0.26	(0.01)	18,368	-
BCPG01C1811A	0.61	-	139,218	-	BH24C1809A	-	-	-	-	CENT23C1902A	-	-	-	-
BCPG01C1811B	0.27	-	51,849	-	BH24C1811A	-	-	-	-	CENT24C1810A	-	-	-	-
BCPG06C1811A	0.39	0.01	47,127	-	BH24C1902A	-	-	-	-	CENT24C1901A	0.16	-	1,343	-
BCPG08C1810A	0.36	(0.01)	50,689	-	BIG08C1906A	0.16	-	24,075	-	CENT24C1902A	0.36	(0.02)	4,444	-
BCPG11C1902A	0.25	-	11,693	-	BIG13C1901A	0.07	(0.01)	13,069	-	CHG01C1809A	0.75	0.01	43,430	-
BCPG13C1810A	0.19	-	329,412	-	BIG19C1811A	0.02	(0.01)	48,344	-	CHG01C1809B	1.21	0.06	8,170	1.00
BCPG13C1812A	0.67	-	150,743	-	BIG24C1812A	-	-	-	-	CHG01C1903A	0.49	0.01	59,719	-
BCPG13C1902A	0.42	(0.58)	223,647	-	BJC01C1812A	0.80	(0.01)	6,791	-	CHG01C1903B	0.42	(0.01)	64,193	-
BCPG19C1901A	0.66	-	33,841	-	BJC01C1812B	0.57	(0.06)	6,165	-	CHG01P1809A	0.01	(0.01)	1	-
BCPG23C1902A	0.56	-	12,900	-	BJC01P1812A	0.26	0.01	3,260	-	CHG01P1903A	0.38	-	15,934	-
BCPG24C1810A	0.21	(0.02)	1,000	-	BJC06C1901A	0.33	(0.01)	3,240	-	CHG07C1902A	0.39	0.06	3	-
BCPG27C1903A	0.57	-	9,200	-	BJC07C1809A	-	-	-	-	CHG11C1904A	0.40	0.02	17,040	-
BCPG28C1812A	0.68	-	6,280	-	BJC08C1809A	-	-	-	-	CHG13C1812A	0.41	0.01	101,881	-
BCPG28C1901A	0.40	(0.01)	144,873	-	BJC08C1903A	0.50	(0.02)	9,190	-	CHG19C1902A	0.48	0.02	11,188	-
BDM01C1811A	0.17	(0.02)	94,272	-	BJC11C1905A	0.60	(0.01)	2,747	-	CHG23C1811A	1.69	0.09	4,000	1.00
BDM01C1811B	0.04	(0.01)	8,020	-	BJC13C1810A	0.10	-	2,464	-	CHG24C1811A	-	-	-	-
BDM01P1811A	0.30	0.03	15,697	-	BJC13C1812A	0.51	(0.03)	19,366	-	CHG28C1812A	0.44	0.02	87,299	-
BDM06C1811A	0.47	(0.08)	2,000	-	BJC19C1809A	-	-	-	-	CHG28C1902A	0.27	-	38,853	-
BDM08C1901A	0.11	-	7,331	-	BJC19C1902A	0.56	(0.03)	6,318	-	CK01C1809A	0.28	0.01	10,858	-
BDM11C1811A	0.62	(0.11)	203	-	BJC23C1901A	0.30	(0.01)	2,000	-	CK01C1809B	0.06	(0.02)	35,936	-
BDM11C1904A	0.09	(0.01)	1,851	-	BJC24C1901A	0.49	(0.07)	3,152	-	CK01C1902A	0.35	0.01	14,042	-
BDM13C1810A	0.26	(0.11)	1,750	-	BJC28C1812A	0.51	(0.02)	6,144	-	CK01C1902B	0.28	(0.01)	10,602	-
BDM13C1812A	0.08	(0.02)	38,310	-	BLA01C1812A	0.17	-	7,450	-	CK01P1809A	0.02	(0.02)	5,627	-
BDM16C1812A	-	-	-	-	BLA08C1811A	-	-	-	-	CK01P1902A	0.32	(0.01)	13,671	-
BDM19C1901A	0.22	(0.02)	20,626	-	BLA13C1809A	-	-	-	-	CK08C1809A	-	-	-	-
BDM23C1810A	-	-	-	-	BLA13C1902A	0.17	(0.01)	10,111	-	CK08C1901A	0.21	0.02	6,672	-
BDM24C1811A	0.11	(0.03)	11,308	-	BLA28C1810A	-	-	-	-	CK11C1904A	0.21	-	1,202	-
BDM24C1812A	-	-	-	-	BLAN01C1809A	0.56	0.02	21,897	-	CK13C1809A	0.03	(0.01)	2,872	-
BDM24C1905A	0.19	(0.04)	100	-	BLAN01C1809B	-	-	-	-	CK13C1902A	0.29	0.01	47,633	-
BDM27C														

Main Board Quotation

Issue Date :

Thursday September 20, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM706C1809A	0.23	0.02	24,516	-	DTAC13C1811A	0.10	(0.01)	7,157	-	GLOW27C1812A	0.27	-	10,600	-
COM706C1903A	0.53	0.03	18,136	-	DTAC13C1812A	0.50	(0.05)	1,550	-	GPSC01C1902A	0.63	0.01	54,488	-
COM708C1811A	0.13	(0.01)	52,314	-	DTAC13C1902A	0.40	(0.60)	20,985	-	GPSC01C1902B	0.46	0.01	15,284	-
COM711C1811A	0.52	0.02	18,200	-	DTAC13P1811A	0.22	0.02	72,603	-	GPSC01P1902A	1.11	(0.02)	23,570	1.00
COM713C1812A	0.41	0.01	154,313	-	DTAC13P1812A	0.07	-	3,605	-	GPSC06C1811A	0.11	-	5,843	-
COM719C1811A	0.34	0.01	45,960	-	DTAC19C1811A	0.27	(0.03)	40,143	-	GPSC08C1902A	0.41	0.02	28,710	-
COM719C1904A	0.67	0.02	24,767	-	DTAC24C1809A	-	-	-	-	GPSC11C1902A	0.17	0.01	6,988	-
COM723C1901A	0.38	-	28,000	-	DTAC24C1901A	0.51	(0.03)	1,000	-	GPSC13C1812A	0.28	0.02	76,853	-
COM724C1811A	-	-	-	-	DTAC27C1809A	-	-	-	-	GPSC19C1901A	0.41	0.01	24,442	-
COM727C1902A	0.59	0.03	9,000	-	DTAC27C1903A	0.43	(0.05)	21,702	-	GPSC24C1812A	0.16	(0.01)	500	-
COM728C1811A	0.33	0.01	138,081	-	DTAC27P1809A	-	-	-	-	GPSC27C1902A	0.51	0.01	8,720	-
CPAL01C1901A	0.29	(0.01)	301,400	-	DTAC27P1903A	0.49	0.01	16,050	-	GPSC28C1811A	0.18	(0.01)	18,317	-
CPAL01C1901B	0.13	-	239,629	-	DTAC28C1810A	-	-	-	-	GUNK08C1902A	0.20	0.02	37,793	-
CPAL01C1904A	0.81	-	66,432	-	DTAC28C1812A	0.59	(0.04)	198,918	-	GUNK11C1903A	0.11	0.01	19,590	-
CPAL01C1904B	0.66	(0.02)	64,415	-	DTAC42C1903A	0.42	(0.03)	12,240	-	GUNK24C1812A	-	-	-	-
CPAL01P1901A	1.35	0.03	34,589	1.00	EA01C1809A	1.27	0.06	103,994	1.00	GUNK28C1810A	0.09	0.02	27,159	-
CPAL01P1901B	0.91	0.01	32,980	-	EA01C1809B	0.55	0.06	149,554	-	HANA01C1811A	0.47	(0.04)	76,532	-
CPAL01P1904A	0.71	0.01	48,273	-	EA01P1809A	0.02	(0.03)	261,896	-	HANA01C1811B	0.22	(0.03)	36,607	-
CPAL01P1904B	0.50	-	55,326	-	EA06C1809A	0.01	-	5,100	-	HANA08C1809A	0.02	(0.03)	3,477	-
CPAL06C1811A	0.70	0.01	3,446	-	EA07C1810A	0.10	0.02	4,001	-	HANA08C1903A	0.36	(0.03)	39,105	-
CPAL06C1811B	0.03	0.02	7,657	-	EA07C1903A	0.92	0.08	37	-	HANA11C1904A	0.26	(0.03)	2,891	-
CPAL07C1902A	0.36	(0.01)	908	-	EA08C1809A	0.01	-	2	-	HANA13C1901A	0.30	(0.02)	103,315	-
CPAL08C1902A	0.19	(0.01)	56,309	-	EA08C1810A	0.47	0.04	106,595	-	HANA19C1902A	0.28	(0.02)	20,144	-
CPAL08P1810A	0.87	0.04	7,704	-	EA08C1903A	0.88	0.06	59,802	-	HANA23C1811A	0.44	(0.03)	2,500	-
CPAL11C1903A	0.08	-	1,603	-	EA11C1902A	0.27	0.03	66,836	-	HANA24C1810A	-	-	-	-
CPAL11P1903A	0.89	0.01	8,872	-	EA13C1810A	0.01	-	4,957	-	HANA28C1812A	0.35	(0.02)	22,253	-
CPAL13C1812A	0.16	(0.02)	84,763	-	EA13C1811A	0.33	0.05	248,277	-	HANA28C1902A	0.26	(0.02)	18,496	-
CPAL13C1901A	0.41	(0.02)	261,629	-	EA13C1812A	0.72	0.11	176,008	-	HMPR01C1902A	0.46	0.01	110,222	-
CPAL13P1902A	0.43	0.02	67,982	-	EA13C1812B	1.08	0.10	15,349	1.00	HMPR01C1902B	0.39	0.01	88,745	-
CPAL19C1811A	0.07	0.01	54,931	-	EA13C1901A	0.58	0.06	121,749	-	HMPR01P1902A	0.33	-	73,390	-
CPAL19C1902A	0.50	(0.02)	45,432	-	EA19C1811A	0.63	0.05	78,781	-	HMPR06C1811A	0.16	0.04	18,228	-
CPAL23C1810A	-	-	-	-	EA23C1901A	0.75	0.08	75,542	-	HMPR08C1810A	0.09	(0.03)	18,242	-
CPAL24C1811A	0.01	-	800	-	EA24C1809A	0.01	-	100	-	HMPR11C1906A	0.28	-	23,401	-
CPAL24C1901A	0.17	-	1,700	-	EA24C1901A	0.61	0.03	1,200	-	HMPR13C1812A	0.31	0.01	64,263	-
CPAL24C1903A	0.42	(0.02)	42,962	-	EA27C1902A	0.99	0.05	11,800	-	HMPR19C1901A	0.48	0.01	11,190	-
CPAL24P1901A	0.34	0.01	30,098	-	EA28C1901A	0.67	0.07	181,201	-	HMPR23C1901A	0.12	-	47,339	-
CPAL27C1903A	0.50	(0.01)	3,752	-	EGC001C1809A	0.64	0.02	9,220	-	HMPR24C1901A	0.30	-	2,600	-
CPAL28C1811A	0.05	0.01	130	-	EGC001C1903A	0.65	0.01	24,480	-	HMPR28C1811A	0.14	0.01	128,115	-
CPAL28C1901A	0.37	(0.02)	123,029	-	EGC001C1903B	0.53	0.01	38,020	-	INTU01C1809A	0.38	(0.01)	20,348	-
CPF01C1809A	0.87	-	19,282	-	EGC008C1809A	-	-	-	-	INTU01C1809B	0.01	-	100	-
CPF01C1809B	0.01	(0.01)	1	-	EGC013C1809A	-	-	-	-	INTU01C1903A	0.52	-	16,116	-
CPF01C1810A	0.20	(0.01)	60,869	-	EGC019C1901A	0.43	0.02	13,114	-	INTU01C1903B	0.39	-	18,920	-
CPF01C1902A	0.25	-	119,270	-	EGC023C1811A	0.28	0.01	11,334	-	INTU01P1809A	0.11	(0.01)	7,458	-
CPF01C1902B	0.17	0.01	106,357	-	EGC024C1901A	0.29	-	5,000	-	INTU01P1809B	-	-	-	-
CPF01P1809A	-	-	-	-	EPG01C1809A	0.14	(0.06)	188,818	-	INTU01P1903A	0.64	-	16,665	-
CPF01P1902A	0.38	(0.02)	32,388	-	EPG01C1903A	0.52	(0.05)	36,643	-	INTU01P1903B	0.47	-	13,968	-
CPF01P1902B	0.30	(0.02)	32,150	-	EPG01C1903B	0.42	(0.04)	31,182	-	INTU11C1905A	0.30	(0.01)	9,040	-
CPF06C1809A	0.34	0.03	9,200	-	EPG01P1809A	0.30	0.07	19,568	-	INTU11P1905A	0.31	0.01	5,150	-
CPF07C1810A	0.03	(0.01)	100	-	EPG01P1903A	0.86	0.04	31,205	-	INTU13C1810A	-	-	-	-
CPF08C1809A	0.11	0.03	4,800	-	EPG07C1811A	-	-	-	-	INTU13C1812A	0.37	0.01	42,554	-
CPF08C1901A	0.17	0.02	28,513	-	EPG08C1810A	-	-	-	-	INTU19C1901A	0.32	(0.01)	3,174	-
CPF11C1902A	0.07	-	5,500	-	EPG08C1810B	0.59	(0.09)	34,468	-	INTU24C1901A	-	-	-	-
CPF11P1902A	-	-	-	-	EPG11C1903A	0.52	(0.05)	22,769	-	INTU28C1901A	0.25	-	25,552	-
CPF13C1809A	0.30	0.05	1,500	-	EPG13C1811A	0.32	(0.06)	9,298	-	IRPC01C1810A	0.18	0.01	154,275	-
CPF13C1810A	0.05	0.01	1	-	EPG13C1902A	0.29	(0.05)	139,471	-	IRPC01C1810B	0.02	-	3	-
CPF13C1902A	0.18	0.01	104,597	-	EPG19C1902A	0.37	(0.05)	33,868	-	IRPC01C1903A	0.37	0.01	130,262	-
CPF19C1901A	0.19	0.01	40,620	-	EPG24C1810A	0.51	(0.16)	4,600	-	IRPC01C1903B	0.29	0.01	200,201	-
CPF23C1810A	-	-	-	-	EPG24C1902A	-	-	-	-	IRPC01P1810A	0.19	(0.02)	20,978	-
CPF24C1809A	-	-	-	-	EPG28C1902A	0.29	(0.04)	61,660	-	IRPC01P1810B	-	-	-	-
CPF24C1901A	-	-	-	-	ERW13C1902A	0.35	(0.02)	6,159	-	IRPC01P1903A	0.42	(0.02)	44,325	-
CPF24C1902A	-	-	-	-	ERW19C1902A	0.52	(0.01)	8,232	-	IRPC01P1903B	0.31	(0.02)	62,007	-
CPF27C1903A	0.11	0.01	12,252	-	ERW24C1904A	0.51	(0.03)	1,000	-	IRPC06C1811A	0.29	0.01	27,438	-
CPF28C1811A	0.10	-	73,006	-	ESS001C1812A	0.67	(0.03)	51,590	-	IRPC07C1812A	-	-	-	-
CPF28C1902A	0.16	0.01	37,628	-	ESS001C1812B	0.46	0.03	47,341	-	IRPC08C1902A	0.37	0.03	34,750	-
CPN01C1902A	0.76	-	49,264	-	ESS001P1812A	0.36	(0.02)	8,516	-	IRPC11C1902A	0.06	-	9	-
CPN01C1902B	0.56	-	42,961	-	ESS008C1902A	0.56	0.02	41,636	-	IRPC11C1905A	0.43	0.01	7,601	-
CPN01P1902A	0.69	(0.01)	27,117	-	ESS011C1905A	0.85	0.03	9,544	-	IRPC13C1811A	0.14	-	77,698	-
CPN06C1811A	0.72	0.01	21,083	-	ESS013C1811A	0.33	0.03	75,595	-	IRPC13C1812A	0.32	0.01	227,520	-
CPN07C1902A	-	-	-	-	ESS019C1901A	0.52	0.02	17,954	-	IRPC19C1901A	0.41	0.01	61,856	-
CPN08C1809A	-	-	-	-	ESS023C1809A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPN08C1903A	0.73	0.02	22,738	-	ESS024C1812A	0.28	0.03	14,180	-	IRPC24C1809A	-	-	-	-
CPN11C1903A	0.41	0.01	5,197	-	ESS024C1902A	0.55	-	650	-	IRPC24C1812A	0.17	-	54,456	-
CPN11P1903A	0.18	(0.01)	1,461	-	ESS028C1811A	0.33	0.03	78,617	-	IRPC27C1809A	-	-	-	-
CPN13C1812A	0.45	-	237,917	-	GFPT08C1906A	0.51	0.01	15,360	-	IRPC27C1903A	0.32	0.01	14,670	-
CPN19C1901A	0.74	-	31,792	-	GFPT13C1902A	0.28	0.01	157,128	-	IRPC28C1811A	-	-	-	-
CPN23C1810A	0.24	(0.01)	23,500	-	GFPT19C1811A	0.46	0.02	67,319	-	IRPC28C1812A	0.38	0.03	27,055	-
CPN24C1901A	0.45	(0.06)	4,000	-	GFPT24C1812A	0.37	0.01	23,552	-	IRPC28C1902A	0.28	-	16,670	-
CPN27C1903A	0.59	-	12,073	-	GGC01C1810A	0.11	(0.02)	14,968	-	ITD06C1904A	0.44	0.01	24,795	-
CPN28C1810A	0.16	-	107,096	-	GGC01C1810B	-	-	-	-	ITD08C1810A	0.02	-	1,000	-
CPN28C1902A	0.53	-	14,322	-	GGC07C1902A	-	-	-	-	ITD11C1903A	0.16	(0.01)	8,024	-
DELTO6C1903A	-	-	-	-	GGC08C1906A	0.16	(0.01)	19,463	-	ITD13C1812A	0.17	-	120,061	-
DELTO8C1811A	-	-	-	-	GGC13C1811A	0.01	(0.01)	2,837	-	ITD13C1902A	0.36	-	97,070	-
DELTI13C1809A	-	-	-	-	GGC13C1902A	0.25	(0.01)	15,696	-	ITD19C1811A	0.05	-	2,730	-
DELTI24C1901A	-	-	-	-	GGC19C1811A	-	-	-	-	ITD19C1903A	0.50	(0.02)	10,205	-
DELTI27C1812A	-	-	-	-	GGC19C1902A	0.41	(0.02)	4,480	-	ITD24C1810A	-			

Main Board Quotation

Issue Date :

Thursday September 20, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL19C1809A	0.30	0.04	30,387	-	LH07C1810A	-	-	-	-	PSL01C1812B	0.29	-	4,651	-
IVL19C1903A	0.65	0.03	154,006	-	LH11C1906A	-	-	-	-	PSL11C1905A	0.26	-	15,465	-
IVL23C1810A	0.40	0.04	21,786	-	LH13C1902A	0.28	(0.02)	10,400	-	PSL23C1809A	-	-	-	-
IVL24C1812A	0.15	0.01	4,350	-	LH19C1901A	0.20	(0.01)	1,006	-	PTG01C1811A	0.06	0.01	131,033	-
IVL24C1901A	0.46	0.01	7,601	-	LH23C1901A	0.10	(0.02)	800	-	PTG01C1811B	0.02	-	1,302	-
IVL27C1902A	0.51	0.02	16,450	-	LH24C1809A	-	-	-	-	PTG01C1902A	0.44	(0.01)	290,706	-
IVL28C1811A	0.18	-	203,306	-	LH24C1903A	0.13	(0.02)	6,000	-	PTG01C1902B	0.30	(0.01)	232,028	-
IVL28C1812A	0.49	0.02	141,161	-	LH24C1809A	0.17	(0.01)	15,276	-	PTG01P1811A	1.46	(0.02)	25,407	1.00
IVL28P1811A	0.15	(0.02)	57,683	-	LPN01C1811A	0.59	-	19,835	-	PTG01P1902A	0.45	(0.01)	123,610	-
IVL42C1903A	0.40	0.02	28,440	-	LPN01C1811B	0.30	0.04	30,123	-	PTG06C1810A	0.02	-	44,619	-
KBAN01C1810A	1.25	(0.09)	41,743	1.00	LPN01P1809A	0.16	(0.05)	14,584	-	PTG06C1904A	0.26	0.02	7,727	-
KBAN01C1901A	1.37	(0.08)	53,608	1.00	LPN08C1810A	0.11	-	33,542	-	PTG08C1902A	0.09	-	93,824	-
KBAN01C1901B	0.67	(0.06)	38,129	-	LPN08C1906A	0.32	(0.01)	25,197	-	PTG08C1903A	0.37	-	87,313	-
KBAN01C1904A	0.52	(0.03)	40,255	-	LPN19C1811A	0.30	(0.02)	72,292	-	PTG11C1903A	-	-	-	-
KBAN01C1904B	0.41	(0.03)	29,236	-	LPN24C1812A	-	-	-	-	PTG13C1812A	0.04	-	33,087	-
KBAN01P1810A	0.02	0.01	45	-	MAJ008C1811A	-	-	-	-	PTG13C1901A	0.30	0.02	790,382	-
KBAN01P1901A	0.74	0.03	43,819	-	MAJO11C1902A	-	-	-	-	PTG19C1902A	0.15	(0.01)	436,638	-
KBAN01P1901B	0.22	0.01	130,516	-	MAJO13C1903A	0.18	(0.01)	2,736	-	PTG19C1902B	0.45	(0.01)	110,161	-
KBAN01P1904A	0.67	0.02	46,000	-	MAJO19C1902A	-	-	-	-	PTG24C1809A	-	-	-	-
KBAN01P1904B	0.48	0.01	74,212	-	MAJO24C1809A	-	-	-	-	PTG24C1901A	0.35	0.01	319,371	-
KBAN06C1811A	0.65	(0.09)	12,800	-	MAJO24C1902A	0.44	(0.02)	2,000	-	PTG24C1902A	0.11	0.01	52,161	-
KBAN07C1811A	-	-	-	-	MALE01C1812A	0.03	0.02	8,616	-	PTG27C1809A	-	-	-	-
KBAN08C1811A	0.61	(0.06)	12,438	-	MALE08C1811A	0.01	-	116	-	PTG27C1902A	0.19	0.01	32,130	-
KBAN08C1903A	0.27	(0.03)	45,365	-	MALE13C1809A	-	-	-	-	PTG28C1812A	0.07	(0.01)	21,337	-
KBAN08P1811A	0.06	-	8,000	-	MALE27C1812A	0.01	(0.01)	2	-	PTG28C1901A	0.31	(0.01)	316,707	-
KBAN13C1810A	0.05	(0.02)	410	-	MALE28C1810A	-	-	-	-	PTL08C1811A	0.51	-	3,340	-
KBAN13C1811A	0.63	(0.08)	28,862	-	MC19C1811A	0.12	-	4,420	-	PTL13C1809A	-	-	-	-
KBAN13C1901A	0.29	(0.03)	121,839	-	MC23C1809A	-	-	-	-	PTL28C1810A	0.30	-	7,841	-
KBAN19C1901A	0.36	(0.04)	26,248	-	MC24C1812A	-	-	-	-	PTTO1C1810A	0.18	0.03	518,910	-
KBAN23C1902A	0.58	(0.05)	30,140	-	MEGA01C1811A	0.20	(0.01)	4,632	-	PTTO1C1810B	0.02	-	9,141	-
KBAN24C1902A	0.71	(0.07)	3,000	-	MEGA01C1811B	-	-	-	-	PTTO1C1901A	0.76	0.05	244,043	-
KBAN24C1903A	0.28	(0.03)	181	-	MEGA01C1904A	0.52	(0.02)	3,342	-	PTTO1C1901B	0.58	0.04	235,426	-
KBAN24P1811A	-	-	-	-	MEGA01C1904B	0.47	(0.01)	3,176	-	PTTO1P1810A	0.72	(0.05)	40,553	-
KBAN27C1809A	-	-	-	-	MEGA08C1811A	-	-	-	-	PTTO1P1810B	0.10	(0.02)	79,305	-
KBAN27C1903A	0.41	(0.03)	2,400	-	MEGA08C1903A	0.36	(0.02)	5,250	-	PTTO1P1901A	0.41	(0.04)	114,207	-
KBAN27P1809A	-	-	-	-	MEGA11C1902A	0.10	(0.01)	3,102	-	PTTO1P1901B	0.23	(0.02)	13,894	-
KBAN28C1811A	-	-	-	-	MEGA13C1902A	0.36	(0.02)	8,416	-	PTTO6C1811A	0.08	0.01	626	-
KBAN28C1812A	0.28	(0.02)	33,399	-	MEGA19C1902A	0.31	-	4,438	-	PTTO6C1901A	0.43	0.03	19,897	-
KBAN28P1811A	0.03	-	1,000	-	MEGA23C1902A	0.13	(0.01)	1,000	-	PTTO6P1901A	0.27	(0.03)	15,970	-
KCE01C1810A	0.62	(0.12)	83,817	-	MEGA24C1812A	-	-	-	-	PTT07C1811A	0.11	0.02	1,360	-
KCE01C1810B	0.34	(0.15)	83,802	-	MINT01C1901A	0.54	(0.02)	120,902	-	PTT08C1809A	-	-	-	-
KCE06C1809A	0.62	(0.36)	27,256	-	MINT01C1901B	0.37	(0.01)	88,153	-	PTT08C1902A	0.38	0.03	89,519	-
KCE07C1902A	0.33	(0.10)	13,093	-	MINT01P1901A	0.18	-	48,877	-	PTT08P1809A	-	-	-	-
KCE08C1809A	0.12	(0.28)	74,598	-	MINT06C1809A	-	-	-	-	PTT11C1902A	0.18	0.01	20,277	-
KCE08C1902A	0.27	(0.06)	64,708	-	MINT06C1901A	0.36	(0.02)	33,355	-	PTT13C1810A	0.02	-	15,419	-
KCE11C1904A	0.35	(0.06)	68,252	-	MINT06C1903A	0.32	(0.01)	21,254	-	PTT13C1811A	0.20	0.01	131,452	-
KCE13C1811A	0.51	(0.08)	5,100	-	MINT07C1810A	-	-	-	-	PTT13C1812A	0.37	0.04	456,741	-
KCE13C1812A	0.22	(0.09)	277,155	-	MINT08C1809A	-	-	-	-	PTT13P1812A	0.13	(0.01)	76,016	-
KCE19C1901A	0.35	(0.09)	140,174	-	MINT08C1903A	0.35	(0.02)	43,627	-	PTT19C1809A	-	-	-	-
KCE23C1901A	0.17	(0.08)	198,398	-	MINT11C1902A	0.15	(0.02)	13,018	-	PTT19C1901A	0.47	0.04	354,251	-
KCE24C1901A	0.28	(0.10)	32,670	-	MINT11P1902A	0.09	-	4,956	-	PTT23C1901A	0.10	-	21,545	-
KCE27C1902A	0.39	(0.07)	15,464	-	MINT13C1810A	0.10	(0.01)	103,998	-	PTT24C1809A	-	-	-	-
KCE28C1811A	0.41	(0.24)	3,475	-	MINT13C1812A	0.43	(0.01)	197,106	-	PTT24C1812A	0.28	0.04	165,926	-
KCE28C1902A	0.24	(0.07)	70,912	-	MINT19C1901A	0.48	(0.01)	47,505	-	PTT24P1901A	0.08	(0.02)	750	-
KKP01C1902A	0.65	0.02	36,161	-	MINT23C1810A	0.07	(0.02)	21,580	-	PTT27C1809A	0.28	0.06	200	-
KKP01C1902B	0.44	(0.01)	33,784	-	MINT24C1812A	-	-	-	-	PTT27C1903A	0.45	0.03	21,800	-
KKP08C1811A	0.44	-	16,904	-	MINT24C1901A	-	-	-	-	PTT27P1809A	-	-	-	-
KKP11C1903A	0.37	0.01	5,426	-	MINT24C1902A	0.30	(0.02)	263,688	-	PTT27P1903A	0.47	(0.04)	16,571	-
KKP13C1811A	0.31	0.02	86,532	-	MINT27C1903A	0.29	(0.01)	24,582	-	PTT28C1811A	0.03	(0.02)	5,410	-
KKP19C1901A	0.61	0.01	17,017	-	MINT28C1811A	0.26	(0.02)	64,672	-	PTT28C1811B	0.19	0.02	55,946	-
KKP24C1812A	-	-	-	-	MONO01C1810A	0.01	-	5,000	-	PTT28C1812A	0.39	0.04	103,898	-
KKP28C1810A	0.11	-	22,528	-	MONO01C1810B	-	-	-	-	PTT28C1901A	0.20	0.02	80,092	-
KKP28C1902A	0.41	0.01	46,864	-	MONO08C1906A	0.09	-	29,041	-	PTT28P1812A	0.09	(0.01)	8,350	-
KTB01C1810A	0.54	(0.06)	43,751	-	MONO13C1811A	-	-	-	-	PTTE01C1901A	1.04	0.01	212,447	1.00
KTB01C1810B	0.20	(0.05)	102,406	-	MONO13C1901A	0.16	-	4,111	-	PTTE01C1901B	0.69	0.01	205,813	-
KTB06C1902A	0.47	(0.05)	20,100	-	MONO19C1811A	0.05	(0.01)	10	-	PTTE01P1901A	0.75	(0.02)	82,859	-
KTB08C1809A	-	-	-	-	MONO23C1809A	-	-	-	-	PTTE01P1901B	0.31	(0.03)	171,991	-
KTB08C1903A	0.34	(0.04)	23,818	-	MONO23C1901A	-	-	-	-	PTTE06C1811A	0.73	0.02	36,088	-
KTB11C1811A	0.21	(0.03)	4,200	-	MONO24C1812A	-	-	-	-	PTTE07C1809A	0.31	0.02	5,067	-
KTB13C1809A	-	-	-	-	MONO24C1812B	-	-	-	-	PTTE08C1811A	0.56	-	87,673	-
KTB13C1901A	0.55	(0.05)	101,821	-	MONO28C1811A	-	-	-	-	PTTE08P1809A	-	-	-	-
KTB19C1901A	0.40	(0.04)	17,304	-	MONO28C1901A	0.14	-	21,824	-	PTTE08P1811A	0.03	-	7,194	-
KTB23C1811A	-	-	-	-	MTC06C1901A	0.74	0.01	4,945	-	PTTE11C1902A	0.99	0.02	24,349	1.00
KTB24C1811A	-	-	-	-	MTC08C1811A	0.19	(0.02)	6,834	-	PTTE13C1811A	0.45	-	186,204	-
KTB24P1901A	0.08	-	5,617	-	MTC08C1902A	0.54	(0.01)	6,782	-	PTTE13C1812A	0.90	0.03	11,703	-
KTB28C1811A	0.25	(0.04)	54,244	-	MTC11C1904A	0.48	-	1,905	-	PTTE13P1811A	0.02	(0.01)	12,443	-
KTB42C1903A	0.33	(0.03)	14,240	-	MTC13C1811A	0.68	-	1	-	PTTE13P1901A	0.24	(0.02)	78,623	-
KTB42P1903A	0.23	0.02	15,340	-	MTC13C1901A	0.42	(0.01)	48,542	-	PTTE19C1811A	0.80	0.03	82,697	-
KT001C1810A	0.32	-	100,628	-	MTC19C1901A	0.54	(0.01)	10,030	-	PTTE23C1901A	0.17	-	22,171	-
KT001C1810B	0.13	(0.01)	21,366	-	MTC24C1810A	0.26	(0.04)	1,413	-	PTTE24C1811A	0.28	0.01	5,620	-
KT001C1901A	0.58	(0.01)	80,928	-	MTC24C1812A	-	-	-	-	PTTE24C1901A	-	-	-	-
KT001C1901B	0.50	(0.01)	66,070	-	MTC28C1902A	0.41	(0.01)	20,168	-	PTTE24P1809A	-	-	-	-
KT08C1903A	0.55	-	48,619	-	ORI11C1811A	-	-	-	-	PTTE24P1901A	0.25	-	1,620	-
KTC11C1902A	1.28	(0.01)	500	1.00	ORI13C1810A	0.21	(0.02)	16,917	-	PTTE27C1809A	-	-	-	-
KTC13C1809B	0.01	-	2,072	-	ORI13C1902A	0.46	(0.02)	9,544	-	PTTE27C1903A	0.72	-	12,002	-
KTC13C1812A	0.22	(0.01)	390,245	-	ORI19C1811A	0.14	-	9,889	-	PTTE27P1809A	-	-	-	-

Main Board Quotation

Issue Date :

Thursday September 20, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG08C1811A	-	-	-	-	SAWA01C1901A	0.83	(0.03)	34,996	-	SPRC01C1902B	0.31	0.02	137,268	-
PTTG08C1902A	0.57	(0.02)	39,219	-	SAWA01C1901B	0.68	(0.03)	82,199	-	SPRC06C1809A	-	-	-	-
PTTG08P1811A	0.50	-	10,416	-	SAWA01P1901A	0.48	0.02	51,988	-	SPRC06C1902A	0.60	0.05	36,094	-
PTTG11C1902A	0.09	(0.01)	5,680	-	SAWA06C1811A	0.12	(0.02)	5,130	-	SPRC07C1903A	0.28	0.02	9,504	-
PTTG13C1812A	0.19	(0.01)	72,356	-	SAWA06C1903A	1.20	(0.07)	3,362	1.00	SPRC11C1902A	0.12	0.01	5,653	-
PTTG13C1812B	0.68	(0.04)	208,939	-	SAWA07C1812A	-	-	-	-	SPRC13C1812A	0.36	0.02	418,761	-
PTTG19C1811A	0.16	(0.02)	24,120	-	SAWA08C1811A	-	-	-	-	SPRC19C1901A	0.43	0.02	90,115	-
PTTG19C1902A	0.73	(0.04)	29,821	-	SAWA08C1902A	0.95	(0.07)	5,488	-	SPRC23C1810A	-	-	-	-
PTTG23C1901A	-	-	-	-	SAWA11C1906A	0.59	(0.03)	4,139	-	SPRC24C1903A	0.40	0.01	28,874	-
PTTG24C1812A	0.09	(0.01)	211	-	SAWA13C1810A	-	-	-	-	STA01C1812A	0.64	(0.02)	40,935	-
PTTG24C1901A	0.46	(0.05)	3,800	-	SAWA13C1811A	-	-	-	-	STA01C1812B	0.50	-	12,085	-
PTTG24P1901A	0.20	-	30	-	SAWA13C1812A	0.35	(0.03)	60,418	-	STA13C1812A	0.78	0.01	3,002	-
PTTG27C1903A	0.44	(0.02)	11,561	-	SAWA13C1901A	0.94	(0.06)	1,470	-	STA13C1901A	0.51	-	91,926	-
PTTG27P1903A	0.38	0.01	22,818	-	SAWA19C1901A	0.94	(0.06)	48,073	-	STA13C1902A	0.32	(0.68)	166,807	-
PTTG28C1811A	0.12	(0.01)	29,696	-	SAWA24C1812A	0.32	(0.06)	2,984	-	STA19C1811A	0.43	0.01	14,400	-
PTTG28C1812A	0.64	(0.04)	36,402	-	SAWA24C1902A	0.81	(0.07)	1,900	-	STA19C1903A	0.73	-	4,998	-
QHD01C1810A	0.69	-	6,302	-	SAWA27C1903A	-	-	-	-	STA23C1809A	0.40	0.02	2,000	-
QHD01C1810B	0.35	(0.03)	14,936	-	SAWA28C1810A	-	-	-	-	STEC01C1809A	0.39	0.01	67,431	-
QHD01P1810A	0.07	(0.01)	16,841	-	SAWA28C1811A	0.39	(0.05)	20,816	-	STEC01C1809B	0.99	0.01	35,691	1.00
QH11C1902A	0.56	0.02	4,408	-	SAWA28C1812A	-	-	-	-	STEC01C1902A	0.84	0.01	98,660	-
QH19C1901A	0.29	(0.01)	46,979	-	SCB01C1810A	0.66	-	19,135	-	STEC01C1902B	0.73	0.01	79,709	-
QH24C1812A	-	-	-	-	SCB01C1902A	1.16	0.01	11,428	1.00	STEC01P1809A	0.17	(0.03)	21,525	-
QH27C1903A	0.35	-	22,124	-	SCB01C1902B	1.05	(0.03)	20,824	1.00	STEC01P1902A	0.58	(0.01)	76,320	-
RATC19C1901A	0.31	-	11,248	-	SCB01P1902A	0.33	-	8,439	-	STEC06C1809A	0.47	0.03	18,124	-
RATC24C1902A	0.30	(0.01)	210	-	SCB01P1902B	0.12	0.01	1,000	-	STEC08C1809A	0.22	(0.01)	45,439	-
RATC27C1812A	-	-	-	-	SCB06C1811A	0.82	-	7,243	-	STEC11C1903A	0.76	-	42,854	-
ROBI01C1809A	0.41	(0.06)	34,985	-	SCB08C1901A	0.62	(0.03)	9,134	-	STEC13C1902A	0.69	-	215,793	-
ROBI01C1903A	0.94	(0.05)	31,105	-	SCB11C1901A	0.34	-	7,810	-	STEC19C1901A	0.74	-	27,661	-
ROBI01C1903B	0.76	(0.05)	35,842	-	SCB11P1901A	0.20	(0.01)	2,821	-	STEC24C1901A	0.86	0.03	30,000	-
ROBI06C1809A	0.37	(0.07)	24,392	-	SCB13C1812A	0.77	0.02	24,875	-	STEC27C1902A	-	-	-	-
ROBI11C1906A	0.65	(0.04)	11,044	-	SCB13C1902A	0.49	0.01	62,263	-	STEC28C1810A	-	-	-	-
ROBI13C1902A	0.61	(0.05)	135,686	-	SCB13P1812A	0.03	-	500	-	STEC28C1902A	0.57	-	112,325	-
ROBI19C1901A	0.82	(0.05)	13,540	-	SCB19C1811A	0.39	(0.01)	7,580	-	STPI08C1811A	0.07	0.01	4,938	-
ROBI24C1901A	-	-	-	-	SCB24C1901A	-	-	-	-	SUPE08C1811A	0.03	0.02	96,721	-
ROBI24C1903A	-	-	-	-	SCB24C1902A	-	-	-	-	SUPE13C1810A	0.01	-	12,818	-
RS08C1901A	0.73	0.03	72,100	-	SCB24P1811A	0.02	-	1,000	-	SUPE13C1811A	0.09	0.08	159,718	-
RS13C1901A	0.80	0.04	699,924	-	SCB27C1902A	0.61	(0.02)	8,000	-	SUPE19C1902A	0.24	0.09	2,361,974	-
RS19C1901A	0.75	0.04	73,432	-	SCB27P1903A	0.44	-	7,280	-	SUPE23C1811A	0.07	0.06	198,255	-
RS24C1811A	0.63	(0.01)	25,340	-	SCB28C1812A	0.62	(0.02)	7,376	-	SUPE23C1901A	0.06	-	5,396	-
S10001C1811A	0.66	0.01	17,335	-	SCB28C1902A	0.43	0.01	29,182	-	SUPE28C1810A	0.01	-	1	-
S5001C1809F	1.08	0.03	2,485,556	1.00	SCB28P1812A	0.03	-	510	-	SUPE28C1811A	0.01	(0.04)	3	-
S5001C1809G	0.04	(0.01)	173,162	-	SCB28P1901A	0.33	(0.01)	43,852	-	TASC01C1809A	0.01	-	12	-
S5001C1809H	2.62	0.06	247,637	2.00	SCB42C1903A	0.49	-	6,120	-	TASC01C1810A	0.13	-	127,344	-
S5001C1809I	1.92	0.09	1,664,396	1.00	SCC01C1901A	0.72	(0.03)	22,646	-	TASC01C1810B	-	-	-	-
S5001C1810A	1.58	-	69,668	1.00	SCC01C1901B	0.57	(0.04)	21,874	-	TASC01C1903A	0.49	0.01	13,736	-
S5001C1810B	1.65	0.03	184,034	1.00	SCC01P1901A	0.27	0.01	25,810	-	TASC01C1903B	0.37	0.01	20,703	-
S5001C1811A	0.92	0.01	13,259	-	SCC06C1809A	-	-	-	-	TASC01P1809A	1.63	-	14,115	1.00
S5001C1811B	0.88	0.01	72,439	-	SCC06C1902A	0.33	(0.02)	7,866	-	TASC01P1810A	0.54	-	8,437	-
S5001C1812F	1.26	0.02	1,003,038	1.00	SCC07C1812A	-	-	-	-	TASC01P1903A	0.56	-	15,042	-
S5001C1812G	0.99	0.03	1,018,474	1.00	SCC08C1809A	-	-	-	-	TASC07C1811A	0.03	(0.01)	4	-
S5001P1809F	0.80	(0.05)	2,344,088	-	SCC08C1902A	0.39	(0.01)	14,992	-	TASC08C1903A	0.42	(0.01)	27,258	-
S5001P1809G	0.05	(0.01)	37,242	-	SCC11C1811A	-	-	-	-	TASC11C1904A	0.12	-	3,160	-
S5001P1809H	0.01	-	11,202	-	SCC11C1906A	0.27	(0.01)	100	-	TASC13C1810A	-	-	-	-
S5001P1809I	0.01	-	8,705	-	SCC11P1811A	0.13	0.01	8,000	-	TASC13C1901A	0.29	-	119,878	-
S5001P1810A	0.14	-	58,720	-	SCC13C1809A	-	-	-	-	TASC19C1902A	0.39	-	51,551	-
S5001P1810B	0.05	0.01	51,042	-	SCC13C1812A	0.17	(0.02)	17,596	-	TASC23C1902A	0.31	(0.01)	54,595	-
S5001P1811A	0.68	-	118,671	-	SCC13C1901A	-	-	-	-	TASC24C1810A	-	-	-	-
S5001P1811B	0.57	(0.03)	488,937	-	SCC19C1811A	0.12	(0.01)	3,320	-	TASC24C1903A	0.33	(0.01)	18,630	-
S5001P1812F	0.90	(0.03)	1,079,804	-	SCC19C1901A	0.41	(0.01)	57,860	-	TCAP01C1901A	0.63	(0.01)	5,834	-
S5001P1812G	0.62	(0.03)	1,040,817	-	SCC23C1811A	-	-	-	-	TCAP01C1901B	0.50	(0.01)	14,628	-
S5006C1809A	0.11	0.01	13,974	-	SCC24C1812A	0.03	-	10,000	-	TCAP01P1901A	0.30	0.01	15,258	-
S5006C1809B	-	-	-	-	SCC24C1901A	-	-	-	-	TCAP08C1810A	-	-	-	-
S5006C1809C	0.36	(0.03)	865	-	SCC24C1902A	-	-	-	-	TCAP11C1811A	0.10	-	220	-
S5006C1809D	0.03	-	20,453	-	SCC24P1901A	-	-	-	-	TCAP13C1901A	0.46	(0.02)	83,900	-
S5006C1812A	0.77	0.01	96,710	-	SCC27C1809A	-	-	-	-	TCAP19C1901A	0.36	(0.02)	2,000	-
S5006C1812B	0.89	0.01	17,745	-	SCC27P1809A	-	-	-	-	TCAP24C1903A	-	-	-	-
S5006C1812C	0.72	-	5,548	-	SCC28C1811A	-	-	-	-	THAI01C1901A	0.25	(0.01)	13,079	-
S5006C1812D	1.23	(0.03)	611	1.00	SCC28C1812A	0.43	(0.01)	2,046	-	THAI01C1901B	0.13	-	13,091	-
S5006P1809A	0.42	(0.04)	132,546	-	SCC08C1811A	-	-	-	-	THAI01P1901A	0.82	(0.01)	11,999	-
S5006P1809B	0.03	(0.02)	11,520	-	SCC13C1809A	-	-	-	-	THAI06C1809A	-	-	-	-
S5006P1809C	0.02	-	200	-	SCC27C1812A	0.10	-	200	-	THAI07C1811A	-	-	-	-
S5006P1809D	0.02	0.01	501	-	SGP06C1812A	0.26	-	21,830	-	THAI08C1903A	0.22	-	14,749	-
S5006P1812A	0.60	(0.03)	106,814	-	SGP08C1901A	0.46	(0.01)	27,155	-	THAI11C1906A	0.31	(0.01)	4,267	-
S5006P1812B	0.18	(0.01)	132,394	-	SGP11C1904A	0.25	0.01	1,885	-	THAI13C1811A	-	-	-	-
S5006P1812C	0.26	(0.03)	29,027	-	SGP13C1811A	-	-	-	-	THAI13C1902A	0.27	(0.02)	209,675	-
S5006P1812D	0.70	(0.01)	130	-	SGP13C1812A	0.32	(0.01)	48,166	-	THAI19C1901A	0.23	(0.01)	15,313	-
S5008C1809A	0.67	-	36,922	-	SGP19C1811A	0.32	(0.01)	25,782	-	THAI23C1901A	0.02	0.01	557	-
S5008P1809A	-	-	-	-	SGP19C1904A	0.40	-	10,903	-	THAI24C1901A	-	-	-	-
S5013C1809A	0.02	-	402,529	-	SGP24C1811A	-	-	-	-	THAI27C1809A	-	-	-	-
S5013C1809B	0.17	-	900,563	-	SGP24C1902A	1.11	(0.01)	10	1.00	THAI28C1901A	0.22	-	34,775	-
S5013C1809C	0.05	(0.01)	2,346,189	-	SGP27C1903A	0.39	(0.01)	1,200	-	THAN01C1812A	0.62	0.11	51,192	-
S5013C1809D	0.52	0.02	1,209,908	-	SGP28C1811A	0.13	(0.01)	10,240	-	THAN13C1809A	-	-	-	-
S5013C1809E	1.51	0.10	90,076	1.00	SIRI01C1901A	0.43	(0.04)	32,684	-	THAN13C1902A	0.62	0.12	118,347	-
S5013C1809F	0.96	0.05	2,063	-	SIRI01C1901B	0.16	(0.02)	8,605	-	THAN19C1903A	0.76	0.13	37,040	-
S5013C1812A	1.25	0.03	3,357,895	1.00	SIRI01P1901A	0.46	0.02	17,229	-	THAN24C1903A	0.67	0.15	20,001	-
S5013C1812B	0.93	0.02	2											

Main Board Quotation

Issue Date :

Thursday September 20, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TISC28C1901A	0.68	0.02	131,155	-	TRUE28C1810A	-	-	-	-	JUTHA-Q	-	-	-	-
TKN01C1901A	0.67	0.07	264,380	-	TRUE28C1812A	0.10	-	131,160	-	KTB-Q	-	-	-	-
TKN01C1901B	0.49	0.05	256,727	-	TTA08C1906A	0.28	-	17,357	-	SCB-Q	-	-	-	-
TKN08C1811A	0.07	0.01	2,860	-	TTA13C1901A	0.21	-	50,405	-	TCAP-Q	-	-	-	-
TKN11C1902A	0.18	0.02	71,047	-	TTA19C1811A	0.08	-	1,500	-	TIC-Q	-	-	-	-
TKN13C1810A	0.03	0.01	2,500	-	TTA23C1901A	0.10	-	1,000	-	TISCO-Q	-	-	-	-
TKN13C1811A	0.07	0.02	1,335	-	TTA24C1809A	-	-	-	-	U-Q	-	-	-	-
TKN13C1812A	0.34	0.06	574,607	-	TTA24C1902A	-	-	-	-	Warrant	-	-	-	-
TKN19C1811A	0.09	0.02	32,895	-	TTA28C1812A	0.09	-	14,000	-	7UP-W2	0.06	-	548	-
TKN19C1903A	0.52	0.06	221,328	-	TU01C1901A	0.69	(0.03)	25,482	-	ACC-W1	0.03	0.01	1,278	-
TKN23C1902A	0.37	0.05	37,265	-	TU01C1901B	0.64	(0.05)	60,495	-	AJA-W1	0.20	-	5,817	-
TKN24C1811A	0.18	0.03	94,100	-	TU01P1901A	0.15	0.01	20,462	-	ALT-W1	0.64	0.10	69,523	-
TKN24C1812A	-	-	-	-	TU06C1902A	0.37	(0.02)	18,916	-	APURE-W2	0.29	(0.01)	61,365	-
TKN28C1811A	-	-	-	-	TU07C1902A	-	-	-	-	AQ-W4	0.01	-	3,205	-
TKN28C1812A	0.54	0.06	192,946	-	TU08C1811A	-	-	-	-	AS-W1	0.27	0.01	1,201	-
TMB01C1810A	0.24	0.01	258,192	-	TU11C1902A	0.06	(0.01)	3,000	-	AYUD-W1	3.28	(0.04)	7,762	3.00
TMB01C1810B	0.04	-	120,247	-	TU11C1906A	0.27	(0.01)	9,918	-	B-W3	-	-	-	-
TMB01P1810A	0.30	(0.01)	318,080	-	TU13C1902A	0.33	(0.02)	17,294	-	B-W4	0.17	(0.01)	10,416	-
TMB06C1809A	-	-	-	-	TU19C1901A	0.35	(0.01)	30,446	-	BTS-W3	0.01	-	1,048	-
TMB06C1902A	0.14	-	6,710	-	TU23C1902A	-	-	-	-	BWG-W4	0.09	-	47,617	-
TMB06C1903A	0.33	-	29,950	-	TU24C1901A	0.24	0.10	500	-	CEN-W4	0.05	0.01	2,103	-
TMB07C1811A	-	-	-	-	TVO01C1809A	0.14	0.03	15,256	-	CGD-W4	0.31	(0.01)	54,385	-
TMB07C1903A	-	-	-	-	TVO01C1809B	0.01	-	5,000	-	CGH-W3	0.07	-	286,876	-
TMB08C1901A	0.10	-	26,093	-	TVO01C1903A	0.38	0.02	6,029	-	CI-W1	0.46	0.02	402	-
TMB11C1904A	0.11	-	20,699	-	TVO01C1903B	0.32	0.02	12,987	-	CKP-W1	0.54	0.01	124,097	-
TMB13C1811A	0.05	-	37,357	-	TVO11C1903A	0.11	0.01	300	-	CRANE-W1	1.80	0.10	81	1.00
TMB13C1901A	0.24	-	155,367	-	TVO13C1902A	0.25	0.02	17,749	-	CWT-W4	0.58	(0.02)	77,171	-
TMB19C1901A	0.16	-	87,833	-	TVO19C1902A	0.25	0.01	1,652	-	DCC-W1	1.11	0.01	252,284	1.00
TMB23C1810A	-	-	-	-	TVO24C1810A	-	-	-	-	DCON-W1	-	-	-	-
TMB24C1809A	-	-	-	-	TVO24C1903A	-	-	-	-	DIGI-W1	0.03	-	6,400	-
TMB24C1901A	0.06	(0.01)	165	-	UNI001C1809A	0.12	(0.01)	74,975	-	DIGI-W2	0.02	0.01	2,017	-
TMB24C1902A	0.23	-	333,391	-	UNI001C1810A	0.39	(0.02)	30,653	-	EARTH-W4	-	-	-	-
TMB27C1903A	0.32	0.01	3,728	-	UNI001C1810B	0.09	(0.03)	177,271	-	EIC-W2	-	-	-	-
TMB28C1901A	0.23	-	111,800	-	UNI001P1809A	0.23	0.02	7,748	-	EIC-W3	-	-	-	-
TOA01C1901A	0.34	0.02	83,226	-	UNI008C1810A	0.07	(0.02)	13,828	-	EIC-W4	-	-	-	-
TOA01C1901B	0.24	0.02	36,826	-	UNI008C1906A	0.37	-	20,217	-	EVER-W3	0.09	(0.01)	635,063	-
TOA08C1902A	0.16	0.01	8,102	-	UNI011C1811A	0.11	(0.01)	2,400	-	GJS-W3	-	-	-	-
TOA13C1812A	0.22	0.02	84,362	-	UNI013C1901A	0.32	(0.01)	58,755	-	GSTEL-W1	-	-	-	-
TOA19C1901A	0.23	0.02	27,413	-	UNI019C1811A	0.11	(0.02)	37,282	-	GSTEL-W2	-	-	-	-
TOA24C1812A	-	-	-	-	UNI023C1901A	0.14	-	19,392	-	IEC-W2	-	-	-	-
TOA28C1812A	0.19	0.01	49,630	-	UNI024C1811A	-	-	-	-	IHL-W1	6.00	0.20	700	5.00
TOP01C1901A	1.77	0.12	93,941	1.00	UNI028C1811A	0.13	(0.01)	59,945	-	ITD-W1	0.13	(0.02)	436,230	-
TOP01C1901B	1.67	0.18	80,386	1.00	UV01C1902A	0.68	0.06	78,804	-	JAS-W3	2.40	0.10	113,331	2.00
TOP01P1901A	0.40	(0.04)	55,427	-	UV01C1902B	0.57	0.06	93,252	-	JCK-W5	-	-	-	-
TOP06C1809A	0.01	-	29	-	UV06C1812A	0.49	0.08	44,003	-	JMART-W2	1.64	(0.02)	4,856	1.00
TOP06C1903A	1.57	0.16	27,221	1.00	UV13C1812A	0.49	0.07	389,731	-	JMT-W2	1.98	(0.04)	187,408	2.00
TOP07C1812A	0.66	0.10	12,264	-	UV19C1902A	0.55	0.06	82,933	-	MACO-W2	0.26	(0.02)	428,712	-
TOP08C1811A	0.15	0.04	29,372	-	UV23C1809A	-	-	-	-	MIDA-W2	0.02	-	28,451	-
TOP08C1902A	0.85	0.11	89,282	-	UV24C1812A	0.23	0.04	1,600	-	MILL-W3	0.02	(0.01)	133,538	-
TOP11C1905A	1.40	0.15	28,167	1.00	VGI01C1812A	0.73	0.02	12,078	-	MILL-W4	0.28	(0.01)	9,915	-
TOP13C1811A	0.11	0.03	62,512	-	VGI06C1904A	-	-	-	-	MILL-W5	0.28	(0.01)	21,334	-
TOP13C1901A	0.87	0.11	172,074	-	VGI06C1904B	-	-	-	-	ML-W2	0.04	-	66,796	-
TOP19C1901A	0.64	0.09	442,771	-	VGI06C1904C	-	-	-	-	MONO-W1	0.51	0.01	16,728	-
TOP23C1811A	0.20	0.04	31,664	-	VGI08C1811A	0.63	0.04	17,411	-	NEP-W3	-	-	-	-
TOP24C1901A	0.26	0.07	47,731	-	VGI23C1905A	1.42	0.01	2,000	1.00	NOK-W1	0.50	(0.02)	20	-
TOP24C1902A	0.84	0.08	1,800	-	VGI23C1911A	1.38	(0.02)	2,000	1.00	NUSA-W3	0.13	(0.02)	111	-
TOP24C1903A	0.63	0.10	16,994	-	VGI27C1812A	0.36	0.01	2,200	-	NVD-W1	0.53	-	10,955	-
TOP27C1903A	0.73	0.06	41,164	-	VGI28C1810A	-	-	-	-	ORI-W1	2.28	0.02	5,559	2.00
TOP28C1810A	-	-	-	-	WHA01C1812A	0.69	(0.02)	90,615	-	PACE-W2	0.19	-	65,272	-
TOP28C1812A	0.78	0.10	133,753	-	WHA01C1812B	0.56	(0.03)	125,063	-	PDI-W1	1.28	(0.03)	23,801	1.00
TP101C1812A	0.32	(0.01)	8,117	-	WHA01P1812A	0.40	(0.02)	27,742	-	PDJ-W2	1.33	(0.03)	35	1.00
TP101C1812B	0.20	(0.03)	46,501	-	WHA06C1809A	0.10	0.01	35,152	-	PDJ-W3	1.29	(0.01)	153	1.00
TP107C1812A	-	-	-	-	WHA06C1903A	0.55	(0.01)	45,698	-	PDJ-W4	1.29	(0.01)	285	1.00
TP113C1809A	-	-	-	-	WHA07C1810A	0.23	0.02	7,100	-	PLE-W3	0.13	(0.01)	46,615	-
TP113C1902A	0.31	(0.01)	7,204	-	WHA08C1811A	0.18	(0.01)	70,846	-	RICH-W1	-	-	-	-
TP119C1901A	0.36	(0.03)	11,414	-	WHA11C1903A	0.27	0.01	35,214	-	RICHY-W1	0.29	(0.01)	5,307	-
TP123C1809A	-	-	-	-	WHA13C1812A	0.49	(0.01)	256,551	-	RICHY-W2	0.18	(0.01)	5,683	-
TP124C1902A	-	-	-	-	WHA19C1901A	0.53	(0.01)	51,094	-	RS-W3	8.90	(0.05)	294	8.00
TP1P01C1810A	0.34	(0.03)	23,007	-	WHA23C1810A	0.26	-	26,100	-	S-W1	0.14	(0.02)	103,823	-
TP1P01C1810B	-	-	-	-	WHA24C1811A	-	-	-	-	SAMART-W2	0.70	(0.02)	86,586	-
TP1P01P1810A	0.45	0.01	5,825	-	WHA24C1902A	0.50	(0.02)	120,723	-	SAWAD-W1	6.15	(0.20)	1,144	6.00
TP1P11C1811A	-	-	-	-	WHA27C1903A	0.69	-	2,000	-	SDC-W1	0.26	0.03	131,402	-
TP1P13C1811A	0.14	(0.01)	8,726	-	WHA28C1901A	0.51	(0.01)	143,935	-	SMM-W4	-	-	-	-
TP1P13C1902A	0.33	(0.02)	14,326	-	WHAU01C1810A	0.23	-	44,026	-	SMT-W1	0.08	0.01	138	-
TP1P19C1902A	0.39	-	26,674	-	WHAU01C1810B	-	-	-	-	SMT-W2	0.67	-	15,136	-
TP1P24C1901A	0.28	(0.02)	29,084	-	WHAU13C1902A	0.28	(0.02)	42,081	-	SPALI-W4	20.60	(0.10)	1,751	20.00
TP1P27C1812A	-	-	-	-	WHAU19C1902A	0.34	-	8,802	-	SPORT-W5	0.02	-	8	-
TRUE01C1902A	0.40	-	106,721	-	WHAU24C1812A	0.03	(0.01)	4,001	-	SUPER-W4	0.10	0.01	4,777,168	-
TRUE01C1902B	0.29	0.01	111,545	-	WHAU24C1902A	-	-	-	-	SUSCO-W1	0.09	(0.01)	17,972	-
TRUE01P1902A	0.53	(0.01)	69,798	-	WORK01C1811A	0.38	0.02	37,133	-	SVI-W3	1.95	(0.07)	2,919	1.00
TRUE01P1902B	0.39	-	79,549	-	WORK01C1811B	0.16	-	11,148	-	TCC-W3	0.12	(0.05)	12,085	-
TRUE06C1811A	0.04	(0.01)	17,801	-	WORK08C1809A	-	-	-	-	TCC-W4	0.15	-	23	-
TRUE06C1906A	0.20	(0.01)	31,755	-	WORK08C1901A	0.28	-	20,277	-	TCC-W5	0.18	0.02	48,759	-
TRUE07C1902A	-	-	-	-	WORK11C1903A	0.08	-	1,619	-	TCJ-W2	0.94	-	1,596	-
TRUE08C1809A	0.01	-	1	-	WORK13C1810A	0.01	-	1	-	TCMC-W2	0.37	-	7,228	-
TRUE08C1902A	0.25	-	88,174	-	WORK13C1811A	0.04	-	50	-	TFG-W1	1.58	0.02	50	1.00
TRUE08P1809A	0.01	(0.01)	20,017	-	WORK13C1812A	0.28	0.03	75,138	-	TFG-W2	0.78	0.01	201	-
TRUE11C1905A	0.24	(0.02)	13,527	-	WORK13C1902A	0.48	0.02	90,618	-	TH-W2	0.15	0.01	800	-
TRUE13C1810A	-	-	-	-	WORK19C1811A	0.06	(0.01)	3,080	-	THE-W2	0.05	(0.01)	173,979	-
TRUE13C1812A	0.13	(0.01)	380,107	-	WORK19C1902A	0.52	0.03	126,613	-	TNITY-W1	1.02	(0.02)	7,195	1.00
TRUE13C1901A	0.25	(0.01)	464,831	-	WORK24C181									

Main Board Quotation

Issue Date :

Thursday September 20, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIBHA-W3	0.31	(0.01)	14,189	-	TAKUNI-W	0.21	0.01	79,049	-	-	-	-	-	-
WAVE-W1	0.36	-	200	-	TAPAC-W3	3.02	0.22	53,560	3.00	-	-	-	-	-
WHA-W1	7.55	(0.05)	8,540	7.00	TMILL-W1	1.05	(0.07)	6,776	1.00	-	-	-	-	-
WORK-W1	8.75	(0.20)	77	8.00	TSF-W4	-	-	-	-	-	-	-	-	-
Preferred Shares					TSF-W5	0.01	-	1,100	-	-	-	-	-	-
BH-P	-	-	-	-	TVD-W2	0.66	-	11,225	-	-	-	-	-	-
CSC-P	-	-	-	-	UAC-W2	0.81	(0.06)	19,518	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UKEM-W2	0.50	-	438	-	-	-	-	-	-
KTB-P	-	-	-	-	UWC-W2	0.01	-	149,430	-	-	-	-	-	-
SCB-P	-	-	-	-	XO-W1	6.30	-	1,406	6.00	-	-	-	-	-
TCAP-P	-	-	-	-	Preferred Shares					-	-	-	-	-
TIC-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-						-	-	-	-	-
U-P	0.04	-	32,913	-						-	-	-	-	-
Warrant (MAI)	-	-	-	-						-	-	-	-	-
2S-W1	0.17	0.01	52,171	-						-	-	-	-	-
ACAP-W2	2.06	0.13	29,861	2.00						-	-	-	-	-
AIRA-W2	0.03	-	5,388	-						-	-	-	-	-
ATP30-W1	0.80	-	2,365	-						-	-	-	-	-
BKD-W2	0.29	(0.01)	101,982	-						-	-	-	-	-
BM-W1	0.47	-	58,675	-						-	-	-	-	-
BSM-W2	0.19	(0.01)	12,256	-						-	-	-	-	-
CHEWA-W1	0.29	(0.01)	14,317	-						-	-	-	-	-
CIG-W7	0.01	-	10,304	-						-	-	-	-	-
DIMET-W2	0.17	(0.01)	43,156	-						-	-	-	-	-
DNA-W1	1.31	0.01	5,149	1.00						-	-	-	-	-
ECF-W2	5.50	(0.05)	654	5.00						-	-	-	-	-
ECF-W3	3.40	-	5,583	3.00						-	-	-	-	-
EFORL-W3	0.02	0.01	13,746	-						-	-	-	-	-
EFORL-W4	0.01	-	500	-						-	-	-	-	-
FC-W1	0.06	0.01	4,443	-						-	-	-	-	-
FC-W2	0.02	-	17,699	-						-	-	-	-	-
FOCUS-W2	0.56	-	435	-						-	-	-	-	-
FVC-W2	0.40	0.01	20,904	-						-	-	-	-	-
ITEL-W1	0.48	0.01	20,964	-						-	-	-	-	-
JKN-W1	2.02	0.02	45,523	2.00						-	-	-	-	-
LIT-W1	2.16	-	638	2.00						-	-	-	-	-
META-W2	0.05	-	2,443	-						-	-	-	-	-
NCL-W3	0.47	(0.02)	11,220	-						-	-	-	-	-
NDR-W1	0.06	-	35,042	-						-	-	-	-	-
NEWS-W4	-	-	-	-						-	-	-	-	-
NEWS-W6	0.01	-	4	-						-	-	-	-	-
PHOL-W1	0.01	(0.01)	12,577	-						-	-	-	-	-
PIMO-W1	2.50	0.02	7,385	2.00						-	-	-	-	-
PPS-W1	0.83	(0.01)	81	-						-	-	-	-	-
PSTC-W1	0.29	0.04	154,490	-						-	-	-	-	-
SIMAT-W2	0.55	0.01	384	-						-	-	-	-	-
SIMAT-W3	0.55	-	1,122	-						-	-	-	-	-
SIMAT-W4	1.30	0.01	28,919	1.00						-	-	-	-	-
SKY-W1	12.90	(0.10)	240	12.00						-	-	-	-	-
STAR-W3	1.96	0.07	357	1.00						-	-	-	-	-