

Main Board Quotation

Issue Date :

Monday September 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	11.50	0.10	71,920	11.54	SE-ED	3.08	(0.02)	188	3.03
POMPI	-	-	-	-	ILINK	5.15	-	6,039	5.08	SMM	0.88	-	2,070	0.87
SAFARI	-	-	-	-	INET	3.94	-	1,048	3.94	SPORT	0.39	(0.01)	803	0.39
VI	-	-	-	-	INTUCH	55.00	(0.50)	60,975	55.33	TBSP	13.80	(1.10)	113	13.86
WORLD	-	-	-	-	JAS	5.65	(0.10)	598,570	5.71	TH	0.70	(0.01)	990	0.70
WR	-	-	-	-	JASIF	10.40	-	105,129	10.41	TKS	11.30	-	13,182	11.33
Agribusiness					JMART	9.10	(0.40)	24,796	9.18	TRITN	0.47	-	236,299	0.47
CHOTI	-	-	-	-	JTS	1.61	-	382	1.61	VGI	7.90	(0.05)	72,529	7.90
EE	0.68	(0.01)	30,746	0.68	MFEC	3.42	-	3,596	3.44	WAVE	2.56	(0.02)	21	2.56
GFPT	14.40	(0.10)	9,998	14.50	MSC	6.50	-	300	6.50	WORK	43.50	0.25	34,448	43.41
LEE	2.80	-	611	2.78	PT	6.75	-	3,023	6.75	Finance & Securities	-	-	-	-
STA	15.20	(0.30)	83,021	15.21	SAMART	8.35	(0.10)	45,185	8.43	AEC	0.51	(0.01)	2,780	0.52
TLUXE	5.75	-	8,655	5.86	SAMTEL	8.85	(0.10)	709	8.91	AEONTS	193.50	3.00	8,359	191.83
TRUBB	1.90	(0.05)	9,896	1.90	SDC	0.50	0.08	491,051	0.46	AMANAHA	1.99	(0.03)	59,470	2.00
TWPC	8.95	0.10	12,259	8.90	SIS	9.00	(0.05)	686	9.04	ASAP	7.20	0.05	38,916	7.13
UPOIC	4.80	0.40	1,385	4.58	SVOA	1.40	(0.01)	7,705	1.40	ASK	23.60	(0.10)	902	23.64
UVAN	7.15	0.05	1,035	7.15	SYMC	5.65	0.05	2	5.63	ASP	3.84	-	26,204	3.84
VPO	0.65	-	851	0.65	SYNEX	14.30	(0.10)	9,789	14.33	BFIT	29.50	0.50	963	29.28
Banking					THCOM	9.90	(0.10)	29,983	9.97	CGH	1.05	(0.02)	10,780	1.05
BAY	40.25	(0.25)	4,795	40.57	TRUE	6.05	-	1,548,828	6.12	CNS	2.60	-	143	2.59
BBL	211.00	3.00	57,395	210.67	TWZ	0.12	(0.01)	64,589	0.12	ECL	2.06	0.02	49,046	2.07
CIMBT	0.91	0.05	484,120	0.91	Electronic Componer	-	-	-	-	FNS	4.08	-	777	4.09
KBANK	215.00	(2.00)	31,123	215.44	CCET	2.02	0.04	48,192	2.01	FSS	2.34	0.02	815	2.32
KKP	74.75	(0.25)	19,814	75.07	DELTA	69.50	-	3,987	69.45	GBX	0.67	-	76	0.67
KTB	20.10	(0.20)	228,643	20.15	EIC	0.05	-	7,172	0.05	GL	7.40	(0.10)	31,207	7.49
LHFG	1.58	(0.01)	19,722	1.58	HANA	39.25	-	29,340	39.55	IFS	3.06	(0.02)	545	3.08
SCB	148.00	(1.00)	39,654	148.52	KCE	43.00	0.50	54,535	42.83	JMT	11.30	(0.90)	205,945	11.29
TCAP	53.00	-	14,915	53.07	METCO	198.00	2.00	2	198.00	KCAR	12.80	-	522	12.80
TISCO	83.50	(0.50)	16,684	83.69	SMT	2.30	(0.02)	1,108	2.32	KGI	4.50	0.04	22,545	4.50
TMB	2.40	0.02	2,204,152	2.41	SPPT	3.78	0.12	14,267	3.77	KTC	34.75	(0.75)	148,975	35.06
Construction Materia					SVI	5.75	0.25	88,246	5.69	MBKET	13.10	(0.10)	2,339	13.11
CCP	0.42	0.01	3,297	0.41	TEAM	1.14	(0.01)	4,719	1.15	MFC	16.90	(0.20)	310	16.93
COTTO	3.06	0.04	379,885	3.16	Energy & Utilities	-	-	-	-	ML	1.11	0.02	2,228	1.10
DCC	2.66	0.02	79,744	2.67	ABPIF	8.45	0.05	1,435	8.47	MTC	43.00	(0.50)	28,866	43.41
DCON	0.57	-	30,269	0.56	AI	-	-	-	-	PE	0.24	-	2,862	0.25
DRT	5.60	(0.05)	5,484	5.63	AKR	1.03	(0.02)	107,552	1.03	PL	3.52	-	1,200	3.52
EPG	8.95	(0.20)	70,735	9.02	BAFS	34.75	-	1,248	34.80	S11	7.60	(0.05)	816	7.58
GEL	0.36	0.01	21,318	0.35	BANPU	19.50	(0.10)	439,681	19.63	SAWAD	45.75	(0.25)	55,448	46.14
PPP	3.48	-	218	3.47	BCP	35.25	-	21,274	35.26	THANI	8.85	(0.10)	155,054	8.80
Q-CON	5.35	(0.05)	100	5.35	BCPG	21.30	0.50	268,852	21.17	TK	11.50	0.20	515	11.45
RCI	3.92	0.22	71,886	3.85	BGRIM	27.50	(0.25)	29,574	27.50	TNITY	5.95	(0.05)	1,778	5.97
SCC	452.00	(6.00)	14,137	452.69	BPP	25.50	(0.25)	17,321	25.75	UOBKH	4.20	(0.10)	116	4.22
SCCC	250.00	(3.00)	177	251.42	BRRGIF	10.00	-	1,171	10.00	ZMICO	1.16	-	6,976	1.15
SCP	8.90	(0.15)	10,153	9.01	CKP	4.98	(0.02)	405,856	5.00	Food & Beverage	-	-	-	-
SKN	4.62	-	3,367	4.61	DEMCO	3.96	(0.02)	3,304	3.97	APURE	1.49	(0.02)	8,703	1.50
TASCO	16.10	(0.10)	66,672	16.25	EA	48.00	0.75	330,544	48.13	ASIAN	8.90	-	24,258	8.93
TCMC	2.74	-	9,698	2.76	EARTH	-	-	-	-	BR	5.40	(0.10)	10,244	5.45
TOA	37.50	(0.50)	37,541	38.16	EASTW	10.90	-	6,897	11.00	BRR	6.65	(0.05)	714	6.65
TPIPL	1.85	(0.01)	52,163	1.86	EGATTIF	10.90	(0.10)	28,302	11.00	CBG	53.75	-	15,184	53.82
UMI	1.54	0.09	93,563	1.54	EGCO	237.00	(1.00)	3,310	237.32	CFRESH	4.48	-	811	4.49
VNG	7.65	(0.10)	3,217	7.65	ESSO	15.40	(0.70)	309,040	15.43	CM	4.30	(0.02)	3,521	4.31
WIJK	2.46	(0.04)	5,092	2.48	GLOW	89.00	0.50	19,083	89.21	CPF	25.25	(0.25)	195,382	25.45
Petrochemicals & Ch					GPSC	68.50	-	7,520	68.40	CPI	1.84	(0.01)	1,037	1.85
BCT	52.50	0.50	37	52.36	GULF	73.00	(1.00)	29,993	73.35	F&D	-	-	-	-
CMAN	3.40	(0.06)	13,156	3.41	GUNKUL	2.92	0.02	38,687	2.92	HTC	16.70	-	793	16.73
GC	5.10	(0.10)	360	5.15	IEC	-	-	-	-	ICHI	4.64	0.02	49,667	4.66
GGC	11.60	(0.10)	41,933	11.72	IFEC	-	-	-	-	KBS	4.30	-	840	4.28
GIFT	4.58	-	633	4.55	IRPC	7.00	0.05	590,845	6.98	KSL	3.42	-	7,530	3.44
IVL	59.00	(0.50)	126,220	59.18	LANNA	16.10	-	2,272	16.10	KTIS	5.80	-	1,038	5.72
NFC	11.50	0.10	485	11.47	MDX	4.64	-	246	4.62	LST	4.98	(0.02)	1,082	4.98
PATO	14.50	0.20	130	14.41	PTG	12.80	(0.10)	149,711	12.83	M	73.00	(1.75)	8,807	73.31
PMTA	13.80	(0.20)	100	13.89	PTT	54.00	0.25	427,511	53.75	MALEE	14.70	(0.20)	29,051	14.87
PTTGC	79.75	(1.50)	247,585	80.38	PTTEP	154.50	1.00	91,738	154.25	MINT	40.00	0.25	113,830	40.10
SUTHA	4.32	-	301	4.33	RATCH	51.25	(0.50)	15,067	51.48	OISHI	93.00	0.75	31	92.73
TCCC	34.50	(0.50)	22	34.49	RPC	0.53	(0.01)	11,997	0.54	PB	60.50	-	50	60.58
TPA	6.70	-	112	6.65	SCG	4.56	(0.02)	710	4.58	PM	9.20	-	23,013	9.26
UP	-	-	-	-	SCI	3.12	-	2,323	3.13	PRG	14.00	-	155	14.00
VNT	25.50	0.25	9,402	25.46	SCN	4.28	0.10	134,521	4.29	SAPPE	24.00	(0.20)	4,677	24.06
WG	164.00	3.00	25	164.28	SGP	11.90	(0.40)	168,015	12.06	SAUCE	22.00	(0.10)	19	22.02
YCI	-	-	-	-	SKE	1.33	(0.01)	16,101	1.33	SFP	-	-	-	-
Commerce					SOLAR	2.32	-	1,653	2.31	SNP	20.40	-	96	20.39
BEAUTY	11.80	-	401,356	11.79	SPGC	21.10	(0.50)	9,785	21.38	SORKON	72.00	(0.25)	5	72.45
BIG	1.86	-	86,902	1.87	SPRC	14.80	(0.40)	260,538	14.90	SSC	-	-	-	-
BIC	59.00	(1.50)	51,403	59.51	SUPER	0.88	0.05	13,002,516	0.87	SSF	-	-	-	-
COL	29.25	(0.50)	6,195	29.63	SUSCO	3.22	(0.02)	8,648	3.24	SST	5.75	(0.10)	892	5.73
COM7	20.60	(0.20)	36,721	20.64	TAE	2.22	(0.04)	3,782	2.21	TC	3.04	-	202	3.04
CPALL	69.25	(0.25)	255,943	69.30	TCC	0.52	0.12	461,597	0.48	TFG	4.28	0.08	28,983	4.27
CSS	2.34	0.02	140,276	2.38	TOP	87.00	(0.50)	26,330	87.40	TFMAMA	160.00	0.50	32	160.00
FN	2.88	-	2,025	2.89	TPIPP	6.70	(0.15)	260,686	6.72	TIPCO	9.35	(0.10)	6,531	9.41
FTE	2.32	-	8,162	2.30	TTW	12.70	-	24,693	12.66	TKN	16.80	(0.50)	233,716	16.92
GLOBAL	20.40	(0.20)	72,708	20.43	WHAUP	6.20	(0.10)	43,559	6.27	TU	17.70	(0.10)	32,507	17.77
HMPRO	15.60	(0.20)	202,865	15.72	WP	7.50	(0.05)	26,960	7.53	TVO	29.75	-	4,790	29.74
IT	4.30	0.06	803	4.28	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.48	-	7,477	4.47	AMARIN	4.84	0.02	610	4.85	AHC	21.00	-	42	20.88
LOXLEY	2.22	(0.02)	13,609	2.22	AQUA	0.49	0.01	54,159	0.49	BCH	19.60	(0.60)	79,444	19.72
MAKRO	34.25	(0.50)	7,226	34.49	AS	1.16	0.01	28	1.16	BDMS	25.25	-	354,189	25.32
MC	12.90	0.10	3,080	12.91	BEC	7.25	(0.05)	161,410	7.30	BH	183.50	1.50	25,722	182.91
MEGA	36.75	(0.25)	6,584	36.91	EPCO	3.74	-	3,489	3.75	CHG	2.74	(0.02)	156,995	2.75
MIDA	0.62	0.01	2,570	0.61	FE	-	-	-	-	CMR	3.18	0.02	439	3.18
ROBINS	70.25	-	12,415	70.45	GPI	2.72	(0.02)	3,508	2.70	EKH	5.80	0.05	3,808	5.75
RSP	3.90	0.02	6,541	3.89	GRAMMY	7.95	(0.05)	542	7.97	KDH	95.00	-	19	95.01
SINGER	9.40	(0.25)	1,367	9.48	MACO	1.93	-	50,557	1.93	LPH	6.10	-	8,393	6.10
SPC	54.00	0.50	46	53.94										

Main Board Quotation

Issue Date :

Monday September 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.76	0.02	1,377	2.75	MJD	3.46	-	290	3.46	CPT	1.95	(0.03)	105,339	1.97
Tourism & Leisure					MK	4.02	0.02	7,119	4.03	CRANE	2.96	-	244	2.96
ASIA	6.75	(0.05)	708	6.80	NCH	0.94	(0.01)	4,650	0.93	CTW	9.40	-	898	9.41
CENTEL	41.75	-	40,259	41.51	NNCL	1.79	-	6,033	1.79	FMT	25.00	-	15	25.00
CSR	-	-	-	-	NOBLE	12.80	(0.10)	836	12.83	HTECH	7.05	0.05	6,867	7.04
DTC	12.40	0.40	18,580	12.37	NUSA	0.34	0.01	34,353	0.34	KKC	1.65	-	1,995	1.64
ERW	8.35	0.25	210,200	8.26	NVD	4.14	(0.02)	478	4.14	PK	3.34	(0.04)	11,210	3.34
GRAND	1.05	(0.02)	47,343	1.05	ORI	18.00	(0.50)	26,534	18.14	SNC	14.70	0.20	3,813	14.57
LRH	-	-	-	-	PACE	0.61	-	51,723	0.60	TCJ	6.00	0.15	2,687	6.11
MANRIN	28.25	0.25	1	28.25	PF	1.06	(0.01)	321,984	1.07	VARO	-	-	-	-
OHTL	780.00	(10.00)	3	780.40	PLAT	8.55	0.05	20,149	8.56	Property Fund & REI				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.80	0.10	1,466	10.82
SHANG	77.50	-	140	77.50	PRECHA	-	-	-	-	AMATAR	10.90	0.10	3,902	10.80
Home & Office Prod.					PRIN	1.63	(0.01)	3,916	1.63	B-WORK	11.30	-	265	11.40
ACC	0.49	0.05	153,587	0.50	PRINC	5.20	-	9,822	5.21	BKKCP	12.50	0.10	24	12.50
AJA	0.40	-	69,885	0.40	PSH	21.80	0.30	43,954	21.80	BOFFICE	13.40	0.10	54	13.40
DTCI	-	-	-	-	QH	3.56	(0.02)	476,272	3.59	CPNCG	15.90	(0.10)	1,851	15.89
FANCY	0.90	0.01	3,849	0.89	RICHY	1.85	(0.01)	26,836	1.86	CPNREIT	27.00	0.25	2,420	26.78
KYE	408.00	(2.00)	76	408.00	RML	1.34	-	45,705	1.35	CPTGF	13.40	-	105	13.40
L&E	2.68	(0.02)	83	2.68	ROJNA	5.40	(0.10)	13,861	5.41	CRYSTAL	10.30	-	214	10.21
MODERN	4.50	0.02	2,627	4.50	S	3.60	(0.04)	108,197	3.60	CTARAF	4.82	-	66	4.82
OGC	37.25	-	44	37.40	SAMCO	2.12	-	104	2.13	DREIT	5.50	(0.05)	1,729	5.50
ROCK	-	-	-	-	SC	3.70	(0.06)	25,171	3.72	ERWPF	5.60	-	100	5.60
SIAM	2.16	(0.04)	5,721	2.19	SENA	3.84	-	4,544	3.84	FUTUREPF	22.50	-	576	22.50
TSR	2.28	(0.04)	10,831	2.29	SF	8.85	0.10	4,507	8.83	GAHREIT	9.65	(0.05)	151	9.65
Insurance					SIRI	1.71	(0.03)	497,435	1.72	GLANDRT	13.00	-	151	13.00
AYUD	38.75	0.75	1,043	38.67	SPALI	24.60	(0.40)	59,811	24.64	GOLDPF	7.05	-	1,978	7.05
BKI	351.00	1.00	13	351.92	TIGON	16.80	(0.20)	221	16.89	GVREIT	15.40	-	753	15.50
BLA	33.00	-	19,982	33.25	U	0.04	0.01	1,638,803	0.04	HPF	5.45	0.05	2	5.45
BUI	-	-	-	-	UV	8.60	-	52,693	8.63	HREIT	6.80	0.10	6,400	6.80
CHARAN	-	-	-	-	WHA	4.24	(0.08)	531,449	4.28	IMPACT	19.80	0.10	5,221	19.82
INSURE	-	-	-	-	WIN	0.68	-	1,145	0.67	KPNPF	9.55	0.05	20	9.55
MTI	106.00	(0.50)	133	106.00	Paper & Printing Mat					LHHOTEL	15.80	(0.40)	1,916	15.90
NKI	-	-	-	-	UTP	11.30	-	2,209	11.21	LHPF	8.30	-	888	8.29
NSI	79.75	0.25	5	79.75	Fashion	-	-	-	-	LHSC	16.20	-	4,799	16.20
SMK	-	-	-	-	AFC	-	-	-	-	LUXF	8.45	(0.10)	920	8.52
THRE	1.11	(0.01)	7,663	1.11	BTNC	-	-	-	-	M-II	-	-	-	-
THREL	8.30	0.05	1,126	8.29	CPH	-	-	-	-	M-PAT	-	-	-	-
TIC	40.50	(0.25)	65	40.52	CPL	3.32	(0.04)	63	3.14	M-STOR	10.20	(0.10)	2	10.20
TIP	24.90	0.20	2,822	24.83	DIGI	0.27	(0.01)	5,943	0.28	MIPF	-	-	-	-
TSI	0.43	-	7,406	0.42	ICC	39.75	(0.25)	1	39.75	MIT	-	-	-	-
TVI	3.58	-	393	3.57	LTX	103.00	1.00	31	103.00	MJLF	12.70	0.10	30	12.70
Mining					NC	-	-	-	-	MNIT	1.67	(0.01)	251	1.66
PDI	14.70	(0.10)	4,327	14.68	PAF	0.90	(0.01)	1,476	0.91	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.60	0.02	8,330	2.57	MNRF	-	-	-	-
Packaging					PG	6.95	(0.05)	23	6.99	MONTRI	6.05	0.10	365	6.03
AJ	10.30	(0.10)	1,249	10.34	SABINA	29.00	0.25	9,798	28.93	POPF	13.90	-	1,426	13.83
ALUCON	178.00	2.50	9	177.67	SAWANG	-	-	-	-	PPF	11.30	(0.10)	2,005	11.30
CSC	45.00	-	11	45.14	SUC	45.00	-	428	45.00	QHHR	8.50	(0.05)	14,415	8.50
NEP	0.37	-	2	0.37	TNL	19.90	0.90	7	19.81	QHOP	3.44	(0.02)	234	3.40
NPPG	1.03	(0.03)	28,660	1.03	TPCORP	15.20	0.40	2	15.20	QHPF	13.20	-	7,950	13.20
PTL	17.00	0.50	11,460	16.85	TR	48.00	-	251	48.34	SBPF	-	-	-	-
SITHAI	1.23	(0.01)	29,680	1.26	TTI	-	-	-	-	SHREIT	9.50	-	230	9.55
SLP	0.97	(0.01)	2,772	0.98	TTL	-	-	-	-	SIRIP	11.80	0.40	2	11.80
SMPC	13.70	0.20	1,791	13.76	TTMT	169.50	6.50	2	169.25	SPF	24.10	(0.10)	1,290	24.13
SPACK	1.84	(0.09)	1,500	1.84	UPF	-	-	-	-	SRIPANWA	11.10	-	907	11.10
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	10.10	0.10	82	10.15
TFI	0.31	0.01	798	0.32	WACOAL	45.50	(0.50)	4	45.50	SSTPF	6.50	0.20	1,223	6.41
THIP	33.25	(0.25)	377	33.43	Transportation & Log					SSTRT	6.20	(0.05)	110	6.20
TMD	21.20	-	51	21.20	AAV	4.44	0.02	233,110	4.43	TIF1	8.80	0.05	698	8.80
TOPP	-	-	-	-	AOT	66.00	(0.50)	85,753	66.24	TLGF	19.80	(0.30)	2,605	19.79
TPBI	8.15	-	262	8.11	ASIMAR	2.60	(0.02)	4,539	2.61	TLHPF	11.10	0.10	2,769	10.89
TPP	17.30	(0.40)	50	17.46	B	0.63	0.01	11,310	0.63	TNPF	3.58	0.02	50	3.58
Personal Products &					BA	13.40	0.40	86,488	13.31	TPRIME	-	-	-	-
APCO	4.36	-	1,310	4.36	BEM	8.75	(0.30)	1,429,602	8.84	TREIT	12.00	(0.20)	7,520	12.06
DDD	47.75	(0.75)	3,057	48.10	BTS	9.30	(0.05)	290,618	9.35	TTLPF	23.20	0.10	2	23.20
JCT	90.00	-	5	90.00	BTSIGIF	12.20	-	108,762	12.20	TU-PF	-	-	-	-
OCC	-	-	-	-	III	6.80	(0.20)	21,371	6.84	URBNPF	3.66	(0.04)	275	3.56
S & J	25.50	-	152	22.83	JUTHA	1.82	-	168	1.79	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	7.80	(0.10)	20,778	7.84	WHART	10.80	0.10	10,385	10.71
TNR	13.90	-	177	13.82	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.80	(0.06)	1,028	4.80	NOK	2.50	0.02	10,580	2.49	AMC	2.46	-	119	2.46
Professional Service					NYT	5.00	-	3,029	5.01	BSBM	1.14	-	1,245	1.15
BWG	1.11	0.01	335,860	1.10	PRM	8.75	0.10	74,490	8.64	CEN	1.39	0.02	2,168	1.40
GENCO	0.80	(0.01)	1,097	0.80	PSL	12.50	(0.20)	11,580	12.62	CITY	2.74	0.02	136	2.72
PRO	-	-	-	-	RCL	5.95	0.05	2,806	5.91	CSP	1.39	(0.02)	1,120	1.40
TEAMG	2.40	-	53,100	2.39	THAI	14.50	(0.20)	127,709	14.69	GJS	0.26	-	30,946	0.26
Property Developme					TSTE	7.25	0.15	5	7.25	GSTEL	-	-	-	-
A	6.70	-	301	6.70	TTA	7.10	0.05	25,033	7.12	INOX	1.21	(0.01)	1,980	1.22
AMATA	22.30	(0.30)	164,041	22.36	WICE	5.05	(0.10)	30,021	5.10	LHK	4.94	(0.02)	2,218	4.93
AMATAV	6.15	-	3,064	6.15	Automotive					MAX	0.02	-	381,269	0.02
ANAN	5.25	(0.05)	71,976	5.34	AH	29.75	-	5,970	29.96	MCS	7.20	(0.05)	20,104	7.17
AP	9.20	(0.15)	34,604	9.25	APCS	5.45	(0.05)	1,699	5.36	MILL	1.69	0.01	35,665	1.69
APEX	0.20	-	27,144	0.20	BAT-3K	-	-	-	-	PAP	4.12	-	134	4.12
AQ	0.03	-	56,120	0.03	CWT	3.02	0.06	25,294	3.00	PERM	2.36	(0.04)	561	2.38
BLAND	1.83	(0.02)	329,883	1.83	EASON	2.78	(0.06)	8,140	2.81	RICH	-	-	-	-
BROCK	2.32													

Main Board Quotation

Issue Date :

Monday September 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TSE	3.20	0.02	7,119	3.00	ADVA01P1902A	0.63	0.02	13,124	-
ABICO	7.60	0.10	1,953	7.00	UMS	0.80	(0.01)	13	-	ADVA01P1902B	0.44	0.02	2,898	-
AU	8.40	(0.15)	16,021	8.00	UWC	0.08	-	29,322	-	ADVA06C1809A	0.34	(0.05)	7,324	-
FC	0.26	-	5,890	-	Services (MAI)	-	-	-	-	ADVA06C1903A	0.50	(0.02)	6,801	-
JCKH	1.13	-	498	1.00	ADAM	-	-	-	-	ADVA08C1809A	0.01	(0.02)	200	-
KASET	2.18	(0.02)	556	2.00	AKP	1.65	-	721	1.00	ADVA08P1809A	0.01	-	100	-
MM	3.98	0.02	379	3.00	AMA	6.10	(0.10)	3,548	6.00	ADVA11C1905A	0.22	(0.01)	8,987	-
SUN	3.52	-	3,014	3.00	ARIP	0.51	0.01	496	-	ADVA11P1905A	0.29	0.01	6,180	-
TACC	4.24	0.04	6,384	4.00	ATP30	1.74	0.03	13,839	1.00	ADVA13C1811A	0.42	(0.03)	20	-
TMILL	3.18	0.02	5,634	3.00	AUCT	7.10	0.60	86,099	6.00	ADVA13C1901A	0.27	(0.02)	44,928	-
XO	10.30	(0.20)	1,366	10.00	BOL	1.91	(0.01)	1,271	1.00	ADVA16C1812A	0.50	(0.03)	201	-
Consumer Products	-	-	-	-	CHUO	-	-	-	-	ADVA19C1901A	0.54	(0.03)	10,114	-
BGT	1.02	(0.01)	821	1.00	CMO	1.52	0.01	2,598	1.00	ADVA23C1902A	0.37	(0.02)	47,499	-
BIZ	2.78	0.04	1,387	2.00	D	12.00	0.20	6,410	12.00	ADVA24C1810A	-	-	-	-
DOD	13.90	0.10	60,305	13.00	DCORP	2.78	0.02	2,269	2.00	ADVA24C1905A	0.30	(0.04)	5,200	-
ECF	8.80	0.05	27,857	8.00	DNA	0.65	0.06	431,265	-	ADVA24P1810A	-	-	-	-
HPT	1.09	0.02	808	1.00	EFORL	0.08	0.01	60,145	-	ADVA27C1902A	-	-	-	-
JUBILE	19.40	0.10	618	19.00	ETE	1.90	(0.02)	34,991	1.00	ADVA28C1811A	-	-	-	-
MOONG	6.40	(0.05)	2,768	6.00	FSMART	8.70	-	4,621	8.00	ADVA28C1901A	0.17	(0.01)	415	-
NPK	25.50	(0.50)	27	25.00	FVC	1.07	(0.02)	2,679	1.00	ADVA28P1810A	-	-	-	-
OCEAN	1.95	0.14	322,742	1.00	HARN	2.66	-	1,452	2.00	ADVA42C1903A	0.26	(0.01)	1	-
TM	2.16	-	1,988	2.00	JKN	11.10	(0.20)	31,096	11.00	AMAT01C1810A	0.93	(0.05)	188,082	-
Financials (MAI)	-	-	-	-	KIAT	0.50	0.01	21,684	-	AMAT01C1810B	0.49	(0.05)	166,854	-
ACAP	6.95	0.05	16,496	7.00	KOOL	1.83	-	11,977	1.00	AMAT01C1903A	0.74	(0.05)	20,616	-
AF	0.71	0.01	2,748	-	LDC	1.12	(0.02)	13,132	1.00	AMAT01C1903B	0.62	(0.04)	38,466	-
AIRA	1.97	(0.01)	55	1.00	MPG	0.17	-	2,874	-	AMAT01P1810A	0.60	0.03	47,244	-
ASN	3.66	(0.04)	72	3.00	MVP	3.12	0.02	80,165	3.00	AMAT01P1903A	0.82	0.03	57,013	-
BROOK	0.58	0.01	19,341	-	NBC	0.77	(0.02)	524	-	AMAT06C1809A	0.01	-	2,000	-
CHAYO	5.10	(0.40)	75,164	5.00	NCL	1.69	(0.04)	2,775	1.00	AMAT08C1809A	-	-	-	-
GCAP	3.88	(0.06)	4,648	3.00	NEWS	0.01	-	77,420	-	AMAT08C1903A	0.61	(0.05)	36,641	-
LIT	8.15	(0.10)	3,396	8.00	NINE	2.56	0.02	15,578	2.00	AMAT11C1903A	0.40	(0.03)	7,668	-
SGF	2.00	0.15	1,428,294	1.00	OTO	3.14	0.02	3,930	3.00	AMAT13C1812A	0.55	(0.04)	161,586	-
Industrials (MAI)	-	-	-	-	PHOL	2.22	0.02	16	2.00	AMAT13C1902A	0.37	(0.03)	248,943	-
2S	3.26	0.02	837	3.00	PICO	4.54	(0.10)	885	4.00	AMAT19C1811A	0.20	(0.02)	22,560	-
ADB	1.18	(0.02)	3,322	1.00	PORT	7.10	0.05	64,103	7.00	AMAT19C1902A	0.72	(0.04)	19,686	-
BM	3.34	0.02	5,920	3.00	QLT	4.40	(0.04)	110	4.00	AMAT23C1810A	0.14	(0.04)	13,100	-
CHO	1.20	(0.01)	9,829	1.00	RP	3.10	-	712	3.00	AMAT24C1811A	-	-	-	-
CHOW	4.76	-	718	4.00	SE	2.36	0.14	7,415	2.00	AMAT27C1902A	0.85	(0.05)	3,000	-
CIG	0.37	-	19,738	-	SPA	15.90	(0.20)	11,310	15.00	ANAN01C1810A	1.30	-	3,159	1.00
COLOR	1.31	(0.01)	506	1.00	THMUI	1.83	0.01	93,492	1.00	ANAN01C1810B	1.08	0.06	6,138	1.00
CPR	5.75	(0.05)	777	5.00	TNDT	4.82	(0.14)	1,208	4.00	ANAN08C1810A	1.24	0.05	2,632	1.00
FPI	2.34	-	1,244	2.00	TNH	40.00	0.50	624	39.00	ANAN08C1906A	0.31	-	18,720	-
GTB	0.67	(0.01)	1,821	-	TNP	1.87	(0.01)	673	1.00	ANAN13C1901A	0.23	(0.01)	36,962	-
KCM	1.23	(0.01)	23,468	1.00	TSF	0.05	0.01	46,661	-	ANAN19C1811A	0.68	(0.01)	4,274	-
LVT	-	-	-	-	TVD	1.73	0.09	280,840	1.00	ANAN23C1901A	-	-	-	-
MBAX	4.00	(0.02)	407	3.00	TVT	1.02	(0.01)	4,883	1.00	ANAN24C1811A	-	-	-	-
MGT	2.14	(0.02)	25,543	2.00	WINNER	3.50	(0.04)	485	3.00	AOT01C1810A	0.21	(0.01)	54,952	-
NDR	2.32	0.06	477	2.00	Technology (MAI)	-	-	-	-	AOT01C1902A	0.54	(0.02)	42,523	-
PDG	3.62	0.02	332	3.00	COMAN	3.88	0.14	7,331	3.00	AOT01C1902B	0.36	(0.01)	45,505	-
PIMO	4.36	(0.02)	3,536	4.00	ICN	2.30	(0.04)	4,094	2.00	AOT01P1902A	0.79	0.01	34,271	-
PJW	1.88	(0.02)	5,179	1.00	IRCP	0.99	-	15,991	-	AOT01P1902B	0.47	0.01	55,407	-
PPM	1.89	-	127	1.00	ITEL	3.58	0.02	7,728	3.00	AOT06C1809A	-	-	-	-
RWI	1.66	-	1,912	1.00	NETBAY	35.75	-	5,213	35.00	AOT06C1903A	0.47	(0.01)	32,006	-
SALEE	1.13	-	1,646	1.00	PLANET	1.54	-	304	1.00	AOT06P1903A	0.45	-	24,192	-
SANKO	1.36	0.01	3,021	1.00	SIMAT	2.20	0.06	21,952	2.00	AOT07C1902A	0.48	0.01	190	-
SELIC	2.52	0.02	20,006	2.00	SKY	14.10	(0.20)	6,227	14.00	AOT08C1901A	0.28	(0.02)	4,992	-
SWC	26.50	0.50	4,830	26.00	SPVI	1.58	0.01	25,331	1.00	AOT08P1903A	0.46	-	300	-
TMC	0.90	(0.01)	2,323	-	UPA	0.56	0.01	83,743	-	AOT11C1906A	0.37	(0.01)	1,030	-
TMI	0.87	0.04	91,293	-	VCOM	3.32	(0.06)	4,620	3.00	AOT11P1906A	0.35	-	17,472	-
TMW	68.25	0.25	321	68.00	Unit Trust	-	-	-	-	AOT13C1811A	0.11	(0.01)	30,931	-
TPAC	13.00	0.10	98	12.00	MGE	-	-	-	-	AOT13C1812A	0.25	(0.02)	38,702	-
TPLAS	2.04	0.02	47,164	2.00	SCBSET	-	-	-	-	AOT13C1902A	0.49	(0.03)	42,710	-
UAC	4.58	(0.10)	1,921	4.00	ETF	-	-	-	-	AOT13P1810A	0.10	(0.01)	33,819	-
UBIS	4.56	(0.06)	313	4.00	1DIV	13.99	0.03	133	13.00	AOT13P1812A	-	-	-	-
UEC	1.53	-	576	1.00	ABFTH	-	-	-	-	AOT13P1902A	0.36	-	55,024	-
UKEM	0.90	(0.02)	7,906	-	BMSCG	9.45	0.01	508	9.00	AOT19C1809A	-	-	-	-
UREKA	1.01	0.05	113,280	1.00	BMSCITH	13.09	(0.05)	5,838	13.00	AOT19C1901A	0.40	(0.02)	59,776	-
YUASA	16.80	-	66	16.00	BSET100	11.29	(0.05)	935	11.00	AOT24C1811A	-	-	-	-
ZIGA	3.50	(0.04)	39,704	3.00	CHINA	5.10	(0.05)	603	5.00	AOT24C1901A	-	-	-	-
Property & Construc	-	-	-	-	EBANK	-	-	-	-	AOT24P1809A	-	-	-	-
ARROW	8.80	(0.10)	1,084	8.00	ECOMM	-	-	-	-	AOT24P1903A	-	-	-	-
BKD	3.16	0.02	1,675	3.00	EFOOD	-	-	-	-	AOT27C1902A	0.46	(0.02)	9,600	-
BSM	0.75	(0.01)	4,552	-	EICT	-	-	-	-	AOT27P1903A	0.61	(0.01)	9,000	-
BTW	1.84	-	2,181	1.00	ENGY	6.86	0.03	2	6.00	AOT28C1812A	0.22	(0.02)	42,420	-
CHEWA	1.36	0.03	28,375	1.00	ENY	8.06	-	5	8.00	AOT28C1901A	0.19	(0.02)	8,013	-
CRD	1.11	-	2,590	1.00	ESET50	-	-	-	-	AOT28C1902A	0.43	(0.02)	107,735	-
DIMET	1.07	-	6,811	1.00	GLD	1.70	-	238	1.00	AOT28P1812A	0.16	-	111	-
FLOYD	2.30	(0.02)	6,692	2.00	TDEX	11.44	(0.02)	192	11.00	AOT42C1903A	0.31	(0.03)	16,320	-
FOCUS	1.11	0.02	94	1.00	TGDELTF	3.64	(0.03)	770	3.00	AP01C1809A	0.47	(0.05)	5,765	-
HYDRO	1.24	0.04	5,319	1.00	TH100	-	-	-	-	AP01C1809B	0.01	-	1	-
JSP	0.57	(0.01)	17,788	-	Warrant Foreign	-	-	-	-	AP01C1903A	0.50	(0.01)	970	-
K	2.92													

Main Board Quotation

Issue Date :

Monday September 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP08C1811A	0.14	(0.02)	52,670	-	BEAU08C1901A	0.07	(0.01)	12	-	BPP13C1901A	0.19	-	174,430	-
BANP08P1901A	0.29	0.01	66,294	-	BEAU08C1902A	1.11	(0.03)	8,986	1.00	BPP13C1902A	-	-	-	-
BANP11C1902A	0.10	(0.01)	5,341	-	BEAU11C1902A	-	-	-	-	BPP19C1903A	0.66	(0.01)	17,657	-
BANP13C1811A	0.13	-	124,055	-	BEAU13C1811A	0.01	-	12,000	-	BPP23C1901A	0.26	(0.04)	5,500	-
BANP13C1902A	0.35	(0.01)	360,172	-	BEAU13C1812A	0.03	-	15,584	-	BPP24C1809A	-	-	-	-
BANP16C1812A	0.71	(0.02)	5	-	BEAU13C1812B	1.14	(0.02)	56,522	1.00	BPP24C1902A	0.14	(0.03)	3,500	-
BANP19C1811A	0.09	-	270	-	BEAU13C1901A	0.30	(0.01)	448,766	-	BPP28C1812A	0.46	(0.03)	5,120	-
BANP19C1902A	0.44	(0.03)	19,637	-	BEAU19C1811A	0.02	-	17,599	-	BPP28C1902A	0.18	(0.01)	14,337	-
BANP23C1901A	0.13	(0.01)	46,836	-	BEAU19C1901A	1.17	(0.01)	25,944	1.00	BTS01C1810A	0.38	-	35,903	-
BANP24C1812A	-	-	-	-	BEAU23C1901A	0.01	(0.01)	4,850	-	BTS01C1810B	0.05	-	500	-
BANP24P1901A	-	-	-	-	BEAU24C1901A	0.32	(0.01)	132,686	-	BTS01P1810A	0.39	-	10,934	-
BANP27C1809A	-	-	-	-	BEAU24C1902A	-	-	-	-	BTS06C1903A	-	-	-	-
BANP28C1810A	0.03	(0.03)	200	-	BEAU27C1903A	0.35	(0.01)	39,191	-	BTS06C1903B	-	-	-	-
BANP28C1902A	0.25	(0.01)	45,406	-	BEAU28C1810A	-	-	-	-	BTS06C1903C	-	-	-	-
BANP42C1903A	0.26	(0.02)	16,320	-	BEAU28C1811A	0.02	-	5	-	BTS08C1810A	0.14	-	17,317	-
BANP42P1903A	0.49	0.02	23,560	-	BEC01C1812A	0.10	-	59,476	-	BTS11C1904A	-	-	-	-
BBL06C1902A	0.94	0.08	17,142	-	BEC01C1812B	0.08	-	4,340	-	BTS19C1901A	0.27	-	8,098	-
BBL08C1809A	-	-	-	-	BEC08C1809A	-	-	-	-	BTS23C1905A	-	-	-	-
BBL08C1902A	0.72	0.07	19,432	-	BEC13C1811A	0.02	-	5,802	-	BTS24C1901A	-	-	-	-
BBL08P1810A	0.01	(0.01)	23,210	-	BEC13C1901A	0.11	-	116,342	-	BTS28C1811A	-	-	-	-
BBL11C1903A	0.58	0.03	4,937	-	BEC19C1809A	-	-	-	-	BTS28C1902A	0.21	(0.01)	105,455	-
BBL11P1903A	0.18	(0.02)	5,601	-	BEC23C1809A	-	-	-	-	BTS42C1901A	0.19	(0.01)	4,016	-
BBL13C1810A	-	-	-	-	BEC24C1809A	0.03	0.01	1	-	BTS42P1901A	0.24	-	9,041	-
BBL13C1901A	0.33	0.03	267,557	-	BEC24C1812A	0.02	(0.01)	4,413	-	CBG01C1809A	0.02	0.01	33,915	-
BBL19C1901A	0.32	0.03	22,578	-	BEC28C1811A	-	-	-	-	CBG01C1811A	0.50	(0.01)	122,198	-
BBL23C1811A	0.26	0.03	33,400	-	BEM01C1902A	0.44	(0.07)	181,652	-	CBG01C1811B	0.17	-	39,847	-
BBL24C1809A	0.03	-	1	-	BEM01C1902B	0.37	(0.07)	224,820	-	CBG01C1902A	0.81	-	65,223	-
BBL24C1812A	-	-	-	-	BEM01P1902A	0.37	0.04	165,482	-	CBG01C1902B	0.69	-	21,553	-
BBL24C1902A	0.25	0.03	100	-	BEM07C1903A	-	-	-	-	CBG01P1811A	0.68	-	12,752	-
BBL24P1810A	-	-	-	-	BEM08C1809A	0.18	(0.05)	54,604	-	CBG01P1811B	0.21	(0.01)	34,565	-
BBL27C1809A	-	-	-	-	BEM11C1903A	0.30	(0.05)	28,293	-	CBG06C1809A	0.01	-	5,000	-
BBL28C1811A	0.53	0.05	780	-	BEM13C1901A	0.40	(0.07)	431,294	-	CBG06C1903A	0.85	(0.04)	16,516	-
BBL28C1901A	0.27	0.02	53,116	-	BEM19C1901A	0.43	(0.02)	63,164	-	CBG06P1809A	0.29	(0.01)	6,270	-
BBL42C1903A	0.32	0.02	10,200	-	BEM23C1901A	0.25	-	7,494	-	CBG07C1812A	-	-	-	-
BCH01C1902A	0.53	(0.06)	30,201	-	BEM24C1809A	-	-	-	-	CBG08C1810A	-	-	-	-
BCH01C1902B	0.41	(0.05)	30,902	-	BEM24C1902A	0.33	(0.05)	12,450	-	CBG08C1902A	0.52	0.01	15,312	-
BCH01P1902A	0.40	0.04	57,723	-	BGR01C1901A	1.14	-	2,100	1.00	CBG11C1902A	0.12	-	24,620	-
BCH06C1811A	0.44	(0.04)	19,800	-	BGR01C1901B	0.93	(0.01)	111	-	CBG13C1811A	0.10	-	6,835	-
BCH08C1901A	0.63	(0.07)	37,052	-	BGR01C1903A	0.37	-	241	-	CBG13C1812A	0.24	(0.01)	104,932	-
BCH11C1905A	0.53	(0.06)	18,010	-	BGR01C1903B	0.29	0.01	3	-	CBG13C1901A	0.75	-	72,225	-
BCH13C1810A	-	-	-	-	BGR06C1903A	-	-	-	-	CBG19C1810A	-	-	-	-
BCH13C1902A	0.34	(0.05)	64,065	-	BGR07C1903A	0.27	(0.03)	800	-	CBG19C1901A	0.59	(0.01)	5,479	-
BCH19C1809A	0.30	(0.08)	32,760	-	BGR08C1902A	-	-	-	-	CBG23C1901A	0.13	(0.01)	8,040	-
BCH19C1903A	0.60	(0.06)	34,680	-	BGR11C1812A	0.78	(0.13)	100	-	CBG24C1809A	-	-	-	-
BCH23C1811A	0.54	(0.05)	4,000	-	BGR11C1812B	0.23	(0.01)	9,690	-	CBG24C1811A	0.13	(0.05)	23	-
BCH24C1811A	0.24	(0.06)	13,872	-	BGR19C1901A	0.65	(0.06)	1,320	-	CBG24C1901A	0.67	(0.04)	320	-
BCH27C1902A	0.80	(0.06)	6,004	-	BGR12C1901A	-	-	-	-	CBG28C1811A	-	-	-	-
BCH28C1811A	0.48	(0.11)	810	-	BGR12C1902A	0.28	(0.01)	200	-	CBG28C1812A	0.40	(0.01)	21,216	-
BCH28C1902A	0.28	(0.06)	37,446	-	BGR128C1812A	-	-	-	-	CENT01C1810A	0.11	-	24,638	-
BCP01C1810A	0.21	-	7,401	-	BGR128C1901A	0.18	(0.01)	1,789	-	CENT01C1810B	-	-	-	-
BCP01C1810B	0.02	(0.02)	20	-	BH01C1811A	0.56	0.02	176,854	-	CENT01C1903A	0.52	0.01	59,699	-
BCP01P1810A	0.33	(0.01)	5,210	-	BH01C1811B	0.08	-	38,399	-	CENT01C1903B	0.45	0.02	36,245	-
BCP08C1901A	0.24	(0.03)	6,166	-	BH01P1811A	1.16	(0.06)	23,512	1.00	CENT01P1810A	1.02	(0.02)	15,146	1.00
BCP11C1811A	-	-	-	-	BH07C1810A	-	-	-	-	CENT01P1903A	0.44	(0.01)	21,761	-
BCP13C1810A	-	-	-	-	BH08C1811A	0.02	-	100	-	CENT06C1904A	0.26	0.02	39,258	-
BCP13C1902A	0.24	(0.01)	7,239	-	BH08C1902A	0.52	0.01	47,330	-	CENT08C1809A	-	-	-	-
BCP19C1902A	0.24	(0.01)	4,460	-	BH11C1902A	0.05	-	202	-	CENT08C1902A	0.25	0.02	15,686	-
BCP24C1811A	-	-	-	-	BH11C1905A	0.63	0.03	16,035	-	CENT11C1904A	0.15	(0.02)	6,321	-
BCP24C1904A	-	-	-	-	BH13C1901A	0.56	0.02	85,148	-	CENT13C1811A	-	-	-	-
BCP28C1901A	0.20	(0.02)	6,000	-	BH19C1901A	0.55	0.03	66,236	-	CENT13C1902A	0.35	-	159,352	-
BCPG01C1811A	0.67	0.08	262,541	-	BH24C1809A	-	-	-	-	CENT19C1901A	0.25	-	69,759	-
BCPG01C1811B	0.29	0.04	122,435	-	BH24C1811A	0.01	-	2,820	-	CENT23C1902A	0.14	-	7,000	-
BCPG06C1811A	0.42	0.05	57,590	-	BH24C1902A	0.45	0.04	11,000	-	CENT24C1810A	-	-	-	-
BCPG08C1810A	0.38	0.03	81,116	-	BIG08C1906A	0.15	-	29,408	-	CENT24C1901A	0.15	-	230	-
BCPG11C1902A	0.26	0.03	24,194	-	BIG13C1901A	0.07	-	21,178	-	CENT24C1902A	0.35	0.01	3,250	-
BCPG13C1810A	0.21	0.04	359,703	-	BIG19C1811A	0.02	-	292	-	CHG01C1809A	0.74	(0.03)	7,210	-
BCPG13C1812A	0.72	0.07	235,638	-	BIG24C1812A	-	-	-	-	CHG01C1809B	1.13	(0.15)	4,944	1.00
BCPG13C1902A	0.45	0.05	629,337	-	BJC01C1812A	0.75	(0.07)	10,855	-	CHG01C1903A	0.47	(0.02)	5,460	-
BCPG19C1901A	0.70	0.06	46,025	-	BJC01C1812B	0.55	(0.09)	11,247	-	CHG01C1903B	0.41	(0.02)	17,758	-
BCPG23C1902A	0.58	0.04	58,640	-	BJC01P1812A	0.26	0.03	46,125	-	CHG01P1809A	-	-	-	-
BCPG24C1810A	0.20	(0.01)	101,000	-	BJC06C1901A	0.29	(0.08)	18,630	-	CHG01P1903A	0.37	-	9,746	-
BCPG27C1903A	0.59	0.04	5,200	-	BJC07C1809A	-	-	-	-	CHG07C1902A	-	-	-	-
BCPG28C1812A	0.71	0.06	660	-	BJC08C1809A	-	-	-	-	CHG11C1904A	0.38	(0.02)	4,308	-
BCPG28C1901A	0.43	0.04	203,194	-	BJC08C1903A	0.46	(0.08)	15,708	-	CHG13C1812A	0.39	(0.02)	28,028	-
BDM01C1811A	0.16	-	147,432	-	BJC11C1905A	0.55	(0.09)	3,148	-	CHG19C1902A	0.44	(0.02)	6,000	-
BDM01C1811B	0.03	-	52,798	-	BJC13C1810A	-	-	-	-	CHG23C1811A	-	-	-	-
BDM01P1811A	0.30	0.01	32,290	-	BJC13C1812A	0.49	(0.08)	2,089	-	CHG24C1811A	-	-	-	-
BDM06C1811A	0.47	(0.04)	10,600	-	BJC13C1902A	0.37	(0.07)	13,959	-	CHG28C1812A	0.42	-	2,295	-
BDM08C1901A	0.10	-	18,238	-	BJC19C1809A	0.05	(0.04)	3,900	-	CHG28C1902A	0.26	-	12,029	-
BDM11C1811A	0.57	(0.05)	2,316	-	BJC19C1902A	0.54	(0.08)	9,837	-	CK01C1809A	0.26	(0.04)	34,774	-
BDM11C1904A	0.09	-	8,850	-	BJC23C1901A	0.28	(0.04)	1,000	-	CK01C1809B	0.02	(0.04)	28,257	-
BDM13C1810A	0.22	(0.04)	600	-	BJC24C1901A	-	-	-	-	CK01C1902A	0.33	(0.03)	34,550	-
BDM13C1812A	0.08	-	165,839	-	BJC28C1812A	0.46	(0.09)	10,140	-	CK01C1902B	0.27	(0.02)	33,403	-
BDM16C1812A	-	-	-	-	BLA01C1812A	0.20	-	17,998	-	CK01P1809A	0.02	0.01	9,599	-
BDM19C1901A	0.20	-	62,568	-	BLA08C1811A	-	-	-	-	CK01P1902A	0.33	0.01	30,369	-
BDM23C1810A	0.25	(0.01)	1,000	-	BLA13C1809A	-	-	-	-	CK08C1809A	0.12	(0.08)	1,592	-
BDM24C1811A	0.10	(0.02)	15,000	-	BLA13C1902A	0.20	(0.01)	83,619	-	CK08C1901A	0.19	(0.01)	20,257	-
BDM24C1812A	-	-	-	-	BLA28C1810A	-	-	-	-	CK11C1904A	0.20			

Main Board Quotation

Issue Date :

Monday September 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP24C1811A	0.82	(0.01)	5,000	-	DTAC08C1809A	-	-	-	-	GLOB24C1810A	-	-	-	-
CKP28C1902A	0.71	(0.02)	19,128	-	DTAC08C1903A	0.45	(0.03)	13,752	-	GLOB27C1809A	-	-	-	-
COM701C1811A	0.75	(0.04)	30,503	-	DTAC08P1902A	0.17	-	12,234	-	GLOW08C1811A	0.36	(0.01)	23,214	-
COM701C1811B	0.39	(0.04)	18,242	-	DTAC11C1904A	0.34	-	3,311	-	GLOW19C1901A	0.41	-	13,080	-
COM706C1809A	0.26	(0.06)	8,508	-	DTAC13C1811A	0.09	-	301	-	GLOW27C1812A	0.25	0.01	6,347	-
COM706C1903A	0.54	(0.03)	10,548	-	DTAC13C1812A	0.47	(0.03)	1,500	-	GPSCO1C1902A	0.61	-	20,031	-
COM708C1811A	0.16	(0.03)	28,453	-	DTAC13C1902A	0.38	-	13,248	-	GPSCO1C1902B	0.44	-	27,318	-
COM711C1811A	0.57	(0.02)	4,200	-	DTAC13P1811A	0.21	(0.01)	10,604	-	GPSCO1P1902A	1.13	-	18,716	1.00
COM713C1812A	0.44	(0.05)	69,097	-	DTAC13P1812A	0.07	-	1,031	-	GPSCO6C1811A	0.09	-	8,400	-
COM719C1811A	0.37	(0.03)	8,978	-	DTAC19C1811A	0.25	(0.01)	2,746	-	GPSCO8C1902A	0.38	-	28,787	-
COM719C1904A	0.70	(0.04)	5,450	-	DTAC24C1809A	-	-	-	-	GPSC11C1902A	0.16	(0.01)	9,263	-
COM723C1901A	0.41	(0.03)	10,000	-	DTAC24C1901A	-	-	-	-	GPSC13C1812A	0.25	(0.01)	34,561	-
COM724C1811A	0.26	(0.05)	1	-	DTAC27C1809A	-	-	-	-	GPSC19C1901A	0.38	(0.01)	13,128	-
COM727C1902A	0.62	(0.04)	7,200	-	DTAC27C1903A	0.42	(0.02)	4,500	-	GPSC24C1812A	0.15	(0.01)	4	-
COM728C1811A	0.36	(0.03)	32,002	-	DTAC27P1809A	-	-	-	-	GPSC27C1902A	0.47	(0.02)	3,900	-
CPAL01C1901A	0.25	-	110,386	-	DTAC27P1903A	0.50	(0.01)	2,410	-	GPSC28C1811A	0.15	(0.01)	17,026	-
CPAL01C1901B	0.10	(0.01)	184,117	-	DTAC28C1810A	-	-	-	-	GUNK08C1902A	0.20	-	12,039	-
CPAL01C1904A	0.75	(0.02)	64,532	-	DTAC28C1812A	0.58	0.01	19,360	-	GUNK11C1903A	0.10	(0.01)	1,211	-
CPAL01C1904B	0.60	(0.01)	161,304	-	DTAC42C1903A	0.40	(0.01)	6,120	-	GUNK24C1812A	0.12	(0.01)	150	-
CPAL01P1901A	1.40	0.01	13,324	1.00	EA01C1809A	1.25	-	126,709	1.00	GUNK28C1810A	0.07	(0.02)	200	-
CPAL01P1901B	0.98	0.01	15,061	-	EA01C1809B	0.46	0.01	170,131	-	HANA01C1811A	0.50	-	74,258	-
CPAL01P1904A	0.75	0.01	21,007	-	EA01P1809A	0.01	(0.01)	60,415	-	HANA01C1811B	0.24	(0.01)	69,783	-
CPAL01P1904B	0.55	0.02	30,178	-	EA06C1809A	0.01	-	2,319	-	HANA08C1809A	-	-	-	-
CPAL06C1811A	0.60	(0.04)	2,071	-	EA07C1810A	0.07	-	322	-	HANA08C1903A	0.40	0.01	23,546	-
CPAL06C1811B	0.01	(0.01)	1,979	-	EA07C1903A	0.87	-	600	-	HANA11C1904A	0.28	0.01	8,024	-
CPAL07C1902A	0.31	(0.02)	100,835	-	EA08C1809A	0.01	-	2	-	HANA13C1901A	0.33	0.01	138,576	-
CPAL08C1902A	0.16	(0.01)	19,174	-	EA08C1810A	0.44	0.02	113,645	-	HANA19C1902A	0.31	0.01	33,275	-
CPAL08P1810A	0.94	(0.01)	5,268	-	EA08C1903A	0.84	0.03	77,425	-	HANA23C1811A	0.46	(0.02)	2,500	-
CPAL11C1903A	0.07	-	5,100	-	EA11C1902A	0.25	0.02	9,510	-	HANA24C1810A	-	-	-	-
CPAL11P1903A	0.98	0.01	5,700	-	EA13C1810A	0.02	-	1,210	-	HANA28C1812A	0.39	0.01	28,234	-
CPAL13C1812A	0.12	(0.01)	62,582	-	EA13C1811A	0.29	0.02	274,262	-	HANA28C1902A	0.28	-	28,222	-
CPAL13C1901A	0.36	(0.01)	201,763	-	EA13C1812A	0.62	0.01	103,959	-	HMPR01C1902A	0.48	(0.02)	69,140	-
CPAL13P1902A	0.46	-	40,674	-	EA13C1812B	1.02	0.01	2,442	1.00	HMPR01C1902B	0.42	(0.02)	66,979	-
CPAL19C1811A	0.05	-	8,452	-	EA13C1901A	0.55	0.05	99,446	-	HMPR01P1902A	0.31	-	25,104	-
CPAL19C1902A	0.45	(0.01)	22,786	-	EA19C1811A	0.58	0.02	68,022	-	HMPR06C1811A	0.17	(0.01)	17,552	-
CPAL23C1810A	-	-	-	-	EA23C1901A	0.70	0.05	69,582	-	HMPR08C1810A	0.08	(0.02)	38,325	-
CPAL24C1811A	0.01	-	102	-	EA24C1809A	-	-	-	-	HMPR11C1906A	0.29	(0.04)	9,746	-
CPAL24C1901A	0.13	(0.01)	11,420	-	EA24C1901A	-	-	-	-	HMPR13C1812A	0.32	(0.02)	87,387	-
CPAL24C1903A	0.37	(0.01)	101,388	-	EA27C1902A	0.94	0.03	9,350	-	HMPR19C1901A	0.51	(0.01)	33,000	-
CPAL24P1901A	0.38	0.01	760	-	EA28C1901A	0.61	0.02	219,661	-	HMPR23C1901A	0.13	-	16,000	-
CPAL27C1903A	-	-	-	-	EGCO01C1809A	0.64	0.02	4,330	-	HMPR24C1901A	-	-	-	-
CPAL28C1811A	-	-	-	-	EGCO01C1903A	0.65	0.01	9,674	-	HMPR28C1811A	0.15	(0.02)	70,112	-
CPAL28C1901A	0.32	(0.02)	106,570	-	EGCO01C1903B	0.53	0.02	12,281	-	INTU01C1809A	0.32	(0.05)	7,986	-
CPF01C1809A	0.79	(0.03)	8,518	-	EGCO08C1809A	-	-	-	-	INTU01C1809B	0.01	-	10,340	-
CPF01C1809B	0.01	-	1,700	-	EGCO13C1809A	-	-	-	-	INTU01C1903A	0.47	(0.03)	37,792	-
CPF01C1810A	0.18	(0.01)	57,332	-	EGCO19C1901A	0.42	(0.01)	3,476	-	INTU01C1903B	0.34	(0.05)	29,857	-
CPF01C1902A	0.23	(0.01)	70,592	-	EGCO23C1811A	0.26	-	8,000	-	INTU01P1809A	0.12	0.02	1,036	-
CPF01C1902B	0.15	(0.01)	74,720	-	EGCO24C1901A	-	-	-	-	INTU01P1809B	-	-	-	-
CPF01P1809A	0.04	-	4,000	-	EPG01C1809A	0.16	(0.04)	57,274	-	INTU01P1903A	0.68	0.03	25,255	-
CPF01P1902A	0.41	0.01	16,974	-	EPG01C1903A	0.55	(0.03)	23,185	-	INTU01P1903B	0.51	0.05	23,900	-
CPF01P1902B	0.32	0.01	22,038	-	EPG01C1903B	0.46	(0.02)	26,123	-	INTU11C1905A	0.27	(0.02)	3,090	-
CPF06C1809A	0.18	(0.06)	5,858	-	EPG01P1809A	0.23	0.04	23,323	-	INTU11P1905A	0.33	0.03	3,160	-
CPF07C1810A	-	-	-	-	EPG01P1903A	0.83	0.04	19,142	-	INTU13C1810A	-	-	-	-
CPF08C1809A	0.02	(0.03)	4,800	-	EPG07C1811A	0.59	(0.06)	22	-	INTU13C1812A	0.30	(0.04)	35,338	-
CPF08C1901A	0.14	(0.01)	18,845	-	EPG08C1810A	0.03	(0.01)	4,843	-	INTU19C1901A	0.28	(0.04)	10,783	-
CPF11C1902A	0.07	-	1,000	-	EPG08C1810B	0.64	(0.07)	42,053	-	INTU24C1901A	-	-	-	-
CPF11P1902A	0.21	0.01	11,102	-	EPG11C1903A	0.55	(0.04)	14,741	-	INTU28C1901A	0.21	(0.04)	16,193	-
CPF13C1809A	-	-	-	-	EPG13C1811A	0.34	(0.04)	4,618	-	IRPC01C1810A	0.19	0.01	100,167	-
CPF13C1810A	0.03	(0.02)	2,800	-	EPG13C1902A	0.31	(0.04)	68,925	-	IRPC01C1810B	0.01	-	1,350	-
CPF13C1902A	0.15	(0.02)	157,436	-	EPG19C1902A	0.40	(0.04)	10,474	-	IRPC01C1903A	0.37	-	83,713	-
CPF19C1901A	0.16	(0.01)	18,488	-	EPG24C1810A	-	-	-	-	IRPC01C1903B	0.30	0.01	118,644	-
CPF23C1810A	-	-	-	-	EPG24C1902A	-	-	-	-	IRPC01P1810A	0.19	-	42,744	-
CPF24C1809A	-	-	-	-	EPG28C1902A	0.31	(0.03)	120,708	-	IRPC01P1810B	-	-	-	-
CPF24C1901A	0.29	(0.06)	1,500	-	ERW13C1902A	0.42	0.04	109,230	-	IRPC01P1903A	0.43	-	54,143	-
CPF24C1902A	-	-	-	-	ERW19C1902A	0.61	0.07	36,126	-	IRPC01P1903B	0.31	-	63,660	-
CPF27C1903A	-	-	-	-	ERW24C1904A	0.58	0.05	23,300	-	IRPC06C1811A	0.28	-	41,692	-
CPF28C1811A	0.09	0.01	520	-	ESSO01C1812A	0.52	(0.08)	73,761	-	IRPC07C1812A	0.30	0.10	32,000	-
CPF28C1902A	0.14	-	26,598	-	ESSO01C1812B	0.31	(0.08)	70,940	-	IRPC08C1902A	0.36	0.01	75,036	-
CPN01C1902A	0.69	(0.04)	62,695	-	ESSO01P1812A	0.46	0.05	73,144	-	IRPC11C1902A	-	-	-	-
CPN01C1902B	0.48	(0.03)	43,998	-	ESSO08C1902A	0.43	(0.07)	56,938	-	IRPC11C1905A	0.41	(0.01)	20,083	-
CPN01P1902A	0.75	0.02	29,119	-	ESSO11C1905A	0.69	(0.11)	18,894	-	IRPC13C1811A	0.14	-	421,448	-
CPN06C1811A	0.63	(0.07)	23,488	-	ESSO13C1811A	0.19	(0.07)	139,878	-	IRPC13C1812A	0.32	0.01	496,418	-
CPN07C1902A	-	-	-	-	ESSO19C1901A	0.38	(0.08)	41,531	-	IRPC19C1901A	0.41	0.02	129,445	-
CPN08C1809A	-	-	-	-	ESSO23C1809A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPN08C1903A	0.64	(0.04)	30,218	-	ESSO24C1812A	-	-	-	-	IRPC24C1809A	0.02	-	347	-
CPN11C1903A	0.35	(0.04)	18,128	-	ESSO24C1902A	0.41	(0.16)	3,727	-	IRPC24C1812A	0.18	-	4,500	-
CPN11P1903A	0.20	0.01	16,694	-	ESSO28C1811A	0.19	(0.08)	75,432	-	IRPC27C1809A	-	-	-	-
CPN13C1812A	0.37	(0.04)	267,498	-	GFPT08C1906A	0.51	(0.01)	3,719	-	IRPC27C1903A	0.31	-	56,336	-
CPN19C1901A	0.65	(0.05)	39,896	-	GFPT13C1902A	0.27	(0.01)	34,237	-	IRPC28C1811A	-	-	-	-
CPN23C1810A	0.17	(0.05)	22,454	-	GFPT19C1811A	0.47	-	16,749	-	IRPC28C1812A	0.37	0.01	41,594	-
CPN24C1901A	0.37	(0.04)	11,803	-	GFPT24C1812A	0.36	(0.01)	3,085	-	IRPC28C1902A	0.28	0.01	125,184	-
CPN27C1903A	0.53	(0.04)	13,800	-	GGC01C1810A	0.11	(0.01)	6,329	-	ITD06C1904A	0.45	(0.04)	25,920	-
CPN28C1810A	0.11	(0.02)	15	-	GGC01C1810B	0.01	(0.02)	400	-	ITD08C1810A	-	-	-	-
CPN28C1902A	0.45	(0.05)	30,606	-	GGC07C1902A	-	-	-	-	ITD11C1903A	0.16	(0.01)	5,212	-
DELTO6C1903A	-	-	-	-	GGC08C1906A	0.16	(0.01)	6,849	-	ITD13C1812A	0.18	(0.02)	137,637	-
DELTO8C1811A	-	-	-	-	GGC									

Main Board Quotation

Issue Date :

Monday September 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL11C1906A	0.48	(0.02)	32,744	-	LH01P1903A	0.40	(0.01)	407	-	PSH11C1902A	0.29	0.02	18,226	-
IVL13C1810A	0.08	(0.02)	30,433	-	LH06C1809A	-	-	-	-	PSH23C1811A	0.24	0.06	7,500	-
IVL13C1812A	0.36	(0.03)	163,317	-	LH06C1903A	-	-	-	-	PSL01C1812A	0.37	(0.02)	30,685	-
IVL13P1811A	0.11	-	69,537	-	LH07C1810A	-	-	-	-	PSL01C1812B	0.27	(0.04)	13,494	-
IVL19C1809A	0.22	(0.05)	4,594	-	LH11C1906A	-	-	-	-	PSL11C1905A	0.26	(0.01)	9,596	-
IVL19C1903A	0.61	(0.03)	44,527	-	LH13C1902A	0.27	-	3,105	-	PSL23C1809A	-	-	-	-
IVL23C1810A	0.36	(0.02)	2,500	-	LH19C1901A	0.17	-	13,790	-	PTG01C1811A	0.04	-	20,606	-
IVL24C1812A	0.12	(0.02)	2,000	-	LH23C1901A	0.09	(0.01)	850	-	PTG01C1811B	-	-	-	-
IVL24C1901A	0.44	(0.03)	420	-	LH24C1809A	-	-	-	-	PTG01C1902A	0.43	(0.01)	43,631	-
IVL27C1902A	0.46	(0.04)	19,200	-	LH24C1903A	-	-	-	-	PTG01C1902B	0.29	(0.01)	22,987	-
IVL28C1811A	0.16	(0.02)	173,355	-	LPN01C1809A	0.14	(0.02)	1,134	-	PTG01P1811A	1.50	0.02	7,644	1.00
IVL28C1812A	0.45	(0.03)	117,943	-	LPN01C1811A	0.55	(0.02)	582	-	PTG01P1902A	0.47	0.02	28,607	-
IVL28P1811A	0.15	-	69,369	-	LPN01C1811B	0.25	(0.02)	7,285	-	PTG06C1810A	0.03	0.01	11	-
IVL42C1903A	0.37	(0.03)	13,150	-	LPN01P1809A	0.18	0.01	27	-	PTG06C1904A	0.25	(0.01)	173	-
KBAN01C1810A	1.22	(0.08)	33,020	1.00	LPN08C1810A	0.08	(0.02)	5,100	-	PTG08C1902A	0.08	(0.01)	27,124	-
KBAN01C1901A	1.37	(0.07)	36,722	1.00	LPN08C1906A	-	-	-	-	PTG08C1903A	0.34	(0.02)	28,016	-
KBAN01C1901B	0.66	(0.05)	29,907	-	LPN19C1811A	0.27	(0.01)	11,948	-	PTG11C1903A	0.05	(0.01)	2,295	-
KBAN01C1904A	0.52	(0.02)	20,542	-	LPN24C1812A	-	-	-	-	PTG13C1812A	0.04	-	550	-
KBAN01C1904B	0.41	(0.01)	53,615	-	MAJ00C1811A	-	-	-	-	PTG13C1901A	0.27	(0.02)	299,227	-
KBAN01P1810A	0.02	-	2,138	-	MAJ01C1902A	-	-	-	-	PTG19C1902A	0.14	(0.01)	49,145	-
KBAN01P1901A	0.73	0.03	12,619	-	MAJ013C1903A	0.17	(0.01)	4,000	-	PTG19C1902B	0.43	(0.02)	18,536	-
KBAN01P1901B	0.21	0.01	47,402	-	MAJ019C1902A	0.17	(0.01)	1,375	-	PTG24C1809A	-	-	-	-
KBAN01P1904A	0.67	0.01	31,388	-	MAJ024C1809A	-	-	-	-	PTG24C1901A	0.33	(0.01)	59,246	-
KBAN01P1904B	0.48	0.02	44,605	-	MAJ024C1902A	0.42	(0.01)	1,090	-	PTG24C1902A	0.10	(0.01)	65,100	-
KBAN06C1811A	0.66	(0.04)	11,056	-	MALE01C1812A	0.03	0.01	2,990	-	PTG27C1809A	-	-	-	-
KBAN07C1811A	-	-	-	-	MALE08C1811A	0.01	-	52	-	PTG27C1902A	0.17	(0.01)	24,018	-
KBAN08C1811A	0.60	(0.05)	7,678	-	MALE13C1809A	-	-	-	-	PTG28C1812A	0.05	(0.01)	1,720	-
KBAN08C1903A	0.27	(0.01)	14,001	-	MALE27C1812A	-	-	-	-	PTG28C1901A	0.30	(0.01)	19,912	-
KBAN08P1811A	-	-	-	-	MALE28C1810A	-	-	-	-	PTL08C1811A	0.50	0.02	15,359	-
KBAN13C1810A	-	-	-	-	MC19C1811A	0.11	0.01	140	-	PTL13C1809A	-	-	-	-
KBAN13C1811A	0.60	(0.07)	13,238	-	MC23C1809A	-	-	-	-	PTL28C1810A	0.28	0.02	42,912	-
KBAN13C1901A	0.29	(0.03)	45,683	-	MC24C1812A	0.16	-	3	-	PTT01C1810A	0.18	0.01	285,819	-
KBAN19C1901A	0.36	(0.03)	17,474	-	MEGA01C1811A	0.20	(0.01)	1,410	-	PTT01C1810B	0.01	-	2,390	-
KBAN23C1902A	0.57	(0.03)	11,500	-	MEGA01C1811B	-	-	-	-	PTT01C1901A	0.76	-	71,762	-
KBAN24C1902A	-	-	-	-	MEGA01C1904A	0.52	(0.01)	2,902	-	PTT01C1901B	0.59	-	65,014	-
KBAN24C1903A	-	-	-	-	MEGA01C1904B	0.45	(0.02)	2,111	-	PTT01P1810A	0.67	(0.03)	30,235	-
KBAN24P1811A	0.04	(0.01)	100	-	MEGA08C1811A	0.05	(0.01)	16,295	-	PTT01P1810B	0.08	(0.01)	3,993	-
KBAN27C1809A	0.01	(0.05)	141	-	MEGA08C1903A	0.36	-	1,116	-	PTT01P1901A	0.39	(0.01)	38,803	-
KBAN27C1903A	0.41	(0.01)	4,800	-	MEGA11C1902A	-	-	-	-	PTT01P1901B	0.21	(0.01)	26,053	-
KBAN27P1809A	-	-	-	-	MEGA13C1902A	0.35	(0.01)	4,577	-	PTT06C1811A	0.08	-	100	-
KBAN28C1811A	-	-	-	-	MEGA19C1902A	0.30	-	1,920	-	PTT06C1901A	0.44	0.01	13,585	-
KBAN28C1812A	0.27	(0.03)	55,012	-	MEGA23C1902A	-	-	-	-	PTT06P1901A	0.25	(0.01)	4,790	-
KBAN28P1811A	-	-	-	-	MEGA24C1812A	-	-	-	-	PTT07C1811A	0.10	(0.01)	1,400	-
KCE01C1810A	0.68	0.01	90,717	-	MINT01C1901A	0.53	-	81,170	-	PTT08C1809A	-	-	-	-
KCE01C1810B	0.39	0.02	41,003	-	MINT01C1901B	0.37	-	38,574	-	PTT08C1902A	0.40	0.01	10,940	-
KCE06C1809A	0.86	0.09	9,990	-	MINT01P1901A	0.19	-	75,500	-	PTT08P1809A	-	-	-	-
KCE07C1902A	0.38	0.01	3,128	-	MINT06C1809A	0.01	(0.02)	10	-	PTT11C1902A	0.18	(0.01)	9,355	-
KCE08C1809A	0.16	0.01	40,247	-	MINT06C1901A	0.36	-	34,399	-	PTT13C1810A	0.01	(0.01)	266	-
KCE08C1902A	0.30	0.01	14,182	-	MINT06C1903A	0.33	0.01	9,860	-	PTT13C1811A	0.21	-	48,342	-
KCE11C1904A	0.38	-	26,347	-	MINT07C1810A	-	-	-	-	PTT13C1812A	0.38	-	192,576	-
KCE13C1811A	0.54	0.02	3,138	-	MINT08C1809A	-	-	-	-	PTT13P1812A	0.11	(0.01)	14,537	-
KCE13C1812A	0.27	0.01	313,371	-	MINT08C1903A	0.34	-	39,417	-	PTT19C1809A	-	-	-	-
KCE19C1901A	0.39	0.01	42,373	-	MINT11C1902A	0.15	(0.01)	20,701	-	PTT19C1901A	0.49	-	153,471	-
KCE23C1901A	0.22	0.02	86,217	-	MINT11P1902A	0.09	-	8,900	-	PTT23C1901A	0.10	(0.01)	7,428	-
KCE24C1901A	0.34	0.02	11,348	-	MINT13C1810A	0.08	-	3,002	-	PTT24C1809A	-	-	-	-
KCE27C1902A	0.43	0.01	3,860	-	MINT13C1812A	0.41	-	173,450	-	PTT24C1812A	0.27	-	27,100	-
KCE28C1811A	0.44	(0.02)	10	-	MINT19C1901A	0.47	-	31,404	-	PTT24P1901A	-	-	-	-
KCE28C1902A	0.27	-	58,903	-	MINT23C1810A	-	-	-	-	PTT27C1809A	-	-	-	-
KKP01C1902A	0.62	(0.03)	21,548	-	MINT24C1812A	-	-	-	-	PTT27C1903A	0.45	0.01	1,800	-
KKP01C1902B	0.42	(0.02)	25,192	-	MINT24C1901A	-	-	-	-	PTT27P1809A	-	-	-	-
KKP08C1811A	0.41	(0.04)	17,677	-	MINT24C1902A	0.28	(0.02)	17,381	-	PTT27P1903A	0.46	(0.02)	1,880	-
KKP11C1903A	0.34	(0.02)	7,428	-	MINT27C1903A	0.29	-	16,152	-	PTT28C1811A	0.03	-	670	-
KKP13C1811A	0.26	(0.02)	66,694	-	MINT28C1811A	0.26	0.01	44,611	-	PTT28C1811B	0.19	(0.01)	12,941	-
KKP19C1901A	0.57	(0.01)	10,982	-	MONO01C1810A	-	-	-	-	PTT28C1812A	0.39	-	10,280	-
KKP24C1812A	0.29	(0.01)	200	-	MONO01C1810B	-	-	-	-	PTT28C1901A	0.20	-	38,157	-
KKP28C1810A	-	-	-	-	MONO08C1906A	0.10	-	1,850	-	PTT28P1812A	0.07	(0.01)	4,000	-
KKP28C1902A	0.38	(0.03)	49,152	-	MONO13C1811A	-	-	-	-	PTTE01C1901A	1.06	0.02	224,176	1.00
KTB01C1810A	0.54	(0.03)	25,632	-	MONO13C1901A	0.16	(0.01)	500	-	PTTE01C1901B	0.71	0.02	278,228	-
KTB01C1810B	0.18	(0.04)	38,782	-	MONO19C1811A	0.05	(0.01)	3,800	-	PTTE01P1901A	0.74	(0.01)	32,462	-
KTB06C1902A	0.47	(0.03)	14,516	-	MONO23C1809A	-	-	-	-	PTTE01P1901B	0.29	(0.02)	102,373	-
KTB08C1809A	-	-	-	-	MONO23C1901A	-	-	-	-	PTTE06C1811A	0.70	0.01	47,507	-
KTB08C1903A	0.34	(0.02)	18,134	-	MONO24C1812A	0.01	-	102	-	PTTE07C1809A	-	-	-	-
KTB11C1811A	0.20	(0.02)	6,200	-	MONO24C1812B	-	-	-	-	PTTE08C1811A	0.56	0.02	109,529	-
KTB13C1901A	0.55	(0.03)	32,432	-	MONO28C1811A	-	-	-	-	PTTE08P1809A	-	-	-	-
KTB19C1901A	0.40	(0.03)	8,605	-	MONO28C1901A	0.14	-	14,052	-	PTTE08P1811A	0.03	-	700	-
KTB23C1811A	0.30	(0.02)	10,000	-	MTC06C1901A	0.71	(0.02)	4,989	-	PTTE11C1902A	0.99	0.02	32,448	1.00
KTB24C1811A	-	-	-	-	MTC08C1811A	0.18	(0.02)	18,505	-	PTTE13C1811A	0.44	0.01	302,650	-
KTB24P1901A	0.08	0.01	415	-	MTC08C1902A	0.52	(0.01)	48,622	-	PTTE13C1812A	0.89	0.02	5,170	-
KTB28C1811A	0.24	(0.03)	25,006	-	MTC11C1904A	0.46	(0.01)	7,333	-	PTTE13P1811A	0.02	-	100	-
KTB42C1903A	-	-	-	-	MTC13C1811A	0.67	(0.04)	100	-	PTTE13P1901A	0.23	(0.01)	75,610	-
KTB42P1903A	0.22	(0.01)	1,340	-	MTC13C1901A	0.40	(0.02)	135,786	-	PTTE19C1811A	0.80	0.02	46,011	-
KTC01C1810A	0.33	(0.04)	138,586	-	MTC19C1901A	0.52	(0.01)	8,498	-	PTTE23C1901A	0.17	0.01	12,625	-
KTC01C1810B	0.14	(0.02)	41,232	-	MTC24C1810A	0.24	(0.02)	300	-	PTTE24C1811A	0.26	0.01	11,000	-
KTC01C1901A	0.61	(0.03)	115,267	-	MTC24C1812A	-	-	-	-	PTTE24C1901A	-	-	-	-
KTC01C1901B	0.53	(0.02)	125,938	-	MTC28C1902A	0.39	(0.02)	61,048	-	PTTE24P1809A	-	-	-	-
KTC08C1903A	0.57	-	58,534	-	ORI11C1811A	0.15	(0.03)	179	-	PTTE24P1901A	-	-	-	-
KTC11C1902A	1.46	0.06	705	1.00	ORI13C1810A	0.18	(0.06)	86,624	-	PTTE27C1809A	-	-	-	-
KTC13C1809B	0.0													

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday September 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG06C1903A	0.97	(0.08)	42,100	1.00	S5028C1812B	0.93	(0.01)	339,272	-	SPAL11C1905A	0.14	(0.01)	2,442	-
PTTG06P1903A	0.36	0.03	15,936	-	S5028P1809A	-	-	-	-	SPAL19C1902A	0.44	(0.07)	11,838	-
PTTG07C1812A	0.24	(0.08)	4,640	-	S5028P1809B	-	-	-	-	SPAL23C1811A	-	-	-	-
PTTG08C1811A	-	-	-	-	S5028P1810A	0.30	-	525,245	-	SPAL24C1812A	0.14	(0.05)	930	-
PTTG08C1902A	0.50	(0.06)	49,940	-	S5028P1812A	0.38	0.01	476,986	-	SPRC01C1902A	0.37	(0.04)	37,374	-
PTTG08P1811A	0.57	0.08	16,828	-	SAWA01C1901A	0.81	-	94,741	-	SPRC01C1902B	0.27	(0.04)	40,794	-
PTTG11C1902A	0.10	-	30	-	SAWA01C1901B	0.66	-	87,084	-	SPRC06C1809A	0.01	-	15,000	-
PTTG13C1812A	0.15	(0.04)	138,279	-	SAWA01P1901A	0.47	(0.01)	31,108	-	SPRC06C1902A	0.49	(0.10)	20,150	-
PTTG13C1812B	0.60	(0.08)	230,259	-	SAWA06C1811A	0.11	(0.02)	31,600	-	SPRC07C1903A	0.25	(0.03)	1,153	-
PTTG19C1811A	0.13	(0.03)	30,448	-	SAWA06C1903A	1.19	0.01	14,622	1.00	SPRC11C1902A	0.10	(0.02)	3,272	-
PTTG19C1902A	0.67	(0.06)	36,832	-	SAWA07C1812A	-	-	-	-	SPRC13C1812A	0.30	(0.06)	149,833	-
PTTG23C1901A	-	-	-	-	SAWA08C1811A	-	-	-	-	SPRC19C1901A	0.38	(0.05)	38,332	-
PTTG24C1812A	0.06	(0.03)	27	-	SAWA08C1902A	0.94	0.02	20,210	-	SPRC23C1810A	-	-	-	-
PTTG24C1901A	0.39	(0.07)	3,200	-	SAWA11C1906A	0.60	0.02	14,136	-	SPRC24C1903A	0.34	(0.06)	69,329	-
PTTG24P1901A	0.21	0.02	2,002	-	SAWA13C1810A	0.01	-	1	-	STA01C1812A	0.66	(0.05)	31,116	-
PTTG27C1903A	0.38	(0.06)	22,212	-	SAWA13C1811A	0.04	-	35,160	-	STA01C1812B	0.50	(0.05)	16,171	-
PTTG27P1903A	0.40	0.02	12,900	-	SAWA13C1812A	0.33	(0.01)	131,773	-	STA13C1812A	-	-	-	-
PTTG28C1811A	0.09	(0.02)	22,502	-	SAWA13C1901A	0.92	(0.03)	524	-	STA13C1901A	0.52	(0.04)	74,155	-
PTTG28C1812A	0.57	(0.09)	37,735	-	SAWA19C1901A	0.93	0.01	39,209	-	STA13C1902A	0.31	(0.02)	175,436	-
QH01C1810A	0.66	-	29,784	-	SAWA24C1812A	0.28	(0.03)	96,856	-	STA19C1811A	0.41	(0.06)	27,694	-
QH01C1810B	0.29	(0.05)	28,308	-	SAWA24C1902A	0.80	0.01	31,001	-	STA19C1903A	0.74	(0.05)	8,529	-
QH01P1810A	0.08	-	2,306	-	SAWA27C1903A	-	-	-	-	STA23C1809A	0.41	(0.08)	3,000	-
QH11C1902A	0.52	-	11,020	-	SAWA28C1810A	-	-	-	-	STEC01C1809A	0.31	(0.05)	2,800	-
QH19C1901A	0.27	0.01	27,760	-	SAWA28C1811A	0.38	-	80,704	-	STEC01C1809B	-	-	-	-
QH24C1812A	0.18	(0.04)	7,428	-	SAWA28C1812A	-	-	-	-	STEC01C1902A	0.78	(0.05)	25,462	-
QH27C1903A	0.33	(0.01)	7,200	-	SCB01C1810A	0.64	(0.03)	51,539	-	STEC01C1902B	0.67	(0.03)	54,691	-
RATC19C1901A	0.31	0.01	6,408	-	SCB01C1902A	1.13	(0.04)	20,105	1.00	STEC01P1809A	0.19	0.01	28,027	-
RATC24C1902A	0.29	-	30	-	SCB01C1902B	1.05	(0.05)	23,919	1.00	STEC01P1902A	0.60	0.02	161,036	-
RATC27C1812A	-	-	-	-	SCB01P1902A	0.33	0.02	11,820	-	STEC06C1809A	0.34	(0.08)	14,462	-
ROBI01C1809A	0.43	(0.01)	33,390	-	SCB01P1902B	0.11	-	3,812	-	STEC08C1809A	0.15	(0.04)	24,509	-
ROBI01C1903A	0.96	-	25,278	-	SCB06C1811A	0.83	(0.03)	5,565	-	STEC11C1903A	0.70	(0.03)	14,715	-
ROBI01C1903B	0.78	-	38,148	-	SCB08C1901A	0.63	(0.03)	10,335	-	STEC13C1902A	0.65	(0.02)	68,380	-
ROBI06C1809A	0.38	(0.02)	15,400	-	SCB11C1901A	0.30	(0.04)	11,180	-	STEC19C1901A	0.68	(0.04)	15,940	-
ROBI11C1906A	0.65	(0.01)	14,406	-	SCB11P1901A	0.21	0.01	1,940	-	STEC24C1901A	0.78	(0.04)	30,138	-
ROBI13C1902A	0.61	(0.02)	167,721	-	SCB13C1812A	0.74	(0.04)	37,156	-	STEC27C1902A	0.88	(0.07)	10	-
ROBI19C1901A	0.83	(0.02)	25,000	-	SCB13C1902A	0.45	(0.03)	90,170	-	STEC28C1810A	-	-	-	-
ROBI24C1901A	-	-	-	-	SCB13P1812A	-	-	-	-	STEC28C1902A	0.52	(0.04)	69,204	-
ROBI24C1903A	-	-	-	-	SCB19C1811A	0.38	(0.03)	50,671	-	STP108C1811A	0.08	(0.02)	5,006	-
RS08C1901A	0.74	-	36,243	-	SCB24C1901A	-	-	-	-	SUPE08C1811A	0.03	-	61,075	-
RS13C1901A	0.80	(0.03)	182,649	-	SCB24C1902A	-	-	-	-	SUPE13C1810A	0.01	-	5,320	-
RS19C1901A	0.76	(0.02)	35,287	-	SCB24P1811A	-	-	-	-	SUPE13C1811A	0.17	0.07	63,138	-
RS24C1811A	0.64	(0.06)	4,800	-	SCB27C1902A	-	-	-	-	SUPE13C1902A	0.22	(0.78)	494,310	-
S10001C1811A	0.65	(0.01)	2,704	-	SCB27P1903A	0.43	0.02	4,800	-	SUPE19C1902A	0.26	0.03	700,344	-
S5001C1809F	1.07	(0.04)	1,086,164	1.00	SCB28C1812A	0.63	(0.03)	8,908	-	SUPE23C1811A	0.07	0.02	48,583	-
S5001C1809G	0.01	(0.02)	39,442	-	SCB28C1902A	0.39	(0.04)	44,960	-	SUPE23C1901A	-	-	-	-
S5001C1809H	2.56	(0.02)	251,260	2.00	SCB28P1812A	-	-	-	-	SUPE28C1810A	-	-	-	-
S5001C1809I	1.86	(0.08)	863,688	1.00	SCB28P1901A	0.34	0.03	42,683	-	SUPE28C1811A	0.02	(0.01)	102	-
S5001C1810A	1.55	(0.04)	56,710	1.00	SCB42C1903A	0.47	(0.02)	5,080	-	TASCO1C1809A	0.01	-	6,078	-
S5001C1810B	1.62	(0.04)	161,367	1.00	SCCO1C1901A	0.74	(0.02)	29,722	-	TASCO1C1810A	0.15	0.01	34,358	-
S5001C1811A	0.90	(0.03)	3,911	-	SCCO1C1901B	0.58	(0.04)	15,687	-	TASCO1C1810B	-	-	-	-
S5001C1811B	0.85	(0.03)	10,550	-	SCCO1P1901A	0.26	0.01	27,362	-	TASCO1C1903A	0.52	(0.01)	45,534	-
S5001C1812F	1.24	(0.04)	996,037	1.00	SCCO6C1809A	-	-	-	-	TASCO1C1903B	0.37	(0.03)	45,772	-
S5001C1812G	0.95	(0.04)	1,224,605	-	SCCO6C1902A	0.33	(0.03)	8,962	-	TASCO1P1809A	1.57	-	18,674	1.00
S5001P1809F	0.81	0.04	1,808,390	-	SCCO7C1812A	-	-	-	-	TASCO1P1810A	0.49	-	11,822	-
S5001P1809G	0.01	(0.01)	47,442	-	SCCO8C1809A	-	-	-	-	TASCO1P1903A	0.53	-	22,370	-
S5001P1809H	0.01	-	17,330	-	SCCO8C1902A	0.39	(0.03)	27,278	-	TASCO7C1811A	-	-	-	-
S5001P1809I	0.01	-	1,100	-	SCC11C1811A	-	-	-	-	TASCO8C1903A	0.45	(0.02)	58,539	-
S5001P1810A	0.14	0.01	58,997	-	SCC11C1906A	0.27	(0.01)	8,401	-	TASC11C1904A	0.13	(0.01)	1,807	-
S5001P1810B	0.05	-	77,016	-	SCC11P1811A	0.11	(0.01)	4,800	-	TASC13C1810A	-	-	-	-
S5001P1811A	0.69	0.03	259,487	-	SCC13C1809A	-	-	-	-	TASC13C1901A	0.31	(0.02)	213,501	-
S5001P1811B	0.58	0.03	334,682	-	SCC13C1812A	0.18	(0.02)	20,720	-	TASC19C1902A	0.42	(0.01)	47,053	-
S5001P1812F	0.91	0.02	911,185	-	SCC13C1901A	-	-	-	-	TASC23C1902A	0.33	-	31,100	-
S5001P1812G	0.63	0.03	818,108	-	SCC19C1811A	0.11	(0.03)	2,000	-	TASC24C1810A	-	-	-	-
S5006C1809A	0.06	(0.03)	125,041	-	SCC19C1901A	0.40	(0.04)	26,544	-	TASC24C1903A	0.36	(0.01)	300	-
S5006C1809B	0.01	-	228,040	-	SCC23C1811A	0.09	(0.05)	3,000	-	TCAP01C1901A	0.62	0.01	18,762	-
S5006C1809C	0.30	(0.03)	34,470	-	SCC24C1812A	0.03	-	83,000	-	TCAP01C1901B	0.48	(0.01)	6,788	-
S5006C1809D	0.02	-	1	-	SCC24C1901A	-	-	-	-	TCAP01P1901A	0.29	(0.01)	3,834	-
S5006C1812A	0.73	(0.05)	48,853	-	SCC24C1902A	0.27	0.02	1,250	-	TCAP08C1810A	-	-	-	-
S5006C1812B	0.84	(0.03)	15,101	-	SCC24P1901A	-	-	-	-	TCAP11C1811A	-	-	-	-
S5006C1812C	0.68	(0.04)	21,406	-	SCC27C1809A	-	-	-	-	TCAP13C1901A	0.44	(0.02)	23,444	-
S5006C1812D	1.21	(0.04)	32	1.00	SCC27P1809A	0.03	(0.18)	3,300	-	TCAP19C1901A	0.35	(0.02)	9,342	-
S5006P1809A	0.40	0.02	244,455	-	SCC28C1811A	0.11	(0.02)	33,168	-	TCAP24C1903A	-	-	-	-
S5006P1809B	0.01	(0.01)	8,330	-	SCC28C1812A	0.42	(0.03)	12,282	-	THAI01C1901A	0.34	(0.03)	87,646	-
S5006P1809C	0.01	(0.01)	19,900	-	SCCC08C1811A	0.04	-	100	-	THAI01C1901B	0.18	(0.01)	119,340	-
S5006P1809D	0.01	-	2,650	-	SCCC13C1809A	-	-	-	-	THAI01P1901A	0.64	0.01	250,303	-
S5006P1812A	0.61	0.04	53,760	-	SCCC27C1812A	0.09	-	100	-	THAI06C1809A	0.01	-	24,000	-
S5006P1812B	0.17	-	61,571	-	SGP06C1812A	0.19	(0.05)	19,494	-	THAI07C1811A	-	-	-	-
S5006P1812C	0.27	0.02	263,055	-	SGP08C1901A	0.40	(0.06)	29,794	-	THAI08C1903A	0.30	-	80,221	-
S5006P1812D	0.70	0.01	9	-	SGP11C1904A	0.20	(0.04)	20,458	-	THAI11C1906A	0.41	-	15,812	-
S5008C1809A	0.54	(0.12)	9,528	-	SGP13C1811A	-	-	-	-	THAI13C1811A	0.06	0.01	1,753	-
S5008P1809A	-	-	-	-	SGP13C1812A	0.26	(0.05)	71,321	-	THAI13C1902A	0.37	(0.03)	220,512	-
S5013C1809A	0.01	-	94,398	-	SGP19C1811A	0.26	(0.05)	44,347	-	THAI19C1901A	0.31	(0.03)	106,360	-
S5013C1809B	0.09	(0.08)	940,161	-	SGP19C1904A	0.34	(0.05)	20,575	-	THAI23C1901A	0.02	-	4	-
S5013C1809C	0.01	(0.03)	393,843	-	SGP24C1811A	0.09	(0.02)	2,500	-	THAI24C1901A	0.19	-	10,550	-
S5013C1809D	0.38	(0.13)	370,837	-	SGP24C1902A	0.96								

Main Board Quotation

Issue Date :

Monday September 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Monday September 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TISC11C1903A	0.22	(0.01)	102	-	TRUE16C1812A	0.21	0.01	6,183	-	WORK27C1903A	0.47	(0.02)	4,500	-
TISC13C1811A	0.23	(0.01)	25,570	-	TRUE19C1901A	0.10	-	172,956	-	WORK28C1811A	-	-	-	-
TISC13C1812A	0.66	(0.03)	42,970	-	TRUE19C1903A	0.46	-	54,782	-	WORK28C1901A	0.35	-	86,659	-
TISC19C1901A	0.42	(0.02)	12,636	-	TRUE23C1902A	0.16	0.02	20,000	-	Preferred/Foreign	-	-	-	-
TISC24C1812A	0.13	(0.02)	10,859	-	TRUE27C1809A	-	-	-	-	BH-Q	-	-	-	-
TISC24C1904A	0.68	(0.03)	550	-	TRUE27P1809A	-	-	-	-	CSC-Q	-	-	-	-
TISC28C1901A	0.68	(0.03)	57,152	-	TRUE28C1810A	-	-	-	-	JUTHA-Q	-	-	-	-
TKN01C1901A	0.71	(0.05)	83,346	-	TRUE28C1812A	0.11	-	9,626	-	KTB-Q	-	-	-	-
TKN01C1901B	0.54	(0.05)	90,038	-	TTA08C1906A	0.26	-	13,158	-	SCB-Q	-	-	-	-
TKN08C1811A	0.09	(0.01)	11,533	-	TTA13C1901A	0.19	0.01	175,757	-	TCAP-Q	-	-	-	-
TKN11C1902A	0.20	(0.01)	10,820	-	TTA19C1811A	0.06	(0.01)	1,500	-	TIC-Q	-	-	-	-
TKN13C1810A	0.04	-	10,001	-	TTA23C1901A	-	-	-	-	TISCO-Q	-	-	-	-
TKN13C1811A	-	-	-	-	TTA24C1809A	-	-	-	-	U-Q	0.04	0.01	10	-
TKN13C1812A	0.38	(0.06)	269,114	-	TTA24C1902A	-	-	-	-	Warrant	-	-	-	-
TKN19C1811A	0.09	(0.02)	29,295	-	TTA28C1812A	0.06	(0.02)	15,000	-	7UP-W2	0.07	-	500	-
TKN19C1903A	0.55	(0.05)	77,821	-	TU01C1901A	0.65	(0.01)	25,266	-	ACC-W1	0.05	0.02	229,565	-
TKN23C1902A	0.39	(0.05)	21,000	-	TU01C1901B	0.61	(0.01)	76,341	-	AJA-W1	0.22	0.02	11,939	-
TKN24C1811A	0.21	(0.04)	3,701	-	TU01P1901A	0.15	-	465	-	ALT-W1	0.61	(0.01)	9,795	-
TKN24C1812A	-	-	-	-	TU06C1902A	0.34	(0.01)	14,787	-	APURE-W2	0.27	0.01	10,144	-
TKN28C1811A	-	-	-	-	TU07C1902A	-	-	-	-	AQ-W4	-	-	-	-
TKN28C1812A	0.57	(0.06)	140,686	-	TU08C1811A	-	-	-	-	AS-W1	0.25	-	25	-
TMB01C1810A	0.25	0.03	125,380	-	TU11C1902A	0.06	-	1,200	-	AYUD-W1	3.28	0.14	17,756	3.00
TMB01C1810B	0.04	-	37,145	-	TU11C1906A	0.24	(0.02)	19,428	-	B-W3	-	-	-	-
TMB01P1810A	0.28	(0.01)	33,335	-	TU13C1902A	0.30	-	38,122	-	B-W4	0.19	-	53,059	-
TMB06C1809A	0.01	-	5,450	-	TU19C1901A	0.32	-	1,350	-	BTS-W3	-	-	-	-
TMB06C1902A	0.15	0.01	14,283	-	TU23C1902A	0.32	(0.06)	1,000	-	BWG-W4	0.09	0.01	27,417	-
TMB06C1903A	0.36	0.03	8,837	-	TU24C1901A	0.19	(0.05)	10,300	-	CEN-W4	0.05	0.01	38,150	-
TMB07C1811A	-	-	-	-	TVO01C1809A	0.11	0.01	19,238	-	CGD-W4	0.30	-	28,833	-
TMB07C1903A	-	-	-	-	TVO01C1809B	0.01	-	5,000	-	CGH-W3	0.07	-	49,401	-
TMB08C1901A	0.10	(0.01)	23,922	-	TVO01C1903A	0.37	(0.01)	24,519	-	CI-W1	0.45	0.01	54	-
TMB11C1904A	0.12	0.01	8,758	-	TVO01C1903B	0.31	(0.01)	31,377	-	CKP-W1	0.54	-	67,116	-
TMB13C1811A	0.05	0.01	16,301	-	TVO11C1903A	0.10	-	14,833	-	CRANE-W1	1.62	(0.05)	43	1.00
TMB13C1901A	0.24	-	98,199	-	TVO13C1902A	0.23	(0.01)	302	-	CWT-W4	0.57	0.03	68,619	-
TMB19C1901A	0.17	-	108,620	-	TVO19C1902A	0.24	-	650	-	DCC-W1	1.11	0.01	108,628	1.00
TMB23C1810A	-	-	-	-	TVO24C1810A	-	-	-	-	DCON-W1	-	-	-	-
TMB24C1809A	-	-	-	-	TVO24C1903A	-	-	-	-	DIGI-W1	0.03	-	10	-
TMB24C1901A	0.06	-	150	-	UNIQ01C1809A	0.09	(0.05)	1,505	-	DIGI-W2	0.01	(0.01)	101	-
TMB24C1902A	0.24	-	73,000	-	UNIQ01C1810A	0.39	(0.01)	5,912	-	EARTH-W4	-	-	-	-
TMB27C1903A	-	-	-	-	UNIQ01C1810B	0.07	(0.04)	2,701	-	EIC-W2	0.01	(0.01)	8,040	-
TMB28C1901A	0.23	-	61,083	-	UNIQ01P1809A	0.24	0.02	6,003	-	EIC-W3	0.02	-	530	-
TOA01C1901A	0.40	(0.01)	40,656	-	UNIQ08C1810A	-	-	-	-	EVER-W3	0.09	-	252,912	-
TOA01C1901B	0.27	(0.01)	27,571	-	UNIQ08C1906A	0.36	(0.01)	6,391	-	GJS-W3	0.01	-	4,000	-
TOA08C1902A	0.20	(0.01)	96,140	-	UNIQ11C1811A	-	-	-	-	GSTEL-W1	-	-	-	-
TOA13C1812A	0.25	(0.04)	222,386	-	UNIQ13C1901A	0.30	(0.03)	16,906	-	GSTEL-W2	-	-	-	-
TOA19C1901A	0.26	(0.02)	58,884	-	UNIQ19C1811A	0.10	(0.01)	3,000	-	IEC-W2	-	-	-	-
TOA24C1812A	-	-	-	-	UNIQ23C1901A	0.13	(0.01)	19,314	-	IHL-W1	5.85	(0.10)	275	5.00
TOA28C1812A	0.22	(0.02)	65,968	-	UNIQ24C1811A	-	-	-	-	ITD-W1	0.15	-	173,365	-
TOP01C1901A	1.67	(0.01)	25,885	1.00	UNIQ28C1811A	0.13	(0.01)	50	-	JAS-W3	2.32	(0.02)	20,712	2.00
TOP01C1901B	1.49	(0.05)	24,711	1.00	UV01C1902A	0.68	0.01	15,817	-	JCK-W5	0.49	0.01	541	-
TOP01P1901A	0.43	-	13,608	-	UV01C1902B	0.56	0.01	17,118	-	JMART-W2	1.58	(0.04)	3,731	1.00
TOP06C1809A	0.01	-	5,494	-	UV06C1812A	0.44	(0.01)	15,812	-	JMT-W2	1.82	(0.11)	54,252	1.00
TOP06C1903A	1.40	(0.04)	17,986	1.00	UV13C1812A	0.45	(0.01)	187,131	-	MACO-W2	0.27	-	108,308	-
TOP07C1812A	0.57	(0.02)	1	-	UV19C1902A	0.53	-	13,891	-	MIDA-W2	0.02	-	308	-
TOP08C1811A	0.11	(0.01)	30,690	-	UV23C1809A	-	-	-	-	MILL-W3	0.03	-	1,605	-
TOP08C1902A	0.73	(0.03)	25,090	-	UV24C1812A	0.21	(0.03)	820	-	MILL-W4	0.29	-	517	-
TOP11C1905A	1.26	(0.03)	6,499	1.00	VGI01C1812A	0.71	(0.01)	6,045	-	MILL-W5	0.27	(0.01)	16,420	-
TOP13C1811A	0.07	(0.01)	3,420	-	VGI06C1904A	-	-	-	-	ML-W2	0.04	-	96	-
TOP13C1901A	0.76	(0.02)	4,935	-	VGI06C1904B	-	-	-	-	MONO-W1	0.50	(0.01)	10,721	-
TOP13C1902A	0.58	(0.42)	12,725	-	VGI06C1904C	-	-	-	-	NEP-W3	-	-	-	-
TOP19C1901A	0.55	(0.02)	30,644	-	VGI08C1811A	0.59	0.05	15,893	-	NOK-W1	0.58	-	343	-
TOP23C1811A	0.14	(0.03)	14,000	-	VGI23C1905A	-	-	-	-	NUSA-W3	0.18	0.05	19	-
TOP24C1901A	0.21	(0.01)	1,000	-	VGI23C1911A	-	-	-	-	NVD-W1	0.50	(0.02)	3,898	-
TOP24C1902A	0.75	(0.03)	100	-	VGI27C1812A	0.34	(0.01)	2,100	-	ORI-W1	2.22	(0.06)	3,090	2.00
TOP24C1903A	0.52	(0.04)	3,010	-	VGI28C1810A	-	-	-	-	PACE-W2	0.20	0.01	13,605	-
TOP27C1903A	0.64	(0.04)	2,400	-	WHA01C1812A	0.66	(0.05)	11,785	-	PDI-W1	1.26	(0.02)	4,393	1.00
TOP28C1810A	-	-	-	-	WHA01C1812B	0.54	(0.04)	53,790	-	PDJ-W2	1.28	(0.01)	56	1.00
TOP28C1812A	0.68	(0.02)	48,552	-	WHA01P1812A	0.41	0.02	15,799	-	PDJ-W3	1.28	-	2	1.00
TP101C1812A	0.30	(0.03)	12,979	-	WHA06C1809A	0.05	(0.05)	13,202	-	PDJ-W4	1.29	(0.01)	6	1.00
TP101C1812B	0.19	(0.03)	16,444	-	WHA06C1903A	0.53	(0.05)	27,326	-	PLE-W3	0.14	(0.01)	69,832	-
TP107C1812A	-	-	-	-	WHA07C1810A	0.16	(0.02)	8,300	-	RICH-W1	-	-	-	-
TP113C1902A	0.29	(0.04)	13,144	-	WHA08C1811A	0.15	(0.04)	21,966	-	RICHY-W1	0.32	-	1,496	-
TP119C1901A	0.34	(0.05)	9,072	-	WHA11C1903A	0.25	(0.03)	22,888	-	RICHY-W2	0.20	-	1,825	-
TP123C1809A	-	-	-	-	WHA13C1812A	0.47	(0.04)	215,575	-	RS-W3	8.95	(0.10)	238	9.00
TP124C1902A	-	-	-	-	WHA19C1901A	0.51	(0.03)	69,095	-	S-W1	0.14	-	12,561	-
TP1P01C1810A	0.30	(0.03)	5,960	-	WHA23C1810A	0.24	(0.04)	1,000	-	SAMART-W2	0.68	-	112,024	-
TP1P01C1810B	0.03	(0.01)	1,652	-	WHA24C1811A	-	-	-	-	SAWAD-W1	6.10	(0.15)	578	6.00
TP1P01P1810A	0.49	0.03	4,875	-	WHA24C1902A	0.50	(0.02)	125,000	-	SDC-W1	0.27	-	110,467	-
TP1P11C1811A	-	-	-	-	WHA27C1903A	0.68	(0.03)	500	-	SMM-W4	0.01	-	5	-
TP1P13C1811A	-	-	-	-	WHA28C1901A	0.49	(0.05)	43,021	-	SMT-W1	0.09	0.01	31,525	-
TP1P13C1902A	0.30	(0.01)	9,156	-	WHAU01C1810A	0.22	(0.02)	2,871	-	SMT-W2	0.66	(0.01)	1,852	-
TP1P19C1902A	0.35	(0.01)	2,000	-	WHAU01C1810B	0.02	-	1	-	SPALI-W4	20.30	(0.60)	2,429	20.00
TP1P24C1901A	-	-	-	-	WHAU13C1902A	0.28	(0.02)	8,565	-	SPORT-W5	0.02	-	304	-
TP1P27C1812A	-	-	-	-	WHAU19C1902A	0.33	(0.02)	1,200	-	SUPER-W4	0.11	-	1,348,628	-
TRUE01C1902A	0.42	0.01	238,034	-	WHAU24C1812A	-	-	-	-	SUSCO-W1	0.08	-	49,987	-
TRUE01C1902B	0.29	(0.01)	512,983	-	WHAU24C1902A	0.32	(0.04)	24,000	-	SVI-W3	1.90	0.10	1,463	1.00
TRUE01P1902A	0.50	(0.02)	23,193	-	WORK01C1811A	0.44	0.03	60,698	-	TCC-W3	0.23	0.09	9,013	-
TRUE01P1902B	0.36	(0.02)	52,535	-	WORK01C1811B	0.20	-	67,099	-	TCC-W4	0.24	0.09	238,584	-
TRUE06C1811A	0.05	0.01	23,577	-	WORK08C1809A	-	-	-	-	TCC-W5	0.30	0.10	159,149	-
TRUE06C1906A	0.23	0.02	17,577	-	WORK08C1901A	0.32	-	45,013	-	TCJ-W2	0.97	(0.01)	17,187	1.00
TRUE07C1902A	0.17	0.01	20,500	-	WORK11C1903A	0.09	(0.01)	13,915	-	TCMC-W2	0.38	0.01	2,137	-
TRUE08C1809A	-	-	-	-	WORK13C1810A	0.01	-	1	-	TFG-W1	1.78	0.20	-	1.00

Main Board Quotation

Issue Date :

Monday September 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE08C1902A	0.27	-	47,996	-	WORK13C1811A	0.05	0.01	5,100	-	TFG-W2	0.77	-	6,787	-
TRUE08P1809A	0.01	-	10,300	-	WORK13C1812A	0.33	-	159,660	-	TH-W2	0.15	-	5	-
TRUE11C1905A	0.26	0.02	16,026	-	WORK13C1902A	0.55	0.01	27,442	-	THE-W2	0.06	-	16,098	-
TRUE13C1810A	-	-	-	-	WORK19C1811A	0.09	-	13,343	-	TNITY-W1	0.98	(0.02)	3,748	-
TRUE13C1812A	0.14	-	207,758	-	WORK19C1902A	0.59	0.02	89,069	-	TNPC-W1	0.44	(0.02)	221	-
TRUE13C1901A	0.27	-	231,779	-	WORK24C1810A	-	-	-	-	TRITN-W3	0.33	-	46,519	-
TRUE13P1901A	0.29	(0.02)	166,073	-	WORK24C1812A	0.22	-	24,200	-	TSR-W1	0.48	(0.09)	5,031	-
TTA-W5	0.16	-	70,256	-	SIMAT-W2	0.43	-	1,788	-	-	-	-	-	-
TTCL-W1	1.58	(0.01)	84,523	1.00	SIMAT-W3	0.55	0.01	300	-	-	-	-	-	-
U-W1	0.01	-	212	-	SIMAT-W4	1.26	0.01	2,796	1.00	-	-	-	-	-
U-W4	0.01	-	4,296,395	-	SKY-W1	12.80	(0.10)	170	12.00	-	-	-	-	-
VIBHA-W2	1.49	-	370	1.00	STAR-W3	1.97	-	552	1.00	-	-	-	-	-
VIBHA-W3	0.31	(0.01)	5,070	-	TAKUNI-W	0.20	-	8,757	-	-	-	-	-	-
WAVE-W1	0.36	0.01	38	-	TAPAC-W3	2.82	(0.04)	2,787	2.00	-	-	-	-	-
WHA-W1	7.50	(0.25)	6,231	7.00	TMILL-W1	1.03	-	9,353	1.00	-	-	-	-	-
WORK-W1	8.90	-	90	8.00	TSF-W4	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W5	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	TVD-W2	0.77	0.12	349,852	-	-	-	-	-	-
CSC-P	-	-	-	-	UAC-W2	0.78	-	19,588	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UKEM-W2	0.49	(0.01)	353	-	-	-	-	-	-
KTB-P	-	-	-	-	UWC-W2	0.01	-	105,516	-	-	-	-	-	-
SCB-P	-	-	-	-	XO-W1	6.15	(0.15)	555	6.00	-	-	-	-	-
TCAP-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TIC-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	0.04	-	67,142	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.18	0.01	61,429	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	1.94	(0.06)	5,298	2.00	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.03	-	8,186	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.81	0.01	1,668	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.27	(0.01)	31,306	-	-	-	-	-	-	-	-	-	-	-
BM-W1	0.48	0.01	59,800	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.19	-	3,512	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.29	-	745	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	0.02	-	1,018	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.16	-	83,277	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.40	0.12	16,444	1.00	-	-	-	-	-	-	-	-	-	-
ECF-W2	5.45	0.05	109	5.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	3.40	0.02	4,110	3.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.02	-	397	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.01	(0.01)	10,000	-	-	-	-	-	-	-	-	-	-	-
FC-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FC-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.54	-	1,270	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.40	-	2,707	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.49	-	46,743	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	1.97	0.01	6,794	1.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.14	(0.02)	43	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.05	0.01	2,089	-	-	-	-	-	-	-	-	-	-	-
NCL-W3	0.46	(0.01)	2,896	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.06	-	5,251	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	0.01	-	1,100	-	-	-	-	-	-	-	-	-	-	-
PHOL-W1	0.01	-	11,190	-	-	-	-	-	-	-	-	-	-	-
PIMO-W1	2.48	(0.04)	1,161	2.00	-	-	-	-	-	-	-	-	-	-
PPS-W1	0.81	0.03	177	-	-	-	-	-	-	-	-	-	-	-
PSTC-W1	0.26	-	16,622	-	-	-	-	-	-	-	-	-	-	-