

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday September 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	11.70	(0.20)	13,284	11.81	SE-ED	3.04	-	21	3.04
POMPUI	-	-	-	-	ILINK	5.10	(0.10)	22,762	5.10	SMM	1.13	(0.03)	59,282	1.13
SAFARI	-	-	-	-	INET	3.96	-	4,251	3.97	SPORT	0.40	-	2,307	0.40
VI	-	-	-	-	INTUCH	54.00	(0.50)	162,721	53.87	TBSP	14.00	-	61	13.06
WORLD	-	-	-	-	JAS	5.55	-	177,130	5.56	TH	0.73	0.02	14,771	0.73
WR	-	-	-	-	JASIF	10.50	0.10	97,539	10.43	TKS	11.70	-	34,567	11.74
Agribusiness					JMART	9.15	0.05	20,467	9.22	TRITN	0.47	0.01	1,271,394	0.48
CHOTI	143.50	1.50	1	143.50	JTS	1.63	0.03	1,622	1.63	VGI	7.95	0.10	129,783	7.90
EE	0.70	0.03	88,801	0.69	MFEC	3.46	0.02	1,534	3.45	WAVE	2.60	0.02	87	2.56
GFPT	14.80	0.80	114,196	14.61	MSC	6.60	-	765	6.52	WORK	41.25	(0.50)	31,127	41.75
LEE	2.80	0.04	2,363	2.79	PT	6.75	(0.05)	1,411	6.77	Finance & Securities				
PPPM	5.80	0.05	2,806	5.81	SAMART	8.35	(0.10)	35,333	8.35	AEC	0.51	(0.01)	276	0.51
STA	16.40	0.30	185,376	16.43	SAMTEL	8.75	(0.05)	675	8.80	AEONTS	209.00	(1.00)	11,826	211.09
TRUBB	1.94	(0.01)	4,018	1.94	SDC	0.45	-	152,790	0.46	AMANAHA	2.00	0.02	200,513	2.02
TWPC	8.80	-	659	8.79	SIS	8.95	(0.05)	2,313	8.92	ASAP	7.30	0.15	80,582	7.31
UPOIC	4.80	-	228	4.80	SVOA	1.41	0.01	3,476	1.41	ASK	23.80	0.20	2,054	23.73
UVAN	6.90	(0.10)	5,088	6.90	SYMC	5.75	0.10	316	5.75	ASP	3.84	0.02	6,021	3.83
VPO	0.65	-	192	0.65	SYNEX	15.50	0.10	38,449	15.49	BFIT	29.00	(1.00)	9,805	29.11
Banking					THCOM	9.70	(0.15)	29,497	9.69	CGH	1.04	(0.02)	10,112	1.05
BAY	40.00	-	839	40.17	TRUE	6.05	(0.05)	532,083	6.08	CNS	2.60	-	1,957	2.57
BBL	210.00	(2.00)	45,865	210.47	TWZ	0.12	(0.01)	41,725	0.13	ECL	2.14	0.08	316,961	2.14
CIMBT	0.88	-	100,038	0.89	Electronic Componer					FNS	4.12	0.02	1,321	4.11
KBANK	216.00	2.00	57,147	215.29	CCET	2.00	(0.02)	5,547	2.01	FSS	2.40	0.06	2,911	2.38
KKP	75.25	0.50	20,711	75.30	DELTA	69.75	-	11,428	69.70	GBX	0.65	(0.02)	1,349	0.66
KTB	20.20	0.20	232,325	20.14	EIC	0.06	-	34,833	0.06	GL	7.55	0.15	177,897	7.70
LHFG	1.57	(0.01)	28,185	1.57	HANA	39.50	0.25	35,661	39.66	IFS	3.12	0.06	3,343	3.10
SCB	149.00	1.00	43,364	148.24	KCE	42.25	0.25	42,545	42.37	JMT	11.40	(0.20)	33,044	11.55
TCAP	53.75	-	40,742	53.81	METCO	199.00	(1.00)	13	199.23	KCAR	12.80	(0.10)	623	12.80
TISCO	83.75	-	22,023	83.74	SMT	2.28	-	24,324	2.32	KGI	4.52	-	11,807	4.51
TMB	2.30	(0.02)	2,528,679	2.32	SPPT	4.50	0.14	27,743	4.43	KTC	36.00	-	118,706	36.30
Construction Materia					SVI	5.60	-	38,205	5.59	MBKET	13.20	0.10	1,225	13.11
CCP	0.45	-	25,117	0.44	TEAM	1.17	0.02	19,426	1.17	MFC	16.90	-	184	16.90
COTTO	2.98	0.08	35,283	2.96	Energy & Utilities					ML	1.08	-	6,235	1.09
DCC	2.60	-	75,922	2.63	ABPIF	8.45	-	5,500	8.41	MTC	48.25	3.00	393,415	48.20
DCON	0.57	(0.01)	13,229	0.57	AI	-	-	-	-	PE	0.25	(0.01)	2,596	0.26
DRT	5.65	-	2,412	5.68	AKR	1.02	0.01	115,771	1.03	PL	3.52	-	1,685	3.52
EPG	8.80	(0.10)	43,483	8.83	BAFS	34.25	-	843	34.26	S11	7.55	(0.05)	3,114	7.62
GEL	0.35	-	31,134	0.35	BANPU	19.10	(0.10)	460,449	19.11	SAWAD	48.25	2.75	348,324	48.15
PPP	3.50	-	521	3.49	BCP	35.25	(0.25)	84,776	35.22	THANI	9.45	0.35	463,904	9.45
Q-CON	5.45	-	1,312	5.55	BCPG	22.70	1.50	532,089	21.94	TK	11.40	-	4,497	11.60
RCI	3.88	(0.02)	8,453	3.87	BGRIM	29.00	0.75	154,694	28.71	TNITY	5.95	(0.05)	192	5.96
SCC	446.00	(4.00)	26,478	445.84	BPP	26.25	-	36,480	26.04	UOBKH	4.20	0.02	25	4.20
SCCC	250.00	-	705	250.23	BRRGIF	10.00	-	1,735	9.95	ZMICO	1.15	(0.01)	11,868	1.15
SCP	9.00	0.05	2,949	9.00	CKP	5.35	-	480,902	5.32	Food & Beverage				
SKN	4.66	0.06	4,038	4.61	DEMCO	4.12	0.02	31,107	4.14	APURE	1.48	0.01	1,021	1.47
TASCO	16.20	0.10	30,965	16.13	EA	48.25	0.25	153,230	48.34	ASIAN	9.55	0.60	442,556	9.42
TCMC	2.72	-	5,770	2.69	EARTH	-	-	-	-	BR	5.70	0.10	31,826	5.73
TOA	37.75	(0.50)	6,390	37.97	EASTW	11.00	-	3,312	11.00	BRR	6.55	(0.10)	672	6.57
TPIPL	1.84	0.01	53,673	1.84	EGATTIF	11.00	(0.10)	13,132	11.00	CBG	54.00	0.25	35,787	54.12
UMI	1.45	-	2,308	1.46	EGCO	236.00	-	9,294	235.08	CFRESH	4.50	0.02	428	4.48
VNG	7.55	0.10	911	7.52	ESSO	15.60	-	213,690	15.67	CM	4.34	0.02	1,468	4.35
WIJK	2.58	0.10	28,192	2.58	GLOW	88.00	-	34,592	88.21	CPF	25.25	0.25	171,993	25.06
Petrochemicals & Ch					GPSC	67.75	-	8,265	67.83	CPI	1.82	(0.01)	202	1.84
BCT	53.50	-	105	53.51	GULF	76.25	1.00	209,063	76.14	F&D	-	-	-	-
CMAN	3.30	(0.02)	9,267	3.31	GUNKUL	3.14	0.02	172,183	3.12	HTC	17.20	(0.20)	1,014	17.29
GC	5.15	-	548	5.15	IEC	-	-	-	-	ICHI	4.70	(0.04)	30,529	4.75
GGC	11.80	0.20	19,293	11.67	IFEC	-	-	-	-	KBS	4.30	0.02	1,188	4.28
GIFT	4.56	-	2,522	4.56	IRPC	6.80	(0.10)	779,969	6.83	KSL	3.38	(0.02)	3,244	3.39
IVL	59.00	(0.75)	133,833	59.13	LANNA	16.00	-	11,310	15.93	KTIS	5.70	-	309	5.68
NFC	11.30	-	571	11.30	MDX	4.74	0.08	4,783	4.73	LST	4.98	(0.02)	1,850	4.97
PATO	14.30	(0.10)	192	14.40	PTG	13.40	0.70	680,664	13.14	M	72.50	-	655	72.71
PMTA	14.00	-	1	14.00	PTT	54.25	0.25	498,900	54.32	MALEE	15.10	(0.10)	15,059	15.18
PTTGC	81.25	(0.50)	82,481	81.38	PTTEP	155.00	(1.50)	71,501	155.42	MINT	41.00	0.50	156,096	40.88
SUTHA	4.22	(0.10)	1,417	4.21	RATCH	51.75	(0.25)	16,317	51.73	OISHI	92.75	1.00	30	91.88
TCCC	34.75	-	82	34.52	RPC	0.53	-	6,671	0.54	PB	60.75	-	524	60.50
TPA	6.65	-	3	6.65	SCG	4.58	0.02	263	4.59	PM	9.10	(0.05)	13,257	9.19
UP	26.00	(3.00)	3	26.00	SCI	3.10	-	4,152	3.12	PRG	-	-	-	-
VNT	24.70	0.30	12,118	24.79	SCN	4.46	0.08	239,900	4.47	SAPPE	24.10	0.10	8,127	24.27
WG	170.00	2.00	11	170.41	SGP	12.40	0.10	101,705	12.39	SAUCE	22.00	(0.10)	25	22.01
YCI	-	-	-	-	SKE	1.30	(0.03)	39,885	1.29	SFP	-	-	-	-
Commerce					SOLAR	2.62	0.06	108,729	2.64	SNP	20.40	(0.10)	129	20.40
BEAUTY	12.10	0.10	433,159	12.04	SPCG	21.20	0.30	7,265	21.05	SORKON	71.50	0.25	2	71.50
BIG	1.90	-	90,815	1.90	SPRC	14.90	-	98,537	14.88	SSC	39.50	-	6	39.50
BIC	59.50	(0.25)	58,343	59.49	SUPER	0.84	0.01	2,441,306	0.84	SSF	8.30	-	21	8.35
COL	28.75	0.25	6,282	28.86	SUSCO	3.24	-	15,450	3.25	SST	5.90	0.15	2,594	5.83
COM7	22.50	0.70	124,706	22.30	TAE	2.22	-	4,183	2.22	TC	3.06	-	101	3.06
CPALL	69.00	(0.25)	343,049	68.87	TCC	0.53	-	25,815	0.53	TFG	4.18	(0.02)	7,099	4.20
CSS	2.28	0.02	16,832	2.29	TOP	88.50	0.50	56,171	88.25	TFMAMA	160.00	-	75	160.70
FN	2.84	(0.02)	3,150	2.86	TPIPP	6.65	0.05	72,765	6.61	TIPCO	9.50	-	6,672	9.46
FTE	2.28	-	4,607	2.29	TTW	12.20	-	30,264	12.27	TKN	17.40	0.30	245,104	17.21
GLOBAL	21.00	0.30	61,723	20.88	WHAUP	6.35	0.05	48,591	6.35	TU	17.90	0.20	129,241	17.85
HMPRO	15.80	(0.10)	407,470	15.88	WP	7.60	0.10	30,073	7.59	TVO	29.00	(0.25)	9,067	29.09
IT	4.28	-	917	4.27	Media & Publishing					Health Care Services				
KAMART	4.62	0.08	13,281	4.58	AMARIN	4.80	(0.02)	587	4.81	AHC	21.10	0.10	59	21.08
LOXLEY	2.28	(0.02)	63,948	2.30	AQUA	0.48	-	57,358	0.48	BCH	20.80	0.50	149,033	20.60
MAKRO	34.00	-	2,512	34.00	AS	1.16	(0.02)	30	1.16	BDMS	25.50	-	248,956	25.50
MC	12.80	-	4,404	12.80	BEC	6.95	(0.05)	73,414	6.98	BH	186.00	1.50	20,455	186.01
MEGA	37.25	1.00	22,531	36.81	EPCO	3.58	(0.02)	12,310	3.59	CHG	2.84	0.02	281,170	2.83
MIDA	0.60	(0.01)	9,832	0.61	FE	-	-	-	-	CMR	3.16	-	904	3.17
ROBINS	70.50	0.50	15,277	70.24	GPI	2.72	0.02	1,489	2.70	EKH	5.95	0.05	7,377	5.92
RSP	4.22	0.06	21,495	4.22	GRAMMY	8.00	-	468	8.00	KDH	97.00	2.00	30	96.00
SINGER	9.50	0.15	86	9.51	MACO	1.93	0.01	63,191	1.94	LPH	6.15	0.05		

Main Board Quotation

Issue Date :

Friday September 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.80	0.02	3,034	2.80	MJD	3.50	0.02	1,302	3.48	CPT	1.97	0.01	30,714	1.97
Tourism & Leisure					MK	4.04	0.04	2,796	4.03	CRANE	2.92	0.08	505	2.91
ASIA	6.65	-	5	6.65	NCH	0.99	0.02	13,675	0.99	CTW	9.50	0.10	357	9.43
CENTEL	41.75	(0.25)	38,155	41.93	NNCL	1.90	0.03	61,399	1.89	FMT	24.80	(0.20)	30	25.27
CSR	-	-	-	-	NOBLE	14.70	0.40	9,607	14.56	HTECH	6.95	-	5,321	6.98
DTC	13.50	1.30	66,538	13.12	NUSA	0.33	-	8,698	0.33	KKC	1.66	0.01	2,001	1.65
ERW	8.10	0.05	58,175	8.05	NVD	4.18	-	1,239	4.17	PK	3.26	-	3,964	3.27
GRAND	1.05	0.01	16,179	1.04	ORI	17.30	(0.10)	44,066	17.40	SNC	14.70	0.10	1,367	14.62
LRH	-	-	-	-	PACE	0.60	-	112,495	0.60	TCJ	6.00	-	270	5.90
MANRIN	-	-	-	-	PF	1.04	0.01	170,307	1.03	VARO	-	-	-	-
OHTL	780.00	(10.00)	1	785.00	PLAT	8.60	-	9,569	8.57	Property Fund & REI				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.80	0.10	1,859	10.70
SHANG	78.75	(0.25)	51	78.57	PRECHA	1.89	0.06	200,362	2.05	AMATAR	10.80	-	2,455	10.80
Home & Office Prod.					PRIN	1.64	(0.01)	10,006	1.64	B-WORK	11.20	(0.10)	238	11.29
ACC	0.50	-	9,327	0.50	PRINC	5.20	-	3,874	5.20	BKKCP	12.30	-	2,587	12.30
AJA	0.39	(0.01)	7,008	0.40	PSH	21.20	(0.10)	4,100	21.22	BOFFICE	13.30	0.10	7	13.30
DTCI	-	-	-	-	QH	3.46	(0.02)	366,844	3.46	CPNCG	15.80	-	356	15.76
FANCY	0.90	0.01	3,739	0.90	RICHY	1.87	0.01	29,167	1.86	CPNREIT	27.50	0.75	16,427	27.22
KYE	408.00	2.00	269	408.00	RML	1.39	(0.03)	382,613	1.40	CPTGF	13.40	-	79	13.50
L&E	2.70	-	875	2.72	ROJNA	5.45	0.20	89,997	5.41	CRYSTAL	10.20	-	1,520	10.16
MODERN	4.50	0.04	10,439	4.46	S	3.62	0.02	133,188	3.59	CTARAF	4.82	-	51	4.80
OGC	37.50	(0.25)	39	37.19	SAMCO	2.14	(0.08)	20,422	2.17	DREIT	5.45	(0.05)	108	5.47
ROCK	16.50	(0.40)	2	16.50	SC	3.64	0.02	36,349	3.65	ERWPF	5.55	-	119	5.55
SIAM	2.16	(0.02)	16,256	2.18	SENA	3.80	-	7,887	3.78	FUTUREPF	22.80	0.10	841	22.40
TSR	2.32	0.04	6,314	2.32	SF	8.75	0.10	11,505	8.75	GAHREIT	9.75	0.05	3,994	9.74
Insurance					SIRI	1.66	0.01	347,803	1.66	GLANDRT	12.50	(0.10)	1,462	12.67
AYUD	43.75	-	3,765	43.84	SPALI	24.30	(0.20)	60,875	24.31	GOLDPF	7.20	0.15	1,038	7.13
BKI	351.00	-	62	350.05	TIGON	16.50	(0.20)	117	16.49	GVREIT	15.10	(0.10)	129	15.13
BLA	32.50	-	1,868	32.57	U	0.03	-	1,915,305	0.03	HPF	5.45	(0.05)	11	5.45
BUI	-	-	-	-	UV	8.30	(0.15)	56,697	8.34	HREIT	6.75	-	7,039	6.70
CHARAN	33.50	0.50	177	33.50	WHA	4.36	0.12	2,227,095	4.33	IMPACT	19.60	-	2,139	19.60
INSURE	-	-	-	-	WIN	0.68	0.01	485	0.67	KPNPF	-	-	-	-
MTI	102.50	(0.50)	117	102.97	Paper & Printing Mat					LHHOTEL	15.80	0.10	318	15.79
NKI	52.00	1.00	6	52.67	UTP	11.20	(0.20)	10,792	11.23	LHPF	8.35	0.05	1,625	8.30
NSI	79.50	(0.25)	32	79.63	Fashion	-	-	-	-	LHSC	16.30	-	57	16.32
SMK	41.50	0.50	2	41.38	AFC	-	-	-	-	LUXF	8.60	0.10	575	8.55
THRE	1.09	(0.03)	44,126	1.10	BTNC	-	-	-	-	M-II	-	-	-	-
THREL	8.20	-	1,652	8.21	CPH	5.85	(0.15)	347	5.79	M-PAT	-	-	-	-
TIC	42.00	0.50	133	41.50	CPL	3.16	-	112	3.17	M-STOR	-	-	-	-
TIP	24.60	(0.10)	4,839	24.63	DIGI	0.27	0.01	13,674	0.27	MIPF	-	-	-	-
TSI	0.41	-	12,138	0.39	ICC	40.00	0.25	10	40.00	MIT	-	-	-	-
TVI	3.64	0.04	1,204	3.60	LTX	101.50	(1.50)	51	102.27	MJLF	12.70	0.10	30	12.70
Mining					NC	-	-	-	-	MNIT	1.63	(0.07)	80	1.63
PDI	14.30	(0.10)	2,683	14.37	PAF	0.92	0.01	1,133	0.92	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.58	0.02	5,072	2.54	MNRF	3.38	0.02	173	3.35
Packaging					PG	-	-	-	-	MONTRI	6.55	0.05	44	6.55
AJ	10.00	-	455	10.00	SABINA	30.50	0.25	13,399	30.46	POPF	13.80	(0.10)	6,663	13.89
ALUCON	178.50	-	25	178.48	SAWANG	-	-	-	-	PPF	-	-	-	-
CSC	45.25	0.25	65	44.95	SUC	45.00	-	1,040	45.00	QHHR	8.50	-	1,278	8.50
NEP	0.34	(0.01)	5,425	0.34	TNL	-	-	-	-	QHOP	3.50	0.04	27	3.50
NPPG	0.97	(0.02)	27,206	0.97	TPCORP	-	-	-	-	QHPF	13.30	0.10	5,114	13.21
PTL	16.70	-	4,840	16.65	TR	47.50	-	70	47.59	SBPF	3.02	0.04	3	3.01
SITHAI	1.24	-	2,453	1.24	TTI	-	-	-	-	SHREIT	9.40	(0.05)	32	9.39
SLP	0.97	(0.01)	1,218	0.97	TTL	-	-	-	-	SIRIP	11.80	-	20	11.80
SMPC	13.40	(0.10)	977	13.45	TTTM	-	-	-	-	SPF	24.60	0.60	5,353	24.38
SPACK	1.93	(0.01)	347	1.94	UPF	70.00	(1.00)	3	70.58	SRIPANWA	11.10	-	5	11.10
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	10.10	-	130	10.10
TFI	0.31	-	202	0.29	WACOAL	46.25	(0.75)	40	46.49	SSTPF	6.50	(0.05)	716	6.50
THIP	33.75	0.25	226	33.57	Transportation & Log					SSTRT	6.25	0.05	50	6.25
TMD	21.10	(0.10)	4	21.08	AAV	4.28	-	58,847	4.28	TIF1	8.80	-	327	8.82
TOPP	-	-	-	-	AOT	65.50	0.25	188,414	65.22	TLGF	20.10	0.30	2,623	19.93
TPBI	8.20	0.05	1,426	8.25	ASIMAR	2.64	(0.02)	12,768	2.69	TLHPF	-	-	-	-
TPP	17.90	0.60	2	17.90	B	0.65	(0.01)	25,980	0.66	TNPF	3.62	0.06	6	3.65
Personal Products &					BA	13.40	0.10	9,188	13.37	TPRIME	-	-	-	-
APCO	4.74	(0.14)	10,640	4.79	BEM	8.70	0.05	281,173	8.67	TREIT	11.80	-	8,416	11.78
DDD	47.75	(0.50)	2,060	48.06	BTS	9.30	(0.05)	143,311	9.33	TTLPF	23.40	-	10	23.40
JCT	-	-	-	-	BTSGIF	12.10	(0.10)	29,372	12.18	TU-PF	-	-	-	-
OCC	17.40	0.10	2	17.65	III	6.95	0.05	18,903	6.93	URBNPF	3.64	0.14	331	3.58
S & J	-	-	-	-	JUTHA	1.87	(0.08)	12,685	1.90	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	7.70	(0.05)	10,018	7.73	WHART	10.80	-	6,081	10.80
TNR	14.00	-	110	13.90	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.80	(0.02)	181	4.81	NOK	2.68	0.04	68,009	2.66	AMC	2.48	-	664	2.46
Professional Service					NYT	5.00	-	12,538	5.00	BSBM	1.16	-	2,497	1.17
BWG	1.20	-	652,143	1.20	PRM	8.55	-	46,363	8.53	CEN	1.39	0.01	3,829	1.39
GENCO	0.82	0.01	4,979	0.82	PSL	13.60	0.60	177,416	13.48	CITY	2.74	-	55	2.73
PRO	-	-	-	-	RCL	6.20	(0.05)	8,767	6.29	CSP	1.39	(0.02)	511	1.41
TEAMG	2.42	0.02	26,786	2.41	THAI	15.10	(0.20)	84,132	15.12	GJS	0.26	-	13,931	0.26
Property Developme					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	500	6.70	TTA	7.55	0.05	44,631	7.52	INOX	1.20	-	1,359	1.20
AMATA	24.10	1.10	810,867	23.70	WICE	5.10	0.05	15,490	5.09	LHK	4.96	-	2,232	4.95
AMATAV	6.25	0.10	7,054	6.21	Automotive	-	-	-	-	MAX	0.02	(0.01)	478,698	0.02
ANAN	5.05	-	91,109	5.06	AH	30.50	-	5,882	30.48	MCS	7.05	0.05	39,880	7.09
AP	9.10	0.05	58,892	9.06	APCS	5.25	-	1,810	5.23	MILL	1.79	0.03	145,421	1.79
APEX	0.22	0.01	77,617	0.21	BAT-3K	-	-	-	-	PAP	4.14	-	122	4.13
AQ	0.03	-	81,275	0.03	CWT	2.98	-	2,807	2.99	PERM	2.38	(0.02)	4,949	2.41
BLAND	1.79	0.01	756,605	1.79	EASON	2.72	(0.02)	21,277	2.76	RICH	-	-	-	-
BROCK	-	-	-	-	GYT	-								

Main Board Quotation

Issue Date :

Friday September 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TSE	3.18	(0.02)	1,925	3.00	ADVA01P1902A	0.60	(0.02)	51,800	-
ABICO	7.70	0.05	2,321	7.00	UMS	0.76	(0.02)	1	-	ADVA01P1902B	0.42	(0.01)	52,438	-
AU	8.50	-	25,826	8.00	UWC	0.07	-	163,194	-	ADVA06C1809A	0.39	0.08	400	-
FC	0.31	(0.01)	51,635	-	Services (MAI)	-	-	-	-	ADVA06C1903A	0.50	0.02	11,200	-
JCKH	1.13	(0.01)	1,854	1.00	ADAM	-	-	-	-	ADVA08C1809A	-	-	-	-
KASET	2.20	-	2,304	2.00	AKP	1.86	0.16	69,018	1.00	ADVA08C1903A	0.30	0.01	5,528	-
MM	3.98	-	23	3.00	AMA	6.10	-	25,563	6.00	ADVA08P1809A	-	-	-	-
SUN	3.58	0.06	42,111	3.00	ARIP	0.53	0.02	844	-	ADVA11C1905A	0.22	(0.01)	1,030	-
TACC	4.16	0.02	2,007	4.00	ATP30	1.72	-	8,628	1.00	ADVA11P1905A	0.27	-	1,030	-
TMILL	3.20	0.02	2,567	3.00	AUCT	7.30	0.10	28,493	7.00	ADVA13C1811A	0.41	(0.01)	30,000	-
XO	10.30	-	6,563	10.00	BOL	1.93	-	402	1.00	ADVA13C1901A	0.27	(0.01)	123,081	-
Consumer Products	-	-	-	-	CHUO	-	-	-	-	ADVA16C1812A	-	-	-	-
BGT	1.16	0.05	137,029	1.00	CMO	1.52	(0.01)	1,024	1.00	ADVA19C1901A	0.55	-	5,318	-
BIZ	2.78	0.02	112	2.00	D	11.90	-	2,580	11.00	ADVA23C1902A	0.37	-	33,096	-
DOD	15.30	0.10	222,092	15.00	DCORP	2.78	-	12,594	2.00	ADVA24C1810A	-	-	-	-
ECF	9.05	0.15	120,889	9.00	DNA	0.68	0.07	358,146	-	ADVA24C1905A	0.29	(0.01)	1,050	-
HPT	1.06	(0.01)	1,235	1.00	EFORL	0.07	(0.01)	35,684	-	ADVA24P1810A	-	-	-	-
JUBILE	19.00	(0.10)	502	19.00	ETE	1.94	0.09	118,412	1.00	ADVA27C1902A	0.27	0.01	7,168	-
MOONG	6.50	(0.05)	7,586	6.00	FSMART	8.45	(0.10)	11,398	8.00	ADVA28C1811A	0.35	(0.02)	21	-
NPK	26.75	1.25	5	26.00	FVC	1.11	-	9,435	1.00	ADVA28C1901A	0.17	-	35,169	-
OCEAN	2.42	0.20	245,406	2.00	HARN	2.64	0.02	2,330	2.00	ADVA28P1810A	-	-	-	-
TM	2.10	(0.04)	2,973	2.00	JKN	11.40	0.20	76,733	11.00	ADVA42C1903A	-	-	-	-
Financials (MAI)	-	-	-	-	KIAT	0.51	-	10,756	-	AMAT01C1810A	1.20	0.17	414,575	1.00
ACAP	6.80	0.05	21,939	6.00	KOOL	1.84	0.01	7,501	1.00	AMAT01C1810B	0.74	0.18	394,568	-
AF	0.73	(0.01)	1,317	-	LDC	1.12	0.01	65	1.00	AMAT01C1903A	0.94	0.12	234,191	-
AIRA	1.97	-	40	1.00	MPG	0.17	-	1,781	-	AMAT01C1903B	0.82	0.14	256,847	-
ASN	3.90	0.18	51	3.00	MVP	3.28	(0.06)	163,490	3.00	AMAT01P1810A	0.36	(0.13)	76,800	-
BROOK	0.59	-	19,228	-	NBC	0.74	(0.03)	1,350	-	AMAT01P1903A	0.66	(0.09)	57,860	-
CHAYO	5.75	0.10	30,948	5.00	NCL	1.68	(0.04)	3,194	1.00	AMAT06C1809A	-	-	-	-
GCAP	3.84	-	6,813	3.00	NEWS	0.01	-	14,250	-	AMAT06C1903A	0.86	0.17	97,976	-
LIT	8.15	0.05	2,423	8.00	NINE	3.12	0.36	393,841	3.00	AMAT08C1809A	-	-	-	-
SGF	2.02	0.10	881,182	1.00	OTO	3.12	(0.04)	1,642	3.00	AMAT08C1903A	0.82	0.15	109,165	-
Industrials (MAI)	-	-	-	-	PHOL	2.24	0.06	875	2.00	AMAT11C1903A	0.55	0.12	40,546	-
2S	3.24	-	540	3.00	PICO	4.58	0.02	72	4.00	AMAT13C1812A	0.77	0.15	609,125	-
ADB	1.21	-	15,749	1.00	PORT	7.00	-	3,577	6.00	AMAT13C1902A	0.53	0.11	647,672	-
BM	3.28	(0.02)	1,640	3.00	QLT	4.42	0.02	184	4.00	AMAT19C1811A	0.31	0.09	217,732	-
CHO	1.22	-	1,938	1.00	RP	3.12	0.04	5,080	3.00	AMAT19C1902A	0.93	0.14	105,731	-
CHOW	4.70	(0.02)	284	4.00	SE	2.22	(0.02)	1,082	2.00	AMAT23C1810A	0.24	0.08	39,147	-
CIG	0.38	-	311	-	SPA	15.70	-	3,600	15.00	AMAT24C1811A	0.37	0.08	100	-
COLOR	1.34	0.02	800	1.00	THMUI	1.79	0.01	16,584	1.00	AMAT27C1902A	0.99	0.10	45	-
CPR	5.90	0.20	60,166	5.00	TNDT	5.05	0.09	688	4.00	AMAT28C1902A	0.65	0.12	252,421	-
FPI	2.34	-	6,992	2.00	TNH	41.00	1.00	1,154	40.00	ANAN01C1810A	1.16	0.04	8,848	1.00
GTB	0.74	0.06	174,727	-	TNP	1.88	(0.01)	1,243	1.00	ANAN01C1810B	0.73	(0.01)	16,550	-
KCM	1.24	-	46,121	1.00	TSF	0.04	-	4,513	-	ANAN08C1810A	0.87	(0.01)	12,504	-
LVT	-	-	-	-	TVD	1.70	(0.01)	6,600	1.00	ANAN08C1906A	0.26	-	24,052	-
MBAX	4.06	-	536	4.00	TVT	1.05	-	1,494	1.00	ANAN13C1901A	0.18	-	36,205	-
MGT	2.22	(0.02)	12,203	2.00	WINNER	3.58	0.04	1,095	3.00	ANAN19C1811A	0.49	-	9,976	-
NDR	2.30	-	120	2.00	Technology (MAI)	-	-	-	-	ANAN23C1901A	-	-	-	-
PDG	3.60	-	351	3.00	COMAN	4.78	0.06	18,482	4.00	ANAN24C1811A	0.79	0.07	20,000	-
PIMO	4.32	-	1,761	4.00	ICN	2.30	(0.02)	4,026	2.00	AOT01C1810A	0.16	-	32,043	-
PJW	1.87	0.01	1,068	1.00	IRCP	0.98	0.01	10,021	-	AOT01C1902A	0.51	0.01	48,775	-
PPM	1.94	0.03	2,233	1.00	ITEL	3.76	0.06	23,129	3.00	AOT01C1902B	0.32	-	28,515	-
RWI	1.68	(0.02)	949	1.00	NETBAY	35.75	-	1,183	35.00	AOT01P1902A	0.81	(0.02)	52,148	-
SALEE	1.15	0.04	2,142	1.00	PLANET	1.78	0.23	5,560	1.00	AOT01P1902B	0.48	(0.03)	80,698	-
SANKO	1.32	0.01	8,219	1.00	SIMAT	2.38	-	54,407	2.00	AOT06C1809A	0.01	-	3,898	-
SELIC	2.72	(0.12)	32,772	2.00	SKY	13.90	(0.10)	4,319	13.00	AOT06C1903A	0.42	-	10,150	-
SWC	28.25	1.00	2,619	27.00	SPVI	1.68	0.01	120,727	1.00	AOT06P1903A	0.46	(0.02)	11,245	-
TMC	0.97	(0.01)	16,991	-	UPA	0.58	0.02	383,011	-	AOT07C1902A	0.43	0.02	1,800	-
TMI	0.82	-	4,476	-	VCOM	3.42	-	4,804	3.00	AOT08C1901A	0.25	-	25,032	-
TMW	68.50	(0.50)	401	67.00	Unit Trust	-	-	-	-	AOT08P1903A	0.49	0.01	10,233	-
TPAC	12.70	-	206	12.00	MGE	-	-	-	-	AOT11C1906A	0.33	(0.01)	5,527	-
TPLAS	2.00	0.11	197,684	2.00	SCBSET	-	-	-	-	AOT11P1906A	0.36	(0.01)	14,350	-
UAC	4.52	-	1,054	4.00	ETF	-	-	-	-	AOT13C1811A	-	-	-	-
UBIS	4.58	(0.02)	238	4.00	1DIV	14.00	(0.05)	377	14.00	AOT13C1812A	0.22	-	11,286	-
UEC	1.51	-	341	1.00	ABFTH	-	-	-	-	AOT13C1902A	0.45	0.01	23,320	-
UKEM	0.93	0.02	120,871	-	BMSCG	9.45	0.05	3,037	9.00	AOT13P1810A	0.10	(0.01)	14,131	-
UREKA	1.10	0.06	140,351	1.00	BMSCITH	13.11	-	2,743	13.00	AOT13P1812A	0.09	-	2,334	-
YUASA	16.60	(0.10)	974	16.00	BSET100	11.33	0.02	11,869	11.00	AOT13P1902A	0.37	(0.01)	42,611	-
ZIGA	3.64	0.16	241,981	3.00	CHINA	5.21	0.05	89	5.00	AOT19C1809A	-	-	-	-
Property & Construc	-	-	-	-	EBANK	-	-	-	-	AOT19C1901A	0.37	0.01	83,151	-
ARROW	8.80	(0.05)	1,093	8.00	ECOMM	-	-	-	-	AOT24C1811A	-	-	-	-
BKD	3.08	(0.02)	14,140	3.00	EFOOD	5.85	0.02	1	5.00	AOT24C1901A	-	-	-	-
BSM	0.74	(0.01)	8,623	-	EICT	-	-	-	-	AOT24P1809A	-	-	-	-
BTW	1.84	0.01	729	1.00	ENGY	6.89	0.02	2	6.00	AOT24P1903A	-	-	-	-
CHEWA	1.43	0.05	167,178	1.00	ENY	-	-	-	-	AOT27C1902A	0.40	(0.02)	13,583	-
CRD	1.11	(0.01)	937	1.00	ESET50	6.02	0.05	1	6.00	AOT27P1903A	0.64	(0.01)	7,500	-
DIMET	1.09	(0.01)	11,622	1.00	GLD	1.68	(0.01)	1,343	1.00	AOT28C1812A	0.19	-	7,558	-
FLOYD	2.28	-	2,621	2.00	TDEX	11.43	-	752	11.00	AOT28C1901A	0.17	0.01	5,375	-
FOCUS	1.25	0.01	22,609	1.00	TGOLDETF	3.63	(0.01)	3,207	3.00	AOT28C1902A	0.41	0.01	18,418	-
HYDRO	1.36	0.02	10,770	1.00	TH100	-	-	-	-	AOT28P1812A	0.16	(0.01)	42,028	-
JSP	0.58	-	11,228	-	Warrant Foreign	-	-	-	-	AOT42C1903A	0.28	-	8,170	-
K	3.20	0.16	58,979	3.00	AAV01C1902A	0.54								

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday September 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP01P1903B	0.49	0.01	39,218	-	BEAU01C1901B	0.43	0.01	53,747	-	BLAN08C1810A	-	-	-	-
BANP06C1810A	0.03	(0.01)	13,989	-	BEAU01C1902A	1.34	0.03	37,875	1.00	BLAN11C1902A	0.15	0.01	4,408	-
BANP06C1903A	0.25	-	88	-	BEAU01C1902B	1.18	0.02	10,697	1.00	BLAN19C1902A	0.18	-	3,501	-
BANP07C1810A	-	-	-	-	BEAU01P1812A	1.05	0.01	17,250	1.00	BPP01C1811A	0.24	(0.02)	17,054	-
BANP07C1904A	0.34	(0.01)	64	-	BEAU01P1902A	0.60	-	10,538	-	BPP01C1811B	0.07	-	16,344	-
BANP08C1811A	0.10	-	6,528	-	BEAU06C1809A	0.01	-	384	-	BPP01P1811A	0.30	(0.01)	21,765	-
BANP08P1901A	0.32	(0.01)	16,071	-	BEAU06C1904A	1.96	0.03	1,440	1.00	BPP06C1809A	0.18	(0.01)	250	-
BANP11C1902A	0.08	-	1,070	-	BEAU08C1901A	-	-	-	-	BPP06C1903A	0.26	0.02	9,000	-
BANP13C1811A	0.09	(0.01)	112,040	-	BEAU08C1902A	1.17	0.02	2,650	1.00	BPP08C1810A	0.10	(0.01)	32,812	-
BANP13C1902A	0.30	(0.02)	166,907	-	BEAU11C1902A	-	-	-	-	BPP13C1811A	-	-	-	-
BANP16C1812A	0.64	(0.02)	6,550	-	BEAU13C1811A	0.01	-	1	-	BPP13C1901A	0.20	-	133,172	-
BANP19C1811A	0.06	-	14,400	-	BEAU13C1812A	0.03	(0.01)	14,146	-	BPP13C1902A	-	-	-	-
BANP19C1902A	0.39	(0.01)	19,267	-	BEAU13C1812B	1.22	0.03	39,781	1.00	BPP19C1903A	0.71	-	26,788	-
BANP23C1901A	0.09	(0.01)	5,700	-	BEAU13C1901A	0.32	0.01	346,582	-	BPP23C1901A	-	-	-	-
BANP24C1812A	-	-	-	-	BEAU19C1811A	0.01	(0.01)	2,813	-	BPP24C1809A	-	-	-	-
BANP24C1904A	0.32	-	52	-	BEAU19C1901A	1.24	0.03	17,743	1.00	BPP24C1902A	0.14	-	75	-
BANP24P1901A	-	-	-	-	BEAU19C1902A	0.46	(0.54)	25,877	-	BPP28C1812A	0.45	(0.06)	5,120	-
BANP27C1809A	-	-	-	-	BEAU23C1901A	0.02	0.01	1,001	-	BPP28C1902A	0.17	-	12,288	-
BANP28C1810A	-	-	-	-	BEAU24C1901A	0.33	-	38,322	-	BTS01C1810A	0.37	-	8,050	-
BANP28C1902A	0.21	-	11,024	-	BEAU24C1902A	0.07	-	704	-	BTS01C1810B	0.04	-	500	-
BANP42C1903A	0.23	-	2,040	-	BEAU27C1903A	0.37	0.01	4,950	-	BTS01P1810A	0.38	(0.02)	4,000	-
BANP42P1903A	0.53	-	10,160	-	BEAU28C1810A	-	-	-	-	BTS06C1903A	-	-	-	-
BBL06C1902A	0.90	(0.04)	4,945	-	BEAU28C1811A	-	-	-	-	BTS06C1903B	-	-	-	-
BBL08C1809A	-	-	-	-	BEC01C1812A	0.08	-	3,500	-	BTS06C1903C	-	-	-	-
BBL08C1902A	0.67	0.02	6,042	-	BEC01C1812B	-	-	-	-	BTS08C1810A	0.13	0.01	100	-
BBL08P1810A	0.01	-	162	-	BEC08C1809A	-	-	-	-	BTS11C1904A	0.07	(0.01)	1	-
BBL11C1903A	0.58	0.01	702	-	BEC13C1811A	-	-	-	-	BTS19C1901A	0.26	-	8,795	-
BBL11P1903A	0.17	-	4,762	-	BEC13C1901A	0.08	(0.01)	57,394	-	BTS23C1905A	-	-	-	-
BBL13C1810A	-	-	-	-	BEC19C1809A	-	-	-	-	BTS24C1901A	-	-	-	-
BBL13C1901A	0.31	(0.02)	11,998	-	BEC23C1809A	-	-	-	-	BTS28C1811A	-	-	-	-
BBL19C1901A	0.30	(0.02)	21,147	-	BEC24C1809A	-	-	-	-	BTS28C1902A	-	-	-	-
BBL23C1811A	0.24	0.01	25,000	-	BEC24C1812A	-	-	-	-	BTS42C1901A	-	-	-	-
BBL24C1809A	-	-	-	-	BEC28C1811A	0.03	(0.03)	961	-	BTS42P1901A	0.23	-	1,004	-
BBL24C1812A	-	-	-	-	BEM01C1902A	0.43	0.01	50,299	-	CBG01C1809A	-	-	-	-
BBL24C1902A	0.23	(0.01)	100	-	BEM01C1902B	0.35	-	53,186	-	CBG01C1811A	0.49	-	146,552	-
BBL24P1810A	-	-	-	-	BEM01P1902A	0.38	(0.01)	27,972	-	CBG01C1811B	0.15	-	51,603	-
BBL27C1809A	-	-	-	-	BEM07C1903A	-	-	-	-	CBG01C1902A	0.79	(0.01)	91,468	-
BBL28C1811A	-	-	-	-	BEM08C1809A	-	-	-	-	CBG01C1902B	0.65	-	31,989	-
BBL28C1901A	0.25	(0.02)	19,475	-	BEM11C1903A	0.27	0.01	17,513	-	CBG01P1811A	0.66	(0.02)	48,112	-
BBL42C1903A	0.31	0.01	4,040	-	BEM13C1901A	0.39	0.01	355,796	-	CBG01P1811B	0.19	(0.01)	64,044	-
BCH01C1902A	0.65	0.06	80,420	-	BEM19C1901A	0.40	-	81,204	-	CBG06C1809A	-	-	-	-
BCH01C1902B	0.53	0.07	46,679	-	BEM23C1901A	0.22	0.01	5,308	-	CBG06C1903A	0.83	0.02	24,834	-
BCH01P1902A	0.31	(0.04)	11,666	-	BEM24C1809A	-	-	-	-	CBG06P1809A	0.16	(0.04)	3,810	-
BCH06C1811A	0.57	0.08	22,504	-	BEM24C1902A	0.30	0.01	5,810	-	CBG06P1903A	0.57	(0.04)	8,876	-
BCH08C1901A	0.80	0.08	16,509	-	BGR01C1901A	1.31	0.09	20,830	1.00	CBG07C1812A	-	-	-	-
BCH11C1905A	0.65	0.08	24,201	-	BGR01C1901B	1.16	0.14	8,260	1.00	CBG08C1810A	-	-	-	-
BCH13C1810A	0.38	0.07	950	-	BGR01C1903A	0.41	0.02	85,442	-	CBG08C1902A	0.50	0.01	39,284	-
BCH13C1902A	0.46	0.06	41,890	-	BGR01C1903B	0.33	0.03	126,925	-	CBG11C1902A	0.12	-	1,707	-
BCH19C1809A	-	-	-	-	BGR10C1903A	1.17	0.11	9,895	1.00	CBG13C1811A	0.08	-	1,580	-
BCH19C1903A	0.74	0.05	30,441	-	BGR10C1903A	0.33	0.05	2,000	-	CBG13C1812A	0.23	-	165,158	-
BCH23C1811A	0.65	0.09	5,000	-	BGR10C1902A	1.01	0.13	8,499	-	CBG13C1901A	0.75	0.01	140,304	-
BCH24C1811A	0.30	0.01	524	-	BGR11C1812A	0.99	0.07	20	-	CBG19C1810A	-	-	-	-
BCH27C1902A	-	-	-	-	BGR11C1812B	0.29	0.03	71,444	-	CBG19C1901A	0.59	0.03	25,108	-
BCH28C1811A	-	-	-	-	BGR19C1901A	0.83	0.11	20,958	-	CBG23C1901A	0.12	0.01	7,748	-
BCH28C1902A	0.39	0.05	63,230	-	BGR24C1901A	0.98	0.12	3,103	-	CBG24C1809A	-	-	-	-
BCP01C1810A	0.20	-	13,188	-	BGR24C1902A	0.34	0.04	510	-	CBG24C1811A	-	-	-	-
BCP01C1810B	-	-	-	-	BGR28C1812A	-	-	-	-	CBG24C1901A	0.64	0.03	300	-
BCP01P1810A	0.33	0.01	9,514	-	BGR28C1901A	0.22	0.02	114,772	-	CBG24C1903A	0.52	0.03	20	-
BCP08C1901A	0.23	-	716	-	BH01C1811A	0.58	0.02	92,430	-	CBG28C1811A	-	-	-	-
BCP11C1811A	-	-	-	-	BH01C1811B	0.09	0.01	13,823	-	CBG28C1812A	0.39	(0.01)	46,031	-
BCP13C1810A	-	-	-	-	BH01P1811A	1.07	(0.07)	14,063	1.00	CENT01C1810A	0.10	(0.01)	50,955	-
BCP13C1902A	0.24	(0.01)	36,068	-	BH07C1810A	-	-	-	-	CENT01C1810B	-	-	-	-
BCP19C1902A	0.23	-	1,014	-	BH08C1811A	0.02	0.01	610	-	CENT01C1903A	0.52	-	75,537	-
BCP24C1811A	-	-	-	-	BH08C1902A	0.57	0.04	29,244	-	CENT01C1903B	0.43	(0.02)	49,058	-
BCP24C1904A	0.16	-	10	-	BH11C1902A	0.06	0.01	1,101	-	CENT01P1810A	1.02	0.02	9,176	1.00
BCP28C1901A	0.20	-	2,028	-	BH11C1905A	0.67	0.04	13,820	-	CENT01P1903A	0.43	-	24,445	-
BCPG01C1811A	0.84	0.19	363,868	-	BH13C1901A	0.60	0.03	53,817	-	CENT06C1904A	0.25	-	30,756	-
BCPG01C1811B	0.43	0.16	209,429	-	BH19C1901A	0.58	0.02	31,920	-	CENT08C1809A	-	-	-	-
BCPG06C1811A	0.62	0.21	59,243	-	BH24C1809A	-	-	-	-	CENT08C1902A	0.24	(0.01)	6,332	-
BCPG08C1810A	0.59	0.21	76,770	-	BH24C1811A	-	-	-	-	CENT11C1904A	0.14	(0.01)	1,840	-
BCPG11C1902A	0.35	0.10	31,981	-	BH24C1902A	-	-	-	-	CENT13C1811A	-	-	-	-
BCPG13C1810A	0.35	0.17	391,744	-	BIG08C1906A	0.16	-	10,871	-	CENT13C1902A	0.34	(0.02)	177,801	-
BCPG13C1812A	0.90	0.19	105,807	-	BIG13C1901A	0.08	-	10,543	-	CENT19C1901A	0.24	(0.01)	67,322	-
BCPG13C1902A	0.58	0.14	648,798	-	BIG19C1811A	0.02	-	8,306	-	CENT23C1902A	0.13	-	7,000	-
BCPG19C1901A	0.88	0.19	139,301	-	BIG24C1812A	-	-	-	-	CENT24C1810A	-	-	-	-
BCPG23C1902A	0.71	0.14	83,620	-	BJCO1C1812A	0.75	(0.03)	92,546	-	CENT24C1901A	0.15	0.01	101	-
BCPG24C1810A	0.26	0.07	45,317	-	BJCO1C1812B	0.54	(0.01)	20,972	-	CENT24C1902A	0.36	0.01	1,130	-
BCPG24C1903A	0.56	(0.44)	1,110	-	BJCO1P1812A	0.25	0.02	43,764	-	CHG01C1809A	-	-	-	-
BCPG27C1903A	0.73	0.16	3,554	-	BJCO6C1901A	0.28	(0.02)	22,456	-	CHG01C1809B	-	-	-	-
BCPG28C1812A	-	-	-	-	BJCO8C1809A	-	-	-	-	CHG01C1903A	0.51	0.01	25,523	-
BCPG28C1901A	0.59	0.16	276,934	-	BJCO8C1903A	0.46	(0.01)	14,452	-	CHG01C1903B	0.45	-	17,777	-
BDM01C1811A	0.16	-	57,723	-	BJC11C1905A	0.54	(0.04)	10,331	-	CHG01P1809A	-	-	-	-
BDM01C1811B	0.03	-	9,240	-	BJC13C1810A	0.05	-	500	-	CHG01P1903A	0.33	(0.02)	14,615	-
BDM01P1811A	0.29	(0.01)	14,252	-	BJC13C1812A	0.46	(0.02)	2,357	-	CHG07C1902A	-	-	-	-
BDM06C1811A	0.45	-	2,500	-	BJC13C1902A	0.37	(0.02)	23,136	-	CHG11C1904A	0.42	-	8,321	-
BDM07C1904A	-	-	-	-	BJC19C1809A	-	-	-	-	CHG13C1812A	0.46	0.02	74,750	-
BDM08C1901A	0.10	-	10,546	-	BJC19C1902A	0.53	(0.01)	55,197	-	CHG19C1902A	0.49	-	8,500	-
BDM08C1902A	0.60	-	600	-	BJC23C1901A	-	-	-	-	CHG23C1811A	-	-	-	-
BDM08C1903A	0.09	0.01	170	-	BJC24C1901A	0.46	0.01	100	-	CHG24C1811A	0.33			

Main Board Quotation

Main Board Quotation										Issue Date : Friday September 28, 2018				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CK19C1903A	0.32	(0.68)	8,901	-	DEL08C1811A	0.06	(0.01)	2,000	-	GGC07C1902A	-	-	-	-
CK24C1901A	0.12	0.01	46,968	-	DEL13C1809A	-	-	-	-	GGC08C1906A	0.15	0.01	1,494	-
CK28C1812A	-	-	-	-	DEL12C1901A	0.68	-	80	-	GGC13C1811A	0.01	-	50	-
CK28C1902A	0.18	0.02	44,296	-	DEL17C1812A	-	-	-	-	GGC13C1902A	0.23	-	5,238	-
CKP01C1812A	1.19	(0.02)	6,170	1.00	DTAC01C1810A	0.45	0.01	93,862	-	GGC19C1811A	-	-	-	-
CKP01C1812B	1.00	0.04	7,564	1.00	DTAC01C1810B	0.03	-	612	-	GGC19C1902A	0.42	0.04	4,318	-
CKP08C1903A	1.14	-	8,741	1.00	DTAC01C1902A	0.89	0.03	43,576	-	GGC23C1901A	0.04	-	5,500	-
CKP13C1810A	0.94	(0.01)	500	-	DTAC01C1902B	0.71	0.02	50,860	-	GGC24C1812A	-	-	-	-
CKP13C1902A	-	-	-	-	DTAC01P1810A	0.70	(0.04)	23,467	-	GGC24C1901A	0.23	(0.02)	1,301	-
CKP13C1903A	0.87	-	65,580	-	DTAC01P1810B	0.12	(0.03)	63,810	-	GGC28C1811A	-	-	-	-
CKP13C1903B	0.25	-	160,364	-	DTAC01P1902A	0.63	(0.03)	16,872	-	GGC28C1905A	0.35	-	70,210	-
CKP19C1902A	0.98	(0.04)	14,985	-	DTAC01P1902B	0.41	(0.02)	15,002	-	GLOB01C1809A	-	-	-	-
CKP23C1810A	-	-	-	-	DTAC06C1901A	0.34	0.03	9,846	-	GLOB01C1809B	-	-	-	-
CKP24C1811A	1.17	0.05	3,790	1.00	DTAC06C1903A	0.52	0.04	19,770	-	GLOB01C1903A	0.75	0.04	19,763	-
CKP28C1902A	0.92	0.03	1,473	-	DTAC06P1809A	0.01	-	71,258	-	GLOB01C1903B	0.64	0.02	14,958	-
CKP28C1903A	0.24	(0.76)	39,604	-	DTAC06P1903A	0.53	(0.04)	7,216	-	GLOB06C1809A	0.64	0.07	800	-
COM701C1811A	0.99	0.10	32,772	-	DTAC07C1902A	0.48	-	3,000	-	GLOB11C1906A	0.49	0.01	12,300	-
COM701C1811B	0.61	0.10	36,649	-	DTAC08C1809A	-	-	-	-	GLOB13C1901A	0.56	0.04	33,625	-
COM706C1809A	0.55	0.09	1,400	-	DTAC08C1903A	0.47	0.01	19,743	-	GLOB19C1901A	0.71	0.04	8,282	-
COM706C1903A	0.74	0.08	13,267	-	DTAC08P1902A	0.15	-	4,621	-	GLOB23C1811A	0.80	0.01	1,000	-
COM708C1811A	0.28	0.05	35,176	-	DTAC11C1904A	0.36	0.02	5,145	-	GLOB24C1810A	0.29	0.03	100	-
COM708C1903A	0.73	0.06	27,718	-	DTAC13C1811A	0.09	0.01	451	-	GLOB24C1903A	0.45	(0.55)	20	-
COM711C1811A	0.84	0.13	8,155	-	DTAC13C1812A	0.52	0.04	8	-	GLOB27C1809A	-	-	-	-
COM713C1812A	0.68	0.09	105,647	-	DTAC13C1902A	0.40	0.01	36,665	-	GLOW08C1811A	0.31	-	5,928	-
COM719C1811A	0.61	0.10	25,565	-	DTAC13P1811A	0.18	(0.01)	650	-	GLOW19C1901A	0.36	-	33,470	-
COM719C1904A	0.92	0.10	16,079	-	DTAC13P1812A	0.05	(0.01)	2,094	-	GLOW27C1812A	-	-	-	-
COM723C1901A	0.60	0.08	14,014	-	DTAC19C1811A	0.27	0.01	22,084	-	GPSCO1C1902A	0.57	(0.01)	15,294	-
COM724C1811A	0.44	0.08	2,000	-	DTAC24C1809A	-	-	-	-	GPSCO1C1902B	0.40	-	10,058	-
COM727C1902A	-	-	-	-	DTAC24C1901A	0.50	(0.02)	110	-	GPSCO1P1902A	1.14	(0.01)	18,499	1.00
COM728C1811A	0.55	0.06	9,083	-	DTAC27C1809A	-	-	-	-	GPSCO6C1811A	-	-	-	-
COM728C1903A	0.69	0.07	42,388	-	DTAC27C1903A	0.46	0.03	9,600	-	GPSCO8C1902A	0.34	(0.01)	7,124	-
CPAL01C1901A	0.23	-	153,963	-	DTAC27P1809A	-	-	-	-	GPSC11C1902A	0.14	-	13,702	-
CPAL01C1901B	0.08	(0.01)	47,698	-	DTAC27P1903A	0.49	-	10	-	GPSC13C1812A	0.21	(0.01)	9,830	-
CPAL01C1904A	0.72	(0.02)	148,841	-	DTAC28C1810A	-	-	-	-	GPSC19C1901A	0.35	-	41,229	-
CPAL01C1904B	0.56	(0.02)	243,585	-	DTAC28C1812A	0.60	0.02	33,659	-	GPSC24C1812A	-	-	-	-
CPAL01P1901A	1.42	(0.02)	49,958	1.00	DTAC28C1902A	0.38	0.02	48,880	-	GPSC27C1902A	-	-	-	-
CPAL01P1901B	0.99	0.03	49,422	1.00	DTAC42C1903A	0.43	0.02	19,560	-	GPSC28C1811A	0.13	(0.01)	16,224	-
CPAL01P1904A	0.76	-	64,545	-	EA01C1809A	-	-	-	-	GUNK08C1902A	0.27	0.01	19,307	-
CPAL01P1904B	0.54	-	80,827	-	EA01C1809B	-	-	-	-	GUNK11C1903A	0.16	0.01	12,194	-
CPAL06C1811A	-	-	-	-	EA01P1809A	-	-	-	-	GUNK13C1903A	0.32	(0.68)	51	-
CPAL06C1811B	-	-	-	-	EA06C1809A	0.01	-	3	-	GUNK19C1903A	0.50	(0.50)	4,298	-
CPAL07C1902A	0.29	(0.02)	94,149	-	EA07C1810A	0.06	-	500	-	GUNK24C1812A	0.18	-	3,838	-
CPAL08C1902A	0.15	(0.01)	47,157	-	EA07C1903A	0.89	0.04	521	-	GUNK28C1810A	-	-	-	-
CPAL08C1902B	0.42	(0.01)	36,541	-	EA08C1809A	-	-	-	-	GUNK28C1903A	0.32	(0.68)	20,216	-
CPAL08P1810A	0.95	0.02	14,530	-	EA08C1810A	0.43	-	18,384	-	HANA01C1811A	0.50	-	139,454	-
CPAL11C1903A	0.06	-	1,351	-	EA08C1903A	0.84	0.04	17,844	-	HANA01C1811B	0.24	0.02	90,622	-
CPAL11P1903A	0.99	0.01	10,550	-	EA11C1902A	0.25	0.02	20,864	-	HANA08C1809A	-	-	-	-
CPAL13C1812A	0.11	(0.01)	415,206	-	EA13C1810A	-	-	-	-	HANA08C1903A	0.39	0.01	17,084	-
CPAL13C1901A	0.34	(0.01)	532,429	-	EA13C1811A	0.26	(0.01)	209,527	-	HANA11C1904A	0.28	0.01	7,237	-
CPAL13P1902A	0.46	0.01	108,165	-	EA13C1812A	0.61	0.01	77,214	-	HANA13C1901A	0.32	0.01	223,355	-
CPAL19C1811A	0.03	-	21,214	-	EA13C1812B	1.03	0.01	26,150	1.00	HANA19C1902A	0.30	0.01	30,852	-
CPAL19C1902A	0.42	(0.02)	45,203	-	EA13C1901A	0.53	-	25,031	-	HANA23C1811A	0.46	-	6,900	-
CPAL23C1810A	-	-	-	-	EA19C1811A	0.56	-	30,863	-	HANA24C1810A	0.06	-	2	-
CPAL24C1811A	-	-	-	-	EA19C1902A	0.67	(0.33)	38,334	-	HANA24C1903A	0.30	0.03	1,000	-
CPAL24C1901A	0.12	-	1,855	-	EA23C1901A	0.69	0.03	19,498	-	HANA28C1812A	0.38	0.01	25,412	-
CPAL24C1903A	0.35	-	244,312	-	EA24C1809A	-	-	-	-	HANA28C1902A	0.28	0.01	43,038	-
CPAL24P1901A	0.35	(0.04)	384	-	EA24C1901A	-	-	-	-	HMPR01C1902A	0.49	-	85,511	-
CPAL27C1903A	0.40	-	26,750	-	EA27C1902A	0.96	0.05	2,600	-	HMPR01C1902B	0.41	(0.01)	62,888	-
CPAL28C1811A	-	-	-	-	EA28C1901A	0.62	0.01	32,432	-	HMPR01P1902A	0.29	-	52,771	-
CPAL28C1901A	0.30	(0.02)	362,009	-	EA28C1902A	0.38	0.01	40,638	-	HMPR06C1811A	0.15	-	17,437	-
CPF01C1809A	-	-	-	-	EGCO01C1809A	-	-	-	-	HMPR08C1810A	0.08	(0.01)	42,122	-
CPF01C1809B	-	-	-	-	EGCO01C1903A	0.61	(0.02)	6,343	-	HMPR11C1906A	0.30	-	24,472	-
CPF01C1810A	0.16	0.01	28,020	-	EGCO01C1903B	0.46	(0.03)	26,968	-	HMPR13C1812A	0.33	(0.02)	61,019	-
CPF01C1902A	0.22	0.01	35,197	-	EGCO08C1809A	-	-	-	-	HMPR19C1901A	0.52	-	31,366	-
CPF01C1902B	0.14	-	99,145	-	EGCO19C1901A	0.39	(0.01)	7,383	-	HMPR23C1901A	0.12	(0.01)	8,000	-
CPF01P1809A	-	-	-	-	EGCO23C1811A	0.23	-	1,200	-	HMPR24C1901A	0.34	0.03	2,251	-
CPF01P1902A	0.41	(0.01)	16,287	-	EGCO24C1901A	0.25	-	2,000	-	HMPR28C1811A	0.16	-	84,861	-
CPF01P1902B	0.32	(0.02)	23,996	-	EPG01C1809A	-	-	-	-	INTU01C1809A	-	-	-	-
CPF06C1809A	-	-	-	-	EPG01C1903A	0.52	-	11,461	-	INTU01C1809B	-	-	-	-
CPF06C1903A	-	-	-	-	EPG01C1903B	0.41	(0.01)	8,551	-	INTU01C1903A	0.43	(0.01)	30,763	-
CPF07C1810A	-	-	-	-	EPG01P1809A	-	-	-	-	INTU01C1903B	0.29	(0.02)	552	-
CPF08C1809A	-	-	-	-	EPG01P1903A	0.84	0.01	10,388	-	INTU01P1809A	-	-	-	-
CPF08C1901A	0.13	0.01	6,556	-	EPG07C1811A	-	-	-	-	INTU01P1809B	-	-	-	-
CPF11C1902A	0.06	0.01	4,200	-	EPG08C1810A	-	-	-	-	INTU01P1903A	0.73	0.03	61,945	-
CPF11P1902A	0.22	(0.01)	6,612	-	EPG08C1810B	0.58	0.01	14,479	-	INTU01P1903B	0.54	0.02	66,667	-
CPF13C1810A	0.02	-	10,001	-	EPG08C1903A	0.29	(0.01)	10,584	-	INTU11C1905A	0.23	(0.02)	18,121	-
CPF13C1902A	0.14	-	39,636	-	EPG11C1903A	0.53	0.01	6,516	-	INTU11P1905A	0.36	0.03	11,350	-
CPF19C1901A	0.16	0.01	28,385	-	EPG13C1811A	0.29	(0.02)	3,250	-	INTU13C1810A	-	-	-	-
CPF23C1810A	-	-	-	-	EPG13C1902A	0.28	(0.01)	25,832	-	INTU13C1812A	0.25	(0.03)	99,409	-
CPF24C1809A	-	-	-	-	EPG19C1902A	0.35	(0.02)	22,115	-	INTU19C1901A	0.22	(0.03)	7,572	-
CPF24C1901A	-	-	-	-	EPG24C1810A	-	-	-	-	INTU24C1901A	-	-	-	-
CPF24C1902A	-	-	-	-	EPG24C1902A	0.43	(0.01)	73	-	INTU28C1901A	0.17	(0.01)	63,829	-
CPF24C1903A	0.17	(0.01)	100	-	EPG28C1902A	0.28	-	500	-	IRPC01C1810A	0.14	(0.01)	106,059	-
CPF27C1903A	-	-	-	-	ERW13C1902A	0.36	-	47,840	-	IRPC01C1810B	-	-	-	-
CPF28C1811A	-	-	-	-	ERW19C1902A	0.53	0.01	19,499	-	IRPC01C1903A	0.34	-	35,482	-
CPF28C1902A	-	-	-	-	ERW24C1904A	0.51	(0.01)	1	-	IRPC01C1903B	0.25	-	45,794	-
CPN01C1902A	0.69	(0.03)	59,541	-	ESS001C1812A	0.52	-	72,677	-	IRPC01P1810A	0.22	(0.01)	22,558	-
CPN01C1902B	0.48	(0.04)	7,659	-	ESS001C1812B	0.31	-	143,051	-	IRPC01P1810B	-	-	-	-

Main Board Quotation

Issue Date :

Friday September 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IRPC28C1811A	-	-	-	-	KTB24C1811A	-	-	-	-	MONO28C1901A	0.11	-	15,168	-
IRPC28C1812A	-	-	-	-	KTB24P1901A	0.07	-	290	-	MTC06C1901A	1.02	0.21	211,728	1.00
IRPC28C1902A	0.24	(0.01)	25,200	-	KTB28C1811A	0.23	0.01	75,702	-	MTC08C1811A	0.33	0.11	176,553	-
ITD06C1904A	0.45	0.01	13,228	-	KTB42C1903A	0.32	0.01	17,170	-	MTB08C1902A	0.77	0.15	86,057	-
ITD08C1810A	-	-	-	-	KTB42P1903A	0.22	(0.01)	16,857	-	MTC11C1904A	0.66	0.13	74,729	-
ITD11C1903A	0.16	-	9,246	-	KTC01C1810A	0.36	(0.01)	159,604	-	MTC13C1811A	0.99	0.23	29,567	-
ITD13C1812A	0.16	(0.01)	109,300	-	KTC01C1810B	0.14	(0.01)	73,650	-	MTC13C1901A	0.62	0.13	1,550,169	-
ITD13C1902A	0.37	0.02	112,344	-	KTC01C1901A	0.65	(0.01)	114,981	-	MTC19C1901A	0.77	0.15	194,244	-
ITD19C1811A	-	-	-	-	KTC01C1901B	0.56	-	160,457	-	MTC24C1810A	0.54	0.22	10,781	-
ITD19C1903A	0.52	0.02	7,342	-	KTC08C1903A	0.60	0.01	26,942	-	MTC24C1812A	0.97	0.25	365	-
ITD24C1810A	-	-	-	-	KTC11C1902A	1.60	0.15	902	1.00	MTC28C1902A	0.58	0.12	359,400	-
ITD24C1902A	0.34	0.02	200	-	KTC13C1809B	-	-	-	-	ORI11C1811A	-	-	-	-
IVL01C1812A	0.46	(0.03)	151,918	-	KTC13C1812A	0.26	0.01	315,326	-	ORI13C1810A	0.09	(0.01)	15,880	-
IVL01C1812B	0.22	(0.01)	155,094	-	KTC13C1812B	0.50	-	326,513	-	ORI13C1902A	0.36	(0.01)	12,837	-
IVL01C1903A	0.58	(0.03)	124,621	-	KTC19C1811A	0.19	(0.01)	35,356	-	ORI19C1811A	0.09	(0.01)	2,600	-
IVL01C1903B	0.46	(0.02)	9,957	-	KTC19C1901A	1.05	-	31,503	1.00	ORI19C1904A	0.48	(0.01)	3,249	-
IVL01P1812A	0.65	0.02	85,727	-	KTC23C1809A	1.75	0.15	8,000	1.00	ORI23C1809A	-	-	-	-
IVL01P1812B	0.37	0.01	69,009	-	KTC24C1810A	0.04	-	261	-	ORI24C1810A	-	-	-	-
IVL01P1903A	0.92	0.03	50,574	-	KTC27C1903A	0.60	-	2,400	-	ORI24C1903A	0.40	-	16,000	-
IVL01P1903B	0.73	0.01	35,300	-	KTC27P1903A	0.32	(0.02)	19,247	-	ORI28C1902A	0.31	(0.02)	18,754	-
IVL06C1901A	0.31	(0.02)	10,633	-	KTC28C1810A	0.07	-	2,000	-	PLAN08C1811A	0.16	0.03	30,782	-
IVL07C1811A	-	-	-	-	KTC28C1901A	0.44	0.01	102,814	-	PLAN13C1809A	-	-	-	-
IVL08C1901A	0.46	(0.03)	31,257	-	LH01C1809A	-	-	-	-	PLAN28C1810A	0.03	0.01	3,541	-
IVL08P1809A	-	-	-	-	LH01C1809B	-	-	-	-	PRM08C1902A	0.47	0.01	13,002	-
IVL08P1903A	0.52	0.01	40,372	-	LH01C1903A	0.31	-	10,182	-	PRM13C1901A	0.51	0.01	48,831	-
IVL11C1906A	0.47	(0.01)	19,540	-	LH01C1903B	0.25	-	10,000	-	PRM19C1902A	0.55	(0.01)	35,060	-
IVL13C1810A	0.06	(0.02)	15,114	-	LH01P1809A	-	-	-	-	PSH01C1810A	0.34	-	21,602	-
IVL13C1812A	0.35	(0.03)	63,966	-	LH01P1903A	-	-	-	-	PSH01C1810B	-	-	-	-
IVL13P1811A	0.10	0.01	18,164	-	LH06C1809A	-	-	-	-	PSH01P1810A	0.51	0.01	8,664	-
IVL19C1809A	0.13	(0.08)	32,672	-	LH06C1903A	-	-	-	-	PSH08C1811A	-	-	-	-
IVL19C1903A	0.60	(0.04)	44,208	-	LH07C1810A	0.05	-	1,500	-	PSH11C1902A	0.24	-	1,102	-
IVL23C1810A	0.31	(0.01)	201	-	LH11C1906A	-	-	-	-	PSH19C1903A	0.47	(0.53)	2	-
IVL24C1812A	0.11	(0.01)	3,000	-	LH13C1902A	0.28	0.01	2,695	-	PSH23C1811A	-	-	-	-
IVL24C1901A	0.44	(0.02)	1,045	-	LH19C1901A	0.19	-	2,450	-	PSL01C1812A	0.48	0.06	78,427	-
IVL27C1902A	0.45	(0.02)	10,808	-	LH23C1901A	-	-	-	-	PSL01C1812B	0.38	0.07	72,842	-
IVL28C1811A	0.14	(0.02)	69,086	-	LH24C1809A	-	-	-	-	PSL11C1905A	0.33	0.05	48,234	-
IVL28C1812A	0.44	(0.03)	88,926	-	LH24C1903A	0.13	0.01	7,000	-	PSL19C1903A	0.53	(0.47)	30,775	-
IVL28C1902A	0.36	(0.64)	70,580	-	LPN01C1809A	-	-	-	-	PSL23C1809A	-	-	-	-
IVL28P1811A	0.14	-	49,573	-	LPN01C1811A	0.40	(0.01)	52,243	-	PTG01C1811A	0.06	0.02	52,200	-
IVL42C1903A	0.36	(0.02)	21,340	-	LPN01C1811B	0.12	-	118,582	-	PTG01C1811B	0.02	0.01	10,150	-
KBAN01C1810A	1.26	0.02	26,548	1.00	LPN01P1809A	-	-	-	-	PTG01C1902A	0.48	0.07	389,132	-
KBAN01C1901A	1.38	0.03	20,468	1.00	LPN08C1810A	0.04	-	2,000	-	PTG01C1902B	0.32	0.05	106,828	-
KBAN01C1901B	0.66	0.03	21,698	-	LPN08C1906A	0.24	-	20,822	-	PTG01P1811A	1.40	(0.12)	13,886	1.00
KBAN01C1904A	0.52	0.01	55,336	-	LPN19C1811A	0.17	-	59,206	-	PTG01P1902A	0.40	(0.07)	68,119	-
KBAN01C1904B	0.41	0.01	91,823	-	LPN24C1812A	-	-	-	-	PTG06C1810A	-	-	-	-
KBAN01P1810A	-	-	-	-	MAJ08C1811A	-	-	-	-	PTG06C1904A	0.27	0.03	1,409	-
KBAN01P1901A	0.69	(0.04)	14,629	-	MAJO11C1902A	-	-	-	-	PTG08C1902A	0.10	0.02	59,870	-
KBAN01P1901B	0.19	(0.02)	36,754	-	MAJO13C1903A	0.17	(0.01)	2,560	-	PTG08C1903A	0.40	0.08	85,704	-
KBAN01P1904A	0.67	(0.01)	18,202	-	MAJO19C1902A	0.16	(0.01)	2,504	-	PTG11C1903A	0.06	0.01	3,410	-
KBAN01P1904B	0.46	(0.02)	36,279	-	MAJO24C1809A	-	-	-	-	PTG13C1812A	0.04	-	16,224	-
KBAN06C1811A	0.63	0.02	8,800	-	MAJO24C1902A	0.40	(0.01)	1,050	-	PTG13C1901A	0.33	0.06	1,017,791	-
KBAN07C1811A	-	-	-	-	MALE01C1812A	0.02	-	802	-	PTG19C1902A	0.17	0.04	729,965	-
KBAN08C1811A	0.59	0.02	16,126	-	MALE08C1811A	-	-	-	-	PTG19C1902B	0.50	0.08	187,117	-
KBAN08C1903A	0.27	0.02	11,386	-	MALE13C1809A	-	-	-	-	PTG24C1809A	-	-	-	-
KBAN08P1811A	-	-	-	-	MALE27C1812A	-	-	-	-	PTG24C1901A	0.39	0.08	226,247	-
KBAN13C1810A	0.03	-	1,542	-	MALE28C1810A	-	-	-	-	PTG24C1902A	0.12	0.03	8,394	-
KBAN13C1811A	0.61	0.04	18,351	-	MC19C1811A	0.09	(0.02)	1,500	-	PTG27C1809A	-	-	-	-
KBAN13C1901A	0.30	0.02	110,182	-	MC23C1809A	-	-	-	-	PTG27C1902A	0.21	0.04	21,831	-
KBAN19C1901A	0.36	0.01	104,088	-	MC24C1812A	-	-	-	-	PTG28C1812A	0.06	-	30,882	-
KBAN23C1902A	0.56	0.01	16,002	-	MEGA01C1811A	0.18	0.01	1,560	-	PTG28C1901A	0.34	0.05	145,757	-
KBAN24C1902A	-	-	-	-	MEGA01C1811B	0.04	-	1,885	-	PTL08C1811A	0.48	0.01	10,166	-
KBAN24C1903A	-	-	-	-	MEGA01C1904A	0.51	0.02	1,040	-	PTL13C1809A	-	-	-	-
KBAN24P1811A	-	-	-	-	MEGA01C1904B	0.43	0.01	2,802	-	PTL28C1810A	-	-	-	-
KBAN27C1809A	-	-	-	-	MEGA08C1811A	0.05	0.01	2	-	PTT01C1810A	0.17	(0.01)	134,850	-
KBAN27C1903A	0.40	0.01	30,037	-	MEGA08C1903A	0.33	0.02	2,296	-	PTT01C1810B	0.01	-	1,101	-
KBAN27P1809A	-	-	-	-	MEGA11C1902A	0.09	0.01	4,500	-	PTT01C1901A	0.78	-	68,326	-
KBAN28C1811A	-	-	-	-	MEGA13C1902A	0.36	0.04	8,342	-	PTT01C1901B	0.60	-	68,013	-
KBAN28C1812A	0.28	0.02	78,373	-	MEGA19C1902A	0.30	0.03	5,400	-	PTT01P1810A	0.64	-	44,236	-
KBAN28P1811A	-	-	-	-	MEGA23C1902A	0.11	-	1,000	-	PTT01P1810B	0.05	(0.01)	13,019	-
KCE01C1810A	0.65	0.02	57,512	-	MEGA24C1812A	-	-	-	-	PTT01P1901A	0.37	(0.02)	24,960	-
KCE01C1810B	0.32	-	31,744	-	MEGA24C1903A	0.28	-	200	-	PTT01P1901B	0.18	(0.02)	33,993	-
KCE06C1809A	0.71	0.05	23,724	-	MINT01C1901A	0.58	0.03	61,649	-	PTT06C1811A	0.08	(0.01)	5,575	-
KCE06C1903A	0.27	0.01	4,282	-	MINT01C1901B	0.39	0.02	57,442	-	PTT06C1901A	0.46	0.02	7,392	-
KCE07C1902A	0.34	-	5,648	-	MINT01P1901A	0.16	(0.01)	30,322	-	PTT06P1901A	0.24	-	50	-
KCE08C1809A	-	-	-	-	MINT06C1809A	-	-	-	-	PTT07C1811A	-	-	-	-
KCE08C1902A	0.27	0.01	27,775	-	MINT06C1901A	0.40	0.03	10,794	-	PTT08C1809A	-	-	-	-
KCE11C1904A	0.37	0.01	8,264	-	MINT06C1903A	0.34	0.01	14,790	-	PTT08C1902A	0.40	0.01	17,898	-
KCE13C1811A	0.49	(0.01)	11,198	-	MINT07C1810A	-	-	-	-	PTT08P1809A	-	-	-	-
KCE13C1812A	0.23	-	139,727	-	MINT08C1809A	-	-	-	-	PTT11C1902A	0.18	-	6,111	-
KCE19C1901A	0.35	-	48,199	-	MINT08C1903A	0.37	0.01	16,382	-	PTT13C1810A	0.01	-	9,499	-
KCE23C1901A	0.17	-	85,621	-	MINT11C1902A	0.16	0.01	14,306	-	PTT13C1811A	0.20	0.01	3,430	-
KCE24C1901A	0.30	0.01	1,559	-	MINT11P1902A	0.07	(0.01)	4,400	-	PTT13C1812A	0.38	0.01	100,372	-
KCE27C1902A	-	-	-	-	MINT13C1810A	0.09	0.01	16,000	-	PTT13P1812A	0.10	-	512	-
KCE28C1811A	-	-	-	-	MINT13C1812A	0.46	0.03	91,714	-	PTT19C1809A	-	-	-	-
KCE28C1902A	0.25	0.01	20,280	-	MINT19C1901A	0.51	0.01	7,236	-	PTT19C1901A	0.50	0.01	50,371	-
KKP01C1902A	0.62	-	10,544	-	MINT23C1810A	0.07	0.01	18,501	-	PTT23C1901A	-	-	-	-
KKP01C1902B	0.40	(0.01)	11,592	-	MINT24C1812A	-	-	-	-	PTT24C1809A	-	-	-	-
KKP08C1811A	0.38	(0.01)	4,692	-	MINT24C1901A									

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday September 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE07C1904A	0.66	(0.05)	474	-	S5006C1812B	0.84	-	3,836	-	SCC19C1811A	0.08	(0.02)	10,000	-
PTTE08C1811A	0.55	(0.04)	31,623	-	S5006C1812C	0.65	-	11,078	-	SCC19C1901A	0.35	(0.03)	34,957	-
PTTE08P1809A	-	-	-	-	S5006C1812D	1.21	(0.01)	2,760	1.00	SCC23C1811A	0.05	(0.04)	3,000	-
PTTE08P1811A	0.02	-	400	-	S5006P1809A	-	-	-	-	SCC24C1812A	-	-	-	-
PTTE11C1902A	1.02	(0.04)	16,178	1.00	S5006P1809B	-	-	-	-	SCC24C1901A	-	-	-	-
PTTE13C1811A	0.43	(0.04)	157,045	-	S5006P1809C	-	-	-	-	SCC24C1902A	-	-	-	-
PTTE13C1812A	0.89	(0.05)	4,309	-	S5006P1809D	-	-	-	-	SCC24P1901A	-	-	-	-
PTTE13P1811A	0.02	0.01	6,639	-	S5006P1812A	0.54	(0.02)	27,738	-	SCC27C1809A	-	-	-	-
PTTE13P1901A	0.21	0.01	72,081	-	S5006P1812B	0.15	(0.01)	57,088	-	SCC27P1809A	-	-	-	-
PTTE19C1811A	0.80	(0.04)	23,570	-	S5006P1812C	0.22	(0.01)	34,961	-	SCC28C1811A	0.08	(0.02)	40,632	-
PTTE19C1903A	0.80	(0.20)	30,980	-	S5006P1812D	0.66	(0.07)	1,003	-	SCC28C1812A	0.38	-	13,299	-
PTTE23C1901A	0.16	(0.01)	17,001	-	S5008C1809A	-	-	-	-	SCC28C1902A	0.24	-	49,704	-
PTTE24C1811A	0.24	(0.03)	13,651	-	S5008C1812A	0.63	(0.01)	336,505	-	SCC00C1811A	-	-	-	-
PTTE24C1901A	0.82	0.12	100	-	S5008P1809A	-	-	-	-	SCC01C1809A	-	-	-	-
PTTE24P1809A	-	-	-	-	S5008P1812A	0.37	(0.07)	121,415	-	SCC02C1812A	-	-	-	-
PTTE24P1901A	0.22	-	283	-	S5013C1809A	-	-	-	-	SGP06C1812A	0.24	0.02	17,281	-
PTTE27C1809A	-	-	-	-	S5013C1809B	-	-	-	-	SGP08C1901A	0.44	0.01	37,842	-
PTTE27C1903A	0.73	-	1,600	-	S5013C1809C	-	-	-	-	SGP11C1904A	0.23	0.02	6,605	-
PTTE27P1809A	-	-	-	-	S5013C1809D	-	-	-	-	SGP13C1811A	0.09	0.01	500	-
PTTE28C1810A	0.31	(0.04)	172	-	S5013C1809E	-	-	-	-	SGP13C1812A	0.30	0.01	67,418	-
PTTE28C1811A	0.18	(0.03)	55,512	-	S5013C1809F	-	-	-	-	SGP19C1811A	0.29	-	22,341	-
PTTE28C1902A	0.78	(0.02)	118,879	-	S5013C1812A	1.19	-	1,902,007	1.00	SGP19C1904A	0.38	0.01	30,060	-
PTTE28P1811A	0.01	(0.01)	3,344	-	S5013C1812B	0.87	-	1,343,623	-	SGP24C1811A	-	-	-	-
PTTE42C1903A	0.67	(0.02)	12,142	-	S5013C1812C	0.75	(0.01)	1,794,568	-	SGP24C1902A	1.05	0.13	1,200	1.00
PTTG01C1810A	0.11	(0.01)	16,169	-	S5013P1809A	-	-	-	-	SGP27C1903A	0.38	0.02	7,200	-
PTTG01C1810B	-	-	-	-	S5013P1809B	-	-	-	-	SGP28C1811A	0.10	-	55,297	-
PTTG01C1811A	0.34	(0.03)	42,089	-	S5013P1809C	-	-	-	-	SIRI01C1901A	0.40	0.01	6,914	-
PTTG01C1901A	1.09	(0.01)	15,031	1.00	S5013P1809D	-	-	-	-	SIRI01C1901B	0.13	0.01	26,332	-
PTTG01C1901B	0.72	(0.02)	22,903	-	S5013P1809E	-	-	-	-	SIRI01P1901A	0.48	(0.02)	6,941	-
PTTG01P1811A	1.40	(0.01)	9,943	1.00	S5013P1809F	-	-	-	-	SIRI06C1904A	0.34	-	6,000	-
PTTG01P1901A	0.72	0.01	14,530	-	S5013P1812A	0.46	(0.02)	1,982,109	-	SIRI08C1810A	-	-	-	-
PTTG01P1901B	0.44	0.01	19,356	-	S5013P1812B	0.75	(0.01)	965,337	-	SIRI11C1902A	0.11	-	1,000	-
PTTG06C1809A	-	-	-	-	S5013P1812C	0.95	(0.02)	1,783,383	-	SIRI13C1902A	0.26	-	59,150	-
PTTG06C1903A	1.03	-	11,802	1.00	S5028C1809A	-	-	-	-	SIRI19C1902A	0.23	-	13,200	-
PTTG06P1903A	0.31	(0.01)	13,464	-	S5028C1809B	-	-	-	-	SIRI23C1811A	0.11	(0.02)	7,000	-
PTTG07C1812A	-	-	-	-	S5028C1810A	0.60	(0.01)	1,318,415	-	SIRI24C1809A	-	-	-	-
PTTG08C1811A	-	-	-	-	S5028C1812A	1.40	0.11	380	1.00	SIRI24C1903A	-	-	-	-
PTTG08C1902A	0.53	(0.02)	16,600	-	S5028C1812B	0.93	0.02	411	-	SIRI28C1901A	0.32	0.01	36,864	-
PTTG08P1811A	0.46	-	10,508	-	S5028C1812C	0.62	(0.01)	408,800	-	SPAL01C1902A	0.61	(0.02)	14,515	-
PTTG11C1902A	0.09	-	74	-	S5028P1809A	-	-	-	-	SPAL01C1902B	0.42	(0.03)	7,940	-
PTTG13C1812A	0.16	(0.01)	8,925	-	S5028P1809B	-	-	-	-	SPAL06C1809A	-	-	-	-
PTTG13C1812B	0.64	(0.03)	40,390	-	S5028P1810A	0.23	(0.03)	553,246	-	SPAL11C1905A	0.13	-	3,670	-
PTTG19C1811A	0.14	(0.01)	24,908	-	S5028P1812A	0.43	0.05	17,070	-	SPAL19C1902A	0.39	(0.03)	6,552	-
PTTG19C1902A	0.71	(0.02)	13,128	-	S5028P1812B	0.66	-	305,065	-	SPAL23C1811A	-	-	-	-
PTTG23C1901A	-	-	-	-	SAWA01C1901A	0.92	0.12	334,734	-	SPAL24C1812A	0.11	(0.02)	2,000	-
PTTG24C1812A	-	-	-	-	SAWA01C1901B	0.76	0.13	194,570	-	SPRC01C1902A	0.37	-	22,591	-
PTTG24C1901A	-	-	-	-	SAWA01P1901A	0.39	(0.09)	208,800	-	SPRC01C1902B	0.26	-	25,197	-
PTTG24P1901A	-	-	-	-	SAWA06C1811A	0.15	0.05	37,624	-	SPRC06C1809A	-	-	-	-
PTTG27C1903A	0.41	-	3,600	-	SAWA06C1903A	1.34	0.19	24,800	1.00	SPRC06C1902A	0.50	0.02	3,678	-
PTTG27P1903A	0.36	(0.01)	2,400	-	SAWA07C1812A	0.87	0.21	200	-	SPRC07C1903A	-	-	-	-
PTTG28C1811A	-	-	-	-	SAWA08C1811A	0.05	0.02	1	-	SPRC11C1902A	0.09	-	1,654	-
PTTG28C1812A	0.61	(0.03)	69,308	-	SAWA08C1902A	1.10	0.21	32,914	1.00	SPRC13C1812A	0.31	0.01	56,101	-
QH01C1810A	0.56	(0.01)	9,302	-	SAWA08C1903A	0.58	0.10	54,226	-	SPRC19C1901A	0.38	-	9,200	-
QH01C1810B	0.17	(0.01)	79,882	-	SAWA11C1906A	0.67	0.10	24,246	-	SPRC23C1810A	-	-	-	-
QH01P1810A	0.11	0.01	12,192	-	SAWA13C1810A	0.01	-	1	-	SPRC24C1903A	-	-	-	-
QH11C1902A	0.42	-	3,959	-	SAWA13C1811A	0.04	0.01	4,533	-	STA01C1812A	0.83	0.05	47,898	-
QH13C1903A	0.29	(0.71)	18,197	-	SAWA13C1812A	0.41	0.12	446,508	-	STA01C1812B	0.70	0.07	24,458	-
QH19C1901A	0.20	(0.02)	2,546	-	SAWA13C1901A	1.10	0.22	8,150	1.00	STA13C1812A	1.00	0.08	3,530	1.00
QH24C1812A	0.12	(0.01)	7,680	-	SAWA19C1901A	1.06	0.17	78,104	1.00	STA13C1901A	0.69	0.05	118,180	-
QH27C1903A	0.27	-	10,864	-	SAWA24C1812A	0.38	0.13	5,005	-	STA13C1902A	0.42	0.03	356,632	-
RATC19C1901A	0.31	(0.01)	10,804	-	SAWA24C1902A	0.95	0.19	7,251	-	STA19C1811A	0.59	0.06	58,408	-
RATC24C1902A	-	-	-	-	SAWA27C1903A	0.77	0.10	6,461	-	STA19C1903A	0.92	0.05	14,231	-
RATC27C1812A	-	-	-	-	SAWA28C1810A	-	-	-	-	STA23C1809A	-	-	-	-
ROBI01C1809A	-	-	-	-	SAWA28C1811A	0.47	0.13	32,159	-	STA24C1902A	0.41	(0.59)	100	-
ROBI01C1903A	0.93	0.01	7,767	-	SAWA28C1812A	-	-	-	-	STA28C1902A	0.43	0.03	106,855	-
ROBI01C1903B	0.75	0.02	8,458	-	SAWA28C1902A	0.49	0.09	200,847	-	STEC01C1809A	-	-	-	-
ROBI06C1809A	-	-	-	-	SCB01C1810A	0.64	0.02	26,731	-	STEC01C1809B	-	-	-	-
ROBI08C1903A	0.63	0.01	6,388	-	SCB01C1902A	1.14	0.03	13,141	1.00	STEC01C1902A	0.86	0.05	124,608	-
ROBI11C1906A	0.64	0.02	5,458	-	SCB01C1902B	1.03	0.03	20,859	-	STEC01C1902B	0.74	0.05	148,224	-
ROBI13C1902A	0.61	0.02	30,140	-	SCB01P1902A	0.32	-	4,600	-	STEC01P1809A	-	-	-	-
ROBI19C1901A	0.81	0.01	5,056	-	SCB01P1902B	0.11	(0.01)	236	-	STEC01P1902A	0.54	(0.04)	58,465	-
ROBI24C1901A	0.33	(0.01)	325	-	SCB06C1811A	0.77	0.01	2,656	-	STEC06C1809A	0.41	0.05	4,405	-
ROBI24C1903A	-	-	-	-	SCB07C1904A	-	-	-	-	STEC06C1903A	0.78	0.07	34,901	-
RS08C1901A	0.74	(0.01)	39,656	-	SCB08C1901A	0.57	(0.02)	11,628	-	STEC07C1904A	0.59	(0.41)	4,019	-
RS13C1901A	0.81	(0.02)	239,273	-	SCB11C1901A	0.28	(0.02)	101	-	STEC08C1809A	-	-	-	-
RS19C1901A	0.76	(0.04)	51,240	-	SCB11P1901A	0.20	-	1,280	-	STEC08C1903A	0.59	0.05	50,462	-
RS24C1811A	0.65	(0.01)	707	-	SCB13C1812A	0.67	(0.02)	16,086	-	STEC11C1903A	0.78	0.06	41,803	-
S10001C1811A	0.65	-	1,355	-	SCB13C1902A	0.46	0.02	32,612	-	STEC13C1902A	0.70	0.04	310,939	-
S5001C1809F	-	-	-	-	SCB13P1812A	0.08	0.04	5,000	-	STEC19C1901A	0.75	0.06	79,847	-
S5001C1809G	-	-	-	-	SCB19C1811A	0.37	0.02	6,578	-	STEC24C1901A	0.87	0.07	48,760	-
S5001C1809H	-	-	-	-	SCB24C1901A	-	-	-	-	STEC27C1902A	0.93	0.05	3,600	-
S5001C1809I	-	-	-	-	SCB24C1902A	-	-	-	-	STEC28C1810A	-	-	-	-
S5001C1810A	1.58	(0.01)	7,742	1.00	SCB24P1811A	-	-	-	-	STEC28C1902A	0.59	0.04	170,470	-
S5001C1810B	1.63	(0.01)	299,102	1.00	SCB27C1902A	-	-	-	-	STPI08C1811A	0.08	-	804	-
S5001C1811A	0.91	(0.02)	66,642	-	SCB27P1903A	0.43	(0.01)	1,200	-	SUPE08C1811A	0.02	-	3,673	-
S5001C1811B	0.85	(0.01)	185,236	-	SCB28C1812A	0.58	(0.02)	4,192	-	SUPE13C1810A	0.01	(0.01)	10,202	-
S5001C1812F	1.24	-	846,305	1.00	SCB28C1902A	0.37	0.01	22,052	-	SUPE13C1811A	0.14	0.01	3,719	-
S5001C1812G	0.93	(0.01)	918,876	-	SCB28P181									

Main Board Quotation

Issue Date :

Friday September 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Friday September 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TASC11C1904A	0.13	-	9,030	-	TOP01C1901B	1.52	-	24,306	1.00	UNIQ23C1901A	0.15	0.02	56,064	-
TASC13C1810A	-	-	-	-	TOP01P1901A	0.39	(0.01)	31,627	-	UNIQ24C1811A	-	-	-	-
TASC13C1901A	0.31	0.01	170,727	-	TOP06C1809A	-	-	-	-	UNIQ28C1811A	0.15	0.03	73,248	-
TASC19C1902A	0.42	0.02	65,248	-	TOP06C1903A	1.45	-	19,317	1.00	UV01C1902A	0.59	(0.03)	20,723	-
TASC23C1902A	0.33	-	1,000	-	TOP06C1903B	0.66	0.01	25,426	-	UV01C1902B	0.47	(0.04)	14,057	-
TASC24C1810A	-	-	-	-	TOP07C1812A	0.56	0.03	10,315	-	UV06C1812A	0.35	(0.03)	12,600	-
TASC24C1903A	-	-	-	-	TOP08C1811A	0.11	-	12,411	-	UV13C1812A	0.37	(0.04)	107,983	-
TASC28C1902A	0.27	0.02	85,450	-	TOP08C1902A	0.76	-	21,008	-	UV19C1902A	0.45	(0.04)	24,109	-
TCAP01C1901A	0.64	-	11,833	-	TOP11C1905A	1.28	0.01	28,393	1.00	UV23C1809A	-	-	-	-
TCAP01C1901B	0.49	(0.01)	9,891	-	TOP13C1811A	0.07	-	794	-	UV24C1812A	0.16	(0.02)	1,000	-
TCAP01P1901A	0.26	(0.02)	4,290	-	TOP13C1901A	0.80	0.01	7,963	-	VGI01C1812A	0.72	0.03	8,168	-
TCAP08C1810A	-	-	-	-	TOP13C1902A	0.62	0.02	64,768	-	VGI06C1904A	-	-	-	-
TCAP11C1811A	0.08	(0.01)	2,000	-	TOP19C1901A	0.59	0.01	44,286	-	VGI06C1904B	-	-	-	-
TCAP13C1901A	0.47	-	54,886	-	TOP23C1811A	0.14	-	12,101	-	VGI06C1904C	-	-	-	-
TCAP19C1901A	0.37	-	7,800	-	TOP24C1901A	0.21	0.03	4,002	-	VGI08C1811A	0.56	-	1,184	-
TCAP24C1903A	-	-	-	-	TOP24C1902A	0.77	0.10	1,000	-	VGI23C1905A	-	-	-	-
THAI01C1901A	0.39	(0.01)	49,721	-	TOP24C1903A	0.56	0.01	10,576	-	VGI23C1911A	-	-	-	-
THAI01C1901B	0.20	(0.02)	86,360	-	TOP27C1903A	0.68	0.02	2,400	-	VGI27C1812A	0.34	0.02	133,800	-
THAI01P1901A	0.57	-	56,008	-	TOP28C1810A	-	-	-	-	VGI28C1810A	-	-	-	-
THAI06C1809A	0.01	-	15,765	-	TOP28C1812A	0.72	0.03	20,966	-	WHA01C1812A	0.72	0.07	91,535	-
THAI07C1811A	-	-	-	-	TOP28C1903A	0.56	(0.44)	68,070	-	WHA01C1812B	0.59	0.09	78,493	-
THAI08C1903A	0.35	(0.01)	9,012	-	TPIO1C1812A	0.28	0.01	9,616	-	WHA01P1812A	0.36	(0.04)	39,965	-
THAI11C1906A	0.46	-	7,128	-	TPIO1C1812B	0.17	0.01	7,670	-	WHA06C1809A	-	-	-	-
THAI13C1811A	0.05	(0.02)	824	-	TPIO7C1812A	-	-	-	-	WHA06C1903A	0.59	0.08	189,494	-
THAI13C1902A	0.44	(0.02)	106,607	-	TP11C1902A	0.26	(0.01)	45,272	-	WHA07C1810A	0.20	0.05	28,599	-
THAI19C1901A	0.36	(0.02)	85,485	-	TP19C1901A	0.32	0.01	26,677	-	WHA08C1811A	0.17	0.03	42,553	-
THAI23C1901A	0.02	-	1,722	-	TP23C1809A	-	-	-	-	WHA11C1903A	0.28	0.05	31,085	-
THAI24C1901A	0.21	(0.02)	28,000	-	TP24C1902A	-	-	-	-	WHA13C1812A	0.51	0.05	363,564	-
THAI27C1809A	-	-	-	-	TP24C1903A	0.56	0.01	10,576	-	WHA19C1901A	0.56	0.07	142,100	-
THAI28C1901A	0.36	(0.01)	90,910	-	TP27C1903A	0.68	0.02	2,400	-	WHA23C1810A	0.26	0.06	25,840	-
THAN01C1812A	0.70	0.08	129,232	-	TOP28C1810A	-	-	-	-	WHA24C1811A	-	-	-	-
THAN13C1809A	-	-	-	-	TOP28C1812A	0.72	0.03	20,966	-	WHA24C1902A	0.53	0.07	217,288	-
THAN13C1902A	0.68	0.08	233,852	-	TOP28C1903A	0.56	(0.44)	68,070	-	WHA27C1903A	0.67	0.04	2,400	-
THAN19C1903A	0.84	0.08	138,025	-	TP101C1810B	-	-	-	-	WHA28C1901A	0.54	0.07	157,671	-
THAN24C1903A	0.73	0.07	1,378	-	TP101P1810A	0.50	0.01	4,732	-	WHA28C1903A	0.35	(0.65)	63,107	-
THAN28C1810A	0.14	0.07	2,420	-	TP11C1811A	-	-	-	-	WHAU01C1810A	0.24	0.01	37,795	-
THCO01C1809A	-	-	-	-	TP13C1902A	0.27	(0.01)	11,534	-	WHAU01C1810B	0.01	(0.01)	300	-
THCO01P1809A	-	-	-	-	TP19C1902A	0.32	(0.01)	3,650	-	WHAU13C1902A	0.29	0.01	40,345	-
THCO08C1906A	0.24	(0.02)	13,936	-	TP24C1901A	-	-	-	-	WHAU19C1902A	0.34	0.02	21,554	-
THCO11C1902A	0.13	(0.02)	6,035	-	TP27C1812A	-	-	-	-	WHAU24C1812A	-	-	-	-
THCO19C1811A	0.10	(0.03)	8,566	-	TRUE01C1902A	0.41	(0.01)	28,937	-	WHAU24C1902A	-	-	-	-
THCO24C1810A	-	-	-	-	TRUE01C1902B	0.30	(0.01)	19,853	-	WORK01C1811A	0.34	(0.01)	47,879	-
THCO28C1901A	0.29	(0.04)	9,972	-	TRUE01P1902A	0.50	(0.01)	24,617	-	WORK01C1811B	0.14	(0.01)	21,258	-
TISCO1C1902A	0.89	(0.01)	10,652	-	TRUE01P1902B	0.35	-	44,416	-	WORK08C1809A	-	-	-	-
TISCO1C1902B	0.68	(0.01)	8,453	-	TRUE06C1811A	0.05	-	166	-	WORK08C1901A	0.26	(0.01)	15,023	-
TISCO7C1902A	0.86	(0.01)	75	-	TRUE06C1906A	0.22	-	1,280	-	WORK11C1903A	0.08	(0.01)	1,332	-
TISCO8C1903A	0.66	(0.01)	10,457	-	TRUE07C1902A	-	-	-	-	WORK13C1810A	-	-	-	-
TISC11C1903A	0.21	-	3,075	-	TRUE08C1809A	-	-	-	-	WORK13C1811A	0.05	-	30	-
TISC13C1811A	0.21	-	8,413	-	TRUE08C1902A	0.26	(0.01)	37,661	-	WORK13C1812A	0.23	(0.02)	147,744	-
TISC13C1812A	0.63	(0.02)	12,166	-	TRUE08P1809A	-	-	-	-	WORK13C1902A	0.43	(0.03)	158,595	-
TISC19C1901A	0.41	-	1,000	-	TRUE08P1902A	0.28	-	908	-	WORK19C1811A	0.06	(0.01)	649	-
TISC24C1812A	0.13	0.01	10	-	TRUE11C1905A	0.25	-	4,986	-	WORK19C1902A	0.47	(0.03)	71,908	-
TISC24C1904A	-	-	-	-	TRUE13C1810A	-	-	-	-	WORK24C1810A	-	-	-	-
TISC28C1901A	0.66	(0.01)	28,726	-	TRUE13C1812A	0.13	-	193,082	-	WORK24C1812A	-	-	-	-
TKN01C1901A	0.77	0.04	87,569	-	TRUE13C1901A	0.26	(0.01)	163,711	-	WORK27C1903A	0.41	(0.02)	522	-
TKN01C1901B	0.59	0.05	181,191	-	TRUE13P1901A	0.28	-	72,602	-	WORK27C1903A	0.41	0.01	2,400	-
TKN08C1811A	0.09	-	1,000	-	TRUE16C1812A	0.22	0.01	11	-	WORK28C1811A	-	-	-	-
TKN08C1903A	0.56	0.03	35,990	-	TRUE19C1901A	0.10	-	65,968	-	WORK28C1901A	0.29	-	36,485	-
TKN11C1902A	0.21	0.01	7,099	-	TRUE19C1903A	0.46	(0.01)	14,696	-	Preferred/Foreign	-	-	-	-
TKN13C1810A	0.03	-	6,001	-	TRUE23C1902A	0.14	(0.02)	21,000	-	BH-Q	-	-	-	-
TKN13C1811A	-	-	-	-	TRUE27C1809A	-	-	-	-	CSC-Q	-	-	-	-
TKN13C1812A	0.43	0.03	272,180	-	TRUE27P1809A	-	-	-	-	JUTHA-Q	-	-	-	-
TKN19C1811A	0.11	0.02	9,220	-	TRUE28C1810A	-	-	-	-	KTB-Q	-	-	-	-
TKN19C1903A	0.61	0.03	99,027	-	TRUE28C1812A	0.10	(0.01)	40,225	-	SCB-Q	-	-	-	-
TKN23C1902A	0.43	0.03	23,038	-	TTA08C1906A	0.32	(0.01)	35,675	-	TCAP-Q	-	-	-	-
TKN24C1811A	0.24	0.03	52,378	-	TTA13C1901A	0.24	0.01	55,585	-	TIC-Q	-	-	-	-
TKN24C1812A	-	-	-	-	TTA19C1811A	0.09	-	2,228	-	TISCO-Q	-	-	-	-
TKN24C1903A	0.54	-	31,301	-	TTA23C1901A	0.10	-	5,102	-	U-Q	-	-	-	-
TKN28C1811A	-	-	-	-	TTA24C1809A	-	-	-	-	Warrant	-	-	-	-
TKN28C1812A	0.62	0.03	120,718	-	TTA24C1902A	-	-	-	-	7UP-W2	0.08	-	1,960	-
TKN28C1903A	0.39	(0.61)	36,192	-	TTA28C1812A	0.09	(0.01)	15,488	-	ACC-W1	0.04	(0.01)	36,124	-
TMB01C1810A	0.18	(0.03)	37,243	-	TU01C1901A	0.67	0.05	17,944	-	AJA-W1	0.22	0.02	20,589	-
TMB01C1810B	0.02	-	1,582	-	TU01C1901B	0.63	0.05	67,743	-	ALT-W1	0.82	(0.01)	29,181	-
TMB01P1810A	0.34	0.01	19,381	-	TU01P1901A	0.14	(0.03)	9,345	-	APEX-W1	0.05	0.05	907,639	-
TMB06C1809A	-	-	-	-	TU06C1902A	0.35	0.05	14,716	-	APURE-W2	0.27	(0.01)	12,673	-
TMB06C1902A	0.11	(0.01)	20,598	-	TU07C1902A	-	-	-	-	AQ-W4	0.01	-	7,219	-
TMB06C1903A	0.28	-	53,269	-	TU08C1811A	-	-	-	-	AS-W1	0.27	-	1,284	-
TMB07C1811A	-	-	-	-	TU11C1902A	0.05	-	300	-	AYUD-W1	7.90	0.60	502,065	7.00
TMB07C1903A	-	-	-	-	TU11C1906A	0.25	0.01	15,255	-	B-W3	0.01	-	920	-
TMB08C1901A	0.08	-	1,310	-	TU13C1902A	0.30	0.01	13,422	-	B-W4	0.21	(0.03)	32,923	-
TMB11C1904A	0.09	(0.01)	90	-	TU19C1901A	0.32	0.02	29,216	-	BTS-W3	0.01	-	310	-
TMB13C1811A	0.04	-	1,551	-	TU23C1902A	0.31	0.03	10,000	-	BWG-W4	0.09	-	46,312	-
TMB13C1901A	0.20	(0.01)	26,994	-	TU24C1901A	-	-	-	-	CEN-W4	0.04	(0.01)	6,625	-
TMB19C1901A	0.12	(0.01)	262,405	-	TVO01C1809A	-	-	-	-	CGD-W4	0.32	0.01	25,810	-
TMB23C1810A	-	-	-	-	TVO01C1809B	-	-	-	-	CGH-W3	0.07	(0.01)	32,442	-
TMB24C1809A	-	-	-	-	TVO01C1903A	0.34	(0.01)	965	-	CI-W1	0.43	(0.03)	252	-
TMB24C1901A	-	-	-	-	TVO01C1903B	0.27	(0.01)	3,480	-	CKP-W1	0.65	(0.01)	126,400	-
TMB24C1902A	0.18	(0.05)	3,000	-	TVO11C1903A	-	-	-	-	CRANE-W1	1.68	0.01	1	1.00
TMB27C1903A	0.28	(0.01)	90	-	TVO13C1902A	0.21	-	510	-	CWT-W4	0.58	(0.01)	17,535	-
TMB28C1901A	0.19	-	33,390	-	TVO19C1902A	0.21	(0.01)	1	-	DCC-W1	1.07	-	198,978	1.00
TOA01C1901A	0													

Main Board Quotation

Issue Date :

Friday September 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOA01C1901B	0.28	-	11	-	UNI01C1810B	0.10	0.03	35,879	-	DIGI-W1	0.03	-	258	-
TOA08C1902A	0.21	-	663	-	UNI01P1809A	-	-	-	-	DIGI-W2	0.02	-	599	-
TOA13C1812A	0.26	(0.01)	10,286	-	UNI08C1810A	0.08	0.02	33,968	-	EARTH-W4	-	-	-	-
TOA19C1901A	0.26	(0.02)	1,603	-	UNI08C1906A	0.40	0.05	38,431	-	EIC-W2	0.01	-	970	-
TOA24C1812A	-	-	-	-	UNI11C1811A	0.12	0.02	4,500	-	EIC-W3	0.03	-	402	-
TOA28C1812A	0.23	0.01	3,042	-	UNI13C1901A	0.35	0.03	220,512	-	EVER-W3	0.08	-	9,817	-
TOP01C1901A	1.71	0.01	45,119	1.00	UNI19C1811A	0.12	0.02	22,574	-	GJS-W3	0.01	-	6,630	-
GSTEL-W1	-	-	-	-	THE-W2	0.05	-	19,203	-	NEWS-W4	-	-	-	-
GSTEL-W2	-	-	-	-	TNITY-W1	1.01	-	477	1.00	NEWS-W6	-	-	-	-
IEC-W2	-	-	-	-	TNPC-W1	0.57	(0.03)	87,281	-	PHOL-W1	-	-	-	-
IHL-W1	5.75	(0.20)	143	5.00	TRITN-W3	0.33	-	136,565	-	PIMO-W1	2.50	0.02	1,814	2.00
ITD-W1	0.15	-	123,063	-	TSR-W1	0.47	0.03	44,780	-	PPS-W1	0.78	(0.01)	352	-
JAS-W3	2.32	0.08	34,862	2.00	TTA-W5	0.31	(0.01)	366,181	-	PSTC-W1	0.24	-	60,706	-
JCK-W5	0.48	(0.01)	5,048	-	TTCL-W1	1.59	-	47,051	1.00	SIMAT-W2	0.42	0.01	399	-
JMART-W2	1.59	0.03	14,136	1.00	U-W1	0.01	-	30,001	-	SIMAT-W3	0.55	-	671	-
JMT-W2	1.96	-	35,440	1.00	U-W4	0.01	-	66,625	-	SIMAT-W4	1.30	-	12,461	1.00
MACO-W2	0.28	0.01	85,428	-	VGI-W2	0.60	-	93,172	-	SKY-W1	12.40	(0.30)	52	12.00
MIDA-W2	0.02	-	128,252	-	VIBHA-W2	1.61	0.01	7,105	1.00	STAR-W3	1.90	(0.08)	205	1.00
MILL-W3	0.03	-	9,599	-	VIBHA-W3	0.33	(0.01)	36,704	-	TAKUNI-W	0.20	-	11,193	-
MILL-W4	0.30	-	2,095	-	WAVE-W1	0.62	0.03	38,554	-	TAPAC-W3	2.86	(0.04)	1,496	2.00
MILL-W5	0.28	(0.02)	28,990	-	WHA-W1	8.25	0.80	28,374	7.00	TMLL-W1	1.00	-	2,482	1.00
ML-W2	0.04	-	10,003	-	WORK-W1	8.40	(0.15)	276	8.00	TSF-W4	-	-	-	-
MONO-W1	0.47	-	8,054	-	Preferred Shares	-	-	-	-	TSF-W5	-	-	-	-
NEP-W3	-	-	-	-	BH-P	-	-	-	-	TVD-W2	0.73	(0.01)	8,995	-
NOK-W1	0.53	(0.14)	3	-	CSC-P	-	-	-	-	UAC-W2	0.79	0.01	3,312	-
NUSA-W3	0.14	(0.05)	2	-	JUTHA-P	-	-	-	-	UKEM-W2	0.51	-	39,863	-
NVD-W1	0.46	(0.02)	5,666	-	KTB-P	-	-	-	-	UWC-W2	0.01	-	107,720	-
ORI-W1	2.18	0.04	872	2.00	SCB-P	-	-	-	-	XO-W1	6.10	(0.05)	540	6.00
PACE-W2	0.20	-	28,596	-	TCAP-P	-	-	-	-	Preferred Shares	-	-	-	-
PDI-W1	1.24	(0.02)	392	1.00	TIC-P	-	-	-	-					
PDJ-W2	1.29	(0.01)	41	1.00	TISCO-P	-	-	-	-					
PDJ-W3	1.29	(0.01)	33	1.00	U-P	0.04	-	189,140	-					
PDJ-W4	1.29	(0.01)	122	1.00	Warrant (MAI)	-	-	-	-					
PLE-W3	0.14	-	98,559	-	2S-W1	0.17	(0.01)	7,410	-					
RICH-W1	-	-	-	-	ACAP-W2	1.94	0.03	11,222	1.00					
RICHY-W1	0.30	-	9,303	-	AIRA-W2	0.04	0.02	2,134	-					
RICHY-W2	0.18	-	8,385	-	ATP30-W1	0.81	(0.01)	2,663	-					
RS-W3	9.00	-	81	9.00	BKD-W2	0.33	(0.01)	502,483	-					
S-W1	0.13	-	8,755	-	BM-W1	0.48	0.01	11,638	-					
SAMART-W2	0.71	(0.03)	91,078	-	BSM-W2	0.19	(0.01)	3,062	-					
SAWAD-W1	6.90	0.80	6,071	6.00	CHEWA-W1	0.29	0.01	28,321	-					
SDC-W1	0.21	-	17,943	-	CIG-W7	0.02	-	70	-					
SMM-W4	-	-	-	-	DIMET-W2	0.16	(0.01)	82,456	-					
SMT-W1	0.07	-	16,094	-	DNA-W1	1.47	0.10	9,701	1.00					
SMT-W2	0.65	-	10,367	-	ECF-W2	5.70	0.10	1,764	5.00					
SPALI-W4	-	-	-	-	ECF-W3	3.52	-	25,561	3.00					
SPORT-W5	0.02	-	599	-	EFORL-W3	0.01	-	791	-					
SUPER-W4	0.10	(0.01)	132,392	-	EFORL-W4	0.02	-	734	-					
SUSCO-W1	0.09	0.01	23,929	-	FC-W1	0.05	(0.01)	4,154	-					
SVI-W3	2.00	0.06	68	1.00	FC-W2	0.04	-	1,725	-					
TCC-W3	0.21	-	1,179	-	FOCUS-W2	0.69	(0.03)	53,458	-					
TCC-W4	0.22	-	28,122	-	FVC-W2	0.49	0.07	170,161	-					
TCC-W5	0.29	-	9,000	-	ITEL-W1	0.61	-	183,753	-					
TCJ-W2	0.97	(0.02)	2,529	-	JKN-W1	1.96	0.05	24,618	1.00					
TCMC-W2	0.37	-	3,654	-	LIT-W1	2.16	0.02	598	2.00					
TFG-W1	1.58	0.03	130	1.00	META-W2	0.06	0.01	32,826	-					
TFG-W2	0.76	-	904	-	NCL-W3	0.46	(0.02)	6,405	-					
TH-W2	0.15	-	954	-	NDR-W1	0.07	-	221	-					