

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday October 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	11.80	(0.50)	50,259	11.99	SE-ED	2.94	-	169	2.93
POMPI	-	-	-	-	ILINK	5.05	-	6,640	5.02	SMM	1.10	(0.01)	13,450	1.11
SAFARI	-	-	-	-	INET	3.96	(0.02)	1,728	3.95	SPORT	0.42	0.04	9,539	0.40
VI	-	-	-	-	INTUCH	53.75	0.25	136,910	53.62	TBSP	-	-	-	-
WORLD	-	-	-	-	JAS	5.55	(0.05)	141,519	5.57	TH	0.72	-	4,979	0.73
WR	-	-	-	-	JASIF	10.40	-	46,200	10.40	TKS	12.00	0.40	85,045	11.90
Agribusiness	-	-	-	-	JMART	9.10	(0.10)	6,906	9.16	TRITN	0.46	(0.01)	197,001	0.46
CHOTI	139.00	(1.00)	1	139.00	JTS	1.62	(0.01)	297	1.63	VGI	7.80	(0.10)	84,225	7.84
EE	0.69	(0.01)	25,463	0.69	MFEK	3.46	-	5,015	3.45	WAVE	2.50	(0.06)	962	2.51
GFPT	15.00	-	51,718	15.07	MSC	6.60	0.05	1,140	6.54	WORK	38.75	(2.00)	113,256	39.08
LEE	2.76	-	1,050	2.76	PT	6.75	0.05	2,951	6.75	Finance & Securities	-	-	-	-
PPPM	5.75	-	1,147	5.73	SAMART	8.25	(0.05)	38,129	8.30	AEC	0.52	(0.01)	3,391	0.53
STA	17.50	0.30	251,471	17.33	SAMTEL	8.60	(0.20)	1,609	8.64	AEONTS	207.00	(3.00)	7,493	207.27
TRUBB	1.94	-	8,266	1.95	SDC	0.42	-	47,108	0.42	AMANAH	2.02	0.02	71,466	2.01
TWPC	8.70	(0.10)	5,353	8.69	SIS	8.95	0.10	2,378	8.97	ASAP	7.40	0.20	62,425	7.36
UPOIC	4.74	-	13	4.74	SVOA	1.43	0.02	48,879	1.43	ASK	23.60	(0.10)	1,238	23.63
UVAN	6.80	-	2,401	6.80	SYMC	5.80	0.10	8	5.74	ASP	3.82	0.02	26,324	3.80
VPO	0.65	-	2,861	0.65	SYNEX	16.00	0.50	49,776	15.89	BFIT	28.50	-	3,441	28.27
Banking	-	-	-	-	THCOM	9.55	(0.05)	9,650	9.58	CGH	1.05	-	1,591	1.05
BAY	40.00	-	1,637	39.90	TRUE	6.05	(0.10)	721,141	6.07	CNS	2.58	0.02	1,734	2.57
BBL	209.00	(1.00)	41,425	208.42	TWZ	0.12	-	25,204	0.12	ECL	2.16	-	115,089	2.17
CIMBT	0.88	(0.01)	18,005	0.88	Electronic Componen	-	-	-	-	FNS	4.10	-	1,666	4.11
KBANK	213.00	(2.00)	33,693	213.75	CCET	1.98	0.01	8,180	1.98	FSS	2.34	(0.02)	1,028	2.33
KKP	74.75	-	33,339	74.82	DELTA	69.50	(0.25)	12,142	69.53	GBX	0.67	0.01	71	0.67
KTB	20.10	(0.10)	207,883	20.11	EIC	0.05	-	5,918	0.05	GL	7.40	(0.15)	25,716	7.53
LHFG	1.57	-	41,261	1.56	HANA	40.50	1.00	60,890	40.10	IFS	3.08	-	2,992	3.08
SCB	146.50	(0.50)	37,658	146.47	KCE	43.00	1.00	46,330	42.78	JMT	11.40	(0.10)	24,219	11.38
TCAP	53.75	(0.25)	22,097	53.85	METCO	-	-	-	-	KCAR	12.80	-	380	12.72
TISCO	83.50	(0.50)	29,040	83.70	SMT	2.30	0.06	18,663	2.31	KGI	4.50	(0.02)	28,203	4.49
TMB	2.34	-	1,572,604	2.34	SPPT	4.20	(0.20)	26,802	4.30	KTC	35.25	(1.00)	227,042	35.44
Construction Materia	-	-	-	-	SVI	6.00	0.30	355,830	5.92	MBKET	13.10	-	788	13.13
CCP	0.43	(0.01)	44,001	0.44	TEAM	1.15	(0.01)	4,998	1.16	MFC	16.90	(0.10)	162	16.93
COTTO	3.02	0.06	125,272	3.03	Energy & Utilities	-	-	-	-	ML	1.07	0.01	645	1.06
DCC	2.58	(0.02)	37,416	2.60	ABPIF	8.45	-	1,734	8.41	MTC	48.75	0.50	240,387	49.04
DCON	0.57	-	3,865	0.57	AI	-	-	-	-	PE	0.25	0.01	806	0.25
DRT	5.60	-	1,934	5.61	AKR	1.02	-	17,366	1.02	PL	3.54	-	1,041	3.56
EPG	8.45	-	178,884	8.40	BAFS	34.50	0.25	1,022	34.26	S11	7.55	-	1,059	7.62
GEL	0.38	0.01	106,670	0.37	BANPU	19.10	(0.10)	429,890	19.24	SAWAD	47.50	(0.50)	121,737	47.97
PPP	3.50	0.02	873	3.48	BCP	35.00	(0.25)	12,912	35.19	THANI	9.05	(0.20)	162,682	9.17
O-CON	5.40	(0.15)	999	5.55	BPCG	22.40	(0.10)	269,513	22.51	TK	11.40	0.10	1,716	11.31
RCI	3.94	-	6,625	3.94	BGRIM	29.00	-	122,908	28.89	TNITY	5.95	-	201	5.95
SCC	442.00	(6.00)	18,429	444.19	BPP	25.50	(0.50)	21,793	25.80	UOBKH	4.20	-	45	4.19
SCCC	256.00	2.00	3,175	257.33	BRRGIF	10.00	0.05	359	9.95	ZMICO	1.15	-	2,422	1.15
SCP	9.25	(0.10)	9,560	9.26	CKP	5.45	0.20	979,297	5.31	Food & Beverage	-	-	-	-
SKN	4.70	(0.04)	2,328	4.68	DEMC0	4.22	0.12	144,867	4.25	APURE	1.48	-	14,612	1.47
TASCO	15.80	(0.30)	72,045	15.88	EA	50.50	0.25	270,431	49.97	ASIAN	9.55	(0.10)	101,534	9.68
TCMC	2.64	(0.04)	12,157	2.64	EARTH	-	-	-	-	BR	5.50	(0.15)	15,700	5.53
TOA	37.00	(0.75)	13,215	37.24	EASTW	11.20	0.20	15,653	11.17	BRR	6.60	-	1,493	6.58
TPIPL	1.86	-	102,966	1.86	EGATIF	11.00	(0.10)	71,299	11.00	CBG	52.00	(1.50)	25,274	52.53
UMI	1.48	0.02	4,786	1.46	EGCO	234.00	(1.00)	11,373	235.99	CFRESH	4.56	(0.04)	169	4.58
VNG	7.50	-	999	7.49	ESSO	15.40	(0.10)	132,518	15.52	CM	4.34	-	15,914	4.41
WIHK	2.54	(0.02)	5,773	2.53	GLOW	88.00	-	39,769	87.95	CPF	24.80	-	269,024	24.84
Petrochemicals & Che	-	-	-	-	GPSC	67.75	(1.00)	15,462	68.14	CPI	1.82	-	406	1.81
BCT	53.75	0.50	255	53.85	GULF	77.50	1.50	231,163	76.95	F&D	-	-	-	-
CMAN	3.30	(0.02)	13,989	3.31	GUNKUL	3.26	-	486,090	3.25	HTC	17.40	-	576	17.33
GC	5.15	-	324	5.14	IEC	-	-	-	-	ICHI	4.64	(0.08)	13,434	4.72
GGC	11.60	(0.10)	8,951	11.60	IFEC	-	-	-	-	KBS	4.36	0.08	1,850	4.35
GIFT	4.58	-	613	4.61	IRPC	6.65	(0.05)	1,154,850	6.65	KSL	3.40	0.02	3,576	3.40
IVL	59.25	(0.50)	220,266	59.69	LANNA	15.50	-	1,702	15.46	KTIS	5.70	-	1,122	5.70
NFC	11.20	-	900	11.24	MDX	4.68	-	2,397	4.68	LST	4.96	(0.02)	1,369	4.95
PATO	14.40	-	156	14.46	PTG	13.30	(0.30)	361,346	13.41	M	72.00	(0.25)	2,962	71.93
PMTA	13.80	(0.10)	65	13.87	PTT	54.50	(0.25)	758,472	54.73	MALEE	15.30	(0.30)	48,734	15.54
PTTGC	80.75	(1.00)	240,314	81.66	PTTEP	156.50	(3.50)	200,155	157.73	MINT	40.75	(1.00)	255,877	41.04
SUTHA	4.18	(0.04)	5,285	4.14	RATCHE	51.00	(0.25)	11,276	51.18	OISHI	91.00	(1.75)	17	92.00
TCCC	34.75	-	22	34.61	RPC	0.54	0.01	45,499	0.54	PB	60.75	-	53	60.70
TPA	6.80	0.40	53	6.79	SCG	4.60	(0.04)	148	4.60	PM	9.10	(0.05)	6,964	9.06
UP	-	-	-	-	SCI	3.12	0.02	7,884	3.11	PRG	14.00	-	201	13.67
VNT	24.30	(0.20)	13,343	24.41	SCN	4.64	0.16	215,774	4.60	SAPPE	24.30	(0.30)	3,474	24.44
WG	-	-	-	-	SGP	12.30	(0.20)	66,107	12.39	SAUCE	-	-	-	-
YCI	-	-	-	-	SKE	1.28	-	8,894	1.28	SFP	-	-	-	-
Commerce	-	-	-	-	SOLAR	2.80	0.08	37,692	2.77	SNP	20.40	-	162	20.49
BEAUTY	11.80	(0.30)	582,346	11.91	SPCC	21.00	(0.10)	2,781	21.08	SORKON	71.50	-	1	71.50
BIG	1.89	(0.01)	72,858	1.90	SPRC	14.90	(0.10)	169,702	14.90	SSC	40.00	(1.75)	3	39.83
BJC	58.00	(1.25)	97,178	58.75	SUPER	0.85	(0.04)	6,688,502	0.86	SSF	8.20	-	44	8.20
COL	29.25	(0.25)	2,341	29.26	SUSCO	3.26	(0.02)	53,850	3.30	SST	5.80	-	123	5.80
COM7	22.20	0.20	143,104	22.28	TAE	2.24	-	3,035	2.24	TC	3.06	-	40	3.06
CPALL	69.75	0.25	437,113	69.96	TCC	0.53	(0.01)	97,526	0.54	TFG	4.18	(0.04)	4,813	4.19
CSS	2.28	-	21,793	2.29	TOP	86.50	(1.00)	91,275	86.99	TFMAMA	160.00	(1.00)	90	160.54
FN	2.80	(0.04)	3,602	2.83	TPIPP	6.65	-	122,458	6.66	TIPCO	9.40	-	14,497	9.40
FTE	2.34	0.04	40,839	2.35	TTW	12.20	-	19,868	12.21	TKN	17.00	(0.60)	159,256	17.28
GLOBAL	19.90	(0.60)	134,731	20.01	WHAPU	6.50	(0.05)	146,851	6.56	TU	17.20	(0.50)	175,317	17.27
HMPRO	15.10	(0.40)	403,898	15.24	WP	7.55	(0.05)	16,400	7.56	TVO	29.25	-	7,852	29.36
IT	4.26	-	1,804	4.26	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.80	-	17,747	4.79	AMARIN	4.80	(0.02)	309	4.79	AHC	21.10	-	33	21.07
LOXLEY	2.28	-	18,052	2.28	AQUA	0.48	-	23,656	0.48	BCH	19.20	(0.40)	197,421	19.40
MAKRO	34.00	-	3,676	34.05	AS	1.15	(0.02)	84	1.16	BDMS	25.00	(0.25)	254,969	25.12
MC	13.00	-	8,586	13.04	BEC	6.80	(0.15)	116,169	6.86	BH	186.50	(4.00)	31,519	186.90
MEGA	38.00	(0.50)	11,842	38.33	EPCO	3.76	0.12	49,367	3.74	CHG	2.60	(0.10)	2,302,350	2.60
MIDA	0.61	-	571	0.61	FE	-	-	-	-	CMR	3.16	(0.02)	1,487	3.16
ROBINS	68.25	(2.75)	46,813	68.94	GPI	2.68	-	6,983	2.66	EKH	6.20	(0.10)	21,522	6.19
RSP	4.18	-	12,897	4.21	GRAMMY	8.00	0.05	225	8.03	KDH	97.00	2.00	35	95.96
SINGER	9.30	(0.30)	2,427	9.44	MACO	1.92	(0.01)	53,610	1.93	LPH	6.10	-	23,426	6.06
SPC	54.00	0.75	1	54.										

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday October 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.90	0.06	5,031	2.88	MJD	3.64	0.14	11,432	3.56	CPT	1.90	(0.02)	65,800	1.90
Tourism & Leisure	-	-	-	-	MK	4.06	-	8,339	4.06	CRANE	2.90	(0.02)	265	2.88
ASIA	6.85	0.10	1,710	6.78	NCH	0.95	(0.01)	2,467	0.95	CTW	9.30	(0.10)	170	9.31
CENTEL	40.75	(0.75)	63,151	40.55	NNCL	1.91	(0.02)	48,377	1.93	FMT	25.00	0.10	4	24.98
CSR	-	-	-	-	NOBLE	15.00	0.10	2,299	14.84	HTECH	6.95	(0.05)	16,598	6.98
DTC	13.80	0.50	28,339	13.46	NUSA	0.33	-	33,191	0.33	KKC	1.65	-	126	1.66
ERW	7.95	(0.15)	87,543	8.00	NVD	4.12	(0.06)	2,131	4.14	PK	3.36	0.10	89,734	3.43
GRAND	1.04	-	4,108	1.03	ORI	17.50	(0.10)	34,288	17.68	SNC	14.50	(0.20)	9,181	14.51
LRH	-	-	-	-	PACE	0.59	-	69,157	0.59	TCJ	6.05	0.10	82	6.03
MANRIN	28.50	0.25	10	28.50	PF	1.03	(0.01)	194,187	1.03	VARO	7.00	(0.20)	39	7.01
OHTL	-	-	-	-	PLAT	8.10	(0.30)	43,680	8.19	Property Fund & REI	-	-	-	-
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.80	-	4,271	10.80
SHANG	77.50	(1.25)	215	77.51	PRECHA	1.98	0.15	99,804	2.02	AMATAR	10.90	-	10	10.90
Home & Office Produ	-	-	-	-	PRIN	1.64	0.01	3,868	1.64	B-WORK	11.30	-	4,523	11.30
ACC	0.50	-	4,601	0.50	PRINC	5.20	-	3,981	5.17	BKKCP	12.30	-	100	12.30
AJA	0.39	-	4,071	0.39	PSH	20.80	(0.30)	21,598	20.91	BOFFICE	13.50	0.30	2	13.50
DTCI	-	-	-	-	OH	3.40	(0.02)	558,610	3.42	CPNCG	15.90	-	2,162	15.88
FANCY	0.90	(0.01)	4,307	0.90	RICHY	1.86	0.02	27,981	1.85	CPNREIT	27.25	-	8,550	27.03
KYE	408.00	-	225	408.00	RML	1.40	(0.01)	50,343	1.40	CPTGF	13.40	-	5	13.40
L&E	2.68	(0.02)	58	2.70	ROJNA	5.95	0.15	131,677	5.88	CRYSTAL	10.20	-	352	10.20
MODERN	4.50	0.02	9,552	4.49	S	3.78	(0.08)	442,746	3.79	CTARAF	4.86	0.02	191	4.84
OGC	37.75	0.25	1	37.75	SAMCO	2.12	-	9,284	2.14	DREIT	5.45	-	65	5.45
ROCK	17.00	0.50	1	17.00	SC	3.56	(0.08)	47,435	3.59	ERWPF	5.60	0.05	701	5.53
SIAM	2.22	0.06	18,161	2.23	SENA	3.76	(0.02)	19,606	3.74	FUTUREPF	22.40	-	6,638	22.32
TSR	2.32	0.02	2,526	2.31	SF	8.85	0.05	8,134	8.80	GAHREIT	-	-	-	-
Insurance	-	-	-	-	SIRI	1.64	(0.02)	586,033	1.65	GLANDRT	12.60	-	6,483	12.55
AYUD	43.00	(0.50)	1,223	43.67	SPALI	24.00	-	32,626	24.04	GOLDPF	7.25	0.05	94	7.25
BKI	350.00	-	88	349.39	TICON	16.60	0.10	171	16.53	GVREIT	15.10	-	81	15.14
BLA	35.00	2.25	137,690	34.52	U	0.03	(0.01)	3,100,797	0.03	HPF	-	-	-	-
BUI	-	-	-	-	UV	8.20	(0.10)	29,906	8.25	HREIT	6.80	0.05	3,120	6.75
CHARAN	-	-	-	-	WHA	4.46	(0.02)	2,424,311	4.51	IMPACT	19.50	(0.10)	2,979	19.49
INSURE	-	-	-	-	WIN	0.68	-	1,042	0.67	KPNPF	9.50	-	250	9.51
MTI	102.00	(2.00)	35	102.39	Paper & Printing Mat	-	-	-	-	LHHOTEL	-	-	-	-
NKI	53.00	(0.50)	30	53.00	UTP	11.20	(0.20)	16,335	11.25	LHPF	8.25	0.05	2,430	8.23
NSI	79.75	(2.75)	28	79.69	Fashion	-	-	-	-	LHSC	16.30	0.10	201	16.21
SMK	41.25	-	223	41.25	AFC	9.05	(0.10)	20	9.05	LUXF	8.50	-	1,133	8.51
THRE	1.08	(0.02)	55,987	1.09	BTNC	-	-	-	-	M-II	-	-	-	-
THREL	8.25	0.05	2,295	8.25	CPH	5.95	0.05	17	5.83	M-PAT	9.90	0.10	201	9.81
TIC	41.00	(1.00)	12	41.13	CPL	3.32	(0.02)	10	3.32	M-STOR	-	-	-	-
TIP	24.70	0.10	3,037	24.76	DIGI	0.27	-	2,507	0.27	MIPF	-	-	-	-
TSI	0.40	(0.01)	12,083	0.40	ICC	-	-	-	-	MIT	-	-	-	-
TVI	3.64	(0.02)	245	3.60	LTX	100.50	(0.50)	41	100.38	MJLF	12.60	(0.10)	631	12.60
Mining	-	-	-	-	NC	15.10	(0.10)	1	15.10	MNIT	-	-	-	-
PDI	14.20	(0.10)	4,492	14.32	PAF	0.91	-	446	0.91	MNIT2	5.05	(0.05)	26	5.05
THL	-	-	-	-	PDJ	2.54	-	3,393	2.57	MNRF	3.36	0.04	152	3.35
Packaging	-	-	-	-	PG	7.00	0.10	15	6.90	MONTRI	6.85	0.35	103	6.98
AJ	10.00	-	997	10.00	SABINA	31.50	0.25	29,882	31.89	POPF	13.80	(0.10)	42,416	13.80
ALUCON	178.50	0.50	5	178.40	SAWANG	-	-	-	-	PPF	-	-	-	-
CSC	44.25	(0.50)	81	44.56	SUC	45.25	-	14	45.25	QHHR	8.45	-	6,435	8.45
NEP	0.36	0.01	3,732	0.36	TNL	-	-	-	-	QHOP	3.44	-	12	3.41
NPPG	0.94	-	27,036	0.94	TPCORP	14.90	(0.20)	1	14.90	QHPF	13.30	-	15,806	13.30
PTL	16.80	0.20	3,724	16.79	TR	47.50	-	119	47.66	SBPF	3.00	(0.28)	233	3.03
SITHAI	1.24	0.01	1,798	1.24	TTI	-	-	-	-	SHREIT	9.15	(0.20)	375	9.21
SLP	0.96	-	2,769	0.96	TTL	-	-	-	-	SIRIP	-	-	-	-
SMPC	13.40	-	1,741	13.39	TTIM	-	-	-	-	SPF	24.30	0.10	72	24.25
SPACK	1.90	(0.02)	1,687	1.91	UPF	-	-	-	-	SRIPANWA	11.00	-	411	11.00
TCOAT	29.00	-	106	29.00	UT	14.00	0.10	42	13.86	SSPF	10.10	-	60	10.10
TFI	0.32	0.02	62	0.30	WACOAL	-	-	-	-	SSTPF	6.55	-	106	6.55
THIP	33.25	(0.25)	147	33.63	Transportation & Log	-	-	-	-	SSSTRT	6.30	-	182	6.27
TMD	21.10	0.10	540	21.02	AAV	4.26	(0.02)	73,036	4.26	TIF1	8.85	-	177	8.85
TOPP	-	-	-	-	AOT	64.50	(0.50)	331,946	64.37	TLGF	19.80	(0.10)	6,697	19.65
TPBI	8.15	(0.05)	170	8.20	ASIMAR	2.62	(0.02)	2,096	2.64	TLHPF	-	-	-	-
TPP	-	-	-	-	B	0.63	-	42,550	0.62	TNPF	-	-	-	-
Personal Products &	-	-	-	-	BA	13.10	(0.30)	43,138	13.16	TPRIME	13.00	(0.30)	16	12.93
APCO	4.76	0.06	6,851	4.84	BEM	8.55	(0.10)	715,865	8.62	TREIT	11.80	-	3,477	11.80
DDD	46.75	(0.75)	4,699	47.00	BTS	9.25	-	326,645	9.30	TTLPF	-	-	-	-
JCT	89.00	(1.00)	2	89.00	BTSGIF	12.00	(0.20)	322,221	12.03	TU-PF	-	-	-	-
OCC	-	-	-	-	III	7.25	-	23,708	7.34	URBNPF	3.48	(0.02)	290	3.49
S & J	-	-	-	-	JUTHA	1.94	(0.01)	10,210	1.98	WHABT	-	-	-	-
STHAI	-	-	-	-	JWD	8.10	(0.10)	122,582	8.19	WHART	10.90	(0.10)	8,410	10.81
TNR	14.00	0.30	241	13.94	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.84	-	580	4.80	NOK	2.80	0.04	25,948	2.78	AMC	2.44	(0.02)	2,105	2.43
Professional Service	-	-	-	-	NYT	5.05	-	16,159	5.05	BSBM	1.15	(0.01)	939	1.15
BWG	1.24	0.05	891,379	1.22	PRM	8.20	(0.25)	57,918	8.29	CEN	1.41	-	3,486	1.42
GENCO	0.81	(0.01)	6,474	0.82	PSL	13.60	(0.30)	43,020	13.65	CITY	2.78	-	138	2.78
PRO	-	-	-	-	RCL	6.20	0.05	1,386	6.20	CSP	-	-	-	-
TEAMG	2.46	-	104,267	2.48	THAI	15.80	(0.10)	184,161	15.91	GJS	0.26	-	56,634	0.26
Property Developer	-	-	-	-	TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	305	6.70	TTA	7.40	(0.10)	26,893	7.40	INOX	1.20	0.01	1,732	1.19
AMATA	24.70	-	269,437	24.55	WICE	5.05	0.05	117,266	5.13	LHK	4.94	-	2,200	4.95
AMATAV	6.15	(0.05)	3,298	6.20	Automotive	-	-	-	-	MAX	0.02	(0.01)	299,979	0.02
ANAN	5.15	0.10	68,065	5.11	AH	31.00	-	6,726	30.78	MCS	7.20	0.10	29,847	7.17
AP	8.95	0.05	162,073	8.88	APCS	5.20	-	173	5.20	MILL	1.80	0.01	87,367	1.79
APEX	0.22	-	13,757	0.22	BAT-3K	-	-	-	-	PAP	4.14	-	1,376	4.12
AQ	0.04	0.01	48,468	0.03	CWT	2.92	(0.02)	5,478	2.95	PERM	2.32	(0.08)	2,674	2.35
BLAND	1.77	(0.01)	299,245	1.78	EASON	2.64	(0.06)	8,128	2.66	RICH	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday October 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	TRT	2.42	(0.04)	515	2.00	ADVA01P1810A	0.49	0.01	61,401	-
ABICO	7.65	0.05	14,866	7.00	TSE	3.20	(0.02)	7,048	3.00	ADVA01P1902A	0.63	0.01	15,034	-
AU	9.00	0.55	196,099	8.00	UMS	0.80	-	1,166	-	ADVA01P1902B	0.44	0.01	14,444	-
FC	0.28	(0.01)	58,349	-	UWC	0.08	0.01	90,812	-	ADVA06C1809A	-	-	-	-
JCKH	1.14	0.01	1,565	1.00	Services (MAI)	-	-	-	-	ADVA06C1903A	0.45	(0.03)	17,362	-
KASET	2.18	(0.02)	471	2.00	ADAM	-	-	-	-	ADVA08C1809A	-	-	-	-
MM	3.98	0.04	844	3.00	AKP	1.84	0.02	4,905	1.00	ADVA08C1903A	0.27	(0.02)	12,537	-
SUN	3.56	(0.02)	2,929	3.00	AMA	6.00	(0.05)	2,891	6.00	ADVA08P1809A	-	-	-	-
TACC	4.10	(0.02)	1,361	4.00	ARIP	0.52	-	6,567	-	ADVA11C1905A	0.21	-	11,107	-
TMILL	3.18	0.02	16,398	3.00	ATP30	1.71	-	3,101	1.00	ADVA11P1905A	0.28	0.01	4,545	-
XO	10.30	(0.10)	1,421	10.00	AUCT	7.50	0.20	32,968	7.00	ADVA13C1811A	0.36	(0.02)	103,149	-
Consumer Products	-	-	-	-	BOL	1.93	0.01	306	1.00	ADVA13C1901A	0.25	(0.01)	48,090	-
BGT	1.14	0.03	8,187	1.00	CHUO	-	-	-	-	ADVA16C1812A	-	-	-	-
BIZ	2.76	-	238	2.00	CMO	1.51	(0.02)	1,146	1.00	ADVA19C1901A	0.51	(0.01)	28,780	-
DOD	15.40	0.30	211,361	15.00	D	11.80	(0.10)	3,768	11.00	ADVA23C1902A	0.33	(0.03)	3,000	-
ECF	8.95	(0.05)	49,827	8.00	DCORP	2.78	0.02	3,387	2.00	ADVA24C1810A	0.10	(0.02)	300	-
HPT	1.06	-	1,555	1.00	DNA	0.63	(0.01)	63,289	-	ADVA24C1905A	-	-	-	-
JUBILE	19.00	0.10	536	19.00	EFORL	0.07	-	92,356	-	ADVA24P1810A	-	-	-	-
MOONG	6.65	(0.20)	12,084	6.00	ETE	1.91	(0.02)	15,295	1.00	ADVA27C1902A	0.24	(0.01)	13,490	-
NPK	-	-	-	-	FSMART	8.20	(0.20)	8,866	8.00	ADVA28C1811A	0.30	(0.05)	27,936	-
OCEAN	2.32	-	76,203	2.00	FVC	1.07	(0.01)	4,016	1.00	ADVA28C1901A	0.15	(0.01)	43,469	-
TM	2.12	-	1,352	2.00	HARN	2.72	0.04	10,338	2.00	ADVA28P1810A	-	-	-	-
Financials (MAI)	-	-	-	-	JKN	11.90	0.50	273,606	11.00	ADVA42C1903A	0.24	(0.01)	1,020	-
ACAP	6.65	-	8,920	6.00	KIAT	0.51	(0.01)	37,182	-	AMAT01C1810A	1.30	-	65,184	1.00
AF	0.72	-	1,615	-	KOOL	1.83	(0.02)	5,533	1.00	AMAT01C1810B	0.82	(0.03)	86,094	-
AIRA	1.96	-	40	1.00	LDC	1.14	-	19,224	1.00	AMAT01C1903A	1.01	-	29,707	-
ASN	3.88	0.16	101	3.00	MPG	0.17	-	1,036	-	AMAT01C1903B	0.88	(0.02)	71,503	-
BROOK	0.59	0.01	17,008	-	MVP	3.20	0.02	78,267	3.00	AMAT01P1810A	0.29	-	84,016	-
CHAYO	5.60	-	6,364	5.00	NBC	0.73	(0.03)	712	-	AMAT01P1903A	0.61	-	69,283	-
GCAP	3.76	(0.10)	17,839	3.00	NCL	1.75	0.07	30,135	1.00	AMAT06C1809A	-	-	-	-
LIT	8.05	-	1,132	8.00	NEWS	0.01	-	630,647	-	AMAT06C1903A	0.93	(0.04)	14,458	-
SGF	2.04	0.09	757,574	2.00	NINE	2.44	(0.08)	62,344	2.00	AMAT08C1809A	-	-	-	-
Industrials (MAI)	-	-	-	-	OTO	3.12	-	1,972	3.00	AMAT08C1903A	0.89	(0.01)	25,259	-
ZS	3.22	-	1,366	3.00	PHOL	2.26	(0.02)	506	2.00	AMAT11C1903A	0.58	(0.02)	15,806	-
ADB	1.20	(0.01)	5,102	1.00	PICO	4.54	-	66	4.00	AMAT13C1812A	0.85	-	161,514	-
BM	3.26	(0.04)	2,472	3.00	PORT	7.05	0.15	39,327	7.00	AMAT13C1902A	0.58	-	434,553	-
CHO	1.21	-	8,469	1.00	QLT	4.48	-	3,551	4.00	AMAT19C1811A	0.35	-	115,374	-
CHOW	4.68	-	90	4.00	RP	3.24	0.12	9,498	3.00	AMAT19C1902A	1.00	-	27,968	-
CIG	0.38	-	1,523	-	SE	2.20	(0.04)	1,186	2.00	AMAT23C1810A	0.29	(0.03)	2,274	-
COLOR	1.32	0.01	1,101	1.00	SPA	15.50	(0.20)	11,662	15.00	AMAT24C1811A	0.43	(0.02)	600	-
CPR	5.80	(0.05)	11,184	5.00	THMUI	1.81	(0.04)	23,625	1.00	AMAT27C1902A	-	-	-	-
FPI	2.36	0.02	2,171	2.00	TNDT	5.25	-	1,806	5.00	AMAT28C1902A	0.70	(0.01)	80,026	-
GTB	0.71	(0.01)	20,499	-	TNH	40.00	(0.50)	754	40.00	ANANO1C1810A	1.19	0.03	25,885	1.00
KCM	1.23	(0.01)	13,637	1.00	TNP	1.89	0.01	1,894	1.00	ANANO1C1810B	0.76	0.04	5,176	-
KWM	1.56	0.01	827,823	1.00	TSF	0.05	-	15,217	-	ANAN08C1810A	0.91	(0.01)	678	-
LVT	-	-	-	-	TVD	1.70	(0.03)	26,716	1.00	ANAN08C1906A	0.28	0.01	12,182	-
MBAX	4.04	(0.02)	97	4.00	TVT	1.05	-	6,476	1.00	ANAN13C1901A	0.18	(0.01)	5,001	-
MGF	2.22	(0.02)	8,818	2.00	WINNER	3.52	(0.02)	1,982	3.00	ANAN19C1811A	0.54	0.06	12,769	-
NDR	2.26	(0.02)	639	2.00	Technology (MAI)	-	-	-	-	ANAN23C1901A	-	-	-	-
PDG	3.60	-	106	3.00	COMAN	4.58	(0.16)	8,291	4.00	ANAN24C1811A	-	-	-	-
PIMO	4.28	-	2,023	4.00	ICN	2.30	-	8,645	2.00	AOT01C1810A	0.12	(0.02)	174,503	-
PJW	1.80	(0.01)	658	1.00	IRCP	0.98	-	2,739	-	AOT01C1902A	0.47	(0.02)	234,088	-
PPM	1.90	-	645	1.00	ITEL	3.66	(0.08)	17,295	3.00	AOT01C1902B	0.28	(0.02)	182,916	-
RWI	1.69	(0.01)	365	1.00	NETBAY	37.00	(0.75)	3,103	37.00	AOT01P1902A	0.86	0.02	77,537	-
SALEE	1.16	0.01	3,967	1.00	PLANET	1.60	(0.03)	740	1.00	AOT01P1902B	0.52	0.02	111,981	-
SANKO	1.34	(0.04)	17,898	1.00	SIMAT	2.34	0.02	17,042	2.00	AOT06C1809A	-	-	-	-
SELIC	2.64	0.06	7,526	2.00	SKY	13.70	(0.10)	3,159	13.00	AOT06C1903A	0.38	(0.02)	34,620	-
SWC	28.75	(0.50)	5,104	29.00	SPVI	1.63	(0.04)	21,382	1.00	AOT06P1903A	0.51	0.03	12,400	-
TMC	0.93	-	6,442	-	UPA	0.55	(0.01)	202,256	-	AOT07C1902A	0.40	(0.03)	1,902	-
TMI	0.84	-	3,373	-	VCOM	3.36	(0.04)	2,967	3.00	AOT08C1901A	0.22	-	54,779	-
TMW	68.50	0.25	105	68.00	Unit Trust	-	-	-	-	AOT08P1903A	0.50	0.02	32,994	-
TPAC	12.60	(0.10)	30	12.00	MGE	-	-	-	-	AOT11C1906A	0.31	(0.02)	18,585	-
TPLAS	1.92	(0.04)	24,052	1.00	SCBSET	-	-	-	-	AOT11P1906A	0.38	0.01	19,740	-
UAC	4.50	-	1,278	4.00	ETF	-	-	-	-	AOT13C1811A	-	-	-	-
UBIS	4.70	0.02	549	4.00	1DIV	14.40	0.06	146	14.00	AOT13C1812A	0.18	(0.02)	74,359	-
UEC	1.56	0.05	10,171	1.00	ABFTH	-	-	-	-	AOT13C1902A	0.40	(0.03)	155,117	-
UKEM	0.95	-	94,452	-	BMSCG	9.47	0.02	166	9.00	AOT13P1810A	0.09	-	34,251	-
UREKA	1.22	0.06	234,749	1.00	BMSCITH	13.03	(0.12)	5,914	13.00	AOT13P1812A	0.10	-	1,001	-
YUASA	16.50	(0.20)	262	16.00	BSET100	11.26	(0.09)	3,330	11.00	AOT13P1902A	0.39	0.01	67,878	-
ZIGA	3.68	(0.02)	25,913	3.00	CHINA	5.14	(0.10)	130	5.00	AOT19C1809A	-	-	-	-
Property & Construc	-	-	-	-	EBANK	-	-	-	-	AOT19C1901A	0.32	(0.02)	68,518	-
ARROW	8.85	-	325	8.00	ECOMM	8.24	(0.08)	1	8.00	AOT24C1811A	-	-	-	-
BKD	3.00	(0.08)	36,841	3.00	EFOOD	5.85	(1.25)	11	5.00	AOT24C1901A	0.17	(0.01)	1	-
BSM	0.74	-	1,306	-	EICT	4.78	(0.06)	1	4.00	AOT24C1904A	0.37	(0.63)	158	-
BTW	1.84	-	3,022	1.00	ENGY	6.85	(0.04)	107	6.00	AOT24P1809A	-	-	-	-
CHEWA	1.43	-	59,039	1.00	ENY	-	-	-	-	AOT24P1903A	-	-	-	-
CRD	1.10	(0.02)	11,673	1.00	ESET50	-	-	-	-	AOT27C1902A	0.38	(0.04)	32,008	-
DIMET	1.13	-	30,627	1.00	GLD	1.66	0.02	6,301	1.00	AOT27P1903A	0.65	0.02	10,800	-
FLOYD	2.26	-	1,648	2.00	TDEX	11.42	(0.06)	342	11.00	AOT28C1812A	0.15	(0.02)	12,162	-
FOCUS	1.24	(0.01)	19,847	1.00	TGOLDETF	3.62	-	345	3.00	AOT28C1901A	0.13	(0.02)	37,204	-
HYDRO	1.42	(0.02)	16,229	1.00	TH100	-	-	-	-	AOT28C1902A	0.36	(0.01)	93,788	-
JSP	0.58	-	29,878	-	Warrant Foreign	-	-	-	-	AOT28P1812A</				

Main Board Quotation

Issue Date :

Tuesday October 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP01P1812B	0.55	(0.03)	51,179	-	BEAU01C1812B	0.04	(0.01)	70,719	-	BLAN01P1903A	0.48	0.01	10,113	-
BANP01P1903A	0.71	-	76,739	-	BEAU01C1901A	0.49	(0.03)	66,492	-	BLAN08C1810A	0.05	(0.01)	3,000	-
BANP01P1903B	0.47	(0.01)	84,342	-	BEAU01C1901B	0.40	(0.04)	44,231	-	BLAN11C1902A	0.14	-	6,760	-
BANP06C1810A	-	-	-	-	BEAU01C1902A	1.27	(0.07)	24,457	1.00	BLAN19C1902A	-	-	-	-
BANP06C1903A	0.25	0.01	28,135	-	BEAU01C1902B	1.10	(0.09)	42,598	1.00	BPP01C1811A	0.23	(0.02)	43,686	-
BANP07C1810A	0.02	-	8,210	-	BEAU01P1812A	1.07	0.03	72,296	1.00	BPP01C1811B	0.06	(0.02)	15,168	-
BANP07C1904A	0.34	(0.01)	215	-	BEAU01P1902A	0.62	0.04	79,066	-	BPP01P1811A	0.34	0.04	34,418	-
BANP08C1811A	0.09	(0.01)	23,655	-	BEAU06C1809A	-	-	-	-	BPP06C1809A	-	-	-	-
BANP08P1901A	0.30	(0.01)	10,956	-	BEAU06C1904A	1.88	(0.10)	4,305	1.00	BPP06C1903A	0.23	(0.02)	19,900	-
BANP11C1902A	0.08	-	2,960	-	BEAU08C1901A	-	-	-	-	BPP08C1810A	0.06	(0.02)	24,530	-
BANP13C1811A	0.08	-	134,045	-	BEAU08C1902A	1.11	(0.08)	6,226	1.00	BPP13C1811A	-	-	-	-
BANP13C1902A	0.30	(0.01)	309,279	-	BEAU11C1902A	0.04	0.01	2,001	-	BPP13C1901A	0.17	(0.02)	263,172	-
BANP16C1812A	0.65	(0.01)	3,100	-	BEAU13C1811A	-	-	-	-	BPP13C1902A	-	-	-	-
BANP19C1811A	0.06	-	9,943	-	BEAU13C1812A	0.03	-	21,502	-	BPP19C1903A	0.62	(0.06)	15,510	-
BANP19C1902A	0.38	(0.02)	45,934	-	BEAU13C1812B	1.09	(0.11)	38,844	1.00	BPP23C1901A	-	-	-	-
BANP23C1901A	0.11	0.01	12	-	BEAU13C1901A	0.28	(0.04)	568,822	-	BPP24C1809A	-	-	-	-
BANP24C1812A	0.03	(0.03)	2,150	-	BEAU19C1811A	0.01	-	1,102	-	BPP24C1902A	-	-	-	-
BANP24C1904A	0.33	-	415	-	BEAU19C1901A	1.15	(0.08)	19,311	1.00	BPP28C1812A	0.41	(0.06)	7,168	-
BANP24P1901A	-	-	-	-	BEAU19C1902A	0.42	(0.03)	27,525	-	BPP28C1902A	0.16	(0.02)	35,606	-
BANP27C1809A	-	-	-	-	BEAU23C1901A	0.01	(0.01)	10,730	-	BTS01C1810A	0.35	(0.02)	59,725	-
BANP28C1810A	-	-	-	-	BEAU24C1901A	0.29	(0.04)	10,200	-	BTS01C1810B	-	-	-	-
BANP28C1902A	0.20	(0.01)	22,267	-	BANP24C1902A	0.06	(0.02)	65	-	BTS01P1810A	0.39	-	10,329	-
BANP42C1903A	0.22	-	24,510	-	BEAU27C1903A	0.36	(0.02)	8,589	-	BTS06C1903A	-	-	-	-
BANP42P1903A	0.51	(0.01)	31,480	-	BEAU28C1810A	-	-	-	-	BTS06C1903B	-	-	-	-
BBL06C1902A	0.86	(0.03)	12,213	-	BEAU28C1811A	-	-	-	-	BTS06C1903C	-	-	-	-
BBL08C1809A	-	-	-	-	BEC01C1812A	0.07	-	51,667	-	BTS08C1810A	0.09	(0.02)	29,942	-
BBL08C1902A	0.61	(0.06)	4,971	-	BEC01C1812B	0.05	(0.01)	7,261	-	BTS11C1904A	-	-	-	-
BBL08P1810A	-	-	-	-	BEC08C1809A	-	-	-	-	BTS19C1901A	0.24	-	34,414	-
BBL11C1903A	0.50	(0.04)	10,195	-	BEC13C1811A	-	-	-	-	BTS23C1905A	-	-	-	-
BBL11P1903A	0.18	0.01	8,245	-	BEC13C1901A	0.07	(0.01)	90,097	-	BTS24C1901A	0.11	(0.02)	650	-
BBL13C1810A	-	-	-	-	BEC19C1809A	-	-	-	-	BTS28C1811A	0.04	0.03	1,000	-
BBL13C1901A	0.29	(0.02)	46,044	-	BEC23C1809A	-	-	-	-	BTS28C1902A	0.19	(0.01)	25,000	-
BBL19C1901A	0.27	(0.02)	36,358	-	BEC24C1809A	-	-	-	-	BTS42C1901A	0.18	-	6,024	-
BBL23C1811A	0.21	(0.02)	16,400	-	BEC24C1812A	-	-	-	-	BTS42P1901A	0.23	(0.01)	8,032	-
BBL24C1809A	-	-	-	-	BEC28C1811A	0.02	(0.01)	962	-	CBG01C1809A	-	-	-	-
BBL24C1812A	0.70	(0.12)	6,000	-	BEM01C1902A	0.41	(0.02)	85,822	-	CBG01C1811A	0.41	(0.07)	124,478	-
BBL24C1902A	-	-	-	-	BEM01C1902B	0.34	(0.01)	81,359	-	CBG01C1811B	0.11	(0.03)	39,730	-
BBL24P1810A	-	-	-	-	BEM01P1902A	0.39	0.02	51,639	-	CBG01C1902A	0.71	(0.07)	33,167	-
BBL27C1809A	-	-	-	-	BEM07C1903A	-	-	-	-	CBG01C1902B	0.57	(0.07)	39,435	-
BBL28C1811A	-	-	-	-	BEM08C1809A	-	-	-	-	CBG01P1811A	0.74	0.07	42,225	-
BBL28C1901A	0.23	(0.03)	61,898	-	BEM11C1903A	0.25	(0.02)	17,559	-	CBG01P1811B	0.22	0.03	83,688	-
BBL42C1903A	0.28	(0.02)	13,181	-	BEM13C1901A	0.35	(0.02)	262,318	-	CBG06C1809A	-	-	-	-
BCH01C1902A	0.48	(0.03)	51,315	-	BEM19C1901A	0.36	(0.03)	97,339	-	CBG06C1903A	0.74	(0.09)	21,148	-
BCH01C1902B	0.34	(0.05)	46,070	-	BEM23C1901A	0.20	(0.02)	6,310	-	CBG06P1809A	-	-	-	-
BCH01P1902A	0.44	0.03	87,372	-	BEM24C1809A	-	-	-	-	CBG06P1903A	0.62	0.06	12,418	-
BCH06C1811A	0.34	(0.03)	15,816	-	BEM24C1902A	0.27	(0.02)	32,431	-	CBG07C1812A	-	-	-	-
BCH08C1901A	0.54	(0.08)	31,456	-	BGRI01C1901A	1.31	(0.03)	20,361	1.00	CBG08C1810A	-	-	-	-
BCH11C1905A	0.46	(0.04)	23,620	-	BGRI01C1901B	1.11	(0.05)	14,813	1.00	CBG08C1902A	0.42	(0.06)	26,732	-
BCH13C1810A	0.18	(0.02)	599	-	BGRI01C1903A	0.41	(0.01)	106,533	-	CBG11C1902A	0.08	(0.04)	23,331	-
BCH13C1902A	0.28	(0.04)	82,145	-	BGRI01C1903B	0.33	(0.01)	108,948	-	CBG13C1811A	0.06	(0.01)	3,700	-
BCH19C1809A	-	-	-	-	BGRI06C1903A	1.16	(0.04)	16,667	1.00	CBG13C1812A	0.17	(0.04)	153,242	-
BCH19C1903A	0.54	(0.05)	31,478	-	BGRI07C1903A	0.33	(0.01)	180,100	-	CBG13C1901A	0.63	(0.08)	68,077	-
BCH23C1811A	-	-	-	-	BGRI08C1902A	0.97	(0.04)	10,200	-	CBG19C1810A	-	-	-	-
BCH24C1811A	0.16	(0.04)	7,465	-	BGRI13C1812A	0.93	(0.04)	2	-	CBG19C1901A	0.50	(0.06)	28,085	-
BCH27C1902A	-	-	-	-	BGRI13C1812B	0.28	-	104,098	-	CBG23C1901A	0.10	(0.02)	1,000	-
BCH28C1811A	-	-	-	-	BGRI19C1901A	0.82	(0.01)	17,209	-	CBG24C1809A	-	-	-	-
BCH28C1902A	0.24	(0.02)	19,966	-	BGRI24C1901A	0.96	(0.05)	100	-	CBG24C1811A	-	-	-	-
BCP01C1810A	0.18	(0.02)	6,555	-	BGRI24C1902A	0.32	(0.02)	14,002	-	CBG24C1901A	0.55	(0.08)	8,000	-
BCP01C1810B	0.02	-	10	-	BGRI28C1812A	-	-	-	-	CBG24C1903A	-	-	-	-
BCP01P1810A	0.33	0.02	10,300	-	BGRI28C1901A	0.23	-	70,540	-	CBG28C1811A	-	-	-	-
BCP08C1901A	0.23	(0.01)	3,416	-	BH01C1811A	0.59	(0.10)	69,330	-	CBG28C1812A	0.31	(0.05)	32,470	-
BCP11C1811A	-	-	-	-	BH01C1811B	0.08	(0.03)	8,099	-	CENTO1C1810A	0.06	(0.02)	33,666	-
BCP13C1810A	-	-	-	-	BH01P1811A	1.06	0.10	32,295	1.00	CENTO1C1810B	-	-	-	-
BCP13C1902A	0.22	(0.01)	16,584	-	BH07C1810A	-	-	-	-	CENTO1C1903A	0.47	(0.04)	41,211	-
BCP19C1902A	0.22	(0.01)	3,600	-	BH08C1811A	0.02	(0.01)	5,000	-	CENTO1C1903B	0.38	(0.04)	23,867	-
BCP24C1811A	-	-	-	-	BH08C1902A	0.55	(0.10)	51,067	-	CENTO1P1810A	1.11	0.08	18,630	1.00
BCP24C1904A	0.15	(0.01)	2,050	-	BH11C1902A	-	-	-	-	CENTO1P1903A	0.46	0.02	35,354	-
BCP28C1901A	0.18	(0.02)	4,156	-	BH11C1905A	0.66	(0.08)	13,210	-	CENTO6C1904A	0.20	(0.03)	15,448	-
BCPG01C1811A	0.81	-	146,029	-	BH13C1901A	0.60	(0.09)	97,475	-	CENT08C1809A	-	-	-	-
BCPG01C1811B	0.39	(0.01)	141,668	-	BH19C1901A	0.58	(0.08)	61,850	-	CENT08C1902A	0.19	(0.03)	13,683	-
BCPG06C1811A	0.57	-	52,740	-	BH24C1809A	-	-	-	-	CENT11C1904A	0.13	(0.01)	7,578	-
BCPG08C1810A	0.54	(0.01)	46,023	-	BH24C1811A	-	-	-	-	CENT13C1811A	-	-	-	-
BCPG11C1902A	0.31	(0.05)	53,963	-	BH24C1902A	0.47	-	18,000	-	CENT13C1902A	0.29	(0.03)	150,644	-
BCPG13C1810A	0.28	(0.02)	187,119	-	BIG08C1906A	0.15	(0.01)	15,310	-	CENT19C1901A	0.20	(0.03)	80,028	-
BCPG13C1812A	0.88	(0.02)	76,070	-	BIG13C1901A	0.07	-	8,513	-	CENT23C1902A	0.11	(0.02)	7,515	-
BCPG13C1902A	0.53	(0.02)	672,217	-	BIG19C1811A	0.01	-	8,306	-	CENT24C1810A	-	-	-	-
BCPG19C1901A	0.83	(0.02)	79,932	-	BIG24C1812A	-	-	-	-	CENT24C1901A	0.11	(0.04)	930	-
BCPG23C1902A	0.70	-	27,500	-	BJC01C1812A	0.68	(0.08)	103,063	-	CENT24C1902A	0.27	(0.05)	4,940	-
BCPG24C1810A	0.25	-	8,240	-	BJC01C1812B	0.46	(0.08)	71,393	-	CHG01C1809A	-	-	-	-
BCPG24C1903A	0.56	0.01	410	-	BJC01P1812A	0.27	0.02	110,468	-	CHG01C1809B	-	-	-	-
BCPG27C1903A	0.70	0.01	23,008	-	BJC06C1901A	0.23	(0.04)	47,870	-	CHG01C1903A	0.38	(0.06)	81,056	-
BCPG28C1812A	-	-	-	-	BJC08C1809A	-	-	-	-	CHG01C1903B	0.31	(0.06)	86,916	-
BCPG28C1901A	0.54	(0.01)	208,652	-	BJC08C1903A	0.40	(0.05)	30,466	-	CHG01P1809A	-	-	-	-
BDMS01C1811A	0.15	(0.01)	65,700	-	BJC11C1905A	0.50	(0.04)	28,816	-	CHG01P1903A	0.44	0.05	65,517	-
BDMS01C1811B	0.02	(0.01)	4,244	-	BJC13C1810A	-	-	-	-	CHG07C1902A	-	-	-	-
BDMS01P1811A	0.30	-	10,482	-	BJC13C1812A	0.40	(0.03)	10,460	-	CHG11C1904A	0.30	(0.05)	22,809	-
BDMS06C1811A	0.41	(0.08)	4,850	-	BJC13C1902A	0.32	(0.04)	131,257	-	CHG13C1812A	0.28	(0.07)	151,905	-
BDMS07C1904A	0.15	(0.85)	1,499	-	BJC19C1809A	-								

Main Board Quotation

Issue Date :

Tuesday October 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CK19C1811A	0.11	(0.01)	5,262	-	DELTO6C1903A	0.93	(0.02)	2,734	-	GGC07C1902A	-	-	-	-
CK19C1903A	0.29	(0.03)	2,200	-	DELTO8C1811A	0.06	-	1,000	-	GGC08C1906A	-	-	-	-
CK24C1901A	-	-	-	-	DELTO8C1811A	0.06	-	1,000	-	GGC13C1811A	0.01	-	300	-
CK28C1812A	-	-	-	-	DELTO8C1811A	0.68	-	100	-	GGC13C1902A	0.22	(0.01)	350	-
CK28C1902A	0.17	-	18,466	-	DELTO8C1811A	0.08	(0.03)	1,000	-	GGC19C1811A	-	-	-	-
CKP01C1812A	1.24	0.14	11,181	1.00	DTAC01C1810A	0.42	(0.03)	80,616	-	GGC19C1902A	-	-	-	-
CKP01C1812B	1.07	0.16	16,973	-	DTAC01C1810B	0.03	-	150	-	GGC23C1901A	-	-	-	-
CKP08C1903A	1.21	0.15	22,358	1.00	DTAC01C1902A	0.87	-	84,304	-	GGC24C1812A	-	-	-	-
CKP13C1810A	0.84	-	210	-	DTAC01C1902B	0.69	(0.01)	53,819	-	GGC24C1901A	0.23	(0.01)	1,001	-
CKP13C1902A	1.02	(0.08)	33	1.00	DTAC01P1810A	0.71	0.01	36,085	-	GGC28C1811A	-	-	-	-
CKP13C1903A	0.92	0.12	63,822	-	DTAC01P1810B	0.11	-	78,441	-	GGC28C1905A	0.34	(0.01)	37,275	-
CKP13C1903B	0.27	0.04	257,951	-	DTAC01P1902A	0.63	0.01	18,297	-	GLOB01C1809A	-	-	-	-
CKP19C1902A	1.04	0.13	11,771	-	DTAC01P1902B	0.41	0.01	16,664	-	GLOB01C1809B	-	-	-	-
CKP23C1810A	1.04	(0.18)	2,000	1.00	DTAC06C1901A	0.31	-	20,482	-	GLOB01C1903A	0.63	(0.06)	39,045	-
CKP24C1811A	1.10	0.05	3,740	1.00	DTAC06C1903A	0.48	(0.02)	24,812	-	GLOB01C1903B	0.53	(0.07)	66,248	-
CKP28C1902A	0.91	0.09	80	-	DTAC06P1809A	-	-	-	-	GLOB06C1809A	-	-	-	-
CKP28C1903A	0.25	0.04	44,376	-	DTAC06P1903A	0.52	-	8,904	-	GLOB11C1906A	0.41	(0.04)	11,831	-
COM701C1811A	0.94	0.01	62,535	-	DTAC07C1902A	-	-	-	-	GLOB13C1901A	0.42	(0.07)	71,212	-
COM701C1811B	0.57	0.04	74,105	-	DTAC08C1809A	-	-	-	-	GLOB19C1901A	0.58	(0.09)	11,519	-
COM706C1809A	-	-	-	-	DTAC08C1903A	0.46	(0.02)	22,266	-	GLOB23C1811A	0.64	(0.16)	13,000	-
COM706C1903A	0.73	(0.02)	23,843	-	DTAC08P1902A	0.14	-	1,412	-	GLOB24C1810A	0.19	(0.10)	6,130	-
COM708C1811A	0.25	-	59,611	-	DTAC11C1904A	0.34	(0.02)	9,632	-	GLOB24C1903A	0.34	(0.09)	3,000	-
COM708C1903A	0.71	0.01	40,319	-	DTAC13C1811A	0.06	(0.02)	1,210	-	GLOB27C1809A	-	-	-	-
COM711C1811A	0.78	0.03	19,683	-	DTAC13C1812A	-	-	-	-	GLOW08C1811A	0.28	(0.02)	15,330	-
COM713C1812A	0.63	0.03	265,904	-	DTAC13C1902A	0.38	(0.02)	68,780	-	GLOW19C1901A	0.35	-	49,856	-
COM719C1811A	0.56	0.03	29,175	-	DTAC13P1811A	0.19	0.03	401	-	GLOW27C1812A	0.21	(0.01)	4,800	-
COM719C1904A	0.88	0.03	26,069	-	DTAC13P1812A	-	-	-	-	GPSOC1C1902A	0.57	(0.03)	26,306	-
COM723C1901A	0.56	(0.03)	7,500	-	DTAC19C1811A	0.24	(0.02)	43,490	-	GPSOC1C1902B	0.40	(0.02)	12,964	-
COM724C1811A	0.41	(0.10)	1,245	-	DTAC24C1809A	-	-	-	-	GPSOC1P1902A	1.13	0.04	15,724	1.00
COM727C1902A	-	-	-	-	DTAC24C1901A	0.47	(0.01)	3,000	-	GPSOC6C1811A	-	-	-	-
COM728C1811A	-	-	-	-	DTAC27C1809A	-	-	-	-	GPSOC8C1902A	0.34	(0.03)	12,494	-
COM728C1903A	0.66	0.01	80,657	-	DTAC27C1903A	0.43	(0.03)	10,800	-	GPSOC1C1902A	0.14	(0.01)	5,250	-
CPAL01C1901A	0.24	0.01	615,027	-	DTAC27P1809A	-	-	-	-	GPSOC13C1812A	0.20	(0.03)	22,670	-
CPAL01C1901B	0.09	-	140,217	-	DTAC27P1903A	-	-	-	-	GPSOC19C1901A	0.34	(0.03)	35,377	-
CPAL01C1904A	0.75	-	119,067	-	DTAC28C1810A	-	-	-	-	GPSOC24C1812A	-	-	-	-
CPAL01C1904B	0.59	-	148,233	-	DTAC28C1812A	0.57	(0.02)	28,336	-	GPSOC27C1902A	0.45	-	3,670	-
CPAL01P1901A	1.37	(0.02)	44,510	1.00	DTAC28C1902A	0.37	(0.01)	124,971	-	GPSOC28C1811A	0.11	(0.03)	21,624	-
CPAL01P1901B	0.92	(0.02)	53,121	-	DTAC42C1903A	0.41	(0.02)	10,200	-	GUNK08C1902A	0.34	(0.01)	31,713	-
CPAL01P1904A	0.73	(0.01)	47,293	-	EA01C1809A	-	-	-	-	GUNK11C1903A	0.18	(0.01)	15,634	-
CPAL01P1904B	0.51	(0.01)	62,105	-	EA01C1809B	-	-	-	-	GUNK13C1903A	0.39	0.02	91,614	-
CPAL06C1811A	0.60	-	9,929	-	EA01P1809A	-	-	-	-	GUNK19C1903A	0.57	(0.02)	21,082	-
CPAL06C1811B	-	-	-	-	EA06C1809A	-	-	-	-	GUNK24C1812A	0.23	0.01	46,600	-
CPAL07C1902A	0.33	0.03	2,720	-	EA07C1810A	-	-	-	-	GUNK24C1903A	0.43	(0.57)	100	-
CPAL08C1902A	0.15	-	23,580	-	EA07C1903A	0.98	(0.02)	449	-	GUNK28C1810A	0.21	-	1,000	-
CPAL08C1902B	0.44	0.01	46,657	-	EA08C1809A	-	-	-	-	GUNK28C1903A	0.39	0.02	79,176	-
CPAL08P1810A	0.85	(0.04)	7,278	-	EA08C1810A	0.52	-	56,286	-	HANA01C1811A	0.56	0.07	146,714	-
CPAL11C1903A	0.06	-	2,121	-	EA08C1903A	0.95	0.01	32,333	-	HANA01C1811B	0.26	0.05	87,922	-
CPAL11P1903A	0.90	(0.03)	9,180	-	EA11C1902A	0.29	(0.01)	98,143	-	HANA08C1809A	-	-	-	-
CPAL13C1812A	0.11	-	131,531	-	EA13C1810A	-	-	-	-	HANA08C1903A	0.42	0.05	25,073	-
CPAL13C1901A	0.34	(0.01)	477,190	-	EA13C1811A	0.34	-	223,100	-	HANA11C1904A	0.29	0.02	4,545	-
CPAL13P1902A	0.43	-	109,428	-	EA13C1812A	0.76	0.01	45,434	-	HANA13C1901A	0.35	0.04	204,389	-
CPAL19C1811A	0.03	-	32,694	-	EA13C1812B	-	-	-	-	HANA19C1902A	0.33	0.04	40,614	-
CPAL19C1902A	0.43	(0.01)	99,077	-	EA13C1901A	0.64	-	69,096	-	HANA23C1811A	0.50	0.04	1,000	-
CPAL23C1810A	0.02	-	3	-	EA19C1811A	0.64	-	72,136	-	HANA24C1810A	-	-	-	-
CPAL24C1811A	0.01	-	300	-	EA19C1902A	0.77	0.01	70,689	-	HANA24C1903A	0.30	-	2,545	-
CPAL24C1901A	0.12	-	14,865	-	EA23C1901A	0.76	(0.03)	19,500	-	HANA28C1812A	0.41	0.04	20,297	-
CPAL24C1903A	0.38	0.03	15,315	-	EA24C1809A	-	-	-	-	HANA28C1902A	0.29	0.03	49,695	-
CPAL24P1901A	0.31	(0.04)	4	-	EA24C1901A	0.63	(0.03)	4,450	-	HMPC01C1902A	0.42	(0.07)	57,518	-
CPAL27C1903A	0.42	0.01	26,100	-	EA27C1902A	-	-	-	-	HMPC01C1902B	0.34	(0.05)	45,453	-
CPAL28C1811A	0.01	-	1	-	EA28C1901A	0.71	-	117,147	-	HMPC01P1902A	0.34	0.03	52,655	-
CPAL28C1901A	0.31	-	145,236	-	EA28C1902A	0.45	0.01	118,333	-	HMPC06C1811A	0.10	(0.04)	4,516	-
CPF01C1809A	-	-	-	-	EGCO01C1809A	-	-	-	-	HMPC08C1810A	0.04	(0.03)	5,360	-
CPF01C1809B	-	-	-	-	EGCO01C1903A	0.61	-	37,349	-	HMPC11C1906A	0.26	(0.04)	13,694	-
CPF01C1810A	0.14	-	192,743	-	EGCO01C1903B	0.47	(0.01)	51,196	-	HMPC13C1812A	0.25	(0.04)	81,659	-
CPF01C1902A	0.20	-	157,425	-	EGCO08C1809A	-	-	-	-	HMPC19C1901A	0.42	(0.06)	40,006	-
CPF01C1902B	0.13	-	71,981	-	EGCO19C1901A	0.38	-	37,603	-	HMPC23C1901A	-	-	-	-
CPF01P1809A	-	-	-	-	EGCO23C1811A	0.23	0.02	4,000	-	HMPC24C1901A	0.24	(0.05)	82,976	-
CPF01P1902A	0.42	-	9,836	-	EGCO24C1901A	-	-	-	-	HMPC28C1811A	0.08	(0.05)	87,860	-
CPF01P1902B	0.34	-	67,578	-	EPG01C1809A	-	-	-	-	INTU01C1809A	-	-	-	-
CPF06C1809A	-	-	-	-	EPG01C1903A	0.44	(0.01)	38,645	-	INTU01C1809B	-	-	-	-
CPF06C1903A	-	-	-	-	EPG01C1903B	0.34	-	49,755	-	INTU01C1903A	0.42	0.01	81,879	-
CPF07C1810A	-	-	-	-	EPG01P1809A	-	-	-	-	INTU01C1903B	0.28	0.01	82,610	-
CPF08C1809A	-	-	-	-	EPG01P1903A	0.93	-	31,852	-	INTU01P1809A	-	-	-	-
CPF08C1901A	0.12	-	14,056	-	EPG07C1811A	-	-	-	-	INTU01P1809B	-	-	-	-
CPF11C1902A	0.05	-	6,900	-	EPG08C1810A	-	-	-	-	INTU01P1903A	0.73	-	61,418	-
CPF11P1902A	0.23	-	15,428	-	EPG08C1810B	0.43	-	34,670	-	INTU01P1903B	0.55	-	70,708	-
CPF13C1810A	0.01	-	31,403	-	EPG08C1903A	0.23	(0.01)	22,427	-	INTU11C1905A	0.24	0.01	23,176	-
CPF13C1902A	0.13	-	2,787	-	EPG11C1903A	0.45	-	18,990	-	INTU11P1905A	0.35	-	26,898	-
CPF19C1901A	0.14	-	24,500	-	EPG13C1811A	0.20	-	87,146	-	INTU13C1810A	-	-	-	-
CPF23C1810A	0.10	(0.04)	1,010	-	EPG13C1902A	0.21	(0.01)	64,662	-	INTU13C1812A	0.25	0.02	271,419	-
CPF24C1809A	-	-	-	-	EPG19C1902A	0.29	-	71,919	-	INTU19C1901A	0.22	0.01	70,847	-
CPF24C1901A	0.21	-	20	-	EPG24C1810A	0.34	(0.18)	1,020	-	INTU24C1901A	-	-	-	-
CPF24C1902A	0.07	(0.03)	1,112	-	EPG24C1902A	0.34	(0.03)	710	-	INTU28C1901A	0.16	(0.01)	34,187	-
CPF24C1903A	-	-	-	-	EPG28C1902A	0.22	-	109,995	-	IRPC01C1810A	0.10	(0.02)	93,263	-
CPF27C1903A	-	-	-	-	ERW13C1902A	0.32	(0.04)	118,222	-	IRPC01C1810B	0.01	-	41	-
CPF28C1811A	-	-	-	-	ERW19C1902A	0.48	(0.05)	21,478	-	IRPC01C1903A	0.31	-	58,287	-
CPF28C1902A	0.11	-	12,500	-	ERW24C1904A	0.48	(0.03)	200	-	IRPC01C1903B	0.21	(0.01)	121,380	-
CPN01C1902A	0.64	(0.05)	37,440	-	ESSO01C1812A	0.51	(0.01)	45,989	-	IRPC01P1810A	0.27	0.02</		

Main Board Quotation

Issue Date :

Tuesday October 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IRPC27C1903A	0.24	(0.01)	22,268	-	KTB19C1901A	0.39	(0.02)	16,272	-	MONO28C1901A	-	-	-	-
IRPC28C1811A	-	-	-	-	KTB23C1811A	-	-	-	-	MTC06C1901A	1.07	0.02	98,390	1.00
IRPC28C1812A	-	-	-	-	KTB24C1811A	-	-	-	-	MTC08C1811A	0.35	0.02	59,749	-
IRPC28C1902A	0.21	-	101,961	-	KTB24P1901A	0.07	-	12	-	MTC08C1902A	0.79	0.02	53,283	-
ITD06C1904A	0.41	(0.04)	122,298	-	KTB28C1811A	0.22	(0.02)	90,294	-	MTC11C1904A	0.68	0.01	36,443	-
ITD08C1810A	-	-	-	-	KTB42C1903A	0.31	(0.02)	19,380	-	MTC13C1811A	1.00	0.03	633	1.00
ITD11C1903A	0.14	(0.02)	3,082	-	KTB42P1903A	0.22	0.01	24,410	-	MTC13C1901A	0.63	0.02	615,174	-
ITD13C1812A	0.15	(0.01)	211,794	-	KTC01C1810A	0.32	(0.06)	141,196	-	MTC19C1901A	0.79	0.03	65,112	-
ITD13C1902A	0.33	(0.03)	224,519	-	KTC01C1810B	0.11	(0.03)	151,818	-	MTC24C1810A	0.60	0.09	21,455	-
ITD19C1811A	0.03	(0.02)	10,000	-	KTC01C1901A	0.63	(0.04)	107,432	-	MTC24C1812A	1.05	0.12	3,100	1.00
ITD19C1903A	0.49	(0.02)	47,822	-	KTC01C1901B	0.53	(0.05)	104,185	-	MTC28C1902A	0.61	0.01	247,311	-
ITD24C1810A	-	-	-	-	KTC08C1903A	0.57	(0.05)	35,388	-	ORI11C1811A	-	-	-	-
ITD24C1902A	-	-	-	-	KTC11C1902A	1.40	(0.17)	859	1.00	ORI13C1810A	0.08	(0.01)	27,492	-
IVL01C1812A	0.46	(0.04)	252,230	-	KTC13C1812A	0.22	(0.04)	610,017	-	ORI13C1902A	0.37	(0.01)	27,440	-
IVL01C1812B	0.21	(0.02)	167,954	-	KTC13C1812B	0.45	(0.05)	867,041	-	ORI19C1811A	0.09	-	20,561	-
IVL01C1903A	0.59	(0.02)	239,090	-	KTC19C1811A	0.15	(0.04)	115,656	-	ORI19C1904A	0.50	-	9,030	-
IVL01C1903B	0.46	(0.02)	112,076	-	KTC19C1901A	0.98	(0.09)	37,136	-	ORI23C1809A	-	-	-	-
IVL01P1812A	0.63	0.02	88,869	-	KTC23C1809A	-	-	-	-	ORI24C1810A	-	-	-	-
IVL01P1812B	0.34	0.01	30,564	-	KTC24C1810A	-	-	-	-	ORI24C1903A	0.40	(0.01)	4,902	-
IVL01P1903A	0.89	0.01	54,233	-	KTC27C1903A	0.57	(0.05)	16,886	-	ORI28C1902A	0.33	-	13,855	-
IVL01P1903B	0.70	-	37,235	-	KTC27P1903A	0.33	0.01	15,371	-	PLAN08C1811A	0.16	(0.02)	4,106	-
IVL06C1901A	0.31	(0.03)	32,471	-	KTC28C1810A	0.01	(0.02)	10	-	PLAN28C1810A	-	-	-	-
IVL07C1811A	0.35	(0.02)	260	-	KTC28C1901A	0.39	(0.06)	170,908	-	PRM08C1902A	0.41	(0.04)	17,448	-
IVL08C1901A	0.46	(0.02)	44,611	-	LH01C1809A	-	-	-	-	PRM13C1901A	0.43	(0.05)	34,952	-
IVL08P1809A	-	-	-	-	LH01C1809B	-	-	-	-	PRM19C1902A	0.47	(0.06)	21,652	-
IVL08P1903A	0.50	0.02	27,817	-	LH01C1903A	0.30	(0.01)	24,859	-	PSH01C1810A	0.28	(0.04)	10,066	-
IVL11C1906A	0.48	(0.01)	22,958	-	LH01C1903B	0.24	(0.01)	8,812	-	PSH01C1810B	-	-	-	-
IVL13C1810A	0.07	(0.01)	300	-	LH01P1809A	-	-	-	-	PSH01P1810A	0.55	0.02	8,528	-
IVL13C1812A	0.34	(0.03)	220,252	-	LH01P1903A	0.39	0.01	5,086	-	PSH08C1811A	-	-	-	-
IVL13P1811A	-	-	-	-	LH06C1809A	-	-	-	-	PSH11C1902A	0.21	(0.03)	3,807	-
IVL13P1902A	0.35	(0.01)	17,795	-	LH06C1903A	-	-	-	-	PSH19C1903A	0.43	(0.04)	2,906	-
IVL19C1809A	-	-	-	-	LH07C1810A	0.04	(0.01)	500	-	PSH23C1811A	0.14	(0.04)	3,700	-
IVL19C1903A	0.61	(0.03)	56,927	-	LH11C1906A	0.15	(0.01)	1	-	PSL01C1812A	0.48	(0.04)	13,257	-
IVL23C1810A	0.31	(0.03)	8,200	-	LH13C1902A	0.26	(0.01)	2,860	-	PSL01C1812B	0.37	(0.03)	25,975	-
IVL24C1812A	0.10	(0.02)	3,600	-	LH19C1901A	0.16	(0.02)	650	-	PSL11C1905A	0.32	(0.03)	16,095	-
IVL24C1901A	0.43	(0.03)	60,890	-	LH23C1901A	-	-	-	-	PSL19C1903A	0.53	(0.03)	10,821	-
IVL27C1902A	0.46	(0.01)	17,500	-	LH24C1809A	-	-	-	-	PSL23C1809A	-	-	-	-
IVL28C1811A	0.13	(0.02)	54,893	-	LH24C1903A	0.11	(0.02)	5,000	-	PTG01C1811A	0.05	-	92,854	-
IVL28C1812A	0.44	(0.02)	95,546	-	LPN01C1809A	-	-	-	-	PTG01C1811B	0.02	-	1,240	-
IVL28C1902A	0.36	(0.03)	227,223	-	LPN01C1811A	0.40	(0.04)	58,855	-	PTG01C1902A	0.48	(0.02)	293,502	-
IVL28P1811A	0.11	-	49,228	-	LPN01C1811B	0.12	(0.02)	42,177	-	PTG01C1902B	0.31	(0.04)	83,151	-
IVL42C1903A	0.37	(0.01)	10,170	-	LPN01P1809A	-	-	-	-	PTG01P1811A	1.40	0.05	18,374	1.00
KBAN01C1810A	1.19	(0.04)	23,608	1.00	LPN08C1810A	-	-	-	-	PTG01P1902A	0.40	0.01	57,874	-
KBAN01C1901A	1.32	(0.03)	23,195	1.00	LPN08C1906A	0.24	(0.01)	47,300	-	PTG06C1810A	0.02	-	10,602	-
KBAN01C1901B	0.60	(0.03)	33,455	-	LPN19C1811A	0.15	(0.04)	94,233	-	PTG06C1904A	0.27	(0.02)	40,805	-
KBAN01C1904A	0.51	(0.01)	13,584	-	LPN24C1812A	0.17	(0.03)	3,060	-	PTG08C1902A	0.10	(0.01)	27,951	-
KBAN01C1904B	0.38	(0.01)	27,648	-	MAJO08C1811A	-	-	-	-	PTG08C1903A	0.38	(0.04)	33,114	-
KBAN01P1810A	-	-	-	-	MAJO11C1902A	-	-	-	-	PTG11C1903A	0.05	(0.01)	6,003	-
KBAN01P1901A	0.73	0.02	16,770	-	MAJO13C1903A	0.16	(0.01)	20,972	-	PTG13C1812A	0.04	-	8,022	-
KBAN01P1901B	0.19	-	46,137	-	MAJO19C1902A	-	-	-	-	PTG13C1901A	0.30	(0.05)	1,082,897	-
KBAN01P1904A	0.67	0.01	20,496	-	MAJO24C1809A	-	-	-	-	PTG19C1902A	0.16	(0.03)	843,175	-
KBAN01P1904B	-	-	-	-	MAJO24C1902A	-	-	-	-	PTG19C1902B	0.48	(0.05)	95,999	-
KBAN06C1811A	0.55	(0.04)	9,328	-	MALE01C1812A	-	-	-	-	PTG24C1809A	-	-	-	-
KBAN07C1811A	-	-	-	-	MALE08C1811A	-	-	-	-	PTG24C1901A	0.37	(0.05)	272,010	-
KBAN08C1811A	0.53	(0.03)	2,742	-	MALE27C1812A	-	-	-	-	PTG24C1902A	0.11	(0.02)	5,002	-
KBAN08C1903A	0.26	(0.01)	2,560	-	MALE28C1810A	-	-	-	-	PTG27C1809A	-	-	-	-
KBAN08P1811A	0.04	(0.01)	10	-	MC19C1811A	0.10	(0.01)	1,300	-	PTG27C1902A	0.19	(0.03)	36,800	-
KBAN13C1810A	0.03	-	2,000	-	MC23C1809A	-	-	-	-	PTG28C1812A	0.06	(0.01)	8,300	-
KBAN13C1811A	0.51	(0.06)	5,130	-	MC24C1812A	0.15	(0.01)	500	-	PTG28C1901A	0.34	(0.03)	68,671	-
KBAN13C1901A	0.27	(0.01)	35,338	-	MEGA01C1811A	0.22	(0.02)	19,558	-	PTL08C1811A	0.49	0.03	10,264	-
KBAN19C1901A	0.32	(0.03)	12,492	-	MEGA01C1811B	-	-	-	-	PTL28C1810A	-	-	-	-
KBAN23C1902A	0.52	(0.02)	4,500	-	MEGA01C1904A	0.56	(0.01)	19,848	-	PTT01C1810A	0.18	(0.02)	331,413	-
KBAN24C1902A	-	-	-	-	MEGA01C1904B	0.49	(0.03)	17,265	-	PTT01C1810B	0.01	(0.01)	27,704	-
KBAN24C1903A	-	-	-	-	MEGA08C1811A	0.06	-	11,830	-	PTT01C1901A	0.79	(0.02)	158,304	-
KBAN24P1811A	-	-	-	-	MEGA08C1903A	0.40	-	14,786	-	PTT01C1901B	0.60	(0.03)	155,486	-
KBAN27C1809A	-	-	-	-	MEGA11C1902A	0.10	-	5,720	-	PTT01P1810A	0.61	0.01	74,393	-
KBAN27C1903A	0.38	(0.02)	2,400	-	MEGA13C1902A	0.39	(0.02)	53,247	-	PTT01P1810B	0.03	-	3,852	-
KBAN27P1809A	-	-	-	-	MEGA19C1902A	0.32	(0.02)	40,133	-	PTT01P1901A	0.36	-	46,300	-
KBAN28C1811A	-	-	-	-	MEGA23C1902A	0.15	-	5,000	-	PTT01P1901B	0.18	0.01	130,114	-
KBAN28C1812A	0.25	(0.01)	18,338	-	MEGA24C1812A	-	-	-	-	PTT06C1811A	-	-	-	-
KBAN28P1811A	-	-	-	-	MEGA24C1903A	0.34	(0.02)	4,234	-	PTT06C1901A	0.47	(0.02)	28,532	-
KCE01C1810A	0.69	0.05	35,670	-	MINT01C1901A	0.57	(0.05)	167,101	-	PTT06P1901A	0.22	(0.02)	14,831	-
KCE01C1810B	0.35	0.05	47,460	-	MINT01C1902A	0.38	(0.07)	190,186	-	PTT07C1811A	-	-	-	-
KCE06C1809A	-	-	-	-	MINT01P1901A	0.17	0.03	77,850	-	PTT08C1809A	-	-	-	-
KCE06C1903A	0.27	0.01	2,516	-	MINT06C1809A	-	-	-	-	PTT08C1902A	0.41	(0.01)	59,092	-
KCE07C1902A	0.37	0.03	8,213	-	MINT06C1901A	0.38	(0.07)	77,462	-	PTT08P1809A	-	-	-	-
KCE08C1809A	-	-	-	-	MINT06C1903A	0.34	(0.06)	53,248	-	PTT11C1902A	0.19	-	63,970	-
KCE08C1902A	0.29	0.02	23,654	-	MINT07C1810A	0.02	-	550	-	PTT13C1810A	0.01	-	6,972	-
KCE11C1904A	0.38	0.02	9,882	-	MINT08C1809A	-	-	-	-	PTT13C1811A	0.20	(0.01)	207,274	-
KCE13C1811A	0.52	0.03	1,783	-	MINT08C1903A	0.34	(0.07)	23,079	-	PTT13C1812A	0.37	(0.02)	198,505	-
KCE13C1812A	0.25	0.03	199,830	-	MINT11C1902A	0.16	(0.04)	32,186	-	PTT13P1812A	0.08	-	50	-
KCE19C1901A	0.39	0.05	42,129	-	MINT11P1902A	0.08	0.02	12,169	-	PTT13P1902A	0.38	(0.62)	204,739	-
KCE23C1901A	0.19	0.03	78,880	-	MINT13C1810A	0.07	(0.04)	67,656	-	PTT19C1809A	-	-	-	-
KCE24C1901A	0.31	0.02	1,123	-	MINT13C1812A	0.43	(0.06)	330,470	-	PTT19C1901A	0.50	(0.03)	67,327	-
KCE27C1902A	0.41	0.01	3,000	-	MINT19C1901A	0.51	(0.06)	65,521	-	PTT23C1901A	0.10	(0.01)	16,296	-
KCE28C1811A	-	-	-	-	MINT23C1810A	-	-	-	-	PTT24C1809A	-	-	-	-
KCE28C1902A	0.26	0.01	24,890	-	MINT24C1812A	0.06	(0.02)	1,000	-	PTT24C1812A	0.30	-		

Main Board Quotation

Issue Date :

Tuesday October 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE07C1904A	0.69	(0.06)	31,815	-	S5006C1812A	0.61	(0.14)	138,036	-	SCC13C1901A	-	-	-	-
PTTE08C1811A	0.56	(0.10)	64,715	-	S5006C1812B	0.74	(0.14)	49,589	-	SCC13C1903A	0.28	(0.01)	13,084	-
PTTE08P1809A	-	-	-	-	S5006C1812C	0.53	(0.15)	77,611	-	SCC19C1811A	-	-	-	-
PTTE08P1811A	0.02	-	1,000	-	S5006C1812D	1.10	(0.17)	9,182	1.00	SCC19C1901A	0.34	(0.03)	22,508	-
PTTE11C1902A	1.07	(0.10)	37,159	1.00	S5006P1809A	-	-	-	-	SCC23C1811A	-	-	-	-
PTTE13C1811A	0.44	(0.10)	347,469	-	S5006P1809B	-	-	-	-	SCC24C1812A	-	-	-	-
PTTE13C1812A	0.92	(0.11)	25,716	-	S5006P1809C	-	-	-	-	SCC24C1901A	-	-	-	-
PTTE13P1811A	0.02	0.01	1,900	-	S5006P1809D	-	-	-	-	SCC24C1902A	-	-	-	-
PTTE13P1901A	0.19	0.01	28,760	-	S5006P1812A	0.60	0.09	51,889	-	SCC24P1901A	0.12	(0.01)	200	-
PTTE13P1902A	0.54	0.05	254,319	-	S5006P1812B	0.16	0.03	106,794	-	SCC27C1809A	-	-	-	-
PTTE19C1811A	0.83	(0.12)	99,495	-	S5006P1812C	0.25	0.06	104,085	-	SCC27P1809A	-	-	-	-
PTTE19C1903A	0.83	(0.08)	92,683	-	S5006P1812D	0.72	0.09	25,165	-	SCC28C1811A	-	-	-	-
PTTE23C1901A	0.16	(0.05)	15,945	-	S5008C1809A	-	-	-	-	SCC28C1812A	0.38	-	6,138	-
PTTE24C1811A	0.24	(0.06)	51,005	-	S5008C1812A	0.51	(0.14)	553,504	-	SCC28C1902A	0.23	(0.01)	36,828	-
PTTE24C1901A	0.82	(0.08)	750	-	S5008P1809A	-	-	-	-	SCC08C1811A	0.04	0.01	1,601	-
PTTE24P1809A	-	-	-	-	S5008P1812A	0.41	0.07	338,764	-	SCCC27C1812A	0.10	0.01	7,350	-
PTTE24P1901A	0.19	0.02	2,584	-	S5013C1809A	-	-	-	-	SGP06C1812A	0.22	(0.03)	6,218	-
PTTE27C1809A	-	-	-	-	S5013C1809B	-	-	-	-	SGP08C1901A	0.43	(0.01)	17,294	-
PTTE27C1903A	0.71	(0.05)	12,427	-	S5013C1809C	-	-	-	-	SGP11C1904A	0.21	(0.02)	5,365	-
PTTE27P1809A	-	-	-	-	S5013C1809D	-	-	-	-	SGP13C1811A	0.07	(0.02)	2,000	-
PTTE28C1810A	0.29	(0.12)	1,000	-	S5013C1809E	-	-	-	-	SGP13C1812A	0.29	(0.02)	41,786	-
PTTE28C1811A	0.18	(0.05)	76,194	-	S5013C1809F	-	-	-	-	SGP19C1811A	0.28	(0.03)	5,654	-
PTTE28C1902A	0.79	(0.07)	135,204	-	S5013C1812A	1.03	(0.20)	3,094,618	1.00	SGP19C1904A	0.38	(0.01)	11,562	-
PTTE28P1811A	0.02	0.01	20	-	S5013C1812B	0.75	(0.14)	2,136,681	-	SGP24C1811A	-	-	-	-
PTTE42C1903A	0.69	(0.05)	34,698	-	S5013C1812C	0.64	(0.13)	2,639,759	-	SGP24C1902A	-	-	-	-
PTTG01C1810A	0.09	(0.01)	38,896	-	S5013P1809A	-	-	-	-	SGP27C1903A	0.36	(0.02)	3,400	-
PTTG01C1810B	0.01	-	25,989	-	S5013P1809B	-	-	-	-	SGP28C1811A	0.09	(0.01)	30,722	-
PTTG01C1811A	0.32	(0.04)	170,456	-	S5013P1809C	-	-	-	-	SIRI01C1901A	0.39	(0.01)	12,102	-
PTTG01C1901A	1.04	(0.05)	97,368	1.00	S5013P1809D	-	-	-	-	SIRI01C1901B	0.12	(0.01)	104,118	-
PTTG01C1901B	0.69	(0.04)	85,049	-	S5013P1809E	-	-	-	-	SIRI01P1901A	0.49	0.02	6,630	-
PTTG01P1811A	1.43	0.05	28,938	1.00	S5013P1809F	-	-	-	-	SIRI06C1904A	0.33	(0.01)	13,700	-
PTTG01P1901A	0.72	0.02	26,705	-	S5013P1812A	0.50	0.08	3,606,420	-	SIRI08C1810A	-	-	-	-
PTTG01P1901B	0.42	-	35,486	-	S5013P1812B	0.81	0.11	2,043,676	-	SIRI11C1902A	0.09	(0.02)	13,222	-
PTTG06C1809A	-	-	-	-	S5013P1812C	1.02	0.13	2,373,559	-	SIRI13C1902A	0.25	(0.01)	103,141	-
PTTG06C1903A	1.01	(0.03)	31,550	1.00	S5028C1809A	-	-	-	-	SIRI19C1902A	0.21	(0.02)	20,565	-
PTTG06P1903A	0.31	0.01	12,722	-	S5028C1809B	-	-	-	-	SIRI23C1811A	0.09	(0.02)	1,000	-
PTTG07C1812A	0.29	0.01	900	-	S5028C1810A	0.47	(0.15)	782,283	-	SIRI24C1809A	-	-	-	-
PTTG08C1811A	-	-	-	-	S5028C1812A	1.21	(0.22)	1,612	1.00	SIRI24C1903A	-	-	-	-
PTTG08C1902A	0.51	(0.03)	33,879	-	S5028C1812B	0.81	(0.17)	17,486	-	SIRI28C1901A	0.30	(0.02)	67,584	-
PTTG08P1811A	0.44	0.02	30,513	-	S5028C1812C	0.53	(0.12)	1,287,339	-	SPAL01C1902A	0.57	(0.02)	5,885	-
PTTG11C1902A	0.09	-	1,099	-	S5028P1809A	-	-	-	-	SPAL01C1902B	0.39	(0.01)	10,884	-
PTTG13C1812A	0.14	(0.02)	50,636	-	S5028P1809B	-	-	-	-	SPAL06C1809A	-	-	-	-
PTTG13C1812B	0.60	(0.05)	203,217	-	S5028P1810A	0.26	0.07	656,194	-	SPAL11C1905A	0.12	-	720	-
PTTG19C1811A	0.11	(0.03)	52,981	-	S5028P1812A	0.45	0.03	11,818	-	SPAL19C1902A	0.37	(0.01)	4,000	-
PTTG19C1902A	0.68	(0.04)	71,997	-	S5028P1812B	0.70	0.09	1,010,092	-	SPAL23C1811A	-	-	-	-
PTTG23C1901A	0.05	-	1,000	-	SAWA01C1901A	0.88	(0.02)	142,163	-	SPAL24C1812A	-	-	-	-
PTTG24C1812A	-	-	-	-	SAWA01C1901B	0.72	(0.02)	116,314	-	SPRC01C1902A	0.37	-	14,551	-
PTTG24C1901A	0.38	(0.05)	250	-	SAWA01P1901A	0.41	0.01	104,015	-	SPRC01C1902B	0.26	(0.02)	18,032	-
PTTG24P1901A	0.17	(0.02)	50,000	-	SAWA06C1811A	0.13	(0.01)	10,473	-	SPRC06C1809A	-	-	-	-
PTTG27C1903A	0.39	(0.01)	11,350	-	SAWA06C1903A	1.26	(0.06)	24,021	1.00	SPRC06C1902A	0.49	(0.01)	9,692	-
PTTG27P1903A	0.34	-	8,400	-	SAWA07C1812A	0.81	0.03	10	-	SPRC07C1903A	-	-	-	-
PTTG28C1811A	0.09	-	20,000	-	SAWA08C1811A	0.03	(0.01)	3	-	SPRC11C1902A	0.09	-	1,142	-
PTTG28C1812A	0.57	(0.05)	79,807	-	SAWA08C1902A	1.00	(0.06)	13,658	1.00	SPRC13C1812A	0.30	(0.01)	87,082	-
QH01C1810A	0.54	0.01	14,824	-	SAWA08C1903A	0.55	(0.02)	29,751	-	SPRC19C1901A	0.38	(0.01)	32,090	-
QH01C1810B	0.11	(0.02)	109,970	-	SAWA11C1906A	0.63	(0.02)	16,105	-	SPRC23C1810A	-	-	-	-
QH01P1810A	0.12	-	30,230	-	SAWA13C1810A	-	-	-	-	SPRC24C1903A	0.34	(0.02)	50,000	-
QH11C1902A	0.37	(0.02)	5,123	-	SAWA13C1811A	0.03	(0.01)	3,508	-	STA01C1812A	1.00	0.06	82,706	-
QH13C1903A	0.27	-	52,783	-	SAWA13C1812A	0.35	(0.03)	278,953	-	STA01C1812B	0.89	0.07	78,679	-
QH19C1901A	0.18	(0.01)	20,696	-	SAWA13C1901A	1.00	(0.05)	2,124	1.00	STA13C1812A	1.14	0.08	15	1.00
QH24C1812A	0.09	(0.01)	3,742	-	SAWA19C1901A	1.00	(0.04)	41,310	1.00	STA13C1901A	0.87	0.05	175,037	-
QH27C1903A	0.24	(0.03)	3,905	-	SAWA24C1812A	0.31	(0.02)	7,794	-	STA13C1902A	0.57	0.05	529,032	-
RATC19C1901A	0.29	-	200	-	SAWA24C1902A	-	-	-	-	STA19C1811A	0.78	0.07	27,092	-
RATC24C1902A	0.26	(0.01)	200	-	SAWA27C1903A	0.72	(0.05)	3,601	-	STA19C1903A	1.09	0.05	30,462	1.00
RATC27C1812A	-	-	-	-	SAWA28C1810A	-	-	-	-	STA23C1809A	-	-	-	-
ROBI01C1809A	-	-	-	-	SAWA28C1811A	0.49	0.03	500	-	STA24C1902A	0.55	0.09	16,201	-
ROBI01C1903A	0.84	(0.12)	93,882	-	SAWA28C1812A	-	-	-	-	STA28C1902A	0.54	0.03	171,772	-
ROBI01C1903B	0.64	(0.13)	61,206	-	SAWA28C1902A	0.46	(0.02)	157,401	-	STEC01C1809A	-	-	-	-
ROBI06C1809A	-	-	-	-	SCB01C1810A	0.57	(0.03)	49,341	-	STEC01C1809B	-	-	-	-
ROBI08C1903A	0.54	(0.12)	39,346	-	SCB01C1902A	1.07	(0.03)	12,186	1.00	STEC01C1902A	0.83	-	173,927	-
ROBI11C1906A	0.55	(0.10)	34,288	-	SCB01C1902B	0.93	(0.04)	27,962	-	STEC01C1902B	0.70	-	132,286	-
ROBI13C1902A	0.52	(0.11)	298,098	-	SCB01P1902A	0.33	(0.01)	36,122	-	STEC01P1809A	-	-	-	-
ROBI19C1901A	0.70	(0.13)	58,790	-	SCB01P1902B	-	-	-	-	STEC01P1902A	0.54	(0.01)	67,215	-
ROBI24C1901A	0.27	(0.09)	5,055	-	SCB06C1811A	0.72	(0.04)	11,220	-	STEC06C1809A	-	-	-	-
ROBI24C1903A	0.71	(0.08)	100	-	SCB07C1904A	-	-	-	-	STEC06C1903A	0.77	0.03	46,039	-
RS08C1901A	0.70	(0.08)	54,791	-	SCB08C1901A	0.53	(0.04)	23,064	-	STEC07C1904A	0.58	0.01	2,457	-
RS13C1901A	0.76	(0.09)	321,114	-	SCB11C1901A	0.26	(0.02)	5,390	-	STEC08C1809A	-	-	-	-
RS19C1901A	0.72	(0.07)	56,314	-	SCB11P1901A	0.21	0.01	12,748	-	STEC08C1903A	0.56	-	47,496	-
RS24C1811A	0.57	(0.10)	3,421	-	SCB13C1812A	0.63	(0.07)	39,602	-	STEC11C1903A	0.75	-	54,726	-
S10001C1811A	0.63	(0.03)	22,427	-	SCB13C1902A	0.40	(0.02)	117,126	-	STEC13C1902A	0.67	-	369,296	-
S5001C1809F	-	-	-	-	SCB13P1812A	-	-	-	-	STEC19C1901A	0.72	-	117,117	-
S5001C1809G	-	-	-	-	SCB19C1811A	0.29	(0.03)	21,247	-	STEC24C1901A	0.86	0.04	15,040	-
S5001C1809H	-	-	-	-	SCB24C1901A	-	-	-	-	STEC27C1902A	0.93	-	8,429	-
S5001C1809I	-	-	-	-	SCB24C1902A	-	-	-	-	STEC28C1810A	-	-	-	-
S5001C1810A	1.52	(0.08)	35,948	1.00	SCB24P1811A	-	-	-	-	STEC28C1902A	0.56	-	71,190	-
S5001C1810B	1.56	(0.12)	51,122	1.00	SCB27C1902A	0.54	(0.02)	1,200	-	STPI08C1811A	0.15	(0.01)	62,320	-
S5001C1811A	0.86	(0.07)	34,561	-	SCB27P1903A	0.43	0.01	6,000	-	SUPE08C1811A	0.02	-	22,343	-
S5001C1811B	0.79	(0.08)	56,542	-	SCB28C1812A	0.55	(0.05)							

Main Board Quotation

Issue Date :

Tuesday October 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5006C1809D	-	-	-	-	SCC13C1812A	0.13	(0.01)	8,249	-	TASC07C1811A	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday October 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TASC08C1903A	0.40	(0.04)	16,643	-	TOP01C1901B	1.40	(0.09)	44,937	1.00	UNIQ23C1901A	0.13	(0.02)	16,187	-
TASC11C1904A	0.12	(0.01)	9,614	-	TOP01P1901A	0.41	0.01	40,351	-	UNIQ24C1811A	-	-	-	-
TASC13C1810A	-	-	-	-	TOP06C1809A	-	-	-	-	UNIQ28C1811A	0.13	(0.01)	66,296	-
TASC13C1901A	0.27	(0.03)	102,385	-	TOP06C1903A	1.34	(0.09)	13,074	1.00	UV01C1902A	0.58	(0.01)	12,909	-
TASC19C1902A	0.37	(0.04)	21,175	-	TOP06C1903B	0.58	(0.05)	22,768	-	UV01C1902B	0.45	(0.02)	13,561	-
TASC23C1902A	0.29	(0.03)	18,900	-	TOP07C1812A	0.45	(0.05)	110	-	UV06C1812A	0.33	(0.01)	6,200	-
TASC24C1810A	-	-	-	-	TOP08C1811A	0.08	(0.02)	18,517	-	UV13C1812A	0.34	(0.03)	82,527	-
TASC24C1903A	0.32	(0.03)	5,000	-	TOP08C1902A	0.68	(0.06)	42,761	-	UV19C1902A	0.43	(0.02)	5,786	-
TASC28C1902A	0.23	(0.03)	70,587	-	TOP11C1905A	1.19	(0.08)	29,864	1.00	UV23C1809A	-	-	-	-
TCAP01C1901A	0.64	(0.02)	8,775	-	TOP13C1811A	0.06	-	1,046	-	UV24C1812A	-	-	-	-
TCAP01C1901B	0.49	(0.01)	11,470	-	TOP13C1901A	0.69	(0.08)	6,836	-	VGI01C1812A	0.69	(0.01)	11,373	-
TCAP01P1901A	0.26	0.01	960	-	TOP13C1902A	0.53	(0.04)	89,283	-	VGI06C1904A	-	-	-	-
TCAP08C1810A	-	-	-	-	TOP19C1901A	0.50	(0.05)	74,855	-	VGI06C1904B	-	-	-	-
TCAP11C1811A	-	-	-	-	TOP23C1811A	0.11	(0.02)	19,460	-	VGI06C1904C	-	-	-	-
TCAP13C1901A	0.47	(0.01)	44,652	-	TOP24C1901A	0.17	(0.04)	2,500	-	VGI08C1811A	0.53	(0.04)	13,212	-
TCAP19C1901A	0.36	(0.02)	5,078	-	TOP24C1902A	0.65	(0.10)	1,400	-	VGI23C1905A	-	-	-	-
TCAP24C1903A	-	-	-	-	TOP24C1903A	0.46	(0.08)	4,170	-	VGI23C1911A	-	-	-	-
THAI01C1901A	0.45	(0.02)	130,958	-	TOP27C1903A	0.60	(0.08)	15,600	-	VGI27C1812A	0.31	(0.02)	70,600	-
THAI01C1901B	0.25	(0.02)	77,649	-	TOP28C1810A	-	-	-	-	VGI28C1810A	-	-	-	-
THAI01P1901A	0.48	-	82,830	-	TOP28C1812A	0.63	(0.04)	35,038	-	WHA01C1812A	0.78	(0.02)	97,280	-
THAI06C1809A	-	-	-	-	TOP28C1903A	0.50	(0.05)	102,827	-	WHA01C1812B	0.63	(0.03)	156,392	-
THAI07C1811A	0.14	-	1,000	-	TP101C1812A	0.27	(0.01)	51,382	-	WHA01P1812A	0.31	0.01	136,236	-
THAI08C1903A	0.40	(0.02)	28,492	-	TP101C1812B	0.16	(0.01)	17,888	-	WHA06C1809A	-	-	-	-
THAI11C1906A	0.52	(0.02)	9,336	-	TP107C1812A	-	-	-	-	WHA06C1903A	0.68	-	44,956	-
THAI13C1811A	0.07	(0.01)	10,530	-	TP113C1902A	0.27	-	31,353	-	WHA07C1810A	0.28	(0.02)	20,912	-
THAI13C1902A	0.51	(0.02)	169,718	-	TP119C1901A	0.33	0.01	19,046	-	WHA08C1811A	0.20	(0.02)	152,442	-
THAI19C1901A	0.43	(0.01)	131,317	-	TP123C1809A	-	-	-	-	WHA11C1903A	0.31	(0.01)	36,216	-
THAI23C1901A	0.03	0.01	2	-	TP124C1902A	-	-	-	-	WHA13C1812A	0.56	(0.01)	346,097	-
THAI24C1901A	0.28	-	8,000	-	TP1P01C1810A	0.30	0.01	13,000	-	WHA19C1901A	0.61	(0.02)	160,906	-
THAI27C1809A	-	-	-	-	TP1P01C1810B	-	-	-	-	WHA23C1810A	0.31	(0.04)	11,127	-
THAI28C1901A	0.42	(0.01)	103,515	-	TP1P01P1810A	0.46	(0.01)	7,966	-	WHA24C1811A	0.11	(0.02)	2,308	-
THAN01C1812A	0.60	(0.05)	29,479	-	TP1P11C1811A	-	-	-	-	WHA24C1902A	0.59	(0.03)	230,949	-
THAN13C1902A	0.58	(0.05)	124,092	-	TP1P13C1811A	-	-	-	-	WHA27C1903A	0.78	(0.01)	6,600	-
THAN19C1903A	0.75	(0.04)	80,370	-	TP1P13C1902A	0.29	0.01	11,408	-	WHA28C1901A	0.59	(0.01)	57,123	-
THAN24C1903A	0.61	(0.07)	15,530	-	TP1P19C1902A	0.34	0.01	3,200	-	WHA28C1903A	0.39	(0.02)	153,782	-
THAN28C1810A	0.06	(0.08)	400	-	TP1P24C1901A	0.23	(0.05)	200	-	WHAU01C1810A	0.27	(0.03)	58,895	-
THC001C1809A	-	-	-	-	TP1P27C1812A	-	-	-	-	WHAU01C1810B	0.02	-	2,660	-
THC001P1809A	-	-	-	-	TRUE01C1902A	0.41	(0.01)	80,773	-	WHAU13C1902A	0.32	(0.01)	99,706	-
THC008C1906A	0.23	(0.01)	3,674	-	TRUE01C1902B	0.29	(0.01)	93,126	-	WHAU19C1902A	0.38	(0.01)	27,830	-
THC011C1902A	-	-	-	-	TRUE01P1902A	0.50	0.01	44,900	-	WHAU24C1812A	0.04	-	60	-
THC019C1811A	0.09	(0.01)	4,500	-	TRUE01P1902B	0.35	0.01	54,669	-	WHAU24C1902A	0.37	(0.02)	19,600	-
THC024C1810A	-	-	-	-	TRUE06C1811A	0.04	-	201	-	WORK01C1811A	0.25	(0.07)	131,576	-
THC028C1901A	0.26	(0.01)	3,770	-	TRUE06C1906A	0.23	-	1,500	-	WORK01C1811B	0.08	(0.04)	54,748	-
TISCO01C1902A	0.88	(0.02)	18,103	-	TRUE07C1902A	0.16	(0.03)	3,060	-	WORK08C1809A	-	-	-	-
TISCO01C1902B	0.67	(0.01)	14,810	-	TRUE08C1809A	-	-	-	-	WORK08C1901A	0.18	(0.06)	122,955	-
TISCO7C1902A	-	-	-	-	TRUE08C1902A	0.26	(0.02)	25,154	-	WORK11C1903A	0.06	-	24,543	-
TISCO8C1903A	0.64	(0.02)	16,373	-	TRUE08P1809A	-	-	-	-	WORK13C1810A	-	-	-	-
TISC11C1903A	0.20	(0.01)	12,223	-	TRUE08P1902A	0.27	0.01	44,700	-	WORK13C1811A	0.03	(0.02)	7,000	-
TISC13C1811A	0.20	(0.01)	200	-	TRUE11C1905A	0.25	(0.01)	8,575	-	WORK13C1812A	0.14	(0.06)	641,940	-
TISC13C1812A	0.63	-	33,076	-	TRUE13C1810A	-	-	-	-	WORK13C1902A	0.32	(0.08)	530,428	-
TISC19C1901A	0.39	(0.02)	18,597	-	TRUE13C1812A	0.13	-	279,029	-	WORK19C1811A	0.03	(0.01)	5,401	-
TISC24C1812A	0.11	(0.01)	24,502	-	TRUE13C1901A	0.26	(0.02)	310,969	-	WORK19C1902A	0.37	(0.08)	609,104	-
TISC24C1904A	0.66	(0.01)	500	-	TRUE13P1901A	0.28	0.02	257,344	-	WORK24C1810A	-	-	-	-
TISC28C1901A	0.65	(0.03)	60,928	-	TRUE16C1812A	0.22	-	3,002	-	WORK24C1812A	0.09	(0.05)	31,892	-
TKN01C1901A	0.72	(0.05)	84,144	-	TRUE19C1901A	0.09	(0.01)	5,835	-	WORK24C1903A	0.30	(0.09)	54,996	-
TKN01C1901B	0.52	(0.08)	61,199	-	TRUE19C1903A	0.45	(0.03)	17,056	-	WORK27C1903A	0.29	(0.12)	2,542	-
TKN08C1811A	0.08	(0.01)	3,149	-	TRUE23C1902A	-	-	-	-	WORK28C1811A	-	-	-	-
TKN08C1903A	0.52	(0.05)	43,543	-	TRUE27C1809A	-	-	-	-	WORK28C1901A	0.19	(0.07)	123,571	-
TKN11C1902A	0.22	-	21,186	-	TRUE27P1809A	-	-	-	-	Preferred/Foreign	-	-	-	-
TKN13C1810A	-	-	-	-	TRUE28C1810A	-	-	-	-	BH-Q	-	-	-	-
TKN13C1811A	-	-	-	-	TRUE28C1812A	0.10	(0.01)	73,378	-	CSC-Q	-	-	-	-
TKN13C1812A	0.39	(0.06)	302,799	-	TTA08C1906A	0.29	(0.02)	10,761	-	JUTHA-Q	-	-	-	-
TKN19C1811A	0.08	(0.03)	19,662	-	TTA13C1901A	0.21	(0.01)	64,163	-	KTB-Q	-	-	-	-
TKN19C1903A	0.56	(0.07)	107,953	-	TTA19C1811A	0.08	-	4,334	-	SCB-Q	-	-	-	-
TKN23C1902A	0.39	(0.05)	5,050	-	TTA23C1901A	0.08	(0.02)	501	-	TCAP-Q	-	-	-	-
TKN24C1811A	0.19	(0.06)	4,557	-	TTA24C1809A	-	-	-	-	TIC-Q	-	-	-	-
TKN24C1812A	-	-	-	-	TTA24C1902A	0.10	0.02	5,000	-	TISCO-Q	-	-	-	-
TKN24C1903A	0.51	(0.09)	50,000	-	TTA28C1812A	-	-	-	-	U-Q	-	-	-	-
TKN28C1811A	-	-	-	-	TU01C1901A	0.58	(0.05)	50,846	-	Warrant	-	-	-	-
TKN28C1812A	0.58	(0.05)	40,960	-	TU01C1901B	0.50	(0.10)	141,058	-	7UP-W2	0.09	-	308,587	-
TKN28C1903A	0.34	(0.06)	93,133	-	TU01P1901A	0.18	0.03	52,642	-	ACC-W1	0.05	0.01	2,602	-
TMB01C1810A	0.20	-	71,285	-	TU06C1902A	0.26	(0.05)	28,934	-	AJA-W1	0.21	0.01	12,238	-
TMB01C1810B	0.02	-	3,020	-	TU07C1902A	-	-	-	-	ALT-W1	0.82	0.01	10,136	-
TMB01P1810A	0.32	0.01	25,097	-	TU08C1811A	-	-	-	-	APEX-W1	0.05	-	20,061	-
TMB06C1809A	-	-	-	-	TU11C1902A	0.04	(0.01)	3,090	-	APURE-W2	0.26	(0.01)	8,330	-
TMB06C1902A	0.11	(0.01)	23,786	-	TU11C1906A	0.19	(0.05)	27,482	-	AQ-W4	0.01	-	50	-
TMB06C1903A	0.29	(0.01)	9,150	-	TU13C1902A	0.23	(0.05)	29,189	-	AS-W1	0.27	(0.01)	31	-
TMB07C1811A	-	-	-	-	TU19C1901A	0.23	(0.06)	75,046	-	AYUD-W1	7.90	(0.20)	119,665	8.00
TMB07C1903A	-	-	-	-	TU23C1902A	0.25	(0.07)	10,000	-	B-W3	-	-	-	-
TMB08C1901A	0.08	-	3,220	-	TU24C1901A	0.14	(0.05)	2,000	-	B-W4	0.21	-	32,416	-
TMB11C1904A	0.10	0.01	50	-	TV001C1809A	-	-	-	-	BTS-W3	0.01	-	159	-
TMB13C1811A	0.04	-	865	-	TV001C1809B	-	-	-	-	BWG-W4	0.09	-	27,596	-
TMB13C1901A	0.21	-	56,297	-	TV001C1903A	0.35	-	8,314	-	CEN-W4	0.05	0.01	3,581	-
TMB19C1901A	0.13	(0.01)	64,021	-	TV001C1903B	0.29	0.01	8,260	-	CGD-W4	0.36	(0.01)	55,188	-
TMB23C1810A	-	-	-	-	TVO11C1903A	-	-	-	-	CGH-W3	0.07	-	5,254	-
TMB24C1809A	-	-	-	-	TVO13C1902A	0.21	-	2,116	-	CI-W1	0.52	0.10	14,205	-
TMB24C1901A	0.04	(0.01)	500	-	TVO19C1902A	0.21	-	838	-	CKP-W1	0.68	0.04	171,331	-
TMB24C1902A	0.20	-	5,500	-	TVO24C1810A	-	-	-	-	CRANE-W1	1.64	0.05	22	1.00
TMB27C1903A	0.28	(0.02)	4,978	-	TVO24C1903A	-	-	-	-	CWT-W4	0.50	(0.03)	27,491	-
TMB28C1901A	0.20	(0.01)												

Main Board Quotation

Issue Date :

Tuesday October 02, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOA01C1901A	0.37	(0.03)	29,919	-	UNIQ01C1810A	0.44	-	52,055	-	DCON-W1	-	-	-	-
TOA01C1901B	0.25	(0.02)	18,724	-	UNIQ01C1810B	0.08	(0.02)	19,155	-	DIGI-W1	0.03	0.01	10,150	-
TOA08C1902A	0.17	(0.03)	31,796	-	UNIQ01P1809A	-	-	-	-	DIGI-W2	0.02	-	2,002	-
TOA13C1812A	0.22	(0.04)	114,891	-	UNIQ08C1810A	0.07	(0.01)	2,948	-	EARTH-W4	-	-	-	-
TOA19C1901A	0.23	(0.03)	18,501	-	UNIQ08C1906A	0.40	0.01	18,430	-	EIC-W2	0.01	-	250	-
TOA24C1812A	-	-	-	-	UNIQ11C1811A	0.11	(0.01)	5,400	-	EIC-W3	0.03	-	401	-
TOA28C1812A	0.20	(0.02)	30,420	-	UNIQ13C1901A	0.34	(0.01)	88,995	-	EVER-W3	0.07	(0.02)	21,509	-
TOP01C1901A	1.61	(0.06)	86,714	1.00	UNIQ19C1811A	0.11	(0.01)	14,652	-	GJS-W3	0.01	-	70,575	-
GSTEL-W1	-	-	-	-	TH-W2	0.15	-	923	-	NCL-W3	0.46	-	18,479	-
GSTEL-W2	-	-	-	-	THE-W2	0.05	-	12,828	-	NDR-W1	0.06	0.01	1	-
IEC-W2	-	-	-	-	TNITY-W1	0.98	(0.02)	1,911	-	NEWS-W4	-	-	-	-
IHL-W1	5.90	(0.10)	153	5.00	TNPC-W1	0.47	(0.07)	26,009	-	NEWS-W6	-	-	-	-
ITD-W1	0.14	(0.01)	52,327	-	TRITN-W3	0.31	(0.01)	17,692	-	PHOL-W1	-	-	-	-
JAS-W3	2.30	(0.04)	14,281	2.00	TSR-W1	0.44	(0.01)	3,332	-	PIMO-W1	2.50	0.06	1,749	2.00
JCK-W5	0.48	-	1,329	-	TTA-W5	0.28	(0.01)	298,276	-	PPS-W1	-	-	-	-
JMART-W2	1.55	(0.03)	3,515	1.00	TTCL-W1	1.56	(0.03)	47,367	1.00	PSTC-W1	0.26	0.01	935	-
JMT-W2	1.92	(0.02)	10,221	1.00	U-W1	0.01	-	372	-	SIMAT-W2	0.40	-	53	-
MACO-W2	0.27	-	238,206	-	U-W4	0.01	(0.01)	9,205,363	-	SIMAT-W3	0.54	0.01	681	-
MIDA-W2	0.02	-	1,365	-	VGI-W2	0.60	(0.03)	113,411	-	SIMAT-W4	1.32	0.02	1,608	1.00
MILL-W3	0.03	0.01	9,359	-	VIBHA-W2	1.58	(0.01)	4,985	1.00	SKY-W1	12.40	-	59	12.00
MILL-W4	0.29	(0.01)	5,800	-	VIBHA-W3	0.32	(0.01)	38,374	-	STAR-W3	1.83	(0.06)	450	1.00
MILL-W5	0.28	(0.01)	7,146	-	WAVE-W1	0.53	(0.05)	53,905	-	TAKUNI-W	0.20	-	6,875	-
ML-W2	0.04	-	8,018	-	WHA-W1	8.85	(0.05)	27,484	9.00	TAPAC-W3	2.88	-	1,123	2.00
MONO-W1	0.47	(0.02)	7,406	-	WORK-W1	7.90	(0.30)	402	7.00	TMILL-W1	1.00	-	11,935	1.00
NEP-W3	0.10	-	5,102	-	Preferred Shares	-	-	-	-	TSF-W4	-	-	-	-
NOK-W1	0.60	(0.01)	400	-	BH-P	-	-	-	-	TSF-W5	-	-	-	-
NUSA-W3	0.13	-	100	-	CSC-P	-	-	-	-	TVD-W2	0.74	-	49,177	-
NVD-W1	0.44	(0.02)	809	-	JUTHA-P	-	-	-	-	UAC-W2	0.78	-	4,171	-
ORI-W1	2.18	(0.02)	4,310	2.00	KTB-P	-	-	-	-	UKEM-W1	0.54	0.01	16,898	-
PACE-W2	0.20	-	26,872	-	SCB-P	-	-	-	-	UWC-W2	0.01	-	6,764	-
PDJ-W1	1.23	(0.01)	1,164	1.00	TCAP-P	-	-	-	-					
PDJ-W2	1.30	-	116	1.00	TIC-P	-	-	-	-					
PDJ-W3	1.29	(0.01)	85	1.00	TISCO-P	-	-	-	-					
PDJ-W4	1.28	(0.02)	172	1.00	U-P	0.03	-	194,859	-					
PLE-W3	0.13	(0.01)	59,590	-	Warrant (MAI)	-	-	-	-					
RICH-W1	-	-	-	-	2S-W1	0.18	-	3,675	-					
RICHY-W1	0.31	0.01	8,722	-	ACAP-W2	1.87	(0.02)	2,012	1.00					
RICHY-W2	0.19	-	12,345	-	AIRA-W2	0.04	-	60	-					
RS-W3	9.00	(0.05)	270	8.00	ATP30-W1	0.82	0.02	76	-					
S-W1	0.14	-	21,450	-	BKD-W2	0.29	(0.02)	147,536	-					
SAMART-W2	0.69	0.03	155,340	-	BM-W1	0.47	-	2,655	-					
SAWAD-W1	6.70	(0.10)	837	6.00	BSM-W2	0.20	-	2,410	-					
SDC-W1	0.20	(0.01)	8,471	-	CHEWA-W1	0.28	(0.01)	11,786	-					
SMM-W4	-	-	-	-	CIG-W7	0.02	-	1	-					
SMT-W1	0.09	0.01	71,880	-	DIMET-W2	0.16	(0.01)	41,398	-					
SMT-W2	0.61	-	36,712	-	DNA-W1	1.35	(0.01)	505	1.00					
SPALI-W4	-	-	-	-	ECF-W2	5.70	-	177	5.00					
SPORT-W5	0.02	0.01	15	-	ECF-W3	3.48	(0.02)	4,655	3.00					
SUPER-W4	0.10	(0.01)	668,660	-	EFORL-W3	0.02	0.01	542	-					
SUSCO-W1	0.08	(0.02)	49,000	-	EFORL-W4	0.02	0.01	25	-					
SVI-W3	2.82	0.80	139,639	2.00	FC-W1	0.05	-	600	-					
TCC-W3	0.22	0.02	15,446	-	FC-W2	0.03	(0.01)	200	-					
TCC-W4	0.21	-	25,386	-	FOCUS-W2	0.69	(0.02)	21,234	-					
TCC-W5	0.29	-	6,170	-	FVC-W2	0.44	-	8,789	-					
TCJ-W2	0.98	0.02	108	-	ITEL-W1	0.58	(0.01)	30,369	-					
TCMC-W2	0.35	(0.02)	2,588	-	JKN-W1	2.30	0.34	222,728	2.00					
TFG-W1	-	-	-	-	LIT-W1	2.14	-	100	2.00					
TFG-W2	0.75	-	661	-	META-W2	0.05	-	6,452	-					
TGPRO-W3	0.02	-	348,365	-	META-W3	0.24	(0.02)	208,182	-					