

Main Board Quotation

Issue Date :

Tuesday October 09, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	11.80	0.10	10,852	11.74	SE-ED	3.02	-	670	3.00
POMPI	-	-	-	-	ILINK	4.94	(0.02)	3,940	4.93	SMM	1.06	(0.01)	6,498	1.07
SAFARI	-	-	-	-	INET	3.88	-	1,589	3.88	SPORT	0.29	(0.01)	309	0.28
VI	-	-	-	-	INTUCH	53.25	-	52,431	53.28	TBSP	14.00	0.30	5	14.00
WORLD	-	-	-	-	JAS	5.35	-	173,768	5.38	TH	0.85	0.02	35,541	0.84
WR	-	-	-	-	JASIF	10.40	0.10	15,805	10.35	TKS	11.40	-	4,492	11.40
Agribusiness	-	-	-	-	JMART	9.00	-	4,444	8.95	TRITN	0.44	-	168,184	0.44
CHOTI	143.00	-	1	143.00	JTS	1.59	-	656	1.60	VGI	7.50	0.05	62,394	7.47
EE	0.68	0.01	17,627	0.67	MFEC	3.44	(0.02)	1,101	3.46	WAVE	2.48	0.06	26	2.46
GFPT	14.70	0.30	35,572	14.74	MSC	6.80	0.15	1,309	6.74	WORK	36.75	-	17,612	37.02
LEE	2.74	-	844	2.75	PT	6.65	-	2,280	6.67	Finance & Securities	-	-	-	-
PPPM	5.30	(0.10)	3,206	5.28	SAMART	8.00	0.30	36,996	7.91	AEC	0.51	-	2,504	0.51
STA	16.20	(0.50)	261,409	16.58	SAMTEL	8.20	(0.05)	118	8.22	AEONTS	199.00	(3.00)	10,772	199.49
TRUBB	1.87	0.01	2,870	1.87	SDC	0.36	(0.01)	64,490	0.36	AMANAHA	1.90	0.01	41,358	1.91
TWPC	8.40	(0.05)	928	8.40	SIS	8.85	-	1,409	8.86	ASAP	6.55	(0.05)	12,388	6.59
UPOIC	4.38	-	228	4.38	SVOA	1.37	0.03	9,285	1.36	ASK	23.50	(0.10)	364	23.57
UVAN	6.90	0.05	1,471	6.85	SYMC	5.65	(0.10)	24	5.65	ASP	3.80	0.02	27,200	3.79
VPO	0.66	0.01	2,386	0.65	SYNEX	15.00	0.50	30,327	14.91	BFIT	27.25	-	787	27.26
Banking	-	-	-	-	THCOM	9.15	-	4,913	9.16	CGH	1.04	0.01	10,089	1.03
BAY	39.75	(0.75)	26,916	40.88	TRUE	5.90	0.10	488,112	5.89	CNS	2.56	-	400	2.56
BBL	210.00	2.00	44,975	209.02	TWZ	0.12	-	82,242	0.12	ECL	2.00	-	40,722	2.02
CIMBT	0.87	-	6,168	0.87	Electronic Componen	-	-	-	-	FNS	4.24	0.10	3,841	4.21
KBANK	210.00	1.00	40,890	211.07	CCET	1.96	-	9,443	1.96	FSS	2.30	-	866	2.30
KKP	72.75	0.25	25,792	72.40	DELTA	69.50	-	9,989	69.49	GBX	0.65	-	155	0.65
KTB	19.70	0.10	221,029	19.73	EIC	0.05	(0.01)	17,239	0.05	GL	7.00	-	24,099	6.99
LHFG	1.54	(0.01)	25,513	1.54	HANA	38.25	(1.00)	38,950	38.80	IFS	3.02	(0.02)	1,508	3.03
SCB	141.50	(2.00)	94,966	142.62	KCE	42.00	-	86,272	42.47	JMT	11.30	(0.20)	31,336	11.34
TCAP	51.00	(1.00)	50,069	51.21	METCO	208.00	4.00	6	207.67	KCAR	12.60	0.10	668	12.59
TISCO	80.75	(0.25)	19,005	80.95	SMT	2.28	(0.02)	2,845	2.28	KGI	4.42	(0.02)	22,567	4.42
TMB	2.34	0.02	1,105,838	2.34	SPPT	4.14	0.04	2,791	4.10	KTC	33.75	(1.50)	349,460	34.01
Construction Materia	-	-	-	-	SVI	5.80	0.05	54,753	5.78	MBKET	12.90	0.10	1,399	12.90
CCP	0.43	-	10,496	0.43	TEAM	1.11	-	4,303	1.12	MFC	16.80	0.10	107	16.71
COTTO	2.80	(0.04)	21,308	2.81	Energy & Utilities	-	-	-	-	ML	1.06	-	292	1.05
DCC	2.38	(0.20)	219,946	2.45	ABPIF	8.45	-	932	8.42	MTC	49.00	(2.00)	164,470	49.54
DCON	0.56	-	4,249	0.56	AI	-	-	-	-	PE	0.24	(0.01)	120	0.24
DRT	5.60	-	1,072	5.58	AKR	0.99	(0.01)	39,446	1.00	PL	3.50	-	644	3.50
EPG	7.90	(0.15)	110,037	8.01	BAFS	33.75	-	914	33.76	S11	7.50	0.05	664	7.54
GEL	0.36	(0.01)	13,403	0.37	BANPU	18.70	0.10	215,013	18.76	SAWAD	45.00	(1.50)	85,664	45.65
PPP	3.48	0.02	116	3.46	BCP	33.50	(0.50)	91,146	33.41	THANI	8.85	(0.25)	128,182	8.91
O-CON	5.20	(0.05)	9	5.20	BCPG	20.30	0.50	303,624	20.10	TK	11.40	0.20	835	11.30
RCI	3.84	(0.04)	23,125	3.86	BGRIM	28.00	0.75	151,441	27.72	TNITY	6.00	0.10	221	5.91
SCC	424.00	(4.00)	27,222	426.46	BPP	24.80	(0.45)	22,683	24.88	UOBKH	4.00	-	5	4.00
SCCC	244.00	(5.00)	881	244.62	BRRGIF	10.00	0.05	4,449	9.96	ZMICO	1.12	-	904	1.12
SCP	8.80	0.05	5,330	8.72	CKP	5.05	-	388,389	5.07	Food & Beverage	-	-	-	-
SKN	5.40	0.70	221,606	5.22	DEMCO	4.08	-	6,879	4.09	APURE	1.38	(0.04)	6,488	1.39
TASCO	15.20	0.30	26,174	15.10	EA	45.75	0.75	303,506	45.59	ASIAN	9.15	0.05	24,762	9.17
TCMC	2.52	0.04	3,220	2.53	EARTH	-	-	-	-	BR	5.25	-	17,775	5.23
TOA	35.25	(0.50)	19,447	35.59	EASTW	11.00	-	7,031	11.00	BRR	6.85	-	4,322	6.84
TPPL	1.77	0.01	96,578	1.77	EGATIF	11.20	-	20,051	11.10	CBG	50.25	(0.75)	19,210	50.68
UMI	1.32	-	3,120	1.33	EGCO	231.00	-	9,745	231.02	CFRESH	4.52	0.06	299	4.49
VNG	7.25	-	2,840	7.21	ESSO	14.70	0.40	111,990	14.60	CM	4.32	(0.02)	1,948	4.34
WIHK	2.36	0.02	6,539	2.35	GLOW	86.75	0.75	16,553	86.56	CPF	24.20	-	220,118	24.28
Petrochemicals & Ch	-	-	-	-	GPSC	65.75	0.25	36,754	65.10	CPI	1.80	0.01	38	1.79
BCT	53.00	(0.25)	135	53.62	GULF	74.00	3.00	206,164	73.13	F&D	-	-	-	-
CMAN	3.20	0.04	7,807	3.18	GUNKUL	3.18	(0.08)	475,380	3.24	HTC	16.60	(0.10)	525	16.68
GC	5.05	(0.05)	75	5.06	IEC	-	-	-	-	ICHI	4.38	(0.04)	6,363	4.40
GGC	10.70	0.20	9,015	10.59	IFEC	-	-	-	-	KBS	4.30	(0.02)	6,599	4.31
GIFT	4.58	-	732	4.59	IRPC	6.45	-	1,220,841	6.40	KSL	3.42	0.06	6,085	3.40
IVL	57.75	0.25	195,401	57.81	LANNA	14.90	0.10	508	14.87	KTIS	5.70	-	270	5.69
NFC	11.30	-	303	11.38	MDX	4.52	(0.02)	1,809	4.52	LST	4.78	(0.04)	1,626	4.80
PATO	14.30	-	98	14.30	PTG	11.30	0.10	230,457	11.33	M	69.75	-	1,302	69.94
PMTA	13.80	(0.10)	113	13.83	PTT	52.25	0.50	607,336	52.07	MALEE	14.80	-	3,282	14.73
PTTGC	77.75	(0.50)	238,680	78.25	PTTEP	148.00	3.00	105,823	148.04	MINT	38.75	0.50	114,560	38.63
SUTHA	3.92	(0.04)	1,074	3.92	RATCH	50.50	-	9,327	50.41	OISHI	90.25	(0.25)	41	90.26
TCCC	35.00	0.25	59	35.06	RPC	0.53	0.02	3,959	0.52	PB	60.75	-	57	60.52
TPA	6.80	-	3	6.80	SCG	4.60	-	69	4.58	PM	8.90	0.10	5,143	8.87
UP	-	-	-	-	SCI	2.98	(0.02)	11,499	3.03	PRG	-	-	-	-
VNT	24.00	0.30	8,419	23.80	SCN	4.70	(0.08)	59,324	4.75	SAPPE	23.60	0.20	1,758	23.37
WG	-	-	-	-	SGP	11.30	(0.20)	60,740	11.37	SAUCE	22.10	(0.20)	25	22.10
YCI	-	-	-	-	SKE	1.29	-	4,303	1.28	SFP	-	-	-	-
Commerce	-	-	-	-	SOLAR	2.88	0.02	4,099	2.87	SNP	20.40	-	142	20.41
BEAUTY	9.80	0.25	1,162,767	9.78	SPCQ	20.50	-	3,266	20.51	SORKON	-	-	-	-
BIG	1.76	-	64,449	1.76	SPRC	14.50	-	108,779	14.58	SSC	-	-	-	-
BJC	56.50	-	34,788	56.59	SUPER	0.83	-	945,389	0.83	SSF	8.30	(0.10)	50	8.30
COL	25.75	(0.50)	12,031	25.65	SUSCO	3.18	0.02	4,781	3.18	SST	5.75	0.05	96	5.74
COM7	21.70	0.40	45,555	21.52	TAE	2.20	-	227	2.19	TC	-	-	-	-
CPALL	68.75	0.25	207,954	68.65	TCC	0.66	0.08	251,251	0.63	TFG	4.12	(0.02)	4,927	4.12
CSS	2.10	(0.02)	30,846	2.08	TOP	82.75	-	78,726	82.91	TFMAMA	160.50	0.50	14	160.43
FN	2.72	-	1,084	2.73	TPIPP	6.30	0.05	139,849	6.29	TIPCO	9.10	(0.05)	1,505	9.10
FTE	2.30	0.02	3,165	2.29	TTW	12.00	-	72,914	12.09	TKN	15.20	(0.20)	88,453	15.39
GLOBAL	19.60	0.20	54,106	19.56	WHAPU	6.15	0.05	57,864	6.18	TU	16.30	(0.10)	205,287	16.33
HMPRO	15.20	0.10	264,821	15.10	WP	7.15	-	8,829	7.18	TVO	28.25	(0.25)	11,515	28.50
IT	4.20	0.02	2,017	4.19	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.40	(0.02)	3,852	4.43	AMARIN	4.76	-	20	4.78	AHC	21.30	-	80	21.22
LOXLEY	2.16	-	13,521	2.17	AQUA	0.48	0.01	13,010	0.47	BCH	18.90	-	110,779	18.91
MAKRO	33.00	-	11,521	33.01	AS	1.30	(0.09)	5,656	1.37	BDMS	24.80	(0.10)	174,943	24.84
MC	12.80	(0.10)	2,245	12.79	BEC	6.55	0.05	56,253	6.54	BH	187.50	(0.50)	11,568	186.88
MEGA	35.75	(0.25)	7,314	35.99	EPCO	3.72	-	9,198	3.72	CHG	2.54	(0.02)	573,361	2.53
MIDA	0.60	-	6,362	0.60	FE	180.00	-	2	180.00	CMR	3.14	-	34	3.15
ROBINS	63.50	(0.50)	29,020	63.97	GPI	2.52	-	2,228	2.50	EKH	6.00	(0.05)	18,661	6.00
RSP	4.06	-	6,097	4.05	GRAMMY	7.85	-	129	7.80	KDH	-	-	-	-
SINGER	9.15	0.10	560	9.06	MACO	1.81	(0.01)	22,642	1.82	LPH	6.10	-	15,376	6.10
SPC	53.25	-	24	53.41	MAJOR	24.00	-	9,296	23.87	M-CHAI	190.00	-	7	189.86

Main Board Quotation

Issue Date :

Tuesday October 09, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.82	(0.02)	1,198	2.84	MJD	3.72	0.04	22,266	3.75	CPT	1.41	(0.12)	403,656	1.42
Tourism & Leisure					MK	4.00	-	5,304	4.00	CRANE	2.70	(0.10)	3,482	2.71
ASIA	6.85	0.20	217	6.81	NCH	0.93	-	2,040	0.93	CTW	9.05	-	1,089	8.99
CENTEL	39.00	0.25	22,903	38.90	NNCL	1.86	(0.02)	20,105	1.88	FMT	-	-	-	-
CSR	-	-	-	-	NOBLE	14.60	0.20	1,041	14.67	HTECH	6.65	(0.10)	7,444	6.69
DTC	12.50	(0.10)	8,760	12.50	NUSA	0.32	-	24,298	0.32	KKC	1.63	(0.01)	368	1.59
ERW	7.50	0.20	200,520	7.40	NVD	3.92	-	559	3.94	PK	3.20	(0.04)	3,267	3.22
GRAND	1.01	-	17,245	1.00	ORI	17.00	0.10	39,382	16.96	SNC	14.30	(0.10)	2,609	14.28
LRH	-	-	-	-	PACE	0.53	(0.02)	85,262	0.53	TCJ	5.90	0.10	66	5.85
MANRIN	29.00	-	10	29.00	PF	1.00	(0.01)	120,567	1.01	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	8.05	0.10	10,117	8.01	Property Fund & REIT				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.80	-	702	10.73
SHANG	-	-	-	-	PRECHA	1.71	(0.04)	6,019	1.76	AMATAR	10.80	-	75	10.80
Home & Office Produ					PRIN	1.63	-	1,357	1.63	B-WORK	11.30	-	2,446	11.30
ACC	0.50	0.01	8,535	0.50	PRINC	5.05	-	2,447	5.05	BKKCP	12.30	(0.10)	237	12.35
AJA	0.39	-	26,584	0.39	PSH	20.40	(0.10)	10,923	20.46	BOFFICE	13.20	-	8	13.23
DTCI	-	-	-	-	OH	3.20	(0.02)	445,034	3.24	CPNCG	15.80	-	76	15.82
FANCY	0.86	-	2,412	0.86	RICHY	1.86	0.02	39,046	1.87	CPNREIT	26.75	(0.25)	25,413	26.93
KYE	406.00	-	129	405.97	RML	1.40	(0.01)	139,888	1.41	CPTGF	-	-	-	-
L&E	2.64	(0.04)	1,899	2.64	ROJNA	5.65	0.10	25,868	5.62	CRYSTAL	10.10	-	2,172	10.11
MODERN	4.34	(0.02)	2,255	4.35	S	3.52	(0.02)	260,733	3.54	CTARAF	4.82	-	693	4.72
OGC	37.00	-	9	37.00	SAMCO	2.02	(0.04)	1,342	2.04	DREIT	5.40	0.05	460	5.38
ROCK	-	-	-	-	SC	3.46	(0.02)	18,204	3.47	ERWPF	5.55	-	103	5.55
SIAM	2.18	(0.02)	3,547	2.20	SENA	3.62	0.04	3,918	3.61	FUTUREPF	22.40	0.10	889	22.36
TSR	2.24	0.04	2,195	2.22	SF	8.40	(0.05)	14,069	8.42	GAHREIT	9.75	0.05	158	9.70
Insurance					SIRI	1.60	-	482,892	1.60	GLANDRT	12.50	-	8,078	12.50
AYUD	42.50	(0.50)	227	42.92	SPALI	23.30	(0.10)	25,912	23.45	GOLDPF	7.15	(0.15)	355	6.98
BKI	348.00	-	167	347.51	TICON	16.20	(0.30)	157	16.33	GVREIT	15.10	0.10	1,223	15.11
BLA	33.00	(1.75)	69,147	34.19	U	0.03	-	2,446,153	0.03	HPF	5.40	-	120	5.40
BUI	-	-	-	-	UV	7.80	-	24,111	7.80	HREIT	6.75	0.10	560	6.72
CHARAN	33.50	-	4	33.50	WHA	4.20	0.04	1,209,288	4.20	IMPACT	19.60	-	1,903	19.51
INSURE	-	-	-	-	WIN	0.62	0.01	1,765	0.60	KPNPF	9.50	-	3	9.50
MTI	101.00	-	7	101.29	Paper & Printing Mat					LHHOTEL	15.90	-	567	15.90
NKI	-	-	-	-	UTP	10.90	-	1,812	10.94	LHPF	8.25	-	2,665	8.25
NSI	-	-	-	-	Fashion					LHSC	16.30	0.10	314	16.14
SMK	41.25	0.25	17	41.10	AFC	9.35	-	32	9.30	LUXF	8.55	-	130	8.55
THRE	1.02	-	5,484	1.02	BTNC	21.50	(0.20)	12	21.53	M-II	-	-	-	-
THREL	8.00	-	4,875	8.03	CPH	5.90	-	46	5.76	M-PAT	9.80	-	111	9.80
TIC	39.00	-	5	39.00	CPL	3.18	-	271	3.19	M-STOR	10.20	-	5	10.20
TIP	24.30	-	1,658	24.28	DIGI	0.26	-	10,044	0.26	MIPF	-	-	-	-
TSI	0.41	0.01	25,496	0.40	ICC	40.50	(0.50)	48	40.59	MIT	-	-	-	-
TVI	3.58	-	67	3.58	LTX	96.50	(0.25)	49	96.51	MJLF	12.50	(0.10)	1,700	12.50
Mining					NC	-	-	-	-	MNIT	1.64	0.01	65	1.63
PDI	13.40	-	1,912	13.48	PAF	0.90	0.02	703	0.88	MNIT2	5.20	(0.05)	150	5.20
THL	-	-	-	-	PDJ	2.54	-	3,727	2.52	MNRF	-	-	-	-
Packaging					PG	7.00	(0.20)	3	7.00	MONTRI	6.40	(0.30)	237	6.48
AJ	9.90	0.05	1,208	9.91	SABINA	31.50	1.25	13,030	31.02	POPF	13.90	0.10	813	13.81
ALUCON	176.00	(1.00)	13	176.88	SAWANG	-	-	-	-	PPF	11.20	(0.10)	316	11.23
CSC	45.00	-	11	44.95	SUC	45.00	-	55	45.00	QHHR	8.45	0.05	5,831	8.40
NEP	0.38	-	904	0.37	TNL	-	-	-	-	QHOP	3.52	0.08	104	3.52
NPPG	1.05	0.24	542,972	0.98	TPCORP	15.20	-	1	15.20	QHFP	13.50	-	8,314	13.48
PTL	16.30	(0.10)	6,768	16.41	TR	47.75	0.25	318	47.73	SBPF	2.92	(0.08)	375	2.83
SITHAI	1.20	-	3,397	1.21	TTI	-	-	-	-	SHREIT	9.35	0.10	2,741	9.08
SLP	0.93	(0.01)	1,923	0.93	TTL	-	-	-	-	SIRIP	11.50	-	40	11.50
SMPC	13.40	-	682	13.40	TTTM	160.00	(5.00)	3	160.00	SPF	24.10	-	167	24.10
SPACK	1.89	0.04	246	1.89	UPF	68.00	(2.00)	10	68.00	SRIPANWA	11.00	-	200	11.00
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	9.90	(0.10)	50	9.91
TFI	0.31	0.02	3	0.30	WACOAL	-	-	-	-	SSTPF	6.50	(0.05)	779	6.55
THIP	33.50	0.25	297	33.16	Transportation & Log					SSSTRT	6.25	-	102	6.25
TMD	21.30	-	2	21.20	AAV	4.26	0.02	90,335	4.25	TIF1	8.75	-	440	8.75
TOPP	-	-	-	-	AOT	62.25	-	168,046	62.33	TLGF	20.00	-	1,349	19.98
TPBI	8.00	-	620	8.00	ASIMAR	2.60	(0.02)	2,091	2.57	TLHPF	10.90	-	1,521	10.84
TPP	-	-	-	-	B	0.64	0.03	1,429	0.62	TNPF	3.58	0.06	765	3.52
Personal Products &					BA	12.90	(0.10)	9,746	12.96	TPRIME	13.00	-	25	13.00
APCO	4.52	(0.06)	1,756	4.53	BEM	8.30	0.05	243,117	8.29	TREIT	11.80	-	3,942	11.84
DDD	43.50	0.50	2,281	43.93	BTS	9.10	0.05	188,609	9.10	TTLPF	-	-	-	-
JCT	89.00	-	2	89.00	BTSIGIF	11.90	(0.10)	15,207	11.99	TU-PF	-	-	-	-
OCC	17.60	0.40	66	17.58	III	6.95	-	9,228	6.99	URBNPF	3.38	0.06	201	3.38
S & J	23.80	(1.70)	50	23.80	JUTHA	1.83	(0.01)	666	1.81	WHABT	10.00	-	15	10.00
STHAI	-	-	-	-	JWD	7.65	-	16,500	7.64	WHART	10.80	(0.20)	5,601	10.90
TNR	13.90	0.30	103	13.46	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.74	-	150	4.75	NOK	2.74	-	8,252	2.74	AMC	2.32	(0.04)	2,344	2.32
Professional Service					NYT	5.10	0.05	18,220	5.09	BSBM	1.13	-	334	1.13
BWG	1.15	(0.01)	244,592	1.15	PRM	8.00	-	33,307	8.06	CEN	1.35	(0.09)	55,293	1.39
GENCO	0.81	0.01	5,384	0.80	PSL	12.60	-	14,609	12.69	CITY	2.72	-	152	2.74
PRO	-	-	-	-	RCL	5.90	-	1,673	5.91	CSP	1.37	0.01	2	1.37
TEAMG	2.48	(0.06)	170,637	2.51	THAI	15.00	-	62,366	15.10	GJS	0.25	-	16,918	0.25
Property Developer					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	350	6.70	TTA	7.05	-	27,447	7.05	INOX	1.14	-	2,020	1.13
AMATA	23.30	(0.50)	457,883	23.62	WICE	4.92	0.08	10,506	4.89	LHK	4.92	-	1,227	4.92
AMATAV	5.95	-	8,729	5.94	Automotive					MAX	0.03	0.01	10,463,164	0.03
ANAN	4.88	0.02	98,712	4.89	AH	28.75	(0.50)	7,467	28.96	MCS	7.15	-	25,942	7.16
AP	8.40	(0.05)	123,668	8.50	APCS	5.15	0.05	508	5.12	MILL	1.79	0.01	71,149	1.79
APEX	0.20	(0.01)	8,396	0.20	BAT-3K	220.00	(7.00)	1	220.00	PAP	4.10	0.04	243	4.07
AQ	0.03	-	128,425	0.03	CWT	2.82	-	2,274	2.84	PERM	2.28	0.04	114	2.26
BLAND	1.74	-	158,657	1.74	EASON	2.68	-	3,067	2.69	RICH	-	-	-	-
BROCK	2.40	0.10	3	2.52	GYT	-	-	-	-	SAM	0.68</			

Main Board Quotation

Issue Date :

Tuesday October 09, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	TRT	2.42	-	510	2.00	ADVA01P1902B	0.46	0.02	9,613	-
ABICO	7.40	0.10	379	7.00	TSE	3.00	0.02	9,589	3.00	ADVA06C1903A	0.37	(0.04)	13,345	-
AU	8.15	0.10	30,255	8.00	UMS	0.82	0.04	605	-	ADVA08C1903A	0.24	(0.02)	9,722	-
FC	0.28	(0.01)	12,011	-	UWC	0.07	-	31,709	-	ADVA11C1905A	0.19	-	3,265	-
JCKH	1.09	0.03	2,329	1.00	Services (MAI)	-	-	-	-	ADVA11P1905A	0.29	0.01	7,212	-
KASET	2.08	(0.04)	1,507	2.00	ADAM	-	-	-	-	ADVA13C1811A	0.25	(0.04)	159,098	-
MM	4.00	0.08	240	3.00	AKP	1.76	0.02	1,786	1.00	ADVA13C1901A	0.20	(0.02)	104,811	-
SUN	3.38	(0.02)	4,152	3.00	AMA	5.65	(0.05)	1,880	5.00	ADVA16C1812A	-	-	-	-
TACC	4.02	-	10,825	4.00	ARIP	0.52	0.01	1,414	-	ADVA19C1901A	0.42	(0.03)	19,658	-
TMILL	3.12	(0.08)	29,354	3.00	ATP30	1.68	-	2,028	1.00	ADVA23C1902A	0.29	(0.02)	26,000	-
XO	10.70	(0.10)	17,175	10.00	AUCT	7.20	-	10,406	7.00	ADVA24C1810A	0.05	(0.02)	100	-
Consumer Products	-	-	-	-	BOL	1.91	0.02	664	1.00	ADVA24C1905A	-	-	-	-
BGT	1.10	0.01	1,845	1.00	CHUO	-	-	-	-	ADVA24P1810A	-	-	-	-
BIZ	3.04	(0.04)	3,656	3.00	CMO	1.53	-	922	1.00	ADVA27C1902A	0.21	(0.03)	10,440	-
DOD	13.80	(0.10)	63,930	13.00	D	11.40	-	2,577	11.00	ADVA28C1811A	0.19	(0.10)	41,154	-
ECF	8.85	(0.10)	41,380	8.00	DCORP	2.76	-	5,281	2.00	ADVA28C1901A	0.12	(0.01)	21,040	-
HPT	1.01	(0.01)	1,112	1.00	DNA	0.60	(0.01)	26,540	-	ADVA28P1810A	-	-	-	-
JUBILE	18.60	-	526	18.00	EFORL	0.07	(0.01)	44,612	-	ADVA42C1903A	-	-	-	-
MOONG	6.50	0.05	2,468	6.00	ETE	1.85	-	5,292	1.00	AMAT01C1810A	1.07	(0.09)	99,986	1.00
NPK	-	-	-	-	FSMART	8.15	(0.05)	4,859	8.00	AMAT01C1810B	0.52	(0.12)	120,721	-
OCEAN	2.86	(0.20)	318,083	2.00	FVC	1.04	-	6,531	1.00	AMAT01C1903A	0.83	(0.05)	113,356	-
TM	2.06	-	1,110	2.00	HARN	2.62	0.02	893	2.00	AMAT01C1903B	0.68	(0.09)	269,806	-
Financials (MAI)	-	-	-	-	JKN	12.70	0.60	70,830	12.00	AMAT01P1810A	0.36	0.04	229,415	-
ACAP	6.85	(0.10)	49,080	6.00	KIAT	0.51	-	188,583	-	AMAT01P1903A	0.69	0.03	141,408	-
AF	0.74	0.02	120	-	KOOL	1.72	0.02	7,746	1.00	AMAT06C1903A	0.71	(0.09)	79,852	-
AIRA	1.92	(0.02)	1,321	1.00	LDC	1.10	(0.02)	2,619	1.00	AMAT08C1903A	0.69	(0.07)	55,619	-
ASN	3.56	(0.04)	201	3.00	MPG	0.16	-	545	-	AMAT11C1903A	0.46	(0.04)	39,350	-
BROOK	0.57	-	12,588	-	MVP	3.04	0.04	48,280	3.00	AMAT13C1812A	0.63	(0.08)	3,835	-
CHAYO	5.45	-	4,793	5.00	NBC	0.70	(0.01)	100	-	AMAT13C1902A	0.42	(0.06)	1,703,317	-
GCAP	3.64	(0.02)	4,334	3.00	NCL	1.64	0.03	511	1.00	AMAT19C1811A	0.20	(0.05)	177,175	-
LIT	7.75	0.05	6,799	7.00	NEWS	0.01	-	27,614,168	-	AMAT19C1902A	0.79	(0.08)	75,043	-
SGF	1.82	-	310,755	1.00	NINE	2.22	(0.04)	19,676	2.00	AMAT23C1810A	0.11	(0.05)	97,061	-
Industrials (MAI)	-	-	-	-	OTO	3.02	(0.08)	1,072	3.00	AMAT24C1811A	0.27	(0.12)	62,730	-
ZS	3.24	0.04	1,026	3.00	PHOL	2.22	-	54	2.00	AMAT27C1902A	-	-	-	-
ADB	1.18	0.01	3,460	1.00	PICO	4.48	0.04	66	4.00	AMAT28C1902A	0.53	(0.08)	117,514	-
BM	3.20	-	1,335	3.00	PORT	6.75	(0.10)	7,090	6.00	ANAN01C1810A	1.00	(0.01)	36,212	1.00
CHO	1.18	(0.01)	4,651	1.00	QLT	4.70	0.12	4	4.00	ANAN01C1810B	0.43	(0.01)	51,860	-
CHOW	4.72	0.02	163	4.00	RP	3.14	-	22,452	3.00	ANAN08C1810A	0.62	(0.06)	6,796	-
CIG	0.39	0.01	13,288	-	SE	2.24	0.08	2,126	2.00	ANAN08C1906A	0.22	-	14,727	-
COLOR	1.31	(0.02)	477	1.00	SPA	14.20	(0.30)	2,546	14.00	ANAN13C1901A	0.14	-	52,777	-
CPR	5.35	(0.15)	5,271	5.00	THMUI	1.68	(0.05)	15,151	1.00	ANAN19C1811A	0.35	-	11,065	-
FPI	2.26	-	2,118	2.00	TNDT	5.10	0.05	386	5.00	ANAN23C1901A	0.18	-	11,098	-
GTB	0.66	-	8,625	-	TNH	39.75	0.25	568	39.00	ANAN24C1811A	-	-	-	-
KCM	1.18	(0.02)	29,263	1.00	TNP	1.82	(0.01)	1,381	1.00	AOT01C1810A	0.06	(0.01)	35,919	-
KWM	1.39	0.02	129,760	1.00	TSF	0.05	0.01	87,736	-	AOT01C1902A	0.38	(0.01)	78,584	-
LVT	-	-	-	-	TVD	1.59	(0.01)	9,485	1.00	AOT01C1902B	0.21	(0.01)	94,476	-
MBAX	4.12	0.02	240	4.00	TVT	1.03	(0.01)	2,392	1.00	AOT01C1904A	0.37	(0.02)	58,438	-
MGT	2.16	(0.02)	1,976	2.00	WINNER	3.46	-	72	3.00	AOT01C1904B	0.28	(0.02)	85,283	-
NDR	2.26	0.02	284	2.00	Technology (MAI)	-	-	-	-	AOT01P1902A	0.94	-	19,990	-
PDG	3.58	0.02	784	3.00	COMAN	4.24	(0.02)	9,661	4.00	AOT01P1902B	0.62	0.01	56,030	-
PIMO	4.26	(0.06)	2,937	4.00	ICN	2.20	0.02	3,118	2.00	AOT01P1904A	0.98	-	44,496	-
PJW	1.77	-	7,687	1.00	IRCP	0.95	-	3,778	-	AOT01P1904B	0.79	(0.01)	72,198	-
PPM	1.84	-	483	1.00	ITEL	3.60	(0.02)	6,282	3.00	AOT06C1903A	0.29	-	24,361	-
RWI	1.64	0.01	4,208	1.00	NETBAY	34.50	-	689	34.00	AOT06P1903A	0.57	0.02	28,495	-
SALEE	1.11	0.02	2,300	1.00	PLANET	1.60	0.03	354	1.00	AOT07C1902A	0.33	(0.02)	1,000	-
SANKO	1.34	0.01	8,936	1.00	SIMAT	2.30	(0.06)	6,527	2.00	AOT08C1901A	0.15	-	20,782	-
SELIC	2.70	(0.16)	38,081	2.00	SKY	13.60	-	3,620	13.00	AOT08P1903A	0.56	-	9,214	-
SWC	25.00	0.10	1,180	24.00	SPVI	1.45	(0.02)	18,261	1.00	AOT11C1906A	0.24	-	8,980	-
TMC	0.90	-	1,380	-	UPA	0.55	0.01	218,378	-	AOT11P1906A	0.43	-	4,100	-
TMI	0.82	0.01	29,589	-	VCOM	3.24	0.02	484	3.00	AOT13C1811A	0.04	(0.01)	2,000	-
TMW	68.25	-	180	68.00	Unit Trust	-	-	-	-	AOT13C1812A	0.11	(0.01)	22,651	-
TPAC	12.50	-	131	12.00	MGE	-	-	-	-	AOT13C1902A	0.30	-	61,429	-
TPLAS	1.90	0.02	39,497	1.00	SCBSET	-	-	-	-	AOT13P1810A	0.10	(0.01)	20,350	-
UAC	4.44	0.04	2	4.00	ETF	-	-	-	-	AOT13P1812A	0.09	(0.01)	1,577	-
UBIS	4.82	0.14	314	4.00	1DIV	13.30	(1.09)	569	13.00	AOT13P1902A	0.47	-	48,210	-
UEC	1.70	0.16	141,521	1.00	ABFTH	-	-	-	-	AOT19C1901A	0.23	(0.01)	52,077	-
UKEM	0.91	-	23,857	-	BMSCG	9.16	(0.04)	1,274	9.00	AOT24C1811A	-	-	-	-
UREKA	1.47	0.07	615,668	1.00	BMSCITH	12.64	0.03	18,085	12.00	AOT24C1901A	0.10	(0.01)	20	-
YUASA	15.60	(0.20)	346	15.00	BSET100	10.91	0.02	3,709	10.00	AOT24C1904A	0.27	(0.02)	86	-
ZIGA	3.18	-	4,895	3.00	CHINA	5.06	0.01	22	5.00	AOT24P1903A	0.47	0.01	100	-
Property & Construc	-	-	-	-	EBANK	-	-	-	-	AOT27C1902A	0.30	(0.01)	14,136	-
ARROW	8.85	0.10	211	8.00	ECCOMM	-	-	-	-	AOT27P1903A	0.70	-	2,400	-
BKD	2.98	-	2,995	2.00	EFOOD	5.66	-	1	5.00	AOT28C1812A	0.10	-	5,472	-
BSM	0.72	0.02	466	-	EICT	-	-	-	-	AOT28C1901A	0.09	0.01	10	-
BTW	1.83	(0.02)	703	1.00	ENGY	-	-	-	-	AOT28C1902A	0.27	(0.01)	65,298	-
CHEWA	1.31	0.04	27,736	1.00	ENY	7.77	(0.26)	1	7.00	AOT28P1812A	0.21	-	37,046	-
CRD	1.09	-	1,731	1.00	ESET50	5.83	(0.09)	8	5.00	AOT42C1903A	0.21	(0.01)	8,760	-
DIMET	1.08	-	10,721	1.00	GLD	1.68	-	7,856	1.00	AP01C1903A	0.33	0.01	21,216	-
FLOYD	2.26	0.14	16,115	2.00	TDEX	11.05	(0.03)	9,195	11.00	AP01C1903B	0.22	0.01	2,438	-
FOCUS	1.23	-	636	1.00	TGOLDETF	3.66	(0.01)	78	3.00	AP08C1810A	0.05	(0.01)	10,938	-
HYDRO	1.35	-	1,612	1.00	TH100	-	-	-	-	AP13C1903A	0.20	(0.01)	25,661	-
JSP	0													

Main Board Quotation

Issue Date :

Tuesday October 09, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP08C1811A	0.06	-	1,000	-	BEAU06C1904A	1.24	0.07	29,173	1.00	BTS01C1810A	0.29	(0.03)	8,041	-
BANP08P1901A	0.33	0.01	12,864	-	BEAU08C1901A	0.03	0.01	16,495	-	BTS01C1810B	-	-	-	-
BANP11C1902A	0.06	0.01	5,989	-	BEAU08C1902A	0.61	0.03	66,959	-	BTS01C1903A	0.34	(0.02)	27,888	-
BANP13C1811A	0.05	0.01	39,536	-	BEAU11C1902A	0.04	-	4	-	BTS01C1903B	0.25	(0.04)	47,750	-
BANP13C1902A	0.25	-	211,040	-	BEAU13C1811A	-	-	-	-	BTS01P1810A	0.45	-	11,998	-
BANP16C1812A	0.59	0.01	10,031	-	BEAU13C1812A	0.01	-	68,930	-	BTS01P1903A	0.45	(0.01)	5,264	-
BANP19C1811A	0.03	(0.01)	702	-	BEAU13C1812B	0.46	0.06	389,655	-	BTS06C1903A	-	-	-	-
BANP19C1902A	0.33	0.01	34,901	-	BEAU13C1901A	0.12	0.02	729,097	-	BTS06C1903B	-	-	-	-
BANP23C1901A	0.08	-	2,000	-	BEAU19C1811A	-	-	-	-	BTS06C1903C	-	-	-	-
BANP24C1812A	-	-	-	-	BEAU19C1901A	0.66	0.05	51,171	-	BTS08C1810A	0.05	-	500	-
BANP24C1904A	0.27	0.01	52	-	BEAU19C1902A	0.22	0.02	43,669	-	BTS11C1904A	-	-	-	-
BANP24P1901A	0.27	(0.01)	77	-	BEAU23C1901A	0.01	-	6,310	-	BTS19C1901A	0.19	(0.01)	10,822	-
BANP28C1810A	-	-	-	-	BEAU24C1901A	0.11	0.01	1,684	-	BTS23C1905A	1.56	(0.01)	70	1.00
BANP28C1902A	0.16	(0.01)	80,006	-	BEAU24C1902A	0.03	-	353	-	BTS24C1901A	-	-	-	-
BANP42C1903A	0.19	-	2,040	-	BEAU27C1903A	0.17	-	23,513	-	BTS28C1811A	-	-	-	-
BANP42P1903A	0.55	-	16,133	-	BEAU28C1810A	-	-	-	-	BTS28C1902A	0.16	(0.02)	25,699	-
BBL06C1902A	0.86	0.02	15,125	-	BEAU28C1811A	-	-	-	-	BTS42C1901A	-	-	-	-
BBL08C1902A	0.58	(0.04)	19,244	-	BEC01C1812A	0.06	0.02	5,421	-	BTS42P1901A	0.25	-	14,255	-
BBL08P1810A	-	-	-	-	BEC01C1812B	0.03	-	150	-	CBG01C1811A	0.33	(0.04)	86,831	-
BBL11C1903A	0.49	-	5,616	-	BEC13C1811A	-	-	-	-	CBG01C1811B	0.07	(0.01)	5,510	-
BBL11P1903A	0.16	-	8,635	-	BEC13C1901A	0.05	-	12,761	-	CBG01C1902A	0.64	(0.04)	27,019	-
BBL13C1810A	-	-	-	-	BEC24C1812A	-	-	-	-	CBG01C1902B	0.50	(0.03)	22,868	-
BBL13C1901A	0.29	-	40,498	-	BEC28C1811A	-	-	-	-	CBG01P1811A	0.82	0.04	53,061	-
BBL19C1901A	0.28	0.02	34,089	-	BEM01C1902A	0.34	-	27,413	-	CBG01P1811B	0.24	0.01	28,148	-
BBL23C1811A	0.19	(0.02)	35,000	-	BEM01C1902B	0.26	-	29,234	-	CBG06C1903A	0.63	(0.04)	24,690	-
BBL24C1812A	-	-	-	-	BEM01P1902A	0.43	(0.01)	4,670	-	CBG06P1903A	0.67	0.03	8,879	-
BBL24C1902A	0.20	0.01	355	-	BEM07C1903A	-	-	-	-	CBG07C1812A	-	-	-	-
BBL24P1810A	-	-	-	-	BEM11C1903A	0.19	-	6,180	-	CBG08C1810A	-	-	-	-
BBL28C1811A	-	-	-	-	BEM13C1901A	0.29	0.01	152,751	-	CBG08C1902A	0.32	(0.04)	21,040	-
BBL28C1901A	0.22	(0.01)	71,618	-	BEM19C1901A	0.29	(0.01)	94,740	-	CBG11C1902A	0.07	(0.02)	12,001	-
BBL42C1903A	0.28	-	10,160	-	BEM23C1901A	-	-	-	-	CBG13C1811A	0.05	-	10	-
BCH01C1902A	0.43	(0.01)	37,946	-	BEM24C1902A	0.20	-	2,150	-	CBG13C1812A	0.12	(0.01)	71,277	-
BCH01C1902B	0.29	(0.01)	25,131	-	BGRI01C1901A	1.14	0.03	18,623	1.00	CBG13C1901A	0.53	(0.04)	188,475	-
BCH01P1902A	0.45	(0.03)	87,545	-	BGRI01C1901B	0.93	0.05	21,628	-	CBG19C1810A	0.01	(0.02)	2,000	-
BCH06C1811A	0.27	(0.01)	52,454	-	BGRI01C1903A	0.35	0.02	173,946	-	CBG19C1901A	0.42	(0.02)	22,152	-
BCH08C1901A	0.46	(0.01)	16,488	-	BGRI01C1903B	0.27	0.01	185,452	-	CBG23C1901A	-	-	-	-
BCH11C1905A	0.42	(0.02)	16,237	-	BGRI06C1903A	1.00	0.07	23,608	-	CBG24C1811A	0.05	(0.01)	2,000	-
BCH13C1810A	0.11	(0.06)	908	-	BGRI07C1903A	0.28	0.03	45,000	-	CBG24C1901A	0.47	(0.01)	12,100	-
BCH13C1902A	0.25	-	75,311	-	BGRI08C1902A	-	-	-	-	CBG24C1903A	0.35	(0.04)	14,430	-
BCH19C1903A	0.49	-	50,409	-	BGRI13C1812A	-	-	-	-	CBG28C1811A	-	-	-	-
BCH23C1811A	0.42	(0.06)	3,500	-	BGRI13C1812B	0.23	0.03	121,439	-	CBG28C1812A	0.24	(0.03)	19,678	-
BCH24C1811A	-	-	-	-	BGRI19C1901A	0.68	0.07	14,268	-	CENT01C1810A	0.02	(0.01)	14,082	-
BCH27C1902A	0.73	(0.10)	11	-	BGRI24C1901A	0.76	(0.19)	1,311	-	CENT01C1810B	-	-	-	-
BCH28C1811A	-	-	-	-	BGRI24C1902A	0.27	0.02	15,420	-	CENT01C1903A	0.40	0.01	31,765	-
BCH28C1902A	0.19	-	41,218	-	BGRI28C1812A	-	-	-	-	CENT01C1903B	0.30	-	42,896	-
BCP01C1810A	0.10	(0.03)	25,020	-	BGRI28C1901A	0.18	0.02	69,171	-	CENT01P1810A	1.22	(0.02)	14,023	1.00
BCP01C1810B	-	-	-	-	BH01C1811A	0.58	(0.02)	38,444	-	CENT01P1903A	0.52	(0.01)	26,965	-
BCP01C1903A	0.23	(0.02)	2,836	-	BH01C1811B	0.07	(0.01)	2,002	-	CENT06C1904A	0.15	0.01	9,898	-
BCP01C1903B	0.16	(0.03)	4,426	-	BH01P1811A	1.04	0.04	21,567	1.00	CENT08C1902A	0.14	(0.01)	8,218	-
BCP01P1810A	0.44	0.04	22,127	-	BH07C1810A	-	-	-	-	CENT11C1904A	0.10	-	4,014	-
BCP01P1903A	0.44	0.01	40,517	-	BH08C1811A	-	-	-	-	CENT13C1811A	-	-	-	-
BCP08C1901A	0.14	(0.03)	10,656	-	BH08C1902A	0.53	(0.04)	46,101	-	CENT13C1902A	0.22	-	77,596	-
BCP11C1811A	0.04	-	300	-	BH11C1902A	-	-	-	-	CENT19C1901A	0.15	0.01	18,837	-
BCP13C1810A	-	-	-	-	BH11C1905A	0.64	(0.03)	17,220	-	CENT23C1902A	-	-	-	-
BCP13C1902A	0.16	(0.02)	6,848	-	BH13C1901A	0.58	(0.02)	75,459	-	CENT24C1810A	-	-	-	-
BCP19C1902A	0.15	(0.02)	10,812	-	BH19C1901A	0.58	(0.01)	46,696	-	CENT24C1901A	0.07	(0.01)	4,000	-
BCP24C1811A	-	-	-	-	BH24C1811A	-	-	-	-	CENT24C1902A	0.20	(0.02)	5,850	-
BCP24C1904A	0.10	(0.04)	2,000	-	BH24C1902A	0.46	(0.03)	2,356	-	CHG01C1903A	0.35	(0.01)	37,540	-
BCP28C1901A	-	-	-	-	BIG08C1906A	0.12	0.01	3,743	-	CHG01C1903B	0.26	(0.02)	22,829	-
BCPG01C1811A	0.50	0.04	304,170	-	BIG13C1901A	0.04	(0.01)	10,900	-	CHG01P1903A	0.46	0.01	50,016	-
BCPG01C1811B	0.14	0.02	194,039	-	BIG19C1811A	0.02	-	106	-	CHG07C1902A	-	-	-	-
BCPG01C1904A	0.53	0.03	63,183	-	BIG24C1812A	-	-	-	-	CHG11C1904A	0.26	(0.02)	10,326	-
BCPG01C1904B	0.41	0.03	94,842	-	BJC01C1812A	0.61	-	54,050	-	CHG13C1812A	0.22	(0.02)	115,477	-
BCPG06C1811A	0.22	0.02	91,229	-	BJC01C1812B	0.37	-	50,810	-	CHG13C1903A	0.11	(0.02)	62,025	-
BCPG08C1810A	0.23	0.05	105,743	-	BJC01P1812A	0.31	0.01	23,364	-	CHG19C1902A	0.29	(0.03)	24,178	-
BCPG11C1902A	0.18	0.03	6,518	-	BJC06C1901A	0.17	(0.02)	18,110	-	CHG23C1811A	-	-	-	-
BCPG13C1810A	0.01	(0.01)	35,040	-	BJC08C1903A	0.33	(0.01)	21,956	-	CHG24C1811A	-	-	-	-
BCPG13C1812A	0.52	0.07	182,519	-	BJC11C1905A	0.43	-	29,554	-	CHG28C1812A	-	-	-	-
BCPG13C1902A	0.32	0.04	954,053	-	BJC13C1810A	-	-	-	-	CHG28C1902A	0.15	(0.02)	40,252	-
BCPG19C1901A	0.54	0.06	167,535	-	BJC13C1812A	0.28	(0.04)	2,029	-	CK01C1902A	0.27	(0.01)	37,453	-
BCPG23C1902A	0.41	0.02	34,500	-	BJC13C1902A	0.26	-	67,415	-	CK01C1902B	0.21	-	10,484	-
BCPG24C1810A	-	-	-	-	BJC19C1902A	0.39	-	47,536	-	CK01P1902A	0.36	-	18,888	-
BCPG24C1903A	0.30	0.03	150,560	-	BJC23C1901A	0.17	(0.01)	40,000	-	CK08C1901A	0.13	-	20,020	-
BCPG27C1903A	0.42	0.02	1,515	-	BJC24C1901A	0.27	(0.01)	5,350	-	CK11C1904A	0.15	(0.01)	4,864	-
BCPG28C1812A	-	-	-	-	BJC28C1812A	0.31	0.01	70,853	-	CK13C1902A	0.20	(0.02)	96,583	-
BCPG28C1901A	0.29	0.03	308,857	-	BLA01C1812A	0.18	(0.06)	136,760	-	CK16C1812A	-	-	-	-
BDMS01C1811A	0.13	-	142,310	-	BLA08C1811A	-	-	-	-	CK19C1811A	0.08	-	14,376	-
BDMS01C1811B	0.02	-	476	-	BLA13C1902A	0.18	(0.07)	367,120	-	CK19C1903A	0.26	(0.01)	13,780	-
BDMS01P1811A	0.31	-	13,046	-	BLA19C1903A	0.28	(0.07)	109,626	-	CK24C1901A	-	-	-	-
BDMS06C1811A	0.36	(0.02)	3,644	-	BLA24C1903A	0.24	(0.05)	10,444	-	CK28C1812A	-	-	-	-
BDMS07C1904A	-	-	-	-	BLA28C1810A	-	-	-	-	CK28C1902A	0.13	-	54,596	-
BDMS08C1901A	0.07	-	28,971	-	BLAN01C1903A	0.31	-	5,911	-	CKP01C1812A	0.98	0.03	7,543	-
BDMS11C1811A	0.45	(0.01)	1,200	-	BLAN01C1903B	0.19	-	7,800	-	CKP01C1812B	0.77	0.04	11,986	-
BDMS11C1904A	0.09	0.02	3,537	-	BLAN01P1903A	0.51	(0.01)	7,571	-	CKP08C1903A	0.88	0.02	14,918	-
BDMS13C1810A	-	-	-	-	BLAN08C1810A	-	-	-	-	CKP13C1810A	-	-	-	-
BDMS13C1812A	0.05	-	16,071	-	BLAN11C1902A	0.11	-	17,972	-	CKP13C1902A	0.90	0.03	200	-
BDMS16C1812A	-	-	-	-	BLAN19C1902A	0.14	-	5,210	-	CKP13C1903A	0.67	-	18,254	-
BDMS19C1901A	0.16	(0.01)	8,273	-	BPP01C1811A									

Main Board Quotation

Issue Date :

Tuesday October 09, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM723C1901A	0.47	(0.01)	7,950	-	EA08C1810A	0.29	0.02	91,962	-	HANA24C1810A	-	-	-	-
COM724C1811A	0.31	0.04	3,182	-	EA08C1903A	0.65	-	52,525	-	HANA24C1903A	-	-	-	-
COM727C1902A	-	-	-	-	EA11C1902A	0.18	0.01	8,849	-	HANA28C1812A	0.31	(0.05)	18,048	-
COM728C1811A	-	-	-	-	EA13C1810A	-	-	-	-	HANA28C1902A	0.22	(0.03)	27,378	-
COM728C1903A	0.59	0.02	41,980	-	EA13C1811A	0.15	0.02	185,092	-	HMPR01C1902A	0.41	-	85,152	-
CPAL01C1901A	0.20	-	90,570	-	EA13C1812A	0.38	0.04	70,148	-	HMPR01C1902B	0.33	(0.01)	123,371	-
CPAL01C1901B	0.07	-	46,480	-	EA13C1812B	0.73	-	1,052	-	HMPR01C1902A	0.34	(0.01)	11,923	-
CPAL01C1904A	0.71	0.01	90,227	-	EA13C1901A	0.37	0.02	285,690	-	HMPR06C1811A	0.09	0.01	14,376	-
CPAL01C1904B	0.53	0.01	133,313	-	EA19C1811A	0.38	(0.01)	136,495	-	HMPR08C1810A	0.02	(0.01)	370	-
CPAL01P1901A	1.43	(0.01)	59,474	1.00	EA19C1902A	0.54	0.01	165,381	-	HMPR11C1906A	0.28	0.05	22,084	-
CPAL01P1901B	0.95	(0.03)	43,476	-	EA23C1901A	0.57	0.04	67,706	-	HMPR13C1812A	0.23	(0.01)	194,219	-
CPAL01P1904A	0.75	(0.01)	49,134	-	EA24C1901A	0.39	0.02	7,015	-	HMPR19C1901A	0.40	-	29,540	-
CPAL01P1904B	0.53	(0.01)	62,158	-	EA27C1902A	-	-	-	-	HMPR23C1901A	0.07	(0.01)	4	-
CPAL06C1811A	0.55	-	6,307	-	EA28C1901A	0.48	0.03	111,228	-	HMPR24C1901A	0.23	0.01	45,389	-
CPAL06C1811B	-	-	-	-	EA28C1902A	0.26	0.01	125,819	-	HMPR28C1811A	0.07	-	53,190	-
CPAL07C1902A	0.27	-	6,500	-	EGCO01C1903A	0.56	(0.01)	24,679	-	INTU01C1903A	0.38	(0.01)	52,130	-
CPAL08C1902A	0.13	-	27,738	-	EGCO01C1903B	0.41	(0.02)	36,337	-	INTU01C1903B	0.24	(0.02)	62,602	-
CPAL08C1902B	0.38	-	29,077	-	EGCO19C1901A	0.33	-	14,494	-	INTU01P1903A	0.74	0.01	17,748	-
CPAL08P1810A	0.90	(0.06)	10,666	-	EGCO23C1811A	0.16	-	11,002	-	INTU01P1903B	0.56	0.01	12,030	-
CPAL11C1903A	0.05	-	1,020	-	EGCO24C1901A	0.17	(0.03)	3,010	-	INTU11C1905A	0.20	(0.02)	1,030	-
CPAL11P1903A	0.94	(0.04)	14,280	-	EPG01C1903A	0.33	(0.02)	30,563	-	INTU11P1905A	0.35	-	20,600	-
CPAL13C1812A	0.09	-	75,435	-	EPG01C1903B	0.25	(0.03)	56,809	-	INTU13C1810A	-	-	-	-
CPAL13C1901A	0.30	-	160,673	-	EPG01P1903A	1.06	0.04	29,919	1.00	INTU13C1812A	0.20	(0.01)	19,587	-
CPAL13P1902A	0.44	(0.01)	112,687	-	EPG07C1811A	0.21	(0.02)	1,000	-	INTU19C1901A	0.19	-	84,949	-
CPAL19C1811A	0.02	-	5,770	-	EPG08C1810A	-	-	-	-	INTU24C1901A	-	-	-	-
CPAL19C1902A	0.39	0.01	56,792	-	EPG08C1810B	0.22	(0.06)	47,411	-	INTU28C1901A	0.14	-	149,310	-
CPAL23C1810A	0.02	-	1	-	EPG08C1903A	0.16	(0.02)	22,919	-	IRPC01C1810A	0.06	-	164,416	-
CPAL24C1811A	-	-	-	-	EPG11C1903A	0.35	(0.02)	21,484	-	IRPC01C1810B	0.01	-	250	-
CPAL24C1901A	0.09	-	1,000	-	EPG13C1811A	0.09	(0.03)	37,950	-	IRPC01C1903A	0.25	-	155,128	-
CPAL24C1903A	0.31	-	1,470	-	EPG13C1902A	0.13	(0.02)	83,759	-	IRPC01C1903B	0.17	-	171,853	-
CPAL24P1901A	0.34	(0.01)	1,293	-	EPG19C1902A	0.19	(0.02)	29,506	-	IRPC01P1810A	0.33	(0.01)	61,566	-
CPAL27C1903A	0.36	0.01	54,110	-	EPG24C1810A	0.15	(0.04)	3,631	-	IRPC01P1810B	-	-	-	-
CPAL28C1811A	0.01	-	100	-	EPG24C1902A	0.26	(0.06)	300	-	IRPC01P1903A	0.55	(0.01)	64,044	-
CPAL28C1901A	0.26	0.01	108,976	-	EPG28C1902A	0.15	(0.01)	108,304	-	IRPC01P1903B	0.44	0.01	41,839	-
CPF01C1810A	0.10	-	5,840	-	ERW13C1902A	0.24	0.02	99,861	-	IRPC06C1811A	0.14	0.01	41,419	-
CPF01C1902A	0.18	-	17,888	-	ERW19C1902A	0.37	0.02	27,032	-	IRPC07C1812A	-	-	-	-
CPF01C1902B	0.10	(0.01)	28,137	-	ERW24C1904A	-	-	-	-	IRPC08C1902A	0.21	(0.01)	43,306	-
CPF01P1902A	0.45	-	32,910	-	ESSO01C1812A	0.39	0.02	36,254	-	IRPC11C1902A	-	-	-	-
CPF01P1902B	0.37	0.01	1,078	-	ESSO01C1812B	0.19	0.01	48,017	-	IRPC11C1905A	0.27	-	22,917	-
CPF06C1903A	-	-	-	-	ESSO01P1812A	0.52	(0.05)	36,462	-	IRPC13C1811A	0.04	-	5,041	-
CPF07C1810A	-	-	-	-	ESSO08C1902A	0.33	0.03	3,780	-	IRPC13C1812A	0.17	0.01	265,739	-
CPF08C1901A	0.09	(0.01)	29,519	-	ESSO11C1905A	0.61	0.04	6,272	-	IRPC19C1901A	0.25	-	105,297	-
CPF11C1902A	0.04	-	313	-	ESSO13C1811A	0.10	0.02	27,420	-	IRPC23C1810A	-	-	-	-
CPF11P1902A	0.25	-	12,673	-	ESSO19C1901A	0.26	0.01	21,940	-	IRPC24C1812A	0.07	0.01	1	-
CPF13C1810A	-	-	-	-	ESSO24C1812A	-	-	-	-	IRPC27C1903A	0.21	-	53,118	-
CPF13C1902A	0.11	-	59,619	-	ESSO24C1902A	0.30	-	3,261	-	IRPC28C1811A	-	-	-	-
CPF19C1901A	0.11	(0.01)	5,900	-	ESSO28C1811A	0.11	0.03	17,375	-	IRPC28C1812A	-	-	-	-
CPF23C1810A	-	-	-	-	ESSO28C1903A	0.26	0.03	50,137	-	IRPC28C1902A	0.16	(0.01)	24,460	-
CPF24C1901A	0.15	(0.01)	800	-	GFFT08C1906A	0.54	0.05	14,044	-	ITD06C1904A	0.29	0.01	7,601	-
CPF24C1902A	0.06	0.01	1	-	GFFT13C1902A	0.26	-	79,020	-	ITD08C1810A	-	-	-	-
CPF24C1903A	-	-	-	-	GFFT19C1811A	0.47	0.03	16,816	-	ITD11C1903A	0.09	(0.01)	12,356	-
CPF27C1903A	-	-	-	-	GFFT24C1812A	0.39	0.05	4,520	-	ITD13C1812A	0.08	-	15,000	-
CPF28C1811A	0.04	-	31,600	-	GG01C1810A	0.02	(0.01)	964	-	ITD13C1902A	0.22	(0.01)	62,321	-
CPF28C1902A	0.09	(0.01)	28,231	-	GG01C1810B	0.01	-	5,540	-	ITD19C1811A	-	-	-	-
CPN01C1902A	0.52	(0.04)	70,297	-	GG07C1902A	-	-	-	-	ITD19C1903A	0.36	(0.01)	6,474	-
CPN01C1902B	0.32	(0.04)	44,233	-	GGC08C1906A	0.08	(0.01)	2,202	-	ITD24C1810A	-	-	-	-
CPN01P1902A	0.93	0.08	31,287	-	GGC13C1811A	-	-	-	-	ITD24C1902A	0.20	(0.04)	10,000	-
CPN06C1811A	0.41	(0.05)	40,010	-	GGC13C1902A	0.13	-	15,253	-	IVL01C1812A	0.39	-	169,038	-
CPN07C1902A	0.37	(0.12)	70	-	GGC19C1811A	-	-	-	-	IVL01C1812B	0.15	-	157,929	-
CPN08C1903A	0.44	(0.05)	26,262	-	GGC19C1902A	0.27	-	2,300	-	IVL01C1903A	0.52	0.01	103,413	-
CPN11C1903A	0.24	(0.02)	17,714	-	GGC23C1901A	0.02	-	5,500	-	IVL01C1903B	0.39	0.01	95,373	-
CPN11P1903A	0.23	0.02	742	-	GGC24C1812A	-	-	-	-	IVL01P1812A	0.69	(0.02)	117,489	-
CPN13C1812A	0.19	(0.03)	157,823	-	GGC24C1901A	0.13	(0.01)	100	-	IVL01P1812B	0.38	-	165,385	-
CPN19C1901A	0.44	(0.04)	61,799	-	GGC28C1811A	-	-	-	-	IVL01P1903A	0.96	-	72,222	-
CPN23C1810A	0.02	(0.05)	7,000	-	GGC28C1905A	0.25	-	7,018	-	IVL01P1903B	0.77	-	59,620	-
CPN24C1901A	-	-	-	-	GLOB01C1903A	0.58	0.01	21,138	-	IVL06C1901A	0.24	-	30,540	-
CPN27C1903A	-	-	-	-	GLOB01C1903B	0.49	0.02	19,523	-	IVL07C1811A	-	-	-	-
CPN28C1810A	-	-	-	-	GLOB11C1906A	0.38	-	11,880	-	IVL08C1901A	0.37	-	23,902	-
CPN28C1902A	0.29	(0.06)	41,722	-	GLOB13C1901A	0.36	-	40,130	-	IVL08P1903A	0.54	0.01	22,639	-
DELT06C1903A	0.92	-	4,880	-	GLOB19C1901A	0.52	0.01	11,532	-	IVL11C1906A	0.40	(0.02)	26,789	-
DELT08C1811A	0.05	(0.01)	2,000	-	GLOB23C1811A	0.56	(0.06)	4,000	-	IVL13C1810A	0.02	-	10,737	-
DELT24C1901A	-	-	-	-	GLOB24C1810A	0.13	0.02	1,202	-	IVL13C1812A	0.27	0.01	295,693	-
DELT27C1812A	-	-	-	-	GLOB24C1903A	0.31	-	400	-	IVL13P1811A	-	-	-	-
DTAC01C1810A	0.27	(0.03)	190,751	-	GLOW08C1811A	0.23	0.01	9,341	-	IVL13P1902A	0.40	(0.02)	144,927	-
DTAC01C1810B	-	-	-	-	GLOW19C1901A	0.30	-	23,400	-	IVL19C1903A	0.53	-	89,572	-
DTAC01C1902A	0.72	(0.03)	76,504	-	GLOW27C1812A	0.18	-	1,200	-	IVL23C1810A	0.18	(0.03)	11,190	-
DTAC01C1902B	0.56	(0.01)	52,269	-	GPSC01C1902A	0.49	-	41,897	-	IVL24C1812A	0.06	-	1,508	-
DTAC01P1810A	0.91	0.03	16,114	-	GPSC01C1902B	0.32	-	37,371	-	IVL24C1901A	0.33	0.01	10,539	-
DTAC01P1810B	0.16	-	34,432	-	GPSC01P1902A	1.22	(0.01)	52,255	1.00	IVL27C1902A	-	-	-	-
DTAC01P1902A	0.71	0.01	22,492	-	GPSC06C1811A	-	-	-	-	IVL28C1811A	0.08	(0.01)	47,301	-
DTAC01P1902B	0.47	0.01	19,103	-	GPSC08C1902A	0.26	0.01	22,466	-	IVL28C1812A	0.37	0.01	112,874	-
DTAC06C1901A	0.21	(0.02)	1,100	-	GPSC11C1902A	0.10	0.01	5,085	-	IVL28C1902A	0.29	(0.01)	142,185	-
DTAC06C1903A	0.36	(0.02)	11,338	-	GPSC13C1812A	0.14	-	24,489	-	IVL28P1811A	0.12	-	30,690	-
DTAC06P1903A	0.63	0.02	6,700	-	GPSC13C1903A	0.48	0.01	131,600	-	IVL42C1903A	0.31	(0.01)	13,358	-
DTAC07C1902A	-	-	-	-	GPSC19C1901A	0.27	0.01	48,645	-	KBAN01C1810A	1.10	0.06	47,631	1.00
DTAC08C1903A	0.33	(0.03)	18,086	-	GPSC24C1812A	0.06	(0.09)	3,500	-	KBAN01C1901A	1.2			

Main Board Quotation

Issue Date :

Tuesday October 09, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN23C1902A	0.45	-	31,500	-	MEGA23C1902A	-	-	-	-	PTT01P1904A	0.81	0.01	79,351	-
KBAN24C1902A	0.57	0.03	265	-	MEGA24C1812A	0.03	(0.02)	16	-	PTT01P1904B	0.65	-	97,324	-
KBAN24C1903A	-	-	-	-	MEGA24C1903A	0.24	(0.03)	17,596	-	PTT06C1811A	-	-	-	-
KBAN24P1811A	-	-	-	-	MINT01C1901A	0.46	0.01	119,681	-	PTT06C1901A	0.33	(0.03)	45,463	-
KBAN27C1903A	0.35	0.01	2,400	-	MINT01C1901B	0.26	0.01	114,323	-	PTT06P1901A	0.28	0.01	37,760	-
KBAN28C1811A	-	-	-	-	MINT01P1901A	0.20	(0.01)	71,775	-	PTT07C1811A	-	-	-	-
KBAN28C1812A	0.21	-	101,522	-	MINT06C1901A	0.25	(0.01)	600	-	PTT08C1902A	0.29	(0.01)	7,979	-
KBAN28P1811A	-	-	-	-	MINT06C1903A	0.22	-	400	-	PTT11C1902A	0.14	-	4,943	-
KCE01C1810A	0.62	-	49,608	-	MINT07C1810A	-	-	-	-	PTT13C1810A	-	-	-	-
KCE01C1810B	0.23	(0.02)	87,806	-	MINT08C1903A	0.26	(0.01)	23,510	-	PTT13C1811A	0.12	-	166,204	-
KCE01C1903A	0.48	-	76,268	-	MINT11C1902A	0.10	-	6,304	-	PTT13C1812A	0.26	0.01	166,469	-
KCE01C1903B	0.38	0.01	82,772	-	MINT11P1902A	0.10	-	3,550	-	PTT13P1812A	0.10	-	182,007	-
KCE06C1903A	0.23	(0.02)	16,590	-	MINT13C1810A	-	-	-	-	PTT13P1902A	0.44	-	246,198	-
KCE07C1902A	-	-	-	-	MINT13C1812A	0.32	0.02	100,363	-	PTT16C1912A	0.77	(0.01)	5	-
KCE08C1902A	0.25	-	32,034	-	MINT13C1903A	0.17	(0.01)	125,808	-	PTT19C1901A	0.38	-	83,968	-
KCE11C1904A	0.34	0.01	24,323	-	MINT19C1901A	0.37	0.01	37,509	-	PTT23C1901A	-	-	-	-
KCE13C1811A	-	-	-	-	MINT23C1810A	-	-	-	-	PTT24C1812A	0.15	(0.04)	2,941	-
KCE13C1812A	0.20	-	107,622	-	MINT24C1812A	-	-	-	-	PTT24P1901A	-	-	-	-
KCE19C1901A	0.33	-	140,820	-	MINT24C1901A	0.32	-	820	-	PTT27C1903A	0.36	(0.01)	12,000	-
KCE23C1901A	0.15	-	99,851	-	MINT24C1902A	0.20	-	19,066	-	PTT27P1903A	0.48	-	13,200	-
KCE24C1901A	0.25	(0.01)	7,854	-	MINT27C1903A	0.25	0.02	10,374	-	PTT28C1811A	-	-	-	-
KCE27C1902A	0.38	(0.01)	6,000	-	MINT28C1811A	0.19	0.04	569	-	PTT28C1811B	0.10	(0.01)	20,314	-
KCE28C1811A	-	-	-	-	MINT28C1903A	0.17	-	110,954	-	PTT28C1812A	0.29	(0.02)	60,902	-
KCE28C1902A	0.23	-	51,725	-	MON001C1810A	-	-	-	-	PTT28C1901A	0.13	(0.01)	38,211	-
KKP01C1902A	0.51	(0.01)	34,129	-	MON001C1810B	-	-	-	-	PTT28C1904A	0.43	0.01	88,937	-
KKP01C1902B	0.31	-	25,867	-	MON008C1906A	0.07	-	10,030	-	PTT28P1812A	0.07	-	10,360	-
KKP08C1811A	0.22	-	11,645	-	MON013C1811A	-	-	-	-	PTT01C1901A	0.88	0.07	262,944	-
KKP11C1903A	0.25	-	50	-	MON013C1901A	0.12	0.02	20,973	-	PTT01C1901B	0.50	0.06	289,254	-
KKP13C1811A	0.12	-	32,714	-	MON019C1811A	0.02	(0.01)	1,500	-	PTT01C1904A	0.74	0.07	99,689	-
KKP19C1901A	0.43	-	9,980	-	MON023C1901A	0.08	-	5,000	-	PTT01C1904B	0.57	0.05	212,728	-
KKP24C1812A	0.15	-	1,000	-	MON024C1812A	-	-	-	-	PTT01P1901A	0.81	(0.06)	57,289	-
KKP28C1810A	-	-	-	-	MON024C1812B	-	-	-	-	PTT01P1901B	0.31	(0.05)	79,511	-
KKP28C1902A	0.27	-	65,440	-	MON028C1811A	-	-	-	-	PTT01P1904A	1.27	(0.06)	56,182	1.00
KTB01C1810A	0.47	-	47,148	-	MON028C1901A	-	-	-	-	PTT01P1904B	1.01	(0.06)	79,378	1.00
KTB01C1810B	0.05	(0.01)	6,240	-	MTC06C1901A	1.07	(0.13)	74,252	1.00	PTT06C1811A	0.42	0.06	21,830	-
KTB01C1903A	0.38	-	57,170	-	MTC08C1811A	0.33	(0.10)	59,518	-	PTT07C1904A	0.52	0.04	248	-
KTB01C1903B	0.32	-	42,506	-	MTC08C1902A	0.78	(0.13)	15,595	-	PTT08C1811A	0.34	0.04	34,236	-
KTB01P1903A	0.56	0.01	30,401	-	MTC11C1904A	0.68	(0.10)	33,381	-	PTT08P1811A	0.02	-	10	-
KTB01P1903B	0.50	(0.01)	33,158	-	MTC13C1811A	0.99	(0.10)	100	-	PTT11C1902A	0.77	0.08	35,347	-
KTB06C1902A	0.37	(0.01)	23,864	-	MTC13C1901A	0.63	(0.11)	13,357	-	PTT13C1811A	0.23	0.05	212,848	-
KTB08C1903A	0.26	(0.02)	12,114	-	MTC13C1903A	0.45	(0.08)	435,388	-	PTT13C1812A	0.67	0.07	3,095	-
KTB11C1811A	0.12	(0.01)	16,000	-	MTC19C1901A	0.79	(0.11)	43,114	-	PTT13C1902A	0.34	0.04	100,063	-
KTB13C1901A	0.47	-	39,331	-	MTC24C1810A	0.55	(0.17)	15,514	-	PTT13P1811A	0.01	(0.01)	13,684	-
KTB13C1903A	0.28	-	65,644	-	MTC24C1812A	1.03	(0.09)	90	1.00	PTT13P1901A	0.25	(0.04)	65,691	-
KTB19C1901A	0.32	(0.01)	20,040	-	MTC28C1902A	0.60	(0.08)	194,651	-	PTT13P1902A	0.66	(0.05)	216,673	-
KTB23C1811A	0.19	(0.01)	32,550	-	ORI11C1811A	0.09	(0.01)	120	-	PTT19C1811A	0.55	0.07	41,545	-
KTB24C1811A	-	-	-	-	ORI13C1810A	0.01	-	8,301	-	PTT19C1903A	0.64	0.05	49,288	-
KTB24P1901A	0.06	(0.01)	820	-	ORI13C1902A	0.31	0.01	59,437	-	PTT23C1901A	0.09	0.01	4,280	-
KTB28C1811A	0.16	0.01	85,450	-	ORI19C1811A	0.05	-	1,303	-	PTT24C1811A	0.12	0.03	793	-
KTB42C1903A	0.28	-	5,100	-	ORI19C1904A	0.42	-	19,959	-	PTT24C1901A	0.54	0.06	2,665	-
KTB42P1903A	0.23	(0.01)	6,120	-	ORI24C1810A	-	-	-	-	PTT24P1901A	0.23	(0.04)	2,600	-
KTC01C1810A	0.23	(0.07)	236,590	-	ORI24C1903A	0.34	(0.03)	2	-	PTT27C1903A	0.51	(0.05)	1,200	-
KTC01C1810B	0.05	(0.03)	37,201	-	ORI28C1902A	0.27	0.01	28,592	-	PTT28C1810A	-	-	-	-
KTC01C1901A	0.55	(0.07)	236,489	-	PLAN08C1811A	0.12	0.01	13,646	-	PTT28C1811A	0.08	0.01	5,020	-
KTC01C1901B	0.44	(0.07)	201,538	-	PLAN28C1902A	-	-	-	-	PTT28C1902A	0.58	0.05	91,806	-
KTC08C1903A	0.51	(0.06)	33,212	-	PRM08C1902A	0.34	-	17,688	-	PTT28P1811A	0.01	(0.01)	618	-
KTC11C1902A	1.29	(0.10)	369	1.00	PRM13C1901A	0.36	(0.01)	39,928	-	PTT42C1903A	0.55	0.03	10,164	-
KTC13C1812A	0.17	(0.03)	363,349	-	PRM19C1902A	0.41	-	25,167	-	PTT42C1810A	0.03	(0.01)	85,611	-
KTC13C1812B	0.38	(0.05)	345,191	-	PSH01C1810A	0.22	-	11,736	-	PTT42C1811A	0.01	-	5,000	-
KTC19C1811A	0.08	(0.03)	45,998	-	PSH01C1810B	-	-	-	-	PTT42C1811A	0.22	(0.02)	187,729	-
KTC19C1901A	0.83	(0.13)	71,955	-	PSH01P1810A	0.63	0.01	11,002	-	PTT42C1901A	0.90	(0.03)	95,435	-
KTC24C1810A	-	-	-	-	PSH08C1811A	0.03	(0.07)	2	-	PTT42C1901B	0.53	(0.03)	143,839	-
KTC27C1903A	0.52	(0.05)	20,992	-	PSH11C1902A	0.17	(0.01)	10,469	-	PTT42C1902A	0.74	(0.02)	59,722	-
KTC27P1903A	0.35	0.04	182,421	-	PSH13C1903A	0.29	(0.01)	145,843	-	PTT42C1904A	0.54	(0.04)	120,993	-
KTC28C1810A	-	-	-	-	PSH19C1902A	0.38	(0.01)	6,716	-	PTT42P1811A	1.66	0.06	41,402	1.00
KTC28C1901A	0.34	(0.05)	174,805	-	PSH23C1811A	0.09	(0.01)	3,000	-	PTT42P1901A	0.80	0.01	67,027	-
LH01C1903A	0.23	(0.01)	184,716	-	PSL01C1812A	0.36	-	14,386	-	PTT42P1901B	0.50	0.02	52,220	-
LH01C1903B	0.17	(0.01)	60,369	-	PSL01C1812B	0.25	-	15,768	-	PTT42P1904A	1.38	0.04	45,290	1.00
LH01P1903A	0.45	-	52,946	-	PSL11C1905A	0.25	-	12,380	-	PTT42P1904B	1.23	0.03	56,648	1.00
LH06C1903A	-	-	-	-	PSL13C1903A	0.25	(0.01)	31,903	-	PTT42P1903A	0.60	(0.06)	28,294	-
LH07C1810A	-	-	-	-	PSL19C1903A	0.40	-	6,913	-	PTT42P1903A	0.38	0.02	23,672	-
LH11C1906A	0.10	(0.01)	11,554	-	PTG01C1811A	0.02	-	3,593	-	PTT42P1904A	0.14	(0.02)	40,545	-
LH13C1902A	0.21	-	79,034	-	PTG01C1811B	-	-	-	-	PTT42P1904B	-	-	-	-
LH19C1901A	0.11	(0.01)	21,250	-	PTG01C1902A	0.27	-	134,370	-	PTT42P1905A	0.37	(0.04)	31,824	-
LH23C1901A	0.05	-	810	-	PTG01C1902B	0.14	-	105,983	-	PTT42P1906A	0.56	0.03	38,132	-
LH24C1903A	0.07	(0.01)	2,000	-	PTG01P1811A	1.82	-	11,438	1.00	PTT42P1907A	0.09	0.01	49	-
LPN01C1811A	0.32	(0.02)	274,535	-	PTG01P1902A	0.61	-	46,622	-	PTT42P1908A	0.07	(0.01)	114,439	-
LPN01C1811B	0.06	(0.01)	38,580	-	PTG06C1810A	0.01	-	1,005	-	PTT42P1909A	0.45	(0.05)	251,857	-
LPN08C1810A	0.01	-	2,520	-	PTG06C1904A	0.13	-	23,253	-	PTT42P1910A	0.07	-	5,000	-
LPN08C1906A	0.20	-	51,039	-	PTG08C1902A	0.03	-	27,281	-	PTT42P1911A	0.54	(0.02)	57,011	-
LPN13C1903A	0.15	(0.01)	33,258	-	PTG08C1903A	0.17	(0.01)	29,216	-	PTT42P1912A	-	-	-	-
LPN19C1811A	0.11	-	4,035	-	PTG11C1903A	0.05	-	964	-	PTT42P1913A	-	-	-	-
LPN24C1812A	0.11	(0.01)	1,281	-	PTG13C1812A	0.01	(0.01)	7	-	PTT42P1914A	0.29	(0.02)	1,000	-
MAJ008C1811A	-	-	-	-	PTG13C1901A	0.12	-	611,819	-	PTT42P1915A	0.21	0.01	1	-
MAJ011C1902A	-	-	-	-	PTG19C1902A	0.06	-	192,804	-	PTT42P1916A	0.28	(0.02)	6,905	-
MAJ013C1903A	0.14	(0.01)	2,090	-	PTG19C1902B	0.25	0.01	11						

Main Board Quotation

Issue Date :

Tuesday October 09, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ROBI01C1903B	0.45	(0.02)	25,190	-	SCB42C1903A	0.37	-	12,240	-	TASC01C1903B	0.27	0.01	20,295	-
ROBI08C1903A	0.37	(0.01)	7,205	-	SCC01C1901A	0.54	(0.02)	51,878	-	TASC01P1810A	0.64	(0.02)	11,178	-
ROBI11C1906A	0.39	(0.02)	8,534	-	SCC01C1901B	0.35	(0.03)	67,454	-	TASC01P1903A	0.61	(0.03)	20,691	-
ROBI13C1902A	0.33	(0.03)	142,082	-	SCC01P1901A	0.36	0.02	21,866	-	TASC07C1811A	-	-	-	-
ROBI19C1901A	0.47	(0.02)	35,581	-	SCC06C1902A	0.17	(0.02)	20,582	-	TASC08C1903A	0.30	(0.01)	10,942	-
ROBI24C1901A	-	-	-	-	SCC07C1812A	-	-	-	-	TASC11C1904A	0.09	-	1,807	-
ROBI24C1903A	0.47	(0.01)	4,226	-	SCC08C1902A	0.22	(0.01)	19,582	-	TASC13C1810A	-	-	-	-
RS08C1901A	0.48	(0.01)	29,023	-	SCC11C1811A	-	-	-	-	TASC13C1901A	0.19	0.01	94,647	-
RS13C1901A	0.53	(0.01)	393,245	-	SCC11C1906A	0.17	(0.01)	6,200	-	TASC19C1902A	0.30	0.03	18,948	-
RS19C1901A	0.51	-	58,340	-	SCC11P1811A	0.17	-	18,863	-	TASC23C1902A	0.23	-	22,000	-
RS24C1811A	0.35	(0.02)	7,010	-	SCC13C1812A	-	-	-	-	TASC24C1810A	-	-	-	-
S10001C1811A	0.47	(0.01)	4,618	-	SCC13C1901A	0.25	(0.13)	1,648	-	TASC24C1903A	0.25	0.03	750	-
S5001C1810A	1.26	0.01	58,251	1.00	SCC13C1903A	0.18	(0.02)	8,978	-	TASC28C1902A	0.18	0.02	46,667	-
S5001C1810B	1.21	0.01	443,458	1.00	SCC19C1811A	-	-	-	-	TCAP01C1901A	0.54	(0.05)	18,895	-
S5001C1811A	0.64	-	76,757	-	SCC19C1901A	0.23	(0.02)	37,386	-	TCAP01C1901B	0.38	(0.06)	23,166	-
S5001C1811B	0.52	0.01	146,489	-	SCC23C1811A	-	-	-	-	TCAP01P1901A	0.30	0.02	30,164	-
S5001C1812F	0.78	-	1,799,263	-	SCC24C1812A	-	-	-	-	TCAP08C1810A	-	-	-	-
S5001C1812G	0.52	(0.05)	50,815	-	SCC24C1901A	0.27	-	330	-	TCAP11C1811A	-	-	-	-
S5001C1812H	0.45	-	774,936	-	SCC24C1902A	-	-	-	-	TCAP13C1901A	0.37	(0.04)	128,198	-
S5001C1901A	0.55	0.02	39,686	-	SCC24P1901A	0.18	0.03	2,120	-	TCAP19C1901A	0.28	(0.04)	34,252	-
S5001C1901B	0.47	-	31,254	-	SCC28C1811A	-	-	-	-	TCAP24C1903A	-	-	-	-
S5001P1810A	0.12	(0.02)	189,176	-	SCC28C1901A	0.25	(0.02)	13,773	-	THAIO1C1901A	0.36	(0.01)	43,215	-
S5001P1810B	0.03	0.01	188,055	-	SCC28C1902A	0.15	(0.01)	20,960	-	THAIO1C1901B	0.18	(0.01)	101,997	-
S5001P1811A	0.96	(0.01)	141,027	-	SCC008C1811A	-	-	-	-	THAIO1P1901A	0.57	0.01	43,731	-
S5001P1811B	0.84	(0.01)	54,149	-	SCC027C1812A	0.06	(0.01)	500	-	THAIO7C1811A	0.09	(0.05)	100	-
S5001P1812F	1.27	(0.02)	1,942,932	1.00	SGP06C1812A	0.11	(0.03)	5,000	-	THAIO8C1903A	0.31	(0.02)	12,040	-
S5001P1812G	0.93	(0.01)	2,106,116	-	SGP08C1901A	0.29	(0.03)	17,962	-	THAI11C1906A	0.42	(0.03)	15,550	-
S5001P1812H	1.35	0.05	1,527,074	1.00	SGP11C1904A	0.15	(0.01)	3,299	-	THAI13C1811A	-	-	-	-
S5001P1901A	1.05	0.01	6,473	1.00	SGP13C1811A	0.08	0.01	1	-	THAI13C1902A	0.40	-	111,262	-
S5001P1901B	1.02	(0.02)	37,965	1.00	SGP13C1812A	0.17	(0.02)	49,524	-	THAI19C1901A	0.33	(0.02)	39,086	-
S5006C1812A	0.31	(0.02)	153,710	-	SGP19C1811A	0.16	(0.02)	8,078	-	THAI23C1901A	0.01	-	100	-
S5006C1812B	0.44	(0.01)	63,489	-	SGP19C1904A	0.26	(0.03)	6,996	-	THAI24C1901A	0.19	(0.02)	18,000	-
S5006C1812C	0.23	(0.02)	144,188	-	SGP24C1811A	-	-	-	-	THAI28C1901A	0.32	-	64,681	-
S5006C1812D	0.74	(0.01)	20,472	-	SGP24C1902A	0.72	(0.19)	7,600	-	THANO1C1812A	0.55	(0.05)	19,084	-
S5006P1812A	0.90	(0.01)	28,829	-	SGP27C1903A	0.28	(0.01)	4,800	-	THAN13C1902A	0.52	(0.06)	75,357	-
S5006P1812B	0.26	(0.01)	98,141	-	SGP28C1811A	-	-	-	-	THAN19C1903A	0.68	(0.06)	40,105	-
S5006P1812C	0.40	(0.02)	273,021	-	SGP28C1903A	0.20	(0.80)	16,288	-	THAN24C1903A	0.56	(0.03)	11,712	-
S5006P1812D	0.99	(0.02)	2	1.00	SIRIO1C1901A	0.33	-	5,058	-	THAN28C1810A	-	-	-	-
S5008C1812A	0.21	-	305,921	-	SIRIO1C1901B	0.08	(0.01)	48,732	-	THCO08C1906A	0.20	0.01	670	-
S5008P1812A	0.66	0.03	257,278	-	SIRIO1P1901A	0.55	0.01	4,740	-	THCO11C1902A	-	-	-	-
S5013C1812A	0.63	-	4,792,385	-	SIRIO6C1904A	0.28	-	10,145	-	THCO19C1811A	-	-	-	-
S5013C1812B	0.43	-	1,910,583	-	SIRIO8C1810A	-	-	-	-	THCO24C1810A	-	-	-	-
S5013C1812C	0.34	-	2,166,327	-	SIRI11C1902A	-	-	-	-	THCO28C1901A	0.19	-	7,100	-
S5013P1812A	0.74	(0.01)	10,461,085	-	SIRI13C1902A	0.20	-	94,880	-	TISCO1C1902A	0.75	(0.02)	17,499	-
S5013P1812B	1.16	(0.02)	1,693,541	1.00	SIR19C1901A	0.16	(0.02)	16,504	-	TISCO1C1902B	0.55	(0.01)	11,726	-
S5013P1812C	1.43	(0.01)	2,937,873	1.00	SIR23C1811A	0.06	(0.01)	1,000	-	TISCO7C1902A	-	-	-	-
S5028C1810A	0.14	(0.08)	95,833	-	SIR24C1903A	-	-	-	-	TISCO8C1903A	0.53	-	4,188	-
S5028C1812A	0.76	(0.03)	1,805	-	SIRI28C1901A	0.25	-	42,810	-	TISCO11C1903A	0.15	-	1,803	-
S5028C1812B	0.44	(0.01)	1,141,141	-	SIRI28C1903A	0.18	(0.03)	22,528	-	TISCO13C1811A	0.12	(0.01)	6,454	-
S5028C1812C	0.26	-	860,990	-	SPALO1C1902A	0.50	(0.01)	9,524	-	TISCO13C1812A	0.48	(0.01)	27,836	-
S5028P1810A	0.50	0.01	12,775	-	SPALO1C1902B	0.32	(0.01)	18,344	-	TISCO19C1901A	0.29	(0.02)	10,069	-
S5028P1812A	0.66	(0.01)	1,136,352	-	SPAL11C1905A	-	-	-	-	TISC24C1812A	0.06	(0.03)	280	-
S5028P1812B	1.00	-	1,329,030	-	SPAL13C1903A	0.37	(0.01)	77,224	-	TISC24C1904A	0.52	(0.03)	310	-
SAWA01C1901A	0.76	(0.06)	100,134	-	SPAL19C1902A	0.30	(0.01)	7,466	-	TISC28C1901A	0.52	(0.02)	49,834	-
SAWA01C1901B	0.59	(0.06)	106,393	-	SPAL23C1811A	0.31	(0.03)	1,600	-	TKN01C1901A	0.50	(0.03)	80,470	-
SAWA01P1901A	0.45	0.04	119,314	-	SPAL24C1812A	-	-	-	-	TKN01C1901B	0.33	(0.01)	18,386	-
SAWA06C1811A	0.07	(0.02)	2,327	-	SPRC01C1902A	0.32	(0.01)	21,329	-	TKN08C1811A	0.02	(0.01)	10,003	-
SAWA06C1903A	1.12	(0.10)	26,852	1.00	SPRC01C1902B	0.22	-	36,741	-	TKN08C1903A	0.33	(0.03)	23,798	-
SAWA07C1812A	0.62	(0.18)	821	-	SPRC06C1902A	0.41	-	9,938	-	TKN11C1902A	0.11	(0.01)	7,516	-
SAWA08C1811A	0.01	(0.02)	5,002	-	SPRC07C1903A	0.20	-	70	-	TKN13C1810A	-	-	-	-
SAWA08C1902A	0.81	(0.13)	31,950	-	SPRC11C1902A	0.08	0.02	1	-	TKN13C1811A	0.02	(0.02)	16,000	-
SAWA08C1903A	0.45	(0.06)	31,768	-	SPRC13C1812A	0.24	(0.01)	50,454	-	TKN13C1812A	0.18	(0.02)	70,289	-
SAWA11C1906A	0.54	(0.07)	20,329	-	SPRC19C1901A	0.32	-	6,476	-	TKN13C1903A	0.22	(0.03)	73,480	-
SAWA13C1810A	-	-	-	-	SPRC23C1810A	-	-	-	-	TKN19C1811A	0.03	-	2,370	-
SAWA13C1811A	-	-	-	-	SPRC24C1903A	0.28	(0.03)	3,000	-	TKN19C1903A	0.38	(0.02)	23,220	-
SAWA13C1812A	0.22	(0.06)	195,609	-	STA01C1812A	0.78	(0.07)	92,710	-	TKN23C1902A	0.24	(0.03)	18,000	-
SAWA13C1901A	0.88	(0.13)	100	-	STA01C1812B	0.62	(0.09)	98,152	-	TKN24C1811A	-	-	-	-
SAWA13C1903A	0.33	(0.05)	89,082	-	STA13C1812A	-	-	-	-	TKN24C1812A	-	-	-	-
SAWA19C1901A	0.85	(0.08)	31,295	-	STA13C1901A	0.64	(0.08)	236,522	-	TKN24C1903A	0.31	(0.03)	2,034	-
SAWA24C1812A	0.18	(0.06)	19,510	-	STA13C1902A	0.38	(0.05)	472,538	-	TKN28C1811A	-	-	-	-
SAWA24C1902A	0.71	(0.10)	3	-	STA19C1811A	0.52	(0.12)	47,167	-	TKN28C1812A	0.37	(0.04)	41,825	-
SAWA27C1903A	-	-	-	-	STA19C1903A	0.86	(0.11)	40,912	-	TKN28C1903A	0.21	(0.02)	40,790	-
SAWA28C1810A	-	-	-	-	STA24C1902A	0.36	(0.08)	5,215	-	TMB01C1810A	0.18	0.01	26,781	-
SAWA28C1811A	-	-	-	-	STA28C1902A	0.39	(0.05)	90,180	-	TMB01C1810B	0.01	-	12,624	-
SAWA28C1812A	-	-	-	-	STEC01C1902A	0.77	0.03	53,519	-	TMB01C1903A	0.29	(0.01)	38,862	-
SAWA28C1902A	0.36	(0.06)	123,999	-	STEC01C1902B	0.63	0.03	94,393	-	TMB01C1903B	0.25	(0.01)	53,794	-
SCB01C1810A	0.42	(0.05)	75,908	-	STEC01P1902A	0.57	(0.02)	80,853	-	TMB01P1810A	0.31	(0.02)	13,486	-
SCB01C1902A	0.94	(0.07)	34,816	-	STEC06C1903A	0.65	0.02	31,372	-	TMB01P1903A	0.43	-	1,262	-
SCB01C1902B	0.75	(0.07)	76,156	-	STEC07C1904A	-	-	-	-	TMB06C1902A	0.11	0.01	5,867	-
SCB01C1904A	0.53	(0.05)	121,902	-	STEC08C1903A	0.49	0.01	27,285	-	TMB06C1903A	0.29	-	3,990	-
SCB01C1904B	0.42	(0.02)	57,311	-	STEC11C1903A	0.71	0.06	32,252	-	TMB07C1811A	-	-	-	-
SCB01P1902A	0.39	0.02	38,194	-	STEC13C1902A	0.61	0.03	254,435	-	TMB07C1903A	-	-	-	-
SCB01P1902B	0.13	0.01	7,716	-	STEC19C1901A	0.64	0.02	57,497	-	TMB08C1901A	0.07	-	13,521	-
SCB01P1904A	1.05	0.03	103,203	1.00	STEC24C1901A	0.73	0.04	5,509	-	TMB11C1904A	0.09	-	3,950	-
SCB01P1904B	0.89	0.04	46,278	-	STEC27C1902A	-	-							

Main Board Quotation

Issue Date :

Tuesday October 09, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB28P1901A	0.41	0.03	161,459	-	TASC01C1903A	0.40	0.01	17,935	-	TOP01C1904B	0.53	(0.01)	16,050	-

Main Board Quotation

Issue Date :

Tuesday October 09, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP01P1901A	0.48	-	39,902	-	VGIO6C1904B	-	-	-	-	MILL-W4	0.29	-	2,522	-
TOP01P1904A	1.52	(0.01)	23,472	1.00	VGIO6C1904C	-	-	-	-	MILL-W5	0.28	-	5,178	-
TOP06C1903A	1.07	(0.02)	11,868	1.00	VGI08C1811A	0.41	(0.01)	11,806	-	ML-W2	0.04	-	4,622	-
TOP06C1903B	0.41	(0.02)	8,182	-	VGI23C1905A	-	-	-	-	MONO-W1	0.45	0.01	17,574	-
TOP07C1812A	-	-	-	-	VGI23C1911A	1.31	-	6	1.00	NEP-W3	-	-	-	-
TOP08C1811A	0.04	-	7,928	-	VGI27C1812A	0.23	(0.03)	50	-	NOK-W1	0.54	0.03	99	-
TOP08C1902A	0.49	-	46,199	-	VGI28C1810A	-	-	-	-	NUSA-W3	-	-	-	-
TOP11C1905A	0.96	(0.02)	18,114	-	WHA01C1812A	0.61	0.02	104,954	-	NVD-W1	0.37	(0.02)	271	-
TOP13C1811A	-	-	-	-	WHA01C1812B	0.43	-	114,707	-	ORI-W1	2.16	0.04	1,887	2.00
TOP13C1901A	0.50	(0.01)	3,687	-	WHA01P1812A	0.39	(0.02)	350,252	-	PACE-W2	0.16	-	14,424	-
TOP13C1902A	0.39	(0.02)	17,478	-	WHA06C1903A	0.44	0.01	97,718	-	PDI-W1	1.17	0.05	411	1.00
TOP19C1901A	0.36	(0.01)	43,044	-	WHA07C1810A	0.09	-	46,863	-	PDJ-W2	1.34	0.06	243	1.00
TOP23C1811A	0.05	(0.01)	1,000	-	WHA08C1811A	0.09	-	22,756	-	PDJ-W3	1.24	(0.01)	15	1.00
TOP24C1901A	-	-	-	-	WHA11C1903A	0.21	-	20,390	-	PDJ-W4	1.26	-	26	1.00
TOP24C1902A	0.45	(0.06)	300	-	WHA13C1812A	0.40	0.01	261,758	-	PLE-W3	0.09	(0.01)	25,645	-
TOP24C1903A	0.31	(0.01)	5,000	-	WHA19C1901A	0.46	0.03	52,432	-	RICH-W1	-	-	-	-
TOP27C1903A	0.46	(0.06)	9,600	-	WHA23C1810A	0.13	-	22,270	-	RICHY-W1	0.35	0.01	13,049	-
TOP28C1810A	-	-	-	-	WHA24C1811A	0.04	-	1,458	-	RICHY-W2	0.18	0.02	9,291	-
TOP28C1812A	0.43	(0.02)	24,658	-	WHA24C1902A	0.40	-	12,330	-	RS-W3	8.80	0.05	9	8.00
TOP28C1903A	0.38	-	103,739	-	WHA27C1903A	0.57	-	6,300	-	S-W1	0.11	(0.01)	39,544	-
TPI01C1812A	0.21	0.01	13,216	-	WHA28C1901A	0.41	(0.01)	35,768	-	SAMART-W2	0.64	0.06	90,124	-
TPI01C1812B	0.10	-	11,138	-	WHA28C1903A	0.26	(0.01)	135,502	-	SAWAD-W1	9.30	(0.20)	14,590	9.00
TPI07C1812A	-	-	-	-	WHAU01C1810A	0.18	0.01	46,081	-	SDC-W4	0.16	-	5,689	-
TPI13C1902A	0.19	-	16,358	-	WHAU01C1810B	0.01	-	22	-	SMM-W4	-	-	-	-
TPI19C1901A	0.20	-	46,059	-	WHAU13C1902A	0.23	-	59,803	-	SMT-W1	0.07	-	3,646	-
TPI24C1902A	-	-	-	-	WHAU19C1902A	0.28	(0.01)	11,347	-	SMT-W2	0.64	-	4,519	-
TPIP01C1810A	0.19	-	10,752	-	WHAU24C1812A	-	-	-	-	SPALI-W4	-	-	-	-
TPIP01C1810B	-	-	-	-	WHAU24C1902A	-	-	-	-	SPORT-W5	0.01	(0.01)	3,292	-
TPIP01P1810A	0.58	-	14,331	-	WORK01C1811A	0.18	-	33,398	-	SUPER-W4	0.09	(0.01)	2,213,677	-
TPIP11C1811A	-	-	-	-	WORK01C1811B	0.05	-	8,454	-	SUSCO-W1	0.08	-	10,606	-
TPIP13C1811A	-	-	-	-	WORK01C1904A	0.39	-	20,637	-	SVI-W3	2.74	0.24	47,255	2.00
TPIP13C1902A	0.21	0.01	9,088	-	WORK01C1904B	0.32	-	6,458	-	TCC-W3	0.23	0.02	26,595	-
TPIP19C1902A	0.25	0.01	11,622	-	WORK08C1901A	0.13	-	20,528	-	TCC-W4	0.24	0.02	31,606	-
TPIP24C1901A	0.16	(0.01)	150	-	WORK11C1903A	0.05	0.03	10,072	-	TCC-W5	0.47	0.07	75,437	-
TPIP27C1812A	-	-	-	-	WORK13C1810A	0.01	-	1	-	TCJ-W2	0.94	-	471	-
TRUE01C1902A	0.37	0.02	38,125	-	WORK13C1811A	0.01	(0.02)	1,000	-	TCMC-W2	0.33	-	648	-
TRUE01C1902B	0.25	0.01	41,151	-	WORK13C1812A	0.10	0.01	10,810	-	TFG-W1	1.50	(0.10)	50	1.00
TRUE01P1902A	0.53	(0.01)	22,411	-	WORK13C1902A	0.24	-	121,194	-	TFG-W2	0.72	(0.02)	316	-
TRUE01P1902B	0.37	(0.03)	25,613	-	WORK19C1811A	-	-	-	-	TGPRO-W3	0.02	-	27,050	-
TRUE06C1811A	0.02	-	152	-	WORK19C1902A	0.29	-	28,305	-	TH-W2	0.23	0.01	49,079	-
TRUE06C1906A	0.19	0.01	2,401	-	WORK24C1810A	-	-	-	-	THE-W2	0.05	-	26,660	-
TRUE07C1902A	-	-	-	-	WORK24C1812A	0.07	0.02	21	-	TNITY-W1	0.95	(0.01)	934	-
TRUE08C1902A	0.22	0.01	7,868	-	WORK24C1903A	0.22	(0.01)	4,600	-	TNPC-W1	0.43	(0.01)	4,079	-
TRUE08P1902A	0.29	(0.01)	11,464	-	WORK27C1903A	0.22	(0.03)	3,600	-	TRITM-W3	0.30	-	22,641	-
TRUE11C1905A	0.22	(0.01)	7,289	-	WORK28C1811A	-	-	-	-	TSR-W1	0.40	-	2,461	-
TRUE13C1810A	-	-	-	-	WORK28C1901A	0.14	0.01	24,308	-	TTA-W5	0.20	0.01	80,854	-
TRUE13C1812A	0.10	0.02	49,529	-	Preferred/Foreign	-	-	-	-	TTCL-W1	1.38	-	18,956	1.00
TRUE13C1901A	0.22	0.02	93,690	-	BH-Q	-	-	-	-	U-W1	0.01	-	4	-
TRUE13P1901A	0.29	(0.02)	62,319	-	CSC-Q	-	-	-	-	U-W4	0.01	-	250,842	-
TRUE16C1812A	0.17	-	5,000	-	JUTHA-Q	-	-	-	-	VGI-W2	0.54	-	91,634	-
TRUE19C1901A	0.07	0.01	13,457	-	KTB-Q	-	-	-	-	VIBHA-W2	-	-	-	-
TRUE19C1903A	0.40	0.01	14,392	-	SCB-Q	-	-	-	-	VIBHA-W3	0.31	-	5,631	-
TRUE23C1902A	0.11	(0.02)	19,294	-	TCAP-Q	-	-	-	-	WAVE-W1	0.43	0.01	7,883	-
TRUE28C1810A	-	-	-	-	TIC-Q	-	-	-	-	WHA-W1	7.95	0.05	6,974	7.00
TRUE28C1812A	0.07	(0.01)	28,402	-	TISCO-Q	-	-	-	-	WORK-W1	7.05	-	54	7.00
TTA08C1906A	0.23	-	17,615	-	U-Q	-	-	-	-	Preferred Shares	-	-	-	-
TTA13C1901A	0.15	(0.01)	270,268	-	Warrant	-	-	-	-	BH-P	-	-	-	-
TTA19C1811A	0.04	0.01	277	-	7UP-W2	0.08	(0.01)	15,474	-	CSC-P	-	-	-	-
TTA23C1901A	-	-	-	-	ACC-W1	0.03	(0.01)	7,216	-	JUTHA-P	-	-	-	-
TTA24C1902A	0.05	(0.03)	160	-	AJA-W1	0.21	-	3,442	-	KTB-P	-	-	-	-
TTA28C1812A	-	-	-	-	ALT-W1	0.98	0.01	23,476	1.00	SCB-P	-	-	-	-
TU01C1901A	0.45	(0.03)	62,821	-	APEX-W1	0.04	-	241,535	-	TCAP-P	-	-	-	-
TU01C1901B	0.37	(0.04)	77,277	-	APURE-W2	0.21	(0.03)	7,252	-	TIC-P	-	-	-	-
TU01P1901A	0.24	0.02	85,068	-	AQ-W4	-	-	-	-	TISCO-P	-	-	-	-
TU06C1902A	0.16	(0.03)	26,060	-	AS-W1	0.26	-	2,645	-	U-P	0.04	-	87,402	-
TU07C1902A	-	-	-	-	AYUD-W1	6.65	(0.05)	119,924	6.00	Warrant (MAI)	-	-	-	-
TU08C1811A	-	-	-	-	B-W3	-	-	-	-	2S-W1	0.16	0.01	29	-
TU11C1902A	0.04	-	2,151	-	B-W4	0.21	-	4,780	-	ACAP-W2	2.28	(0.24)	129,322	2.00
TU11C1906A	0.14	(0.02)	30,646	-	BTS-W3	-	-	-	-	AIRA-W1	0.04	-	1	-
TU13C1902A	0.16	(0.02)	64,971	-	BWG-W4	0.08	-	3,141	-	ATP30-W2	0.77	(0.02)	1,583	-
TU19C1901A	0.15	(0.01)	57,802	-	CEN-W4	0.05	-	3,904	-	BKD-W2	0.28	(0.02)	53,165	-
TU23C1902A	0.15	(0.03)	20,128	-	CGD-W4	0.30	-	32,332	-	BM-W1	0.43	(0.02)	9,843	-
TU24C1901A	-	-	-	-	CGH-W3	0.07	0.01	16,186	-	BSM-W2	0.17	(0.02)	4,110	-
TVO01C1903A	0.30	(0.02)	13,528	-	CI-W1	0.48	0.01	87	-	CHEWA-W1	0.21	(0.03)	47,031	-
TVO01C1903B	0.23	(0.01)	14,025	-	CKP-W1	0.61	0.02	43,383	-	CIG-W7	0.02	0.01	2,007	-
TVO11C1903A	-	-	-	-	CRANE-W1	1.62	0.05	51	1.00	DIMET-W2	0.14	(0.01)	96,779	-
TVO13C1902A	0.18	0.01	2,272	-	CWT-W4	0.45	-	4,530	-	DNA-W1	1.46	0.10	11,997	1.00
TVO19C1902A	0.18	0.01	8,546	-	DCC-W1	0.91	(0.09)	416,144	-	ECF-W2	5.60	-	1,032	5.00
TVO24C1810A	-	-	-	-	DCON-W1	-	-	-	-	ECF-W3	3.38	(0.04)	3,649	3.00
TVO24C1903A	0.19	(0.02)	1,000	-	DIGI-W1	0.02	-	1,142	-	EFORL-W3	0.01	-	913	-
UNIQ01C1810A	0.34	0.03	80,282	-	DIGI-W2	0.02	-	2,352	-	EFORL-W4	-	-	-	-
UNIQ01C1810B	0.02	-	1,100	-	EARTH-W4	-	-	-	-	FC-W1	0.05	-	2,959	-
UNIQ08C1810A	0.02	(0.01)	12,000	-	EIC-W2	-	-	-	-	FC-W2	0.03	-	123	-
UNIQ08C1906A	0.32	0.02	11,060	-	EIC-W3	0.02	-	8	-	FOCUS-W2	0.58	-	302	-
UNIQ11C1811A	-	-	-	-	EVER-W3	0.07	-	67,233	-	FVC-W2	0.44	-	2,415	-
UNIQ13C1901A	0.26	0.01	132,848	-	GJS-W3	0.02	0.01	24	-	ITEL-W1	0.56	-	24,501	-
UNIQ19C1811A	0.06	0.01	650	-	GSTEL-W1	-	-	-	-	JKN-W1	2.34	0.10	96,115	2.00
UNIQ23C1901A	-	-	-	-	GSTEL-W2	-	-	-	-	LIT-W1	2.00	-	1,227	2.00
UNIQ24C1811A	-	-	-	-	IEC-W2	-	-	-	-	META-W2	0.05	-	16,796	-
UNIQ28C1811A	0.07	0.01	60,000	-	IHL-W1	5.90	(0.10)	100	5.00	META-W3	0.21	0.01	20,925	-

