

Main Board Quotation

Issue Date :

Wednesday October 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	11.30	(0.40)	6,003	11.49	SE-ED	3.04	-	2,002	2.99
POMPI	-	-	-	-	ILINK	4.82	(0.08)	2,430	4.86	SMM	1.21	(0.10)	83,223	1.24
SAFARI	-	-	-	-	INET	3.82	(0.02)	276	3.82	SPORT	0.27	(0.01)	2,865	0.26
VI	-	-	-	-	INTUCH	52.75	(0.25)	16,702	53.02	TBSP	13.90	(0.10)	3	13.90
WORLD	-	-	-	-	JAS	5.45	0.10	605,366	5.44	TH	0.88	0.01	82,238	0.88
WR	-	-	-	-	JASIF	10.40	-	40,353	10.39	TKS	11.20	(0.30)	18,748	11.37
Agribusiness	-	-	-	-	JMART	7.15	(1.20)	387,161	7.27	TRITN	0.43	-	105,668	0.43
CHOTI	142.00	2.50	1	142.00	JTS	1.57	-	839	1.59	VGI	7.75	-	48,385	7.78
EE	0.67	0.01	29,425	0.67	MFEF	3.38	(0.02)	779	3.38	WAVE	2.58	0.02	366	2.58
GFPT	15.20	(0.10)	21,407	15.22	MSC	6.85	-	3,357	6.85	WORK	35.75	(0.50)	27,989	36.20
LEE	2.74	-	1,710	2.75	PT	6.65	(0.05)	992	6.72	Finance & Securities	-	-	-	-
PPPM	5.25	(0.05)	415	5.27	SAMART	7.70	(0.15)	30,527	7.90	AEC	0.52	0.02	403	0.50
STA	17.10	(0.10)	90,622	17.22	SAMTEL	8.10	(0.15)	615	8.26	AEONTS	199.50	(1.50)	3,666	201.43
TRUBB	1.73	(0.03)	7,295	1.77	SDC	0.35	(0.01)	18,117	0.36	AMANAHA	1.85	(0.02)	44,740	1.87
TWPC	8.35	-	664	8.38	SIS	8.90	(0.05)	631	8.94	ASAP	6.30	(0.10)	14,619	6.43
UPOIC	4.36	-	326	4.37	SVOA	1.31	(0.01)	10,723	1.32	ASK	23.50	-	714	23.60
UVAN	6.90	-	3,335	6.90	SYMC	5.45	(0.20)	587	5.45	ASP	3.68	(0.04)	108,899	3.69
VPO	0.65	(0.01)	2,230	0.65	SYNEX	15.90	(0.40)	19,379	16.06	BFIT	26.75	(0.25)	1,075	26.89
Banking	-	-	-	-	THCOM	8.80	(0.10)	8,078	8.86	CGH	1.01	(0.03)	1,444	1.02
BAY	40.75	(0.25)	3,692	40.99	TRUE	6.00	(0.05)	719,563	6.08	CNS	2.52	(0.02)	1,539	2.52
BBL	213.00	1.00	45,444	213.08	TWZ	0.13	0.01	15,647	0.13	ECL	2.02	-	26,903	2.03
CIMBT	0.86	(0.01)	17,061	0.86	Electronic Componen	-	-	-	-	FNS	4.16	(0.02)	2,826	4.19
KBANK	207.00	(2.00)	59,126	208.70	CCET	1.95	-	7,481	1.96	FSS	2.28	(0.02)	1,011	2.28
KKP	72.25	(0.25)	13,551	72.73	DELTA	69.00	(0.50)	3,404	69.06	GBX	0.64	-	2,097	0.63
KTB	20.30	0.20	485,665	20.27	EIC	0.06	-	6,301	0.06	GL	7.20	(0.05)	20,060	7.24
LHFG	1.55	-	11,304	1.55	HANA	38.25	0.25	17,155	38.40	IFS	3.08	0.06	1,824	3.03
SCB	142.00	-	16,272	142.83	KCE	40.50	(1.00)	28,412	40.91	JMT	10.70	(0.60)	110,177	10.88
TCAP	51.50	0.25	22,716	51.58	METCO	220.00	7.00	1	220.00	KCAR	12.20	0.20	666	12.08
TISCO	79.25	-	22,783	79.47	SMT	2.24	-	2,081	2.24	KGI	4.40	(0.04)	21,748	4.41
TMB	2.26	(0.08)	7,180,390	2.31	SPPT	3.98	-	1,213	3.95	KTC	36.00	-	153,049	36.21
Construction Materia	-	-	-	-	SVI	5.45	-	86,536	5.40	MBKET	12.80	0.10	640	12.70
CCP	0.41	(0.01)	10,569	0.41	TEAM	1.09	(0.01)	1,669	1.10	MFC	16.60	-	749	16.53
COTTO	2.80	-	6,586	2.79	Energy & Utilities	-	-	-	-	ML	1.03	(0.01)	249	1.03
DCC	2.36	(0.02)	45,293	2.38	ABPIF	8.40	0.05	1,545	8.39	MTC	52.75	-	88,379	52.89
DCON	0.55	(0.01)	33,977	0.55	AI	-	-	-	-	PE	0.25	0.01	4,111	0.25
DRT	5.55	0.05	1,298	5.52	AKR	1.00	(0.01)	40,580	1.00	PL	3.48	0.02	868	3.47
EPG	7.95	-	53,863	8.00	BAFS	33.50	0.25	930	33.46	S11	7.50	0.05	958	7.48
GEL	0.36	(0.01)	48,161	0.37	BANPU	18.50	0.10	226,968	18.59	SAWAD	46.00	(1.25)	59,978	46.74
PPP	3.48	-	120	3.48	BCP	33.50	-	14,402	33.52	THANI	9.20	-	120,713	9.24
O-CON	5.30	-	52	5.30	BCPG	20.20	(0.20)	152,554	20.37	TK	11.30	(0.10)	964	11.38
RCI	3.94	(0.04)	16,851	3.94	BGRIM	28.25	(0.50)	35,865	28.68	TNITY	-	-	-	-
SCC	420.00	2.00	8,726	421.15	BPP	24.30	(0.50)	22,071	24.51	UOBKH	4.00	0.02	493	3.96
SCCC	245.00	1.00	617	244.32	BRRGIF	10.00	0.05	5,790	10.00	ZMICO	1.13	-	856	1.12
SCP	8.85	0.10	6,209	8.81	CKP	5.05	(0.05)	249,580	5.11	Food & Beverage	-	-	-	-
SKN	5.45	-	16,865	5.51	DEMCO	3.86	(0.02)	8,351	3.88	APURE	1.39	-	1,234	1.39
TASCO	15.70	(0.30)	68,513	15.97	EA	47.50	-	171,526	47.89	ASIAN	8.50	(0.10)	55,128	8.71
TCMC	2.58	0.06	23,812	2.60	EARTH	-	-	-	-	BR	5.10	(0.10)	15,755	5.15
TOA	34.25	(0.50)	11,892	34.64	EASTW	10.90	(0.10)	6,170	10.95	BRR	7.30	0.25	12,195	7.26
TPIPL	1.76	0.02	74,943	1.76	EGATIF	11.20	0.10	33,425	11.25	CBG	47.25	(0.50)	18,647	48.24
UMI	1.32	-	1,234	1.33	EGCO	230.00	(2.00)	4,789	230.33	CFRESH	4.56	0.08	276	4.50
VNG	7.30	-	638	7.26	ESSO	15.40	(0.10)	43,195	15.45	CM	4.34	0.02	2,555	4.35
WIIK	2.34	0.02	1,569	2.34	GLOW	84.25	0.25	13,263	84.08	CPF	24.50	-	216,404	24.60
Petrochemicals & Che	-	-	-	-	GPSC	66.00	(0.50)	14,124	66.39	CPI	1.76	(0.01)	483	1.76
BCT	53.75	(0.50)	141	54.19	GULF	75.50	0.25	69,512	75.76	F&D	-	-	-	-
CMAN	3.14	(0.02)	5,937	3.16	GUNKUL	3.28	-	533,634	3.33	HTC	16.70	0.10	527	16.75
GC	5.05	(0.05)	274	5.06	IEC	-	-	-	-	ICHI	4.26	(0.02)	11,932	4.28
GGC	10.50	-	10,874	10.64	IFEC	-	-	-	-	KBS	4.40	0.02	23,030	4.47
GIFT	4.58	-	7,737	4.58	IRPC	6.30	0.05	1,029,476	6.34	KSL	3.78	0.02	152,368	3.82
IVL	57.50	(0.50)	125,075	58.09	LANNA	14.70	-	410	14.77	KTIS	5.70	-	690	5.68
NFC	11.30	-	341	11.26	MDX	4.48	(0.06)	3,805	4.50	LST	4.72	-	1,080	4.74
PATO	14.30	(0.10)	66	14.33	PTG	11.30	-	139,648	11.46	M	71.25	(0.50)	1,263	71.87
PMTA	13.70	0.10	8	13.70	PTT	51.00	-	393,425	51.35	MALEE	13.50	(0.40)	9,665	13.77
PTTGC	78.50	1.25	138,031	78.33	PTTEP	146.50	(1.50)	111,430	148.30	MINT	38.50	0.25	55,734	38.68
SUTHA	3.92	-	465	3.90	RATCH	49.50	(0.50)	11,340	49.74	OISHI	89.50	(0.50)	21	90.00
TCCC	35.75	(0.25)	64	35.81	RPC	0.51	-	5,600	0.52	OSP	27.25	2.25	3,774,906	28.48
TPA	6.70	(0.05)	1	6.70	SCG	4.60	-	34	4.60	PB	60.75	0.25	15	60.75
UP	-	-	-	-	SCI	3.10	(0.08)	15,218	3.19	PM	8.95	0.05	3,163	8.91
VNT	23.90	(0.30)	4,293	24.10	SCN	5.00	0.24	277,015	4.95	PRG	13.40	(0.50)	293	13.41
WG	-	-	-	-	SGP	11.30	(0.20)	26,003	11.45	SAPPE	23.70	0.30	34,421	23.78
YCI	-	-	-	-	SKE	1.27	0.02	41,527	1.27	SAUCE	22.10	0.10	30	22.10
Commerce	-	-	-	-	SOLAR	3.04	(0.02)	71,235	3.09	SFP	-	-	-	-
BEAUTY	9.60	(0.40)	946,957	9.81	SPCG	20.10	0.10	2,035	20.13	SNP	20.50	0.20	49	20.46
BIG	1.75	(0.03)	28,717	1.76	SPRC	14.40	(0.10)	34,962	14.49	SORKON	-	-	-	-
BJC	57.25	(0.25)	27,545	57.63	SUPER	0.76	(0.02)	1,677,792	0.78	SSC	39.25	-	3	39.25
COL	25.50	(0.25)	1,283	25.66	SUSCO	3.08	(0.04)	11,075	3.10	SSF	8.55	0.05	29	8.55
COM7	22.10	(0.10)	18,898	22.27	TAE	2.14	-	667	2.15	SST	5.85	(0.05)	812	5.91
CPALL	67.25	(0.25)	88,185	67.42	TCC	0.69	(0.06)	276,445	0.71	TC	2.98	(0.06)	37	2.98
CSS	2.12	-	14,558	2.13	TOP	85.75	3.25	150,986	85.80	TFG	4.12	(0.02)	3,437	4.16
FN	2.60	(0.06)	3,188	2.64	TPIPP	6.40	0.05	132,015	6.43	TFMAMA	160.00	1.00	2	159.50
FTE	2.24	(0.04)	5,265	2.27	TTW	12.20	-	11,275	12.23	TIPCO	9.35	(0.05)	4,513	9.40
GLOBAL	19.90	(0.20)	29,054	20.12	WHAPU	6.25	(0.05)	28,416	6.29	TKN	15.10	(0.10)	82,454	15.32
HMPRO	14.90	0.10	89,375	14.86	WP	6.90	(0.05)	4,897	6.97	TU	16.10	-	30,396	16.19
IT	4.08	0.02	3,557	4.06	Media & Publishing	-	-	-	-	TVO	28.00	-	7,978	28.14
KAMART	4.54	0.04	7,234	4.55	AMARIN	4.78	-	169	4.77	Health Care Services	-	-	-	-
LOXLEY	2.14	-	29,735	2.16	AQUA	0.46	-	94,137	0.46	AHC	21.20	0.30	3	21.07
MAKRO	32.50	(0.25)	4,896	32.55	AS	1.24	(0.07)	314	1.28	BCH	19.80	0.10	125,239	19.88
MC	12.30	(0.20)	4,705	12.43	BEC	6.55	(0.15)	33,565	6.65	BDMS	25.00	-	172,615	25.22
MEGA	37.50	0.75	13,830	37.65	EPCO	3.62	(0.02)	4,054	3.63	BH	188.50	(1.50)	9,064	190.07
MIDA	0.60	-	6,711	0.59	FE	-	-	-	-	CHG	2.64	-	620,152	2.67
ROBINS	66.75	(0.25)	12,246	67.58	GPI	2.44	0.02	2,357	2.44	CMR	3.06	(0.04)	1,388	3.05
RSP	3.96	(0.06)	12,547	3.98	GRAMMY	7.75	(0.05)	24	7.83	EKH	6.00	(0.05)	20,560	6.00
SINGER	8.95	(0.05)	789	8.98	MACO	1.80	(0.04)	52,856	1.83	KDH	95.25	(1.75)	6	95.25

Main Board Quotation

Issue Date :

Wednesday October 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	7.65	0.05	626	7.64	MBK	25.50	0.25	9,748	25.57	ASEFA	4.96	(0.02)	1,298	4.94
WPH	2.76	(0.02)	897	2.77	MJD	3.80	-	3,507	3.76	CPT	1.34	(0.04)	108,663	1.36
Tourism & Leisure					MK	4.00	(0.02)	20,048	3.98	CRANE	2.68	(0.02)	534	2.69
ASIA	6.65	(0.10)	82	6.69	NCH	0.93	(0.01)	1,299	0.93	CTW	9.35	0.10	183	9.24
CENTEL	39.25	(0.25)	13,620	39.31	NNCL	1.87	0.01	2,425	1.87	FMT	24.70	(0.30)	110	24.02
CSR	-	-	-	-	NOBLE	13.80	(0.60)	424	13.96	HTECH	6.65	0.05	3,532	6.72
DTC	12.20	0.10	2,028	12.20	NUSA	0.32	-	27,413	0.32	KKC	1.64	-	24	1.64
ERW	7.60	-	41,543	7.64	NVD	3.92	-	32	3.95	PK	3.18	-	2,573	3.20
GRAND	1.05	(0.02)	90,166	1.06	ORI	11.00	(0.10)	49,721	11.13	SNC	14.00	(0.10)	3,076	14.09
LRH	38.50	-	1	38.50	PACE	0.53	0.01	134,700	0.53	TCJ	5.85	0.05	149	5.80
MANRIN	-	-	-	-	PF	1.05	0.01	578,361	1.05	VARO	-	-	-	-
OHTL	780.00	(10.00)	1	780.00	PLAT	8.15	0.05	15,321	8.15	Property Fund & REIT	-	-	-	-
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.80	(0.10)	790	10.79
SHANG	-	-	-	-	PRECHA	1.81	(0.02)	1,391	1.82	AMATAR	10.80	-	655	10.80
Home & Office Produ					PRIN	1.62	(0.01)	830	1.62	B-WORK	11.30	-	7,152	11.30
ACC	0.51	(0.01)	3,392	0.52	PRINC	4.96	-	1,851	4.95	BKKCP	12.50	-	50	12.50
AJA	0.38	-	15,435	0.38	PSH	20.10	(0.20)	17,584	20.20	BOFFICE	13.40	-	212	13.48
DTCI	-	-	-	-	QH	3.18	-	230,136	3.19	CPNGC	15.90	-	1,194	15.90
FANCY	0.96	0.01	137,643	0.96	RICHY	1.87	0.01	12,016	1.87	CPNREIT	26.75	0.25	6,300	26.75
KYE	416.00	2.00	35	415.66	RML	1.62	0.10	2,086,156	1.59	CPTGF	13.30	-	815	13.30
L&E	2.70	0.02	302	2.70	ROJNA	5.75	0.30	51,421	5.66	CRYSTAL	10.10	-	3,000	10.10
MODERN	4.32	(0.04)	5,781	4.33	S	3.54	-	172,672	3.58	CTARAF	4.82	0.04	2,214	4.79
OGC	37.00	(0.50)	12	37.02	SAMCO	2.08	0.04	25	2.04	DREIT	5.40	-	278	5.35
ROCK	-	-	-	-	SC	3.48	-	4,943	3.48	ERWPF	5.50	-	227	5.50
SIAM	2.06	(0.04)	5,165	2.10	SENA	3.62	-	2,012	3.62	FUTUREPF	22.40	-	998	22.39
TSR	2.14	(0.02)	2,166	2.16	SF	8.20	(0.15)	7,631	8.26	GAHREIT	9.65	0.10	52	9.65
Insurance					SIRI	1.57	-	370,218	1.58	GLANDRT	12.70	(0.30)	868	12.82
AYUD	44.00	1.00	2,104	43.44	SPALI	22.70	(0.10)	22,732	22.84	GOLDFP	7.30	0.10	1	7.30
BKI	345.00	(2.00)	186	345.20	TICON	16.00	(0.30)	1,375	16.10	GVREIT	15.00	-	256	15.05
BLA	33.25	(0.75)	19,769	33.62	U	0.03	-	1,509,071	0.03	HPF	5.45	0.05	266	5.41
BUI	-	-	-	-	UV	7.70	0.05	21,841	7.74	HREIT	6.70	0.05	654	6.69
CHARAN	33.75	(0.25)	32	32.81	WHA	4.28	-	646,542	4.33	IMPACT	19.50	(0.10)	2,884	19.52
INSURE	-	-	-	-	WIN	0.65	0.01	738	0.64	KPNPF	9.45	0.05	43	9.38
MTI	100.50	(3.50)	86	101.90	Paper & Printing Mat	-	-	-	-	LHHOTEL	15.90	-	3,290	15.90
NKI	-	-	-	-	UTP	10.90	(0.10)	8,126	11.00	LHPF	8.25	(0.05)	3,341	8.26
NSI	-	-	-	-	Fashion	-	-	-	-	LHSC	16.40	-	912	16.39
SMK	41.50	-	29	41.50	AFC	9.75	0.30	6	9.49	LUXF	8.50	(0.10)	720	8.55
THRE	1.02	-	12,458	1.02	BTNC	-	-	-	-	M-II	-	-	-	-
THREL	7.75	(0.10)	3,459	7.82	CPH	5.60	(0.25)	100	5.50	M-PAT	9.90	0.10	2	9.90
TIC	37.00	(0.25)	52	36.78	CPL	3.26	0.08	11	3.26	M-STOR	10.20	(0.10)	231	10.11
TIP	24.20	0.10	1,430	24.29	DIGI	0.21	(0.02)	20,060	0.22	MIPF	-	-	-	-
TSI	0.40	-	1,626	0.40	ICC	41.00	0.75	1	41.00	MIT	-	-	-	-
TVI	-	-	-	-	LTX	97.25	(0.25)	5	97.25	MJLF	12.60	0.10	104	12.60
Mining					NC	-	-	-	-	MNIT	-	-	-	-
PDI	13.20	-	2,649	13.17	PAF	1.06	-	89,642	1.05	MNIT2	5.15	(0.05)	1	5.15
THL	-	-	-	-	PDJ	2.48	-	1,660	2.45	MNRF	-	-	-	-
Packaging					PG	-	-	-	-	MONTRI	6.40	(0.05)	11	6.40
AJ	9.80	-	69	9.81	SABINA	31.50	(0.25)	9,952	31.91	POPF	13.80	-	3,112	13.77
ALUCON	175.00	1.00	7	174.93	SAWANG	14.10	0.70	1	14.10	PPF	11.20	(0.20)	200	11.20
CSC	44.75	-	6	44.33	SUC	45.00	-	138	45.00	QHHR	8.40	(0.05)	5,719	8.45
NEP	0.40	0.02	1,407	0.39	TNL	-	-	-	-	QHOP	3.48	-	11	3.36
NPPG	1.16	(0.06)	399,766	1.19	TPCORP	15.00	0.10	17	14.96	QHPF	13.50	(0.10)	1,428	13.52
PTL	16.00	(0.10)	6,227	16.10	TR	46.75	(0.25)	88	46.80	SBPF	-	-	-	-
SITHAI	1.22	(0.01)	10,914	1.23	TTI	-	-	-	-	SHREIT	9.35	(0.05)	5,328	9.25
SLP	0.92	-	8,200	0.94	TTL	-	-	-	-	SIRIP	11.30	(0.20)	5	11.30
SMPC	13.60	0.10	815	13.70	TTTM	153.00	(7.00)	5	153.00	SPF	23.90	0.10	2,730	23.89
SPACK	1.93	0.03	2,608	1.95	UPF	67.50	-	5	67.80	SRIPANWA	11.00	-	100	11.00
TCOAT	29.75	-	2	29.75	UT	14.30	0.30	6	13.70	SSPF	10.00	0.05	202	10.00
TFI	0.30	-	85	0.28	WACOAL	46.75	1.00	1	46.75	SSTPF	6.40	-	100	6.35
THIP	33.00	(0.50)	272	33.41	Transportation & Log	-	-	-	-	SSTRT	6.25	-	8	6.25
TMD	21.40	0.20	16	21.36	AAV	4.20	-	31,145	4.20	TIF1	8.75	0.05	658	8.75
TOPP	-	-	-	-	AOT	62.75	(0.75)	180,948	63.23	TLGF	20.00	0.10	5,125	19.89
TPBI	8.00	(0.05)	179	8.01	ASIMAR	2.54	-	780	2.56	TLHPF	-	-	-	-
TPP	-	-	-	-	B	0.60	-	7,500	0.60	TNPF	3.54	(0.02)	62	3.51
Personal Products &					BA	12.50	-	8,049	12.56	TPRIME	12.90	-	5,080	12.88
APCO	4.54	-	408	4.56	BEM	8.40	0.05	233,944	8.43	TREIT	11.90	(0.10)	2,088	11.94
DDD	38.25	(2.25)	20,991	39.04	BTS	9.00	-	93,240	9.04	TTLPF	23.50	(0.10)	136	23.20
JCT	88.25	0.25	3	88.33	BTSIGIF	12.00	0.10	6,811	11.97	TU-PF	-	-	-	-
OCC	-	-	-	-	III	6.80	(0.10)	4,271	6.86	URBNPF	3.46	(0.02)	224	3.49
S & J	25.25	1.45	203	23.00	JUTHA	1.81	(0.02)	1,426	1.80	WHABT	10.00	0.05	683	9.96
STHAI	-	-	-	-	JWD	7.45	-	5,383	7.49	WHART	10.90	-	50,020	10.85
TNR	13.40	-	77	13.34	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.76	(0.02)	849	4.80	NOK	2.70	-	14,918	2.70	AMC	2.28	0.02	268	2.28
Professional Service					NYT	5.05	(0.05)	6,579	5.08	BSBM	1.12	0.01	217	1.14
BWG	1.17	(0.01)	290,150	1.18	PRM	7.70	(0.25)	16,723	7.84	CEN	1.35	0.05	31,664	1.31
GENCO	0.79	(0.01)	4,210	0.80	PSL	12.90	(0.10)	4,970	12.92	CITY	2.68	-	158	2.69
PRO	-	-	-	-	RCL	5.80	-	3,409	5.75	CSP	1.36	-	261	1.36
TEAMG	2.42	(0.06)	41,923	2.46	THAI	13.90	(0.20)	74,662	14.04	GJS	0.25	(0.01)	4,965	0.25
Property Developer					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	300	6.70	TTA	7.00	-	9,403	7.03	INOX	1.13	-	957	1.12
AMATA	23.90	(0.30)	200,955	24.21	WICE	5.10	0.20	68,326	5.02	LHK	4.92	0.02	1,194	4.93
AMATAV	5.85	(0.15)	6,054	5.91	Automotive	-	-	-	-	MAX	0.02	-	535,134	0.03
ANAN	4.78	(0.06)	191,777	4.81	AH	26.75	(0.50)	6,954	27.15	MCS	7.15	(0.25)	16,820	7.28
AP	8.40	(0.05)	41,263	8.45	APCS	5.40	-	6,613	5.44	MILL	1.80	(0.03)	49,138	1.81
APEX	0.21	-	3,010	0.20	BAT-3K	-	-	-	-	PAP	4.04	-	818	4.04
AQ	0.04	0.01	579,252	0.04	CWT	2.78	-	1,496	2.81	PERM	2.26	(0.02)	188	2.27
BLAND	1.76	0.01	151,676	1.76	EASON	2.64	-	8,911	2.66	RICH	-	-	-	-
BROCK	2.28	(0.02)	348	2.28	GYT	380.00	2.00	4	379.75	SAM	0.69	-	1,016	0.69
CGD	1.38	(0.01)	24,482	1.37	HFT	3.08	(0.04)	5,241	3.09	SMIT	5.90	-	1,203	5.93
CI	1.61	(0.01)	1,489	1.61	IHL	9.65	(0.05)	4,720	9.69	SSI	-	-	-	-
CPN	78.50	1.50	45,286	78.75	INGRS	0.68	-	13,448	0.69	SSSC	3.04	0.06	2,311	2.98
ESTAR	0.69	(0.01)	38,352	0.69	IRC	20.70	(0.10)	456	20.74	TGPRO	0.15	(0.01)	43,292	0.16
EVER	0.54	-	129,766	0.55	PCSGH	7.10	(0.05)	7,458	7.15	THE	3.70	(0.04)	108,588	3.70
GLAND	3.08	-	48,140	3.08	SAT	20.40	-	5,299	20.55	TIW	240.00	-	5	240.00
GOLD	9.85	-	23,470	9.86	SPG	14.20	0.40	22	14.20	TMT	14.30	-	531	14.30
GREEN	1.17	-	3,918	1.17	STANLY	250.00	3.00	27	250.37	TSTH	0.73	(0.01)	5,143	0.73
J	1.62	-	29	1.60	TKT	1.64	-	208	1.64	TWP	3.92	(0.04)	666	3.91
JCK	1.70	-	90,478	1.7										

Main Board Quotation

Issue Date :

Wednesday October 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	TRT	2.36	-	212	2.00	ADVA06C1903A	0.36	(0.02)	300	-
ABICO	7.05	(0.25)	1,375	7.00	TSE	3.00	0.02	3,002	2.00	ADVA08C1903A	0.24	-	5,762	-
AU	7.65	(0.15)	43,463	7.00	UMS	0.77	-	80	-	ADVA11C1905A	0.18	-	6,180	-
FC	0.31	0.02	30,238	-	UWC	0.07	-	252,061	-	ADVA11P1905A	0.27	-	2,060	-
JCKH	1.09	(0.03)	694	1.00	Services (MAI)	-	-	-	-	ADVA13C1811A	0.23	(0.02)	130	-
KASET	2.14	0.06	32,766	2.00	ADAM	-	-	-	-	ADVA13C1901A	0.21	-	47,557	-
MM	4.00	-	478	4.00	AKP	1.69	(0.01)	890	1.00	ADVA16C1812A	0.44	(0.05)	100	-
SUN	3.26	(0.04)	3,929	3.00	AMA	5.55	-	1,766	5.00	ADVA19C1901A	0.40	(0.03)	11,292	-
TACC	3.78	0.02	8,123	3.00	ARIP	0.60	(0.03)	99,925	-	ADVA23C1902A	0.27	(0.01)	11,000	-
TMILL	3.02	-	4,199	3.00	ATP30	1.68	(0.02)	5,844	1.00	ADVA24C1810A	-	-	-	-
XO	10.50	0.10	2,348	10.00	AUCT	6.95	-	8,942	6.00	ADVA24C1904A	0.48	(0.52)	1,000	-
Consumer Products	-	-	-	-	BOL	1.92	(0.02)	704	1.00	ADVA24C1905A	-	-	-	-
BGT	1.09	(0.03)	9,215	1.00	CHUO	-	-	-	-	ADVA24P1810A	-	-	-	-
BIZ	2.92	0.02	1,924	2.00	CMO	1.54	0.01	3,462	1.00	ADVA24P1908A	0.73	(0.27)	20	-
DOD	13.80	(0.20)	28,313	13.00	D	10.90	-	2,402	10.00	ADVA27C1902A	0.21	-	3,000	-
ECF	6.15	(0.25)	64,569	6.00	DCORP	2.74	-	8,196	2.00	ADVA28C1811A	-	-	-	-
HPT	1.03	-	288	1.00	DNA	0.64	-	51,851	-	ADVA28C1901A	0.11	-	18,056	-
JUBILE	18.00	-	1,551	17.00	EFORL	0.07	-	64,745	-	ADVA42C1903A	-	-	-	-
MOONG	6.45	-	2,125	6.00	ETE	1.83	-	3,908	1.00	AMAT01C1810A	1.18	(0.04)	34,318	1.00
NPK	25.25	(0.25)	1	25.00	FSMART	7.80	(0.05)	11,657	7.00	AMAT01C1810B	0.60	(0.05)	39,122	-
OCEAN	3.60	0.50	233,673	3.00	FVC	1.03	0.01	11,717	1.00	AMAT01C1903A	0.89	(0.05)	81,447	-
TM	2.16	(0.22)	29,990	2.00	HARN	2.58	(0.02)	291	2.00	AMAT01C1903B	0.75	(0.04)	106,797	-
Financials (MAI)	-	-	-	-	JKN	13.10	0.20	94,012	13.00	AMAT01P1810A	0.23	0.01	104,177	-
ACAP	6.15	(0.05)	32,251	6.00	KIAT	0.50	-	47,792	-	AMAT01P1903A	0.64	0.03	74,631	-
AF	0.73	0.01	1,645	-	KOOL	1.68	(0.01)	6,808	1.00	AMAT06C1903A	0.80	(0.05)	10,040	-
AIRA	1.85	-	9	1.00	LDC	1.12	-	515	1.00	AMAT08C1903A	0.76	(0.04)	28,168	-
ASN	3.60	0.10	1	3.00	MPG	0.16	-	11,999	-	AMAT11C1903A	0.50	(0.03)	19,816	-
BROOK	0.55	-	30,635	-	MVP	2.98	-	10,244	2.00	AMAT13C1812A	0.74	(0.01)	42,593	-
CHAYO	5.35	(0.10)	18,115	5.00	NBC	0.70	(0.03)	351	-	AMAT13C1902A	0.46	(0.03)	655,627	-
GCAP	3.52	-	1,346	3.00	NCL	1.61	(0.04)	3,739	1.00	AMAT19C1811A	0.22	(0.02)	131,572	-
LIT	8.20	0.20	11,934	8.00	NEWS	0.01	-	12,711	-	AMAT19C1902A	0.85	(0.04)	30,672	-
SGF	1.59	(0.20)	686,281	1.00	NINE	2.26	-	17,706	2.00	AMAT23C1810A	0.13	(0.03)	6,122	-
Industrials (MAI)	-	-	-	-	OTO	3.02	(0.12)	2,604	3.00	AMAT24C1811A	0.32	-	1,600	-
ZS	3.12	-	1,578	3.00	PHOL	2.18	(0.02)	3,435	2.00	AMAT27C1902A	-	-	-	-
ADB	1.12	(0.01)	4,036	1.00	PICO	4.54	(0.12)	57	4.00	AMAT28C1902A	0.59	(0.03)	64,435	-
BM	3.14	0.04	3,602	3.00	PORT	6.85	0.05	1,613	6.00	AMAT28C1903A	0.16	-	56,116	-
CHO	1.17	(0.01)	8,860	1.00	QLT	4.64	-	99	4.00	ANAN01C1810A	0.95	(0.03)	154,406	-
CHOW	4.58	(0.04)	711	4.00	RP	3.14	0.08	63,088	3.00	ANAN01C1810B	0.26	(0.07)	27,727	-
CIG	0.39	-	7,708	-	SE	2.14	(0.02)	172	2.00	ANAN08C1810A	0.48	(0.11)	5,746	-
COLOR	1.38	0.03	15,677	1.00	SPA	14.50	-	1,085	14.00	ANAN08C1906A	0.21	(0.01)	2,540	-
CPR	5.30	(0.10)	2,406	5.00	THMUI	1.66	-	10,537	1.00	ANAN13C1901A	0.12	(0.02)	52,960	-
FPI	2.26	-	504	2.00	TNDT	5.15	0.05	563	5.00	ANAN19C1811A	0.27	(0.03)	64,354	-
GTB	0.66	-	1,765	-	TNH	40.00	-	250	40.00	ANAN23C1901A	0.15	(0.01)	15,021	-
KCM	1.17	0.01	6,325	1.00	TNP	1.82	(0.01)	1,187	1.00	ANAN24C1811A	-	-	-	-
KWM	1.25	(0.04)	65,522	1.00	TSF	0.04	-	11,490	-	AOT01C1810A	0.05	-	23,414	-
LVT	-	-	-	-	TVD	1.60	0.08	21,912	1.00	AOT01C1902A	0.38	(0.04)	220,403	-
MBAX	4.10	(0.02)	157	4.00	TVT	1.02	(0.01)	806	1.00	AOT01C1902B	0.21	(0.03)	365,898	-
MGT	2.12	(0.04)	540	2.00	WINNER	3.20	-	2,350	3.00	AOT01C1904A	0.39	(0.02)	174,174	-
NDR	2.26	-	114	2.00	Technology (MAI)	-	-	-	-	AOT01C1904B	0.28	(0.02)	91,310	-
PDG	3.58	-	122	3.00	COMAN	4.40	0.26	23,969	4.00	AOT01P1902A	0.91	0.03	62,312	-
PIMO	4.18	0.02	3,640	4.00	ICN	2.18	-	2,357	2.00	AOT01P1902B	0.56	0.02	121,531	-
PJW	1.75	(0.01)	3,672	1.00	IRCP	0.95	-	4,158	-	AOT01P1904A	0.95	0.03	116,313	-
PPM	1.84	0.02	420	1.00	ITEL	3.64	(0.10)	6,067	3.00	AOT01P1904B	0.74	0.02	189,397	-
RWI	1.65	0.02	149	1.00	NETBAY	33.50	(0.75)	1,166	34.00	AOT06C1903A	0.29	(0.02)	19,260	-
SALÉE	1.14	-	1,639	1.00	PLANET	1.53	-	888	1.00	AOT06P1903A	0.54	0.02	27,654	-
SANKO	1.37	(0.05)	53,889	1.00	SIMAT	2.20	(0.14)	19,888	2.00	AOT07C1902A	-	-	-	-
SELIC	2.80	0.08	11,079	2.00	SKY	13.50	0.20	5,378	13.00	AOT08C1901A	0.15	(0.01)	12,563	-
SWC	26.50	-	901	26.00	SPVI	1.58	0.03	58,381	1.00	AOT08P1903A	0.52	0.02	8,000	-
TMC	0.96	0.05	28,257	-	UPA	0.53	-	56,721	-	AOT11C1906A	0.26	-	5,795	-
TMI	0.81	(0.01)	4,683	-	VCOM	3.18	0.06	982	3.00	AOT11P1906A	0.39	0.01	20,090	-
TMW	69.00	0.25	143	68.00	Unit Trust	-	-	-	-	AOT13C1811A	0.04	-	200	-
TPAC	12.40	(0.40)	220	12.00	MGE	-	-	-	-	AOT13C1812A	0.10	(0.02)	49,350	-
TPLAS	1.80	(0.05)	11,076	1.00	SCBSET	-	-	-	-	AOT13C1902A	0.30	(0.03)	139,840	-
UAC	4.44	(0.06)	1,098	4.00	ETF	-	-	-	-	AOT13P1810A	-	-	-	-
UBIS	4.74	0.04	372	4.00	1DIV	11.95	0.04	366	11.00	AOT13P1812A	-	-	-	-
UEC	1.56	(0.02)	3,231	1.00	ABFTH	-	-	-	-	AOT13P1902A	0.42	0.03	86,106	-
UKEM	0.89	(0.02)	17,540	-	BMSCG	9.09	(0.04)	709	9.00	AOT19C1901A	0.23	(0.03)	116,740	-
UREKA	1.70	(0.04)	55,805	1.00	BMSCITH	12.60	(0.02)	9,835	12.00	AOT24C1811A	-	-	-	-
YUASA	15.40	(0.10)	82	15.00	BSET100	10.91	(0.02)	1,313	10.00	AOT24C1901A	-	-	-	-
ZIGA	3.12	-	5,049	3.00	CHINA	4.85	0.01	128	4.00	AOT24C1904A	0.27	(0.02)	6,420	-
Property & Construc	-	-	-	-	EBANK	-	-	-	-	AOT24P1903A	-	-	-	-
ARROW	8.80	(0.05)	486	8.00	ECCOMM	-	-	-	-	AOT27C1902A	0.29	(0.02)	7,200	-
BKD	3.14	-	3,682	3.00	EFOOD	-	-	-	-	AOT27P1903A	-	-	-	-
BSM	0.70	(0.01)	2,535	-	EICT	-	-	-	-	AOT28C1812A	0.09	(0.01)	4,440	-
BTW	1.81	0.01	296	1.00	ENGY	6.58	0.03	18	6.00	AOT28C1901A	0.08	(0.01)	72,121	-
CHEWA	1.31	0.02	89,168	1.00	ENY	7.80	-	2	7.00	AOT28C1902A	0.28	(0.02)	83,165	-
CRD	1.10	0.01	1,246	1.00	ESET50	-	-	-	-	AOT28P1812A	0.16	0.01	45,937	-
DIMET	1.04	-	8,510	1.00	GLD	1.70	-	846	1.00	AOT42C1903A	0.21	(0.01)	14,380	-
FLOYD	2.18	(0.02)	1,865	2.00	TDEX	11.08	0.03	1,623	11.00	AP01C1903A	0.31	-	16,487	-
FOCUS	1.52	0.05	285,270	1.00	TGOLDETF	3.70	(0.01)	179	3.00	AP01C1903B	0.20	-	29,473	-
HYDRO	1.31	(0.02)	1,736	1.00	TH100	-	-	-	-	AP08C1810A	0.03	(0.02)	4,812	-
JSP	0.55	-	21,365											

Main Board Quotation

Issue Date :

Wednesday October 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP07C1904A	0.27	(0.01)	185	-	BEAU01C1901B	0.16	(0.04)	126,246	-	BPP13C1901A	0.13	-	43,793	-
BANP08C1811A	0.05	0.01	1,020	-	BEAU01C1902A	0.74	(0.09)	87,050	-	BPP13C1902A	-	-	-	-
BANP08P1901A	0.33	-	22,729	-	BEAU01C1902B	0.59	(0.07)	110,162	-	BPP19C1903A	0.48	(0.04)	15,288	-
BANP11C1902A	0.07	0.01	2	-	BEAU01P1812A	1.54	0.10	285,885	1.00	BPP19C1903B	0.17	(0.02)	5,558	-
BANP13C1811A	0.02	(0.01)	29,200	-	BEAU01P1902A	0.87	0.06	205,971	-	BPP23C1901A	0.14	(0.02)	2,000	-
BANP13C1902A	0.23	0.01	267,960	-	BEAU06C1904A	1.18	(0.11)	17,640	1.00	BPP24C1902A	0.09	(0.01)	510	-
BANP16C1812A	0.56	0.01	1,019	-	BEAU08C1901A	0.02	-	24,964	-	BPP24C1904A	0.43	(0.57)	20	-
BANP19C1811A	-	-	-	-	BEAU08C1902A	0.56	(0.08)	25,897	-	BPP28C1812A	0.27	(0.04)	22,264	-
BANP19C1902A	0.30	-	28,114	-	BEAU11C1902A	-	-	-	-	BPP28C1902A	0.11	(0.02)	17,689	-
BANP23C1901A	0.05	-	21,684	-	BEAU13C1811A	-	-	-	-	BTS01C1810A	0.28	0.02	34,386	-
BANP24C1812A	-	-	-	-	BEAU13C1812A	-	-	-	-	BTS01C1810B	-	-	-	-
BANP24C1904A	0.24	0.01	1,423	-	BEAU13C1812B	0.36	(0.09)	138,299	-	BTS01C1903A	0.33	0.01	63,892	-
BANP24P1901A	-	-	-	-	BEAU13C1901A	0.10	(0.02)	386,247	-	BTS01C1903B	0.24	0.01	89,669	-
BANP27C1904A	0.36	-	2,400	-	BEAU19C1811A	-	-	-	-	BTS01P1810A	0.46	(0.02)	13,708	-
BANP28C1902A	0.14	-	25,136	-	BEAU19C1901A	0.60	(0.08)	78,041	-	BTS01P1903A	0.46	(0.01)	31,538	-
BANP42C1903A	0.18	0.01	500	-	BEAU19C1902A	0.20	(0.02)	910	-	BTS06C1903A	-	-	-	-
BANP42P1903A	0.55	(0.01)	18,080	-	BEAU23C1901A	-	-	-	-	BTS06C1903B	-	-	-	-
BBL06C1902A	0.92	0.07	7,252	-	BEAU24C1901A	0.09	(0.02)	3	-	BTS06C1903C	8.70	(0.25)	878	8.00
BBL08C1902A	0.68	0.05	600	-	BEAU24C1902A	0.03	(0.01)	714	-	BTS08C1810A	0.02	-	10	-
BBL08P1810A	-	-	-	-	BEAU24C1903A	0.61	(0.39)	451	-	BTS11C1904A	-	-	-	-
BBL11C1903A	0.54	0.04	7,411	-	BEAU27C1903A	0.16	(0.02)	63,623	-	BTS19C1901A	0.17	(0.01)	6,568	-
BBL11P1903A	-	-	-	-	BEAU28C1811A	-	-	-	-	BTS23C1905A	-	-	-	-
BBL13C1810A	-	-	-	-	BEC01C1812A	0.05	(0.01)	2,288	-	BTS24C1901A	-	-	-	-
BBL13C1901A	0.31	0.01	23,304	-	BEC01C1812B	0.03	-	8,050	-	BTS28C1811A	-	-	-	-
BBL19C1901A	0.29	0.01	58,004	-	BEC13C1811A	-	-	-	-	BTS28C1902A	0.13	-	17,807	-
BBL23C1811A	0.22	0.05	8,030	-	BEC13C1901A	0.04	(0.01)	5,441	-	BTS42C1901A	0.13	0.01	20,080	-
BBL24C1812A	-	-	-	-	BEC24C1812A	-	-	-	-	BTS42P1901A	0.25	(0.02)	14,056	-
BBL24C1902A	0.21	0.02	724	-	BEC28C1811A	-	-	-	-	CBG01C1811A	0.21	(0.02)	91,089	-
BBL24P1810A	-	-	-	-	BEM01C1902A	0.36	0.01	53,269	-	CBG01C1811B	0.03	-	7	-
BBL24P1904A	0.36	(0.64)	191	-	BEM01C1902B	0.29	0.02	40,139	-	CBG01C1902A	0.51	(0.02)	43,278	-
BBL27C1904A	0.46	0.02	3,600	-	BEM01P1902A	0.40	(0.01)	6,271	-	CBG01C1902B	0.37	(0.02)	34,798	-
BBL27P1904A	0.54	(0.05)	3,600	-	BEM07C1903A	-	-	-	-	CBG01P1811A	1.01	0.05	43,051	-
BBL28C1811A	-	-	-	-	BEM08C1903A	0.24	0.01	11,752	-	CBG01P1811B	0.33	0.02	105,100	-
BBL28C1901A	0.25	0.02	21,406	-	BEM11C1903A	0.20	-	14,440	-	CBG06C1903A	0.48	(0.02)	31,142	-
BBL42C1903A	0.30	0.01	4,040	-	BEM13C1901A	0.31	0.02	71,081	-	CBG06P1903A	0.78	0.02	6,594	-
BCH01C1902A	0.53	0.02	83,661	-	BEM19C1901A	0.32	0.02	8,077	-	CBG07C1812A	-	-	-	-
BCH01C1902B	0.38	0.02	102,082	-	BEM23C1901A	0.15	-	4,000	-	CBG08C1810A	-	-	-	-
BCH01P1902A	0.35	(0.03)	131,554	-	BEM24C1902A	0.20	(0.01)	300	-	CBG08C1902A	0.22	(0.01)	9,892	-
BCH06C1811A	0.37	0.01	14,725	-	BEM27C1904A	0.24	0.02	6,600	-	CBG11C1902A	0.06	(0.01)	4,604	-
BCH08C1901A	0.60	-	32,851	-	BGRI01C1901A	1.29	-	6,792	1.00	CBG13C1811A	0.03	-	10	-
BCH11C1905A	0.51	0.01	57,180	-	BGRI01C1901B	1.05	(0.01)	6,086	1.00	CBG13C1812A	0.06	-	23,978	-
BCH13C1810A	0.20	0.08	802	-	BGRI01C1903A	0.38	(0.02)	35,929	-	CBG13C1901A	0.38	(0.03)	102,298	-
BCH13C1902A	0.31	-	94,451	-	BGRI01C1903B	0.29	(0.02)	37,601	-	CBG19C1810A	-	-	-	-
BCH19C1903A	0.59	0.01	40,239	-	BGRI06C1903A	1.13	(0.01)	6,775	1.00	CBG19C1901A	0.29	(0.02)	71,435	-
BCH23C1811A	0.52	0.10	10,944	-	BGRI07C1903A	0.31	0.01	160	-	CBG23C1901A	0.03	(0.02)	2	-
BCH24C1811A	0.16	0.02	6,364	-	BGRI08C1902A	0.92	-	7,926	-	CBG24C1811A	-	-	-	-
BCH27C1902A	-	-	-	-	BGRI13C1812A	-	-	-	-	CBG24C1901A	0.29	(0.03)	8,400	-
BCH28C1811A	-	-	-	-	BGRI13C1812B	0.23	(0.02)	46,141	-	CBG24C1903A	-	-	-	-
BCH28C1902A	0.25	-	33,379	-	BGRI19C1901A	0.71	(0.04)	950	-	CBG28C1811A	-	-	-	-
BCP01C1810A	0.10	0.01	3,450	-	BGRI19C1903A	0.26	(0.01)	11,520	-	CBG28C1812A	0.13	(0.02)	11,175	-
BCP01C1810B	-	-	-	-	BGRI24C1901A	0.80	(0.05)	25	-	CENT01C1810A	-	-	-	-
BCP01C1903A	0.22	-	4,505	-	BGRI24C1902A	0.30	0.01	1,280	-	CENT01C1810B	-	-	-	-
BCP01C1903B	0.16	0.01	4,174	-	BGRI28C1812A	-	-	-	-	CENT01C1903A	0.42	-	3,265	-
BCP01P1810A	0.44	(0.02)	4,168	-	BGRI28C1901A	0.18	(0.02)	32,394	-	CENT01C1903B	0.30	(0.02)	4,360	-
BCP01P1903A	0.43	(0.01)	16,656	-	BH01C1811A	0.60	(0.03)	55,685	-	CENT01P1810A	1.21	-	7,632	1.00
BCP08C1901A	0.14	0.01	21,644	-	BH01C1811B	0.06	-	500	-	CENT01P1903A	0.49	0.01	52,802	-
BCC11C1811A	0.02	(0.02)	400	-	BH01P1811A	0.95	0.03	25,722	-	CENT06C1904A	0.15	(0.01)	18,300	-
BCC13C1810A	-	-	-	-	BH07C1810A	-	-	-	-	CENT08C1902A	0.14	(0.01)	2,624	-
BCC13C1902A	0.15	-	1,000	-	BH08C1811A	-	-	-	-	CENT11C1904A	-	-	-	-
BCC19C1902A	0.15	0.01	5,010	-	BH08C1902A	0.56	(0.02)	25,928	-	CENT13C1811A	-	-	-	-
BCC24C1811A	-	-	-	-	BH11C1902A	-	-	-	-	CENT13C1902A	0.22	(0.01)	39,708	-
BCC24C1904A	-	-	-	-	BH11C1905A	0.70	-	4,910	-	CENT19C1901A	0.15	-	2,865	-
BCC28C1901A	0.12	-	4,056	-	BH13C1901A	0.57	(0.04)	40,168	-	CENT23C1902A	-	-	-	-
BCPG01C1811A	0.50	(0.01)	79,371	-	BH19C1901A	0.58	(0.03)	28,168	-	CENT24C1810A	-	-	-	-
BCPG01C1811B	0.11	(0.02)	90,067	-	BH24C1811A	-	-	-	-	CENT24C1901A	-	-	-	-
BCPG01C1904A	0.53	(0.01)	155,592	-	BH24C1902A	0.48	(0.01)	4,200	-	CENT24C1902A	0.21	(0.01)	500	-
BCPG01C1904B	0.41	-	88,021	-	BIG08C1906A	0.11	(0.01)	1,481	-	CHG01C1903A	0.39	(0.02)	67,951	-
BCPG06C1811A	0.21	(0.02)	60,274	-	BIG13C1901A	0.04	-	2,257	-	CHG01C1903B	0.31	(0.02)	90,154	-
BCPG08C1810A	0.19	(0.01)	22,750	-	BIG19C1811A	-	-	-	-	CHG01P1903A	0.40	0.01	37,574	-
BCPG08C1904A	0.30	-	14,175	-	BIG24C1812A	-	-	-	-	CHG07C1902A	0.32	(0.07)	101	-
BCPG11C1902A	0.16	(0.01)	10,968	-	BJC01C1812A	0.64	-	82,922	-	CHG11C1904A	0.29	(0.01)	5,839	-
BCPG13C1810A	-	-	-	-	BJC01C1812B	0.38	-	19,698	-	CHG13C1812A	0.28	(0.01)	102,475	-
BCPG13C1812A	0.49	(0.02)	10,818	-	BJC01P1812A	0.27	-	34,399	-	CHG13C1903A	0.15	0.01	47,984	-
BCPG13C1902A	0.29	(0.02)	322,005	-	BJC06C1901A	0.19	-	12,170	-	CHG19C1902A	0.35	0.01	103,995	-
BCPG19C1901A	0.51	(0.03)	142,554	-	BJC08C1903A	0.36	-	6,876	-	CHG23C1811A	-	-	-	-
BCPG23C1902A	0.42	(0.02)	9,000	-	BJC11C1905A	0.45	-	4,880	-	CHG24C1811A	0.14	(0.01)	25,750	-
BCPG24C1810A	-	-	-	-	BJC13C1810A	-	-	-	-	CHG28C1812A	-	-	-	-
BCPG24C1903A	0.28	(0.02)	100,647	-	BJC13C1812A	0.28	(0.02)	30,294	-	CHG28C1902A	0.18	(0.01)	29,406	-
BCPG27C1903A	0.44	-	15,600	-	BJC13C1902A	0.27	-	41,673	-	CK01C1902A	0.30	0.01	58,990	-
BCPG28C1812A	0.57	(0.14)	1,500	-	BJC19C1902A	0.40	(0.01)	29,165	-	CK01C1902B	0.22	-	1,296	-
BCPG28C1901A	0.27	(0.02)	104,977	-	BJC23C1901A	0.17	-	19,000	-	CK01P1902A	0.33	(0.01)	29,865	-
BDMS01C1811A	0.14	0.01	66,275	-	BJC24C1901A	0.30	0.01	300	-	CK08C1901A	0.13	-	15,550	-
BDMS01C1811B	0.01	(0.01)	622	-	BJC28C1812A	0.32	-	26,724	-	CK11C1904A	0.16	-	5,820	-
BDMS01P1811A	0.28	(0.01)	29,901	-	BLA01C1812A	0.19	(0.03)	42,161	-	CK13C1902A	0.21	-	61,910	-
BDMS06C1811A	0.40	0.03	1,350	-	BLA08C1811A	-	-	-	-	CK16C1812A	-	-	-	-
BDMS07C1904A	0.14	-	1,226	-	BLA13C1902A	0.18	(0.03)	72,021	-	CK19C1811A	0.08	-	4,000	-
BDMS08C1901A	0.08	-	200	-	BLA19C1903A	0.28	(0.03)	45,628	-	CK19C1903A	0.28	0.01	13,971	-
BDMS11C1811A	0.44	(0.01)	900	-	BLA24C1903A	0.23	(0.04)	7,825</						

Main Board Quotation

Issue Date :

Wednesday October 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM701C1811A	0.94	0.01	6,591	-	DTAC13P1812A	0.04	(0.01)	1,000	-	GUNK13C1903A	0.37	-	200,168	-
COM701C1811B	0.49	-	4,066	-	DTAC19C1811A	0.16	0.06	64,970	-	GUNK19C1903A	0.56	(0.01)	62,946	-
COM706C1903A	0.70	-	1,710	-	DTAC24C1901A	0.36	(0.05)	201	-	GUNK24C1812A	0.20	-	57,445	-
COM708C1811A	0.21	-	4,392	-	DTAC27C1903A	0.36	0.07	19,200	-	GUNK24C1903A	0.43	0.02	51,041	-
COM708C1903A	0.70	0.01	1,040	-	DTAC27P1903A	0.47	(0.07)	16,300	-	GUNK28C1903A	0.38	0.01	307,218	-
COM711C1811A	0.75	(0.01)	3,347	-	DTAC28C1812A	0.47	0.10	86,438	-	HANA01C1811A	0.43	-	39,138	-
COM713C1812A	0.59	(0.01)	150	-	DTAC28C1902A	0.29	0.06	153,182	-	HANA01C1811B	0.12	-	92,795	-
COM713C1903A	0.47	-	57,821	-	DTAC42C1903A	0.36	0.07	27,740	-	HANA08C1903A	0.32	0.02	9,113	-
COM719C1811A	0.50	(0.01)	3,626	-	EA07C1810A	-	-	-	-	HANA11C1904A	0.22	-	3,703	-
COM719C1904A	0.85	(0.01)	662	-	EA07C1903A	0.78	(0.02)	667	-	HANA13C1901A	0.25	0.01	59,877	-
COM723C1901A	-	-	-	-	EA08C1810A	0.35	0.03	3,080	-	HANA19C1902A	0.23	0.01	2,908	-
COM724C1811A	0.34	(0.01)	4,009	-	EA08C1903A	0.75	(0.01)	29,637	-	HANA23C1811A	-	-	-	-
COM727C1902A	-	-	-	-	EA11C1902A	0.21	0.01	5,157	-	HANA24C1810A	0.01	(0.01)	54,300	-
COM728C1811A	-	-	-	-	EA13C1810A	-	-	-	-	HANA24C1903A	-	-	-	-
COM728C1903A	0.65	0.01	2,158	-	EA13C1811A	0.16	-	87,110	-	HANA28C1812A	0.30	-	28,231	-
CPAL01C1901A	0.16	(0.01)	95,298	-	EA13C1812A	0.43	(0.01)	7,915	-	HANA28C1902A	0.21	-	12,168	-
CPAL01C1901B	0.04	(0.01)	43,795	-	EA13C1812B	0.98	0.11	300	-	HMPR01C1902A	0.38	-	2,849	-
CPAL01C1904A	0.65	-	42,567	-	EA13C1901A	0.42	(0.02)	204,418	-	HMPR01C1902B	-	-	-	-
CPAL01C1904B	0.47	0.01	48,733	-	EA19C1811A	0.41	(0.01)	60,915	-	HMPR01P1902A	0.36	(0.01)	200	-
CPAL01P1901A	1.50	(0.01)	14,523	1.00	EA19C1902A	0.59	(0.01)	42,922	-	HMPR06C1811A	-	-	-	-
CPAL01P1901B	1.04	0.02	15,875	1.00	EA23C1901A	0.62	0.01	15,248	-	HMPR08C1810A	0.01	-	1	-
CPAL01P1904A	0.79	-	14,562	-	EA24C1901A	0.45	0.03	2,554	-	HMPR11C1906A	-	-	-	-
CPAL01P1904B	0.55	(0.01)	14,448	-	EA27C1902A	-	-	-	-	HMPR13C1812A	0.20	0.01	1	-
CPAL06C1811A	0.50	0.03	700	-	EA28C1901A	0.53	(0.02)	31,302	-	HMPR19C1901A	0.35	-	20,001	-
CPAL06C1811B	-	-	-	-	EA28C1902A	0.30	-	27,569	-	HMPR23C1901A	0.06	-	5,000	-
CPAL07C1902A	0.23	0.02	2,056	-	EGCO01C1903A	0.54	(0.03)	13,067	-	HMPR24C1901A	0.18	0.01	194	-
CPAL08C1902A	0.10	-	8,268	-	EGCO01C1903B	0.39	(0.02)	20,255	-	HMPR28C1811A	-	-	-	-
CPAL08C1902B	0.33	0.01	4,438	-	EGCO19C1901A	0.30	(0.01)	16,954	-	HMPR28C1903A	-	-	-	-
CPAL08P1810A	-	-	-	-	EGCO23C1811A	-	-	-	-	INTU01C1903A	0.37	-	5,355	-
CPAL08P1904A	0.62	(0.05)	4,570	-	EGCO24C1901A	-	-	-	-	INTU01C1903B	0.23	-	1,995	-
CPAL11C1903A	0.05	-	430	-	EPG01C1903A	0.33	-	30,829	-	INTU01P1903A	0.75	(0.01)	19,854	-
CPAL11P1903A	1.00	(0.07)	4,081	1.00	EPG01C1903B	0.24	-	34,038	-	INTU01P1903B	0.55	(0.01)	19,856	-
CPAL13C1812A	0.06	-	49,831	-	EPG01P1903A	1.03	(0.02)	7,788	1.00	INTU11C1905A	0.19	-	2,582	-
CPAL13C1901A	0.24	(0.01)	62,290	-	EPG07C1811A	0.17	(0.02)	9,550	-	INTU11P1905A	0.34	(0.02)	515	-
CPAL13P1902A	0.45	(0.02)	23,700	-	EPG08C1810A	-	-	-	-	INTU13C1810A	-	-	-	-
CPAL19C1811A	0.02	0.01	13,641	-	EPG08C1810B	0.24	0.03	322	-	INTU13C1812A	0.18	-	12,893	-
CPAL19C1902A	0.33	-	10,500	-	EPG08C1903A	0.15	(0.01)	4,813	-	INTU19C1901A	0.18	0.01	4,193	-
CPAL23C1810A	-	-	-	-	EPG11C1903A	0.36	0.02	7,611	-	INTU24C1901A	-	-	-	-
CPAL24C1811A	-	-	-	-	EPG13C1811A	0.08	-	14,012	-	INTU28C1901A	0.12	-	7,269	-
CPAL24C1901A	0.06	(0.01)	1,000	-	EPG13C1902A	0.13	-	32,502	-	IRPC01C1810A	0.03	-	34,962	-
CPAL24C1903A	0.25	0.01	115	-	EPG19C1902A	0.18	-	13,928	-	IRPC01C1810B	0.02	0.01	1	-
CPAL24P1901A	0.35	(0.03)	900	-	EPG24C1810A	0.15	0.01	5,710	-	IRPC01C1903A	0.23	0.01	227,569	-
CPAL27C1903A	-	-	-	-	EPG24C1902A	0.23	-	6,500	-	IRPC01C1903B	0.15	0.01	116,047	-
CPAL28C1811A	-	-	-	-	EPG28C1902A	0.14	-	31,865	-	IRPC01P1810A	0.36	(0.01)	8,498	-
CPAL28C1901A	0.21	0.01	32,230	-	ERW13C1902A	0.25	-	108,468	-	IRPC01P1810B	0.02	-	100	-
CPF01C1810A	0.11	0.01	16,200	-	ERW19C1902A	0.39	0.01	9,721	-	IRPC01P1903A	0.58	(0.01)	11,886	-
CPF01C1902A	0.19	0.01	78,268	-	ERW24C1904A	0.40	0.02	4,040	-	IRPC01P1903B	0.43	(0.03)	13,802	-
CPF01C1902B	0.11	0.01	72,968	-	ESSO01C1812A	0.47	(0.03)	5,860	-	IRPC06C1811A	0.13	0.02	4,001	-
CPF01P1902A	0.43	-	66,194	-	ESSO01C1812B	0.25	-	4,251	-	IRPC07C1812A	0.10	-	2,712	-
CPF01P1902B	0.33	(0.02)	11,940	-	ESSO01P1812A	0.41	(0.01)	21,073	-	IRPC08C1902A	0.19	0.01	24,650	-
CPF06C1903A	0.08	0.01	1,000	-	ESSO08C1902A	0.38	-	2,800	-	IRPC11C1902A	0.04	-	110	-
CPF07C1810A	-	-	-	-	ESSO11C1905A	0.66	(0.02)	2,695	-	IRPC11C1905A	0.25	0.01	9,356	-
CPF08C1901A	0.10	-	10,073	-	ESSO13C1811A	0.13	(0.01)	1,664	-	IRPC13C1811A	0.02	-	1,000	-
CPF11C1902A	0.05	-	700	-	ESSO19C1901A	0.32	(0.02)	12,454	-	IRPC13C1812A	0.13	-	103,652	-
CPF11P1902A	-	-	-	-	ESSO24C1812A	-	-	-	-	IRPC19C1901A	0.20	0.01	53,757	-
CPF13C1810A	-	-	-	-	ESSO24C1902A	0.35	(0.01)	230	-	IRPC23C1810A	-	-	-	-
CPF13C1902A	0.11	-	20,000	-	ESSO28C1811A	0.12	(0.01)	25,576	-	IRPC24C1811A	-	-	-	-
CPF19C1901A	0.11	-	22,298	-	ESSO28C1903A	0.29	(0.01)	30,664	-	IRPC27C1902A	0.19	0.01	6,000	-
CPF23C1810A	-	-	-	-	GFFT08C1906A	0.57	(0.01)	4,504	-	IRPC28C1811A	-	-	-	-
CPF24C1901A	0.16	0.01	850	-	GFPT13C1902A	0.30	(0.03)	35,280	-	IRPC28C1812A	-	-	-	-
CPF24C1902A	0.06	0.02	1	-	GFPT19C1811A	0.51	(0.04)	2,060	-	IRPC28C1902A	0.14	-	39,707	-
CPF24C1903A	-	-	-	-	GFPT19C1903A	0.41	(0.03)	9,708	-	ITD06C1904A	0.29	-	16,400	-
CPF24C1904A	0.52	(0.48)	20	-	GFPT24C1812A	0.39	0.01	100	-	ITD08C1810A	-	-	-	-
CPF27C1903A	0.07	-	200	-	GGC01C1810A	0.01	(0.01)	6	-	ITD08C1902A	0.20	-	30,268	-
CPF28C1811A	-	-	-	-	GGC01C1810B	0.01	-	1,680	-	ITD11C1903A	0.09	-	7,118	-
CPF28C1902A	0.09	-	22,044	-	GGC07C1902A	-	-	-	-	ITD13C1812A	0.08	-	24,040	-
CPN01C1902A	0.50	0.05	71,802	-	GGC08C1906A	0.09	-	1,352	-	ITD13C1902A	0.24	0.01	57,784	-
CPN01C1902B	0.29	0.03	119,107	-	GGC13C1811A	-	-	-	-	ITD19C1811A	-	-	-	-
CPN01P1902A	0.90	(0.09)	51,377	-	GGC13C1902A	0.12	(0.01)	50,029	-	ITD19C1903A	0.37	-	13,544	-
CPN06C1811A	0.39	0.06	29,711	-	GGC19C1811A	-	-	-	-	ITD24C1810A	-	-	-	-
CPN07C1902A	-	-	-	-	GGC19C1902A	0.26	(0.01)	22,166	-	ITD24C1902A	0.20	-	5	-
CPN08C1903A	0.45	0.07	7,776	-	GGC23C1901A	-	-	-	-	IVL01C1812A	0.36	(0.03)	176,600	-
CPN11C1903A	0.21	0.03	22,382	-	GGC24C1812A	-	-	-	-	IVL01C1812B	0.13	-	287,997	-
CPN11P1903A	0.22	(0.05)	9,924	-	GGC24C1901A	-	-	-	-	IVL01C1903A	0.51	(0.02)	51,269	-
CPN13C1812A	0.16	0.04	101,844	-	GGC28C1811A	-	-	-	-	IVL01C1903B	0.37	(0.02)	206,248	-
CPN19C1901A	0.40	0.06	83,865	-	GGC28C1905A	0.25	(0.01)	55,939	-	IVL01P1812A	0.66	0.01	62,774	-
CPN23C1810A	0.01	-	6,025	-	GLOB01C1903A	0.63	(0.01)	3,712	-	IVL01P1812B	0.34	-	77,343	-
CPN24C1901A	-	-	-	-	GLOB01C1903B	0.54	0.02	1,937	-	IVL01P1903A	0.94	0.01	48,720	-
CPN27C1903A	0.36	0.05	501	-	GLOB11C1906A	0.40	(0.01)	4,130	-	IVL01P1903B	0.74	0.01	30,216	-
CPN28C1902A	0.27	0.03	20,568	-	GLOB13C1901A	0.39	(0.01)	3,076	-	IVL06C1901A	0.21	(0.02)	8,600	-
DELT06C1903A	-	-	-	-	GLOB19C1901A	0.55	-	3,444	-	IVL07C1811A	0.23	(0.01)	10,000	-
DELT08C1811A	-	-	-	-	GLOB23C1811A	-	-	-	-	IVL08C1901A	0.38	0.01	35,630	-
DELT24C1901A	-	-	-	-	GLOB24C1810A	0.17	0.01	50	-	IVL08P1903A	0.51	-	25,813	-
DELT27C1812A	-	-	-	-	GLOB24C1903A	0.32	-	940	-	IVL11C1906A	0.39	(0.01)	23,835	-
DTAC01C1810A	0.33	0.13	241,883	-	GLOW08C1811A	0.14	(0.01)	2,646	-	IVL13C1810A	-	-	-	-
DTAC01C1810B	0.02	0.01	16	-	GLOW19C1901A	0.23	(0.01)	50,495	-	IVL13C1812A	0.23	(0.02)	195,050	-
DTAC01C1902A	0.78	0.11	329,317	-	GLOW27C1812A	0.14	0.01	400	-	IVL13C1903A	0.40	(0.60)	65,463	-
DTAC01C1902B	0.58	0.09	6											

Main Board Quotation

Issue Date :

Wednesday October 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN01C1904B	0.31	(0.01)	122,384	-	MAJO24C1902A	0.28	0.01	6,550	-	PTG19C1902A	0.05	-	135,170	-
KBAN01P1810A	0.02	-	111	-	MALE01C1812A	0.01	(0.01)	9,182	-	PTG19C1902B	0.25	0.01	81,807	-
KBAN01P1901A	0.78	0.02	41,734	-	MALE08C1811A	0.01	-	1	-	PTG24C1901A	0.12	(0.01)	117,221	-
KBAN01P1901B	0.19	-	97,562	-	MALE27C1812A	-	-	-	-	PTG24C1902A	0.04	0.01	500	-
KBAN01P1904A	0.72	0.01	83,063	-	MC19C1811A	-	-	-	-	PTG27C1902A	0.08	-	1,400	-
KBAN01P1904B	0.51	-	105,851	-	MC24C1812A	-	-	-	-	PTG28C1812A	0.01	(0.01)	50	-
KBAN06C1811A	0.33	(0.03)	5,892	-	MEGA01C1811A	0.18	0.02	19,296	-	PTG28C1901A	0.13	-	25,501	-
KBAN07C1811A	-	-	-	-	MEGA01C1811B	-	-	-	-	PTL08C1811A	0.36	(0.01)	3,218	-
KBAN08C1811A	0.33	(0.03)	6,662	-	MEGA01C1904A	0.53	0.04	22,429	-	PTT01C1810A	0.05	-	77,096	-
KBAN08C1903A	0.20	-	10,155	-	MEGA01C1904B	0.45	0.02	28,426	-	PTT01C1810B	0.01	-	173,758	-
KBAN08P1811A	-	-	-	-	MEGA08C1811A	-	-	-	-	PTT01C1901A	0.64	(0.02)	180,443	-
KBAN13C1810A	-	-	-	-	MEGA08C1903A	0.34	0.03	10,157	-	PTT01C1901B	0.44	(0.02)	197,850	-
KBAN13C1811A	0.27	(0.03)	50,781	-	MEGA11C1902A	0.08	-	200	-	PTT01C1904A	0.46	(0.01)	106,509	-
KBAN13C1901A	0.19	(0.02)	88,239	-	MEGA13C1902A	0.34	0.03	31,956	-	PTT01C1904B	0.35	-	264,221	-
KBAN19C1901A	0.23	(0.02)	33,541	-	MEGA19C1902A	0.28	0.02	15,635	-	PTT01P1810A	0.79	-	24,169	-
KBAN23C1902A	0.38	(0.02)	26,244	-	MEGA23C1902A	0.12	0.01	11,000	-	PTT01P1810B	0.02	-	281	-
KBAN24C1902A	0.52	0.03	2	-	MEGA24C1812A	0.04	0.01	4	-	PTT01P1901A	0.41	(0.01)	20,111	-
KBAN24C1903A	0.19	0.02	20	-	MEGA24C1903A	0.29	0.02	6,500	-	PTT01P1901B	0.20	-	65,774	-
KBAN24P1811A	-	-	-	-	MINT01C1901A	0.45	0.01	156,145	-	PTT01P1904A	0.80	0.01	37,822	-
KBAN27C1903A	0.32	-	7,200	-	MINT01C1901B	0.25	0.02	186,843	-	PTT01P1904B	0.64	-	92,424	-
KBAN27P1904A	0.68	-	8,400	-	MINT01P1901A	0.19	(0.01)	73,593	-	PTT06C1811A	0.02	(0.02)	100	-
KBAN28C1811A	-	-	-	-	MINT06C1901A	0.25	0.01	2,432	-	PTT06C1901A	0.32	-	18,166	-
KBAN28C1812A	0.17	(0.01)	51,690	-	MINT06C1903A	0.20	(0.01)	2,818	-	PTT06P1901A	0.27	(0.01)	4,910	-
KBAN28P1811A	-	-	-	-	MINT07C1810A	-	-	-	-	PTT07C1811A	-	-	-	-
KCE01C1810A	0.54	(0.03)	5,958	-	MINT08C1903A	0.26	-	10,300	-	PTT08C1902A	0.27	(0.01)	49,894	-
KCE01C1810B	0.11	(0.04)	30,670	-	MINT11C1902A	0.09	-	201	-	PTT08P1904A	0.59	(0.01)	13,850	-
KCE01C1903A	0.41	(0.04)	24,316	-	MINT11P1902A	-	-	-	-	PTT11C1902A	0.14	(0.01)	181	-
KCE01C1903B	0.31	(0.03)	9,548	-	MINT13C1810A	-	-	-	-	PTT13C1810A	-	-	-	-
KCE06C1903A	0.17	(0.04)	5,500	-	MINT13C1812A	0.28	-	28,166	-	PTT13C1811A	0.09	(0.01)	136,112	-
KCE07C1902A	0.26	(0.03)	3,814	-	MINT13C1903A	0.17	0.01	55,399	-	PTT13C1812A	0.23	(0.01)	223,011	-
KCE08C1902A	0.20	(0.02)	4,028	-	MINT19C1901A	0.36	0.01	25,606	-	PTT13P1812A	0.10	0.01	360	-
KCE11C1904A	0.29	(0.03)	4,289	-	MINT23C1810A	-	-	-	-	PTT13P1902A	0.44	0.01	141,670	-
KCE13C1811A	0.37	(0.09)	327	-	MINT24C1812A	0.02	-	50	-	PTT16C1912A	-	-	-	-
KCE13C1812A	0.14	(0.04)	78,255	-	MINT24C1901A	-	-	-	-	PTT19C1901A	0.35	-	85,350	-
KCE13C1903A	0.28	(0.72)	21,706	-	MINT24C1902A	-	-	-	-	PTT23C1901A	-	-	-	-
KCE19C1901A	0.27	(0.01)	32,415	-	MINT27C1903A	0.22	-	6,000	-	PTT24C1812A	0.12	-	43,848	-
KCE23C1901A	0.10	(0.02)	112,157	-	MINT28C1811A	0.14	(0.02)	573	-	PTT24P1901A	0.05	(0.01)	23,850	-
KCE24C1901A	0.20	(0.02)	9,352	-	MINT28C1903A	0.16	0.01	81,681	-	PTT27C1903A	0.35	-	7,200	-
KCE27C1902A	0.34	(0.01)	1,200	-	MONO01C1810A	0.01	-	3,000	-	PTT27P1903A	0.46	-	7,200	-
KCE28C1811A	0.34	(0.05)	330	-	MONO01C1810B	-	-	-	-	PTT28C1811A	-	-	-	-
KCE28C1902A	0.18	(0.01)	12,557	-	MONO08C1906A	0.05	(0.01)	4,640	-	PTT28C1811B	0.08	-	6,108	-
KKP01C1902A	0.50	0.02	14,182	-	MONO13C1811A	-	-	-	-	PTT28C1812A	0.28	-	33,350	-
KKP01C1902B	0.30	0.02	1,182	-	MONO13C1901A	0.09	(0.01)	3,582	-	PTT28C1901A	0.11	-	46,237	-
KKP08C1811A	0.18	(0.01)	2,013	-	MONO19C1811A	-	-	-	-	PTT28C1904A	0.42	-	9,659	-
KKP11C1903A	0.24	(0.01)	45	-	MONO23C1901A	-	-	-	-	PTT28P1812A	-	-	-	-
KKP13C1811A	0.08	-	14,232	-	MONO24C1812A	-	-	-	-	PTTE01C1901A	0.81	(0.04)	330,314	-
KKP19C1901A	0.40	0.01	4,091	-	MONO24C1812B	-	-	-	-	PTTE01C1901B	0.44	(0.02)	323,142	-
KKP24C1812A	-	-	-	-	MONO28C1811A	-	-	-	-	PTTE01C1904A	0.68	(0.04)	156,133	-
KKP28C1902A	0.25	0.01	25,648	-	MONO28C1901A	-	-	-	-	PTTE01C1904B	0.53	(0.02)	194,284	-
KTB01C1810A	0.54	0.03	106,288	-	MTC06C1901A	1.34	0.01	17,284	1.00	PTTE01P1901A	0.82	0.03	123,347	-
KTB01C1810B	0.06	0.01	247,918	-	MTC08C1811A	0.49	-	38,632	-	PTTE01P1901B	0.31	0.01	85,389	-
KTB01C1903A	0.43	0.03	88,506	-	MTC08C1902A	1.01	(0.01)	24,566	1.00	PTTE01P1904A	1.29	0.03	101,750	1.00
KTB01C1903B	0.37	0.03	142,089	-	MTC11C1904A	0.85	(0.01)	7,220	-	PTTE01P1904B	1.01	0.02	108,740	-
KTB01P1903A	0.48	(0.03)	12,170	-	MTC13C1811A	-	-	-	-	PTTE06C1811A	0.35	(0.02)	26,650	-
KTB01P1903B	0.42	(0.05)	9,922	-	MTC13C1901A	0.83	0.01	1,120	-	PTTE07C1904A	0.52	-	5	-
KTB06C1902A	0.44	0.03	7,500	-	MTC13C1903A	0.59	-	395,644	-	PTTE08C1811A	0.29	(0.02)	25,865	-
KTB08C1903A	0.33	0.04	10,007	-	MTC19C1901A	1.00	-	20,503	1.00	PTTE08P1811A	-	-	-	-
KTB11C1811A	0.15	0.02	2,500	-	MTC19C1903A	0.64	(0.01)	54,589	-	PTTE08P1904A	1.01	-	43,770	-
KTB13C1901A	0.54	0.04	11,812	-	MTC24C1810A	0.99	(0.01)	1,293	1.00	PTTE11C1902A	0.69	(0.05)	33,319	-
KTB13C1901A	0.32	0.02	48,565	-	MTC24C1812A	1.29	0.02	801	1.00	PTTE13C1811A	0.15	(0.03)	213,262	-
KTB19C1901A	0.39	0.05	7,960	-	MTC27C1904A	0.76	0.04	400	-	PTTE13C1812A	0.62	(0.03)	4,455	-
KTB23C1811A	0.24	0.03	15,000	-	MTC28C1902A	0.77	0.01	39,508	-	PTTE13C1902A	0.30	(0.02)	119,975	-
KTB24C1811A	0.11	(0.03)	6,390	-	MTC28C1903A	0.43	(0.01)	52,459	-	PTTE13P1811A	-	-	-	-
KTB24P1901A	0.05	-	218	-	ORI08C1904A	0.38	(0.02)	2,180	-	PTTE13P1901A	0.24	0.02	30,923	-
KTB28C1811A	0.20	0.03	49,076	-	ORI11C1811A	0.04	(0.01)	850	-	PTTE13P1902A	0.66	0.02	89,190	-
KTB42C1903A	0.32	0.03	3,060	-	ORI13C1810A	-	-	-	-	PTTE19C1811A	0.47	(0.05)	49,731	-
KTB42P1903A	-	-	-	-	ORI13C1902A	0.26	(0.02)	15,854	-	PTTE19C1903A	0.58	(0.04)	118,944	-
KTC01C1810A	0.29	(0.02)	55,856	-	ORI19C1811A	-	-	-	-	PTTE23C1901A	0.07	(0.01)	1,494	-
KTC01C1810B	0.05	-	50,593	-	ORI19C1904A	0.39	(0.01)	9,262	-	PTTE24C1811A	0.07	(0.01)	870	-
KTC01C1901A	0.62	(0.02)	107,201	-	ORI24C1810A	-	-	-	-	PTTE24C1901A	0.44	(0.04)	16,700	-
KTC01C1901B	0.51	-	60,575	-	ORI24C1903A	0.32	-	271	-	PTTE24P1901A	-	-	-	-
KTC08C1903A	0.56	(0.01)	19,215	-	ORI28C1902A	0.24	(0.01)	5,158	-	PTTE27C1903A	0.50	0.01	3,615	-
KTC11C1902A	1.50	0.07	101	1.00	PLAN08C1811A	0.10	(0.01)	22,002	-	PTTE27P1904A	0.87	0.01	9,000	-
KTC13C1812A	0.19	(0.01)	178,349	-	PRM08C1902A	0.29	(0.01)	3,443	-	PTTE28C1811A	0.04	(0.02)	4,001	-
KTC13C1812B	0.44	0.01	312,695	-	PRM13C1901A	0.28	(0.05)	6,535	-	PTTE28C1902A	0.55	(0.01)	122,400	-
KTC19C1811A	0.08	-	19,505	-	PRM19C1902A	0.36	(0.01)	3,514	-	PTTE28P1811A	-	-	-	-
KTC19C1901A	0.99	(0.01)	23,490	1.00	PSH01C1810A	0.16	(0.04)	174,231	-	PTTE42C1903A	0.52	(0.01)	16,280	-
KTC19C1903A	0.49	-	42,258	-	PSH01C1810B	-	-	-	-	PTTG01C1810A	0.02	-	1	-
KTC24C1810A	-	-	-	-	PSH01P1810A	0.66	0.02	29,118	-	PTTG01C1810B	0.02	0.01	1,002	-
KTC27C1903A	0.57	(0.01)	7,300	-	PSH08C1811A	0.01	(0.02)	8	-	PTTG01C1811A	0.22	0.03	123,859	-
KTC27P1903A	0.28	(0.01)	12,820	-	PSH08C1904A	0.34	(0.01)	662	-	PTTG01C1901A	0.91	0.04	147,692	-
KTC28C1901A	0.38	(0.01)	78,257	-	PSH11C1902A	0.15	(0.02)	3,665	-	PTTG01C1901B	0.51	0.02	170,418	-
LH01C1903A	0.22	(0.01)	16,577	-	PSH13C1903A	0.26	(0.02)	38,414	-	PTTG01C1904A	0.73	0.02	148,914	-
LH01C1903B	0.16	(0.01)	17,672	-	PSH19C1903A	0.34	(0.01)	5,342	-	PTTG01C1904B	0.53	0.02	160,725	-
LH01P1903A	-	-	-	-	PSH23C1811A	0.07	-	1,000	-	PTTG01P1811A	1.61	(0.04)	38,001	1.00
LH06C1903A	-	-	-	-	PSL01C1812A	0.38	-	3,800	-	PT				

Main Board Quotation

Issue Date :

Wednesday October 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG24C1904A	0.60	(0.40)	45	-	SCB01P1902B	0.11	(0.02)	2,201	-	STEC01C1902A	0.86	0.02	37,761	-
PTTG24P1901A	-	-	-	-	SCB01P1904A	1.02	(0.02)	20,082	1.00	STEC01C1902B	0.74	0.04	43,615	-
PTTG27C1903A	0.27	0.01	3,600	-	SCB01P1904B	0.83	(0.04)	29,758	-	STEC01P1902A	0.49	-	25,304	-
PTTG27P1903A	0.36	(0.02)	3,600	-	SCB06C1811A	0.61	0.04	2,208	-	STEC06C1903A	0.78	0.05	9,000	-
PTTG28C1811A	-	-	-	-	SCB07C1904A	-	-	-	-	STEC07C1904A	-	-	-	-
PTTG28C1812A	0.39	0.02	49,009	-	SCB08C1901A	0.41	0.03	6,114	-	STEC08C1903A	0.56	0.01	6,110	-
QH01C1810A	0.38	0.01	9,804	-	SCB11C1901A	0.18	-	12,280	-	STEC11C1903A	-	-	-	-
QH01C1810B	0.02	0.01	217	-	SCB11P1901A	0.21	(0.02)	1	-	STEC13C1902A	0.67	0.01	34,378	-
QH01C1903A	0.20	-	27,843	-	SCB13C1812A	0.47	0.02	28,253	-	STEC19C1901A	0.71	(0.01)	12,390	-
QH01C1903B	0.15	0.01	26,673	-	SCB13C1902A	0.30	0.01	12,383	-	STEC24C1901A	0.81	-	2,130	-
QH01P1810A	0.22	(0.02)	8,136	-	SCB13P1812A	0.02	(0.02)	1,900	-	STEC27C1902A	-	-	-	-
QH01P1903A	0.78	(0.03)	10,383	-	SCB19C1811A	0.18	0.02	12,939	-	STEC28C1902A	0.56	0.01	13,349	-
QH11C1902A	0.24	0.01	1,607	-	SCB24C1901A	-	-	-	-	STEC28C1903A	0.17	-	10,740	-
QH13C1903A	0.16	-	8,319	-	SCB24C1902A	0.36	0.02	300	-	STP108C1811A	0.10	0.01	15,136	-
QH19C1901A	-	-	-	-	SCB24P1811A	0.02	0.01	7	-	SUPE08C1811A	0.01	(0.01)	2	-
QH24C1812A	0.02	(0.01)	9,000	-	SCB27C1902A	0.43	0.02	2,400	-	SUPE08C1902A	0.11	(0.03)	1,081	-
QH27C1903A	-	-	-	-	SCB27P1903A	-	-	-	-	SUPE13C1810A	-	-	-	-
RATC19C1901A	0.20	(0.01)	34,859	-	SCB28C1812A	0.44	0.02	6,288	-	SUPE13C1811A	0.01	-	211	-
RATC24C1902A	-	-	-	-	SCB28C1902A	0.26	0.01	19,458	-	SUPE13C1902A	0.09	-	27,353	-
RATC27C1812A	-	-	-	-	SCB28P1812A	-	-	-	-	SUPE19C1902A	0.11	(0.01)	9,040	-
ROBI01C1903A	0.76	(0.02)	8,826	-	SCB28P1901A	0.36	(0.02)	57,464	-	SUPE23C1811A	0.03	-	50	-
ROBI01C1903B	0.55	(0.02)	18,490	-	SCB42C1903A	0.35	0.01	6,120	-	SUPE23C1901A	-	-	-	-
ROBI08C1903A	0.51	0.03	2,510	-	SCC01C1901A	0.50	0.01	43,278	-	SUPE28C1811A	-	-	-	-
ROBI11C1906A	0.52	0.02	3,012	-	SCC01C1901B	0.32	0.02	45,266	-	SUPE28C1902A	0.09	-	6,084	-
ROBI13C1902A	0.44	-	25,048	-	SCC01P1901A	0.37	-	51,904	-	TASCO1C1810A	0.06	-	76,073	-
ROBI19C1901A	0.59	(0.02)	3,916	-	SCC06C1902A	0.15	0.01	7,068	-	TASCO1C1810B	-	-	-	-
ROBI24C1901A	-	-	-	-	SCC07C1812A	0.40	0.02	318	-	TASCO1C1903A	0.45	(0.04)	97,647	-
ROBI24C1903A	-	-	-	-	SCC08C1902A	0.19	0.01	9,166	-	TASCO1C1903B	0.32	(0.01)	67,162	-
RS08C1901A	0.32	(0.07)	46,158	-	SCC11C1811A	-	-	-	-	TASCO1P1810A	0.47	(0.02)	18,074	-
RS13C1901A	0.35	(0.07)	414,788	-	SCC11C1906A	0.15	-	8,440	-	TASCO1P1903A	0.55	0.03	52,396	-
RS19C1901A	0.33	(0.07)	80,400	-	SCC11P1811A	0.18	-	9,300	-	TASCO7C1811A	-	-	-	-
RS24C1811A	0.17	(0.07)	14,110	-	SCC13C1812A	-	-	-	-	TASCO8C1903A	0.38	(0.02)	29,652	-
S10001C1811A	0.46	0.01	3,133	-	SCC13C1901A	0.22	-	47,583	-	TASC11C1904A	0.10	(0.01)	5,014	-
S5001C1810A	1.23	(0.01)	37,180	1.00	SCC13C1903A	0.16	-	401	-	TASC13C1810A	-	-	-	-
S5001C1810B	1.18	(0.01)	174,558	1.00	SCC19C1811A	-	-	-	-	TASC13C1901A	0.24	(0.02)	151,426	-
S5001C1811A	0.60	(0.01)	21,351	-	SCC19C1901A	0.20	-	26,862	-	TASC19C1902A	0.34	(0.03)	42,874	-
S5001C1811B	0.48	(0.02)	63,268	-	SCC23C1811A	-	-	-	-	TASC23C1902A	0.27	(0.02)	30,000	-
S5001C1812F	0.74	(0.01)	519,197	-	SCC24C1812A	-	-	-	-	TASC24C1810A	-	-	-	-
S5001C1812G	0.45	(0.01)	633,282	-	SCC24C1901A	0.20	-	11,202	-	TASC24C1903A	0.30	-	884	-
S5001C1812H	0.41	-	462,457	-	SCC24C1902A	0.12	(0.04)	20	-	TASC28C1902A	0.21	(0.01)	61,580	-
S5001C1901A	0.52	0.01	32,943	-	SCC24P1901A	-	-	-	-	TCAP01C1901A	0.56	-	20,919	-
S5001C1901B	0.44	(0.01)	18,187	-	SCC27C1904A	0.28	0.01	3,605	-	TCAP01C1901B	0.39	-	42,950	-
S5001P1810A	0.10	-	111,339	-	SCC27P1904A	0.63	(0.01)	5,200	-	TCAP01P1901A	0.28	-	14,148	-
S5001P1810B	0.02	-	15,862	-	SCC28C1811A	-	-	-	-	TCAP08C1810A	-	-	-	-
S5001P1811A	0.97	-	60,366	-	SCC28C1812A	0.23	0.02	28,598	-	TCAP11C1811A	-	-	-	-
S5001P1811B	0.85	-	290,906	-	SCC28C1902A	0.12	-	83,380	-	TCAP13C1901A	0.38	-	93,894	-
S5001P1812F	1.28	0.01	903,467	1.00	SCC08C1811A	-	-	-	-	TCAP19C1901A	0.28	-	34,149	-
S5001P1812G	0.90	-	1,079,584	-	SCC27C1812A	-	-	-	-	TCAP24C1903A	0.21	(0.01)	1,500	-
S5001P1812H	1.27	-	945,645	1.00	SGP06C1812A	0.12	-	4,004	-	THAIO1C1901A	0.25	(0.02)	56,680	-
S5001P1901A	1.06	0.01	12,689	1.00	SGP08C1901A	0.29	(0.01)	6,088	-	THAIO1C1901B	0.11	(0.01)	43,017	-
S5001P1901B	1.02	0.03	156,296	-	SGP11C1904A	0.16	0.01	902	-	THAIO1P1901A	0.68	0.03	29,193	-
S5006C1812A	0.29	(0.01)	109,231	-	SGP13C1811A	0.01	(0.01)	7,021	-	THAIO7C1811A	-	-	-	-
S5006C1812B	0.40	(0.02)	71,965	-	SGP13C1812A	0.15	(0.02)	20,310	-	THAIO8C1903A	0.22	(0.02)	7,066	-
S5006C1812C	0.21	-	136,399	-	SGP19C1811A	0.14	(0.01)	6,951	-	THA11C1906A	0.33	(0.02)	9,725	-
S5006C1812D	0.70	(0.01)	4,021	-	SGP19C1904A	0.26	(0.01)	11,245	-	THA13C1811A	-	-	-	-
S5006P1812A	0.86	0.01	9,026	-	SGP24C1811A	-	-	-	-	THA13C1902A	0.27	(0.02)	67,250	-
S5006P1812B	0.24	-	57,180	-	SGP24C1902A	-	-	-	-	THA19C1901A	0.22	(0.02)	28,927	-
S5006P1812C	0.35	(0.01)	44,419	-	SGP27C1903A	-	-	-	-	THA23C1901A	0.01	-	2,000	-
S5006P1812D	1.04	(0.04)	3,814	-	SGP28C1811A	0.02	(0.02)	200	-	THA24C1901A	0.11	(0.01)	1,260	-
S5008C1812A	0.17	(0.01)	181,010	-	SGP28C1903A	0.19	-	5,120	-	THA28C1901A	0.21	(0.02)	63,558	-
S5008P1812A	0.55	(0.01)	177,700	-	SIRIO1C1901A	0.30	0.01	24,885	-	THAN01C1812A	0.61	-	16,352	-
S5013C1812A	0.58	(0.01)	2,599,631	-	SIRIO1C1901B	0.07	0.01	15,001	-	THAN08C1904A	0.49	(0.02)	6,282	-
S5013C1812B	0.39	-	835,139	-	SIRIO1P1901A	0.56	(0.03)	1,520	-	THAN13C1901A	0.58	-	78,692	-
S5013C1812C	0.30	-	1,629,929	-	SIRIO6C1904A	0.24	(0.01)	11,360	-	THAN19C1903A	0.75	-	20,316	-
S5013P1812A	0.68	-	4,245,886	-	SIRIO8C1810A	-	-	-	-	THAN24C1903A	0.63	(0.01)	510	-
S5013P1812B	1.10	-	1,184,559	1.00	SIRIO8C1903A	0.15	(0.01)	13,344	-	THCO08C1906A	0.17	(0.01)	1,750	-
S5013P1812C	1.37	-	242,721	1.00	SIRI11C1902A	-	-	-	-	THCO11C1902A	0.08	-	163	-
S5028C1810A	0.15	-	16,321	-	SIRI13C1902A	0.17	0.01	18,162	-	THCO19C1811A	-	-	-	-
S5028C1812A	0.70	(0.02)	555,177	-	SIRI19C1902A	0.14	-	10,080	-	THCO24C1810A	0.03	(0.13)	1	-
S5028C1812B	0.40	(0.01)	916,182	-	SIRI23C1811A	0.03	(0.01)	2,000	-	THCO28C1901A	0.14	(0.01)	10,633	-
S5028C1812C	0.23	(0.02)	23,969	-	SIRI24C1903A	-	-	-	-	TISCO1C1902A	0.69	-	21,554	-
S5028P1810A	0.34	(0.17)	574	-	SIRI28C1901A	0.22	-	12,298	-	TISCO1C1902B	0.46	-	18,663	-
S5028P1812A	0.61	-	662,284	-	SIRI28C1903A	0.16	0.01	18,536	-	TISCO7C1902A	0.60	0.01	5,011	-
S5028P1812B	0.92	(0.02)	528,557	-	SPAL01C1902A	0.43	(0.01)	24,217	-	TISCO8C1903A	0.45	-	15	-
SAWA01C1901A	0.78	(0.08)	125,813	-	SPAL01C1902B	0.25	(0.02)	55,378	-	TISC11C1903A	-	-	-	-
SAWA01C1901B	0.60	(0.06)	125,017	-	SPAL11C1905A	-	-	-	-	TISC13C1811A	-	-	-	-
SAWA01P1901A	0.41	0.03	140,744	-	SPAL13C1903A	0.32	-	7,195	-	TISC13C1812A	0.39	-	4,980	-
SAWA06C1811A	0.08	(0.01)	516	-	SPAL19C1902A	0.25	-	10,000	-	TISC19C1901A	0.24	-	15,071	-
SAWA06C1903A	1.17	(0.09)	12,509	1.00	SPAL23C1811A	0.20	(0.07)	18,400	-	TISC24C1812A	-	-	-	-
SAWA07C1812A	0.63	(0.10)	149	-	SPAL24C1812A	-	-	-	-	TISC24C1904A	0.44	0.01	2,150	-
SAWA08C1811A	0.01	(0.01)	50	-	SPRC01C1902A	0.31	(0.01)	1,641	-	TISC28C1901A	0.45	(0.01)	24,105	-
SAWA08C1902A	0.88	(0.10)	23,782	-	SPRC01C1902B	0.20	(0.01)	13,501	-	TKN01C1901A	0.49	(0.01)	112,334	-
SAWA08C1903A	0.46	(0.05)	23,101	-	SPRC06C1902A	-	-	-	-	TKN01C1901B	0.29	(0.02)	68,973	-
SAWA11C1906A	0.57	(0.04)	15,795	-	SPRC07C1903A	0.18	-	64	-	TKN08C1811A	-	-	-	-
SAWA13C1810A	-	-	-	-	SPRC08C1903A	-	-	-	-	TKN08C1903A	0.30	(0.01)	30,832	-
SAWA13C1811A	-	-	-	-	SPRC11C1902A	0.06	(0.01)	82	-	TKN11C1902A	0.10	0.01	501	-
SAWA13C1812A	0.22	(0.05)	202,556											

Main Board Quotation

Issue Date :

Wednesday October 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB01P1902A	0.38	-	37,669	-	STA28C1903A	0.28	(0.01)	64,552	-	TMB01C1903B	0.20	(0.05)	542,702	-

Main Board Quotation

Issue Date :

Wednesday October 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TMB01P1810A	0.36	0.03	101,930	-	TU13C1902A	0.15	-	4,094	-	BTS-W3	-	-	-	-
TMB01P1903A	0.47	0.06	215,684	-	TU19C1901A	0.13	(0.01)	6,450	-	BWG-W4	0.08	-	4,924	-
TMB06C1902A	0.08	(0.03)	9,299	-	TU23C1902A	-	-	-	-	CEN-W4	0.04	-	6,318	-
TMB06C1903A	0.23	(0.07)	25,134	-	TU24C1901A	-	-	-	-	CGD-W4	0.29	0.01	38,781	-
TMB07C1811A	-	-	-	-	TV001C1903A	0.29	(0.01)	17,626	-	CGH-W3	0.06	-	17,512	-
TMB07C1903A	-	-	-	-	TV001C1903B	0.21	(0.01)	19,457	-	CI-W1	0.49	(0.01)	48	-
TMB08C1901A	0.05	(0.01)	7,140	-	TVO11C1903A	-	-	-	-	CKP-W1	0.66	(0.02)	72,652	-
TMB08C1903A	0.14	(0.06)	87,686	-	TVO13C1902A	0.16	0.01	10,946	-	CRANE-W1	1.50	(0.12)	170	1.00
TMB11C1904A	0.07	(0.01)	19,451	-	TVO19C1902A	0.16	0.01	6,400	-	CWT-W4	0.38	(0.01)	16,956	-
TMB13C1811A	0.01	(0.01)	331,630	-	TV024C1810A	-	-	-	-	DCC-W1	0.91	-	51,226	-
TMB13C1901A	0.15	(0.04)	130,904	-	TV024C1903A	-	-	-	-	DCON-W1	3.50	(0.40)	20	3.00
TMB19C1901A	0.09	(0.03)	195,895	-	UNIQ01C1810A	0.35	-	36,711	-	DIGI-W1	0.03	-	201	-
TMB23C1810A	-	-	-	-	UNIQ01C1810B	0.01	(0.01)	400	-	DIGI-W2	0.02	0.01	619	-
TMB24C1901A	0.03	(0.01)	2,730	-	UNIQ08C1810A	-	-	-	-	EARTH-W4	-	-	-	-
TMB24C1902A	0.15	(0.03)	51,441	-	UNIQ08C1906A	0.32	(0.01)	13,459	-	EIC-W2	-	-	-	-
TMB27C1903A	0.25	(0.02)	11,272	-	UNIQ11C1811A	-	-	-	-	EIC-W3	0.01	-	214	-
TMB28C1901A	0.15	(0.03)	116,614	-	UNIQ13C1901A	0.26	(0.01)	24,522	-	EVER-W3	0.07	-	8,275	-
TOA01C1901A	0.25	(0.02)	7,833	-	UNIQ19C1811A	0.07	-	1	-	GJS-W3	0.02	0.01	1,154	-
TOA01C1901B	0.15	-	7,094	-	UNIQ23C1901A	0.10	-	13,500	-	GSTEL-W1	-	-	-	-
TOA08C1902A	0.09	(0.01)	12,354	-	UNIQ24C1811A	-	-	-	-	GSTEL-W2	-	-	-	-
TOA13C1812A	0.11	(0.02)	32,224	-	UNIQ28C1811A	0.06	-	7,024	-	IEC-W2	-	-	-	-
TOA19C1901A	0.15	(0.01)	5,238	-	UV01C1902A	0.44	0.01	12,974	-	IHL-W1	6.00	-	305	6.00
TOA24C1812A	-	-	-	-	UV01C1902B	0.33	-	10,142	-	ITD-W1	0.13	-	8,893	-
TOA28C1812A	0.11	-	6,084	-	UV06C1812A	0.19	(0.01)	8,775	-	JAS-W3	2.36	0.06	26,139	2.00
TOP01C1901A	1.56	0.18	79,509	1.00	UV08C1902A	0.30	0.01	3,550	-	JCK-W5	0.47	(0.03)	8,399	-
TOP01C1901B	1.28	0.20	128,677	1.00	UV13C1812A	0.21	-	34,514	-	JMART-W2	1.12	(0.19)	106,620	1.00
TOP01C1904A	0.76	0.13	117,103	-	UV19C1902A	0.31	(0.01)	6,092	-	JMT-W2	2.02	(0.22)	105,687	2.00
TOP01C1904B	0.61	0.10	169,649	-	UV24C1812A	-	-	-	-	MACO-W2	0.26	-	133,698	-
TOP01P1901A	0.38	(0.08)	107,314	-	VG101C1812A	0.67	(0.01)	9,669	-	MIDA-W2	0.01	-	76,297	-
TOP01P1904A	1.35	(0.16)	40,596	1.00	VGI06C1904A	-	-	-	-	MILL-W3	0.03	-	37,705	-
TOP06C1903A	1.26	0.21	21,967	1.00	VGI06C1904B	-	-	-	-	MILL-W4	0.29	0.01	6,124	-
TOP06C1903B	0.52	0.13	10,341	-	VGI06C1904C	-	-	-	-	MILL-W5	0.27	(0.01)	27,220	-
TOP07C1812A	0.33	-	2,660	-	VGI08C1811A	0.48	(0.02)	8,254	-	ML-W2	0.03	-	10,022	-
TOP08C1811A	0.05	0.02	26,061	-	VGI23C1905A	-	-	-	-	MONO-W1	0.42	-	14,737	-
TOP08C1902A	0.61	0.13	32,871	-	VGI23C1911A	-	-	-	-	NEP-W3	-	-	-	-
TOP11C1905A	1.13	0.18	17,695	1.00	VGI27C1812A	0.27	(0.01)	16,000	-	NGK-W1	0.50	(0.05)	594	-
TOP13C1811A	0.02	0.01	2,183	-	WHA01C1812A	0.65	(0.01)	42,424	-	NUSA-W3	0.11	-	29	-
TOP13C1901A	0.60	0.13	69,313	-	WHA01C1812B	0.48	(0.01)	53,682	-	NVD-W1	0.38	(0.01)	1,309	-
TOP13C1902A	0.46	0.09	145,721	-	WHA01P1812A	0.33	(0.02)	51,969	-	ORI-W1	2.10	(0.06)	4,207	2.00
TOP19C1901A	0.42	0.09	60,932	-	WHA06C1903A	0.50	0.01	9,042	-	PACE-W2	0.14	(0.02)	14,946	-
TOP23C1811A	0.07	0.03	6,000	-	WHA07C1810A	0.15	0.05	215	-	PDI-W1	1.12	(0.03)	421	1.00
TOP24C1901A	0.12	0.01	4,001	-	WHA08C1811A	0.09	(0.01)	16,447	-	PDJ-W2	1.26	0.01	73	1.00
TOP24C1902A	0.52	0.12	20,723	-	WHA08C1904A	0.39	0.01	10,948	-	PDJ-W3	1.25	0.01	62	1.00
TOP24C1903A	0.39	0.10	24,523	-	WHA11C1903A	0.24	0.02	1,100	-	PDJ-W4	1.23	(0.01)	126	1.00
TOP27C1903A	0.50	0.06	2,400	-	WHA13C1812A	0.42	-	136,194	-	PLE-W3	0.10	(0.01)	20,375	-
TOP28C1812A	0.55	0.14	63,236	-	WHA19C1901A	0.49	-	49,604	-	RICH-W1	-	-	-	-
TOP28C1903A	0.45	0.09	149,092	-	WHA23C1810A	0.13	(0.01)	4,000	-	RICHY-W1	0.34	0.01	1,925	-
TPI01C1812A	0.23	0.03	33,132	-	WHA24C1811A	-	-	-	-	RICHY-W2	0.18	-	4,072	-
TPI01C1812B	0.11	0.01	20,121	-	WHA24C1902A	0.45	0.01	88,039	-	RS-W3	5.95	(0.95)	778	6.00
TPI07C1812A	-	-	-	-	WHA27C1903A	0.65	0.05	2,400	-	S-W1	0.11	-	53,893	-
TPI13C1902A	0.21	0.02	20,737	-	WHA28C1901A	0.46	-	22,418	-	SAMART-W2	0.59	(0.02)	85,384	-
TPI19C1901A	0.24	0.01	84,920	-	WHA28C1903A	0.29	-	48,026	-	SAWAD-W1	9.45	(0.55)	12,831	9.00
TPI24C1902A	-	-	-	-	WHAU01C1810A	0.21	0.01	1,224	-	SDC-W1	0.17	(0.01)	4,530	-
TPIP01C1810A	0.15	0.01	3,348	-	WHAU01C1810B	-	-	-	-	SMM-W4	-	-	-	-
TPIP01C1810B	-	-	-	-	WHAU13C1902A	0.24	(0.01)	13,148	-	SMT-W1	0.06	(0.01)	1,840	-
TPIP01P1810A	0.60	(0.01)	3,666	-	WHAU19C1902A	0.30	(0.01)	9,306	-	SMT-W2	0.59	(0.01)	1,022	-
TPIP11C1811A	-	-	-	-	WHAU24C1812A	-	-	-	-	SPALI-W4	-	-	-	-
TPIP13C1811A	-	-	-	-	WHAU24C1902A	0.28	0.02	13,000	-	SPORT-W5	0.01	-	600	-
TPIP13C1902A	0.19	-	9,052	-	WORK01C1811A	0.14	(0.01)	30,006	-	SST-W2	2.64	-	222,653	2.00
TPIP19C1902A	0.22	(0.02)	2,960	-	WORK01C1811B	0.02	(0.02)	23,472	-	SUPER-W4	0.07	(0.01)	448,168	-
TPIP24C1901A	-	-	-	-	WORK01C1904A	0.35	(0.01)	36,659	-	SUSCO-W1	0.06	(0.02)	16,549	-
TPIP27C1812A	-	-	-	-	WORK01C1904B	0.27	(0.02)	8,338	-	SVI-W3	2.50	-	15,949	2.00
TRUE01C1902A	0.38	(0.01)	349,975	-	WORK08C1901A	0.11	(0.01)	33,310	-	TCC-W3	0.15	(0.08)	2,061	-
TRUE01C1902B	0.27	-	353,638	-	WORK11C1903A	-	-	-	-	TCC-W4	0.23	(0.01)	14,322	-
TRUE01P1902A	0.48	-	110,667	-	WORK13C1810A	-	-	-	-	TCC-W5	0.50	(0.04)	53,903	-
TRUE01P1902B	0.33	-	160,869	-	WORK13C1811A	-	-	-	-	TCJ-W2	0.90	-	145	-
TRUE06C1811A	-	-	-	-	WORK13C1812A	0.09	0.01	1	-	TCMC-W2	0.32	0.02	43,650	-
TRUE06C1906A	0.20	(0.01)	40,379	-	WORK13C1902A	0.19	(0.02)	130,988	-	TFG-W1	1.50	0.01	145	1.00
TRUE07C1902A	-	-	-	-	WORK19C1811A	-	-	-	-	TFG-W2	0.73	(0.01)	1,965	-
TRUE08C1902A	0.25	0.01	58,630	-	WORK19C1902A	0.24	(0.02)	25,491	-	TGPRO-W3	0.02	-	18,000	-
TRUE08P1902A	0.25	(0.01)	57,710	-	WORK24C1810A	-	-	-	-	TH-W2	0.28	-	181,748	-
TRUE11C1905A	0.24	-	7,652	-	WORK24C1812A	0.04	(0.03)	2	-	THE-W2	0.05	-	194,857	-
TRUE13C1810A	-	-	-	-	WORK24C1903A	0.19	(0.02)	80	-	TNITY-W1	0.93	0.01	562	-
TRUE13C1812A	0.09	(0.02)	603,759	-	WORK27C1903A	0.21	-	3,600	-	TNPC-W1	0.45	0.04	46,555	-
TRUE13C1901A	0.22	(0.01)	563,177	-	WORK28C1811A	-	-	-	-	TRITN-W3	0.29	(0.01)	11,753	-
TRUE13P1901A	0.24	(0.01)	6,000	-	WORK28C1901A	0.11	(0.03)	4,173	-	TSR-W1	0.32	-	16,910	-
TRUE16C1812A	0.20	-	198	-	Preferred/Foreign	-	-	-	-	TTA-W5	0.17	(0.02)	44,598	-
TRUE19C1901A	0.07	-	21,004	-	BH-Q	-	-	-	-	TTCL-W1	1.37	0.02	34,754	1.00
TRUE19C1903A	0.43	0.01	2,736	-	CSC-Q	-	-	-	-	U-W1	-	-	-	-
TRUE23C1902A	0.13	0.01	2,000	-	JUTHA-Q	-	-	-	-	U-W4	0.01	-	41,139	-
TRUE27C1904A	0.27	0.01	45,760	-	KTB-Q	-	-	-	-	VGI-W2	0.55	(0.03)	128,008	-
TRUE27P1904A	0.45	(0.01)	27,600	-	SCB-Q	-	-	-	-	VIBHA-W2	1.44	(0.10)	2,003	1.00
TRUE28C1812A	0.08	(0.01)	69,018	-	TCAP-Q	-	-	-	-	VIBHA-W3	0.32	0.01	18,303	-
TRUE28C1903A	0.22	-	138,337	-	TIC-Q	-	-	-	-	WAVE-W1	0.45	-	1,748	-
TTA08C1906A	0.23	0.01	2,211	-	TISCO-Q	-	-	-	-	WHA-W1	7.95	(0.25)	9,740	8.00
TTA13C1901A	0.14	-	2,692	-	U-Q	-	-	-	-	WORK-W1	-	-	-	-
TTA19C1811A	0.03	-	1,071	-	Warrant	-	-	-	-	Preferred Shares	-	-	-	-
TTA23C1901A	-	-	-	-	7UP-W2	0.06	-	19,551	-	BH-P	-	-	-	-
TTA24C1902A	0.05	-	5,400	-	ACC-W1	0.03	(0.01)	14,233	-	CSC-P	-	-	-	-
TTA28C1812A	-	-	-	-	AJA-W1	0.22	-	2,160	-	JUTHA-P	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday October 17, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU01C1901A	0.43	(0.01)	12,670	-	ALT-W1	1.15	0.05	110,057	1.00	KTB-P	-	-	-	-
TU01C1901B	0.35	-	41,870	-	APEX-W1	0.05	-	49,409	-	SCB-P	-	-	-	-
TU01P1901A	-	-	-	-	APURE-W2	0.24	-	8,529	-	TCAP-P	-	-	-	-
TU06C1902A	0.15	-	13,400	-	AQ-W4	-	-	-	-	TIC-P	-	-	-	-
TU07C1902A	-	-	-	-	AS-W1	0.26	(0.01)	71	-	TISCO-P	-	-	-	-
TU08C1811A	-	-	-	-	AYUD-W1	7.85	0.60	171,299	7.00	U-P	0.03	-	171,448	-
TU11C1902A	-	-	-	-	B-W3	0.01	-	50	-	Warrant (MAI)	-	-	-	-
TU11C1906A	-	-	-	-	B-W4	0.20	0.01	15,975	-	2S-W1	0.15	(0.01)	818	-
ACAP-W2	2.12	(0.04)	72,206	2.00	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.02	-	40	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.78	(0.01)	576	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.32	-	65,048	-	-	-	-	-	-	-	-	-	-	-
BM-W1	0.39	0.01	30,358	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.14	(0.01)	4,524	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.17	0.02	103,744	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	0.02	-	431	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.13	-	68,114	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.92	0.01	17,451	1.00	-	-	-	-	-	-	-	-	-	-
ECF-W2	3.44	(0.22)	137	3.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	2.34	(0.18)	3,839	2.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.02	0.01	807	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.02	0.01	6	-	-	-	-	-	-	-	-	-	-	-
FC-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FC-W2	0.04	-	801	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.78	0.11	609,420	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.44	-	38,295	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.70	(0.02)	78,658	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	2.96	0.04	282,934	3.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.34	0.14	98,177	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.04	-	6,278	-	-	-	-	-	-	-	-	-	-	-
META-W3	0.18	(0.02)	46,564	-	-	-	-	-	-	-	-	-	-	-
NCL-W3	0.40	(0.01)	2,201	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.03	-	16,993	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOL-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PIMO-W1	2.86	0.04	309	2.00	-	-	-	-	-	-	-	-	-	-
PPS-W1	0.66	0.01	147	-	-	-	-	-	-	-	-	-	-	-
PSTC-W1	0.24	-	377	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W2	0.39	0.02	137	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W3	0.51	(0.04)	26	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W4	1.30	(0.01)	1,879	1.00	-	-	-	-	-	-	-	-	-	-
SKY-W1	12.20	(0.10)	78	12.00	-	-	-	-	-	-	-	-	-	-
STAR-W3	1.78	-	446	1.00	-	-	-	-	-	-	-	-	-	-
TAKUNI-W	0.20	(0.01)	34,981	-	-	-	-	-	-	-	-	-	-	-
TAPAC-W3	2.06	(0.08)	3,169	2.00	-	-	-	-	-	-	-	-	-	-
TMILL-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TSF-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TSF-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TVD-W2	0.68	0.04	25,041	-	-	-	-	-	-	-	-	-	-	-
UAC-W2	0.75	(0.01)	2,364	-	-	-	-	-	-	-	-	-	-	-
UKEM-W2	0.48	(0.01)	3,553	-	-	-	-	-	-	-	-	-	-	-
UWC-W2	0.01	-	10	-	-	-	-	-	-	-	-	-	-	-
XO-W1	6.10	0.05	2,001	6.00	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SGF-P1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-