

Main Board Quotation

Issue Date :

Thursday October 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	11.40	0.10	3,794	11.35	SE-ED	3.00	(0.04)	416	3.00
POMPUI	-	-	-	-	ILINK	4.80	(0.02)	4,039	4.78	SMM	1.20	(0.01)	30,711	1.22
SAFARI	-	-	-	-	INET	3.82	-	1,032	3.81	SPORT	0.28	0.01	2,314	0.26
VI	-	-	-	-	INTUCH	52.75	-	27,403	52.91	TBSP	13.80	(0.10)	2	13.80
WORLD	-	-	-	-	JAS	5.30	(0.15)	196,608	5.35	TH	0.89	0.01	30,452	0.89
WR	-	-	-	-	JASIF	10.30	(0.10)	209,644	10.30	TKS	11.20	-	12,382	11.15
Agribusiness					JMART	7.10	(0.05)	82,734	7.20	TRITN	0.42	(0.01)	485,802	0.42
CHOTI	-	-	-	-	JTS	1.54	(0.03)	596	1.55	VGI	7.70	(0.05)	18,883	7.73
EE	0.66	(0.01)	2,378	0.66	MFEC	3.36	(0.02)	285	3.37	WAVE	2.56	(0.02)	162	2.56
GFPT	14.80	(0.40)	20,883	14.88	MSC	6.85	-	97	6.83	WORK	33.25	(2.50)	63,438	34.27
LEE	2.74	-	21,226	2.74	PT	6.60	(0.05)	417	6.64	Finance & Securities				
PPPM	5.25	-	814	5.18	SAMART	7.65	(0.05)	29,066	7.65	AEC	0.52	-	4,257	0.52
STA	16.90	(0.20)	181,920	16.74	SAMTEL	8.10	-	138	8.07	AEONTS	197.00	(2.50)	3,235	196.89
TRUBB	1.72	(0.01)	3,195	1.72	SDC	0.35	-	19,764	0.36	AMANAH	1.82	(0.03)	43,697	1.83
TWPC	8.40	0.05	2,013	8.40	SIS	8.90	-	561	8.88	ASAP	6.30	-	5,912	6.39
UPOIC	4.34	(0.02)	157	4.34	SVOA	1.31	-	6,739	1.32	ASK	23.40	(0.10)	1,135	23.45
UVAN	6.90	-	419	6.90	SYMC	5.40	(0.05)	32	5.42	ASP	3.70	0.02	13,535	3.70
VPO	0.64	(0.01)	4,486	0.64	SYNEX	15.50	(0.40)	40,425	15.61	BFIT	26.75	-	2,068	26.36
Banking					THCOM	8.60	(0.20)	9,207	8.66	CGH	1.01	-	1,128	1.01
BAY	40.75	-	2,392	40.69	TRUE	6.00	-	522,965	6.00	CNS	2.56	0.04	1,222	2.55
BBL	213.00	-	29,424	212.23	TWZ	0.13	-	27,105	0.13	ECL	1.97	(0.05)	35,433	1.99
CIMBT	0.86	-	3,205	0.86	Electronic Componer					FNS	4.16	-	1,630	4.16
KBANK	206.00	(1.00)	34,193	206.77	CCET	1.96	0.01	4,840	1.95	FSS	2.28	-	206	2.28
KKP	71.25	(1.00)	29,134	71.56	DELTA	69.00	-	9,197	69.16	GBX	0.64	-	1,114	0.63
KTB	20.20	(0.10)	365,488	20.25	EIC	0.05	(0.01)	4,252	0.05	GL	7.15	(0.05)	15,772	7.13
LHFG	1.54	(0.01)	4,163	1.54	HANA	39.50	1.25	54,464	39.42	IFS	3.02	(0.06)	559	3.02
SCB	143.00	1.00	23,381	142.52	KCE	40.00	(0.50)	26,187	40.52	JMT	10.80	0.10	22,545	10.79
TCAP	50.75	(0.75)	36,729	50.96	METCO	-	-	-	-	KCAR	12.10	(0.10)	399	12.10
TISCO	78.00	(1.25)	28,776	78.30	SMT	2.22	(0.02)	4,416	2.24	KGI	4.40	-	15,893	4.42
TMB	2.24	(0.02)	1,783,140	2.26	SPPT	4.16	0.18	9,329	4.09	KTC	35.00	(1.00)	85,354	35.53
Construction Materia					SVI	5.70	0.25	108,057	5.64	MBKET	12.70	(0.10)	835	12.63
CCP	0.42	0.01	14,513	0.42	TEAM	1.09	-	2,777	1.09	MFC	16.60	-	224	16.44
COTTO	2.76	(0.04)	9,196	2.77	Energy & Utilities					ML	1.03	-	1,209	1.02
DCC	2.34	(0.02)	28,631	2.34	ABPIF	8.40	-	1,810	8.37	MTC	52.50	(0.25)	76,950	52.51
DCON	0.55	-	23,968	0.55	AI	-	-	-	-	PE	0.24	(0.01)	1,600	0.25
DRT	5.55	-	595	5.55	AKR	0.99	(0.01)	16,983	0.99	PL	3.46	(0.02)	763	3.45
EPG	7.80	(0.15)	37,664	7.84	BAFS	33.25	(0.25)	660	33.31	S11	7.50	-	230	7.50
GEL	0.37	0.01	62,078	0.36	BANPU	18.20	(0.30)	304,115	18.33	SAWAD	45.25	(0.75)	87,158	45.36
PPP	3.48	-	25	3.46	BCP	33.25	(0.25)	13,343	33.37	THANI	9.20	-	132,997	9.17
Q-CON	-	-	-	-	BCPG	19.70	(0.50)	113,373	19.88	TK	11.20	(0.10)	1,643	11.23
RCI	3.94	-	3,298	3.94	BGRIM	28.00	(0.25)	34,272	28.16	TNITY	5.90	(0.05)	46	5.90
SCC	416.00	(4.00)	17,245	416.80	BPP	24.10	(0.20)	13,338	24.14	UOBKH	4.00	-	75	4.00
SCCC	245.00	-	2,182	244.86	BRRGIF	10.00	-	2,064	10.00	ZMICO	1.13	-	2,451	1.12
SCP	8.75	(0.10)	2,889	8.78	CKP	5.00	(0.05)	306,724	5.03	Food & Beverage				
SKN	5.40	(0.05)	13,967	5.39	DEMCO	3.80	(0.06)	3,987	3.81	APURE	1.38	(0.01)	4,593	1.38
TASCO	15.50	(0.20)	33,682	15.71	EA	46.50	(1.00)	83,852	47.08	ASIAN	8.35	(0.15)	20,400	8.40
TCMC	2.56	(0.02)	4,594	2.55	EARTH	-	-	-	-	BR	5.10	-	7,131	5.10
TOA	34.25	-	15,347	34.24	EASTW	10.90	-	12,016	10.90	BRR	7.25	(0.05)	11,505	7.26
TPIPL	1.80	0.04	243,067	1.79	EGATIF	11.20	-	75,346	11.27	CBG	44.75	(2.50)	31,870	45.53
UMI	1.28	(0.04)	7,853	1.29	EGCO	230.00	-	2,856	230.22	CFRESH	4.46	(0.10)	92	4.49
VNG	7.25	(0.05)	738	7.23	ESSO	15.40	-	73,535	15.48	CM	4.30	(0.04)	2,804	4.30
WIHK	2.30	(0.04)	3,015	2.31	GLOW	84.00	(0.25)	10,825	84.05	CPF	24.40	(0.10)	117,022	24.40
Petrochemicals & Ch					GPSC	64.25	(1.75)	27,632	64.86	CPI	1.75	(0.01)	766	1.75
BCT	54.50	0.75	187	54.17	GULF	75.00	(0.50)	46,873	75.00	F&D	-	-	-	-
CMAN	3.12	(0.02)	4,710	3.13	GUNKUL	3.22	(0.06)	180,546	3.25	HTC	16.50	(0.20)	1,414	16.54
GC	5.10	0.05	21	5.05	IEC	-	-	-	-	ICHI	4.22	(0.04)	7,819	4.25
GGC	10.40	(0.10)	4,169	10.50	IFEC	-	-	-	-	KBS	4.42	0.02	7,938	4.43
GIFT	4.56	(0.02)	11,770	4.58	IRPC	6.20	(0.10)	861,441	6.19	KSL	3.74	(0.04)	65,407	3.73
IVL	56.75	(0.75)	138,395	56.86	LANNA	14.60	(0.10)	186	14.69	KTIS	5.70	-	1,404	5.64
NFC	11.30	-	110	11.22	MDX	4.44	(0.04)	1,929	4.46	LST	4.72	-	703	4.70
PATO	14.30	-	130	14.30	PTG	11.20	(0.10)	77,913	11.26	M	72.00	0.75	2,380	71.81
PMTA	13.70	-	158	13.78	PTT	51.00	-	430,068	50.96	MALEE	13.20	(0.30)	9,989	13.33
PTTGC	77.00	(1.50)	113,131	77.56	PTTEP	143.50	(3.00)	116,574	144.73	MINT	37.75	(0.75)	81,482	37.98
SUTHA	-	-	-	-	RATCH	49.50	-	20,966	49.33	OISHI	89.50	-	11	89.50
TCCC	35.75	-	75	35.83	RPC	0.51	-	2,244	0.51	OSP	25.50	(1.75)	1,638,831	26.04
TPA	6.75	0.05	2	6.78	SCG	4.58	(0.02)	50	4.58	PB	60.75	-	47	60.53
UP	-	-	-	-	SCI	3.08	(0.02)	3,211	3.09	PM	8.85	(0.10)	7,052	8.93
VNT	23.40	(0.50)	11,177	23.50	SCN	4.96	(0.04)	82,609	4.96	PRG	13.40	-	62	13.40
WG	-	-	-	-	SGP	11.10	(0.20)	35,155	11.21	SAPPE	23.10	(0.60)	3,364	23.32
YCI	-	-	-	-	SKE	1.25	(0.02)	14,434	1.26	SAUCE	22.00	(0.10)	3	22.10
Commerce					SOLAR	3.06	0.02	53,046	3.07	SFP	-	-	-	-
BEAUTY	8.90	(0.70)	2,191,016	9.11	SPCG	20.10	-	4,945	20.10	SNP	-	-	-	-
BIG	1.73	(0.02)	24,424	1.74	SPRC	14.30	(0.10)	78,365	14.38	SORKON	70.00	(2.00)	6	70.00
BJC	57.00	(0.25)	24,854	56.92	SUPER	0.75	(0.01)	2,167,693	0.76	SSC	-	-	-	-
COL	25.25	(0.25)	1,311	25.43	SUSCO	3.04	(0.04)	5,824	3.06	SSF	-	-	-	-
COM7	22.10	-	77,706	22.17	TAE	2.14	-	1,379	2.15	SST	5.85	-	681	5.85
CPALL	66.50	(0.75)	153,161	66.78	TCC	0.70	0.01	39,668	0.70	TC	2.98	-	17	2.99
CSS	2.08	(0.04)	15,942	2.10	TOP	84.00	(1.75)	58,393	84.75	TFG	4.12	-	4,370	4.12
FN	2.60	-	1,672	2.60	TRIPP	6.30	(0.10)	50,019	6.34	TFMAMA	160.00	-	117	159.02
FTE	2.24	-	6,228	2.24	TTW	12.10	(0.10)	35,924	12.16	TIPCO	9.35	-	15,220	9.34
GLOBAL	19.80	(0.10)	35,026	19.85	WHAUP	6.15	(0.10)	25,532	6.20	TKN	14.60	(0.50)	58,591	14.77
HMPRO	14.90	-	194,508	15.02	WP	6.75	(0.15)	12,369	6.86	TU	16.10	-	52,411	16.10
IT	4.02	(0.06)	5,501	4.03	Media & Publishing					TVO	28.25	0.25	5,594	28.04
KAMART	4.48	(0.06)	4,029	4.51	AMARIN	4.74	(0.04)	144	4.76	Health Care Services				
LOXLEY	2.14	-	7,426	2.14	AQUA	0.46	-	63,567	0.46	AHC	-	-	-	-
MAKRO	32.00	(0.50)	4,391	32.25	AS	1.17	(0.07)	523	1.20	BCH	19.40	(0.40)	92,820	19.59
MC	12.30	-	5,027	12.33	BEC	6.45	(0.10)	44,645	6.52	BDMS	25.00	-	188,218	24.97
MEGA	37.00	(0.50)	7,327	37.33	EPCO	3.56	(0.06)	11,799	3.59	BH	188.00	(0.50)	12,521	188.74
MIDA	0.59	(0.01)	2,835	0.59	FE	-	-	-	-	CHG	2.62	(0.02)	89,341	2.62
ROBINS	65.75	(1.00)	8,615	65.86	GPI	2.44	-	458	2.43	CMR	3.06	-	507	3.05
RSP	4.00	0.04	2,831	3.99	GRAMMY	7.80	0.05	221	7.96	EKH	5.95	(0.05)	8,674	5.96
SINGER	8.95	-	225	8.96	MACO	1.77	(0.03)	43,883	1.79	KDH	95.25	-	43	95.25
SPC	52.50	(0.25)	49	52.50	MAJOR	23.80	-	11,840	23.75	LPH	6.05	-	13,357	6.05
SPI	66.25	(2.25)	275	67.08	MATCH	1.94	0.02	3,071	1.95	M-CHAI				

Main Board Quotation

Issue Date :

Thursday October 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	7.60	(0.05)	500	7.62	LPN	9.70	(0.10)	75,772	9.75	ALLA	1.59	(0.05)	42,355	1.61
WPH	2.74	(0.02)	1,524	2.76	MBK	25.25	(0.25)	2,525	25.44	ASEFA	4.96	-	406	4.93
Tourism & Leisure					MJD	3.74	(0.06)	11,135	3.66	CPT	1.26	(0.08)	125,040	1.29
ASIA	6.75	0.10	15	6.68	MK	3.96	(0.04)	11,241	3.97	CRANE	2.68	-	814	2.66
CENTEL	39.25	-	8,284	39.14	NCH	0.92	(0.01)	575	0.93	CTW	9.10	(0.25)	122	9.11
CSR	-	-	-	-	NNCL	1.85	(0.02)	5,740	1.85	FMT	24.30	(0.40)	63	24.20
DTC	12.00	(0.20)	3,872	11.96	NOBLE	13.90	0.10	427	13.78	HTECH	6.75	0.10	5,928	6.71
ERW	7.55	(0.05)	19,151	7.56	NUSA	0.33	0.01	60,941	0.33	KKC	1.64	-	2,129	1.62
GRAND	1.05	-	26,543	1.04	NVD	3.88	(0.04)	626	3.86	PK	3.22	0.04	5,759	3.24
LRH	-	-	-	-	ORI	10.80	(0.20)	38,703	10.80	SNC	14.10	0.10	1,010	14.09
MANRIN	29.00	-	5	29.00	PACE	0.53	-	80,052	0.53	TCJ	5.70	(0.15)	927	5.74
OHTL	-	-	-	-	PF	1.05	-	227,070	1.05	VARO	-	-	-	-
ROH	-	-	-	-	PLAT	8.10	(0.05)	5,526	8.13	Property Fund & REI	-	-	-	-
SHANG	76.50	(1.00)	8	76.31	POLAR	-	-	-	-	AIMIRT	10.90	0.10	2,069	10.84
Home & Office Prod.					PRECHA	1.78	(0.03)	15,652	1.86	AMATAR	10.80	-	272	10.84
ACC	0.50	(0.01)	7,808	0.51	PRIN	1.63	0.01	1,282	1.62	B-WORK	11.30	-	1,568	11.30
AJA	0.37	(0.01)	15,862	0.37	PRINC	4.96	-	14,008	4.97	BKKCP	12.50	-	116	12.76
DTCI	-	-	-	-	PSH	20.00	(0.10)	4,678	20.05	BOFFICE	13.40	-	2,894	13.42
FANCY	1.03	0.07	308,881	1.00	QH	3.14	(0.04)	244,245	3.14	CPNCG	15.90	-	3,748	15.95
KYE	416.00	-	22	415.64	RICHY	1.88	0.01	29,454	1.86	CPNREIT	27.00	0.25	15,260	27.03
L&E	2.70	-	242	2.70	RML	1.58	(0.04)	1,187,583	1.62	CPTGF	13.40	0.10	758	13.41
MODERN	4.30	(0.02)	665	4.31	ROJNA	5.60	(0.15)	33,555	5.63	CRYSTAL	10.20	0.10	130	10.15
OGC	37.00	-	46	37.00	S	3.42	(0.12)	110,582	3.46	CTARAF	4.82	-	106	4.82
ROCK	-	-	-	-	SAMCO	2.02	(0.06)	366	2.02	DREIT	5.35	(0.05)	11	5.35
SIAM	2.06	-	6,690	2.06	SC	3.42	(0.06)	11,946	3.45	ERWPF	5.50	-	125	5.54
TSR	2.14	-	1,214	2.14	SENA	3.62	-	3,097	3.60	FUTUREPF	22.50	0.10	10,551	22.40
Insurance					SF	8.10	(0.10)	9,878	8.20	GAHREIT	9.70	0.05	207	9.69
AYUD	44.00	-	1,226	44.38	SIRI	1.57	-	409,884	1.57	GLANDRT	12.50	(0.20)	590	12.62
BKI	346.00	1.00	241	342.69	SPALI	22.60	(0.10)	15,668	22.72	GOLDPF	7.25	(0.05)	5	7.25
BLA	34.00	0.75	33,944	34.02	TICON	16.60	0.60	1,377	16.45	GVREIT	15.00	-	14,044	14.99
BUI	-	-	-	-	U	0.03	-	6,145,559	0.03	HPF	-	-	-	-
CHARAN	32.75	(1.00)	60	32.75	UV	7.50	(0.20)	24,870	7.56	HREIT	6.70	-	1,317	6.69
INSURE	-	-	-	-	WHA	4.20	(0.08)	813,080	4.23	IMPACT	19.40	(0.10)	3,797	19.40
MTI	100.00	(0.50)	45	101.02	WIN	0.65	-	1,216	0.65	KPNPF	9.30	(0.15)	401	9.31
NKI	-	-	-	-	Paper & Printing Mat	-	-	-	-	LHHOTEL	16.00	0.10	152	15.91
NSI	78.25	-	4	77.69	UTP	10.90	-	4,254	10.88	LHPF	8.30	0.05	3,925	8.32
SMK	40.75	(0.75)	10	40.75	Fashion	-	-	-	-	LHSC	16.40	-	2,971	16.41
THRE	1.01	(0.01)	5,769	1.02	AFC	9.20	(0.55)	13	9.29	LUXF	8.60	0.10	41	8.60
THREL	7.70	(0.05)	4,085	7.72	BTNC	-	-	-	-	M-II	-	-	-	-
TIC	37.50	0.50	91	36.02	CPH	-	-	-	-	M-PAT	9.90	-	108	9.90
TIP	24.30	0.10	1,030	24.28	CPL	-	-	-	-	M-STOR	10.20	-	20	10.20
TSI	0.40	-	54,428	0.39	DIGI	0.23	0.02	16,033	0.22	MIPF	-	-	-	-
TVI	-	-	-	-	ICC	-	-	-	-	MIT	-	-	-	-
Mining					LTX	-	-	-	-	MJLF	12.50	(0.10)	211	12.59
PDI	13.30	0.10	5,681	13.23	NC	-	-	-	-	MNIT	-	-	-	-
THL	-	-	-	-	PAF	1.10	0.04	354,215	1.16	MNIT2	-	-	-	-
Packaging					PDJ	2.46	(0.02)	2,005	2.49	MNRF	-	-	-	-
AJ	9.80	-	199	9.81	PG	6.90	(0.10)	18	6.95	MONTRI	-	-	-	-
ALUCON	175.00	-	1	175.00	SABINA	31.00	(0.50)	5,220	31.11	POPF	13.80	-	1,472	13.80
BGC	11.80	1.60	3,642,705	12.30	SAWANG	-	-	-	-	PPF	11.20	-	14	11.29
CSC	-	-	-	-	SUC	45.00	-	14	45.00	QHHR	8.40	-	2,704	8.45
NEP	0.39	(0.01)	30	0.39	TNL	-	-	-	-	QHOP	-	-	-	-
NPPG	1.29	0.13	742,332	1.25	TPCORP	-	-	-	-	QHOF	13.60	0.10	810	13.50
PTL	16.00	-	6,097	16.03	TR	46.75	-	161	46.75	SBPF	2.98	(0.02)	200	2.98
SITHAI	1.22	-	4,598	1.23	TTI	-	-	-	-	SHREIT	9.35	-	2,090	9.37
SLP	0.91	(0.01)	667	0.91	TTL	-	-	-	-	SIRIP	11.40	0.10	24	11.40
SMPC	13.60	-	646	13.59	TTTM	148.00	(5.00)	5	152.00	SPF	24.00	0.10	1,552	23.98
SPACK	2.00	0.07	35,172	2.12	UPF	-	-	-	-	SRIPANWA	11.00	-	2	11.05
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	9.90	(0.10)	100	9.92
TFI	0.30	-	74	0.30	WACOAL	-	-	-	-	SSTPF	6.35	(0.05)	403	6.35
THIP	33.25	0.25	196	33.02	Transportation & Log	-	-	-	-	SSTRT	-	-	-	-
TMD	20.90	(0.50)	14	21.01	AAV	4.18	(0.02)	48,501	4.18	TIF1	8.90	0.15	249	8.77
TOPP	-	-	-	-	AOT	62.00	(0.75)	302,965	62.06	TLGF	20.00	-	8,125	19.90
TPBI	8.05	0.05	108	8.01	ASIMAR	2.54	-	210	2.55	TLHPF	11.00	-	149	11.00
TPP	-	-	-	-	B	0.59	(0.01)	15,369	0.60	TNPF	3.52	(0.02)	50	3.52
Personal Products &					BA	12.50	-	10,318	12.48	TPRIME	12.90	-	4,275	12.90
APCO	4.48	(0.06)	804	4.52	BEM	8.35	(0.05)	122,509	8.35	TREIT	12.00	0.10	2,826	12.00
DDD	34.00	(4.25)	31,549	35.36	BTS	9.00	-	87,546	9.01	TTLPF	23.40	(0.10)	2	23.40
JCT	88.00	(0.25)	22	88.00	BTS&GIF	11.90	(0.10)	18,411	11.92	TU-PF	-	-	-	-
OCC	-	-	-	-	III	6.60	(0.20)	12,765	6.64	URBNPF	3.58	0.12	2	3.47
S & J	-	-	-	-	JUTHA	1.75	(0.06)	2,655	1.78	WHABT	10.00	-	1,155	9.99
STHAI	-	-	-	-	JWD	7.35	(0.10)	8,344	7.37	WHART	10.90	-	3,886	10.90
TNR	13.70	0.30	13	13.45	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.72	(0.04)	414	4.73	NOK	2.68	(0.02)	4,207	2.69	AMC	2.24	(0.04)	2,753	2.23
Professional Service					NYT	5.15	0.10	11,603	5.10	BSBM	1.11	(0.01)	8,435	1.10
BWG	1.14	(0.03)	276,241	1.15	PRM	7.75	0.05	13,466	7.77	CEN	1.36	0.01	11,121	1.36
GENCO	0.79	-	6,208	0.79	PSL	12.50	(0.40)	6,157	12.64	CITY	2.70	0.02	268	2.70
PRO	-	-	-	-	RCL	5.75	(0.05)	3,721	5.68	CSP	1.36	-	11	1.36
TEAMG	2.40	(0.02)	45,682	2.42	THAI	13.80	(0.10)	25,080	13.95	GJS	0.24	(0.01)	37,316	0.25
Property Developmei					TSTE	7.00	0.20	1	7.00	GSTEL	-	-	-	-
A	6.70	-	202	6.70	TTA	6.95	(0.05)	13,681	6.94	INOX	1.13	-	432	1.13
AMATA	23.40	(0.50)	200,502	23.61	WICE	4.96	(0.14)	34,105	5.00	LHK	4.94	0.02	1,665	4.95
AMATAV	5.85	-	1,392	5.90	Automotive	-	-	-	-	MAX	0.03	0.01	260,971	0.02
ANAN	4.66	(0.12)	88,166	4.71	AH	26.50	(0.25)	5,813	26.30	MCS	7.10	(0.05)	16,617	7.15
AP	8.30	(0.10)	33,285	8.36	APCS	5.20	(0.20)	2,834	5.27	MILL	1.78	(0.02)	30,418	1.78
APEX	0.21	-	3,046	0.20	BAT-3K	221.00	1.00	1	221.00	PAP	4.02	(0.02)	1,427	4.02
AQ	0.04	-	4,604,279	0.04	CWT	2.70	(0.08)	3,669	2.72	PERM	2.22	(0.04)	750	2.24
BLAND	1.75	(0.01)	303,571	1.75	EASON	2.60	(0.04)	92,175	2.72	RICH	-	-	-	-
BROCK	2.28	-	268	2.28	GYT	-	-	-	-	SAM	0.68	(0.01)	2,856	0.67
CGD	1.37	(0.01)	16,191	1.37	HFT	3.10	0.02	4,213	3.05	SMIT	5.90	-	388	5.90
CI	1.60	(0.01)	406	1.61	IHL	9.60	(0.05)	1,088	9.60	SSI	-	-	-	-
CPN	77.75	(0.75)	20,392	77.87	INGRS	0.68	-	7,287	0.68	SSSC	2.98	(0.06)	282	2.99
ESTAR	0.69	-	10,125	0.69	IRC	20.80	0.10	36	20.81	TGPRO	0.15	-	13,738	0.15
EVER	0.53	(0.01)	104,226	0.54	PCSGH	7.10	-	2,283	7.11	THE	3.68	(0.02)	100,790	3.69
GLAND	3.08	-	22,138	3.09	SAT	20.40	-	2,952	20.51	TIW	-	-	-	-
GOLD	9.40	(0.45)	31,361	9.54	SPG	13.70	(0.50)	16	13.70	TMT	14.30	-	682	14.30
GREEN	1.15	(0.02)	5,018	1.15	STANLY	250.00	-	34	249.62	TSTH	0.72	(0.01)	3,235	0.73
J	1.62	-	8	1.61	TKT	1.66	0.02	56,703	1.77	TWP	3.88	(0.04)	240	3.88
JCK	1.66	(0.04)	34,498	1.69	TNPC	1.49	0.01							

Main Board Quotation

Issue Date :

Thursday October 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TRT	2.36	-	266	2.00	ADVA06C1903A	0.38	0.02	7,442	-
ABICO	6.80	(0.25)	2,288	6.00	TSE	3.00	-	896	2.00	ADVA08C1903A	0.24	-	23,208	-
AU	7.55	(0.10)	13,601	7.00	UMS	0.74	(0.03)	663	-	ADVA11C1905A	0.18	-	3,090	-
FC	0.32	0.01	25,374	-	UWC	0.07	-	134,578	-	ADVA11P1905A	0.26	(0.01)	5,665	-
JCKH	1.10	0.01	31	1.00	Services (MAI)	-	-	-	-	ADVA13C1811A	0.23	-	29,287	-
KASET	2.12	(0.02)	10,163	2.00	ADAM	-	-	-	-	ADVA13C1901A	0.20	(0.01)	54,464	-
MM	4.00	-	1,681	3.00	AKP	1.69	-	1,761	1.00	ADVA16C1812A	0.45	0.01	20	-
SUN	3.20	(0.06)	2,673	3.00	AMA	5.55	-	1,331	5.00	ADVA19C1901A	0.40	-	14,478	-
TACC	3.76	(0.02)	3,275	3.00	ARIP	0.57	(0.03)	31,946	-	ADVA23C1902A	0.28	0.01	8,000	-
TMILL	3.02	-	2,759	3.00	ATP30	1.67	(0.01)	3,307	1.00	ADVA24C1810A	0.02	(0.01)	9,468	-
XO	10.30	(0.20)	1,966	10.00	AUCT	6.65	(0.30)	8,399	6.00	ADVA24C1904A	-	-	-	-
Consumer Products	-	-	-	-	BOL	1.92	-	6,632	1.00	ADVA24C1905A	-	-	-	-
BGT	1.10	0.01	5,715	1.00	CHUO	-	-	-	-	ADVA24P1810A	-	-	-	-
BIZ	2.84	(0.08)	1,810	2.00	CMO	1.52	(0.02)	746	1.00	ADVA24P1908A	0.73	-	10	-
DOD	13.70	(0.10)	12,507	13.00	D	11.00	0.10	1,749	10.00	ADVA27C1902A	0.20	(0.01)	3,000	-
ECF	6.00	(0.15)	76,270	5.00	DCORP	2.76	0.02	10,661	2.00	ADVA28C1811A	0.17	(0.01)	12,372	-
HPT	1.06	0.03	18,597	1.00	DNA	0.62	(0.02)	25,524	-	ADVA28C1901A	0.11	-	27,585	-
JUBILE	17.80	(0.20)	426	17.00	EFORL	0.07	-	32,826	-	ADVA42C1903A	0.20	(0.01)	4,080	-
MOONG	6.40	(0.05)	1,467	6.00	ETE	1.82	(0.01)	3,687	1.00	AMAT01C1810A	1.09	(0.09)	136,247	1.00
NPK	-	-	-	-	FSMART	7.70	(0.10)	5,066	7.00	AMAT01C1810B	0.50	(0.10)	52,470	-
OCEAN	3.94	0.34	347,216	3.00	FVC	1.03	-	13,679	1.00	AMAT01C1903A	0.82	(0.07)	68,781	-
TM	2.12	(0.04)	4,504	2.00	HARN	2.60	0.02	507	2.00	AMAT01C1903B	0.68	(0.07)	86,580	-
Financials (MAI)	-	-	-	-	JKN	11.60	(1.50)	235,307	12.00	AMAT01P1810A	0.27	0.04	144,254	-
ACAP	6.05	(0.10)	22,827	6.00	KIAT	0.50	-	30,772	-	AMAT01P1903A	0.66	0.02	171,006	-
AF	0.72	(0.01)	26,204	-	KOOL	1.66	(0.02)	3,478	1.00	AMAT06C1903A	0.71	(0.09)	10,012	-
AIRA	1.86	0.01	5	1.00	LDC	1.12	-	600	1.00	AMAT08C1903A	0.69	(0.07)	25,270	-
ASN	3.60	-	1,513	3.00	MPG	0.15	(0.01)	3,730	-	AMAT11C1903A	0.45	(0.05)	15,310	-
BROOK	0.56	0.01	4,825	-	MVP	2.90	(0.08)	15,586	2.00	AMAT13C1812A	0.61	(0.13)	46,188	-
CHAYO	5.25	(0.10)	14,490	5.00	NBC	0.73	0.03	4	-	AMAT13C1902A	0.40	(0.06)	1,002,151	-
GCAP	3.34	(0.18)	5,293	3.00	NCL	1.59	(0.02)	3,676	1.00	AMAT19C1811A	0.18	(0.04)	85,046	-
LIT	8.00	(0.20)	2,526	8.00	NEWS	0.01	-	142,265	-	AMAT19C1902A	0.78	(0.07)	45,511	-
SGF	1.48	(0.11)	681,254	1.00	NINE	2.22	(0.04)	7,871	2.00	AMAT23C1810A	0.06	(0.07)	16,280	-
Industrials (MAI)	-	-	-	-	OTO	3.04	0.02	6,055	3.00	AMAT24C1811A	0.24	(0.08)	72,000	-
2S	3.16	0.04	846	3.00	PHOL	2.14	(0.04)	1,326	2.00	AMAT27C1902A	-	-	-	-
ADB	1.11	(0.01)	5,840	1.00	PICO	4.54	-	32	4.00	AMAT28C1902A	0.54	(0.05)	82,065	-
BM	3.06	(0.08)	2,024	3.00	PORT	6.80	(0.05)	1,621	6.00	AMAT28C1903A	0.14	(0.02)	5,010	-
CHO	1.17	-	16,261	1.00	QLT	4.62	(0.02)	291	4.00	ANAN01C1810A	0.86	(0.09)	18,734	-
CHOW	4.54	(0.04)	223	4.00	RP	3.10	(0.04)	2,201	3.00	ANAN01C1810B	0.18	(0.08)	7,943	-
CIG	0.39	-	5,649	-	SE	2.14	-	489	2.00	ANAN08C1810A	0.34	(0.14)	200	-
COLOR	1.33	(0.05)	3,485	1.00	SPA	14.10	(0.40)	2,893	14.00	ANAN08C1906A	0.19	(0.02)	3,272	-
CPR	5.25	(0.05)	1,213	5.00	THMUJ	1.68	0.02	59,455	1.00	ANAN13C1901A	0.11	(0.01)	9,584	-
FPI	2.24	(0.02)	1,113	2.00	TNDT	5.20	0.05	1,205	5.00	ANAN19C1811A	0.21	(0.06)	3,928	-
GTB	0.66	-	458	-	TNH	40.00	-	252	40.00	ANAN23C1901A	0.11	(0.04)	6,395	-
KCM	1.16	(0.01)	5,834	1.00	TNP	1.82	-	988	1.00	ANAN24C1811A	0.37	(0.15)	109	-
KWM	1.25	-	59,637	1.00	TSF	0.04	-	27,258	-	AOT01C1810A	0.03	(0.02)	70,496	-
LVT	-	-	-	-	TVD	1.52	(0.08)	12,728	1.00	AOT01C1902A	0.36	(0.02)	282,263	-
MBAX	4.10	-	122	4.00	TVT	1.01	(0.01)	4,494	1.00	AOT01C1902B	0.19	(0.02)	554,455	-
MGT	2.10	(0.02)	986	2.00	WINNER	3.18	(0.02)	1,334	3.00	AOT01C1904A	0.36	(0.03)	41,686	-
NDR	2.28	0.02	108	2.00	Technology (MAI)	-	-	-	-	AOT01C1904B	0.26	(0.02)	270,795	-
PDG	3.56	(0.02)	10,854	3.00	COMAN	4.28	(0.12)	24,144	4.00	AOT01P1902A	0.96	0.05	89,021	-
PIMO	4.14	(0.04)	1,830	4.00	ICN	2.22	0.04	3,960	2.00	AOT01P1902B	0.60	0.04	126,042	-
PJW	1.73	(0.02)	706	1.00	IRCP	0.93	(0.02)	4,451	-	AOT01P1904A	0.98	0.03	98,495	-
PPM	1.84	-	120	1.00	ITEL	3.64	-	2,173	3.00	AOT01P1904B	0.78	0.04	196,265	-
RWI	1.65	-	1,811	1.00	NETBAY	33.50	-	531	33.00	AOT06C1903A	0.27	(0.02)	32,700	-
SALEE	1.13	(0.01)	1,566	1.00	PLANET	1.56	0.03	2,768	1.00	AOT06P1903A	0.57	(0.03)	45,820	-
SANKO	1.24	(0.13)	26,620	1.00	SIMAT	2.16	(0.04)	13,216	2.00	AOT07C1902A	-	-	-	-
SELIC	2.84	0.04	141,549	2.00	SKY	13.30	(0.20)	3,758	13.00	AOT08C1901A	0.13	(0.02)	82,617	-
SWC	26.75	0.25	301	26.00	SPVI	1.55	(0.03)	16,593	1.00	AOT08P1903A	0.56	0.04	28,170	-
TMC	0.91	(0.05)	29,572	-	UPA	0.53	-	9,930	-	AOT11C1906A	0.23	(0.03)	50,896	-
TMI	0.81	-	2,468	-	VCOM	3.12	(0.06)	1,415	3.00	AOT11P1906A	0.42	0.03	51,240	-
TMW	69.00	-	62	68.00	Unit Trust	-	-	-	-	AOT13C1811A	0.03	(0.01)	1,300	-
TPAC	12.30	(0.10)	125	12.00	MGE	-	-	-	-	AOT13C1812A	0.08	(0.02)	14,914	-
TPLAS	1.75	(0.05)	9,748	1.00	SCBSET	-	-	-	-	AOT13C1902A	0.27	(0.03)	232,647	-
UAC	4.42	(0.02)	1,405	4.00	ETF	-	-	-	-	AOT13P1810A	0.03	-	2,900	-
UBIS	4.68	(0.06)	216	4.00	1DIV	11.86	(0.09)	1,305	11.00	AOT13P1812A	-	-	-	-
UEC	1.58	0.02	13,192	1.00	ABFTH	-	-	-	-	AOT13P1902A	0.45	0.03	74,753	-
UKEM	0.88	(0.01)	6,978	-	BMSCG	9.00	(0.09)	744	9.00	AOT19C1901A	0.21	(0.02)	157,727	-
UREKA	1.66	(0.04)	36,530	1.00	BMSC1TH	12.51	(0.09)	6,454	12.00	AOT24C1811A	0.01	(0.01)	500	-
YUASA	15.20	(0.20)	128	15.00	BSET100	10.82	(0.09)	3,352	10.00	AOT24C1901A	-	-	-	-
ZIGA	3.08	(0.04)	4,493	3.00	CHINA	4.79	(0.06)	821	4.00	AOT24C1904A	0.23	(0.04)	3,800	-
Property & Construc	-	-	-	-	EBANK	5.92	(0.01)	1	5.00	AOT24P1903A	0.45	0.06	450	-
ARROW	8.75	(0.05)	162	8.00	ECOMM	-	-	-	-	AOT27C1902A	0.29	-	1,200	-
BKD	3.14	-	10,257	3.00	EFOOD	-	-	-	-	AOT27P1903A	-	-	-	-
BSM	0.70	-	2,361	-	EICT	4.71	0.04	1	4.00	AOT28C1812A	0.07	(0.02)	14,640	-
BTW	1.79	(0.02)	226	1.00	ENGY	6.48	(0.10)	27	6.00	AOT28C1901A	0.06	(0.02)	2,554	-
CHEWA	1.31	-	26,872	1.00	ENY	7.73	(0.07)	7	7.00	AOT28C1902A	0.25	(0.03)	146,590	-
CRD	1.10	-	1,074	1.00	ESET50	-	-	-	-	AOT28P1812A	0.18	0.02	54,004	-
DIMET	1.01	(0.03)	25,413	1.00	GLD	1.70	-	5,383	1.00	AOT42C1903A	0.19	(0.02)	38,460	-
FLOYD	2.12	(0.06)	7,379	2.00	TDEX	10.97	(0.11)	2,659	11.00	AP01C1903A	0.31	-	6,719	-
FOCUS	1.45	(0.07)	75,840	1.00	TGOLDETF	3.71	0.01	37	3.00	AP01C1903B	0.19	(0.01)	34,365	-
HYDRO	1.30	(0.01)												

Main Board Quotation

Issue Date :

Thursday October 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP07C1904A	0.26	(0.01)	214	-	BEAU01C1901B	0.12	(0.04)	313,060	-	BPP13C1901A	0.11	(0.02)	15,711	-
BANP08C1811A	0.03	(0.02)	200	-	BEAU01C1902A	0.61	(0.13)	365,602	-	BPP13C1902A	-	-	-	-
BANP08P1901A	0.35	0.02	17,806	-	BEAU01C1902B	0.46	(0.13)	306,361	-	BPP19C1903A	0.44	(0.04)	12,549	-
BANP11C1902A	-	-	-	-	BEAU01P1812A	1.70	0.16	928,994	1.00	BPP19C1903B	0.17	-	1,322	-
BANP13C1811A	0.02	-	5,278	-	BEAU01P1902A	0.99	0.12	1,334,643	-	BPP23C1901A	0.13	(0.01)	2,000	-
BANP13C1902A	0.21	(0.02)	249,886	-	BEAU06C1904A	0.96	(0.22)	48,911	1.00	BPP24C1902A	0.08	(0.01)	710	-
BANP16C1812A	0.53	(0.03)	465	-	BEAU08C1901A	0.02	-	10,515	-	BPP24C1904A	-	-	-	-
BANP19C1811A	-	-	-	-	BEAU08C1902A	0.43	(0.13)	38,131	-	BPP28C1812A	0.24	(0.03)	6,672	-
BANP19C1902A	0.27	(0.03)	21,223	-	BEAU11C1902A	0.04	-	301	-	BPP28C1902A	0.11	-	1,527	-
BANP23C1901A	0.05	-	4,000	-	BEAU13C1811A	-	-	-	-	BTS01C1810A	0.27	(0.01)	2,666	-
BANP24C1812A	-	-	-	-	BEAU13C1812A	0.01	-	2,200	-	BTS01C1810B	0.01	(0.01)	8,000	-
BANP24C1904A	0.21	(0.03)	2,000	-	BEAU13C1812B	0.23	(0.13)	881,622	-	BTS01C1903A	0.32	(0.01)	2,553	-
BANP24P1901A	-	-	-	-	BEAU13C1901A	0.06	(0.04)	828,715	-	BTS01C1903B	0.23	(0.01)	4,612	-
BANP27C1904A	0.34	(0.02)	10,800	-	BEAU19C1811A	-	-	-	-	BTS01P1810A	0.46	-	6,096	-
BANP28C1902A	0.13	(0.01)	37,016	-	BEAU19C1901A	0.45	(0.15)	97,020	-	BTS01P1903A	0.46	-	9,410	-
BANP42C1903A	0.16	(0.02)	18,360	-	BEAU19C1902A	0.14	(0.06)	61,558	-	BTS06C1903A	-	-	-	-
BANP42P1903A	0.58	0.03	26,524	-	BEAU23C1901A	-	-	-	-	BTS06C1903B	-	-	-	-
BBL06C1902A	0.89	(0.03)	5,100	-	BEAU24C1901A	0.06	(0.03)	10,200	-	BTS06C1903C	-	-	-	-
BBL08C1902A	0.65	(0.03)	2,914	-	BEAU24C1902A	0.03	-	66	-	BTS08C1810A	0.01	(0.01)	3,746	-
BBL08P1810A	-	-	-	-	BEAU24C1903A	0.47	(0.14)	20,300	-	BTS11C1904A	-	-	-	-
BBL11C1903A	0.51	(0.03)	375	-	BEAU27C1903A	0.11	(0.05)	65,771	-	BTS19C1901A	0.16	(0.01)	13,991	-
BBL11P1903A	0.13	(0.02)	10	-	BEAU28C1811A	-	-	-	-	BTS23C1905A	1.53	-	658	1.00
BBL13C1810A	-	-	-	-	BEC01C1812A	0.04	(0.01)	1,171	-	BTS24C1901A	-	-	-	-
BBL13C1901A	0.31	-	21,383	-	BEC01C1812B	0.01	(0.02)	2,483	-	BTS28C1811A	-	-	-	-
BBL19C1901A	0.29	-	31,930	-	BEC13C1811A	-	-	-	-	BTS28C1902A	-	-	-	-
BBL23C1811A	0.20	(0.02)	16,668	-	BEC13C1901A	0.04	-	14,398	-	BTS42C1901A	0.12	(0.01)	8,032	-
BBL24C1812A	-	-	-	-	BEC24C1812A	-	-	-	-	BTS42P1901A	0.25	-	2,008	-
BBL24C1902A	-	-	-	-	BEC28C1811A	-	-	-	-	CBG01C1811A	0.15	(0.06)	108,032	-
BBL24P1810A	-	-	-	-	BEM01C1902A	0.35	(0.01)	22,151	-	CBG01C1811B	0.02	(0.01)	4,200	-
BBL24P1904A	0.37	0.01	3,169	-	BEM01C1902B	0.27	(0.02)	16,583	-	CBG01C1902A	0.42	(0.09)	144,226	-
BBL27C1904A	0.45	(0.01)	3,401	-	BEM01P1902A	0.42	0.02	440	-	CBG01C1902B	0.30	(0.07)	63,740	-
BBL27P1904A	0.55	0.01	2,410	-	BEM07C1903A	-	-	-	-	CBG01P1811A	1.19	0.18	35,901	1.00
BBL28C1811A	-	-	-	-	BEM08C1903A	0.23	(0.01)	658	-	CBG01P1811B	0.46	0.13	74,949	-
BBL28C1901A	0.24	(0.01)	14,323	-	BEM11C1903A	-	-	-	-	CBG06C1903A	0.41	(0.07)	22,373	-
BBL42C1903A	0.29	(0.01)	4,110	-	BEM13C1901A	0.29	(0.02)	30,063	-	CBG06P1903A	0.92	0.14	30,142	-
BCH01C1902A	0.48	(0.05)	58,086	-	BEM19C1901A	0.29	(0.03)	12,155	-	CBG07C1812A	-	-	-	-
BCH01C1902B	0.32	(0.06)	54,046	-	BEM23C1901A	-	-	-	-	CBG08C1810A	-	-	-	-
BCH01P1902A	0.40	0.05	90,998	-	BEM24C1902A	0.19	(0.01)	2,000	-	CBG08C1902A	0.17	(0.05)	10,919	-
BCH06C1811A	0.32	(0.05)	24,190	-	BEM27C1904A	-	-	-	-	CBG11C1902A	0.04	(0.02)	5,006	-
BCH08C1901A	0.54	(0.06)	19,541	-	BGR101C1901A	1.19	(0.10)	11,462	1.00	CBG13C1811A	-	-	-	-
BCH11C1905A	0.47	(0.04)	24,132	-	BGR101C1901B	0.94	(0.11)	9,238	-	CBG13C1812A	0.05	(0.01)	18,701	-
BCH13C1810A	0.13	(0.07)	450	-	BGR101C1903A	0.37	(0.01)	88,246	-	CBG13C1901A	0.29	(0.09)	89,044	-
BCH13C1902A	0.28	(0.03)	148,529	-	BGR101C1903B	0.28	(0.01)	105,504	-	CBG19C1810A	-	-	-	-
BCH19C1903A	0.54	(0.05)	71,332	-	BGR106C1903A	1.06	(0.07)	6,800	1.00	CBG19C1901A	0.22	(0.07)	37,121	-
BCH23C1811A	0.45	(0.07)	8,500	-	BGR107C1903A	-	-	-	-	CBG23C1901A	0.03	-	660	-
BCH24C1811A	0.12	(0.04)	26,835	-	BGR108C1902A	0.85	(0.07)	3,420	-	CBG24C1811A	-	-	-	-
BCH27C1902A	0.75	0.02	2,000	-	BGR113C1812A	-	-	-	-	CBG24C1901A	0.22	(0.07)	8,400	-
BCH28C1811A	-	-	-	-	BGR113C1812B	0.21	(0.02)	81,102	-	CBG24C1903A	-	-	-	-
BCH28C1902A	0.21	(0.04)	34,664	-	BGR19C1901A	0.68	(0.03)	214	-	CBG28C1811A	-	-	-	-
BCP01C1810A	0.08	(0.02)	5,745	-	BGR19C1903A	0.24	(0.02)	35,563	-	CBG28C1812A	0.08	(0.05)	14,639	-
BCP01C1810B	-	-	-	-	BGR124C1901A	-	-	-	-	CENT01C1810A	-	-	-	-
BCP01C1903A	0.22	-	15,967	-	BGR124C1902A	0.27	(0.03)	65,111	-	CENT01C1810B	-	-	-	-
BCP01C1903B	0.15	(0.01)	45,566	-	BGR128C1812A	-	-	-	-	CENT01C1903A	0.40	(0.02)	21,810	-
BCP01P1810A	0.44	-	6,422	-	BGR128C1901A	0.17	(0.01)	47,126	-	CENT01C1903B	0.30	-	24,528	-
BCP01P1903A	0.43	-	17,572	-	BH01C1811A	0.58	(0.02)	53,450	-	CENT01P1810A	1.21	-	6,586	1.00
BCP08C1901A	0.14	-	1,796	-	BH01C1811B	-	-	-	-	CENT01P1903A	0.50	0.01	14,955	-
BCP11C1811A	-	-	-	-	BH01P1811A	0.97	0.02	26,733	-	CENT06C1904A	0.15	-	3,898	-
BCP13C1810A	-	-	-	-	BH07C1810A	-	-	-	-	CENT08C1902A	0.14	-	2,852	-
BCP13C1902A	0.15	-	6,261	-	BH08C1811A	0.01	(0.01)	9,000	-	CENT11C1904A	-	-	-	-
BCP19C1902A	0.14	(0.01)	6,910	-	BH08C1902A	0.53	(0.03)	32,968	-	CENT13C1811A	-	-	-	-
BCP24C1811A	-	-	-	-	BH11C1902A	-	-	-	-	CENT13C1902A	0.22	-	20,397	-
BCP24C1904A	0.10	-	1,500	-	BH11C1905A	0.64	(0.06)	11,590	-	CENT19C1901A	0.14	(0.01)	5,100	-
BCP28C1901A	0.12	-	6,084	-	BH13C1901A	0.56	(0.01)	70,765	-	CENT23C1902A	-	-	-	-
BCPG01C1811A	0.43	(0.07)	47,334	-	BH19C1901A	0.55	(0.03)	61,812	-	CENT24C1810A	-	-	-	-
BCPG01C1811B	0.09	(0.02)	22,714	-	BH24C1811A	-	-	-	-	CENT24C1901A	-	-	-	-
BCPG01C1904A	0.48	(0.05)	53,859	-	BH24C1902A	0.45	(0.03)	8,501	-	CENT24C1902A	-	-	-	-
BCPG01C1904B	0.35	(0.06)	54,996	-	BIG08C1906A	0.10	(0.01)	450	-	CHG01C1903A	0.39	-	16,113	-
BCPG06C1811A	0.15	(0.06)	43,906	-	BIG13C1901A	0.04	-	502	-	CHG01C1903B	0.30	(0.01)	13,634	-
BCPG08C1810A	0.12	(0.07)	26,084	-	BIG19C1811A	-	-	-	-	CHG01P1903A	0.41	0.01	830	-
BCPG08C1904A	0.25	(0.05)	29,932	-	BIG24C1812A	0.01	-	50	-	CHG07C1902A	-	-	-	-
BCPG11C1902A	0.13	(0.03)	7,034	-	BJCO1C1812A	0.61	(0.03)	38,586	-	CHG11C1904A	0.29	-	602	-
BCPG13C1810A	-	-	-	-	BJCO1C1812B	0.37	(0.01)	18,686	-	CHG13C1812A	0.26	(0.02)	12,130	-
BCPG13C1812A	0.43	(0.06)	2,716	-	BJCO1P1812A	0.27	-	13,780	-	CHG13C1903A	0.14	(0.01)	8,570	-
BCPG13C1902A	0.26	(0.03)	549,021	-	BJCO6C1901A	0.17	(0.02)	5,750	-	CHG19C1902A	0.34	(0.01)	11,338	-
BCPG19C1901A	0.45	(0.06)	77,630	-	BJCO8C1903A	0.34	(0.02)	5,792	-	CHG23C1811A	-	-	-	-
BCPG23C1902A	0.40	(0.02)	1,000	-	BJCI1C1905A	0.43	(0.02)	9,281	-	CHG24C1811A	0.14	-	4,850	-
BCPG24C1810A	-	-	-	-	BJCI3C1810A	-	-	-	-	CHG28C1812A	-	-	-	-
BCPG24C1903A	0.25	(0.03)	100,017	-	BJCI3C1812A	0.28	-	24,582	-	CHG28C1902A	0.18	-	7,144	-
BCPG27C1903A	0.41	(0.03)	14,500	-	BJCI3C1902A	0.25	(0.02)	20,411	-	CK01C1902A	0.27	(0.03)	30,480	-
BCPG28C1812A	0.51	(0.06)	10,060	-	BJCI9C1902A	0.38	(0.02)	17,958	-	CK01C1902B	-	-	-	-
BCPG28C1901A	0.22	(0.05)	153,307	-	BJCI23C1901A	0.16	(0.01)	7,000	-	CK01P1902A	0.35	0.02	9,488	-
BDMS01C1811A	0.12	(0.02)	40,509	-	BJCI24C1901A	0.26	(0.04)	502	-	CK08C1901A	0.12	(0.01)	3,490	-
BDMS01C1811B	-	-	-	-	BJCI28C1812A	0.29	(0.03)	29,653	-	CK11C1904A	0.15	(0.01)	1,658	-
BDMS01P1811A	0.29	0.01	3,744	-	BLA01C1812A	0.21	0.02	30,299	-	CK13C1902A	0.19	(0.02)	21,405	-
BDMS06C1811A	0.35	(0.05)	3,700	-	BLA08C1811A	0.01	(0.02)	6	-	CK16C1812A	-	-	-	-
BDMS07C1904A	-	-	-	-	BLA13C1902A	0.21	0.03	117,949	-	CK19C1811A	0.07	(0.01)	9,954	-
BDMS08C1901A	-	-	-	-	BLA19C1903A	0.31	0.03	37,716	-	CK19C1903A	0.25	(0.03)	6,456	-
BDMS11C1811A	-	-	-	-	BLA24C1903A	0.25	0.02	302	-	CK24C1901A	-	-	-	-
BDMS11C1904A	0.07	(0.01)	1,35											

Main Board Quotation

Issue Date :

Thursday October 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM701C1811A	0.91	(0.03)	50,568	-	DTAC13P1811A	0.13	0.01	76,289	-	GUNK11C1903A	0.17	-	2,136	-
COM701C1811B	0.47	(0.02)	55,746	-	DTAC13P1812A	0.03	(0.01)	600	-	GUNK13C1903A	0.34	(0.03)	59,731	-
COM706C1903A	0.68	(0.02)	10,379	-	DTAC19C1811A	0.13	(0.03)	36,579	-	GUNK19C1903A	0.53	(0.03)	11,700	-
COM708C1811A	0.19	(0.02)	32,030	-	DTAC24C1901A	0.31	(0.05)	2,000	-	GUNK24C1812A	0.18	(0.02)	33,616	-
COM708C1903A	0.67	(0.03)	21,975	-	DTAC27C1903A	0.34	(0.02)	18,000	-	GUNK24C1903A	0.39	(0.04)	5,201	-
COM711C1811A	0.77	0.02	23,256	-	DTAC27P1903A	0.51	0.04	15,701	-	GUNK28C1903A	0.35	(0.03)	88,906	-
COM713C1812A	0.58	(0.01)	1,748	-	DTAC28C1812A	0.45	(0.02)	35,076	-	HANA01C1811A	0.48	0.05	93,556	-
COM713C1903A	0.46	(0.01)	116,745	-	DTAC28C1902A	0.28	(0.01)	64,628	-	HANA01C1811B	0.16	0.04	83,378	-
COM719C1811A	0.48	(0.02)	31,344	-	DTAC42C1903A	0.34	(0.02)	34,820	-	HANA08C1903A	0.35	0.03	8,597	-
COM719C1904A	0.84	(0.01)	13,906	-	EA07C1810A	-	-	-	-	HANA11C1904A	0.26	0.04	4,210	-
COM723C1901A	0.51	(0.02)	13,774	-	EA07C1903A	0.75	(0.03)	35	-	HANA13C1901A	0.29	0.04	74,367	-
COM724C1811A	0.34	-	2,000	-	EA08C1810A	0.28	(0.07)	1	-	HANA19C1902A	0.26	0.03	11,000	-
COM727C1902A	-	-	-	-	EA08C1903A	0.71	(0.04)	35,250	-	HANA23C1811A	0.42	0.08	18,480	-
COM728C1811A	-	-	-	-	EA11C1902A	0.19	(0.02)	2,362	-	HANA24C1810A	0.01	-	24,500	-
COM728C1903A	0.64	(0.01)	44,588	-	EA13C1811A	0.12	(0.04)	71,166	-	HANA24C1903A	0.24	0.05	10,201	-
CPAL01C1901A	0.15	(0.01)	95,864	-	EA13C1812A	0.39	(0.04)	11,005	-	HANA28C1812A	0.35	0.05	22,584	-
CPAL01C1901B	0.04	-	180,178	-	EA13C1812B	0.82	(0.16)	1	-	HANA28C1902A	0.24	0.03	49,489	-
CPAL01C1904A	0.62	(0.03)	42,440	-	EA13C1901A	0.37	(0.05)	126,894	-	HMPR01C1902A	0.38	-	64,788	-
CPAL01C1904B	0.43	(0.04)	89,186	-	EA19C1811A	0.37	(0.04)	99,942	-	HMPR01C1902B	0.30	0.01	50,695	-
CPAL01P1901A	1.54	0.04	25,337	1.00	EA19C1902A	0.55	(0.04)	55,464	-	HMPR01P1902A	0.35	(0.01)	12,372	-
CPAL01P1901B	1.07	0.03	40,399	1.00	EA23C1901A	0.57	(0.05)	7,130	-	HMPR06C1811A	-	-	-	-
CPAL01P1904A	0.82	0.03	30,471	-	EA24C1901A	0.39	(0.06)	7,000	-	HMPR08C1810A	-	-	-	-
CPAL01P1904B	0.59	0.04	39,589	-	EA27C1902A	-	-	-	-	HMPR11C1906A	0.23	0.02	9,645	-
CPAL06C1811A	0.50	-	46	-	EA28C1901A	0.49	(0.04)	45,855	-	HMPR13C1812A	0.20	-	84,903	-
CPAL06C1811B	-	-	-	-	EA28C1902A	0.27	(0.03)	108,952	-	HMPR19C1901A	0.36	0.01	29,055	-
CPAL07C1902A	0.21	(0.02)	8,550	-	EGCO01C1903A	0.55	0.01	13,216	-	HMPR23C1901A	-	-	-	-
CPAL08C1902A	0.09	(0.01)	19,007	-	EGCO01C1903B	0.40	0.01	10,223	-	HMPR24C1901A	-	-	-	-
CPAL08C1902B	0.30	(0.03)	9,456	-	EGCO19C1901A	0.30	-	4,076	-	HMPR28C1811A	-	-	-	-
CPAL08P1810A	1.08	-	6,414	1.00	EGCO23C1811A	0.12	(0.03)	5,000	-	HMPR28C1903A	0.20	0.01	40,480	-
CPAL08P1904A	0.64	0.02	7,708	-	EGCO24C1901A	0.16	(0.01)	10	-	INTU01C1903A	0.37	-	870	-
CPAL11C1903A	0.05	-	2	-	EPG01C1903A	0.31	(0.02)	24,037	-	INTU01C1903B	0.23	-	55,248	-
CPAL11P1903A	1.05	0.05	4,386	1.00	EPG01C1903B	0.22	(0.02)	15,111	-	INTU01P1903A	0.75	-	22,736	-
CPAL13C1812A	0.05	(0.01)	52,648	-	EPG01P1903A	1.07	0.04	9,654	1.00	INTU01P1903B	0.55	-	7,550	-
CPAL13C1901A	0.22	(0.02)	90,229	-	EPG07C1811A	0.15	(0.02)	5,620	-	INTU11C1905A	0.19	-	515	-
CPAL13P1902A	0.49	0.04	42,040	-	EPG08C1810A	-	-	-	-	INTU11P1905A	0.34	-	1,545	-
CPAL19C1811A	0.01	(0.01)	7,263	-	EPG08C1810B	0.16	(0.08)	21,799	-	INTU13C1810A	-	-	-	-
CPAL19C1902A	0.30	(0.03)	24,931	-	EPG08C1903A	0.14	(0.01)	4,694	-	INTU13C1812A	0.17	(0.01)	16,078	-
CPAL23C1810A	-	-	-	-	EPG11C1903A	0.33	(0.03)	2,301	-	INTU19C1901A	0.16	(0.02)	5,308	-
CPAL24C1811A	-	-	-	-	EPG13C1811A	0.07	(0.01)	140	-	INTU24C1901A	-	-	-	-
CPAL24C1901A	0.06	-	1,356	-	EPG13C1902A	0.12	(0.01)	37,869	-	INTU28C1901A	0.12	-	9,207	-
CPAL24C1903A	0.24	(0.01)	2,150	-	EPG19C1902A	0.16	(0.02)	4,746	-	IRPC01C1810A	0.02	(0.01)	3,358	-
CPAL24P1901A	-	-	-	-	EPG24C1810A	0.10	(0.05)	14,000	-	IRPC01C1810B	-	-	-	-
CPAL27C1903A	-	-	2,400	-	EPG24C1902A	0.21	(0.02)	1,810	-	IRPC01C1903A	0.20	(0.03)	88,830	-
CPAL28C1811A	-	-	-	-	EPG28C1902A	0.12	(0.02)	62,761	-	IRPC01C1903B	0.12	(0.03)	42,580	-
CPAL28C1901A	0.19	(0.02)	4,500	-	ERW13C1902A	0.23	(0.02)	21,124	-	IRPC01P1810A	0.41	0.05	22,540	-
CPF01C1810A	0.08	(0.03)	41,948	-	ERW19C1902A	0.38	(0.01)	5,388	-	IRPC01P1810B	0.03	0.01	2	-
CPF01C1902A	0.18	(0.01)	178,593	-	ERW24C1904A	-	-	-	-	IRPC01P1903A	0.62	0.04	18,676	-
CPF01C1902B	-	-	-	-	ESS001C1812A	0.49	0.02	16,975	-	IRPC01P1903B	0.47	0.04	28,517	-
CPF01P1902A	0.44	0.01	77,921	-	ESS001C1812B	0.25	-	35,310	-	IRPC06C1811A	0.09	(0.04)	6,547	-
CPF01P1902B	-	-	-	-	ESS001P1812A	0.42	0.01	18,610	-	IRPC07C1812A	-	-	-	-
CPF06C1903A	-	-	-	-	ESS008C1902A	0.39	0.01	4,517	-	IRPC08C1902A	0.16	(0.03)	7,364	-
CPF07C1810A	-	-	-	-	ESS011C1905A	0.68	0.02	685	-	IRPC11C1902A	-	-	-	-
CPF08C1901A	-	-	-	-	ESS013C1811A	0.12	(0.01)	9,158	-	IRPC11C1905A	0.22	(0.03)	3,091	-
CPF11C1902A	0.05	-	1,019	-	ESS013C1903A	0.39	(0.61)	12,093	-	IRPC13C1811A	0.02	-	13,663	-
CPF11P1902A	-	-	-	-	ESS019C1901A	0.32	-	18,678	-	IRPC13C1812A	0.11	(0.02)	64,691	-
CPF13C1902A	0.10	(0.01)	2,700	-	ESS024C1812A	-	-	-	-	IRPC19C1901A	0.18	(0.02)	29,635	-
CPF13C1903A	0.45	(0.55)	80,634	-	ESS024C1902A	0.36	0.01	150	-	IRPC23C1810A	-	-	-	-
CPF19C1901A	0.11	-	100	-	ESS028C1811A	0.13	0.01	23,995	-	IRPC24C1812A	-	-	-	-
CPF23C1810A	-	-	-	-	ESS028C1903A	0.30	0.01	18,499	-	IRPC27C1903A	0.18	(0.01)	2,000	-
CPF24C1901A	0.14	(0.02)	700	-	GFPT08C1906A	0.53	(0.04)	8,128	-	IRPC28C1811A	-	-	-	-
CPF24C1902A	-	-	-	-	GFPT13C1902A	0.27	(0.03)	45,122	-	IRPC28C1812A	0.16	(0.02)	1,860	-
CPF24C1903A	-	-	-	-	GFPT19C1811A	0.45	(0.06)	5,165	-	IRPC28C1902A	0.14	-	12,103	-
CPF24C1904A	-	-	-	-	GFPT19C1903A	0.37	(0.04)	12,787	-	ITD06C1904A	0.27	(0.02)	3,660	-
CPF27C1903A	0.06	(0.01)	100	-	GFPT24C1812A	0.33	(0.06)	100	-	ITD08C1810A	-	-	-	-
CPF28C1811A	-	-	-	-	GGC01C1810A	-	-	-	-	ITD08C1902A	0.19	(0.01)	2,186	-
CPF28C1902A	0.10	0.01	151	-	GGC01C1810B	0.01	-	7,000	-	ITD11C1903A	0.09	-	250	-
CPN01C1902A	0.46	(0.04)	38,808	-	GGC07C1902A	-	-	-	-	ITD13C1812A	0.06	(0.02)	1,000	-
CPN01C1902B	0.27	(0.02)	34,939	-	GGC08C1906A	-	-	-	-	ITD13C1902A	0.21	(0.03)	14,274	-
CPN01P1902A	0.94	0.04	48,423	-	GGC13C1811A	-	-	-	-	ITD19C1811A	-	-	-	-
CPN06C1811A	0.35	(0.04)	7,410	-	GGC13C1902A	0.12	-	2,148	-	ITD19C1903A	0.35	(0.02)	1,782	-
CPN07C1902A	-	-	-	-	GGC19C1811A	-	-	-	-	ITD24C1810A	-	-	-	-
CPN08C1903A	0.40	(0.05)	2,048	-	GGC19C1902A	0.25	(0.01)	600	-	ITD24C1902A	-	-	-	-
CPN11C1903A	0.19	(0.02)	4,424	-	GGC23C1901A	-	-	-	-	IVL01C1812A	0.33	(0.03)	178,154	-
CPN11P1903A	0.24	0.02	4,632	-	GGC24C1812A	-	-	-	-	IVL01C1812B	0.10	(0.03)	178,131	-
CPN13C1812A	0.13	(0.03)	37,685	-	GGC24C1901A	-	-	-	-	IVL01C1903A	0.47	(0.04)	122,620	-
CPN13C1903A	0.53	(0.47)	45,960	-	GGC28C1811A	-	-	-	-	IVL01C1903B	0.35	(0.02)	86,680	-
CPN19C1901A	0.36	(0.04)	27,416	-	GGC28C1905A	0.25	-	3,350	-	IVL01P1812A	0.72	0.06	50,381	-
CPN23C1810A	-	-	-	-	GLOB01C1903A	0.60	(0.03)	45,067	-	IVL01P1812B	0.38	0.04	107,668	-
CPN24C1901A	-	-	-	-	GLOB01C1903B	0.49	(0.05)	46,097	-	IVL01P1903A	0.98	0.04	42,973	-
CPN27C1903A	-	-	-	-	GLOB11C1906A	0.39	(0.01)	10,540	-	IVL01P1903B	0.78	0.04	39,491	-
CPN28C1902A	0.26	(0.01)	14,322	-	GLOB13C1901A	0.37	(0.02)	48,222	-	IVL06C1901A	0.19	(0.02)	18,247	-
DELTO6C1903A	0.88	-	3,934	-	GLOB19C1901A	0.52	(0.03)	10,944	-	IVL07C1811A	0.19	(0.04)	1,140	-
DELTO8C1811A	-	-	-	-	GLOB23C1811A	0.60	-	1,000	-	IVL08C1901A	0.34	(0.04)	18,268	-
DELTO8C1901A	0.59	(0.01)	200	-	GLOB24C1810A	0.12	(0.05)	6,000	-	IVL08P1903A	0.55	0.04	17,563	-
DELTO8C1812A	-	-	-	-	GLOB24C1903A	-	-	-	-	IVL11C1906A	0.36	(0.03)	21,248	-
DTAC01C1810A	0.30	(0.03)	302,297	-	GLOW08C1811A	0.14	-	2,170	-	IVL13C1810A	0.01	(0.01)	41	-
DTAC01C1810B	0.02	-	1	-	GLOW19C1901A	0.22	(

Main Board Quotation

Issue Date :

Thursday October 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN01C1904A	0.41	(0.03)	48,775	-	MAJO24C1902A	0.28	-	50	-	PTG19C1902A	0.05	-	327,882	-
KBAN01C1904B	0.29	(0.02)	127,059	-	MALE01C1812A	0.02	0.01	100	-	PTG19C1902B	0.23	(0.02)	44,186	-
KBAN01P1810A	0.02	-	11	-	MALE08C1811A	-	-	-	-	PTG24C1901A	0.11	(0.01)	27,032	-
KBAN01P1901A	0.79	0.01	19,118	-	MALE27C1812A	-	-	-	-	PTG24C1902A	0.03	(0.01)	10	-
KBAN01P1901B	0.19	-	70,575	-	MC19C1811A	-	-	-	-	PTG27C1902A	-	-	-	-
KBAN01P1904A	0.74	0.02	28,746	-	MC24C1812A	0.07	(0.02)	130	-	PTG28C1812A	0.01	-	91,200	-
KBAN01P1904B	0.51	-	36,815	-	MEGA01C1811A	0.16	(0.02)	7,585	-	PTG28C1901A	0.13	-	16,786	-
KBAN06C1811A	0.30	(0.03)	8,032	-	MEGA01C1811B	0.02	-	1,000	-	PTL08C1811A	0.34	(0.02)	5,418	-
KBAN07C1811A	-	-	-	-	MEGA01C1904A	0.52	(0.01)	8,468	-	PTT01C1810A	0.04	(0.01)	100,690	-
KBAN08C1811A	0.30	(0.03)	3,566	-	MEGA01C1904B	0.44	(0.01)	8,460	-	PTT01C1810B	0.01	-	20,288	-
KBAN08C1903A	-	-	-	-	MEGA08C1811A	-	-	-	-	PTT01C1901A	0.63	(0.01)	224,327	-
KBAN08P1811A	-	-	-	-	MEGA08C1903A	0.32	(0.02)	30,834	-	PTT01C1901B	0.44	-	233,210	-
KBAN13C1811A	0.25	(0.02)	8,078	-	MEGA11C1902A	-	-	-	-	PTT01C1904A	0.45	(0.01)	44,627	-
KBAN13C1901A	0.18	(0.01)	60,589	-	MEGA13C1902A	0.33	(0.01)	12,412	-	PTT01C1904B	0.34	(0.01)	208,523	-
KBAN19C1901A	0.22	(0.01)	27,730	-	MEGA19C1902A	0.26	(0.02)	5,327	-	PTT01P1810A	0.82	0.03	32,057	-
KBAN23C1902A	0.38	-	8,125	-	MEGA23C1902A	0.11	(0.01)	5,500	-	PTT01P1810B	0.02	-	510	-
KBAN24C1902A	-	-	-	-	MEGA24C1812A	0.03	(0.01)	10	-	PTT01P1901A	0.42	0.01	70,077	-
KBAN24C1903A	-	-	-	-	MEGA24C1903A	-	-	-	-	PTT01P1901B	0.20	-	86,958	-
KBAN24P1811A	-	-	-	-	MINT01C1901A	0.41	(0.04)	64,674	-	PTT01P1904A	0.80	-	109,765	-
KBAN27C1903A	0.31	(0.01)	2,400	-	MINT01C1901B	0.21	(0.04)	171,703	-	PTT01P1904B	0.64	-	115,024	-
KBAN27P1904A	-	-	-	-	MINT01P1901A	0.21	0.02	121,302	-	PTT06C1811A	0.01	(0.01)	30	-
KBAN28C1811A	-	-	-	-	MINT06C1901A	0.20	(0.05)	400	-	PTT06C1901A	0.32	-	37,335	-
KBAN28C1812A	0.16	(0.01)	54,946	-	MINT06C1903A	-	-	-	-	PTT06P1901A	0.28	0.01	16,266	-
KBAN28P1811A	-	-	-	-	MINT07C1810A	-	-	-	-	PTT07C1811A	-	-	-	-
KCE01C1810A	0.53	(0.01)	18,792	-	MINT08C1903A	0.24	(0.02)	9	-	PTT08C1901A	0.26	(0.01)	51,797	-
KCE01C1810B	0.08	(0.03)	60,148	-	MINT11C1902A	0.08	(0.01)	60	-	PTT08P1904A	0.60	0.01	55,829	-
KCE01C1903A	0.39	(0.02)	163,395	-	MINT11P1902A	0.12	0.02	1,104	-	PTT11C1902A	0.12	(0.02)	2,742	-
KCE01C1903B	0.29	(0.02)	47,761	-	MINT13C1810A	-	-	-	-	PTT13C1810A	-	-	-	-
KCE06C1903A	0.19	0.02	10,286	-	MINT13C1812A	0.26	(0.02)	49,577	-	PTT13C1811A	0.09	-	5,600	-
KCE07C1902A	0.26	-	70	-	MINT13C1903A	0.15	(0.02)	62,762	-	PTT13C1812A	0.23	-	297,900	-
KCE08C1902A	0.18	(0.02)	8,910	-	MINT19C1901A	0.32	(0.04)	43,656	-	PTT13P1812A	-	-	-	-
KCE11C1904A	0.27	(0.02)	12,285	-	MINT23C1810A	-	-	-	-	PTT13P1902A	0.44	-	126,480	-
KCE13C1811A	0.36	(0.01)	35	-	MINT24C1812A	-	-	-	-	PTT16C1912A	0.74	(0.05)	20	-
KCE13C1812A	0.12	(0.02)	100,588	-	MINT24C1901A	0.27	(0.02)	180	-	PTT19C1901A	0.34	(0.01)	106,902	-
KCE13C1903A	0.26	(0.02)	76,398	-	MINT24C1902A	-	-	-	-	PTT23C1901A	-	-	-	-
KCE19C1901A	0.24	(0.03)	72,591	-	MINT27C1903A	0.20	(0.02)	7,725	-	PTT24C1812A	0.12	-	600	-
KCE23C1901A	0.09	(0.01)	66,292	-	MINT28C1811A	0.12	(0.02)	210	-	PTT24P1901A	-	-	-	-
KCE24C1901A	0.19	(0.01)	1,437	-	MINT28C1903A	0.15	(0.01)	47,335	-	PTT27C1903A	0.35	-	6,314	-
KCE27C1902A	0.30	(0.04)	3,600	-	MONO01C1810A	-	-	-	-	PTT27P1903A	0.47	0.01	3,600	-
KCE28C1811A	0.26	(0.08)	880	-	MONO01C1810B	-	-	-	-	PTT28C1811A	-	-	-	-
KCE28C1902A	0.17	(0.01)	23,766	-	MONO08C1906A	0.05	-	441	-	PTT28C1811B	0.07	(0.01)	3,550	-
KKP01C1902A	0.45	(0.05)	18,710	-	MONO13C1811A	-	-	-	-	PTT28C1812A	0.27	(0.01)	63,910	-
KKP01C1902B	0.25	(0.05)	3,504	-	MONO13C1901A	0.10	0.01	1	-	PTT28C1901A	0.11	-	27,502	-
KKP08C1811A	0.15	(0.03)	4,526	-	MONO19C1811A	0.02	-	10	-	PTT28C1904A	0.41	(0.01)	85,091	-
KKP11C1903A	0.20	(0.04)	825	-	MONO23C1901A	0.05	(0.02)	32	-	PTT28P1812A	-	-	-	-
KKP13C1811A	-	-	-	-	MONO24C1812A	-	-	-	-	PTTE01C1901A	0.76	(0.05)	185,236	-
KKP19C1901A	0.34	(0.06)	9,306	-	MONO24C1812B	-	-	-	-	PTTE01C1901B	0.38	(0.06)	209,332	-
KKP24C1812A	-	-	-	-	MONO28C1811A	-	-	-	-	PTTE01C1904A	0.63	(0.05)	216,770	-
KKP28C1902A	0.22	(0.03)	6,364	-	MONO28C1901A	0.06	(0.01)	1,000	-	PTTE01C1904B	0.47	(0.06)	47,400	-
KTB01C1810A	0.54	-	151,573	-	MTC06C1901A	1.30	(0.04)	9,990	1.00	PTTE01P1901A	0.87	0.05	132,078	-
KTB01C1810B	0.05	(0.01)	159,340	-	MTC08C1811A	0.46	(0.03)	16,355	-	PTTE01P1901B	0.35	0.04	149,037	-
KTB01C1903A	0.42	(0.01)	166,259	-	MTC08C1902A	1.01	-	14,326	-	PTTE01P1904A	1.34	0.05	75,731	1.00
KTB01C1903B	0.35	(0.02)	266,824	-	MTC11C1904A	0.84	(0.01)	12,160	-	PTTE01P1904B	1.08	0.07	105,584	1.00
KTB01P1903A	0.48	-	59,526	-	MTC13C1811A	-	-	-	-	PTTE06C1811A	0.29	(0.06)	33,040	-
KTB01P1903B	0.42	-	71,862	-	MTC13C1901A	0.81	(0.02)	3,305	-	PTTE07C1904A	0.43	(0.09)	409	-
KTB06C1902A	0.45	0.01	19,950	-	MTC13C1903A	0.57	(0.02)	391,568	-	PTTE08C1811A	0.22	(0.07)	32,608	-
KTB08C1903A	0.32	(0.01)	30,511	-	MTC19C1901A	0.98	(0.02)	12,884	-	PTTE08P1811A	0.01	(0.01)	50	-
KTB11C1811A	0.15	-	7,100	-	MTC19C1903A	0.63	(0.01)	44,895	-	PTTE08P1904A	1.07	0.06	47,970	1.00
KTB13C1901A	0.54	-	36,397	-	MTC24C1810A	1.01	0.02	280	-	PTTE11C1902A	0.62	(0.07)	14,195	-
KTB13C1903A	0.32	-	53,705	-	MTC24C1812A	-	-	-	-	PTTE13C1811A	0.10	(0.05)	62,223	-
KTB19C1901A	0.37	(0.02)	27,472	-	MTC27C1904A	-	-	-	-	PTTE13C1812A	0.56	(0.06)	1,723	-
KTB23C1811A	0.24	-	10,000	-	MTC28C1902A	0.76	(0.01)	11,409	-	PTTE13C1902A	0.26	(0.04)	54,567	-
KTB24C1811A	0.11	-	6,390	-	MTC28C1903A	0.42	(0.01)	73,564	-	PTTE13P1811A	0.01	-	1	-
KTB24P1901A	-	-	-	-	ORI08C1904A	0.34	(0.04)	9,478	-	PTTE13P1901A	0.27	0.03	42,400	-
KTB28C1811A	0.20	-	69,088	-	ORI11C1811A	0.03	(0.01)	1,070	-	PTTE13P1902A	0.72	0.06	132,726	-
KTB42C1903A	0.31	(0.01)	10,200	-	ORI13C1810A	-	-	-	-	PTTE19C1811A	0.39	(0.08)	41,261	-
KTB42P1903A	0.19	(0.05)	14,946	-	ORI13C1902A	0.23	(0.03)	33,091	-	PTTE19C1903A	0.53	(0.05)	61,850	-
KTC01C1810A	0.24	(0.05)	67,067	-	ORI19C1811A	0.02	(0.02)	4,610	-	PTTE23C1901A	0.06	(0.01)	61	-
KTC01C1810B	-	-	-	-	ORI19C1904A	0.36	(0.03)	11,443	-	PTTE24C1811A	0.06	(0.01)	20	-
KTC01C1901A	0.59	(0.03)	121,488	-	ORI24C1810A	-	-	-	-	PTTE24C1901A	0.41	(0.03)	2,800	-
KTC01C1901B	0.47	(0.04)	103,755	-	ORI24C1903A	0.26	(0.06)	602	-	PTTE24P1901A	0.23	0.03	150	-
KTC08C1903A	0.53	(0.03)	16,851	-	ORI28C1902A	0.20	(0.04)	20,895	-	PTTE27C1903A	0.47	(0.03)	1	-
KTC11C1902A	1.43	(0.07)	1,015	1.00	PLAN08C1811A	0.09	(0.01)	4,335	-	PTTE27P1904A	0.93	0.06	8,400	-
KTC13C1812A	0.17	(0.02)	165,202	-	PRM08C1902A	0.28	(0.01)	3,864	-	PTTE28C1811A	0.03	(0.01)	3,000	-
KTC13C1812B	0.40	(0.04)	285,937	-	PRM13C1901A	0.28	-	15,388	-	PTTE28C1902A	0.48	(0.07)	46,676	-
KTC19C1811A	0.06	(0.02)	444	-	PRM19C1902A	0.33	(0.03)	14,575	-	PTTE28P1811A	0.01	-	1	-
KTC19C1901A	0.90	(0.09)	14,338	-	PSH01C1810A	0.14	(0.02)	11,502	-	PTTE42C1903A	0.49	(0.03)	16,320	-
KTC19C1903A	0.45	(0.04)	27,329	-	PSH01C1810B	0.68	0.02	400	-	PTTG01C1810A	0.01	(0.01)	13,140	-
KTC24C1810A	-	-	-	-	PSH01P1810A	0.68	0.02	400	-	PTTG01C1810B	0.01	(0.01)	1,000	-
KTC27C1903A	0.54	(0.03)	12,000	-	PSH08C1811A	-	-	-	-	PTTG01C1811A	0.18	(0.04)	61,064	-
KTC27P1903A	0.30	0.02	14,972	-	PSH08C1904A	0.33	(0.01)	1,000	-	PTTG01C1901A	0.84	(0.07)	58,991	-
KTC28C1901A	0.35	(0.03)	75,556	-	PSH11C1902A	-	-	-	-	PTTG01C1901B	0.47	(0.04)	81,929	-
LH01C1903A	0.21	(0.01)	53,652	-	PSH13C1903A	0.25	(0.01)	4,800	-	PTTG01C1904A	0.69	(0.04)	47,613	-
LH01C1903B	0.15	(0.01)	86,140	-	PSH19C1903A	0.34	-	314	-	PTTG01C1904B	0.50	(0.03)	18,310	-
LH01P1903A	0.47	0.01	30,568	-	PSH23C1811A	-	-	-	-	PTTG01P1811A	1.69	0.08	18,520	1.00
LH06C1903A	0.08	(0.02)	380	-	PSL01C1812A	0.33	(0.05)	15,756	-	PTTG01P1901A	0.80	0.04	42,578	-
LH07C181														

Main Board Quotation

Issue Date :

Thursday October 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG24C1904A	0.56	(0.04)	1	-	SAWA28C1811A	-	-	-	-	STA13C1901A	0.74	(0.03)	148,639	-
PTTG24P1901A	-	-	-	-	SAWA28C1812A	-	-	-	-	STA13C1902A	0.45	(0.02)	371,084	-
PTTG27C1903A	0.25	(0.02)	3,600	-	SAWA28C1902A	0.34	(0.04)	71,483	-	STA19C1811A	0.60	(0.10)	7,236	-
PTTG27P1903A	0.38	0.02	4,800	-	SCB01C1810A	0.44	0.01	29,748	-	STA19C1903A	0.94	(0.07)	21,912	-
PTTG28C1811A	0.01	(0.01)	10,000	-	SCB01C1902A	0.97	0.01	30,503	-	STA19C1903B	0.39	(0.03)	105,162	-
PTTG28C1812A	0.35	(0.04)	30,336	-	SCB01C1902B	0.77	(0.02)	34,203	-	STA24C1902A	0.45	(0.04)	82,740	-
QH01C1810A	0.32	(0.06)	738	-	SCB01C1904A	0.54	(0.01)	56,483	-	STA27C1904A	0.49	(0.03)	25,200	-
QH01C1810B	0.01	(0.01)	11,780	-	SCB01C1904B	0.40	(0.01)	33,528	-	STA28C1902A	0.45	(0.02)	70,329	-
QH01C1903A	0.19	(0.01)	8,715	-	SCB01P1902A	0.36	(0.02)	30,678	-	STA28C1903A	0.27	(0.01)	101,569	-
QH01C1903B	0.13	(0.02)	414	-	SCB01P1902B	0.12	0.01	33,409	-	STEC01C1902A	0.78	(0.08)	51,123	-
QH01P1810A	0.25	0.03	2,680	-	SCB01P1904A	1.03	0.01	33,206	1.00	STEC01C1902B	0.65	(0.09)	104,503	-
QH01P1903A	0.82	0.04	3,031	-	SCB01P1904B	0.83	-	50,681	-	STEC01P1902A	0.52	0.03	54,741	-
QH11C1902A	0.22	(0.02)	947	-	SCB06C1811A	0.59	(0.02)	6,400	-	STEC06C1903A	0.68	(0.10)	10,000	-
QH13C1903A	0.15	(0.01)	1,774	-	SCB07C1904A	-	-	-	-	STEC07C1904A	0.54	(0.05)	1,500	-
QH19C1901A	0.09	(0.01)	3,101	-	SCB08C1901A	0.41	-	8,202	-	STEC08C1903A	0.51	(0.05)	20,774	-
QH24C1812A	0.02	-	3,200	-	SCB11C1901A	0.18	-	5,091	-	STEC11C1903A	0.69	(0.07)	14,034	-
QH27C1903A	-	-	-	-	SCB11P1901A	0.22	0.01	5,200	-	STEC13C1902A	0.62	(0.05)	119,178	-
RATC19C1901A	-	-	-	-	SCB13C1812A	0.45	(0.02)	27,627	-	STEC19C1901A	0.65	(0.06)	50,896	-
RATC24C1902A	0.19	(0.01)	2	-	SCB13C1902A	0.29	(0.01)	53,217	-	STEC24C1901A	0.71	(0.10)	120	-
RATC27C1812A	-	-	-	-	SCB13P1812A	-	-	-	-	STEC27C1902A	-	-	-	-
ROBI01C1903A	0.71	(0.05)	11,977	-	SCB19C1811A	0.18	-	28,782	-	STEC28C1902A	0.51	(0.05)	45,357	-
ROBI01C1903B	0.51	(0.04)	12,696	-	SCB24C1901A	0.50	(0.02)	200	-	STEC28C1903A	0.15	(0.02)	1,520	-
ROBI08C1903A	0.42	(0.09)	6,386	-	SCB24C1902A	-	-	-	-	STPI08C1811A	0.08	(0.02)	12,695	-
ROBI11C1906A	0.45	(0.07)	6,024	-	SCB24P1811A	-	-	-	-	SUPE08C1811A	0.01	-	550	-
ROBI13C1902A	0.39	(0.05)	40,741	-	SCB27C1902A	0.41	(0.02)	3,600	-	SUPE08C1902A	0.10	(0.01)	2,060	-
ROBI19C1901A	0.55	(0.04)	32,866	-	SCB27P1903A	0.43	(0.01)	4,800	-	SUPE13C1810A	-	-	-	-
ROBI24C1901A	0.16	(0.05)	1,000	-	SCB28C1812A	0.42	(0.02)	17,309	-	SUPE13C1811A	-	-	-	-
ROBI24C1903A	-	-	-	-	SCB28C1902A	0.25	(0.01)	27,480	-	SUPE13C1902A	0.08	(0.01)	50,431	-
RS08C1901A	0.20	(0.12)	115,474	-	SCB28P1812A	-	-	-	-	SUPE19C1902A	0.10	(0.01)	60,354	-
RS13C1901A	0.23	(0.12)	630,538	-	SCB28P1901A	0.37	0.01	48,656	-	SUPE23C1811A	0.02	(0.01)	10,176	-
RS19C1901A	0.22	(0.11)	311,192	-	SCB42C1903A	0.34	(0.01)	6,080	-	SUPE23C1901A	-	-	-	-
RS24C1811A	0.10	(0.07)	48,121	-	SCC01C1901A	0.48	(0.02)	147,184	-	SUPE28C1811A	-	-	-	-
S10001C1811A	0.43	(0.03)	4,983	-	SCC01C1901B	0.29	(0.03)	118,926	-	SUPE28C1902A	0.07	(0.02)	10,084	-
S10001C1911A	1.11	(0.35)	50	1.00	SCC01P1901A	0.39	0.02	18,517	-	TASC01C1810A	-	-	-	-
S5001C1810A	1.18	(0.05)	38,207	1.00	SCC06C1902A	0.13	(0.02)	12,159	-	TASC01C1810B	-	-	-	-
S5001C1810B	1.10	(0.08)	235,020	1.00	SCC07C1812A	-	-	-	-	TASC01C1903A	0.43	(0.02)	76,920	-
S5001C1811A	0.56	(0.04)	34,970	-	SCC08C1902A	0.18	(0.01)	4,566	-	TASC01C1903B	0.29	(0.03)	36,088	-
S5001C1811B	0.42	(0.06)	63,037	-	SCC11C1811A	-	-	-	-	TASC01P1810A	0.52	0.05	8,354	-
S5001C1812F	0.66	(0.08)	1,244,037	-	SCC11C1906A	0.15	-	290	-	TASC01P1903A	0.56	0.01	22,896	-
S5001C1812G	0.38	(0.07)	1,055,406	-	SCC11P1811A	0.19	0.01	2,400	-	TASC07C1811A	-	-	-	-
S5001C1812H	0.34	(0.07)	776,900	-	SCC13C1812A	0.05	(0.04)	1,250	-	TASC08C1903A	0.34	(0.04)	16,354	-
S5001C1812I	0.48	(0.52)	261,479	-	SCC13C1901A	0.21	(0.01)	16,119	-	TASC11C1904A	0.10	-	4,816	-
S5001C1901A	0.47	(0.05)	52,538	-	SCC13C1903A	0.15	(0.01)	13,533	-	TASC13C1901A	0.22	(0.02)	80,358	-
S5001C1901B	0.39	(0.05)	23,365	-	SCC19C1811A	0.01	(0.02)	111	-	TASC19C1902A	0.31	(0.03)	51,280	-
S5001C1902A	0.72	(0.28)	5,392	-	SCC19C1901A	0.18	(0.02)	27,939	-	TASC23C1902A	0.26	(0.01)	19,000	-
S5001C1902B	0.64	(0.36)	125,383	-	SCC23C1811A	-	-	-	-	TASC24C1810A	-	-	-	-
S5001P1810A	0.12	0.02	181,004	-	SCC24C1812A	-	-	-	-	TASC24C1903A	0.26	(0.04)	1,120	-
S5001P1810B	0.02	-	24,112	-	SCC24C1901A	-	-	-	-	TASC28C1902A	0.20	(0.01)	94,666	-
S5001P1811A	1.04	0.07	37,886	1.00	SCC24C1902A	-	-	-	-	TCAP01C1901A	0.54	(0.02)	17,561	-
S5001P1811B	0.92	0.07	202,356	-	SCC24P1901A	-	-	-	-	TCAP01C1901B	0.38	(0.01)	20,640	-
S5001P1812F	1.37	0.09	1,481,894	1.00	SCC27C1904A	0.27	(0.01)	3,600	-	TCAP01P1901A	0.29	0.01	15,924	-
S5001P1812G	0.99	0.09	1,791,914	-	SCC27P1904A	0.66	0.03	6,000	-	TCAP08C1810A	-	-	-	-
S5001P1812H	1.37	0.10	1,035,257	1.00	SCC28C1811A	-	-	-	-	TCAP11C1811A	-	-	-	-
S5001P1812I	0.98	(0.02)	317,921	-	SCC28C1812A	0.20	(0.03)	21,414	-	TCAP13C1901A	0.35	(0.03)	64,359	-
S5001P1901A	1.12	0.06	20,884	1.00	SCC28C1902A	-	-	-	-	TCAP19C1901A	0.25	(0.03)	15,526	-
S5001P1901B	1.09	0.07	521,048	1.00	SCC08C1811A	-	-	-	-	TCAP24C1903A	0.20	(0.01)	57	-
S5001P1902A	0.94	(0.06)	2,454	-	SCCC27C1812A	-	-	-	-	THAI01C1901A	0.25	-	57,882	-
S5001P1902B	0.94	(0.06)	13,685	-	SGP06C1812A	-	-	-	-	THAI01C1901B	0.11	-	6,297	-
S5006C1812A	0.24	(0.05)	101,441	-	SGP08C1901A	0.27	(0.02)	11,491	-	THAI01P1901A	0.69	0.01	15,506	-
S5006C1812B	0.35	(0.05)	54,234	-	SGP11C1904A	-	-	-	-	THAI07C1811A	0.03	(0.04)	100	-
S5006C1812C	0.16	(0.05)	150,899	-	SGP13C1811A	-	-	-	-	THAI08C1903A	0.23	0.01	9,678	-
S5006C1812D	0.63	(0.07)	6,392	-	SGP13C1812A	0.14	(0.01)	27,077	-	THAI11C1906A	0.34	0.01	6,526	-
S5006P1812A	0.94	0.08	106,579	-	SGP19C1811A	0.13	(0.01)	2,692	-	THAI13C1811A	-	-	-	-
S5006P1812B	0.27	0.03	114,711	-	SGP19C1904A	0.24	(0.02)	37,591	-	THAI13C1902A	0.26	(0.01)	36,005	-
S5006P1812C	0.40	0.05	141,649	-	SGP24C1811A	-	-	-	-	THAI19C1901A	0.22	-	13,224	-
S5006P1812D	-	-	-	-	SGP24C1902A	-	-	-	-	THAI23C1901A	-	-	-	-
S5008C1812A	0.14	(0.03)	189,883	-	SGP27C1903A	0.26	(0.01)	4,800	-	THAI24C1901A	0.10	(0.01)	690	-
S5008C1812B	0.30	(0.70)	17,887	-	SGP28C1811A	-	-	-	-	THAI28C1901A	0.22	0.01	45,664	-
S5008P1812A	0.61	0.06	323,410	-	SGP28C1903A	0.17	(0.02)	20,480	-	THAN01C1812A	0.61	-	38,838	-
S5008P1812B	0.40	(0.60)	9,300	-	SIRI01C1901A	0.28	(0.02)	54	-	THAN08C1904A	0.51	0.02	18,989	-
S5013C1812A	0.51	(0.07)	4,488,926	-	SIRI01C1901B	-	-	-	-	THAN13C1902A	0.58	-	150,832	-
S5013C1812B	0.33	(0.06)	1,494,577	-	SIRI01P1901A	0.60	0.04	3,158	-	THAN19C1903A	0.74	(0.01)	73,594	-
S5013C1812C	0.25	(0.05)	1,941,310	-	SIRI06C1904A	0.23	(0.01)	1,251	-	THAN24C1903A	0.64	0.01	4,750	-
S5013P1812A	1.75	0.07	7,427,144	-	SIRI08C1810A	-	-	-	-	THC008C1906A	0.15	(0.02)	1,920	-
S5013P1812B	0.20	0.10	1,532,627	1.00	SIRI08C1901A	0.15	-	2,170	-	THC011C1902A	-	-	-	-
S5013P1812C	1.49	0.12	129,152	1.00	SIRI11C1902A	0.06	-	1,241	-	THC019C1811A	-	-	-	-
S5028C1810A	0.09	(0.06)	5,948	-	SIRI13C1902A	0.16	(0.01)	10,000	-	THC024C1810A	-	-	-	-
S5028C1812A	0.61	(0.09)	859,921	-	SIRI19C1902A	0.13	(0.01)	7,458	-	THC028C1901A	0.13	(0.01)	1,014	-
S5028C1812B	0.34	(0.06)	944,269	-	SIRI23C1811A	-	-	-	-	TISCO01C1902A	0.64	(0.05)	14,400	-
S5028C1812C	0.20	(0.03)	17,700	-	SIRI24C1903A	-	-	-	-	TISCO01C1902B	0.43	(0.03)	19,412	-
S5028P1810A	0.45	0.11	31	-	SIRI28C1901A	0.21	(0.01)	6,144	-	TISCO07C1902A	0.55	(0.05)	300	-
S5028P1812A	0.67	0.06	1,648,668	-	SIRI28C1903A	0.15	(0.01)	10	-	TISCO08C1903A	0.41	(0.04)	9,335	-
S5028P1812B	1.03	0.11	990,572	-	SPAL01C1902A	0.42	(0.01)	8,087	-	TISC11C1903A	0.12	-	3,899	-
SAWA01C1901A	0.75	(0.03)	95,793	-	SPAL01C1902B	0.24	(0.01)	13,093	-	TISC13C1811A	-	-	-	-
SAWA01C1901B	0.55	(0.05)	193,121	-	SPAL11C1905A	-	-	-	-	TISC13C1812A	0.3			

Main Board Quotation

Issue Date :

Thursday October 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN24C1903A	-	-	-	-	TU01C1901B	0.33	(0.02)	59,577	-	APEX-W1	0.05	-	15,976	-
TKN28C1811A	-	-	-	-	TU01P1901A	0.25	0.01	40,715	-	APURE-W2	0.23	(0.01)	6,490	-
TKN28C1812A	0.31	(0.03)	19,609	-	TU06C1902A	0.14	(0.01)	13,265	-	AO-W4	-	-	-	-
TKN28C1903A	0.17	(0.02)	20,380	-	TU07C1902A	-	-	-	-	AS-W1	0.25	(0.01)	161	-
TMB01C1810A	0.12	(0.02)	154,935	-	TU08C1811A	-	-	-	-	AYUD-W1	7.20	(0.65)	147,622	7.00
TMB01C1810B	0.02	0.01	3,201	-	TU11C1902A	-	-	-	-	B-W3	-	-	-	-
TMB01C1903A	0.24	(0.01)	129,816	-	TU11C1906A	0.13	-	9,663	-	B-W4	0.20	-	9,213	-
TMB01C1903B	0.20	-	111,853	-	TU13C1902A	0.15	-	15,062	-	BTS-W3	-	-	-	-
TMB01P1810A	0.38	0.02	16,878	-	TU19C1901A	0.13	-	14,827	-	BWG-W4	0.08	-	14,498	-
TMB01P1903A	0.47	-	28,359	-	TU23C1902A	-	-	-	-	CEN-W4	0.05	0.01	32,135	-
TMB06C1902A	0.10	0.02	2	-	TU24C1901A	-	-	-	-	CGD-W4	0.29	-	2,785	-
TMB06C1903A	0.23	-	4,142	-	TVO01C1903A	0.28	(0.01)	561	-	CGH-W3	0.05	(0.01)	50,464	-
TMB07C1811A	-	-	-	-	TVO01C1903B	0.21	-	5,389	-	CI-W1	0.49	-	12	-
TMB07C1903A	-	-	-	-	TVO11C1903A	-	-	-	-	CKP-W1	0.64	(0.02)	69,092	-
TMB08C1901A	0.05	-	60	-	TVO13C1902A	0.15	(0.01)	2,729	-	CRANE-W1	-	-	-	-
TMB08C1903A	0.16	0.02	13,071	-	TVO19C1902A	0.15	(0.01)	600	-	CWT-W4	0.35	(0.03)	6,768	-
TMB11C1904A	0.06	(0.01)	20,660	-	TVO24C1810A	-	-	-	-	DCC-W1	0.90	(0.01)	52,543	-
TMB13C1811A	0.01	-	13,508	-	TVO24C1903A	-	-	-	-	DCON-W1	-	-	-	-
TMB13C1901A	0.15	-	78,692	-	UNI001C1810A	0.29	(0.06)	129,285	-	DIGI-W1	0.02	(0.01)	11,233	-
TMB19C1901A	0.09	-	89,982	-	UNI001C1810B	-	-	-	-	DIGI-W2	0.01	(0.01)	6,691	-
TMB23C1810A	-	-	-	-	UNI008C1810A	-	-	-	-	EARTH-W4	-	-	-	-
TMB24C1901A	-	-	-	-	UNI008C1906A	0.29	(0.03)	14,653	-	EIC-W2	-	-	-	-
TMB24C1902A	-	-	-	-	UNI011C1811A	-	-	-	-	EIC-W3	0.01	-	206	-
TMB27C1903A	0.24	(0.01)	1,220	-	UNI013C1901A	0.24	(0.02)	42,353	-	EVER-W3	0.06	(0.01)	1,130	-
TMB28C1901A	0.15	-	16,984	-	UNI019C1811A	-	-	-	-	GJS-W3	0.02	-	67	-
TOA01C1901A	0.25	-	64,091	-	UNI023C1901A	0.08	(0.02)	10,000	-	GSTEL-W1	-	-	-	-
TOA01C1901B	-	-	-	-	UNI024C1811A	-	-	-	-	GSTEL-W2	-	-	-	-
TOA08C1902A	0.08	(0.01)	700	-	UNI028C1811A	0.04	(0.02)	2,048	-	IEC-W2	-	-	-	-
TOA13C1812A	0.10	(0.01)	33,324	-	UV01C1902A	0.41	(0.03)	41,603	-	IHL-W1	5.90	(0.10)	50	5.00
TOA19C1901A	0.14	(0.01)	36,582	-	UV01C1902B	0.29	(0.04)	9,402	-	ITD-W1	0.12	(0.01)	28,771	-
TOA24C1812A	-	-	-	-	UV06C1812A	0.16	(0.03)	7,930	-	JAS-W3	2.32	(0.04)	22,456	2.00
TOA28C1812A	0.09	(0.02)	29,238	-	UV08C1902A	0.26	(0.04)	11,404	-	JCK-W5	0.48	0.01	1,027	-
TOP01C1901A	1.45	(0.11)	29,630	1.00	UV13C1812A	0.18	(0.03)	38,935	-	JMART-W2	1.12	-	137,510	1.00
TOP01C1901B	1.14	(0.14)	21,708	1.00	UV19C1902A	0.27	(0.04)	16,303	-	JMT-W2	1.98	(0.04)	41,606	2.00
TOP01C1904A	0.67	(0.09)	60,331	-	UV24C1812A	-	-	-	-	MACO-W2	0.25	(0.01)	34,275	-
TOP01C1904B	0.53	(0.08)	108,564	-	VGI01C1812A	0.65	(0.02)	1,409	-	MIDA-W2	0.01	-	5,153	-
TOP01P1901A	0.41	0.03	74,566	-	VGI06C1904A	-	-	-	-	MILL-W3	0.03	-	6,578	-
TOP01P1904A	1.42	0.07	33,079	1.00	VGI06C1904B	-	-	-	-	MILL-W4	0.29	-	5,100	-
TOP06C1903A	1.15	(0.11)	8,560	1.00	VGI06C1904C	-	-	-	-	MILL-W5	0.27	-	9,000	-
TOP06C1903B	0.45	(0.07)	3,821	-	VGI08C1811A	0.48	-	534	-	ML-W2	-	-	-	-
TOP07C1812A	0.27	(0.06)	2,289	-	VGI23C1905A	-	-	-	-	MONO-W1	0.40	(0.02)	5,270	-
TOP08C1811A	-	-	-	-	VGI23C1911A	-	-	-	-	NEP-W3	-	-	-	-
TOP08C1902A	0.53	(0.08)	17,148	-	VGI27C1812A	0.26	(0.01)	24,100	-	NOK-W1	0.49	(0.01)	7	-
TOP11C1905A	1.03	(0.10)	6,374	1.00	WHA01C1812A	0.59	(0.06)	63,560	-	NUSA-W3	-	-	-	-
TOP13C1811A	0.02	-	1,002	-	WHA01C1812B	0.42	(0.06)	97,474	-	NVD-W1	0.35	(0.03)	3,285	-
TOP13C1901A	0.52	(0.08)	13,992	-	WHA01P1812A	0.36	0.03	126,933	-	ORI-W1	1.99	(0.11)	2,252	2.00
TOP13C1902A	0.41	(0.05)	32,097	-	WHA06C1903A	0.47	(0.03)	15,440	-	PACE-W2	0.15	0.01	6,844	-
TOP19C1901A	0.37	(0.05)	29,094	-	WHA07C1810A	-	-	-	-	PDI-W1	1.12	-	1,498	1.00
TOP23C1811A	0.05	(0.02)	4,036	-	WHA08C1811A	0.08	(0.01)	300	-	PDJ-W2	1.26	-	9	1.00
TOP24C1901A	-	-	-	-	WHA08C1904A	0.34	(0.05)	48,515	-	PDJ-W3	1.25	-	9	1.00
TOP24C1902A	0.45	(0.07)	3,900	-	WHA11C1903A	0.20	(0.04)	7,055	-	PDJ-W4	1.24	0.01	19	1.00
TOP24C1903A	0.32	(0.07)	13,960	-	WHA13C1812A	0.37	(0.05)	349,206	-	PLE-W3	0.10	-	10,644	-
TOP27C1903A	-	-	-	-	WHA19C1901A	0.43	(0.06)	50,328	-	RICH-W1	-	-	-	-
TOP28C1812A	0.46	(0.09)	16,134	-	WHA23C1810A	0.09	(0.04)	23,000	-	RICHY-W1	0.36	0.02	4,142	-
TOP28C1903A	0.40	(0.05)	58,900	-	WHA24C1811A	0.03	-	100	-	RICHY-W2	0.18	-	529	-
TP101C1812A	0.20	(0.03)	24,716	-	WHA24C1902A	0.40	(0.05)	63,734	-	RS-W3	5.60	(0.35)	473	5.00
TP101C1812B	0.10	(0.01)	16,808	-	WHA27C1903A	0.56	(0.09)	9,600	-	S-W1	0.11	-	25,803	-
TP107C1812A	-	-	-	-	WHA28C1901A	0.42	(0.04)	41,062	-	SAMART-W2	0.59	-	70,125	-
TP113C1902A	0.18	(0.03)	14,599	-	WHA28C1903A	0.26	(0.03)	75,968	-	SAWAD-W1	9.10	(0.35)	5,467	9.00
TP119C1901A	0.20	(0.04)	8,138	-	WHAU01C1810A	0.17	(0.04)	6,186	-	SDC-W1	0.18	0.01	1,001	-
TP124C1902A	-	-	-	-	WHAU01C1810B	-	-	-	-	SMM-W4	-	-	-	-
TP1P01C1810A	0.17	0.02	47,691	-	WHAU13C1902A	0.22	(0.02)	15,723	-	SMT-W1	0.05	(0.01)	2,857	-
TP1P01C1810B	-	-	-	-	WHAU19C1902A	0.27	(0.03)	17,343	-	SMT-W2	0.57	(0.02)	3,337	-
TP1P01P1810A	0.53	(0.07)	34,982	-	WHAU24C1812A	-	-	-	-	SPALI-W4	-	-	-	-
TP1P11C1811A	-	-	-	-	WHAU24C1902A	0.26	(0.02)	5,000	-	SPORT-W5	0.01	-	1,630	-
TP1P13C1811A	-	-	-	-	WORK01C1811A	0.09	(0.05)	53,882	-	SST-W2	2.46	(0.18)	29,916	2.00
TP1P13C1902A	0.21	0.02	45,140	-	WORK01C1811B	0.02	-	75,422	-	SUPER-W4	0.07	-	167,692	-
TP1P19C1902A	0.25	0.03	91,858	-	WORK01C1904A	0.27	(0.08)	61,600	-	SUSCO-W1	0.06	-	11,425	-
TP1P24C1901A	0.14	(0.02)	10	-	WORK01C1904B	0.20	(0.07)	46,518	-	SVI-W3	2.96	0.46	147,480	2.00
TP1P27C1812A	-	-	-	-	WORK08C1901A	0.07	(0.04)	17,326	-	TCC-W3	0.21	0.06	842	-
TRUE01C1902A	0.38	-	85,060	-	WORK11C1903A	0.03	(0.01)	16,706	-	TCC-W4	0.23	-	5,247	-
TRUE01C1902B	0.25	(0.02)	177,029	-	WORK13C1810A	-	-	-	-	TCC-W5	0.53	0.03	10,118	-
TRUE01P1902A	0.50	0.02	65,421	-	WORK13C1811A	-	-	-	-	TCJ-W2	0.90	-	52	-
TRUE01P1902B	0.34	0.01	84,889	-	WORK13C1812A	0.04	(0.05)	72,111	-	TCMC-W2	0.32	-	1,882	-
TRUE06C1811A	-	-	-	-	WORK13C1902A	0.13	(0.06)	137,301	-	TFG-W1	1.50	-	85	1.00
TRUE06C1906A	0.19	(0.01)	19,300	-	WORK19C1811A	-	-	-	-	TFG-W2	0.74	0.01	883	-
TRUE07C1902A	-	-	-	-	WORK19C1902A	0.17	(0.07)	65,469	-	TGPRO-W3	0.02	-	309,620	-
TRUE08C1902A	0.22	(0.03)	37,778	-	WORK24C1810A	-	-	-	-	TH-W2	0.30	0.02	48,704	-
TRUE08P1902A	0.25	-	33,474	-	WORK24C1812A	0.03	(0.01)	14,000	-	THE-W2	0.05	-	5,269	-
TRUE11C1905A	0.23	(0.01)	4,432	-	WORK24C1903A	0.14	(0.05)	11,660	-	TNITY-W1	0.91	(0.02)	1,386	-
TRUE13C1812A	0.08	(0.01)	8,450	-	WORK27C1903A	0.14	(0.07)	9,953	-	TNPC-W1	0.41	(0.04)	12,491	-
TRUE13C1901A	0.22	-	248,580	-	WORK28C1811A	-	-	-	-	TRITN-W3	0.29	-	113,829	-
TRUE13P1901A	0.25	0.01	58,500	-	WORK28C1901A	0.07	(0.04)	18,419	-	TSR-W1	0.29	(0.03)	7,234	-
TRUE16C1812A	0.18	(0.02)	100	-	Warrant	-	-	-	-	TTA-W5	0.16	(0.01)	51,094	-
TRUE19C1901A	0.07	-	31,539	-	7UP-W2	0.06	-	6,882	-	TTCL-W1	1.23	(0.14)	16,297	1.00
TRUE19C1903A	0.41	(0.02)	25,221	-	ACC-W1	0.04	0.01	537	-	U-W1	-	-	-	-
TRUE23C1902A	0.12	(0.01)	8,000	-	AJA-W1	0.22	-	15,916	-	U-W4	0.01	-	2	-
TRUE27C1904A	0.24	(0.03)	12,000	-	ALT-W1	1.07	(0.08)	16,485	1.00	VGI-W2	0.45	(0.10)	342,203	-
TRUE27P1904A	0.46	0.01	12,015	-						VIBH-W2	1.41	(0.03)	2,011	1.00
TRUE28C1812A	0.07	(0.01)	250	-						VIBH-W3	0.31	(0.01)	3,885	-
TRUE28C1903A	0.20	(0.02)	83,334	-						WAVE-W1	0.43	(0.02)	1,506	-
TTA08C1906A	0.21	(0.02)	16,004	-						WHA-W1	7.90	(0.05)	4,033	7.00
TTA13C1901A	0.13	(0.01)	28,114	-						WORK-W1	6.65			

Main Board Quotation

Issue Date :

Thursday October 18, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB-P	-	-	-	-	UWC-W2	0.01	-	20	-	-	-	-	-	-
TCAP-P	-	-	-	-	XO-W1	5.95	(0.15)	639	6.00	-	-	-	-	-
TIC-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
U-P	0.04	0.01	162,629	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.14	(0.01)	34,197	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	2.04	(0.08)	20,956	2.00	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.03	0.01	2	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.79	0.01	132	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.29	(0.03)	167,683	-	-	-	-	-	-	-	-	-	-	-
BM-W1	0.37	(0.02)	22,280	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.14	-	1,550	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.18	0.01	38,684	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.12	(0.01)	24,333	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.94	0.02	14,494	1.00	-	-	-	-	-	-	-	-	-	-
ECF-W2	3.30	(0.14)	156	3.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	2.22	(0.12)	3,529	2.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.01	(0.01)	631	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.01	(0.01)	3,055	-	-	-	-	-	-	-	-	-	-	-
FC-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FC-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.71	(0.07)	138,486	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.43	(0.01)	27,574	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.62	(0.08)	84,645	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	2.60	(0.36)	167,929	2.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.18	(0.16)	11,026	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.04	-	1,685	-	-	-	-	-	-	-	-	-	-	-
META-W3	0.18	-	23,998	-	-	-	-	-	-	-	-	-	-	-
NCL-W3	0.38	(0.02)	2,245	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.02	(0.01)	5,788	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOL-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PIMO-W1	2.84	(0.02)	625	2.00	-	-	-	-	-	-	-	-	-	-
PPS-W1	0.65	(0.01)	104	-	-	-	-	-	-	-	-	-	-	-
PSTC-W1	0.22	(0.02)	4,994	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W2	0.38	(0.01)	66	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W3	0.48	(0.03)	585	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W4	1.20	(0.10)	2,035	1.00	-	-	-	-	-	-	-	-	-	-
SKY-W1	12.00	(0.20)	730	12.00	-	-	-	-	-	-	-	-	-	-
STAR-W3	1.87	0.09	33	1.00	-	-	-	-	-	-	-	-	-	-
TAKUNI-W	0.20	-	7,451	-	-	-	-	-	-	-	-	-	-	-
TAPAC-W3	1.94	(0.12)	5,351	1.00	-	-	-	-	-	-	-	-	-	-
TMILL-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TSF-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TSF-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TVD-W2	0.65	(0.03)	3,266	-	-	-	-	-	-	-	-	-	-	-
UAC-W2	0.73	(0.02)	2,120	-	-	-	-	-	-	-	-	-	-	-
UKEM-W2	0.48	-	1,296	-	-	-	-	-	-	-	-	-	-	-