

## Main Board Quotation

Issue Date :

Friday October 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	11.10	(0.30)	6,139	11.20	SE-ED	3.00	-	13	3.00
POMPI	-	-	-	-	ILINK	4.72	(0.08)	3,461	4.75	SMM	1.06	(0.14)	27,558	1.14
SAFARI	-	-	-	-	INET	3.78	(0.04)	3,541	3.79	SPORT	0.27	(0.01)	1,401	0.25
VI	-	-	-	-	INTUCH	52.50	(0.25)	56,389	52.61	TBSP	13.80	-	2	13.80
WORLD	-	-	-	-	JAS	5.15	(0.15)	347,391	5.18	TH	0.89	-	77,287	0.90
WR	-	-	-	-	JASIF	10.30	-	98,379	10.30	TKS	10.80	(0.40)	33,666	10.92
Agribusiness					JMART	6.00	(1.10)	253,025	6.26	TRITN	0.40	(0.02)	1,114,890	0.40
CHOTI	-	-	-	-	JTS	1.50	(0.04)	1,533	1.52	VGI	7.75	0.05	113,991	7.62
EE	0.66	-	15,978	0.65	MFECC	3.36	-	2,127	3.34	WAVE	2.56	-	420	2.55
GFPT	14.50	(0.30)	28,892	14.55	MSC	6.85	-	1,630	6.76	WORK	32.00	(1.25)	53,557	31.95
LEE	2.72	(0.02)	599	2.73	PT	6.60	-	553	6.56	Finance & Securities				
PPPM	5.20	(0.05)	1,064	5.17	SAMART	7.40	(0.25)	22,241	7.44	AEC	0.52	-	2,003	0.50
STA	16.60	(0.30)	111,073	16.66	SAMTEL	8.10	-	180	8.05	AEONTS	198.00	1.00	5,820	196.47
TRUBB	1.73	0.01	2,000	1.72	SDC	0.34	(0.01)	18,064	0.34	AMANAHA	1.72	(0.10)	159,538	1.74
TWPC	8.40	-	2,793	8.40	SIS	8.80	(0.10)	1,856	8.81	ASAP	6.05	(0.25)	14,343	6.09
UPOIC	4.30	(0.04)	387	4.32	SVOA	1.29	(0.02)	13,260	1.30	ASK	23.40	-	1,400	23.29
UVAN	6.75	(0.15)	1,858	6.83	SYMC	5.35	(0.05)	39	5.37	ASP	3.78	0.08	158,769	3.76
VPO	0.64	-	873	0.63	SYNEX	15.50	-	18,611	15.29	BFIT	26.25	(0.50)	2,747	25.55
Banking					THCOM	8.40	(0.20)	11,695	8.46	CGH	1.01	-	4,103	1.02
BAY	40.50	(0.25)	3,434	40.42	TRUE	5.90	(0.10)	359,996	5.93	CNS	2.54	(0.02)	462	2.54
BBL	211.00	(2.00)	43,601	211.03	TWZ	0.11	(0.02)	175,130	0.12	ECL	1.93	(0.04)	47,215	1.94
CIMBT	0.85	(0.01)	24,314	0.85	Electronic Componer					FNS	4.16	-	758	4.15
KBANK	202.00	(4.00)	93,606	203.82	CCET	1.93	(0.03)	7,769	1.94	FSS	2.26	(0.02)	2,100	2.25
KKP	69.00	(2.25)	83,045	69.80	DELTA	69.25	0.25	5,427	69.10	GBX	0.63	(0.01)	466	0.63
KTB	20.00	(0.20)	344,641	20.03	EIC	0.05	-	3,009,530	0.05	GL	6.90	(0.25)	27,285	7.00
LHFG	1.52	(0.02)	69,001	1.52	HANA	39.50	-	39,562	39.19	IFS	3.02	-	1,286	2.98
SCB	142.00	(1.00)	63,850	142.53	KCE	37.50	(2.50)	90,628	38.22	JMT	10.20	(0.60)	85,267	10.23
TCAP	51.25	0.50	37,867	51.07	METCO	209.00	(11.00)	7	209.86	KCAR	12.10	-	242	12.08
TISCO	76.75	(1.25)	70,508	77.03	SMT	2.20	(0.02)	2,811	2.21	KGI	4.52	0.12	42,958	4.45
TMB	2.26	0.02	1,277,636	2.26	SPPT	4.08	(0.08)	7,724	4.14	KTC	34.00	(1.00)	167,468	34.21
Construction Materia					SVI	5.70	-	104,261	5.66	MBKET	12.60	(0.10)	2,359	12.54
CCP	0.43	0.01	16,467	0.42	TEAM	1.11	0.02	5,486	1.10	MFC	16.40	(0.20)	421	16.34
COTTO	2.70	(0.06)	16,714	2.73	Energy & Utilities					ML	1.02	(0.01)	4,342	1.00
DCC	2.26	(0.08)	69,243	2.27	ABPIF	8.35	(0.05)	912	8.36	MTC	51.00	(1.50)	263,450	52.48
DCON	0.54	(0.01)	460,248	0.54	AI	-	-	-	-	PE	0.26	0.02	20	0.26
DRT	5.55	-	2,482	5.53	AKR	0.97	(0.02)	39,092	0.98	PL	3.44	(0.02)	936	3.43
EPG	7.60	(0.20)	58,458	7.57	BAFS	32.25	(1.00)	12,554	32.33	S11	7.35	(0.15)	1,810	7.37
GEL	0.35	(0.02)	98,188	0.35	BANPU	17.70	(0.50)	464,068	17.84	SAWAD	43.00	(2.25)	278,041	43.55
PPP	3.48	-	35	3.47	BCP	33.00	(0.25)	44,529	32.95	THANI	8.90	(0.30)	75,146	9.01
Q-CON	5.30	-	62	5.14	BCPG	19.40	(0.30)	177,850	19.46	TK	11.30	0.10	1,248	11.19
RCI	3.90	(0.04)	16,450	3.92	BGRIM	28.00	-	115,182	27.75	TNITY	5.90	-	4	5.90
SCC	414.00	(2.00)	14,970	415.34	BPP	23.50	(0.60)	52,816	23.50	UOBKH	4.00	-	3	4.00
SCCC	242.00	(3.00)	4,345	242.35	BRRGIF	9.95	(0.05)	1,547	9.96	ZMICO	1.12	(0.01)	845	1.12
SCP	8.75	-	5,597	8.75	CKP	4.94	(0.06)	748,009	4.95	Food & Beverage				
SKN	5.40	-	16,542	5.43	DEMCO	3.72	(0.08)	5,676	3.75	APURE	1.38	-	1,471	1.38
TASCO	15.00	(0.50)	114,057	15.14	EA	46.25	(0.25)	111,968	46.29	ASIAN	7.65	(0.70)	61,905	7.80
TCMC	2.54	(0.02)	15,237	2.56	EARTH	-	-	-	-	BR	4.94	(0.16)	59,654	4.98
TOA	34.00	(0.25)	10,347	34.13	EASTW	11.20	0.30	11,245	11.05	BRR	7.10	(0.15)	7,991	7.17
TPIPL	1.74	(0.06)	167,167	1.76	EGATTIF	11.30	0.10	82,237	11.21	CBG	44.25	(0.50)	16,680	44.51
UMI	1.27	(0.01)	2,525	1.28	EGCO	227.00	(3.00)	12,244	227.60	CFRESH	4.50	0.04	1,001	4.46
VNG	7.20	(0.05)	2,398	7.18	ESSO	15.00	(0.40)	149,567	15.03	CM	4.30	-	1,948	4.31
WIIC	2.28	(0.02)	2,570	2.28	GLOW	83.25	(0.75)	20,659	83.64	CPF	24.40	-	138,267	24.28
Petrochemicals & Ch					GPSC	57.75	(6.50)	149,346	59.70	CPI	1.72	(0.03)	1,171	1.73
BCT	54.00	(0.50)	198	53.88	GULF	75.75	0.75	80,965	75.13	F&D	-	-	-	-
CMAN	3.08	(0.04)	13,905	3.10	GUNKUL	3.10	(0.12)	280,017	3.14	HTC	16.30	(0.20)	2,672	16.16
GC	5.10	-	914	5.05	IEC	-	-	-	-	ICHI	4.10	(0.12)	22,561	4.14
GGC	10.30	(0.10)	5,576	10.33	IFEC	-	-	-	-	KBS	4.34	(0.08)	3,964	4.37
GIFT	4.54	(0.02)	24,046	4.56	IRPC	6.10	(0.10)	895,009	6.10	KSL	3.52	(0.22)	90,541	3.59
IVL	56.00	(0.75)	197,972	56.15	LANNA	14.50	(0.10)	1,214	14.50	KTIS	5.70	-	748	5.66
NFC	11.20	(0.10)	427	11.20	MDX	4.40	(0.04)	2,061	4.41	LST	4.66	(0.06)	653	4.67
PATO	14.30	-	114	14.31	PTG	10.80	(0.40)	214,453	10.89	M	72.50	0.50	16,317	72.27
PMTA	13.70	-	13	13.70	PTT	50.50	(0.50)	608,017	50.66	MALEE	13.00	(0.20)	10,816	13.03
PTTGC	76.50	(0.50)	143,984	76.64	PTTEP	144.50	1.00	128,413	143.96	MINT	38.50	0.75	111,682	38.19
SUTHA	3.86	(0.06)	651	3.90	RATCH	49.75	0.25	18,790	49.66	OISHI	87.75	(1.75)	52	88.61
TCCC	35.50	(0.25)	43	35.59	RPC	0.50	(0.01)	5,465	0.50	OSP	25.25	(0.25)	1,084,833	25.77
TPA	6.50	(0.25)	61	6.51	SCG	4.58	-	229	4.56	PB	60.50	(0.25)	36	60.64
UP	-	-	-	-	SCI	3.02	(0.06)	3,639	3.05	PM	8.75	(0.10)	6,246	8.77
VNT	23.00	(0.40)	16,607	22.89	SCN	4.96	-	35,683	4.94	PRG	13.40	-	59	13.40
WG	174.00	(4.00)	2	174.00	SGP	11.20	0.10	103,832	11.04	SAPPE	22.30	(0.80)	5,867	22.50
YCI	-	-	-	-	SKE	1.24	(0.01)	4,143	1.24	SAUCE	22.10	0.10	32	21.91
Commerce					SOLAR	2.96	(0.10)	20,011	2.99	SFP	-	-	-	-
BEAUTY	9.05	0.15	1,364,527	8.93	SPCG	20.00	(0.10)	39,800	19.97	SNP	20.30	(0.20)	1	20.30
BIG	1.81	0.08	167,955	1.77	SPRC	14.10	(0.20)	183,036	14.09	SORKON	-	-	-	-
BIC	55.50	(1.50)	55,574	55.88	SUPER	0.73	(0.02)	1,607,568	0.74	SSC	39.00	(0.25)	1	39.00
COL	24.80	(0.45)	4,406	24.78	SUSCO	3.02	(0.02)	11,825	3.02	SSF	8.20	(0.35)	1	8.20
COM7	21.90	(0.20)	99,556	21.84	TAE	2.14	-	3,219	2.13	SST	5.75	(0.10)	124	5.79
CPALL	65.25	(1.25)	500,288	65.48	TCC	0.70	-	29,729	0.69	TC	3.06	0.08	1	3.06
CSS	2.08	-	8,107	2.09	TOP	81.00	(3.00)	128,331	81.80	TFG	4.06	(0.06)	8,947	4.09
FN	2.58	(0.02)	1,490	2.55	TPIPP	6.30	-	236,860	6.26	TFMAMA	160.00	-	53	159.92
FTE	2.24	-	4,719	2.23	TTW	12.50	0.40	88,480	12.38	TIPCO	9.15	(0.20)	1,719	9.21
GLOBAL	19.70	(0.10)	52,152	19.61	WHAUP	6.25	0.10	75,523	6.18	TKN	14.00	(0.60)	71,618	14.28
HMPRO	14.70	(0.20)	199,844	14.78	WP	6.60	(0.15)	13,256	6.67	TU	15.80	(0.30)	84,913	15.79
IT	3.96	(0.06)	1,705	3.99	Media & Publishing					TVO	28.00	(0.25)	34,568	27.95
KAMART	4.16	(0.32)	26,462	4.22	AMARIN	4.74	-	498	4.74	Health Care Services				
LOXLEY	2.14	-	12,755	2.14	AQUA	0.46	-	117,970	0.46	AHC	20.90	(0.30)	81	20.90
MAKRO	32.00	-	5,523	31.75	AS	1.20	0.03	553	1.15	BCH	19.30	(0.10)	113,082	19.21
MC	12.00	(0.30)	27,605	12.04	BEC	6.45	-	79,444	6.49	BOMS	25.00	-	221,447	24.92
MEGA	37.00	-	17,918	36.59	EPCO	3.48	(0.08)	13,709	3.51	BH	189.50	1.50	12,281	188.74
MIDA	0.59	-	5,805	0.59	FE	-	-	-	-	CHG	2.60	(0.02)	337,677	2.59
ROBINS	64.75	(1.00)	22,820	64.54	GPI	2.36	(0.08)	4,863	2.40	CMR	3.02	(0.04)	2,231	3.03
RSP	3.94	(0.06)	21,709	3.92	GRAMMY	7.75	(0.05)	285	7.60	EKH	5.85	(0.10)	5,532	5.89
SINGER	8.90	(0.05)	814	8.88	MACO	1.69	(0.08)	194,752	1.70	KDH	95			

## Main Board Quotation

Issue Date :

Friday October 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	7.50	(0.10)	4,688	7.47	LPN	9.90	0.20	91,373	9.75	ALLA	1.55	(0.04)	28,455	1.57
WPH	2.72	(0.02)	1,564	2.73	MBK	25.50	0.25	24,776	25.45	ASEFA	4.90	(0.06)	1,092	4.89
Tourism & Leisure					MJD	3.54	(0.20)	11,285	3.58	CPT	1.20	(0.06)	85,205	1.22
ASIA	6.65	(0.10)	17	6.70	MK	3.96	-	6,986	3.96	CRANE	2.66	(0.02)	722	2.70
CENTEL	39.25	-	28,195	38.92	NCH	0.95	0.03	2,942	0.93	CTW	9.10	-	364	9.06
CSR	-	-	-	-	NNCL	1.83	(0.02)	10,520	1.83	FMT	24.20	(0.10)	25	24.20
DTC	12.10	0.10	2,253	11.97	NOBLE	13.80	(0.10)	78	13.77	HTECH	6.65	(0.10)	4,965	6.67
ERW	7.85	0.30	60,642	7.68	NUSA	0.32	(0.01)	139,047	0.33	KKC	1.61	(0.03)	643	1.62
GRAND	1.03	(0.02)	18,141	1.03	NVD	3.76	(0.12)	2,384	3.79	PK	3.12	(0.10)	2,429	3.16
LRH	38.50	-	27	38.50	ORI	10.20	(0.60)	128,325	10.25	SNC	13.90	(0.20)	4,802	13.98
MANRIN	-	-	-	-	PACE	0.52	(0.01)	190,300	0.53	TCJ	5.70	-	1,185	5.64
OHTL	-	-	-	-	PF	1.04	(0.01)	311,095	1.04	VARO	-	-	-	-
ROH	-	-	-	-	PLAT	8.00	(0.10)	12,386	8.08	Property Fund & REIT				
SHANG	75.50	(1.00)	96	74.94	POLAR	-	-	-	-	AIMIRT	10.80	(0.10)	1,167	10.80
Home & Office Prod.					PRECHA	1.76	(0.02)	8,366	1.81	AMATAR	10.90	0.10	115	10.81
ACC	0.51	0.01	1,740	0.51	PRIN	1.63	-	5,137	1.62	B-WORK	11.30	-	24	11.30
AJA	0.39	0.02	120,934	0.37	PRINC	4.84	(0.12)	13,303	4.88	BKKCP	12.50	-	50	12.50
DTCI	29.00	2.00	5	29.00	PSH	20.80	0.80	40,840	20.32	BOFFICE	13.40	-	2,059	13.40
FANCY	1.01	(0.02)	186,604	1.04	QH	3.10	(0.04)	784,913	3.08	CPNCG	15.90	-	2,172	15.93
KYE	414.00	(2.00)	52	414.35	RICHY	1.85	(0.03)	72,072	1.87	CPNREIT	26.00	(1.00)	14,986	26.52
L&E	2.64	(0.06)	103	2.64	RML	1.65	0.07	703,244	1.62	CPTGF	13.70	0.30	1,342	13.48
MODERN	4.28	(0.02)	5,206	4.27	ROJNA	5.50	(0.10)	23,934	5.51	CRYSTAL	10.20	-	1,252	10.20
OGC	37.00	-	9	37.00	S	3.30	(0.12)	146,232	3.33	CTARAF	4.78	(0.04)	1,017	4.79
ROCK	-	-	-	-	SAMCO	1.98	(0.04)	1,599	2.00	DREIT	5.35	-	269	5.39
SIAM	2.02	(0.04)	4,338	2.02	SC	3.54	0.12	110,635	3.48	ERWPF	5.55	0.05	450	5.54
TSR	2.14	-	10,706	2.17	SENA	3.56	(0.06)	12,180	3.56	FUTUREPF	22.30	(0.20)	991	22.31
Insurance					SF	8.10	-	42,045	8.08	GAHREIT	9.65	(0.05)	2	9.65
AYUD	43.75	(0.25)	2,116	44.27	SIRI	1.55	(0.02)	446,130	1.55	GLANDRT	12.70	0.20	1,145	12.52
BKI	348.00	2.00	12	346.92	SPALI	22.50	(0.10)	86,677	22.17	GOLDFP	7.20	(0.05)	567	7.21
BLA	33.25	(0.75)	12,638	33.52	TICON	16.40	(0.20)	711	16.32	GVREIT	14.80	(0.20)	7,494	14.89
BUI	-	-	-	-	U	0.03	-	4,828,039	0.03	HPF	5.40	(0.05)	729	5.40
CHARAN	-	-	-	-	UV	7.35	(0.15)	60,455	7.34	HREIT	6.70	-	212	6.70
INSURE	-	-	-	-	WHA	4.16	(0.04)	675,445	4.17	IMPACT	19.10	(0.30)	5,542	19.01
MTI	99.75	(0.25)	14	100.00	WIN	0.65	-	482	0.65	KPNPF	9.30	-	230	9.33
NKI	-	-	-	-	Paper & Printing Mat					LHHOTEL	15.90	(0.10)	258	15.95
NSI	78.00	(0.25)	7	77.61	UTP	10.70	(0.20)	5,626	10.76	LHPF	8.30	-	2,531	8.30
SMK	39.75	(1.00)	61	40.05	Fashion					LHSC	16.50	0.10	64	16.40
THRE	1.01	-	14,408	1.00	AFC	9.10	(0.10)	50	9.12	LUXF	8.55	(0.05)	139	8.55
THREL	7.65	(0.05)	3,548	7.66	BTNC	-	-	-	-	M-II	-	-	-	-
TIC	36.25	(1.25)	37	36.03	CPH	5.60	-	55	5.60	M-PAT	9.95	0.05	30	9.95
TIP	23.70	(0.60)	23,024	23.71	CPL	3.10	(0.16)	169	3.05	M-STOR	10.20	-	55	10.17
TSI	0.39	(0.01)	35,971	0.39	DIGI	0.22	(0.01)	6,255	0.23	MIPF	-	-	-	-
TVI	-	-	-	-	ICC	41.00	-	1	41.00	MIT	-	-	-	-
Mining					LTX	96.00	(1.25)	27	96.34	MJLF	12.50	-	320	12.52
PDI	13.20	(0.10)	5,609	13.29	NC	-	-	-	-	MNIT	-	-	-	-
THL	-	-	-	-	PAF	1.02	(0.08)	42,793	1.05	MNIT2	-	-	-	-
Packaging					PDJ	2.48	0.02	1,444	2.46	MNRF	3.36	0.02	51	3.27
AJ	9.70	(0.10)	1,494	9.66	PG	-	-	-	-	MONTRI	6.50	0.10	800	6.50
ALUCON	170.00	(5.00)	69	171.24	SABINA	31.25	0.25	9,572	31.19	POPF	13.70	(0.10)	1,872	13.75
BGC	12.30	0.50	766,694	11.99	SAWANG	-	-	-	-	PPF	11.20	-	119	11.20
CSC	44.25	(0.50)	40	44.19	SUC	45.00	-	261	45.00	QHHR	8.45	0.05	3,349	8.45
NEP	0.39	-	420	0.40	TNL	18.30	(1.20)	74	18.52	QHOP	3.40	(0.08)	10	3.44
NPPG	1.34	0.05	705,387	1.30	TPCORP	-	-	-	-	QHPP	13.50	(0.10)	3,712	13.50
PTL	15.30	(0.70)	21,403	15.61	TR	46.50	(0.25)	288	46.71	SBPF	3.00	0.02	56	2.98
SITHAI	1.23	0.01	3,681	1.22	TTI	-	-	-	-	SHREIT	9.40	0.05	4,406	9.40
SLP	0.91	-	15,321	0.93	TTL	-	-	-	-	SIRIP	-	-	-	-
SMPC	13.60	-	537	13.55	TTTTM	150.00	2.00	11	143.64	SPF	23.80	(0.20)	1,403	23.89
SPACK	1.93	(0.07)	7,574	2.00	UPF	65.00	(2.50)	1	65.00	SRIPANWA	11.00	-	192	11.00
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	9.90	-	154	9.91
TFI	0.29	(0.01)	144	0.28	WACOAL	45.25	(1.50)	7	44.00	SSTPF	6.30	(0.05)	517	6.31
THIP	33.00	(0.25)	146	32.67	Transportation & Log					SSTRT	6.25	-	66	6.25
TMD	21.20	0.30	32	20.91	AAV	4.12	(0.06)	116,955	4.14	TIF1	8.75	(0.15)	95	8.78
TOPP	202.00	2.00	1	202.00	AOT	61.00	(1.00)	595,325	60.99	TLGF	19.90	(0.10)	13,658	19.91
TPBI	8.00	(0.05)	182	8.00	ASIMAR	2.56	0.02	2,357	2.52	TLHPF	11.00	-	30	11.00
TPP	-	-	-	-	B	0.59	-	17,283	0.59	TNPF	-	-	-	-
Personal Products &					BA	12.40	(0.10)	14,994	12.40	TPRIME	12.80	(0.10)	3,386	12.86
APCO	4.42	(0.06)	742	4.45	BEM	8.30	(0.05)	305,125	8.29	TREIT	12.00	-	2,753	12.00
DDD	29.00	(5.00)	152,327	30.49	BTS	8.95	(0.05)	206,817	8.96	TTLPF	23.00	(0.40)	72	23.00
JCT	88.50	0.50	10	88.50	BTSIGIF	11.80	(0.10)	68,351	11.89	TU-PF	-	-	-	-
OCC	-	-	-	-	III	6.35	(0.25)	19,069	6.33	URBNPF	-	-	-	-
S & J	-	-	-	-	JUTHA	1.71	(0.04)	3,791	1.72	WHABT	10.00	-	50	10.00
STHAI	-	-	-	-	JWD	7.50	0.15	24,508	7.34	WHART	10.90	-	7,829	10.90
TNR	13.70	-	98	13.48	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.66	(0.06)	756	4.70	NOK	2.68	-	12,578	2.68	AMC	2.20	(0.04)	3,206	2.18
Professional Service					NYT	5.10	(0.05)	27,655	5.08	BSBM	1.10	(0.01)	3,440	1.10
BWG	1.12	(0.02)	305,164	1.13	PRM	7.55	(0.20)	33,735	7.67	CEN	1.36	-	4,507	1.36
GENCO	0.78	(0.01)	3,496	0.78	PSL	12.00	(0.50)	48,591	12.15	CITY	2.72	0.02	197	2.69
PRO	-	-	-	-	RCL	5.60	(0.15)	2,530	5.63	CSP	1.35	(0.01)	1,901	1.32
TEAMG	2.36	(0.04)	49,092	2.38	THAI	13.70	(0.10)	27,880	13.74	GJS	0.24	-	32,707	0.24
Property Developme					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	252	6.70	TTA	6.80	(0.15)	19,263	6.85	INOX	1.13	-	1,004	1.13
AMATA	22.90	(0.50)	268,924	22.98	WICE	4.80	(0.16)	39,263	4.85	LHK	4.94	-	2,068	4.93
AMATAV	5.90	0.05	3,292	5.84	Automotive					MAX	0.02	(0.01)	348,784	0.02
ANAN	4.56	(0.10)	104,603	4.58	AH	25.75	(0.75)	5,462	25.91	MCS	7.00	(0.10)	54,916	7.07
AP	8.35	0.05	197,835	8.21	APCS	5.20	-	580	5.24	MILL	1.78	-	43,378	1.78
APEX	0.20	(0.01)	21,761	0.20	BAT-3K	-	-	-	-	PAP	4.02	-	409	4.02
AQ	0.04	-	161,970	0.04	CWT	2.70	-	1,622	2.72	PERM	2.24	0.02	747	2.21
BLAND	1.76	0.01	392,897	1.75	EASON	2.48	(0.12)	27,177	2.58	RICH	-	-	-	-
BROCK	-	-	-	-	GYT	378.00	(2.00)	6	377.00	SAM	0.66	(0.02)	8,916	0.66
CGD	1.39	0.02	34,157	1.37	HFT	3.06	(0.04)	1,697	3.06	SMIT	5.90	-	855	5.86
CI	1.58	(0.02)	9,885	1.59	IHL	9.55	(0.05)	3,557	9.52	SSI	-	-	-	-
CPN	79.00	1.25	68,371	78.60	INGRS	0.69	0.01	10,891	0.68	SSSC	2.98	-	808	2.97
ESTAR	0.69	-	3,388	0.69	IRC	20.90	0.10	66	20.79	TGPRO	0.15	-	293,904	0.15
EVER	0.51	(0.02)	113,036											

## Main Board Quotation

Issue Date :

Friday October 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	TRT	2.32	(0.04)	2,439	2.00	ADVA01P1902B	0.43	-	29,063	-
ABICO	6.90	0.10	447	6.00	TSE	2.96	(0.04)	5,872	2.00	ADVA06C1903A	0.37	(0.01)	6,200	-
AU	7.40	(0.15)	18,377	7.00	UMS	0.74	-	50	-	ADVA08C1903A	0.23	(0.01)	19,460	-
FC	0.31	(0.01)	16,208	-	UWC	0.07	-	170,433	-	ADVA11C1905A	0.17	(0.01)	5,270	-
JCKH	1.06	(0.04)	1,133	1.00	Services (MAI)	-	-	-	-	ADVA11P1905A	0.26	-	5,665	-
KASET	2.10	(0.02)	423	2.00	ADAM	-	-	-	-	ADVA13C1811A	0.20	(0.03)	87,194	-
MM	3.96	(0.04)	1,631	3.00	AKP	1.67	(0.02)	2,206	1.00	ADVA13C1901A	0.20	-	40,903	-
SUN	3.18	(0.02)	4,730	3.00	AMA	5.30	(0.25)	5,760	5.00	ADVA16C1812A	0.44	(0.01)	80	-
TACC	3.58	(0.18)	7,991	3.00	ARIP	0.56	(0.01)	30,834	-	ADVA19C1901A	0.41	0.01	23,744	-
TMILL	3.00	(0.02)	6,761	2.00	ATP30	1.66	(0.01)	1,264	1.00	ADVA23C1902A	0.26	(0.02)	22,218	-
XO	10.20	(0.10)	2,737	10.00	AUCT	6.05	(0.60)	54,546	6.00	ADVA24C1810A	-	-	-	-
Consumer Products	-	-	-	-	BOL	1.89	(0.03)	6,304	1.00	ADVA24C1904A	-	-	-	-
BGT	1.08	(0.02)	2,591	1.00	CHUO	-	-	-	-	ADVA24C1905A	-	-	-	-
BIZ	2.76	(0.08)	4,752	2.00	CMO	1.50	(0.02)	2,884	1.00	ADVA24P1810A	-	-	-	-
DOD	13.80	0.10	20,035	13.00	D	10.70	(0.30)	4,199	10.00	ADVA24P1908A	0.73	-	150	-
ECF	6.10	0.10	37,465	6.00	DCORP	2.76	-	3,158	2.00	ADVA27C1902A	-	-	-	-
HPT	1.02	(0.04)	202,630	1.00	DNA	0.61	(0.01)	96,199	-	ADVA28C1811A	0.16	(0.01)	14,310	-
JUBILE	17.40	(0.40)	2,365	17.00	EFORL	0.07	-	45,075	-	ADVA28C1901A	0.11	-	25,675	-
MOONG	6.40	-	3,912	6.00	ETE	1.80	(0.02)	2,068	1.00	ADVA42C1903A	-	-	-	-
NPK	-	-	-	-	FSMART	7.90	0.20	15,716	7.00	AMAT01C1810A	1.03	(0.06)	70,256	1.00
OCEAN	3.96	0.02	142,977	3.00	FVC	1.02	(0.01)	4,669	1.00	AMAT01C1810B	0.37	(0.13)	71,171	-
TM	2.08	(0.04)	2,289	2.00	HARN	2.58	(0.02)	354	2.00	AMAT01C1903A	0.78	(0.04)	169,726	-
Financials (MAI)	-	-	-	-	JKN	11.60	-	40,693	11.00	AMAT01C1903B	0.62	(0.06)	184,177	-
ACAP	6.05	-	9,132	6.00	KIAT	0.50	-	13,171	-	AMAT01P1810A	0.31	0.04	123,893	-
AF	0.72	-	3,792	-	KOOL	1.61	(0.05)	3,779	1.00	AMAT01P1903A	0.70	0.04	154,461	-
AIRA	1.90	0.04	11	1.00	LDC	1.12	-	605	1.00	AMAT06C1903A	0.65	(0.06)	12,023	-
ASN	3.60	-	1,713	3.00	MPG	0.14	(0.01)	31,651	-	AMAT08C1903A	0.63	(0.06)	22,186	-
BROOK	0.55	(0.01)	5,545	-	MVP	2.82	(0.08)	15,668	2.00	AMAT11C1903A	0.41	(0.04)	40,004	-
CHAYO	4.70	(0.55)	82,296	4.00	NBC	0.73	-	2	-	AMAT13C1812A	0.57	(0.04)	5,973	-
GCAP	3.30	(0.04)	5,980	3.00	NCL	1.54	(0.05)	3,216	1.00	AMAT13C1902A	0.36	(0.04)	570,312	-
LIT	7.85	(0.15)	1,476	7.00	NEWS	0.01	-	93,886	-	AMAT19C1811A	0.14	(0.04)	44,881	-
SGF	1.46	(0.02)	512,364	1.00	NINE	2.02	(0.20)	20,837	2.00	AMAT19C1902A	0.71	(0.07)	37,622	-
Industrials (MAI)	-	-	-	-	OTO	2.96	(0.08)	1,676	2.00	AMAT23C1810A	0.04	(0.02)	26,901	-
2S	3.12	(0.04)	458	3.00	PHOL	2.14	-	1,082	2.00	AMAT24C1811A	0.20	(0.04)	100	-
ADB	1.09	(0.02)	8,196	1.00	PICO	4.46	(0.08)	16	4.00	AMAT27C1902A	-	-	-	-
BM	3.06	-	1,912	3.00	PORT	6.70	(0.10)	3,258	6.00	AMAT28C1902A	0.50	(0.04)	76,174	-
CHO	1.17	-	5,568	1.00	QLT	4.54	(0.08)	220	4.00	AMAT28C1903A	0.13	(0.01)	51,602	-
CHOW	4.62	0.08	147	4.00	RP	3.02	(0.08)	2,354	3.00	ANAN01C1810A	0.79	(0.07)	6,000	-
CIG	0.39	-	2,113	-	SE	2.08	(0.06)	27	2.00	ANAN01C1810B	0.10	(0.08)	8,016	-
COLOR	1.34	0.01	2,115	1.00	SONIC	1.84	(0.11)	3,984,524	2.00	ANAN08C1810A	0.24	(0.10)	6,750	-
CPR	5.20	(0.05)	1,082	5.00	SPA	13.70	(0.40)	9,988	13.00	ANAN08C1906A	-	-	-	-
FPI	2.24	-	1,451	2.00	THMUI	1.63	(0.05)	11,865	1.00	ANAN13C1901A	0.10	(0.01)	30,045	-
GTB	0.65	(0.01)	3,547	-	TNDT	5.05	(0.15)	1,178	5.00	ANAN19C1811A	0.15	(0.06)	50,955	-
KCM	1.14	(0.02)	6,698	1.00	TNH	39.75	(0.25)	620	39.00	ANAN23C1901A	0.10	(0.01)	1,080	-
KWM	1.20	(0.05)	65,874	1.00	TNP	1.78	(0.04)	3,513	1.00	ANAN24C1811A	-	-	-	-
LVT	-	-	-	-	TSF	0.03	(0.01)	22,076	-	AOT01C1810A	0.02	(0.01)	62,733	-
MBAX	4.08	(0.02)	1,005	4.00	TVD	1.50	(0.02)	8,473	1.00	AOT01C1902A	0.32	(0.04)	1,276,067	-
MG	2.10	-	1,150	2.00	TVT	1.01	-	3,874	1.00	AOT01C1902B	0.16	(0.03)	292,643	-
NDR	2.28	-	93	2.00	WINNER	3.14	(0.04)	2,466	3.00	AOT01C1904A	0.33	(0.03)	311,540	-
PDG	3.52	(0.04)	953	3.00	Technology (MAI)	-	-	-	-	AOT01C1904B	0.23	(0.03)	119,921	-
PIMO	4.14	-	3,460	4.00	COMAN	4.10	(0.18)	4,073	4.00	AOT01P1902A	1.01	0.05	142,578	1.00
PJW	1.70	(0.03)	3,011	1.00	ICN	2.12	(0.10)	15,367	2.00	AOT01P1902B	0.65	0.05	301,024	-
PPM	1.82	(0.02)	631	1.00	IRCP	0.93	-	4,794	-	AOT01P1904A	1.03	0.05	225,222	1.00
RWI	1.62	(0.03)	232	1.00	ITEL	3.70	0.06	3,806	3.00	AOT01P1904B	0.83	0.05	336,761	-
SALEE	1.11	(0.02)	1,141	1.00	NETBAY	32.50	(1.00)	1,456	32.00	AOT06C1903A	0.23	(0.04)	45,390	-
SANKO	1.21	(0.03)	6,388	1.00	PLANET	1.54	(0.02)	207	1.00	AOT06P1903A	0.61	0.04	69,188	-
SELIC	2.78	(0.06)	32,974	2.00	SIMAT	2.10	(0.06)	12,680	2.00	AOT07C1902A	0.27	(0.06)	6,000	-
SWC	26.25	(0.50)	971	26.00	SKY	13.60	0.30	6,847	13.00	AOT08C1901A	0.11	(0.02)	21,912	-
TMC	0.86	(0.05)	16,235	-	SPVI	1.56	0.01	28,939	1.00	AOT08P1903A	0.61	0.05	64,800	-
TMI	0.81	-	2,755	-	UPA	0.52	(0.01)	27,604	-	AOT11C1906A	0.21	(0.02)	53,720	-
TMW	69.00	-	62	68.00	VCOM	3.10	(0.02)	1,102	3.00	AOT11P1906A	0.44	0.02	60,026	-
TPAC	12.50	0.20	109	12.00	Unit Trust	-	-	-	-	AOT13C1811A	0.02	(0.01)	1,700	-
TPLAS	1.72	(0.03)	5,282	1.00	MGE	-	-	-	-	AOT13C1812A	0.08	-	12,530	-
UAC	4.40	(0.02)	1,091	4.00	SCBSET	-	-	-	-	AOT13C1902A	0.24	(0.03)	180,611	-
UBIS	4.72	0.04	110	4.00	ETF	-	-	-	-	AOT13P1810A	0.03	-	9,400	-
UEC	1.55	(0.03)	1,332	1.00	IDIV	11.77	(0.09)	2,558	11.00	AOT13P1812A	0.09	0.03	13,004	-
UKEM	0.87	(0.01)	15,273	-	ABFTH	-	-	-	-	AOT13P1902A	0.49	0.04	126,988	-
UREKA	1.54	(0.12)	81,665	1.00	BMSCG	8.89	(0.11)	1,374	8.00	AOT19C1901A	0.18	(0.03)	154,496	-
YUASA	14.90	(0.30)	111	14.00	BMSCITH	12.40	(0.11)	11,554	12.00	AOT24C1811A	-	-	-	-
ZIGA	3.06	(0.02)	7,823	3.00	BSET100	10.72	(0.10)	2,056	10.00	AOT24C1901A	0.06	(0.05)	1,960	-
Property & Construc	-	-	-	-	CHINA	4.84	0.05	669	4.00	AOT24C1904A	0.21	(0.02)	28,420	-
ARROW	8.65	(0.10)	787	8.00	EBANK	5.83	(0.09)	7	5.00	AOT24P1903A	0.49	0.04	4,489	-
BKD	3.12	(0.02)	2,416	3.00	ECOMM	7.93	(0.12)	16	7.00	AOT27C1902A	0.24	(0.05)	8,400	-
BSM	0.68	(0.02)	6,372	-	EFOOD	-	-	-	-	AOT27P1903A	-	-	-	-
BTW	1.79	-	699	1.00	EICT	-	-	-	-	AOT28C1812A	0.06	(0.01)	6,360	-
CHEWA	1.30	(0.01)	33,025	1.00	ENGY	6.45	(0.03)	18	6.00	AOT28C1901A	0.05	(0.01)	7,692	-
CRD	1.08	(0.02)	3,846	1.00	ENY	7.60	(0.13)	382	7.00	AOT28C1902A	0.22	(0.03)	143,470	-
DIMET	1.00	(0.01)	9,147	1.00	ESET50	5.72	(0.10)	200	5.00	AOT28P1812A	0.21	0.03	127,401	-
FLOYD	2.06	(0.06)	12,251	2.00	GLD	1.70	-	435	1.00	AOT42C1903A	0.17	(0.02)	11,200	-
FOCUS	1.50	0.05	20,758	1.00	TDEX	10.91	(0.06)	2,510	10.00	AP01C1903A	0.27			

Main Board Quotation

Issue Date :

Friday October 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP07C1810A	-	-	-	-	BEAU01C1812B	0.01	(0.01)	8,409	-	BPP06C1903A	0.12	(0.05)	2,500	-
BANP07C1904A	0.22	(0.04)	107	-	BEAU01C1901A	0.19	-	263,454	-	BPP08C1810A	-	-	-	-
BANP08C1811A	0.03	-	100	-	BEAU01C1901B	0.12	-	214,726	-	BPP13C1811A	-	-	-	-
BANP08P1901A	0.39	0.04	37,392	-	BEAU01C1902A	0.62	0.01	227,185	-	BPP13C1901A	0.09	(0.02)	24,630	-
BANP11C1902A	0.04	(0.03)	4,110	-	BEAU01C1902B	0.47	0.01	299,611	-	BPP13C1902A	0.34	(0.06)	3,000	-
BANP13C1811A	0.02	-	69,590	-	BEAU01P1812A	1.67	(0.03)	264,944	1.00	BPP19C1903A	0.39	(0.05)	38,138	-
BANP13C1902A	0.17	(0.04)	88,095	-	BEAU01P1902A	0.97	(0.02)	581,493	1.00	BPP19C1903B	0.14	(0.03)	11,354	-
BANP16C1812A	0.47	(0.06)	4,004	-	BEAU06C1904A	0.99	0.03	42,733	-	BPP23C1901A	0.09	(0.04)	14,000	-
BANP19C1811A	-	-	-	-	BEAU08C1901A	0.02	-	20,918	-	BPP24C1902A	0.06	(0.02)	1,220	-
BANP19C1902A	0.23	(0.04)	17,885	-	BEAU08C1902A	0.45	0.02	27,618	-	BPP24C1904A	0.34	(0.09)	20	-
BANP23C1901A	0.04	(0.01)	10,000	-	BEAU11C1902A	0.04	-	2,903	-	BPP28C1812A	0.17	(0.07)	24,288	-
BANP24C1812A	-	-	-	-	BEAU13C1811A	-	-	-	-	BPP28C1902A	0.09	(0.02)	16,360	-
BANP24C1904A	0.17	(0.04)	2,490	-	BEAU13C1812A	-	-	-	-	BTS01C1810A	0.25	(0.02)	39,704	-
BANP24P1901A	0.33	0.03	1,600	-	BEAU13C1812B	0.25	0.02	599,475	-	BTS01C1810B	-	-	-	-
BANP27C1904A	0.30	(0.04)	7,200	-	BEAU13C1901A	0.07	0.01	468,901	-	BTS01C1903A	0.32	-	23,408	-
BANP28C1902A	0.10	(0.03)	400	-	BEAU19C1811A	-	-	-	-	BTS01C1903B	0.23	-	49,060	-
BANP42C1903A	0.14	(0.02)	2,000	-	BEAU19C1901A	0.46	0.01	101,478	-	BTS01P1810A	0.50	0.04	14,421	-
BANP42P1903A	0.63	0.05	23,460	-	BEAU19C1902A	0.15	0.01	57,550	-	BTS01P1903A	0.48	0.02	46,166	-
BBL06C1902A	0.86	(0.03)	4,740	-	BEAU23C1901A	0.01	-	310	-	BTS06C1903A	-	-	-	-
BBL08C1902A	0.62	(0.03)	110	-	BEAU24C1901A	0.06	-	1,700	-	BTS06C1903B	-	-	-	-
BBL08P1810A	-	-	-	-	BEAU24C1902A	0.03	-	6	-	BTS06C1903C	-	-	-	-
BBL11C1903A	0.51	-	2,043	-	BEAU24C1903A	0.44	(0.03)	100	-	BTS08C1810A	0.02	0.01	8,654	-
BBL11P1903A	0.13	-	802	-	BEAU27C1903A	0.12	0.01	50,014	-	BTS11C1904A	-	-	-	-
BBL13C1901A	0.29	(0.02)	27,651	-	BEAU28C1811A	-	-	-	-	BTS19C101A	0.16	-	15,635	-
BBL19C1901A	0.27	(0.02)	7,162	-	BEC01C1812A	0.04	-	4,040	-	BTS23C1905A	-	-	-	-
BBL23C1811A	0.19	(0.01)	7,668	-	BEC01C1812B	0.02	0.01	6,722	-	BTS24C1901A	-	-	-	-
BBL24C1812A	-	-	-	-	BEC13C1811A	-	-	-	-	BTS28C1811A	-	-	-	-
BBL24C1902A	0.19	(0.02)	3,000	-	BEC13C1901A	0.04	-	13,289	-	BTS28C1902A	0.13	-	19,890	-
BBL24P1810A	-	-	-	-	BEC24C1812A	0.01	(0.01)	461	-	BTS42C1901A	0.12	-	10,040	-
BBL24P1904A	0.38	0.01	5,379	-	BEC28C1811A	-	-	-	-	BTS42P1901A	0.26	0.01	16,484	-
BBL27C1904A	0.44	(0.01)	3,400	-	BEM01C1902A	0.34	(0.01)	37,062	-	CBG01C1811A	0.12	(0.03)	66,904	-
BBL27P1904A	0.56	0.01	4,993	-	BEM01C1902B	0.25	(0.02)	49,314	-	CBG01C1811B	-	-	-	-
BBL28C1811A	-	-	-	-	BEM01P1902A	0.44	0.02	36,537	-	CBG01C1902A	0.41	(0.01)	73,008	-
BBL28C1901A	0.22	(0.02)	6,146	-	BEM07C1903A	-	-	-	-	CBG01C1902B	0.26	(0.04)	33,002	-
BBL42C1903A	0.28	(0.01)	6,130	-	BEM08C1903A	0.21	(0.02)	15,392	-	CBG01P1811A	1.22	0.03	25,372	1.00
BCH01C1902A	0.47	(0.01)	74,428	-	BEM11C1903A	0.18	(0.02)	2,060	-	CBG01P1811B	0.49	0.03	73,977	-
BCH01C1902B	0.32	-	52,305	-	BEM13C1901A	0.27	(0.02)	16,286	-	CBG06C1903A	0.37	(0.04)	16,238	-
BCH01P1902A	0.41	0.01	77,142	-	BEM19C1901A	0.28	(0.01)	29,736	-	CBG06P1903A	0.98	0.06	11,095	-
BCH06C1811A	0.30	(0.02)	36,495	-	BEM23C1901A	0.14	(0.01)	5,000	-	CBG07C1812A	-	-	-	-
BCH08C1901A	0.49	(0.05)	11,944	-	BEM24C1902A	0.19	-	2,000	-	CBG08C1810A	-	-	-	-
BCH11C1905A	0.43	(0.04)	24,046	-	BEM27C1904A	0.21	(0.03)	1,200	-	CBG08C1901A	0.14	(0.03)	8,755	-
BCH13C1810A	0.09	(0.04)	10,805	-	BEM42C1904A	0.20	(0.80)	95	-	CBG11C1902A	0.04	-	11,895	-
BCH13C1902A	0.26	(0.02)	56,118	-	BEM42P1904A	0.26	(0.74)	8,096	-	CBG13C1811A	-	-	-	-
BCH19C1903A	0.51	(0.03)	98,590	-	BGR01C1901A	1.18	(0.01)	18,536	1.00	CBG13C1812A	0.04	(0.01)	538	-
BCH23C1811A	0.39	(0.06)	5,000	-	BGR01C1901B	0.93	(0.01)	19,905	-	CBG13C1901A	0.27	(0.02)	78,290	-
BCH24C1811A	0.10	(0.02)	94,001	-	BGR101C1903A	0.38	0.01	159,500	-	CBG19C1810A	-	-	-	-
BCH27C1902A	0.71	(0.04)	8	-	BGR101C1903B	0.27	(0.01)	148,414	-	CBG19C1901A	0.20	(0.02)	15,453	-
BCH28C1811A	-	-	-	-	BGR106C1903A	1.02	(0.04)	10,290	-	CBG23C1901A	0.03	-	10	-
BCH28C1902A	0.19	(0.02)	21,608	-	BGR107C1903A	-	-	-	-	CBG24C1811A	-	-	-	-
BCP01C1810A	-	-	-	-	BGR108C1902A	0.81	(0.04)	523	-	CBG24C1901A	-	-	-	-
BCP01C1810B	-	-	-	-	BGR113C1812A	-	-	-	-	CBG24C1903A	-	-	-	-
BCP01C1903A	0.21	(0.01)	1,000	-	BGR113C1812B	0.23	0.02	73,995	-	CBG28C1811A	-	-	-	-
BCP01C1903B	-	-	-	-	BGR19C1901A	0.62	(0.06)	3,000	-	CBG28C1812A	0.07	(0.01)	11,374	-
BCP01P1810A	0.47	0.03	753	-	BGR19C1903A	0.24	-	30,520	-	CBG42C1904A	0.22	(0.78)	7,108	-
BCP01P1903A	0.45	0.02	434	-	BGR124C1901A	0.75	(0.05)	30	-	CENT01C1810A	-	-	-	-
BCP08C1901A	0.12	(0.02)	1,000	-	BGR124C1902A	0.26	(0.01)	17,000	-	CENT01C1810B	-	-	-	-
BCP11C1811A	-	-	-	-	BGR128C1812A	-	-	-	-	CENT01C1903A	0.40	-	55,200	-
BCP13C1810A	-	-	-	-	BGR128C1901A	0.18	0.01	77,708	-	CENT01C1903B	0.32	0.02	73,705	-
BCP13C1902A	0.13	(0.02)	1,850	-	BH01C1811A	0.60	0.02	78,201	-	CENT01P1810A	1.17	(0.04)	10,548	1.00
BCP19C1902A	0.13	(0.01)	1,400	-	BH01C1811B	0.04	(0.02)	1,907	-	CENT01P1903A	0.48	(0.02)	38,011	-
BCP24C1811A	-	-	-	-	BH01P1811A	0.91	(0.06)	35,009	-	CENT06C1904A	0.15	-	14,628	-
BCP24C1904A	0.08	(0.02)	3,562	-	BH07C1810A	-	-	-	-	CENT08C1902A	0.15	0.01	3,286	-
BCP28C1901A	-	-	-	-	BH08C1811A	0.01	-	164	-	CENT11C1904A	0.10	-	603	-
BCPG01C1811A	0.39	(0.04)	264,081	-	BH08C1902A	0.56	0.03	31,688	-	CENT13C1811A	-	-	-	-
BCPG01C1811B	0.07	(0.02)	35,451	-	BH11C1902A	-	-	-	-	CENT13C1902A	0.22	-	64,124	-
BCPG01C1904A	0.44	(0.04)	196,597	-	BH11C1905A	0.67	0.03	19,540	-	CENT19C1901A	0.14	-	40,676	-
BCPG01C1904B	0.33	(0.02)	93,070	-	BH13C1901A	0.59	0.03	99,686	-	CENT23C1902A	-	-	-	-
BCPG06C1811A	0.13	(0.02)	34,950	-	BH19C1901A	0.57	0.02	46,009	-	CENT24C1810A	-	-	-	-
BCPG08C1810A	0.11	(0.01)	20,649	-	BH24C1811A	-	-	-	-	CENT24C1901A	-	-	-	-
BCPG08C1904A	0.24	(0.01)	19,249	-	BH24C1902A	0.46	0.01	151	-	CENT24C1902A	0.20	(0.01)	700	-
BCPG11C1902A	0.13	-	10,427	-	BIG08C1906A	0.12	0.02	27,681	-	CHG01C1903A	0.37	(0.02)	12,716	-
BCPG13C1812A	0.38	(0.05)	9,310	-	BIG13C1901A	0.04	-	7,508	-	CHG01C1903B	0.27	(0.03)	12,877	-
BCPG13C1902A	0.23	(0.03)	279,336	-	BIG19C1811A	-	-	-	-	CHG01P1903A	0.44	0.03	22,599	-
BCPG19C1901A	0.41	(0.04)	71,693	-	BIG24C1812A	0.01	-	5,300	-	CHG07C1902A	-	-	-	-
BCPG23C1902A	0.35	(0.05)	14,000	-	BJ00C1812A	0.55	(0.06)	216,074	-	CHG11C1904A	0.28	(0.01)	1,602	-
BCPG24C1810A	-	-	-	-	BJ00C1812B	0.29	(0.08)	56,168	-	CHG13C1812A	0.23	(0.03)	4,152	-
BCPG24C1903A	0.23	(0.02)	2,417	-	BJ00P1812A	0.31	0.04	60,750	-	CHG13C1903A	0.12	(0.02)	12,836	-
BCPG27C1903A	0.36	(0.05)	15,900	-	BJ006C1901A	0.13	(0.04)	13,830	-	CHG19C1902A	0.32	(0.02)	12,432	-
BCPG28C1812A	0.47	(0.04)	18,560	-	BJ008C1903A	0.30	(0.04)	12,202	-	CHG23C1811A	-	-	-	-
BCPG28C1901A	0.20	(0.02)	145,125	-	BJ11C1905A	0.39	(0.04)	17,866	-	CHG24C1811A	0.12	(0.02)	6,201	-
BDM01C1811A	0.12	-	16,771	-	BJ13C1812A	0.22	(0.06)	61,598	-	CHG28C1812A	-	-	-	-
BDM01C1811B	0.01	-	7,000	-	BJ13C1902A	0.21	(0.04)	30,128	-	CHG28C1902A	0.17	(0.01)	6,149	-
BDM01P1811A	0.30	0.01	34,558	-	BJ19C1902A	0.34	(0.04)	44,566	-	CK01C1902A	0.25	(0.02)	21,356	-
BDM06C1811A	0.35	-	11,790	-	BJ23C1901A	0.13	(0.03)	12,000	-	CK01C1902B	0.19	(0.03)	11,942	-
BDM07C1904A	0.12	(0.02)	270	-	BJ24C1901A	0.22	(0.04)	680	-	CK01P1902A	0.37	0.02	30,990	-
BDM08C1901A	-	-	-	-	BJ28C1812A	0.24	(0.05)	49,843	-	CK08C1901A	0.10	(0.02)	1,500	-
BDM11C1811A	0.41	(0.03)	3,900	-	BLA01C1812A	0.18	(0.03)	23,627	-	CK11C1904A	0.13	(0.02)	156	

## Main Board Quotation

Issue Date :

Friday October 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP24C1811A	0.65	(0.21)	9,015	-	DTAC08P1902A	0.14	-	8,731	-	GPSC24C1904A	0.29	(0.30)	16,930	-
CKP28C1902A	0.66	(0.05)	27,152	-	DTAC11C1904A	0.28	-	16,136	-	GPSC27C1902A	0.16	(0.12)	12,011	-
CKP28C1903A	0.16	(0.01)	26,928	-	DTAC13C1811A	0.03	(0.04)	100	-	GPSC28C1811A	0.02	(0.01)	14,878	-
COM701C1811A	0.87	(0.04)	66,813	-	DTAC13C1812A	-	-	-	-	GPSC28C1903A	0.19	(0.16)	300,916	-
COM701C1811B	0.40	(0.07)	95,921	-	DTAC13C1902A	0.29	0.02	109,024	-	GUNK08C1902A	0.23	(0.07)	18,155	-
COM706C1903A	0.63	(0.05)	11,098	-	DTAC13P1811A	0.11	(0.02)	47,396	-	GUNK11C1903A	0.13	(0.04)	7,688	-
COM708C1811A	0.15	(0.04)	37,351	-	DTAC13P1812A	0.03	-	1	-	GUNK13C1903A	0.29	(0.05)	66,245	-
COM708C1903A	0.62	(0.05)	13,720	-	DTAC19C1811A	0.14	0.01	50,110	-	GUNK19C1903A	0.46	(0.07)	42,830	-
COM711C1811A	0.70	(0.07)	22,779	-	DTAC24C1901A	0.32	0.01	2,000	-	GUNK24C1812A	0.13	(0.05)	6,200	-
COM713C1812A	0.52	(0.06)	1,000	-	DTAC27C1903A	0.35	0.01	12,000	-	GUNK24C1903A	0.32	(0.07)	15,133	-
COM713C1903A	0.44	(0.02)	112,061	-	DTAC27P1903A	0.46	(0.05)	15,824	-	GUNK28C1903A	0.29	(0.06)	116,151	-
COM719C1811A	0.41	(0.07)	16,632	-	DTAC28C1812A	0.45	-	39,142	-	HANA01C1811A	0.48	-	41,443	-
COM719C1904A	0.81	(0.03)	11,392	-	DTAC28C1902A	0.28	-	93,164	-	HANA01C1811B	0.13	(0.03)	41,611	-
COM723C1901A	0.49	(0.02)	20,010	-	DTAC42C1903A	0.35	0.01	24,400	-	HANA08C1903A	0.35	-	6,743	-
COM724C1811A	0.31	(0.03)	2,000	-	EA07C1810A	-	-	-	-	HANA11C1904A	0.24	(0.02)	7,241	-
COM727C1902A	-	-	-	-	EA07C1903A	0.72	(0.03)	241	-	HANA13C1901A	0.28	(0.01)	55,833	-
COM728C1811A	-	-	-	-	EA08C1810A	-	-	-	-	HANA19C1902A	0.26	-	11,424	-
COM728C1903A	0.58	(0.06)	32,937	-	EA08C1903A	0.69	(0.02)	19,477	-	HANA23C1811A	0.40	(0.02)	9,380	-
CPAL01C1901A	0.14	(0.01)	66,529	-	EA11C1902A	0.17	(0.02)	2,986	-	HANA24C1810A	-	-	-	-
CPAL01C1901B	0.04	-	203,883	-	EA13C1811A	0.11	(0.01)	82,282	-	HANA24C1903A	0.23	(0.01)	3,141	-
CPAL01C1904A	0.57	(0.05)	171,466	-	EA13C1812A	0.34	(0.05)	14,850	-	HANA28C1812A	0.35	-	12,372	-
CPAL01C1904B	0.38	(0.05)	289,558	-	EA13C1812B	-	-	-	-	HANA28C1902A	0.22	(0.02)	4,127	-
CPAL01P1901A	1.62	0.08	114,196	1.00	EA13C1901A	0.36	(0.01)	160,485	-	HMPRO1C1902A	0.36	(0.02)	64,705	-
CPAL01P1901B	1.18	0.11	70,683	1.00	EA19C1811A	0.36	(0.01)	68,596	-	HMPRO1C1902B	0.29	(0.01)	40,946	-
CPAL01P1904A	0.87	0.05	114,580	-	EA19C1902A	0.54	(0.01)	110,148	-	HMPRO1P1902A	0.36	0.01	29,860	-
CPAL01P1904B	0.63	0.04	147,757	-	EA23C1901A	0.56	(0.01)	11,030	-	HMPRO6C1811A	-	-	-	-
CPAL06C1811A	0.40	(0.10)	46,876	-	EA24C1901A	0.36	(0.03)	800	-	HMPRO8C1810A	-	-	-	-
CPAL06C1811B	-	-	-	-	EA27C1902A	0.79	(0.02)	1,700	-	HMPR11C1906A	0.23	-	14,989	-
CPAL07C1902A	0.18	(0.03)	25,700	-	EA28C1901A	0.47	(0.03)	49,170	-	HMPR13C1812A	0.18	(0.02)	112,512	-
CPAL08C1902A	0.07	(0.02)	18,009	-	EA28C1902A	0.26	(0.01)	124,129	-	HMPR19C1901A	0.33	(0.03)	23,976	-
CPAL08C1902B	0.26	(0.04)	26,492	-	EGC001C1903A	0.51	(0.04)	18,132	-	HMPR23C1901A	0.05	(0.01)	2	-
CPAL08P1810A	-	-	-	-	EGC001C1903B	0.36	(0.04)	38,224	-	HMPR24C1901A	0.18	-	300	-
CPAL08P1904A	0.71	0.07	43,622	-	EGC019C1901A	0.27	(0.03)	9,683	-	HMPR28C1811A	0.02	(0.03)	6,000	-
CPAL11C1903A	0.04	(0.01)	3,378	-	EGC02C1811A	0.10	(0.02)	16,000	-	HMPR28C1903A	0.19	(0.01)	102,304	-
CPAL11P1903A	1.15	0.10	11,855	1.00	EGC024C1901A	0.13	(0.03)	11	-	INTU01C1903A	0.36	(0.01)	8,641	-
CPAL13C1812A	0.03	(0.02)	92,969	-	EPG01C1903A	0.26	(0.05)	21,520	-	INTU01C1903B	0.21	(0.02)	3,434	-
CPAL13C1901A	0.19	(0.03)	333,148	-	EPG01C1903B	0.18	(0.04)	21,230	-	INTU01P1903A	0.75	-	29,255	-
CPAL13P1902A	0.54	0.05	160,890	-	EPG01P1903A	1.16	0.09	22,249	1.00	INTU01P1903B	0.55	-	27,832	-
CPAL19C1811A	0.02	0.01	17	-	EPG07C1811A	0.10	(0.05)	6,470	-	INTU11C1905A	0.19	-	2,060	-
CPAL19C1902A	0.25	(0.05)	92,318	-	EPG08C1810A	-	-	-	-	INTU11P1905A	0.35	0.01	1,040	-
CPAL23C1810A	-	-	-	-	EPG08C1810B	0.10	(0.06)	10,114	-	INTU13C1812A	0.16	(0.01)	2,000	-
CPAL24C1811A	0.01	-	1	-	EPG08C1903A	0.11	(0.03)	5,897	-	INTU19C1901A	0.16	-	4,340	-
CPAL24C1901A	0.05	(0.01)	10,010	-	EPG11C1903A	0.29	(0.04)	10,415	-	INTU24C1901A	-	-	-	-
CPAL24C1903A	0.20	(0.04)	82,205	-	EPG13C1811A	0.06	(0.01)	1,131	-	INTU28C1901A	0.11	(0.01)	108	-
CPAL24P1901A	0.44	0.09	913	-	EPG13C1902A	0.09	(0.03)	21,006	-	INTU42C1904A	-	-	-	-
CPAL27C1903A	0.25	(0.05)	9,600	-	EPG19C1902A	0.12	(0.04)	7,608	-	INTU42P1904A	-	-	-	-
CPAL28C1811A	-	-	-	-	EPG24C1810A	0.05	(0.05)	4,800	-	IRPC01C1810A	0.02	-	5,400	-
CPAL28C1901A	0.15	(0.04)	92,185	-	EPG24C1902A	0.18	(0.03)	5,000	-	IRPC01C1810B	0.01	(0.01)	20,632	-
CPAL42C1904A	0.31	(0.69)	10,483	-	EPG28C1902A	0.10	(0.02)	33,648	-	IRPC01C1903A	0.19	(0.01)	46,158	-
CPAL42P1904A	0.39	(0.61)	15,205	-	ERW13C1902A	0.28	0.05	77,301	-	IRPC01C1903B	0.11	(0.01)	61,931	-
CPF01C1810A	0.08	-	18,854	-	ERW19C1902A	0.43	0.05	19,484	-	IRPC01P1810A	0.45	0.04	22,045	-
CPF01C1902A	0.17	(0.01)	15,673	-	ERW24C1904A	0.41	0.01	3,724	-	IRPC01P1810B	0.03	-	1,101	-
CPF01C1902B	0.10	(0.01)	18,190	-	ESS001C1812A	0.44	(0.05)	30,123	-	IRPC01P1903A	0.63	0.01	41,596	-
CPF01P1902A	0.44	-	8,704	-	ESS001C1812B	0.22	(0.03)	20,102	-	IRPC01P1903B	0.50	0.03	49,865	-
CPF01P1902B	0.34	0.01	19,311	-	ESS001P1812A	0.45	0.03	40,543	-	IRPC06C1811A	0.08	(0.01)	10,292	-
CPF06C1903A	-	-	-	-	ESS008C1902A	0.35	(0.04)	2,965	-	IRPC07C1812A	0.06	(0.04)	2,712	-
CPF07C1810A	-	-	-	-	ESS011C1905A	0.64	(0.04)	2,495	-	IRPC08C1902A	0.15	(0.01)	14,974	-
CPF08C1901A	-	-	-	-	ESS013C1811A	0.10	(0.02)	17,278	-	IRPC11C1902A	0.03	(0.01)	1,520	-
CPF11C1902A	-	-	-	-	ESS013C1903A	0.35	(0.04)	35,697	-	IRPC11C1905A	0.21	(0.01)	4,120	-
CPF11P1902A	0.24	0.01	1,102	-	ESS019C1901A	0.29	(0.03)	12,004	-	IRPC13C1811A	-	-	-	-
CPF13C1902A	0.10	-	10,378	-	ESS024C1812A	0.08	(0.04)	30	-	IRPC13C1812A	0.10	(0.01)	57,704	-
CPF13C1903A	0.43	(0.02)	34,203	-	ESS024C1902A	0.33	(0.03)	100	-	IRPC19C1901A	0.16	(0.02)	49,888	-
CPF19C1901A	0.10	(0.01)	12,908	-	ESS028C1811A	0.10	(0.03)	1,050	-	IRPC23C1810A	-	-	-	-
CPF23C1810A	-	-	-	-	ESS028C1903A	0.26	(0.04)	16,259	-	IRPC24C1812A	-	-	-	-
CPF24C1901A	-	-	-	-	GFPT08C1906A	0.50	(0.03)	6,511	-	IRPC27C1903A	0.16	(0.02)	4,000	-
CPF24C1902A	-	-	-	-	GFPT13C1902A	0.24	(0.03)	175,053	-	IRPC28C1811A	-	-	-	-
CPF24C1903A	-	-	-	-	GFPT19C1811A	0.41	(0.04)	3,004	-	IRPC28C1812A	0.15	(0.01)	2,440	-
CPF24C1904A	0.47	(0.05)	20	-	GFPT19C1903A	0.34	(0.03)	6,636	-	IRPC28C1902A	0.12	(0.02)	24,460	-
CPF27C1903A	-	-	-	-	GFPT24C1812A	0.33	-	109	-	ITD06C1904A	0.22	(0.05)	10,800	-
CPF28C1811A	-	-	-	-	GGC01C1810A	0.01	-	650	-	ITD08C1810A	-	-	-	-
CPF28C1902A	0.09	(0.01)	4,000	-	GGC01C1810B	0.01	-	515	-	ITD08C1902A	0.16	(0.03)	6,862	-
CPN01C1902A	0.50	0.04	96,566	-	GGC07C1902A	-	-	-	-	ITD11C1903A	0.08	(0.01)	120	-
CPN01C1902B	0.30	0.03	146,094	-	GGC08C1906A	0.08	(0.01)	500	-	ITD13C1812A	0.05	(0.01)	7,650	-
CPN01P1902A	0.88	(0.06)	57,171	-	GGC13C1811A	-	-	-	-	ITD13C1902A	0.18	(0.03)	108,994	-
CPN06C1811A	0.39	0.04	34,900	-	GGC13C1902A	0.11	(0.01)	1,000	-	ITD19C1811A	-	-	-	-
CPN07C1902A	-	-	-	-	GGC19C1811A	-	-	-	-	ITD19C1903A	0.31	(0.04)	7,340	-
CPN08C1903A	0.42	0.02	13,574	-	GGC19C1902A	0.23	(0.02)	2,000	-	ITD24C1810A	-	-	-	-
CPN11C1903A	0.20	0.01	11,932	-	GGC23C1901A	-	-	-	-	ITD24C1902A	0.17	(0.03)	1,700	-
CPN11P1903A	0.22	(0.02)	10,232	-	GGC24C1812A	-	-	-	-	IVL01C1812A	0.31	(0.02)	141,566	-
CPN13C1812A	0.16	0.03	82,392	-	GGC24C1901A	-	-	-	-	IVL01C1812B	0.10	-	61,105	-
CPN13C1903A	0.57	0.04	185,268	-	GGC28C1811A	-	-	-	-	IVL01C1903A	0.44	(0.03)	122,712	-
CPN19C1901A	0.40	0.04	50,831	-	GGC28C1905A	0.23	(0.02)	48	-	IVL01C1903B	0.32	(0.03)	193,773	-
CPN23C1810A	-	-	-	-	GLOB01C1903A	0.58	(0.02)	52,951	-	IVL01P1812A	0.74	0.02	65,241	-
CPN24C1901A	-	-	-	-	GLOB01C1903B	0.48	(0.01)	35,115	-	IVL01P1812B	0.39	0.01	200,575	-
CPN27C1903A	-	-	-	-	GLOB11C1906A	0.38	(0.01)	13,430	-	IVL01P1903A	1.00	0.02	49,330	1.00

## Main Board Quotation

Issue Date :

Friday October 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL28C1902A	0.24	(0.02)	57,124	-	LPN19C1811A	0.08	0.01	9,680	-	PTG06C1810A	0.01	-	35,002	-
IVL28P1811A	0.11	0.01	35,312	-	LPN24C1812A	0.07	-	3,000	-	PTG06C1904A	0.11	(0.02)	29,979	-
IVL42C1903A	0.26	(0.02)	9,160	-	MAJ008C1811A	-	-	-	-	PTG08C1902A	0.02	(0.01)	70,549	-
KBAN01C1810A	0.85	(0.12)	19,161	-	MAJ011C1902A	0.05	(0.02)	351	-	PTG08C1903A	0.14	(0.03)	16,716	-
KBAN01C1901A	1.02	(0.10)	36,640	1.00	MAJ013C1903A	0.13	-	23,358	-	PTG13C1903A	0.04	-	10	-
KBAN01C1901B	0.31	(0.07)	224,440	-	MAJ019C1902A	0.12	-	21,504	-	PTG13C1812A	0.01	(0.01)	5,116	-
KBAN01C1904A	0.39	(0.02)	74,841	-	MAJ024C1902A	0.29	0.01	600	-	PTG13C1901A	0.08	(0.02)	295,423	-
KBAN01C1904B	0.26	(0.03)	62,176	-	MAL01C1812A	0.01	(0.01)	17,430	-	PTG19C1902A	0.03	(0.02)	431,044	-
KBAN01P1810A	0.01	(0.01)	74	-	MAL08C1811A	-	-	-	-	PTG19C1902B	0.19	(0.04)	27,842	-
KBAN01P1901A	0.87	0.08	46,912	-	MALE27C1812A	-	-	-	-	PTG24C1901A	0.09	(0.02)	59,274	-
KBAN01P1901B	0.22	0.03	67,810	-	MC19C1811A	0.03	(0.06)	1,000	-	PTG24C1902A	0.03	-	4,539	-
KBAN01P1904A	0.77	0.03	70,207	-	MC24C1812A	-	-	-	-	PTG27C1902A	0.06	(0.02)	1	-
KBAN01P1904B	0.55	0.04	88,667	-	MEGA01C1811A	0.14	(0.02)	44,660	-	PTG28C1812A	0.01	-	13,120	-
KBAN06C1811A	0.24	(0.06)	15,640	-	MEGA01C1811B	-	-	-	-	PTG28C1901A	0.10	(0.03)	12,451	-
KBAN07C1811A	-	-	-	-	MEGA01C1904A	0.50	(0.02)	20,764	-	PTL08C1811A	0.26	(0.08)	20,767	-
KBAN08C1811A	0.25	(0.05)	6,320	-	MEGA01C1904B	0.42	(0.02)	22,767	-	PTT01C1810A	0.03	(0.01)	76,062	-
KBAN08C1903A	0.16	(0.04)	3,950	-	MEGA08C1811A	-	-	-	-	PTT01C1810B	0.01	-	13,396	-
KBAN08P1811A	-	-	-	-	MEGA08C1903A	0.30	(0.02)	4,046	-	PTT01C1901A	0.62	(0.01)	203,558	-
KBAN13C1811A	0.18	(0.07)	50,960	-	MEGA11C1902A	0.07	(0.01)	200	-	PTT01C1901B	0.41	(0.03)	148,711	-
KBAN13C1901A	0.17	(0.01)	94,910	-	MEGA13C1902A	0.32	(0.01)	24,039	-	PTT01C1904A	0.43	(0.02)	118,803	-
KBAN19C1901A	0.18	(0.04)	45,386	-	MEGA19C1902A	0.24	(0.02)	7,635	-	PTT01C1904B	0.32	(0.02)	106,415	-
KBAN23C1902A	0.32	(0.06)	28,800	-	MEGA23C1902A	0.09	(0.02)	1,500	-	PTT01P1810A	0.84	0.02	24,308	-
KBAN24C1902A	-	-	-	-	MEGA24C1812A	-	-	-	-	PTT01P1810B	0.02	-	6,903	-
KBAN24C1903A	0.16	(0.03)	90	-	MEGA24C1903A	-	-	-	-	PTT01P1901A	0.42	-	8,895	-
KBAN24P1811A	-	-	-	-	MINT01C1901A	0.44	0.03	138,085	-	PTT01P1901B	0.20	-	14,710	-
KBAN27C1903A	0.28	(0.03)	2,400	-	MINT01C1901B	0.22	0.01	188,770	-	PTT01P1904A	0.81	0.01	133,530	-
KBAN27P1904A	0.73	0.05	2,400	-	MINT01P1901A	0.19	(0.02)	97,120	-	PTT01P1904B	0.65	0.01	92,035	-
KBAN28C1811A	-	-	-	-	MINT06C1901A	0.23	0.03	6,763	-	PTT06C1811A	0.02	0.01	8,220	-
KBAN28C1812A	0.13	(0.03)	63,456	-	MINT06C1903A	0.16	(0.04)	2,598	-	PTT06C1901A	0.29	(0.03)	17,991	-
KBAN28P1811A	-	-	-	-	MINT07C1810A	-	-	-	-	PTT06P1901A	-	-	-	-
KCE01C1810A	0.38	(0.15)	37,751	-	MINT08C1903A	0.25	0.01	8,176	-	PTT07C1811A	0.02	(0.02)	186	-
KCE01C1810B	0.03	(0.05)	67,335	-	MINT11C1902A	0.08	-	500	-	PTT08C1902A	0.25	(0.01)	18,324	-
KCE01C1903A	0.31	(0.08)	152,742	-	MINT11P1902A	-	-	-	-	PTT08P1904A	0.61	0.01	16,292	-
KCE01C1903B	0.21	(0.08)	87,839	-	MINT13C1810A	-	-	-	-	PTT11C1902A	0.14	0.02	102	-
KCE06C1903A	0.12	(0.07)	2,110	-	MINT13C1812A	0.27	0.01	126,677	-	PTT13C1810A	0.01	-	10	-
KCE07C1902A	0.20	(0.06)	500	-	MINT13C1903A	0.16	0.01	48,913	-	PTT13C1811A	0.07	(0.02)	22,255	-
KCE08C1902A	0.13	(0.05)	16,582	-	MINT19C1901A	0.36	0.04	76,762	-	PTT13C1812A	0.20	(0.03)	278,944	-
KCE11C1904A	0.22	(0.05)	27,823	-	MINT23C1810A	-	-	-	-	PTT13P1812A	0.09	(0.01)	155	-
KCE13C1811A	0.29	(0.07)	118	-	MINT24C1812A	-	-	-	-	PTT13P1902A	0.45	0.01	130,511	-
KCE13C1812A	0.08	(0.04)	46,903	-	MINT24C1901A	-	-	-	-	PTT16C1912A	-	-	-	-
KCE13C1903A	0.19	(0.07)	171,833	-	MINT24C1902A	-	-	-	-	PTT19C1901A	0.32	(0.02)	95,626	-
KCE19C1901A	0.16	(0.08)	121,787	-	MINT27C1903A	0.22	0.02	9,600	-	PTT23C1901A	0.05	(0.01)	7	-
KCE23C1901A	0.05	(0.04)	70,300	-	MINT28C1811A	0.14	0.02	11,744	-	PTT24C1812A	0.11	(0.01)	1,400	-
KCE24C1901A	0.13	(0.06)	715	-	MINT28C1903A	0.16	0.01	58,374	-	PTT24P1901A	-	-	-	-
KCE27C1902A	0.25	(0.05)	3,600	-	MINT42C1904A	-	-	-	-	PTT27C1903A	0.32	(0.03)	10,116	-
KCE28C1811A	0.18	(0.08)	145	-	MINT42P1904A	0.37	(0.63)	3,248	-	PTT27P1903A	0.47	-	10,960	-
KCE28C1902A	0.12	(0.05)	30,416	-	MON001C1810A	0.01	-	7,009	-	PTT28C1811A	-	-	-	-
KKP01C1902A	0.38	(0.07)	49,658	-	MON001C1810B	-	-	-	-	PTT28C1811B	0.06	(0.01)	7,168	-
KKP01C1902B	0.22	(0.03)	56,051	-	MON008C1906A	0.04	(0.01)	19,002	-	PTT28C1812A	0.26	(0.01)	74,538	-
KKP08C1811A	0.08	(0.07)	4,382	-	MON013C1811A	-	-	-	-	PTT28C1901A	0.11	-	676	-
KKP11C1903A	0.16	(0.04)	1,420	-	MON013C1901A	0.09	(0.01)	1	-	PTT28C1904A	0.39	(0.02)	81,604	-
KKP13C1811A	-	-	-	-	MON019C1811A	-	-	-	-	PTT28P1812A	-	-	-	-
KKP19C1901A	0.28	(0.06)	18,711	-	MON023C1901A	0.04	(0.01)	2,000	-	PTTE01C1901A	0.78	0.02	246,760	-
KKP24C1812A	0.07	(0.08)	1,240	-	MON024C1812A	-	-	-	-	PTTE01C1901B	0.38	-	370,205	-
KKP28C1902A	0.18	(0.04)	70,067	-	MON024C1812B	-	-	-	-	PTTE01C1904A	0.64	0.01	138,029	-
KTB01C1810A	0.51	(0.03)	81,048	-	MON028C1811A	-	-	-	-	PTTE01C1904B	0.49	0.02	311,145	-
KTB01C1810B	-	-	-	-	MON028C1901A	-	-	-	-	PTTE01P1901A	0.85	(0.02)	153,628	-
KTB01C1903A	0.40	(0.02)	103,921	-	MTC06C1901A	1.20	(0.10)	38,182	1.00	PTTE01P1901B	0.32	(0.03)	133,974	-
KTB01C1903B	0.33	(0.02)	138,172	-	MTC08C1811A	0.38	(0.08)	39,008	-	PTTE01P1904A	1.31	(0.03)	125,039	1.00
KTB01P1903A	0.50	0.02	79,021	-	MTC08C1902A	0.92	(0.09)	19,645	-	PTTE01P1904B	1.05	(0.03)	131,037	1.00
KTB01P1903B	0.45	0.03	87,285	-	MTC11C1904A	0.76	(0.08)	26,553	-	PTTE06C1811A	0.28	(0.01)	47,884	-
KTB06C1902A	0.40	(0.05)	28,824	-	MTC13C1811A	1.12	0.13	709	1.00	PTTE07C1904A	0.45	0.02	30,402	-
KTB08C1903A	0.29	(0.03)	39,116	-	MTC13C1901A	0.71	(0.10)	2,801	-	PTTE08C1811A	0.23	0.01	18,010	-
KTB11C1811A	0.12	(0.03)	9,000	-	MTC13C1903A	0.51	(0.06)	797,449	-	PTTE08P1811A	-	-	-	-
KTB13C1901A	0.50	(0.04)	34,894	-	MTC19C1901A	0.90	(0.08)	33,846	-	PTTE08P1902A	1.05	(0.02)	33,716	1.00
KTB13C1903A	0.29	(0.03)	38,338	-	MTC19C1903A	0.56	(0.07)	134,588	-	PTTE11C1904A	0.63	0.01	52,004	-
KTB19C1901A	0.34	(0.03)	25,158	-	MTC24C1810A	0.73	(0.28)	30,489	1.00	PTTE13C1811A	0.10	-	141,524	-
KTB23C1811A	0.20	(0.04)	16,000	-	MTC24C1812A	1.22	(0.07)	100	1.00	PTTE13C1812A	0.54	(0.02)	105,625	-
KTB24C1811A	-	-	-	-	MTC27C1904A	0.72	(0.04)	200	-	PTTE13C1902A	0.27	0.01	71,067	-
KTB24P1901A	0.05	-	2	-	MTC28C1902A	0.69	(0.07)	4,696	-	PTTE13P1811A	0.01	-	1	-
KTB28C1811A	0.15	(0.05)	199,407	-	MTC28C1903A	0.38	(0.04)	208,787	-	PTTE13P1901A	0.25	(0.02)	48,457	-
KTB42C1903A	0.29	(0.02)	24,480	-	ORI08C1904A	0.26	(0.08)	20,243	-	PTTE13P1902A	0.70	(0.02)	103,702	-
KTB42P1903A	0.21	0.02	31,224	-	ORI11C1811A	0.03	-	4,600	-	PTTE19C1811A	0.41	0.02	62,549	-
KT001C1810A	0.20	(0.04)	179,560	-	ORI13C1902A	0.17	(0.06)	179,835	-	PTTE19C1903A	0.54	0.01	116,080	-
KT001C1810B	0.01	(0.04)	6,600	-	ORI19C1811A	0.02	-	2,001	-	PTTE23C1901A	0.06	-	195	-
KT001C1901A	0.54	(0.05)	194,008	-	ORI19C1904A	0.29	(0.07)	24,749	-	PTTE24C1811A	-	-	-	-
KT001C1901B	0.43	(0.04)	194,010	-	ORI24C1810A	-	-	-	-	PTTE24C1901A	0.39	(0.02)	21,662	-
KT008C1903A	0.48	(0.05)	24,756	-	ORI24C1903A	0.20	(0.06)	10,106	-	PTTE24P1901A	0.25	0.02	550	-
KT011C1902A	1.29	(0.14)	2,910	1.00	ORI28C1902A	0.15	(0.05)	26,289	-	PTTE27C1903A	0.44	(0.03)	1,215	-
KT013C1812A	0.14	(0.03)	216,071	-	PLAN08C1811A	0.08	(0.01)	100	-	PTTE27P1904A	0.90	(0.03)	19,500	-
KT013C1812B	0.33	(0.07)	684,844	-	PRM08C1902A	0.26	(0.02)	12,024	-	PTTE28C1811A	0.03	-	200	-
KT019C1811A	0.03	(0.03)	6,976	-	PRM13C1901A	0.25	(0.03)	21,992	-	PTTE28C1902A	0.51	0.03	110,769	-
KT019C1901A	0.82	(0.08)	32,068	-	PRM19C1902A	0.30	(0.03)	15,897	-	PTTE28P1811A	-	-	-	-
KT019C1903A	0.40	(0.05)	64,065	-	PSH01C1810A	0.15	0.01	48,569	-	PTTE42C1903A	0.48	(0.01)	32,521	-
KT024C1810A	-	-	-	-	PSH01C1810B	-	-	-	-					

## Main Board Quotation

Issue Date :

Friday October 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG13C1812A	0.05	(0.01)	34,481	-	SAWA11C1906A	0.44	(0.09)	25,531	-	SPRC07C1903A	-	-	-	-
PTTG13C1812B	0.36	(0.03)	74,883	-	SAWA13C1811A	0.01	(0.02)	100	-	SPRC08C1903A	0.19	(0.04)	7,880	-
PTTG19C1811A	-	-	-	-	SAWA13C1812A	0.12	(0.07)	316,391	-	SPRC11C1902A	0.05	(0.02)	97	-
PTTG19C1902A	0.47	(0.04)	30,964	-	SAWA13C1901A	0.62	(0.37)	2,185	-	SPRC13C1812A	0.16	(0.05)	31,904	-
PTTG23C1901A	-	-	-	-	SAWA13C1903A	0.25	(0.07)	217,815	-	SPRC19C1901A	0.25	(0.03)	17,267	-
PTTG24C1812A	-	-	-	-	SAWA19C1901A	0.69	(0.13)	84,669	-	SPRC23C1810A	-	-	-	-
PTTG24C1901A	-	-	-	-	SAWA19C1903A	0.37	(0.08)	96,736	-	SPRC24C1903A	-	-	-	-
PTTG24C1904A	0.52	(0.04)	10	-	SAWA24C1812A	0.08	(0.06)	22,240	-	STA01C1812A	0.83	(0.06)	45,433	-
PTTG24P1901A	-	-	-	-	SAWA24C1902A	0.59	(0.06)	290	-	STA01C1812B	0.67	(0.05)	53,245	-
PTTG27C1903A	0.23	(0.02)	10,800	-	SAWA27C1903A	0.48	(0.16)	4,667	-	STA08C1904A	0.34	(0.03)	18,380	-
PTTG27P1903A	0.38	-	8,400	-	SAWA28C1811A	-	-	-	-	STA13C1812A	-	-	-	-
PTTG28C1811A	-	-	-	-	SAWA28C1812A	-	-	-	-	STA13C1901A	0.68	(0.06)	88,520	-
PTTG28C1812A	0.33	(0.02)	34,620	-	SAWA28C1902A	0.28	(0.06)	271,318	-	STA13C1902A	0.40	(0.05)	181,118	-
PTTG42C1904A	0.39	(0.61)	2,900	-	SCB01C1810A	0.42	(0.02)	55,027	-	STA19C1811A	0.58	(0.02)	12,650	-
PTTG42P1904A	0.79	(0.21)	9,320	-	SCB01C1902A	0.97	-	73,744	-	STA19C1903A	0.92	(0.02)	6,962	-
QH01C1810A	0.29	(0.03)	24,481	-	SCB01C1902B	0.76	(0.01)	152,889	-	STA19C1903B	0.36	(0.03)	22,071	-
QH01C1810B	0.01	-	4,076	-	SCB01C1904A	0.53	(0.01)	140,043	-	STA24C1902A	0.40	(0.05)	16,200	-
QH01C1903A	0.17	(0.02)	41,516	-	SCB01C1904B	0.40	-	180,834	-	STA27C1904A	0.46	(0.03)	16,800	-
QH01C1903B	0.12	(0.01)	34,638	-	SCB01P1902A	0.36	-	67,205	-	STA28C1902A	0.41	(0.04)	31,310	-
QH01P1810A	-	-	-	-	SCB01P1902B	0.11	(0.01)	40,318	-	STA28C1903A	0.24	(0.03)	51,056	-
QH01P1903A	0.88	0.06	14,533	-	SCB01P1904A	1.01	(0.02)	63,245	1.00	STEC01C1902A	0.78	-	73,815	-
QH11C1902A	0.18	(0.04)	1,412	-	SCB01P1904B	0.84	0.01	67,077	-	STEC01C1902B	0.63	(0.02)	100,818	-
QH13C1903A	0.13	(0.02)	8,645	-	SCB06C1811A	0.58	(0.01)	21,360	-	STEC01P1902A	0.52	-	63,480	-
QH19C1901A	0.06	(0.03)	2,543	-	SCB07C1904A	-	-	-	-	STEC06C1903A	0.67	(0.01)	11,540	-
QH24C1812A	0.01	(0.01)	3,510	-	SCB08C1901A	0.40	(0.01)	62,269	-	STEC07C1904A	-	-	-	-
QH27C1903A	0.12	(0.02)	3,601	-	SCB11C1901A	0.18	-	12,619	-	STEC08C1903A	0.50	(0.01)	16,160	-
RATC19C1901A	0.19	(0.01)	801	-	SCB11P1901A	0.21	(0.01)	12,480	-	STEC11C1903A	0.69	-	26,976	-
RATC24C1902A	0.18	(0.01)	500	-	SCB13C1812A	0.45	-	50,204	-	STEC13C1902A	0.59	(0.03)	205,034	-
RATC27C1812A	0.03	(0.04)	2,510	-	SCB13C1902A	0.29	-	86,483	-	STEC13C1903A	0.19	(0.81)	21,000	-
ROB01C1903A	0.67	(0.04)	18,564	-	SCB13P1812A	0.02	-	5,230	-	STEC19C1901A	0.64	(0.01)	36,252	-
ROB01C1903B	0.45	(0.06)	29,755	-	SCB19C1811A	0.16	(0.02)	30,654	-	STEC24C1901A	0.69	(0.02)	3,140	-
ROB01C1903A	0.38	(0.04)	10,626	-	SCB24C1901A	0.51	0.01	40	-	STEC27C1902A	-	-	-	-
ROB11C1906A	0.40	(0.05)	7,028	-	SCB24C1902A	-	-	-	-	STEC28C1902A	0.51	-	50,148	-
ROB13C1902A	0.36	(0.03)	39,015	-	SCB24P1811A	-	-	-	-	STEC28C1903A	0.15	-	43,268	-
ROB19C1901A	0.50	(0.05)	36,203	-	SCB27C1902A	0.43	0.02	2,400	-	STP08C1811A	0.08	-	17,362	-
ROB124C1901A	0.16	-	2,500	-	SCB27P1903A	0.42	(0.01)	9,600	-	SUPE08C1811A	-	-	-	-
ROB124C1903A	0.47	(0.13)	100	-	SCB28C1812A	0.42	-	30,392	-	SUPE08C1902A	0.09	(0.01)	1,550	-
RS08C1901A	0.17	(0.03)	63,888	-	SCB28C1902A	0.25	-	71,584	-	SUPE13C1810A	-	-	-	-
RS13C1901A	0.21	(0.02)	287,809	-	SCB28P1812A	-	-	-	-	SUPE13C1811A	0.01	-	2,230	-
RS19C1901A	0.19	(0.03)	132,450	-	SCB28P1901A	0.37	-	122,894	-	SUPE13C1902A	0.07	(0.01)	25,090	-
RS24C1811A	0.08	(0.02)	12,130	-	SCB42C1903A	0.34	-	4,080	-	SUPE19C1902A	0.08	(0.02)	34,350	-
S10001C1811A	0.39	(0.04)	8,136	-	SCC01C1901A	0.46	(0.02)	71,925	-	SUPE23C1811A	-	-	-	-
S10001C1911A	1.05	(0.06)	5,695	1.00	SCC01C1901B	0.28	(0.01)	91,095	-	SUPE23C1901A	-	-	-	-
S5001C1810A	1.10	(0.08)	51,690	1.00	SCC01P1901A	0.38	(0.01)	32,440	-	SUPE28C1811A	-	-	-	-
S5001C1810B	1.00	(0.10)	198,061	1.00	SCC06C1902A	0.13	-	8,033	-	SUPE28C1902A	-	-	-	-
S5001C1811A	0.50	(0.06)	135,200	-	SCC07C1812A	-	-	-	-	TASCO1C1810A	-	-	-	-
S5001C1811B	0.36	(0.06)	140,085	-	SCC08C1902A	0.17	(0.01)	8,390	-	TASCO1C1810B	-	-	-	-
S5001C1812F	0.59	(0.07)	1,821,318	-	SCC11C1811A	-	-	-	-	TASCO1C1903A	0.39	(0.04)	200,289	-
S5001C1812G	0.33	(0.05)	948,749	-	SCC11C1906A	0.14	(0.01)	4,868	-	TASCO1C1903B	0.26	(0.03)	66,904	-
S5001C1812H	0.29	(0.05)	919,320	-	SCC11P1811A	0.19	-	2,700	-	TASCO1P1810A	0.63	0.11	12,118	-
S5001C1812I	0.40	(0.08)	681,056	-	SCC13C1812A	0.04	(0.01)	3,600	-	TASCO1P1903A	0.61	0.05	65,255	-
S5001C1901A	0.41	(0.06)	83,255	-	SCC13C1901A	0.20	(0.01)	14,442	-	TASCO7C1811A	-	-	-	-
S5001C1901B	0.34	(0.05)	54,698	-	SCC13C1903A	0.15	-	50	-	TASCO8C1903A	0.30	(0.04)	27,468	-
S5001C1902A	0.66	(0.06)	7,450	-	SCC19C1811A	0.01	-	2	-	TASCO1C1904A	0.08	(0.02)	2,608	-
S5001C1902B	0.58	(0.06)	43,466	-	SCC19C1901A	0.17	(0.01)	20,509	-	TASCO13C1901A	0.17	(0.05)	164,372	-
S5001P1810A	0.15	0.03	214,226	-	SCC23C1811A	-	-	-	-	TASCO19C1902A	0.26	(0.05)	43,786	-
S5001P1810B	0.02	-	168,315	-	SCC24C1812A	-	-	-	-	TASCO23C1902A	0.21	(0.05)	16,000	-
S5001P1811A	1.12	0.08	35,399	1.00	SCC24C1901A	0.18	(0.02)	3,000	-	TASCO24C1810A	-	-	-	-
S5001P1811B	1.01	0.09	68,053	-	SCC24C1902A	0.10	(0.02)	501	-	TASCO24C1903A	0.22	(0.04)	3,920	-
S5001P1812F	1.46	0.09	2,371,608	1.00	SCC24P1901A	-	-	-	-	TASCO28C1902A	0.16	(0.04)	65,980	-
S5001P1812G	1.08	0.09	2,118,932	1.00	SCC27C1904A	0.26	(0.01)	3,638	-	TCAP01C1901A	0.55	0.01	18,902	-
S5001P1812H	1.47	0.10	1,714,870	1.00	SCC27P1904A	0.66	-	1,210	-	TCAP01C1901B	0.37	(0.01)	82,215	-
S5001P1812I	1.09	0.11	1,817,969	1.00	SCC28C1811A	-	-	-	-	TCAP01P1901A	0.28	(0.01)	26,810	-
S5001P1901A	1.19	0.07	19,253	1.00	SCC28C1812A	0.20	-	14,185	-	TCAP08C1810A	-	-	-	-
S5001P1901B	1.18	0.09	672,654	1.00	SCC28C1902A	0.11	(0.01)	28,460	-	TCAP11C1811A	-	-	-	-
S5001P1902A	1.00	0.06	3,867	-	SCC42C1904A	-	-	-	-	TCAP13C1901A	0.37	0.02	62,002	-
S5001P1902B	1.01	0.07	25,765	1.00	SCCC08C1811A	0.01	(0.02)	1	-	TCAP19C1901A	0.27	0.02	15,822	-
S5006C1812A	0.19	(0.05)	234,637	-	SCCC27C1812A	-	-	-	-	TCAP24C1903A	-	-	-	-
S5006C1812B	0.30	(0.05)	162,165	-	SGP06C1812A	0.08	(0.04)	10,000	-	THAI01C1901A	0.24	(0.01)	66,126	-
S5006C1812C	0.13	(0.03)	185,969	-	SGP08C1901A	0.26	(0.01)	31,566	-	THAI01C1901B	0.10	(0.01)	9,065	-
S5006C1812D	0.56	(0.07)	26,807	-	SGP11C1904A	0.13	(0.03)	25,805	-	THAI01P1901A	0.70	0.01	19,032	-
S5006P1812A	1.04	0.10	16,983	1.00	SGP13C1811A	0.03	0.02	1,000	-	THAI07C1811A	-	-	-	-
S5006P1812B	0.30	0.03	165,274	-	SGP13C1812A	0.13	(0.01)	53,085	-	THAI08C1903A	0.20	(0.03)	2,986	-
S5006P1812C	0.45	0.05	179,381	-	SGP19C1811A	0.12	(0.01)	56,156	-	THAI11C1906A	0.32	(0.02)	3,212	-
S5006P1812D	1.24	0.20	82,384	1.00	SGP19C1904A	0.25	0.01	23,972	-	THAI13C1811A	0.05	0.04	1	-
S5008C1812A	0.10	(0.04)	371,628	-	SGP24C1811A	0.01	(0.05)	12,200	-	THAI13C1902A	0.25	(0.01)	29,580	-
S5008C1812B	0.24	(0.06)	260,459	-	SGP24C1902A	-	-	-	-	THAI19C1901A	0.20	(0.02)	7,650	-
S5008P1812A	0.68	0.07	372,653	-	SGP27C1903A	0.23	(0.03)	9,600	-	THAI23C1901A	-	-	-	-
S5008P1812B	0.47	0.07	462,768	-	SGP28C1811A	-	-	-	-	THAI24C1901A	0.10	-	300	-
S5013C1812A	0.45	(0.06)	6,501,838	-	SGP28C1903A	0.16	(0.01)	4,000	-	THAI28C1901A	0.19	(0.03)	22,104	-
S5013C1812B	0.27	(0.06)	2,025,486	-	SIRI01C1901A	0.27	(0.01)	31,510	-	THAN01C1812A	0.54	(0.07)	19,738	-
S5013C1812C	0.20	(0.05)	2,555,211	-	SIRI01C1901B	0.06	(0.01)	1,000	-	THAN08C1904A	0.44	(0.07)	8,839	-
S5013C1812D	0.65	(0.35)	808,416	-	SIRI01P1901A	0.60	-	3,200	-	THANI13C1902A	0.51	(0.07)	70,722	-
S5013P1812A	0.82	0.07	6,940,996	-	SIRI06C1904A	0.22	(0.01)	271	-	THAN19C1903A	0.67	(0.07)	23,934	-
S5013P1812B	1.31	0.11</												

**Main Board Quotation**

**Issue Date :**

*Friday October 19, 2018*

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------



## Main Board Quotation

Issue Date :

Friday October 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN01C1901B	0.20	(0.06)	18,698	-	TRUE19C1903A	0.41	-	2,006	-	JUTHA-Q	-	-	-	-
TKN08C1811A	-	-	-	-	TRUE23C1902A	0.11	(0.01)	1,000	-	KT8-Q	-	-	-	-
TKN08C1903A	0.22	(0.04)	4,056	-	TRUE27C1904A	0.25	0.01	3,600	-	SCB-Q	-	-	-	-
TKN11C1902A	0.08	(0.01)	4	-	TRUE27P1904A	0.46	-	3,800	-	TCAP-Q	-	-	-	-
TKN13C1810A	-	-	-	-	TRUE28C1812A	0.07	-	1,000	-	TIC-Q	-	-	-	-
TKN13C1811A	-	-	-	-	TRUE28C1903A	0.20	-	18,783	-	TISCO-Q	-	-	-	-
TKN13C1812A	0.08	(0.03)	135,129	-	TTA08C1906A	0.20	(0.01)	5,824	-	U-Q	-	-	-	-
TKN13C1903A	0.14	(0.03)	15,038	-	TTA13C1901A	0.11	(0.02)	25,120	-	Warrant	-	-	-	-
TKN19C1811A	-	-	-	-	TTA19C1811A	-	-	-	-	7UP-W2	0.05	(0.01)	4,594	-
TKN19C1903A	0.26	(0.07)	27,571	-	TTA23C1901A	-	-	-	-	ACC-W1	0.04	-	3,022	-
TKN23C1902A	0.17	(0.03)	6,000	-	TTA24C1902A	0.04	(0.01)	1,000	-	AJA-W1	0.23	0.01	10,573	-
TKN24C1811A	-	-	-	-	TTA28C1812A	-	-	-	-	ALT-W1	1.00	(0.07)	11,886	1.00
TKN24C1812A	-	-	-	-	TU01C1901A	0.39	(0.03)	40,434	-	APEX-W1	0.04	(0.01)	2,709	-
TKN24C1903A	0.21	(0.08)	95	-	TU01C1901B	0.31	(0.02)	45,521	-	APURE-W2	0.23	-	12,157	-
TKN28C1811A	-	-	-	-	TU01P1901A	0.26	0.01	44,685	-	AQ-W4	-	-	-	-
TKN28C1812A	0.28	(0.03)	10,240	-	TU06C1902A	0.12	(0.02)	17,908	-	AS-W1	0.24	(0.01)	239	-
TKN28C1903A	0.14	(0.03)	18,704	-	TU07C1902A	-	-	-	-	AYUD-W1	7.15	(0.05)	88,823	7.00
TMB01C1810A	0.12	-	99,779	-	TU08C1811A	-	-	-	-	B-W3	0.01	-	500	-
TMB01C1810B	0.01	(0.01)	11,942	-	TU11C1902A	0.03	-	300	-	B-W4	0.20	-	252,571	-
TMB01C1903A	0.25	0.01	111,058	-	TU11C1906A	0.11	(0.02)	4,051	-	BTS-W3	-	-	-	-
TMB01C1903B	0.20	-	124,235	-	TU13C1902A	0.12	(0.03)	15,170	-	BWG-W4	0.07	(0.01)	6,317	-
TMB01P1810A	0.38	-	5,005	-	TU19C1901A	0.11	(0.02)	20,329	-	CEN-W4	0.02	(0.03)	97,494	-
TMB01P1903A	0.47	-	54,297	-	TU23C1902A	0.11	(0.03)	3,002	-	CGD-W4	0.28	(0.01)	21,829	-
TMB06C1902A	0.08	(0.02)	12	-	TU24C1901A	-	-	-	-	CGH-W3	0.05	-	37,974	-
TMB06C1903A	0.23	-	21,035	-	TVO01C1903A	0.28	-	13,156	-	CI-W1	0.49	-	155	-
TMB07C1811A	-	-	-	-	TVO01C1903B	0.21	-	9,784	-	CKP-W1	0.62	(0.02)	50,163	-
TMB07C1903A	-	-	-	-	TVO11C1903A	-	-	-	-	CRANE-W1	-	-	-	-
TMB08C1901A	0.04	(0.01)	12,372	-	TVO13C1902A	0.15	-	6,138	-	CWT-W4	0.33	(0.02)	23,418	-
TMB08C1903A	0.16	-	33,830	-	TVO19C1902A	0.14	(0.01)	968	-	DCC-W1	0.87	(0.03)	57,386	-
TMB11C1904A	-	-	-	-	TVO24C1810A	-	-	-	-	DCON-W1	-	-	-	-
TMB13C1811A	-	-	-	-	TVO24C1903A	-	-	-	-	DIGI-W1	0.03	0.01	5,002	-
TMB13C1901A	0.15	-	136,728	-	UNI01C1810A	0.25	(0.04)	172,359	-	DIGI-W2	-	-	-	-
TMB19C1901A	0.09	-	17,862	-	UNI01C1810B	-	-	-	-	EARTH-W4	-	-	-	-
TMB23C1810A	-	-	-	-	UNI08C1810A	-	-	-	-	EIC-W2	-	-	-	-
TMB24C1901A	0.03	-	200	-	UNI08C1906A	0.26	(0.03)	54,582	-	EIC-W3	-	-	-	-
TMB24C1902A	-	-	-	-	UNIQ11C1811A	-	-	-	-	EVER-W3	0.06	-	11,931	-
TMB27C1903A	0.24	-	3,612	-	UNIQ13C1901A	0.20	(0.04)	44,510	-	GJS-W3	-	-	-	-
TMB28C1901A	0.14	(0.01)	105,280	-	UNIQ19C1811A	-	-	-	-	GSTEL-W1	-	-	-	-
TOA01C1901A	0.24	(0.01)	1,126	-	UNIQ23C1901A	0.06	(0.02)	2	-	GSTEL-W2	-	-	-	-
TOA01C1901B	0.13	(0.02)	10,802	-	UNIQ24C1811A	-	-	-	-	IEC-W2	-	-	-	-
TOA08C1902A	0.09	0.01	210	-	UNIQ28C1811A	0.02	(0.02)	9,000	-	IHL-W1	6.00	0.10	240	5.00
TOA13C1812A	0.10	-	6,912	-	UV01C1902A	0.37	(0.04)	42,996	-	ITD-W1	0.12	-	52,880	-
TOA19C1901A	0.13	(0.01)	11,000	-	UV01C1902B	0.25	(0.04)	47,198	-	JAS-W3	2.30	(0.02)	24,303	2.00
TOA24C1812A	-	-	-	-	UV06C1812A	0.12	(0.04)	11,200	-	JCK-W5	0.47	(0.01)	2,437	-
TOA28C1812A	0.09	-	7,042	-	UV08C1902A	0.24	(0.02)	9,816	-	JMART-W2	0.99	(0.13)	65,592	1.00
TOP01C1901A	1.30	(0.15)	58,421	1.00	UV13C1812A	0.15	(0.03)	83,249	-	JMT-W2	1.93	(0.05)	17,385	1.00
TOP01C1901B	0.96	(0.18)	61,419	1.00	UV19C1902A	0.24	(0.03)	28,529	-	MACO-W2	0.23	(0.02)	124,290	-
TOP01C1904A	0.58	(0.09)	61,785	-	UV24C1812A	-	-	-	-	MIDA-W2	0.01	-	108,525	-
TOP01C1904B	0.44	(0.09)	98,945	-	VGI01C1812A	0.65	-	14,613	-	MILL-W3	0.03	-	2,600	-
TOP01P1901A	0.48	0.07	107,309	-	VGI06C1904A	-	-	-	-	MILL-W4	0.29	-	10,500	-
TOP01P1904A	1.56	0.14	64,265	1.00	VGI06C1904B	-	-	-	-	MILL-W5	0.26	(0.01)	18,243	-
TOP06C1903A	0.93	(0.22)	17,112	-	VGI06C1904C	-	-	-	-	ML-W2	0.03	-	200	-
TOP06C1903B	0.35	(0.10)	12,710	-	VGI08C1811A	0.48	-	7,460	-	MONO-W1	0.38	(0.02)	34,584	-
TOP07C1812A	0.18	(0.09)	173	-	VGI23C1905A	-	-	-	-	NEP-W3	-	-	-	-
TOP08C1811A	0.02	(0.03)	5,001	-	VGI23C1911A	-	-	-	-	NOK-W1	0.49	-	139	-
TOP08C1902A	0.41	(0.12)	25,078	-	VGI27C1812A	0.22	(0.04)	7,200	-	NUSA-W3	-	-	-	-
TOP11C1905A	0.86	(0.17)	26,788	-	WHA01C1812A	0.59	-	57,841	-	NVD-W1	0.32	(0.03)	4,108	-
TOP13C1811A	-	-	-	-	WHA01C1812B	0.41	(0.01)	91,056	-	ORI-W1	1.87	(0.12)	8,046	1.00
TOP13C1901A	0.42	(0.10)	15,740	-	WHA01P1812A	0.38	0.02	83,706	-	PACE-W2	0.14	(0.01)	1,654	-
TOP13C1902A	0.31	(0.10)	74,127	-	WHA06C1903A	0.42	(0.05)	14,160	-	PDI-W1	1.09	(0.03)	1,379	1.00
TOP19C1901A	0.29	(0.08)	47,460	-	WHA07C1810A	0.05	(0.10)	53	-	PDJ-W2	1.21	(0.05)	65	1.00
TOP23C1811A	0.03	(0.02)	2,030	-	WHA08C1811A	0.07	(0.01)	4,200	-	PDJ-W3	1.24	(0.01)	63	1.00
TOP24C1901A	0.07	(0.05)	10,000	-	WHA08C1904A	0.32	(0.02)	11,269	-	PDJ-W4	1.20	(0.04)	225	1.00
TOP24C1902A	0.34	(0.11)	38,055	-	WHA11C1903A	0.20	-	5,600	-	PLE-W3	0.11	0.01	14,863	-
TOP24C1903A	0.24	(0.08)	12,040	-	WHA13C1812A	0.35	(0.02)	107,237	-	RICH-W1	-	-	-	-
TOP27C1903A	-	-	-	-	WHA19C1901A	0.40	(0.03)	21,823	-	RICHY-W1	0.36	-	3,364	-
TOP28C1812A	0.34	(0.12)	37,680	-	WHA23C1810A	0.06	(0.03)	5,000	-	RICHY-W2	0.18	-	3,596	-
TOP28C1903A	0.32	(0.08)	113,985	-	WHA24C1811A	-	-	-	-	RS-W3	5.00	(0.60)	751	5.00
TP101C1812A	0.18	(0.02)	27,498	-	WHA24C1902A	0.36	(0.04)	144,400	-	S-W1	0.11	-	21,852	-
TP101C1812B	0.08	(0.02)	9,470	-	WHA27C1903A	0.55	(0.01)	4,800	-	SAMART-W2	0.58	(0.01)	27,701	-
TP107C1812A	-	-	-	-	WHA28C1901A	0.40	(0.02)	15,760	-	SAWAD-W1	9.05	(0.05)	7,545	9.00
TP113C1902A	0.17	(0.01)	11,475	-	WHA28C1903A	0.25	(0.01)	22,491	-	SDC-W1	0.17	(0.01)	2,014	-
TP119C1901A	0.20	-	36,855	-	WHAU01C1810A	0.17	-	17,038	-	SMM-W4	-	-	-	-
TP124C1902A	-	-	-	-	WHAU01C1810B	0.01	-	8,000	-	SMT-W1	0.06	0.01	4,154	-
TP1P01C1810A	0.13	(0.04)	14,132	-	WHAU13C1902A	0.22	-	12,227	-	SMT-W2	0.55	(0.02)	1,582	-
TP1P01C1810B	-	-	-	-	WHAU19C1902A	0.27	-	4,249	-	SPALI-W4	-	-	-	-
TP1P01P1810A	0.62	0.09	11,158	-	WHAU24C1812A	-	-	-	-	SPORT-W5	0.01	-	3,741	-
TP1P11C1811A	-	-	-	-	WHAU24C1902A	0.25	(0.01)	9,000	-	SST-W2	2.24	(0.22)	36,958	2.00
TP1P13C1811A	-	-	-	-	WORK01C1811A	0.06	(0.03)	49,672	-	SUPER-W4	0.07	-	183,757	-
TP1P13C1902A	0.18	(0.03)	19,300	-	WORK01C1811B	-	-	-	-	SUSCO-W1	0.06	-	27,799	-
TP1P19C1902A	0.21	(0.04)	3,568	-	WORK01C1904A	0.24	(0.03)	81,573	-	SVI-W3	2.82	(0.14)	35,472	2.00
TP1P24C1901A	-	-	-	-	WORK01C1904B	0.16	(0.04)	83,217	-	TCC-W3	0.21	-	301	-
TP1P27C1812A	-	-	-	-	WORK08C1901A	0.05	(0.02)	1,100	-	TCC-W4	0.23	-	3,560	-
TRUE01C1902A	0.36	(0.02)	12,350	-	WORK11C1903A	0.03	-	2,220	-	TCC-W5	0.53	-	7,843	-
TRUE01C1902B	0.25	-	13,111	-	WORK13C1811A	-	-	-	-	TCJ-W2	0.85	(0.05)	5,483	-
TRUE01P1902A	0.51	0.01	34,349	-	WORK13C1812A	0.03	(0.01)	27,769	-	TCMC-W2	0.32	-	44,312	-
TRUE01P1902B	0.34	-	53,861	-	WORK13C1902A	0.10	(0.03)	53,062	-	TFG-W1	1.45	(0.05)	32	1.00
TRUE06C1811A	-	-	-	-	WORK19C1811A	-	-	-	-	TFG-W2	0.69	(0.05)	1,219	-
TRUE06C1906A	0.19	-	3,000	-	WORK19C1902A	0.14	(0.03)	38,743	-	TGPRO-W3	0.02	-	1,447,553	-
TRUE07C1902A	-	-	-	-	WORK24C1810A	-	-	-	-	TH-W2	0.30	-	48,425	-
TRUE08C1902A	0.21	(0.01)	5,282	-	WORK24C1812A	-	-	-	-	THE-W2	0.05	-	-	-

## Main Board Quotation

Issue Date :

Friday October 19, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE08P1902A	0.26	0.01	11,125	-	WORK24C1903A	0.10	(0.04)	4,905	-	TNTY-W1	0.90	(0.01)	334	-
TRUE11C1905A	0.22	(0.01)	1,932	-	WORK27C1903A	0.11	(0.03)	445	-	TNPC-W1	0.40	(0.01)	3,313	-
TRUE13C1812A	0.08	-	39,650	-	WORK28C1811A	-	-	-	-	TRITN-W3	0.26	(0.03)	478,557	-
TRUE13C1901A	0.20	(0.02)	119,074	-	WORK28C1901A	0.05	(0.02)	13,350	-	TSR-W1	0.29	-	232,535	-
TRUE13P1901A	0.25	-	27,000	-	Preferred/Foreign	-	-	-	-	TTA-W5	0.14	(0.02)	22,248	-
TRUE16C1812A	0.17	(0.01)	7,400	-	BH-Q	-	-	-	-	TTCL-W1	1.19	(0.04)	13,075	1.00
TRUE19C1901A	0.07	-	56	-	CSC-Q	-	-	-	-	U-W1	-	-	-	-
U-W4	0.01	-	5,546	-	SIMAT-W3	0.49	0.01	75	-	-	-	-	-	-
VGI-W2	0.42	(0.03)	154,311	-	SIMAT-W4	1.18	(0.02)	1,391	1.00	-	-	-	-	-
VIBHA-W2	1.38	(0.03)	3,465	1.00	SKY-W1	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.30	(0.01)	24,866	-	STAR-W3	1.80	(0.07)	137	1.00	-	-	-	-	-
WAVE-W1	0.42	(0.01)	565	-	TAKUNI-W	0.19	(0.01)	3,055	-	-	-	-	-	-
WHA-W1	7.50	(0.40)	7,194	7.00	TAPAC-W3	1.72	(0.22)	2,376	1.00	-	-	-	-	-
WORK-W1	6.65	-	16	6.00	TMILL-W1	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W4	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	TSF-W5	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	TVD-W2	0.59	(0.06)	3,483	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UAC-W2	0.72	(0.01)	910	-	-	-	-	-	-
KTB-P	-	-	-	-	UKEM-W2	0.47	(0.01)	2,916	-	-	-	-	-	-
SCB-P	139.50	(7.00)	5	139.00	UWC-W2	0.01	-	15	-	-	-	-	-	-
TCAP-P	-	-	-	-	XO-W1	5.85	(0.10)	275	5.00	-	-	-	-	-
TIC-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
U-P	0.04	-	147,274	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.13	(0.01)	3,555	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	1.95	(0.09)	28,032	2.00	-	-	-	-	-	-	-	-	-	-
AIRA-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.79	-	695	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.29	-	27,790	-	-	-	-	-	-	-	-	-	-	-
BM-W1	0.36	(0.01)	5,955	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.13	(0.01)	2,142	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.19	0.01	82,785	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	0.02	-	6,057	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.11	(0.01)	117,498	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	1.82	(0.12)	18,197	1.00	-	-	-	-	-	-	-	-	-	-
ECF-W2	3.34	0.04	585	3.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	2.22	-	3,850	2.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.01	-	71	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FC-W1	0.05	-	576	-	-	-	-	-	-	-	-	-	-	-
FC-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.67	(0.04)	36,538	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.41	(0.02)	7,954	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.64	0.02	25,158	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	2.44	(0.16)	97,667	2.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	2.00	(0.18)	10,182	2.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.04	-	6,655	-	-	-	-	-	-	-	-	-	-	-
META-W3	0.19	0.01	107,314	-	-	-	-	-	-	-	-	-	-	-
NCL-W3	0.32	(0.06)	7,367	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.01	(0.01)	9,187	-	-	-	-	-	-	-	-	-	-	-
NEWS-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOL-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PIMO-W1	2.84	-	946	2.00	-	-	-	-	-	-	-	-	-	-
PPS-W1	0.64	(0.01)	91	-	-	-	-	-	-	-	-	-	-	-
PSTC-W1	0.22	-	55,956	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W2	0.33	(0.05)	385	-	-	-	-	-	-	-	-	-	-	-