

## Main Board Quotation

Issue Date :

Wednesday October 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.80	(0.40)	21,862	10.68	SE-ED	3.02	0.02	363	3.00
POMPUI	-	-	-	-	ILINK	4.42	(0.18)	7,223	4.46	SMM	0.93	(0.07)	16,670	0.95
SAFARI	-	-	-	-	INET	3.62	(0.10)	10,505	3.66	SPORT	0.23	(0.02)	4,661	0.22
VI	-	-	-	-	INTUCH	52.00	(0.50)	63,155	52.08	TBSP	13.80	-	2	13.80
WORLD	-	-	-	-	JAS	5.05	(0.10)	238,484	5.04	TH	0.90	-	45,396	0.91
WR	-	-	-	-	JASIF	10.10	(0.20)	239,030	10.17	TKS	10.50	(0.20)	13,628	10.52
Agribusiness	-	-	-	-	JMART	4.94	(0.81)	503,379	5.04	TRITN	0.38	(0.02)	188,718	0.39
CHOTI	142.00	-	5	142.00	JTS	1.48	(0.01)	1,541	1.49	VGI	7.30	(0.30)	151,693	7.35
EE	0.62	(0.02)	16,312	0.63	MFEF	3.30	(0.04)	868	3.27	WAVE	2.46	(0.04)	155	2.51
GFPT	13.90	(0.40)	39,734	13.96	MSC	6.85	-	1,533	6.76	WORK	31.50	0.25	19,540	31.24
LEE	2.66	(0.02)	8,535	2.64	PT	6.55	-	1,993	6.51	Finance & Securities	-	-	-	-
PPPM	5.05	(0.15)	1,696	5.02	SAMART	7.10	(0.10)	12,571	7.10	AEC	0.47	0.02	3,502	0.46
STA	16.70	0.10	169,649	16.83	SAMTEL	7.85	(0.15)	182	7.96	AEONTS	197.50	1.00	5,438	196.43
TRUBB	1.68	(0.03)	3,387	1.69	SDC	0.29	(0.03)	24,128	0.30	AMANAHA	1.66	(0.05)	35,309	1.68
TWPC	8.35	(0.15)	4,103	8.35	SIS	8.75	(0.15)	1,264	8.73	ASAP	5.85	(0.20)	6,163	5.88
UPOIC	4.24	-	10	4.24	SVOA	1.24	(0.03)	20,458	1.25	ASK	23.00	(0.40)	1,871	23.13
UVAN	6.65	(0.10)	2,960	6.65	SYMC	5.25	(0.10)	194	5.28	ASP	3.68	(0.06)	24,075	3.70
VPO	0.62	(0.03)	3,159	0.63	SYNEX	14.50	(0.70)	19,256	14.79	BFIT	26.00	0.50	3,634	25.92
Banking	-	-	-	-	THCOM	8.00	(0.35)	14,425	8.10	CGH	1.03	0.03	8,122	1.01
BAY	40.00	-	3,554	39.79	TRUE	5.80	(0.05)	761,957	5.81	CNS	2.48	(0.04)	2,569	2.49
BBL	209.00	(1.00)	58,910	209.29	TWZ	0.11	(0.01)	34,878	0.12	ECL	1.85	(0.04)	25,249	1.87
CIMBT	0.85	-	18,372	0.84	Electronic Componen	-	-	-	-	FNS	4.04	(0.10)	7,180	4.10
KBANK	205.00	(2.00)	51,164	206.22	CCET	1.91	(0.03)	5,880	1.92	FSS	2.26	-	319	2.24
KKP	69.75	0.25	49,389	69.76	DELTA	68.00	(1.00)	13,804	68.40	GBX	0.62	-	5,187	0.61
KTB	19.60	(0.20)	404,934	19.68	EIC	0.06	-	41,596	0.06	GL	6.90	-	43,655	6.94
LHFG	1.47	(0.03)	54,844	1.48	HANA	35.75	(2.00)	33,695	36.48	IFS	2.90	(0.06)	1,337	2.92
SCB	136.00	(4.50)	114,804	138.29	KCE	35.75	(2.25)	30,513	36.32	JMT	9.90	(0.30)	24,464	9.94
TCAP	50.25	(0.25)	41,174	50.34	METCO	207.00	(1.00)	4	203.25	KCAR	11.90	(0.20)	743	11.88
TISCO	77.00	(0.25)	21,626	76.97	SMT	2.18	(0.08)	2,810	2.20	KGI	4.36	(0.08)	37,439	4.37
TMB	2.26	(0.02)	1,210,593	2.27	SPPT	4.30	0.04	78,275	4.42	KTC	32.25	(0.75)	155,476	32.37
Construction Materia	-	-	-	-	SVI	5.40	(0.15)	59,351	5.43	MBKET	12.20	(0.40)	6,880	12.28
CCP	0.41	(0.01)	26,716	0.41	TEAM	1.05	(0.02)	5,267	1.06	MFC	16.00	(0.40)	1,250	16.01
COTTO	2.54	(0.10)	19,791	2.57	Energy & Utilities	-	-	-	-	ML	1.00	0.01	3,508	0.99
DCC	2.26	0.04	47,186	2.23	ABPIF	8.30	(0.10)	3,377	8.35	MTC	50.25	(1.50)	172,531	50.70
DCON	0.52	(0.01)	26,216	0.52	AI	-	-	-	-	PE	0.26	-	1,471	0.24
DRT	5.50	(0.05)	3,233	5.49	AKR	0.95	(0.01)	24,091	0.96	PL	3.42	(0.02)	1,960	3.39
EPG	7.55	0.10	43,370	7.46	BAFS	32.00	(0.75)	2,420	32.00	S11	7.20	(0.20)	2,724	7.27
GEL	0.34	-	130,984	0.34	BANPU	16.80	(0.70)	637,978	16.97	SAWAD	41.50	(0.75)	58,932	41.66
PPP	3.44	(0.04)	175	3.43	BCP	32.00	(0.50)	47,755	31.99	THANI	8.95	0.10	57,931	8.81
O-CON	5.15	(0.20)	163	5.17	BCPG	18.00	(0.60)	180,692	18.18	TK	10.70	(0.30)	2,502	10.77
RCI	3.96	(0.02)	42,758	3.95	BGRIM	26.75	(0.50)	84,590	26.88	TNITY	5.85	-	95	5.86
SCC	408.00	(4.00)	39,819	410.63	BPP	23.50	0.20	23,324	23.26	UOBKH	3.98	0.06	1	3.98
SCCC	240.00	(1.00)	1,943	238.24	BRRGIF	9.95	-	1,615	9.91	ZMICO	1.10	(0.01)	977	1.10
SCP	8.45	(0.35)	7,251	8.57	CKP	4.76	(0.06)	508,720	4.77	Food & Beverage	-	-	-	-
SKN	4.86	(0.64)	67,273	5.16	DEMCO	3.60	(0.10)	2,822	3.62	APURE	1.30	(0.05)	9,258	1.31
TASCO	14.10	(0.80)	57,318	14.44	EA	43.00	(2.00)	195,231	43.61	ASIAN	6.30	(0.35)	38,003	6.43
TCMC	2.42	(0.08)	6,479	2.43	EARTH	-	-	-	-	BR	4.74	(0.16)	30,289	4.74
TOA	34.00	0.75	34,458	33.48	EASTW	10.80	(0.20)	7,875	10.88	BRR	6.70	(0.20)	3,773	6.74
TPIPL	1.74	-	93,422	1.73	EGATIF	11.20	(0.10)	14,968	11.28	CBG	42.00	(1.00)	17,560	42.19
UMI	1.24	(0.02)	5,992	1.24	EGCO	229.00	(2.00)	9,399	229.41	CFRESH	4.40	(0.08)	179	4.42
VNG	7.10	(0.05)	1,554	7.08	ESSO	13.80	(0.80)	132,192	13.93	CM	4.08	(0.10)	2,991	4.10
WIHK	2.24	-	7,551	2.23	GLOW	83.25	(0.75)	21,447	83.87	CPF	24.20	0.10	290,722	24.17
Petrochemicals & Che	-	-	-	-	GPSC	54.00	(4.00)	127,841	54.48	CPI	1.70	(0.02)	768	1.70
BCT	53.75	(0.25)	206	54.05	GULF	74.75	(0.50)	120,451	74.04	F&D	-	-	-	-
CMAN	2.90	(0.10)	22,872	2.91	GUNKUL	3.04	-	298,546	2.98	HTC	16.00	-	1,042	15.91
GC	5.05	(0.05)	1,604	5.01	IEC	-	-	-	-	ICHI	4.00	(0.10)	10,585	4.02
GGC	10.10	(0.10)	13,724	10.13	IFEC	-	-	-	-	KBS	4.16	(0.10)	3,862	4.18
GIFT	4.50	(0.02)	227	4.50	IRPC	5.80	(0.20)	2,089,992	5.81	KSL	3.20	(0.12)	153,018	3.18
IVL	52.00	(3.25)	418,148	52.92	LANNA	14.10	(0.20)	1,307	14.15	KTIS	5.70	-	1,691	5.67
NFC	11.10	(0.10)	456	11.16	MDX	4.20	(0.06)	3,557	4.24	LST	4.48	(0.16)	2,019	4.49
PATO	14.40	0.10	89	14.29	PTG	10.00	(0.40)	198,224	10.05	M	70.00	(1.25)	3,141	70.28
PMTA	13.90	-	35	13.63	PTT	48.50	(1.75)	997,619	48.80	MALEE	12.40	(0.30)	8,461	12.55
PTTGC	74.25	(2.75)	239,443	74.67	PTTEP	134.00	(11.00)	326,560	137.15	MINT	36.75	(1.25)	141,443	37.02
SUTHA	3.84	(0.08)	169	3.87	RATCH	48.50	(0.75)	38,488	48.73	OISHI	85.00	(3.00)	63	86.79
TCCC	34.00	(1.00)	159	34.19	RPC	0.48	(0.01)	9,519	0.49	OSP	23.00	(0.70)	1,195,304	23.52
TPA	6.75	(0.05)	44	6.69	SCG	4.52	(0.06)	389	4.52	PB	60.75	0.25	259	60.75
UP	-	-	-	-	SCI	2.92	(0.08)	1,682	2.97	PM	8.80	(0.10)	5,884	8.82
VNT	21.50	(1.00)	9,426	21.77	SCN	4.90	(0.06)	42,886	4.91	PRG	13.20	(0.20)	210	13.21
WG	155.00	(2.00)	29	157.21	SGP	10.40	(0.50)	77,436	10.52	SAPPE	21.10	(0.70)	5,622	21.18
YCI	-	-	-	-	SKE	1.19	(0.04)	9,539	1.20	SAUCE	21.70	(0.40)	56	21.65
Commerce	-	-	-	-	SOLAR	2.88	(0.12)	14,658	2.92	SFP	-	-	-	-
BEAUTY	8.55	(0.25)	753,639	8.66	SPCC	19.90	(0.10)	9,123	19.89	SNP	19.60	(0.70)	53	19.67
BIG	1.72	(0.03)	50,169	1.73	SPRC	13.60	(0.30)	161,857	13.55	SORKON	-	-	-	-
BJC	54.50	(0.25)	25,783	54.60	SUPER	0.67	(0.04)	3,259,475	0.68	SSC	39.25	0.25	20	39.20
COL	23.30	(0.90)	5,251	23.73	SUSCO	2.92	(0.08)	15,218	2.94	SSF	8.15	(0.05)	4	8.15
COM7	20.50	(1.20)	191,729	20.88	TAE	2.12	(0.02)	7,709	2.12	SST	5.65	(0.10)	650	5.72
CPALL	63.00	(2.00)	771,020	63.49	TCC	0.96	0.10	1,030,569	0.93	TC	2.96	(0.10)	20	2.96
CSS	2.04	(0.02)	23,950	2.04	TOP	77.50	(3.25)	75,347	79.13	TFG	3.96	-	6,265	3.92
FN	2.44	(0.06)	2,754	2.42	TPIPP	6.05	(0.15)	117,179	6.08	TFMAMA	158.50	(0.50)	75	159.09
FTE	2.18	(0.04)	8,191	2.18	TTW	12.00	(0.20)	98,181	12.04	TIPCO	8.80	(0.20)	5,552	8.88
GLOBAL	19.00	(0.50)	96,456	19.03	WHAPU	5.80	(0.30)	94,572	5.92	TKN	11.80	(0.60)	229,479	11.93
HMPRO	14.90	(0.10)	204,600	14.92	WP	6.50	(0.10)	6,369	6.49	TU	15.80	(0.10)	51,323	15.87
IT	3.86	(0.12)	2,127	3.88	Media & Publishing	-	-	-	-	TVO	27.50	(0.50)	11,452	27.82
KAMART	4.08	(0.12)	10,582	4.12	AMARIN	4.68	-	469	4.68	Health Care Services	-	-	-	-
LOXLEY	2.12	(0.02)	16,631	2.09	AQUA	0.46	-	165,036	0.45	AHC	20.80	(0.10)	111	20.85
MAKRO	31.00	(0.25)	3,930	30.90	AS	1.15	(0.02)	1,296	1.15	BCH	19.10	-	93,161	19.02
MC	11.80	(0.20)	6,259	11.89	BEC	6.20	(0.40)	96,897	6.41	BDMS	24.40	(0.60)	348,178	24.52
MEGA	35.00	(1.25)	11,716	35.29	EPCO	3.34	(0.02)	6,415	3.37	BH	188.50	(1.50)	18,321	189.26
MIDA	0.58	-	6,860	0.58	FE	-	-	-	-	CHG	2.50	(0.04)	280,789	2.51
ROBINS	63.75	(1.50)	12,575	63.92	GPI	2.36	(0.04)	3,627	2.38	CMR	2.94	(0.04)	1,897	2.95
RSP	3.88	(0.04)	12,440											

## Main Board Quotation

Issue Date :

Wednesday October 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	7.40	(0.10)	4,650	7.44	LPN	9.40	(0.25)	73,271	9.48	ALLA	1.50	(0.05)	15,582	1.51
WPH	2.68	(0.04)	5,295	2.70	MBK	23.90	(1.35)	39,639	24.34	ASEFA	4.82	(0.08)	715	4.83
Tourism & Leisure					MJD	3.60	(0.06)	2,526	3.60	CPT	1.06	(0.04)	149,254	1.08
ASIA	6.65	(0.10)	118	6.74	MK	3.90	(0.04)	10,813	3.91	CRANE	-	-	-	-
CENDEL	39.25	0.25	21,403	38.98	NCH	0.91	(0.01)	3,677	0.92	CTW	9.25	-	373	9.14
CSR	-	-	-	-	NNCL	1.77	(0.03)	26,559	1.78	FMT	24.00	(0.20)	30	24.00
DTC	11.30	(0.70)	7,488	11.39	NOBLE	12.80	(0.50)	472	12.80	HTECH	6.50	(0.05)	32,922	6.53
ERW	7.20	(0.40)	137,124	7.37	NUSA	0.32	-	14,955	0.31	KKC	1.61	(0.02)	375	1.60
GRAND	1.00	(0.03)	39,428	0.99	NVD	3.76	(0.04)	812	3.74	PK	2.92	(0.12)	4,934	2.95
LRH	38.50	-	67	38.50	ORI	9.30	(0.70)	93,187	9.55	SNC	13.80	(0.20)	5,654	13.83
MANRIN	-	-	-	-	PACE	0.47	(0.04)	188,569	0.49	TCJ	5.55	(0.05)	250	5.59
OHTL	780.00	(10.00)	1	780.00	PF	1.00	(0.03)	420,647	1.01	VARO	-	-	-	-
ROH	-	-	-	-	PLAT	7.70	(0.30)	28,863	7.75	Property Fund & REIT				
SHANG	75.75	(0.25)	54	72.69	POLAR	-	-	-	-	AIMIRT	10.70	-	1,346	10.72
Home & Office Produ					PRECHA	1.69	(0.06)	3,037	1.70	AMATAR	10.80	-	3,762	10.80
ACC	0.50	(0.01)	4,753	0.50	PRIN	1.61	(0.01)	35,550	1.61	B-WORK	11.20	-	110	11.11
AJA	0.37	-	146,698	0.36	PRINC	4.82	(0.12)	1,880	4.86	BKKCP	12.50	-	90	12.50
DTCI	-	-	-	-	PSH	20.10	(0.20)	10,087	20.17	BOFFICE	13.10	(0.30)	308	13.19
FANCY	0.87	(0.08)	26,909	0.91	QH	3.00	(0.04)	451,541	3.00	CPNCG	15.80	(0.10)	2,741	15.90
KYE	408.00	(10.00)	234	410.93	RICHY	1.79	(0.06)	37,393	1.81	CPNREIT	26.00	(0.50)	12,005	25.96
L&E	2.60	(0.02)	576	2.61	RML	1.41	0.11	1,699,397	1.32	CPTGF	13.30	(0.20)	341	13.37
MODERN	4.22	(0.02)	1,812	4.21	ROJNA	5.20	(0.15)	19,411	5.21	CRYSTAL	10.10	-	162	10.10
OGC	37.00	-	6	37.00	S	3.24	(0.04)	92,410	3.26	CTARAF	4.76	(0.02)	1,188	4.77
ROCK	20.00	3.00	1	20.00	SAMCO	1.98	(0.02)	480	1.99	DREIT	5.35	-	235	5.35
SIAM	2.02	-	16,769	2.01	SC	3.38	(0.04)	20,060	3.38	ERWPF	5.50	(0.05)	256	5.53
TSR	2.06	(0.08)	3,130	2.09	SENA	3.50	(0.06)	25,147	3.52	FUTUREPF	22.30	-	916	22.23
Insurance					SF	7.85	(0.05)	10,975	7.84	GAHREIT	9.70	0.05	13	9.70
AYUD	43.50	(0.25)	300	43.40	SIRI	1.54	0.01	476,907	1.53	GLANDRT	12.50	-	1,100	12.50
BKI	344.00	(1.00)	94	346.16	SPALI	21.80	(0.40)	36,634	21.90	GOLDFP	7.20	(0.05)	201	7.20
BLA	30.75	(1.75)	27,108	31.37	TICON	16.20	0.10	261	16.14	GVREIT	14.80	(0.10)	184	14.79
BUI	-	-	-	-	U	0.03	-	37,667,272	0.03	HPF	5.35	(0.05)	1,075	5.35
CHARAN	32.25	(0.75)	20	32.13	UV	7.10	(0.05)	34,694	7.03	HEIT	6.65	(0.05)	2,819	6.68
INSURE	-	-	-	-	WHA	4.14	-	796,715	4.11	IMPACT	18.90	-	2,729	18.87
MTI	99.00	(0.50)	72	99.60	WIN	0.64	-	1,273	0.63	KPNPF	9.35	-	42	9.33
NKI	52.00	(1.00)	1	52.00	Paper & Printing Mat					LHHOTEL	16.00	0.10	1,009	15.90
NSI	75.50	(1.50)	33	75.86	UTP	10.70	(0.10)	5,344	10.77	LHPF	8.30	(0.05)	4,795	8.30
SMK	40.00	-	68	40.03	Fashion					LHSC	16.30	(0.10)	120	16.34
THRE	1.00	(0.01)	57,435	0.99	AFC	9.05	(0.05)	116	9.03	LUXF	8.50	(0.05)	185	8.51
THREL	7.45	(0.15)	6,126	7.45	BTNC	21.00	(0.50)	2	21.00	M-II	8.75	(0.10)	5	8.75
TIC	35.00	(0.25)	105	34.81	CPH	5.55	0.15	17	5.42	M-PAT	9.90	0.10	88	9.77
TIP	23.10	(0.60)	6,953	23.14	CPL	3.16	0.06	46	3.15	M-STOR	10.10	(0.10)	6	10.18
TSI	0.39	(0.01)	5,352	0.39	DIGI	0.22	-	12,068	0.22	MIPF	-	-	-	-
TVI	-	-	-	-	ICC	40.00	(1.00)	10	40.05	MIT	-	-	-	-
Mining					LTX	91.00	(2.00)	21	91.33	MJLF	12.50	(0.10)	874	12.50
PDI	13.10	(0.30)	8,493	13.35	NC	15.00	(0.10)	3	15.07	MNIT	-	-	-	-
THL	-	-	-	-	PAF	0.96	(0.09)	40,021	1.00	MNIT2	-	-	-	-
Packaging					PDJ	2.42	(0.06)	1,910	2.43	MNRF	-	-	-	-
AJ	9.30	(0.40)	2,121	9.54	PG	6.75	(0.05)	61	6.79	MONTRI	-	-	-	-
ALUCON	168.00	(3.00)	24	169.35	SABINA	31.25	(0.25)	9,914	30.69	POPF	13.70	-	1,033	13.70
BGC	11.80	(0.20)	358,609	11.95	SAWANG	13.10	-	4	13.18	PPF	11.10	-	81	11.10
CSC	44.25	0.25	124	44.00	SUC	45.00	-	1,333	45.00	QHHR	8.45	-	3,355	8.45
NEP	0.32	-	56,435	0.34	TNL	18.30	-	1	18.30	QHOP	3.40	-	43	3.40
NPPG	1.04	(0.17)	436,204	1.13	TPCORP	14.60	(0.40)	62	14.67	QHPP	13.40	(0.20)	1,315	13.41
PTL	14.30	(0.40)	7,420	14.41	TR	46.00	(0.50)	252	46.17	SBPF	-	-	-	-
SITHAI	1.19	(0.04)	2,450	1.20	TTI	1.20	-	-	-	SHREIT	9.45	-	3,541	9.45
SLP	0.88	(0.01)	833	0.90	TTL	-	-	-	-	SIRIP	-	-	-	-
SMPC	13.40	(0.20)	994	13.34	TTTTM	152.50	-	17	152.50	SPF	23.40	(0.30)	2,761	23.39
SPACK	1.87	(0.05)	70	1.88	UPF	66.00	(1.50)	12	65.42	SRIPANWA	11.00	-	611	11.00
TCOAT	-	-	-	-	UT	14.00	(0.30)	20	14.00	SSPF	9.75	(0.05)	689	9.79
TFI	0.29	(0.01)	987	0.29	WACOAL	45.50	0.25	1	45.50	SSTPF	6.40	0.10	50	6.40
THIP	32.25	(0.25)	355	32.31	Transportation & Log					SSTRT	6.25	0.05	71	6.25
TMD	20.80	(0.40)	72	20.86	AAV	3.94	(0.04)	182,183	3.99	TIF1	8.85	-	78	8.82
TOPP	202.00	-	1	202.00	AOT	61.00	(0.50)	314,959	60.90	TLGF	19.80	-	5,940	19.66
TPBI	8.00	-	298	7.96	ASIMAR	2.46	(0.04)	1,781	2.46	TLHPF	-	-	-	-
TPP	-	-	-	-	B	0.57	(0.01)	1,567	0.57	TNPF	3.50	(0.02)	188	3.49
Personal Products &					BA	11.40	(0.80)	72,493	11.68	TPRIME	12.50	0.20	502	12.43
APCO	4.42	(0.10)	550	4.42	BEM	8.15	(0.10)	271,063	8.15	TREIT	11.80	0.10	2,228	11.68
DDD	28.00	-	26,585	27.60	BTS	8.85	(0.10)	186,981	8.88	TTLPF	23.40	0.40	1	23.40
JCT	-	-	-	-	BTSGIF	12.00	-	101,453	11.95	TU-PF	-	-	-	-
OCC	17.10	(0.10)	9	17.19	III	6.10	(0.10)	9,044	5.99	URBNPF	3.44	(0.14)	74	3.47
S & J	24.00	(0.70)	304	24.38	JUTHA	1.64	(0.04)	701	1.66	WHABT	9.95	(0.05)	65	9.95
STHAI	-	-	-	-	JWD	7.15	(0.15)	13,903	7.08	WHART	11.00	0.10	24,314	10.87
TNR	12.70	(0.10)	317	12.50	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.62	(0.06)	932	4.62	NOK	2.68	-	10,633	2.68	AMC	2.16	(0.02)	890	2.16
Professional Service					NYT	5.10	-	23,101	5.12	BSBM	1.09	(0.02)	1,147	1.09
BWG	1.08	(0.03)	200,664	1.08	PRM	7.20	-	27,187	7.05	CEN	1.36	0.03	14,479	1.34
GENCO	0.76	(0.02)	15,164	0.77	PSL	11.30	(0.60)	47,847	11.28	CITY	2.66	(0.06)	752	2.65
PRO	-	-	-	-	RCL	5.45	(0.10)	3,077	5.46	CSP	1.26	(0.06)	1,521	1.26
TEAMG	2.28	(0.04)	59,670	2.29	THAI	12.80	(0.40)	81,695	12.98	GJS	0.24	-	50,440	0.24
Property Developer					TSTE	7.00	-	140	7.00	GSTEL	-	-	-	-
A	6.65	(0.05)	301	6.67	TTA	6.50	(0.20)	21,808	6.58	INOX	1.09	(0.03)	398	1.10
AMATA	22.50	(0.30)	250,445	22.50	WICE	4.28	(0.18)	40,206	4.34	LHK	4.96	-	1,557	4.96
AMATAV	5.90	-	11,017	5.90	Automotive					MAX	0.02	-	627,632	0.02
ANAN	4.50	0.18	239,884	4.46	AH	24.00	(1.75)	14,245	24.51	MCS	7.00	(0.05)	21,180	7.06
AP	7.95	(0.10)	55,276	7.96	APCS	4.94	(0.11)	4,208	4.97	MILL	1.76	(0.01)	27,746	1.76
APEX	0.20	(0.01)	13,228	0.20	BAT-3K	-	-	-	-	PAP	3.92	(0.08)	1,872	3.94
AQ	0.04	-	1,444,830	0.03	CWT	2.62	(0.08)	2,380	2.65	PERM	2.16	(0.04)	480	2.18
BLAND	1.73	(0.02)	358,029	1.73	EASON	2.34	(0.10)	7,349	2.38	RICH	-	-	-	-
BROCK	2.36	0.08	102	2.28	GYT	-	-	-	-	SAM	0.66	0.01	1,403	0.65
CGD	1.32	(0.04)	22,564	1.33	HFT	2.98	(0.02)	5,631	2.99	SMIT	5.85	(0.05)	2,481	5.84
CI	1.54	(0.04)	11,825	1.56	IHL	9.15	(0.20)	12,407	9.04	SSI	-	-	-	-
CPN	75.75	(2.75)	51,695	76.62	INGRS	0.67	-	7,408	0.67	SSSC	2.98	(0.02)	1,314	2.96
ESTAR	0.66	(0.03)	46,247	0.67	IRC	20.50	(0.30)	87	20.52	TGPRO	0.14	(0.01)	341,214	0.14
EVER	0.45	(0.03)	214,725	0.45	PCSGH	6.95	(0.20)	7,366	6.98	THE	4.00	0.02	178,125	4.05
GLAND	3.08	(0.02)	8,838	3.08	SAT	20.30	(1.10)	5,904	20.71	TIW	240.00	-	6	237.33
GOLD	8.75	(0.10)	28,225	8.75	SPG	13.4								

## Main Board Quotation

Issue Date :

Wednesday October 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	TPCH	10.10	(0.20)	12,126	10.00	ADVA01P1902A	0.71	0.06	81,961	-
ABICO	6.80	(0.20)	103	6.00	TRT	2.26	(0.04)	1,221	2.00	ADVA01P1902B	0.49	0.05	64,142	-
AU	7.05	(0.25)	34,410	7.00	TSE	2.74	(0.14)	15,062	2.00	ADVA06C1903A	0.28	(0.08)	7,770	-
FC	0.30	-	19,985	-	UMS	0.79	0.03	3	-	ADVA08C1903A	0.19	(0.03)	17,602	-
JCKH	1.04	(0.03)	689	1.00	UWC	0.06	(0.01)	67,754	-	ADVA11C1905A	0.15	(0.02)	6,182	-
KASET	2.04	(0.04)	4,023	2.00	Services (MAI)	-	-	-	-	ADVA11P1905A	0.30	0.03	6,251	-
MM	3.94	(0.02)	1,504	3.00	ADAM	-	-	-	-	ADVA13C1811A	0.12	(0.08)	102,198	-
SUN	3.02	(0.08)	3,445	3.00	AKP	1.68	0.01	608	1.00	ADVA13C1901A	0.16	(0.02)	62,874	-
TACC	3.50	0.08	7,511	3.00	AMA	4.96	(0.24)	6,907	5.00	ADVA16C1812A	-	-	-	-
TMILL	2.92	(0.08)	6,114	2.00	ARIP	0.52	-	7,140	-	ADVA19C1901A	0.31	(0.06)	21,738	-
XO	9.90	(0.40)	10,497	9.00	ATP30	1.61	(0.05)	6,023	1.00	ADVA23C1902A	0.21	(0.04)	24,198	-
Consumer Products	-	-	-	-	AUCT	5.65	(0.20)	13,143	5.00	ADVA24C1810A	-	-	-	-
BGT	1.06	(0.01)	1,191	1.00	BOL	1.89	0.01	6,780	1.00	ADVA24C1904A	0.35	(0.10)	2,451	-
BIZ	2.52	(0.16)	2,652	2.00	CHUO	-	-	-	-	ADVA24C1905A	0.19	(0.04)	4	-
DOD	13.40	(0.20)	27,755	13.00	CMO	1.49	(0.01)	880	1.00	ADVA24P1810A	-	-	-	-
ECF	6.05	(0.15)	22,454	6.00	D	10.40	(0.30)	5,015	10.00	ADVA24P1908A	0.82	0.09	1,006	-
HPT	1.01	(0.01)	8,796	1.00	DCORP	2.74	-	23,077	2.00	ADVA27C1902A	-	-	-	-
JUBILE	17.00	(0.40)	1,484	17.00	DNA	0.57	(0.03)	86,238	-	ADVA28C1811A	0.06	(0.07)	10,310	-
MOONG	6.10	(0.30)	7,185	6.00	EFORL	0.07	-	17,875	-	ADVA28C1901A	0.07	(0.03)	8,500	-
NPK	-	-	-	-	ETE	1.66	(0.07)	9,823	1.00	ADVA42C1903A	0.17	(0.03)	10,200	-
OCEAN	4.66	(0.04)	602,961	4.00	FSMART	7.65	(0.10)	12,347	7.00	AMAT01C1810A	0.94	(0.06)	97,512	-
TM	1.97	(0.05)	2,931	1.00	FVC	0.97	(0.04)	3,567	-	AMAT01C1810B	0.24	(0.08)	89,794	-
Financials (MAI)	-	-	-	-	HARN	2.56	(0.02)	1,443	2.00	AMAT01C1903A	0.72	(0.03)	156,966	-
ACAP	5.75	(0.20)	9,011	5.00	JKN	10.50	(0.40)	35,292	10.00	AMAT01C1903B	0.56	(0.04)	183,254	-
AF	0.73	-	3,735	-	KIAT	0.48	(0.01)	65,433	-	AMAT01P1810A	0.35	0.04	166,687	-
AIRA	1.88	-	8,574	1.00	KOOL	1.51	(0.05)	4,393	1.00	AMAT01P1903A	0.73	0.03	143,126	-
ASN	3.52	(0.08)	604	3.00	LDC	1.04	(0.05)	3,005	1.00	AMAT06C1903A	0.56	(0.06)	19,724	-
BROOK	0.52	(0.02)	43,048	-	MPG	0.15	-	4,723	-	AMAT08C1903A	0.54	(0.06)	34,682	-
CHAYO	4.70	(0.12)	16,459	4.00	MVP	2.60	(0.16)	30,698	2.00	AMAT11C1903A	0.36	(0.03)	44,268	-
GCAP	2.96	(0.18)	8,793	3.00	NBC	0.65	(0.08)	569	-	AMAT13C1812A	0.48	(0.06)	575	-
LIT	7.60	(0.20)	6,282	7.00	NCL	1.47	(0.05)	5,426	1.00	AMAT13C1902A	0.31	(0.03)	300,706	-
SGF	1.39	(0.02)	196,093	1.00	NEWS	0.01	-	234,832	-	AMAT19C1811A	0.11	(0.02)	52,200	-
Industrials (MAI)	-	-	-	-	NINE	1.80	(0.03)	78,725	1.00	AMAT19C1902A	0.65	(0.04)	50,035	-
ZS	3.14	0.02	982	3.00	OTO	2.80	(0.08)	808	2.00	AMAT23C1810A	0.01	(0.02)	171	-
ADB	1.09	-	10,619	1.00	PHOL	2.12	0.08	1,133	2.00	AMAT24C1811A	0.14	(0.04)	1,968	-
BM	3.02	(0.04)	3,131	3.00	PICO	4.50	0.06	14	4.00	AMAT27C1902A	0.78	(0.06)	6,020	-
CHO	1.15	(0.02)	11,891	1.00	PORT	6.55	(0.15)	5,399	6.00	AMAT28C1902A	0.44	(0.04)	104,716	-
CHOW	4.50	(0.02)	1,580	4.00	QLT	4.56	(0.04)	182	4.00	AMAT28C1903A	0.11	(0.01)	33,406	-
CIG	0.38	-	14,566	-	RP	2.90	(0.10)	1,567	2.00	ANAN01C1810A	0.68	0.08	71,915	-
COLOR	1.35	0.02	21,747	1.00	SE	2.06	(0.02)	246	2.00	ANAN01C1810B	0.03	0.01	26,112	-
CPR	5.05	(0.15)	1,958	5.00	SONIC	1.71	0.13	755,419	1.00	ANAN08C1810A	0.16	0.08	8,761	-
FPI	2.02	(0.02)	9,070	1.00	SPA	12.70	(0.40)	6,269	12.00	ANAN08C1906A	0.16	0.02	12,977	-
GTB	0.64	0.01	3,033	-	THMUI	1.48	(0.10)	15,592	1.00	ANAN13C1901A	0.08	-	89,783	-
KCM	1.10	(0.05)	13,253	1.00	TNDT	4.84	(0.21)	1,188	4.00	ANAN19C1811A	0.12	0.02	96,319	-
KWM	1.15	(0.03)	35,871	1.00	TNH	39.50	(0.25)	624	39.00	ANAN23C1901A	0.07	0.01	78,810	-
LVT	-	-	-	-	TNP	1.76	0.01	5,335	1.00	ANAN24C1811A	0.24	0.03	20,911	-
MBAX	4.06	-	352	4.00	TSF	0.04	-	302,224	-	AOT01C1810A	0.01	-	82,210	-
MGT	2.04	(0.04)	1,816	2.00	TVD	1.40	(0.07)	5,004	1.00	AOT01C1902A	0.33	(0.01)	296,286	-
NDR	2.20	(0.04)	1,901	2.00	TVT	0.95	(0.05)	5,270	-	AOT01C1902B	0.16	(0.01)	119,011	-
PDG	3.50	(0.02)	304	3.00	WINNER	3.10	(0.06)	2,494	3.00	AOT01C1904A	0.33	(0.01)	198,129	-
PIMO	4.10	(0.04)	7,084	4.00	Technology (MAI)	-	-	-	-	AOT01C1904B	0.22	(0.01)	125,663	-
PJW	1.67	(0.03)	1,753	1.00	COMAN	3.80	(0.14)	2,466	3.00	AOT01P1902A	1.01	0.03	87,270	1.00
PPM	1.75	(0.04)	955	1.00	ICN	1.94	(0.12)	24,739	1.00	AOT01P1902B	0.64	0.02	224,928	-
RWI	1.59	(0.03)	2,149	1.00	IRCP	0.89	(0.01)	1,011	-	AOT01P1904A	1.04	0.04	124,455	1.00
SALEE	1.09	(0.01)	170	1.00	ITEL	3.40	(0.24)	14,731	3.00	AOT01P1904B	0.83	0.03	222,409	-
SANKO	1.18	(0.04)	3,826	1.00	NETBAY	30.00	(0.25)	5,942	29.00	AOT06C1903A	0.22	(0.02)	21,240	-
SELIC	2.34	(0.28)	27,487	2.00	PLANET	1.49	(0.02)	60	1.00	AOT06P1903A	0.62	0.02	34,470	-
SWC	25.25	(0.75)	666	25.00	SIMAT	2.02	(0.04)	11,267	2.00	AOT07C1902A	-	-	-	-
TMC	0.84	(0.02)	3,693	-	SKY	13.40	(0.30)	8,004	13.00	AOT08C1901A	0.09	(0.02)	26,276	-
TMI	0.80	(0.01)	1,845	-	SPVI	1.44	(0.06)	15,679	1.00	AOT08P1903A	0.61	0.02	25,486	-
TMW	67.50	(1.50)	277	68.00	UPA	0.51	(0.01)	31,797	-	AOT11C1906A	0.20	(0.01)	9,640	-
TPAC	10.80	(1.40)	2,544	11.00	VCOM	3.04	(0.06)	185	3.00	AOT11P1906A	0.44	0.01	23,114	-
TPLAS	1.55	(0.11)	11,522	1.00	Unit Trust	-	-	-	-	AOT13C1811A	0.01	(0.01)	4,400	-
UAC	4.32	(0.02)	1,318	4.00	MGE	-	-	-	-	AOT13C1812A	0.06	(0.02)	1,937	-
UBIS	4.58	(0.04)	838	4.00	SCBSET	-	-	-	-	AOT13C1902A	0.24	(0.01)	142,218	-
UEC	1.51	(0.01)	9,964	1.00	ETF	-	-	-	-	AOT13P1810A	-	-	-	-
UKEM	0.82	(0.03)	13,185	-	IDIV	11.48	(0.26)	1,402	11.00	AOT13P1812A	-	-	-	-
UREKA	1.70	0.07	73,039	1.00	ABFTH	-	-	-	-	AOT13P1902A	0.48	0.02	113,630	-
YUASA	14.30	(0.40)	109	14.00	BMSCG	8.59	(0.22)	2,184	8.00	AOT19C1901A	0.17	(0.02)	102,500	-
ZIGA	2.78	(0.22)	14,101	2.00	BMSCITH	12.20	(0.19)	23,762	12.00	AOT24C1811A	-	-	-	-
Property & Construc	-	-	-	-	BSET100	10.43	(0.24)	11,958	10.00	AOT24C1901A	-	-	-	-
ARROW	8.35	(0.15)	669	8.00	CHINA	4.91	(0.11)	98	4.00	AOT24C1904A	0.19	(0.02)	1,750	-
BKD	3.02	(0.08)	4,894	3.00	EBANK	5.78	(0.10)	1	5.00	AOT24P1903A	0.48	0.03	3,602	-
BSM	0.69	0.01	10,926	-	ECOMM	7.65	(0.28)	5	7.00	AOT27C1902A	0.22	(0.01)	13,200	-
BTW	1.76	(0.03)	77	1.00	EFOOD	5.45	(0.06)	1	5.00	AOT27P1903A	0.73	0.02	13,200	-
CHEWA	1.21	(0.02)	30,637	1.00	EICT	4.60	(0.08)	1	4.00	AOT28C1812A	0.05	(0.01)	2,700	-
CRD	1.06	(0.02)	1,801	1.00	ENGY	6.15	(0.21)	16	6.00	AOT28C1901A	0.05	-	21,028	-
DIMET	0.99	(0.01)	10,294	1.00	ENY	7.35	(0.23)	10	7.00	AOT28C1902A	0.21	(0.01)	112,481	-
FLOYD	1.90	(0.05)	6,430	1.00	ESET50	5.59	(0.13)	139	5.00	AOT28P1812A	0.19	0.01	93,666	-
FOCUS	1.47	-	15,129	1.00	GLD	1.7								

## Main Board Quotation

Issue Date :

Wednesday October 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP06C1903A	0.08	(0.03)	1,160	-	BDMS42P1904A	0.22	(0.78)	5,647	-	BPP01P1811A	0.58	0.05	19,656	-
BANP07C1810A	-	-	-	-	BEAU01C1812A	0.02	-	165,273	-	BPP01P1903A	0.37	-	34,329	-
BANP07C1904A	0.16	(0.04)	39	-	BEAU01C1812B	0.02	0.01	44,828	-	BPP06C1903A	0.12	-	2,000	-
BANP08C1811A	-	-	-	-	BEAU01C1901A	0.16	(0.02)	181,523	-	BPP08C1810A	-	-	-	-
BANP08P1901A	0.53	0.12	14,216	-	BEAU01C1901B	0.09	(0.02)	103,476	-	BPP13C1811A	-	-	-	-
BANP11C1902A	0.03	(0.02)	15,313	-	BEAU01C1902A	0.53	(0.04)	202,390	-	BPP13C1901A	0.09	-	15	-
BANP13C1811A	-	-	-	-	BEAU01C1902B	0.38	(0.06)	140,561	-	BPP13C1902A	-	-	-	-
BANP13C1902A	0.12	(0.03)	186,124	-	BEAU01P1812A	1.81	0.07	189,111	1.00	BPP19C1903A	0.38	-	4,376	-
BANP16C1812A	0.35	(0.08)	29,903	-	BEAU01P1902A	1.05	0.05	259,500	1.00	BPP19C1903B	-	-	-	-
BANP19C1811A	-	-	-	-	BEAU06C1904A	0.83	(0.14)	47,220	-	BPP23C1901A	0.08	(0.01)	5,000	-
BANP19C1902A	0.16	(0.06)	59,235	-	BEAU08C1901A	0.01	(0.01)	27,174	-	BPP24C1902A	-	-	-	-
BANP23C1901A	0.02	(0.02)	29,015	-	BEAU08C1902A	0.33	(0.09)	42,630	-	BPP24C1904A	0.27	(0.07)	2	-
BANP24C1812A	-	-	-	-	BEAU11C1902A	0.04	-	1	-	BPP28C1812A	0.15	(0.03)	6,072	-
BANP24C1904A	0.12	(0.04)	702	-	BEAU13C1811A	-	-	-	-	BPP28C1902A	-	-	-	-
BANP24P1901A	0.43	0.09	104	-	BEAU13C1812A	0.01	-	9	-	BTS01C1810A	0.23	(0.02)	7,300	-
BANP27C1904A	0.23	(0.05)	8,400	-	BEAU13C1812B	0.16	(0.04)	434,730	-	BTS01C1810B	0.01	-	2,000	-
BANP28C1902A	0.06	(0.04)	16,500	-	BEAU13C1901A	0.04	(0.02)	422,721	-	BTS01C1903A	0.29	(0.02)	24,534	-
BANP28C1903A	0.16	(0.06)	54,320	-	BEAU19C1811A	-	-	-	-	BTS01C1903B	0.20	(0.02)	23,218	-
BANP42C1903A	0.11	(0.02)	2,040	-	BEAU19C1901A	0.38	(0.05)	55,343	-	BTS01P1810A	0.52	0.04	5,306	-
BANP42P1903A	0.75	0.10	31,246	-	BEAU19C1902A	0.11	(0.02)	47,332	-	BTS01P1903A	0.49	0.03	8,090	-
BBL06C1902A	0.80	(0.03)	14,083	-	BEAU23C1901A	-	-	-	-	BTS06C1903A	-	-	-	-
BBL08C1902A	0.56	(0.03)	13,228	-	BEAU24C1901A	0.05	(0.01)	300	-	BTS06C1903B	-	-	-	-
BBL08P1810A	-	-	-	-	BEAU24C1902A	0.01	(0.02)	27,767	-	BTS06C1903C	-	-	-	-
BBL11C1903A	0.45	(0.01)	7,616	-	BEAU24C1903A	0.38	(0.09)	5	-	BTS08C1810A	-	-	-	-
BBL11P1903A	0.15	0.02	2,541	-	BEAU27C1903A	0.10	(0.01)	15,216	-	BTS11C1904A	-	-	-	-
BBL13C1901A	0.25	(0.02)	52,406	-	BEAU28C1811A	-	-	-	-	BTS19C1901A	0.15	(0.01)	10,890	-
BBL19C1901A	0.23	(0.02)	46,558	-	BEC01C1812A	0.03	(0.02)	4,911	-	BTS23C1905A	1.51	(0.02)	2	1.00
BBL23C1811A	0.16	(0.03)	13,000	-	BEC01C1812B	0.02	-	2,002	-	BTS24C1901A	-	-	-	-
BBL24C1812A	-	-	-	-	BEC13C1811A	-	-	-	-	BTS28C1811A	-	-	-	-
BBL24C1902A	0.17	(0.01)	2	-	BEC13C1901A	0.03	(0.01)	148,666	-	BTS28C1902A	-	-	-	-
BBL24P1810A	-	-	-	-	BEC24C1812A	-	-	-	-	BTS42C1901A	-	-	-	-
BBL24P1904A	0.39	0.02	552	-	BEC28C1811A	-	-	-	-	BTS42P1901A	0.26	-	13,928	-
BBL27C1904A	0.42	(0.01)	7,480	-	BEM01C1902A	0.31	(0.01)	58,839	-	CBG01C1811A	0.08	(0.01)	15,263	-
BBL27P1904A	0.57	0.01	2,510	-	BEM01C1902B	0.23	(0.01)	50	-	CBG01C1811B	0.01	(0.01)	1,115	-
BBL28C1811A	-	-	-	-	BEM01P1902A	0.46	0.02	18,070	-	CBG01C1902A	0.32	(0.02)	68,957	-
BBL28C1901A	0.20	(0.02)	12,276	-	BEM07C1903A	-	-	-	-	CBG01C1902B	0.20	(0.05)	118,632	-
BBL42C1903A	0.26	(0.02)	18,562	-	BEM08C1903A	0.19	(0.02)	9,120	-	CBG01P1811A	1.39	0.09	23,668	1.00
BCH01C1902A	0.45	-	117,733	-	BEM11C1903A	0.16	(0.02)	9,300	-	CBG01P1811B	0.64	0.07	137,024	-
BCH01C1902B	0.29	(0.01)	170,864	-	BEM13C1901A	0.24	(0.02)	69,156	-	CBG06C1903A	0.29	(0.04)	21,974	-
BCH01P1902A	0.42	0.01	110,668	-	BEM19C1901A	0.24	(0.02)	22,960	-	CBG06P1903A	1.13	0.09	6,921	1.00
BCH06C1811A	0.25	(0.02)	13,440	-	BEM23C1901A	0.11	(0.02)	3,700	-	CBG07C1812A	-	-	-	-
BCH08C1901A	0.47	(0.02)	23,296	-	BEM24C1902A	0.14	(0.02)	601	-	CBG08C1810A	-	-	-	-
BCH11C1905A	0.42	(0.01)	36,335	-	BEM27C1904A	0.19	(0.02)	4,800	-	CBG08C1902A	0.10	(0.01)	4,512	-
BCH13C1810A	0.04	(0.02)	5,437	-	BEM42C1904A	0.17	(0.03)	8,191	-	CBG11C1902A	0.01	(0.03)	10,806	-
BCH13C1902A	0.24	-	79,247	-	BEM42P1904A	0.27	0.01	9,212	-	CBG13C1811A	-	-	-	-
BCH19C1903A	0.49	(0.01)	42,286	-	BGRI01C1901A	1.01	(0.08)	33,211	1.00	CBG13C1812A	0.02	(0.01)	21,118	-
BCH23C1811A	0.35	(0.02)	10,000	-	BGRI01C1901B	0.72	(0.10)	36,177	-	CBG13C1901A	0.19	(0.03)	107,141	-
BCH24C1811A	0.07	(0.03)	2	-	BGRI01C1903A	0.30	(0.03)	203,846	-	CBG19C1810A	-	-	-	-
BCH27C1902A	0.66	(0.03)	7,852	-	BGRI01C1903B	0.21	(0.03)	226,758	-	CBG19C1901A	0.14	(0.03)	22,751	-
BCH28C1811A	-	-	-	-	BGRI06C1903A	0.83	(0.08)	13,710	-	CBG23C1901A	-	-	-	-
BCH28C1902A	0.18	(0.01)	25,540	-	BGRI07C1903A	0.21	(0.10)	3,000	-	CBG24C1811A	-	-	-	-
BCP01C1810A	0.03	(0.02)	29,826	-	BGRI08C1902A	0.65	(0.06)	2,120	-	CBG24C1901A	0.14	(0.02)	1	-
BCP01C1810B	0.01	(0.01)	70	-	BGRI13C1812A	-	-	-	-	CBG24C1903A	0.14	(0.15)	1	-
BCP01C1903A	0.18	(0.01)	1,000	-	BGRI13C1812B	0.15	(0.03)	116,186	-	CBG28C1811A	-	-	-	-
BCP01C1903B	0.11	(0.02)	91,920	-	BGRI19C1901A	0.50	(0.06)	18,676	-	CBG28C1812A	-	-	-	-
BCP01P1810A	0.53	0.02	18,462	-	BGRI19C1903A	0.19	(0.02)	66,569	-	CBG42C1904A	0.18	(0.02)	14,124	-
BCP01P1903A	0.50	0.02	46,180	-	BGRI24C1901A	0.55	(0.15)	3,066	-	CENTO1C1810A	0.01	-	3,023	-
BCP08C1901A	-	-	-	-	BGRI24C1902A	0.20	(0.02)	11,790	-	CENTO1C1810B	-	-	-	-
BCP11C1811A	-	-	-	-	BGRI28C1812A	0.60	(0.24)	250	-	CENTO1C1903A	0.40	(0.01)	17,848	-
BCP13C1810A	-	-	-	-	BGRI28C1901A	0.12	(0.02)	101,274	-	CENTO1C1903B	0.30	-	94,576	-
BCP13C1902A	0.11	(0.01)	86,221	-	BH01C1811A	0.57	(0.04)	113,135	-	CENTO1P1810A	1.21	(0.02)	11,512	1.00
BCP19C1902A	0.10	(0.02)	19,278	-	BH01C1811B	-	-	-	-	CENTO1P1903A	0.49	-	59,837	-
BCP24C1811A	-	-	-	-	BH01P1811A	0.94	0.05	38,131	-	CENT06C1904A	0.14	(0.01)	19,400	-
BCP24C1904A	0.07	(0.01)	1	-	BH07C1810A	-	-	-	-	CENT08C1902A	0.14	0.01	13,128	-
BCP28C1901A	0.08	(0.01)	19,044	-	BH08C1811A	-	-	-	-	CENT11C1904A	0.09	-	2,408	-
BCPG01C1811A	0.24	(0.06)	345,765	-	BH08C1902A	0.53	(0.03)	53,373	-	CENT13C1811A	-	-	-	-
BCPG01C1811B	0.02	(0.02)	40,802	-	BH11C1902A	0.03	-	2,996	-	CENT13C1902A	0.21	-	69,251	-
BCPG01C1904A	0.33	(0.04)	83,359	-	BH11C1905A	0.63	(0.04)	12,930	-	CENT19C1901A	0.13	(0.01)	25,640	-
BCPG01C1904B	0.22	(0.04)	98,307	-	BH13C1901A	0.55	(0.05)	80,066	-	CENT23C1902A	-	-	-	-
BCPG06C1811A	0.05	(0.04)	9,820	-	BH19C1901A	0.54	(0.04)	46,221	-	CENT24C1810A	-	-	-	-
BCPG08C1810A	0.01	(0.02)	2,096	-	BH24C1811A	-	-	-	-	CENT24C1901A	-	-	-	-
BCPG08C1904A	0.17	(0.02)	19,428	-	BH24C1902A	0.42	(0.04)	1,840	-	CENT24C1902A	0.19	-	6,051	-
BCPG11C1902A	0.06	(0.02)	17,400	-	BIG08C1906A	0.10	(0.02)	23,263	-	CHG01C1903A	0.32	(0.03)	61,276	-
BCPG13C1812A	0.21	(0.06)	3,952	-	BIG13C1901A	0.03	(0.01)	13,064	-	CHG01C1903B	0.22	(0.04)	78,101	-
BCPG13C1902A	0.14	(0.03)	128,851	-	BIG19C1811A	-	-	-	-	CHG01P1903A	0.47	0.03	43,075	-
BCPG19C1901A	0.27	(0.06)	33,336	-	BIG24C1812A	-	-	-	-	CHG07C1902A	-	-	-	-
BCPG23C1902A	0.24	(0.05)	9,642	-	BJC01C1812A	0.51	(0.01)	30,602	-	CHG11C1904A	0.24	(0.01)	4,816	-
BCPG24C1810A	-	-	-	-	BJC01C1812B	0.24	(0.02)	25,894	-	CHG13C1812A	0.18	(0.03)	107,636	-
BCPG24C1903A	0.14	(0.04)	180	-	BJC01P1812A	0.35	0.01	52,520	-	CHG13C1903A	0.10	(0.01)	52,607	-
BCPG27C1903A	0.25	(0.06)	61,600	-	BJC06C1901A	0.12	0.01	400	-	CHG19C1902A	0.26	(0.03)	40,847	-
BCPG28C1812A	0.29	(0.10)	560	-	BJC08C1903A	0.25	(0.02)	4,016	-	CHG23C1811A	0.93	(0.30)	1,000	-
BCPG28C1901A	0.11	(0.04)	129,997	-	BJC11C1905A	0.35	(0.01)	6,480	-	CHG24C1811A	0.07	(0.05)	301	-
BDMS01C1811A	0.10	(0.02)	14,982	-	BJC13C1812A	0.19	0.01	1,000	-	CHG28C1812A	-	-	-	-
BDMS01C1811B	0.01	-	3,500	-	BJC13C1902A	0.17	(0.01)	13,495	-	CHG28C1902A	0.13	(0.03)	25,504	-
BDMS01P1811A	0.33	0.04	49,178	-	BJC19C1902A	0.30	-	18,655	-	CK01C1902A	0.22	(0.03)	43,559	-
BDMS06C1811A	0.26	(0.08)	14,580	-	BJC23C1901A	0.12	-	5,000	-	CK01C1902B	0.16	(0.02)	50,086	-
BDMS07C1904A	0.12	(0.01)	841	-	BJC24C1901A	0.16	(0.06)	1,202	-	CK01P1				

## Main Board Quotation

Issue Date :

Wednesday October 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP19C1903A	0.18	(0.01)	42,319	-	DTAC06P1903A	0.56	(0.01)	21,179	-	GPSC11C1902A	0.02	(0.02)	6,906	-
CKP23C1810A	0.43	(0.11)	16,000	-	DTAC07C1902A	-	-	-	-	GPSC13C1812A	-	-	-	-
CKP24C1811A	0.44	(0.13)	35,106	-	DTAC08C1903A	0.34	(0.02)	8,776	-	GPSC13C1903A	0.15	(0.08)	215,145	-
CKP28C1902A	0.53	(0.05)	50,571	-	DTAC08P1902A	0.15	-	8,466	-	GPSC19C1901A	0.05	(0.05)	17,696	-
CKP28C1903A	0.13	-	50,246	-	DTAC11C1904A	0.25	(0.02)	15,419	-	GPSC24C1812A	0.01	-	500	-
COM701C1811A	0.69	(0.17)	88,564	-	DTAC13C1811A	0.01	-	6,200	-	GPSC24C1904A	0.19	(0.09)	8,462	-
COM701C1811B	0.23	(0.18)	216,738	-	DTAC13C1812A	-	-	-	-	GPSC27C1902A	0.10	(0.05)	13,200	-
COM706C1903A	0.50	(0.14)	15,920	-	DTAC13C1902A	0.26	-	68,547	-	GPSC28C1811A	-	-	-	-
COM708C1811A	0.07	(0.08)	11,250	-	DTAC13P1811A	0.10	(0.01)	24,178	-	GPSC28C1903A	0.11	(0.06)	204,379	-
COM708C1903A	0.48	(0.15)	20,484	-	DTAC13P1812A	0.03	-	200	-	GUNK08C1902A	0.20	-	19,203	-
COM711C1811A	0.47	(0.21)	33,512	-	DTAC13P1903A	0.50	-	39,422	-	GUNK11C1903A	0.08	(0.03)	14,130	-
COM713C1812A	0.45	(0.07)	542	-	DTAC19C1811A	0.11	-	33,412	-	GUNK13C1903A	0.25	-	101,465	-
COM713C1903A	0.32	(0.09)	81,674	-	DTAC24C1901A	0.30	(0.02)	2	-	GUNK19C1903A	0.41	(0.02)	56,133	-
COM719C1811A	0.25	(0.18)	23,865	-	DTAC27C1903A	0.32	(0.01)	12,000	-	GUNK24C1812A	0.08	(0.02)	8,400	-
COM719C1904A	0.64	(0.15)	32,271	-	DTAC27P1903A	0.48	0.01	13,800	-	GUNK24C1903A	0.23	(0.06)	811	-
COM723C1901A	0.32	(0.14)	28,284	-	DTAC28C1812A	0.40	(0.01)	22,674	-	GUNK28C1903A	0.26	(0.01)	316,536	-
COM724C1811A	0.14	(0.12)	3,147	-	DTAC28C1902A	0.26	(0.01)	31,746	-	HANA01C1811A	0.37	(0.08)	16,922	-
COM727C1902A	0.55	(0.14)	13,200	-	DTAC42C1903A	0.32	(0.01)	17,540	-	HANA01C1811B	0.09	(0.04)	9,090	-
COM728C1811A	-	-	-	-	EA07C1810A	-	-	-	-	HANA08C1903A	0.25	(0.09)	3,760	-
COM728C1903A	0.46	(0.13)	85,870	-	EA07C1903A	0.55	(0.10)	3,030	-	HANA11C1904A	0.18	(0.05)	602	-
CPAL01C1901A	0.10	(0.02)	79,701	-	EA08C1810A	0.11	(0.17)	7,454	-	HANA13C1901A	0.20	(0.05)	30,492	-
CPAL01C1901B	0.03	(0.01)	45,910	-	EA08C1903A	0.54	(0.09)	16,135	-	HANA19C1902A	0.17	(0.06)	7,842	-
CPAL01C1904A	0.48	(0.07)	170,951	-	EA11C1902A	0.11	(0.05)	4,432	-	HANA23C1811A	-	-	-	-
CPAL01C1904B	0.30	(0.07)	344,468	-	EA13C1811A	0.05	(0.03)	48,123	-	HANA24C1810A	-	-	-	-
CPAL01P1901A	1.80	0.14	101,987	1.00	EA13C1812A	0.17	(0.09)	47,026	-	HANA24C1903A	0.17	(0.04)	3	-
CPAL01P1901B	1.43	0.21	61,524	1.00	EA13C1812B	0.60	(0.11)	200	-	HANA28C1812A	0.25	(0.06)	6,590	-
CPAL01P1904A	0.97	0.08	109,845	-	EA13C1901A	0.22	(0.08)	104,168	-	HANA28C1902A	0.18	(0.04)	12,168	-
CPAL01P1904B	0.73	0.08	154,367	-	EA19C1811A	0.22	(0.08)	35,372	-	HMPR01C1902A	0.38	(0.01)	66,067	-
CPAL06C1811A	0.32	(0.09)	623	-	EA19C1902A	0.41	(0.07)	66,257	-	HMPR01C1902B	0.30	(0.01)	34,752	-
CPAL06C1811B	-	-	-	-	EA23C1901A	0.42	(0.08)	10,550	-	HMPR01P1902A	0.34	0.01	27,408	-
CPAL07C1902A	0.13	(0.04)	17,350	-	EA24C1901A	0.23	(0.09)	802	-	HMPR06C1811A	-	-	-	-
CPAL08C1902A	0.05	(0.02)	72,248	-	EA27C1902A	0.68	(0.06)	3,600	-	HMPR08C1810A	-	-	-	-
CPAL08C1902B	0.20	(0.05)	27,510	-	EA28C1901A	0.34	(0.08)	27,370	-	HMPR11C1906A	0.22	(0.03)	10,515	-
CPAL08P1810A	-	-	-	-	EA28C1902A	0.17	(0.06)	40,202	-	HMPR13C1812A	0.18	(0.02)	49,251	-
CPAL08P1904A	0.81	0.09	15,636	-	EGCO01C1903A	0.54	(0.01)	38,738	-	HMPR19C1901A	0.37	(0.01)	12,667	-
CPAL11C1903A	0.03	(0.01)	6,770	-	EGCO01C1903B	0.39	-	49,872	-	HMPR23C1901A	-	-	-	-
CPAL11P1903A	1.38	0.19	16,160	1.00	EGCO19C1901A	0.28	(0.02)	22,668	-	HMPR24C1901A	0.17	(0.02)	1	-
CPAL13C1812A	0.02	(0.01)	8,580	-	EGCO23C1811A	0.11	-	6,000	-	HMPR28C1811A	0.01	(0.01)	1,000	-
CPAL13C1901A	0.13	(0.04)	234,957	-	EGCO24C1901A	0.14	0.01	70	-	HMPR28C1903A	0.19	(0.01)	29,960	-
CPAL13P1902A	0.63	0.09	28,319	-	EPG01C1901A	0.25	(0.01)	43,613	-	INTU01C1903A	0.33	(0.02)	27,227	-
CPAL19C1811A	0.01	-	2,435	-	EPG01C1903B	0.17	-	10,236	-	INTU01C1903B	0.20	(0.01)	20,898	-
CPAL19C1902A	0.19	(0.05)	55,928	-	EPG01P1903A	1.16	(0.01)	11,372	1.00	INTU01P1903A	0.79	0.03	20,498	-
CPAL23C1810A	-	-	-	-	EPG07C1811A	0.08	-	1,530	-	INTU01P1903B	0.59	0.03	26,212	-
CPAL24C1811A	0.01	-	1	-	EPG08C1810A	-	-	-	-	INTU11C1905A	0.16	(0.02)	1,545	-
CPAL24C1901A	0.03	(0.01)	2,900	-	EPG08C1810B	0.07	-	12,338	-	INTU11P1905A	0.37	0.02	2,060	-
CPAL24C1903A	0.14	(0.05)	3,502	-	EPG08C1903A	0.11	0.01	5,339	-	INTU13C1812A	0.13	(0.02)	28,788	-
CPAL24P1901A	0.56	0.10	5,593	-	EPG11C1903A	0.26	-	15,738	-	INTU19C1901A	0.13	(0.03)	3,000	-
CPAL27C1903A	0.19	(0.05)	7,200	-	EPG13C1811A	0.03	(0.03)	280	-	INTU24C1901A	0.06	(0.16)	1	-
CPAL28C1811A	-	-	-	-	EPG13C1902A	0.08	-	4,751	-	INTU28C1901A	-	-	-	-
CPAL28C1901A	0.10	(0.04)	94,155	-	EPG13C1903A	0.21	-	31,511	-	INTU42C1904A	0.16	(0.01)	2,000	-
CPAL42C1904A	0.24	(0.05)	16,500	-	EPG19C1902A	0.11	(0.01)	7,617	-	INTU42P1904A	0.31	0.01	3,224	-
CPAL42P1904A	0.46	0.06	20,295	-	EPG24C1810A	-	-	-	-	IRPC01C1810A	0.01	-	71,770	-
CPF01C1810A	0.08	0.01	8,695	-	EPG24C1902A	0.15	(0.03)	3	-	IRPC01C1810B	0.01	-	31,402	-
CPF01C1902A	0.17	-	102,942	-	EPG28C1902A	0.10	0.01	16,001	-	IRPC01C1903A	0.14	(0.04)	299,466	-
CPF01C1902B	0.10	-	36,000	-	ERW13C1902A	0.18	(0.05)	25,940	-	IRPC01C1903B	0.08	(0.02)	218,195	-
CPF01P1902A	0.44	-	39,431	-	ERW19C1902A	0.31	(0.07)	11,169	-	IRPC01P1810A	0.55	0.07	39,809	-
CPF01P1902B	0.35	-	49,107	-	ERW24C1904A	0.34	(0.04)	458	-	IRPC01P1810B	0.08	0.04	221,001	-
CPF06C1903A	-	-	-	-	ESSO01C1812A	0.28	(0.10)	57,369	-	IRPC01P1903A	0.71	0.05	102,942	-
CPF07C1810A	-	-	-	-	ESSO01C1812B	0.11	(0.07)	20,965	-	IRPC01P1903B	0.60	0.07	126,409	-
CPF08C1901A	0.09	(0.01)	1,601	-	ESSO01P1812A	0.61	0.11	169,383	-	IRPC06C1811A	0.04	(0.04)	23,480	-
CPF11C1902A	-	-	-	-	ESSO08C1902A	0.22	(0.09)	10,726	-	IRPC07C1812A	-	-	-	-
CPF11P1902A	0.23	(0.01)	16,530	-	ESSO11C1905A	0.47	(0.12)	10,368	-	IRPC08C1902A	0.11	(0.02)	28,965	-
CPF13C1902A	0.10	-	10,636	-	ESSO13C1811A	0.03	(0.04)	1,500	-	IRPC11C1902A	-	-	-	-
CPF13C1903A	0.41	(0.01)	42,098	-	ESSO13C1903A	0.24	(0.07)	25,518	-	IRPC11C1905A	0.16	(0.03)	11,330	-
CPF19C1901A	0.10	0.01	15,774	-	ESSO19C1901A	0.18	(0.07)	20,804	-	IRPC13C1811A	0.01	(0.01)	5,000	-
CPF23C1810A	-	-	-	-	ESSO24C1812A	0.02	(0.06)	2	-	IRPC13C1812A	0.06	(0.02)	56,686	-
CPF24C1901A	0.12	(0.02)	1	-	ESSO24C1902A	0.19	(0.09)	4	-	IRPC19C1901A	0.10	(0.04)	82,848	-
CPF24C1902A	0.04	(0.02)	1	-	ESSO28C1811A	0.03	(0.03)	8,048	-	IRPC23C1810A	-	-	-	-
CPF24C1903A	-	-	-	-	ESSO28C1903A	0.17	(0.07)	37,298	-	IRPC24C1812A	-	-	-	-
CPF24C1904A	0.46	(0.01)	102	-	GFPT08C1906A	0.44	(0.05)	12,386	-	IRPC27C1903A	0.12	(0.04)	16,000	-
CPF27C1903A	-	-	-	-	GFPT13C1902A	0.18	(0.05)	5,297	-	IRPC28C1811A	-	-	-	-
CPF28C1811A	0.02	(0.01)	5,200	-	GFPT19C1811A	0.31	(0.07)	5,254	-	IRPC28C1812A	0.09	(0.06)	2,600	-
CPF28C1902A	-	-	-	-	GFPT19C1903A	0.28	(0.04)	7,972	-	IRPC28C1902A	0.08	(0.03)	55,276	-
CPF28C1903A	0.40	-	93,808	-	GFPT24C1812A	0.21	(0.08)	89	-	ITD06C1904A	0.19	(0.03)	7,680	-
CPN01C1902A	0.38	(0.10)	39,285	-	GGC01C1810A	-	-	-	-	ITD08C1810A	-	-	-	-
CPN01C1902B	0.23	(0.05)	71,320	-	GGC01C1810B	0.01	-	3,869	-	ITD08C1902A	0.13	(0.02)	3,380	-
CPN01P1902A	1.02	0.11	34,140	-	GGC07C1902A	-	-	-	-	ITD11C1903A	0.06	(0.01)	200	-
CPN06C1811A	0.28	(0.08)	15,660	-	GGC08C1906A	0.07	(0.01)	500	-	ITD13C1812A	0.04	-	300	-
CPN07C1902A	-	-	-	-	GGC13C1811A	-	-	-	-	ITD13C1902A	0.15	(0.01)	44,132	-
CPN08C1903A	0.34	(0.08)	13,952	-	GGC13C1902A	0.09	(0.01)	31,427	-	ITD19C1811A	-	-	-	-
CPN11C1903A	0.15	(0.06)	9,777	-	GGC19C1811A	-	-	-	-	ITD19C1903A	0.27	(0.02)	9,450	-
CPN11P1903A	0.27	0.05	7,532	-	GGC19C1902A	0.21	(0.02)	11,516	-	ITD24C1810A	-	-	-	-
CPN13C1812A	0.08	(0.06)	70,444	-	GGC23C1901A	-	-	-	-	ITD24C1902A	-	-	-	-
CPN13C1903A	0.43	(0.11)	81,056	-	GGC24C1812A	-	-	-	-	IVL01C1812A	0.18	(0.10)	415,710	-
CPN19C1901A	0.28	(0.10)	76,881	-	GGC24C1901A	0.09	(0.05)	200	-	IVL01C1812B	0.04	(0.04)	205,565	

## Main Board Quotation

Issue Date :

Wednesday October 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL24C1812A	0.02	(0.01)	4,261	-	LH23C1901A	-	-	-	-	PSL19C1903A	0.23	(0.09)	25,105	-
IVL24C1901A	0.13	(0.10)	1,044	-	LH24C1903A	-	-	-	-	PTG01C1811A	0.02	-	20,180	-
IVL27C1902A	0.20	(0.08)	22,800	-	LPN01C1811A	0.22	(0.03)	36,822	-	PTG01C1811B	-	-	-	-
IVL28C1811A	0.01	(0.03)	4,720	-	LPN01C1811B	0.02	-	39,510	-	PTG01C1902A	0.17	(0.03)	53,085	-
IVL28C1812A	0.14	(0.10)	155,326	-	LPN08C1810A	-	-	-	-	PTG01C1902B	0.07	(0.02)	27,664	-
IVL28C1902A	0.14	(0.07)	117,373	-	LPN08C1906A	0.15	(0.01)	2,350	-	PTG01P1811A	2.04	0.08	19,492	2.00
IVL28P1811A	0.25	0.14	143,750	-	LPN13C1903A	0.11	(0.02)	10	-	PTG01P1902A	0.76	0.06	235,559	-
IVL42C1903A	0.17	(0.07)	24,980	-	LPN19C1811A	-	-	-	-	PTG06C1810A	0.01	-	15,260	-
KBAN01C1810A	0.95	(0.02)	18,842	-	LPN24C1812A	0.04	(0.02)	2,000	-	PTG06C1904A	0.07	(0.02)	16,982	-
KBAN01C1901A	1.14	-	17,853	1.00	MAJO08C1811A	-	-	-	-	PTG08C1902A	0.02	-	1,001	-
KBAN01C1901B	0.34	(0.06)	88,440	-	MAJO11C1902A	0.03	(0.02)	180	-	PTG08C1903A	0.09	(0.02)	6,605	-
KBAN01C1904A	0.41	(0.01)	74,703	-	MAJO13C1903A	0.12	(0.01)	19,824	-	PTG11C1903A	0.02	(0.01)	1,161	-
KBAN01C1904B	0.29	(0.01)	90,569	-	MAJO19C1902A	0.11	(0.01)	17,929	-	PTG13C1812A	0.02	0.01	1	-
KBAN01P1810A	0.02	-	5,427	-	MAJO24C1902A	0.24	(0.04)	5,300	-	PTG13C1901A	0.05	(0.02)	99,300	-
KBAN01P1901A	0.80	0.01	37,061	-	MALE01C1812A	0.01	-	55,930	-	PTG19C1902A	0.01	(0.02)	585,133	-
KBAN01P1901B	0.19	0.01	89,393	-	MALE08C1811A	-	-	-	-	PTG19C1902B	0.13	(0.03)	12,245	-
KBAN01P1904A	0.73	0.01	51,720	-	MALE27C1812A	0.01	-	900	-	PTG24C1901A	0.05	(0.02)	7,600	-
KBAN01P1904B	0.52	0.01	55,001	-	MC19C1811A	-	-	-	-	PTG24C1902A	-	-	-	-
KBAN06C1811A	0.27	(0.01)	8,400	-	MC24C1812A	0.05	(0.01)	3,000	-	PTG27C1902A	-	-	-	-
KBAN07C1811A	-	-	-	-	MEGA01C1812A	0.12	(0.01)	1,139	-	PTG28C1812A	0.01	-	450	-
KBAN08C1811A	0.30	0.01	1,428	-	MEGA01C1811B	-	-	-	-	PTG28C1901A	0.06	(0.02)	14,248	-
KBAN08C1903A	0.17	(0.01)	8,547	-	MEGA01C1903A	0.42	(0.06)	24,516	-	PTL08C1811A	0.16	(0.05)	18,511	-
KBAN08P1811A	-	-	-	-	MEGA01C1904B	0.34	(0.05)	14,201	-	PTT01C1810A	0.01	(0.01)	6,700	-
KBAN13C1811A	0.18	(0.03)	17,872	-	MEGA08C1811A	-	-	-	-	PTT01C1810B	0.02	0.01	32,045	-
KBAN13C1901A	0.17	(0.02)	22,534	-	MEGA08C1903A	0.24	(0.04)	7,170	-	PTT01C1901A	0.51	(0.08)	328,255	-
KBAN19C1901A	0.20	(0.02)	41,448	-	MEGA11C1902A	-	-	-	-	PTT01C1901B	0.32	(0.08)	260,931	-
KBAN23C1902A	0.36	-	16,600	-	MEGA13C1902A	0.24	(0.05)	28,642	-	PTT01C1904A	0.36	(0.05)	178,512	-
KBAN24C1902A	0.42	(0.02)	1	-	MEGA19C1902A	0.19	(0.04)	15,846	-	PTT01C1904B	0.25	(0.06)	252,932	-
KBAN24C1903A	-	-	-	-	MEGA23C1902A	-	-	-	-	PTT01P1810A	1.00	0.14	55,592	-
KBAN24P1811A	-	-	-	-	MEGA24C1812A	0.02	(0.01)	700	-	PTT01P1810B	0.02	0.01	59	-
KBAN27C1903A	0.30	-	7,200	-	MEGA24C1903A	0.20	(0.05)	3,200	-	PTT01P1901A	0.49	0.05	107,482	-
KBAN27P1904A	0.68	0.01	4,800	-	MINT01C1901A	0.37	(0.05)	92,038	-	PTT01P1901B	0.25	0.04	169,820	-
KBAN28C1811A	-	-	-	-	MINT01C1901B	0.15	(0.06)	200,840	-	PTT01P1904A	0.89	0.07	106,373	-
KBAN28C1812A	0.16	-	53,104	-	MINT01P1901A	0.24	0.04	153,413	-	PTT01P1904B	0.74	0.08	90,019	-
KBAN28P1811A	-	-	-	-	MINT06C1901A	-	-	-	-	PTT06C1811A	0.01	-	60,000	-
KBAN28P1904A	0.43	0.01	86,355	-	MINT06C1903A	-	-	-	-	PTT06C1901A	0.21	(0.07)	31,967	-
KCE01C1810A	0.27	(0.11)	44,861	-	MINT07C1810A	-	-	-	-	PTT06P1901A	0.37	0.08	13,290	-
KCE01C1810B	0.01	(0.01)	100	-	MINT08C1903A	0.19	(0.05)	14,813	-	PTT07C1811A	-	-	-	-
KCE01C1903A	0.25	(0.06)	38,637	-	MINT11C1902A	0.06	(0.02)	140	-	PTT08C1902A	0.17	(0.07)	47,850	-
KCE01C1903B	0.16	(0.06)	34,534	-	MINT11P1902A	0.14	0.04	2,093	-	PTT08P1904A	0.70	0.08	27,310	-
KCE06C1903A	0.09	(0.03)	120	-	MINT13C1810A	-	-	-	-	PTT11C1902A	0.10	(0.04)	2,888	-
KCE07C1902A	0.13	(0.05)	120	-	MINT13C1812A	0.20	(0.05)	96,037	-	PTT13C1810A	0.01	-	2	-
KCE08C1902A	0.10	(0.03)	2,208	-	MINT13C1903A	0.12	(0.03)	33,375	-	PTT13C1811A	0.04	(0.03)	2,196	-
KCE11C1904A	0.16	(0.05)	31,655	-	MINT19C1901A	0.26	(0.08)	98,912	-	PTT13C1812A	0.13	(0.05)	90,982	-
KCE13C1811A	0.12	(0.17)	800	-	MINT23C1810A	-	-	-	-	PTT13P1812A	0.11	0.03	23,422	-
KCE13C1812A	0.06	(0.02)	4,783	-	MINT24C1812A	0.01	(0.01)	1,000	-	PTT13P1902A	0.52	0.07	228,362	-
KCE13C1903A	0.14	(0.06)	36,318	-	MINT24C1901A	0.20	(0.07)	83	-	PTT16C1912A	-	-	-	-
KCE19C1901A	0.12	(0.06)	26,954	-	MINT24C1902A	0.12	(0.06)	253	-	PTT19C1901A	0.23	(0.08)	66,912	-
KCE23C1901A	0.03	(0.03)	34,461	-	MINT27C1903A	0.16	(0.04)	11,800	-	PTT23C1901A	0.03	(0.01)	2	-
KCE24C1901A	0.09	(0.03)	3,800	-	MINT28C1811A	0.09	(0.05)	500	-	PTT24C1812A	0.06	(0.03)	392	-
KCE27C1902A	0.18	(0.05)	6,000	-	MINT28C1903A	0.12	(0.03)	21,627	-	PTT24P1901A	-	-	-	-
KCE28C1811A	-	-	-	-	MINT42C1904A	0.20	(0.05)	18,192	-	PTT27C1903A	0.25	(0.07)	14,776	-
KCE28C1902A	0.08	(0.04)	22,342	-	MINT42P1904A	0.39	0.03	13,128	-	PTT27P1903A	0.53	0.06	12,001	-
KKP01C1902A	0.40	0.01	70,652	-	MONO01C1810A	0.01	-	10,336	-	PTT28C1811A	-	-	-	-
KKP01C1902B	0.20	-	86,006	-	MONO01C1810B	-	-	-	-	PTT28C1811B	0.02	(0.03)	100	-
KKP08C1811A	0.10	-	2,144	-	MONO08C1906A	-	-	-	-	PTT28C1812A	0.18	(0.05)	53,480	-
KKP11C1903A	0.17	0.01	24	-	MONO13C1811A	-	-	-	-	PTT28C1901A	0.06	(0.04)	21,082	-
KKP13C1811A	0.01	(0.02)	5,000	-	MONO13C1901A	-	-	-	-	PTT28C1904A	0.33	(0.05)	30,323	-
KKP19C1901A	0.28	-	20,463	-	MONO19C1811A	-	-	-	-	PTT28P1812A	-	-	-	-
KKP24C1812A	0.05	(0.02)	2	-	MONO23C1901A	-	-	-	-	PTT28P1903A	0.51	0.07	182,573	-
KKP28C1902A	0.17	-	71,536	-	MONO24C1812A	-	-	-	-	PTTE01C1901A	0.55	(0.23)	627,338	-
KTB01C1810A	0.43	(0.05)	52,040	-	MONO24C1812B	-	-	-	-	PTTE01C1901B	0.22	(0.16)	481,542	-
KTB01C1810B	0.01	(0.04)	10,000	-	MONO28C1811A	-	-	-	-	PTTE01C1904A	0.46	(0.18)	340,990	-
KTB01C1903A	0.36	(0.02)	65,523	-	MONO28C1901A	-	-	-	-	PTTE01C1904B	0.31	(0.17)	271,721	-
KTB01C1903B	0.28	(0.03)	116,848	-	MTC06C1901A	1.15	(0.11)	26,251	1.00	PTTE01P1901A	1.10	0.26	304,126	1.00
KTB01P1903A	0.55	0.03	82,788	-	MTC08C1811A	0.31	(0.09)	68,919	-	PTTE01P1901B	0.49	0.18	490,375	-
KTB01P1903B	0.48	0.01	83,672	-	MTC08C1902A	0.83	(0.11)	20,642	-	PTTE01P1904A	1.58	0.27	222,404	1.00
KTB06C1902A	0.33	(0.07)	15,596	-	MTC11C1904A	0.72	(0.07)	42,120	-	PTTE01P1904B	1.33	0.29	232,241	1.00
KTB08C1903A	0.24	(0.05)	16,764	-	MTC13C1811A	1.17	0.05	200	1.00	PTTE06C1811A	0.10	(0.17)	39,847	-
KTB11C1811A	0.10	(0.01)	1,200	-	MTC13C1901A	0.68	(0.07)	850	-	PTTE07C1904A	0.30	(0.15)	2,513	-
KTB13C1901A	0.42	(0.04)	15,950	-	MTC13C1903A	0.47	(0.07)	470,016	-	PTTE08C1811A	0.09	(0.13)	33,778	-
KTB13C1903A	0.24	(0.04)	11,742	-	MTC19C1901A	0.83	(0.12)	51,103	-	PTTE08P1811A	0.03	0.02	132	-
KTB19C1901A	0.28	(0.05)	14,478	-	MTC19C1903A	0.53	(0.06)	62,290	-	PTTE08P1904A	1.30	0.26	56,013	1.00
KTB23C1811A	-	-	-	-	MTC24C1810A	0.75	(0.12)	11	-	PTTE11C1902A	0.37	(0.26)	91,649	-
KTB24C1811A	0.07	(0.04)	1	-	MTC24C1812A	1.07	(0.15)	32	1.00	PTTE13C1811A	0.03	(0.06)	28,310	-
KTB24P1901A	0.05	0.01	582	-	MTC27C1904A	0.64	(0.07)	1,200	-	PTTE13C1812A	0.31	(0.22)	166,620	-
KTB28C1811A	0.10	(0.03)	7,411	-	MTC28C1902A	-	-	-	-	PTTE13C1902A	0.15	(0.12)	226,359	-
KTB28C1903A	0.19	(0.04)	24,368	-	MTC28C1903A	0.34	(0.05)	151,034	-	PTTE13P1811A	0.01	-	19,930	-
KTB42C1903A	0.25	(0.04)	11,200	-	ORI08C1904A	0.18	(0.07)	19,198	-	PTTE13P1901A	0.40	0.16	160,337	-
KTB42P1903A	0.22	0.01	8,160	-	ORI11C1811A	0.03	-	31	-	PTTE13P1902A	0.96	0.28	174,366	-
KTC01C1810A	0.12	(0.04)	151,629	-	ORI13C1902A	0.10	(0.05)	54,983	-	PTTE19C1811A	0.18	(0.23)	89,692	-
KTC01C1810B	0.01	-	22	-	ORI19C1811A	0.01	(0.01)	1,800	-	PTTE19C1903A	0.37	(0.17)	460,700	-
KTC01C1901A	0.46	(0.03)	141,282	-	ORI19C1904A	0.20	(0.06)	52,675	-	PTTE23C1901A	0.03	(0.02)	8,056	-
KTC01C1901B	0.35	(0.03)	146,767	-	ORI24C1810A	-	-	-	-	PTTE24C1811A	0.02	(0.04)	2,792	-
KTC08C1903A	0.41	(0.03)	24,756	-	ORI24C1903A	0.14	(0.04)	465	-	PTTE24C1901A	0.19	(0.21)	65,198	-
KTC11C190														

## Main Board Quotation

Issue Date :

Wednesday October 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG01P1904A	1.51	0.12	82,805	1.00	SAWA01C1901A	0.57	(0.05)	96,753	-	SPAL01C1902B	0.18	(0.03)	13,840	-
PTTG01P1904B	1.35	0.13	89,275	1.00	SAWA01C1901B	0.37	(0.05)	92,019	-	SPAL11C1905A	0.07	(0.01)	610	-
PTTG06C1903A	0.57	(0.15)	36,930	-	SAWA01P1901A	0.54	0.03	110,716	-	SPAL13C1903A	0.24	(0.02)	33,382	-
PTTG06P1903A	0.45	0.09	37,810	-	SAWA06C1811A	-	-	-	-	SPAL19C1902A	0.17	(0.02)	14,972	-
PTTG07C1812A	0.05	(0.03)	5,160	-	SAWA06C1903A	0.84	(0.08)	6,595	-	SPAL23C1811A	0.13	(0.02)	4,000	-
PTTG08C1811A	-	-	-	-	SAWA07C1812A	-	-	-	-	SPAL24C1812A	0.01	(0.06)	2	-
PTTG08C1902A	0.23	(0.08)	27,060	-	SAWA08C1811A	0.01	-	4,006	-	SPRC01C1902A	0.22	(0.03)	52,977	-
PTTG08P1811A	0.74	0.21	8,966	-	SAWA08C1902A	0.58	(0.05)	13,494	-	SPRC01C1902B	0.12	(0.03)	63,630	-
PTTG11C1902A	0.03	(0.05)	255	-	SAWA08C1903A	0.31	(0.03)	5,444	-	SPRC06C1902A	0.20	(0.05)	30,560	-
PTTG13C1812A	0.03	(0.01)	14,694	-	SAWA11C1906A	0.39	(0.04)	5,522	-	SPRC07C1903A	-	-	-	-
PTTG13C1812B	0.28	(0.09)	89,542	-	SAWA13C1811A	0.02	-	1,100	-	SPRC08C1903A	0.15	(0.05)	16,946	-
PTTG19C1811A	0.01	(0.03)	2,310	-	SAWA13C1901A	0.51	(0.07)	4,825	-	SPRC11C1902A	-	-	-	-
PTTG19C1902A	0.38	(0.09)	63,165	-	SAWA13C1901A	0.51	(0.07)	4,825	-	SPRC13C1812A	0.12	(0.03)	83,987	-
PTTG23C1901A	0.01	(0.01)	9,003	-	SAWA13C1903A	0.21	(0.02)	38,983	-	SPRC19C1901A	0.18	(0.04)	34,904	-
PTTG24C1812A	-	-	-	-	SAWA19C1901A	0.58	(0.07)	18,150	-	SPRC23C1810A	-	-	-	-
PTTG24C1901A	0.14	(0.10)	4,003	-	SAWA19C1903A	0.31	(0.04)	30,076	-	SPRC24C1903A	0.17	(0.10)	2	-
PTTG24C1904A	0.39	(0.13)	2,003	-	SAWA24C1812A	0.05	(0.02)	2,506	-	STA01C1812A	0.84	(0.02)	76,908	-
PTTG24P1901A	0.21	-	1	-	SAWA24C1902A	0.43	(0.16)	14,003	-	STA01C1812B	0.66	(0.04)	96,334	-
PTTG27C1903A	0.17	(0.06)	9,900	-	SAWA27C1903A	0.45	0.02	6,000	-	STA08C1904A	0.34	-	26,200	-
PTTG27P1903A	0.45	0.08	14,300	-	SAWA28C1811A	0.05	(0.07)	51	-	STA13C1812A	-	-	-	-
PTTG28C1811A	-	-	-	-	SAWA28C1812A	-	-	-	-	STA13C1901A	0.70	0.02	130,154	-
PTTG28C1812A	0.21	(0.11)	94,913	-	SAWA28C1902A	0.22	(0.03)	41,369	-	STA13C1902A	0.40	-	380,368	-
PTTG42C1904A	0.32	(0.06)	22,264	-	SCB01C1810A	0.25	(0.14)	77,626	-	STA19C1811A	0.57	(0.04)	20,438	-
PTTG42P1904A	0.87	0.10	36,546	-	SCB01C1902A	0.81	(0.12)	101,518	-	STA19C1903A	0.94	-	25,930	-
QH01C1810A	0.23	(0.03)	26,707	-	SCB01C1902B	0.56	(0.15)	172,490	-	STA19C1903B	0.36	(0.01)	59,821	-
QH01C1810B	0.01	-	140	-	SCB01C1904A	0.41	(0.10)	163,666	-	STA24C1902A	0.39	(0.05)	12,560	-
QH01C1903A	0.15	-	8,700	-	SCB01C1904B	0.29	(0.08)	122,230	-	STA27C1904A	0.45	(0.01)	3,600	-
QH01C1903B	0.10	(0.01)	1,024	-	SCB01P1902A	0.44	0.06	95,925	-	STA28C1902A	0.42	0.01	39,995	-
QH01P1810A	0.35	0.04	11,152	-	SCB01P1902B	0.16	0.04	80,595	-	STA28C1903A	0.24	(0.01)	71,841	-
QH01P1903A	0.91	0.01	7,608	-	SCB01P1904A	1.18	0.13	87,096	1.00	STEC01C1902A	0.69	(0.06)	80,382	-
QH11C1902A	0.15	(0.02)	2,872	-	SCB01P1904B	1.00	0.12	110,129	-	STEC01C1902B	0.55	(0.07)	87,714	-
QH13C1903A	0.10	(0.01)	1,129	-	SCB06C1811A	0.39	(0.16)	18,986	-	STEC01P1902A	0.58	0.04	284,202	-
QH19C1901A	0.05	(0.01)	1,300	-	SCB07C1904A	-	-	-	-	STEC06C1903A	0.56	(0.08)	7,734	-
QH24C1812A	0.01	-	10,050	-	SCB08C1901A	0.27	(0.10)	32,565	-	STEC07C1904A	0.47	(0.07)	200	-
QH27C1903A	-	-	-	-	SCB11C1901A	0.11	(0.04)	17,960	-	STEC08C1903A	0.42	(0.06)	18,464	-
RATC19C1901A	0.18	(0.01)	40,959	-	SCB11P1901A	0.30	0.07	42,402	-	STEC11C1903A	0.58	(0.09)	33,990	-
RATC24C1902A	0.16	(0.02)	1	-	SCB13C1812A	0.27	(0.13)	101,863	-	STEC13C1902A	0.53	(0.06)	154,337	-
RATC27C1812A	-	-	-	-	SCB13C1902A	0.19	(0.07)	55,578	-	STEC13C1903A	0.16	(0.02)	94,140	-
ROBI01C1903A	0.62	(0.07)	35,049	-	SCB13P1812A	0.05	0.03	1,010	-	STEC19C1901A	0.55	(0.05)	54,820	-
ROBI01C1903B	0.42	(0.07)	40,251	-	SCB19C1811A	0.09	(0.05)	24,198	-	STEC24C1901A	0.56	(0.12)	5,705	-
ROBI08C1903A	0.35	(0.04)	7,374	-	SCB24C1901A	0.31	(0.15)	4	-	STEC27C1902A	-	-	-	-
ROBI11C1906A	0.39	(0.04)	5,522	-	SCB24C1902A	0.23	(0.10)	2,803	-	STEC28C1902A	0.41	(0.08)	59,600	-
ROBI13C1902A	0.32	(0.05)	48,618	-	SCB24P1811A	-	-	-	-	STEC28C1903A	0.13	(0.01)	44,436	-
ROBI19C1901A	0.45	(0.07)	11,668	-	SCB27C1902A	0.33	(0.06)	6,900	-	STP108C1811A	0.03	(0.02)	15,834	-
ROBI24C1901A	0.12	(0.03)	2,085	-	SCB27P1903A	0.51	0.08	11,700	-	SUPE08C1811A	-	-	-	-
ROBI24C1903A	0.41	(0.10)	10,204	-	SCB28C1812A	0.28	(0.10)	37,778	-	SUPE08C1902A	0.06	(0.02)	30	-
RS08C1901A	0.14	-	19,441	-	SCB28C1902A	0.16	(0.06)	84,026	-	SUPE13C1810A	-	-	-	-
RS13C1901A	0.18	0.01	323,567	-	SCB28P1812A	-	-	-	-	SUPE13C1811A	0.01	-	1,000	-
RS19C1901A	0.16	0.01	75,319	-	SCB28P1901A	0.48	0.10	187,252	-	SUPE13C1902A	0.05	(0.01)	44,134	-
RS24C1811A	0.06	-	8,683	-	SCB42C1903A	0.28	(0.04)	24,120	-	SUPE19C1902A	0.05	(0.03)	34,475	-
S10001C1811A	0.32	(0.05)	12,545	-	SCC01C1901A	0.42	(0.03)	271,769	-	SUPE23C1811A	-	-	-	-
S10001C1911A	0.91	(0.12)	1,575	-	SCC01C1901B	0.24	(0.02)	237,112	-	SUPE23C1901A	-	-	-	-
S5001C1810A	0.88	(0.20)	133,972	-	SCC01P1901A	0.41	0.01	71,566	-	SUPE28C1811A	-	-	-	-
S5001C1810B	0.71	(0.25)	296,667	-	SCC06C1902A	0.10	(0.02)	21,676	-	SUPE28C1902A	0.04	(0.03)	932	-
S5001C1811A	0.33	(0.14)	199,232	-	SCC07C1812A	0.32	(0.08)	500	-	TASC01C1810A	0.01	-	7,799	-
S5001C1811B	0.21	(0.13)	184,030	-	SCC08C1902A	0.15	(0.01)	20,426	-	TASC01C1810B	0.01	-	15,000	-
S5001C1812F	0.39	(0.15)	2,163,100	-	SCC11C1811A	-	-	-	-	TASC01C1903A	0.29	(0.07)	88,947	-
S5001C1812G	0.18	(0.12)	1,106,773	-	SCC11C1906A	0.13	(0.01)	10,670	-	TASC01C1903B	0.18	(0.07)	74,996	-
S5001C1812H	0.16	(0.10)	1,105,668	-	SCC1P1811A	0.23	0.03	9,463	-	TASC01P1810A	0.80	0.15	13,014	-
S5001C1812I	0.21	(0.13)	659,542	-	SCC13C1812A	0.02	(0.01)	4,140	-	TASC01P1903A	0.72	0.10	78,168	-
S5001C1901A	0.28	(0.12)	251,302	-	SCC13C1901A	0.17	(0.03)	10	-	TASC07C1811A	-	-	-	-
S5001C1901B	0.22	(0.10)	88,383	-	SCC13C1903A	0.12	(0.03)	16,283	-	TASC08C1903A	0.21	(0.08)	7,051	-
S5001C1902A	0.49	(0.14)	39,151	-	SCC19C1811A	-	-	-	-	TASC11C1904A	0.06	(0.02)	1,209	-
S5001C1902B	0.39	(0.15)	85,718	-	SCC19C1901A	0.14	(0.03)	49,382	-	TASC13C1901A	0.11	(0.06)	71,094	-
S5001P1810A	0.34	0.18	485,494	-	SCC23C1811A	-	-	-	-	TASC19C1902A	0.18	(0.07)	39,397	-
S5001P1810B	0.07	0.05	196,461	-	SCC24C1812A	-	-	-	-	TASC23C1902A	0.16	(0.05)	14,000	-
S5001P1811A	1.37	0.23	76,977	1.00	SCC24C1901A	0.14	(0.02)	5,510	-	TASC24C1810A	-	-	-	-
S5001P1811B	1.33	0.29	219,461	1.00	SCC24C1902A	0.09	(0.01)	1	-	TASC24C1903A	0.20	-	3,000	-
S5001P1812F	1.86	0.34	2,317,893	1.00	SCC24P1901A	0.18	-	90	-	TASC28C1902A	0.11	(0.04)	59,404	-
S5001P1812G	1.49	0.34	2,723,555	1.00	SCC27C1904A	0.24	(0.01)	6,120	-	TCAP01C1901A	0.50	(0.04)	24,629	-
S5001P1812H	1.92	0.38	1,999,179	1.00	SCC27P1904A	0.70	0.03	3,200	-	TCAP01C1901B	0.33	(0.03)	32,406	-
S5001P1812I	1.52	0.38	2,083,795	1.00	SCC28C1811A	-	-	-	-	TCAP01P1901A	0.31	0.02	27,444	-
S5001P1901A	1.44	0.23	16,445	1.00	SCC28C1812A	0.16	(0.03)	13,141	-	TCAP08C1810A	-	-	-	-
S5001P1901B	1.51	0.30	498,497	1.00	SCC28C1902A	0.09	(0.01)	10,230	-	TCAP11C1811A	-	-	-	-
S5001P1902A	1.23	0.21	9,695	1.00	SCC42C1904A	0.13	(0.01)	1,384	-	TCAP13C1901A	0.32	(0.02)	34,803	-
S5001P1902B	1.30	0.26	150,733	1.00	SCCC08C1811A	-	-	-	-	TCAP19C1901A	0.22	(0.02)	11,835	-
S5006C1812A	0.09	(0.07)	196,793	-	SCCC27C1812A	-	-	-	-	TCAP24C1903A	0.16	(0.03)	17,867	-
S5006C1812B	0.16	(0.10)	109,140	-	SGP06C1812A	0.06	(0.02)	2,000	-	THAI01C1901A	0.18	(0.02)	44,849	-
S5006C1812C	0.08	(0.03)	180,383	-	SGP08C1901A	0.20	(0.05)	21,134	-	THAI01C1901B	0.07	-	14,860	-
S5006C1812D	0.34	(0.16)	87,908	-	SGP11C1904A	0.10	(0.03)	18,107	-	THAI01P1901A	0.84	0.08	31,844	-
S5006P1812A	1.46	0.35	13,775	1.00	SGP13C1811A	-	-	-	-	THAI07C1811A	-	-	-	-
S5006P1812B	0.46	0.15	194,658	-	SGP13C1812A	0.08	(0.04)	15,912	-	THAI08C1903A	0.15	(0.04)	8,601	-
S5006P1812C	0.77	0.28	257,632	-	SGP19C1811A	0.08	(0.04)	1,000	-	THAI11C1906A	0.25	(0.03)	9,949	-
S5006P														

## Main Board Quotation

## Issue Date :

Wednesday October 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price
S5028P1812B	1.48	0.32	705,897	1.00

Securities	Close	Change	Volume (Lot)	Average Price
SPAL01C1902A	0.33	(0.04)	29,262	-

Securities	Close	Change	Volume (Lot)	Average Price
TISC08C1903A	0.36	(0.01)	2,232	-

## Main Board Quotation

Issue Date :

Wednesday October 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TISC11C1903A	0.08	(0.01)	1,618	-	TRUE07C1902A	-	-	-	-	WORK24C1810A	-	-	-	-
TISC13C1811A	-	-	-	-	TRUE08C1902A	0.19	(0.01)	5,668	-	WORK24C1812A	-	-	-	-
TISC13C1812A	0.30	(0.01)	21,856	-	TRUE08P1902A	0.27	0.01	16,094	-	WORK24C1903A	0.09	-	722	-
TISC19C1901A	0.18	-	8,155	-	TRUE11C1905A	0.20	(0.01)	16,647	-	WORK27C1903A	0.10	-	1,810	-
TISC24C1812A	-	-	-	-	TRUE13C1812A	0.06	(0.01)	51,712	-	WORK28C1811A	-	-	-	-
TISC24C1904A	0.35	(0.01)	1	-	TRUE13C1901A	0.18	(0.02)	27,891	-	WORK28C1901A	0.04	(0.01)	1,160	-
TISC28C1901A	0.36	(0.01)	63,452	-	TRUE13P1901A	0.27	0.01	14,000	-	Preferred/Foreign	-	-	-	-
TISC42C1904A	0.33	(0.02)	10,014	-	TRUE16C1812A	0.14	(0.03)	10,000	-	BH-Q	-	-	-	-
TKN01C1901A	0.20	(0.04)	277,556	-	TRUE19C1901A	0.05	-	20,455	-	CSC-Q	-	-	-	-
TKN01C1901B	0.08	(0.03)	57,588	-	TRUE19C1903A	0.37	(0.01)	11,278	-	JUTHA-Q	-	-	-	-
TKN08C1811A	-	-	-	-	TRUE23C1902A	-	-	-	-	KT8-Q	-	-	-	-
TKN08C1903A	0.10	(0.04)	12,432	-	TRUE27C1904A	0.21	(0.02)	17,070	-	SCB-Q	-	-	-	-
TKN11C1902A	0.03	(0.01)	6,440	-	TRUE27P1904A	0.49	0.02	2,400	-	TCAP-Q	-	-	-	-
TKN13C1810A	-	-	-	-	TRUE28C1812A	0.05	-	10,300	-	TIC-Q	-	-	-	-
TKN13C1811A	-	-	-	-	TRUE28C1903A	0.18	(0.02)	12,684	-	TISCO-Q	-	-	-	-
TKN13C1812A	0.03	(0.02)	16,342	-	TTA08C1906A	0.16	(0.02)	22,530	-	U-Q	-	-	-	-
TKN13C1903A	0.06	(0.01)	15,829	-	TTA13C1901A	0.09	(0.01)	1,000	-	Warrant	-	-	-	-
TKN19C1811A	0.01	-	2,000	-	TTA19C1811A	-	-	-	-	7UP-W2	0.03	(0.01)	54,532	-
TKN19C1903A	0.13	(0.02)	65,183	-	TTA23C1901A	-	-	-	-	ACC-W1	0.04	-	37,740	-
TKN23C1902A	0.07	(0.03)	1,000	-	TTA24C1902A	0.02	(0.01)	10,000	-	AJA-W1	0.21	(0.01)	2,253	-
TKN24C1811A	-	-	-	-	TTA28C1812A	0.01	(0.06)	1,500	-	ALT-W1	0.84	(0.14)	5,300	-
TKN24C1812A	-	-	-	-	TU01C1901A	0.40	-	25,567	-	APEX-W1	0.04	-	1,544	-
TKN24C1903A	0.09	(0.02)	157	-	TU01C1901B	0.30	(0.03)	29,571	-	APURE-W2	0.19	-	5,851	-
TKN28C1811A	-	-	-	-	TU01P1901A	0.26	0.01	20,186	-	AQ-W4	-	-	-	-
TKN28C1812A	0.09	(0.04)	77,728	-	TU06C1902A	0.12	(0.01)	8,026	-	AS-W1	0.23	(0.01)	370	-
TKN28C1903A	0.05	(0.02)	507	-	TU07C1902A	-	-	-	-	AYUD-W1	6.85	(0.30)	26,847	7.00
TMB01C1810A	0.14	-	60,181	-	TU08C1811A	-	-	-	-	B-W3	-	-	-	-
TMB01C1810B	0.01	-	56,701	-	TU11C1902A	-	-	-	-	B-W4	0.18	(0.01)	11,310	-
TMB01C1903A	0.25	(0.01)	63,001	-	TU11C1906A	0.12	-	5,510	-	BTS-W3	-	-	-	-
TMB01C1903B	0.20	(0.01)	98,413	-	TU13C1902A	0.12	-	16,394	-	BWG-W4	0.06	(0.01)	5,528	-
TMB01P1810A	0.36	-	14,800	-	TU19C1901A	0.11	-	18,456	-	CEN-W4	0.02	(0.01)	47,466	-
TMB01P1903A	0.45	0.01	35,092	-	TU23C1902A	0.11	(0.01)	9,000	-	CGD-W4	0.28	-	29,779	-
TMB06C1902A	0.08	-	8,206	-	TU24C1901A	-	-	-	-	CGH-W3	0.05	-	10,427	-
TMB06C1903A	0.22	(0.03)	9,993	-	TVO01C1903A	0.26	(0.01)	10,286	-	CI-W1	0.49	(0.01)	397	-
TMB07C1811A	-	-	-	-	TV001C1903B	0.21	0.01	3,526	-	CKP-W1	0.52	(0.05)	88,050	-
TMB07C1903A	-	-	-	-	TVO11C1903A	-	-	-	-	CRANE-W1	1.52	0.02	136	1.00
TMB08C1901A	0.04	-	35	-	TVO13C1902A	-	-	-	-	CWT-W4	0.22	(0.03)	37,560	-
TMB08C1903A	0.16	-	23,232	-	TV019C1902A	-	-	-	-	DCC-W1	0.84	(0.01)	51,340	-
TMB11C1904A	0.07	-	2,000	-	TV024C1810A	-	-	-	-	DCON-W1	-	-	-	-
TMB13C1811A	0.01	(0.01)	1,000	-	TV024C1903A	-	-	-	-	DIGI-W1	0.02	(0.01)	12,360	-
TMB13C1901A	0.15	(0.01)	78,946	-	UNIQ01C1810A	0.12	(0.10)	207,238	-	DIGI-W2	0.01	-	3,364	-
TMB19C1901A	0.09	-	5,736	-	UNIQ01C1810B	0.01	-	2,400	-	EARTH-W4	-	-	-	-
TMB23C1810A	-	-	-	-	UNIQ08C1810A	-	-	-	-	EIC-W2	0.01	-	200	-
TMB24C1901A	-	-	-	-	UNIQ08C1906A	0.19	(0.04)	26,473	-	EIC-W3	0.03	0.01	124	-
TMB24C1902A	-	-	-	-	UNIQ11C1811A	-	-	-	-	EVER-W3	0.05	0.01	22,107	-
TMB27C1903A	0.25	0.01	9,200	-	UNIQ13C1901A	0.14	(0.05)	93,190	-	GJS-W3	0.02	-	860	-
TMB28C1901A	0.14	(0.01)	51,008	-	UNIQ19C1811A	-	-	-	-	GSTEL-W1	-	-	-	-
TOA01C1901A	0.22	0.01	73,310	-	UNIQ23C1901A	-	-	-	-	GSTEL-W2	-	-	-	-
TOA01C1901B	0.11	0.01	53,122	-	UNIQ24C1811A	-	-	-	-	IEC-W2	-	-	-	-
TOA08C1902A	0.08	-	111	-	UNIQ28C1811A	-	-	-	-	IHL-W1	5.60	(0.05)	22	5.00
TOA13C1812A	0.08	-	16,760	-	UV01C1902A	0.30	(0.04)	19,690	-	ITD-W1	0.11	-	31,691	-
TOA19C1901A	0.12	-	21,729	-	UV01C1902B	0.21	(0.02)	19,330	-	JAS-W3	2.18	(0.10)	28,311	2.00
TOA24C1812A	0.03	(0.05)	502	-	UV06C1812A	0.09	(0.02)	8,700	-	JCK-W5	0.47	(0.01)	1,845	-
TOA28C1812A	-	-	-	-	UV08C1902A	0.20	(0.01)	6,717	-	JMART-W2	0.80	(0.14)	135,597	-
TOP01C1901A	1.12	(0.15)	46,997	1.00	UV13C1812A	0.10	(0.02)	40,159	-	JMT-W2	1.75	(0.13)	7,429	1.00
TOP01C1901B	0.76	(0.17)	54,017	-	UV19C1902A	0.19	(0.03)	11,830	-	MACO-W2	0.20	(0.01)	112,422	-
TOP01C1904A	0.46	(0.11)	53,114	-	UV24C1812A	0.03	(0.06)	1	-	MIDA-W2	0.01	-	110	-
TOP01C1904B	0.33	(0.10)	93,383	-	VGI01C1812A	0.54	(0.08)	17,468	-	MILL-W3	0.02	(0.01)	1,655	-
TOP01P1901A	0.56	0.08	69,129	-	VGI06C1904A	-	-	-	-	MILL-W4	0.28	-	3,142	-
TOP01P1904A	1.72	0.15	46,186	1.00	VGI06C1904B	-	-	-	-	MILL-W5	0.24	(0.01)	6,453	-
TOP06C1903A	0.74	(0.17)	11,705	-	VGI06C1904C	-	-	-	-	ML-W2	0.02	(0.01)	35,554	-
TOP06C1903B	0.30	(0.02)	3,195	-	VGI08C1811A	0.33	(0.11)	9,694	-	MONO-W1	0.36	(0.01)	12,253	-
TOP07C1812A	0.14	(0.01)	100	-	VGI23C1905A	1.32	(0.04)	200	1.00	NEP-W3	0.04	(0.02)	20	-
TOP08C1811A	0.01	(0.01)	7,000	-	VGI23C1911A	1.29	(0.06)	4	1.00	NOK-W1	0.54	0.05	1,758	-
TOP08C1902A	0.31	(0.08)	16,372	-	VGI27C1812A	0.18	(0.05)	7,976	-	NUSA-W3	0.11	-	640	-
TOP11C1905A	0.69	(0.14)	15,749	-	WHA01C1812A	0.55	(0.03)	66,506	-	NVD-W1	0.28	(0.03)	2,205	-
TOP13C1811A	-	-	-	-	WHA01C1812B	0.37	(0.01)	110,459	-	ORI-W1	1.64	(0.17)	6,155	1.00
TOP13C1901A	0.31	(0.08)	3,040	-	WHA01P1812A	0.38	-	113,430	-	PACE-W2	0.14	-	1,539	-
TOP13C1902A	0.23	(0.07)	86,333	-	WHA06C1903A	0.40	(0.02)	30,670	-	PDI-W1	1.03	(0.04)	1,720	1.00
TOP19C1901A	0.18	(0.09)	58,909	-	WHA07C1810A	-	-	-	-	PDJ-W2	1.22	0.01	88	1.00
TOP23C1811A	0.02	-	4,001	-	WHA08C1811A	0.05	(0.01)	1,800	-	PDJ-W3	1.24	-	22	1.00
TOP24C1901A	-	-	-	-	WHA08C1904A	0.29	(0.02)	7,546	-	PDJ-W4	1.22	0.01	100	1.00
TOP24C1902A	0.22	(0.09)	21,431	-	WHA11C1903A	-	-	-	-	PLE-W3	0.10	(0.01)	18,222	-
TOP24C1903A	0.16	(0.07)	12,021	-	WHA13C1812A	0.33	(0.01)	126,088	-	RICH-W1	-	-	-	-
TOP27C1903A	0.31	(0.06)	3,600	-	WHA19C1901A	0.39	(0.01)	48,389	-	RICHY-W1	0.36	-	354	-
TOP28C1812A	0.21	(0.10)	12,340	-	WHA23C1810A	0.03	(0.02)	2,260	-	RICHY-W2	0.16	-	1,553	-
TOP28C1903A	0.23	(0.07)	63,017	-	WHA24C1811A	-	-	-	-	RS-W3	3.70	(0.84)	1,205	4.00
TPI01C1812A	0.15	(0.03)	20,936	-	WHA24C1902A	0.33	(0.05)	10,167	-	S-W1	0.09	-	39,142	-
TPI01C1812B	-	-	-	-	WHA27C1903A	-	-	-	-	SAMART-W2	0.53	(0.04)	35,221	-
TPI07C1812A	-	-	-	-	WHA28C1901A	0.36	(0.03)	24,996	-	SAWAD-W1	8.00	(0.30)	2,563	8.00
TPI13C1902A	0.14	(0.02)	15,213	-	WHA28C1903A	0.23	(0.02)	79,118	-	SDC-W1	0.13	(0.01)	81	-
TPI19C1901A	0.14	(0.03)	21,344	-	WHAU01C1810A	0.08	(0.09)	28,624	-	SMT-W1	0.05	(0.01)	3,756	-
TPI24C1902A	0.05	(0.11)	1	-	WHAU01C1810B	0.01	-	500	-	SMT-W2	0.53	(0.03)	1,452	-
TPIP01C1810A	0.09	(0.02)	1,702	-	WHAU13C1902A	-	-	-	-	SPORT-W5	0.01	-	1,018	-
TPIP01C1810B	-	-	-	-	WHAU19C1902A	0.19	(0.07)	24,747	-	SST-W2	1.83	(0.19)	40,367	2.00
TPIP01P1810A	0.68	0.06	8,938	-	WHAU24C1812A	-	-	-	-	SUPER-W4	0.07	(0.01)	1,889,888	-
TPIP11C1811A	-	-	-	-	WHAU24C1902A	0.17	(0.04)	3,000	-	SUSCO-W1	0.05	-	32,059	-
TPIP13C1811A	-	-	-	-	WORK01C1811A	0.05	-	54,376	-	SVI-W3	2.30	(0.22)	8,411	2.00
TPIP13C1902A	0.15	(0.02)	12,410	-	WORK01C1811B	0.01	(0.01)	2,000	-	TCC-W3	0.24	(0.01)	128,528	-
TPIP19C1902A	0.19	(0.01)	6,270	-	WORK01C1904A	0.21	(0.01)	57,839	-	TCC-W4	0.24	(0.01)	130,996	-

## Main Board Quotation

Issue Date :

Wednesday October 24, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TPIP24C1901A	0.11	(0.03)	1	-	WORK01C1904B	0.15	-	20,048	-	TCC-W5	0.75	0.09	117,977	-
TPIP27C1812A	-	-	-	-	WORK08C1901A	0.05	-	1,110	-	TCJ-W2	0.81	(0.02)	1,278	-
TRUE01C1902A	0.33	(0.02)	36,819	-	WORK11C1903A	0.02	(0.01)	4,261	-	TCMC-W2	0.28	(0.04)	5,234	-
TRUE01C1902B	0.22	(0.02)	18,005	-	WORK13C1811A	-	-	-	-	TFG-W1	-	-	-	-
TRUE01P1902A	0.54	0.02	169,442	-	WORK13C1812A	0.03	-	5,582	-	TFG-W2	0.64	(0.02)	2,350	-
TRUE01P1902B	0.37	0.02	46,948	-	WORK13C1902A	0.09	0.01	64,007	-	TGPRO-W3	0.02	-	111,721	-
TRUE06C1811A	0.01	(0.01)	6	-	WORK19C1811A	-	-	-	-	TH-W2	0.30	-	54,563	-
TRUE06C1906A	0.17	(0.01)	5,000	-	WORK19C1902A	0.12	(0.01)	16,119	-	THE-W2	0.08	-	993,720	-
TNITY-W1	0.86	(0.04)	587	-	NEWS-W4	-	-	-	-	-	-	-	-	-
TNPC-W1	0.37	(0.02)	719	-	NEWS-W6	-	-	-	-	-	-	-	-	-
TRITN-W3	0.23	-	38,213	-	PHOL-W1	-	-	-	-	-	-	-	-	-
TSR-W1	0.21	(0.06)	16,533	-	PIMO-W1	2.82	-	20,712	2.00	-	-	-	-	-
TTA-W5	0.12	(0.01)	9,853	-	PPS-W1	0.57	(0.01)	190	-	-	-	-	-	-
TTCL-W1	1.08	(0.10)	7,924	1.00	PSTC-W1	0.19	(0.02)	13,803	-	-	-	-	-	-
U-W1	-	-	-	-	SIMAT-W2	0.31	(0.02)	20	-	-	-	-	-	-
U-W4	0.01	-	33	-	SIMAT-W3	0.49	-	70	-	-	-	-	-	-
VGI-W2	0.36	(0.03)	112,515	-	SIMAT-W4	1.11	(0.09)	1,124	1.00	-	-	-	-	-
VIBHA-W2	1.31	(0.19)	725	1.00	SKY-W1	12.00	(0.50)	405	12.00	-	-	-	-	-
VIBHA-W3	0.28	(0.02)	26,234	-	STAR-W3	1.66	(0.18)	574	1.00	-	-	-	-	-
WAVE-W1	0.40	-	1,370	-	TAKUNI-W	0.19	(0.01)	7,431	-	-	-	-	-	-
WHA-W1	7.05	(0.35)	5,956	7.00	TAPAC-W3	1.65	(0.04)	106	1.00	-	-	-	-	-
WORK-W1	6.00	(0.10)	22	6.00	TMILL-W1	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W4	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	TSF-W5	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	TVD-W2	0.52	(0.06)	3,186	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UAC-W2	0.63	(0.07)	1,688	-	-	-	-	-	-
KTB-P	-	-	-	-	UKEM-W2	0.45	(0.02)	4,888	-	-	-	-	-	-
SCB-P	136.50	(3.00)	1	136.00	UWC-W2	0.01	-	12	-	-	-	-	-	-
TCAP-P	-	-	-	-	XO-W1	5.55	(0.40)	4,968	5.00	-	-	-	-	-
TIC-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
U-P	0.03	-	164,692	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.11	(0.02)	2,435	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	1.66	(0.29)	14,718	1.00	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.03	-	51	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.76	(0.01)	205	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.30	0.01	90,860	-	-	-	-	-	-	-	-	-	-	-
BM-W1	0.33	(0.01)	5,829	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.13	(0.01)	33,594	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.14	(0.01)	78,606	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	0.02	-	1	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.10	-	122,256	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ECF-W2	3.22	(0.10)	56	3.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	2.20	(0.04)	1,851	2.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.01	-	6,655	-	-	-	-	-	-	-	-	-	-	-
EFORL-W4	0.02	0.01	145	-	-	-	-	-	-	-	-	-	-	-
FC-W1	0.05	-	502	-	-	-	-	-	-	-	-	-	-	-
FC-W2	0.02	(0.02)	190	-	-	-	-	-	-	-	-	-	-	-
FOCUS-W2	0.45	(0.12)	30,549	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	0.41	0.01	51	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.54	(0.07)	38,407	-	-	-	-	-	-	-	-	-	-	-
JKN-W1	2.02	(0.22)	67,471	2.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	1.92	(0.10)	5,472	1.00	-	-	-	-	-	-	-	-	-	-
META-W2	0.03	-	1,119	-	-	-	-	-	-	-	-	-	-	-
META-W3	0.18	(0.01)	121,296	-	-	-	-	-	-	-	-	-	-	-
NCL-W3	0.28	(0.02)	2,218	-	-	-	-	-	-	-	-	-	-	-
NDR-W1	0.01	-	720	-	-	-	-	-	-	-	-	-	-	-