

## Main Board Quotation

Issue Date :

Monday October 29, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.50	(0.30)	9,745	10.55	SE-ED	-	-	-	-
POMPI	-	-	-	-	ILINK	4.40	0.02	538	4.39	SMM	1.00	0.01	22,644	1.02
SAFARI	-	-	-	-	INET	3.68	0.06	4,991	3.74	SPORT	0.21	(0.01)	2,132	0.21
VI	-	-	-	-	INTUCH	52.75	0.50	42,253	52.61	TBSP	13.40	(0.40)	13	13.42
WORLD	-	-	-	-	JAS	5.05	-	42,109	5.05	TH	0.88	(0.02)	29,916	0.89
WR	-	-	-	-	JASIF	10.20	-	26,778	10.19	TKS	10.50	-	7,785	10.51
Agribusiness					JMART	4.84	(0.14)	51,911	4.83	TRITN	0.43	-	253,940	0.43
CHOTI	-	-	-	-	JTS	1.47	(0.01)	796	1.49	VGI	7.55	(0.05)	14,938	7.59
EE	0.61	(0.02)	9,936	0.62	MFEC	3.26	-	1,342	3.26	WAVE	2.40	-	229	2.37
GFPT	14.30	0.20	11,856	14.20	MSC	6.85	0.05	743	6.79	WORK	30.25	0.50	6,545	30.22
LEE	2.64	-	5,315	2.62	PT	6.50	0.10	143	6.49	Finance & Securities	-	-	-	-
PPPM	5.15	(0.10)	310	5.15	SAMART	7.15	-	11,619	7.19	AEC	0.47	(0.01)	1,929	0.47
STA	17.70	0.50	235,756	17.67	SAMTEL	8.15	0.05	68	8.15	AEONTS	194.00	(1.50)	2,051	196.19
TRUBB	1.70	(0.03)	855	1.72	SDC	0.44	0.03	178,641	0.43	AMANAHA	1.74	-	35,586	1.76
TWPC	8.40	-	603	8.44	SIS	8.90	0.10	870	8.83	ASAP	5.90	0.10	10,207	6.00
UPOIC	4.24	-	6	4.24	SVOA	1.25	0.01	6,382	1.26	ASK	23.20	0.20	413	23.10
UVAN	6.65	(0.05)	1,189	6.66	SYMC	5.25	-	9	5.21	ASP	3.70	0.02	12,138	3.71
VPO	0.63	0.01	12	0.63	SYNEX	14.40	0.20	10,281	14.43	BFIT	26.00	-	447	25.99
Banking					THCOM	8.25	0.05	2,515	8.23	CGH	0.99	(0.01)	1,300	1.00
BAY	40.50	0.50	1,248	40.38	TRUE	5.90	0.10	423,988	5.86	CNS	2.48	(0.02)	469	2.47
BBL	206.00	-	41,577	206.85	TWZ	0.12	-	5,784	0.12	ECL	1.86	-	6,708	1.87
CIMBT	0.85	0.01	3,574	0.84	Electronic Componer	-	-	-	-	FNS	4.08	-	1,059	4.09
KBANK	199.50	(6.50)	140,746	200.18	CCET	1.92	-	5,640	1.93	FSS	2.22	0.02	799	2.18
KKP	70.25	-	18,669	70.46	DELTA	69.00	1.50	13,238	68.29	GBX	0.61	(0.01)	6,259	0.61
KTB	19.80	0.10	280,016	19.85	EIC	0.05	-	42,796	0.06	GL	6.90	-	5,862	6.92
LHFG	1.46	(0.01)	15,882	1.46	HANA	35.00	0.25	9,680	35.13	IFS	2.94	0.04	530	2.93
SCB	135.00	(2.50)	72,716	136.25	KCE	36.25	(1.00)	18,933	36.89	JMT	10.00	(0.20)	9,299	10.12
TCAP	51.50	0.75	36,597	51.61	METCO	214.00	13.00	1	214.00	KCAR	11.80	0.10	316	11.80
TISCO	78.00	(0.50)	18,264	78.14	SMT	2.20	-	1,259	2.20	KGI	4.36	0.02	20,581	4.39
TMB	2.24	-	908,439	2.26	SPPT	4.12	0.04	43,790	4.19	KTC	34.50	0.75	157,050	34.58
Construction Materia					SVI	5.45	0.10	49,659	5.44	MBKET	12.10	(0.10)	1,047	12.14
CCP	0.41	-	7,815	0.41	TEAM	1.05	0.01	7,106	1.06	MFC	16.00	-	307	15.98
COTTO	2.60	0.04	7,830	2.60	Energy & Utilities	-	-	-	-	ML	0.99	(0.01)	2,421	0.99
DCC	2.26	(0.04)	15,176	2.28	ABPIF	8.35	-	947	8.39	MTC	49.50	(0.50)	92,918	49.74
DCON	0.53	-	4,254	0.53	AI	-	-	-	-	PE	0.26	0.01	1,307	0.24
DRT	5.55	(0.05)	988	5.56	AKR	0.94	-	23,682	0.94	PL	3.42	0.02	425	3.40
EPG	7.30	(0.10)	51,470	7.41	BAFS	32.25	0.50	682	31.97	S11	7.35	0.10	1,309	7.33
GEL	0.33	0.01	42,351	0.32	BANPU	17.10	0.10	143,909	17.18	SAWAD	41.25	(0.50)	78,624	41.83
PPP	3.42	(0.02)	31	3.42	BCP	32.50	0.25	11,300	32.44	THANI	8.85	(0.05)	38,722	8.85
Q-CON	5.25	-	23	5.32	BCPG	18.30	0.20	73,972	18.29	TK	10.70	0.10	3,540	10.69
RCI	4.00	(0.02)	17,848	4.00	BGRIM	27.25	0.25	24,874	27.46	TNITY	5.90	-	1	5.90
SCC	406.00	(2.00)	23,545	407.14	BPP	23.40	0.20	16,406	23.42	UOBKH	3.92	-	2	3.92
SCCC	242.00	-	573	242.61	BRRGIF	9.90	(0.05)	904	9.91	ZMICO	1.06	(0.03)	1,638	1.07
SCP	8.60	0.05	3,643	8.65	CKP	4.88	0.08	624,338	4.88	Food & Beverage	-	-	-	-
SKN	4.96	(0.02)	7,709	5.00	DEMCO	3.62	0.04	1,458	3.65	APURE	1.31	0.01	3,332	1.30
TASCO	14.10	-	10,623	14.17	EA	46.50	1.75	163,310	46.11	ASIAN	7.05	(0.15)	26,322	7.16
TCMC	2.40	(0.02)	621	2.41	EARTH	-	-	-	-	BR	4.88	-	2,590	4.87
TOA	32.75	(0.25)	13,607	32.98	EASTW	10.80	-	2,350	10.90	BRR	6.75	(0.05)	711	6.75
TPIPL	1.74	-	70,663	1.74	EGATIF	11.20	-	9,641	11.29	CBG	43.25	0.50	7,516	43.40
UMI	1.24	-	150	1.25	EGCO	228.00	1.00	5,779	228.02	CFRESH	4.40	0.02	425	4.39
VNG	7.10	-	670	7.05	ESSO	14.00	0.20	49,643	13.98	CM	4.10	-	364	4.10
WIJK	2.22	-	829	2.21	GLOW	83.25	(0.75)	11,344	83.02	CPF	24.40	0.30	86,711	24.37
Petrochemicals & Ch					GPSC	55.25	(0.50)	22,404	55.46	CPI	1.69	-	861	1.68
BCT	53.75	(0.25)	181	53.67	GULF	76.00	0.50	93,448	76.22	F&D	20.00	3.00	1	20.00
CMAN	2.94	0.02	3,545	2.98	GUNKUL	3.02	0.02	137,958	3.04	HTC	15.90	(0.10)	887	16.02
GC	5.05	-	727	5.04	IEC	-	-	-	-	ICHI	4.02	(0.04)	3,528	4.05
GGC	10.30	0.10	4,373	10.23	IFEC	-	-	-	-	KBS	4.20	-	1,598	4.20
GIFT	4.36	0.02	823	4.37	IRPC	6.05	0.10	888,479	6.03	KSL	3.34	(0.04)	7,963	3.37
IVL	53.00	1.00	167,297	52.99	LANNA	14.00	(0.10)	524	14.05	KTIS	5.65	(0.05)	220	5.63
NFC	11.20	0.20	154	11.27	MDX	4.24	0.04	736	4.23	LST	4.48	(0.04)	378	4.52
PATO	14.30	(0.10)	8	14.30	PTG	10.00	-	74,739	10.12	M	67.25	0.25	4,023	67.70
PMTA	13.80	0.10	1	13.80	PTT	48.75	0.50	305,364	48.92	MALEE	12.40	-	2,650	12.49
PTTGC	75.50	0.75	97,749	75.66	PTTEP	136.50	2.00	69,903	136.49	MINT	35.00	(1.50)	311,618	35.26
SUTHA	3.84	(0.02)	20	3.84	RATCH	49.00	-	12,839	48.81	OISHI	86.00	-	22	86.05
TCCC	35.00	-	36	35.28	RPC	0.49	-	4,280	0.49	OSP	23.90	-	242,161	24.03
TPA	6.60	-	30	6.60	SCG	4.58	(0.02)	28	4.44	PB	60.75	-	201	60.75
UP	-	-	-	-	SCI	2.96	-	1,048	2.97	PM	8.80	0.05	21,187	8.75
VNT	21.80	0.30	10,441	21.81	SCN	4.78	(0.12)	46,005	4.84	PRG	-	-	-	-
WG	158.00	(2.00)	34	158.12	SGP	10.50	(0.10)	24,164	10.59	SAPPE	20.80	-	1,451	20.82
YCI	-	-	-	-	SKE	1.19	0.01	1,431	1.19	SAUCE	22.00	(0.10)	34	22.08
Commerce					SOLAR	2.80	(0.04)	11,468	2.85	SFP	-	-	-	-
BEAUTY	8.85	0.15	533,733	8.90	SPCG	19.90	0.10	2,931	19.97	SNP	20.20	0.10	17	20.14
BIG	1.72	-	44,082	1.73	SPRC	14.10	0.30	36,248	13.97	SORKON	72.50	0.75	5	72.50
BJC	55.50	0.50	37,532	55.67	SUPER	0.68	(0.01)	1,117,352	0.69	SSC	39.25	(0.50)	16	39.69
COL	24.10	-	717	24.19	SUSCO	2.90	(0.02)	6,725	2.91	SSF	8.70	0.55	100	8.61
COM7	21.20	0.20	26,206	21.17	TAE	2.10	(0.02)	8,724	2.12	SST	5.85	0.05	310	5.83
CPALL	65.25	1.50	301,849	65.29	TCC	1.05	0.07	579,371	1.03	TC	-	-	-	-
CSS	2.02	-	5,084	2.03	TOP	80.25	0.50	33,918	80.48	TFG	3.98	-	4,415	3.98
FN	2.38	(0.02)	3,893	2.40	TPIPP	5.95	(0.05)	159,861	6.00	TFMAMA	159.00	0.50	120	158.85
FTE	2.20	0.02	707	2.20	TTW	12.00	(0.10)	14,794	12.11	TIPCO	8.85	0.10	1,082	8.84
GLOBAL	18.80	-	44,789	18.89	WHAUP	5.80	(0.05)	23,084	5.86	TKN	12.30	0.10	86,326	12.37
HMPRO	14.50	-	112,761	14.55	WP	6.55	0.05	1,906	6.55	TU	16.30	0.10	21,205	16.29
IT	3.86	-	810	3.85	Media & Publishing	-	-	-	-	TVO	28.00	0.50	9,481	27.79
KAMART	4.08	(0.02)	8,755	4.07	AMARIN	4.56	(0.04)	309	4.57	Health Care Services	-	-	-	-
LOXLEY	2.06	-	2,819	2.07	AQUA	0.46	-	293,323	0.46	AHC	20.60	(0.40)	140	20.76
MAKRO	31.75	0.50	2,632	31.70	AS	1.23	0.03	47	1.21	BCH	19.30	(0.10)	41,600	19.48
MC	12.00	0.20	1,601	11.92	BEC	6.20	0.05	30,657	6.28	BDMS	24.40	0.10	161,449	24.42
MEGA	35.25	(0.25)	4,115	35.57	EPCO	3.36	(0.02)	6,809	3.37	BH	190.50	3.50	10,318	189.88
MIDA	0.58	(0.01)	3,744	0.58	FE	-	-	-	-	CHG	2.48	(0.08)	150,963	2.51
ROBINS	63.50	-	7,521	63.78	GPI	2.42	-	1,165	2.41	CMR	2.90	(0.02)	312	2.91
RSP	3.94	(0.04)	698	3.97	GRAMMY	7.60	-	39	7.54	EKH	5.90	0.10	3,901	5.88
SINGER	9.10	(0.05)	256	9.00	MACO	1.54	0.01	51,311	1.55	KDH	97.00	1.25	16	96.88
SPC	51.50	(0.25)	53	51.39	MAJOR	23.90	-	6,294	23.91	LPH	5.90	-	1,690	5.91

## Main Board Quotation

Issue Date :

Monday October 29, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	7.40	0.05	345	7.40	LPN	9.35	(0.10)	15,271	9.38	ALLA	1.51	0.04	15,270	1.51
WPH	2.74	-	1,186	2.73	MBK	24.10	0.10	6,647	24.11	ASEFA	4.86	-	353	4.85
Tourism & Leisure					MJD	3.80	0.02	1,141	3.78	CPT	1.03	(0.06)	92,485	1.06
ASIA	6.75	-	12	6.71	MK	3.96	-	3,246	3.96	CRANE	2.56	-	305	2.57
CENTEL	39.25	-	14,897	39.27	NCH	0.93	0.02	646	0.91	CTW	9.10	(0.10)	330	9.11
CSR	-	-	-	-	NNCL	1.78	(0.01)	4,572	1.78	FMT	-	-	-	-
DTC	11.00	-	2,219	11.01	NOBLE	13.30	0.40	2,028	13.28	HTECH	6.75	0.10	1,867	6.70
ERW	7.30	0.20	65,552	7.28	NUSA	0.31	-	21,877	0.32	KKC	1.59	-	83	1.59
GRAND	1.01	0.02	41,903	1.00	NVD	3.74	(0.02)	145	3.77	PK	2.82	0.04	1,691	2.83
LRH	-	-	-	-	ORI	8.85	(0.15)	96,670	8.96	SNC	13.90	(0.10)	1,056	13.98
MANRIN	-	-	-	-	PACE	0.50	-	34,601	0.50	TCJ	5.50	(0.10)	230	5.51
OHTL	-	-	-	-	PF	0.99	(0.01)	150,876	1.00	VARO	-	-	-	-
ROH	40.00	-	1	40.00	PLAT	7.75	0.05	2,068	7.73	Property Fund & REIT				
SHANG	76.50	(0.50)	21	75.07	POLAR	-	-	-	-	AIMIRT	10.70	(0.10)	1,096	10.70
Home & Office Prod.					PRECHA	1.65	(0.03)	572	1.68	AMATAR	10.90	0.10	1,996	10.87
ACC	0.50	-	6,512	0.50	PRIN	1.60	(0.01)	32,632	1.60	B-WORK	11.20	-	1,535	11.20
AJA	0.35	(0.01)	21,835	0.36	PRINC	4.90	0.06	2,549	4.90	BKKCP	12.40	0.10	600	12.31
DTCI	-	-	-	-	PSH	20.20	0.10	2,540	20.11	BOFFICE	-	-	-	-
FANCY	0.91	-	7,392	0.92	QH	3.04	(0.04)	288,318	3.05	CPNCG	16.10	0.20	911	16.03
KYE	414.00	4.00	39	413.13	RICHY	1.80	0.01	22,120	1.80	CPNREIT	26.25	-	4,922	26.11
L&E	2.64	-	301	2.64	RML	1.35	(0.07)	165,956	1.37	CPTGF	13.30	-	194	13.30
MODERN	4.22	-	526	4.17	ROJNA	5.20	-	28,330	5.28	CRYSTAL	10.10	(0.10)	100	10.10
OGC	37.00	-	4	37.13	S	3.28	-	35,995	3.29	CTARAF	4.72	(0.08)	139	4.74
ROCK	-	-	-	-	SAMCO	2.00	(0.06)	369	2.04	DREIT	5.25	-	5	5.25
SIAM	2.02	0.02	4,307	2.00	SC	3.38	(0.02)	5,655	3.38	ERWPF	5.50	0.05	504	5.48
TSR	2.06	-	662	2.06	SENA	3.56	-	1,303	3.56	FUTUREPF	22.40	-	127	22.41
Insurance					SF	7.80	(0.15)	10,938	7.85	GAHREIT	-	-	-	-
AYUD	43.50	0.25	348	43.79	SIRI	1.53	(0.02)	189,426	1.54	GLANDRT	12.60	-	1,040	12.60
BKI	345.00	1.00	10	345.00	SPALI	22.20	0.10	29,737	22.11	GOLDFP	7.20	-	197	7.20
BLA	31.00	(0.25)	10,307	31.30	TICON	16.00	(0.20)	69	16.02	GVREIT	15.00	0.20	664	15.00
BUI	-	-	-	-	U	0.03	-	6,578,072	0.03	HPF	5.35	-	2	5.35
CHARAN	-	-	-	-	UV	7.10	(0.05)	20,708	7.15	HREIT	6.60	(0.10)	5,001	6.60
INSURE	-	-	-	-	WHA	4.04	(0.04)	803,183	4.08	IMPACT	18.90	-	773	18.88
MTI	99.00	(0.25)	15	99.13	WIN	0.64	-	320	0.64	KPNPF	9.30	0.10	20	9.30
NKI	-	-	-	-	Paper & Printing Mat					LHHOTEL	16.00	0.10	1,154	16.00
NSI	-	-	-	-	UTP	10.80	0.10	3,836	10.79	LHPF	8.30	-	154	8.30
SMK	40.00	-	20	39.91	Fashion	-	-	-	-	LHSC	16.30	-	220	16.35
THRE	1.01	0.01	2,452	1.01	AFC	-	-	-	-	LUXF	8.45	0.05	337	8.49
THREL	7.50	-	1,167	7.49	BTNC	-	-	-	-	M-II	-	-	-	-
TIC	-	-	-	-	CPH	-	-	-	-	M-PAT	9.90	0.20	25	9.90
TIP	23.00	-	1,791	22.99	CPL	3.10	(0.04)	126	3.10	M-STOR	10.10	(0.10)	58	10.10
TSI	0.38	-	1,652	0.39	DIGI	0.23	-	5,428	0.22	MIPF	-	-	-	-
TVI	3.54	(0.04)	41	3.50	ICC	-	-	-	-	MIT	-	-	-	-
Mining					LTX	-	-	-	-	MJLF	12.60	0.10	71	12.50
PDI	13.00	-	1,177	13.07	NC	-	-	-	-	MMIT	-	-	-	-
THL	-	-	-	-	PAF	1.06	0.03	18,276	1.06	MNIT2	-	-	-	-
Packaging					PDJ	2.46	-	1,899	2.42	MNRF	-	-	-	-
AJ	9.55	-	526	9.59	PG	6.70	(0.05)	37	6.74	MONTRI	6.50	0.10	190	6.50
ALUCON	172.50	2.50	5	168.40	SABINA	31.25	0.25	4,497	31.34	POPF	13.80	-	347	13.74
BGC	12.60	0.40	236,520	12.43	SAWANG	-	-	-	-	PPF	11.00	(0.10)	5	11.00
CSC	-	-	-	-	SUC	45.00	-	996	45.00	QHHR	8.45	-	139	8.45
NEP	0.33	(0.01)	7,695	0.32	TNL	20.00	-	1	20.00	QHOP	3.46	0.04	1	3.46
NPPG	1.21	(0.01)	163,775	1.22	TPCORP	-	-	-	-	QHPP	13.30	-	5,419	13.31
PTL	14.50	0.10	2,765	14.46	TR	45.75	0.25	40	45.80	SBPF	3.00	(0.02)	1	3.00
SITHAI	1.19	-	713	1.19	TTI	-	-	-	-	SHREIT	9.50	-	1,105	9.65
SLP	0.89	-	11	0.89	TTL	-	-	-	-	SIRIP	11.50	0.40	1	11.50
SMPC	13.30	(0.10)	839	13.32	TTTTM	156.00	3.00	13	154.00	SPF	23.50	-	959	23.51
SPACK	1.91	0.04	2,590	1.90	UPF	-	-	-	-	SRIPANWA	11.10	0.20	1	11.10
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	9.90	0.10	951	9.70
TFI	0.30	0.01	22	0.30	WACOAL	-	-	-	-	SSTPF	6.40	-	15	6.40
THIP	32.50	0.50	166	32.09	Transportation & Log					SSTRT	-	-	-	-
TMD	21.00	(0.10)	8	20.86	AAV	4.00	0.02	99,122	4.03	TIF1	8.90	0.05	348	8.89
TOPP	198.00	(4.00)	1	198.00	AOT	62.25	1.25	286,232	62.07	TLGF	19.40	(0.50)	25,157	19.42
TPBI	7.90	(0.05)	182	7.94	ASIMAR	2.48	(0.02)	879	2.45	TLHPF	10.90	0.10	2	10.90
TPP	-	-	-	-	B	0.57	-	1,740	0.57	TNPF	3.48	(0.02)	6	3.48
Personal Products &					BA	11.50	0.10	12,268	11.54	TPRIME	12.60	-	123	12.60
APCO	4.38	0.04	259	4.38	BEM	8.25	0.05	122,007	8.21	TREIT	11.90	-	3,695	11.90
DDD	27.00	(1.75)	44,879	27.15	BTS	9.00	-	98,033	9.00	TTLPF	-	-	-	-
JCT	-	-	-	-	BTSIGIF	12.00	0.10	15,231	12.00	TU-PF	-	-	-	-
OCC	17.20	0.10	102	17.30	III	6.30	0.10	8,019	6.29	URBNPF	-	-	-	-
S & J	23.40	(0.80)	7	23.43	JUTHA	1.68	(0.03)	6	1.68	WHABT	9.95	-	50	9.95
STHAI	-	-	-	-	JWD	7.15	0.05	4,305	7.16	WHART	10.90	-	1,509	10.91
TNR	12.30	(0.20)	33	12.53	KWC	310.00	25.00	13	308.46	Steel				
TOG	4.64	0.02	197	4.63	NOK	2.68	-	3,568	2.69	AMC	2.12	0.02	654	2.10
Professional Service					NYT	5.10	0.05	2,003	5.05	BSBM	1.07	(0.01)	2,896	1.07
BWG	1.11	0.01	81,312	1.11	PRM	7.25	0.05	21,411	7.26	CEN	1.18	(0.03)	15,671	1.20
GENCO	0.77	0.01	3,262	0.76	PSL	10.90	(0.10)	15,514	10.95	CITY	2.68	-	3	2.68
PRO	-	-	-	-	RCL	5.45	(0.05)	922	5.40	CSP	1.27	0.05	7	1.24
TEAMG	2.28	(0.02)	15,751	2.30	THAI	12.90	-	16,445	12.98	GJS	0.23	(0.01)	26,446	0.23
Property Developme					TSTE	7.25	0.40	5	7.25	GSTEL	-	-	-	-
A	6.70	-	300	6.70	TTA	6.55	(0.10)	5,558	6.59	INOX	1.08	-	316	1.09
AMATA	23.10	0.40	103,140	23.03	WICE	4.30	0.06	19,375	4.30	LHK	4.98	0.02	2,077	4.98
AMATAV	6.00	-	1,574	6.04	Automotive					MAX	0.03	0.01	395,170	0.03
ANAN	4.48	(0.06)	46,020	4.53	AH	23.90	0.10	3,163	23.96	MCS	7.00	-	6,570	7.00
AP	8.05	(0.05)	50,207	8.05	APCS	5.05	-	1,717	4.99	MILL	1.77	-	15,546	1.77
APEX	0.20	-	4,589	0.20	BAT-3K	-	-	-	-	PAP	3.92	-	628	3.91
AQ	0.03	(0.01)	529,630	0.04	CWT	2.70	0.04	1,143	2.70	PERM	2.14	0.04	385	2.12
BLAND	1.72	(0.01)	197,065	1.72	EASON	2.34	-	2,208	2.36	R				

## Main Board Quotation

Issue Date :

Monday October 29, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	TPCH	10.40	0.10	2,438	10.00	ADVA01P1902A	0.65	(0.03)	54,157	-
ABICO	6.75	(0.10)	424	6.00	TRT	2.32	(0.02)	38	2.00	ADVA01P1902B	0.44	(0.03)	51,862	-
AU	7.20	0.05	8,412	7.00	TSE	2.64	-	1,116	2.00	ADVA06C1903A	0.29	0.01	19,086	-
FC	0.29	-	8,035	-	UMS	-	-	-	-	ADVA08C1903A	0.19	-	11,796	-
JCKH	1.00	-	869	1.00	UWC	0.07	-	21,368	-	ADVA11C1905A	0.16	0.02	3,616	-
KASET	2.02	-	13	2.00	Services (MAI)	-	-	-	-	ADVA11P1905A	0.27	(0.01)	17,610	-
MM	3.90	-	1,865	3.00	ADAM	-	-	-	-	ADVA13C1811A	0.11	(0.02)	120,437	-
SUN	3.04	0.02	1,367	3.00	AKP	1.63	(0.01)	1,106	1.00	ADVA13C1901A	0.17	0.01	132,400	-
TACC	3.50	0.02	1,876	3.00	AMA	5.05	-	920	5.00	ADVA16C1812A	-	-	-	-
TMILL	3.16	-	2,749	3.00	ARIP	0.54	0.01	22,643	-	ADVA19C1901A	0.34	0.01	33,093	-
XO	10.10	-	4,458	10.00	ATP30	1.62	0.01	4,088	1.00	ADVA23C1902A	0.21	(0.01)	53,000	-
Consumer Products	-	-	-	-	AUCT	5.80	(0.10)	3,549	5.00	ADVA24C1810A	-	-	-	-
BGT	1.07	0.02	2,684	1.00	BOL	1.92	(0.02)	750	1.00	ADVA24C1904A	0.37	-	6,165	-
BIZ	2.56	-	430	2.00	CHUO	-	-	-	-	ADVA24C1905A	-	-	-	-
DOD	14.00	-	70,490	14.00	CMO	1.50	0.01	8,363	1.00	ADVA24P1810A	-	-	-	-
ECF	6.00	-	12,389	6.00	D	10.30	-	1,906	10.00	ADVA24P1908A	0.74	(0.05)	3,126	-
HPT	1.05	0.03	52,912	1.00	DCORP	2.74	-	224	2.00	ADVA27C1902A	0.16	(0.01)	2,000	-
JUBILE	16.90	(0.10)	1,239	16.00	DNA	0.60	0.04	261,987	-	ADVA28C1811A	0.05	(0.02)	20,620	-
MOONG	6.40	0.15	1,788	6.00	EFORL	0.06	(0.01)	19,447	-	ADVA28C1901A	0.07	(0.01)	38,000	-
NPK	-	-	-	-	ETE	1.61	(0.02)	3,792	1.00	ADVA42C1903A	0.17	-	6,120	-
OCEAN	4.62	(0.04)	32,192	4.00	FSMART	7.65	0.15	798	7.00	AMAT01C1810A	1.02	0.02	37,216	1.00
TM	2.02	0.03	1,187	2.00	FVC	1.00	0.01	4,331	1.00	AMAT01C1810B	0.26	0.04	38,572	-
Financials (MAI)	-	-	-	-	HARN	2.52	0.02	1,523	2.00	AMAT01C1903A	0.77	0.03	97,695	-
ACAP	5.85	0.05	29,821	5.00	JKN	10.90	0.10	14,833	10.00	AMAT01C1903B	0.60	0.02	88,101	-
AF	0.72	-	4,492	-	KIAT	0.47	-	35,586	-	AMAT01P1810A	0.22	(0.04)	19,729	-
AIRA	1.82	(0.01)	446	1.00	KOOL	1.49	0.01	1,764	1.00	AMAT01P1903A	0.67	(0.03)	44,944	-
ASN	3.62	0.04	330	3.00	LDC	1.08	0.02	598	1.00	AMAT06C1903A	0.63	0.03	5,912	-
BROOK	0.53	-	6,806	-	MPG	0.15	-	6,679	-	AMAT08C1903A	0.59	-	18,737	-
CHAYO	4.66	(0.04)	17,604	4.00	MVP	2.58	-	23,871	2.00	AMAT11C1903A	0.39	0.02	14,909	-
GCAP	2.94	(0.02)	3,074	2.00	NBC	0.65	-	160	-	AMAT13C1812A	0.54	0.05	1,998	-
LIT	7.90	0.15	1,691	7.00	NCL	1.55	(0.01)	2,811	1.00	AMAT13C1902A	0.34	0.02	317,493	-
SGF	1.44	0.03	80,946	1.00	NEWS	0.01	-	39,232	-	AMAT19C1811A	0.11	0.01	39,751	-
Industrials (MAI)	-	-	-	-	NINE	1.79	(0.04)	15,661	1.00	AMAT19C1902A	0.71	0.04	36,388	-
2S	3.14	-	374	3.00	OTO	2.82	(0.02)	939	2.00	AMAT23C1810A	-	-	-	-
ADB	1.03	(0.02)	5,836	1.00	PHOL	2.00	-	1,758	2.00	AMAT24C1811A	0.15	-	6,352	-
BM	3.16	0.02	1,509	3.00	PICO	4.36	(0.04)	221	4.00	AMAT27C1902A	-	-	-	-
CHO	1.15	(0.01)	11,094	1.00	PORT	6.70	(0.10)	3,146	6.00	AMAT28C1902A	0.49	0.03	52,627	-
CHOW	4.50	0.02	123	4.00	QLT	4.54	(0.06)	44	4.00	AMAT28C1903A	0.12	-	12,703	-
CIG	0.39	-	4,205	-	RP	2.96	0.02	937	2.00	ANAN01C1810A	0.71	(0.09)	59,323	-
COLOR	1.38	0.01	1,565	1.00	SE	2.08	0.04	48	2.00	ANAN01C1810B	0.01	(0.02)	2,516	-
CPR	5.20	0.10	846	5.00	SONIC	1.67	(0.01)	307,867	1.00	ANAN08C1810A	0.11	(0.08)	3,775	-
FPI	1.99	(0.01)	1,071	1.00	SPA	12.60	(0.40)	5,091	12.00	ANAN08C1906A	0.15	(0.02)	2,571	-
GTB	0.61	(0.01)	3,207	-	THMUI	1.50	(0.01)	4,628	1.00	ANAN13C1901A	0.08	(0.01)	3,614	-
KCM	1.09	0.02	22,379	1.00	TNDT	4.96	0.12	501	4.00	ANAN19C1811A	0.10	(0.02)	21,039	-
KWM	1.16	0.01	52,757	1.00	TNH	39.75	0.25	104	39.00	ANAN23C1901A	0.07	(0.03)	3,355	-
LVT	-	-	-	-	TNP	1.74	(0.01)	489	1.00	ANAN24C1811A	0.23	(0.05)	14,603	-
MBAX	4.06	0.06	110	4.00	TSF	0.03	(0.01)	73,176	-	AOT01C1810A	0.01	-	181,618	-
MGT	2.10	(0.04)	328	2.00	TVD	1.48	0.06	6,186	1.00	AOT01C1902A	0.35	0.03	197,829	-
NDR	2.16	(0.04)	588	2.00	TVT	0.97	-	561	-	AOT01C1902B	0.17	0.02	177,059	-
PDG	3.52	0.02	32	3.00	WINNER	3.14	0.02	202	3.00	AOT01C1904A	0.35	0.03	235,234	-
PIMO	4.48	0.32	45,026	4.00	Technology (MAI)	-	-	-	-	AOT01C1904B	0.24	0.02	164,696	-
PJW	1.68	-	1,424	1.00	COMAN	3.88	0.04	1,081	3.00	AOT01P1902A	0.94	(0.07)	49,250	-
PPM	1.83	0.03	1,420	1.00	ICN	1.93	(0.02)	2,867	1.00	AOT01P1902B	0.55	(0.08)	93,154	-
RWI	1.57	(0.02)	1,950	1.00	IRCP	0.89	0.01	1,609	-	AOT01P1904A	0.96	(0.06)	109,822	-
SALEE	1.09	0.01	1,621	1.00	ITEL	3.14	(0.08)	5,366	3.00	AOT01P1904B	0.75	(0.07)	125,195	-
SANKO	1.20	0.01	1,880	1.00	NETBAY	31.50	0.75	2,722	30.00	AOT06C1903A	0.25	0.03	23,100	-
SELIC	2.28	0.06	9,202	2.00	PLANET	1.50	0.01	139	1.00	AOT06P1903A	0.54	(0.06)	41,200	-
SWC	25.00	(0.25)	492	25.00	SIMAT	2.08	0.06	10,715	2.00	AOT07C1902A	0.29	0.04	49	-
TMC	0.85	0.01	7,073	-	SKY	13.30	(0.10)	2,728	13.00	AOT08C1901A	0.12	0.02	9,402	-
TMI	0.81	0.01	2,037	-	SPVI	1.52	0.04	6,197	1.00	AOT08P1903A	0.54	(0.05)	31,321	-
TMW	66.75	(0.25)	87	67.00	UPA	0.50	(0.01)	67,882	-	AOT11C1906A	0.21	0.02	9,835	-
TPAC	11.40	0.10	104	11.00	VCOM	3.08	0.04	868	3.00	AOT11P1906A	0.40	(0.04)	6,561	-
TPLAS	1.61	0.05	12,167	1.00	Unit Trust	-	-	-	-	AOT13C1811A	0.02	-	3,498	-
UAC	4.32	(0.02)	1,126	4.00	MGE	-	-	-	-	AOT13C1812A	0.07	-	13,544	-
UBIS	4.66	0.08	31	4.00	SCBSET	-	-	-	-	AOT13C1902A	0.26	0.04	144,132	-
UEC	1.54	0.07	11,947	1.00	ETF	-	-	-	-	AOT13P1810A	-	-	-	-
UKEM	0.83	0.01	7,403	-	IDIV	11.52	(0.02)	222	11.00	AOT13P1812A	-	-	-	-
UREKA	1.78	0.06	184,484	1.00	ABFTH	-	-	-	-	AOT13P1902A	0.41	(0.06)	46,034	-
YUASA	14.20	(0.30)	253	14.00	BMSCG	8.60	(0.01)	157	8.00	AOT19C1901A	0.19	0.02	141,400	-
ZIGA	2.80	(0.04)	1,302	2.00	BMSCITH	12.18	0.06	3,613	12.00	AOT24C1811A	-	-	-	-
Property & Construc	-	-	-	-	BSET100	10.51	0.05	4,742	10.00	AOT24C1901A	-	-	-	-
ARROW	7.90	0.05	480	7.00	CHINA	4.84	(0.01)	841	4.00	AOT24C1904A	0.22	0.02	553	-
BKD	3.02	(0.02)	553	3.00	EBANK	-	-	-	-	AOT24P1903A	0.40	(0.06)	52	-
BSM	0.70	0.02	78	-	ECOMM	-	-	-	-	AOT27C1902A	0.24	0.02	7,200	-
BTW	1.69	(0.06)	762	1.00	EFOOD	-	-	-	-	AOT27P1903A	-	-	-	-
CHEWA	1.13	(0.01)	58,464	1.00	EICT	-	-	-	-	AOT28C1812A	0.05	-	3	-
CRD	1.07	0.01	1,391	1.00	ENGY	6.26	0.02	12	6.00	AOT28C1901A	0.06	0.02	1,613	-
DIMET	1.01	-	1,569	1.00	ENY	7.43	0.01	2	7.00	AOT28C1902A	0.24	0.03	82,263	-
FLOYD	1.98	0.03	9,064	2.00	ESET50	-	-	-	-	AOT28P1812A	0.12	(0.06)	72,010	-
FOCUS	1.53	0.02	7,760	1.00	GLD	1.74	-	1,170	1.00	AOT42C1903A	0.17	0.01	10,840	-
HYDRO	1.31	0.07	1,523	1.00	TDEX	10.65	(0.02)	7,946	10.00	AP01C				

## Main Board Quotation

## Issue Date :

Monday October 29, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP06C1903A	0.09	-	154	-	BDM542P1904A	0.21	(0.02)	7,354	-	BPP01P1811A	0.52	(0.01)	9,800	-
BANP07C1810A	-	-	-	-	BEAU01C1812A	0.02	0.01	5,740	-	BPP01P1903A	0.38	(0.01)	6,210	-
BANP07C1904A	0.17	0.01	118	-	BEAU01C1812B	0.02	-	5,651	-	BPP06C1903A	-	-	-	-
BANP08C1811A	-	-	-	-	BEAU01C1901A	0.18	0.01	92,008	-	BPP08C1810A	-	-	-	-
BANP08P1901A	0.45	(0.02)	11,750	-	BEAU01C1902A	0.10	0.01	62,205	-	BPP13C1811A	-	-	-	-
BANP11C1902A	0.03	-	14	-	BEAU01C1902B	0.57	0.02	133,829	-	BPP13C1901A	0.09	0.01	30	-
BANP13C1811A	-	-	-	-	BEAU01C1902B	0.42	0.01	134,785	-	BPP13C1902A	0.25	0.01	361	-
BANP13C1902A	0.13	0.01	730	-	BEAU01P1812A	1.74	(0.04)	88,517	1.00	BPP19C1903A	0.34	(0.01)	13,579	-
BANP16C1812A	0.39	0.01	4,050	-	BEAU01P1902A	0.98	(0.03)	164,424	-	BPP19C1903B	0.12	(0.01)	9,024	-
BANP19C1811A	-	-	-	-	BEAU06C1904A	0.92	0.03	28,337	-	BPP23C1901A	-	-	-	-
BANP19C1902A	0.17	-	46,202	-	BEAU08C1901A	0.01	-	13,000	-	BPP24C1902A	0.05	(0.01)	300	-
BANP23C1901A	0.02	-	11	-	BEAU08C1902A	0.39	0.02	32,059	-	BPP24C1904A	0.26	-	4	-
BANP24C1812A	-	-	-	-	BEAU11C1902A	0.04	-	4,151	-	BPP28C1812A	0.14	-	17,180	-
BANP24C1904A	0.13	-	102	-	BEAU13C1811A	-	-	-	-	BPP28C1902A	0.09	0.01	240	-
BANP24P1901A	0.36	(0.08)	1	-	BEAU13C1812A	-	-	-	-	BTS01C1810A	0.26	-	17,414	-
BANP27C1904A	0.25	0.01	10,800	-	BEAU13C1812B	0.17	(0.01)	302,353	-	BTS01C1810B	0.01	-	13,330	-
BANP28C1902A	0.08	0.01	2,000	-	BEAU13C1901A	0.05	-	56,867	-	BTS01C1903A	0.31	-	200	-
BANP28C1903A	0.18	0.01	91,455	-	BEAU19C1811A	-	-	-	-	BTS01C1903B	0.22	0.01	13,533	-
BANP42C1903A	-	-	-	-	BEAU19C1901A	0.42	0.03	59,523	-	BTS01P1810A	0.48	-	5,439	-
BANP42P1903A	0.69	(0.02)	16,320	-	BEAU19C1902A	0.12	-	7,682	-	BTS01P1903A	0.46	-	22,560	-
BBL06C1902A	0.71	-	6,984	-	BEAU23C1901A	-	-	-	-	BTS06C1903A	-	-	-	-
BBL08C1902A	0.47	(0.01)	9,331	-	BEAU24C1901A	0.05	0.01	4,000	-	BTS06C1903B	-	-	-	-
BBL08P1810A	-	-	-	-	BEAU24C1902A	0.02	-	4,058	-	BTS06C1903C	-	-	-	-
BBL11C1903A	0.38	(0.02)	7,491	-	BEAU24C1903A	0.40	-	253	-	BTS08C1810A	-	-	-	-
BBL11P1903A	-	-	-	-	BEAU27C1903A	0.10	-	25,229	-	BTS11C1904A	-	-	-	-
BBL13C1901A	0.23	(0.01)	14,487	-	BEAU28C1811A	-	-	-	-	BTS19C1901A	0.16	0.01	8,714	-
BBL19C1901A	0.20	(0.01)	39,166	-	BEC01C1812A	0.03	-	580	-	BTS23C1905A	-	-	-	-
BBL23C1811A	0.11	(0.02)	14,680	-	BEC01C1812B	-	-	-	-	BTS24C1901A	-	-	-	-
BBL24C1812A	-	-	-	-	BEC13C1811A	-	-	-	-	BTS28C1811A	-	-	-	-
BBL24C1902A	0.13	(0.01)	1,471	-	BEC13C1901A	0.02	(0.01)	6,099	-	BTS28C1902A	0.12	-	24,373	-
BBL24P1810A	-	-	-	-	BEC24C1812A	-	-	-	-	BTS42C1901A	0.11	-	1,004	-
BBL24P1904A	0.41	-	3,652	-	BEC28C1811A	-	-	-	-	BTS42P1901A	0.24	-	6,024	-
BBL27C1904A	0.40	-	7,200	-	BEM01C1902A	0.31	(0.01)	47,940	-	CBG01C1811A	0.09	0.01	16,026	-
BBL27P1904A	0.59	-	8,810	-	BEM01C1902B	0.23	0.02	58,168	-	CBG01C1811B	-	-	-	-
BBL28C1811A	-	-	-	-	BEM01P1902A	0.44	-	16,023	-	CBG01C1902A	0.35	(0.01)	9,497	-
BBL28C1901A	0.18	(0.01)	46,256	-	BEM07C1903A	-	-	-	-	CBG01C1902B	0.23	-	3,071	-
BBL42C1903A	0.23	(0.01)	12,200	-	BEM08C1903A	0.19	-	11,336	-	CBG01P1811A	1.29	(0.03)	6,153	1.00
BCH01C1902A	0.46	(0.01)	35,363	-	BEM11C1903A	0.15	(0.01)	4,120	-	CBG01P1811B	0.51	(0.05)	29,278	-
BCH01C1902B	0.31	-	32,265	-	BEM13C1901A	0.24	-	78,540	-	CBG06C1903A	0.33	(0.01)	5,009	-
BCH01P1902A	0.39	-	24,391	-	BEM19C1901A	0.25	-	17,934	-	CBG06P1903A	1.02	(0.01)	2,510	1.00
BCH06C1811A	0.28	(0.02)	10,935	-	BEM23C1901A	0.11	(0.01)	5,300	-	CBG07C1812A	-	-	-	-
BCH08C1901A	0.51	(0.01)	19,360	-	BEM24C1902A	0.15	0.01	2	-	CBG08C1810A	-	-	-	-
BCH11C1905A	0.44	(0.01)	15,447	-	BEM27C1904A	0.19	-	4,800	-	CBG08C1902A	0.10	(0.01)	6,104	-
BCH13C1810A	-	-	-	-	BEM42C1904A	0.17	-	10,092	-	CBG11C1902A	0.04	-	5,000	-
BCH13C1902A	0.25	(0.01)	21,617	-	BEM42P1904A	0.26	-	8,096	-	CBG13C1811A	-	-	-	-
BCH19C1903A	0.51	(0.01)	32,224	-	BGR01C1901A	1.07	(0.01)	6,168	1.00	CBG13C1812A	0.04	-	310	-
BCH23C1811A	0.43	0.03	3,000	-	BGR10C1901B	0.80	-	6,808	-	CBG13C1901A	0.21	-	20,739	-
BCH24C1811A	0.08	-	502	-	BGR10C1903A	0.33	-	34,970	-	CBG19C1810A	-	-	-	-
BCH27C1902A	0.73	0.02	2,412	-	BGR10C1903B	0.24	-	43,016	-	CBG19C1901A	0.16	0.01	1,613	-
BCH28C1811A	-	-	-	-	BGR106C1903A	0.93	0.03	3,041	-	CBG23C1901A	-	-	-	-
BCH28C1902A	0.19	(0.01)	14,836	-	BGR107C1903A	-	-	-	-	CBG24C1811A	-	-	-	-
BCP01C1810A	0.03	-	15,054	-	BGR108C1902A	0.69	(0.01)	5,506	-	CBG24C1901A	-	-	-	-
BCP01C1810B	0.01	-	200	-	BGR113C1812A	-	-	-	-	CBG24C1903A	0.14	(0.02)	8,000	-
BCP01C1903A	0.18	0.01	22,599	-	BGR113C1812B	0.16	-	22,016	-	CBG28C1811A	-	-	-	-
BCP01C1903B	0.11	-	19,082	-	BGR19C1901A	0.54	0.02	6,232	-	CBG28C1812A	-	-	-	-
BCP01P1810A	0.51	(0.02)	2,062	-	BGR19C1903A	0.20	-	12,028	-	CBG42C1904A	-	-	-	-
BCP01P1903A	0.47	(0.02)	11,942	-	BGR124C1901A	0.59	(0.02)	1,007	-	CENT01C1810A	0.01	-	36,951	-
BCP08C1901A	-	-	-	-	BGR124C1902A	0.21	-	1,014	-	CENT01C1810B	0.01	-	8,004	-
BCP11C1811A	-	-	-	-	BGR128C1812A	-	-	-	-	CENT01C1903A	0.39	-	35,520	-
BCP13C1810A	-	-	-	-	BGR128C1901A	0.14	-	26,624	-	CENT01C1903B	0.28	(0.01)	48,905	-
BCP13C1902A	0.12	-	200	-	BH01C1811A	0.59	0.06	44,532	-	CENT01P1810A	1.21	(0.02)	5,270	1.00
BCP19C1902A	0.11	0.01	4,001	-	BH01C1811B	0.03	(0.02)	2	-	CENT01P1903A	0.49	-	10,106	-
BCP24C1811A	-	-	-	-	BH01P1811A	0.85	(0.11)	44,304	-	CENT06C1904A	0.14	-	13,398	-
BCP24C1904A	-	-	-	-	BH07C1810A	-	-	-	-	CENT08C1902A	0.12	(0.01)	9,021	-
BCP28C1901A	-	-	-	-	BH08C1811A	-	-	-	-	CENT11C1904A	0.09	0.01	1	-
BCPG01C1811A	0.25	0.01	107,120	-	BH08C1902A	0.53	0.03	43,965	-	CENT13C1811A	-	-	-	-
BCPG01C1811B	0.02	-	13,301	-	BH11C1902A	-	-	-	-	CENT13C1902A	0.21	-	19,815	-
BCPG01C1904A	0.34	-	79,791	-	BH11C1905A	0.65	0.02	12,570	-	CENT19C1901A	0.12	-	10,250	-
BCPG01C1904B	0.23	0.01	109,122	-	BH13C1901A	0.55	0.04	54,530	-	CENT19C1904A	0.37	-	32,302	-
BCPG06C1811A	0.04	-	2,050	-	BH19C1901A	0.56	0.06	38,194	-	CENT23C1902A	0.07	-	300	-
BCPG08C1810A	-	-	-	-	BH24C1811A	-	-	-	-	CENT24C1810A	-	-	-	-
BCPG08C1904A	0.17	0.01	16,740	-	BH24C1902A	0.43	0.03	20,841	-	CENT24C1901A	-	-	-	-
BCPG11C1902A	0.08	-	100	-	BIG08C1906A	0.09	(0.01)	264	-	CENT24C1902A	0.17	(0.02)	9,646	-
BCPG13C1812A	0.22	0.01	7,079	-	BIG13C1901A	0.03	-	3,377	-	CHG01C1903A	0.33	(0.02)	12,836	-
BCPG13C1902A	0.14	-	44,844	-	BIG19C1811A	-	-	-	-	CHG01C1903B	0.22	(0.03)	12,251	-
BCPG19C1901A	0.28	0.01	29,595	-	BIG24C1812A	-	-	-	-	CHG01P1903A	0.46	0.03	26,763	-
BCPG23C1902A	0.25	0.01	10,000	-	BJ00C1812A	0.54	0.04	202,959	-	CHG07C1902A	-	-	-	-
BCPG24C1810A	-	-	-	-	BJ00C1812B	0.26	0.01	87,000	-	CHG11C1904A	0.23	(0.03)	4,816	-
BCPG24C1903A	0.14	-	5	-	BJ00P1812A	0.29	(0.02)	55,989	-	CHG13C1812A	0.16	(0.06)	100,717	-
BCPG27C1903A	0.25	-	32,000	-	BJ006C1901A	0.13	0.01	2,990	-	CHG13C1903A	0.10	(0.01)	17,260	-
BCPG28C1812A	0.30	0.01	53,797	-	BJ008C1903A	0.28	0.02	12,413	-	CHG19C1902A	0.26	(0.03)	12,000	-
BCPG28C1901A	0.12	0.01	54,635	-	BJ11C1905A	0.38	0.03	16,735	-	CHG23C1811A	-	-	-	-
BDM50C1811A	0.09	-	47,781	-	BJ13C1812A	0.20	-	70	-	CHG24C1811A	0.07	(0.01)	170	-
BDM50C1811B	-	-	-	-	BJ13C1902A	0.19	0.01	18,894	-	CHG28C1812A	-	-	-	-
BDM50P1811A	0.33	-	27,555	-	BJ19C1902A	0.31	0.01	34,060	-	CHG28C1902A	0.13	(0.03)	8,293	-
BDM506C1811A	0.24	-	21,760	-	BJ23C1901A	0.12	0.01	8,000	-	CK01C1902A	0.23	-	28,346	-
BDM507C1904A	0.11	(0.01)	2,319	-	BJ24C1901A	0.18	-	102	-	CK01C1902B	0.16	-	36,194	-
BDM508C1901A	0.06	-	701	-	BJ28C1812A	0.20	-	44,456	-	CK01P1902A	0.39	(0.01)	2,208	-
BDM511C1811A	0.30	0.02	10,443	-	BLA01C1812A	0.10	-	2,242	-	CK08C1901A	-	-	-	-
BDM511C1904A	-	-	-	-	BLA08C1811A	-	-	-	-	CK11C1904A	0.11	(0.01)	4,5	

## Main Board Quotation

Issue Date :

Monday October 29, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP19C1902A	0.62	0.03	34,926	-	DTAC01P1902B	0.35	(0.04)	34,242	-	GPSCO1C1902A	0.19	(0.01)	28,323	-
CKP19C1903A	0.19	0.01	27,827	-	DTAC06C1901A	0.22	0.04	22,854	-	GPSCO1C1902B	0.09	(0.01)	10,441	-
CKP23C1810A	0.56	0.11	19,072	-	DTAC06C1903A	0.41	0.04	25,147	-	GPSCO1P1902A	1.78	(0.03)	42,962	1.00
CKP24C1811A	0.51	0.03	2,750	-	DTAC06P1903A	0.48	(0.06)	13,864	-	GPSCO6C1811A	-	-	-	-
CKP28C1902A	0.59	0.02	63,762	-	DTAC07C1902A	0.36	0.03	15,000	-	GPSCO8C1902A	-	-	-	-
CKP28C1903A	0.14	0.01	17,476	-	DTAC08C1903A	0.38	0.04	60,074	-	GPSC11C1902A	-	-	-	-
COM701C1811A	0.74	(0.02)	17,185	-	DTAC08P1902A	0.12	(0.01)	18,632	-	GPSC13C1812A	-	-	-	-
COM701C1811B	0.29	(0.01)	29,551	-	DTAC11C1904A	0.29	0.03	11,716	-	GPSC13C1903A	0.17	(0.01)	25,727	-
COM706C1903A	0.51	(0.02)	8,060	-	DTAC13C1811A	-	-	-	-	GPSC19C1901A	0.06	-	9,120	-
COM708C1811A	-	-	-	-	DTAC13C1812A	0.36	0.08	2,352	-	GPSC24C1812A	-	-	-	-
COM708C1903A	0.52	(0.02)	19,673	-	DTAC13C1902A	0.30	0.04	106,227	-	GPSC24C1904A	0.21	(0.02)	1,540	-
COM711C1811A	0.57	0.03	10,915	-	DTAC13P1811A	0.05	(0.04)	1,022	-	GPSC27C1902A	-	-	-	-
COM713C1812A	0.39	0.01	3	-	DTAC13P1812A	0.02	-	1	-	GPSC28C1811A	-	-	-	-
COM713C1903A	0.36	0.01	35,634	-	DTAC13P1903A	0.43	(0.05)	48,782	-	GPSC28C1903A	0.13	-	68,352	-
COM719C1811A	0.31	0.01	18,770	-	DTAC19C1811A	0.14	0.04	22,861	-	GUNK08C1902A	0.18	(0.01)	32,116	-
COM719C1904A	0.69	-	11,813	-	DTAC19C1904A	0.54	0.06	62,139	-	GUNK11C1903A	0.09	-	9,663	-
COM723C1901A	0.39	0.01	3,155	-	DTAC24C1901A	0.34	0.04	296	-	GUNK13C1903A	0.23	-	60,063	-
COM724C1811A	0.17	0.01	2,002	-	DTAC27C1903A	0.32	-	4,200	-	GUNK19C1903A	0.39	(0.01)	19,116	-
COM727C1902A	0.62	0.07	1,200	-	DTAC27P1903A	0.41	(0.05)	6,700	-	GUNK24C1812A	0.08	(0.01)	1,500	-
COM728C1811A	-	-	-	-	DTAC28C1812A	0.48	0.07	31,719	-	GUNK24C1903A	0.26	-	5	-
COM728C1903A	0.49	(0.01)	28,129	-	DTAC28C1902A	0.29	0.04	68,264	-	GUNK28C1903A	0.24	(0.01)	205,273	-
CPAL01C1901A	0.11	0.01	417,740	-	DTAC42C1903A	0.35	0.02	21,200	-	HANA01C1811A	0.30	0.01	48,675	-
CPAL01C1901B	0.05	0.01	81,456	-	EA07C1810A	-	-	-	-	HANA01C1811B	0.05	-	6,806	-
CPAL01C1904A	0.56	0.05	247,191	-	EA07C1903A	0.70	0.07	9,233	-	HANA08C1903A	0.21	-	10,260	-
CPAL01C1904B	0.36	0.05	322,515	-	EA08C1810A	0.20	0.03	16,532	-	HANA11C1904A	0.16	-	3,622	-
CPAL01P1901A	1.67	(0.06)	45,664	1.00	EA08C1903A	0.67	0.06	23,632	-	HANA13C1901A	0.16	(0.01)	47,214	-
CPAL01P1901B	1.21	(0.12)	25,889	1.00	EA11C1902A	0.15	0.02	14,936	-	HANA19C1902A	0.14	-	12,194	-
CPAL01P1904A	0.87	(0.06)	52,508	-	EA13C1811A	0.08	0.01	53,202	-	HANA23C1811A	0.21	0.01	11,000	-
CPAL01P1904B	0.62	(0.07)	125,427	-	EA13C1812A	0.30	0.07	91,831	-	HANA24C1810A	-	-	-	-
CPAL06C1811A	0.42	0.08	18,410	-	EA13C1812B	0.74	0.11	205	-	HANA24C1903A	-	-	-	-
CPAL06C1811B	-	-	-	-	EA13C1901A	0.33	0.06	155,621	-	HANA28C1812A	0.18	-	9,729	-
CPAL07C1902A	0.16	0.01	7,000	-	EA19C1811A	0.29	0.03	84,449	-	HANA28C1902A	0.14	-	14,196	-
CPAL08C1902A	0.06	0.01	3,917	-	EA19C1902A	0.52	0.06	76,450	-	HMPRO1C1902A	0.33	(0.01)	37,750	-
CPAL08C1902B	0.23	0.03	34,730	-	EA23C1901A	0.52	0.01	41,480	-	HMPRO1C1902B	0.25	-	25,046	-
CPAL08P1810A	1.27	(0.19)	8,838	1.00	EA24C1901A	0.31	0.01	3,495	-	HMPRO1P1902A	0.39	0.01	33,728	-
CPAL08P1904A	0.70	(0.06)	10,635	-	EA27C1902A	-	-	-	-	HMPRO6C1811A	0.02	-	2,270	-
CPAL11C1903A	0.04	-	7,828	-	EA28C1901A	0.46	0.07	39,858	-	HMPRO8C1810A	-	-	-	-
CPAL11P1903A	1.16	(0.10)	12,590	1.00	EA28C1902A	0.24	0.03	83,641	-	HMPR11C1906A	0.19	(0.01)	9,024	-
CPAL13C1812A	0.02	-	77,593	-	EGCO01C1903A	0.52	0.01	26,742	-	HMPR13C1812A	0.14	-	27,290	-
CPAL13C1901A	0.17	0.03	172,522	-	EGCO01C1903B	0.36	0.01	39,219	-	HMPR19C1901A	0.29	(0.01)	16,300	-
CPAL13P1902A	0.52	(0.06)	125,475	-	EGCO19C1901A	0.26	0.01	27,804	-	HMPR23C1901A	-	-	-	-
CPAL19C1811A	0.01	-	2,000	-	EGCO23C1811A	-	-	-	-	HMPR24C1901A	0.13	-	2	-
CPAL19C1902A	0.24	0.04	104,107	-	EGCO24C1901A	0.11	(0.01)	1	-	HMPR28C1811A	-	-	-	-
CPAL19P1903A	0.57	(0.06)	52,042	-	EPG01C1903A	0.23	(0.03)	14,171	-	HMPR28C1903A	0.16	-	14,265	-
CPAL23C1810A	-	-	-	-	EPG01C1903B	0.15	(0.01)	196	-	INTU01C1903A	0.35	0.01	100,927	-
CPAL24C1811A	-	-	-	-	EPG01P1903A	1.21	0.03	8,059	1.00	INTU01C1903B	0.20	-	57,550	-
CPAL24C1901A	0.03	-	29,300	-	EPG07C1811A	0.06	(0.01)	2,500	-	INTU01P1903A	0.76	(0.02)	13,794	-
CPAL24C1903A	0.17	0.02	4,504	-	EPG08C1810A	-	-	-	-	INTU01P1903B	0.56	(0.01)	9,701	-
CPAL24P1901A	0.41	(0.07)	11,419	-	EPG08C1810B	0.01	(0.01)	2,000	-	INTU11C1905A	0.17	0.01	4,605	-
CPAL27C1903A	0.23	0.03	6,600	-	EPG08C1903A	0.08	(0.01)	3,934	-	INTU11P1905A	0.34	(0.01)	6,695	-
CPAL28C1811A	-	-	-	-	EPG11C1903A	0.25	(0.01)	16,156	-	INTU13C1812A	0.14	0.01	82,950	-
CPAL28C1901A	0.13	0.03	56,342	-	EPG13C1811A	0.02	(0.01)	1	-	INTU19C1901A	0.14	0.01	42,640	-
CPAL42C1904A	0.28	0.03	18,224	-	EPG13C1902A	0.07	(0.01)	1,605	-	INTU24C1901A	-	-	-	-
CPAL42P1904A	0.39	(0.03)	8,171	-	EPG13C1903A	0.19	(0.01)	29,144	-	INTU28C1901A	0.09	-	22,280	-
CPF01C1810A	0.07	0.01	1,724	-	EPG19C1902A	0.10	-	1,901	-	INTU42C1904A	0.17	0.01	2,020	-
CPF01C1902A	0.17	-	2,572	-	EPG19C1904A	0.29	(0.02)	63,894	-	INTU42P1904A	0.29	(0.02)	3,672	-
CPF01C1902B	0.09	-	106	-	EPG24C1810A	-	-	-	-	IRPC01C1810A	0.01	-	6,519	-
CPF01P1902A	0.43	(0.01)	22,432	-	EPG24C1902A	0.14	(0.01)	1	-	IRPC01C1810B	0.01	-	18,425	-
CPF01P1902B	0.33	(0.01)	23,372	-	EPG28C1902A	-	-	-	-	IRPC01C1903A	0.17	0.01	187,352	-
CPF06C1903A	0.07	(0.01)	1,600	-	ERW13C1902A	0.17	0.01	33,848	-	IRPC01C1903B	0.10	0.01	26,281	-
CPF07C1810A	-	-	-	-	ERW19C1902A	0.31	0.03	31,562	-	IRPC01P1810A	0.46	(0.04)	25,314	-
CPF08C1901A	0.09	0.01	3,001	-	ERW24C1904A	0.32	0.03	643	-	IRPC01P1810B	-	-	-	-
CPF11C1902A	0.05	-	1,010	-	ESSO01C1812A	0.31	0.02	43,575	-	IRPC01P1903A	0.64	(0.03)	39,802	-
CPF11P1902A	0.23	-	1,102	-	ESSO01C1812B	0.12	-	16,823	-	IRPC01P1903B	0.51	(0.03)	29,891	-
CPF13C1902A	0.10	0.01	1,000	-	ESSO01P1812A	0.56	(0.03)	20,395	-	IRPC06C1811A	-	-	-	-
CPF13C1903A	0.42	0.01	37,246	-	ESSO08C1902A	0.23	-	13,054	-	IRPC07C1812A	-	-	-	-
CPF19C1901A	-	-	-	-	ESSO11C1905A	0.51	0.02	7,884	-	IRPC08C1902A	0.13	0.01	21,385	-
CPF19C1904A	0.48	0.02	16,162	-	ESSO13C1811A	0.03	0.01	2,000	-	IRPC11C1902A	-	-	-	-
CPF23C1810A	-	-	-	-	ESSO13C1903A	0.25	-	17,910	-	IRPC11C1905A	0.18	0.01	5,152	-
CPF24C1901A	-	-	-	-	ESSO19C1901A	0.19	0.02	19,930	-	IRPC13C1811A	-	-	-	-
CPF24C1902A	-	-	-	-	ESSO24C1812A	-	-	-	-	IRPC13C1812A	0.08	0.01	8,610	-
CPF24C1903A	0.12	-	50	-	ESSO24C1902A	0.20	-	1	-	IRPC19C1901A	0.14	0.01	89,433	-
CPF24C1904A	0.49	0.02	200	-	ESSO28C1811A	-	-	-	-	IRPC23C1810A	-	-	-	-
CPF27C1903A	-	-	-	-	ESSO28C1903A	0.18	-	36,672	-	IRPC24C1812A	-	-	-	-
CPF28C1811A	-	-	-	-	GFPT08C1906A	0.43	(0.02)	31,204	-	IRPC27C1903A	-	-	-	-
CPF28C1902A	-	-	-	-	GFPT13C1902A	0.21	-	400	-	IRPC28C1811A	-	-	-	-
CPF28C1903A	0.40	0.02	41,388	-	GFPT19C1811A	0.36	0.03	15,800	-	IRPC28C1812A	-	-	-	-
CPN01C1902A	0.45	0.05	74,354	-	GFPT19C1903A	0.31	0.01	9,026	-	IRPC28C1902A	0.10	0.01	18,291	-
CPN01C1902B	0.25	0.03	77,148	-	GFPT24C1812A	0.23	(0.01)	16	-	ITD06C1904A	0.20	0.01	5,360	-
CPN01P1902A	0.93	(0.09)	35,678	-	GGCO1C1810A	0.01	-	4,051	-	ITD08C1810A	-	-	-	-
CPN06C1811A	0.32	0.05	23,100	-	GGCO1C1810B	0.01	-	15,664	-	ITD08C1902A	0.13	-	15,006	-
CPN07C1902A	-	-	-	-	GGCO7C1902A	-	-	-	-	ITD11C1903A	0.07	0.01	800	-
CPN08C1903A	0.37	0.02	13,746	-	GGCO8C1906A	0.07	-	1,000	-	ITD13C1812A	-	-	-	-
CPN11C1903A	0.17	0.02	11,844	-	GGCI13C1811A	-	-	-	-	ITD13C1902A	0.15	0.01	86,778	-
CPN11P1903A	0.22	(0.04)	5,084	-	GGCI13C1902A	-	-	-	-	ITD19C1811A	-	-	-	-
CPN13C1812A	0.10	0.01	37,363	-	GGCI19C1811A	-	-	-	-	ITD19C1903A	0.27	-	24,887	-
CPN13C1903A	0.48	0.04	98,909	-	GGCI19C1902A	0								

## Main Board Quotation

Issue Date :

Monday October 29, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL13C1903A	0.23	0.02	198,737	-	LH06C1903A	0.06	(0.02)	5,000	-	PSH13C1903A	0.24	-	2,640	-
IVL13P1811A	0.10	(0.03)	148,635	-	LH07C1810A	-	-	-	-	PSH19C1903A	0.32	-	600	-
IVL13P1902A	0.56	(0.01)	2,575	-	LH11C1906A	0.07	(0.01)	1,000	-	PSH23C1811A	-	-	-	-
IVL19C1903A	0.34	0.04	100,049	-	LH13C1902A	0.14	-	10,263	-	PSL01C1812A	0.17	(0.01)	14,974	-
IVL23C1810A	-	-	-	-	LH19C1901A	0.06	-	2,150	-	PSL01C1812B	0.09	-	6,108	-
IVL24C1812A	0.01	-	600	-	LH23C1901A	0.02	(0.01)	2,300	-	PSL11C1905A	0.14	-	2,635	-
IVL24C1901A	0.14	-	4,902	-	LH24C1903A	0.04	-	10	-	PSL13C1903A	0.13	(0.01)	1	-
IVL27C1902A	0.21	-	6,000	-	LPN01C1811A	0.19	(0.01)	10,381	-	PSL19C1903A	0.22	(0.02)	9,343	-
IVL28C1811A	0.01	-	680	-	LPN01C1811B	-	-	-	-	PTG01C1811A	0.02	-	6,044	-
IVL28C1812A	0.14	0.01	59,176	-	LPN08C1810A	-	-	-	-	PTG01C1811B	-	-	-	-
IVL28C1902A	0.14	-	97,621	-	LPN08C1906A	0.13	(0.01)	3,871	-	PTG01C1902A	0.17	0.01	75,582	-
IVL28P1811A	0.15	(0.07)	260	-	LPN13C1903A	0.10	-	10,391	-	PTG01C1902B	0.08	-	5,000	-
IVL42C1903A	0.17	(0.01)	23,310	-	LPN19C1901A	0.04	-	51	-	PTG01P1811A	2.06	0.02	8,868	2.00
KBAN01C1810A	0.74	(0.23)	89,067	-	LPN19C1904A	0.38	(0.01)	3,046	-	PTG01P1902A	0.75	-	50,068	-
KBAN01C1901A	0.92	(0.16)	99,757	-	LPN24C1812A	-	-	-	-	PTG06C1810A	0.01	-	102,206	-
KBAN01C1901B	0.25	(0.09)	296,308	-	MAJ08C1811A	-	-	-	-	PTG06C1904A	0.07	-	9,280	-
KBAN01C1904A	0.35	(0.06)	215,807	-	MAJO11C1902A	-	-	-	-	PTG08C1902A	0.01	-	12,465	-
KBAN01C1904B	0.22	(0.07)	167,526	-	MAJO13C1903A	-	-	-	-	PTG08C1903A	-	-	-	-
KBAN01P1810A	0.01	-	18,015	-	MAJO19C1902A	-	-	-	-	PTG11C1903A	-	-	-	-
KBAN01P1901A	0.91	0.12	274,057	-	MAJO19C1904A	0.54	0.01	2,000	-	PTG13C1812A	0.01	-	360	-
KBAN01P1901B	0.22	0.05	195,658	-	MAJO24C1902A	0.27	-	300	-	PTG13C1901A	0.05	-	10,815	-
KBAN01P1904A	0.79	0.06	142,408	-	MALE01C1812A	0.01	-	2,130	-	PTG19C1902A	0.02	-	244,821	-
KBAN01P1904B	0.58	0.07	141,129	-	MALE08C1811A	-	-	-	-	PTG19C1902B	0.13	0.01	38,084	-
KBAN06C1811A	0.14	(0.11)	26,102	-	MALE27C1812A	-	-	-	-	PTG24C1901A	0.04	(0.01)	1,362	-
KBAN07C1811A	-	-	-	-	MC19C1811A	-	-	-	-	PTG24C1902A	-	-	-	-
KBAN08C1811A	0.16	(0.12)	27,421	-	MC24C1812A	-	-	-	-	PTG27C1902A	-	-	-	-
KBAN08C1903A	0.14	(0.04)	18,097	-	MEGA01C1811A	0.09	(0.02)	11,920	-	PTG28C1812A	-	-	-	-
KBAN08P1811A	-	-	-	-	MEGA01C1811B	-	-	-	-	PTG28C1901A	0.05	(0.01)	1,863	-
KBAN13C1811A	-	-	-	-	MEGA01C1904A	0.43	(0.01)	12,369	-	PTL08C1811A	0.16	0.01	25,456	-
KBAN13C1901A	0.13	(0.04)	121,590	-	MEGA01C1904B	0.35	(0.01)	17,158	-	PTT01C1810A	0.01	-	100,345	-
KBAN19C1901A	0.15	(0.05)	102,867	-	MEGA08C1811A	-	-	-	-	PTT01C1810B	0.01	-	118,718	-
KBAN23C1902A	0.27	(0.07)	17,150	-	MEGA08C1903A	0.24	(0.01)	4,288	-	PTT01C1901A	0.53	0.04	266,035	-
KBAN24C1902A	0.30	(0.13)	2,592	-	MEGA11C1902A	0.05	(0.01)	1	-	PTT01C1901B	0.32	0.02	391,891	-
KBAN24C1903A	0.11	(0.05)	463	-	MEGA13C1902A	0.24	(0.01)	18,298	-	PTT01C1904A	0.35	0.01	216,106	-
KBAN24P1811A	-	-	-	-	MEGA19C1902A	0.19	(0.01)	1,833	-	PTT01C1904B	0.25	0.01	406,425	-
KBAN27C1903A	0.24	(0.06)	6,000	-	MEGA23C1902A	-	-	-	-	PTT01P1810A	1.00	(0.02)	16,768	-
KBAN27P1904A	0.76	0.10	8,100	-	MEGA24C1812A	0.02	-	3	-	PTT01P1810B	0.01	-	4,379	-
KBAN28C1811A	0.17	(0.60)	1,000	-	MEGA24C1903A	-	-	-	-	PTT01P1901A	0.49	(0.01)	51,938	-
KBAN28C1812A	0.10	(0.05)	57,738	-	MINT01C1901A	0.28	(0.07)	514,562	-	PTT01P1901B	0.24	(0.01)	72,611	-
KBAN28P1811A	-	-	-	-	MINT01C1901B	0.10	(0.05)	420,258	-	PTT01P1904A	0.89	(0.01)	92,719	-
KBAN28P1904A	0.48	0.07	166,415	-	MINT01P1901A	0.30	0.06	749,738	-	PTT01P1904B	0.73	(0.01)	73,331	-
KCE01C1810A	0.29	(0.06)	17,627	-	MINT06C1901A	0.14	(0.06)	26,864	-	PTT06C1811A	0.01	-	8,640	-
KCE01C1810B	0.01	-	8,205	-	MINT06C1903A	0.10	(0.09)	2,798	-	PTT06C1901A	0.20	-	14,666	-
KCE01C1903A	0.25	(0.03)	8,657	-	MINT07C1810A	-	-	-	-	PTT06P1901A	0.36	(0.02)	7,670	-
KCE01C1903B	0.17	(0.02)	35,028	-	MINT08C1903A	0.13	(0.05)	43,884	-	PTT07C1811A	-	-	-	-
KCE06C1903A	0.08	(0.02)	4,000	-	MINT11C1902A	0.05	(0.02)	210	-	PTT08C1902A	0.17	-	32,742	-
KCE07C1902A	-	-	-	-	MINT11P1902A	0.17	0.06	7,635	-	PTT08P1904A	0.69	(0.01)	25,425	-
KCE08C1902A	0.10	(0.02)	712	-	MINT13C1810A	-	-	-	-	PTT11C1902A	0.10	0.01	2,153	-
KCE11C1904A	0.18	(0.02)	1,920	-	MINT13C1812A	0.13	(0.05)	389,312	-	PTT13C1810A	-	-	-	-
KCE13C1811A	0.14	(0.02)	15,080	-	MINT13C1903A	0.08	(0.04)	126,835	-	PTT13C1811A	0.04	0.01	95	-
KCE13C1812A	0.05	(0.01)	7,300	-	MINT19C1901A	0.19	(0.06)	249,456	-	PTT13C1812A	0.12	-	386,827	-
KCE13C1903A	0.15	(0.02)	6,050	-	MINT23C1810A	-	-	-	-	PTT13P1812A	-	-	-	-
KCE19C1901A	0.12	(0.02)	58,954	-	MINT24C1812A	-	-	-	-	PTT13P1902A	0.51	(0.04)	170,921	-
KCE23C1901A	0.03	(0.02)	20,996	-	MINT24C1901A	0.11	(0.08)	28,665	-	PTT16C1912A	0.67	0.02	50	-
KCE24C1901A	0.09	(0.01)	8	-	MINT24C1902A	0.07	(0.04)	4	-	PTT19C1901A	0.24	0.02	33,510	-
KCE27C1902A	0.19	(0.01)	1,200	-	MINT27C1903A	0.11	(0.05)	48,900	-	PTT23C1901A	0.03	-	172	-
KCE28C1811A	-	-	-	-	MINT28C1811A	-	-	-	-	PTT24C1812A	0.06	-	1,121	-
KCE28C1902A	0.09	(0.01)	9,848	-	MINT28C1903A	0.08	(0.03)	129,720	-	PTT24P1901A	0.05	(0.01)	50	-
KKP01C1902A	0.41	-	75,118	-	MINT42C1904A	0.15	(0.05)	54,648	-	PTT27C1903A	0.25	0.01	13,700	-
KKP01C1902B	0.20	-	12,002	-	MINT42P1904A	0.46	0.07	41,110	-	PTT27P1903A	0.51	(0.02)	12,900	-
KKP08C1811A	0.09	-	3,330	-	MONO01C1810A	0.01	-	31,840	-	PTT28C1811A	-	-	-	-
KKP11C1903A	-	-	-	-	MONO01C1810B	0.01	-	3,859	-	PTT28C1811B	-	-	-	-
KKP13C1811A	0.01	-	500	-	MONO08C1906A	0.04	-	2,439	-	PTT28C1812A	0.17	-	53,168	-
KKP19C1901A	0.28	(0.01)	29,517	-	MONO13C1811A	-	-	-	-	PTT28C1901A	0.05	(0.01)	7,710	-
KKP24C1812A	-	-	-	-	MONO13C1901A	-	-	-	-	PTT28C1904A	0.32	0.01	113,276	-
KKP28C1902A	0.17	(0.01)	38,672	-	MONO19C1811A	-	-	-	-	PTT28P1812A	0.06	(0.01)	100	-
KTB01C1810A	0.48	0.01	80,598	-	MONO23C1901A	-	-	-	-	PTT28P1903A	0.48	(0.04)	95,372	-
KTB01C1810B	0.01	-	210	-	MONO24C1812A	-	-	-	-	PTTE01C1901A	0.58	0.03	331,417	-
KTB01C1903A	0.37	0.01	186,282	-	MONO24C1812B	-	-	-	-	PTTE01C1901B	0.23	0.01	455,310	-
KTB01C1903B	0.30	0.01	211,052	-	MONO28C1811A	-	-	-	-	PTTE01C1904A	0.48	0.01	327,230	-
KTB01P1903A	0.52	(0.01)	108,368	-	MONO28C1901A	-	-	-	-	PTTE01C1904B	0.34	0.01	92,399	-
KTB01P1903B	0.46	-	110,738	-	MTC06C1901A	1.07	(0.05)	17,219	1.00	PTTE01P1901A	1.02	(0.05)	112,838	1.00
KTB06C1902A	0.36	-	38,624	-	MTC08C1811A	0.28	(0.02)	65,011	-	PTTE01P1901B	0.42	(0.04)	179,310	-
KTB08C1903A	0.26	0.02	43,988	-	MTC08C1902A	0.80	(0.05)	13,193	-	PTTE01P1904A	1.49	(0.04)	90,805	1.00
KTB11C1811A	-	-	-	-	MTC11C1904A	0.65	(0.07)	15,869	-	PTTE01P1904B	1.23	(0.05)	96,337	1.00
KTB13C1901A	0.45	0.01	54,510	-	MTC13C1811A	-	-	-	-	PTTE06C1811A	0.11	0.01	2,101	-
KTB13C1903A	0.26	0.01	53,817	-	MTC13C1901A	-	-	-	-	PTTE07C1904A	0.29	-	58,962	-
KTB19C1901A	0.31	0.01	29,674	-	MTC13C1903A	0.44	(0.02)	139,350	-	PTTE08C1811A	0.10	0.01	13,388	-
KTB23C1811A	0.15	(0.01)	15,000	-	MTC19C1901A	0.78	(0.05)	28,823	-	PTTE08P1811A	-	-	-	-
KTB24C1811A	-	-	-	-	MTC19C1903A	0.48	(0.02)	43,527	-	PTTE08P1904A	1.25	(0.02)	24,834	1.00
KTB24P1901A	0.04	(0.01)	25	-	MTC24C1810A	-	-	-	-	PTTE11C1902A	0.41	0.03	129,523	-
KTB28C1811A	0.10	-	20	-	MTC24C1812A	0.92	(0.09)	8	-	PTTE13C1811A	0.02	0.01	11,459	-
KTB28C1903A	0.21	0.01	83,702	-	MTC27C1904A	0.57	(0.09)	3,200	-	PTTE13C1812A	0.34	0.03	91,489	-
KTB42C1903A	0.26	0.01	24,440	-	MTC28C1902A	0.66	(0.03)	100	-	PTTE13C1902A	0.16	0.01	86,043	-
KTB42P1903A	0.21	-	32,640	-	MTC28C1903A	0.31	(0.03)	90,325	-	PTTE13P1811A	-	-	-	-
KT001C1810A	0.17	0.01	197,056	-	MTC28C1904A	0.15	(0.01)	11,082	-	PTTE13P1901A	0.33	(0.04)	77,611	-
KT001C1810B	0.01	-	1,048	-	ORI11C1811A	0.01	(0.02)	70	-	PTTE13P1902A	0.87	(0.05)	1,020	

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

## Issue Date :

Monday October 29, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG01C1901A	0.76	0.03	283,548	-	S5013P1812B	1.53	(0.30)	68,597	1.00	SIRI06C1904A	0.21	-	5,300	-
PTTG01C1901B	0.38	0.01	388,666	-	S5013P1812C	1.86	(0.20)	4,134	1.00	SIRI08C1810A	-	-	-	-
PTTG01C1904A	0.63	0.02	112,007	-	S5013P1812D	1.35	(0.20)	227,200	1.00	SIRI08C1903A	0.11	(0.02)	8,343	-
PTTG01C1904B	0.42	0.01	294,756	-	S5013P1812E	0.50	(0.50)	2,046,318	-	SIRI11C1902A	0.04	-	100	-
PTTG01P1811A	1.82	(0.04)	34,006	1.00	S5028C1810A	0.01	-	1	-	SIRI13C1902A	0.13	-	24,982	-
PTTG01P1901A	0.84	(0.02)	68,270	-	S5028C1812A	0.33	0.04	956,027	-	SIRI19C1902A	-	-	-	-
PTTG01P1901B	0.48	(0.04)	74,918	-	S5028C1812B	0.16	0.03	454,813	-	SIRI23C1811A	-	-	-	-
PTTG01P1904A	1.44	(0.03)	56,078	1.00	S5028C1812C	0.09	0.01	8,192	-	SIRI24C1903A	-	-	-	-
PTTG01P1904B	1.26	(0.03)	54,258	1.00	S5028P1810A	0.78	(0.08)	82	-	SIRI28C1901A	0.18	(0.01)	2,000	-
PTTG06C1903A	0.63	0.02	19,820	-	S5028P1812A	0.86	(0.15)	1,166,215	-	SIRI28C1903A	0.12	(0.01)	1,584	-
PTTG06P1903A	0.39	(0.03)	19,640	-	S5028P1812B	1.30	(0.19)	553,404	1.00	SPAL01C1902A	0.36	-	38,521	-
PTTG07C1812A	-	-	-	-	SAWA01C1901A	0.56	(0.02)	95,267	-	SPAL01C1902B	0.20	0.01	23,683	-
PTTG08C1811A	-	-	-	-	SAWA01C1901B	0.36	(0.03)	141,050	-	SPAL11C1905A	-	-	-	-
PTTG08C1902A	0.25	0.01	29,658	-	SAWA01P1901A	0.54	0.02	111,367	-	SPAL13C1903A	0.24	(0.01)	37,717	-
PTTG08P1811A	0.58	(0.02)	11,806	-	SAWA06C1811A	0.02	-	160,145	-	SPAL19C1902A	0.18	(0.01)	16,388	-
PTTG11C1902A	0.07	-	2	-	SAWA06C1903A	0.83	(0.03)	10,435	-	SPAL23C1811A	0.11	-	6,948	-
PTTG13C1812A	0.03	0.01	26,497	-	SAWA07C1812A	0.32	(0.06)	3,140	-	SPAL24C1812A	-	-	-	-
PTTG13C1812B	0.29	0.01	88,664	-	SAWA08C1811A	-	-	-	-	SPRC01C1902A	0.25	-	2,734	-
PTTG19C1811A	0.02	0.01	1,920	-	SAWA08C1902A	0.54	(0.07)	14,526	-	SPRC01C1902B	0.15	-	12,504	-
PTTG19C1902A	0.41	0.02	63,040	-	SAWA08C1903A	0.29	(0.02)	13,506	-	SPRC06C1902A	0.24	0.02	5,446	-
PTTG23C1901A	-	-	-	-	SAWA11C1906A	0.39	(0.03)	12,248	-	SPRC07C1903A	-	-	-	-
PTTG24C1812A	-	-	-	-	SAWA13C1811A	-	-	-	-	SPRC08C1903A	0.17	0.01	2,324	-
PTTG24C1901A	-	-	-	-	SAWA13C1812A	0.06	(0.02)	60,494	-	SPRC11C1902A	0.06	0.01	1	-
PTTG24C1904A	0.43	-	100	-	SAWA13C1901A	-	-	-	-	SPRC13C1812A	0.14	0.01	10,440	-
PTTG24P1901A	-	-	-	-	SAWA13C1903A	0.19	(0.02)	77,363	-	SPRC19C1901A	0.23	0.02	6,670	-
PTTG27C1903A	0.19	-	4,800	-	SAWA19C1901A	0.57	(0.03)	23,800	-	SPRC23C1810A	-	-	-	-
PTTG27P1903A	0.38	(0.02)	6,000	-	SAWA19C1903A	0.30	(0.03)	37,976	-	SPRC24C1903A	0.19	0.01	2	-
PTTG28C1811A	-	-	-	-	SAWA24C1812A	-	-	-	-	STA01C1812A	1.02	0.09	106,943	1.00
PTTG28C1812A	0.24	0.01	71,592	-	SAWA24C1902A	0.41	(0.04)	8,333	-	STA01C1812B	0.87	0.09	90,257	-
PTTG42C1904A	0.34	0.01	26,240	-	SAWA27C1903A	0.41	(0.04)	3,600	-	STA08C1904A	0.43	0.05	36,320	-
PTTG42P1904A	0.80	(0.03)	24,152	-	SAWA28C1811A	0.06	0.01	98	-	STA13C1812A	1.33	0.24	1	1.00
QH01C1810A	0.26	(0.04)	34,559	-	SAWA28C1812A	-	-	-	-	STA13C1901A	0.88	0.09	110,354	-
QH01C1810B	0.01	-	13,708	-	SAWA28C1902A	0.22	(0.02)	43,926	-	STA13C1902A	0.53	0.07	306,658	-
QH01C1903A	0.15	(0.02)	11,196	-	SCB01C1810A	0.19	(0.13)	52,068	-	STA19C1811A	0.79	0.10	30,347	-
QH01C1903B	0.10	(0.02)	8,738	-	SCB01C1902A	0.79	(0.08)	113,819	-	STA19C1903A	1.11	0.10	15,156	1.00
QH01P1810A	0.33	0.04	5,876	-	SCB01C1902B	0.53	(0.10)	191,691	-	STA19C1903B	0.45	0.04	89,114	-
QH01P1903A	0.89	0.03	9,270	-	SCB01C1904A	0.40	(0.06)	222,640	-	STA24C1902A	0.51	0.03	49,233	-
QH11C1902A	0.16	(0.03)	1,604	-	SCB01C1904B	0.27	(0.05)	158,587	-	STA27C1904A	0.58	0.09	1,200	-
QH13C1903A	0.11	(0.01)	6,322	-	SCB01P1902A	0.46	0.04	303,745	-	STA28C1902A	0.52	0.05	51,312	-
QH19C1901A	-	-	-	-	SCB01P1902B	0.16	0.03	105,625	-	STA28C1903A	0.32	0.03	80,928	-
QH19C1904A	0.30	(0.01)	14,988	-	SCB01P1904A	1.18	0.06	85,505	1.00	STEC01C1902A	0.71	(0.02)	60,929	-
QH24C1812A	0.01	-	2,555	-	SCB01P1904B	1.00	0.06	117,022	-	STEC01C1902B	0.56	(0.02)	49,076	-
QH27C1903A	0.10	(0.02)	3,600	-	SCB06C1811A	0.36	(0.10)	21,444	-	STEC01P1902A	0.55	0.02	55,570	-
RATC19C1901A	0.17	(0.02)	710	-	SCB07C1904A	-	-	-	-	STEC06C1903A	0.57	(0.03)	10,924	-
RATC24C1902A	-	-	-	-	SCB08C1901A	0.24	(0.07)	29,352	-	STEC07C1904A	-	-	-	-
RATC27C1812A	-	-	-	-	SCB11C1901A	0.10	(0.02)	9,170	-	STEC08C1903A	0.43	(0.02)	20,647	-
ROBIO1C1903A	0.61	-	22,043	-	SCB11P1901A	0.30	0.05	53,119	-	STEC11C1903A	0.59	(0.03)	28,293	-
ROBIO1C1903B	0.40	(0.01)	21,125	-	SCB13C1812A	0.24	(0.09)	64,895	-	STEC13C1902A	0.53	(0.02)	128,162	-
ROBIO8C1903A	0.35	0.02	7,558	-	SCB13C1902A	0.18	(0.04)	123,324	-	STEC13C1903A	0.17	-	22,000	-
ROBII1C1906A	0.38	0.01	3,012	-	SCB13P1812A	-	-	-	-	STEC19C1901A	0.56	(0.03)	24,996	-
ROBII3C1902A	0.29	(0.02)	34,712	-	SCB19C1811A	0.08	(0.02)	3,000	-	STEC24C1901A	0.57	(0.04)	306	-
ROBII9C1901A	0.42	(0.01)	16,335	-	SCB24C1901A	0.26	(0.10)	8,005	-	STEC27C1902A	-	-	-	-
ROBIZ4C1901A	-	-	-	-	SCB24C1902A	0.21	(0.06)	30,003	-	STEC28C1902A	0.44	(0.01)	29,882	-
ROBIZ4C1903A	0.38	(0.03)	77	-	SCB24P1811A	-	-	-	-	STEC28C1903A	0.13	-	36,223	-
RS08C1901A	0.22	0.03	40,121	-	SCB27C1902A	0.27	(0.07)	6,900	-	STPI08C1811A	0.03	-	28,468	-
RS13C1901A	0.26	0.04	172,237	-	SCB27P1903A	0.51	0.06	7,200	-	SUPE08C1811A	-	-	-	-
RS19C1901A	0.23	0.03	43,612	-	SCB28C1812A	0.25	(0.05)	37,967	-	SUPE08C1902A	0.06	-	300	-
RS24C1811A	-	-	-	-	SCB28C1902A	0.14	(0.04)	107,688	-	SUPE13C1810A	-	-	-	-
S10001C1811A	0.30	0.02	9,287	-	SCB28P1812A	-	-	-	-	SUPE13C1811A	-	-	-	-
S10001C1911A	0.93	0.01	10,721	-	SCB28P1901A	0.48	0.04	208,907	-	SUPE13C1902A	0.04	(0.01)	614	-
S5001C1810A	0.95	0.05	10,617	-	SCB42C1903A	0.23	(0.05)	19,380	-	SUPE19C1902A	0.05	(0.02)	5,198	-
S5001C1810B	0.78	0.05	152,509	-	SCC01C1901A	0.42	-	98,758	-	SUPE19C1903A	0.16	(0.01)	4,011	-
S5001C1811A	0.37	0.03	109,578	-	SCC01C1901B	0.22	(0.01)	116,730	-	SUPE23C1811A	0.01	(0.01)	4	-
S5001C1811B	0.23	0.02	79,181	-	SCC01P1901A	0.43	0.01	4,530	-	SUPE23C1901A	-	-	-	-
S5001C1812F	0.43	0.07	1,466,213	-	SCC06C1902A	0.10	(0.01)	2,480	-	SUPE28C1811A	-	-	-	-
S5001C1812G	0.20	0.04	1,120,832	-	SCC07C1812A	-	-	-	-	SUPE28C1902A	-	-	-	-
S5001C1812H	0.18	0.04	746,729	-	SCC08C1902A	0.14	-	200	-	TASC01C1810A	0.01	-	2,405	-
S5001C1812I	0.23	0.04	812,526	-	SCC11C1811A	-	-	-	-	TASC01C1810B	0.01	-	50	-
S5001C1901A	0.31	0.02	98,970	-	SCC11C1906A	0.11	(0.02)	5,000	-	TASC01C1903A	0.29	(0.01)	44,730	-
S5001C1901B	0.23	0.02	51,109	-	SCC11P1811A	0.21	0.01	600	-	TASC01C1903B	0.17	(0.01)	75,001	-
S5001C1902A	0.52	0.02	176,718	-	SCC13C1812A	-	-	-	-	TASC01P1810A	0.82	-	2,286	-
S5001C1902B	0.42	0.02	122,195	-	SCC13C1901A	0.14	(0.01)	10,638	-	TASC01P1903A	0.72	-	3,155	-
S5001P1810A	0.23	(0.06)	480,513	-	SCC13C1903A	0.12	-	2,165	-	TASC07C1811A	-	-	-	-
S5001P1810B	0.01	(0.01)	88,943	-	SCC19C1811A	-	-	-	-	TASC08C1903A	0.20	-	4,702	-
S5001P1811A	1.27	(0.07)	136,413	1.00	SCC19C1901A	0.13	(0.03)	30,802	-	TASC11C1904A	-	-	-	-
S5001P1811B	1.24	(0.07)	192,609	1.00	SCC23C1811A	-	-	-	-	TASC13C1901A	0.10	(0.01)	35,565	-
S5001P1812F	1.69	(0.19)	1,240,971	1.00	SCC24C1812A	-	-	-	-	TASC19C1902A	0.18	-	11,200	-
S5001P1812G	1.31	(0.19)	1,227,195	1.00	SCC24C1901A	-	-	-	-	TASC23C1902A	0.14	(0.01)	9,030	-
S5001P1812H	1.71	(0.22)	984,872	1.00	SCC24C1902A	-	-	-	-	TASC24C1810A	-	-	-	-
S5001P1812I	1.28	(0.21)	1,402,112	1.00	SCC24P1901A	-	-	-	-	TASC24C1903A	0.14	-	200	-
S5001P1901A	1.35	(0.07)	28,115	1.00	SCC27C1904A	0.21	(0.03)	1,800	-	TASC28C1902A	0.09	(0.01)	18,414	-
S5001P1901B	1.38	(0.08)	323,424	1.00	SCC27P1904A	-	-	-	-	TCAP01C1901A	0.55	0.02	34,461	-
S5001P1902A	1.13	(0.06)	21,229	1.00	SCC28C1811A	-	-	-	-	TCAP01C1901B	0.38	0.03	74,115	-
S5001P1902B	1.19	(0.06)	49,646	1.00	SCC28C1812A	0.14	(0.02)	9,115	-	TCAP01P1901A	0.26	(0.03)	11,843	-
S5006C1812A	0.10	0.01	179,059	-	SCC28C1902A	-	-	-						

**Main Board Quotation**

**Issue Date :**

*Monday October 29, 2018*

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

## Main Board Quotation

Issue Date :

Monday October 29, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THAN13C1902A	0.48	(0.01)	29,105	-	TPIP11C1811A	-	-	-	-	WHAU24C1902A	0.17	(0.02)	2	-
THAN19C1903A	0.64	(0.02)	17,881	-	TPIP13C1811A	-	-	-	-	WORK01C1811A	0.03	-	3,000	-
THAN24C1903A	0.52	(0.01)	7,014	-	TPIP13C1902A	0.16	-	2,262	-	WORK01C1811B	0.01	-	200	-
THCO08C1906A	0.12	-	2,206	-	TPIP19C1902A	0.19	0.01	11,815	-	WORK01C1904A	0.18	0.01	7,391	-
THCO11C1902A	-	-	-	-	TPIP24C1901A	0.11	0.02	1	-	WORK01C1904B	0.12	-	5,982	-
THCO19C1811A	-	-	-	-	TPIP27C1812A	-	-	-	-	WORK08C1901A	0.04	(0.01)	1,000	-
THCO24C1810A	-	-	-	-	TRUE01C1902A	0.34	0.01	186,263	-	WORK11C1903A	0.03	-	812	-
THCO28C1901A	-	-	-	-	TRUE01C1902B	0.22	0.01	208,640	-	WORK13C1811A	-	-	-	-
TISCO1C1902A	0.62	(0.02)	93,857	-	TRUE01P1902A	0.51	(0.02)	107,627	-	WORK13C1812A	0.02	0.01	812	-
TISCO1C1902B	0.40	(0.01)	5,426	-	TRUE01P1902B	0.34	(0.02)	162,428	-	WORK13C1902A	0.07	(0.01)	4,051	-
TISCO7C1902A	0.51	-	300	-	TRUE06C1811A	0.01	-	35,764	-	WORK19C1811A	-	-	-	-
TISCO8C1903A	0.39	-	11,548	-	TRUE06C1906A	0.18	0.02	46,124	-	WORK19C1902A	0.10	-	32,075	-
TISC11C1903A	-	-	-	-	TRUE07C1902A	-	-	-	-	WORK24C1810A	-	-	-	-
TISC13C1811A	-	-	-	-	TRUE08C1902A	0.19	0.01	70,598	-	WORK24C1812A	-	-	-	-
TISC13C1812A	0.29	(0.02)	45,711	-	TRUE08P1902A	0.25	(0.02)	68,952	-	WORK24C1903A	0.07	-	510	-
TISC19C1901A	0.19	(0.01)	12,000	-	TRUE11C1905A	0.20	-	16,566	-	WORK27C1903A	0.07	(0.01)	30	-
TISC24C1812A	-	-	-	-	TRUE13C1812A	0.06	-	17,198	-	WORK28C1811A	-	-	-	-
TISC24C1904A	0.37	(0.01)	6	-	TRUE13C1901A	0.19	0.02	869,190	-	WORK28C1901A	-	-	-	-
TISC28C1901A	0.37	(0.02)	58,354	-	TRUE13P1901A	0.24	(0.01)	120,200	-	Preferred/Foreign	-	-	-	-
TISC42C1904A	0.36	-	2,024	-	TRUE16C1812A	0.16	0.02	311	-	BH-Q	-	-	-	-
TKN01C1901A	0.21	(0.01)	163,617	-	TRUE19C1901A	0.05	-	50,673	-	CSC-Q	-	-	-	-
TKN01C1901B	0.09	(0.01)	74,233	-	TRUE19C1903A	0.37	-	29,960	-	JUTHA-Q	-	-	-	-
TKN08C1811A	-	-	-	-	TRUE23C1902A	0.10	-	3	-	KTBA-Q	-	-	-	-
TKN08C1903A	0.12	-	10,493	-	TRUE27C1904A	0.22	-	26,400	-	SCB-Q	-	-	-	-
TKN11C1902A	0.04	0.01	100	-	TRUE27P1904A	0.46	(0.02)	28,800	-	TCAP-Q	-	-	-	-
TKN13C1810A	-	-	-	-	TRUE28C1812A	0.05	-	2,601	-	TIC-Q	-	-	-	-
TKN13C1811A	-	-	-	-	TRUE28C1903A	0.19	0.02	157,117	-	TISCO-Q	-	-	-	-
TKN13C1812A	0.03	(0.02)	4,316	-	TTA08C1906A	0.16	(0.01)	2,751	-	U-Q	-	-	-	-
TKN13C1903A	0.07	0.01	2,598	-	TTA13C1901A	-	-	-	-	Warrant	-	-	-	-
TKN19C1811A	-	-	-	-	TTA19C1811A	-	-	-	-	7UP-W2	0.04	0.01	9,813	-
TKN19C1903A	0.14	(0.01)	35,296	-	TTA23C1901A	-	-	-	-	ACC-W1	0.03	-	8,123	-
TKN23C1902A	-	-	-	-	TTA24C1902A	-	-	-	-	AJA-W1	0.17	(0.01)	13,395	-
TKN24C1811A	-	-	-	-	TTA28C1812A	-	-	-	-	ALT-W1	0.84	(0.01)	5,732	-
TKN24C1812A	-	-	-	-	TU01C1901A	0.45	0.01	13,439	-	APEX-W1	0.05	-	10,614	-
TKN24C1903A	-	-	-	-	TU01C1901B	0.36	0.01	9,360	-	APURE-W2	0.21	0.01	16,240	-
TKN28C1811A	-	-	-	-	TU01P1901A	0.21	(0.01)	10,398	-	AQ-W4	-	-	-	-
TKN28C1812A	0.11	(0.01)	14,336	-	TU06C1902A	0.15	0.01	11,106	-	AS-W1	0.24	-	340	-
TKN28C1903A	0.06	(0.01)	110	-	TU07C1902A	-	-	-	-	AYUD-W1	7.00	0.15	9,709	6.00
TMB01C1810A	0.11	0.01	60,205	-	TU08C1811A	-	-	-	-	B-W3	-	-	-	-
TMB01C1810B	0.01	-	102,999	-	TU11C1902A	-	-	-	-	B-W4	0.19	0.01	4,357	-
TMB01C1903A	0.24	(0.01)	43,316	-	TU11C1906A	-	-	-	-	BTS-W3	-	-	-	-
TMB01C1903B	0.19	-	148,619	-	TU13C1902A	0.14	-	13,982	-	BWG-W4	0.05	(0.01)	17,743	-
TMB01P1810A	0.38	-	10,888	-	TU19C1901A	0.13	0.01	10,862	-	CEN-W4	-	-	-	-
TMB01P1903A	0.45	(0.01)	21,262	-	TU23C1902A	0.14	0.01	10,000	-	CGD-W4	0.29	(0.01)	5,086	-
TMB06C1902A	0.07	(0.01)	5,750	-	TU24C1901A	-	-	-	-	CGH-W3	0.06	0.01	217	-
TMB06C1903A	0.22	0.01	4,704	-	TVO01C1903A	0.28	0.01	17,490	-	CI-W1	0.34	(0.05)	17,222	-
TMB07C1811A	-	-	-	-	TVO01C1903B	0.19	-	37,066	-	CKP-W1	0.48	0.05	239,165	-
TMB07C1903A	-	-	-	-	TVO11C1903A	0.05	-	1,000	-	CRANE-W1	-	-	-	-
TMB08C1901A	-	-	-	-	TVO13C1902A	0.14	-	204	-	CWT-W4	0.24	0.01	42,281	-
TMB08C1903A	0.15	-	8,400	-	TVO19C1902A	0.13	-	7,550	-	DCC-W1	0.89	-	18,418	-
TMB11C1904A	0.06	(0.01)	300	-	TVO24C1810A	-	-	-	-	DCON-W1	-	-	-	-
TMB13C1811A	0.01	-	300	-	TVO24C1903A	-	-	-	-	DIGI-W1	0.02	-	13,415	-
TMB13C1901A	0.14	-	44,092	-	UNI01C1810A	0.10	0.01	215,851	-	DIGI-W2	0.02	0.01	33	-
TMB19C1901A	0.08	(0.01)	20,895	-	UNI01C1810B	0.01	-	30,893	-	EARTH-W4	-	-	-	-
TMB23C1810A	-	-	-	-	UNI08C1810A	-	-	-	-	EIC-W2	-	-	-	-
TMB24C1901A	-	-	-	-	UNI08C1906A	0.17	-	37,284	-	EIC-W3	-	-	-	-
TMB24C1902A	0.12	(0.01)	1	-	UNI08C1906A	0.17	-	37,284	-	EVER-W3	0.04	(0.01)	20,681	-
TMB27C1903A	0.24	(0.01)	9,083	-	UNI11C1811A	-	-	-	-	GJS-W3	-	-	-	-
TMB28C1901A	0.13	(0.01)	6,144	-	UNI13C1901A	0.12	(0.01)	47,941	-	GSTEL-W1	-	-	-	-
TOA01C1901A	0.20	-	6,660	-	UNI19C1811A	-	-	-	-	GSTEL-W2	-	-	-	-
TOA01C1901B	-	-	-	-	UNI23C1901A	-	-	-	-	IEC-W2	-	-	-	-
TOA08C1902A	0.07	(0.01)	100	-	UNI24C1811A	-	-	-	-	IHL-W1	5.60	-	410	5.00
TOA13C1812A	-	-	-	-	UNI28C1811A	-	-	-	-	ITD-W1	0.12	-	7,997	-
TOA19C1901A	0.10	(0.01)	31,517	-	UV01C1902A	0.32	(0.01)	142,764	-	JAS-W3	2.22	0.04	7,640	2.00
TOA24C1812A	-	-	-	-	UV01C1902B	0.21	(0.01)	192,637	-	JCK-W5	0.47	(0.02)	1,346	-
TOA28C1812A	-	-	-	-	UV06C1812A	-	-	-	-	JMART-W2	0.65	(0.14)	26,386	-
TOP01C1901A	1.23	0.01	28,106	1.00	UV08C1902A	0.19	(0.01)	11,622	-	JMT-W2	1.89	(0.01)	12,006	1.00
TOP01C1901B	0.86	-	52,655	-	UV13C1812A	0.10	(0.01)	57,661	-	MACO-W2	0.21	-	31,164	-
TOP01C1904A	0.53	0.01	33,079	-	UV19C1902A	0.20	(0.02)	48,377	-	MIDA-W2	0.01	-	802	-
TOP01C1904B	0.39	(0.01)	32,946	-	UV24C1812A	-	-	-	-	MILL-W3	0.03	-	1,553	-
TOP01P1901A	0.48	(0.02)	55,436	-	VGI01C1812A	0.60	(0.01)	2,026	-	MILL-W4	0.27	(0.01)	4,813	-
TOP01P1904A	1.57	(0.04)	23,178	1.00	VGI06C1904A	-	-	-	-	MILL-W5	0.25	-	2,459	-
TOP06C1903A	0.86	0.01	8,884	-	VGI06C1904C	-	-	-	-	ML-W2	0.03	-	101	-
TOP06C1903B	0.29	0.01	2,400	-	VGI08C1811A	0.39	(0.02)	1,200	-	MONO-W1	0.36	0.01	1,799	-
TOP07C1812A	-	-	-	-	VGI23C1905A	-	-	-	-	NEP-W3	-	-	-	-
TOP08C1811A	0.01	-	8,400	-	VGI23C1911A	-	-	-	-	NOK-W1	0.53	(0.01)	300	-
TOP08C1902A	0.35	-	10,440	-	VGI27C1812A	0.22	(0.01)	1,200	-	NUSA-W3	-	-	-	-
TOP11C1905A	0.79	0.02	11,592	-	WHA01C1812A	0.50	(0.02)	50,953	-	NVD-W1	0.36	0.04	1,505	-
TOP13C1811A	-	-	-	-	WHA01C1812B	0.31	(0.02)	64,642	-	ORI-W1	1.68	-	2,102	1.00
TOP13C1901A	0.36	0.02	47,330	-	WHA01P1812A	0.41	0.02	62,511	-	PACE-W2	0.14	-	8,031	-
TOP13C1902A	0.26	(0.02)	43,284	-	WHA06C1903A	0.34	(0.02)	99,234	-	PDI-W1	0.98	0.01	2,191	-
TOP19C1901A	0.23	0.01	19,855	-	WHA07C1810A	-	-	-	-	PDJ-W2	1.23	0.03	11	1.00
TOP23C1811A	0.01	(0.01)	558	-	WHA08C1811A	-	-	-	-	PDJ-W3	1.21	(0.01)	1	1.00
TOP24C1901A	-	-	-	-	WHA08C1904A	0.27	(0.01)	18,228	-	PDJ-W4	1.28	0.01	220	1.00
TOP24C1902A	0.27	-	1,551	-	WHA11C1903A	0.15	(0.01)	1,302	-	PLE-W3	0.08	0.01	4,595	-
TOP24C1903A	0.20	0.01	2	-	WHA13C1812A	0.28	(0.01)	66,271	-	RICH-W1	-	-	-	-
TOP27C1903A	0.34	-	3,600	-	WHA19C1901A	0.33	(0.02)	31,332	-	RICHY-W1	0.35	0.01	861	-
TOP28C1812A	0.27	0.01	11,726	-	WHA23C1810A	-	-	-	-	RICHY-W2	0.17	-	293	-
TOP28C1903A	0.27	0.01	69,854	-	WHA24C1811A	-	-	-	-	RS-W3	5.65	0.81	6,386	5.00
TP101C1812A	0.13	-	18,704	-	WHA24C1902A	0.28	(0.03)	443	-	S-W1	0.08	-	22,862	-
TP101C1812B	-	-	-	-	WHA27C1903A	-	-	-	-	SAMART-W2	0.55	-	-	-

## Main Board Quotation

Issue Date :

Monday October 29, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TPI07C1812A	-	-	-	-	WHA28C1901A	0.33	(0.01)	9,192	-	SAWAD-W1	8.60	0.15	1,224	8.00
TPI13C1902A	-	-	-	-	WHA28C1903A	0.20	(0.02)	28,723	-	SDC-W1	0.22	0.01	33,147	-
TPI19C1901A	0.12	-	3,293	-	WHAU01C1810A	0.07	(0.02)	32,793	-	SMT-W1	0.05	-	27	-
TPI24C1902A	-	-	-	-	WHAU01C1810B	0.01	-	4,137	-	SMT-W2	0.56	0.02	329	-
TPIP01C1810A	0.08	-	3,290	-	WHAU13C1902A	0.18	(0.03)	2,000	-	SPORT-W5	-	-	-	-
TPIP01C1810B	-	-	-	-	WHAU19C1902A	0.19	(0.01)	9,193	-	SST-W2	2.06	0.06	39,386	2.00
TPIP01P1810A	0.62	(0.02)	760	-	WHAU24C1812A	-	-	-	-	SUPER-W4	0.07	-	222,054	-
SUSCO-W1	0.03	-	108,097	-	EFORL-W4	0.02	-	8	-	-	-	-	-	-
SVI-W3	2.32	0.12	9,605	2.00	FC-W1	0.05	-	4	-	-	-	-	-	-
TCC-W3	0.32	0.07	130,935	-	FC-W2	-	-	-	-	-	-	-	-	-
TCC-W4	0.30	0.06	76,511	-	FOCUS-W2	0.62	0.01	40,206	-	-	-	-	-	-
TCC-W5	0.78	0.04	54,173	-	FVC-W2	0.41	0.01	49,125	-	-	-	-	-	-
TCJ-W2	0.85	0.02	407	-	ITEL-W1	0.52	-	2,149	-	-	-	-	-	-
TCMC-W2	0.29	-	1,646	-	JKN-W1	2.30	0.10	42,233	2.00	-	-	-	-	-
TFG-W1	1.29	(0.10)	2,808	1.00	LIT-W1	2.04	0.04	1,252	2.00	-	-	-	-	-
TFG-W2	0.68	(0.03)	107	-	META-W2	0.04	0.01	17,067	-	-	-	-	-	-
TGPRO-W3	0.02	-	1,900	-	META-W3	0.17	(0.02)	219,375	-	-	-	-	-	-
TH-W2	0.30	-	22,611	-	NCL-W3	0.31	(0.01)	8,216	-	-	-	-	-	-
THE-W2	0.08	-	38,224	-	NDR-W1	-	-	-	-	-	-	-	-	-
TNITY-W1	0.89	-	20	-	NEWS-W4	-	-	-	-	-	-	-	-	-
TNPC-W1	0.39	-	1,929	-	NEWS-W6	-	-	-	-	-	-	-	-	-
TRITN-W3	0.28	(0.01)	84,482	-	PHOL-W1	-	-	-	-	-	-	-	-	-
TSR-W1	0.21	-	3,717	-	PIMO-W1	2.94	0.10	55,903	2.00	-	-	-	-	-
TTA-W5	0.12	-	22,076	-	PPS-W1	0.48	(0.03)	800	-	-	-	-	-	-
TTCL-W1	1.13	-	1,857	1.00	PSTC-W1	0.18	-	2,009	-	-	-	-	-	-
U-W1	-	-	-	-	SIMAT-W2	0.32	0.02	102	-	-	-	-	-	-
U-W4	-	-	-	-	SIMAT-W3	0.44	-	525	-	-	-	-	-	-
VGI-W2	0.41	0.01	86,479	-	SIMAT-W4	1.07	(0.01)	2,491	1.00	-	-	-	-	-
VIBHA-W2	1.38	-	20	1.00	SKY-W1	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.30	-	123	-	STAR-W3	1.82	(0.02)	160	1.00	-	-	-	-	-
WAVE-W1	0.41	0.01	933	-	TAKUNI-W	0.19	-	3,201	-	-	-	-	-	-
WHA-W1	6.85	(0.10)	3,503	7.00	TAPAC-W3	1.71	-	742	1.00	-	-	-	-	-
WORK-W1	6.95	0.45	53	6.00	TMILL-W1	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W4	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	TSF-W5	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	TVD-W2	0.58	0.03	4,332	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UAC-W2	0.63	(0.02)	6,418	-	-	-	-	-	-
KTB-P	-	-	-	-	UKEM-W2	0.43	(0.01)	4,047	-	-	-	-	-	-
SCB-P	-	-	-	-	UWC-W2	0.01	-	74	-	-	-	-	-	-
TCAP-P	-	-	-	-	XO-W1	5.75	0.10	1,935	5.00	-	-	-	-	-
TIC-P	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
U-P	0.03	(0.01)	97,313	-	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2S-W1	0.11	(0.01)	710	-	-	-	-	-	-	-	-	-	-	-
ACAP-W2	1.92	0.09	24,155	1.00	-	-	-	-	-	-	-	-	-	-
AIRA-W2	0.02	-	14	-	-	-	-	-	-	-	-	-	-	-
ATP30-W1	0.73	(0.01)	995	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.30	0.01	36,437	-	-	-	-	-	-	-	-	-	-	-
BM-W1	0.34	0.01	1,699	-	-	-	-	-	-	-	-	-	-	-
BSM-W2	0.08	(0.02)	15,933	-	-	-	-	-	-	-	-	-	-	-
CHEWA-W1	0.14	0.01	48,592	-	-	-	-	-	-	-	-	-	-	-
CIG-W7	0.02	-	81	-	-	-	-	-	-	-	-	-	-	-
DIMET-W2	0.09	(0.01)	4,446	-	-	-	-	-	-	-	-	-	-	-
DNA-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ECF-W2	3.26	(0.04)	172	3.00	-	-	-	-	-	-	-	-	-	-
ECF-W3	2.24	(0.06)	829	2.00	-	-	-	-	-	-	-	-	-	-
EFORL-W3	0.01	-	1,021	-	-	-	-	-	-	-	-	-	-	-